

A revision of *Lobostemon* Lehm., and a discussion of the

Botanical Journal of the Linnean Society

49, 393-451

DOI: [10.1111/j.1095-8339.1934.tb00394.x](https://doi.org/10.1111/j.1095-8339.1934.tb00394.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Wild species-hybrids in the phanerogams. Botanical Review, The, 1937, 3, 593-615.	3.9	13
2	SOME GEOGRAPHICAL ASPECTS OF THE CAPE FLORA. Transactions of the Royal Society of South Africa, 1948, 31, 437-464.	1.1	7
3	NOTES ON THE PHYTOGEOGRAPHY OF THE FLORA OF THE CAPE PENINSULA. Transactions of the Royal Society of South Africa, 1959, 35, 443-462.	1.1	3
4	MIGRATIONS AND ORIGIN OF THE CAPE FLORA. Transactions of the Royal Society of South Africa, 1964, 37, 85-107.	1.1	94
5	VALIDATION OF CHLORIS SUBG. PHACELARIA (POACEAE). Taxon, 1985, 34, 528-528.	0.7	3
6	LECTOTYPIFICATION IN THE GENUS LOBOSTEMON (BORAGINACEAE). Taxon, 1985, 34, 525-528.	0.7	4
7	AffinitÃ©s palynologiques entre le genre <i>Echium</i> L. (sect. <i>Gigantea</i> , <i>Decaisnea</i> , <i>Simplicia</i> , <i>Auberiana</i> ) et <i>Lobostemon</i> Lehm. (Boraginaceae). <i>Acta Botanica Gallica</i> , 1994, 141, 243-255.	0.9	2
8	Lectotypification of the names of Linnaean <i>Echium</i> species now in <i>Lobostemon</i> (Boraginaceae). Taxon, 1996, 45, 515-517.	0.7	1
9	A new species of <i>Lobostemon</i> section <i>Grandiflori</i> (Boraginaceae) from South Africa. <i>South African Journal of Botany</i> , 1996, 62, 31-35.	2.5	3
10	Systematics of the genus <i>Cyclopia</i> Vent. (Fabaceae, Podalyrieae). <i>Edinburgh Journal of Botany</i> , 1997, 54, 125-170.	0.4	44
11	The major flower anthocyanins of <i>Lobostemon</i> (Boraginaceae). <i>Biochemical Systematics and Ecology</i> , 1997, 25, 39-42.	1.3	8
12	Pontechium : a new genus distinct from <i>Echium</i> and <i>Lobostemon</i> ( Boraginaceae ). Taxon, 2000, 49, 737-746.	0.7	22
13	Boraginaceae cymes are exclusively scorpioid and not helicoid. Taxon, 2003, 52, 719-724.	0.7	8
15	Boraginaceae Cymes Are Exclusively Scorpioid and Not Helicoid. Taxon, 2003, 52, 719.	0.7	23
16	A morphological cladistic analysis of <i>Lobostemon</i> (Boraginaceae). <i>South African Journal of Botany</i> , 2006, 72, 383-390.	2.5	5
17	Taxonomy of <i>Echium</i> (Boraginaceae) species from Cape Verde Islands. <i>Australian Systematic Botany</i> , 2008, 21, 26.	0.9	4
18	Nomenclature and typification of J.G.C. Lehmann and H. Buek names in <i>Lobostemon</i> (<i>Boraginaceae</i>), with enquiries into the contributions by O. Swartz and C.P. Thunberg. Taxon, 2009, 58, 627-637.	0.7	1
19	A reassessment of the supposed <i>Echium</i> homonyms in the <i>Prodromi</i> of Burman and Thunberg with typification of their <i>Echium</i> names now in <i>Lobostemon</i> and <i>Echiostachys</i>. Taxon, 2011, 60, 1189-1193.	0.7	2

#	ARTICLE	IF	CITATIONS
20	Boraginaceae. , 2016., 41-102.		27
21	A reappraisal of the genus <i>&lt; i&gt;Megacaryon&lt;/i&gt;</i> (Boraginaceae, Lithospermeae) based on molecular, morphological, and karyological evidence. Systematics and Biodiversity, 2017, 15, 552-563.	1.2	4
22	Comparative Studying of Leaf Trichomes, Teeth and Glands in <i>Populus nigra</i> L., <i>Populus deltoides</i> W. Bartram ex Marshall and Their Hybrids. Forests, 2020, 11, 1267.	2.1	3
23	The genus <i>&lt; i&gt;Echium&lt;/i&gt;</i> (Boraginaceae) in southern Africa. Bothalia, 1998, 28, 167-177.	0.3	13