

CITATION REPORT

List of articles citing

The role of toll-like receptors in rheumatoid arthritis

DOI: 10.1007/s11926-009-0051-z

Current Rheumatology Reports, 2009, 11, 357-64.

Source: <https://exaly.com/paper-pdf/46219055/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
191	NAD(P)H:quinone oxidoreductase 1 and nrh:quinone oxidoreductase 2 activity and expression in bladder and ovarian cancer and lower NRH:quinone oxidoreductase 2 activity associated with an NQO2 exon 3 single-nucleotide polymorphism. 2007 , 13, 1584-90		34
190	State-of-the-art: rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1898-906	2.4	215
189	Norisoboldine inhibits the production of pro-inflammatory cytokines in lipopolysaccharide-stimulated RAW 264.7 cells by down-regulating the activation of MAPKs but not NF- κ B. <i>Inflammation</i> , 2010 , 33, 389-97	5.1	32
188	Toll-like receptor signaling: a potential link among rheumatoid arthritis, systemic lupus, and atherosclerosis. 2010 , 88, 253-62		54
187	B cell therapies for rheumatoid arthritis: beyond B cell depletion. 2010 , 36, 325-43		17
186	Negative regulation of NF- κ B and its involvement in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2011 , 13, 221	5.7	52
185	SIRT1 overexpression in the rheumatoid arthritis synovium contributes to proinflammatory cytokine production and apoptosis resistance. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1866-73	2.4	126
184	A20 (TNFAIP3) deficiency in myeloid cells triggers erosive polyarthritis resembling rheumatoid arthritis. 2011 , 43, 908-12		216
183	Applications of proteomics in cartilage biology and osteoarthritis research. 2011 , 16, 2622-44		8
182	Bcl-2 inhibits the innate immune response during early pathogenesis of murine congenital muscular dystrophy. 2011 , 6, e22369		11
181	Molecular Mechanisms in Rheumatic Diseases: Rationale for Novel Drug Development - Introduction. 2011 , 10,		
180	Developing the next generation of monoclonal antibodies for the treatment of rheumatoid arthritis. 2011 , 162, 1470-84		25
179	Toll-like receptors in rheumatic diseases: are we paying a high price for our defense against bugs?. 2011 , 585, 3660-6		30
178	Activation of lipopolysaccharide-TLR4 signaling accelerates the ototoxic potential of cisplatin in mice. 2011 , 186, 1140-50		53
177	Soluble CD14 and CD14 polymorphisms in rheumatoid arthritis. 2011 , 38, 2509-16		20
176	The role of TLR and chemokine in wear particle-induced aseptic loosening. 2012 , 2012, 596870		30
175	Synoviocyte innate immune responses: TANK-binding kinase-1 as a potential therapeutic target in rheumatoid arthritis. 2012 , 51, 610-8		36

174	SNAPIN: an endogenous Toll-like receptor ligand in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1411-7	2.4	31
173	Toll-like receptors, the NLRP3 inflammasome, and interleukin-1 β in the development and progression of type 1 diabetes. 2012 , 71, 626-32		72
172	The biological significance of evolution in autoimmune phenomena. 2012 , 2012, 784315		6
171	Glycoprotein 96 perpetuates the persistent inflammation of rheumatoid arthritis. 2012 , 64, 3638-48		21
170	Structure-activity relationship of a guanine-free oligodeoxynucleotide as immunopotent inhibitor. <i>International Immunopharmacology</i> , 2012 , 13, 446-53	5.8	3
169	Licorice isoliquiritigenin suppresses RANKL-induced osteoclastogenesis in vitro and prevents inflammatory bone loss in vivo. 2012 , 44, 1139-52		43
168	p16(INK4a) exerts an anti-inflammatory effect through accelerated IRAK1 degradation in macrophages. 2012 , 189, 5066-72		39
167	Characterization of TLR4-mediated auto-antibody production in a mouse model of histidyl-tRNA synthetase-induced myositis. 2012 , 18, 876-85		17
166	Upregulation of tumor necrosis factor receptor-associated factor 6 correlated with synovitis severity in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R133	5.7	12
165	TLR2 ligation induces the production of IL-23/IL-17 via IL-6, STAT3 and NF-kB pathway in patients with primary Sjogren's syndrome. <i>Arthritis Research and Therapy</i> , 2012 , 14, R64	5.7	62
164	TLR5, a novel and unidentified inflammatory mediator in rheumatoid arthritis that correlates with disease activity score and joint TNF- β levels. 2012 , 189, 475-83		59
163	Amplification of the response to Toll-like receptor ligands by prolonged exposure to interleukin-6 in mice: implication for the pathogenesis of macrophage activation syndrome. 2012 , 64, 1680-8		87
162	Role of the CCL21 and CCR7 pathways in rheumatoid arthritis angiogenesis. 2012 , 64, 2471-81		53
161	Cold and heat pattern of rheumatoid arthritis in traditional Chinese medicine: distinct molecular signatures identified by microarray expression profiles in CD4-positive T cell. <i>Rheumatology International</i> , 2012 , 32, 61-8	3.6	54
160	Inflammatory immune cell responses and Toll-like receptor expression in synovial tissues in rheumatoid arthritis patients treated with biologics or DMARDs. 2013 , 32, 853-61		5
159	The role of glycoprotein 96 in the persistent inflammation of rheumatoid arthritis. 2013 , 530, 1-6		20
158	TLR2 deletion promotes arthritis through reduction of IL-10. 2013 , 93, 751-9		10
157	Angiogenesis in rheumatoid arthritis is fostered directly by toll-like receptor 5 ligation and indirectly through interleukin-17 induction. 2013 , 65, 2024-36		29

156	Toll-like receptors as therapeutic targets for autoimmune connective tissue diseases. 2013 , 138, 441-51	81
155	Toll-like receptor 4 signaling augments transforming growth factor- β responses: a novel mechanism for maintaining and amplifying fibrosis in scleroderma. 2013 , 182, 192-205	184
154	Designing anti-inflammatory drugs from parasitic worms: a synthetic small molecule analogue of the <i>Acanthocheilonema viteae</i> product ES-62 prevents development of collagen-induced arthritis. 2013 , 56, 9982-10002	64
153	Toll-Like Receptor 4 (TLR4) expression and stimulation in a model of intervertebral disc inflammation and degeneration. 2013 , 38, 1343-51	56
152	Ligation of TLR7 by rheumatoid arthritis synovial fluid single strand RNA induces transcription of TNF α in monocytes. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 418-26	2.4 51
151	Functional redundancy of MyD88-dependent signaling pathways in a murine model of histidyl-transfer RNA synthetase-induced myositis. 2013 , 191, 1865-72	17
150	Lipopolysaccharide increases the incidence of collagen-induced arthritis in mice through induction of protease HTRA-1 expression. 2013 , 65, 2835-46	34
149	Inhibition of Toll-like receptor-mediated inflammation in vitro and in vivo by a novel benzoxaborole. 2013 , 344, 436-46	12
148	Role of toll-like receptors in systemic sclerosis. 2013 , 15, e9	33
147	The xanthine oxidase-NFAT5 pathway regulates macrophage activation and TLR-induced inflammatory arthritis. 2014 , 44, 2721-36	27
146	A non-synonymous single-nucleotide polymorphism in the gene encoding Toll-like Receptor 3 (TLR3) is associated with sero-negative rheumatoid arthritis (RA) in a Danish population. 2014 , 7, 716	15
145	Interleukin 17 contributes to the chronicity of inflammatory diseases such as rheumatoid arthritis. 2014 , 44, 339-47	102
144	Andrographolide suppresses RANKL-induced osteoclastogenesis in vitro and prevents inflammatory bone loss in vivo. 2014 , 171, 663-75	88
143	TLR2 and TLR4 in autoimmune diseases: a comprehensive review. 2014 , 47, 136-47	227
142	Suppression of experimental arthritis with self-assembling glycol-split heparin nanoparticles via inhibition of TLR4-NF- κ B signaling. 2014 , 194, 295-300	24
141	Mesenchymal stem cells, autoimmunity and rheumatoid arthritis. 2014 , 107, 505-14	65
140	Ligation of TLR5 promotes myeloid cell infiltration and differentiation into mature osteoclasts in rheumatoid arthritis and experimental arthritis. 2014 , 193, 3902-13	50
139	Expression and regulation of toll-like receptors (TLRs) in human intervertebral disc cells. 2014 , 23, 1878-91	51

138	Gene interaction map: a paradigm for identifying significant pathways responsible for rheumatoid arthritis. 2014 , 3, 1	
137	The inhibitory effect of IFN- γ on protease HTRA1 expression in rheumatoid arthritis. 2014 , 193, 130-8	31
136	Anti-arthritic activity of N'-[(2,4-dihydroxyphenyl)methylidene]-2-(3,4-dimethyl-5,5-dioxidopyrazolo[4,3-c][1,2]benzothiazin-1(4H)-yl)acetohydrazide. 2014 , 738, 263-72	18
135	Increased expression of the interleukin-1 receptor-associated kinase (IRAK)-1 is associated with adipose tissue inflammatory state in obesity. 2015 , 7, 71	25
134	Identification of a Novel Toll-like Receptor 7 Endogenous Ligand in Rheumatoid Arthritis Synovial Fluid That Can Provoke Arthritic Joint Inflammation. 2016 , 68, 1099-110	54
133	Promotion of Inflammatory Arthritis by Interferon Regulatory Factor 5 in a Mouse Model. 2015 , 67, 3146-57	28
132	Ability of Interleukin-33- and Immune Complex-Triggered Activation of Human Mast Cells to Down-Regulate Monocyte-Mediated Immune Responses. 2015 , 67, 2343-53	39
131	Triterpenoid Saponin W3 from <i>Anemone flaccida</i> Suppresses Osteoclast Differentiation through Inhibiting Activation of MAPKs and NF- κ B Pathways. 2015 , 11, 1204-14	22
130	Simvastatin Inhibits Toll-like Receptor 8 (TLR8) Signaling in Primary Human Monocytes and Spontaneous Tumor Necrosis Factor Production from Rheumatoid Synovial Membrane Cultures. 2015 , 21, 726-734	10
129	Update on the role of Interleukin 17 in rheumatologic autoimmune diseases. 2015 , 75, 207-15	21
128	Thymoquinone prevents RANKL-induced osteoclastogenesis activation and osteolysis in an in vivo model of inflammation by suppressing NF- κ B and MAPK Signalling. 2015 , 99, 63-73	71
127	Crocic acid exerts anti-inflammatory and anti-catabolic effects on rat intervertebral discs by suppressing the activation of JNK. 2015 , 36, 1291-9	54
126	Central pathways causing fatigue in neuro-inflammatory and autoimmune illnesses. 2015 , 13, 28	98
125	Total saponin from <i>Anemone flaccida</i> Fr. Schmidt abrogates osteoclast differentiation and bone resorption via the inhibition of RANKL-induced NF- κ B, JNK and p38 MAPKs activation. 2015 , 13, 91	15
124	IL-1R/TLR2 through MyD88 Divergently Modulates Osteoclastogenesis through Regulation of Nuclear Factor of Activated T Cells c1 (NFATc1) and B Lymphocyte-induced Maturation Protein-1 (Blimp1). 2015 , 290, 30163-74	20
123	A specific anti-citrullinated protein antibody profile identifies a group of rheumatoid arthritis patients with a toll-like receptor 4-mediated disease. <i>Arthritis Research and Therapy</i> , 2016 , 18, 224	5-7 24
122	Hypoxia-Inducible Factor (HIF) as a Target for Novel Therapies in Rheumatoid Arthritis. 2016 , 7, 184	59
121	Nanofacilitated synergistic treatment for rheumatoid arthritis: A 'three-pronged' approach. <i>Medical Hypotheses</i> , 2016 , 92, 44-7	3.8 10

120	Precursor miR-499a Variant but not miR-196a2 is Associated with Rheumatoid Arthritis Susceptibility in an Egyptian Population. 2016 , 20, 279-95		39
119	Sesamin inhibits lipopolysaccharide-induced inflammation and extracellular matrix catabolism in rat intervertebral disc. 2016 , 57, 347-59		17
118	Evaluation of toll-like receptor-2 and 4 and interleukin-6 gene expressions in Turkish rheumatoid arthritis patients. 2016 , 35, 2693-2697		4
117	Association of TLR-4 regulatory variants (rs41426344 and rs7873784) with rheumatoid arthritis in a Chinese population. 2016 , 14, 118-123		3
116	Hypoxia and its implications in rheumatoid arthritis. 2016 , 23, 62		65
115	A herbal formula comprising Rosae Multiflorae Fructus and Lonicerae Japonicae Flos, attenuates collagen-induced arthritis and inhibits TLR4 signalling in rats. <i>Scientific Reports</i> , 2016 , 6, 20042	4.9	16
114	Preface. <i>Methods in Molecular Biology</i> , 2016 , 1390, v	1.4	0
113	Long noncoding RNAs as regulators of Toll-like receptor signaling and innate immunity. 2016 , 99, 839-50		37
112	Herbacetin inhibits RANKL-mediated osteoclastogenesis in vitro and prevents inflammatory bone loss in vivo. 2016 , 777, 17-25		22
111	Anti-osteoclastogenic activity of isoliquiritigenin via inhibition of NF- κ B-dependent autophagic pathway. 2016 , 106, 82-93		24
110	The joint synovium: A critical determinant of articular cartilage fate in inflammatory joint diseases. 2017 , 62, 86-93		63
109	The role and therapeutic targeting of IL-6 in rheumatoid arthritis. 2017 , 13, 535-551		114
108	Allylpyrocatechol Attenuates Collagen-Induced Arthritis via Attenuation of Oxidative Stress Secondary to Modulation of the MAPK, JAK/STAT, and Nrf2/HO-1 Pathways. 2017 , 360, 249-259		16
107	Synthesis and immunological evaluation of a low molecular weight saccharide with TLR-4 agonist activity. 2017 , 25, 697-705		
106	Hydroxychloroquine in systemic lupus erythematosus (SLE). 2017 , 16, 411-419		153
105	Carnosic acid attenuates RANKL-induced oxidative stress and osteoclastogenesis via induction of Nrf2 and suppression of NF- κ B and MAPK signalling. 2017 , 95, 1065-1076		36
104	Biphasic Ccl20 regulation by Toll-like receptor 9 through the activation of ERK-AP-1 and non-canonical NF- κ B signaling pathways. 2017 , 1861, 3365-3377		4
103	Small-Molecule Carbohydrate-Based Immunostimulants. 2017 , 23, 1728-1742		17

102	Major involvement of bacterial components in rheumatoid arthritis and its accompanying oxidative stress, systemic inflammation and hypercoagulability. <i>Experimental Biology and Medicine</i> , 2017 , 242, 355-373	3.7	52
101	TLR2 stimulation impairs anti-inflammatory activity of M2-like macrophages, generating a chimeric M1/M2 phenotype. <i>Arthritis Research and Therapy</i> , 2017 , 19, 245	5.7	57
100	Anhuienoside C Ameliorates Collagen-Induced Arthritis through Inhibition of MAPK and NF- κ B Signaling Pathways. 2017 , 8, 299		18
99	Chronic Inflammation in Immune Aging: Role of Pattern Recognition Receptor Crosstalk with the Telomere Complex?. <i>Frontiers in Immunology</i> , 2017 , 8, 1078	8.4	54
98	Astilbin from <i>Roxb.</i> Attenuates Inflammatory Responses in Complete Freund's Adjuvant-Induced Arthritis Rats. 2017 , 2017, 8246420		17
97	Hypoxia and its Emerging Therapeutics in Neurodegenerative, Inflammatory and Renal Diseases. 2017 ,		3
96	Crosstalk Between Transforming Growth Factor Beta-2 and Toll-Like Receptor 4 in the Trabecular Meshwork. 2017 , 58, 1811-1823		26
95	Magnesium enhances the chondrogenic differentiation of mesenchymal stem cells by inhibiting activated macrophage-induced inflammation. <i>Scientific Reports</i> , 2018 , 8, 3406	4.9	44
94	Toll-like receptors 7 and 9 in myasthenia gravis thymus: amplifiers of autoimmunity?. 2018 , 1413, 11-24		18
93	Targeting Suppressive Oligonucleotide to Lymph Nodes Inhibits Toll-like Receptor-9-Mediated Activation of Adaptive Immunity. 2018 , 35, 56		12
92	Genetic risk factors in thrombotic primary antiphospholipid syndrome: A systematic review with bioinformatic analyses. <i>Autoimmunity Reviews</i> , 2018 , 17, 226-243	13.6	21
91	Extracellular DNA promotes colorectal tumor cell survival after cytotoxic chemotherapy. <i>Journal of Surgical Research</i> , 2018 , 226, 181-191	2.5	17
90	Role of extracellular vesicles in rheumatoid arthritis. <i>Molecular Immunology</i> , 2018 , 93, 125-132	4.3	36
89	Expression of TLR7, TLR9, JAK2, and STAT3 genes in peripheral blood mononuclear cells from patients with systemic sclerosis. <i>Journal of Applied Genetics</i> , 2018 , 59, 59-66	2.5	8
88	Regulation of TLR signaling pathways by microRNAs: implications in inflammatory diseases. <i>Central-European Journal of Immunology</i> , 2018 , 43, 482-489	1.6	26
87	Mangosteen ethanol extract alleviated the severity of collagen-induced arthritis in rats and produced synergistic effects with methotrexate. <i>Pharmaceutical Biology</i> , 2018 , 56, 455-464	3.8	14
86	Grape seed proanthocyanidin extract ameliorates murine autoimmune arthritis through regulation of TLR4/MyD88/NF- κ B signaling pathway. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 612-621	2.5	21
85	The Two-Faced Cytokine IL-6 in Host Defense and Diseases. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	85

84	Recent advances in mouse models for systemic sclerosis. <i>Autoimmunity Reviews</i> , 2018 , 17, 1225-1234	13.6	11
83	The IL-20 Cytokine Family in Rheumatoid Arthritis and Spondyloarthritis. <i>Frontiers in Immunology</i> , 2018 , 9, 2226	8.4	36
82	Systematic Analysis of Differential Expression Profile in Rheumatoid Arthritis Chondrocytes Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2018 , 15, 1129-1142	3.7	13
81	Endogenous Galectin-9 Suppresses Apoptosis in Human Rheumatoid Arthritis Synovial Fibroblasts. <i>Scientific Reports</i> , 2018 , 8, 12887	4.9	21
80	Phloretin as a Potent Natural TLR2/1 Inhibitor Suppresses TLR2-Induced Inflammation. <i>Nutrients</i> , 2018 , 10,	6.7	24
79	Ten weeks of high-intensity interval walk training is associated with reduced disease activity and improved innate immune function in older adults with rheumatoid arthritis: a pilot study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 127	5.7	59
78	Toll-like receptors in immunity and inflammatory diseases: Past, present, and future. <i>International Immunopharmacology</i> , 2018 , 59, 391-412	5.8	214
77	Association of CD14 and macrophage migration inhibitory factor gene polymorphisms with inflammatory microRNAs expression levels in ankylosing spondylitis and polyarthralgia. <i>International Journal of Immunogenetics</i> , 2018 , 45, 190-200	2.3	4
76	Toll-like receptor (TLR9) -1486 T/C (rs187084) gene polymorphism in Egyptian patients with rheumatoid arthritis. <i>Egyptian Rheumatologist</i> , 2019 , 41, 173-176	1	7
75	Altered morpho-functional features of bones in autoimmune disease-prone BXSB/MpJ- Yaa mice. <i>Experimental Biology and Medicine</i> , 2019 , 244, 333-343	3.7	4
74	Upregulation of miR-107 expression following hyperbaric oxygen treatment suppresses HMGB1/RAGE signaling in degenerated human nucleus pulposus cells. <i>Arthritis Research and Therapy</i> , 2019 , 21, 42	5.7	12
73	Epigenetic analysis in rheumatoid arthritis synoviocytes. <i>Experimental and Molecular Medicine</i> , 2019 , 51, 1-13	12.8	16
72	Platelets: emerging facilitators of cellular crosstalk in rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2019 , 15, 237-248	8.1	38
71	Probiotics for the Management of Rheumatoid Arthritis. 2019 , 23-35		1
70	Toll-like receptors activation, signaling, and targeting: an overview. <i>Bulletin of the National Research Centre</i> , 2019 , 43,	3	103
69	Thymoquinone attenuates rheumatoid arthritis by downregulating TLR2, TLR4, TNF- α and NF- κ B expression levels. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 111, 958-963	7.5	44
68	Human Toll-Like Receptor 4 (hTLR4): Structural and functional dynamics in cancer. <i>International Journal of Biological Macromolecules</i> , 2019 , 122, 425-451	7.9	18
67	Abietic acid attenuates RANKL induced osteoclastogenesis and inflammation associated osteolysis by inhibiting the NF- κ B and MAPK signaling. <i>Journal of Cellular Physiology</i> , 2018 , 234, 443-453	7	19

66	Generation of a robust model for inducing autoimmune arthritis in Sprague Dawley rats. <i>Journal of Pharmacological and Toxicological Methods</i> , 2020 , 102, 106659	1.7	3
65	Inflammation and joint destruction may be linked to the generation of cartilage metabolites of ADAMTS-5 through activation of toll-like receptors. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 658-668	6.2	13
64	Minor C allele of the SNP rs7873784 associated with rheumatoid arthritis and type-2 diabetes mellitus binds PU.1 and enhances TLR4 expression. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165626	6.9	8
63	Role of Infections in the Pathogenesis of Rheumatoid Arthritis: Focus on Mycobacteria. <i>Microorganisms</i> , 2020 , 8,	4.9	9
62	The miR-155 regulates cytokines expression by SOSC1 signal pathways of fish in vitro and in vivo. <i>Fish and Shellfish Immunology</i> , 2020 , 106, 28-35	4.3	5
61	Polymyxin B prevents the development of adjuvant arthritis via modulation of TLR/Cox-2 signaling pathway. <i>Life Sciences</i> , 2020 , 259, 118250	6.8	0
60	Synovial membrane mesenchymal stem cells: past life, current situation, and application in bone and joint diseases. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 381	8.3	24
59	Differentially Expressed Genes of Natural Killer Cells Can Distinguish Rheumatoid Arthritis Patients from Healthy Controls. <i>Genes</i> , 2020 , 11,	4.2	10
58	1,7-Dihydroxy-3,4-Dimethoxyxanthone Inhibits Lipopolysaccharide-Induced Inflammation in RAW264.7 Macrophages by Suppressing TLR4/NF- κ B Signaling Cascades. <i>Inflammation</i> , 2020 , 43, 1821-1831	5.1	9
57	Astilbin influences the progression of osteoarthritis in rats by down-regulation of PGE-2 expression via the NF- κ B pathway. <i>Annals of Translational Medicine</i> , 2020 , 8, 766	3.2	6
56	Role of Nrf2 in rheumatoid arthritis. <i>Current Research in Translational Medicine</i> , 2020 , 68, 171-181	3.7	8
55	Recent Advances in Nanotheranostics for Treat-to-Target of Rheumatoid Arthritis. <i>Advanced Healthcare Materials</i> , 2020 , 9, e1901541	10.1	20
54	Efficacy and safety of NI-0101, an anti-toll-like receptor 4 monoclonal antibody, in patients with rheumatoid arthritis after inadequate response to methotrexate: a phase II study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 316-323	2.4	23
53	Common innate pathways to autoimmune disease. <i>Clinical Immunology</i> , 2020 , 212, 108361	9	8
52	miR-221-3p Drives the Shift of M2-Macrophages to a Pro-Inflammatory Function by Suppressing JAK3/STAT3 Activation. <i>Frontiers in Immunology</i> , 2019 , 10, 3087	8.4	36
51	[6]-Gingerol dose-dependent toxicity, its role against lipopolysaccharide insult in sea urchin (<i>Paracentrotus lividus</i> Lamarck), and antimicrobial activity. <i>Food Bioscience</i> , 2021 , 39, 100833	4.9	2
50	Sex- and cell-dependent contribution of peripheral high mobility group box 1 and TLR4 in arthritis-induced pain. <i>Pain</i> , 2021 , 162, 459-470	8	10
49	Toll-like Receptor 2 in Autoimmune Inflammation. <i>Immune Network</i> , 2021 , 21, e18	6.1	6

48	Toll-Like Receptors. 2021 ,		0
47	Is there an Inflammation Role for MYD88 in Rheumatoid Arthritis?. <i>Inflammation</i> , 2021 , 44, 1014-1022	5.1	1
46	Kalkitoxin Reduces Osteoclast Formation and Resorption and Protects against Inflammatory Bone Loss. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	0
45	Direct tissue sensing reprograms TLR4+ Tfh-like cells inflammatory profile in the joints of rheumatoid arthritis patients.		
44	Multipotent Mesenchymal Stromal Cells in Rheumatoid Arthritis and Systemic Lupus Erythematosus; From a Leading Role in Pathogenesis to Potential Therapeutic Saviors?. <i>Frontiers in Immunology</i> , 2021 , 12, 643170	8.4	8
43	Orchestrated modulation of rheumatoid arthritis via crosstalking intracellular signaling pathways. <i>Inflammopharmacology</i> , 2021 , 29, 965-974	5.1	1
42	Synergistic effect of the TLR5 agonist CBLB502 and its downstream effector IL-22 against liver injury. <i>Cell Death and Disease</i> , 2021 , 12, 366	9.8	2
41	The p53 status in rheumatoid arthritis with focus on fibroblast-like synoviocytes. <i>Immunologic Research</i> , 2021 , 69, 225-238	4.3	4
40	The role of 5-lipoxygenase in the pathophysiology of COVID-19 and its therapeutic implications. <i>Inflammation Research</i> , 2021 , 70, 877-889	7.2	2
39	Overexpression of TLR7 and TLR9 Occurs Before Onset Symptoms In First-Degree Relatives of Rheumatoid Arthritis Patients. <i>Archives of Medical Research</i> , 2021 ,	6.6	0
38	Direct tissue-sensing reprograms TLR4 Tfh-like cells inflammatory profile in the joints of rheumatoid arthritis patients. <i>Communications Biology</i> , 2021 , 4, 1135	6.7	3
37	<i>Nigella sativa</i> as a therapeutic candidate for arthritis and related disorders. 2022 , 295-312		
36	Oxidative Stress and Lipid Mediators Modulate Immune Cell Functions in Autoimmune Diseases. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	10
35	Investigating the Role of Toll-Like Receptors in Models of Arthritis. <i>Methods in Molecular Biology</i> , 2016 , 1390, 351-81	1.4	5
34	Novel carters and targeted approaches: Way out for rheumatoid arthritis quandrum. <i>Journal of Drug Delivery Science and Technology</i> , 2017 , 40, 125-135	4.5	7
33	Differential synovial tissue expression of TLRs in seropositive and seronegative rheumatoid arthritis: A preliminary report. <i>Autoimmunity</i> , 2021 , 54, 23-34	3	3
32	Biocompatible Nanovesicular Drug Delivery Systems with Targeting Potential for Autoimmune Diseases. <i>Current Pharmaceutical Design</i> , 2020 , 26, 5488-5502	3.3	7
31	Inflammatory Role of TLR-MyD88 Signaling in Multiple Sclerosis. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 314	6.1	26

30	Baicalin alleviates collagen-induced arthritis and suppresses TLR2/MYD88/NF- κ B p65 signaling in rats and HFLS-RAs. <i>Molecular Medicine Reports</i> , 2020 , 22, 2833-2841	2.9	6
29	Association of TLR 9 gene polymorphisms with remission in patients with rheumatoid arthritis receiving TNF- α inhibitors and development of machine learning models. <i>Scientific Reports</i> , 2021 , 11, 20169	4.9	2
28	Transcriptomic basis of neutrophil ratio variation induced by poly I:C stimulation in porcine peripheral blood. <i>Frontiers of Agricultural Science and Engineering</i> , 2017 , 4, 342	1.7	
27	MYD88, IRAK3 and Rheumatoid Arthritis pathogenesis: Analysis of differential gene expression in CD14 $^{+}$ monocytes and the inflammatory cytokine levels. <i>Immunobiology</i> , 2021 , 226, 152152	3.4	1
26	Recent Advances in Understanding the Pathogenesis of Rheumatoid Arthritis: New Treatment Strategies. <i>Cells</i> , 2021 , 10,	7.9	6
25	Wilforlide A ameliorates the progression of rheumatoid arthritis by inhibiting M1 macrophage polarization.. <i>Journal of Pharmacological Sciences</i> , 2022 , 148, 116-124	3.7	0
24	The Role of M2000 as an Anti-inflammatory Agent in Toll-Like Receptor 2/microRNA-155 Pathway. <i>Avicenna Journal of Medical Biotechnology</i> , 2017 , 9, 8-12	1.4	8
23	MicroRNA-147 negatively regulates expression of toll-like receptor-7 in rat macrophages and attenuates pristane induced rheumatoid arthritis in rats. <i>American Journal of Translational Research (discontinued)</i> , 2019 , 11, 2219-2231	3	4
22	Adenosine deaminase and cytokines associated with infectious diseases as risk factors for inflammatory arthritis and methotrexate as a potential prophylactic agent. <i>Medical Hypotheses</i> , 2022 , 159, 110751	3.8	1
21	Rheumatoid Arthritis: Pathogenic Roles of Diverse Immune Cells.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	7
20	Toll-like receptor-7 activation in CD8 $^{+}$ T cells modulates inflammatory mediators in patients with rheumatoid arthritis.. <i>Rheumatology International</i> , 2022 , 1	3.6	0
19	Data_Sheet_1.pdf. 2020 ,		
18	Table_1.xlsx. 2020 ,		
17	Table_2.xlsx. 2020 ,		
16	Table_3.xlsx. 2020 ,		
15	Theranostic Small-Molecule Prodrug Conjugates for Targeted Delivery and Controlled Release of Toll-like Receptor 7 Agonists. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 7160	6.3	3
14	Novel pyrrolopyrimidine derivatives: design, synthesis, molecular docking, molecular simulations and biological evaluations as antioxidant and anti-inflammatory agents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2022 , 37, 1821-1837	5.6	2
13	NR4A1-3 nuclear receptor activity and immune cell dysregulation in rheumatic diseases. 9,		

- 12 Interleukin-6 cytokine: An overview of the immune regulation, immune dysregulation, and therapeutic approach. **2022**, 111, 109130 3
- 11 WITHDRAWN: The Multifaceted Role of Mast Cells in Joint Inflammation and Arthritis. **2022**, 100309 0
- 10 Genetic variation in toll-like receptor 4 gene with primary antiphospholipid syndrome susceptibility: a cohort of Egyptian patients. **2022**, 23, 0
- 9 A novel IRAK4/PIM1 inhibitor ameliorates rheumatoid arthritis and lymphoid malignancy by blocking the TLR/MYD88-mediated NF- κ B pathway. **2022**, 1 1
- 8 The Role of N6-Methyladenosine in Inflammatory Diseases. **2022**, 2022, 1-18 0
- 7 The multifaceted role of mast cells in joint inflammation and arthritis. **2023**, 0
- 6 Electroacupuncture Alleviates Pain Responses and Inflammation in Collagen-Induced Arthritis Rats via Suppressing the TLR2/4-MyD88-NF- κ B Signaling Pathway. **2023**, 2023, 1-13 0
- 5 DAMPs in Systemic Autoimmune Diseases. **2023**, 457-567 0
- 4 Intergenic Interactions of SBNO1, NFAT5 and GLT8D1 Determine the Susceptibility to Knee Osteoarthritis among Europeans of Russia. **2023**, 13, 405 0
- 3 Recent Advances in Polymer-Based Nanomaterials for Non-Invasive Photothermal Therapy of Arthritis. **2023**, 15, 735 0
- 2 Underpinning Endogeneous Damp EDA-Fibronectin in the Activation of Molecular Targets of Rheumatoid Arthritis and Identification of its Effective Inhibitors by Computational Methods. 0
- 1 Chrysin Is Immunomodulatory and Anti-Inflammatory against Complete Freund's Adjuvant-Induced Arthritis in a Pre-Clinical Rodent Model. **2023**, 15, 1225 0