The role of Toll-like receptors in rheumatoid arthritis

Current Rheumatology Reports
11, 357-364
DOI: 10.1007/s11926-009-0051-z

Citation Report

#	Article	IF	Citations
1	NAD(P)H:Quinone Oxidoreductase 1 and NRH:Quinone Oxidoreductase 2 Activity and Expression in Bladder and Ovarian Cancer and Lower NRH:Quinone Oxidoreductase 2 Activity Associated with an NQO2 Exon 3 Single-Nucleotide Polymorphism. Clinical Cancer Research, 2007, 13, 1584-1590.	3.2	40
2	State-of-the-art: rheumatoid arthritis: Figure 1. Annals of the Rheumatic Diseases, 2010, 69, 1898-1906.	0.5	268
3	Norisoboldine Inhibits the Production of Pro-inflammatory Cytokines in Lipopolysaccharide-Stimulated RAW 264.7 Cells by Down-Regulating the Activation of MAPKs but Not NF-ÎºB. Inflammation, 2010, 33, 389-397.	1.7	38
4	Toll-like receptor signaling: a potential link among rheumatoid arthritis, systemic lupus, and atherosclerosis. Journal of Leukocyte Biology, 2010, 88, 253-262.	1.5	66
5	B Cell Therapies for Rheumatoid Arthritis: Beyond B cell Depletion. Rheumatic Disease Clinics of North America, 2010, 36, 325-343.	0.8	19
6	Negative regulation of NF-ÎºB and its involvement in rheumatoid arthritis. Arthritis Research and Therapy, 2011, 13, 221.	1.6	63
7	SIRT1 overexpression in the rheumatoid arthritis synovium contributes to proinflammatory cytokine production and apoptosis resistance. Annals of the Rheumatic Diseases, 2011, 70, 1866-1873.	0.5	153
8	A20 (TNFAIP3) deficiency in myeloid cells triggers erosive polyarthritis resembling rheumatoid arthritis. Nature Genetics, 2011, 43, 908-912.	9.4	250
9	Applications of proteomics in cartilage biology and osteoarthritis research. Frontiers in Bioscience - Landmark, 2011, 16, 2622.	3.0	11
10	Bcl-2 Inhibits the Innate Immune Response during Early Pathogenesis of Murine Congenital Muscular Dystrophy. PLoS ONE, 2011, 6, e22369.	1.1	14
11	Molecular Mechanisms in Rheumatic Diseases: Rationale for Novel Drug Development - Introduction. Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry, 2011, 10, .	1.1	0
12	Developing the next generation of monoclonal antibodies for the treatment of rheumatoid arthritis. British Journal of Pharmacology, 2011, 162, 1470-1484.	2.7	25
13	Tollâ€like receptors in rheumatic diseases: Are we paying a high price for our defense against bugs?. FEBS Letters, 2011, 585, 3660-3666.	1.3	35
14	Activation of Lipopolysaccharideâ€"TLR4 Signaling Accelerates the Ototoxic Potential of Cisplatin in Mice. Journal of Immunology, 2011, 186, 1140-1150.	0.4	65
15	Soluble CD14 and CD14 Polymorphisms in Rheumatoid Arthritis. Journal of Rheumatology, 2011, 38, 2509-2516.	1.0	30
16	The Role of TLR and Chemokine in Wear Particle-Induced Aseptic Loosening. Journal of Biomedicine and Biotechnology, 2012, 2012, 1-9.	3.0	36
17	Synoviocyte innate immune responses: TANK-binding kinase-1 as a potential therapeutic target in rheumatoid arthritis. Rheumatology, 2012, 51, 610-618.	0.9	42
18	SNAPIN: an endogenous toll-like receptor ligand in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2012, 71, 1411-1417.	0.5	31

#	Article	IF	Citations
19	Toll-like receptors, the NLRP3 inflammasome, and interleukin-1Î² in the development and progression of type 1 diabetes. Pediatric Research, 2012, 71, 626-632.	1.1	82
20	The Biological Significance of Evolution in Autoimmune Phenomena. Autoimmune Diseases, 2012, 2012, 1-12.	2.7	6
21	Glycoprotein 96 perpetuates the persistent inflammation of rheumatoid arthritis. Arthritis and Rheumatism, 2012, 64, 3638-3648.	6.7	23
22	Structureâ€"activity relationship of a guanine-free oligodeoxynucleotide as immunopotent inhibitor. International Immunopharmacology, 2012, 13, 446-453.	1.7	3
23	Licorice isoliquiritigenin suppresses RANKL-induced osteoclastogenesis in vitro and prevents inflammatory bone loss in vivo. International Journal of Biochemistry and Cell Biology, 2012, 44, 1139-1152.	1.2	63
24	p16INK4a Exerts an Anti-Inflammatory Effect through Accelerated IRAK1 Degradation in Macrophages. Journal of Immunology, 2012, 189, 5066-5072.	0.4	49
25	Characterization of TLR4-mediated auto-antibody production in a mouse model of histidyl-tRNA synthetase-induced myositis. Innate Immunity, 2012, 18, 876-885.	1.1	17
26	Upregulation of tumor necrosis factor receptor-associated factor 6 correlated with synovitis severity in rheumatoid arthritis. Arthritis Research and Therapy, 2012, 14, R133.	1.6	16
27	TLR2 ligation induces the production of IL-23/IL-17 via IL-6, STAT3 and NF-kB pathway in patients with primary Sjogren's syndrome. Arthritis Research and Therapy, 2012, 14, R64.	1.6	86
28	TLR5, a Novel and Unidentified Inflammatory Mediator in Rheumatoid Arthritis that Correlates with Disease Activity Score and Joint TNF-Î± Levels. Journal of Immunology, 2012, 189, 475-483.	0.4	75
29	Amplification of the response to Tollâ€like receptor ligands by prolonged exposure to interleukinâ€6 in mice: Implication for the pathogenesis of macrophage activation syndrome. Arthritis and Rheumatism, 2012, 64, 1680-1688.	6.7	100
30	Role of the CCL21 and CCR7 pathways in rheumatoid arthritis angiogenesis. Arthritis and Rheumatism, 2012, 64, 2471-2481.	6.7	62
31	Cold and heat pattern of rheumatoid arthritis in traditional Chinese medicine: distinct molecular signatures indentified by microarray expression profiles in CD4-positive T cell. Rheumatology International, 2012, 32, 61-68.	1.5	74
32	Inflammatory immune cell responses and Toll-like receptor expression in synovial tissues in rheumatoid arthritis patients treated with biologics or DMARDs. Clinical Rheumatology, 2013, 32, 853-861.	1.0	6
33	The role of glycoprotein 96 in the persistent inflammation of rheumatoid arthritis. Archives of Biochemistry and Biophysics, 2013, 530, 1-6.	1.4	28
34	TLR2 deletion promotes arthritis through reduction of IL-10. Journal of Leukocyte Biology, 2013, 93, 751-759.	1.5	11
35	Angiogenesis in Rheumatoid Arthritis Is Fostered Directly by Tollâ€like Receptor 5 Ligation and Indirectly Through Interleukinâ€17 Induction. Arthritis and Rheumatism, 2013, 65, 2024-2036.	6.7	36
36	Toll-like receptors as therapeutic targets for autoimmune connective tissue diseases. , 2013, 138, 441-451.		107

#	Article	IF	Citations
37	Toll-Like Receptor 4 Signaling Augments Transforming Growth Factor-Î² Responses. American Journal of Pathology, 2013, 182, 192-205.	1.9	243
38	Designing Anti-inflammatory Drugs from Parasitic Worms: A Synthetic Small Molecule Analogue of the Acanthocheilonema viteae Product ES-62 Prevents Development of Collagen-Induced Arthritis. Journal of Medicinal Chemistry, 2013, 56, 9982-10002.	2.9	79
39	Toll-Like Receptor 4 (TLR4) Expression and Stimulation in a Model of Intervertebral Disc Inflammation and Degeneration. Spine, 2013, 38, 1343-1351.	1.0	74
40	Ligation of TLR7 by rheumatoid arthritis synovial fluid single strand RNA induces transcription of TNFÎ± in monocytes. Annals of the Rheumatic Diseases, 2013, 72, 418-426.	0.5	61
41	Functional Redundancy of MyD88-Dependent Signaling Pathways in a Murine Model of Histidyl-Transfer RNA Synthetaseâ€"Induced Myositis. Journal of Immunology, 2013, 191, 1865-1872.	0.4	21
42	Lipopolysaccharide Increases the Incidence of Collagenâ€Induced Arthritis in Mice Through Induction of Protease HTRAâ€1 Expression. Arthritis and Rheumatism, 2013, 65, 2835-2846.	6.7	39
43	Inhibition of Toll-Like Receptor-Mediated Inflammation In Vitro and In Vivo by a Novel Benzoxaborole. Journal of Pharmacology and Experimental Therapeutics, 2013, 344, 436-446.	1.3	12
44	Role of toll-like receptors in systemic sclerosis. Expert Reviews in Molecular Medicine, 2013, 15, e9.	1.6	40
45	AB0214â€...TLR2 ligation induces the production of IL-23/IL-17 via IL-6, STAT3 and NF-KB pathway in patients with primary sjÃ–grenâ€™s syndrome. Annals of the Rheumatic Diseases, 2013, 71, 649.15-649.	0.5	0
46	The xanthine oxidaseâ€"NFAT5 pathway regulates macrophage activation and TLRâ€induced inflammatory arthritis. European Journal of Immunology, 2014, 44, 2721-2736.	1.6	41
47	A non-synonymous single-nucleotide polymorphism in the gene encoding Toll-like Receptor 3 (TLR3) is associated with sero-negative Rheumatoid Arthritis (RA) in a Danish population. BMC Research Notes, 2014, 7, 716.	0.6	18
48	Interleukin 17 contributes to the chronicity of inflammatory diseases such as rheumatoid arthritis. European Journal of Immunology, 2014, 44, 339-347.	1.6	132
49	Andrographolide suppresses <scp>RANKL</scp>â€induced osteoclastogenesis in vitro and prevents inflammatory bone loss in vivo. British Journal of Pharmacology, 2014, 171, 663-675.	2.7	104
50	TLR2 and TLR4 in Autoimmune Diseases: a Comprehensive Review. Clinical Reviews in Allergy and Immunology, 2014, 47, 136-147.	2.9	298
51	Suppression of experimental arthritis with self-assembling glycol-split heparin nanoparticles via inhibition of TLR4â€"NF-ÎºB signaling. Journal of Controlled Release, 2014, 194, 295-300.	4.8	27
52	Mesenchymal stem cells, autoimmunity and rheumatoid arthritis. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 505-514.	0.2	80
53	Ligation of TLR5 Promotes Myeloid Cell Infiltration and Differentiation into Mature Osteoclasts in Rheumatoid Arthritis and Experimental Arthritis. Journal of Immunology, 2014, 193, 3902-3913.	0.4	62
54	Expression and regulation of toll-like receptors (TLRs) in human intervertebral disc cells. European Spine Journal, 2014, 23, 1878-1891.	1.0	73

#	Article	IF	Citations
55	Gene interaction map: a paradigm for identifying significant pathways responsible for rheumatoid arthritis. Network Modeling Analysis in Health Informatics and Bioinformatics, 2014, 3, 1.	1.2	2
56	The Inhibitory Effect of IFN-Î³ on Protease HTRA1 Expression in Rheumatoid Arthritis. Journal of Immunology, 2014, 193, 130-138.	0.4	33
57	Anti-arthritic activity of Nâ€²-[(2,4-dihydroxyphenyl)methylidene]-2-(3,4-dimethyl-5,5-dioxidopyrazolo[4,3-c][1,2]benzothiazin-1(4H)-yl)acetohydrazide. European Journal of Pharmacology, 2014, 738, 263-272.	1.7	6
58	Increased expression of the interleukin-1 receptor-associated kinase (IRAK)-1 is associated with adipose tissue inflammatory state in obesity. Diabetology and Metabolic Syndrome, 2015, 7, 71.	1.2	32
59	Identification of a Novel Tollâ€like Receptor 7 Endogenous Ligand in Rheumatoid Arthritis Synovial Fluid That Can Provoke Arthritic Joint Inflammation. Arthritis and Rheumatology, 2016, 68, 1099-1110.	2.9	78
60	Promotion of Inflammatory Arthritis by Interferon Regulatory Factor 5 in a Mouse Model. Arthritis and Rheumatology, 2015, 67, 3146-3157.	2.9	36
61	Ability of Interleukinâ€33â€“ and Immune Complexâ€“Triggered Activation of Human Mast Cells to Downâ€Regulate Monocyteâ€Mediated Immune Responses. Arthritis and Rheumatology, 2015, 67, 2343-2353.	2.9	50
62	Triterpenoid Saponin W3 from Anemone flaccida Suppresses Osteoclast Differentiation through Inhibiting Activation of MAPKs and NF-ÎºB Pathways. International Journal of Biological Sciences, 2015, 11, 1204-1214.	2.6	26
63	Simvastatin Inhibits Toll-like Receptor 8 (TLR8) Signaling in Primary Human Monocytes and Spontaneous Tumor Necrosis Factor Production from Rheumatoid Synovial Membrane Cultures. Molecular Medicine, 2015, 21, 726-734.	1.9	12
64	Update on the role of Interleukin 17 in rheumatologic autoimmune diseases. Cytokine, 2015, 75, 207-215.	1.4	28
65	Thymoquinone prevents RANKL-induced osteoclastogenesis activation and osteolysis in an in vivo model of inflammation by suppressing NF-KB and MAPK Signalling. Pharmacological Research, 2015, 99, 63-73.	3.1	101
66	Crocin exerts anti-inflammatory and anti-catabolic effects on rat intervertebral discs by suppressing the activation of JNK. International Journal of Molecular Medicine, 2015, 36, 1291-1299.	1.8	65
67	Central pathways causing fatigue in neuro-inflammatory and autoimmune illnesses. BMC Medicine, 2015, 13, 28.	2.3	121
68	Total saponin from Anemone flaccida Fr. Schmidt abrogates osteoclast differentiation and bone resorption via the inhibition of RANKL-induced NF-ÎºB, JNK and p38 MAPKs activation. Journal of Translational Medicine, 2015, 13, 91.	1.8	21
69	IL-1R/TLR2 through MyD88 Divergently Modulates Osteoclastogenesis through Regulation of Nuclear Factor of Activated T Cells c1 (NFATc1) and B Lymphocyte-induced Maturation Protein-1 (Blimp1). Journal of Biological Chemistry, 2015, 290, 30163-30174.	1.6	32
70	A specific anti-citrullinated protein antibody profile identifies a group of rheumatoid arthritis patients with a toll-like receptor 4-mediated disease. Arthritis Research and Therapy, 2016, 18, 224.	1.6	38
71	Hypoxia-Inducible Factor (HIF) as a Target for Novel Therapies in Rheumatoid Arthritis. Frontiers in Pharmacology, 2016, 7, 184.	1.6	84
72	Nanofacilitated synergistic treatment for rheumatoid arthritis: A â€˜three-prongedâ€™ approach. Medical Hypotheses, 2016, 92, 44-47.	0.8	13

#	Article	IF	Citations
73	Precursor miR-499a Variant but not miR-196a2 is Associated with Rheumatoid Arthritis Susceptibility in an Egyptian Population. Molecular Diagnosis and Therapy, 2016, 20, 279-295.	1.6	46
74	Sesamin inhibits lipopolysaccharide-induced inflammation and extracellular matrix catabolism in rat intervertebral disc. Connective Tissue Research, 2016, 57, 347-359.	1.1	27
75	Evaluation of tool-like receptor-2 and 4 and interleukin-6 gene expressions in Turkish rheumatoid arthritis patients. Clinical Rheumatology, 2016, 35, 2693-2697.	1.0	6
76	Association of TLR-4 regulatory variants (rs41426344 and rs7873784) with rheumatoid arthritis in a Chinese population. European Journal of Inflammation, 2016, 14, 118-123.	0.2	3
77	Hypoxia and its implications in rheumatoid arthritis. Journal of Biomedical Science, 2016, 23, 62.	2.6	110
78	A herbal formula comprising Rosae Multiflorae Fructus and Lonicerae Japonicae Flos, attenuates collagen-induced arthritis and inhibits TLR4 signalling in rats. Scientific Reports, 2016, 6, 20042.	1.6	18
79	Toll-Like Receptors. Methods in Molecular Biology, 2016, 1390, v.	0.4	1
80	Long noncoding RNAs as regulators of Toll-like receptor signaling and innate immunity. Journal of Leukocyte Biology, 2016, 99, 839-850.	1.5	53
81	Herbacetin inhibits RANKL-mediated osteoclastogenesis in vitro and prevents inflammatory bone loss in vivo. European Journal of Pharmacology, 2016, 777, 17-25.	1.7	25
82	Anti-osteoclastogenic activity of isoliquiritigenin via inhibition of NF-ÎºB-dependent autophagic pathway. Biochemical Pharmacology, 2016, 106, 82-93.	2.0	31
83	The joint synovium: A critical determinant of articular cartilage fate in inflammatory joint diseases. Seminars in Cell and Developmental Biology, 2017, 62, 86-93.	2.3	89
84	The role and therapeutic targeting of IL-6 in rheumatoid arthritis. Expert Review of Clinical Immunology, 2017, 13, 535-551.	1.3	166
85	Allylpyrocatechol Attenuates Collagen-Induced Arthritis via Attenuation of Oxidative Stress Secondary to Modulation of the MAPK, JAK/STAT, and Nrf2/HO-1 Pathways. Journal of Pharmacology and Experimental Therapeutics, 2017, 360, 249-259.	1.3	26
86	Synthesis and immunological evaluation of a low molecular weight saccharide with TLR-4 agonist activity. Bioorganic and Medicinal Chemistry, 2017, 25, 697-705.	1.4	0
87	Hydroxychloroquine in systemic lupus erythematosus (SLE). Expert Opinion on Drug Safety, 2017, 16, 411-419.	1.0	236
88	Carnosic acid attenuates RANKL-induced oxidative stress and osteoclastogenesis via induction of Nrf2 and suppression of NF-ÎºB and MAPK signalling. Journal of Molecular Medicine, 2017, 95, 1065-1076.	1.7	56
89	Biphasic Ccl20 regulation by Toll-like receptor 9 through the activation of ERK-AP-1 and non-canonical NF-ÎºB signaling pathways. Biochimica Et Biophysica Acta - General Subjects, 2017, 1861, 3365-3377.	1.1	8
90	Smallâ€Molecule Carbohydrateâ€Based Immunostimulants. Chemistry - A European Journal, 2017, 23, 1728-1742.	1.7	20

#	Article	IF	Citations
91	Major involvement of bacterial components in rheumatoid arthritis and its accompanying oxidative stress, systemic inflammation and hypercoagulability. Experimental Biology and Medicine, 2017, 242, 355-373.	1.1	72
92	TLR2 stimulation impairs anti-inflammatory activity of M2-like macrophages, generating a chimeric M1/M2 phenotype. Arthritis Research and Therapy, 2017, 19, 245.	1.6	113
93	Anhuienoside C Ameliorates Collagen-Induced Arthritis through Inhibition of MAPK and NF-ÎºB Signaling Pathways. Frontiers in Pharmacology, 2017, 8, 299.	1.6	30
94	Chronic Inflammation in Immune Aging: Role of Pattern Recognition Receptor Crosstalk with the Telomere Complex?. Frontiers in Immunology, 2017, 8, 1078.	2.2	77
95	Astilbin fromSmilax glabraRoxb. Attenuates Inflammatory Responses in Complete Freundâ€™s Adjuvant-Induced Arthritis Rats. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-10.	0.5	25
96	Hypoxia and its Emerging Therapeutics in Neurodegenerative, Inflammatory and Renal Diseases. , 0, , .		6
97	Crosstalk Between Transforming Growth Factor Beta-2 and Toll-Like Receptor 4 in the Trabecular Meshwork. , 2017, 58, 1811.		41
98	Magnesium enhances the chondrogenic differentiation of mesenchymal stem cells by inhibiting activated macrophage-induced inflammation. Scientific Reports, 2018, 8, 3406.	1.6	73
99	Tollâ€like receptors 7 and 9 in myasthenia gravis thymus: amplifiers of autoimmunity?. Annals of the New York Academy of Sciences, 2018, 1413, 11-24.	1.8	28
100	Targeting Suppressive Oligonucleotide to Lymph Nodes Inhibits Toll-like Receptor-9-Mediated Activation of Adaptive Immunity. Pharmaceutical Research, 2018, 35, 56.	1.7	14
101	Genetic risk factors in thrombotic primary antiphospholipid syndrome: A systematic review with bioinformatic analyses. Autoimmunity Reviews, 2018, 17, 226-243.	2.5	30
102	Extracellular DNA promotes colorectal tumor cell survival after cytotoxic chemotherapy. Journal of Surgical Research, 2018, 226, 181-191.	0.8	29
103	Role of extracellular vesicles in rheumatoid arthritis. Molecular Immunology, 2018, 93, 125-132.	1.0	50
104	Expression of TLR7, TLR9, JAK2, and STAT3 genes in peripheral blood mononuclear cells from patients with systemic sclerosis. Journal of Applied Genetics, 2018, 59, 59-66.	1.0	14
105	Regulation of TLR signaling pathways by microRNAs: implications in inflammatory diseases. Central-European Journal of Immunology, 2018, 43, 482-489.	0.4	39
106	Mangosteen ethanol extract alleviated the severity of collagen-induced arthritis in rats and produced synergistic effects with methotrexate. Pharmaceutical Biology, 2018, 56, 455-464.	1.3	18
107	Grape seed proanthocyanidin extract ameliorates murine autoimmune arthritis through regulation of TLR4/MyD88/NF-ÎºB signaling pathway. Korean Journal of Internal Medicine, 2018, 33, 612-621.	0.7	32
108	The Two-Faced Cytokine IL-6 in Host Defense and Diseases. International Journal of Molecular Sciences, 2018, 19, 3528.	1.8	143

#	Article	IF	Citations
109	Recent advances in mouse models for systemic sclerosis. Autoimmunity Reviews, 2018, 17, 1225-1234.	2.5	24
110	The IL-20 Cytokine Family in Rheumatoid Arthritis and Spondyloarthritis. Frontiers in Immunology, 2018, 9, 2226.	2.2	51
111	Systematic Analysis of Differential Expression Profile in Rheumatoid Arthritis Chondrocytes Using Next-Generation Sequencing and Bioinformatics Approaches. International Journal of Medical Sciences, 2018, 15, 1129-1142.	1.1	20
112	Endogenous Galectin-9 Suppresses Apoptosis in Human Rheumatoid Arthritis Synovial Fibroblasts. Scientific Reports, 2018, 8, 12887.	1.6	38
113	Phloretin as a Potent Natural TLR2/1 Inhibitor Suppresses TLR2-Induced Inflammation. Nutrients, 2018, 10, 868.	1.7	37
114	Ten weeks of high-intensity interval walk training is associated with reduced disease activity and improved innate immune function in older adults with rheumatoid arthritis: a pilot study. Arthritis Research and Therapy, 2018, 20, 127.	1.6	98
115	Toll-like receptors in immunity and inflammatory diseases: Past, present, and future. International Immunopharmacology, 2018, 59, 391-412.	1.7	438
116	Association of CD14 and macrophage migration inhibitory factor gene polymorphisms with inflammatory microRNAs expression levels in ankylosing spondylitis and polyarthralgia. International Journal of Immunogenetics, 2018, 45, 190-200.	0.8	5
117	Toll-like receptor (TLR9) -1486 T/C (rs187084) gene polymorphism in Egyptian patients with rheumatoid arthritis. Egyptian Rheumatologist, 2019, 41, 173-176.	0.5	7
118	Altered morpho-functional features of bones in autoimmune disease-prone BXSB/MpJ-Yaa mice. Experimental Biology and Medicine, 2019, 244, 333-343.	1.1	4
119	Upregulation of miR-107 expression following hyperbaric oxygen treatment suppresses HMGB1/RAGE signaling in degenerated human nucleus pulposus cells. Arthritis Research and Therapy, 2019, 21, 42.	1.6	20
120	Epigenetic analysis in rheumatoid arthritis synoviocytes. Experimental and Molecular Medicine, 2019, 51, 1-13.	3.2	27
121	Platelets: emerging facilitators of cellular crosstalk in rheumatoid arthritis. Nature Reviews Rheumatology, 2019, 15, 237-248.	3.5	73
122	Probiotics for the Management of Rheumatoid Arthritis. , 2019, , 23-35.		3
123	Toll-like receptors activation, signaling, and targeting: an overview. Bulletin of the National Research Centre, 2019, 43, .	0.7	281
124	Thymoquinone attenuates rheumatoid arthritis by downregulating TLR2, TLR4, TNF-Î±, IL-1, and NFÎºB expression levels. Biomedicine and Pharmacotherapy, 2019, 111, 958-963.	2.5	79
125	Human Toll-Like Receptor 4 (hTLR4): Structural and functional dynamics in cancer. International Journal of Biological Macromolecules, 2019, 122, 425-451.	3.6	33
126	Abietic acid attenuates RANKL induced osteoclastogenesis and inflammation associated osteolysis by inhibiting the NFâ€KB and MAPK signaling. Journal of Cellular Physiology, 2019, 234, 443-453.	2.0	29

#	Article	IF	Citations
127	Generation of a robust model for inducing autoimmune arthritis in Sprague Dawley rats. Journal of Pharmacological and Toxicological Methods, 2020, 102, 106659.	0.3	5
128	Inflammation and joint destruction may be linked to the generation of cartilage metabolites of ADAMTS-5 through activation of toll-like receptors. Osteoarthritis and Cartilage, 2020, 28, 658-668.	0.6	29
129	Minor C allele of the SNP rs7873784 associated with rheumatoid arthritis and type-2 diabetes mellitus binds PU.1 and enhances TLR4 expression.. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2020, 1866, 165626.	1.8	15
130	Role of Infections in the Pathogenesis of Rheumatoid Arthritis: Focus on Mycobacteria. Microorganisms, 2020, 8, 1459.	1.6	27
131	The miR-155 regulates cytokines expression by SOSC1 signal pathways of fish in vitro and in vivo. Fish and Shellfish Immunology, 2020, 106, 28-35.	1.6	15
132	Polymyxin B prevents the development of adjuvant arthritis via modulation of TLR/Cox-2 signaling pathway. Life Sciences, 2020, 259, 118250.	2.0	5
133	Synovial membrane mesenchymal stem cells: past life, current situation, and application in bone and joint diseases. Stem Cell Research and Therapy, 2020, 11, 381.	2.4	61
134	Differentially Expressed Genes of Natural Killer Cells Can Distinguish Rheumatoid Arthritis Patients from Healthy Controls. Genes, 2020, 11, 492.	1.0	15
135	1,7-Dihydroxy-3,4-Dimethoxyxanthone Inhibits Lipopolysaccharide-Induced Inflammation in RAW264.7 Macrophages by Suppressing TLR4/NF-ÎºB Signaling Cascades. Inflammation, 2020, 43, 1821-1831.	1.7	15
136	Astilbin influences the progression of osteoarthritis in rats by down-regulation of PGE-2 expression via the NF-ÎºB pathway. Annals of Translational Medicine, 2020, 8, 766-766.	0.7	8
137	Role of Nrf2 in rheumatoid arthritis. Current Research in Translational Medicine, 2020, 68, 171-181.	1.2	26
138	Recent Advances in Nanotheranostics for Treatâ€toâ€Target of Rheumatoid Arthritis. Advanced Healthcare Materials, 2020, 9, e1901541.	3.9	39
139	Efficacy and safety of NI-0101, an anti-toll-like receptor 4 monoclonal antibody, in patients with rheumatoid arthritis after inadequate response to methotrexate: a phase II study. Annals of the Rheumatic Diseases, 2020, 79, 316-323.	0.5	43
140	Common innate pathways to autoimmune disease. Clinical Immunology, 2020, 212, 108361.	1.4	14
141	miR-221-3p Drives the Shift of M2-Macrophages to a Pro-Inflammatory Function by Suppressing JAK3/STAT3 Activation. Frontiers in Immunology, 2019, 10, 3087.	2.2	77
142	[6]-Gingerol dose-dependent toxicity, its role against lipopolysaccharide insult in sea urchin (Paracentrotus lividus Lamarck), and antimicrobial activity. Food Bioscience, 2021, 39, 100833.	2.0	10
143	Sex- and cell-dependent contribution of peripheral high mobility group box 1 and TLR4 in arthritis-induced pain. Pain, 2021, 162, 459-470.	2.0	29
144	Toll-like Receptor 2 in Autoimmune Inflammation. Immune Network, 2021, 21, e18.	1.6	21

#	Article	IF	Citations
145	Emerging roles of microRNAs in the regulation of Toll-like receptor (TLR)-signaling. Frontiers in Bioscience - Landmark, 2021, 26, 771-796.	3.0	20
146	Toll-Like Receptors. , 2021, , .		3
147	Is there an Inflammation Role for MYD88 in Rheumatoid Arthritis?. Inflammation, 2021, 44, 1014-1022.	1.7	3
148	Kalkitoxin Reduces Osteoclast Formation and Resorption and Protects against Inflammatory Bone Loss. International Journal of Molecular Sciences, 2021, 22, 2303.	1.8	7
150	Multipotent Mesenchymal Stromal Cells in Rheumatoid Arthritis and Systemic Lupus Erythematosus; From a Leading Role in Pathogenesis to Potential Therapeutic Saviors?. Frontiers in Immunology, 2021, 12, 643170.	2.2	22
151	Orchestrated modulation of rheumatoid arthritis via crosstalking intracellular signaling pathways. Inflammopharmacology, 2021, 29, 965-974.	1.9	17
152	Synergistic effect of the TLR5 agonist CBLB502 and its downstream effector IL-22 against liver injury. Cell Death and Disease, 2021, 12, 366.	2.7	8
153	The p53 status in rheumatoid arthritis with focus on fibroblast-like synoviocytes. Immunologic Research, 2021, 69, 225-238.	1.3	22
154	The role of 5-lipoxygenase in the pathophysiology of COVID-19 and its therapeutic implications. Inflammation Research, 2021, 70, 877-889.	1.6	12
155	Overexpression of TLR7 and TLR9 Occurs Before Onset Symptoms In First-Degree Relatives of Rheumatoid Arthritis Patients. Archives of Medical Research, 2021, , .	1.5	3
156	Direct tissue-sensing reprograms TLR4+ Tfh-like cells inflammatory profile in the joints of rheumatoid arthritis patients. Communications Biology, 2021, 4, 1135.	2.0	5
157	Nigella sativa as a therapeutic candidate for arthritis and related disorders. , 2022, , 295-312.		0
158	Oxidative Stress and Lipid Mediators Modulate Immune Cell Functions in Autoimmune Diseases. International Journal of Molecular Sciences, 2021, 22, 723.	1.8	51
159	Investigating the Role of Toll-Like Receptors in Models of Arthritis. Methods in Molecular Biology, 2016, 1390, 351-381.	0.4	10
160	Novel carters and targeted approaches: Way out for rheumatoid arthritis quandrum. Journal of Drug Delivery Science and Technology, 2017, 40, 125-135.	1.4	10
161	Differential synovial tissue expression of TLRs in seropositive and seronegative rheumatoid arthritis: A preliminary report. Autoimmunity, 2021, 54, 23-34.	1.2	11
162	Biocompatible Nanovesicular Drug Delivery Systems with Targeting Potential for Autoimmune Diseases. Current Pharmaceutical Design, 2020, 26, 5488-5502.	0.9	12
163	The Inflammatory Milieu of the Degenerate Disc: Is Mesenchymal Stem Cell-based Therapy for Intervertebral Disc Repair a Feasible Approach?. Current Stem Cell Research and Therapy, 2015, 10, 317-328.	0.6	38

#	Article	IF	Citations
164	The Toll-Like Receptor Radical Cycle Pathway: A New Drug Target in Immune-Related Chronic Fatigue. CNS and Neurological Disorders - Drug Targets, 2015, 14, 838-854.	0.8	39
165	Inflammatory Role of TLR-MyD88 Signaling in Multiple Sclerosis. Frontiers in Molecular Neuroscience, 2019, 12, 314.	1.4	74
166	Baicalin alleviates collagenâ€'induced arthritis and suppresses TLR2/MYD88/NFâ€'ÎºB p65 signaling in rats and HFLSâ€'RAs. Molecular Medicine Reports, 2020, 22, 2833-2841.	1.1	14
168	Association of TLR 9 gene polymorphisms with remission in patients with rheumatoid arthritis receiving TNF-Î± inhibitors and development of machine learning models. Scientific Reports, 2021, 11, 20169.	1.6	8
170	Transcriptomic basis of neutrophil ratio variation induced by poly I:C stimulation in porcine peripheral blood. Frontiers of Agricultural Science and Engineering, 2017, 4, 342.	0.9	2
171	MYD88, IRAK3 and Rheumatoid Arthritis pathogenesis: Analysis of differential gene expression in CD14Â+Âmonocytes and the inflammatory cytokine levels. Immunobiology, 2021, 226, 152152.	0.8	3
172	Recent Advances in Understanding the Pathogenesis of Rheumatoid Arthritis: New Treatment Strategies. Cells, 2021, 10, 3017.	1.8	63
173	Wilforlide A ameliorates the progression of rheumatoid arthritis by inhibiting M1 macrophage polarization. Journal of Pharmacological Sciences, 2022, 148, 116-124.	1.1	16
174	The Role of M2000 as an Anti-inflammatory Agent in Toll-Like Receptor 2/microRNA-155 Pathway. Avicenna Journal of Medical Biotechnology, 2017, 9, 8-12.	0.2	8
175	MicroRNA-147 negatively regulates expression of toll-like receptor-7 in rat macrophages and attenuates pristane induced rheumatoid arthritis in rats. American Journal of Translational Research (discontinued), 2019, 11, 2219-2231.	0.0	4
176	Adenosine deaminase and cytokines associated with infectious diseases as risk factors for inflammatory arthritis and methotrexate as a potential prophylactic agent. Medical Hypotheses, 2022, 159, 110751.	0.8	5
177	Rheumatoid Arthritis: Pathogenic Roles of Diverse Immune Cells. International Journal of Molecular Sciences, 2022, 23, 905.	1.8	105
178	Toll-like receptor-7 activation in CD8+ T cells modulates inflammatory mediators in patients with rheumatoid arthritis. Rheumatology International, 2022, , 1.	1.5	2
183	Theranostic Small-Molecule Prodrug Conjugates for Targeted Delivery and Controlled Release of Toll-like Receptor 7 Agonists. International Journal of Molecular Sciences, 2022, 23, 7160.	1.8	18
184	Novel pyrrolopyrimidine derivatives: design, synthesis, molecular docking, molecular simulations and biological evaluations as antioxidant and anti-inflammatory agents. Journal of Enzyme Inhibition and Medicinal Chemistry, 2022, 37, 1821-1837.	2.5	9
185	NR4A1-3 nuclear receptor activity and immune cell dysregulation in rheumatic diseases. Frontiers in Medicine, 0, 9, .	1.2	3
186	Interleukin-6 cytokine: An overview of the immune regulation, immune dysregulation, and therapeutic approach. International Immunopharmacology, 2022, 111, 109130.	1.7	47
188	Genetic variation in toll-like receptor 4 gene with primary antiphospholipid syndrome susceptibility: a cohort of Egyptian patients. Egyptian Journal of Medical Human Genetics, 2022, 23, .	0.5	1

#	Article	IF	Citations
189	A novel IRAK4/PIM1 inhibitor ameliorates rheumatoid arthritis and lymphoid malignancy by blocking the TLR/MYD88-mediated NF-ÎºB pathway. Acta Pharmaceutica Sinica B, 2023, 13, 1093-1109.	5.7	11
190	The Role of N6-Methyladenosine in Inflammatory Diseases. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-18.	1.9	4
191	The multifaceted role of mast cells in joint inflammation and arthritis. Osteoarthritis and Cartilage, 2023, 31, 567-575.	0.6	4
192	Electroacupuncture Alleviates Pain Responses and Inflammation in Collagen-Induced Arthritis Rats via Suppressing the TLR2/4-MyD88-NF-ÎºB Signaling Pathway. Evidence-based Complementary and Alternative Medicine, 2023, 2023, 1-13.	0.5	2
193	DAMPs in Systemic Autoimmune Diseases. , 2023, , 457-567.		0
194	Intergenic Interactions of SBNO1, NFAT5 and GLT8D1 Determine the Susceptibility to Knee Osteoarthritis among Europeans of Russia. Life, 2023, 13, 405.	1.1	6
195	Recent Advances in Polymer-Based Nanomaterials for Non-Invasive Photothermal Therapy of Arthritis. Pharmaceutics, 2023, 15, 735.	2.0	1
196	Underpinning Endogeneous Damp EDA-Fibronectin in the Activation of Molecular Targets of Rheumatoid Arthritis and Identifcation of its Effective Inhibitors by Computational Methods. Applied Biochemistry and Biotechnology, 0, , .	1.4	0
197	Chrysin Is Immunomodulatory and Anti-Inflammatory against Complete Freundâ€™s Adjuvant-Induced Arthritis in a Pre-Clinical Rodent Model. Pharmaceutics, 2023, 15, 1225.	2.0	1