## CITATION REPORT List of articles citing

The role of interleukin-17 in the pathogenesis of rheumatoid arthritis

DOI: 10.1007/s11926-009-0052-y Current Rheumatology Reports, 2009, 11, 365-70.

Source: https://exaly.com/paper-pdf/46219056/citation-report.pdf

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
166	Paralysis of saccades and pursuit: clinicopathologic study. <b>1991</b> , 41, 414-5		13
165	Analysis of JAK2 and STAT3 polymorphisms in patients with ankylosing spondylitis in Chinese Han population. <b>2010</b> , 136, 442-6		33
164	The adaptor protein CIKS/ACT1 is necessary for collagen-induced arthritis, and it contributes to the production of collagen-specific antibody. <b>2010</b> , 62, 3334-44		34
163	Host responses to Candida albicans: Th17 cells and mucosal candidiasis. <b>2010</b> , 12, 518-27		107
162	Interleukin-17 and its target genes: mechanisms of interleukin-17 function in disease. <b>2010</b> , 129, 311-21		618
161	The dual nature of T(H)17 cells: shifting the focus to function. <b>2010</b> , 11, 471-6		127
160	Autoimmune diseases in small animals. <b>2010</b> , 40, 439-57		18
159	Celastrus-derived celastrol suppresses autoimmune arthritis by modulating antigen-induced cellular and humoral effector responses. <b>2011</b> , 286, 15138-46		84
158	Functionalized STAT1 siRNA nanoparticles regress rheumatoid arthritis in a mouse model. <b>2011</b> , 6, 1669	9-82	52
157	INFLAMMATION. <b>2011</b> , 53-59		1
156	Frequency of Th17 CD20+ cells in the peripheral blood of rheumatoid arthritis patients is higher compared to healthy subjects. <b>2011</b> , 13, R208		45
155	<b>Q</b> -Adrenergic agonists bias TLR-2 and NOD2 activated dendritic cells towards inducing an IL-17 immune response. <b>2011</b> , 55, 380-6		40
154	Increased serum interleukin-17 and peripheral Th17 cells in children with acute Henoch-Schilein purpura. <b>2011</b> , 22, 862-8		31
153	Alteration of Th17 and Treg cell subpopulations co-exist in patients affected with systemic sclerosis. <b>2011</b> , 139, 249-57		92
152	Progress in the development of small molecule therapeutics targeting Th17 cell function for the treatment of immune-inflammatory diseases. <b>2011</b> , 50, 109-33		6
151	Interleukin-27 and interferon-gamma are involved in regulation of autoimmune arthritis. <b>2011</b> , 286, 281	17-25	56
150	Integrative responses to IL-17 and TNF-In human keratinocytes account for key inflammatory pathogenic circuits in psoriasis. <b>2011</b> , 131, 677-87		410

149	Retinoic acid attenuates rheumatoid inflammation in mice. <b>2012</b> , 189, 1062-71	79
148	Imbalance between Th17 and regulatory T-cells in systemic lupus erythematosus. <b>2011</b> , 49, 646-53	51
147	IL-17/IL-17 receptor system in autoimmune disease: mechanisms and therapeutic potential. <b>2012</b> , 122, 487-511	201
146	TLR2 ligation induces the production of IL-23/IL-17 via IL-6, STAT3 and NF-kB pathway in patients with primary Sjogrenß syndrome. <b>2012</b> , 14, R64	62
145	Inhibition of GSK3 abolishes bacterial-induced periodontal bone loss in mice. <b>2012</b> , 18, 1190-6	27
144	Cyr61 induces IL-6 production by fibroblast-like synoviocytes promoting Th17 differentiation in rheumatoid arthritis. <b>2012</b> , 188, 5776-84	79
143	High concentrations of circulating interleukin-6 and monocyte chemotactic protein-1 with low concentrations of interleukin-8 were associated with severe chikungunya fever during the 2009-2010 outbreak in Thailand. <b>2012</b> , 56, 134-8	35
142	IL-17-mediated Bcl-2 expression regulates survival of fibroblast-like synoviocytes in rheumatoid arthritis through STAT3 activation. <b>2013</b> , 15, R31	75
141	Interleukin-17A. <b>2013</b> , 8, 255-257	
140	Th17 Cells in Immunopathogenesis and treatment of rheumatoid arthritis. <b>2013</b> , 16, 243-53	74
139	Mice genetically inactivated in interleukin-17A receptor are defective in long-term control of Mycobacterium tuberculosis infection. <b>2013</b> , 140, 220-31	55
138	A novel disease-modifying antirheumatic drug, iguratimod, ameliorates murine arthritis by blocking IL-17 signaling, distinct from methotrexate and leflunomide. <b>2013</b> , 191, 4969-78	59
137	The deubiquitinase A20 mediates feedback inhibition of interleukin-17 receptor signaling. <b>2013</b> , 6, ra44	90
136	FRI0049 Surface proteins on microparticles can induce resistance of rheumatoid arthritis synovial fibroblasts to apoptosis mediated by death receptors. <b>2013</b> , 71, 325.3-326	
135	Th17/IL-17A might play a protective role in chronic lymphocytic leukemia immunity. <i>PLoS ONE</i> , <b>2013</b> , 8, e78091	42
135		42 80
	2013, 8, e78091  One-year efficacy and safety results of secukinumab in patients with rheumatoid arthritis: phase II,	·

131	High glucose driven expression of pro-inflammatory cytokine and chemokine genes in lymphocytes: molecular mechanisms of IL-17 family gene expression. <b>2014</b> , 26, 528-39	57
130	Periodontal pathogens directly promote autoimmune experimental arthritis by inducing a TLR2-and IL-1-driven Th17 response. <b>2014</b> , 192, 4103-11	128
129	STA-21, a promising STAT-3 inhibitor that reciprocally regulates Th17 and Treg cells, inhibits osteoclastogenesis in mice and humans and alleviates autoimmune inflammation in an experimental model of rheumatoid arthritis. <b>2014</b> , 66, 918-29	78
128	Immunomodulation in human and experimental arthritis: including vitamin D, helminths and heat-shock proteins. <b>2014</b> , 23, 577-87	7
127	Rheumatoid arthritis patients exhibit impaired Candida albicans-specific Th17 responses. <b>2014</b> , 16, R50	18
126	Interleukin-10 attenuation of collagen-induced arthritis is associated with suppression of interleukin-17 and retinoid-related orphan receptor Eproduction in macrophages and repression of classically activated macrophages. <b>2014</b> , 16, R96	44
125	Statins: from cholesterol-lowering drugs to novel immunomodulators for the treatment of Th17-mediated autoimmune diseases. <b>2014</b> , 88, 41-52	63
124	Suppression of Inflammation and Arthritis by Orally Administrated Cardiotoxin from Naja naja atra. <b>2015</b> , 2015, 387094	3
123	Toll-like receptor mediated modulation of T cell response by commensal intestinal microbiota as a trigger for autoimmune arthritis. <b>2015</b> , 2015, 527696	51
122	Increased plasma IL-17F levels in rheumatoid arthritis patients are responsive to methotrexate, anti-TNF, and T cell costimulatory modulation. <b>2015</b> , 38, 180-6	25
121	A knowledgebase resource for interleukin-17 family mediated signaling. <b>2015</b> , 9, 291-6	20
120	Association between interleukin 17A polymorphisms and susceptibility to rheumatoid arthritis in a Chinese population. <b>2015</b> , 566, 18-22	26
119	IL-37 Alleviates Rheumatoid Arthritis by Suppressing IL-17 and IL-17-Triggering Cytokine Production and Limiting Th17 Cell Proliferation. <b>2015</b> , 194, 5110-9	102
118	Tinospora cordifolia inhibits autoimmune arthritis by regulating key immune mediators of inflammation and bone damage. <b>2015</b> , 28, 521-31	22
117	Analysis of CXCR5Th17 cells in relation to disease activity and TNF inhibitor therapy in Rheumatoid Arthritis. <i>Scientific Reports</i> , <b>2016</b> , 6, 39474	14
116	Smad-dependent mechanisms of inflammatory bone destruction. <b>2016</b> , 18, 279	27
115	Potassium supplementation inhibits IL-17A production induced by salt loading in human T lymphocytes via p38/MAPK-SGK1 pathway. <b>2016</b> , 100, 370-7	19
114	The role of adenosinergic pathway in human autoimmune diseases. <b>2016</b> , 64, 1133-1141	24

113	Discovery of New Benzothiazine Derivative as Modulator of Pro- and Anti-inflammatory Cytokines in Rheumatoid Arthritis. <b>2016</b> , 39, 1918-1929	25
112	Periodontal bacterial colonization in synovial tissues exacerbates collagen-induced arthritis in B10.RIII mice. <b>2016</b> , 18, 161	30
111	Understanding the role of cytokines in the pathogenesis of rheumatoid arthritis. 2016, 455, 161-71	205
110	Interleukin 17 signaling drives Type I Interferon induced proliferative crescentic glomerulonephritis in lupus-prone mice. <b>2016</b> , 162, 31-6	16
109	Fibroblast-like synoviocytes-dependent effector molecules as a critical mediator for rheumatoid arthritis: Current status and future directions. <b>2017</b> , 36, 20-30	42
108	Immune modulation of some autoimmune diseases: the critical role of macrophages and neutrophils in the innate and adaptive immunity. <b>2017</b> , 15, 36	168
107	Microbiota in T-cell homeostasis and inflammatory diseases. <b>2017</b> , 49, e340	93
106	Interleukin 17 regulates SHP-2 and IL-17RA/STAT-3 dependent Cyr61, IL-23 and GM-CSF expression and RANKL mediated osteoclastogenesis by fibroblast-like synoviocytes in rheumatoid arthritis. <b>2017</b> , 91, 134-144	39
105	Autoimmune arthritis induces paired immunoglobulin-like receptor B expression on CD4 Tcells from SKG mice. <b>2017</b> , 47, 1457-1467	6
104	Immunoselected STRO-3 mesenchymal precursor cells reduce inflammation and improve clinical outcomes in a large animal model of monoarthritis. <b>2017</b> , 8, 22	10
103	Increased circulatory levels of fractalkine (CX3CL1) are associated with inflammatory chemokines and cytokines in individuals with type-2 diabetes. <b>2017</b> , 16, 15	29
102	Targeting IL-17 AND IL-17D receptors of rheumatoid arthritis using phytocompounds: A Molecular Docking study. <b>2017</b> , 263, 022040	
101	New insight into the pathogenesis of nail psoriasis and overview of treatment strategies. <b>2017</b> , 11, 2527-25	535 33
100	Therapeutic Effect of Exogenous Truncated IK Protein in Inflammatory Arthritis. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	3
99	A Comprehensive Gene Expression Meta-analysis Identifies Novel Immune Signatures in Rheumatoid Arthritis Patients. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 74	. 18
98	IL17eScan: A Tool for the Identification of Peptides Inducing IL-17 Response. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 1430	. 20
97	T-Cell Subsets in Rheumatoid Arthritis Patients on Long-Term Anti-TNF or IL-6 Receptor Blocker Therapy. <b>2017</b> , 2017, 6894374	29
96	Effects of Ed-mannuronic acid, as a novel non-steroidal anti-inflammatory medication within immunosuppressive properties, on , , and gene expressions in rheumatoid arthritis patients. <b>2017</b> , 11, 1027-1033	20

95	Spotlight on ixekizumab for the treatment of moderate-to-severe plaque psoriasis: design, development, and use in therapy. <b>2017</b> , 11, 1643-1651		18
94	Flavonoid quercetin-methotrexate combination inhibits inflammatory mediators and matrix metalloproteinase expression, providing protection to joints in collagen-induced arthritis. <b>2018</b> , 26, 12	19-123	2 <sup>25</sup>
93	Rituximab in myasthenia gravis: a "to be or not to be" inhibitor of T cell function. <b>2018</b> , 1413, 41-48		12
92	siRNA-mediated c-Rel knockdown ameliorates collagen-induced arthritis in mice. <i>International Immunopharmacology</i> , <b>2018</b> , 56, 9-17	5.8	13
91	IL-20 bone diseases involvement and therapeutic target potential. <b>2018</b> , 25, 38		7
90	Prostaglandin E2 and IL-23 interconnects STAT3 and RoR pathways to initiate Th17 CD4 T-cell development during rheumatoid arthritis. <b>2018</b> , 67, 589-596		18
89	The increased protection and pathology in Mycobacterium tuberculosis-infected IL-27R-alpha-deficient mice is supported by IL-17A and is associated with the IL-17A-induced expansion of multifunctional T cells. <b>2018</b> , 11, 1168-1180		14
88	Functional and structural characterization of osteocytic MLO-Y4 cell proteins encoded by genes differentially expressed in response to mechanical signals in vitro. <i>Scientific Reports</i> , <b>2018</b> , 8, 6716	4.9	9
87	ICOS Signaling Controls Induction and Maintenance of Collagen-Induced Arthritis. 2018, 200, 3067-307	6	13
86	Contribution of sex steroids and prolactin to the modulation of T and B cells during autoimmunity. <b>2018</b> , 17, 504-512		31
85	Serum levels of IL-17 are elevated in patients with acute gouty arthritis. 2018, 497, 897-902		19
84	CNTO6785, a Fully Human Antiinterleukin 17 Monoclonal Antibody, in Patients with Rheumatoid Arthritis with Inadequate Response to Methotrexate: A Randomized, Placebo-controlled, Phase II, Dose-ranging Study. <b>2018</b> , 45, 22-31		13
83	Survivin and autoimmunity; the ins and outs. <b>2018</b> , 193, 14-24		29
82	Pathogenic Role of Immune Cells in Rheumatoid Arthritis: Implications in Clinical Treatment and Biomarker Development. <b>2018</b> , 7,		122
81	Toxoplasmosis seroprevalence in rheumatoid arthritis patients: A systematic review and meta-analysis. <b>2018</b> , 12, e0006545		22
80	Lack of significant association between selected polymorphisms and rheumatoid arthritis in the Polish population. <b>2018</b> , 56, 73-79		1
79	Age and Age-Related Diseases: Role of Inflammation Triggers and Cytokines. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 586	8.4	406
78	Distinct T-Helper 17 Differentiation Capacity of Peripheral Naive T Cells in Rheumatoid and Psoriatic Arthritis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 606	8.4	4

76		
76	Elevated levels of IL-37 correlate with T cell activation status in rheumatoid arthritis patients. <b>2019</b> , 113, 305-310	13
75	Efficacy and safety of Ramucirumab and methotrexate co-therapy in rheumatoid arthritis experimental model: Involvement of angiogenic and immunomodulatory signaling. <b>2019</b> , 380, 114702	10
74	Supplementation of diet with non-digestible oligosaccharides alters the intestinal microbiota, but not arthritis development, in IL-1 receptor antagonist deficient mice. <i>PLoS ONE</i> , <b>2019</b> , 14, e0219366	6
73	The expression of GAS5, THRIL, and RMRP lncRNAs is increased in T cells of patients with rheumatoid arthritis. <b>2019</b> , 38, 3073-3080	32
72	Elevated circulating IL-17 level is associated with inflammatory arthritis and disease activity: A meta-analysis. <b>2019</b> , 496, 76-83	9
71	CXCR3 antagonist AMG487 suppresses rheumatoid arthritis pathogenesis and progression by shifting the Th17/Treg cell balance. <b>2019</b> , 64, 109395	30
70	Thelper cell subpopulations repertoire in peripheral blood and its correlation with sex of newly diagnosed arthritis patients: A gender based study. <i>International Immunopharmacology</i> , <b>2019</b> , 74, 105675.8	3
69	Can serum interleukin-17 and interleukin-10 levels predict response to biologic treatments in patients with rheumatoid arthritis?. <b>2019</b> , 58, 1872-1873	3
68	An emerging role of interleukin-23 in rheumatoid arthritis. <i>Immunopharmacology and Immunotoxicology</i> , <b>2019</b> , 41, 185-191	16
67	P100 Systemic and local IL-17A and miR-146A levels in rheumatoid arthritis patients. <b>2019</b> ,	
66	P101 Systemic and local IL-17A and miR-155 levels in rheumatoid arthritis patients. <b>2019</b> ,	
65	P102 High dimensional profiling of regulatory T cells in spondyloarthritis reveals cellular heterogeneity. <b>2019</b> ,	
64	AB0076 CAN DIFFERENT INTERLEUKIN LEVELS PREDICT RESPONSE TO BIOLOGICAL TREATMENT IN PATIENTS WITH RHEUMATOID ARTHRITIS?. <b>2019</b> ,	
63	Ferulic acid inhibits interleukin 17-dependent expression of nodal pathogenic mediators in fibroblast-like synoviocytes of rheumatoid arthritis. <i>Journal of Cellular Biochemistry</i> , <b>2018</b> , 120, 1878	13
62	Alpha-mangostin: Anti-inflammatory and antioxidant effects on established collagen-induced arthritis in DBA/1J mice. <i>Food and Chemical Toxicology</i> , <b>2019</b> , 124, 300-315	26
61	Amelioration of clinical symptoms of patients with refractory rheumatoid arthritis following treatment with autologous bone marrow-derived mesenchymal stem cells: A successful clinical trial in Iran. <i>Biomedicine and Pharmacotherapy</i> , <b>2019</b> , 109, 1834-1840	47
60	Profibrotic effect of IL-17A and elevated IL-17RA in idiopathic pulmonary fibrosis and rheumatoid arthritis-associated lung disease support a direct role for IL-17A/IL-17RA in human fibrotic 5.8 interstitial lung disease. American Journal of Physiology - Lung Cellular and Molecular Physiology,	51
64	heterogeneity. 2019,  AB0076 CAN DIFFERENT INTERLEUKIN LEVELS PREDICT RESPONSE TO BIOLOGICAL TREATMENT IN PATIENTS WITH RHEUMATOID ARTHRITIS?. 2019,  Ferulic acid inhibits interleukin 17-dependent expression of nodal pathogenic mediators in	

59	Molecular mechanisms and clinical application of Iguratimod: A review. <i>Biomedicine and Pharmacotherapy</i> , <b>2020</b> , 122, 109704	7.5	14
58	De novo RNA-seq assembly and differential transcriptome analysis of Carassius auratus gibelio after Cyprinid herpesvirus 2 infection. <i>Aquaculture</i> , <b>2020</b> , 519, 734923	4.4	O
57	Effects of guluronic acid, as a new NSAID with immunomodulatory properties on IL-17, RORE, IL-4 and GATA-3 gene expression in rheumatoid arthritis patients. <i>Immunopharmacology and Immunotoxicology</i> , <b>2020</b> , 42, 22-27	3.2	2
56	The Role of the IL-23/IL-17 Pathway in the Pathogenesis of Spondyloarthritis. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	22
55	Epithelial processed Mycobacterium avium subsp. paratuberculosis induced prolonged Th17 response and suppression of phagocytic maturation in bovine peripheral blood mononuclear cells. <i>Scientific Reports</i> , <b>2020</b> , 10, 21048	4.9	1
54	Flare-up of cytokines in rheumatoid arthritis and their role in triggering depression: Shared common function and their possible applications in treatment (Review). <i>Biomedical Reports</i> , <b>2021</b> , 14, 16	1.8	5
53	Understanding Refractory Rheumatoid Arthritis: Implications for a Therapeutic Approach. <i>Drugs</i> , <b>2020</b> , 80, 849-857	12.1	10
52	Evaluating the preventive and curative effects of Toxocara canis larva in Freundß complete adjuvant-induced arthritis. <i>Parasite Immunology</i> , <b>2020</b> , 42, e12760	2.2	O
51	Anti-Citrullinated Protein Antibodies in Patients with Rheumatoid Arthritis: Biological Effects and Mechanisms of Immunopathogenesis. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	17
50	JAK-Inhibitors for the Treatment of Rheumatoid Arthritis: A Focus on the Present and an Outlook on the Future. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	43
49	Cardiac glycoside digoxin ameliorates pro-inflammatory cytokines in PBMCs of rheumatoid arthritis patients in vitro. <i>International Immunopharmacology</i> , <b>2020</b> , 82, 106331	5.8	5
48	M-134, a novel HDAC6-selective inhibitor, markedly improved arthritic severity in a rodent model of rheumatoid arthritis when combined with tofacitinib. <i>Pharmacological Reports</i> , <b>2021</b> , 73, 185-201	3.9	2
47	Interleukin- 17agene Polymorphism, Serum Level and Its Tissue Expression in Iraqi Patients Gastric Lesions. <i>Medicinski Arhiv = Medical Archives = Archives De M</i> decine, <b>2021</b> , 75, 23-26	1.2	
46	IL-36 in chronic inflammation and fibrosis - bridging the gap?. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	11
45	Association of interleukin-17A rs2275913 polymorphism with rheumatoid arthritis susceptibility in Sudanese population. <i>SAGE Open Medicine</i> , <b>2021</b> , 9, 20503121211020207	2.4	
44	Chemokine Receptor 5 Antagonism Causes Reduction in Joint Inflammation in a Collagen-Induced Arthritis Mouse Model. <i>Molecules</i> , <b>2021</b> , 26,	4.8	12
43	Shared recognition of citrullinated tenascin-C peptides by T and B cells in rheumatoid arthritis. <i>JCI Insight</i> , <b>2021</b> , 6,	9.9	8
42	Impact of Three Different Serum Sources on Functional Properties of Equine Mesenchymal Stromal Cells. <i>Frontiers in Veterinary Science</i> , <b>2021</b> , 8, 634064	3.1	1

41	Tibetan medicine Ershiwuwei Lvxue Pill attenuates collagen-induced arthritis via inhibition of JAK2/STAT3 signaling pathway. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 270, 113820	5	11
40	Effect of Epstein-Barr Virus DNA on the Incidence and Severity of Arthritis in a Rheumatoid Arthritis Mouse Model. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 672752	8.4	1
39	The Therapeutic Landscape of Rheumatoid Arthritis: Current State and Future Directions. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 680043	5.6	9
38	Biomarker Approach Towards Rheumatoid Arthritis Treatment. <i>Current Rheumatology Reviews</i> , <b>2021</b> , 17, 162-175	1.6	O
37	Association between psoriasis and rheumatoid arthritis in a nationally representative population in the United States. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> ,	4.5	О
36	A myostatin-CCL20-CCR6 axis regulates Th17 cell recruitment to inflamed joints in experimental arthritis. <i>Scientific Reports</i> , <b>2021</b> , 11, 14145	4.9	4
35	IL-17 Biological Effects and Signaling Mechanisms in Human Leukemia U937 Cells.		
34	Neurokinin receptors and their implications in various autoimmune diseases <i>Current Research in Immunology</i> , <b>2021</b> , 2, 66-78	1	3
33	Inflammation and Lung Cancer: The Relationship to Chronic Obstructive Pulmonary Disease. <b>2015</b> , 1-21		1
32	Novel susceptibility locus at 22q11 for diabetic nephropathy in type 1 diabetes. <i>PLoS ONE</i> , <b>2011</b> , 6, e240	053	8
31	Chemoresistance of human monocyte-derived dendritic cells is regulated by IL-17A. <i>PLoS ONE</i> , <b>2013</b> , 8, e56865	3.7	17
30	Differential modulation by IL-17A of Cholangitis versus Colitis in IL-2RIdeleted mice. <i>PLoS ONE</i> , <b>2014</b> , 9, e105351	3.7	12
29	[Advances of genetics in diabetic nephropathy]. <i>Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji</i> , <b>2012</b> , 34, 1537-44	1.4	1
28	Anti-inflammatory properties of natural ingredients used in combinations on adjuvant induced arthritis in rats.		
27	The effect of sword bean extract on the relationship between rheumatoid arthritis and periodontitis in mice.		
26	Suppressive Effects of a Truncated Inhibitor K562 Protein-Derived Peptide on Two Proinflammatory Cytokines, IL-17 and TNF-\( \) Journal of Microbiology and Biotechnology, <b>2020</b> , 30, 1810-1	818	
25	Inhibition of the TGF-ISmads signaling pathway attenuates pulmonary fibrosis and induces anti-proliferative effect on synovial fibroblasts in rheumatoid arthritis. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2019</b> , 12, 1835-1845	1.4	5
24	Resolution of Th/Tc17-driven inflammation during anti-TNFI reatment of rheumatoid arthritis reveals a unique immune biomarker profiling pattern <i>Scandinavian Journal of Immunology</i> , <b>2022</b> , 95, e13116	3.4	

23	Gender-Related Differences in BMP Expression and Adult Hippocampal Neurogenesis within Joint-Hippocampal Axis in a Rat Model of Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	0
22	Twist1 Influences the Expression of Leading Members of the IL-17 Signaling Pathway in HER2-Positive Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
21	Iguratimod reduces panel reactive antibody in high mismatched renal transplant recipients: One single-center experience <i>Clinical Transplantation</i> , <b>2021</b> , e14565	3.8	0
20	Alteration of Gut Microbiome and Correlated Amino Acid Metabolism Contribute to Hyperuricemia and Th17-Driven Inflammation in -KO Mice <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 804306	8.4	1
19	The Airway Microbiome-IL-17 Axis: a Critical Regulator of Chronic Inflammatory Disease <i>Clinical Reviews in Allergy and Immunology</i> , <b>2022</b> , 1	12.3	1
18	Prophylactic or therapeutic administration of Holarrhena floribunda hydro ethanol extract suppresses complete Freundß adjuvant-induced arthritis in Sprague-Dawley rats <i>Journal of Inflammation</i> , <b>2022</b> , 19, 3	6.7	
17	Inhibits RANKL-Induced Osteoclast Differentiation and Ameliorates Rheumatoid Arthritis in Collagen-Induced Arthritis Mice <i>Microorganisms</i> , <b>2021</b> , 10,	4.9	0
16	data_sheet_1.docx. <b>2018</b> ,		
15	image_1.jpeg. <b>2018</b> ,		
14	image_2.jpeg. <b>2018</b> ,		
13	image_3.jpeg. <b>2018</b> ,		
12	image_4.jpeg. <b>2018</b> ,		
11	image_5.jpg. <b>2018</b> ,		
10	image_6.jpeg. <b>2018</b> ,		
9	table_1.docx. <b>2018</b> ,		
8	Radiation Exposure Perturbs IL-17RA-Mediated Immunity Leading to Changes in Neutrophil Responses That Increase Susceptibility to Oropharyngeal Candidiasis. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2022</b> , 8, 495	5.6	O
7	Not all T cell epitopes are equally desired: a review of in silico tools for the prediction of cytokine-inducing potential of T-cell epitopes. <b>2022</b> , 23,		О
6	Semaphorin 4D induces articular cartilage destruction and inflammation in joints by transcriptionally reprogramming chondrocytes. <b>2022</b> , 15,		О

## CITATION REPORT

1

The Relationship of IL 17a, Vit-D Levels and some Biochemical Markers with Psoriasis and the Effect of Oral Vitamin D Supplementation on Clinical Amelioration of the Disease. 2022, 8, 59-64

Antibacterial and Anti-Inflammatory Potential of Chinese Medicinal Herbs: Lonicerae flos, Lonicerae japonicae flos, Scutellaria baicalensis Georgi, and Forsythia suspensa. 2022, 17, 1934578X2211366

Right Treatment to the Right Patient in Moderate-to-Severe Psoriasis: Discussion on Difference. 2-11

Echinocystic Acid Ameliorates Arthritis in SKG Mice by Suppressing Th17 Cell Differentiation and Human Rheumatoid Arthritis Fibroblast-Like Synoviocytes Inflammation.

Therapeutic potential of targeting IL-17 and its receptor signaling in neuroinflammation. 2023, 28, 103517

Ο