

# CITATION REPORT

List of articles citing

Medical emergency team and non-invasive ventilation outside ICU for acute respiratory failure

DOI: 10.1007/s00134-008-1350-y  
Intensive Care Medicine, 2009, 35, 339-43.

**Source:** <https://exaly.com/paper-pdf/46252009/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
521	Non-invasive ventilation: how far away from the ICU?. <i>Intensive Care Medicine</i> , <b>2009</b> , 35, 192-4	14.5	4
520	Current world literature. <b>2010</b> , 23, 283-93		
519	Current Opinion in Pulmonary Medicine. Current world literature. <b>2010</b> , 16, 162-7		
518	Non-invasive ventilation for acute exacerbations of chronic obstructive pulmonary disease. <b>2010</b> , 217-227		
517	A Craig Davidson 5 Emerging modes for non-invasive ventilation. <b>2010</b> , 58-63		3
516	Year in review in Intensive Care Medicine 2009. Part III: mechanical ventilation, acute lung injury and respiratory distress syndrome, pediatrics, ethics, and miscellanea. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 567-84	14.5	12
515	Noninvasive ventilation in H1N1-correlated severe ARDS in a pregnant woman: please, be cautious!. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 1782	14.5	4
514	The epidemiology and outcome of medical emergency team call patients treated with non-invasive ventilation. <b>2011</b> , 82, 1218-23		531
513	Noninvasive ventilation for awake percutaneous aortic valve implantation in high-risk respiratory patients: a case series. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2011</b> , 25, 1109-12	2.1	36
512	Anesthetic management of transcatheter aortic valve implantation with transaxillary approach. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2011</b> , 25, 437-43	2.1	47
511	Use of noninvasive ventilation on internal wards for elderly patients with limitations to respiratory care: a cohort study. <b>2011</b> , 41, 59-69		18
510	The utility and futility of non-invasive ventilation in non-designated areas: can critical care outreach nurses influence practice?. <b>2011</b> , 27, 211-7		5
509	Influence of lung collapse distribution on the physiologic response to recruitment maneuvers during noninvasive continuous positive airway pressure. <i>Intensive Care Medicine</i> , <b>2011</b> , 37, 1095-102	14.5	21
508	Early prehospital use of non-invasive ventilation improves acute respiratory failure in acute exacerbation of chronic obstructive pulmonary disease. <b>2011</b> , 28, 626-7		543
507	Should we perform noninvasive ventilation anywhere?. <i>Expert Review of Respiratory Medicine</i> , <b>2012</b> , 6, 131-3	3.8	3
506	Respiratory High-Dependency Care Units for the burden of acute respiratory failure. <b>2012</b> , 23, 302-8		23
505	Noninvasive ventilation after cardiac and thoracic surgery in adult patients: a review. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2012</b> , 26, 917-22	2.1	32

504	Non-invasive mechanical ventilation in internal medicine departments: a pilot study. <b>2013</b> , 172-178	4
503	From ICU to Emergency Department: 9-Year Experience with Non-Invasive Ventilation for COPD. <b>2014</b> , 21, 140-147	1
502	Abstracts of the 34th International Symposium on Intensive Care and Emergency Medicine, March 18-21, 2014, Brussels, Belgium. <b>2014</b> , 18 Suppl 1, P1-P502	2
501	The Limpet controlled drug cabinet alarm and camera. <b>2014</b> , 18, P2	1
500	Role of pharmacist in multidisciplinary pediatric intensive care rounds: a retrospective descriptive study. <b>2014</b> , 18, P3	1
499	Improvement in the identification and management of inadvertent hypothermia in the critically ill: an audit cycle. <b>2014</b> , 18, P4	78
498	Compliance of a ventilator-associated pneumonia care bundle in an adult intensive care setting. <b>2014</b> , 18, P6	1
497	Referrals to a critical care unit: compliance with the NCEPOD recommendations. <b>2014</b> , 18, P7	78
496	Organisational changes in service provision outside critical care impact on referral patterns. <b>2014</b> , 18, P8	78
495	Demands on a continuing education online-study program for physicians. <b>2014</b> , 18, P10	78
494	Do generic measures fully capture health-related quality of life in adult, general critical care survivors?. <b>2014</b> , 18, P11	78
493	Surgical HDU admissions: utilisation, organ support and finance. <b>2014</b> , 18, P12	78
492	Convalescence via critical care collaboration. <b>2014</b> , 18, P13	78
491	Can dynamic light improve melatonin production and quality of sleep?. <b>2014</b> , 18, P14	0
490	Targeting blood tests in the ICU may lead to a significant cost reduction. <b>2014</b> , 18, P15	0
489	Results of the Telemedicine Program for implementation of the Surviving Sepsis Campaign Protocol in a community Brazilian hospital. <b>2014</b> , 18, P17	78
488	ICU nursing connectivity and the quality of care in an academic medical center: a network analysis. <b>2014</b> , 18, P18	78
487	Compassion fatigue and burnout among healthcare professionals in the ICU. <b>2014</b> , 18, P19	6

486	Effect of divergences about patient's care plan on the outcome of critically ill patients. <b>2014</b> , 18, P20	78
485	Prevalence, risk factors and consequences of intra-team conflicts in the ICU. <b>2014</b> , 18, P21	78
484	Do we spend less on older critically ill patients? Relationship among intensity of care, severity of illness and mortality. <b>2014</b> , 18, P22	78
483	New policy for ICU visits: prospective study. <b>2014</b> , 18, P23	1
482	Dealing with cultural diversity during the process of communication and decision-making in the ICU: a literature review. <b>2014</b> , 18, P24	1
481	Symptoms of anxiety, depression and post-traumatic stress in pairs of patients and their family members during and following ICU stay: who suffers most?. <b>2014</b> , 18, P25	1
480	Heart-focused anxiety in critically ill patients' relatives. <b>2014</b> , 18, P26	78
479	Family satisfaction in the ICU: a 6-month experience. <b>2014</b> , 18, P27	78
478	Qualitative analysis of a family satisfaction in an adult ICU. <b>2014</b> , 18, P28	1
477	Outcomes of ventilated surgical and medical ICU patients: do patients die from ARDS or with ARDS?. <b>2014</b> , 18, P29	1
476	Advance care planning in critically ill haematology patients. <b>2014</b> , 18, P30	78
475	A new questionnaire to determine the effect of team interaction in the ICU on perceived futility and intention to quit: results of a pilot study in two German hospitals. <b>2014</b> , 18, P31	78
474	ASA helps prediction of the death rate in surgical ICU patients. <b>2014</b> , 18, P32	78
473	Till death do us part: amyotrophic lateral sclerosis in the ICU. <b>2014</b> , 18, P33	78
472	Death rate of patients admitted to a Brazilian ICU on weekends and holidays. <b>2014</b> , 18, P34	1
471	How many ways are there to die? Identification of ICU death typologies using cluster analysis. <b>2014</b> , 18, P35	78
470	Independent risk factors associated with the decision to withhold therapeutic intervention in patients admitted to the emergency room. <b>2014</b> , 18, P36	78
469	Autopsy-detected diagnostic errors in critically ill patients with cirrhosis. <b>2014</b> , 18, P37	78

468	Profile, outcomes, and predictors of mortality of abdomino-pelvic trauma patients in a tertiary ICU in Saudi Arabia. <b>2014</b> , 18, P38	78
467	Radiation exposure in trauma patients is affected by age. <b>2014</b> , 18, P39	78
466	Survival rate and predictors of outcome in intubated patients with haematological malignancies in a Greek ICU. <b>2014</b> , 18, P40	78
465	Predictors of outcome in patients with haematological malignancies admitted to critical care. <b>2014</b> , 18, P41	78
464	Early risk stratification in patients with oncological and hematological malignancies in the emergency department. <b>2014</b> , 18, P42	78
463	Calculated radiation exposure for trauma patients is lower when using the New Injury Severity Score versus the Injury Severity Score to calculate injury severity. <b>2014</b> , 18, P43	78
462	Early warning scores: breaking or building barriers to critical care. <b>2014</b> , 18, P44	78
461	Impact of obesity on outcomes in patients with sepsis. <b>2014</b> , 18, P46	78
460	Obesity is not associated with poor outcomes in older patients with sepsis. <b>2014</b> , 18, P47	78
459	Long-term outcome in COPD patients with pneumonic and nonpneumonic exacerbation: a 6-year prospective follow-up study. <b>2014</b> , 18, P48	78
458	Frailty predicts need for medical review but not degree of organ support after complex orthopaedic surgery. <b>2014</b> , 18, P49	1
457	Frailty measures in the critically ill: are we approaching a critical age? A systematic review. <b>2014</b> , 18, P50	1
456	Prediction of 1-year mortality of patients treated for more than 72 hours in an ICU. <b>2014</b> , 18, P51	78
455	Long-term physical functioning and health-related outcomes in survivors of intensive care. <b>2014</b> , 18, P52	78
454	Patients with prolonged stay on ICUs and the risk of mortality within 1-year of cardiac surgery. <b>2014</b> , 18, P53	78
453	Six-month outcomes in lung cancer patients surviving ICU admission: results from a multinational multicenter study. <b>2014</b> , 18, P54	78
452	Survival and quality of life in patients acquiring acute kidney injury in the first 24 hours of ICU admission. <b>2014</b> , 18, P55	78
451	Increasing age of patients admitted to intensive care, and association between increased age and greater risk of post-ICU death. <b>2014</b> , 18, P56	1

450	Outcomes of military patients treated at the UK Royal Centre for Defence Medicine 2007 to 2013. <b>2014, 18, P57</b>	78
449	Very old patients with cancer admitted to the ICU: outcome and predictive factors of mortality. <b>2014, 18, P58</b>	78
448	A retrospective review of mortality and complications following oesophagectomy in a large UK teaching hospital. <b>2014, 18, P59</b>	0
447	SwissScoring: a nationwide survey about SAPS II assessing accuracy. <b>2014, 18, P60</b>	78
446	Abandoning the National Early Warning Score in our district general hospital. <b>2014, 18, P61</b>	78
445	Endpoint resuscitation-based prediction model for early mortality of severe sepsis and septic shock. <b>2014, 18, P62</b>	78
444	Is the Golden hour important? Looking at disability and health-related quality of life in a Portuguese trauma registry. <b>2014, 18, P63</b>	78
443	Predicting outcomes after blunt chest wall trauma: development and external validation of a new prognostic model. <b>2014, 18, P64</b>	2
442	Transplantation of bone marrow-derived mononuclear cells can improve the survival rate and suppress the inflammatory response in a rat crush injury model. <b>2014, 18, P65</b>	78
441	Impact of a dedicated trauma desk in ambulance control on the identification of major trauma in Scotland. <b>2014, 18, P66</b>	78
440	The Manchester Triage System in optimizing triage in adult general medical emergency patients: the Triage Project. <b>2014, 18, P67</b>	1
439	Introduction of the Kaifu telemedicine system for emergency medicine to ambulance services with improvement of the survival rates. <b>2014, 18, P68</b>	78
438	Training to achieve coordination of rescue and ambulance and medical teams. <b>2014, 18, P69</b>	78
437	Complementary cooperation of an ambulance helicopter and car with medical doctors: meaning of simultaneous dispatch. <b>2014, 18, P70</b>	78
436	Evaluation and prevention of violence in the emergency department in Lebanon. <b>2014, 18, P71</b>	78
435	Epidemiology and critical care management of patients admitted after intentional self-poisoning. <b>2014, 18, P72</b>	78
434	Price per unit: the cost of alcohol-related admissions to a regional ICU. <b>2014, 18, P73</b>	78
433	Clinical research of patients with multiple organ dysfunction syndrome induced by severe heat stroke: nine case reports and literature review. <b>2014, 18, P74</b>	78

432	Effect of low-dose hydrocortisone on gene expression profiles after severe burn injury. <b>2014</b> , 18, P75	78
431	Low socioeconomic status, ethnicity and geographical location confers high risk of significant accidental burns injuries in London. <b>2014</b> , 18, P77	2
430	Effectiveness of noncontrast abdominal multidetector CT for evaluating the patient with renal insufficiency in the emergency department. <b>2014</b> , 18, P78	78
429	Antipyretics in the emergency department - intravenous paracetamol versus intramuscular diclofenac: a comparative study. <b>2014</b> , 18, P79	78
428	Survey of severe sepsis and septic shock management in Thailand: THAI-SHOCK SURVEY 2013. <b>2014</b> , 18, P80	78
427	Laboratory early warning score versus clinical early warning score as a predictor of imminent cardiac arrest. <b>2014</b> , 18, P81	78
426	Hospital mortality predictive factors following Rapid Response Team activation. <b>2014</b> , 18, P82	1
425	Long-term outcome of the Emergency Response Team system in in-hospital cardiac arrest. <b>2014</b> , 18, P83	78
424	Epidemiology of unplanned intensive care admissions through in-hospital referrals at a tertiary referral centre university hospital. <b>2014</b> , 18, P84	78
423	Use of low-dose CT KUB: is it becoming the easy way out?. <b>2014</b> , 18, P85	78
422	Bled dry? An audit of blood sampling practices on an adult intensive therapy unit. <b>2014</b> , 18, P86	78
421	Decreasing central-line blood draws by consolidation of phlebotomy timing: results of a quality improvement project. <b>2014</b> , 18, P87	78
420	Introducing an arterial non-injectable connector into clinical practice. <b>2014</b> , 18, P88	78
419	Novel hemostatic technique using a silicone gel dressing for tangential excision in burn surgery. <b>2014</b> , 18, P89	78
418	Should we avoid invasive treatment in cancer patients with pericardial tamponade?. <b>2014</b> , 18, P90	78
417	Goal-directed hemostatic therapy using rotational thromboelastometry in patients requiring emergent cardiovascular surgery. <b>2014</b> , 18, P91	78
416	Thromboelastometric examination on the ICU before elective procedures. <b>2014</b> , 18, P92	78
415	ROTEM: Multiplate monitoring in the ICU and outcome scores. <b>2014</b> , 18, P93	1

414	Retrospective observational study of interventional radiology and critical care coagulopathy. <b>2014, 18, P94</b>	78
413	Monitoring of treatment with low molecular weight heparins using viscoelastic devices. <b>2014, 18, P95</b>	1
412	Heparin stability in parenteral nutrition bags prepared in a neonatal ICU. <b>2014, 18, P96</b>	78
411	Bivalirudin or heparin: which anticoagulation strategy for critically ill cardiac surgery patients?. <b>2014, 18, P97</b>	78
410	Reversal of edoxaban-induced anticoagulation by the four-factor prothrombin complex concentrate Beriplex <sup>®</sup> in a rabbit model. <b>2014, 18, P98</b>	78
409	Use of a specific antidote to dabigatran (idarucizumab) reduces blood loss and mortality in dabigatran-induced and trauma-induced bleeding in pigs. <b>2014, 18, P99</b>	6
408	Primary bivalirudin anticoagulation for patients with an implantable ventricular assist device. <b>2014, 18, P100</b>	78
407	Plasma-free hemoglobin and microvascular response to fresh or old blood transfusion in septic patients. <b>2014, 18, P101</b>	78
406	Fatty acid composition of blood plasma in multiple organ dysfunction syndrome. <b>2014, 18, P102</b>	78
405	Response of coagulation and fibrinolysis system was different between older and nonolder patients with severe sepsis. <b>2014, 18, P103</b>	78
404	εAminocaproic acid does not increase adverse effects in cardiac surgery: an analysis of 2,852 cases. <b>2014, 18,</b>	78
403	Eculizumab treatment of atypical haemolytic uraemic syndrome: results from the largest prospective clinical trial to date. <b>2014, 18, P105</b>	1
402	Variation in red blood cell transfusion thresholds in critically ill patients. <b>2014, 18, P106</b>	3
401	A liberal strategy of red blood cell transfusion reduces cardiovascular complications in older patients undergoing cardiac surgery. <b>2014, 18, P107</b>	78
400	Anemia and high hematocrit are associated with in-hospital mortality in emergency department patients with suspected infection. <b>2014, 18, P108</b>	78
399	New simplified criteria for predicting massive transfusion in trauma. <b>2014, 18, P109</b>	78
398	Blood product transfusions in septic patients are associated with mortality, ARDS, and more days on mechanical ventilation. <b>2014, 18, P111</b>	78
397	Inflammatory properties of microparticles in stored red blood cell transfusion products. <b>2014, 18, P113</b>	2



396	Influenza A (H1N1): the first hit for transfusion-related acute lung injury?. <b>2014</b> , 18, P114	78
395	Prothrombin complex concentrate restores haemostasis in a dabigatran anticoagulated polytrauma pig model. <b>2014</b> , 18, P115	2
394	Effect of a fixed dose of fresh frozen plasma on systemic inflammation and endothelial damage in nonbleeding critically ill patients. <b>2014</b> , 18, P116	78
393	Application of damage control resuscitation strategies to patients with severe traumatic hemorrhage: review of plasma to packed red blood cell ratios at a single institution. <b>2014</b> , 18, P117	78
392	In a trauma experimental pig model prothrombin complex concentrates and a specific antidote (idarucizumab) are effective to reverse the anticoagulant effects of dabigatran. <b>2014</b> , 18, P118	3
391	Attenuation of ischemia-reperfusion injury in swine resuscitated for hemorrhagic shock by low-dose inhaled nitrite or carbon monoxide. <b>2014</b> , 18, P119	78
390	Validation of inflationary non-invasive blood pressure monitoring in emergency room patients. <b>2014</b> , 18, P120	78
389	Influence of the oscillometric calibration method on accuracy and precision of continuous non-invasive arterial pressure measurements using the CNAP device. <b>2014</b> , 18, P121	78
388	Arterial pulse waveform as an n-soliton evolution of the left ventricular pressure pulse. <b>2014</b> , 18, P122	78
387	Tackling the burden of postsurgical complications in the USA: would perioperative goal-directed therapy help?. <b>2014</b> , 18, P123	1
386	Radiological control of central venous catheter (CVC) versus electrocardiogram-guided control inserted CVC: confirm with transesophageal echocardiography. <b>2014</b> , 18, P124	1
385	Impact of the neutral position and rotation of the head in ultrasound-guided internal jugular vein catheterization on duration of procedure and complications. <b>2014</b> , 18, P125	78
384	Anthropometric formulas versus intracavitary ECG for optimal tip position of central venous catheters. <b>2014</b> , 18, P126	78
383	Residents learning ultrasound-guided catheterization are not sufficiently skilled to use landmarks. <b>2014</b> , 18, P127	78
382	Development of a standardized method of peripherally inserted central catheter (PICC-line) bedside installation. <b>2014</b> , 18, P128	1
381	Is chest X-ray necessary after central venous catheter insertion?. <b>2014</b> , 18, P129	1
380	Diagnostic value of chest ultrasound after cardiac surgery: a comparison with chest X-ray and auscultation. <b>2014</b> , 18, P130	2
379	Ultrasound measurement of carotid flow time changes with volume status. <b>2014</b> , 18, P131	6

378	Real-time ultrasound-guided subclavian vein cannulation in cardiac surgery: comparison between short-axis and long-axis techniques. <b>2014</b> , 18, P132	78
377	Transthoracic echocardiography used in conjunction with passive leg raising for assessment of fluid responsiveness in severe sepsis or septic shock patients. <b>2014</b> , 18, P133	78
376	Transoesophageal echocardiography and extracorporeal membrane oxygenation: fancy for enthusiasts or indispensable tool?. <b>2014</b> , 18, P134	4
375	Accuracy of synthesized right-sided/posterior chest lead electrocardiograms. <b>2014</b> , 18, P135	78
374	Aortic stiffness in patients with early sepsis. <b>2014</b> , 18, P136	78
373	Novel technology for non-invasive thoracic fluid measurement: an animal model comparative study. <b>2014</b> , 18, P137	78
372	Adherence to the nurse-driven hemodynamic protocol during postoperative care. <b>2014</b> , 18, P138	78
371	Pulse wave transit time technique for perioperative non-invasive hemodynamic monitoring. <b>2014</b> , 18, P139	78
370	Validation of cardiac output from Mostcare compared with a pulmonary artery catheter in septic patients. <b>2014</b> , 18, P140	1
369	Novel non-invasive technology for cardiac output determination. <b>2014</b> , 18, P141	78
368	Performance of pulse contour and pulse wave transit time-based continuous cardiac output analyses: clinical validation of two methods in Thai patients undergoing cardiac surgery. <b>2014</b> , 18, P142	1
367	Comparison of PiCCO and VolumeView: simultaneous measurement in sepsis pig models. <b>2014</b> , 18, P143	1
366	Effects of the restrictive fluid strategy on postoperative pulmonary and renal function following pulmonary resection surgery. <b>2014</b> , 18, P144	78
365	Perioperative fluid balance and postoperative changes in serum creatinine in patients admitted to critical care after elective major surgery. <b>2014</b> , 18, P145	78
364	Very limited usefulness of pulse pressure variation as a predictor of volume responsiveness in critically ill septic patients. <b>2014</b> , 18, P146	78
363	Effects of central hypovolemia induced by tilt table on the Doppler-based renal resistive index in healthy volunteers. <b>2014</b> , 18, P147	78
362	Tissue oxygenation as a target for goal-directed therapy in high-risk surgery. <b>2014</b> , 18, P148	78
361	Why measurements do (not) work: the human factor. <b>2014</b> , 18, P149	78

360	Fluid responsiveness in septic shock. <b>2014</b> , 18, P150	78
359	Use of pulse pressure variation and stroke volume variation in spontaneously breathing patients to assess dynamic arterial elastance and to predict arterial pressure response to fluid administration. <b>2014</b> , 18, P151	2
358	Accuracy of the plethysmographic variation index as a predictor of fluid responsiveness after cardiac surgery. <b>2014</b> , 18, P152	78
357	Kinetics of volume expansion during a fluid challenge. <b>2014</b> , 18, P153	78
356	Fluid challenge with shock. <b>2014</b> , 18, P154	78
355	In vivo effect of hydroxyethyl starch solution (HES 130/0.4) on different fibrinogen assays. <b>2014</b> , 18, P155	78
354	BXL 628 ameliorates toxicity of lactated Ringer in HK-2 human renal proximal tubule cells in a hypovolemia mimicking model. <b>2014</b> , 18, P156	78
353	Hypotonic fluids after liver transplantation may be associated with prolonged ICU stay. <b>2014</b> , 18, P157	78
352	Early Vasopressin Application in Shock study. <b>2014</b> , 18, P158	6
351	Terlipressin-induced hyponatraemia. <b>2014</b> , 18, P159	1
350	Outcomes of patients treated with noninvasive ventilation by a medical emergency team on the wards. <b>2014</b> , 59, 186-92	14
349	Incidence of adverse events in a Brazilian coronary ICU. <b>2014</b> , 18, P5	78
348	Care of Burns in Scotland: 3-year data from the Managed Clinical Network National Registry. <b>2014</b> , 18, P76	1
347	Transfusion requirements in septic shock patients: a randomized controlled trial. <b>2014</b> , 18, P112	1
346	Fibrinogen at admission is an independent predictor of mortality in severe sepsis and septic shock. <b>2014</b> , 18, P209	2
345	Urinary tissue inhibitor of metalloproteinases-2 and insulin-like growth factor-binding protein 7 as early biomarkers of acute kidney injury and renal recovery following cardiac surgery. <b>2014</b> , 18, P381	78
344	Plasma platelet-derived microparticles to platelet count ratio as a marker of mortality in critically ill patients. <b>2014</b> , 18, P210	1
343	Efficacy of terutroban in preventing delayed cerebral ischemia after subarachnoid hemorrhage: a functional isotope imaging study on a rat model. <b>2014</b> , 18, P461	78

342	Clinical pulmonary infection score calculator in the early diagnosis and treatment of ventilator-associated pneumonia in the ICU. <b>2014</b> , 18, P304	5
341	Ability to speak in ventilator-dependent tracheostomized ICU patients. <b>2014</b> , 18, P323	0
340	Vasopressin versus norepinephrine for the management of septic shock in cancer patients. <b>2014</b> , 18, P161	2
339	Effect of nasal high flow for postoperative respiratory failure: a prospective observational study. <b>2014</b> , 18, P311	78
338	Effect of subglottic secretion drainage for preventing ventilator-associated pneumonia. <b>2014</b> , 18, P331	2
337	Enteral administration of antiepileptic agents could have efficacy for prevention of post-traumatic seizures in severe traumatic brain injury. <b>2014</b> , 18, P481	78
336	Demand versus supply in intensive care: an ever-growing problem. <b>2014</b> , 18, P9	2
335	Analysis of the acoustic environment in an ICU using patient information as a covariate. <b>2014</b> , 18, P16	78
334	Factors affecting the clinical response to National Early Warning score triggers. <b>2014</b> , 18, P45	1
333	Haemodynamic effects of phenylephrine commenced prior to induction of anaesthesia in older patients undergoing high-risk vascular surgery. <b>2014</b> , 18, P164	78
332	Acetaminophen-induced hypotension in the surgical ICU. <b>2014</b> , 18, P165	1
331	Experiences of a tertiary center with use of extracorporeal membrane oxygenation support in patients with cardiogenic shock after cardiac surgery. <b>2014</b> , 18, P166	78
330	Potential use of veno-arterial extracorporeal membrane oxygenation for cardiogenic shock refractory to mechanical assist devices: baseline physiology and mortality data. <b>2014</b> , 18, P167	78
329	Normobaric oxygen paradox and the microcirculation in the critically ill patient: a prospective observational study. <b>2014</b> , 18, P168	78
328	Predictive criteria for the development of intra-abdominal hypertension and abdominal compartment syndrome. <b>2014</b> , 18, P169	78
327	Early lactate-guided therapy in cardiac surgery patients: a randomized controlled trial. <b>2014</b> , 18, P170	1
326	Lactate as a predictor of deterioration in emergency department patients with and without infection. <b>2014</b> , 18, P171	78
325	Correlation between conventional and advanced hemodynamic parameters versus serum lactate in patients with severe sepsis. <b>2014</b> , 18, P173	78

324	Delayed assessment of serum lactate in sepsis is associated with an increased mortality rate. <b>2014, 18, P174</b>	78
323	Lactate quartile concentration and prognosis in severe sepsis and septic shock. <b>2014, 18, P176</b>	78
322	Comparison of the effects of histidine-triptophan-ketoglutarate solution and crystalloid cardioplegia on myocardial protection during pediatric cardiac surgery. <b>2014, 18, P178</b>	78
321	Hyperdynamic ejection fraction in the critically ill patient. <b>2014, 18, P179</b>	78
320	Impact of nitric oxide on pulmonary regurgitation and cardiac function in the acute stage after right ventricular outflow surgery. <b>2014, 18, P180</b>	78
319	Cardiogenic oscillation in pediatric patients after cardiac surgery. <b>2014, 18, P181</b>	1
318	Intraoperative dexamethasone on left atrial function and postoperative atrial fibrillation in cardiac surgical patients. <b>2014, 18, P182</b>	78
317	White blood cell count and new-onset atrial fibrillation after cardiac surgery. <b>2014, 18, P183</b>	78
316	Anti-adrenergic effects of ranolazine in isolated rat aorta. <b>2014, 18, P184</b>	78
315	Delays in extubation following elective adult cardiac surgery. <b>2014, 18, P185</b>	78
314	Effects of perfusion pressure on the splanchnic circulation after cardiopulmonary bypass: a randomized double cross-over study. <b>2014, 18, P186</b>	1
313	Isoflurane attenuates left ventricular akinesia and preserves cardiac output in the Tako-tsubo rat model. <b>2014, 18, P187</b>	78
312	Preoperative therapy with angiotensin-converting enzyme inhibitors in cardiac surgery patients: is there any impact on postoperative renal function?. <b>2014, 18, P188</b>	78
311	Characterization of the profile and clinical variables associated with mortality in a Brazilian coronary ICU. <b>2014, 18, P189</b>	78
310	Hospital visit pattern and its effect on reperfusion time and clinical outcomes in ST-segment elevation acute myocardial infarction. <b>2014, 18, P190</b>	78
309	Tissue-aggressive inflammatory response defines the tissue aggressiveness of the post-infarction milieu. <b>2014, 18, P191</b>	78
308	Impact of positive end-expiratory pressure application on ventriculo-arterial coupling in decompensated left ventricles after cardiac surgery: a non-invasive echocardiographic study. <b>2014, 18, P192</b>	78
307	Prevalence of elevated cardiac troponin T in ICU patients using the high-sensitivity assay and the relationship with mortality. <b>2014, 18, P193</b>	78

306	Rhabdomyolysis following cardiac surgery: from prevalence to prevention. <b>2014</b> , 18, P194	78
305	Open cavity abdominal surgery in octogenarians and nonagenarians admitted to a university teaching hospital ICU: a retrospective review. <b>2014</b> , 18, P195	78
304	Postoperative resource utilization and survival among liver transplant recipients with Model for End-stage Liver Disease score $\geq 10$ : a retrospective cohort study. <b>2014</b> , 18, P201	78
303	Causes and consequences of infections in patients after liver transplantation: 2-year study in the only ICU that hospitalizes these cases in Greece. <b>2014</b> , 18, P202	78
302	Extracorporeal membrane oxygenation before and after adult liver transplantation: worth the effort?. <b>2014</b> , 18, P203	9
301	Is cirrhotic cardiomyopathy a risk factor for post-reperfusion syndrome during liver transplantation?. <b>2014</b> , 18, P204	78
300	Perioperative management of patients undergoing combined heart-liver transplantation. <b>2014</b> , 18, P205	1
299	Impaired balance between coagulation and fibrinolysis plays a prominent role in patients with sepsis. <b>2014</b> , 18, P206	78
298	Clinical usefulness of measurement of plasma soluble fibrin levels in critically ill patients. <b>2014</b> , 18, P207	78
297	Value of microbial metabolites in blood serum as criteria for bacterial load in the pathogenesis of hemodynamic disorders in critically ill patients. <b>2014</b> , 18, P208	3
296	Receptor for advanced glycation end products axis in critically ill patients. <b>2014</b> , 18, P211	78
295	Usefulness of the endotoxin activity assay as a biomarker to assess severity in ICU patients. <b>2014</b> , 18, P212	78
294	Usefulness of presepsin and procalcitonin levels in the diagnosis of sepsis in patients with acute kidney injury. <b>2014</b> , 18, P213	78
293	Differentiating sepsis from non-infective systemic inflammatory response syndrome: comparison between C-reactive protein and leptin. <b>2014</b> , 18, P214	78
292	Use of procalcitonin and white blood cells as combined predictors of infection in cardiac surgery patients. <b>2014</b> , 18, P215	1
291	Single pro-adrenomedullin determination in septic shock and 28-day mortality. <b>2014</b> , 18, P216	78
290	Club Cell protein: a candidate diagnostic biomarker of Pseudomonas aeruginosa nosocomial pneumonia. <b>2014</b> , 18, P218	78
289	Plasma cholinesterase activity as diagnostic marker for systemic inflammation. <b>2014</b> , 18, P219	1

288	Pre-analytic factors and initial biomarker levels in community- acquired pneumonia patients. <b>2014, 18, P221</b>	78
287	Altered T-cell repertoire diversity in septic shock patients. <b>2014, 18, P223</b>	78
286	Association between DNA haplogroups and severe sepsis in patients who underwent major surgery. <b>2014, 18, P224</b>	78
285	Activated protein C consumption and coagulation parameters in severe sepsis and septic shock. <b>2014, 18, P226</b>	78
284	Flow-cytometric analysis in traumatic brain injury to evaluate immunosuppression. <b>2014, 18, P227</b>	1
283	Polymorphonuclear cell surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. <b>2014, 18, P228</b>	78
282	Lymphocyte surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. <b>2014, 18, P229</b>	78
281	Cl:Na ratio on ICU admission as a prognostic indicator of mortality in sepsis patients. <b>2014, 18, P230</b>	78
280	Dysfunction of peroxisomes as one of the possible causes of multiple organ dysfunction syndrome development. <b>2014, 18, P231</b>	78
279	Differential effect of alcohol on TNF $\alpha$ receptor II production in the presence of LPS challenge ex vivo. <b>2014, 18, P232</b>	78
278	Neutrophil phenotype model for extracorporeal treatment of sepsis. <b>2014, 18, P233</b>	78
277	Prolactin, cortisol and heat shock proteins in early sepsis: preliminary data. <b>2014, 18, P234</b>	78
276	AMP-protein kinase may protect against sepsis-induced acute kidney injury through modulation of immune response and endothelial activation. <b>2014, 18, P235</b>	78
275	Study of the ex vivo immune response of polytrauma older patients in the ICU on admission: preliminary results. <b>2014, 18, P236</b>	1
274	Multiple trauma is linked with reversal of immunoparalysis and provides survival benefit from <i>Pseudomonas aeruginosa</i> . <b>2014, 18, P237</b>	78
273	Delayed admission to the ICU is associated with increased in-hospital mortality in patients with community-acquired severe sepsis or shock. <b>2014, 18, P241</b>	0
272	Effect of clarithromycin in patients with Gram-negative sepsis: subgroup analysis of a randomized trial. <b>2014, 18, P242</b>	1
271	Benefit profile of recombinant human soluble thrombomodulin in sepsis-induced DIC. <b>2014, 18, P243</b>	78

270	Comprehensive assessment of the true sepsis burden using electronic health record screening augmented by natural language processing. <b>2014</b> , 18, P244	1
269	Outcomes of neutropenic patients with severe sepsis on a specialist cancer ICU. <b>2014</b> , 18, P245	2
268	Vitamin D and ICU outcome in septic patients: a difficult connection?. <b>2014</b> , 18, P246	78
267	A meta-analysis of randomized controlled trials on the use of statins in septic patients. <b>2014</b> , 18, P247	78
266	Efficacy of early administration of thrombomodulin alfa in patients with sepsis-induced disseminated intravascular coagulation: subanalysis from post-marketing surveillance data. <b>2014</b> , 18, P248	78
265	Dynamic myocardial depression in septic cardiomyopathy. <b>2014</b> , 18, P249	78
264	Significant change in the practice of chest radiography in Dutch ICUs. <b>2014</b> , 18, P250	78
263	Stating clear indications for chest radiographs after cardiac surgery increases their efficacy and safely reduces costs. <b>2014</b> , 18, P251	78
262	Evaluation of early graft function in a case series of lung-transplanted patients. <b>2014</b> , 18, P252	78
261	Lung function in the immediate postoperative period after videoassisted thoracoscopic and thorotomy pulmonary resection. <b>2014</b> , 18, P254	78
260	Lung ultrasound reaeration score: a useful tool to predict non-invasive ventilation effectiveness. <b>2014</b> , 18, P255	2
259	Ultrasound in the diagnosis of pneumothorax: a survey of current practice. <b>2014</b> , 18, P256	78
258	Computed tomographic assessment of airflow obstruction in smoke inhalation injury. <b>2014</b> , 18, P257	78
257	Semi-upright position improves ventilation and oxygenation in mechanically ventilated intensive care patients. <b>2014</b> , 18, P258	3
256	Effects of sitting on the respiratory pattern, mechanics and work of breathing in mechanically ventilated patients. <b>2014</b> , 18, P259	78
255	The win ratio method: a novel hierarchical endpoint for pneumonia trials in patients on mechanical ventilation. <b>2014</b> , 18, P260	5
254	Failure to obtain admission sputum culture is associated with higher mortality and fewer ventilator-free days for intubated pneumonia patients: a quality improvement project. <b>2014</b> , 18, P261	78
253	Nonventilatory factors affecting noninvasive mechanical ventilation success in hypercapnic critical care patients. <b>2014</b> , 18, P263	78



252	Physiologic comparison between NAVA, PAV+ and PSV in critically ill patients. <b>2014</b> , 18, P264	78
251	Oxygenation index outperforms the P/F ratio for mortality prediction. <b>2014</b> , 18, P266	1
250	Determining the mechanical ventilation mode and pressure support combination that is best compatible with the rapid shallow breathing index calculated in spontaneous ventilation. <b>2014</b> , 18, P267	1
249	New setting of neurally adjusted ventilatory assist during mask noninvasive ventilation. <b>2014</b> , 18, P268	78
248	A new setting to improve noninvasive neurally adjusted ventilatory assist by helmet. <b>2014</b> , 18, P269	78
247	Is neurally adjusted ventilatory assist feasible during anesthesia?. <b>2014</b> , 18, P270	78
246	PEEP titration on the basis of intratidal resistance-volume profiles. <b>2014</b> , 18, P273	78
245	US study of gliding in nondependent lung regions: the dark side of the moon. <b>2014</b> , 18, P274	78
244	Protective ventilation reduces bacterial growth and lung injury in a porcine pneumonia model. <b>2014</b> , 18, P275	78
243	Changes in computed tomography and ventilation/perfusion mismatch with positive end-expiratory pressure. <b>2014</b> , 18, P276	78
242	Ventilator settings in ICUs: comparing a Dutch with a global cohort. <b>2014</b> , 18, P277	78
241	Graphical user interface for visualization of a decision support system for PEEP titration. <b>2014</b> , 18, P278	78
240	Time-dependent apoptosis induction after spontaneous-breathing or ventilation-analogue experimental mechanostimulation of monolayer lung cell cultures. <b>2014</b> , 18, P279	78
239	Influence of positive end-expiratory pressure on cyclic recruitment and derecruitment during one breathing cycle in porcine acute lung injury. <b>2014</b> , 18, P280	78
238	Effect of positive end-expiratory pressure on right ventricle function assessed by speckle tracking echocardiography. <b>2014</b> , 18, P281	78
237	Airway pressure release ventilation restores hemodynamic stability in patients with cardiogenic shock: initial experience in cardiac intensive care. <b>2014</b> , 18, P282	78
236	Experimental VILI begins with subpleural lung lesions. <b>2014</b> , 18, P283	78
235	CT scan and ultrasound comparative assessment of PEEP-induced lung aeration changes in ARDS. <b>2014</b> , 18, P285	8

234	Effect of tidal volume and positive end-expiratory pressure on lung hysteresis of healthy piglets. <b>2014, 18, P286</b>	78
233	Evaluation and quantification of pulmonary hyperinflation in three gravitational zones of domestic felines by computed tomography. <b>2014, 18, P287</b>	78
232	Effect of inhaled nitric oxide on apoptosis of lymphocytes in newborns in a critical state. <b>2014, 18, P288</b>	1
231	High-frequency oscillatory ventilation use in patients with H1N1: a single-centre review. <b>2014, 18, P290</b>	78
230	EIT comparison of airway pressure release ventilation and conventional ventilation. <b>2014, 18, P291</b>	78
229	Comparison of HFOV and conventional ventilation in H1N1 influenza ARDS. <b>2014, 18, P293</b>	78
228	Opening pressures and intratidal opening and closing in ARDS lung. <b>2014, 18, P294</b>	78
227	Compliance with protective lung ventilation in an Irish teaching hospital. <b>2014, 18, P295</b>	78
226	Mechanisms underlying the lung-protective effects of FLOW- controlled EXpiration. <b>2014, 18, P296</b>	2
225	Fluid balance predicts weaning failure in chronic obstructive pulmonary disease patients. <b>2014, 18, P299</b>	2
224	Role of the rapid shallow breathing index to predict the success of mechanical ventilator liberation in acute respiratory failure. <b>2014, 18, P300</b>	78
223	Determinants of ventilator weaning outcome in a medical-surgical ICU. <b>2014, 18, P301</b>	78
222	Microbiology and outcomes of severe pneumonia in critically ill cancer patients. <b>2014, 18, P302</b>	78
221	Biomarker-based exclusion of ventilator-associated pneumonia: a multicentre validation study. <b>2014, 18, P303</b>	1
220	Validation of the 2005 American Thoracic Society/Infectious Diseases Society of America guidelines for ventilator-associated pneumonia: a Japanese multicenter observational study. <b>2014, 18, P305</b>	78
219	Surveillance and evaluation of ventilator-associated events as per Centers for Disease Control and Prevention guidelines. <b>2014, 18, P306</b>	78
218	Extracorporeal carbon dioxide removal as a bridge to lung transplantation in life-threatening hypercapnia. <b>2014, 18, P307</b>	78
217	Quantifying sputum production in intensive therapy. <b>2014, 18, P309</b>	78

216	Outcomes of patients with acute respiratory failure of mixed aetiology treated with non-invasive ventilation in a large teaching hospital critical care unit. <b>2014, 18, P310</b>	78
215	Inhalation injury and clinical course in major burned patients. <b>2014, 18, P312</b>	78
214	Severe respiratory failure in multiple trauma patients: extracorporeal support as a salvage therapy - a single-center experience. <b>2014, 18, P313</b>	78
213	Advanced respiratory care techniques in a severe adult respiratory failure unit. <b>2014, 18, P314</b>	78
212	Novel carbon dioxide removal device driven by a renal-replacement system without hemofilter: an experimental approach and validation. <b>2014, 18, P316</b>	2
211	Does geography affect referral rates for extracorporeal membrane oxygenation in England?. <b>2014, 18, P317</b>	78
210	Assessment of an endotracheal tube cleaning closed-suctioning system by micro-computed tomography: preliminary clinical data. <b>2014, 18, P318</b>	78
209	Does cost affect endotracheal tube performance?. <b>2014, 18, P319</b>	78
208	Tracheostomy in obese patients: the best tube choice issue. <b>2014, 18, P320</b>	1
207	Development of the novel Tracoe Twist Plus tracheostomy tube. <b>2014, 18, P322</b>	78
206	Double-lumen endotracheal tube for percutaneous tracheostomy: in vitro and in vivo preliminary data. <b>2014, 18, P324</b>	78
205	National survey of ICUs in the UK: discharging patients with tracheostomies. <b>2014, 18, P325</b>	78
204	Percutaneous dilatational tracheostomy in patients with severe coagulopathy or thrombocytopenia. <b>2014, 18, P326</b>	78
203	Repeat bedside percutaneous tracheostomy: still a contraindication?. <b>2014, 18, P327</b>	0
202	National UK survey: a review of percutaneous tracheostomy and auxiliary subglottic suction port use. <b>2014, 18, P328</b>	2
201	Is the post-critical care environment safe for tracheostomy patients?. <b>2014, 18, P329</b>	78
200	Survey on the use of chlorhexidine and toothpaste as part of oral care in UK ICUs. <b>2014, 18, P330</b>	78
199	Survey of the use and practicalities of subglottic suction drainage in the UK. <b>2014, 18, P332</b>	78

198	Intravenous perfluorocarbons increased oxygen delivery/ consumption in ARDS in swine. <b>2014</b> , 18, P333	78
197	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. <b>2014</b> , 18, P334	1
196	Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. <b>2014</b> , 18, P335	1
195	Role of Th1 and Th17 imbalance in acute lung injury mice. <b>2014</b> , 18, P336	78
194	Comparison of CD80 level on dendritic cells in acute lung injury mice. <b>2014</b> , 18, P337	78
193	Five-year single-centre review of ARDS patients receiving high-frequency oscillatory ventilation. <b>2014</b> , 18, P338	78
192	Blocking angiotensin type 1 receptor modulates Th1-mediated and Th17-mediated responses in lipopolysaccharide-induced acute lung injury mice. <b>2014</b> , 18, P339	78
191	Echocardiographic guidance for Avalon Elite dual-lumen catheter implantation. <b>2014</b> , 18, P340	2
190	Risk factors for multi-resistant organisms in sepsis. <b>2014</b> , 18, P342	78
189	Clostridium difficile infection in ICU patients. <b>2014</b> , 18, P344	78
188	Retrospective observational analysis of the infective risk of arterial lines in a general ICU. <b>2014</b> , 18, P345	78
187	Reducing CR-BSI in a general ICU. <b>2014</b> , 18, P346	78
186	Risk factors of candidemia in postoperative ICU patients: a prospective study. <b>2014</b> , 18, P347	1
185	Escherichia coli infection in Polish neonatology ICUs in 2009 to 2012. <b>2014</b> , 18, P348	78
184	Infection control as a nonpharmacologic strategy for the prevention of healthcare-associated infections in a Ukrainian hospital. <b>2014</b> , 18, P349	78
183	Surveillance for nosocomial pathogens in our ICU. <b>2014</b> , 18, P350	78
182	Candida in the respiratory tract secretions of critically ill patients and the impact of antifungal treatment: a randomized placebocontrolled pilot trial (CANTREAT study). <b>2014</b> , 18, P352	78
181	Retrospective analysis of respiratory isolates post out-of-hospital cardiac arrest to establish choices in empirical antibiotic cover. <b>2014</b> , 18, P353	78

180	Pharmacokinetics of antituberculosis drugs in critically ill patients with tuberculosis and acute respiratory failure. <b>2014</b> , 18, P354	78
179	Eight-year study of the <i>Staphylococcus epidermidis</i> resistance profile against glycopeptides, oxazolidinones and glycyliclins in an ICU of a Greek tertiary hospital. <b>2014</b> , 18, P355	78
178	Vancomycin-resistant enterococci: eradication using vancomycin?. <b>2014</b> , 18, P356	78
177	Audit of bacteraemia management in a university hospital ICU. <b>2014</b> , 18, P357	78
176	Sepsis: impact of timely and appropriate empirical antibiotic therapy on mortality. <b>2014</b> , 18, P358	1
175	Safety and efficacy of amphotericin B inhalation for <i>Candida</i> spp. in the respiratory tract of critically ill patients. <b>2014</b> , 18, P359	78
174	Inhaled tobramycin for the treatment of nosocomial pneumonia in sepsis. <b>2014</b> , 18, P360	78
173	Sternal wound infections in cardiac surgery: effects of vancomycin prophylaxis. <b>2014</b> , 18, P361	78
172	Retrospective analysis of the clinical utility of blood cultures taken surrounding intensive care admission. <b>2014</b> , 18, P362	78
171	Employing quality improvement methodology in sepsis: an electronic sepsis order set further improves compliance with the Surviving Sepsis Campaign 3-hour bundle. <b>2014</b> , 18, P363	78
170	Acute kidney injury in cardiorenal syndrome type 1: a meta-analysis. <b>2014</b> , 18, P364	78
169	Early detection of postoperative acute kidney injury by Doppler renal resistive index in major lung and cardiac operations. <b>2014</b> , 18, P365	78
168	Renal resistive index at ICU admission and its change after 24 hours predict acute kidney injury in sepsis. <b>2014</b> , 18, P366	4
167	Acute kidney injury and cardiac surgery: impact of fluid balance on AKI classification and prognosis. <b>2014</b> , 18, P367	78
166	Acute kidney injury of all severity is associated with extended hospitalization after critical illness. <b>2014</b> , 18, P368	2
165	Early acute kidney injury in nonsepsis, noncardiac surgical patients admitted to a general surgical ICU. <b>2014</b> , 18, P369	78
164	Impact of kidney function calculation formulae on predicting early adverse renal events in cardiac surgery. <b>2014</b> , 18, P370	78
163	Fluid accumulation increases the risk of AKI progression and death in critically ill patients with early AKI. <b>2014</b> , 18, P371	1

162	Postoperative acute kidney injury in patients with gynecologic malignancies. <b>2014, 18, P372</b>	78
161	Acute kidney injury after elective adult cardiac surgery. <b>2014, 18, P373</b>	78
160	Incidence and outcomes of contrast-induced nephropathy in adult ICU patients. <b>2014, 18, P374</b>	78
159	Human acute kidney injury is associated with a proinflammatory phenotype. <b>2014, 18, P375</b>	78
158	Risk factors for the development of contrast-induced nephropathy in ICU patients. <b>2014, 18, P376</b>	78
157	Test characteristics of acute kidney injury biomarkers in animal models of sepsis. <b>2014, 18, P377</b>	78
156	Perioperative measurement of urinary oxygen tension as a tool in the prevention of acute kidney injury?. <b>2014, 18, P378</b>	78
155	Postoperative acute kidney injury can be predicted by the novel biomarkers insulin-like growth factor-binding protein 7/tissue inhibitor of metalloproteinases-2 as early as 6 hours after surgery. <b>2014, 18, P379</b>	78
154	Urine TIMP2 $\uparrow$ IGFBP7 increases 24 hours before severe AKI. <b>2014, 18, P380</b>	78
153	Resveratrol ameliorates apoptosis induced by contrast medium ioxitalamate in HK-2 human renal proximal tubule cells in vitro. <b>2014, 18, P383</b>	78
152	Estimated GFR versus creatinine clearance for evaluation of recovery from acute kidney injury. <b>2014, 18, P385</b>	78
151	Recovery from AKI by KDIGO criteria. <b>2014, 18, P386</b>	1
150	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. <b>2014, 18, P387</b>	1
149	Fluid accumulation post cardiac surgery and risk for renal replacement therapy. <b>2014, 18, P388</b>	78
148	Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. <b>2014, 18, P389</b>	78
147	Relation between preoperative use of diuretics and renal replacement therapy after cardiac surgery: a propensity score analysis. <b>2014, 18, P390</b>	78
146	Continuous renal replacement therapy (CVVHD) for acute kidney injury in critical care: incidence and outcome across South West Wales. <b>2014, 18, P391</b>	2
145	Renal replacement therapy in very elderly critical care patients. <b>2014, 18, P392</b>	78

144	Preventing continuous renal replacement therapies (CRRT)-induced hypophosphatemia using a phosphate-containing CRRT solution in the setting of regional citrate anticoagulation. <b>2014, 18, P393</b>	78
143	Evaluation of functional differences between two anticoagulation methods used in continuous renal replacement therapy in critical patients. <b>2014, 18, P395</b>	78
142	Development of key performance indicators for renal replacement therapy in adult intensive care to guide safe and cost-effective therapy. <b>2014, 18, P396</b>	78
141	Effectiveness of sub-albumin protein leakage membrane EMIC2 in post-cardiac surgery rhabdomyolysis. <b>2014, 18, P397</b>	78
140	Myoglobin removal of small-protein leakage membrane (EMIC2) in patients in the ICU: a case series. <b>2014, 18, P398</b>	2
139	Plasma filtration with dialysis (plasma diafiltration) in critically ill patients with acute liver failure. <b>2014, 18, P399</b>	78
138	Efficacy of continuous plasma diafiltration therapy. <b>2014, 18, P400</b>	78
137	Hemodialysis with high cutoff membranes improves tissue perfusion in severe sepsis: preliminary data of the Sepsis in Florence sTudy (SIFT). <b>2014, 18, P401</b>	1
136	Pharmacodynamics and pharmacokinetics of ciprofloxacin during sustained low-efficiency dialysis. <b>2014, 18, P402</b>	78
135	Pharmacokinetics of meropenem during continuous renal replacement therapy in critically ill patients. <b>2014, 18, P403</b>	1
134	Impact of ideal versus estimated body weight on haemofiltration dosing in critically ill patients with AKI. <b>2014, 18, P404</b>	1
133	ICU patients treated with RRT for AKI who have chronic kidney disease have better 1-year outcome compared with patients with better kidney function. <b>2014, 18, P405</b>	78
132	Long-term outcomes in acute kidney injury patients treated with renal replacement therapy who were alive at hospital discharge. <b>2014, 18, P406</b>	78
131	Polymyxin B-immobilized fiber hemoperfusion therapy improves sepsis-related immunosuppression. <b>2014, 18, P407</b>	78
130	Endotoxin activity assay and polymyxin B hemoperfusion use in a cohort of critically ill patients. <b>2014, 18, P408</b>	78
129	An assessment of long-term sleep quality using actigraphy in survivors of critical illness. <b>2014, 18, P410</b>	78
128	Study to assess whether staff are able to accurately assess sleep quality and quantity in intensive care patients. <b>2014, 18, P411</b>	78
127	Simplified versus standard EEG to measure the depth of sedation in mechanically ventilated ICU patients. <b>2014, 18, P412</b>	78

126	Haemodynamic effects of clonidine in an ovine model of severe sepsis with septic acute kidney injury. <b>2014</b> , 18, P414	78
125	Off-label use of clonidine for sedation in Dutch ICUs. <b>2014</b> , 18, P415	1
124	Different effects of propofol and dexmedetomidine on preload dependency in endotoxemic shock with norepinephrine infusion: a randomized case-control study. <b>2014</b> , 18, P417	1
123	Propofol: monitoring for complications. <b>2014</b> , 18, P418	0
122	Influence of increased intracranial pressure on sevoflurane-fentanyl anesthesia in major abdominal surgery. <b>2014</b> , 18, P419	78
121	Quantifying sedation satisfaction during bronchoscopy using the Bispectral Index. <b>2014</b> , 18, P420	78
120	Risk factor of withdrawal syndrome in the paediatric ICU. <b>2014</b> , 18, P421	1
119	Epidural analgesia reduces perioperative myocardial infarction and all-cause mortality after cardiac surgery: but at least 25 epidural hematomas have already happened. <b>2014</b> , 18, P422	78
118	Delirium screening, prevention and treatment in the ICU: a systematic review of implementation strategies. <b>2014</b> , 18, P423	1
117	Effect of enteral and/or parenteral glutamine supplementation on mortality and morbidity in the critically ill. <b>2014</b> , 18, P424	78
116	Increased threshold for gastric residual volumes and impact on nutrition in the ICU. <b>2014</b> , 18, P425	78
115	Early enteral feeding in the septic critically ill patient: evaluation of our feeding protocol. <b>2014</b> , 18, P426	1
114	A nutritional protocol and personalized support reduce the cumulative caloric deficit of cardiac surgery patients. <b>2014</b> , 18, P427	1
113	Vitamin B and C levels of homeless patients who visit the emergency department with alcohol ingestion. <b>2014</b> , 18, P428	78
112	Acid-base disorders according to the Stewart approach in septic patients. <b>2014</b> , 18, P429	78
111	Changes in urinary electrolytes during acute respiratory acid-base modifications. <b>2014</b> , 18, P430	1
110	Admission hypomagnesemia as a mortality predictor in medical critically ill patients. <b>2014</b> , 18, P431	2
109	Impact of reduced frequency of phosphate testing on detected phosphate levels and phosphate prescription in critical care. <b>2014</b> , 18, P432	78



108	Effect of albumin and total protein concentration on plasma sodium measurements in the ICU. <b>2014, 18, P433</b>	78
107	Main causes of water-electrolyte disturbances in patients with acute brain injury: central diabetes insipidus and cerebral salt wasting syndrome. <b>2014, 18, P434</b>	78
106	Cardiac surgery alters the sensitivity of the dynamic interaction between the pituitary and adrenal glands. <b>2014, 18, P435</b>	78
105	Melatonin blood values and total antioxidant capacity in critically ill patients. <b>2014, 18, P436</b>	2
104	Continuous prediction of glucose-level changes using an electronic nose in critically ill patients. <b>2014, 18, P437</b>	1
103	Evaluation of blood glucose control in ICU patients with Space GlucoseControl: a European study. <b>2014, 18, P438</b>	78
102	Evaluation of Symphony CGM, a non-invasive, transdermal continuous glucose monitoring system for use in critically ill patients. <b>2014, 18, P439</b>	2
101	Time-course evaluation of blood glucose changes in response to insulin delivery in critically ill patients. <b>2014, 18, P440</b>	78
100	Glycaemia and critical care outcomes. <b>2014, 18, P441</b>	78
99	First clinical study data from therapeutic use of a novel continuous glucose monitoring system in the ICU. <b>2014, 18, P443</b>	1
98	Impact of corticosteroid administration in septic shock on glycemic variability. <b>2014, 18, P445</b>	78
97	Blood glucose target in acute phase suggested by the analysis of the relationship between blood glucose profile and the severity of the diseases. <b>2014, 18, P446</b>	78
96	Anti-inflammatory and antioxidant effects of ranolazine on primary cultured astrocytes. <b>2014, 18, P447</b>	1
95	Intrathecal lactate to predict spinal cord ischemia in major abdominal surgery. <b>2014, 18, P449</b>	78
94	Predictors of ventilatory outcome in cervical spinal injuries. <b>2014, 18, P450</b>	78
93	Evaluation of the ocular microcirculation in brain-dead patients: first step towards a new method of multimodal neuromonitoring?. <b>2014, 18, P452</b>	78
92	External validation of an early warning alert for elevated intracranial pressure in the Avert-IT database. <b>2014, 18, P453</b>	78
91	New support system using a mobile device for diagnostic image display and treatment of acute stroke in Japanese depopulated areas. <b>2014, 18, P454</b>	78

90	Effects of cardiac output-guided hemodynamic management on fluid administration after aneurysmal subarachnoid hemorrhage. <b>2014, 18, P455</b>	1
89	Effect of transient cerebral ischemia on the expression of receptor for advanced glycation end products in the gerbil hippocampus proper. <b>2014, 18, P456</b>	78
88	Correlation of thermal Doppler flowmetry and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury. <b>2014, 18, P457</b>	78
87	New look at the 20 mmHg ICP threshold. <b>2014, 18, P458</b>	1
86	Model of intracranial hypertension of tumor etiology in laboratory rats. <b>2014, 18, P459</b>	78
85	Arterial-jugular bulb differences in pCO <sub>2</sub> , lactate, serum sodium and C-reactive protein in neurocritical patients. <b>2014, 18, P460</b>	78
84	Accuracy of transcranial color-coded duplex sonography in predicting clinical vasospasm and delayed cerebral ischemia in patients with subarachnoid hemorrhage. <b>2014, 18, P462</b>	78
83	Brain death determination in Europe: one condition with too many nuances. <b>2014, 18, P464</b>	78
82	What do brain-dead patients ultimately die of?. <b>2014, 18, P465</b>	78
81	Acute and long-term outcomes of ICU-acquired weakness: a cohort study and propensity matched analysis. <b>2014, 18, P466</b>	3
80	Early electrophysiological diagnosis of ICU-acquired weakness. <b>2014, 18, P467</b>	78
79	Choosing a cerebral near-infrared spectroscopy system for use in traumatic brain injury: deriving the ideal source detector layout. <b>2014, 18, P468</b>	1
78	Single-subject assessment of the distribution of white matter abnormalities measured by diffusion tensor imaging in patients with severe traumatic brain injury. <b>2014, 18, P469</b>	78
77	Long-term outcome after severe traumatic brain injury. <b>2014, 18, P470</b>	78
76	Vitamin D level could affect the recovery rate in traumatic brain injury: a retrospective study. <b>2014, 18, P471</b>	1
75	Could selected probiotics have beneficial effects on clinical outcome of severe traumatic brain injury patients?. <b>2014, 18, P472</b>	5
74	Effect of blood alcohol level on outcome of patients with traumatic brain injury. <b>2014, 18, P473</b>	78
73	Long-term outcome prediction using IMPACT and APACHE II in patients with traumatic brain injury treated in the ICU. <b>2014, 18, P474</b>	78

72	Validating and comparing the CAM-ICU and the ICDSC in mild and moderate traumatic brain injury patients: a multicenter prospective study. <b>2014</b> , 18, P475	1
71	Functional status after 3 years in ICU patients with traumatic brain injury. <b>2014</b> , 18, P476	78
70	Demographic profiles and extent of critical care resources utilisation in patients with severe traumatic brain injury: a Tan Tock Seng Hospital National Neuroscience Institute study. <b>2014</b> , 18, P477	78
69	Outcome measures in randomized controlled trials of patients with severe traumatic brain injury: a systematic review. <b>2014</b> , 18, P478	78
68	Predicting 6-month mortality of patients with traumatic brain injury: usefulness of common severity scores. <b>2014</b> , 18, P479	78
67	Work activities after 3-year follow-up in ICU patients with traumatic brain injury. <b>2014</b> , 18, P480	78
66	Simulation-based education for cardiopulmonary resuscitation and airway management protocols: a brief report of a systematic review and meta-analysis. <b>2014</b> , 18, P482	1
65	Video analysis of cardiopulmonary resuscitation performance of ambulance crews during transportation. <b>2014</b> , 18, P483	78
64	Implementation of the PulsePoint smartphone application for crowd-sourcing bystander resuscitation. <b>2014</b> , 18, P484	6
63	Emergency room advanced life support after cardiac arrest: outcomes and survival, nursing care and team response. <b>2014</b> , 18, P485	78
62	What is the role of head computed tomography in post-resuscitation care?. <b>2014</b> , 18, P486	1
61	To see or not to see: does video CPR perform better than telephone CPR?. <b>2014</b> , 18, P487	78
60	Initial anticoagulation strategy for extracorporeal cardiopulmonary resuscitation patients. <b>2014</b> , 18, P488	78
59	Predictors of poor outcome in out-of-hospital cardiac arrest. <b>2014</b> , 18, P489	78
58	Mean initial cerebral saturation and time to start advanced life support in out-of-hospital cardiac arrest: are they correlated?. <b>2014</b> , 18, P490	78
57	Predicting survival in patients admitted to intensive care following out-of-hospital cardiac arrest using the Prognosis After Resuscitation score. <b>2014</b> , 18, P491	2
56	Post Arrest Consult Team: a knowledge translation strategy for post-cardiac arrest care. <b>2014</b> , 18, P492	78
55	One-year assessment of in-hospital cardiac arrest. <b>2014</b> , 18, P493	3

54	Endovascular hypothermia after cardiac arrest in a Chilean ICU. <b>2014</b> , 18, P494	78
53	Knowledge and use of therapeutic hypothermia in cardiac arrest victims among healthcare staff in Greece. <b>2014</b> , 18, P495	78
52	Induced hypothermia of 33°C does not affect host response compared with maintaining 36°C. <b>2014</b> , 18, P496	78
51	Shivering during targeted temperature management after cardiac arrest: a physiologic description. <b>2014</b> , 18, P498	78
50	Temperature management following cardiac arrest: introducing a protocol improves compliance with targets. <b>2014</b> , 18, P499	78
49	Factors involved in prolonged effect of neuromuscular blockade in therapeutic hypothermia. <b>2014</b> , 18, P500	78
48	Serum phosphate concentration during the rewarming period after deep hypothermic circulatory arrest. <b>2014</b> , 18, P501	0
47	Influence of baseline magnesium concentrations on shivering in therapeutic temperature modulation. <b>2014</b> , 18, P502	0
46	Derived electromyography is an accurate measure of shivering burden during targeted temperature management. <b>2014</b> , 18, P497	78
45	Lactate clearance as a predictor of mortality in colonic perforation. <b>2014</b> , 18, P175	78
44	Intensive alveolar recruitment after cardiac surgery: a randomized controlled clinical trial. <b>2014</b> , 18,	78
43	Adipose tissue lactate clearance but not blood lactate clearance is associated with clinical outcome in severe sepsis or septic shock during the post-resuscitation period. <b>2014</b> , 18, P172	78
42	Correlation between arterial lactate and venous lactate in patients with sepsis and septic shock. <b>2014</b> , 18, P177	6
41	Value of peak flow rates measured during a spontaneous breathing trial to predict success of weaning from mechanical ventilation. <b>2014</b> , 18, P297	78
40	Implementation of the Behavioural Pain Scale in sedated mechanically ventilated patients in a UK ICU. <b>2014</b> , 18, P413	78
39	How to avoid interface problems in acute noninvasive ventilation. <b>2014</b> , 10, 230-242	35
38	T-cell receptor activation-associated cytokine release is impaired in septic patients with faecal peritonitis. <b>2014</b> , 18, P225	78
37	Preventive and therapeutic noninvasive ventilation in cardiovascular surgery. <b>2015</b> , 28, 67-72	15

36	Reducing Mortality in Critically Ill Patients. <b>2015</b> ,		
35	The many pros and the few cons of noninvasive ventilation in ordinary wards. <b>2015</b> , 32, 887-91		0
34	The where-to-do-it of noninvasive ventilation revisited. <b>2015</b> , 60, 144-6		1
33	Where is Noninvasive Ventilation Actually Delivered for Acute Respiratory Failure?. <b>2015</b> , 193, 779-88		15
32	Noninvasive Ventilation. <b>2015</b> , 9-21		
31	Noninvasive ventilation and survival in acute care settings: a comprehensive systematic review and metaanalysis of randomized controlled trials. <b>2015</b> , 43, 880-8		112
30	Nocturnal Non-Invasive Ventilation. <b>2015</b> ,		1
29	Noninvasive Positive Pressure Ventilation in Acute Respiratory Failure. <b>2015</b> , 247-269		
28	An international survey on noninvasive ventilation use for acute respiratory failure in general non-monitored wards. <b>2015</b> , 60, 586-92		33
27	Does noninvasive ventilation delivery in the ward provide early effective ventilation?. <b>2015</b> , 60, 6-11		19
26	Long-Term Survival Rate in Patients With Acute Respiratory Failure Treated With Noninvasive Ventilation in Ordinary Wards. <b>2016</b> , 44, 2139-2144		22
25	Non-invasive ventilation in the treatment of acute and chronic exacerbated respiratory failure: What to expect outside the critical care units?. <b>2016</b> , 22, 54-6		
24	Natural history and risk stratification of patients undergoing non-invasive ventilation in a non-ICU setting for severe COPD exacerbations. <b>2016</b> , 11, 969-75		5
23	Optimising non-invasive mechanical ventilation: Which unit should care for these patients? A cohort study. <b>2017</b> , 30, 225-233		13
22	Cost-utility of non-invasive mechanical ventilation: Analysis and implications in acute respiratory failure. A brief narrative review. <b>2018</b> , 56, 207-213		6
21	Evidence based synthesis for prevention of noninvasive ventilation related facial pressure ulcers. <i>Journal of King Abdulaziz University, Islamic Economics</i> , <b>2018</b> , 39, 443-452	1.1	8
20	Noninvasive Ventilation After Thoracoabdominal Aortic Surgery: A Pilot Randomized Controlled Trial. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2019</b> , 33, 1639-1645	2.1	5
19	Awake pronation with helmet continuous positive airway pressure for COVID-19 acute respiratory distress syndrome patients outside the ICU: A case series. <i>Medicina Intensiva</i> , <b>2020</b> , 46, 65-65	1.2	13

18	Non-invasive Ventilation. <b>2021</b> , 13-24		
17	Perioperative Noninvasive Ventilation After Adult or Pediatric Surgery: A Comprehensive Review. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2021</b> ,	2.1	1
16	Outcomes of non-invasive ventilation as the ceiling of treatment in patients with COVID-19. <i>Panminerva Medica</i> , <b>2021</b> ,	2	5
15	Noninvasive Ventilation Outside the Critical Care Unit. <b>2015</b> , 139-147		1
14	Continuous positive airway pressure and pronation outside the intensive care unit in COVID 19 ARDS. <i>Minerva Medica</i> , <b>2020</b> ,	2.2	15
13	Non-invasive Ventilation Outside the ICU. <b>2012</b> , 207-218		1
12	Técnicas de derivaciones (bypass) gástricas por obesidad. <i>EMC - Técnicas Quirúrgicas - Aparato Digestivo</i> , <b>2019</b> , 35, 1-18	0	1
11	Reorganizing the respiratory high dependency unit for pandemics. <i>Expert Review of Respiratory Medicine</i> , <b>2021</b> , 15, 1505-1515	3.8	1
10	COPD: treatment and prevention of pulmonary exacerbations. 147-166		
9	Activities of a medical emergency team twenty years after its introduction. <i>HSR Proceedings in Intensive Care &amp; Cardiovascular Anesthesia</i> , <b>2009</b> , 1, 28-33		9
8	Non invasive ventilation away from ICU. <i>Translational Medicine @ UniSa</i> , <b>2012</b> , 2, 64-5	0.5	
7	The use of noninvasive ventilation outside the intensive care unit: a clinical case report. <i>Translational Medicine @ UniSa</i> , <b>2013</b> , 5, 34-6	0.5	2
6	Pre- and in-hospital non-invasive ventilation. <i>Translational Medicine @ UniSa</i> , <b>2011</b> , 1, 229-36	0.5	2
5	Towards zero perioperative mortality. <i>Heart, Lung and Vessels</i> , <b>2013</b> , 5, 133-6		2
4	Non-invasive ventilation in cardiac surgery: a concise review. <i>Heart, Lung and Vessels</i> , <b>2013</b> , 5, 137-41		9
3	Early versus late tracheal intubation in COVID-19 patients: a "pros/cons" debate also considering heart-lung interactions. <i>Minerva Cardiology and Angiology</i> , <b>2021</b> , 69, 596-605	2.4	10
2	Awake pronation with helmet continuous positive airway pressure for COVID-19 acute respiratory distress syndrome patients outside the ICU: A case series.. <i>Medicina Intensiva (English Edition)</i> , <b>2022</b> , 46, 65-71	0.2	1
1	Seznanjenost osebja zdravstvene nege z neinvazivno mehansko ventilacijo. <i>Obzornik Zdravstvene Nege</i> , <b>2022</b> , 56, 22-30	1.8	

