Pre-treatment neutrophil to lymphocyte ratio is elevate predicts survival after treatment

Cancer Immunology, Immunotherapy 58, 15-23

DOI: 10.1007/s00262-008-0516-3

Citation Report

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Lipocalin 2 Expressions Correlate Significantly With Tumor Differentiation in Epithelial Ovarian Cancer. Journal of Histochemistry and Cytochemistry, 2009, 57, 513-521.   | 2.5 | 77        |
| 2  | Leukotriene B4 Creates a Favorable Microenvironment for Murine Melanoma Growth. Molecular Cancer Research, 2009, 7, 1417-1424.   | 3.4 | 36        |
| 3  | Multiplication of neutrophil and monocyte counts (MNM) as an easily obtainable tumour marker for cervical cancer. Biomarkers, 2009, 14, 161-170.   | 1.9 | 23        |
| 4  | Found in transcription: gene expression and other novel blood biomarkers for the early detection of breast cancer. Expert Review of Anticancer Therapy, 2009, 9, 1115-1123.  | 2.4 | 11        |
| 5  | Systemic inflammation, nutritional status and survival in patients with cancer. Current Opinion in Clinical Nutrition and Metabolic Care, 2009, 12, 223-226.   | 2.5 | 787       |
| 6  | Systemic Leukocyte Alterations Are Associated With Invasive Uterine Cervical Cancer. International Journal of Gynecological Cancer, 2010, 20, 1154-1159.   | 2.5 | 47        |
| 7  | Prognostic Significance of Host―and Tumorâ€Related Factors in Patients with Gastric Cancer. World Journal of Surgery, 2010, 34, 285-290.   | 1.6 | 110       |
| 8  | Elevated preoperative neutrophil to lymphocyte ratio predicts risk of recurrence following curative resection for stage IIA colon cancer. International Journal of Colorectal Disease, 2010, 25, 1427-1433.                    | 2.2 | 191       |
| 9  | The effect of peripheral blood values on prognosis of patients with locally advanced gastric cancer before treatment. Medical Oncology, 2010, 27, 1060-1065.   | 2.5 | 113       |
| 10 | A pre-operative elevated neutrophil: lymphocyte ratio does not predict survival from oesophageal cancer resection. World Journal of Surgical Oncology, 2010, 8, 1.   | 1.9 | 85        |
| 11 | Improving the accuracy of pre-operative survival prediction in renal cell carcinoma with C-reactive protein. British Journal of Cancer, 2010, 103, 1649-1656.  | 6.4 | 62        |
| 12 | Role of systemic inflammatory response in predicting survival in patients with primary operable cancer. Future Oncology, 2010, 6, 149-163.   | 2.4 | 798       |
| 13 | Elevated neutrophil to lymphocyte ratio predicts survival in advanced pancreatic cancer. Biomarkers, 2010, 15, 516-522.  | 1.9 | 199       |
| 14 | Pretreatment Neutrophil-to-Lymphocyte Ratio as an Independent Predictor of Recurrence in Patients<br>With Nonmetastatic Renal Cell Carcinoma. Journal of Urology, 2010, 184, 873-878.  | 0.4 | 182       |
| 15 | Neutrophil to lymphocyte ratio for preoperative diagnosis of uterine sarcomas: A case-matched comparison. European Journal of Surgical Oncology, 2010, 36, 691-698.  | 1.0 | 74        |
| 16 | Gene expression profiling of peripheral blood cells for early detection of breast cancer. Breast Cancer Research, 2010, 12, R7.  | 5.0 | 95        |
| 17 | Blood Neutrophil-to-lymphocyte Ratio Predicts Survival in Patients with Unresectable Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. Journal of Vascular and Interventional Radiology, 2011, 22, 702-709. | 0.5 | 106       |
| 18 | A comparison of inflammation-based prognostic scores in patients with cancer. A Glasgow Inflammation Outcome Study. European Journal of Cancer, 2011, 47, 2633-2641.   | 2.8 | 632       |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Intratumoral neutrophils: A poor prognostic factor for hepatocellular carcinoma following resection. Journal of Hepatology, 2011, 54, 497-505.   | 3.7 | 236       |
| 20 | Serum markers for prediction of spontaneous preterm delivery in preterm labour. European Journal of Clinical Investigation, 2011, 41, 773-780.   | 3.4 | 38        |
| 21 | Neutrophil/lymphocyte ratio predicts chemotherapy outcomes in patients with advanced colorectal cancer. British Journal of Cancer, 2011, 104, 1288-1295.   | 6.4 | 402       |
| 22 | Elevated Preoperative Neutrophil:Lymphocyte Ratio as a Predictor of Postoperative Disease Recurrence in Esophageal Cancer. Annals of Surgical Oncology, 2011, 18, 3362-3369.   | 1.5 | 301       |
| 23 | Effect of preoperative neutrophil–lymphocyte ratio on the surgical outcomes of stage II colon cancer patients who do not receive adjuvant chemotherapy. International Journal of Colorectal Disease, 2011, 26, 1059-1065.                      | 2.2 | 118       |
| 24 | Immune responses and immunotherapeutic interventions in malignant pleural mesothelioma. Cancer Immunology, Immunotherapy, 2011, 60, 1509-1527.   | 4.2 | 50        |
| 25 | Preoperative platelet lymphocyte ratio as an independent prognostic marker in ovarian cancer. Clinical and Translational Oncology, 2011, 13, 499-503.  | 2.4 | 201       |
| 26 | Elevated neutrophil to lymphocyte ratio predicts poor prognosis in nasopharyngeal carcinoma.<br>Tumor Biology, 2011, 32, 317-324.  | 1.8 | 84        |
| 27 | Polymorphonuclear granulocytes in human head and neck cancer: Enhanced inflammatory activity, modulation by cancer cells and expansion in advanced disease. International Journal of Cancer, 2011, 129, 2183-2193.                             | 5.1 | 237       |
| 28 | Immunity and immune suppression in human ovarian cancer. Immunotherapy, 2011, 3, 539-556.  | 2.0 | 102       |
| 29 | Novel Antibody-Based Proteins for Cancer Immunotherapy. Cancers, 2011, 3, 3370-3393.   | 3.7 | 5         |
| 30 | Neutrophil-Lymphocyte Ratio Predicts Medium-Term Survival Following Elective Major Vascular Surgery: A Cross-Sectional Study. Vascular and Endovascular Surgery, 2011, 45, 227-231.  | 0.7 | 139       |
| 31 | Prognostic nomogram to predict progression-free survival in patients with platinum-sensitive recurrent ovarian cancer. British Journal of Cancer, 2011, 105, 1144-1150.  | 6.4 | 32        |
| 32 | Peripheral Blood Neutrophil Granulocytes from Patients with Head and Neck Squamous Cell Carcinoma Functionally Differ from Their Counterparts in Healthy Donors. International Journal of Immunopathology and Pharmacology, 2011, 24, 683-693. | 2.1 | 92        |
| 33 | The role of inflammatory cells in fostering pancreatic cancer cell growth and invasion. Frontiers in Physiology, 2012, 3, 270.   | 2.8 | 64        |
| 34 | Comparison of Two Inflammation-Based Prognostic Scores in Patients with Unresectable Advanced Gastric Cancer. Oncology, 2012, 83, 292-299.   | 1.9 | 71        |
| 35 | A derived neutrophil to lymphocyte ratio predicts survival in patients with cancer. British Journal of Cancer, 2012, 107, 695-699.   | 6.4 | 391       |
| 36 | Neutrophils Promote Liver Metastasis via Mac-1–Mediated Interactions with Circulating Tumor Cells. Cancer Research, 2012, 72, 3919-3927.   | 0.9 | 331       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Pretreatment Neutrophil-to-Lymphocyte Ratio in Metastatic Castration-Resistant Prostate Cancer Patients Treated With Ketoconazole: Association with Outcome and Predictive Nomogram. Oncologist, 2012, 17, 1508-1514.                                     | 3.7 | 83        |
| 38 | Circulating myeloid-derived suppressor cells are increased and correlate to immune suppression, inflammation and hypoproteinemia in patients with cancer. Oncology Reports, 2012, 28, 453-458.  | 2.6 | 107       |
| 39 | Followup of Neutrophil-to-Lymphocyte Ratio and Recurrence of Clear Cell Renal Cell Carcinoma. Journal of Urology, 2012, 187, 411-417.   | 0.4 | 114       |
| 40 | Elevated neutrophil to lymphocyte ratio might predict poor prognosis for colorectal liver metastasis after percutaneous radiofrequency ablation. International Journal of Hyperthermia, 2012, 28, 132-140.  | 2.5 | 33        |
| 41 | Prognostic Value of Neutrophil-to-lymphocyte Ratio and Establishment of Novel Preoperative Risk Stratification Model in Bladder Cancer Patients Treated With Radical Cystectomy. Urology, 2012, 79, 1085-1091.  | 1.0 | 212       |
| 42 | The association of pre-treatment neutrophil to lymphocyte ratio with response rate, progression free survival and overall survival of patients treated with sunitinib for metastatic renal cell carcinoma. European Journal of Cancer, 2012, 48, 202-208. | 2.8 | 170       |
| 43 | Pre-operative systemic inflammatory response markers in predicting lymph node metastasis in endometrioid endometrial adenocarcinoma. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 162, 206-210.                             | 1.1 | 34        |
| 44 | DNA methylation arrays as surrogate measures of cell mixture distribution. BMC Bioinformatics, 2012, 13, 86.  | 2.6 | 2,563     |
| 45 | Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Advanced Colorectal Cancer Patients Receiving Oxaliplatin-Based Chemotherapy. Oncology, 2012, 82, 261-268.   | 1.9 | 72        |
| 46 | The Evaluation of Neutrophil-Lymphocyte Ratio in AlzheimerÂ's Disease. Dementia and Geriatric<br>Cognitive Disorders, 2012, 34, 69-74.  | 1.5 | 177       |
| 47 | Assessment of neutrophil-lymphocyte ratio in ulcerative colitis: A promising marker in predicting disease severity. Clinics and Research in Hepatology and Gastroenterology, 2012, 36, 491-497.   | 1.5 | 151       |
| 48 | Neutrophil to lymphocyte ratio (NLR) as an indicator of poor prognosis in stage IV non-small cell lung cancer. Clinical and Translational Oncology, 2012, 14, 864-869.  | 2.4 | 216       |
| 49 | The Activation Pattern of Blood Leukocytes in Head and Neck Squamous Cell Carcinoma Is Correlated to Survival. PLoS ONE, 2012, 7, e51120.   | 2.5 | 56        |
| 50 | Human Neutrophil Peptides $1\hat{a}\in$ 3 as Gastric Cancer Tissue Markers Measured by MALDI-Imaging Mass Spectrometry: Implications for Infiltrated Neutrophils as a Tumor Target. Disease Markers, 2012, 32, 21-31.                                     | 1.3 | 15        |
| 51 | Platelet to lymphocyte ratio as a prognostic factor for epithelial ovarian cancer. Journal of Gynecologic Oncology, 2012, 23, 265.  | 2.2 | 192       |
| 52 | Pretreatment levels of peripheral neutrophils and lymphocytes as independent prognostic factors in patients with nasopharyngeal carcinoma. Head and Neck, 2012, 34, 1769-1776.  | 2.0 | 170       |
| 53 | Neutrophils and granulocytic myeloid-derived suppressor cells: immunophenotyping, cell biology and clinical relevance in human oncology. Cancer Immunology, Immunotherapy, 2012, 61, 1155-1167.   | 4.2 | 340       |
| 54 | Preâ€treatment diagnosis of endometrial cancer through a combination of CA125 and multiplication of neutrophil and monocyte. Journal of Obstetrics and Gynaecology Research, 2012, 38, 48-56.   | 1.3 | 19        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Neutrophilâ€ŧoâ€lymphocyte ratio associated with mortality in early hepatocellular carcinoma patients after radiofrequency ablation. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 553-561.  | 2.8 | 122       |
| 56 | Absolute lymphocyte count is associated with survival in ovarian cancer independent of tumor-infiltrating lymphocytes. Journal of Translational Medicine, 2012, 10, 33.  | 4.4 | 93        |
| 57 | Predictive clinical outcome of the intratumoral CD66bâ€positive neutrophilâ€toâ€CD8â€positive Tâ€cell ratio in patients with resectable nonsmall cell lung cancer. Cancer, 2012, 118, 1726-1737.   | 4.1 | 146       |
| 58 | Prognostic value of C-reactive protein and neutrophil-to-lymphocyte ratio in patients with hepatocellular carcinoma. BMC Cancer, 2013, 13, 78.   | 2.6 | 95        |
| 59 | Pretreatment neutrophil to lymphocyte ratio is associated with response to therapy and prognosis of advanced non-small cell lung cancer patients treated with first-line platinum-based chemotherapy. Cancer Immunology, Immunotherapy, 2013, 62, 471-479.                               | 4.2 | 146       |
| 60 | Preoperative neutrophil to lymphocyte ratio >5 is a prognostic factor for recurrent colorectal cancer. Colorectal Disease, 2013, 15, 323-328.  | 1.4 | 104       |
| 61 | The systemic inflammation-based neutrophil–lymphocyte ratio: Experience in patients with cancer. Critical Reviews in Oncology/Hematology, 2013, 88, 218-230.   | 4.4 | 1,106     |
| 62 | Preoperative Neutrophil-Lymphocyte Ratio as an Independent Prognostic Marker for Patients With Upper Urinary Tract Urothelial Carcinoma. Clinical Genitourinary Cancer, 2013, 11, 337-341.   | 1.9 | 61        |
| 63 | Pre-treatment neutrophil-to-lymphocyte ratio may be associated with the outcome in patients treated with everolimus for metastatic renal cell carcinoma. British Journal of Cancer, 2013, 109, 1755-1759.  | 6.4 | 79        |
| 64 | A multicenter, randomized trial of flat dosing versus intrapatient dose escalation of single-agent carboplatin as first-line chemotherapy for advanced ovarian cancer: an SGCTG (SCOTROC 4) and ANZGOG study on behalf of GCIG. Annals of Oncology, 2013, 24, 679-687.                   | 1.2 | 39        |
| 65 | Is the Pretreatment Neutrophil to Lymphocyte Ratio an Important Prognostic Parameter in Patients with Metastatic Renal Cell Carcinoma?. Clinical Genitourinary Cancer, 2013, 11, 141-148.  | 1.9 | 41        |
| 66 | The significant immunological characteristics of peripheral blood neutrophil-to-lymphocyte ratio and Fas ligand expression incidence in nephrectomized tumor in late recurrence from renal cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 1343-1349. | 1.6 | 22        |
| 67 | Validation of pretreatment neutrophil–lymphocyte ratio as a prognostic factor in a<br><scp>E</scp> uropean cohort of patients with upper tract urothelial carcinoma. BJU International, 2014, 114, 334-339.  | 2.5 | 52        |
| 68 | Modulation of neutrophil granulocytes in the tumor microenvironment: Mechanisms and consequences for tumor progression. Seminars in Cancer Biology, 2013, 23, 141-148.   | 9.6 | 241       |
| 69 | Can preoperative neutrophil:lymphocyte and platelet:lymphocyte ratios be used as predictive markers for lymph node metastasis in squamous cell carcinoma of the vulva?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 138-142.                         | 1.1 | 25        |
| 70 | Pretreatment neutrophil/lymphocyte ratio is superior to platelet/lymphocyte ratio as a predictor of long-term mortality in breast cancer patients. Medical Oncology, 2013, 30, 432.  | 2.5 | 206       |
| 71 | Changes in peripheral blood immune cells: their prognostic significance in metastatic renal cell carcinoma patients treated with molecular targeted therapy. Medical Oncology, 2013, 30, 556.  | 2.5 | 47        |
| 72 | Blood Neutrophil-to-Lymphocyte Ratio is Prognostic in Gastrointestinal Stromal Tumor. Annals of Surgical Oncology, 2013, 20, 593-599.  | 1.5 | 64        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | IL-6 Cooperates with G-CSF To Induce Protumor Function of Neutrophils in Bone Marrow by Enhancing STAT3 Activation. Journal of Immunology, 2013, 190, 5882-5893.   | 0.8 | 98        |
| 74 | The Median Informs the Message: Accuracy of Individualized Scenarios for Survival Time Based on Oncologists' Estimates. Journal of Clinical Oncology, 2013, 31, 3565-3571.   | 1.6 | 43        |
| 75 | Refining the role of preoperative Câ€reactive protein by neutrophil/lymphocyte ratio in oral cavity squamous cell carcinoma. Laryngoscope, 2013, 123, 2690-2699.   | 2.0 | 72        |
| 76 | Elevated preoperative neutrophil/lymphocyte ratio is associated with poor prognosis in soft-tissue sarcoma patients. British Journal of Cancer, 2013, 108, 1677-1683.  | 6.4 | 121       |
| 77 | Elevated serum levels of vascular endothelial growth factor is effective as a marker for malnutrition and inflammation in patients with ovarian cancer. Biomedical Reports, 2013, 1, 197-201.  | 2.0 | 12        |
| 78 | Serum levels of vascular endothelial growth factor are increased and correlate with malnutrition, immunosuppression involving MDSCs and systemic inflammation in patients with cancer of the digestive system. Oncology Letters, 2013, 5, 1682-1686. | 1.8 | 43        |
| 79 | ROLE OF HEMATOLOGICAL PARAMETERS IN DIAGNOSIS AND PROGNOSIS OF GASTRIC CARCINOMA IN KASHMIR, INDIA. International Research Journal of Pharmacy, 2013, 4, 134-137.  | 0.2 | 16        |
| 80 | Can Neutrophil-Lymphocyte Ratio and Lymph Node Density Be Used as Prognostic Factors in Patients Undergoing Radical Cystectomy?. Scientific World Journal, The, 2013, 2013, 1-5.   | 2.1 | 30        |
| 81 | Relationship between late arteriovenous fistula (AVF) stenosis and neutrophil–lymphocyte ratio (NLR) in chronic hemodialysis patients. Renal Failure, 2014, 36, 1390-1394.   | 2.1 | 38        |
| 82 | Prognostic value of carbohydrate tumor markers and inflammation-based markers in metastatic or recurrent gastric cancer. Medical Oncology, 2014, 31, 289.  | 2.5 | 33        |
| 83 | Preoperative lymphocyte-to-monocyte ratio predicts clinical outcome in patients undergoing radical cystectomy for transitional cell carcinoma of the bladder: a retrospective analysis. BMC Urology, 2014, 14, 76.                                   | 1.4 | 43        |
| 84 | Neutrophil to lymphocyte ratio is superior to platelet to lymphocyte ratio as an early predictor of moderate/severe ovarian hyperstimulation syndrome. Journal of Obstetrics and Gynaecology, 2014, 34, 639-643.                                     | 0.9 | 17        |
| 85 | The preoperative lymphocyte to monocyte ratio predicts clinical outcome in patients with stage III colon cancer. British Journal of Cancer, 2014, 110, 435-440.  | 6.4 | 269       |
| 86 | Emphasis of Neutrophil-to-Lymphocyte Ratio in Non-Metastatic Renal Cell Carcinoma. Urologia, 2014, 81, 51-56.  | 0.7 | 3         |
| 87 | Functional analysis of differential mRNAs in cancer peripheral blood: reflection of population shifts in myeloid-origin and lymphoid-origin cells. , $2014$ , , .  |     | 0         |
| 88 | Impact of Underweight after Treatment on Prognosis of Advanced-Stage Ovarian Cancer. Journal of Immunology Research, 2014, 2014, 1-8.  | 2.2 | 28        |
| 89 | Inflammation-Based Scores: A New Method for Patient-Targeted Strategies and Improved Perioperative Outcome in Cancer Patients. BioMed Research International, 2014, 2014, 1-11.  | 1.9 | 43        |
| 90 | Immunotherapy for recurrent ovarian cancer: a further piece of the puzzle or a striking strategy?. Expert Opinion on Biological Therapy, 2014, 14, 103-114.  | 3.1 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Preoperative neutrophil-lymphocyte ratio predicts death among patients with localized clear cell renal carcinoma undergoing nephrectomy. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 1277-1284.     | 1.6 | 46        |
| 92  | The Role of Relative Lymphocyte Count as a Biomarker for the Effect of Catumaxomab on Survival in Malignant Ascites Patients: Results from a Phase II/III Study. Clinical Cancer Research, 2014, 20, 3348-3357.            | 7.0 | 17        |
| 93  | Neutrophil to Lymphocyte Ratio Predicts Perioperative Mortality Following Open Elective Repair of Abdominal Aortic Aneurysms. Vascular and Endovascular Surgery, 2014, 48, 311-316.  | 0.7 | 31        |
| 94  | Prognostic significance of neutrophil-lymphocyte ratio in hepatocellular carcinoma: a meta-analysis.<br>BMC Cancer, 2014, 14, 117.   | 2.6 | 184       |
| 95  | Neutrophil-to-Lymphocyte Ratio May Predict Progression in Patients With Keratoconus. Cornea, 2014, 33, 1168-1173.  | 1.7 | 61        |
| 96  | Concurrent Chemoradiotherapy for Men With Locally Advanced Penile Squamous Cell Carcinoma.<br>Clinical Genitourinary Cancer, 2014, 12, 440-446.  | 1.9 | 29        |
| 97  | Selective inhibition of histone deacetylase 6 alters the composition of circulating blood cells in a lethal septic model. Journal of Surgical Research, 2014, 190, 647-654.  | 1.6 | 13        |
| 98  | Association of Total White Cell Count with Mortality and Major Adverse Events in Patients with Peripheral Arterial Disease: A Systematic Review. European Journal of Vascular and Endovascular Surgery, 2014, 47, 422-432. | 1.5 | 9         |
| 99  | Prognostic importance of baseline neutrophil to lymphocyte ratio in patients with advanced papillary thyroid carcinomas. Endocrine, 2014, 46, 526-531.   | 2.3 | 63        |
| 100 | Neutrophil-to-lymphocyte ratio predicts PSA response, but not outcomes in patients with castration-resistant prostate cancer treated with docetaxel. International Urology and Nephrology, 2014, 46, 1531-1535.            | 1.4 | 21        |
| 101 | Integrative genomic analysis identifies epigenetic marks that mediate genetic risk for epithelial ovarian cancer. BMC Medical Genomics, 2014, 7, 8.  | 1.5 | 32        |
| 102 | Cellular and molecular mechanisms in cancer immune escape: a comprehensive review. Expert Review of Clinical Immunology, 2014, 10, 41-62.  | 3.0 | 112       |
| 103 | Neutrophil to lymphocyte ratio as a measure of systemic inflammation in psoriasis. Cutaneous and Ocular Toxicology, 2014, 33, 223-227.   | 1.3 | 110       |
| 104 | Similar blood-borne DNA methylation alterations in cancer and inflammatory diseases determined by subpopulation shifts in peripheral leukocytes. British Journal of Cancer, 2014, 111, 525-531.                            | 6.4 | 15        |
| 105 | Bladder cancer invasion predictability based on preoperative neutrophil–lymphocyte ratio. Tumor Biology, 2014, 35, 6601-6605.  | 1.8 | 43        |
| 107 | A systematic review and meta-analysis on the impact of pre-operative neutrophil lymphocyte ratio on long term outcomes after curative intent resection of solid tumours. Surgical Oncology, 2014, 23, 31-39.               | 1.6 | 260       |
| 108 | Prognostic significance and predictors of the neutrophil-to-lymphocyte ratio in ovarian cancer. Gynecologic Oncology, 2014, 132, 542-550.  | 1.4 | 128       |
| 109 | Prognostic Impact of the Neutrophil-to-Lymphocyte Ratio in Men With Metastatic Castration-Resistant Prostate Cancer. Clinical Genitourinary Cancer, 2014, 12, 317-324.   | 1.9 | 60        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 110 | The prognostic significance of preoperative leukocytosis in epithelial ovarian carcinoma: A retrospective cohort study. Gynecologic Oncology, 2014, 132, 551-555.  | 1.4 | 27        |
| 111 | Relative lymphocyte count is a prognostic parameter in cancer patients with catumaxomab immunotherapy. Medical Hypotheses, 2014, 82, 295-299.  | 1.5 | 11        |
| 112 | Pretreatment Neutrophil-to-Lymphocyte Ratio Is Associated with Advanced Pathologic Tumor Stage and Increased Cancer-specific Mortality Among Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. European Urology, 2014, 66, 1157-1164. | 1.9 | 163       |
| 113 | Mean platelet volume could be a useful biomarker for monitoring epithelial ovarian cancer. Journal of Obstetrics and Gynaecology, 2014, 34, 515-518.   | 0.9 | 54        |
| 114 | Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. Journal of the National Cancer Institute, 2014, 106, dju124.   | 6.3 | 2,202     |
| 115 | A monocyte/granulocyte to lymphocyte ratio predicts survival in patients with hepatocellular carcinoma. Scientific Reports, 2015, 5, 15263.  | 3.3 | 27        |
| 116 | Preoperative neutrophil/lymphocyte ratio and prognostic nutritional index predict survival in patients with non-small cell lung cancer. World Journal of Surgical Oncology, 2015, 13, 291.   | 1.9 | 79        |
| 117 | Elevated peripheral blood lymphocyte-to-monocyte ratio predicts a favorable prognosis in the patients with metastatic nasopharyngeal carcinoma. Chinese Journal of Cancer, 2015, 34, 237-46.   | 4.9 | 44        |
| 118 | Neutrophil/lymphocyte ratio, platelet/lymphocyte ratio, and mean platelet volume as potential biomarkers for early detection and monitoring of colorectal adenocarcinoma. European Journal of Cancer Prevention, 2015, 24, 328-333.                                  | 1.3 | 72        |
| 119 | Neutrophilâ€toâ€lymphocyte ratio in head and neck cancer. Journal of Medical Imaging and Radiation Oncology, 2015, 59, 514-519.  | 1.8 | 46        |
| 120 | Relationship of preoperative neutrophil lymphocyte ratio with prognosis in gastrointestinal stromal tumors. Turkish Journal of Surgery, 2015, 31, 61-64.   | 1.0 | 4         |
| 121 | Association of the Preoperative Neutrophil-to-ymphocyte Count Ratio and Platelet-to-Lymphocyte Count Ratio with Clinicopathological Characteristics in Patients with Papillary Thyroid Cancer. Endocrinology and Metabolism, 2015, 30, 494.                          | 3.0 | 42        |
| 122 | Risk Factors of Sepsis in Obstructive Acute Pyelonephritis Associated with Urinary Tract Calculi. Urogenital Tract Infection, 2015, 10, 108.   | 0.2 | 2         |
| 123 | Prognostic value of monocyte and neutrophils to lymphocytes ratio in patients with metastatic soft tissue sarcoma. Oncotarget, 2015, 6, 9542-9550.   | 1.8 | 33        |
| 124 | Novel immunological and nutritional-based prognostic index for gastric cancer. World Journal of Gastroenterology, 2015, 21, 5961-5971.   | 3.3 | 82        |
| 125 | Prognostic significance of neutrophil to lymphocyte ratio in pancreatic cancer: A meta-analysis.<br>World Journal of Gastroenterology, 2015, 21, 2807.   | 3.3 | 164       |
| 126 | Immunological markers predict the prognosis of patients with squamous non-small cell lung cancer. Immunologic Research, 2015, 62, 316-324.   | 2.9 | 20        |
| 127 | Prognostic Value of the Modified Glasgow Prognostic Score in Patients Undergoing Radical Surgery for Hepatocellular Carcinoma. Medicine (United States), 2015, 94, e1486.  | 1.0 | 47        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 128 | The Utility of Neutrophil-to-Lymphocyte Ratio as a Severity Predictor of Acute Appendicitis, Length of Hospital Stay and Postoperative Complication Rates. Digestive Surgery, 2015, 32, 459-463.                                    | 1.2 | 28        |
| 129 | Differentiation between benign and malignant ovarian masses in the preoperative period using neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios. Molecular and Clinical Oncology, 2015, 3, 317-321.                         | 1.0 | 25        |
| 130 | Neutrophilâ€toâ€lymphocyte and plateletâ€toâ€lymphocyte ratios in patients with endometrial hyperplasia and endometrial cancer. Journal of Obstetrics and Gynaecology Research, 2015, 41, 445-448.                                  | 1.3 | 25        |
| 131 | The prognostic value of pretreatment of systemic inflammatory responses in patients with urothelial carcinoma undergoing radical cystectomy. British Journal of Cancer, 2015, 112, 461-467.   | 6.4 | 55        |
| 132 | Preoperative neutrophil-to-lymphocyte ratio predicts response to first-line platinum-based chemotherapy and prognosis in serous ovarian cancer. Cancer Chemotherapy and Pharmacology, 2015, 75, 255-262.                            | 2.3 | 51        |
| 133 | Does neutrophil-to-lymphocyte ratio predict active ulcerative colitis?. Wiener Klinische Wochenschrift, 2015, 127, 262-265.   | 1.9 | 84        |
| 134 | Inflammation and Cancer., 2015,, 285-296.e3.  |     | 0         |
| 135 | The neutrophil–lymphocyte ratio and its utilisation for the management of cancer patients in early clinical trials. British Journal of Cancer, 2015, 112, 1157-1165.  | 6.4 | 67        |
| 136 | The association between the neutrophil-to-lymphocyte ratio and mortality in critical illness: an observational cohort study. Critical Care, 2015, 19, 13.   | 5.8 | 124       |
| 137 | The derived neutrophil/lymphocyte ratio predicts poor clinical outcome in soft tissue sarcoma patients. American Journal of Surgery, 2015, 210, 111-116.  | 1.8 | 34        |
| 138 | Chemical sympathectomy increases neutrophil-to-lymphocyte ratio in tumor-bearing rats but does not influence cancer progression. Journal of Neuroimmunology, 2015, 278, 255-261.  | 2.3 | 9         |
| 139 | Systemic neutrophil-to-lymphocyte ratio in colorectal cancer: the relationship to patient survival, tumour biology and local lymphocytic response to tumour. British Journal of Cancer, 2015, 113, 204-211.                         | 6.4 | 99        |
| 140 | Pre-operative granulocyte/lymphocyte ratio as a predictive marker of post-operative complications in patients with colorectal cancer. Oncology Letters, 2015, 9, 425-429.   | 1.8 | 4         |
| 141 | Surface antigen expression on peripheral blood monocytes in women with gynecologic malignancies. BMC Cancer, 2015, 15, 129.   | 2.6 | 9         |
| 142 | The pretreatment neutrophil-to-lymphocyte ratio predicts therapeutic response to radiation therapy and concurrent chemoradiation therapy in uterine cervical cancer. International Journal of Clinical Oncology, 2015, 20, 989-996. | 2.2 | 61        |
| 143 | Neutrophils: important contributors to tumor progression and metastasis. Cancer and Metastasis Reviews, 2015, 34, 735-751.  | 5.9 | 185       |
| 144 | Targeting Programmed Cell Death 1 in Ovarian Cancer. Journal of Clinical Oncology, 2015, 33, 3987-3989.   | 1.6 | 18        |
| 145 | Preoperative platelet/lymphocyte ratio is a superior prognostic factor compared to other systemic inflammatory response markers in ovarian cancer patients. Tumor Biology, 2015, 36, 8831-8837.                                     | 1.8 | 78        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 146 | Neutrophil count is associated with survival in localized prostate cancer. BMC Cancer, 2015, 15, 594.   | 2.6 | 49        |
| 147 | Poor performance status (PS) is an indication for an aggressive approach to neoadjuvant chemotherapy in patients with advanced epithelial ovarian cancer (EOC). Gynecologic Oncology, 2015, 139, 216-220. | 1.4 | 9         |
| 148 | The Multifaceted Roles Neutrophils Play in the Tumor Microenvironment. Cancer Microenvironment, 2015, 8, 125-158.   | 3.1 | 315       |
| 149 | Usefulness of the neutrophil-to-lymphocyte ratio to prediction of type 2 diabetes mellitus in morbid obesity. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2015, 9, 299-304.           | 3.6 | 47        |
| 150 | Systemic inflammatory markers as independent prognosticators of head and neck squamous cell carcinoma. Head and Neck, 2015, 37, 103-110.  | 2.0 | 131       |
| 151 | Pretreatment neutrophilâ€toâ€lymphocyte ratio as predictor of survival for patients with metastatic nasopharyngeal carcinoma. Head and Neck, 2015, 37, 69-75.   | 2.0 | 56        |
| 152 | Prognostic value of preoperative neutrophils to lymphocytes ratio in patients resected for gastric cancer. American Journal of Surgery, 2015, 209, 333-337.   | 1.8 | 57        |
| 153 | Neutrophilâ€"lymphocyte ratio may predict in-hospital mortality in patients with acute type A aortic dissection. Herz, 2015, 40, 716-721.   | 1.1 | 24        |
| 154 | May ratio of neutrophil to lymphocyte be useful in predicting the risk of developing preeclampsia? A pilot study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 97-99.                       | 1.5 | 56        |
| 155 | The Lymphocyte-Monocyte Ratio Predicts Patient Survival and Aggressiveness of Ovarian Cancer.<br>Journal of Cancer, 2016, 7, 289-296.   | 2.5 | 77        |
| 156 | Preoperative Lymphocyte-Monocyte Ratio Is a Predictor of Suboptimal Cytoreduction in Stage III-IV Epithelial Ovarian Cancer. Journal of Cancer, 2016, 7, 1772-1779.                                       | 2.5 | 12        |
| 157 | Clinical Significance of Preoperative Neutrophil – to - Lymphocyte Ratio in Renal Cell Carcinoma.<br>International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2016, 42, 678-684.  | 1.5 | 10        |
| 158 | The neutrophil-to-lymphocyte ratio: a narrative review. Ecancermedicalscience, 2016, 10, 702.   | 1.1 | 202       |
| 159 | What Are the Predictive Factors of Severe Conditions in Acute Obstructive Pyelonephritis?. Urogenital Tract Infection, 2016, 11, 12.  | 0.2 | 1         |
| 160 | Prognostic significance of neutrophil-lymphocyteratio/platelet-lymphocyteratioin lung cancers: a meta-analysis. Oncotarget, 2016, 7, 76769-76778.   | 1.8 | 44        |
| 161 | Systemic Inflammatory Response Based on Neutrophil-to-Lymphocyte Ratio as a Prognostic Marker in Bladder Cancer. Disease Markers, 2016, 2016, 1-12.   | 1.3 | 37        |
| 162 | Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. BioMed Research International, 2016, 2016, 1-6.            | 1.9 | 15        |
| 163 | Elevated preoperative neutrophil-to-lymphocyte ratio is associated with poor prognosis in gastrointestinal stromal tumor patients. OncoTargets and Therapy, 2016, 9, 877.                                 | 2.0 | 14        |

| #   | Article   | IF           | Citations |
|-----|---|--------------|-----------|
| 164 | Neutrophils and Granulocytic MDSC: The Janus God of Cancer Immunotherapy. Vaccines, 2016, 4, 31.  | 4.4          | 58        |
| 165 | Pretreatment neutrophil-to-lymphocyte ratio as a survival predictor for small-cell lung cancer. OncoTargets and Therapy, 2016, Volume 9, 5761-5770.   | 2.0          | 30        |
| 166 | Renal cell carcinoma in endâ€stage renal disease: Multiâ€institutional comparative analysis of survival. International Journal of Urology, 2016, 23, 465-471.   | 1.0          | 10        |
| 167 | Can the neutrophilâ€toâ€lymphocyte ratio be used to predict recurrence and progression of nonâ€muscleâ€invasive bladder cancer?. Kaohsiung Journal of Medical Sciences, 2016, 32, 327-333.  | 1.9          | 17        |
| 168 | Preoperative Aspartate Aminotransferase to White Blood Cell Count Ratio Predicting Postoperative Outcomes of Hepatocellular Carcinoma. Medicine (United States), 2016, 95, e3345.   | 1.0          | 0         |
| 169 | Differential diagnosis between uterine sarcoma and leiomyoma using preoperative clinical characteristics. Journal of Obstetrics and Gynaecology Research, 2016, 42, 313-318.  | 1.3          | 34        |
| 170 | Neutrophil to lymphocyte ratio in the pre-treatment phase of final-line chemotherapy predicts the outcome of patients with recurrent ovarian cancer. Oncology Letters, 2016, 11, 3975-3981.   | 1.8          | 35        |
| 171 | Pretreatment prognostic nutritional index is a significant predictor of prognosis in patients with cervical cancer treated with concurrent chemoradiotherapy. Molecular and Clinical Oncology, 2016, 5, 567-574.                              | 1.0          | 59        |
| 172 | Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio are predictive of chemotherapeutic response and prognosis in epithelial ovarian cancer patients treated with platinum-based chemotherapy. Cancer Biomarkers, 2016, 17, 33-40. | 1.7          | 81        |
| 173 | Does preoperative neutrophil to lymphocyte or platelet to lymphocyte ratios have a role in predicting borderline ovarian tumors?. Journal of Ovarian Research, 2016, 9, 78.   | 3.0          | 3         |
| 174 | Postoperative neutrophil-to-lymphocyte ratio of living-donor liver transplant: Association with graft size. Asian Journal of Surgery, 2016, 39, 103-108.  | 0.4          | 6         |
| 175 | Prognostic significance of neutrophil to lymphocyte ratio in patients with gallbladder carcinoma. Hpb, 2016, 18, 600-607.   | 0.3          | 35        |
| 176 | The Clinical Use of the Neutrophil to Lymphocyte Ratio (NLR) in Urothelial Cancer: AÂSystematic Review. Clinical Genitourinary Cancer, 2016, 14, 473-484.   | 1.9          | 84        |
| 177 | Prognostic value of the neutrophil-to-lymphocyte ratio for overall and disease-free survival in patients with surgically treated esophageal squamous cell carcinoma. Tumor Biology, 2016, 37, 7149-7154.                                      | 1.8          | 20        |
| 178 | Human neutrophils: Their role in cancer and relation to myeloid-derived suppressor cells. Seminars in Immunology, 2016, 28, 187-196.  | 5 <b>.</b> 6 | 257       |
| 179 | Neutrophils Suppress Intraluminal NK Cell–Mediated Tumor Cell Clearance and Enhance<br>Extravasation of Disseminated Carcinoma Cells. Cancer Discovery, 2016, 6, 630-649.   | 9.4          | 369       |
| 180 | Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. BMC Cancer, 2016, 16, 111.  | 2.6          | 35        |
| 181 | A novel prognostic inflammation score predicts outcomes in patients with ovarian cancer. Clinica Chimica Acta, 2016, 456, 163-169.  | 1.1          | 35        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 182 | Perioperative change in neutrophil–lymphocyte ratio predicts the overall survival of patients with bladder cancer undergoing radical cystectomy. Japanese Journal of Clinical Oncology, 2016, 46, 1162-1167.   | 1.3 | 13        |
| 183 | Sarcopenia as a Novel Preoperative Prognostic Predictor for Survival in Patients with Bladder Cancer Undergoing Radical Cystectomy. Annals of Surgical Oncology, 2016, 23, 1048-1054.  | 1.5 | 72        |
| 184 | Pre-treatment neutrophil to lymphocyte ratio as a predictive marker for pathological response to preoperative chemoradiotherapy in pancreatic cancer. Oncology Letters, 2016, 11, 1560-1566.   | 1.8 | 55        |
| 185 | Neutrophils in cancer. Immunological Reviews, 2016, 273, 312-328.  | 6.0 | 166       |
| 186 | Neutrophils in the tumor microenvironment: trying to heal the wound that cannot heal. Immunological Reviews, 2016, 273, 329-343.   | 6.0 | 140       |
| 188 | Diagnostic value of neutrophil–lymphocyte and albumin–globulin ratios in canine soft tissue sarcoma. Journal of Small Animal Practice, 2016, 57, 135-141.  | 1.2 | 41        |
| 189 | Efficacy of weekly paclitaxel treatment as a single agent chemotherapy following first-line cisplatin treatment in urothelial bladder cancer. Molecular and Clinical Oncology, 2016, 4, 1063-1067.   | 1.0 | 27        |
| 190 | Prognostic impact of preoperative neutrophil-to-lymphocyte ratio after radical prostatectomy in localized prostate cancer. Prostate Cancer and Prostatic Diseases, 2016, 19, 298-304.  | 3.9 | 20        |
| 191 | Hematologic Parameters to Predict Small Renal Mass Biopsy Pathology. Clinical Genitourinary Cancer, 2016, 14, 226-230.   | 1.9 | 2         |
| 192 | Prognostic performance of inflammation-based prognostic indices in locally advanced non-small-lung cancer treated with endostar and concurrent chemoradiotherapy. Molecular and Clinical Oncology, 2016, 4, 801-806.                                   | 1.0 | 14        |
| 193 | Prognostic impact of perioperative lymphocyte–monocyte ratio in patients with bladder cancer undergoing radical cystectomy. Tumor Biology, 2016, 37, 10067-10074.  | 1.8 | 25        |
| 194 | Pretreatment Immune Parameters Predict for Overall Survival and Toxicity in Early-Stage<br>Non–Small-Cell Lung Cancer Patients Treated With Stereotactic Body Radiation Therapy. Clinical Lung<br>Cancer, 2016, 17, 39-46.                             | 2.6 | 56        |
| 195 | Neutrophil and Lymphocyte Counts as Clinical Markers for Stratifying Low-Risk Prostate Cancer. Clinical Genitourinary Cancer, 2016, 14, e1-e8.   | 1.9 | 35        |
| 196 | Evaluation of neutrophil–lymphocyte ratio, platelet–lymphocyte ratio and red blood cell distribution width–platelet ratio as early predictor of acute pancreatitis in pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1476-1480. | 1.5 | 59        |
| 197 | Prognostic value of preoperative NLR, dNLR, PLR and CRP in surgical renal cell carcinoma patients. World Journal of Urology, 2017, 35, 261-270.  | 2.2 | 103       |
| 198 | The Prognostic Significance of Pretreatment Hematologic Parameters in Patients Undergoing Resection for Colorectal Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2017, 40, 405-412.   | 1.3 | 46        |
| 199 | The prognostic value of neutrophilâ€toâ€lymphocyte ratio in colorectal cancer: A systematic review. Journal of Surgical Oncology, 2017, 115, 470-479.  | 1.7 | 145       |
| 200 | Prognostic Performance of a New Staging Category to Improve Discrimination of Disease-Specific Survival in Nonmetastatic Oral Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2017, 143, 395.   | 2.2 | 15        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 201 | Is the neutrophil-to-lymphocyte ratio prognostic of survival outcomes in gynecologic cancers? A systematic review and meta-analysis. Gynecologic Oncology, 2017, 145, 584-594.                                    | 1.4 | 85        |
| 202 | Preoperative red cell distribution width and neutrophil-to-lymphocyte ratio predict survival in patients with epithelial ovarian cancer. Scientific Reports, 2017, 7, 43001.                                      | 3.3 | 63        |
| 203 | What is the normal value of the neutrophil-to-lymphocyte ratio?. BMC Research Notes, 2017, 10, 12.  | 1.4 | 455       |
| 204 | The prognostic value of the neutrophil-lymphocyte ratio in renal oncology: A review. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 135-141.  | 1.6 | 79        |
| 205 | Neutrophil extracellular traps sequester circulating tumor cells via $\hat{l}^21$ -integrin mediated interactions. International Journal of Cancer, 2017, 140, 2321-2330.   | 5.1 | 222       |
| 206 | The diagnostic efficacy of platelet-to-lymphocyte ratio and neutrophil-to-lymphocyte ratio in ovarian cancer. Inflammation Research, 2017, 66, 467-475.   | 4.0 | 45        |
| 207 | Pretreatment neutrophil-to-lymphocyte ratio predicts worse survival outcomes and advanced tumor staging in patients undergoing radical cystectomy for bladder cancer. Asian Journal of Urology, 2017, 4, 239-246. | 1.2 | 14        |
| 208 | Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Ovarian Cancer: A Systematic Review and Meta-Analysis of Observational Studies. Cellular Physiology and Biochemistry, 2017, 41, 2411-2418.           | 1.6 | 67        |
| 209 | INSR gene polymorphisms correlate with sensitivity to platinum-based chemotherapy and prognosis in patients with epithelial ovarian cancer. Gene Therapy, 2017, 24, 392-398.                                      | 4.5 | 2         |
| 210 | A predictive model to estimate the pretest probability of metastasis in patients with osteosarcoma. Medicine (United States), 2017, 96, e5909.  | 1.0 | 15        |
| 211 | Elevated preoperative neutrophil: lymphocyte ratio as a preoperative indicator of mature cystic teratoma with malignant transformation. Journal of Obstetrics and Gynaecology Research, 2017, 43, 744-748.        | 1.3 | 7         |
| 212 | Prognostic value of pretreatment peripheral blood markers in paranasal sinus cancer:<br>Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio. Head and Neck, 2017, 39, 730-736.                              | 2.0 | 39        |
| 213 | Role of Intracystic Cytokines and Nitric Oxide in Ovarian Neoplasms. Scandinavian Journal of Immunology, 2017, 86, 462-470.   | 2.7 | 9         |
| 214 | Improved prediction of survival by a risk factor-integrated inflammatory score in Sorafenib treated hepatocellular carcinoma. Journal of Hepatology, 2017, 66, S452-S453.   | 3.7 | 5         |
| 215 | Elevated Preoperative Neutrophil–Lymphocyte Ratio is Predictive of a Poorer Prognosis for Pediatric Patients with Solid Tumors. Annals of Surgical Oncology, 2017, 24, 3456-3462.                                 | 1.5 | 19        |
| 216 | The clinical use of neutrophil-to-lymphocyte ratio in bladder cancer patients: a systematic review and meta-analysis. International Journal of Clinical Oncology, 2017, 22, 817-825.                              | 2.2 | 49        |
| 217 | Clinical outcomes in patients with advanced epidermal growth factor receptorâ€mutated nonâ€smallâ€eell lung cancer in South Western Sydney Local Health District. Internal Medicine Journal, 2017, 47, 1405-1411. | 0.8 | 14        |
| 218 | The role of the systemic inflammatory response in predicting outcomes in patients with operable cancer: Systematic review and meta-analysis. Scientific Reports, 2017, 7, 16717.                                  | 3.3 | 206       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 219 | The relationship between neutrophil-to-lymphocyte ratio and diabetic peripheral neuropathy in Type 2 diabetes mellitus. Medicine (United States), 2017, 96, e8289.   | 1.0 | 48        |
| 220 | Preoperative multiplication of neutrophil and monocyte counts as a prognostic factor in epithelial ovarian cancer. Cancer Biomarkers, 2017, 17, 419-425.   | 1.7 | 8         |
| 221 | Role of Monocyte Count and Neutrophil-to-Lymphocyte Ratio in Survival of Oral Cancer Patients. International Archives of Otorhinolaryngology, 2017, 21, 21-27.   | 0.8 | 25        |
| 222 | The neutrophil-to-lymphocyte ratio as a predictor of intravesical recurrence in patients with upper urinary tract urothelial carcinoma treated with radical nephroureterectomy. International Journal of Clinical Oncology, 2017, 22, 153-158. | 2.2 | 18        |
| 223 | Clinical value of the preoperative neutrophil-to-lymphocyte ratio and red blood cell distribution width in patients with colorectal carcinoma. Oncology Letters, 2017, 15, 3339-3349.  | 1.8 | 12        |
| 224 | Prognostic significance of neutrophil to lymphocyte ratio in ovarian cancer: evidence from 4,910 patients. Oncotarget, 2017, 8, 68938-68949.   | 1.8 | 23        |
| 225 | Can neutrophil to lymphocyte ratio predict lamina propria invasion in patients with non muscle invasive bladder cancer?. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2017, 43, 67-72.                     | 1.5 | 6         |
| 226 | Elevated neutrophil-to-lymphocyte ratio in the diagnosis of Hashimoto's thyroiditis. Revista Da Associação Médica Brasileira, 2017, 63, 1065-1068.   | 0.7 | 110       |
| 227 | Risk Factors of Sepsis and Factors Influencing the Decision to Perform Emergency Drainage in Obstructive Acute Pyelonephritis Secondary to Urinary Calculi. Urogenital Tract Infection, 2017, 12, 110.   | 0.2 | 0         |
| 228 | Neutrophil-to-Lymphocyte Ratio Is a Potential Prognostic Biomarker in Patients with Ovarian Cancer: A Meta-Analysis. BioMed Research International, 2017, 2017, 1-7.   | 1.9 | 34        |
| 229 | Neutrophil-to-Lymphocyte Ratio Predicts Prognosis in Castration-Resistant Prostate Cancer Patients Who Received Cabazitaxel Chemotherapy. BioMed Research International, 2017, 2017, 1-5.  | 1.9 | 27        |
| 230 | Preoperative neutrophil-to-lymphocyte ratio is a predictor of survival of epithelial ovarian cancer: a systematic review and meta-analysis of observational studies. Oncotarget, 2017, 8, 46414-46424.   | 1.8 | 27        |
| 231 | Neutrophil-to-lymphocyte ratio is elevated in recurringnonmuscle invasive bladder cancer. Turkish Journal of Medical Sciences, 2017, 47, 234-239.  | 0.9 | 0         |
| 232 | Immune checkpoints, their control by immunotherapy and ovarian cancer. Wspolczesna Onkologia, 2017, 3, 189-196.  | 1.4 | 2         |
| 233 | Prognostic value of systemic inflammation score in patients with hepatocellular carcinoma after hepatectomy. Oncotarget, 2017, 8, 79366-79375.   | 1.8 | 16        |
| 234 | Neutrophil–Lymphocyte Ratio as a Prognostic Factor in Laryngeal Carcinoma. Indian Journal of<br>Otolaryngology and Head and Neck Surgery, 2018, 70, 175-179.   | 0.9 | 7         |
| 235 | Prognostic value of preoperative neutrophil-to-lymphocyte ratio in Crohn's disease. Wiener Klinische Wochenschrift, 2018, 130, 398-403.  | 1.9 | 13        |
| 237 | Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. European Journal of Cancer, 2018, 92, 69-76.  | 2.8 | 11        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 238 | Prognostic roles of neutrophil to lymphocyte ratio and platelet to lymphocyte ratio in ovarian cancer: a meta-analysis of retrospective studies. Archives of Gynecology and Obstetrics, 2018, 297, 849-857.  | 1.7 | 68        |
| 239 | The clinical utility of pre-operative neutrophil-to-lymphocyte ratio as a predictor of outcomes in patients undergoing elective laparoscopic cholecystectomy. Irish Journal of Medical Science, 2018, 187, 755-760.                                | 1.5 | 1         |
| 240 | The complex interplay between neutrophils and cancer. Cell and Tissue Research, 2018, 371, 517-529.  | 2.9 | 28        |
| 241 | Identification of preterm birth in women with threatened preterm labour between 34 and 37 weeks of gestation. Journal of Obstetrics and Gynaecology, 2018, 38, 652-657.  | 0.9 | 18        |
| 242 | A nomogram for predicting prognostic value of inflammatory biomarkers in patients with acute-on-chronic liver failure. Clinica Chimica Acta, 2018, 478, 7-12.  | 1.1 | 11        |
| 243 | Prognostic value of neutrophilâ€toâ€lymphocyte ratio associated with prognosis in HBVâ€infected patients.<br>Journal of Medical Virology, 2018, 90, 730-735.   | 5.0 | 10        |
| 244 | Neutrophil-to-lymphocyte ratio predicts overall survival of patients with combined hepatocellular cholangiocarcinoma. Oncology Letters, 2018, 15, 4262-4268.   | 1.8 | 9         |
| 245 | C-reactive protein is an independent prognostic marker in patients with tongue carcinoma - A retrospective study. Clinical Otolaryngology, 2018, 43, 1050-1056.  | 1.2 | 12        |
| 246 | Neutrophil-to-Lymphocyte Ratio and Platelet Count Predict Long-Term Outcome of Stage IIIC Epithelial Ovarian Cancer. Cellular Physiology and Biochemistry, 2018, 46, 178-186.  | 1.6 | 19        |
| 247 | Baseline neutrophilâ€'toâ€'lymphocyte ratio predicts the prognosis of castrationâ€'resistant prostate cancer treated with abiraterone acetate. Molecular and Clinical Oncology, 2018, 8, 587-591.  | 1.0 | 12        |
| 248 | Multivariate analysis of preoperative and postoperative neutrophil-to-lymphocyte ratio as an indicator of head and neck squamous cell carcinoma outcome. International Journal of Oral and Maxillofacial Surgery, 2018, 47, 965-970.               | 1.5 | 9         |
| 249 | Postoperative changes in neutrophil-to-lymphocyte ratio and plateletÂcount: A simple prognostic predictorÂfor adult-to-adult living donorÂliverÂtransplantation. Asian Journal of Surgery, 2018, 41, 341-348.                                      | 0.4 | 12        |
| 250 | A simple way to detect disease-associated cellular molecular alterations from mixed-cell blood samples. Briefings in Bioinformatics, 2018, 19, 613-621.  | 6.5 | 6         |
| 251 | Comparison of clinical utility between neutrophil count and neutrophil–lymphocyte ratio in patients with ovarian cancer: a single institutional experience and a literature review. International Journal of Clinical Oncology, 2018, 23, 104-113. | 2.2 | 29        |
| 252 | High neutrophilâ€toâ€lymphocyte ratio predicts worse overall survival in patients with advanced/metastatic urothelial bladder cancer. International Journal of Urology, 2018, 25, 232-238.   | 1.0 | 26        |
| 253 | LMR predicts outcome in patients after preoperative chemoradiotherapy for stage II-III rectal cancer. Journal of Surgical Research, 2018, 222, 122-131.  | 1.6 | 28        |
| 254 | Single emergency room measurement of neutrophil/lymphocyte ratio for early detection of acute kidney injury (AKI). Internal and Emergency Medicine, 2018, 13, 717-725.   | 2.0 | 34        |
| 255 | The De Ritis and Neutrophil-to-Lymphocyte Ratios May Aid in the Risk Assessment of Patients with Metastatic Renal Cell Carcinoma. Journal of Oncology, 2018, 2018, 1-8.  | 1.3 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 256 | Using platelet-to-lymphocyte ratio as a diagnostic marker in malignant ovarian tumors. International Journal of Reproduction, Contraception, Obstetrics and Gynecology, 2018, 7, 2089.  | 0.1 | 3         |
| 257 | Impact of diabetes mellitus on the prognostic value of the neutrophilâ€'lymphocyte ratio in renal cell carcinoma. Experimental and Therapeutic Medicine, 2018, 17, 1268-1275.   | 1.8 | 2         |
| 258 | Prognostic significance of pretreatment lymphocyte/monocyte ratio in retroperitoneal liposarcoma patients after radical resection. Cancer Management and Research, 2018, Volume 10, 4727-4734.  | 1.9 | 8         |
| 259 | Pretreatment neutrophil-to-lymphocyte ratio and its dynamic change during neoadjuvant chemotherapy as poor prognostic factors in advanced ovarian cancer. Obstetrics and Gynecology Science, 2018, 61, 227.   | 1.6 | 21        |
| 260 | Radiation recall pneumonitis induced by ifosfamide for malignant soft tissue tumor arising from the chest wall: A case report. Molecular and Clinical Oncology, 2018, 8, 592-594.   | 1.0 | 12        |
| 261 | The neutrophil-to-lymphocyte ratio makes the Heng risk model improve better the prediction of overall survival in metastatic renal cell cancer patients. Japanese Journal of Clinical Oncology, 2018, 48, 835-840.  | 1.3 | 8         |
| 262 | Prognostic significance of Ki67 expression and the derived neutrophil–lymphocyte ratio in nasopharyngeal carcinoma. Cancer Management and Research, 2018, Volume 10, 1919-1926.   | 1.9 | 16        |
| 263 | Serum soluble B7-H4 is a prognostic marker for patients with non-metastatic clear cell renal cell carcinoma. PLoS ONE, 2018, 13, e0199719.  | 2.5 | 14        |
| 264 | The Predictive Value of Inflammation-Related Peripheral Blood Measurements in Cancer Staging and Prognosis. Frontiers in Oncology, 2018, 8, 78.   | 2.8 | 73        |
| 265 | Prognostic value of systemic inflammatory markers in ovarian Cancer: a PRISMA-compliant meta-analysis and systematic review. BMC Cancer, 2018, 18, 443.   | 2.6 | 50        |
| 266 | Influence of CA125, platelet count and neutrophil to lymphocyte ratio on the immune system of ovarian cancer patients. Gynecologic Oncology, 2018, 150, 31-37.  | 1.4 | 42        |
| 267 | Pretreatment hematologic markers as prognostic predictors of gastroenteropancreatic neuroendocrine tumors: a systematic review and meta-analysis. OncoTargets and Therapy, 2018, Volume 11, 2489-2496.  | 2.0 | 12        |
| 268 | Platelet to lymphocyte and neutrophil to lymphocyte ratio as predictive indices of endometrial carcinoma: Findings from a retrospective series of patients and meta-analysis. Journal of Gynecology Obstetrics and Human Reproduction, 2018, 47, 511-516. | 1.3 | 14        |
| 269 | Prognostic Role of Neutrophil to Lymphocyte Ratio in Ovarian Cancer: A Meta-Analysis. Technology in Cancer Research and Treatment, 2018, 17, 153303381879150.   | 1.9 | 41        |
| 270 | The Prognostic Role of the Change inÂNeutrophil-to-Lymphocyte Ratio During Neoadjuvant<br>Chemotherapy in Patients withÂMuscle-Invasive Bladder Cancer: AÂRetrospective, Multi-Institutional<br>Study. Bladder Cancer, 2018, 4, 185-194.                  | 0.4 | 19        |
| 271 | Diagnostic accuracy of inflammatory markers for distinguishing malignant and benign ovarian masses. Journal of Cancer, 2018, 9, 1165-1172.  | 2.5 | 23        |
| 272 | Temporal changes in the neutrophil to lymphocyte ratio and the neurological progression in cryptogenic stroke with active cancer. PLoS ONE, 2018, 13, e0194286.   | 2.5 | 12        |
| 273 | Pre-treatment prognostic nutritional index is superior to platelet count in predicting disease-specific survival in patients with epithelial ovarian cancer. International Journal of Gynecological Cancer, 2019, 29, 1057-1063.                          | 2.5 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 274 | Neutrophil-to-Lymphocyte Ratio in Ovarian Cancer Patients with Low CA125 Concentration. BioMed Research International, 2019, 2019, 1-7.  | 1.9 | 7         |
| 276 | PD-1+ TIGIT+ CD8+ T cells are associated with pathogenesis and progression of patients with hepatitis B virus-related hepatocellular carcinoma. Cancer Immunology, Immunotherapy, 2019, 68, 2041-2054.   | 4.2 | 72        |
| 277 | Preoperative Neutrophil to Lymphocyte Ratio and Platelet to Lymphocyte Ratio are Associated with the Prognosis of Group 3 and Group 4 Medulloblastoma. Scientific Reports, 2019, 9, 13239.               | 3.3 | 14        |
| 278 | Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio in Discriminating Precancerous Pathologies from Cervical Cancer. Journal of Oncology, 2019, 2019, 1-6.                                   | 1.3 | 15        |
| 279 | Correlation of neutrophil-lymphocyte ratio and risk scores in non-muscle invasive bladder cancer. Actas $Urol\tilde{A}^3$ gicas $Espa\tilde{A}\pm olas$ (English Edition), 2019, 43, 503-508.            | 0.2 | 2         |
| 280 | Prognostic Nomograms in Oral Squamous Cell Carcinoma: The Negative Impact of Low Neutrophil to Lymphocyte Ratio. Frontiers in Oncology, 2019, 9, 339.  | 2.8 | 32        |
| 281 | Metastasis as a systemic disease: molecular insights and clinical implications. Biochimica Et Biophysica Acta: Reviews on Cancer, 2019, 1872, 89-102.  | 7.4 | 44        |
| 282 | Neutrophil-to-lymphocyte ratio independently predicts advanced pathological staging and poorer survival outcomes in testicular cancer. Investigative and Clinical Urology, 2019, 60, 176.                | 2.0 | 14        |
| 283 | The prognostic value of preoperative derived neutrophil-to-lymphocyte ratio in patients undergoing total laryngectomy with laryngeal carcinoma. Acta Oto-Laryngologica, 2019, 139, 294-298.              | 0.9 | 12        |
| 284 | Pretreatment Neutrophil-to-Lymphocyte Ratio Was a Predictor of Lymph Node Metastasis in Endometrial Cancer Patients. Oncology, 2019, 96, 259-267.  | 1.9 | 34        |
| 285 | Prognostic impact of neutrophil-to-lymphocyte ratio in renal cell carcinoma: a systematic review and meta-analysis. Immunotherapy, 2019, 11, 631-643.  | 2.0 | 38        |
| 286 | Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. Cancers, 2019, 11, 509. | 3.7 | 37        |
| 287 | Can complete blood count inflammatory parameters in epithelial ovarian cancer contribute to prognosis? - a survival analysis. Journal of Ovarian Research, 2019, 12, 16.                                 | 3.0 | 15        |
| 288 | The Neutrophil-Lymphocyte Ratio and its Relationship with Insulin Resistance in Obesity. Turkish Journal of Medical Sciences, 2019, 49, 245-248.   | 0.9 | 15        |
| 289 | Prognostic significance of neutrophil–lymphocyte ratio (NLR) in patients with ovarian cancer. Medicine (United States), 2019, 98, e17475.  | 1.0 | 58        |
| 290 | Neutrophil to lymphocyte ratio (NLR) as a prognostic marker for in-hospital mortality of patients with sepsis. Medicine (United States), 2019, 98, e18029.   | 1.0 | 42        |
| 291 | Improved Prediction of Survival by a Risk Factor-Integrating Inflammatory Score in Sorafenib-Treated Hepatocellular Carcinoma. Liver Cancer, 2019, 8, 387-402.   | 7.7 | 18        |
| 292 | Diagnosis and survival values of neutrophil-lymphocyte ratio (NLR) and red blood cell distribution width (RDW) in esophageal cancer. Clinica Chimica Acta, 2019, 488, 150-158.                           | 1.1 | 47        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 293 | Pretreatment lymphocytopenia is an adverse prognostic biomarker in advancedâ€stage ovarian cancer. Cancer Medicine, 2019, 8, 564-571.  | 2.8  | 10        |
| 294 | Mitochondrial DNA in the tumour microenvironment activates neutrophils and is associated with worse outcomes in patients with advanced epithelial ovarian cancer. British Journal of Cancer, 2019, 120, 207-217.   | 6.4  | 62        |
| 295 | Role of systemic inflammatory response markers in urological malignancy. International Journal of Urology, 2019, 26, 31-47.  | 1.0  | 50        |
| 296 | TRPM2 modulates neutrophil attraction to murine tumor cells by regulating CXCL2 expression. Cancer Immunology, Immunotherapy, 2019, 68, 33-43.   | 4.2  | 37        |
| 297 | Systemic Immune-Inflammation Index (SII) Predicts Poor Survival in Pancreatic Cancer Patients Undergoing Resection. Journal of Gastrointestinal Surgery, 2020, 24, 610-618.  | 1.7  | 100       |
| 298 | Neutrophilâ€toâ€lymphocyte ratio as a prognostic factor in advanced stage ovarian carcinoma treated with neoadjuvant chemotherapy. International Journal of Gynecology and Obstetrics, 2020, 148, 102-106.   | 2.3  | 10        |
| 299 | High density of CD66b in primary high-grade ovarian cancer independently predicts response to chemotherapy. Journal of Cancer Research and Clinical Oncology, 2020, 146, 127-136.  | 2.5  | 20        |
| 300 | Predictors of progression free survival, overall survival and early cessation of chemotherapy in women with potentially platinum sensitive (PPS) recurrent ovarian cancer (ROC) starting third or subsequent line(≥3) chemotherapy – The GCIG symptom benefit study (SBS). Gynecologic Oncology, 2020. 156. 45-53. | 1.4  | 6         |
| 301 | Value of Preoperative Neutrophil-to-Lymphocyte Ratio in Predicting Prognosis of Surgically Resectable Urinary Cancers: Systematic Review and Meta-Analysis. Chinese Medical Sciences Journal, 2020, 35, 262.   | 0.4  | 1         |
| 302 | Correlation between peripheral blood neutrophil-lymphocyte ratio and CD34 expression in prostate cancer. BMC Cancer, 2020, 20, 900.  | 2.6  | 7         |
| 303 | Inflammation and immunity in ovarian cancer. European Journal of Cancer, Supplement, 2020, 15, 56-66.  | 2.2  | 12        |
| 304 | Neutrophil diversity and plasticity in tumour progression and therapy. Nature Reviews Cancer, 2020, 20, 485-503.   | 28.4 | 548       |
| 305 | Prognostic significance of baseline T cells, B cells and neutrophil-lymphocyte ratio (NLR) in recurrent ovarian cancer treated with chemotherapy. Journal of Ovarian Research, 2020, 13, 59.   | 3.0  | 13        |
| 306 | Risk stratification for early bacteremia after living donor liver transplantation: a retrospective observational cohort study. BMC Surgery, 2020, 20, 2.   | 1.3  | 10        |
| 307 | Prognostic significance of neutrophil-to-lymphocyte ratio in several malignancies: where do we stand?. Biomarkers in Medicine, 2020, 14, 169-172.  | 1.4  | 9         |
| 308 | Prognostic value of pretreatment neutrophil-to-lymphocyte ratio in renal cell carcinoma: a systematic review and meta-analysis. BMC Urology, 2020, 20, 90.   | 1.4  | 41        |
| 309 | Neutrophil–lymphocyte ratio as a prognostic factor for survival in patients with advanced renal cell carcinoma (Turkish Oncology Group Study). Journal of Oncology Pharmacy Practice, 2020, 26, 1583-1589.   | 0.9  | 6         |
| 310 | Predictive role of neutrophil-to-lymphocyte ratio in preeclampsia: A meta-analysis including 3982 patients. Pregnancy Hypertension, 2020, 20, 111-118.   | 1.4  | 31        |

| #   | Article  | IF                  | CITATIONS |
|-----|--|---------------------|-----------|
| 311 | Prognostic significance of neutrophil-to-lymphocyte ratio in middle thoracic esophageal squamous cell carcinoma patients undergoing radical esophagectomy. Journal of Thoracic Disease, 2020, 12, 363-374.                                     | 1.4                 | 4         |
| 312 | Elevated platelet lymphocyte ratio is a poor prognostic factor in advanced epithelial ovarian cancer. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101849.   | 1.3                 | 12        |
| 313 | Peripheral Blood Leukocytes and Platelets Serve as Prognostic Factors in Breast Cancer. Cancer Biotherapy and Radiopharmaceuticals, 2021, 36, 167-173.   | 1.0                 | 6         |
| 314 | Comparison of De Ritis Ratio and other systemic inflammatory parameters for the prediction of prognosis of patients with transitional cell bladder cancer. International Journal of Clinical Practice, 2021, 75, e13743.                       | 1.7                 | 4         |
| 315 | Baseline neutrophilâ€lymphocyte ratio is associated with survival for infant living donor liver transplantation for biliary atresia. Pediatric Transplantation, 2021, 25, e13933.  | 1.0                 | 2         |
| 316 | Differential blood count as triage tool in evaluation of pelvic masses. International Journal of Gynecological Cancer, 2021, 31, 733-743.  | 2.5                 | 4         |
| 317 | Utility of Preoperative Inflammatory Markers to Distinguish Epithelial Ovarian Cancer from Benign Ovarian Masses. Journal of Cancer, 2021, 12, 2687-2693.  | 2.5                 | 8         |
| 318 | Circulating Tumor Cells, Circulating Tumor DNA and Other Blood-based Prognostic Scores in Pancreatic Ductal Adenocarcinoma – Mini-Review. In Vivo, 2021, 35, 31-39.  | 1.3                 | 6         |
| 319 | Preoperatif Nötrofil/Lenfosit, Lenfosit/Monosit ve Trombosit/Lenfosit Oranlarının Seröz Over Kanseri<br>Sağ Kalımındaki Yeri. Balıkesir Medical Journal, 2021, 5, 43-53.   | 0.2                 | 2         |
| 320 | Prognostic value of neutrophil-lymphocyte count ratio (NLCR) among adult ICU patients in comparison to APACHE II score and conventional inflammatory markers: a multi center retrospective cohort study. BMC Emergency Medicine, 2021, 21, 24. | 1.9                 | 11        |
| 321 | Immunological Prognostic Factors in Multiple Myeloma. International Journal of Molecular Sciences, 2021, 22, 3587.   | 4.1                 | 16        |
| 322 | Prognostic significance of preoperative neutrophil-to-lymphocyte ratio in papillary renal cell carcinoma patients after receiving curative surgery based on a retrospective cohort. BMC Urology, 2021, 21, 43.                                 | 1.4                 | 2         |
| 323 | Clinical biomarkers to predict preoperative lymph node metastasis in endometrial cancer. Journal of Surgery and Medicine, 2021, 5, 234-237.  | 0.1                 | 0         |
| 324 | REKÜRRENTVE/VEYA METASTATIK JINEKOLOJIK TÜMÖRLERDE TEDAVİ ÖNCESİ NÖTROFİL-LENFOSİT<br>TROMBOSİT-LENFOSİT ORANI TERAPÖTİK ETKİYE SAHİP MİDİR?. Kocatepe Tıp Dergisi, 2021, 22, 12   | ORANI VE<br>25-131. | 0         |
| 325 | The Platelet to Lymphocyte and Neutrophil to Lymphocyte Ratios in Predicting Response to Platinum-based Chemotherapy for Epithelial Ovarian Cancer. Asian Pacific Journal of Cancer Prevention, 2021, 22, 1561-1566.                           | 1.2                 | 2         |
| 326 | Over kanserinde nötrofil/lenfosit, trombosit/lenfosit, crp/albýmin oranları ile klinikopatolojik<br>özellikler ve sağkalım arasındaki ilişki Pamukkale Medical Journal, 0, , .   | 0.2                 | O         |
| 327 | A Study on Association between Neutrophil to Lymphocyte Ratio and Steatohepatitis and Fibrosis in Patients with Non-Alcoholic Fatty Liver Disease. Journal of Evolution of Medical and Dental Sciences, 2021, 10, 1876-1882.                   | 0.1                 | 3         |
| 328 | Alteration in Lactate Production and Decrease in MTT Dye Reduction in Serum-starved Human Peripheral Blood Mononuclear Cells (PBMCs). Trends in Medical Sciences, 2021, 1, .   | 0.3                 | 0         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 329 | The role of inflammatory parameters in predicting disease recurrence in patients with stage IIA colon cancer with no high-risk features. Postgraduate Medicine, 2021, 133, 1-7.   | 2.0  | 2         |
| 330 | Role of Systemic Inflammatory Reaction in Female Genital Organ Malignancies – State of the Art. Cancer Management and Research, 2021, Volume 13, 5491-5508.   | 1.9  | 9         |
| 331 | Pretreatment Neutrophil-to-Lymphocyte Ratio: A Prognostic Biomarker of Survival in Patients With Epithelial Ovarian Cancer. Cureus, 2021, 13, e16429.   | 0.5  | 6         |
| 332 | Decrease in Neutrophil-to-Lymphocyte Ratio during Neoadjuvant Chemotherapy as a Predictive and Prognostic Marker in Advanced Ovarian Cancer. Diagnostics, 2021, 11, 1298.   | 2.6  | 19        |
| 333 | Gain of TPPP as a predictor of progression in patients with bladder cancer. Experimental and Therapeutic Medicine, 2021, 22, 1204.  | 1.8  | 2         |
| 334 | Risk stratification in differentiated thyroid cancer with RAI-avid lung metastases. Endocrine Connections, 2021, 10, 825-833.   | 1.9  | 7         |
| 335 | Association of neutrophil-to-lymphocyte ratio with severe radiation-induced mucositis in pharyngeal or laryngeal cancer patients: a retrospective study. BMC Cancer, 2021, 21, 1064.                                    | 2.6  | 12        |
| 336 | Neutrophils to lymphocytes ratio between benignÂandÂmalignant thyroid nodule. Pakistan Journal of Medical Sciences, 2021, 37, 1908-1911.  | 0.6  | 2         |
| 337 | Liposomal paclitaxel induces apoptosis, cell death, inhibition of migration capacity and antitumoral activity in ovarian cancer. Biomedicine and Pharmacotherapy, 2021, 142, 112000.                                    | 5.6  | 13        |
| 338 | Nicotine promotes breast cancer metastasis by stimulating N2 neutrophils and generating pre-metastatic niche in lung. Nature Communications, 2021, 12, 474.   | 12.8 | 114       |
| 339 | Correlación entre el Ãndice neutrófilo/linfocito y las puntuaciones de riesgo en el cáncer de vejiga no músculo-invasivo. Actas Urológicas Españolas, 2019, 43, 503-508.  | 0.7  | 4         |
| 340 | A derived neutrophil to lymphocyte ratio predicts survival in patients with cancer., 0, .   |      | 1         |
| 341 | Association between the neutrophil-to-lymphocyte ratio, a new marker of systemic inflammation, and restless legs syndrome. Singapore Medical Journal, 2016, 57, 514-516.  | 0.6  | 20        |
| 342 | Similar Source of Differential Blood mRNAs in Lung Cancer and Pulmonary Inflammatory Diseases:<br>Calls for Improved Strategy for Identifying Cancer-Specific Biomarkers. PLoS ONE, 2014, 9, e108104.                   | 2.5  | 2         |
| 343 | Preoperative Neutrophil-to-Lymphocyte Ratio as a Predictive and Prognostic Factor for High-Grade Serous Ovarian Cancer. PLoS ONE, 2016, 11, e0156101.   | 2.5  | 39        |
| 344 | Clinical significance of mean platelet volume/lymphocyte ratio and mean platelet volume/platelet ratio in the exacerbation of chronic obstructive pulmonary disease. The European Research Journal, 2019, 5, 1001-1006. | 0.3  | 1         |
| 345 | The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. Oncotarget, 2017, 8, 11778-11787.  | 1.8  | 32        |
| 346 | Elevated neutrophil-to-lymphocyte ratio is an independent poor prognostic factor in patients with intrahepatic cholangiocarcinoma. Oncotarget, 2016, 7, 50963-50971.  | 1.8  | 71        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 347 | Prognostic models to predict survival in patients with advanced non-small cell lung cancer treated with first-line chemo- or targeted therapy. Oncotarget, 2016, 7, 26916-26924.  | 1.8 | 44        |
| 348 | Neopterin as a biomarker of immune response in cancer patients. Annals of Translational Medicine, 2017, 5, 280-280.   | 1.7 | 42        |
| 349 | Systemic Leukocyte Alterations in Cancer and their Relation to Prognosis. The Open Cancer Journal, 2008, 2, 53-58.  | 0.2 | 3         |
| 350 | Preoperative High Neutrophil–to–Lymphocyte Ratio Is Associated with High-grade Bladder Cancer.<br>Anticancer Research, 2017, 37, 4659-4663.   | 1.1 | 13        |
| 351 | Is there a link between neutrophil-lymphocyte ratio and microvascular complications in geriatric diabetic patients?. Journal of Endocrinological Investigation, 2013, 36, 593-9.  | 3.3 | 28        |
| 352 | Elevated plasma fibrinogen levels and prognosis of epithelial ovarian cancer: a cohort study and meta-analysis. Journal of Gynecologic Oncology, 2017, 28, e36.   | 2.2 | 46        |
| 353 | Does preoperative neutrophil/lymphocyte rate have an effect on survival of the bladder cancer patients who received radical cystectomy?. Journal of Cancer Research and Therapeutics, 2018, 14, 432-436.  | 0.9 | 2         |
| 354 | Immune Checkpoint Blockers and Ovarian Cancer. Indian Journal of Medical and Paediatric Oncology, 2017, 38, 182-189.  | 0.2 | 4         |
| 355 | Prognostic Significance of Retroperitoneal Lymphadenectomy, Preoperative Neutrophil Lymphocyte Ratio and Platelet Lymphocyte Ratio in Primary Fallopian Tube Carcinoma: A Multicenter Study. Cancer Research and Treatment, 2015, 47, 480-488.  | 3.0 | 16        |
| 356 | Systemic Inflammatory Response Markers and CA-125 Levels in Ovarian Clear Cell Carcinoma: A Two Center Cohort Study. Cancer Research and Treatment, 2016, 48, 250-258.  | 3.0 | 52        |
| 357 | Nomograms Predicting Platinum Sensitivity, Progression-Free Survival, and Overall Survival Using Pretreatment Complete Blood Cell Counts in Epithelial Ovarian Cancer. Cancer Research and Treatment, 2017, 49, 635-642.  | 3.0 | 10        |
| 358 | Independent predictors of survival in endometrium cancer: platelet-to-lymphocyte ratio and platelet/neutrophil/monocyte-to-lymphocyte ratio. Journal of the Turkish German Gynecology Association, 2018, 19, 78-86.   | 0.6 | 13        |
| 359 | The Use of Neutrophil/Lymphocyte Ratio (Nlr), Platelet/Lymphocyte Ratio (Plr), and Mean Platelet Volume (Mpv) As Inflammatory Biomarkers in the Prognosis of Patients with Early-Stage Colorectal Adenocarcinoma. UHOD - Uluslararasi Hematoloji-Onkoloji Dergisi, 2017, 27, 220-228. | 0.1 | 2         |
| 360 | Utility of preoperative neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios to distinguish malignant from benign ovarian masses. Journal of the Turkish German Gynecology Association, 2016, 17, 21-25.  | 0.6 | 18        |
| 361 | Predictive value of preoperative neutrophil-to-lymphocyte ratio on the prognosis of germ cell testicular tumors. Turkish Journal of Urology, 2017, 43, 55-61.   | 1.3 | 14        |
| 362 | Neutrophil-lymphocyte ratio as a predictor of recurrence and progression in patients with high-grade pT1 bladder cancer. Canadian Urological Association Journal, 2015, 9, 126.   | 0.6 | 26        |
| 363 | Subtypes of White Blood Cells in Patients with Prostate Cancer or Benign Prostatic Hyperplasia and Healthy Individuals. Asian Pacific Journal of Cancer Prevention, 2013, 14, 4779-4783.  | 1.2 | 23        |
| 364 | Roles of Neutrophil/Lymphocyte and Platelet/Lymphocyte Ratios in the Early Diagnosis of Malignant Ovarian Masses. Asian Pacific Journal of Cancer Prevention, 2014, 15, 6881-6885.  | 1.2 | 40        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 365 | Red Cell Distribution Width as a Predictor of Prostate Cancer Progression. Asian Pacific Journal of Cancer Prevention, 2014, 15, 7781-7784.  | 1.2 | 74        |
| 366 | Neutrophil Count and the Inflammation-based Glasgow Prognostic Score Predict Survival in Patients with Advanced Gastric Cancer Receiving First-line Chemotherapy. Asian Pacific Journal of Cancer Prevention, 2014, 15, 945-950. | 1.2 | 79        |
| 367 | May the Platelet to Lymphocyte Ratio be a Prognostic Factor for Epithelial Ovarian Cancer?. Asian Pacific Journal of Cancer Prevention, 2014, 15, 9781-9784.   | 1.2 | 37        |
| 368 | Pretreatment Neutrophil/Lymphocyte Ratio as a Prognostic Aid in Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2014, 15, 2647-2650.  | 1.2 | 56        |
| 369 | Platelet Indices May be Useful in Discrimination of Benign and Malign Endometrial Lesions, and Early and Advanced Stage Endometrial Cancer. Asian Pacific Journal of Cancer Prevention, 2015, 16, 5397-5400.                     | 1.2 | 34        |
| 370 | Preoperative Neutrophil to Lymphocyte Ratio as a Prognostic Factor in Patients with Non-metastatic Renal Cell Carcinoma. Asian Pacific Journal of Cancer Prevention, 2015, 16, 3703-3708.  | 1.2 | 26        |
| 371 | New Prognostic Scoring System for Incurable Stage IV Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2016, 17, 597-601.   | 1.2 | 8         |
| 372 | Investigating Preoperative Hematologic Markers for Prediction of Ovarian Cancer Surgical Outcome. Asian Pacific Journal of Cancer Prevention, 2016, 17, 1445-1448.   | 1.2 | 18        |
| 374 | Neoadjuvant chemotherapy and cytoreductive surgery in epithelial ovarian cancer. World Journal of Obstetrics and Gynecology, 2013, 2, 153.   | 0.5 | 0         |
| 375 | NLR and PLR ratios in prognostic assessment of non-small cell lung cancer patients. Diagnostyka<br>Laboratoryjna I WiadomoÅci PTDL, 2016, 52, 13-20.   | 0.1 | 2         |
| 376 | Evaluation of prognostic factor for anaplastic thyroid carcinoma. Japanese Journal of Head and Neck Cancer, 2017, 43, 483-487.   | 0.1 | 0         |
| 377 | Importance Of Neutrophil/lymphocyte Ratio In Squamous-cell Carcinoma Of The Larynx. Journal of Otolaryngology Advances, 2017, 1, 15-23.  | 0.0 | 1         |
| 378 | Assesment of Platelet to lymphocyte ratio and Neutrophil to Lymphocyte Ratio in Ulcerative Colitis: A Retrospective Study. Eurasian Journal of Medicine and Oncology, 2017, 1, .   | 1.0 | 0         |
| 379 | Evaluation of the Association Between the Neutrophil to Lymphocyte Ratio and Mortality in the Patients Followed up with the Diagnosis of Sepsis. Journal of Clinical and Analytical Medicine, 2017, 8, 211-215.                  | 0.1 | 0         |
| 380 | Immunological Status May Predict Response to Nivolumab in Non-small Cell Lung Cancer without Driver Mutations. Anticancer Research, 2017, 37, 3781-3786.   | 1.1 | 19        |
| 381 | Predictive value of systematic inflammatory response biomarkers (NLR, LMR, PLR) in patients with ovarian cancer Diagnostyka Laboratoryjna I WiadomoÅci PTDL, 2017, 53, 139-146.  | 0.1 | 0         |
| 383 | The relationship between localization and neutrophil lymphocyte ratio in colon carcinoma. OrtadoÄŸu<br>Tıp Dergisi, 2018, 10, 64-67.   | 0.1 | 0         |
| 384 | Association of absolute lymphocyte count and circulating CD4+ and CD8+ t-cells with positive clinical outcome in survivors of cancer: An observational study. Indian Journal of Medical Specialities, 2019, 10, 149.             | 0.1 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 385 | Utility of Neutrophil–Lymphocyte Ratio, Platelet–Lymphocyte Ratio, Mean Platelet Volume–Platelet<br>Count Ratios: Diagnostic and Prognostic Markers in Patients with Hepatocellular Carcinoma,<br>Prostate Carcinoma, Stomach Carcinoma, and Aplastic Anemia. Indian Journal of Medical and<br>Paediatric Oncology, 2019, 40, 396-401. | 0.2 | 1         |
| 386 | Association of absolute lymphocyte count and circulating CD4+ and CD8+ t-cells with positive clinical outcome in survivors of cancer: An observational study. Indian Journal of Medical Specialities, 2019, 10, 149.   | 0.1 | 0         |
| 387 | Does neutrophil-lymphocyte ratio show recurrence in patients who underwent curative resection for non-muscle-invasive bladder cancer?. Journal of Surgery and Medicine, 0, , .   | 0.1 | 4         |
| 388 | Neutrophil-to-lymphocyte ratio and chemotherapy response score as prognostic markers in ovarian cancer patients treated with neoadjuvant chemotherapy. Journal of Ovarian Research, 2021, 14, 148.   | 3.0 | 10        |
| 389 | Phenotype of circulating neutrophils at different stages of cervical neoplasia. Medical Immunology (Russia), 2020, 21, 1127-1138.  | 0.4 | 2         |
| 390 | Prognostic inflammatory markers in metastatic renal cell carcinoma: Neutrophil-to-lymphocyte ratio and prognostic nutritional index. Medical Science and Discovery, 2020, 7, 459-465.  | 0.1 | 0         |
| 391 | Evaluation inflammatory markers of hemogram parameters in primary ovarian insufficiency. Tⴚºrk<br>Jinekoloji Ve Obstetrik Dernei Dergisi, 2020, 17, 9-14.  | 0.8 | 2         |
| 393 | Neutrophil-lymphocyte ratio: a controversial marker in predicting Crohn's disease severity. International Journal of Clinical and Experimental Pathology, 2015, 8, 14779-85.   | 0.5 | 33        |
| 394 | Evaluation of Neutrophil-Lymphocyte Ratio, Platelet-Lymphocyte Ratio and Red Blood Cell Distribution Width-Platelet Ratio for Diagnosis of Premature Ovarian Insufficiency. Journal of Family & Reproductive Health, 2016, 10, 211-216.  | 0.4 | 9         |
| 395 | Neutrophil: Lymphocyte ratio and oral squamous cell carcinoma: A preliminary study. Journal of Oral and Maxillofacial Pathology, 2019, 23, 78-81.  | 0.6 | 4         |
| 396 | Evaluation of Combined Cancer Markers With Lactate Dehydrogenase and Application of Machine Learning Algorithms for Differentiating Benign Disease From Malignant Ovarian Cancer. Cancer Control, 2021, 28, 107327482110334.   | 1.8 | 2         |
| 398 | Usefulness of Inflammation-Based Prognostic Scores in Patients with Surgically Treated Pancreatic Ductal Adenocarcinoma. Journal of Clinical Medicine, 2021, 10, 5784.   | 2.4 | 1         |
| 399 | The Good, the Bad, and the Ugly: Neutrophils, Angiogenesis, and Cancer. Cancers, 2022, 14, 536.  | 3.7 | 28        |
| 400 | Neutrophil: Lymphocyte ratio and oral squamous cell carcinoma: A preliminary study. Journal of Oral and Maxillofacial Pathology, 2019, 23, 78.   | 0.6 | 11        |
| 401 | A PROSPECTIVE STUDY OF PRE-TREATMENT NEUTROPHIL-TO-LYMPHOCYTE RATIO PROGNOSTICATE POOR SURVIVAL OUTCOMES AND ADVANCED TUMOR STAGING IN PATIENTS UNDERGOING RADICAL CYSTECTOMY FOR BLADDER CANCER IN A TERTIARY CARE CENTER, 2022, , 44-46.   |     | 0         |
| 402 | Akut Pankreatit Hastalarında Nötrofil/Lenfosit ve Trombosit/Lenfosit Oranlarının Tanısal ve<br>Prognostik DeÄŸeri. Online TÃ⅓rk SaÄŸlık Bilimleri Dergisi, 2022, 7, 80-85.   | 0.5 | 2         |
| 403 | Neutrophil-to-lymphocyte-ratio-based perioperative prognosis prediction model on early mortality after cytoreductive surgery with hyperthermic intraperitoneal chemotherapy. Asian Journal of Surgery, 2022, 45, 2676-2685.  | 0.4 | 1         |
| 404 | Neutrophil–Lymphocyte and Platelet–Lymphocyte Ratios in Preoperative Differential Diagnosis of Benign, Borderline, and Malignant Ovarian Tumors. Journal of Clinical Medicine, 2022, 11, 1355.   | 2.4 | 9         |

| #   | Article   | IF       | CITATIONS |
|-----|---|----------|-----------|
| 405 | Hematologic parameters as a predictor of myometrial and cervical invasion in endometrial cancer. Minerva Obstetrics and Gynecology, 2021, 73, 770-775.  | 1.0      | 0         |
| 408 | The relationship of different preoperative inflammatory markers with the prognosis of gastric carcinoma. Asian Journal of Surgery, 2023, 46, 360-365.   | 0.4      | 3         |
| 409 | Prognostic Significance of Pretreatment Neutrophil-to-Lymphocyte Ratio, Plateletâ^'toâ^'Lymphocyte Ratio, or Monocyte-to-Lymphocyte Ratio in Endometrial Neoplasms: A Systematic Review and Metaâ^'analysis. Frontiers in Oncology, 2022, 12, .   | 2.8      | 18        |
| 410 | The  Danse Macabre'—Neutrophils the Interactive Partner Affecting Oral Cancer Outcomes. Frontiers in Immunology, 0, 13, .   | 4.8      | 7         |
| 411 | The effect of haemoglobin, albumin, lymphocyte and platelet score on the prognosis in patients with multiple myeloma. International Journal of Laboratory Hematology, 2023, 45, 13-19.  | 1.3      | 3         |
| 412 | Immune Tumor Microenvironment in Ovarian Cancer Ascites. International Journal of Molecular Sciences, 2022, 23, 10692.  | 4.1      | 15        |
| 413 | Tip 2 diabetes mellituslu hastalarda nötrofil lenfosit oranı ile diyabet kontrolÃ⅓ arasındaki iliÅŸki. Ege Tıp<br>Dergisi, 0, , 444-451.  | 0.2      | 0         |
| 414 | Association between systemic inflammation and water composition and survival in colorectal cancer. Frontiers in Oncology, 0, $12$ , .   | 2.8      | 5         |
| 415 | Study on Preoperative Neutrophil/Lymphocyte (NLR) and Platelet/Lymphocyte Ratio (PLR) as a Predictive Factor in Endometrial Cancer. Asian Pacific Journal of Cancer Prevention, 2022, 23, 3317-3322.  | 1.2      | 5         |
| 416 | Lipocalin 2â€"not only a biomarker: a study of current literature and systematic findings of ongoing clinical trials. Immunologic Research, 2023, 71, 287-313.  | 2.9      | 7         |
| 417 | Diagnostic and prognostic role of circulating neutrophil extracellular trap markers and prekallikrein in patients with high-grade serous ovarian cancer. Frontiers in Oncology, 0, 12, .  | 2.8      | 1         |
| 418 | YOĞUN BAKIM HASTALARINDA İNFLAMATUAR BELİRTEÇLERİN MORTALİTE ÜZERİNE ETKİLERİNİN<br>Cukurova Anestezi Ve Cerrahi Bilimler Dergisi, 2022, 5, 389-396.  | N BELİRL | ENMESİ.   |
| 419 | Prognostic Role of Neutrophil-to-Lymphocyte Ratio (NLR), Lymphocyte-to-Monocyte Ratio (LMR), Platelet-to-Lymphocyte Ratio (PLR) and Lymphocyte-to-C Reactive Protein Ratio (LCR) in Patients with Hepatocellular Carcinoma (HCC) undergoing Chemoembolizations (TACE) of the Liver: The Unexplored Corner Linking Tumor Microenvironment, Biomarkers and Interventional Radiology. Cancers, 2023, 15, | 3.7      | 11        |
| 420 | 257. Association of Preoperative Neutrophilâ€toâ€Lymphocyte Ratio with Postoperative Acute Kidney Injury and Mortality Following Major Noncardiac Surgeries. World Journal of Surgery, 2023, 47, 948-961.   | 1.6      | 1         |
| 421 | Demographic and Social Patterns of the Mean Values of Inflammatory Markers in U.S. Adults: A 2009–2016 NHANES Analysis. Diseases (Basel, Switzerland), 2023, 11, 14.  | 2.5      | 1         |
| 422 | Increased levels of NETosis biomarkers in high-grade serous ovarian cancer patients' biofluids:<br>Potential role in disease diagnosis and management. Frontiers in Immunology, 0, 14, .  | 4.8      | 5         |
| 423 | Independent predictive value of blood inflammatory composite markers in ovarian cancer: recent clinical evidence and perspective focusing on NLR and PLR. Journal of Ovarian Research, 2023, 16, .  | 3.0      | 13        |
| 424 | MAY THE SYSTEMIC IMMUNE-INFLAMMATION INDEX BE AN INDICATOR OF PREMATURE OVARIAN FAILURE?.<br>Middle Black Sea Journal of Health Science, 0, , .   | 0.4      | O         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 425 | Progress in Clinical Application of Thyroid Imaging Report and Data System. Advances in Clinical Medicine, 2023, 13, 2569-2574.  | 0.0 | O         |
| 428 | An Insight into Survivin in Relevance to Hematological, Biochemical and Genetic Characteristics in Tobacco Chewers with Oral Squamous Cell Carcinoma. Cells, 2023, 12, 1444.   | 4.1 | 2         |
| 429 | Crosstalk of Immune Cells and Platelets in an Ovarian Cancer Microenvironment and Their Prognostic Significance. International Journal of Molecular Sciences, 2023, 24, 9279.  | 4.1 | 4         |
| 430 | Clinical utility of neutrophil-to-lymphocyte ratio in the assessment of asthma and its severity.  Current Medicine Research and Practice, 2023, 13, 137.   | 0.1 | 0         |
| 431 | T-cell lymphoma infiltrating the uterus and ovaries of a Golden Retriever: a case report. Irish Veterinary Journal, 2023, 76, .  | 2.1 | 0         |
| 432 | Prognostic value of neutrophil-to-lymphocyte ratio and fibrinogen levels in ovarian cancer. Medical Journal of Indonesia, 2023, 32, 86-97.   | 0.5 | 0         |
| 433 | Research Progress of the Relationship between Peripheral Blood Indexes and the Diagnosis, Treatment and Prognosis of Ovarian Cancer. Advances in Clinical Medicine, 2023, 13, 17362-17373.   | 0.0 | 0         |
| 434 | Pretreatment Neutrophil-to-Lymphocyte Ratio as Prognostic Biomarkers in Patients with Unresectable<br>Hepatocellular Carcinoma Treated with Hepatic Arterial Infusion Chemotherapy Combined with<br>Lenvatinib and Camrelizumab. Journal of Hepatocellular Carcinoma, 0, Volume 10, 2049-2058. | 3.7 | 0         |
| 435 | Pretreatment systemic inflammatory markers predict survival in endometrial cancer: A Japanese Gynecologic Oncology Group 2043 exploratory data analysis. Gynecologic Oncology, 2024, 181, 46-53.   | 1.4 | 0         |
| 436 | Research Progress on the Relationship between NLR, GPR, 25-(OH) Levels and Carotid Intima-Media Thickness in Patients with Obstructive Sleep Apnea Hypopnea Syndrome. Lin Chuang Ge Xing Hua Yi Xue, 2024, 03, 24-31.  | 0.0 | 0         |