

Pre-treatment neutrophil to lymphocyte ratio is elevated
predicts survival after treatment

Cancer Immunology, Immunotherapy

58, 15-23

DOI: [10.1007/s00262-008-0516-3](https://doi.org/10.1007/s00262-008-0516-3)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Lipocalin 2 Expressions Correlate Significantly With Tumor Differentiation in Epithelial Ovarian Cancer. <i>Journal of Histochemistry and Cytochemistry</i> , 2009, 57, 513-521.	1.3	77
2	Leukotriene B4 Creates a Favorable Microenvironment for Murine Melanoma Growth. <i>Molecular Cancer Research</i> , 2009, 7, 1417-1424.	1.5	36
3	Multiplication of neutrophil and monocyte counts (MNM) as an easily obtainable tumour marker for cervical cancer. <i>Biomarkers</i> , 2009, 14, 161-170.	0.9	23
4	Found in transcription: gene expression and other novel blood biomarkers for the early detection of breast cancer. <i>Expert Review of Anticancer Therapy</i> , 2009, 9, 1115-1123.	1.1	11
5	Systemic inflammation, nutritional status and survival in patients with cancer. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009, 12, 223-226.	1.3	787
6	Systemic Leukocyte Alterations Are Associated With Invasive Uterine Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 1154-1159.	1.2	47
7	Prognostic Significance of Host- and Tumor-Related Factors in Patients with Gastric Cancer. <i>World Journal of Surgery</i> , 2010, 34, 285-290.	0.8	110
8	Elevated preoperative neutrophil to lymphocyte ratio predicts risk of recurrence following curative resection for stage IIA colon cancer. <i>International Journal of Colorectal Disease</i> , 2010, 25, 1427-1433.	1.0	191
9	The effect of peripheral blood values on prognosis of patients with locally advanced gastric cancer before treatment. <i>Medical Oncology</i> , 2010, 27, 1060-1065.	1.2	113
10	A pre-operative elevated neutrophil: lymphocyte ratio does not predict survival from oesophageal cancer resection. <i>World Journal of Surgical Oncology</i> , 2010, 8, 1.	0.8	85
11	Improving the accuracy of pre-operative survival prediction in renal cell carcinoma with C-reactive protein. <i>British Journal of Cancer</i> , 2010, 103, 1649-1656.	2.9	62
12	Role of systemic inflammatory response in predicting survival in patients with primary operable cancer. <i>Future Oncology</i> , 2010, 6, 149-163.	1.1	798
13	Elevated neutrophil to lymphocyte ratio predicts survival in advanced pancreatic cancer. <i>Biomarkers</i> , 2010, 15, 516-522.	0.9	199
14	Pretreatment Neutrophil-to-Lymphocyte Ratio as an Independent Predictor of Recurrence in Patients With Nonmetastatic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2010, 184, 873-878.	0.2	182
15	Neutrophil to lymphocyte ratio for preoperative diagnosis of uterine sarcomas: A case-matched comparison. <i>European Journal of Surgical Oncology</i> , 2010, 36, 691-698.	0.5	74
16	Gene expression profiling of peripheral blood cells for early detection of breast cancer. <i>Breast Cancer Research</i> , 2010, 12, R7.	2.2	95
17	Blood Neutrophil-to-lymphocyte Ratio Predicts Survival in Patients with Unresectable Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Journal of Vascular and Interventional Radiology</i> , 2011, 22, 702-709.	0.2	106
18	A comparison of inflammation-based prognostic scores in patients with cancer. A Glasgow Inflammation Outcome Study. <i>European Journal of Cancer</i> , 2011, 47, 2633-2641.	1.3	632

#	ARTICLE	IF	CITATIONS
19	Intratumoral neutrophils: A poor prognostic factor for hepatocellular carcinoma following resection. <i>Journal of Hepatology</i> , 2011, 54, 497-505.	1.8	236
20	Serum markers for prediction of spontaneous preterm delivery in preterm labour. <i>European Journal of Clinical Investigation</i> , 2011, 41, 773-780.	1.7	38
21	Neutrophil/lymphocyte ratio predicts chemotherapy outcomes in patients with advanced colorectal cancer. <i>British Journal of Cancer</i> , 2011, 104, 1288-1295.	2.9	402
22	Elevated Preoperative Neutrophil:Lymphocyte Ratio as a Predictor of Postoperative Disease Recurrence in Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2011, 18, 3362-3369.	0.7	301
23	Effect of preoperative neutrophilâ€“lymphocyte ratio on the surgical outcomes of stage II colon cancer patients who do not receive adjuvant chemotherapy. <i>International Journal of Colorectal Disease</i> , 2011, 26, 1059-1065.	1.0	118
24	Immune responses and immunotherapeutic interventions in malignant pleural mesothelioma. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1509-1527.	2.0	50
25	Preoperative platelet lymphocyte ratio as an independent prognostic marker in ovarian cancer. <i>Clinical and Translational Oncology</i> , 2011, 13, 499-503.	1.2	201
26	Elevated neutrophil to lymphocyte ratio predicts poor prognosis in nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2011, 32, 317-324.	0.8	84
27	Polymorphonuclear granulocytes in human head and neck cancer: Enhanced inflammatory activity, modulation by cancer cells and expansion in advanced disease. <i>International Journal of Cancer</i> , 2011, 129, 2183-2193.	2.3	237
28	Immunity and immune suppression in human ovarian cancer. <i>Immunotherapy</i> , 2011, 3, 539-556.	1.0	102
29	Novel Antibody-Based Proteins for Cancer Immunotherapy. <i>Cancers</i> , 2011, 3, 3370-3393.	1.7	5
30	Neutrophil-Lymphocyte Ratio Predicts Medium-Term Survival Following Elective Major Vascular Surgery: A Cross-Sectional Study. <i>Vascular and Endovascular Surgery</i> , 2011, 45, 227-231.	0.3	139
31	Prognostic nomogram to predict progression-free survival in patients with platinum-sensitive recurrent ovarian cancer. <i>British Journal of Cancer</i> , 2011, 105, 1144-1150.	2.9	32
32	Peripheral Blood Neutrophil Granulocytes from Patients with Head and Neck Squamous Cell Carcinoma Functionally Differ from Their Counterparts in Healthy Donors. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 683-693.	1.0	92
33	The role of inflammatory cells in fostering pancreatic cancer cell growth and invasion. <i>Frontiers in Physiology</i> , 2012, 3, 270.	1.3	64
34	Comparison of Two Inflammation-Based Prognostic Scores in Patients with Unresectable Advanced Gastric Cancer. <i>Oncology</i> , 2012, 83, 292-299.	0.9	71
35	A derived neutrophil to lymphocyte ratio predicts survival in patients with cancer. <i>British Journal of Cancer</i> , 2012, 107, 695-699.	2.9	391
36	Neutrophils Promote Liver Metastasis via Mac-1â€“Mediated Interactions with Circulating Tumor Cells. <i>Cancer Research</i> , 2012, 72, 3919-3927.	0.4	331

#	ARTICLE	IF	CITATIONS
37	Pretreatment Neutrophil-to-Lymphocyte Ratio in Metastatic Castration-Resistant Prostate Cancer Patients Treated With Ketoconazole: Association with Outcome and Predictive Nomogram. <i>Oncologist</i> , 2012, 17, 1508-1514.	1.9	83
38	Circulating myeloid-derived suppressor cells are increased and correlate to immune suppression, inflammation and hypoproteinemia in patients with cancer. <i>Oncology Reports</i> , 2012, 28, 453-458.	1.2	107
39	Followup of Neutrophil-to-Lymphocyte Ratio and Recurrence of Clear Cell Renal Cell Carcinoma. <i>Journal of Urology</i> , 2012, 187, 411-417.	0.2	114
40	Elevated neutrophil to lymphocyte ratio might predict poor prognosis for colorectal liver metastasis after percutaneous radiofrequency ablation. <i>International Journal of Hyperthermia</i> , 2012, 28, 132-140.	1.1	33
41	Prognostic Value of Neutrophil-to-lymphocyte Ratio and Establishment of Novel Preoperative Risk Stratification Model in Bladder Cancer Patients Treated With Radical Cystectomy. <i>Urology</i> , 2012, 79, 1085-1091.	0.5	212
42	The association of pre-treatment neutrophil to lymphocyte ratio with response rate, progression free survival and overall survival of patients treated with sunitinib for metastatic renal cell carcinoma. <i>European Journal of Cancer</i> , 2012, 48, 202-208.	1.3	170
43	Pre-operative systemic inflammatory response markers in predicting lymph node metastasis in endometrioid endometrial adenocarcinoma. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 206-210.	0.5	34
44	DNA methylation arrays as surrogate measures of cell mixture distribution. <i>BMC Bioinformatics</i> , 2012, 13, 86.	1.2	2,563
45	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Advanced Colorectal Cancer Patients Receiving Oxaliplatin-Based Chemotherapy. <i>Oncology</i> , 2012, 82, 261-268.	0.9	72
46	The Evaluation of Neutrophil-Lymphocyte Ratio in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 69-74.	0.7	177
47	Assessment of neutrophil-lymphocyte ratio in ulcerative colitis: A promising marker in predicting disease severity. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012, 36, 491-497.	0.7	151
48	Neutrophil to lymphocyte ratio (NLR) as an indicator of poor prognosis in stage IV non-small cell lung cancer. <i>Clinical and Translational Oncology</i> , 2012, 14, 864-869.	1.2	216
49	The Activation Pattern of Blood Leukocytes in Head and Neck Squamous Cell Carcinoma Is Correlated to Survival. <i>PLoS ONE</i> , 2012, 7, e51120.	1.1	56
50	Human Neutrophil Peptides 1-3 as Gastric Cancer Tissue Markers Measured by MALDI-Imaging Mass Spectrometry: Implications for Infiltrated Neutrophils as a Tumor Target. <i>Disease Markers</i> , 2012, 32, 21-31.	0.6	15
51	Platelet to lymphocyte ratio as a prognostic factor for epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2012, 23, 265.	1.0	192
52	Pretreatment levels of peripheral neutrophils and lymphocytes as independent prognostic factors in patients with nasopharyngeal carcinoma. <i>Head and Neck</i> , 2012, 34, 1769-1776.	0.9	170
53	Neutrophils and granulocytic myeloid-derived suppressor cells: immunophenotyping, cell biology and clinical relevance in human oncology. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 1155-1167.	2.0	340
54	Pre-treatment diagnosis of endometrial cancer through a combination of CA125 and multiplication of neutrophil and monocyte. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 48-56.	0.6	19

#	ARTICLE	IF	CITATIONS
55	Neutrophil-to-lymphocyte ratio associated with mortality in early hepatocellular carcinoma patients after radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 553-561.	1.4	122
56	Absolute lymphocyte count is associated with survival in ovarian cancer independent of tumor-infiltrating lymphocytes. <i>Journal of Translational Medicine</i> , 2012, 10, 33.	1.8	93
57	Predictive clinical outcome of the intratumoral CD66b ⁺ positive neutrophil-to-CD8a ⁺ positive T cell ratio in patients with resectable nonsmall cell lung cancer. <i>Cancer</i> , 2012, 118, 1726-1737.	2.0	146
58	Prognostic value of C-reactive protein and neutrophil-to-lymphocyte ratio in patients with hepatocellular carcinoma. <i>BMC Cancer</i> , 2013, 13, 78.	1.1	95
59	Pretreatment neutrophil to lymphocyte ratio is associated with response to therapy and prognosis of advanced non-small cell lung cancer patients treated with first-line platinum-based chemotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 471-479.	2.0	146
60	Preoperative neutrophil to lymphocyte ratio ≥ 5 is a prognostic factor for recurrent colorectal cancer. <i>Colorectal Disease</i> , 2013, 15, 323-328.	0.7	104
61	The systemic inflammation-based neutrophil-to-lymphocyte ratio: Experience in patients with cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 88, 218-230.	2.0	1,106
62	Preoperative Neutrophil-Lymphocyte Ratio as an Independent Prognostic Marker for Patients With Upper Urinary Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 337-341.	0.9	61
63	Pre-treatment neutrophil-to-lymphocyte ratio may be associated with the outcome in patients treated with everolimus for metastatic renal cell carcinoma. <i>British Journal of Cancer</i> , 2013, 109, 1755-1759.	2.9	79
64	A multicenter, randomized trial of flat dosing versus inpatient dose escalation of single-agent carboplatin as first-line chemotherapy for advanced ovarian cancer: an SGCTG (SCOTROC 4) and ANZGOG study on behalf of GCIIG. <i>Annals of Oncology</i> , 2013, 24, 679-687.	0.6	39
65	Is the Pretreatment Neutrophil to Lymphocyte Ratio an Important Prognostic Parameter in Patients with Metastatic Renal Cell Carcinoma?. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 141-148.	0.9	41
66	The significant immunological characteristics of peripheral blood neutrophil-to-lymphocyte ratio and Fas ligand expression incidence in nephrectomized tumor in late recurrence from renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1343-1349.	0.8	22
67	Validation of pretreatment neutrophil-to-lymphocyte ratio as a prognostic factor in a European cohort of patients with upper tract urothelial carcinoma. <i>BJU International</i> , 2014, 114, 334-339.	1.3	52
68	Modulation of neutrophil granulocytes in the tumor microenvironment: Mechanisms and consequences for tumor progression. <i>Seminars in Cancer Biology</i> , 2013, 23, 141-148.	4.3	241
69	Can preoperative neutrophil:lymphocyte and platelet:lymphocyte ratios be used as predictive markers for lymph node metastasis in squamous cell carcinoma of the vulva?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 171, 138-142.	0.5	25
70	Pretreatment neutrophil/lymphocyte ratio is superior to platelet/lymphocyte ratio as a predictor of long-term mortality in breast cancer patients. <i>Medical Oncology</i> , 2013, 30, 432.	1.2	206
71	Changes in peripheral blood immune cells: their prognostic significance in metastatic renal cell carcinoma patients treated with molecular targeted therapy. <i>Medical Oncology</i> , 2013, 30, 556.	1.2	47
72	Blood Neutrophil-to-Lymphocyte Ratio is Prognostic in Gastrointestinal Stromal Tumor. <i>Annals of Surgical Oncology</i> , 2013, 20, 593-599.	0.7	64

#	ARTICLE	IF	CITATIONS
73	IL-6 Cooperates with G-CSF To Induce Protumor Function of Neutrophils in Bone Marrow by Enhancing STAT3 Activation. <i>Journal of Immunology</i> , 2013, 190, 5882-5893.	0.4	98
74	The Median Informs the Message: Accuracy of Individualized Scenarios for Survival Time Based on Oncologists' Estimates. <i>Journal of Clinical Oncology</i> , 2013, 31, 3565-3571.	0.8	43
75	Refining the role of preoperative C-reactive protein by neutrophil/lymphocyte ratio in oral cavity squamous cell carcinoma. <i>Laryngoscope</i> , 2013, 123, 2690-2699.	1.1	72
76	Elevated preoperative neutrophil/lymphocyte ratio is associated with poor prognosis in soft-tissue sarcoma patients. <i>British Journal of Cancer</i> , 2013, 108, 1677-1683.	2.9	121
77	Elevated serum levels of vascular endothelial growth factor is effective as a marker for malnutrition and inflammation in patients with ovarian cancer. <i>Biomedical Reports</i> , 2013, 1, 197-201.	0.9	12
78	Serum levels of vascular endothelial growth factor are increased and correlate with malnutrition, immunosuppression involving MDSCs and systemic inflammation in patients with cancer of the digestive system. <i>Oncology Letters</i> , 2013, 5, 1682-1686.	0.8	43
79	ROLE OF HEMATOLOGICAL PARAMETERS IN DIAGNOSIS AND PROGNOSIS OF GASTRIC CARCINOMA IN KASHMIR, INDIA. <i>International Research Journal of Pharmacy</i> , 2013, 4, 134-137.	0.0	16
80	Can Neutrophil-Lymphocyte Ratio and Lymph Node Density Be Used as Prognostic Factors in Patients Undergoing Radical Cystectomy?. <i>Scientific World Journal</i> , The, 2013, 2013, 1-5.	0.8	30
81	Relationship between late arteriovenous fistula (AVF) stenosis and neutrophil-lymphocyte ratio (NLR) in chronic hemodialysis patients. <i>Renal Failure</i> , 2014, 36, 1390-1394.	0.8	38
82	Prognostic value of carbohydrate tumor markers and inflammation-based markers in metastatic or recurrent gastric cancer. <i>Medical Oncology</i> , 2014, 31, 289.	1.2	33
83	Preoperative lymphocyte-to-monocyte ratio predicts clinical outcome in patients undergoing radical cystectomy for transitional cell carcinoma of the bladder: a retrospective analysis. <i>BMC Urology</i> , 2014, 14, 76.	0.6	43
84	Neutrophil to lymphocyte ratio is superior to platelet to lymphocyte ratio as an early predictor of moderate/severe ovarian hyperstimulation syndrome. <i>Journal of Obstetrics and Gynaecology</i> , 2014, 34, 639-643.	0.4	17
85	The preoperative lymphocyte to monocyte ratio predicts clinical outcome in patients with stage III colon cancer. <i>British Journal of Cancer</i> , 2014, 110, 435-440.	2.9	269
86	Emphasis of Neutrophil-to-Lymphocyte Ratio in Non-Metastatic Renal Cell Carcinoma. <i>Urologia</i> , 2014, 81, 51-56.	0.3	3
87	Functional analysis of differential mRNAs in cancer peripheral blood: reflection of population shifts in myeloid-origin and lymphoid-origin cells. , 2014, , .		0
88	Impact of Underweight after Treatment on Prognosis of Advanced-Stage Ovarian Cancer. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8.	0.9	28
89	Inflammation-Based Scores: A New Method for Patient-Targeted Strategies and Improved Perioperative Outcome in Cancer Patients. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	43
90	Immunotherapy for recurrent ovarian cancer: a further piece of the puzzle or a striking strategy?. <i>Expert Opinion on Biological Therapy</i> , 2014, 14, 103-114.	1.4	6

#	ARTICLE	IF	CITATIONS
91	Preoperative neutrophil-lymphocyte ratio predicts death among patients with localized clear cell renal carcinoma undergoing nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1277-1284.	0.8	46
92	The Role of Relative Lymphocyte Count as a Biomarker for the Effect of Catumaxomab on Survival in Malignant Ascites Patients: Results from a Phase II/III Study. <i>Clinical Cancer Research</i> , 2014, 20, 3348-3357.	3.2	17
93	Neutrophil to Lymphocyte Ratio Predicts Perioperative Mortality Following Open Elective Repair of Abdominal Aortic Aneurysms. <i>Vascular and Endovascular Surgery</i> , 2014, 48, 311-316.	0.3	31
94	Prognostic significance of neutrophil-lymphocyte ratio in hepatocellular carcinoma: a meta-analysis. <i>BMC Cancer</i> , 2014, 14, 117.	1.1	184
95	Neutrophil-to-Lymphocyte Ratio May Predict Progression in Patients With Keratoconus. <i>Cornea</i> , 2014, 33, 1168-1173.	0.9	61
96	Concurrent Chemoradiotherapy for Men With Locally Advanced Penile Squamous Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 440-446.	0.9	29
97	Selective inhibition of histone deacetylase 6 alters the composition of circulating blood cells in a lethal septic model. <i>Journal of Surgical Research</i> , 2014, 190, 647-654.	0.8	13
98	Association of Total White Cell Count with Mortality and Major Adverse Events in Patients with Peripheral Arterial Disease: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 422-432.	0.8	9
99	Prognostic importance of baseline neutrophil to lymphocyte ratio in patients with advanced papillary thyroid carcinomas. <i>Endocrine</i> , 2014, 46, 526-531.	1.1	63
100	Neutrophil-to-lymphocyte ratio predicts PSA response, but not outcomes in patients with castration-resistant prostate cancer treated with docetaxel. <i>International Urology and Nephrology</i> , 2014, 46, 1531-1535.	0.6	21
101	Integrative genomic analysis identifies epigenetic marks that mediate genetic risk for epithelial ovarian cancer. <i>BMC Medical Genomics</i> , 2014, 7, 8.	0.7	32
102	Cellular and molecular mechanisms in cancer immune escape: a comprehensive review. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 41-62.	1.3	112
103	Neutrophil to lymphocyte ratio as a measure of systemic inflammation in psoriasis. <i>Cutaneous and Ocular Toxicology</i> , 2014, 33, 223-227.	0.5	110
104	Similar blood-borne DNA methylation alterations in cancer and inflammatory diseases determined by subpopulation shifts in peripheral leukocytes. <i>British Journal of Cancer</i> , 2014, 111, 525-531.	2.9	15
105	Bladder cancer invasion predictability based on preoperative neutrophil-lymphocyte ratio. <i>Tumor Biology</i> , 2014, 35, 6601-6605.	0.8	43
107	A systematic review and meta-analysis on the impact of pre-operative neutrophil lymphocyte ratio on long term outcomes after curative intent resection of solid tumours. <i>Surgical Oncology</i> , 2014, 23, 31-39.	0.8	260
108	Prognostic significance and predictors of the neutrophil-to-lymphocyte ratio in ovarian cancer. <i>Gynecologic Oncology</i> , 2014, 132, 542-550.	0.6	128
109	Prognostic Impact of the Neutrophil-to-Lymphocyte Ratio in Men With Metastatic Castration-Resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 317-324.	0.9	60

#	ARTICLE	IF	CITATIONS
110	The prognostic significance of preoperative leukocytosis in epithelial ovarian carcinoma: A retrospective cohort study. <i>Gynecologic Oncology</i> , 2014, 132, 551-555.	0.6	27
111	Relative lymphocyte count is a prognostic parameter in cancer patients with catumaxomab immunotherapy. <i>Medical Hypotheses</i> , 2014, 82, 295-299.	0.8	11
112	Pretreatment Neutrophil-to-Lymphocyte Ratio Is Associated with Advanced Pathologic Tumor Stage and Increased Cancer-specific Mortality Among Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>European Urology</i> , 2014, 66, 1157-1164.	0.9	163
113	Mean platelet volume could be a useful biomarker for monitoring epithelial ovarian cancer. <i>Journal of Obstetrics and Gynaecology</i> , 2014, 34, 515-518.	0.4	54
114	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju124.	3.0	2,202
115	A monocyte/granulocyte to lymphocyte ratio predicts survival in patients with hepatocellular carcinoma. <i>Scientific Reports</i> , 2015, 5, 15263.	1.6	27
116	Preoperative neutrophil/lymphocyte ratio and prognostic nutritional index predict survival in patients with non-small cell lung cancer. <i>World Journal of Surgical Oncology</i> , 2015, 13, 291.	0.8	79
117	Elevated peripheral blood lymphocyte-to-monocyte ratio predicts a favorable prognosis in the patients with metastatic nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2015, 34, 237-46.	4.9	44
118	Neutrophil/lymphocyte ratio, platelet/lymphocyte ratio, and mean platelet volume as potential biomarkers for early detection and monitoring of colorectal adenocarcinoma. <i>European Journal of Cancer Prevention</i> , 2015, 24, 328-333.	0.6	72
119	Neutrophil-to-lymphocyte ratio in head and neck cancer. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015, 59, 514-519.	0.9	46
120	Relationship of preoperative neutrophil lymphocyte ratio with prognosis in gastrointestinal stromal tumors. <i>Turkish Journal of Surgery</i> , 2015, 31, 61-64.	1.0	4
121	Association of the Preoperative Neutrophil-to-lymphocyte Count Ratio and Platelet-to-Lymphocyte Count Ratio with Clinicopathological Characteristics in Patients with Papillary Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2015, 30, 494.	1.3	42
122	Risk Factors of Sepsis in Obstructive Acute Pyelonephritis Associated with Urinary Tract Calculi. <i>Urogenital Tract Infection</i> , 2015, 10, 108.	0.1	2
123	Prognostic value of monocyte and neutrophils to lymphocytes ratio in patients with metastatic soft tissue sarcoma. <i>Oncotarget</i> , 2015, 6, 9542-9550.	0.8	33
124	Novel immunological and nutritional-based prognostic index for gastric cancer. <i>World Journal of Gastroenterology</i> , 2015, 21, 5961-5971.	1.4	82
125	Prognostic significance of neutrophil to lymphocyte ratio in pancreatic cancer: A meta-analysis. <i>World Journal of Gastroenterology</i> , 2015, 21, 2807.	1.4	164
126	Immunological markers predict the prognosis of patients with squamous non-small cell lung cancer. <i>Immunologic Research</i> , 2015, 62, 316-324.	1.3	20
127	Prognostic Value of the Modified Glasgow Prognostic Score in Patients Undergoing Radical Surgery for Hepatocellular Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e1486.	0.4	47

#	ARTICLE	IF	CITATIONS
128	The Utility of Neutrophil-to-Lymphocyte Ratio as a Severity Predictor of Acute Appendicitis, Length of Hospital Stay and Postoperative Complication Rates. <i>Digestive Surgery</i> , 2015, 32, 459-463.	0.6	28
129	Differentiation between benign and malignant ovarian masses in the preoperative period using neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios. <i>Molecular and Clinical Oncology</i> , 2015, 3, 317-321.	0.4	25
130	Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios in patients with endometrial hyperplasia and endometrial cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 445-448.	0.6	25
131	The prognostic value of pretreatment of systemic inflammatory responses in patients with urothelial carcinoma undergoing radical cystectomy. <i>British Journal of Cancer</i> , 2015, 112, 461-467.	2.9	55
132	Preoperative neutrophil-to-lymphocyte ratio predicts response to first-line platinum-based chemotherapy and prognosis in serous ovarian cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 255-262.	1.1	51
133	Does neutrophil-to-lymphocyte ratio predict active ulcerative colitis?. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 262-265.	1.0	84
134	Inflammation and Cancer. , 2015, , 285-296.e3.		0
135	The neutrophil-to-lymphocyte ratio and its utilisation for the management of cancer patients in early clinical trials. <i>British Journal of Cancer</i> , 2015, 112, 1157-1165.	2.9	67
136	The association between the neutrophil-to-lymphocyte ratio and mortality in critical illness: an observational cohort study. <i>Critical Care</i> , 2015, 19, 13.	2.5	124
137	The derived neutrophil/lymphocyte ratio predicts poor clinical outcome in soft tissue sarcoma patients. <i>American Journal of Surgery</i> , 2015, 210, 111-116.	0.9	34
138	Chemical sympathectomy increases neutrophil-to-lymphocyte ratio in tumor-bearing rats but does not influence cancer progression. <i>Journal of Neuroimmunology</i> , 2015, 278, 255-261.	1.1	9
139	Systemic neutrophil-to-lymphocyte ratio in colorectal cancer: the relationship to patient survival, tumour biology and local lymphocytic response to tumour. <i>British Journal of Cancer</i> , 2015, 113, 204-211.	2.9	99
140	Pre-operative granulocyte/lymphocyte ratio as a predictive marker of post-operative complications in patients with colorectal cancer. <i>Oncology Letters</i> , 2015, 9, 425-429.	0.8	4
141	Surface antigen expression on peripheral blood monocytes in women with gynecologic malignancies. <i>BMC Cancer</i> , 2015, 15, 129.	1.1	9
142	The pretreatment neutrophil-to-lymphocyte ratio predicts therapeutic response to radiation therapy and concurrent chemoradiation therapy in uterine cervical cancer. <i>International Journal of Clinical Oncology</i> , 2015, 20, 989-996.	1.0	61
143	Neutrophils: important contributors to tumor progression and metastasis. <i>Cancer and Metastasis Reviews</i> , 2015, 34, 735-751.	2.7	185
144	Targeting Programmed Cell Death 1 in Ovarian Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 3987-3989.	0.8	18
145	Preoperative platelet/lymphocyte ratio is a superior prognostic factor compared to other systemic inflammatory response markers in ovarian cancer patients. <i>Tumor Biology</i> , 2015, 36, 8831-8837.	0.8	78

#	ARTICLE	IF	CITATIONS
146	Neutrophil count is associated with survival in localized prostate cancer. <i>BMC Cancer</i> , 2015, 15, 594.	1.1	49
147	Poor performance status (PS) is an indication for an aggressive approach to neoadjuvant chemotherapy in patients with advanced epithelial ovarian cancer (EOC). <i>Gynecologic Oncology</i> , 2015, 139, 216-220.	0.6	9
148	The Multifaceted Roles Neutrophils Play in the Tumor Microenvironment. <i>Cancer Microenvironment</i> , 2015, 8, 125-158.	3.1	315
149	Usefulness of the neutrophil-to-lymphocyte ratio to prediction of type 2 diabetes mellitus in morbid obesity. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2015, 9, 299-304.	1.8	47
150	Systemic inflammatory markers as independent prognosticators of head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015, 37, 103-110.	0.9	131
151	Pretreatment neutrophil-to-lymphocyte ratio as predictor of survival for patients with metastatic nasopharyngeal carcinoma. <i>Head and Neck</i> , 2015, 37, 69-75.	0.9	56
152	Prognostic value of preoperative neutrophils to lymphocytes ratio in patients resected for gastric cancer. <i>American Journal of Surgery</i> , 2015, 209, 333-337.	0.9	57
153	Neutrophil-to-lymphocyte ratio may predict in-hospital mortality in patients with acute type A aortic dissection. <i>Herz</i> , 2015, 40, 716-721.	0.4	24
154	May ratio of neutrophil to lymphocyte be useful in predicting the risk of developing preeclampsia? A pilot study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 97-99.	0.7	56
155	The Lymphocyte-Monocyte Ratio Predicts Patient Survival and Aggressiveness of Ovarian Cancer. <i>Journal of Cancer</i> , 2016, 7, 289-296.	1.2	77
156	Preoperative Lymphocyte-Monocyte Ratio Is a Predictor of Suboptimal Cytoreduction in Stage III-IV Epithelial Ovarian Cancer. <i>Journal of Cancer</i> , 2016, 7, 1772-1779.	1.2	12
157	Clinical Significance of Preoperative Neutrophil to - Lymphocyte Ratio in Renal Cell Carcinoma. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016, 42, 678-684.	0.7	10
158	The neutrophil-to-lymphocyte ratio: a narrative review. <i>Ecancermedicalscience</i> , 2016, 10, 702.	0.6	202
159	What Are the Predictive Factors of Severe Conditions in Acute Obstructive Pyelonephritis?. <i>Urogenital Tract Infection</i> , 2016, 11, 12.	0.1	1
160	Prognostic significance of neutrophil-lymphocyteratio/platelet-lymphocyteratio in lung cancers: a meta-analysis. <i>Oncotarget</i> , 2016, 7, 76769-76778.	0.8	44
161	Systemic Inflammatory Response Based on Neutrophil-to-Lymphocyte Ratio as a Prognostic Marker in Bladder Cancer. <i>Disease Markers</i> , 2016, 2016, 1-12.	0.6	37
162	Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. <i>BioMed Research International</i> , 2016, 2016, 1-6.	0.9	15
163	Elevated preoperative neutrophil-to-lymphocyte ratio is associated with poor prognosis in gastrointestinal stromal tumor patients. <i>OncoTargets and Therapy</i> , 2016, 9, 877.	1.0	14

#	ARTICLE	IF	CITATIONS
164	Neutrophils and Granulocytic MDSC: The Janus God of Cancer Immunotherapy. <i>Vaccines</i> , 2016, 4, 31.	2.1	58
165	Pretreatment neutrophil-to-lymphocyte ratio as a survival predictor for small-cell lung cancer. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5761-5770.	1.0	30
166	Renal cell carcinoma in end-stage renal disease: Multi-institutional comparative analysis of survival. <i>International Journal of Urology</i> , 2016, 23, 465-471.	0.5	10
167	Can the neutrophil-to-lymphocyte ratio be used to predict recurrence and progression of non-muscle-invasive bladder cancer?. <i>Kaohsiung Journal of Medical Sciences</i> , 2016, 32, 327-333.	0.8	17
168	Preoperative Aspartate Aminotransferase to White Blood Cell Count Ratio Predicting Postoperative Outcomes of Hepatocellular Carcinoma. <i>Medicine (United States)</i> , 2016, 95, e3345.	0.4	0
169	Differential diagnosis between uterine sarcoma and leiomyoma using preoperative clinical characteristics. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 313-318.	0.6	34
170	Neutrophil to lymphocyte ratio in the pre-treatment phase of final-line chemotherapy predicts the outcome of patients with recurrent ovarian cancer. <i>Oncology Letters</i> , 2016, 11, 3975-3981.	0.8	35
171	Pretreatment prognostic nutritional index is a significant predictor of prognosis in patients with cervical cancer treated with concurrent chemoradiotherapy. <i>Molecular and Clinical Oncology</i> , 2016, 5, 567-574.	0.4	59
172	Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio are predictive of chemotherapeutic response and prognosis in epithelial ovarian cancer patients treated with platinum-based chemotherapy. <i>Cancer Biomarkers</i> , 2016, 17, 33-40.	0.8	81
173	Does preoperative neutrophil to lymphocyte or platelet to lymphocyte ratios have a role in predicting borderline ovarian tumors?. <i>Journal of Ovarian Research</i> , 2016, 9, 78.	1.3	3
174	Postoperative neutrophil-to-lymphocyte ratio of living-donor liver transplant: Association with graft size. <i>Asian Journal of Surgery</i> , 2016, 39, 103-108.	0.2	6
175	Prognostic significance of neutrophil to lymphocyte ratio in patients with gallbladder carcinoma. <i>Hpb</i> , 2016, 18, 600-607.	0.1	35
176	The Clinical Use of the Neutrophil to Lymphocyte Ratio (NLR) in Urothelial Cancer: A Systematic Review. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 473-484.	0.9	84
177	Prognostic value of the neutrophil-to-lymphocyte ratio for overall and disease-free survival in patients with surgically treated esophageal squamous cell carcinoma. <i>Tumor Biology</i> , 2016, 37, 7149-7154.	0.8	20
178	Human neutrophils: Their role in cancer and relation to myeloid-derived suppressor cells. <i>Seminars in Immunology</i> , 2016, 28, 187-196.	2.7	257
179	Neutrophils Suppress Intraluminal NK Cell-Mediated Tumor Cell Clearance and Enhance Extravasation of Disseminated Carcinoma Cells. <i>Cancer Discovery</i> , 2016, 6, 630-649.	7.7	369
180	Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. <i>BMC Cancer</i> , 2016, 16, 111.	1.1	35
181	A novel prognostic inflammation score predicts outcomes in patients with ovarian cancer. <i>Clinica Chimica Acta</i> , 2016, 456, 163-169.	0.5	35

#	ARTICLE	IF	CITATIONS
182	Perioperative change in neutrophilâ€“lymphocyte ratio predicts the overall survival of patients with bladder cancer undergoing radical cystectomy. Japanese Journal of Clinical Oncology, 2016, 46, 1162-1167.	0.6	13
183	Sarcopenia as a Novel Preoperative Prognostic Predictor for Survival in Patients with Bladder Cancer Undergoing Radical Cystectomy. Annals of Surgical Oncology, 2016, 23, 1048-1054.	0.7	72
184	Pre-treatment neutrophil to lymphocyte ratio as a predictive marker for pathological response to preoperative chemoradiotherapy in pancreatic cancer. Oncology Letters, 2016, 11, 1560-1566.	0.8	55
185	Neutrophils in cancer. Immunological Reviews, 2016, 273, 312-328.	2.8	166
186	Neutrophils in the tumor microenvironment: trying to heal the wound that cannot heal. Immunological Reviews, 2016, 273, 329-343.	2.8	140
188	Diagnostic value of neutrophilâ€“lymphocyte and albuminâ€“globulin ratios in canine soft tissue sarcoma. Journal of Small Animal Practice, 2016, 57, 135-141.	0.5	41
189	Efficacy of weekly paclitaxel treatment as a single agent chemotherapy following first-line cisplatin treatment in urothelial bladder cancer. Molecular and Clinical Oncology, 2016, 4, 1063-1067.	0.4	27
190	Prognostic impact of preoperative neutrophil-to-lymphocyte ratio after radical prostatectomy in localized prostate cancer. Prostate Cancer and Prostatic Diseases, 2016, 19, 298-304.	2.0	20
191	Hematologic Parameters to Predict Small Renal Mass Biopsy Pathology. Clinical Genitourinary Cancer, 2016, 14, 226-230.	0.9	2
192	Prognostic performance of inflammation-based prognostic indices in locally advanced non-small-lung cancer treated with endostar and concurrent chemoradiotherapy. Molecular and Clinical Oncology, 2016, 4, 801-806.	0.4	14
193	Prognostic impact of perioperative lymphocyteâ€“monocyte ratio in patients with bladder cancer undergoing radical cystectomy. Tumor Biology, 2016, 37, 10067-10074.	0.8	25
194	Pretreatment Immune Parameters Predict for Overall Survival and Toxicity in Early-Stage Nonâ€“Small-Cell Lung Cancer Patients Treated With Stereotactic Body Radiation Therapy. Clinical Lung Cancer, 2016, 17, 39-46.	1.1	56
195	Neutrophil and Lymphocyte Counts as Clinical Markers for Stratifying Low-Risk Prostate Cancer. Clinical Genitourinary Cancer, 2016, 14, e1-e8.	0.9	35
196	Evaluation of neutrophilâ€“lymphocyte ratio, plateletâ€“lymphocyte ratio and red blood cell distribution widthâ€“platelet ratio as early predictor of acute pancreatitis in pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1476-1480.	0.7	59
197	Prognostic value of preoperative NLR, dNLR, PLR and CRP in surgical renal cell carcinoma patients. World Journal of Urology, 2017, 35, 261-270.	1.2	103
198	The Prognostic Significance of Pretreatment Hematologic Parameters in Patients Undergoing Resection for Colorectal Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2017, 40, 405-412.	0.6	46
199	The prognostic value of neutrophilâ€“lymphocyte ratio in colorectal cancer: A systematic review. Journal of Surgical Oncology, 2017, 115, 470-479.	0.8	145
200	Prognostic Performance of a New Staging Category to Improve Discrimination of Disease-Specific Survival in Nonmetastatic Oral Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2017, 143, 395.	1.2	15

#	ARTICLE	IF	CITATIONS
201	Is the neutrophil-to-lymphocyte ratio prognostic of survival outcomes in gynecologic cancers? A systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2017, 145, 584-594.	0.6	85
202	Preoperative red cell distribution width and neutrophil-to-lymphocyte ratio predict survival in patients with epithelial ovarian cancer. <i>Scientific Reports</i> , 2017, 7, 43001.	1.6	63
203	What is the normal value of the neutrophil-to-lymphocyte ratio?. <i>BMC Research Notes</i> , 2017, 10, 12.	0.6	455
204	The prognostic value of the neutrophil-lymphocyte ratio in renal oncology: A review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 135-141.	0.8	79
205	Neutrophil extracellular traps sequester circulating tumor cells via β 21-integrin mediated interactions. <i>International Journal of Cancer</i> , 2017, 140, 2321-2330.	2.3	222
206	The diagnostic efficacy of platelet-to-lymphocyte ratio and neutrophil-to-lymphocyte ratio in ovarian cancer. <i>Inflammation Research</i> , 2017, 66, 467-475.	1.6	45
207	Pretreatment neutrophil-to-lymphocyte ratio predicts worse survival outcomes and advanced tumor staging in patients undergoing radical cystectomy for bladder cancer. <i>Asian Journal of Urology</i> , 2017, 4, 239-246.	0.5	14
208	Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Ovarian Cancer: A Systematic Review and Meta-Analysis of Observational Studies. <i>Cellular Physiology and Biochemistry</i> , 2017, 41, 2411-2418.	1.1	67
209	INSR gene polymorphisms correlate with sensitivity to platinum-based chemotherapy and prognosis in patients with epithelial ovarian cancer. <i>Gene Therapy</i> , 2017, 24, 392-398.	2.3	2
210	A predictive model to estimate the pretest probability of metastasis in patients with osteosarcoma. <i>Medicine (United States)</i> , 2017, 96, e5909.	0.4	15
211	Elevated preoperative neutrophil : lymphocyte ratio as a preoperative indicator of mature cystic teratoma with malignant transformation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 744-748.	0.6	7
212	Prognostic value of pretreatment peripheral blood markers in paranasal sinus cancer: Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio. <i>Head and Neck</i> , 2017, 39, 730-736.	0.9	39
213	Role of Intracystic Cytokines and Nitric Oxide in Ovarian Neoplasms. <i>Scandinavian Journal of Immunology</i> , 2017, 86, 462-470.	1.3	9
214	Improved prediction of survival by a risk factor-integrated inflammatory score in Sorafenib treated hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017, 66, S452-S453.	1.8	5
215	Elevated Preoperative Neutrophilâ€“Lymphocyte Ratio is Predictive of a Poorer Prognosis for Pediatric Patients with Solid Tumors. <i>Annals of Surgical Oncology</i> , 2017, 24, 3456-3462.	0.7	19
216	The clinical use of neutrophil-to-lymphocyte ratio in bladder cancer patients: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2017, 22, 817-825.	1.0	49
217	Clinical outcomes in patients with advanced epidermal growth factor receptorâ€“mutated nonâ€“smallâ€“cell lung cancer in South Western Sydney Local Health District. <i>Internal Medicine Journal</i> , 2017, 47, 1405-1411.	0.5	14
218	The role of the systemic inflammatory response in predicting outcomes in patients with operable cancer: Systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 16717.	1.6	206

#	ARTICLE	IF	CITATIONS
219	The relationship between neutrophil-to-lymphocyte ratio and diabetic peripheral neuropathy in Type 2 diabetes mellitus. <i>Medicine (United States)</i> , 2017, 96, e8289.	0.4	48
220	Preoperative multiplication of neutrophil and monocyte counts as a prognostic factor in epithelial ovarian cancer. <i>Cancer Biomarkers</i> , 2017, 17, 419-425.	0.8	8
221	Role of Monocyte Count and Neutrophil-to-Lymphocyte Ratio in Survival of Oral Cancer Patients. <i>International Archives of Otorhinolaryngology</i> , 2017, 21, 21-27.	0.3	25
222	The neutrophil-to-lymphocyte ratio as a predictor of intravesical recurrence in patients with upper urinary tract urothelial carcinoma treated with radical nephroureterectomy. <i>International Journal of Clinical Oncology</i> , 2017, 22, 153-158.	1.0	18
223	Clinical value of the preoperative neutrophil-to-lymphocyte ratio and red blood cell distribution width in patients with colorectal carcinoma. <i>Oncology Letters</i> , 2017, 15, 3339-3349.	0.8	12
224	Prognostic significance of neutrophil to lymphocyte ratio in ovarian cancer: evidence from 4,910 patients. <i>Oncotarget</i> , 2017, 8, 68938-68949.	0.8	23
225	Can neutrophil to lymphocyte ratio predict lamina propria invasion in patients with non muscle invasive bladder cancer?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 67-72.	0.7	6
226	Elevated neutrophil-to-lymphocyte ratio in the diagnosis of Hashimoto's thyroiditis. <i>Revista Da Associaç�o M�dica Brasileira</i> , 2017, 63, 1065-1068.	0.3	110
227	Risk Factors of Sepsis and Factors Influencing the Decision to Perform Emergency Drainage in Obstructive Acute Pyelonephritis Secondary to Urinary Calculi. <i>Urogenital Tract Infection</i> , 2017, 12, 110.	0.1	0
228	Neutrophil-to-Lymphocyte Ratio Is a Potential Prognostic Biomarker in Patients with Ovarian Cancer: A Meta-Analysis. <i>BioMed Research International</i> , 2017, 2017, 1-7.	0.9	34
229	Neutrophil-to-Lymphocyte Ratio Predicts Prognosis in Castration-Resistant Prostate Cancer Patients Who Received Cabazitaxel Chemotherapy. <i>BioMed Research International</i> , 2017, 2017, 1-5.	0.9	27
230	Preoperative neutrophil-to-lymphocyte ratio is a predictor of survival of epithelial ovarian cancer: a systematic review and meta-analysis of observational studies. <i>Oncotarget</i> , 2017, 8, 46414-46424.	0.8	27
231	Neutrophil-to-lymphocyte ratio is elevated in recurring nonmuscle invasive bladder cancer. <i>Turkish Journal of Medical Sciences</i> , 2017, 47, 234-239.	0.4	0
232	Immune checkpoints, their control by immunotherapy and ovarian cancer. <i>Wspolczesna Onkologia</i> , 2017, 3, 189-196.	0.7	2
233	Prognostic value of systemic inflammation score in patients with hepatocellular carcinoma after hepatectomy. <i>Oncotarget</i> , 2017, 8, 79366-79375.	0.8	16
234	Neutrophil-to-Lymphocyte Ratio as a Prognostic Factor in Laryngeal Carcinoma. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2018, 70, 175-179.	0.3	7
235	Prognostic value of preoperative neutrophil-to-lymphocyte ratio in Crohn's disease. <i>Wiener Klinische Wochenschrift</i> , 2018, 130, 398-403.	1.0	13
237	Prognostic value of circulating biomarker score in advanced-stage head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , 2018, 92, 69-76.	1.3	11

#	ARTICLE	IF	CITATIONS
238	Prognostic roles of neutrophil to lymphocyte ratio and platelet to lymphocyte ratio in ovarian cancer: a meta-analysis of retrospective studies. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 849-857.	0.8	68
239	The clinical utility of pre-operative neutrophil-to-lymphocyte ratio as a predictor of outcomes in patients undergoing elective laparoscopic cholecystectomy. <i>Irish Journal of Medical Science</i> , 2018, 187, 755-760.	0.8	1
240	The complex interplay between neutrophils and cancer. <i>Cell and Tissue Research</i> , 2018, 371, 517-529.	1.5	28
241	Identification of preterm birth in women with threatened preterm labour between 34 and 37 weeks of gestation. <i>Journal of Obstetrics and Gynaecology</i> , 2018, 38, 652-657.	0.4	18
242	A nomogram for predicting prognostic value of inflammatory biomarkers in patients with acute-on-chronic liver failure. <i>Clinica Chimica Acta</i> , 2018, 478, 7-12.	0.5	11
243	Prognostic value of neutrophil-to-lymphocyte ratio associated with prognosis in HBV-infected patients. <i>Journal of Medical Virology</i> , 2018, 90, 730-735.	2.5	10
244	Neutrophil-to-lymphocyte ratio predicts overall survival of patients with combined hepatocellular cholangiocarcinoma. <i>Oncology Letters</i> , 2018, 15, 4262-4268.	0.8	9
245	C-reactive protein is an independent prognostic marker in patients with tongue carcinoma - A retrospective study. <i>Clinical Otolaryngology</i> , 2018, 43, 1050-1056.	0.6	12
246	Neutrophil-to-Lymphocyte Ratio and Platelet Count Predict Long-Term Outcome of Stage IIIC Epithelial Ovarian Cancer. <i>Cellular Physiology and Biochemistry</i> , 2018, 46, 178-186.	1.1	19
247	Baseline neutrophil-to-lymphocyte ratio predicts the prognosis of castration-resistant prostate cancer treated with abiraterone acetate. <i>Molecular and Clinical Oncology</i> , 2018, 8, 587-591.	0.4	12
248	Multivariate analysis of preoperative and postoperative neutrophil-to-lymphocyte ratio as an indicator of head and neck squamous cell carcinoma outcome. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018, 47, 965-970.	0.7	9
249	Postoperative changes in neutrophil-to-lymphocyte ratio and platelet count: A simple prognostic predictor for adult-to-adult living donor liver transplantation. <i>Asian Journal of Surgery</i> , 2018, 41, 341-348.	0.2	12
250	A simple way to detect disease-associated cellular molecular alterations from mixed-cell blood samples. <i>Briefings in Bioinformatics</i> , 2018, 19, 613-621.	3.2	6
251	Comparison of clinical utility between neutrophil count and neutrophil-to-lymphocyte ratio in patients with ovarian cancer: a single institutional experience and a literature review. <i>International Journal of Clinical Oncology</i> , 2018, 23, 104-113.	1.0	29
252	High neutrophil-to-lymphocyte ratio predicts worse overall survival in patients with advanced/metastatic urothelial bladder cancer. <i>International Journal of Urology</i> , 2018, 25, 232-238.	0.5	26
253	LMR predicts outcome in patients after preoperative chemoradiotherapy for stage II-III rectal cancer. <i>Journal of Surgical Research</i> , 2018, 222, 122-131.	0.8	28
254	Single emergency room measurement of neutrophil/lymphocyte ratio for early detection of acute kidney injury (AKI). <i>Internal and Emergency Medicine</i> , 2018, 13, 717-725.	1.0	34
255	The De Ritis and Neutrophil-to-Lymphocyte Ratios May Aid in the Risk Assessment of Patients with Metastatic Renal Cell Carcinoma. <i>Journal of Oncology</i> , 2018, 2018, 1-8.	0.6	9

#	ARTICLE	IF	CITATIONS
256	Using platelet-to-lymphocyte ratio as a diagnostic marker in malignant ovarian tumors. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2018, 7, 2089.	0.0	3
257	Impact of diabetes mellitus on the prognostic value of the neutrophil–lymphocyte ratio in renal cell carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2018, 17, 1268-1275.	0.8	2
258	Prognostic significance of pretreatment lymphocyte/monocyte ratio in retroperitoneal liposarcoma patients after radical resection. <i>Cancer Management and Research</i> , 2018, Volume 10, 4727-4734.	0.9	8
259	Pretreatment neutrophil-to-lymphocyte ratio and its dynamic change during neoadjuvant chemotherapy as poor prognostic factors in advanced ovarian cancer. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 227.	0.6	21
260	Radiation recall pneumonitis induced by ifosfamide for malignant soft tissue tumor arising from the chest wall: A case report. <i>Molecular and Clinical Oncology</i> , 2018, 8, 592-594.	0.4	12
261	The neutrophil-to-lymphocyte ratio makes the Heng risk model improve better the prediction of overall survival in metastatic renal cell cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 835-840.	0.6	8
262	Prognostic significance of Ki67 expression and the derived neutrophil–lymphocyte ratio in nasopharyngeal carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 1919-1926.	0.9	16
263	Serum soluble B7-H4 is a prognostic marker for patients with non-metastatic clear cell renal cell carcinoma. <i>PLoS ONE</i> , 2018, 13, e0199719.	1.1	14
264	The Predictive Value of Inflammation-Related Peripheral Blood Measurements in Cancer Staging and Prognosis. <i>Frontiers in Oncology</i> , 2018, 8, 78.	1.3	73
265	Prognostic value of systemic inflammatory markers in ovarian Cancer: a PRISMA-compliant meta-analysis and systematic review. <i>BMC Cancer</i> , 2018, 18, 443.	1.1	50
266	Influence of CA125, platelet count and neutrophil to lymphocyte ratio on the immune system of ovarian cancer patients. <i>Gynecologic Oncology</i> , 2018, 150, 31-37.	0.6	42
267	Pretreatment hematologic markers as prognostic predictors of gastroenteropancreatic neuroendocrine tumors: a systematic review and meta-analysis. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 2489-2496.	1.0	12
268	Platelet to lymphocyte and neutrophil to lymphocyte ratio as predictive indices of endometrial carcinoma: Findings from a retrospective series of patients and meta-analysis. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2018, 47, 511-516.	0.6	14
269	Prognostic Role of Neutrophil to Lymphocyte Ratio in Ovarian Cancer: A Meta-Analysis. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303381879150.	0.8	41
270	The Prognostic Role of the Change in–Neutrophil-to-Lymphocyte Ratio During Neoadjuvant Chemotherapy in Patients with–Muscle-Invasive Bladder Cancer: A–Retrospective, Multi-Institutional Study. <i>Bladder Cancer</i> , 2018, 4, 185-194.	0.2	19
271	Diagnostic accuracy of inflammatory markers for distinguishing malignant and benign ovarian masses. <i>Journal of Cancer</i> , 2018, 9, 1165-1172.	1.2	23
272	Temporal changes in the neutrophil to lymphocyte ratio and the neurological progression in cryptogenic stroke with active cancer. <i>PLoS ONE</i> , 2018, 13, e0194286.	1.1	12
273	Pre-treatment prognostic nutritional index is superior to platelet count in predicting disease-specific survival in patients with epithelial ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1057-1063.	1.2	5

#	ARTICLE	IF	CITATIONS
274	Neutrophil-to-Lymphocyte Ratio in Ovarian Cancer Patients with Low CA125 Concentration. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	7
276	PD-1+ TIGIT+ CD8+ T cells are associated with pathogenesis and progression of patients with hepatitis B virus-related hepatocellular carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 2041-2054.	2.0	72
277	Preoperative Neutrophil to Lymphocyte Ratio and Platelet to Lymphocyte Ratio are Associated with the Prognosis of Group 3 and Group 4 Medulloblastoma. <i>Scientific Reports</i> , 2019, 9, 13239.	1.6	14
278	Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio in Discriminating Precancerous Pathologies from Cervical Cancer. <i>Journal of Oncology</i> , 2019, 2019, 1-6.	0.6	15
279	Correlation of neutrophil-lymphocyte ratio and risk scores in non-muscle invasive bladder cancer. <i>Actas Urológicas Españolas (English Edition)</i> , 2019, 43, 503-508.	0.2	2
280	Prognostic Nomograms in Oral Squamous Cell Carcinoma: The Negative Impact of Low Neutrophil to Lymphocyte Ratio. <i>Frontiers in Oncology</i> , 2019, 9, 339.	1.3	32
281	Metastasis as a systemic disease: molecular insights and clinical implications. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2019, 1872, 89-102.	3.3	44
282	Neutrophil-to-lymphocyte ratio independently predicts advanced pathological staging and poorer survival outcomes in testicular cancer. <i>Investigative and Clinical Urology</i> , 2019, 60, 176.	1.0	14
283	The prognostic value of preoperative derived neutrophil-to-lymphocyte ratio in patients undergoing total laryngectomy with laryngeal carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 294-298.	0.3	12
284	Pretreatment Neutrophil-to-Lymphocyte Ratio Was a Predictor of Lymph Node Metastasis in Endometrial Cancer Patients. <i>Oncology</i> , 2019, 96, 259-267.	0.9	34
285	Prognostic impact of neutrophil-to-lymphocyte ratio in renal cell carcinoma: a systematic review and meta-analysis. <i>Immunotherapy</i> , 2019, 11, 631-643.	1.0	38
286	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , 2019, 11, 509.	1.7	37
287	Can complete blood count inflammatory parameters in epithelial ovarian cancer contribute to prognosis? - a survival analysis. <i>Journal of Ovarian Research</i> , 2019, 12, 16.	1.3	15
288	The Neutrophil-Lymphocyte Ratio and its Relationship with Insulin Resistance in Obesity. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 245-248.	0.4	15
289	Prognostic significance of neutrophil-lymphocyte ratio (NLR) in patients with ovarian cancer. <i>Medicine (United States)</i> , 2019, 98, e17475.	0.4	58
290	Neutrophil to lymphocyte ratio (NLR) as a prognostic marker for in-hospital mortality of patients with sepsis. <i>Medicine (United States)</i> , 2019, 98, e18029.	0.4	42
291	Improved Prediction of Survival by a Risk Factor-Integrating Inflammatory Score in Sorafenib-Treated Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 387-402.	4.2	18
292	Diagnosis and survival values of neutrophil-lymphocyte ratio (NLR) and red blood cell distribution width (RDW) in esophageal cancer. <i>Clinica Chimica Acta</i> , 2019, 488, 150-158.	0.5	47

#	ARTICLE	IF	CITATIONS
293	Pretreatment lymphocytopenia is an adverse prognostic biomarker in advanced-stage ovarian cancer. <i>Cancer Medicine</i> , 2019, 8, 564-571.	1.3	10
294	Mitochondrial DNA in the tumour microenvironment activates neutrophils and is associated with worse outcomes in patients with advanced epithelial ovarian cancer. <i>British Journal of Cancer</i> , 2019, 120, 207-217.	2.9	62
295	Role of systemic inflammatory response markers in urological malignancy. <i>International Journal of Urology</i> , 2019, 26, 31-47.	0.5	50
296	TRPM2 modulates neutrophil attraction to murine tumor cells by regulating CXCL2 expression. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 33-43.	2.0	37
297	Systemic Immune-Inflammation Index (SII) Predicts Poor Survival in Pancreatic Cancer Patients Undergoing Resection. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 610-618.	0.9	100
298	Neutrophil-to-lymphocyte ratio as a prognostic factor in advanced stage ovarian carcinoma treated with neoadjuvant chemotherapy. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 148, 102-106.	1.0	10
299	High density of CD66b in primary high-grade ovarian cancer independently predicts response to chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 127-136.	1.2	20
300	Predictors of progression free survival, overall survival and early cessation of chemotherapy in women with potentially platinum sensitive (PPS) recurrent ovarian cancer (ROC) starting third or subsequent line (≥3) chemotherapy – The GCIG symptom benefit study (SBS). <i>Gynecologic Oncology</i> , 2020, 156, 45-53.	0.6	6
301	Value of Preoperative Neutrophil-to-Lymphocyte Ratio in Predicting Prognosis of Surgically Resectable Urinary Cancers: Systematic Review and Meta-Analysis. <i>Chinese Medical Sciences Journal</i> , 2020, 35, 262.	0.2	1
302	Correlation between peripheral blood neutrophil-lymphocyte ratio and CD34 expression in prostate cancer. <i>BMC Cancer</i> , 2020, 20, 900.	1.1	7
303	Inflammation and immunity in ovarian cancer. <i>European Journal of Cancer, Supplement</i> , 2020, 15, 56-66.	2.2	12
304	Neutrophil diversity and plasticity in tumour progression and therapy. <i>Nature Reviews Cancer</i> , 2020, 20, 485-503.	12.8	548
305	Prognostic significance of baseline T cells, B cells and neutrophil-lymphocyte ratio (NLR) in recurrent ovarian cancer treated with chemotherapy. <i>Journal of Ovarian Research</i> , 2020, 13, 59.	1.3	13
306	Risk stratification for early bacteremia after living donor liver transplantation: a retrospective observational cohort study. <i>BMC Surgery</i> , 2020, 20, 2.	0.6	10
307	Prognostic significance of neutrophil-to-lymphocyte ratio in several malignancies: where do we stand?. <i>Biomarkers in Medicine</i> , 2020, 14, 169-172.	0.6	9
308	Prognostic value of pretreatment neutrophil-to-lymphocyte ratio in renal cell carcinoma: a systematic review and meta-analysis. <i>BMC Urology</i> , 2020, 20, 90.	0.6	41
309	Neutrophil-to-lymphocyte ratio as a prognostic factor for survival in patients with advanced renal cell carcinoma (Turkish Oncology Group Study). <i>Journal of Oncology Pharmacy Practice</i> , 2020, 26, 1583-1589.	0.5	6
310	Predictive role of neutrophil-to-lymphocyte ratio in preeclampsia: A meta-analysis including 3982 patients. <i>Pregnancy Hypertension</i> , 2020, 20, 111-118.	0.6	31

#	ARTICLE	IF	CITATIONS
311	Prognostic significance of neutrophil-to-lymphocyte ratio in middle thoracic esophageal squamous cell carcinoma patients undergoing radical esophagectomy. <i>Journal of Thoracic Disease</i> , 2020, 12, 363-374.	0.6	4
312	Elevated platelet lymphocyte ratio is a poor prognostic factor in advanced epithelial ovarian cancer. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101849.	0.6	12
313	Peripheral Blood Leukocytes and Platelets Serve as Prognostic Factors in Breast Cancer. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2021, 36, 167-173.	0.7	6
314	Comparison of De Ritis Ratio and other systemic inflammatory parameters for the prediction of prognosis of patients with transitional cell bladder cancer. <i>International Journal of Clinical Practice</i> , 2021, 75, e13743.	0.8	4
315	Baseline neutrophil-lymphocyte ratio is associated with survival for infant living donor liver transplantation for biliary atresia. <i>Pediatric Transplantation</i> , 2021, 25, e13933.	0.5	2
316	Differential blood count as triage tool in evaluation of pelvic masses. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 733-743.	1.2	4
317	Utility of Preoperative Inflammatory Markers to Distinguish Epithelial Ovarian Cancer from Benign Ovarian Masses. <i>Journal of Cancer</i> , 2021, 12, 2687-2693.	1.2	8
318	Circulating Tumor Cells, Circulating Tumor DNA and Other Blood-based Prognostic Scores in Pancreatic Ductal Adenocarcinoma – Mini-Review. <i>In Vivo</i> , 2021, 35, 31-39.	0.6	6
319	Preoperatif Nötrofil/Lenfosit, Lenfosit/Monosit ve Trombosit/Lenfosit Oranları Seröz Over Kanseri Sağı Kalamındaki Yeri. <i>Balikesir Medical Journal</i> , 2021, 5, 43-53.	0.2	2
320	Prognostic value of neutrophil- lymphocyte count ratio (NLCR) among adult ICU patients in comparison to APACHE II score and conventional inflammatory markers: a multi center retrospective cohort study. <i>BMC Emergency Medicine</i> , 2021, 21, 24.	0.7	11
321	Immunological Prognostic Factors in Multiple Myeloma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3587.	1.8	16
322	Prognostic significance of preoperative neutrophil-to-lymphocyte ratio in papillary renal cell carcinoma patients after receiving curative surgery based on a retrospective cohort. <i>BMC Urology</i> , 2021, 21, 43.	0.6	2
323	Clinical biomarkers to predict preoperative lymph node metastasis in endometrial cancer. <i>Journal of Surgery and Medicine</i> , 2021, 5, 234-237.	0.0	0
324	REKÖRENTVE/VEYA METASTATİK JİNEKOLOJİK TÖMERLERDE TEDAVÖ –NCESÖ NÖTROFİL-LLENFOSÖT ORANI VE TROMBOSÖT-LLENFOSÖT ORANI TERAPÖTÖK ETKÖYE SAHÖP MÖDÖRÖ. <i>Kocatepe Tıp Dergisi</i> , 2021, 22, 125-131.	0.0	0
325	The Platelet to Lymphocyte and Neutrophil to Lymphocyte Ratios in Predicting Response to Platinum-based Chemotherapy for Epithelial Ovarian Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021, 22, 1561-1566.	0.5	2
326	Over kanserinde nötrofil/lenfosit, trombosit/lenfosit, crp/albumin oranları ile klinikopatolojik özellikler ve sağkalım arasındaki ilişki. <i>Pamukkale Medical Journal</i> , 0, , .	0.2	0
327	A Study on Association between Neutrophil to Lymphocyte Ratio and Steatohepatitis and Fibrosis in Patients with Non-Alcoholic Fatty Liver Disease. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2021, 10, 1876-1882.	0.1	3
328	Alteration in Lactate Production and Decrease in MTT Dye Reduction in Serum-starved Human Peripheral Blood Mononuclear Cells (PBMCs). <i>Trends in Medical Sciences</i> , 2021, 1, .	0.1	0

#	ARTICLE	IF	CITATIONS
329	The role of inflammatory parameters in predicting disease recurrence in patients with stage IIA colon cancer with no high-risk features. <i>Postgraduate Medicine</i> , 2021, 133, 1-7.	0.9	2
330	Role of Systemic Inflammatory Reaction in Female Genital Organ Malignancies – State of the Art. <i>Cancer Management and Research</i> , 2021, Volume 13, 5491-5508.	0.9	9
331	Pretreatment Neutrophil-to-Lymphocyte Ratio: A Prognostic Biomarker of Survival in Patients With Epithelial Ovarian Cancer. <i>Cureus</i> , 2021, 13, e16429.	0.2	6
332	Decrease in Neutrophil-to-Lymphocyte Ratio during Neoadjuvant Chemotherapy as a Predictive and Prognostic Marker in Advanced Ovarian Cancer. <i>Diagnostics</i> , 2021, 11, 1298.	1.3	19
333	Gain of TPPP as a predictor of progression in patients with bladder cancer. <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 1204.	0.8	2
334	Risk stratification in differentiated thyroid cancer with RAI-avid lung metastases. <i>Endocrine Connections</i> , 2021, 10, 825-833.	0.8	7
335	Association of neutrophil-to-lymphocyte ratio with severe radiation-induced mucositis in pharyngeal or laryngeal cancer patients: a retrospective study. <i>BMC Cancer</i> , 2021, 21, 1064.	1.1	12
336	Neutrophils to lymphocytes ratio between benign and malignant thyroid nodule. <i>Pakistan Journal of Medical Sciences</i> , 2021, 37, 1908-1911.	0.3	2
337	Liposomal paclitaxel induces apoptosis, cell death, inhibition of migration capacity and antitumoral activity in ovarian cancer. <i>Biomedicine and Pharmacotherapy</i> , 2021, 142, 112000.	2.5	13
338	Nicotine promotes breast cancer metastasis by stimulating N2 neutrophils and generating pre-metastatic niche in lung. <i>Nature Communications</i> , 2021, 12, 474.	5.8	114
339	Correlación entre el Índice neutrófilo/linfocito y las puntuaciones de riesgo en el cáncer de vejiga no músculo-invasivo. <i>Actas Urológicas Españolas</i> , 2019, 43, 503-508.	0.3	4
340	A derived neutrophil to lymphocyte ratio predicts survival in patients with cancer. , 0, .		1
341	Association between the neutrophil-to-lymphocyte ratio, a new marker of systemic inflammation, and restless legs syndrome. <i>Singapore Medical Journal</i> , 2016, 57, 514-516.	0.3	20
342	Similar Source of Differential Blood mRNAs in Lung Cancer and Pulmonary Inflammatory Diseases: Calls for Improved Strategy for Identifying Cancer-Specific Biomarkers. <i>PLoS ONE</i> , 2014, 9, e108104.	1.1	2
343	Preoperative Neutrophil-to-Lymphocyte Ratio as a Predictive and Prognostic Factor for High-Grade Serous Ovarian Cancer. <i>PLoS ONE</i> , 2016, 11, e0156101.	1.1	39
344	Clinical significance of mean platelet volume/lymphocyte ratio and mean platelet volume/platelet ratio in the exacerbation of chronic obstructive pulmonary disease. <i>The European Research Journal</i> , 2019, 5, 1001-1006.	0.1	1
345	The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. <i>Oncotarget</i> , 2017, 8, 11778-11787.	0.8	32
346	Elevated neutrophil-to-lymphocyte ratio is an independent poor prognostic factor in patients with intrahepatic cholangiocarcinoma. <i>Oncotarget</i> , 2016, 7, 50963-50971.	0.8	71

#	ARTICLE	IF	CITATIONS
347	Prognostic models to predict survival in patients with advanced non-small cell lung cancer treated with first-line chemo- or targeted therapy. <i>Oncotarget</i> , 2016, 7, 26916-26924.	0.8	44
348	Neopterin as a biomarker of immune response in cancer patients. <i>Annals of Translational Medicine</i> , 2017, 5, 280-280.	0.7	42
349	Systemic Leukocyte Alterations in Cancer and their Relation to Prognosis. <i>The Open Cancer Journal</i> , 2008, 2, 53-58.	0.2	3
350	Preoperative High Neutrophil-to-Lymphocyte Ratio Is Associated with High-grade Bladder Cancer. <i>Anticancer Research</i> , 2017, 37, 4659-4663.	0.5	13
351	Is there a link between neutrophil-lymphocyte ratio and microvascular complications in geriatric diabetic patients?. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 593-9.	1.8	28
352	Elevated plasma fibrinogen levels and prognosis of epithelial ovarian cancer: a cohort study and meta-analysis. <i>Journal of Gynecologic Oncology</i> , 2017, 28, e36.	1.0	46
353	Does preoperative neutrophil/lymphocyte rate have an effect on survival of the bladder cancer patients who received radical cystectomy?. <i>Journal of Cancer Research and Therapeutics</i> , 2018, 14, 432-436.	0.3	2
354	Immune Checkpoint Blockers and Ovarian Cancer. <i>Indian Journal of Medical and Paediatric Oncology</i> , 2017, 38, 182-189.	0.1	4
355	Prognostic Significance of Retroperitoneal Lymphadenectomy, Preoperative Neutrophil Lymphocyte Ratio and Platelet Lymphocyte Ratio in Primary Fallopian Tube Carcinoma: A Multicenter Study. <i>Cancer Research and Treatment</i> , 2015, 47, 480-488.	1.3	16
356	Systemic Inflammatory Response Markers and CA-125 Levels in Ovarian Clear Cell Carcinoma: A Two Center Cohort Study. <i>Cancer Research and Treatment</i> , 2016, 48, 250-258.	1.3	52
357	Nomograms Predicting Platinum Sensitivity, Progression-Free Survival, and Overall Survival Using Pretreatment Complete Blood Cell Counts in Epithelial Ovarian Cancer. <i>Cancer Research and Treatment</i> , 2017, 49, 635-642.	1.3	10
358	Independent predictors of survival in endometrium cancer: platelet-to-lymphocyte ratio and platelet/neutrophil/monocyte-to-lymphocyte ratio. <i>Journal of the Turkish German Gynecology Association</i> , 2018, 19, 78-86.	0.2	13
359	The Use of Neutrophil/Lymphocyte Ratio (Nlr), Platelet/Lymphocyte Ratio (Plr), and Mean Platelet Volume (Mpv) As Inflammatory Biomarkers in the Prognosis of Patients with Early-Stage Colorectal Adenocarcinoma. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2017, 27, 220-228.	0.1	2
360	Utility of preoperative neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios to distinguish malignant from benign ovarian masses. <i>Journal of the Turkish German Gynecology Association</i> , 2016, 17, 21-25.	0.2	18
361	Predictive value of preoperative neutrophil-to-lymphocyte ratio on the prognosis of germ cell testicular tumors. <i>Turkish Journal of Urology</i> , 2017, 43, 55-61.	1.3	14
362	Neutrophil-lymphocyte ratio as a predictor of recurrence and progression in patients with high-grade pT1 bladder cancer. <i>Canadian Urological Association Journal</i> , 2015, 9, 126.	0.3	26
363	Subtypes of White Blood Cells in Patients with Prostate Cancer or Benign Prostatic Hyperplasia and Healthy Individuals. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 4779-4783.	0.5	23
364	Roles of Neutrophil/Lymphocyte and Platelet/Lymphocyte Ratios in the Early Diagnosis of Malignant Ovarian Masses. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 6881-6885.	0.5	40

#	ARTICLE	IF	CITATIONS
365	Red Cell Distribution Width as a Predictor of Prostate Cancer Progression. Asian Pacific Journal of Cancer Prevention, 2014, 15, 7781-7784.	0.5	74
366	Neutrophil Count and the Inflammation-based Glasgow Prognostic Score Predict Survival in Patients with Advanced Gastric Cancer Receiving First-line Chemotherapy. Asian Pacific Journal of Cancer Prevention, 2014, 15, 945-950.	0.5	79
367	May the Platelet to Lymphocyte Ratio be a Prognostic Factor for Epithelial Ovarian Cancer?. Asian Pacific Journal of Cancer Prevention, 2014, 15, 9781-9784.	0.5	37
368	Pretreatment Neutrophil/Lymphocyte Ratio as a Prognostic Aid in Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2014, 15, 2647-2650.	0.5	56
369	Platelet Indices May be Useful in Discrimination of Benign and Malign Endometrial Lesions, and Early and Advanced Stage Endometrial Cancer. Asian Pacific Journal of Cancer Prevention, 2015, 16, 5397-5400.	0.5	34
370	Preoperative Neutrophil to Lymphocyte Ratio as a Prognostic Factor in Patients with Non-metastatic Renal Cell Carcinoma. Asian Pacific Journal of Cancer Prevention, 2015, 16, 3703-3708.	0.5	26
371	New Prognostic Scoring System for Incurable Stage IV Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2016, 17, 597-601.	0.5	8
372	Investigating Preoperative Hematologic Markers for Prediction of Ovarian Cancer Surgical Outcome. Asian Pacific Journal of Cancer Prevention, 2016, 17, 1445-1448.	0.5	18
374	Neoadjuvant chemotherapy and cytoreductive surgery in epithelial ovarian cancer. World Journal of Obstetrics and Gynecology, 2013, 2, 153.	0.5	0
375	NLR and PLR ratios in prognostic assessment of non-small cell lung cancer patients. Diagnostyka Laboratoryjna I WiadomoÅci PTDL, 2016, 52, 13-20.	0.0	2
376	Evaluation of prognostic factor for anaplastic thyroid carcinoma. Japanese Journal of Head and Neck Cancer, 2017, 43, 483-487.	0.0	0
377	Importance Of Neutrophil/lymphocyte Ratio In Squamous-cell Carcinoma Of The Larynx. Journal of Otolaryngology Advances, 2017, 1, 15-23.	0.0	1
378	Assesment of Platelet to lymphocyte ratio and Neutrophil to Lymphocyte Ratio in Ulcerative Colitis: A Retrospective Study. Eurasian Journal of Medicine and Oncology, 2017, 1, .	1.0	0
380	Immunological Status May Predict Response to Nivolumab in Non-small Cell Lung Cancer without Driver Mutations. Anticancer Research, 2017, 37, 3781-3786.	0.5	19
381	Predictive value of systematic inflammatory response biomarkers (NLR, LMR, PLR) in patients with ovarian cancer.. Diagnostyka Laboratoryjna I WiadomoÅci PTDL, 2017, 53, 139-146.	0.0	0
383	The relationship between localization and neutrophil lymphocyte ratio in colon carcinoma. OrtadoÅÛu TÅ±p Dergisi, 2018, 10, 64-67.	0.1	0
384	Association of absolute lymphocyte count and circulating CD4+ and CD8+ t-cells with positive clinical outcome in survivors of cancer: An observational study. Indian Journal of Medical Specialities, 2019, 10, 149.	0.1	1
385	Utility of Neutrophilâ€“Lymphocyte Ratio, Plateletâ€“Lymphocyte Ratio, Mean Platelet Volumeâ€“Platelet Count Ratios: Diagnostic and Prognostic Markers in Patients with Hepatocellular Carcinoma, Prostate Carcinoma, Stomach Carcinoma, and Aplastic Anemia. Indian Journal of Medical and Paediatric Oncology, 2019, 40, 396-401.	0.1	1

#	ARTICLE	IF	CITATIONS
386	Association of absolute lymphocyte count and circulating CD4+ and CD8+ t-cells with positive clinical outcome in survivors of cancer: An observational study. <i>Indian Journal of Medical Specialities</i> , 2019, 10, 149.	0.1	0
387	Does neutrophil-lymphocyte ratio show recurrence in patients who underwent curative resection for non-muscle-invasive bladder cancer?. <i>Journal of Surgery and Medicine</i> , 0, , .	0.0	4
388	Neutrophil-to-lymphocyte ratio and chemotherapy response score as prognostic markers in ovarian cancer patients treated with neoadjuvant chemotherapy. <i>Journal of Ovarian Research</i> , 2021, 14, 148.	1.3	10
389	Phenotype of circulating neutrophils at different stages of cervical neoplasia. <i>Medical Immunology (Russia)</i> , 2020, 21, 1127-1138.	0.1	2
390	Prognostic inflammatory markers in metastatic renal cell carcinoma: Neutrophil-to-lymphocyte ratio and prognostic nutritional index. <i>Medical Science and Discovery</i> , 2020, 7, 459-465.	0.1	0
391	Evaluation inflammatory markers of hemogram parameters in primary ovarian insufficiency. <i>Tâşârk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2020, 17, 9-14.	0.3	2
393	Neutrophil-lymphocyte ratio: a controversial marker in predicting Crohn's disease severity. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 14779-85.	0.5	33
394	Evaluation of Neutrophil-Lymphocyte Ratio, Platelet-Lymphocyte Ratio and Red Blood Cell Distribution Width-Platelet Ratio for Diagnosis of Premature Ovarian Insufficiency. <i>Journal of Family & Reproductive Health</i> , 2016, 10, 211-216.	0.4	9
395	Neutrophil: Lymphocyte ratio and oral squamous cell carcinoma: A preliminary study. <i>Journal of Oral and Maxillofacial Pathology</i> , 2019, 23, 78-81.	0.3	4
396	Evaluation of Combined Cancer Markers With Lactate Dehydrogenase and Application of Machine Learning Algorithms for Differentiating Benign Disease From Malignant Ovarian Cancer. <i>Cancer Control</i> , 2021, 28, 107327482110334.	0.7	2
398	Usefulness of Inflammation-Based Prognostic Scores in Patients with Surgically Treated Pancreatic Ductal Adenocarcinoma. <i>Journal of Clinical Medicine</i> , 2021, 10, 5784.	1.0	1
399	The Good, the Bad, and the Ugly: Neutrophils, Angiogenesis, and Cancer. <i>Cancers</i> , 2022, 14, 536.	1.7	28
400	Neutrophil: Lymphocyte ratio and oral squamous cell carcinoma: A preliminary study. <i>Journal of Oral and Maxillofacial Pathology</i> , 2019, 23, 78.	0.3	11
401	A PROSPECTIVE STUDY OF PRE-TREATMENT NEUTROPHIL-TO-LYMPHOCYTE RATIO PROGNOSTICATE POOR SURVIVAL OUTCOMES AND ADVANCED TUMOR STAGING IN PATIENTS UNDERGOING RADICAL CYSTECTOMY FOR BLADDER CANCER IN A TERTIARY CARE CENTER.. , 2022, , 44-46.		0
402	Akut Pankreatit HastalarÄ±nda NÄ±trofil/Lenfosit ve Trombosit/Lenfosit OranlarÄ±nÄ±n TanÄ±sal ve Prognostik DeÄ±yeri. <i>Online TÄ±rk SaÄ±Ä±k Bilimleri Dergisi</i> , 2022, 7, 80-85.	0.1	2
403	Neutrophil-to-lymphocyte-ratio-based perioperative prognosis prediction model on early mortality after cytoreductive surgery with hyperthermic intraperitoneal chemotherapy. <i>Asian Journal of Surgery</i> , 2022, 45, 2676-2685.	0.2	1
404	Neutrophilâ€“Lymphocyte and Plateletâ€“Lymphocyte Ratios in Preoperative Differential Diagnosis of Benign, Borderline, and Malignant Ovarian Tumors. <i>Journal of Clinical Medicine</i> , 2022, 11, 1355.	1.0	9
405	Hematologic parameters as a predictor of myometrial and cervical invasion in endometrial cancer. <i>Minerva Obstetrics and Gynecology</i> , 2021, 73, 770-775.	0.5	0

#	ARTICLE	IF	CITATIONS
408	The relationship of different preoperative inflammatory markers with the prognosis of gastric carcinoma. <i>Asian Journal of Surgery</i> , 2023, 46, 360-365.	0.2	3
409	Prognostic Significance of Pretreatment Neutrophil-to-Lymphocyte Ratio, Platelet-to-Lymphocyte Ratio, or Monocyte-to-Lymphocyte Ratio in Endometrial Neoplasms: A Systematic Review and Meta-analysis. <i>Frontiers in Oncology</i> , 2022, 12, .	1.3	18
410	The "Danse Macabre" Neutrophils the Interactive Partner Affecting Oral Cancer Outcomes. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	7
411	The effect of haemoglobin, albumin, lymphocyte and platelet score on the prognosis in patients with multiple myeloma. <i>International Journal of Laboratory Hematology</i> , 2023, 45, 13-19.	0.7	3
412	Immune Tumor Microenvironment in Ovarian Cancer Ascites. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10692.	1.8	15
413	Tip 2 diabetes mellituslu hastalarda nİtrofil lenfosit oranı ile diyabet kontrol¼ arasındaki ilişki. <i>Ege Tıp Dergisi</i> , 0, , 444-451.	0.1	0
414	Association between systemic inflammation and water composition and survival in colorectal cancer. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	5
415	Study on Preoperative Neutrophil/Lymphocyte (NLR) and Platelet/Lymphocyte Ratio (PLR) as a Predictive Factor in Endometrial Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022, 23, 3317-3322.	0.5	5
416	Lipocalin 2 not only a biomarker: a study of current literature and systematic findings of ongoing clinical trials. <i>Immunologic Research</i> , 2023, 71, 287-313.	1.3	7
417	Diagnostic and prognostic role of circulating neutrophil extracellular trap markers and prekallikrein in patients with high-grade serous ovarian cancer. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	1
418	YOĞUN BAKIM HASTALARINDA İNFLAMATUAR BELİRTİLERİN MORTALİTE ÜZERİNE ETKİLERİNİN BELİRLENMESİ. <i>Cukurova Anestezi Ve Cerrahi Bilimler Dergisi</i> , 2022, 5, 389-396.	0.1	1
419	Prognostic Role of Neutrophil-to-Lymphocyte Ratio (NLR), Lymphocyte-to-Monocyte Ratio (LMR), Platelet-to-Lymphocyte Ratio (PLR) and Lymphocyte-to-C Reactive Protein Ratio (LCR) in Patients with Hepatocellular Carcinoma (HCC) undergoing Chemoembolizations (TACE) of the Liver: The Unexplored Corner Linking Tumor Microenvironment, Biomarkers and Interventional Radiology. <i>Cancers</i> , 2023, 15, 257.	1.7	11
420	Association of Preoperative Neutrophil-to-Lymphocyte Ratio with Postoperative Acute Kidney Injury and Mortality Following Major Noncardiac Surgeries. <i>World Journal of Surgery</i> , 2023, 47, 948-961.	0.8	1
421	Demographic and Social Patterns of the Mean Values of Inflammatory Markers in U.S. Adults: A 2009-2016 NHANES Analysis. <i>Diseases (Basel, Switzerland)</i> , 2023, 11, 14.	1.0	1
422	Increased levels of NETosis biomarkers in high-grade serous ovarian cancer patients' biofluids: Potential role in disease diagnosis and management. <i>Frontiers in Immunology</i> , 0, 14, .	2.2	5
423	Independent predictive value of blood inflammatory composite markers in ovarian cancer: recent clinical evidence and perspective focusing on NLR and PLR. <i>Journal of Ovarian Research</i> , 2023, 16, .	1.3	13
424	MAY THE SYSTEMIC IMMUNE-INFLAMMATION INDEX BE AN INDICATOR OF PREMATURE OVARIAN FAILURE?. <i>Middle Black Sea Journal of Health Science</i> , 0, , .	0.2	0
425	Progress in Clinical Application of Thyroid Imaging Report and Data System. <i>Advances in Clinical Medicine</i> , 2023, 13, 2569-2574.	0.0	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------