

CITATION REPORT

List of articles citing

TiO₂ nanotube surfaces: 15 nm--an optimal length scale of surface topography for cell adhesion and differentiat

DOI: 10.1002/sml.200801476
Small, 2009, 5, 666-71.

Source: <https://exaly.com/paper-pdf/46290572/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
468	Another look at "Stem cell fate dictated solely by altered nanotube dimension". 2009 , 106, E60; author reply E61		33
467	Reply to von der Mark et al.: Looking further into the effects of nanotube dimension on stem cell fate. 2009 , 106, E61-E61		14
466	Improved bone-forming functionality on diameter-controlled TiO(2) nanotube surface. <i>Acta Biomaterialia</i> , 2009 , 5, 3215-23	10.8	469
465	Self-ordering electrochemistry: a review on growth and functionality of TiO ₂ nanotubes and other self-aligned MO(x) structures. 2009 , 2791-808		717
464	Bioactive SrTiO(3) nanotube arrays: strontium delivery platform on Ti-based osteoporotic bone implants. 2009 , 3, 3228-34		184
463	Size selective behavior of mesenchymal stem cells on ZrO(2) and TiO(2) nanotube arrays. 2009 , 1, 525-32		146
462	Self-organized TiO ₂ Nanotube Arrays: Critical Effects on Morphology and Growth. 2010 , 50, 453-467		79
461	Effect of nano-topographical features of Ti/TiO(2) electrode surface on cell response and electrochemical stability in artificial saliva. 2010 , 79, 122-9		73
460	The role of sterilization in the cytocompatibility of titania nanotubes. 2010 , 31, 2055-63		103
459	The influence of hierarchical hybrid micro/nano-textured titanium surface with titania nanotubes on osteoblast functions. 2010 , 31, 5072-82		367
458	Modulation of human vascular endothelial cell behaviors by nanotopographic cues. 2010 , 31, 5418-26		159
457	Mechanism of cell repellence on quasi-aligned nanowire arrays on Ti alloy. 2010 , 31, 8341-9		48
456	Influence of nanoscale surface topography on protein adsorption and cellular response. 2010 , 5, 66-78		453
455	Nanoscale engineering of biomimetic surfaces: cues from the extracellular matrix. 2010 , 339, 131-53		279
454	Doped TiO ₂ and TiO ₂ nanotubes: synthesis and applications. 2010 , 11, 2698-713		302
453	Surface nano-functionalization of biomaterials. 2010 , 70, 275-302		213
452	Nanotopographical modification: a regulator of cellular function through focal adhesions. 2010 , 6, 619-33		391

451	The effect of biphasic electrical stimulation on osteoblast function at anodized nanotubular titanium surfaces. 2010 , 31, 3684-93		66
450	Fabrication of nanoporous TiO ₂ by electrochemical anodization. 2010 , 55, 4359-4367		113
449	The interaction of cells and bacteria with surfaces structured at the nanometre scale. <i>Acta Biomaterialia</i> , 2010 , 6, 3824-46	10.8	619
448	Tailoring the surface functionalities of titania nanotube arrays. 2010 , 31, 532-40		167
447	Self-organized TiO ₂ nanotubes: Factors affecting their morphology and properties. 2010 , 247, 2424-2435		72
446	A biodegradable and biocompatible regular nanopattern for large-scale selective cell growth. <i>Small</i> , 2010 , 6, 2755-61	11	38
445	Electrochemical growth behavior, surface properties, and enhanced in vivo bone response of TiO ₂ nanotubes on microstructured surfaces of blasted, screw-shaped titanium implants. <i>International Journal of Nanomedicine</i> , 2010 , 5, 87-100	7.3	68
444	Biophysical Cueing and Vascular Endothelial Cell Behavior. 2010 , 3, 1620-1639		39
443	Electrochemical Formation and Corrosion Properties of Porous TiO _x Biomaterials. 2010 , 636-637, 15-21		4
442	Cellular und Tissue Engineering. 2010 , 55, 1-69		2
441	Influence of Water Content on the Growth of Anodic TiO ₂ Nanotubes in Fluoride-Containing Ethylene Glycol Electrolytes. 2010 , 157, C18		107
440	Influence of annealing on cytocompatibility of anodized nanoscale titania surfaces. 2010 ,		
439	Evaluating biocompatibility of semiconductive gallium nitride, flat and nano-structured silicon chips by cell viability, adhesion and growth. 2010 ,		1
438	Two stages in three-dimensional in vitro growth of tissue generated by osteoblastlike cells. 2010 , 5, 45-52		40
437	Thin films of functionalized multiwalled carbon nanotubes as suitable scaffold materials for stem cells proliferation and bone formation. 2010 , 4, 7717-25		147
436	Nanomedicine in ophthalmology: the new frontier. 2010 , 150, 144-162.e2		61
435	Whole genome expression analysis reveals differential effects of TiO ₂ nanotubes on vascular cells. 2010 , 10, 143-8		64
434	Ideal Hexagonal Order: Formation of Self-Organized Anodic Oxide Nanotubes and Nanopores on a Ti ₅ B ₅ Ta Alloy. 2010 , 157, C409		26

433	Effect of bisphosphonates on anodized and heat-treated titanium surfaces: an animal experimental study. 2011 , 82, 1035-42		29
432	Covalent functionalization of TiO ₂ nanotube arrays with EGF and BMP-2 for modified behavior towards mesenchymal stem cells. 2011 , 3, 927-36		36
431	Polymeric micelles in porous and nanotubular implants as a new system for extended delivery of poorly soluble drugs. 2011 , 21, 7082		71
430	Nanoscale surface modifications of medically relevant metals: state-of-the art and perspectives. 2011 , 3, 335-53		193
429	A brief review on fabrication and applications of auto-organized TiO ₂ nanotube arrays. 2011 , 29,		6
428	Surface functionalization of TiO ₂ nanotubes with bone morphogenetic protein 2 and its synergistic effect on the differentiation of mesenchymal stem cells. 2011 , 12, 1097-105		217
427	Adhesion of osteoblasts to a nanorough titanium implant surface. <i>International Journal of Nanomedicine</i> , 2011 , 6, 1801-16	7-3	101
426	Titania nanotubes supported gelatin stabilized gold nanoparticles for medical implants. 2011 , 21, 12078		37
425	Anodic TiO ₂ nanotube layers electrochemically filled with MoO ₃ and their antimicrobial properties. 2011 , 6, 16-21		31
424	Titania Nanotubes: Novel Nanostructures for Improved Osseointegration. 2011 , 133,		27
423	Wettability changes of TiO ₂ nanotube surfaces. 2011 , 22, 315704		109
422	Chapter 2: Inorganic Nanotubes. <i>RSC Nanoscience and Nanotechnology</i> , 2011 , 243-342		
421	Anodized 20 nm diameter nanotubular titanium for improved bladder stent applications. <i>International Journal of Nanomedicine</i> , 2011 , 6, 219-25	7-3	18
420	Micro- and nanoengineering approaches to control stem cell-biomaterial interactions. 2011 , 2, 88-106		39
419	Effects of surface nano-topography on human osteoblast filopodia. 2011 , 27, 369		26
418	Osseointegration and Bioscience of Implant Surfaces - Current Concepts at Bone-Implant Interface. 2011 ,		17
417	Zirconium oxide nanotube surface prompts increased osteoblast functionality and mineralization. 2011 , 31, 1716-1722		27
416	Effects of TiO ₂ nanotubes with different diameters on gene expression and osseointegration of implants in minipigs. 2011 , 32, 6900-11		239

415	Generalized stern models of the electric double layer considering the spatial variation of permittivity and finite size of ions in saturation regime. 2011 , 16, 576-94		44
414	Photoelectrochemical and photocatalytic activity of tungsten doped TiO ₂ nanotube layers in the near visible region. 2011 , 56, 10557-10561		46
413	Dermal fibroblast and epidermal keratinocyte functionality on titania nanotube arrays. <i>Acta Biomaterialia</i> , 2011 , 7, 2686-96	10.8	60
412	Formation of Hydroxyapatite Coating on Anodic Titanium Dioxide Nanotubes via an Efficient Dipping Treatment. 2011 , 42, 3255-3264		9
411	The effect of annealing temperatures on surface properties, hydroxyapatite growth and cell behaviors of TiO ₂ nanotubes. <i>Surface and Interface Analysis</i> , 2011 , 43, 998-1005	1.5	73
410	Bio-inspired micropatterned platform to steer stem cell differentiation. <i>Small</i> , 2011 , 7, 1416-21	11	51
409	Micro-/nano-engineered cellular responses for soft tissue engineering and biomedical applications. <i>Small</i> , 2011 , 7, 1361-78	11	107
408	Highly Bioactive 8 nm Hydrothermal TiO ₂ Nanotubes Elicit Enhanced Bone Cell Response. <i>Advanced Engineering Materials</i> , 2011 , 13, B88-B94	3.5	12
407	In-plane mechanical response of TiO ₂ nanotube arrays - intrinsic properties and impact of adsorbates for sensor applications. 2011 , 23, 3838-41		16
406	Suppressed primary osteoblast functions on nanoporous titania surface. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 96, 100-7	5.4	22
405	TiO ₂ nanotubes: synthesis and applications. 2011 , 50, 2904-39		2393
404	Micropatterning of a nanoporous alumina membrane with poly(ethylene glycol) hydrogel to create cellular micropatterns on nanotopographic substrates. <i>Acta Biomaterialia</i> , 2011 , 7, 1281-9	10.8	35
403	Morphologies of nanostructured TiO ₂ doped with F on Ti ₆ Al ₄ V alloy. 2011 , 56, 2221-2229		41
402	Anodic oxidation of titanium: from technical aspects to biomedical applications. 2011 , 9, 55-69		28
401	Role of materials surface topography on mammalian cell response. 2011 , 56, 243-266		119
400	Biphasic Osteogenic Characteristics of Human Mesenchymal Stem Cells Cultured on TiO ₂ Nanotubes of Different Diameters. 2012 , 2012, 1-8		11
399	Investigation of Influence of Electrolyte Composition on Formation of Anodic Titanium Oxide Nanotube Films. 2012 , 159, D629-D636		18
398	Ordered nano-scale dimple pattern formation on a titanium alloy (Ti-6Al-4V). 2012 , 2, 032101		5

- 397 Anodic TiO₂ Nanotubular Arrays with Pre-Synthesized Hydroxyapatite - A Promising Approach to Enhance the Biocompatibility of Titanium. **2012**, 617-624
- 396 Local drug delivery to the bone by drug-releasing implants: perspectives of nano-engineered titania nanotube arrays. **2012**, 3, 857-73 87
- 395 The diameter of anodic TiO₂ nanotubes affects bone formation and correlates with the bone morphogenetic protein-2 expression in vivo. **2012**, 23, 359-66 61
- 394 Response of osteoclasts to titanium surfaces with increasing surface roughness: an in vitro study. **2012**, 7, 34 38
- 393 A plant virus substrate induces early upregulation of BMP2 for rapid bone formation. **2012**, 4, 651-60 41
- 392 Polyphosphazene functionalized polyester fiber matrices for tendon tissue engineering: in vitro evaluation with human mesenchymal stem cells. **2012**, 7, 045016 46
- 391 Regulating MC3T3-E1 cells on deformable poly(ϵ -caprolactone) honeycomb films prepared using a surfactant-free breath figure method in a water-miscible solvent. *ACS Applied Materials & Interfaces*, **2012**, 4, 4966-75 9.5 84
- 390 Nanoporous surface wetting behavior: the line tension influence. **2012**, 28, 11064-71 38
- 389 Influence of nanomaterials on stem cell differentiation: designing an appropriate nanobiointerface. *International Journal of Nanomedicine*, **2012**, 7, 2211-25 7.3 33
- 388 ECM spreading behaviour on micropatterned TiO₂ nanotube surfaces. *Acta Biomaterialia*, **2012**, 8, 2639-47.8 24
- 387 Bioactivity of Ti-6Al-4V alloy implants treated with ibandronate after the formation of the nanotube TiO₂ layer. **2012**, 100, 2053-9 15
- 386 Changing bioperformance of TiO₂ amorphous nanotubes as an effect of inducing crystallinity. **2012**, 87, 124-31 54
- 385 The transport along membrane nanotubes driven by the spontaneous curvature of membrane components. **2012**, 87, 204-10 8
- 384 Interfacial structure and enhanced adhesion between anodized ZrO₂ nanotube films and Zr substrates by sedimentation of fluoride ions. **2012**, 212, 192-198 7
- 383 Oxide Growth Efficiencies and Self-Organization of TiO₂Nanotubes. **2012**, 159, H697-H703 13
- 382 The effect of nano-scale topography on keratinocyte phenotype and wound healing following burn injury. **2012**, 18, 703-14 21
- 381 Cell motility, morphology, viability and proliferation in response to nanotopography on silicon black. **2012**, 4, 3739-45 36
- 380 Bio-inspired materials for parsing matrix physicochemical control of cell migration: a review. **2012**, 4, 37-52 36

379	A facile route to fabricate an anodic TiO ₂ nanotube-nanoparticle hybrid structure for high efficiency dye-sensitized solar cells. 2012 , 4, 5148-53		45
378	Increased fibroblast functionality on CNN2-loaded titania nanotubes. <i>International Journal of Nanomedicine</i> , 2012 , 7, 1091-100	7.3	15
377	Synergistic control of mesenchymal stem cell differentiation by nanoscale surface geometry and immobilized growth factors on TiO ₂ nanotubes. <i>Small</i> , 2012 , 8, 98-107	11	102
376	Biomimetic Titanium Alloy with Sparsely Distributed Nanotubes Could Enhance Osteoblast Functions. <i>Advanced Engineering Materials</i> , 2012 , 14, B166-B174	3.5	10
375	Mesenchymal Stem Cells Differentiation on Hierarchically Micro/Nano-Structured Titanium Substrates. <i>Advanced Engineering Materials</i> , 2012 , 14, B216-B223	3.5	31
374	Tailoring of mesenchymal stem cells behavior on plasma-modified polytetrafluoroethylene. 2012 , 24, 3315-24		44
373	Tailoring substrates for long-term organotypic culture of adult neuronal tissue. 2012 , 24, 2399-403		14
372	Biocompatible polymer coating of titania nanotube arrays for improved drug elution and osteoblast adhesion. <i>Acta Biomaterialia</i> , 2012 , 8, 449-56	10.8	211
371	Review of titania nanotubes: Fabrication and cellular response. 2012 , 38, 4421-4435		178
370	The influence of UV irradiation on the biological properties of MAO-formed ZrO ₂ . <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 89, 40-7	6	21
369	Regulation of the behaviors of mesenchymal stem cells by surface nanostructured titanium. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 97, 211-20	6	70
368	Regulation of the differentiation of mesenchymal stem cells in vitro and osteogenesis in vivo by microenvironmental modification of titanium alloy surfaces. 2012 , 33, 3515-28		116
367	Biocompatibility of TiO ₂ nanotubes fabricated on Ti using different surfactant additives in electrolyte. <i>Materials Chemistry and Physics</i> , 2012 , 134, 536-541	4.4	19
366	TiO ₂ nanotubes for bone regeneration. 2012 , 30, 315-22		232
365	Enhanced bioactivity and bacteriostasis effect of TiO ₂ nanofilms with favorable biomimetic architectures on titanium surface. 2013 , 3, 11214		36
364	Micro-nano hierarchical porous titania modified with ZnO nanorods for biomedical applications. 2013 , 232, 68-74		16
363	Cell-material interactions revealed via material techniques of surface patterning. 2013 , 25, 5257-86		370
362	Immobilization of pamidronic acids on the nanotube surface of titanium discs and their interaction with bone cells. 2013 , 8, 124		25

361	Nano size effects of TiO ₂ nanotube array on the glioma cells behavior. 2012 , 14, 244-54		6
360	Controlled surface modification of Ti-40Nb implant alloy by electrochemically assisted inductively coupled RF plasma oxidation. <i>Acta Biomaterialia</i> , 2013 , 9, 9201-10	10.8	21
359	Effect of the nanostructure of porous alumina on growth behavior of MG63 osteoblast-like cells. 2013 , 116, 509-15		25
358	Expansion of nanosized pores in low-crystallinity nanoparticle-assembled plates via a thermally induced increase in solid-state density. 2013 , 405, 58-63		8
357	Intercalation of anti-inflammatory drug molecules within TiO ₂ nanotubes. 2013 , 3, 17380		51
356	Graphene oxide assisted synthesis of GaN nanostructures for reducing cell adhesion. 2013 , 5, 11019-27		11
355	Micro-nanopatterning as tool to study the role of physicochemical properties on cell-surface interactions. <i>Journal of Biomedical Materials Research - Part A</i> , 2013 , 101, 3019-32	5.4	40
354	Fast and robust infiltration of functional material inside titania nanotube layers: case study of a chalcogenide glass sensitizer. 2013 , 5, 9541-5		16
353	Formation of a crystalline nanotube/nanoparticle hybrid by post water-treatment of a thin amorphous TiO ₂ layer on a TiO ₂ nanotube array as an efficient photoanode in dye-sensitized solar cells. 2013 , 1, 4370		19
352	Inorganic Nanoparticles and Nanomaterials Based on Titanium (Ti): Applications in Medicine. 2013 , 754, 21-87		4
351	Enhancement of hydroxyapatite formation on anodic TiO ₂ nanotubular arrays via precalcification. 2013 , 20, 183-190		5
350	Variation on wettability of anodic zirconium oxide nanotube surface. <i>Thin Solid Films</i> , 2013 , 531, 277-283.2		8
349	Engineering biocompatible implant surfaces: Part I: Materials and surfaces. 2013 , 58, 261-326		506
348	Cell response of anodized nanotubes on titanium and titanium alloys. <i>Journal of Biomedical Materials Research - Part A</i> , 2013 , 101, 2726-39	5.4	128
347	Effect of nanotube diameters on bioactivity of a multifunctional titanium alloy. <i>Applied Surface Science</i> , 2013 , 268, 44-51	6.7	31
346	Mechanoregulation of stem cell fate via micro-/nano-scale manipulation for regenerative medicine. 2013 , 8, 623-38		40
345	Nanotopographic surfaces with defined surface chemistries from amyloid fibril networks can control cell attachment. 2013 , 14, 2305-16		50
344	TiO ₂ nanotubes, nanochannels and mesosponge: Self-organized formation and applications. 2013 , 8, 235-264		259

343	Titanium nanofeaturing for enhanced bioactivity of implanted orthopedic and dental devices. 2013 , 8, 89-104		35
342	Evaluation of single-cell force spectroscopy and fluorescence microscopy to determine cell interactions with femtosecond-laser microstructured titanium surfaces. <i>Journal of Biomedical Materials Research - Part A</i> , 2013 , 101, 981-90	5-4	11
341	The Control of Mesenchymal Stromal Cell Osteogenic Differentiation through Modified Surfaces. 2013 , 2013, 361637		26
340	Mesoporous TiO ₂ as a nanostructured substrate for cell culture and cell patterning. 2013 , 3, 23673		7
339	High-throughput characterisation of osteogenic differentiation of human mesenchymal stem cells using pore size gradients on porous alumina. 2013 , 1, 924-932		22
338	In vitro proliferation and osteogenic differentiation of mesenchymal stem cells on nanoporous alumina. <i>International Journal of Nanomedicine</i> , 2013 , 8, 2745-56	7-3	28
337	Mapping the complex morphology of cell interactions with nanowire substrates using FIB-SEM. 2013 , 8, e53307		56
336	Dual effects and mechanism of TiO ₂ nanotube arrays in reducing bacterial colonization and enhancing C3H10T1/2 cell adhesion. <i>International Journal of Nanomedicine</i> , 2013 , 8, 3093-105	7-3	58
335	Focal adhesion linker proteins expression of fibroblast related to adhesion in response to different transmucosal abutment surfaces. 2013 , 5, 341-50		14
334	Techniques for dental implant nanosurface modifications. 2014 , 6, 498-504		39
333	Advances on Biomedical Titanium Surface Interactions. 2014 , 19, 43-64		3
332	Vacuum extraction enhances rhPDGF-BB immobilization on nanotubes to improve implant osseointegration in ovariectomized rats. 2014 , 10, 1809-18		32
331	Study of biocompatibility of medical grade high nitrogen nickel-free austenitic stainless steel in vitro. 2014 , 43, 641-8		32
330	Nanotopography drives stem cell fate toward osteoblast differentiation through α_1 integrin signaling pathway. 2014 , 115, 540-8		58
329	Functional and transcriptomic analysis of the regulation of osteoblasts by mechano-growth factor E peptide. 2014 , 61, 193-201		6
328	Synthetic nanowire/nanotube-based solid substrates for controlled cell growth. 2014 , 1,		9
327	Antibacterial effects and biocompatibility of titanium surfaces with graded silver incorporation in titania nanotubes. 2014 , 35, 4255-65		273
326	Enhanced cellular responses to titanium coating with hierarchical hybrid structure. 2014 , 38, 272-7		26

325	Titanium dioxide nanotube films: Preparation, characterization and electrochemical biosensitivity towards alkaline phosphatase. 2014 , 37, 374-82		18
324	Nanomaterial. 2014 ,		13
323	Titania nanotubes dimensions-dependent protein adsorption and its effect on the growth of osteoblasts. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 3598-608	5.4	30
322	Stem cells and nanomaterials. 2014 , 811, 255-75		17
321	Surface functionalization of nanoporous alumina with bone morphogenetic protein 2 for inducing osteogenic differentiation of mesenchymal stem cells. 2014 , 37, 120-6		20
320	Fabrication and characterization of TiO-ZrO-ZrTiO nanotubes on TiZr alloy manufactured via anodization. 2014 , 2, 71-83		31
319	Recent update on implant surface tailoring to improve bone regenerative capacity. 2014 , 11, 266-273		0
318	Hybrid inverse opals for regulating cell adhesion and orientation. 2014 , 6, 10650-6		31
317	Selective biofunctional modification of titanium implants for osteogenic and antibacterial applications. 2014 , 2, 7475-7487		20
316	Doubly open-ended TiO ₂ nanotube arrays decorated with a few nm-sized TiO ₂ nanoparticles for highly efficient dye-sensitized solar cells. 2014 , 2, 14380		16
315	Enhanced loading and controlled release of rhBMP-2 in thin mineralized collagen coatings with the aid of chitosan nanospheres and its biological evaluations. 2014 , 2, 4572-4582		14
314	Nanotopographical induction of osteogenesis through adhesion, bone morphogenetic protein cosignaling, and regulation of microRNAs. 2014 , 8, 9941-53		107
313	The control of mesenchymal stem cell differentiation using dynamically tunable surface microgrooves. 2014 , 3, 1608-19		50
312	One-dimensional titanium dioxide nanomaterials: nanotubes. 2014 , 114, 9385-454		885
311	Fabrication, modification, and biomedical applications of anodized TiO ₂ nanotube arrays. 2014 , 4, 17300-17324	4.09	
310	Electrochemical behavior and biological response of Mesenchymal Stem Cells on cp-Ti after N-ions implantation. <i>Applied Surface Science</i> , 2014 , 320, 718-724	6.7	14
309	Regulation of the biological functions of osteoblasts and bone formation by Zn-incorporated coating on microrough titanium. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 16426-40	9.5	114
308	Investigation of the interfacial effects of small chemical-modified TiO ₂ nanotubes on 3T3 fibroblast responses. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 12071-82	9.5	13

307	Improved cell activity on biodegradable photopolymer scaffolds using titanate nanotube coatings. 2014 , 44, 38-43		17
306	Functionalized TiO ₂ Based Nanomaterials for Biomedical Applications. <i>Advanced Functional Materials</i> , 2014 , 24, 5464-5481	15.6	168
305	Seeding cells on calcium phosphate scaffolds using hydrogel enhanced osteoblast proliferation and differentiation. 2014 , 42, 1424-35		8
304	Surface nanoporosity of E-type Ti ₅ Nb ₅ Zr alloy for the enhancement of protein adsorption and cell response. 2014 , 259, 206-212		23
303	Multilevel surface engineering of nanostructured TiO ₂ on carbon-fiber-reinforced polyetheretherketone. 2014 , 35, 5731-40		64
302	Integration of photo-crosslinking and breath figures to fabricate biodegradable polymer substrates with tunable pores that regulate cellular behavior. 2014 , 55, 1756-1762		28
301	The two step nanotube formation on TiZr as scaffolds for cell growth. 2014 , 98, 39-45		35
300	Titanium dioxide nanomaterials for sensor applications. 2014 , 114, 10131-76		573
299	Synthesis of nanostructured porous silica coatings on titanium and their cell adhesive and osteogenic differentiation properties. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 37-48 ^{5.4}		37
298	Growth and electrochemical stability of self-organized TiO ₂ nanotubes on Ti-2 grade and orthopedic Ti6Al4V alloy for biomedical application. 2014 , 19, 53-60		6
297	Molecular assessment of osseointegration in vitro: a review of current literature. 2014 , 29, e171-99		33
296	Survivability of TiO ₂ nanotubes on the surface of bone screws. 2014 , 2, 60-68		6
295	Engineering of Self-Organizing Electrochemistry: Porous Alumina and Titania Nanotubes. 2015 , 145-192		3
294	Harmonizing HeLa cell cytoskeleton behavior by multi-Ti oxide phased nanostructure synthesized through ultrashort pulsed laser. 2015 , 5, 15294		3
293	Nanoindentation study of the mechanical behavior of TiO ₂ nanotube arrays. 2015 , 118, 145301		41
292	Topological control of nitric oxide secretion by tantalum oxide nanodot arrays. <i>Journal of Nanobiotechnology</i> , 2015 , 13, 79	9.4	7
291	Engineering nanoscale stem cell niche: direct stem cell behavior at cell-matrix interface. 2015 , 4, 1900-14		34
290	Binding of plasma proteins to titanium dioxide nanotubes with different diameters. <i>International Journal of Nanomedicine</i> , 2015 , 10, 1359-73	7.3	42

289	Nanoscale TiO ₂ nanotubes govern the biological behavior of human glioma and osteosarcoma cells. <i>International Journal of Nanomedicine</i> , 2015 , 10, 2423-39	7-3	21
288	Improved osseointegration of dental titanium implants by TiO ₂ nanotube arrays with recombinant human bone morphogenetic protein-2: a pilot in vivo study. <i>International Journal of Nanomedicine</i> , 2015 , 10, 1145-54	7-3	32
287	The diameter of nanotubes formed on Ti-6Al-4V alloy controls the adhesion and differentiation of Saos-2 cells. <i>International Journal of Nanomedicine</i> , 2015 , 10, 7145-63	7-3	26
286	The effects of hierarchical micro/nanosurfaces decorated with TiO ₂ nanotubes on the bioactivity of titanium implants in vitro and in vivo. <i>International Journal of Nanomedicine</i> , 2015 , 10, 6955-73	7-3	23
285	Increased Mesenchymal Stem Cell Response and Decreased Staphylococcus aureus Adhesion on Titania Nanotubes without Pharmaceuticals. 2015 , 2015, 172898		18
284	The Evaluation of Osseointegration of Dental Implant Surface with Different Size of TiO ₂ Nanotube in Rats. 2015 , 2015, 1-11		11
283	Osseointegration of Implants Surface-Treated with Various Diameters of TiO ₂ Nanotubes in Rabbit. 2015 , 2015, 1-11		9
282	The Effects of Surface Properties of Nanostructured Bone Repair Materials on Their Performances. 2015 , 2015, 1-11		9
281	Antibacterial Effects and Biocompatibility of Titania Nanotubes with Octenidine Dihydrochloride/Poly(lactic-co-glycolic acid). 2015 , 2015, 836939		7
280	Effect of microstructural evolution on wettability and tribological behavior of TiO ₂ nanotubular arrays coated on Ti6Al4V. 2015 , 41, 7952-7962		44
279	Investigation of TiO ₂ nanotubes/nanoparticles stacking sequences to improve power conversion efficiency of dye-sensitized solar cells. 2015 , 173, 665-671		15
278	Titania nanotube arrays for local drug delivery: recent advances and perspectives. 2015 , 12, 103-27		120
277	Fabrication and characterization of CaP-coated nanotube arrays. <i>Materials Chemistry and Physics</i> , 2015 , 153, 110-116	4-4	5
276	Simultaneous delivery of BMP-2 factor and anti-osteoporotic drugs using hyaluronan-assembled nanocomposite for synergistic regulation on the behaviors of osteoblasts and osteoclasts in vitro. 2015 , 26, 290-310		8
275	Carbon nanotube array inducing osteogenic differentiation of human mesenchymal stem cells. 2015 , 51, 182-8		16
274	Directing cell migration and organization via nanocrater-patterned cell-repellent interfaces. 2015 , 14, 918-23		130
273	Guided proliferation and bone-forming functionality on highly ordered large diameter TiO ₂ nanotube arrays. 2015 , 53, 272-9		30
272	Titania nanostructures: a biomedical perspective. 2015 , 5, 37149-37171		42

271	Inflammatory cytokine release is affected by surface morphology and chemistry of titanium implants. 2015 , 26, 155		13
270	Cell response and bioactivity of titania-zirconia-zirconium titanate nanotubes with different nanoscale topographies fabricated in a non-aqueous electrolyte. 2015 , 3, 636-44		11
269	Biomaterials for dental implants: current and future trends. 2015 , 50, 4779-4812		109
268	Influence of the nanostructure of F-doped TiO ₂ films on osteoblast growth and function. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 1985-90	5.4	24
267	Regulation of stem cell fate by nanomaterial substrates. 2015 , 10, 829-47		56
266	Recent Advances in Synthesis, Modification and Applications of TiO ₂ Nanotube Arrays by Electrochemical Anodization. 2015 , 1-33		
265	Adherence of oral streptococci to nanostructured titanium surfaces. 2015 , 31, 1460-8		59
264	Facile Synthesis of Conductive Polypyrrole Wrinkle Topographies on Polydimethylsiloxane via a Swelling-Deswelling Process and Their Potential Uses in Tissue Engineering. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 23454-63	9.5	34
263	The nanoscale geometry of TiO ₂ nanotubes influences the osteogenic differentiation of human adipose-derived stem cells by modulating H3K4 trimethylation. 2015 , 39, 193-205		136
262	Cytotoxicity, DNA damage, and apoptosis induced by titanium dioxide nanoparticles in human non-small cell lung cancer A549 cells. 2015 , 22, 5519-30		91
261	Flavonoid-modified surfaces: multifunctional bioactive biomaterials with osteopromotive, anti-inflammatory, and anti-fibrotic potential. 2015 , 4, 540-9		44
260	The influence of titania-zirconia-zirconium titanate nanotube characteristics on osteoblast cell adhesion. <i>Acta Biomaterialia</i> , 2015 , 12, 281-289	10.8	48
259	TiO ₂ -coated CoCrMo: improving the osteogenic differentiation and adhesion of mesenchymal stem cells in vitro. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 1208-17	5.4	19
258	Effects of nanoporous anodic titanium oxide on human adipose derived stem cells. <i>International Journal of Nanomedicine</i> , 2016 , 11, 5349-5360	7.3	17
257	Cell Activity on Type 316L Stainless Steel with Self-Organized Nanopores Formed by Anodic Polarization. 2016 , 57, 2065-2071		1
256	The synergistic effect of TiO nanoporous modification and platelet-rich plasma treatment on titanium-implant stability in ovariectomized rats. <i>International Journal of Nanomedicine</i> , 2016 , 11, 4719-4733	7.3	16
255	The Characterization and Osteogenic Activity of Nanostructured Strontium-Containing Oxide Layers on Titanium Surfaces. 2016 , 31, e102-15		10
254	Silicon-Doped Titanium Dioxide Nanotubes Promoted Bone Formation on Titanium Implants. 2016 , 17, 292		40

253	Inhibited Bacterial Adhesion and Biofilm Formation on Quaternized Chitosan-Loaded Titania Nanotubes with Various Diameters. 2016 , 9,		25
252	Spatial Control of Cell-Nanosurface Interactions by Tantalum Oxide Nanodots for Improved Implant Geometry. 2016 , 11, e0158425		14
251	Effect of Hydrofluoric Acid Etching Time on Titanium Topography, Chemistry, Wettability, and Cell Adhesion. 2016 , 11, e0165296		29
250	TiO nanotube platforms for smart drug delivery: a review. <i>International Journal of Nanomedicine</i> , 2016 , 11, 4819-4834	7.3	86
249	Treatments to Optimize Dental Implant Surface Topography and Enhance Cell Bioactivity. 2016 ,		0
248	Titania nanotubes for orchestrating osteogenesis at the bone-implant interface. 2016 , 11, 1847-64		54
247	Periodic Nanoneedle and Buffer Zones Constructed on a Titanium Surface Promote Osteogenic Differentiation and Bone Calcification In Vivo. 2016 , 5, 364-72		14
246	Biological Response of Human Bone Marrow-Derived Mesenchymal Stem Cells to Commercial Tantalum Coatings with Microscale and Nanoscale Surface Topographies. 2016 , 68, 1672-1678		10
245	Temporal Control of Osteoblast Cell Growth and Behavior Dictated by Nanotopography and Shear Stress. 2016 , 15, 704-712		5
244	Orthodontic tunnel miniscrews with and without TiO ₂ nanotube arrays as a drug-delivery system: In vivo study. 2016 , 27, 375-387		2
243	Immobilization of calcium and phosphate ions improves the osteoconductivity of titanium implants. 2016 , 68, 291-298		32
242	Development of a novel biomimetic micro/nano-hierarchical interface for enhancement of osseointegration. 2016 , 6, 49954-49965		11
241	Regenerative Medicine - from Protocol to Patient. 2016 ,		1
240	Enhanced biocompatibility of TiO ₂ surfaces by highly reactive plasma. 2016 , 49, 244002		18
239	Protein interactions with layers of TiO nanotube and nanopore arrays: Morphology and surface charge influence. <i>Acta Biomaterialia</i> , 2016 , 45, 357-366	10.8	77
238	The influence of nanotopography on organelle organization and communication. 2016 , 9, 2433-2444		6
237	Enhancing the biological response of titanium surface through the immobilization of bone morphogenetic protein-2 using the natural cross-linker genipin. 2016 , 303, 289-297		14
236	Osteogenic and angiogenic activities of silicon-incorporated TiO nanotube arrays. 2016 , 4, 5548-5559		33

235	Nanochips of Tantalum Oxide Nanodots as artificial-microenvironments for monitoring Ovarian cancer progressiveness. 2016 , 6, 31998		11
234	The potential of nanoparticles in stem cell differentiation and further therapeutic applications. 2016 , 11, 1550-1560		32
233	Influence of strontium ions incorporated into nanosheet-pore topographical titanium substrates on osteogenic differentiation of mesenchymal stem cells in vitro and on osseointegration in vivo. 2016 , 4, 4549-4564		24
232	Enhanced bond strength and bioactivity of interconnected 3D TiO ₂ nanoporous layer on titanium implants. 2016 , 304, 459-467		15
231	Enhancement of local bone remodeling in osteoporotic rabbits by biomimic multilayered structures on Ti6Al4V implants. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 1437-51	5-4	19
230	TiO ₂ Nanorod Array Constructed Nanotopography for Regulation of Mesenchymal Stem Cells Fate and the Realization of Location-Committed Stem Cell Differentiation. <i>Small</i> , 2016 , 12, 1770-8	11	48
229	Localized committed differentiation of neural stem cells based on the topographical regulation effects of TiO ₂ nanostructured ceramics. 2016 , 8, 13186-91		10
228	Nanoporous Anodic Alumina Surfaces Affect Fibro- and Osteoblasts in Opposite Ways. <i>Advanced Engineering Materials</i> , 2016 , 18, 333-340	3-5	4
227	Electrospun biodegradable nanofibers scaffolds for bone tissue engineering. 2016 , 133, n/a-n/a		100
226	Self-assembly chitosan/gelatin composite coating on icariin-modified TiO ₂ nanotubes for the regulation of osteoblast bioactivity. <i>Materials and Design</i> , 2016 , 92, 471-479	8.1	37
225	Study of Cell Behaviors on Anodized TiO Nanotube Arrays with Coexisting Multi-Size Diameters. 2016 , 8, 61-69		12
224	Influence of various sterilization procedures on TiO ₂ nanotubes used for biomedical devices. 2016 , 109, 79-86		36
223	Nanosheet-pore topographical titanium substrates: a biophysical regulator of the fate of mesenchymal stem cells. 2016 , 4, 1797-1810		23
222	Titanium dioxide nanotube arrays coated with laminin enhance C2C12 skeletal myoblast adhesion and differentiation. 2016 , 6, 18502-18514		5
221	The osteogenic capacity of biomimetic hierarchical micropore/nanorod-patterned Sr-HA coatings with different interrod spacings. 2016 , 12, 1161-73		44
220	Influence of Surface Topographical Cues on the Differentiation of Mesenchymal Stem Cells in Vitro. <i>ACS Biomaterials Science and Engineering</i> , 2016 , 2, 142-151	5-5	117
219	Corrosion, antibacterial activity and haemocompatibility of TiO ₂ nanotubes as a function of their annealing temperature. 2016 , 103, 215-222		63
218	Drug-Eluting Nanotubes for Cellular Bioactivity. 2016 , 305-318		

217	Microscale Technologies for Cell Engineering. 2016 ,		3
216	Solution-phase synthesis of transition metal oxide nanocrystals: Morphologies, formulae, and mechanisms. 2017 , 244, 199-266		58
215	Improved rhBMP-2 function on MBG incorporated TiO nanorod films. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 150, 153-158	6	12
214	Effect of construction of TiO nanotubes on platelet behaviors: Structure-property relationships. <i>Acta Biomaterialia</i> , 2017 , 51, 505-512	10.8	37
213	Design of alveolate Se-inserted TiO and its effect on osteosarcoma cells and osteoblasts. 2017 , 5, 1988-2001		9
212	Nanoscale Topography on Black Titanium Imparts Multi-biofunctional Properties for Orthopedic Applications. 2017 , 7, 41118		87
211	Surface microtopography modulates sealing zone development in osteoclasts cultured on bone. 2017 , 14,		11
210	Enhancement in Sustained Release of Antimicrobial Peptide from Dual-Diameter-Structured TiO Nanotubes for Long-Lasting Antibacterial Activity and Cytocompatibility. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 9449-9461	9.5	34
209	A review of TiO NTs on Ti metal: Electrochemical synthesis, functionalization and potential use as bone implants. 2017 , 76, 1401-1412		105
208	Synthesis and biological properties of Zn-incorporated micro/nano-textured surface on Ti by high current anodization. 2017 , 78, 175-184		12
207	Fabrication of Ni-Ti-O nanoporous film on NiTi alloy in ethylene glycol containing NaCl. 2017 , 321, 136-145		12
206	Oriented Surface Nanotopography Promotes the Osteogenesis of Mesenchymal Stem Cells. 2017 , 4, 1600652		14
205	The controlled release of simvastatin from TiO ₂ nanotubes to promote osteoblast differentiation and inhibit osteoclast resorption. <i>Applied Surface Science</i> , 2017 , 396, 1741-1751	6.7	30
204	Effect of hierarchical pore structure on ALP expression of MC3T3-E1 cells on bioglass films. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 156, 213-220	6	15
203	Influence of morphology and crystalline structure of TiO ₂ nanotubes on their electrochemical properties and apatite-forming ability. 2017 , 245, 337-349		44
202	Modelling osteoblast adhesion on surface-engineered biomaterials: optimisation of nanophase grain size. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017 , 20, 905-914	2.1	10
201	Metal Oxide Nanoparticles as Versatile Therapeutic Agents Modulating Cell Signaling Pathways: Linking Nanotechnology with Molecular Medicine. 2017 , 7, 91-103		46
200	Biopolymer-based functional composites for medical applications. 2017 , 68, 77-105		207

199	Synthesis of calcium-phosphorous doped TiO ₂ nanotubes by anodization and reverse polarization: A promising strategy for an efficient biofunctional implant surface. <i>Applied Surface Science</i> , 2017 , 399, 682-701	6.7	41
198	Surface immobilization of gelatin onto TiO ₂ nanotubes to modulate osteoblast behavior. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 159, 743-749	6	11
197	NanoTopoChip: High-throughput nanotopographical cell instruction. <i>Acta Biomaterialia</i> , 2017 , 62, 188-198.8	198.8	26
196	Surface Modification of Metallic Implants with Nanotubular Arrays via Electrochemical Anodization. 2017 , 211-238		0
195	Viability Studies of Cells on Nanostructured Surfaces With Various Feature Sizes. 2017 , 38, 1447-1454		1
194	Nanotopography-based strategy for the precise manipulation of osteoimmunomodulation in bone regeneration. 2017 , 9, 18129-18152		77
193	Regulation of RAW 264.7 macrophages behavior on anodic TiO ₂ nanotubular arrays. 2017 , 11, 318-327		9
192	Nanopatterned Adhesive, Stretchable Hydrogel to Control Ligand Spacing and Regulate Cell Spreading and Migration. 2017 , 11, 8282-8291		70
191	Effects of the micro-nano surface topography of titanium alloy on the biological responses of osteoblast. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 757-769	5.4	27
190	Biological response of human suture mesenchymal cells to Titania nanotube-based implants for advanced craniosynostosis therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 150, 59-67	6	11
189	1D Titania Nanoarchitecture as Bioactive and Photoactive Coatings for Modern Implants: A Review. 2017 ,		1
188	The Bioactivity and Photocatalytic Properties of Titania Nanotube Coatings Produced with the Use of the Low-Potential Anodization of Ti6Al4V Alloy Surface. <i>Nanomaterials</i> , 2017 , 7,	5.4	25
187	3.17 Materials to Control and Measure Cell Function. 2017 , 364-386		
186	Nanomaterials modulate stem cell differentiation: biological interaction and underlying mechanisms. <i>Journal of Nanobiotechnology</i> , 2017 , 15, 75	9.4	55
185	Could Titanium Dioxide Nanotubes Represent a Viable Support System for Appropriate Cells in Vascular Implants?. 2017 , 25, 1-39		4
184	Nanoscale TiO ₂ nanotubes as a basis for governing cell behaviors and application challenges. <i>International Journal of Nanomedicine</i> , 2017 , 12, 575-576	7.3	6
183	Uptake of TiO ₂ Nanoparticles into <i>C. elegans</i> Neurons Negatively Affects Axonal Growth and Worm Locomotion Behavior. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 8485-8495	9.5	19
182	Progress in TiO ₂ nanotube coatings for biomedical applications: a review. 2018 , 6, 1862-1886		94

181	Effect of heat treatment on surface hydrophilicity-retaining ability of titanium dioxide nanotubes. <i>Applied Surface Science</i> , 2018 , 440, 440-447	6.7	23
180	Design and Applications of Cell-Selective Surfaces and Interfaces. 2018 , 19, 1746-1763		23
179	Electrochemical surface engineering of titanium-based alloys for biomedical application. 2018 , 271, 699-718		126
178	Investigation of osteogenic responses of Fe-incorporated micro/nano-hierarchical structures on titanium surfaces. 2018 , 6, 1359-1372		24
177	The effect of ordered and partially ordered surface topography on bone cell responses: a review. 2018 , 6, 250-264		58
176	Formation of nanotubular TiO structures with varied surface characteristics for biomaterial applications. <i>Journal of Biomedical Materials Research - Part A</i> , 2018 , 106, 1341-1354	5-4	12
175	Simultaneous hydrothermal bioactivation with nano-topographic modulation of porous titanium alloys towards enhanced osteogenic and antimicrobial responses. 2018 , 6, 2877-2893		31
174	Osteogenic nanostructured titanium surfaces with antibacterial properties under conditions that mimic the dynamic situation in the oral cavity. 2018 , 6, 1390-1402		18
173	Nanotechnologies for tissue engineering and regeneration. 2018 , 93-206		11
172	Glypican-based drug releasing titania implants to regulate BMP2 bioactivity as a potential approach for craniosynostosis therapy. 2018 , 14, 2365-2374		7
171	Biological responses to immobilized microscale and nanoscale surface topographies. 2018 , 182, 33-55		50
170	Fabricating hierarchical micro and nano structures on implantable Co-Cr-Mo alloy for tissue engineering by one-step laser ablation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 161, 628-635	6	21
169	Large-scale functionalization of biomedical porous titanium scaffolds surface with TiO ₂ nanostructures. 2018 , 61, 557-564		7
168	Cell Activity on Type 316L Stainless Steel with Self-Organized Nanopores Formed by Anodic Polarization. 2018 , 82, 269-276		
167	Fundamentals of Biomaterials. 2018 ,		10
166	Scaffold Structural Microenvironmental Cues to Guide Tissue Regeneration in Bone Tissue Applications. <i>Nanomaterials</i> , 2018 , 8,	5-4	80
165	Nano- and Microarchitecture of Biomaterial Surfaces. 2018 , 303-329		0
164	The controlled naringin release from TiO nanotubes to regulate osteoblast differentiation. 2018 , 33, 673-680		13

163	Role of Biomacromolecules in Biomedical Engineering. 2018 , 18, 1171-1187		2
162	Facile Construction of Structural Gradient of TiO Nanotube Arrays on Medical Titanium for High Throughput Evaluation of Biocompatibility and Antibacterial Property.. <i>ACS Applied Bio Materials</i> , 2018 , 1, 1056-1065	4.1	8
161	A critical review of multifunctional titanium surfaces: New frontiers for improving osseointegration and host response, avoiding bacteria contamination. <i>Acta Biomaterialia</i> , 2018 , 79, 1-22	10.8	198
160	Transparent titanium dioxide nanotubes: Processing, characterization, and application in establishing cellular response mechanisms. <i>Acta Biomaterialia</i> , 2018 , 79, 364-374	10.8	6
159	A Review on the Electrochemically Self-organized Titania Nanotube Arrays: Synthesis, Modifications, and Biomedical Applications. 2018 , 13, 187		73
158	Nanochannelar Topography Positively Modulates Osteoblast Differentiation and Inhibits Osteoclastogenesis. 2018 , 8, 294		12
157	Quantitative Proteomics Study Reveals Changes in the Molecular Landscape of Human Embryonic Stem Cells with Impaired Stem Cell Differentiation upon Exposure to Titanium Dioxide Nanoparticles. <i>Small</i> , 2018 , 14, e1800190	11	15
156	TiO ₂ Nanotube Arrays as Smart Platforms for Biomedical Applications. 2018 , 143-157		6
155	3D-printed titanium alloys for orthopedic applications. 2018 , 251-275		3
154	Icariin-Loaded TiO ₂ Nanotubes for Regulation of the Bioactivity of Bone Marrow Cells. 2018 , 2018, 1-12		3
153	High-Throughput Screening of Rat Mesenchymal Stem Cell Behavior on Gradient TiO Nanotubes. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 2804-2814	5.5	19
152	Construction of Ag-incorporated coating on Ti substrates for inhibited bacterial growth and enhanced osteoblast response. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 171, 597-605	6	23
151	Electrochemical corrosion behaviors of titanium covered by various TiO ₂ nanotube films in artificial saliva. 2018 , 53, 15130-15141		10
150	Regulation of Mesenchymal Stem Cell Differentiation by Nanopatterning of Bulk Metallic Glass. 2018 , 8, 8758		27
149	Substrate micropatterns produced by polymer demixing regulate focal adhesions, actin anisotropy, and lineage differentiation of stem cells. <i>Acta Biomaterialia</i> , 2018 , 76, 21-28	10.8	16
148	Enhanced Osteointegration of Hierarchical Structured 3D-Printed Titanium Implants. <i>ACS Applied Bio Materials</i> , 2018 , 1, 90-99	4.1	9
147	Black TiO nanotubes: Efficient electrodes for triggering electric field-induced stimulation of stem cell growth. <i>Acta Biomaterialia</i> , 2019 , 97, 681-688	10.8	6
146	Advanced Surface Treatments on Titanium and Titanium Alloys Focused on Electrochemical and Physical Technologies for Biomedical Applications. 2019 ,		6

145	Low density lipoprotein adsorption on a titanium surface and its effect on osteoblast behaviors.. 2019 , 9, 18589-18598		1
144	Effects of diameters and crystals of titanium dioxide nanotube arrays on blood compatibility and endothelial cell behaviors. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 184, 110521	6	29
143	Nanotubular oxide layers formation on Ti ₂ Nb ₄ Zr ₈ Sn and Ti ₃ Zr ₁₃ Nb alloys in the ethylene glycol-based electrolyte: The role of alloying elements and phase composition. <i>Thin Solid Films</i> , 2019 , 692, 137635	2.2	5
142	Surface Epitaxial Crystallization-Directed Nanotopography for Accelerating Preosteoblast Proliferation and Osteogenic Differentiation. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 42956-42983	9.5	6
141	Construction of Complex Structures Containing Micro-Pits and Nano-Pits on the Surface of Titanium for Cytocompatibility Improvement. 2019 , 12,		7
140	Dynamic Titania Nanotube Surface Achieves UV-Triggered Charge Reversal and Enhances Cell Differentiation. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 36939-36948	9.5	8
139	Lateral Spacing of TiO Nanotubes Modulates Osteoblast Behavior. 2019 , 12,		16
138	Polydopamine-Assisted Immobilization of Chitosan Brushes on a Textured CoCrMo Alloy to Improve its Tribology and Biocompatibility. 2019 , 12,		4
137	Biocompatibility evaluation of antibacterial Ti-Ag alloys with nanotubular coatings. <i>International Journal of Nanomedicine</i> , 2019 , 14, 457-468	7.3	6
136	Role of protein adsorption in the bio corrosion of metallic implants - A review. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 176, 494-506	6	63
135	Nano Textured PEEK Surface for Enhanced Osseointegration. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 1279-1289	5.5	8
134	Effect of the Wnt signal-RANKL/OPG axis on the enhanced osteogenic integration of a lithium incorporated surface. 2019 , 7, 1101-1116		28
133	Osteoblast response to nanostructured and phosphorus-enhanced titanium anodization surfaces. 2019 , 34, 419-430		5
132	Single-Nanometer Changes in Nanopore Geometry Influence Curvature, Local Properties, and Protein Localization in Membrane Simulations. 2019 , 19, 4770-4778		8
131	Enzyme-Directed Biomaterialization Coating on TiO Nanotubes and its Positive Effect on Osteogenesis. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 2769-2777	5.5	4
130	Fibroin/peptide co-functionalized calcium titanate nanorods improve osteoinductivity of titanium via mimicking osteogenic niche. 2019 , 103, 109836		3
129	Optimized Fabrication and Characterization of TiO-NbO-ZrO Nanotubes on EPhase TiZrNb Alloy for Biomedical Applications via the Taguchi Method. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 2750-2761	5.5	9
128	TiO nanotubes promote osteogenic differentiation of mesenchymal stem cells via regulation of lncRNA CCL3-AS. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 181, 416-425	6	4

127	Different diameters of titanium dioxide nanotubes modulate Saos-2 osteoblast-like cell adhesion and osteogenic differentiation and nanomechanical properties of the surface.. 2019 , 9, 11341-11355		9
126	Homogeneous Anodic TiO ₂ Nanotube Layers on Ti6Al4V Alloy with Improved Adhesion Strength and Corrosion Resistance. 2019 , 6, 1801964		2
125	A Novel Methodology for Economical Scale-Up of TiO ₂ Nanotubes Fabricated on Ti and Ti Alloys. 2019 , 2019, 1-13		5
124	The Morphology, Structure, Mechanical Properties and Biocompatibility of Nanotubular Titania Coatings before and after Autoclaving Process. 2019 , 8,		16
123	Regeneration of TiO Nanotube Arrays after Long-Term Cell and Tissue Culture for Multiple Use - an Environmental Scanning Electron Microscopy (ESEM) Survey of Adult Pig Retina and beyond. 2019 , 21, 2		
122	Enhanced osteogenic differentiation of human mesenchymal stem cells on Ti surfaces with electrochemical nanopattern formation. 2019 , 99, 1174-1181		22
121	Effects of titania nanotube surfaces on osteogenic differentiation of human adipose-derived stem cells. 2019 , 17, 380-390		21
120	Oriented Cell Alignment Induced by a Nanostructured Titanium Surface Enhances Expression of Cell Differentiation Markers. <i>Nanomaterials</i> , 2019 , 9,	5-4	9
119	Immobilization of type I collagen/hyaluronic acid multilayer coating on enoxacin loaded titania nanotubes for improved osteogenesis and osseointegration in ovariectomized rats. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 175, 409-420	6	14
118	Origin of efficiency enhancement in cell capture on nanostructured arrays. 2019 , 54, 4236-4245		6
117	Nanotechnology: Applications in Energy, Drug and Food. 2019 ,		3
116	Nano TiO ₂ for Biomedical Applications. 2019 , 267-281		1
115	Exosome-integrated titanium oxide nanotubes for targeted bone regeneration. <i>Acta Biomaterialia</i> , 2019 , 86, 480-492	10.8	72
114	Preparation, characterization, corrosion behavior and cytocompatibility of NiTiO nanosheets hydrothermally synthesized on biomedical NiTi alloy. 2019 , 97, 715-722		10
113	Determination of Secondary Species in Solution through Pump-Selective Transient Absorption Spectroscopy and Explicit-Solvent TDDFT. 2019 , 123, 873-880		7
112	Titanium dioxide nanotubes of defined diameter enhance mesenchymal stem cell proliferation via JNK- and ERK-dependent up-regulation of fibroblast growth factor-2 by T lymphocytes. 2019 , 33, 997-1010		7
111	Nano-morphology, crystallinity and surface potential of anatase on micro-arc oxidized titanium affect its protein adsorption, cell proliferation and cell differentiation. 2020 , 107, 110204		21
110	Cellular different responses to different nanotube inner diameter on surface of pure tantalum. 2020 , 109, 110520		6

109	Hydrodynamic control of titania nanotube formation on Ti-6Al-4V alloys enhances osteogenic differentiation of human mesenchymal stromal cells. 2020 , 109, 110562		14
108	Surface topographies on the micro and nanoscale of metal alloys for tissue regeneration. 2020 , 315-336		
107	Mechanics-Controlled Dynamic Cell Niches Guided Osteogenic Differentiation of Stem Cells via Preserved Cellular Mechanical Memory. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 260-274	9.5	13
106	The influence of nanoporous anodic aluminum oxide on the initial adhesion of <i>Streptococcus mitis</i> and mutans. 2020 , 108, 1687-1696		
105	Modifications of Dental Implant Surfaces at the Micro- and Nano-Level for Enhanced Osseointegration. 2019 , 13,		50
104	Cellular uptake and retention of nanoparticles: Insights on particle properties and interaction with cellular components. <i>Materials Today Communications</i> , 2020 , 25, 101692	2.5	19
103	Nanostructured Titanium for Improved Endothelial Biocompatibility and Reduced Platelet Adhesion in Stent Applications. 2020 , 10, 907		6
102	Effect of size and crystalline phase of TiO nanotubes on cell behaviors: A high throughput study using gradient TiO nanotubes. <i>Bioactive Materials</i> , 2020 , 5, 1062-1070	16.7	21
101	Incorporation of Sr ²⁺ and Ag nanoparticles into TiO ₂ nanotubes to synergistically enhance osteogenic and antibacterial activities for bone repair. <i>Materials and Design</i> , 2020 , 196, 109086	8.1	8
100	Dual delivery of platelet-derived growth factor and bone morphogenetic factor-6 on titanium surface to enhance the early period of implant osseointegration. <i>Journal of Periodontal Research</i> , 2020 , 55, 694-704	4.3	10
99	Thin TiO Coatings by ALD Enhance the Cell Growth on TiO Nanotubular and Flat Substrates.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 6447-6456	4.1	10
98	Improved osteogenic activity and inhibited bacterial biofilm formation on andrographolide-loaded titania nanotubes. 2020 , 8, 987		3
97	Gentamicin-Loaded TiO ₂ Nanotubes as Improved Antimicrobial Surfaces for Orthopedic Implants. 2020 , 7,		7
96	Fatty Acid Monolayers on Randomly Nanostructured Inorganic Surfaces: Interplay of Wettability, Chemistry, and Topography. 2020 , 36, 11845-11854		1
95	Effect of TiO Nanotube Pore Diameter on Human Mesenchymal Stem Cells and Human Osteoblasts. <i>Nanomaterials</i> , 2020 , 10,	5.4	7
94	Improvements in Clinical Durability From Functional Biomimetic Metallic Dental Implants. 2020 , 7,		6
93	The effect of calcitonin gene-related peptide functionalized TiO ₂ nanotubes on osteoblast and osteoclast differentiation in vitro. 2020 , 600, 124899		5
92	Determining the relative importance of titania nanotubes characteristics on bone implant surface performance: A quality by design study with a fuzzy approach. 2020 , 114, 110995		22

91	Favorable influence of ssDNA-functionalized SWCNT on the navigation pattern of <i>C. elegans</i> . 2020 , 1		
90	The self-organized differentiation from MSCs into SMCs with manipulated micro/Nano two-scale arrays on TiO surfaces for biomimetic construction of vascular endothelial substratum. 2020 , 116, 111179		4
89	The structure and biological properties of clustered anatase/rutile nanowire array modified titanium surface. 2020 , 22, 1		1
88	The sustained release of dexamethasone from TiO nanotubes reinforced by chitosan to enhance osteoblast function and anti-inflammation activity. 2020 , 116, 111241		7
87	Cell responses to titanium and titanium alloys. 2020 , 423-452		2
86	Cellular response to nanobiomaterials. 2020 , 473-504		1
85	Influence of silver speciation on the inflammatory regulation of AgNPs anchoring onto titania nanotubes. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 194, 111199	6	2
84	Controlling morphological parameters of a nanotubular TiO ₂ coating layer prepared by anodic oxidation. 2020 ,		2
83	The Morphology and Phenotype of Monocyte-Macrophages When Cultured on Bionanofilms Substrates with Different Surface Relief Profiles. 2019 , 10,		0
82	Surface-Dependent Osteoblasts Response to TiO Nanotubes of Different Crystallinity. <i>Nanomaterials</i> , 2020 , 10,	5.4	22
81	Mesenchymal stem cell interaction with TiAlV alloy pre-exposed to simulated body fluid.. 2020 , 10, 6858-6872		3
80	Combined Infection Control and Enhanced Osteogenic Differentiation Capacity on Additive Manufactured Ti-6Al-4V are Mediated via Titania Nanotube Delivery of Novel Biofilm Inhibitors. 2020 , 7, 1901963		10
79	Effect of Anodized TiO-NbO-ZrO Nanotubes with Different Nanoscale Dimensions on the Biocompatibility of a Ti ₃₅ Zr ₂₈ Nb Alloy. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 6776-6787	9.5	10
78	Comprehensive Evaluation of the Biological Properties of Surface-Modified Titanium Alloy Implants. 2020 , 9,		9
77	Titanium Dioxide Nanotube Arrays for Cardiovascular Stent Applications. 2020 , 5, 7280-7289		18
76	Physical understanding of the bending of nanostructures caused by cellular force. 2020 , 101, 032406		2
75	The Implication of Spatial Statistics in Human Mesenchymal Stem Cell Response to Nanotubular Architectures. <i>International Journal of Nanomedicine</i> , 2020 , 15, 2151-2169	7.3	1
74	Nanoporous tantalum coated zirconia implant improves osseointegration. 2020 , 46, 17437-17448		8

73	Mixed oxide nanotubes in nanomedicine: A dead-end or a bridge to the future?. 2021 , 47, 2917-2948		17
72	Effect of nanoscale surface topography on the adsorption of globular proteins. <i>Applied Surface Science</i> , 2021 , 535, 147671	6.7	13
71	Design of selective cell migration biomaterials and their applications for tissue regeneration. 2021 , 56, 4080-4096		3
70	Inorganic Nanoparticles Applied as Functional Therapeutics. <i>Advanced Functional Materials</i> , 2021 , 31, 2008171	15.6	18
69	Nanomaterials for orthopaedic implants and applications. 2021 , 229-270		0
68	Characterization of Optimized TiO Nanotubes Morphology for Medical Implants: Biological Activity and Corrosion Resistance. <i>International Journal of Nanomedicine</i> , 2021 , 16, 667-682	7.3	4
67	Basic concepts and processing of nanostructures materials. 2021 , 1-32		0
66	Metal oxide-based ceramics. 2021 , 301-331		
65	MSN, MWCNT and ZnO nanoparticle-induced CHO-K1 cell polarisation is linked to cytoskeleton ablation. <i>Journal of Nanobiotechnology</i> , 2021 , 19, 45	9.4	4
64	An Evaluation of the Hierarchical Micro/Nanoporous Structure of a Ti3Zr2Sn3Mo25Nb Alloy after Surface Dealloying. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 15017-15030	9.5	3
63	Local tissue effects and peri-implant bone healing induced by implant surface treatment: an in vivo study in the sheep. <i>Journal of Periodontal Research</i> , 2021 , 56, 789-803	4.3	
62	Manipulation of Stem Cells Fates: The Master and Multifaceted Roles of Biophysical Cues of Biomaterials. <i>Advanced Functional Materials</i> , 2021 , 31, 2010626	15.6	16
61	Anodization of Ti and its Alloys: Current Status and Perspectives. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2021 , 72, 211-215	0.1	
60	The Role of Titania Surface Coating by Atomic Layer Deposition in Improving Osteogenic Differentiation and Hard Tissue Formation of Dental Pulp Stem Cells. <i>Advanced Engineering Materials</i> , 2021 , 23, 2100097	3.5	3
59	Deciphering controversial results of cell proliferation on TiO nanotubes using machine learning. <i>International Journal of Energy Production and Management</i> , 2021 , 8, rbab025	5.3	1
58	Understanding and optimizing the antibacterial functions of anodized nano-engineered titanium implants. <i>Acta Biomaterialia</i> , 2021 , 127, 80-101	10.8	29
57	Micropatterned Cell-Repellent Interface Using Femtosecond Laser Direct Writing to Engineer Controlled Cell Organization. <i>Advanced Materials Technologies</i> , 2021 , 6, 2100178	6.8	2
56	Gallium (Ga)-strontium (Sr) layered double hydroxide composite coating on titanium substrates for enhanced osteogenic and antibacterial abilities. <i>Journal of Biomedical Materials Research - Part A</i> , 2021 ,	5.4	5

55	Beta1-integrin/Hedgehog-Gli1 signaling pathway fuels the diameter-dependent osteoblast differentiation on different TiO nanotubes: The optimal-diameter nanotubes for osteoblast differentiation. <i>International Journal of Biochemistry and Cell Biology</i> , 2021 , 137, 106026	5.6	5
54	Anodic TiO Nanotubes: Tailoring Osteoinduction via Drug Delivery. <i>Nanomaterials</i> , 2021 , 11,	5.4	4
53	Regulation of Stem Cell Differentiation by Inorganic Nanomaterials: Recent Advances in Regenerative Medicine. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 721581	5.8	1
52	Untwining the topography-chemistry interdependence to optimize the bioactivity of nano-engineered titanium implants. <i>Applied Surface Science</i> , 2021 , 570, 151083	6.7	8
51	Effect of TiO ₂ nanotubes size, heat treatment, and UV irradiation on osteoblast behavior. <i>Materials Chemistry and Physics</i> , 2022 , 275, 125137	4.4	2
50	A practical guide to promote informatics-driven efficient biotopographic material development. <i>Bioactive Materials</i> , 2022 , 8, 515-528	16.7	0
49	Osteogenic Potential of Additively Manufactured TiTa Alloys. <i>ACS Applied Bio Materials</i> , 2021 , 4, 1003-1014	11	5
48	Biomimetic Nanofibrous Scaffolds for Bone Tissue Engineering Applications. 69-89		2
47	Recent Advances in Synthesis, Modification, and Applications of TiO ₂ Nanotube Arrays by Electrochemical Anodization. 2016 , 1379-1416		2
46	Materials to Control and Measure Cell Function. 2011 , 235-255		2
45	Biological efficacy of perpendicular type-I collagen protruded from TiO-nanotubes. <i>International Journal of Oral Science</i> , 2020 , 12, 36	27.9	5
44	Nanoscale Surface Modifications of Orthopaedic Implants: State of the Art and Perspectives. <i>The Open Orthopaedics Journal</i> , 2016 , 10, 920-938	0.3	10
43	Progress in Research on the Surface/Interface of Materials for Hard Tissue Implant. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2011 , 26, 1-11	1	6
42	Evaluation of Osseointegration around Tibial Implants in Rats by Ibandronate-Treated Nanotubular Ti-32Nb-5Zr Alloy. <i>Biomolecules and Therapeutics</i> , 2014 , 22, 563-9	4.2	11
41	Titania Thin Films in Biocompatible Metals and Medical Implants. 309-328		
40	A Literature Review on Nano-Modified Implant Surfaces. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2013 , 29, 141-151	0.2	
39	Preclinical Challenges and Clinical Target of Nanomaterials in Regenerative Medicine. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2015 , 350-371	0.2	
38	Biological Impact of Membranous Nanostructures. 2015 , 401-464		

37	Toughness and Toughening Mechanisms of Porous Thin Films. <i>Advances in Materials Science and Engineering</i> , 2015 , 179-224		
36	Biointerface Technology. 2016 , 151-183		
35	Inhibitory Mechanism of TiO ₂ Nanotubular Structures in Osteoclast Formation Via Coculture. <i>Korean Journal of Dental Materials</i> , 2016 , 43, 351-359	0.3	
34	Preclinical Challenges and Clinical Target of Nanomaterials in Regenerative Medicine. 2018 , 1402-1423		
33	Transparent Titanium Dioxide Nanotubes: Processing, Characterization, and Application in Establishing Cellular Response Mechanisms.		1
32	Biological Effects of the Novel Mulberry Surface Characterized by Micro/Nanopores and Plasma-Based Graphene Oxide Deposition on Titanium. <i>International Journal of Nanomedicine</i> , 2021 , 16, 7307-7317	7.3	0
31	CHAPTER 4:Inorganic Nanotubes. <i>RSC Nanoscience and Nanotechnology</i> , 2021 , 240-356		
30	Nano-Scale Surface Modifications to Advance Current Treatment Options for Cervical Degenerative Disc Disease (CDDD). 2019 , 4,		0
29	Mechanobiological model to study the influence of screw design and surface treatment on osseointegration. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021 , 1-17	2.1	
28	The Effect of Ultraviolet Treatment on TiO ₂ Nanotubes: A Study of Surface Characteristics, Bacterial Adhesion, and Gingival Fibroblast Response. <i>Metals</i> , 2022 , 12, 80	2.3	1
27	Photocatalytic, phosphorus-doped, anatase oxide layers applicable to titanium implant alloys. <i>Surface and Interface Analysis</i> ,	1.5	0
26	Overview of current technologies for tissue engineering and regenerative medicine. 2022 , 11-31		
25	Anodized titanium with calcium and phosphorus surface enhancements for dental and orthopedic implant applications. <i>Thin Solid Films</i> , 2022 , 745, 139117	2.2	0
24	A practical review over surface modification, nanopatterns, emerging materials, drug delivery systems, and their biophysiochemical properties for dental implants: Recent progresses and advances. <i>Nanotechnology Reviews</i> , 2022 , 11, 637-679	6.3	0
23	Three interfaces of the dental implant system and their clinical effects on hard and soft tissues.. <i>Materials Horizons</i> , 2022 ,	14.4	2
22	The advances in nanomedicine for bone and cartilage repair.. <i>Journal of Nanobiotechnology</i> , 2022 , 20, 141	9.4	3
21	Modelling the role of membrane mechanics in cell adhesion on titanium oxide nanotubes.. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2022 , 1-10	2.1	1
20	A review of techniques for the application of bioactive coatings on metal-based implants to achieve controlled release of active ingredients. <i>Materials and Design</i> , 2022 , 110653	8.1	2

19 Data_Sheet_1.pdf. **2020**,

18 Tribocorrosion-Resistant Ti40Nb-TiN Composites Having TiO-Based Nanotubular Surfaces.. *ACS Biomaterials Science and Engineering*, **2022**, 5.5 0

17 Nanostructured Titanium Implant Surface Facilitating Osseointegration from Protein Adsorption to Osteogenesis: The Example of TiO NTAs.. *International Journal of Nanomedicine*, **2022**, 17, 1865-1879 7.3 2

16 Fabrication and formation mechanism of gradient TiO₂ nanotubes via bipolar anodization. *Journal of Electroanalytical Chemistry*, **2022**, 915, 116337 4.1 0

15 Comparison between microporous and nanoporous orthodontic miniscrews : An experimental study in rabbits.. *Journal of Orofacial Orthopedics*, **2022**, 2.9

14 Comparative Study of Nanostructured TiO₂ and SLA Surface Modifications for Titanium Implants: Surface Morphology and in vitro Evaluation. *Materials Research*, 25, 1.5

13 Micro/nano-topography Promotes Osteogenic Differentiation of Bone Marrow Stem Cells by Regulating Periostin Expression. *Colloids and Surfaces B: Biointerfaces*, **2022**, 112700 6 1

12 Nanotopographical 3D-Printed Poly(ε-caprolactone) Scaffolds Enhance Proliferation and Osteogenic Differentiation of Urine-Derived Stem Cells for Bone Regeneration. *Pharmaceutics*, **2022**, 14, 1437 6.4 1

11 Investigating cytotoxicity effect of Ag- deposited, doped and coated titanium dioxide nanotubes on breast cancer cells. *Materials Today Communications*, **2022**, 32, 103915 2.5 1

10 High-throughput fabrication of TiO₂ nanotube arrays by 4-electrode bipolar electrochemistry. **2022**, 221, 114947 0

9 Dental Implants. **2022**, 66, 627-642 0

8 Differentiation of mouse bone marrow mesenchymal stem cells into germ-like cells by retinoic acid, titanium nanotubes-coated fibrin formation, and ultraviolet radiation as inductions in vitro. 0

7 Titanium and titanium alloys in dentistry: current trends, recent developments, and future prospects. **2022**, e11300 3

6 Multifunctionalized carbon-fiber-reinforced polyetheretherketone implant for rapid osseointegration under infected environment. **2023**, 24, 236-250 0

5 Titanium dioxide nanotubes increase purinergic receptor P2Y₆ expression and activate its downstream PKC/ERK1/2 pathway in bone marrow mesenchymal stem cells under osteogenic induction. **2022**, 0

4 Nanotopographical cues for regulation of macrophages and osteoclasts: emerging opportunities for osseointegration. **2022**, 20, 2

3 Superhydrophilic and topography-regulatable surface grafting on PEEK to improve cellular affinity. **2023**, 146, 213310 0

2 Response of mesenchymal stem cells to surface topography of scaffolds and the underlying mechanisms. **2023**, 11, 2550-2567 0

- 1 White and black anodic TiO₂ nanotubes: Comparison of biological effects in A549 and SH-SY5Y cells. **2023**, 462, 129504

o