

CITATION REPORT

List of articles citing

The importance of defining periods of complete mortality reporting for research using automated data from primary care

DOI: 10.1002/pds.1688

Pharmacoepidemiology and Drug Safety, 2009, 18, 76-83.

Source: <https://exaly.com/paper-pdf/46293192/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
241	Current awareness: Pharmacoepidemiology and drug safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, i-x	2.6	
240	Cancer incidence in The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 730-6	2.6	58
239	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study. 2009 , 338, b1279		39
238	Explaining variation in referral from primary to secondary care: cohort study. 2010 , 341, c6267		60
237	A longitudinal study into the new and long-term use of self-monitoring blood glucose strips in the UK. 2010 , 1, 1-9		5
236	Insights into social disparities in smoking prevalence using Mosaic, a novel measure of socioeconomic status: an analysis using a large primary care dataset. 2010 , 10, 755		35
235	Is smoking status routinely recorded when patients register with a new GP?. 2010 , 27, 673-5		16
234	Survival of people with clinical diagnosis of dementia in primary care: cohort study. 2010 , 341, c3584		141
233	Inequalities in the provision of cardiovascular screening to people with severe mental illnesses in primary care: cohort study in the United Kingdom THIN Primary Care Database 2000-2007. 2011 , 129, 104-10		45
232	The impact of the introduction of smoke-free legislation on prescribing of stop-smoking medications in England. 2011 , 106, 1827-34		13
231	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records. 2011 , 11, 291		18
230	The distribution of lung cancer across sectors of society in the United Kingdom: a study using national primary care data. 2011 , 11, 857		29
229	Temporal and within practice variability in the health improvement network. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 948-55	2.6	17
228	Prevalence of long-term oral glucocorticoid prescriptions in the UK over the past 20 years. 2011 , 50, 1982-90		155
227	The diagnostic performance of scoring systems to identify symptomatic colorectal cancer compared to current referral guidance. 2011 , 60, 1242-8		39
226	Serum bilirubin and risk of respiratory disease and death. 2011 , 305, 691-7		137
225	Constituent country inequalities in myocardial infarction incidence and case fatality in men and women in the United Kingdom, 1996-2005. 2011 , 33, 131-8		10

224	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study. 2011 , 65, 770-4		27
223	The impact of treatment noncompliance on mortality in people with type 2 diabetes. 2012 , 35, 1279-84		143
222	Can data from primary care medical records be used to monitor national smoking prevalence?. 2012 , 66, 791-5		41
221	Cardiovascular events as a function of serum bilirubin levels in a large, statin-treated cohort. 2012 , 126, 2556-64		98
220	Observational cohort study of the safety of digoxin use in women with heart failure. <i>BMJ Open</i> , 2012 , 2, e000888	3	17
219	Trends in depression and antidepressant prescribing in children and adolescents: a cohort study in The Health Improvement Network (THIN). <i>PLoS ONE</i> , 2012 , 7, e33181	3.7	67
218	Antiepileptic drugs during pregnancy in primary care: a UK population based study. <i>PLoS ONE</i> , 2012 , 7, e52339	3.7	48
217	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 161-9 ^{2.6}		23
216	Two-stage method to remove population- and individual-level outliers from longitudinal data in a primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 725-732	2.6	13
215	Time trends in incidence of Parkinson's disease diagnosis in UK primary care. 2013 , 260, 1351-7		29
214	Treatment and referral patterns for psoriasis in United Kingdom primary care: a retrospective cohort study. 2013 , 13, 9		18
213	Identifying periods of acceptable computer usage in primary care research databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 64-9	2.6	106
212	Relative incidence of common cancers in people with severe mental illness. Cohort study in the United Kingdom THIN primary care database. 2013 , 143, 44-9		28
211	The impact of treatment non-compliance on mortality in people with type 1 diabetes. 2013 , 27, 219-23		23
210	Gilbert's syndrome and the risk of death: a population-based cohort study. 2013 , 28, 1643-7		47
209	Do men consult less than women? An analysis of routinely collected UK general practice data. <i>BMJ Open</i> , 2013 , 3, e003320	3	257
208	First diagnosis and management of incontinence in older people with and without dementia in primary care: a cohort study using The Health Improvement Network primary care database. 2013 , 10, e1001505		46
207	Alcohol consumption screening of newly-registered patients in primary care: a cross-sectional analysis. 2013 , 63, e706-12		22

206	Use of long-term antibiotic treatment in COPD patients in the UK: a retrospective cohort study. 2013 , 22, 271-7		17
205	Mortality and medical care after bereavement: a general practice cohort study. <i>PLoS ONE</i> , 2013 , 8, e52561		27
204	Patterns of warfarin use in subgroups of patients with atrial fibrillation: a cross-sectional analysis of 430 general practices in the United Kingdom. <i>PLoS ONE</i> , 2013 , 8, e61979	3.7	21
203	Sociodemographic trends in the incidence of pancreatic and biliary tract cancer in UK primary care. <i>PLoS ONE</i> , 2014 , 9, e108498	3.7	6
202	Retrospective case review of missed opportunities for primary prevention of stroke and TIA in primary care: protocol paper. <i>BMJ Open</i> , 2014 , 4, e006622	3	3
201	Trends in antibiotic prescribing in primary care for clinical syndromes subject to national recommendations to reduce antibiotic resistance, UK 1995-2011: analysis of a large database of primary care consultations. 2014 , 69, 3423-30		108
200	Prescribing of antipsychotics in UK primary care: a cohort study. <i>BMJ Open</i> , 2014 , 4, e006135	3	103
199	A case-control study comparing the incidence of early symptoms in pancreatic and biliary tract cancer. <i>BMJ Open</i> , 2014 , 4, e005720	3	54
198	Smoker, ex-smoker or non-smoker? The validity of routinely recorded smoking status in UK primary care: a cross-sectional study. <i>BMJ Open</i> , 2014 , 4, e004958	3	46
197	Serum uric acid and the risk of respiratory disease: a population-based cohort study. 2014 , 69, 1021-6		45
196	Diagnosis of pernicious anemia and the risk of pancreatic cancer. 2014 , 43, 422-6		4
195	Pharmacological treatments prescribed to people with autism spectrum disorder (ASD) in primary health care. 2014 , 231, 1011-21		75
194	Risk of mortality in patients with psoriatic arthritis, rheumatoid arthritis and psoriasis: a longitudinal cohort study. 2014 , 73, 149-53		74
193	General practitioner prescribing of single and combination nicotine replacement therapy in the UK: a retrospective database study. 2014 , 15, 47		4
192	Trends in management and outcomes of COPD patients in primary care, 2000-2009: a retrospective cohort study. 2014 , 24, 14015		23
191	Assessment of an incentivised scheme to provide annual health checks in primary care for adults with intellectual disability: a longitudinal cohort study. 2014 , 1, 522-30		44
190	Evidence for increasing severity of community-onset boils and abscesses in UK General Practice. 2015 , 143, 2426-9		7
189	Trends of people using drugs and opioid substitute treatment recorded in England and wales general practice (1994-2012). <i>PLoS ONE</i> , 2015 , 10, e0122626	3.7	5

188	The effect of past antibiotic exposure on diabetes risk. 2015 , 172, 639-48		107
187	Incidence and recurrence of boils and abscesses within the first year: a cohort study in UK primary care. 2015 , 65, e668-76		13
186	Prediagnostic presentations of Parkinson's disease in primary care: a case-control study. 2015 , 14, 57-64		336
185	Benzodiazepines and risk of death: Results from two large cohort studies in France and UK. 2015 , 25, 1566-77		43
184	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. 2015 , 3, 423-430		48
183	Impact of antibiotic exposure on the risk of colorectal cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 534-42	2.6	57
182	Anti-depressant therapy and cancer risk: a nested case-control study. 2015 , 25, 1147-57		14
181	A retrospective cohort study to investigate fatigue, psychological or cognitive impairment after TIA: protocol paper. <i>BMJ Open</i> , 2015 , 5, e008149	3	11
180	Mental illness, challenging behaviour, and psychotropic drug prescribing in people with intellectual disability: UK population based cohort study. 2015 , 351, h4326		153
179	Recurrent antibiotic exposure may promote cancer formation--Another step in understanding the role of the human microbiota?. 2015 , 51, 2655-64		154
178	Risk of major cardiovascular events in patients with psoriatic arthritis, psoriasis and rheumatoid arthritis: a population-based cohort study. 2015 , 74, 326-32		281
177	Inequalities in receipt of mental and physical healthcare in people with dementia in the UK. 2017 , 46, 393-400		28
176	Time trends in the prescription of statins for the primary prevention of cardiovascular disease in the United Kingdom: a cohort study using The Health Improvement Network primary care data. <i>Clinical Epidemiology</i> , 2016 , 8, 123-32	5.9	46
175	An algorithm for identification and classification of individuals with type 1 and type 2 diabetes mellitus in a large primary care database. <i>Clinical Epidemiology</i> , 2016 , 8, 373-380	5.9	25
174	Intra-cluster and inter-period correlation coefficients for cross-sectional cluster randomised controlled trials for type-2 diabetes in UK primary care. 2016 , 17, 402		29
173	Diagnosis and management of polycystic ovary syndrome in the UK (2004-2014): a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e012461	3	22
172	A cohort study of trends in the prevalence of pregestational diabetes in pregnancy recorded in UK general practice between 1995 and 2012. <i>BMJ Open</i> , 2016 , 6, e009494	3	48
171	Recording and treatment of premenstrual syndrome in UK general practice: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010244	3	9

170	Trends in incidence, prevalence and prescribing in type 2 diabetes mellitus between 2000 and 2013 in primary care: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010210	3	173
169	Monitoring of alcohol consumption in primary care among adults with bipolar disorder: A cross-sectional and retrospective cohort study. 2016 , 198, 83-7		2
168	Parkinson's disease and colorectal cancer risk-A nested case control study. 2016 , 43, 9-14		15
167	Prescribing of neuraminidase inhibitors for influenza in UK primary care since the 2009 pandemic. 2016 , 144, 772-6		4
166	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment: A UK Population-Based Electronic Health Records Study. 2016 , 73, 630-7		62
165	Ongoing impairments following transient ischaemic attack: retrospective cohort study. 2016 , 23, 1642-1650		23
164	Risks associated with antipsychotic treatment in pregnancy: Comparative cohort studies based on electronic health records. 2016 , 176, 349-356		26
163	Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a population-based UK cohort study using electronic health records. 2016 , 15, 53-8		60
162	Impact of Financial Incentives on Alcohol Consumption Recording in Primary Health Care Among Adults with Schizophrenia and Other Psychoses: A Cross-Sectional and Retrospective Cohort Study. 2017 , 52, 197-205		3
161	Initiation and duration of selective serotonin reuptake inhibitor prescribing over time: UK cohort study. 2016 , 209, 421-426		21
160	Cohort study investigating the relationship between cholesterol, cardiovascular risk score and the prescribing of statins in UK primary care: study protocol. <i>BMJ Open</i> , 2016 , 6, e013120	3	3
159	Factors associated with influenza vaccine uptake during a universal vaccination programme of preschool children in England and Wales: a cohort study. 2016 , 70, 1082-1087		10
158	Predicting dementia risk in primary care: development and validation of the Dementia Risk Score using routinely collected data. 2016 , 14, 6		59
157	Observational cohort study: deprivation and access to anti-dementia drugs in the UK. 2016 , 45, 148-54		43
156	Backdating of events in electronic primary health care data: should one censor at the date of last data collection. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 378-84	2.6	7
155	A Risk Prediction Model for Sporadic CRC Based on Routine Lab Results. 2016 , 61, 2076-86		8
154	Living With an Older Person Dying From Cancer, Lung Disease, or Dementia: Health Outcomes From a General Practice Cohort Study. 2016 , 51, 839-48		17
153	Development and validation of an electronic frailty index using routine primary care electronic health record data. 2016 , 45, 353-60		514

152	Trends and patterns of antidepressant use in children and adolescents from five western countries, 2005-2012. 2016 , 26, 411-9		94
151	Trends in the Diagnosis of Vitamin D Deficiency. 2017 , 139,		32
150	Antibiotic prescribing frequency amongst patients in primary care: a cohort study using electronic health records. 2017 , 72, 1818-1824		35
149	The treatment of paroxysmal atrial fibrillation in UK primary care. 2017 , 103, 1502-1507		5
148	Trends in ADHD medication use in children and adolescents in five western countries, 2005-2012. 2017 , 27, 484-493		67
147	Statin prescribing for people with severe mental illnesses: a staggered cohort study of 'real-world' impacts. <i>BMJ Open</i> , 2017 , 7, e013154	3	11
146	Movement side effects of antipsychotic drugs in adults with and without intellectual disability: UK population-based cohort study. <i>BMJ Open</i> , 2017 , 7, e017406	3	37
145	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000-2014. 2017 , 211, 175-181		197
144	The role of contraindications in prescribing anticoagulants to patients with atrial fibrillation: a cross-sectional analysis of primary care data in the UK. 2017 , 67, e588-e597		12
143	Survival following a diagnosis of heart failure in primary care. 2017 , 34, 161-168		40
142	A multi-national comparison of antipsychotic drug use in children and adolescents, 2005-2012. 2017 , 11, 55		38
141	Antiepileptic drugs prescribed in pregnancy and prevalence of major congenital malformations: comparative prevalence studies. <i>Clinical Epidemiology</i> , 2017 , 9, 95-103	5.9	26
140	Actual versus 'ideal' antibiotic prescribing for common conditions in English primary care. 2018 , 73, 19-26		92
139	Risk of chronic kidney disease in young adults with impaired glucose tolerance/impaired fasting glucose: a retrospective cohort study using electronic primary care records. 2018 , 19, 42		10
138	Incidence and prevalence of diabetes and cost of illness analysis of polycystic ovary syndrome: a Bayesian modelling study. 2018 , 33, 1299-1306		13
137	Landmark Models for Optimizing the Use of Repeated Measurements of Risk Factors in Electronic Health Records to Predict Future Disease Risk. 2018 , 187, 1530-1538		15
136	Derivation of a prediction model for a diagnosis of depression in young adults: a matched case-control study using electronic primary care records. 2018 , 12, 444-455		4
135	Statin prescribing for prevention of cardiovascular disease amongst people with severe mental illness: Cohort study in UK primary care. 2018 , 192, 219-225		7

134	A standardized methodology for the surveillance of antimicrobial prescribing linked to clinical indications in primary care. 2018 , 40, 630-638		
133	Imported malaria in the UK, 2005 to 2016: Estimates from primary care electronic health records. <i>PLoS ONE</i> , 2018 , 13, e0210040	3.7	0
132	Posttraumatic Stress Disorder and Cancer Risk: A Nested Case-Control Study. 2018 , 31, 919-926		2
131	Analysis of Effect of National Institute for Health and Care Excellence Clinical Guideline CG168 on Management of Varicose Veins in Primary Care Using the Health Improvement Network Database. 2018 , 56, 880-884		2
130	Cohort Study of Psychiatric Adverse Events Following Exposure to Levonorgestrel-Containing Intrauterine Devices in UK General Practice. 2018 , 41, 951-958		11
129	Explaining variation in antibiotic prescribing between general practices in the UK. 2018 , 73, ii27-ii35		40
128	Weight change over two years in people prescribed olanzapine, quetiapine and risperidone in UK primary care: Cohort study in THIN, a UK primary care database. 2018 , 32, 1098-1103		9
127	Prescription trends and psychiatric symptoms following first receipt of one of seven common antiepileptic drugs in general practice. 2018 , 84, 49-55		6
126	Trends in dementia diagnosis rates in UK ethnic groups: analysis of UK primary care data. <i>Clinical Epidemiology</i> , 2018 , 10, 949-960	5.9	40
125	Prevalence and treatment of atrial fibrillation in UK general practice from 2000 to 2016. 2019 , 105, 27-33		45
124	The burden of mental ill health associated with childhood maltreatment in the UK, using The Health Improvement Network database: a population-based retrospective cohort study. 2019 , 6, 926-934		31
123	Electronic Health Record Databases. 2019 , 241-289		2
122	Circulating Folate Concentrations and Risk of Peripheral Neuropathy and Mortality: A Retrospective Cohort Study in the U.K. 2019 , 11,		1
121	Allergic diseases and long-term risk of autoimmune disorders: longitudinal cohort study and cluster analysis. 2019 , 54,		26
120	Non-linear associations of 25-hydroxyvitamin D concentrations with risk of cardiovascular disease and all-cause mortality: Results from The Health Improvement Network (THIN) database. 2019 , 195, 105480		9
119	Thyroid replacement therapy, thyroid stimulating hormone concentrations, and long term health outcomes in patients with hypothyroidism: longitudinal study. 2019 , 366, l4892		37
118	Prediction Tools for Psychiatric Adverse Effects After Levetiracetam Prescription. 2019 , 76, 440-446		46
117	Trazodone use and risk of dementia: A population-based cohort study. 2019 , 16, e1002728		14

116	Trends in the incidence of testing for vitamin D deficiency in primary care in the UK: a retrospective analysis of The Health Improvement Network (THIN), 2005-2015. <i>BMJ Open</i> , 2019 , 9, e028355	3	27
115	The accuracy of date of death recording in the Clinical Practice Research Datalink GOLD database in England compared with the Office for National Statistics death registrations. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 563-569	2.6	28
114	Mortality: The final outcome. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 570-571	2.6	3
113	Health indicator recording in UK primary care electronic health records: key implications for handling missing data. <i>Clinical Epidemiology</i> , 2019 , 11, 157-167	5.9	21
112	Ethnic Differences in the Prevalence of Type 2 Diabetes Diagnoses in the UK: Cross-Sectional Analysis of the Health Improvement Network Primary Care Database. <i>Clinical Epidemiology</i> , 2019 , 11, 1081-1088	5.9	23
111	Temporal variation in the diagnosis of resolved atrial fibrillation and the influence of performance targets on clinical coding: cohort study. <i>BMJ Open</i> , 2019 , 9, e030454	3	1
110	Incidence of indications for tonsillectomy and frequency of evidence-based surgery: a 12-year retrospective cohort study of primary care electronic records. 2019 , 69, e33-e41		13
109	Elevated Vitamin B12 Levels and Cancer Risk in UK Primary Care: A THIN Database Cohort Study. 2019 , 28, 814-821		23
108	Publication of UK NICE Clinical Guidelines 168 has not significantly changed the management of leg ulcers in primary care: An analysis of The Health Improvement Network database. 2019 , 34, 311-316		10
107	Population-calibrated multiple imputation for a binary/categorical covariate in categorical regression models. 2019 , 38, 792-808		14
106	Cardiovascular, thromboembolic and renal outcomes in IgA vasculitis (Henoch-Schönlein purpura): a retrospective cohort study using routinely collected primary care data. 2019 , 78, 261-269		29
105	Increased Infection Risk in Addison's Disease and Congenital Adrenal Hyperplasia. 2020 , 105,		30
104	Impact of the introduction and withdrawal of financial incentives on the delivery of alcohol screening and brief advice in English primary health care: an interrupted time-series analysis. 2020 , 115, 49-60		10
103	Effects of long-term antipsychotics treatment on body weight: A population-based cohort study. 2020 , 34, 79-85		12
102	Social Inequalities in Life Expectancy and Mortality in People With Dementia in the United Kingdom. 2020 , 34, 254-261		3
101	Twenty-year sociodemographic trends in lung cancer in non-smokers: A UK-based cohort study of 3.7 million people. 2020 , 67, 101771		5
100	Incidence and prevalence of inflammatory bowel disease in UK primary care: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e036584	3	15
99	Handling Missing Values in Interrupted Time Series Analysis of Longitudinal Individual-Level Data. <i>Clinical Epidemiology</i> , 2020 , 12, 1045-1057	5.9	3

98	Obstructive Sleep Apnea, a Risk Factor for Cardiovascular and Microvascular Disease in Patients With Type 2 Diabetes: Findings From a Population-Based Cohort Study. 2020 , 43, 1868-1877			17
97	Increased Cardiometabolic and Mortality Risk Following Childhood Maltreatment in the United Kingdom. 2020 , 9, e015855			17
96	Trends in oral anticoagulant prescribing in individuals with type 2 diabetes mellitus: a population-based study in the UK. <i>BMJ Open</i> , 2020 , 10, e034573	3		9
95	Exploration of trends in the incidence and prevalence of childhood maltreatment and domestic abuse recording in UK primary care: a retrospective cohort study using 'the health improvement network' database. <i>BMJ Open</i> , 2020 , 10, e036949	3		10
94	The association between exposure to childhood maltreatment and the subsequent development of functional somatic and visceral pain syndromes. 2020 , 23, 100392			14
93	Cigarette smoking as a risk factor for schizophrenia or all non-affective psychoses. 2020 , 1-9			4
92	The use of electronic healthcare records for colorectal cancer screening referral decisions and risk prediction model development. 2020 , 20, 78			7
91	Epidemiology, morbidity and mortality in Behçet's disease: a cohort study using The Health Improvement Network (THIN). 2020 , 59, 2785-2795			15
90	Differences in Psychotropic Drug Prescribing Between Ethnic Groups of People with Dementia in the United Kingdom. <i>Clinical Epidemiology</i> , 2020 , 12, 61-71	5.9		6
89	Impact of bariatric surgery on cardiovascular outcomes and mortality: a population-based cohort study. 2020 , 107, 432-442			36
88	Changing patterns in the epidemiology and outcomes of inflammatory bowel disease in the United Kingdom: 2000-2018. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 922-934	6.1		20
87	Comorbidity phenotypes and risk of mortality in patients with ischaemic heart disease in the UK. 2020 , 106, 810-816			4
86	Patterns and factors influencing oral anticoagulant prescription in people with atrial fibrillation and dementia: Results from UK primary care. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1056-1068	3.8		1
85	Incident Type 2 Diabetes and Risk of Fracture: A Comparative Cohort Analysis Using U.K. Primary Care Records. 2021 , 44, 58-66			0
84	Sodium-glucose co-transporter-2 inhibitors and susceptibility to COVID-19: A population-based retrospective cohort study. 2021 , 23, 263-269			18
83	The Impact of Bariatric Surgery on Incident Microvascular Complications in Patients With Type 2 Diabetes: A Matched Controlled Population-Based Retrospective Cohort Study. 2021 , 44, 116-124			6
82	Nonsteroidal Antiinflammatory Drugs and Susceptibility to COVID-19. 2021 , 73, 731-739			19
81	Primary care electronic medical records can be used to predict risk and identify potentially modifiable factors for early and late death in adult onset epilepsy. 2021 , 62, 51-60			3

80	Long-term systemic glucocorticoid therapy and weight gain: a population-based cohort study. 2021 , 60, 1502-1511	2
79	Cardiovascular and Renal Morbidity in Takayasu Arteritis: A Population-Based Retrospective Cohort Study From the United Kingdom. 2021 , 73, 504-511	5
78	Trends in generalised anxiety disorders and symptoms in primary care: UK population-based cohort study. 2021 , 218, 158-164	11
77	Data extraction for epidemiological research (DExtER): a novel tool for automated clinical epidemiology studies. 2021 , 36, 165-178	10
76	The Epidemiology of UK Autoimmune Liver Disease Varies With Geographic Latitude. 2021 , 19, 2587-2596	7
75	Type 2 diabetes mellitus, glycaemic control, associated therapies and risk of rheumatoid arthritis: a retrospective cohort study. 2021 , 60, 5567-5575	1
74	Association of Metformin with Susceptibility to COVID-19 in People with Type 2 Diabetes. 2021 , 106, 1255-1268	16
73	The association between exposure to domestic abuse in women and the development of syndromes indicating central nervous system sensitization: A retrospective cohort study using UK primary care records. 2021 , 25, 1283-1291	5
72	Time trends in the incidence of clinically diagnosed type 2 diabetes and pre-diabetes in the UK 2009-2018: a retrospective cohort study. 2021 , 9,	1
71	Risk of cardiovascular outcomes among women with endometriosis in the United Kingdom: a retrospective matched cohort study. 2021 , 128, 1598-1609	7
70	Clinical and Economic Burden of Mild-to-Moderate Atopic Dermatitis in the UK: A Propensity-Score-Matched Case-Control Study. 2021 , 11, 907-928	1
69	External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. 2021 ,	3
68	Post-licensure observational safety study after meningococcal B vaccine 4CMenB (Bexsero) vaccination within the routine UK immunisation program. 2021 , 39, 3296-3303	0
67	Cardio-metabolic outcomes in South Asians compared to White Europeans in the United Kingdom: a matched controlled population-based cohort study. 2021 , 21, 320	1
66	Trends in the pharmacological management of atrial fibrillation in UK general practice 2008-2018. 2021 ,	0
65	Disease burden of diabetes, diabetic retinopathy and their future projections in the UK: cross-sectional analyses of a primary care database. <i>BMJ Open</i> , 2021 , 11, e050058	3 2
64	Incidence of Lyme disease in the United Kingdom and association with fatigue: a population-based, historical cohort study.	
63	Adult onset epilepsy is defined by phenotypic clusters with unique comorbidities and risks of death. 2021 , 62, 2036-2047	2

62	Mortality of People with Parkinson's Disease in a Large UK-Based Cohort Study: Time Trends and Relationship to Disease Duration. 2021 ,			1
61	Predictive values for different cancers and inflammatory bowel disease of 6 common abdominal symptoms among more than 1.9 million primary care patients in the UK: A cohort study. 2021 , 18, e1003708			2
60	Impact of Using Risk-Based Stratification on Referral of Patients With Chronic Kidney Disease From Primary Care to Specialist Care in the United Kingdom. 2021 , 6, 2189-2199			4
59	The risk of COVID-19 in survivors of domestic violence and abuse. 2021 , 19, 246			1
58	Associations between primary care recorded cannabis use and mental ill health in the UK: a population-based retrospective cohort study using UK primary care data. 2021 , 1-10			1
57	The Risk of Later Diagnosis of Inflammatory Bowel Disease in Patients With Dermatological Disorders Associated With Inflammatory Bowel Disease. 2021 , 27, 1731-1739			1
56	Medical Record Databases. 224-243			22
55	Risk of stroke and transient ischaemic attack in patients with a diagnosis of resolved atrial fibrillation: retrospective cohort studies. 2018 , 361, k1717			15
54	Vitamin D prescribing in children in UK primary care practices: a population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e031870	3		7
53	Postnatal checks and primary care consultations in the year following childbirth: an observational cohort study of 309 573 women in the UK, 2006-2016. <i>BMJ Open</i> , 2020 , 10, e036835	3		0
52	Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. 2016 , 13, e1002058			56
51	Under-prescribing of Prevention Drugs and Primary Prevention of Stroke and Transient Ischaemic Attack in UK General Practice: A Retrospective Analysis. 2016 , 13, e1002169			12
50	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database. <i>PLoS ONE</i> , 2012 , 7, e43841	3.7		38
49	Variation in recorded child maltreatment concerns in UK primary care records: a cohort study using The Health Improvement Network (THIN) database. <i>PLoS ONE</i> , 2012 , 7, e49808	3.7		16
48	Patient factors influencing the prescribing of lipid lowering drugs for primary prevention of cardiovascular disease in UK general practice: a national retrospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e67611	3.7		41
47	Recording of severe mental illness in United Kingdom primary care, 2000-2010. <i>PLoS ONE</i> , 2013 , 8, e823657			55
46	Recording of Influenza-Like Illness in UK Primary Care 1995-2013: Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0138659	3.7		15
45	Achalasia Is Associated With Atopy in Patients Younger Than 40 Years of Age. 2021 , 116, 416-419			4

44	Immunomodulatory effects of intestinal lung axis microecology and other factors on the prognosis of advanced non-small cell lung cancer.. 2019 , 8, 2205-2210		3
43	Risks and benefits of psychotropic medication in pregnancy: cohort studies based on UK electronic primary care health records. 2016 , 20, 1-176		61
42	Changing practice in dementia care in the community: developing and testing evidence-based interventions, from timely diagnosis to end of life (EVIDEM). <i>Programme Grants for Applied Research</i> , 2015 , 3, 1-596	1.5	18
41	Crossing the divide: a longitudinal study of effective treatments for people with autism and attention deficit hyperactivity disorder across the lifespan. <i>Programme Grants for Applied Research</i> , 2018 , 6, 1-240	1.5	6
40	Use of contraceptives and risk of inflammatory bowel disease: A nested case-control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 ,	6.1	0
39	Rate of Hospitalizations and Underlying Reasons Among People with Parkinson's Disease: Population-Based Cohort Study in UK Primary Care. <i>Journal of Parkinson's Disease</i> , 2021 ,	5.3	1
38	Examples of Existing Automated Databases. 123-177		
37	The Use of Multiple Imputation Techniques on Short-Term Clinical Complications of Patients Presenting with Traumatic Spinal Cord Injuries. <i>Open Public Health Journal</i> , 2019 , 12, 45-55	0.6	
36	General Practitioners' Adherence to prescribing guidelines for statins in the United Kingdoms.		
35	Increased infection risk in Addison's disease and congenital adrenal hyperplasia: a primary care database cohort study.		
34	The epidemiology of autoimmune liver disease varies with geographic latitude.		
33	Physical health monitoring in dementia and associations with ethnicity: a descriptive study using electronic health records. <i>BJGP Open</i> , 2020 , 4,	3.1	0
32	Electronic Health Record Databases. 2021 , 174-191		
31	Time trends in contraceptive prescribing in UK primary care 2000-2018: a repeated cross-sectional study. <i>BMJ Sexual and Reproductive Health</i> , 2021 ,	1.9	1
30	Sex-specific temporal trends in the incidence and prevalence of cardiovascular disease in young adults: a population-based study using UK primary care data.. <i>European Journal of Preventive Cardiology</i> , 2022 ,	3.9	0
29	Ramadan is not associated with increased infection risk in Pakistani and Bangladeshi populations: Findings from controlled interrupted time series analysis of UK primary care data.. <i>PLoS ONE</i> , 2022 , 17, e0262530	3.7	0
28	The dynamics of frailty development and progression in older adults in primary care in England (2006-2017): a retrospective cohort profile.. <i>BMC Geriatrics</i> , 2022 , 22, 30	4.1	1
27	Long term miscarriage-related hypertension and diabetes mellitus. Evidence from a United Kingdom population-based cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0261769	3.7	1

26	Metformin and risk of age-related macular degeneration in individuals with type 2 diabetes: a retrospective cohort study.. <i>British Journal of Ophthalmology</i> , 2022 ,	5.5	0
25	Change in the incidence of Parkinson's disease in a large UK primary care database.. <i>Npj Parkinsons Disease</i> , 2022 , 8, 23	9.7	0
24	Incidence of Lyme disease in the United Kingdom and association with fatigue: A population-based, historical cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0265765	3.7	0
23	Analysis of the relationship between sex and prescriptions for guideline-recommended therapy in peripheral arterial disease, in relation to 1-year all-cause mortality: a primary care cohort study.. <i>BMJ Open</i> , 2022 , 12, e055952	3	1
22	Time Trends in Incidence of Reported Memory Concerns and Cognitive Decline: A Cohort Study in UK Primary Care.. <i>Clinical Epidemiology</i> , 2022 , 14, 395-408	5.9	1
21	Prescribing of antipsychotics among people with recorded personality disorder in primary care: a retrospective nationwide cohort study using The Health Improvement Network primary care database.. <i>BMJ Open</i> , 2022 , 12, e053943	3	3
20	A comparison of regression discontinuity and propensity score matching to estimate the causal effects of statins using electronic health records.		
19	Burden of chronic diseases associated with periodontal diseases: a retrospective cohort study using UK primary care data.. <i>BMJ Open</i> , 2021 , 11, e048296	3	3
18	Angiotensin-converting enzyme inhibitors and risk of age-related macular degeneration in individuals with hypertension.. <i>British Journal of Clinical Pharmacology</i> , 2022 ,	3.8	1
17	Risk of a subsequent diagnosis of inflammatory bowel disease in subjects with ophthalmic disorders associated with inflammatory bowel disease: a retrospective cohort analysis of UK primary care data.. <i>BMJ Open</i> , 2022 , 12, e052833	3	0
16	Risk of incident obstructive sleep apnoea in patients with type 1 diabetes: a population-based retrospective cohort study. <i>Diabetologia</i> ,	10.3	0
15	Initiation of antidepressant medication in people with type 2 diabetes living in the UK: a retrospective cohort study. <i>Pharmacoepidemiology and Drug Safety</i> ,	2.6	
14	The association between inflammatory bowel disease and mental ill health: A retrospective cohort study using data from UK primary care. <i>Alimentary Pharmacology and Therapeutics</i> ,	6.1	0
13	Incidence of postural hypotension recorded in UK general practice: an electronic health records study. <i>BJGP</i> .2022.0111		0
12	Glycaemic outcomes in patients with type 2 diabetes following bariatric surgery compared to routine care: a population-based real-world UK cohort study. 2022 ,		0
11	Cluster analysis of patients with granulomatosis with polyangiitis (GPA) based on clinical presentation symptoms: a UK population-based cohort study. 2022 , 24,		
10	Concurrent Use of Oral Anticoagulants and Sulfonylureas in Individuals With Type 2 Diabetes and Risk of Hypoglycemia: A UK Population-Based Cohort Study. 9,		
9	Time trends in the incidence of essential tremor: Evidences from UK and France primary care data. 13,		0

- 8 Sodium-glucose cotransporter-2 inhibitors and the risk of gout in patients with type 2 diabetes mellitus: A propensity-score-matched, new-user design study with an active comparator using the IQVIA Medical Research Data UK database. ○
- 7 Comorbidity phenotypes and risk of mortality in patients with osteoarthritis in the UK: a latent class analysis. **2022**, 24, ○
- 6 Early onset of immune-mediated diseases in minority ethnic groups in the UK. **2022**, 20, ○
- 5 Association between childhood maltreatment and atopy in the UK: A population based retrospective cohort study. **2022**, 101730 ○
- 4 Exposure to domestic abuse and the subsequent risk of developing periodontal disease. **2022**, 8, e12631 ○
- 3 Depression and anxiety in women with idiopathic intracranial hypertension compared to migraine: A matched controlled cohort study. **2023**, 63, 290-298 ○
- 2 The association between menstrual cycle characteristics and cardiometabolic outcomes in later life: a retrospective matched cohort study of 704,743 women from the UK. **2023**, 21, ○
- 1 Regression discontinuity design to evaluate the effect of statins on myocardial infarction in electronic health records. **2023**, 38, 393-402 ○