The N-glycome of human embryonic stem cells

BMC Cell Biology 10, 42 DOI: 10.1186/1471-2121-10-42

Citation Report

#	Article	IF	CITATIONS
1	Nanomonitor Technology for Glycosylation Analysis. Materials Research Society Symposia Proceedings, 2009, 1236, 1.	0.1	0
2	Carbohydrate engineered cells for regenerative medicineâ^†. Advanced Drug Delivery Reviews, 2010, 62, 671-682.	6.6	59
3	Differentiation of cardiomyocytes from human embryonic stem cells is accompanied by changes in the extracellular matrix production of versican and hyaluronan. Journal of Cellular Biochemistry, 2010, 111, 585-596.	1.2	33
4	Glycopeptidome of a Heavily N-Glycosylated Cell Surface Glycoprotein of <i>Dictyostelium</i> Implicated in Cell Adhesion. Journal of Proteome Research, 2010, 9, 3495-3510.	1.8	18
5	Are globoseries glycosphingolipids SSEA-3 and -4 markers for stem cells derived from human umbilical cord blood?. Journal of Molecular Cell Biology, 2011, 3, 99-107.	1.5	45
6	Specific lectin biomarkers for isolation of human pluripotent stem cells identified through array-based glycomic analysis. Cell Research, 2011, 21, 1551-1563.	5.7	88
7	Anti-Human Embryonic Stem Cell Monoclonal Antibody Hesca-2 Binds to a Glycan Epitope Commonly Found on Carcinomas. Stem Cells and Development, 2011, 20, 515-525.	1.1	8
8	Combination use of antiâ€CD133 antibody and SSA lectin can effectively enrich cells with high tumorigenicity. Cancer Science, 2011, 102, 1164-1170.	1.7	17
9	Lectin microarray analysis of pluripotent and multipotent stem cells. Genes To Cells, 2011, 16, 1-11.	0.5	77
10	Possible linkages between the inner and outer cellular states of human induced pluripotent stem cells. BMC Systems Biology, 2011, 5, S17.	3.0	24
11	LacdiNAc (GalNAcβ1-4GlcNAc) Contributes to Self-Renewal of Mouse Embryonic Stem Cells by Regulating Leukemia Inhibitory Factor/STAT3 Signaling. Stem Cells, 2011, 29, 641-650.	1.4	55
12	The binding specificity of the marker antibodies Tra-1-60 and Tra-1-81 reveals a novel pluripotency-associated type 1 lactosamine epitope. Clycobiology, 2011, 21, 1125-1130.	1.3	81
13	Glycome Diagnosis of Human Induced Pluripotent Stem Cells Using Lectin Microarray. Journal of Biological Chemistry, 2011, 286, 20345-20353.	1.6	185
14	Structural and Quantitative Evidence for Dynamic Glycome Shift on Production of Induced Pluripotent Stem Cells. Molecular and Cellular Proteomics, 2012, 11, 1913-1923.	2.5	84
15	Regulation of Glycan Structures in Murine Embryonic Stem Cells. Journal of Biological Chemistry, 2012, 287, 37835-37856.	1.6	91
16	Extensive Determination of Glycan Heterogeneity Reveals an Unusual Abundance of High Mannose Glycans in Enriched Plasma Membranes of Human Embryonic Stem Cells. Molecular and Cellular Proteomics, 2012, 11, M111.010660.	2.5	94
17	Comparative structural analysis of the glycosylation of salivary and buccal cell proteins: innate protection against infection by Candida albicans. Glycobiology, 2012, 22, 1465-1479.	1.3	93
18	Lectin from <i>Erythrina cristagalli</i> Supports Undifferentiated Growth and Differentiation of Human Pluripotent Stem Cells. Stem Cells and Development, 2013, 22, 707-716.	1.1	21

#	Article	IF	CITATIONS
19	N-Glycosylation Profile of Undifferentiated and Adipogenically Differentiated Human Bone Marrow Mesenchymal Stem Cells: Towards a Next Generation of Stem Cell Markers. Stem Cells and Development, 2013, 22, 3100-3113.	1.1	39
20	Cell Surface Structures Influence Lung Clearance Rate of Systemically Infused Mesenchymal Stromal Cells. Stem Cells, 2013, 31, 317-326.	1.4	103
21	The sweets standing at the borderline between allo―and xenotransplantation. Xenotransplantation, 2013, 20, 199-208.	1.6	12
22	Specific Glycoforms of MUC5AC and Endorepellin Accurately Distinguish Mucinous from Nonmucinous Pancreatic Cysts. Molecular and Cellular Proteomics, 2013, 12, 2724-2734.	2.5	33
23	Recent Advances in Cellular Glycomic Analyses. Biomolecules, 2013, 3, 198-225.	1.8	29
24	<i>N</i> â€linked glycan profiling of <scp>GGTA</scp> 1/ <scp>CMAH</scp> knockout pigs identifies new potential carbohydrate xenoantigens. Xenotransplantation, 2013, 20, 277-291.	1.6	44
25	Production of a Recombinant Antibody Specific for i Blood Group Antigen, a Mesenchymal Stem Cell Marker. BioResearch Open Access, 2013, 2, 336-345.	2.6	4
26	A LewisX Glycoprotein Screen Identifies the Low Density Lipoprotein Receptor-related Protein 1 (LRP1) as a Modulator of Oligodendrogenesis in Mice. Journal of Biological Chemistry, 2013, 288, 16538-16545.	1.6	36
27	Total cellular glycomics allows characterizing cells and streamlining the discovery process for cellular biomarkers. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2105-2110.	3.3	130
28	\hat{I}^2 1,4-Galactosyltransferases, Potential Modifiers of Stem Cell Pluripotency and Differentiation. , 2013, , .		1
29	Protein post-translational modifications and regulation of pluripotency in human stem cells. Cell Research, 2014, 24, 143-160.	5.7	282
30	Extracellular O-Linked N-Acetylglucosamine Is Enriched in Stem Cells Derived from Human Umbilical Cord Blood. BioResearch Open Access, 2014, 3, 39-44.	2.6	9
31	Highly sensitive glycosylation analysis of membrane glycoproteins avoiding polymeric contaminants. Biotechnology and Bioprocess Engineering, 2014, 19, 545-550.	1.4	4
32	Filter-Aided <i>N</i> -Glycan Separation (FANGS): A Convenient Sample Preparation Method for Mass Spectrometric <i>N</i> -Glycan Profiling. Journal of Proteome Research, 2014, 13, 1167-1176.	1.8	54
33	Cell Surface Glycan Changes in the Spontaneous Epithelial-Mesenchymal Transition of Equine Amniotic Multipotent Progenitor Cells. Cells Tissues Organs, 2014, 200, 212-226.	1.3	11
34	Glycosyltransferase ST6GAL1 contributes to the regulation of pluripotency in human pluripotent stem cells. Scientific Reports, 2015, 5, 13317.	1.6	52
35	Characterization of human neural differentiation from pluripotent stem cells using proteomics/PTMomics-Current state-of-the-art and challenges. Proteomics, 2015, 15, 656-674.	1.3	9
36	N-glycomic Profiling as a Tool to Separate Rectal Adenomas from Carcinomas*. Molecular and Cellular Proteomics, 2015, 14, 277-288.	2.5	57

#	Article	IF	CITATIONS
37	Glycome as Biomarkers. Biomarkers in Disease, 2015, , 111-140.	0.0	7
38	The â€~sweet' spot of cellular pluripotency: protein glycosylation in human pluripotent stem cells and its applications in regenerative medicine. Expert Opinion on Biological Therapy, 2015, 15, 679-687.	1.4	9
39	Analysis of carbohydrates and glycoconjugates by matrixâ€assisted laser desorption/ionization mass spectrometry: An update for 2009–2010. Mass Spectrometry Reviews, 2015, 34, 268-422.	2.8	63
40	Membrane glycoproteomics of fetal lung fibroblasts using LC/MS. Proteomics, 2016, 16, 47-59.	1.3	7
41	Mouse intestinal niche cells express a distinct α1,2-fucosylated glycan recognized by a lectin fromBurkholderia cenocepacia. Glycobiology, 2016, 27, 246-253.	1.3	2
42	Comparison of the glycosphingolipids of human-induced pluripotent stem cells and human embryonic stem cells. Glycobiology, 2017, 27, 291-305.	1.3	10
43	Glycosylation and stem cells: Regulatory roles and application of iPSCs in the study of glycosylationâ€related disorders. BioEssays, 2016, 38, 1255-1265.	1.2	19
44	High-Sensitivity and Low-Toxicity Fucose Probe for Glycan Imaging and Biomarker Discovery. Cell Chemical Biology, 2016, 23, 782-792.	2.5	39
45	Glycomics of human embryonic stem cells and human induced pluripotent stem cells. Glycoconjugate Journal, 2016, 33, 707-715.	1.4	11
46	Efficient Procedure for <i>N</i> -Glycan Analyses and Detection of EndoÂH-Like Activity in Human Tumor Specimens. Journal of Proteome Research, 2016, 15, 2777-2786.	1.8	12
47	Glycomic Characterization of Induced Pluripotent Stem Cells Derived from a Patient Suffering from Phosphomannomutase 2 Congenital Disorder of Glycosylation (PMM2-CDG). Molecular and Cellular Proteomics, 2016, 15, 1435-1452.	2.5	51
48	Glycosphingolipids of human embryonic stem cells. Glycoconjugate Journal, 2017, 34, 713-723.	1.4	23
49	Characterization of H type 1 and type 1 N-acetyllactosamine glycan epitopes on ovarian cancer specifically recognized by the anti-glycan monoclonal antibody mAb-A4. Journal of Biological Chemistry, 2017, 292, 6163-6176.	1.6	17
50	Comprehensive Analytical Approach toward Glycomic Characterization and Profiling in Urinary Exosomes. Analytical Chemistry, 2017, 89, 5364-5372.	3.2	41
51	Quantitative Assessment of Sialoâ€Glycoproteins and Nâ€Glycans during Cardiomyogenic Differentiation of Human Induced Pluripotent Stem Cells. ChemBioChem, 2017, 18, 1317-1331.	1.3	44
52	The Cell‣urface Nâ€Glycome of Human Embryonic Stem Cells and Differentiated Hepatic Cells thereof. ChemBioChem, 2017, 18, 1234-1241.	1.3	9
53	Glycoconjugates reveal diversity of human neural stem cells (hNSCs) derived from human induced pluripotent stem cells (hiPSCs). Cell and Tissue Research, 2017, 368, 531-549.	1.5	14
54	N-Glycomic Profiling of Pheochromocytomas and Paragangliomas Separates Metastatic and Nonmetastatic Disease. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3990-4000.	1.8	12

CITATION REPORT

ARTICLE IF CITATIONS # Comparative glycoproteomics of stem cells identifies new players in ricin toxicity. Nature, 2017, 549, 13.7 110 55 538-542. Glycomics of human embryonic stem cells and human induced pluripotent stem cells. Glycoconjugate 1.4 Journal, 2017, 34, 807-815. Alterations of protein glycosylation in embryonic stem cells during adipogenesis. International 57 1.8 5 Journal of Molecular Medicine, 2017, 41, 293-301. Physiological Effects of Ac4ManNAz and Optimization of Metabolic Labeling for Cell Tracking. Theranostics, 2017, 7, 1164-1176. IgG and leukocytes: Targets of immunomodulatory α2,6 sialic acids. Cellular Immunology, 2018, 333, 59 1.4 10 58-64. Genetically Encoded Toolbox for Glycocalyx Engineering: Tunable Control of Cell Adhesion, Survival, and Cancer Cell Behaviors. ACS Biomaterials Science and Engineering, 2018, 4, 388-399. 2.6 A Glycomic Approach Towards Identification of Signature Molecules in CD34+ Haematopoietic Stem 61 0.8 4 Cells from Umbilical Cord Blood. Advances in Experimental Medicine and Biology, 2018, 1112, 309-318. Concise Review: Stem/Progenitor Cell Proteoglycans Decorated with 7-D-4, 4-C-3, and 3-B-3(-) Chondroitin Sulfate Motifs Are Morphogenetic Markers of Tissue Development. Stem Cells, 2018, 36, 1.4 1475-1486. Glycomic Profiling Highlights Increased Fucosylation in Pseudomyxoma Peritonei. Molecular and Cellular Proteomics, 2018, 17, 2107-2118. 63 2.5 8 Ionic-liquid supported rapid synthesis of an N-glycan core pentasaccharide on a 10 g scale. Organic 64 1.5 and Biomolecular Chemistry, 2018, 16, 4720-4727. Human protein paucimannosylation: cues from the eukaryotic kingdoms. Biological Reviews, 2019, 94, 39 65 4.72068-2100. Influenza a virus-triggered autophagy decreases the pluripotency of human-induced pluripotent stem cells. Cell Death and Disease, 2019, 10, 337. Physical Principles of Membrane Shape Regulation by the Glycocalyx. Cell, 2019, 177, 1757-1770.e21. 67 13.5 187 A thin hydrogel barrier linked onto cell surface sialic acids through covalent bonds induces cancer cell death<i>in vivo</i>. Biomaterials Science, 2020, 8, 577-585. 2.6 Establishing Rules for Self-Adhesion and Aggregation of N-Clycan Sugars Using Virus Clycan Shields. 69 1.6 3 Langmuir, 2020, 36, 13769-13783. N-glycomic profiling of colorectal cancer according to tumor stage and location. PLoS ONE, 2020, 15, e0234989. Altered linkage pattern of N-glycan sialic acids in pseudomyxoma peritonei. Glycobiology, 2021, 31, 71 1.32 211-222. iPSCs for modeling influenza infection., 2021, , 47-67.

CITATION REPORT

#	Article	IF	CITATIONS
73	Induced pluripotent stem cells versus embryonic stem cells. , 2021, , 289-307.		0
74	Human erythrocyte surface fucose expression increases with age and hyperglycemia. Wellcome Open Research, 0, 6, 28.	0.9	Ο
75	Glycan Epitopes on 201B7 Human-Induced Pluripotent Stem Cells Using R-10G and R-17F Marker Antibodies. Biomolecules, 2021, 11, 508.	1.8	3
76	Efficient production of recombinant secretory IgA against Clostridium difficile toxins in CHO-K1 cells. Journal of Biotechnology, 2021, 331, 1-13.	1.9	7
77	Permissive and restricted virus infection of murine embryonic stem cells. Journal of General Virology, 2012, 93, 2118-2130.	1.3	18
78	Qualitative and quantitative alterations in intracellular and membrane glycoproteins maintain the balance between cellular senescence and human aging. Aging, 2018, 10, 2190-2208.	1.4	9
79	Control of mesenchymal stem cell phenotype and differentiation depending on cell adhesion mechanism. , 2014, 28, ^387-403.		19
80	Human embryonic stem cell N-glycan features relevant to pluripotency. Turkish Journal of Biology, 2016, 40, 1050-1058.	2.1	1
81	The Function of Glycan Structures for the Maintenance and Differentiation of Embryonic Stem Cells. , 0, , .		0
82	Glycomic Signature of Mouse Embryonic Stem Cells During Differentiation. Cell & Developmental Biology, 2012, 2, .	0.3	0
83	Glycome as Biomarkers. , 2014, , 1-23.		0
84	Bisecting ClcNAc Protein <i>N</i> -Glycosylation Is Characteristic of Human Adipogenesis. Journal of Proteome Research, 2021, 20, 1313-1327.	1.8	5
85	Glycome assessment in patients with respiratory diseases. Translational Metabolic Syndrome Research, 2022, 5, 10-15.	0.2	0
86	Monoclonal antibody K312-based depletion of pluripotent cells from differentiated stem cell progeny prevents teratoma formation. BMB Reports, 2021, , .	1.1	0
87	Monoclonal antibody K312-based depletion of pluripotent cells from differentiated stem cell progeny prevents teratoma formation. BMB Reports, 2022, 55, 142-147.	1.1	2
88	Glycogene Expression Profile of Human Limbal Epithelial Cells with Distinct Clonogenic Potential. Cells, 2022, 11, 1575.	1.8	2
90	Reliable N-Glycan Analysis–Removal of Frequently Occurring Oligosaccharide Impurities by Enzymatic Degradation. Molecules, 2023, 28, 1843.	1.7	2

CITATION REPORT