

CITATION REPORT

List of articles citing

Increased transepidermal water loss and decreased ceramide content in lesional and non-lesional skin of dogs with atopic dermatitis

DOI: 10.1111/j.1365-3164.2009.00847.x

Veterinary Dermatology, 2009, 20, 541-6.

Source: <https://exaly.com/paper-pdf/46307559/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
97	The examination of biophysical parameters of skin (transepidermal water loss, skin hydration and pH value) in different body regions of normal cats of both sexes. <i>Journal of Feline Medicine and Surgery</i> , 2011 , 13, 224-30	2.3	20
96	Is the skin barrier abnormal in dogs with atopic dermatitis?. <i>Veterinary Immunology and Immunopathology</i> , 2011 , 144, 11-6	2	28
95	Spot-on skin lipid complex as an adjunct therapy in dogs with atopic dermatitis: an open pilot study. <i>Veterinary Medicine International</i> , 2011 , 2011, 281846	1.5	14
94	Stratum corneum removal facilitates experimental sensitization to mite allergens in atopic dogs. <i>Veterinary Dermatology</i> , 2011 , 22, 188-96	1.8	36
93	The effects of skin disease on the penetration kinetics of hydrocortisone through canine skin in vitro. <i>Veterinary Dermatology</i> , 2011 , 22, 482-9	1.8	3
92	Clinical comparison of human and canine atopic dermatitis using human diagnostic criteria (Japanese Dermatological Association, 2009): proposal of provisional diagnostic criteria for canine atopic dermatitis. <i>Journal of Dermatology</i> , 2011 , 38, 784-90	1.6	16
91	Alteration of stratum corneum ceramide profiles in spontaneous canine model of atopic dermatitis. <i>Experimental Dermatology</i> , 2011 , 20, 732-6	4	45
90	LC/MS analysis of stratum corneum lipids: ceramide profiling and discovery. <i>Journal of Lipid Research</i> , 2011 , 52, 1211-1221	6.3	158
89	Analysis of epidermal lipids in normal and atopic dogs, before and after administration of an oral omega-6/omega-3 fatty acid feed supplement. A pilot study. <i>Veterinary Research Communications</i> , 2011 , 35, 501-9	2.9	29
88	Atopic dermatitis in dogs is associated with a high heterogeneity in the distribution of protein-bound lipids within the stratum corneum. <i>Archives of Dermatological Research</i> , 2011 , 303, 433-40 ^{3.3}	3.3	22
87	Double-blinded, placebo-controlled study to evaluate an antipruritic shampoo for dogs with allergic pruritus. <i>Veterinary Record</i> , 2012 , 171, 97	0.9	9
86	An update on the treatment of canine atopic dermatitis. <i>Veterinary Medicine: Research and Reports</i> , 2012 , 3, 85-91	2.3	
85	Gene transcription abnormalities in canine atopic dermatitis and related human eosinophilic allergic diseases. <i>Veterinary Immunology and Immunopathology</i> , 2012 , 149, 136-42	2	21
84	Current understanding of the pathophysiologic mechanisms of canine atopic dermatitis. <i>Journal of the American Veterinary Medical Association</i> , 2012 , 241, 194-207	1	37
83	Dermatophagoides farinae house dust mite allergen challenges reduce stratum corneum ceramides in an experimental dog model of acute atopic dermatitis. <i>Veterinary Dermatology</i> , 2012 , 23, 497-e97	1.8	16
82	DonnÉes actuelles sur la barriÈre cutanÈe et implications dans la dermatite atopique canine. <i>Pratique Medicale Et Chirurgicale De L'Animal De Compagnie</i> , 2012 , 47, 101-110		
81	Comparative genomics of the Staphylococcus intermedius group of animal pathogens. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012 , 2, 44	5.9	33

80	Histologic morphology and involucrin, filaggrin, and keratin expression in normal canine skin from dogs of different breeds and coat types. <i>Journal of Veterinary Science</i> , 2012 , 13, 163-70	1.6	7
79	The lipid alterations in the stratum corneum of dogs with atopic dermatitis are alleviated by topical application of a sphingolipid-containing emulsion. <i>Clinical and Experimental Dermatology</i> , 2012 , 37, 665-71	1.8	37
78	The effect of <i>Psoroptes ovis</i> infestation on ovine epidermal barrier function. <i>Veterinary Research</i> , 2013 , 44, 11	3.8	10
77	Canine ichthyosis and related disorders of cornification. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2013 , 43, 89-97	2.4	17
76	Skin Barrier and Its Role in the Pathophysiology of Atopic Dermatitis. 2013 , 42-50		
75	The Role of Bacterial Agents in the Pathogenesis of Canine Atopic Dermatitis. 2013 , 51-57		
74	Long-Term Management of Food Hypersensitivity in the Dog. 2013 , 124-131		
73	Immune surveillance mechanisms of the skin against the stealth infection strategy of <i>Pseudomonas aeruginosa</i> -review. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2013 , 36, 433-48	2.6	16
72	Nonsteroidal, nonimmunosuppressive therapies for pruritus. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2013 , 43, 173-87	2.4	3
71	Fixing the skin barrier: past, present and future--man and dog compared. <i>Veterinary Dermatology</i> , 2013 , 24, 73-6.e17-8	1.8	10
70	The stratum corneum: the rampart of the mammalian body. <i>Veterinary Dermatology</i> , 2013 , 24, 60-72.e15-16	1.8	40
69	Evaluation of canine antimicrobial peptides in infected and noninfected chronic atopic skin. <i>Veterinary Dermatology</i> , 2013 , 24, 39-47.e10	1.8	16
68	Canine atopic dermatitis - what have we learned?. <i>Veterinary Record</i> , 2013 , 172, 201-7	0.9	22
67	Altered mRNA and protein expression of filaggrin in the skin of a canine animal model for atopic dermatitis. <i>Veterinary Dermatology</i> , 2013 , 24, 329-36, e73	1.8	24
66	Comparison of three different sampling methods for canine skin lipids. <i>Veterinary Dermatology</i> , 2013 , 24, 233-e51	1.8	5
65	The examination of biophysical skin parameters (transepidermal water loss, skin hydration and pH value) in different body regions in Polish ponies. <i>Polish Journal of Veterinary Sciences</i> , 2013 , 16, 741-7	0.7	6
64	The effect of a hydrocolloid dressing containing ceramide-2 on split-thickness wounds in a laser-induced erosion model. <i>Advances in Skin and Wound Care</i> , 2013 , 26, 224-9	1.5	6
63	Effects of Essential Oils and Polyunsaturated Fatty Acids on Canine Skin Equivalents: Skin Lipid Assessment and Morphological Evaluation. <i>Journal of Veterinary Medicine</i> , 2013 , 2013, 231526	2.1	5

62	Canine epidermal lipid sampling by skin scrub revealed variations between different body sites and normal and atopic dogs. <i>BMC Veterinary Research</i> , 2014 , 10, 152	2.7	4
61	Increased levels of palmitoylethanolamide and other bioactive lipid mediators and enhanced local mast cell proliferation in canine atopic dermatitis. <i>BMC Veterinary Research</i> , 2014 , 10, 21	2.7	29
60	Assessment of the relationship between transepidermal water loss (TEWL) and severity of clinical signs (CADESI-03) in atopic dogs. <i>Veterinary Dermatology</i> , 2014 , 25, 503-6, e83	1.8	5
59	First case report of ultrastructural cutaneous abnormalities in equine atopic dermatitis. <i>Research in Veterinary Science</i> , 2014 , 97, 382-5	2.5	7
58	An emulsion restores the skin barrier by decreasing the skin pH and inflammation in a canine experimental model. <i>Journal of Comparative Pathology</i> , 2014 , 151, 244-54	1	10
57	What is living on your dog's skin? Characterization of the canine cutaneous mycobiota and fungal dysbiosis in canine allergic dermatitis. <i>FEMS Microbiology Ecology</i> , 2015 , 91,	4.3	45
56	In vivo assessment of the effect of taxifolin glycoside on atopic dermatitis-like skin lesions using biomedical tools in NC/Nga mice. <i>Clinical and Experimental Dermatology</i> , 2015 , 40, 547-55	1.8	7
55	Review: Pathogenesis of canine atopic dermatitis: skin barrier and host-micro-organism interaction. <i>Veterinary Dermatology</i> , 2015 , 26, 84-e25	1.8	52
54	Review: Innate immunity, lipid metabolism and nutrition in canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2015 , 26, 104-e28	1.8	10
53	Structural modification of the skin barrier by OH radicals: a reactive molecular dynamics study for plasma medicine. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 155202	3	26
52	The effect of long-term feeding of skin barrier-fortified diets on the owner-assessed incidence of atopic dermatitis symptoms in Labrador retrievers. <i>Journal of Nutritional Science</i> , 2015 , 4, e5	2.7	3
51	Influence of horse breed on transepidermal water loss. <i>Polish Journal of Veterinary Sciences</i> , 2016 , 19, 859-864	0.7	3
50	Veterinary allergy diagnosis: past, present and future perspectives. <i>Allergo Journal</i> , 2016 , 25, 20-32	0	2
49	Veterinary allergy diagnosis: past, present and future perspectives. <i>Allergo Journal International</i> , 2016 , 25, 238-250	1.5	1
48	Effects of sphingolipid extracts on the morphological structure and lipid profile in an in vitro model of canine skin. <i>Veterinary Journal</i> , 2016 , 212, 58-64	2.5	7
47	An update on the treatment of canine atopic dermatitis. <i>Veterinary Journal</i> , 2016 , 207, 29-37	2.5	38
46	The effects of a topical lipid complex therapy on dogs with atopic dermatitis: a double blind, randomized, placebo-controlled study. <i>Veterinary Dermatology</i> , 2017 , 28, 369-e84	1.8	9
45	Effects of glucocorticoids on stratum corneum lipids and function in human skin-A detailed lipidomic analysis. <i>Journal of Dermatological Science</i> , 2017 , 88, 330-338	4.3	18

44	Randomized, double-blinded, placebo-controlled pilot study on the effects of topical blackcurrant emulsion enriched in essential fatty acids, ceramides and 18-beta glycyrrhetic acid on clinical signs and skin barrier function in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2017 , 28, 577-e140	1.8	8
43	Pathogfie. 2017 , 17-46		
42	Atopic Dermatitis in Animals and People: An Update and Comparative Review. <i>Veterinary Sciences</i> , 2017 , 4,	2.4	38
41	Evaluation of the correlation between Scoring Feline Allergic Dermatitis and Feline Extent and Severity Index and skin hydration in atopic cats. <i>Veterinary Dermatology</i> , 2018 , 29, 34-e16	1.8	3
40	Altered lipid properties of the stratum corneum in Canine Atopic Dermatitis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 526-533	3.8	15
39	Atopic dermatitis in cats and dogs: a difficult disease for animals and owners. <i>Clinical and Translational Allergy</i> , 2018 , 8, 41	5.2	13
38	Non-controlled, open-label clinical trial to assess the effectiveness of a dietetic food on pruritus and dermatologic scoring in atopic dogs. <i>BMC Veterinary Research</i> , 2019 , 15, 220	2.7	4
37	The influence of treatment with lokivetmab on transepidermal water loss (TEWL) in dogs with spontaneously occurring atopic dermatitis. <i>Veterinary Dermatology</i> , 2019 , 30, 330-e93	1.8	6
36	Pilot study using five methods to evaluate skin barrier function in healthy dogs and in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2019 , 30, 121	1.8	8
35	Malassezia species dysbiosis in natural and allergen-induced atopic dermatitis in dogs. <i>Medical Mycology</i> , 2020 , 58, 756-765	3.9	3
34	Targeted Metabolomics With Ultraperformance Liquid Chromatography-Mass Spectrometry (UPLC-MS) Highlights Metabolic Differences in Healthy and Atopic Staffordshire Bull Terriers Fed Two Different Diets, A Pilot Study. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 554296	3.1	0
33	Supplementation with eicosapentaenoic acid and linoleic acid increases the production of epidermal ceramides in in vitro canine keratinocytes. <i>Veterinary Dermatology</i> , 2020 , 31, 419-e112	1.8	0
32	Highly Sustainable and Completely Amorphous Hierarchical Ceramide Microcapsules for Potential Epidermal Barrier. <i>Polymers</i> , 2020 , 12,	4.5	0
31	Topical treatment with SPHINGOLIPIDS and GLYCOSAMINOGLYCANS for canine atopic dermatitis. <i>BMC Veterinary Research</i> , 2020 , 16, 92	2.7	2
30	Development of an in vitro submerged culture system to synthesize epidermal ceramides in canine keratinocytes. <i>Research in Veterinary Science</i> , 2020 , 130, 48-51	2.5	1
29	Comparison of various treatment options for canine atopic dermatitis: a blinded, randomized, controlled study in a colony of research atopic beagle dogs. <i>Veterinary Dermatology</i> , 2020 , 31, 284-e69	1.8	6
28	Mesenchymal Stem cells in the context of canine atopic dermatitis: A Review. <i>Revista Brasileira De Saude E Producao Animal</i> , 22,	0.8	1
27	Preliminary evaluation of two bathing methods for the management of Malassezia overgrowth in dogs with atopic dermatitis. <i>Veterinary Dermatology</i> , 2021 , 32, 228-e59	1.8	0

26	Advances in our understanding of canine atopic dermatitis. <i>Veterinary Dermatology</i> , 2021 , 32, 547-e151	1.8	3
25	The examination of biophysical parameters of the skin in Polish Konik horses. <i>PLoS ONE</i> , 2021 , 16, e0250379	3.7	0
24	Current Knowledge on Canine Atopic Dermatitis: Pathogenesis and Treatment. <i>Advances in Small Animal Care</i> , 2021 , 2, 101-115	0.2	0
23	Allergic and Atopic Eczema in Humans and Their Animals. 2017 , 131-150		3
22	The examination of biophysical parameters of skin (transepidermal water loss, skin hydration and pH value) in different body regions of ponies. <i>Polish Journal of Veterinary Sciences</i> , 2012 , 15, 553-9	0.7	7
21	Ichthyosis in Dogs—Congenital Dermatologic Disorder. <i>Folia Veterinaria</i> , 2021 , 65, 22-29	0.5	
20	Local and Systemic Changes in Lipid Profile as Potential Biomarkers for Canine Atopic Dermatitis. <i>Metabolites</i> , 2021 , 11,	5.6	0
19	Effects of age, sex, and breed on the composition of free extractable ceramides in the stratum corneum of healthy dogs. <i>Veterinary Research Communications</i> , 2021 , 1	2.9	0
18	Age of Onset and Clinical Signs in Canine Atopic Dermatitis. <i>Journal of Veterinary Epidemiology</i> , 2012 , 16, 126-134	0.2	
17	Evaluation of Canine Antimicrobial Peptides in Infected and Noninfected Chronic Atopic Skin. 42-50		
16	The Stratum Corneum: The Rampart of the Mammalian Body. 63-77		
15	Fixing the Skin Barrier: Past, Present and Future [Man and Dog Compared. 78-81		
14	Successful Management of Highly-concentrated, Artificial Carbon Dioxide Bathing in a West Highland White Terrier with Dermatitis. <i>The Japanese Journal of Veterinary Dermatology</i> , 2016 , 22, 15-18 ⁰		
13	Pilot evaluation of the oclacitinib sparing effect of oral or topical ceramide products in the treatment of canine atopic dermatitis. <i>The Japanese Journal of Veterinary Dermatology</i> , 2020 , 27, 3-10		0
12	Assessment of a correlation between Canine Atopic Dermatitis Extent and Severity Index (CADESI-03) and selected biophysical skin measures (skin hydration, pH, and erythema intensity) in dogs with naturally occurring atopic dermatitis. <i>Canadian Journal of Veterinary Research</i> , 2015 , 79, 136-40	0.5	1
11	Correlation between transepidermal water loss (TEWL) and severity of clinical symptoms in cats with atopic dermatitis. <i>Canadian Journal of Veterinary Research</i> , 2018 , 82, 306-311	0.5	3
10	Randomized, double-blind, placebo-controlled clinical trial measuring the effect of a dietetic food on dermatologic scoring and pruritus in dogs with atopic dermatitis. <i>BMC Veterinary Research</i> , 2021 , 17, 354	2.7	
9	Canine Epidermal Keratinocytes (CPEK) Grown in Monolayer Are Not Representative of Normal Canine Keratinocytes for Permeability Studies: Pilot Studies.. <i>Veterinary Sciences</i> , 2022 , 9,	2.4	0

8	An explorative study comparing skin surface lipids in the West Highland white terrier dog with and without atopic dermatitis.. <i>Veterinary Quarterly</i> , 2022 , 42, 12-20	8	1
7	Efficacy of Phototherapy With 308-nm Excimer Light for Skin Microbiome Dysbiosis and Skin Barrier Dysfunction in Canine Atopic Dermatitis.. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 762961	3.1	0
6	Investigation of the Mechanism of Impaired Skin Barrier Function in Dogs With Malignant Tumors.. <i>In Vivo</i> , 2022 , 36, 743-752	2.3	
5	Data_Sheet_1.ZIP. 2020 ,		
4	Table_1.xlsx. 2020 ,		
3	Table_2.xlsx. 2020 ,		
2	Table_3.XLSX. 2020 ,		
1	Enhanced In Vitro Expression of Filaggrin and Antimicrobial Peptides Following Application of Glycosaminoglycans and a Sphingomyelin-Rich Lipid Extract. <i>Veterinary Sciences</i> , 2022 , 9, 323	2.4	