

# CITATION REPORT

List of articles citing

## Optical manipulation of nanoparticles and biomolecules in sub-wavelength slot waveguides

DOI: [10.1038/nature07593](https://doi.org/10.1038/nature07593)

Nature, 2009, 457, 71-5.

**Source:** <https://exaly.com/paper-pdf/46330796/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
702	A design for a photonic syringe with multimode coupled slot waveguides. <b>2010</b> , 18, 288		
701	Selective trapping of multiple particles by volume speckle field. <b>2010</b> , 18, 3137		
700	Selective trapping of multiple particles by volume speckle field. <b>2010</b> , 18, 3137		
699	Using a slightly tapered optical fiber to attract and transport microparticles. <b>2010</b> , 18, 5574		
698	Using a slightly tapered optical fiber to attract and transport microparticles. <b>2010</b> , 18, 5574		
697	Optical trapping and propulsion of red blood cells on waveguide surfaces. <b>2010</b> , 18, 21053		
696	Optical trapping and propulsion of red blood cells on waveguide surfaces. <b>2010</b> , 18, 21053		
695	Photothermal trapping of dielectric particles by optical fiber-ring. <b>2011</b> , 19, 2711		
694	Targeted delivery and controllable release of nanoparticles using a defect-decorated optical nanofiber. <b>2011</b> , 19, 13285		
693	Targeted delivery and controllable release of nanoparticles using a defect-decorated optical nanofiber. <b>2011</b> , 19, 13285		
692	Electro-optofluidics: achieving dynamic control on-chip. <b>2012</b> , 20, 22314		
691	Mode-based microparticle conveyor belt in air-filled hollow-core photonic crystal fiber. <b>2013</b> , 21, 29383		
690	Mode-based microparticle conveyor belt in air-filled hollow-core photonic crystal fiber. <b>2013</b> , 21, 29383		
689	Optofluidic tunable manipulation of microparticles by integrating graded-index fiber taper with a microcavity. <b>2015</b> , 23, 3762		
688	Optofluidic tunable manipulation of microparticles by integrating graded-index fiber taper with a microcavity. <b>2015</b> , 23, 3762		
687	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477		
686	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477		

685	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477	
684	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477	
683	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477	
682	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477	
681	Evanescent field trapping of nanoparticles using nanostructured ultrathin optical fibers. <b>2016</b> , 24, 14470	
680	Evanescent field trapping of nanoparticles using nanostructured ultrathin optical fibers. <b>2016</b> , 24, 14470	
679	Enhancement of optical forces using slow light in a photonic crystal waveguide. <b>2015</b> , 2, 816	
678	Enhancement of optical forces using slow light in a photonic crystal waveguide. <b>2015</b> , 2, 816	
677	Photothermal delivery of microscopic objects via convection flows induced by laser beam from fiber tip. <b>2011</b> , 50, 3711	
676	Nonspecific Colloidal-Type Interaction Explains Size-Dependent Specific Binding of Membrane-Targeted Nanoparticles.	
675	Antibonding plasmon mode coupling of an individual hole in a thin metallic film. <b>2009</b> , 80,	11
674	An in-plane, variable optical attenuator using a fluid-based tunable reflective interface. <b>2009</b> , 95, 083507	43
673	Measurements of modal symmetry in subwavelength plasmonic slot waveguides. <b>2009</b> , 95, 203109	11
672	Efficient Chemical Sensing by Coupled Slot SOI Waveguides. <b>2009</b> , 9, 1012-32	50
671	Silicon photonics: the optical spice rack. <b>2009</b> , 45, 576	19
670	Setting a nanoparticle trap. <b>2009</b> , 6, 190-190	
669	Self-induced back-action optical trapping of dielectric nanoparticles. <b>2009</b> , 5, 915-919	354
668	Nanopattern transfer and wettability modification of regularly structured metallic and polymeric surfaces with replication. <b>2009</b> , 339, 217-21	5

667	Forces and transport velocities for a particle in a slot waveguide. <b>2009</b> , 9, 1182-8	84
666	Optofluidic particle concentration by a long-range dual-beam trap. <b>2009</b> , 34, 2306-8	16
665	Precise balancing of viscous and radiation forces on a particle in liquid-filled photonic bandgap fiber. <b>2009</b> , 34, 3674-6	27
664	Whispering Gallery Mode Carousel--a photonic mechanism for enhanced nanoparticle detection in biosensing. <b>2009</b> , 17, 6230-8	178
663	Terahertz transmission properties of an individual slit in a thin metallic plate. <b>2009</b> , 17, 12660-7	34
662	Numerical analysis of the propagation properties of subwavelength semiconductor slit in the terahertz region. <b>2009</b> , 17, 15359-71	41
661	Nondimensional analysis of particle behavior during cross-type optical particle separation. <b>2009</b> , 48, 4291-6	11
660	Fabrication of Submicrometer High Refractive Index Tantalum Pentoxide Waveguides for Optical Propulsion of Microparticles. <b>2009</b> , 21, 1408-1410	36
659	Acoustic tweezers: patterning cells and microparticles using standing surface acoustic waves (SSAW). <b>2009</b> , 9, 2890-5	500
658	Research Highlights. <b>2009</b> , 9, 501	
657	Optical manipulation of microtubules for directed biomolecule assembly. <b>2009</b> , 5, 3818	6
656	Optical slot-waveguide based biochemical sensors. <b>2009</b> , 9, 4751-65	120
655	Computer modeling of electric potential distribution of ion transport in rectangular Nanofluidic Channel. <b>2010</b> ,	
654	Bending efficiency investigation of horizontal slot waveguide microrings. <b>2010</b> ,	
653	Controlled placement of single photon sources for quantum integration. <b>2010</b> ,	
652	Silicon photonics for on-chip interconnects and telecommunications. <b>2010</b> ,	1
651	Large-scale-integrated silicon photonics using microdisk and microring resonators. <b>2010</b> ,	
650	Performance of SNOM probes with one groove at core: cladding interface. <b>2010</b> ,	

649	Tunable optofluidic microlens through active pressure control of an air-liquid interface. <b>2010</b> , 9, 313-318	43
648	Optical Manipulation of Microparticles in an SU-8/PDMS Hybrid Microfluidic Chip Incorporating a Monolithically Integrated On-Chip Lens Set. <b>2010</b> , 16, 919-926	8
647	Optical micromanipulations in the non-diffractive regime. <b>2010</b> , 3, 207-15	1
646	High-resolution, parallel patterning of nanoparticles via an ion-induced focusing mask. <b>2010</b> , 6, 2146-52	27
645	Geometry-induced electrostatic trapping of nanometric objects in a fluid. <i>Nature</i> , <b>2010</b> , 467, 692-5	50.4 175
644	Comparison of silicon photonic crystal resonator designs for optical trapping of nanomaterials. <b>2010</b> , 21, 305202	41
643	Optical forces near a nanoantenna. <b>2010</b> , 4, 041570	50
642	Optical trapping of dielectric nanoparticles in resonant cavities. <b>2010</b> , 82,	22
641	Optofluidic tunable microlens by manipulating the liquid meniscus using a flared microfluidic structure. <b>2010</b> , 4, 43007	25
640	Nanometer positioning of single quantum dots by flow control. <b>2010</b> ,	
639	Relative contribution of geometric shape and periodicity to resonant terahertz transmission. <b>2010</b> , 107, 113109	1
638	Optimum areal coverage for perfect transmission in a periodic metal hole array. <b>2010</b> , 97, 261112	9
637	Optical surface sensing by bent slot waveguides. <b>2010</b> ,	
636	Optical manipulation and transport of microparticles on a silicon nitride microracetrack resonator add-drop device. <b>2010</b> ,	1
635	Optofluidics. <b>2010</b> , 241-251	
634	Determination of optical forces in the proximity of a nanoantenna. <b>2010</b> ,	
633	Optofluidic ring resonator switch for optical particle transport. <b>2010</b> , 10, 769-74	164
632	Groove-gratings to optimize the electric field enhancement in a plasmonic nanoslit-cavity. <b>2010</b> , 108, 034319	12

631	Optical manipulation with planar silicon microring resonators. <b>2010</b> , 10, 2408-11	163
630	Ultralow power trapping and fluorescence detection of single particles on an optofluidic chip. <b>2010</b> , 10, 189-94	40
629	Scannable plasmonic trapping using a gold stripe. <b>2010</b> , 10, 3506-11	84
628	Manipulating quantum dots to nanometer precision by control of flow. <b>2010</b> , 10, 2525-30	37
627	Hydrodynamic trap for single particles and cells. <b>2010</b> , 96, 224101	85
626	Selective trapping of multiple particles by volume speckle field. <b>2010</b> , 18, 3137-42	74
625	Optofluidic notch filter integration by lift-off of thin films. <b>2010</b> , 18, 4790-5	13
624	Using a slightly tapered optical fiber to attract and transport microparticles. <b>2010</b> , 18, 5574-9	11
623	Quasi 3-dimensional optical trapping by two counter-propagating beams in nano-fiber. <b>2010</b> , 18, 5724-9	12
622	Analysis of liquid-to-solid coupling and other performance parameters for microfluidically reconfigurable photonic systems. <b>2010</b> , 18, 10973-84	5
621	Hybrid gap modes induced by fiber taper waveguides: application in spectroscopy of single solid-state emitters deposited on thin films. <b>2010</b> , 18, 10995-1007	6
620	A silicon nitride microdisk resonator with a40-nm-thin horizontal air slot. <b>2010</b> , 18, 11209-15	20
619	Numerical analysis of deep sub-wavelength integrated plasmonic devices based on Semiconductor-Insulator-Metal strip waveguides. <b>2010</b> , 18, 18945-59	80
618	Optical trapping and propulsion of red blood cells on waveguide surfaces. <b>2010</b> , 18, 21053-61	37
617	Three dimensional nanoparticle trapping enhanced by surface plasmon resonance. <b>2010</b> , 18, 27619-26	29
616	On-chip supercontinuum optical trapping and resonance excitation of microspheres. <b>2010</b> , 35, 1626-8	7
615	Optical manipulation and transport of microparticles on silicon nitride microring-resonator-based add-drop devices. <b>2010</b> , 35, 2855-7	62
614	Tunable Optical Ring Resonator Integrated With Asymmetric Mach-Zehnder Interferometer. <b>2010</b> , 28, 2512-2520	12

613	A design for a photonic syringe with multimode coupled slot waveguides. <b>2010</b> , 18, 288-300	2
612	Nanomanipulation using silicon photonic crystal resonators. <b>2010</b> , 10, 99-104	198
611	Separation and metrology of nanoparticles by nanofluidic size exclusion. <b>2010</b> , 10, 2618-21	21
610	Light-controlled movement of isotropic droplets in smectic films. <b>2010</b> , 37, 1215-1220	3
609	Nanoslot laser. <b>2010</b> , 97, 161108	25
608	Selective nano-assembly of single quantum dots on a two dimensional surface. <b>2011</b> ,	
607	All-optical particle trap using two orthogonally intersecting beams. <b>2011</b> ,	
606	Optical trapping of 12 nm dielectric spheres using double-nanoholes in a gold film. <b>2011</b> , 11, 3763-7	172
605	Manipulating nano- and microparticles using optical forces from surface plasmons and silicon microresonators. <b>2011</b> ,	
604	Trapping and rotating nanoparticles using a plasmonic nano-tweezer with an integrated heat sink. <b>2011</b> , 2, 469	298
603	The photonic integration of non-solid media using optofluidics. <b>2011</b> , 5, 598-604	233
602	Nanomanipulation using near field photonics. <b>2011</b> , 11, 995-1009	187
601	An Adaptive Anti-Brownian Electrokinetic trap with real-time information on single-molecule diffusivity and mobility. <b>2011</b> , 5, 5792-9	59
600	A microfluidic-based hydrodynamic trap: design and implementation. <b>2011</b> , 11, 1786-94	118
599	Pneumatically tunable optofluidic 2 D switch for reconfigurable optical circuit. <b>2011</b> , 11, 2397-402	144
598	Planar silicon microrings as wavelength-multiplexed optical traps for storing and sensing particles. <b>2011</b> , 11, 4047-51	62
597	Accumulating microparticles and direct-writing micropatterns using a continuous-wave laser-induced vapor bubble. <b>2011</b> , 11, 3816-20	71
596	Microlens-array-enabled on-chip optical trapping and sorting. <b>2011</b> , 50, 318-22	15

595	Photothermal delivery of microscopic objects via convection flows induced by laser beam from fiber tip. <b>2011</b> , 50, 3711-6	5
594	Bonding, antibonding and tunable optical forces in asymmetric membranes. <b>2011</b> , 19, 2225-41	22
593	Photothermal trapping of dielectric particles by optical fiber-ring. <b>2011</b> , 19, 2711-9	32
592	Optical detection of target molecule induced aggregation of nanoparticles by means of high-Q resonators. <b>2011</b> , 19, 7034-61	17
591	Light-assisted templated self assembly using photonic crystal slabs. <b>2011</b> , 19, 11422-8	15
590	Targeted delivery and controllable release of nanoparticles using a defect-decorated optical nanofiber. <b>2011</b> , 19, 13285-90	39
589	Super-sensitivity in label-free protein sensing using a nanoslot nanolaser. <b>2011</b> , 19, 17683-90	67
588	Optofluidic immobility of particles trapped in liquid-filled hollow-core photonic crystal fiber. <b>2011</b> , 19, 19643-52	7
587	Response theory of optical forces in two-port photonics systems: a simplified framework for examining conservative and non-conservative forces. <b>2011</b> , 19, 22322-36	11
586	On beam propagation in anisotropic media: one-dimensional analysis. <b>2011</b> , 36, 334-6	7
585	All-optical controllable trapping and transport of subwavelength particles on a tapered photonic crystal waveguide. <b>2011</b> , 36, 424-6	11
584	Doppler velocimetry on microparticles trapped and propelled by laser light in liquid-filled photonic crystal fiber. <b>2011</b> , 36, 2020-2	21
583	Beyond-limit light focusing in the intermediate zone. <b>2011</b> , 36, 4497-9	10
582	Dynamical response of polarizable nanoparticles to a rotating electric field. <b>2011</b> , 79, 945-949	2
581	Optofluidics for energy applications. <b>2011</b> , 5, 583-590	223
580	Gold nanoparticle trapping and delivery for therapeutic applications. <b>2012</b> , 7, 11-7	11
579	Optoelectrofluidic Manipulation of Nanoparticles and Biomolecules. <b>2011</b> , 2011, 1-13	7
578	Optical and fluidic design for guaranteed trapping and detection of particles in a silicon microfluidic and photonic crystal system. <b>2011</b> ,	4



577	Photonic crystal nanolasers with nanoslot structure for sensing applications. <b>2011,</b>	1
576	Optofluidic modulator based on peristaltic nematogen microflows. <b>2011, 5, 234-238</b>	86
575	Plasmon nano-optical tweezers. <b>2011, 5, 349-356</b>	990
574	Microfluidic active sorting of DNA molecules labeled with single quantum dots using flow switching by a hydrogel sol-gel transition. <b>2011, 159, 314-320</b>	13
573	Stochastic Motion of Teratocarcinoma Cells on PEG Functionalised Surfaces. <b>2011, 22, 498-504</b>	4
572	Localized Field Enhancements in Guided and Defect Modes of a Periodic Slot Waveguide. <b>2011, 3, 986-995</b>	24
571	Photonic Crystal Point-Shift Nanolasers With and Without Nanoslots Design, Fabrication, Lasing, and Sensing Characteristics. <b>2011, 17, 1632-1647</b>	31
570	Surfactant addition and alternating current electrophoretic oscillation during size fractionation of nanoparticles in channels with two or three different height segments. <b>2011, 1218, 9102-10</b>	11
569	Fano effect of metamaterial resonance in terahertz extraordinary transmission. <b>2011, 98, 011911</b>	35
568	Low-power nano-optical vortex trapping via plasmonic diablo nanoantennas. <b>2011, 2, 582</b>	93
567	A catalytically powered electrokinetic lens: toward channelless microfluidics. <b>2011, 10, 1147-1151</b>	5
566	Performance of Scanning Near-Field Optical Microscope Probes with Single Groove and Various Metal Coatings. <b>2011, 6, 11-18</b>	15
565	Bending efficiency analysis of horizontal single- and multiple-slot waveguide microrings. <b>2011, 7, 5-9</b>	1
564	Beyond the SERS: Raman enhancement of small molecules using nanofluidic channels with localized surface plasmon resonance. <b>2011, 7, 184-8</b>	50
563	Femtosecond laser microstructuring: an enabling tool for optofluidic lab-on-chips. <b>2011, 5, 442-463</b>	192
562	Recent advances in single-molecule detection on micro- and nano-fluidic devices. <b>2011, 32, 3308-18</b>	22
561	Investigation of terahertz waves propagating through subwavelength metal-dielectric-metal structure. <b>2011, 54, 331-336</b>	2
560	Trapping and release of citrate-capped gold nanoparticles. <b>2011, 257, 8373-8377</b>	6

559	Investigation of the propagation properties of terahertz waves through a semiconductor subwavelength slit. <b>2011</b> , 284, 3534-3538	2
558	Applications of particle-tracking analysis to the determination of size distributions and concentrations of nanoparticles in environmental, biological and food samples. <b>2011</b> , 30, 473-483	156
557	Detection of organophosphorus compound based on a sol-gel silica planar waveguide doped with a green fluorescent protein and an organophosphorus hydrolase. <b>2011</b> , 98, 233503	7
556	Addressable subwavelength grids of confined light in a multislotted nanoresonator. <b>2011</b> , 98, 081101	8
555	On-a-chip surface plasmon tweezers. <b>2011</b> , 99, 061107	30
554	Bi-metal coated aperture SNOM probes. <b>2011</b> ,	
553	Optofluidics based on liquid crystal microflows. <b>2011</b> ,	1
552	Sub-micron channels fabricated by direct electron beam lithography on SU8 for optofluidic bacterial analysis. <b>2011</b> ,	
551	Light-assisted templated self assembly using photonic crystal slabs. <b>2011</b> ,	
550	Enhancing single molecule imaging in optofluidics and microfluidics. <b>2011</b> , 12, 5135-56	18
549	Flow-dependent double-nanohole optical trapping of 20 nm polystyrene nanospheres. <b>2012</b> , 2, 966	24
548	Mass transport effects in suspended waveguide biosensors integrated in microfluidic channels. <b>2012</b> , 12, 14327-43	7
547	Liquid crystal optofluidics. <b>2012</b> ,	4
546	Relationship between the order of rotation symmetry in perforated apertures and terahertz transmission characteristics. <b>2012</b> , 51, 119002	16
545	Optofluidic microparticle splitters using multimode-interference-based power splitters. <b>2012</b> ,	1
544	Electric Field Enhancement by Laser Light Focused at Electrode Edges for Controlled Positioning of Carbon Nanotubes. <b>2012</b> , 51, 06FD26	1
543	Backward transport of nanoparticles in fluidic flow. <b>2012</b> , 20, 1930-8	11
542	Efficient transportation of nano-sized particles along slotted photonic crystal waveguide. <b>2012</b> , 20, 3192-9	8

541	Optical trapping via guided resonance modes in a Slot-Suzuki-phase photonic crystal lattice. <b>2012</b> , 20, 6816-24	20
540	Electro-optofluidics: achieving dynamic control on-chip. <b>2012</b> , 20, 22314-26	19
539	Enhanced photoluminescence and electroluminescence of multilayer GeSi islands on Si001 substrates by phosphorus-doping. <b>2012</b> , 20, 22327-33	5
538	Giant transverse optical forces in nanoscale slot waveguides of hyperbolic metamaterials. <b>2012</b> , 20, 22372-82	36
537	All-optically-controlled nanoparticle transporting and manipulating at SOI waveguide intersections. <b>2012</b> , 20, 24160-6	4
536	Time-variant 1D photonic crystals using flowing microdroplets. <b>2012</b> , 20, 24330-41	4
535	Gel-based optical waveguides with live cell encapsulation and integrated microfluidics. <b>2012</b> , 37, 1472-4	58
534	Polymeric slot waveguide at visible wavelength. <b>2012</b> , 37, 4449-51	14
533	DNA transport and delivery in thermal gradients near optofluidic resonators. <b>2012</b> , 108, 048102	38
532	. <b>2012</b> ,	
531	Reconfigurable optothermal microparticle trap in air-filled hollow-core photonic crystal fiber. <b>2012</b> , 109, 024502	21
530	Plasmonic tweezers—the strength of surface plasmons. <b>2012</b> , 37, 739-744	19
529	Optical trapping of metal-dielectric nanoparticle clusters near photonic crystal microcavities. <b>2012</b> , 37, 3690-2	10
528	Optical trapping using double negative index fishnet metamaterial. <b>2012</b> ,	
527	Optical manipulation of nano-micro needle array for large volume molecular diagnosis. <b>2012</b> , 40, 266-70	2
526	Optical trapping of an encapsulated quantum dot using a double nanohole aperture in a metal film. <b>2012</b> ,	1
525	CMOS photonics for optical manipulation of particles and biosensing. <b>2012</b> ,	1
524	Tunable Electro-Optofluidic Resonators. <b>2012</b> ,	

523	Agarose gel optical waveguides with encapsulation of live cells and integrated microfluidics. <b>2012</b> ,	1
522	Multi-destination release of nanoparticles using an optical nanofiber assisted by a barrier. <b>2012</b> , 2, 012166	4
521	A comparison between PECVD and ALD for the fabrication of slot-waveguide-based sensors. <b>2012</b> ,	
520	Photonic Crystal Nanolaser Biosensors. <b>2012</b> , E95-C, 188-198	11
519	Low-loss, silicon integrated, aluminum nitride photonic circuits and their use for electro-optic signal processing. <b>2012</b> , 12, 3562-8	154
518	Optofluidic opportunities in global health, food, water and energy. <b>2012</b> , 4, 4839-57	54
517	Optical imaging techniques in microfluidics and their applications. <b>2012</b> , 12, 3566-75	173
516	Evanescent wave optical trapping and transport of micro- and nanoparticles on tapered optical fibers. <b>2012</b> , 113, 2512-2520	38
515	Enhanced optical trapping and arrangement of nano-objects in a plasmonic nanocavity. <b>2012</b> , 12, 125-32	134
514	Fabrication and characterization of a waveguide with a horizontal air slot for optical trapping. <b>2012</b> ,	
513	Optical trapping of microparticles using silicon nitride waveguide junctions and tapered-waveguide junctions on an optofluidic chip. <b>2012</b> , 12, 3803-9	36
512	Continuous operation of a hybrid solid-liquid state reconfigurable photonic system without resupply of liquids. <b>2012</b> , 12, 2575-9	6
511	Surface transport and stable trapping of particles and cells by an optical waveguide loop. <b>2012</b> , 12, 3436-40	39
510	Optofluidic particle manipulation in a liquid-core/liquid-cladding waveguide. <b>2012</b> , 20, 17348-58	13
509	Optical field enhancement in nanoscale slot waveguides of hyperbolic metamaterials. <b>2012</b> , 37, 2907-9	67
508	Nanophotonics using a subwavelength aperture in a metal film. <b>2012</b> , 1, 339-362	6
507	Optical trapping of a single protein. <b>2012</b> , 12, 402-6	300
506	Proposed nonlinear resonance laser technique for manipulating nanoparticles. <b>2012</b> , 109, 087402	43

505	Bidirectional optical transportation and controllable positioning of nanoparticles using an optical nanofiber. <b>2012</b> , 4, 6707-9	22
504	Nano-opto-mechanical actuator driven by gradient optical force. <b>2012</b> , 100, 013108	37
503	Optofluidics incorporating actively controlled micro- and nano-particles. <b>2012</b> , 6, 31501	65
502	Optically induced microfluidic reconfiguration. <b>2012</b> , 12, 613-21	13
501	Toward efficient optical trapping of sub-10-nm particles with coaxial plasmonic apertures. <b>2012</b> , 12, 5581-6	129
500	Controlled photonic manipulation of proteins and other nanomaterials. <b>2012</b> , 12, 1633-7	142
499	Stimulus-responsive light coupling and modulation with nanofiber waveguide junctions. <b>2012</b> , 12, 1905-11	10
498	Solubility and transport of cationic and anionic patterned nanoparticles. <b>2012</b> , 85, 011504	9
497	The Handbook of Nanomedicine. <b>2012</b> ,	27
496	Nano-optofluidics for single molecule detection and sorting. <b>2012</b> ,	
495	Micromachined tunable metamaterials: a review. <b>2012</b> , 14, 114009	99
494	Optical Manipulation with Plasmonic Beam Shaping Antenna Structures. <b>2012</b> , 2012, 1-6	1
493	MODELING OF OPTICAL TRAPPING USING DOUBLE NEGATIVE INDEX FISHNET METAMATERIALS. <b>2012</b> , 129, 33-49	9
492	Terahertz coherent control of surface plasmon polariton propagation in subwavelength metallic hole arrays. <b>2012</b> , 100, 191115	5
491	Silicon photonics: from a microresonator perspective. <b>2012</b> , 6, 145-177	121
490	Nanofluidic devices towards single DNA molecule sequence mapping. <b>2012</b> , 5, 673-86	27
489	Plasmonic trapping with a gold nanopillar. <b>2012</b> , 13, 2639-48	54
488	On-chip manipulation of single microparticles, cells, and organisms using surface acoustic waves. <b>2012</b> , 109, 11105-9	597

487	Nanotechnologies for Basic Research Relevant to Medicine. <b>2012</b> , 59-111	
486	Optical delivery of nanospheres using arbitrary bending nanofibers. <b>2012</b> , 14, 1	10
485	Applications of microelectromagnetic traps. <b>2012</b> , 403, 2077-88	15
484	Assessment of cross-type optical particle separation system. <b>2012</b> , 13, 9-17	6
483	Optical trapping for analytical biotechnology. <b>2012</b> , 23, 16-21	52
482	Optothermal sample preconcentration and manipulation with temperature gradient focusing. <b>2012</b> , 12, 221-228	15
481	Chiral plasmonic nanostructures: experimental and numerical tools. <b>2013</b> ,	5
480	Single particle detection, manipulation and analysis with resonant optical trapping in photonic crystals. <b>2013</b> , 13, 3268-74	42
479	Resonance optical manipulation of nano-objects based on nonlinear optical response. <b>2013</b> , 15, 14595-610	15
478	Hierarchical Photonic Synthesis of Hybrid Nanoparticle Assemblies. <b>2013</b> , 4, 2630-2636	19
477	Sedimentation and precipitation of nanoparticles in power-law fluids. <b>2013</b> , 15, 11-18	15
476	Sensing nanoparticles using a double nanohole optical trap. <b>2013</b> , 13, 4142-6	45
475	Transport and trapping in two-dimensional nanoscale plasmonic optical lattice. <b>2013</b> , 13, 4118-22	59
474	Microfluidic and lab-on-a-chip preparation routes for organic nanoparticles and vesicular systems for nanomedicine applications. <b>2013</b> , 65, 1496-532	150
473	Optomechanical sensing with on-chip microcavities. <b>2013</b> , 8, 475-490	45
472	Giant resonant light forces in microspherical photonics. <b>2013</b> , 2, e64-e64	51
471	Optical nonlinearities and enhanced light transmission in soft-matter systems with tunable polarizabilities. <b>2013</b> , 111, 218302	52
470	Optical trapping of microparticles from a stream in vacuum. <b>2013</b> , 8, 664-671	1

469	Two-color laser manipulation of single organic molecules based on nonlinear optical response. <b>2013</b> , 86, 1	5
468	Optical trapping of NaYF <sub>4</sub> :Er <sup>3+</sup> ,Yb <sup>3+</sup> upconverting fluorescent nanoparticles. <b>2013</b> , 5, 12192-9	50
467	Enhanced Optical Forces by Hybrid Long-Range Plasmonic Waveguides. <b>2013</b> , 31, 3432-3438	13
466	End-faced waveguide mediated optical propulsion of microspheres and single cells in a microfluidic device. <b>2013</b> , 13, 2554-62	1
465	Photonic resonant microcavities for chemical and biochemical sensing. <b>2013</b> , 3, 25-44	30
464	Active control of dielectrophoretic force at nanowire electrode for ultrahigh single nanoparticle manipulation yield. <b>2013</b> , 102, 063105	8
463	Low-loss light transport at the subwavelength scale in silicon nano-slot based symmetric hybrid plasmonic waveguiding schemes. <b>2013</b> , 21, 23907-20	39
462	Silicon photonics for functional on-chip optical tweezers devices and circuits. <b>2013</b> ,	
461	Using molecular tweezers to move and image nanoparticles. <b>2013</b> , 5, 4070-8	19
460	Optical mobility of blood cells for label-free cell separation applications. <b>2013</b> , 102, 141911	18
459	Particle sorting using a subwavelength optical fiber. <b>2013</b> , 7, 289-296	23
458	Slotted photonic crystal sensors. <b>2013</b> , 13, 3675-710	64
457	Localized surface plasmon-enhanced propulsion of gold nanospheres. <b>2013</b> , 102, 133103	4
456	Light-assisted, templated self-assembly using a photonic-crystal slab. <b>2013</b> , 13, 2290-4	49
455	Optical trapping of nanoparticles. <b>2013</b> , e4424	4
454	Permanent fixing or reversible trapping and release of DNA micropatterns on a gold nanostructure using continuous-wave or femtosecond-pulsed near-infrared laser light. <b>2013</b> , 135, 6643-8	75
453	Arrays of Arbitrarily Shaped Nanoparticles: Overlay-Errorless Direct Ion Write. <b>2013</b> , 1, 456-459	14
452	Manipulation and confinement of single particles using fluid flow. <b>2013</b> , 13, 2357-64	84

451	Lipid bilayer-integrated optoelectronic tweezers for nanoparticle manipulations. <b>2013</b> , 13, 2766-70	24
450	Resonant Excitation Effect on Optical Trapping of Myoglobin: The Important Role of a Heme Cofactor. <b>2013</b> , 117, 10691-10697	33
449	Refractive-Index-Based Sorting of Colloidal Particles Using a Subwavelength Optical Fiber in a Static Fluid. <b>2013</b> , 6, 072001	8
448	Optical trapping of nanoparticles by ultrashort laser pulses. <b>2013</b> , 96, 1-18	30
447	Optofluidic nanoparticles sorting by hydrodynamic optical force. <b>2013</b> ,	5
446	Hydrodynamic mechanisms of cell and particle trapping in microfluidics. <b>2013</b> , 7, 21501	279
445	Nanoimprint Fabrication of Slot Waveguides. <b>2013</b> , 5, 2200808-2200808	5
444	Self-trapping and back-action effects in hollow photonic crystal cavity optical traps. <b>2013</b> ,	
443	Horizontal slot waveguide channel for enhanced Raman scattering. <b>2013</b> , 21, 9060-8	6
442	Mode-based microparticle conveyor belt in air-filled hollow-core photonic crystal fiber. <b>2013</b> , 21, 29383-91	21
441	All-optical particle trap using orthogonally intersecting beams [Invited]. <b>2013</b> , 1, 47	10
440	Thermally induced shape modification of free-standing nanostructures for advanced functionalities. <b>2013</b> , 3, 2429	5
439	Integrated optical dipole trap for cold neutral atoms with an optical waveguide coupler. <b>2013</b> , 15, 043010	15
438	Trapping and propelling microparticles at long range by using an entirely stripped and slightly tapered no-core optical fiber. <b>2013</b> , 13, 2884-94	4
437	Laser optoacoustic scheme for highly accurate characterization of gold nanostructures in liquid phantoms for biomedical applications. <b>2013</b> , 7, 073078	1
436	Properties of silicon integrated photonic lenses: bandwidth, chromatic aberration, and polarization dependence. <b>2013</b> , 52, 091710	4
435	Semianalytical method to study silicon slot waveguides for optical sensing application. <b>2013</b> , 52, 107102	6
434	Optical manipulation of gold nanoparticles using an optical nanofiber. <b>2013</b> , 22, 034206	4



433	Tapered nanofiber trapping of high-refractive-index nanoparticles. <b>2013</b> , 103, 203111	14
432	Resonant optical trapping and back-action effects in a hollow photonic crystal cavity. <b>2013</b> ,	
431	Multiple scale analysis of low index subwavelength slot waveguide electrooptic modulator. <b>2013</b> ,	4
430	Three-dimensional anti-Brownian electrokinetic trapping of a single nanoparticle in solution. <b>2013</b> , 103, 043102	8
429	Resonant optical trapping and back-action effects in hollow photonic crystal cavities. <b>2013</b> ,	
428	Silicon Photonics for Biology. <b>2013</b> , 707-748	
427	Probing light-matter interactions at the nanoscale with a deterministically positioned single quantum dot. <b>2013</b> ,	
426	3D nano-structures for laser nano-manipulation. <b>2013</b> , 4, 534-41	15
425	Experimental demonstration of resonant optical trapping and back-action effects in a hollow photonic crystal cavity. <b>2013</b> ,	
424	Opto-acoustic sensing of fluids and bioparticles with optomechanofluidic resonators. <b>2014</b> , 223, 1937-1947	15
423	Stand-Alone Three-Dimensional Optical Tweezers Based on Fibred Bowtie Nanoaperture. <b>2014</b> , 6, 1-10	14
422	Near-field waveguide trapping and tracking of particles using fluorescence imaging. <b>2014</b> ,	
421	Optical deformation of red blood cells trapped on a narrow waveguide. <b>2014</b> ,	
420	Highly Efficient Phase-Matched Third Harmonic Generation From Mid-IR to Near-IR Regions Using an Asymmetric Plasmonic Slot Waveguide. <b>2014</b> , 6, 1-9	1
419	Optical nanofiber integrated into an optical tweezers for particle manipulation and in-situ fiber probing. <b>2014</b> ,	1
418	Photonic crystal waveguide cavity with waist design for efficient trapping and detection of nanoparticles. <b>2014</b> , 22, 6791-800	14
417	Monolithic erbium- and ytterbium-doped microring lasers on silicon chips. <b>2014</b> , 22, 12226-37	58
416	Flow effects in the laser-induced thermal loading of optical traps and optofluidic devices. <b>2014</b> , 22, 23938-54	11

415	Focused ion beam high resolution grayscale lithography for silicon-based nanostructures. <b>2014</b> , 104, 073118	15
414	Nanoparticles sorting and assembly based on double-axicon in an optofluidic chip. <b>2014</b> ,	1
413	Irregular metal nanocavity for efficient near band-edge light-trapping in organic and inorganic photovoltaic materials. <b>2014</b> ,	0
412	The particle valve: On-demand particle trapping, filtering, and release from a microfabricated polydimethylsiloxane membrane using surface acoustic waves. <b>2014</b> , 105, 033509	41
411	Chapter 6:Introduction to Optofluidics for LOC Systems. <b>2014</b> , 153-191	
410	Self-assembled photonic-plasmonic nanotweezers for directed self-assembly of hybrid nanostructures. <b>2014</b> , 104, 043112	10
409	Optical trapping force and sensing detection research based on optical fiber shapes and transmission modes. <b>2014</b> ,	
408	Waveguide evanescent field fluorescence microscopy: theoretical investigation of optical pressure on a cell. <b>2014</b> , 8, 083076	8
407	Confinement of single macromolecules in free solution using a hydrodynamic trap. <b>2014</b> ,	
406	Creation of vectorial bottle-hollow beam using radially or azimuthally polarized light. <b>2014</b> , 39, 630-3	36
405	A Microfluidic-Based Trapping and Positioning Method for Single Cells. <b>2014</b> , 609-610, 642-647	1
404	Position designated delivery and release of nanospheres using a nanofiber. <b>2014</b> , 125, 1482-1484	
403	Experimental demonstration of silicon slot waveguide with low transmission loss at 1064nm. <b>2014</b> , 329, 168-172	14
402	Precipitation phenomenon of nanoparticles in power-law fluids over a rotating disk. <b>2014</b> , 17, 107-114	9
401	Lateral optical force on chiral particles near a surface. <b>2014</b> , 5, 3307	188
400	Mid-infrared spectrometer using opto-nanofluidic slot-waveguide for label-free on-chip chemical sensing. <b>2014</b> , 14, 231-8	57
399	Quantification of high-efficiency trapping of nanoparticles in a double nanohole optical tweezer. <b>2014</b> , 14, 853-6	121
398	Nanophotonic trapping for precise manipulation of biomolecular arrays. <b>2014</b> , 9, 448-52	111

397	Nano-opto-mechanical effects in plasmonic waveguides. <b>2014</b> , 8, 131-136	34
396	Tailoring azimuthal optical force on lossy chiral particles in Bessel beams. <b>2014</b> , 90,	33
395	Light-assisted, templated self-assembly of gold nanoparticle chains. <b>2014</b> , 14, 5184-8	25
394	Optical MEMS: From Micromirrors to Complex Systems. <b>2014</b> , 23, 517-538	78
393	Correlated electrical and optical analysis of single nanoparticles and biomolecules on a nanopore-gated optofluidic chip. <b>2014</b> , 14, 4816-20	66
392	Air-band optical resonators in one-dimensional Si photonic crystal waveguides for biosensing applications. <b>2014</b> , 53, 04EG09	4
391	Trapping of a single DNA molecule using nanoplasmonic structures for biosensor applications. <b>2014</b> , 5, 2471-80	24
390	Electron beam nanosculpting of Kirkendall oxide nanochannels. <b>2014</b> , 8, 1854-61	31
389	Phononic-Crystal-Based Acoustic Sieve for Tunable Manipulations of Particles by a Highly Localized Radiation Force. <b>2014</b> , 1,	51
388	Optofluidics for Mobile Health, Bioenergy, and Nanoparticle Analysis. <b>2014</b> ,	
387	Tunable silicon slot micro-ring operating at 1000nm. <b>2015</b> ,	
386	Graphene based resonance structure to enhance the optical pressure between two planar surfaces. <b>2015</b> , 23, 33681-90	5
385	A microfluidic-based method for micro particle trapping and positioning. <b>2015</b> , 5, 80	1
384	Optical separation and controllable delivery of cells from particle and cell mixture. <b>2015</b> , 4, 353-360	17
383	Optofluidics. <b>2015</b> , 341-368	
382	Near-field enhanced optical tweezers utilizing femtosecond-laser nanostructured substrates. <b>2015</b> , 107, 211111	14
381	Localized optical manipulation in optical ring resonators. <b>2015</b> , 23, 27650-60	8
380	Optical Nanofiber Integrated into Optical Tweezers for In Situ Fiber Probing and Optical Binding Studies. <b>2015</b> , 2, 795-807	7

- 379 Optical manipulation of microparticles using graded-index fiber taper and its microfluidic sensing application. **2015**,
- 378 Cell Concentration Systems for Enhanced Biosensor Sensitivity. **2015**, 1
- 377 Squeezing Light in Wires: Fundamental Optical Properties of Si Nanowire Waveguides. **2015**, 33, 3116-3131 8
- 376 Comparative analysis of kdp and ktr mutants reveals distinct roles of the potassium transporters in the model cyanobacterium *Synechocystis* sp. strain PCC 6803. **2015**, 197, 676-87 29
- 375 Characterizing the performance of the hydrodynamic trap using a control-based approach. **2015**, 18, 1055-1066 19
- 374 Motion behavior of mammalian AT-SC under evanescent field illumination. **2015**,
- 373 Spectrally reconfigurable integrated multi-spot particle trap. **2015**, 40, 5435-8 7
- 372 A pedagogical integration of electromagnetic and energy conversion concepts: The synchronous nanomotor and the synchronous reluctance motor. **2015**,
- 371 Electrokinetic transport in silica nanochannels with asymmetric surface charge. **2015**, 19, 1455-1464 22
- 370 Plasmonic waveguide-coupled graded nano-rods as nano-optical conveyor belt. **2015**,
- 369 A measurement of the maximal forces in plasmonic tweezers. **2015**, 26, 425203 4
- 368 Magnetic tweezers-based 3D microchannel electroporation for high-throughput gene transfection in living cells. **2015**, 11, 1818-1828 67
- 367 Dynamic behaviors of approximately ellipsoidal microbubbles photothermally generated by a graphene oxide-microheater. **2014**, 4, 6086 7
- 366 Fano resonance-induced negative optical scattering force on plasmonic nanoparticles. **2015**, 9, 1926-35 83
- 365 Optofluidics. **2015**, 153-168
- 364 Entrepreneurship. **2015**, 15, 3638-60 23
- 363 Optical Epitaxial Growth of Gold Nanoparticle Arrays. **2015**, 15, 5841-5 14
- 362 Designing gallium nitride slot waveguide operating within visible band. **2015**, 47, 3705-3713 7

361	Optical trapping and manipulation of micrometer and submicrometer particles. <b>2015</b> , 9, 309-329	80
360	Optofluidic tunable manipulation of microparticles by integrating graded-index fiber taper with a microcavity. <b>2015</b> , 23, 3762-9	19
359	Strong localization of an acoustic wave in a sub-wavelength slot between two plates. <b>2015</b> , 137, 1251-6	4
358	Label-free free-solution nanoaperture optical tweezers for single molecule protein studies. <b>2015</b> , 140, 4760-78	51
357	Raman spectroscopy of single nanoparticles in a double-nanohole optical tweezer system. <b>2015</b> , 17, 102001	17
356	A nanotweezer system for evanescent wave excited surface enhanced Raman spectroscopy (SERS) of single nanoparticles. <b>2015</b> , 23, 6793-802	31
355	Integrated microfluidic platform for instantaneous flow and localized temperature control. <b>2015</b> , 5, 85620-85629	29
354	Effect of multiple scattering to optical forces on a sphere near an optical waveguide. <b>2015</b> , 23, 4195-205	5
353	Numerical study of sensitivity enhancement in a photonic crystal microcavity biosensor due to optical forces. <b>2015</b> , 23, 25072-83	6
352	Ultimate propulsion of wavelength-sized dielectric particles. <b>2015</b> , 40, 1806-9	3
351	Enhancement of optical forces using slow light in a photonic crystal waveguide. <b>2015</b> , 2, 816	31
350	Dexterous acoustic trapping and patterning of particles assisted by phononic crystal plate. <b>2015</b> , 106, 163504	21
349	Optical transportation and controllable positioning of nanospheres using a microfiber. <b>2015</b> , 5, 037126	3
348	Optical manipulation in optofluidic microbubble resonators. <b>2015</b> , 58, 1	5
347	Lateral chirality-sorting optical forces. <b>2015</b> , 112, 13190-4	129
346	Local Field Enhancement Characteristics in a Tapered Metal-Coated Optical Fiber Probe for Nanolithography. <b>2015</b> , 164, 90-97	28
345	Towards high-throughput microfluidic Raman-activated cell sorting. <b>2015</b> , 140, 6163-74	55
344	Dynamics and Mechanism of Laser Trapping-Induced Crystal Growth of Hen Egg White Lysozyme. <b>2015</b> , 15, 4760-4767	15

- 343 Remarkable nonlinear optical effect in plasmon-assisted radiation force. **2015**,
- 342 High Purcell factor due to coupling of a single emitter to a dielectric slot waveguide. **2015**, 15, 464-8 47
- 341 Review of methods to probe single cell metabolism and bioenergetics. **2015**, 27, 115-135 69
- 340 Dual Fluorescence-Activated Study of Tumor Cell Apoptosis by an Optofluidic System. **2015**, 21, 392-398 14
- 339 ARTIFICIAL ELECTROMAGNETIC CHARACTERISTICS ANALYSIS IN HYPERBOLIC METAMATERIALS SLOT WAVEGUIDES BASED ON GRAPHENE. **2016**, 69, 199-207
- 338 Motion of Adsorbed Nano-Particles on Azobenzene Containing Polymer Films. **2016**, 21, 8
- 337 Systematic analysis of optical gradient force in photonic crystal nanobeam cavities. **2016**, 24, 452-8 11
- 336 Engineering optical gradient force from coupled surface plasmon polariton modes in nanoscale plasmonic waveguides. **2016**, 25, 117804 0
- 335 Manipulation and detection of single nanoparticles and biomolecules by a photonic nanojet. **2016**, 5, e16176 92
- 334 Towards nano-optical tweezers with graphene plasmons: Numerical investigation of trapping 10-nm particles with mid-infrared light. **2016**, 6, 38086 32
- 333 Optical isotropy at terahertz frequencies using anisotropic metamaterials. **2016**, 109, 031103 3
- 332 Differential evolution algorithm based photonic structure design: numerical and experimental verification of subwavelength  $\sqrt{5}$  focusing of light. **2016**, 6, 30871 21
- 331 Understanding and Characterizing Functional Properties of Nanoparticles. **2016**, 63-80
- 330 Directly trapping of nanoscale biomolecules using bulk acoustic wave resonators. **2016**, 1
- 329 Highly tunable plasmonic nanoring arrays for nanoparticle manipulation and detection. **2016**, 27, 365301 22
- 328 Light manipulation of nanoparticles in arrays of topological defects. **2016**, 6, 20742 17
- 327 Particle trapping and transport achieved via an adjustable acoustic field above a phononic crystal plate. **2016**, 119, 214502 13
- 326 Plasmon optical trapping using silicon nitride trench waveguides. **2016**, 33, 1182 6

325	Metal-insulator-metal waveguides for particle trapping and separation. <b>2016</b> , 16, 2302-8	10
324	Investigation on the Thermophoresis-Coupled Inertial Sorting of Submicrometer Particles in a Microchannel. <b>2016</b> , 20, 51-65	9
323	Optofluidic vortex arrays generated by graphene oxide for tweezers, motors and self-assembly. <b>2016</b> , 8, e257-e257	19
322	Graphene-based multilayer resonance structure to enhance the optical pressure on a Mie particle. <b>2016</b> , 10, 026015	3
321	Low-loss curved subwavelength grating waveguide based on index engineering. <b>2016</b> ,	
320	Robust polarization-insensitive strip-slot waveguide mode converter based on symmetric multimode interference. <b>2016</b> , 24, 7347-55	23
319	Trapping and Detection of Nanoparticles and Cells Using a Parallel Photonic Nanojet Array. <b>2016</b> , 10, 5800-8	88
318	NANOMATERIALS PROPERTIES. <b>2016</b> , 2657-2706	
317	Ultralow-Power Electronic Trapping of Nanoparticles with Sub-10 nm Gold Nanogap Electrodes. <b>2016</b> , 16, 6317-6324	44
316	Biocompatible and High Stiffness Nanophotonic Trap Array for Precise and Versatile Manipulation. <b>2016</b> , 16, 6661-6667	18
315	Optical manipulation of small particles on the surface of a material. <b>2016</b> , 18, 085402	1
314	Rib waveguides for trapping and transport of particles. <b>2016</b> , 24, 4477-4487	11
313	Integrated optofluidic-microfluidic twin channels: toward diverse application of lab-on-a-chip systems. <b>2016</b> , 6, 19801	16
312	Detection of activity of single microalgae cells in a new microfluidic cell capturing chip. <b>2016</b> , 27, 125701	9
311	Vortex-based line beam optical tweezers. <b>2016</b> , 18, 105603	13
310	Controlling Lateral Fano Interference Optical Force with AuTe <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> Hybrid Nanostructure. <b>2016</b> , 3, 1934-1942	28
309	Temporal oscillations of light transmission through dielectric microparticles subjected to optically induced motion. <b>2016</b> , 94,	3
308	Biosensor architecture for enhanced disease diagnostics: lab-in-a-photonic-crystal. <b>2016</b> , 24, 12166-91	19

- 307 Evanescent field trapping of nanoparticles using nanostructured ultrathin optical fibers. **2016**, 24, 14470-82 21
- 306 Virtual membrane for filtration of particles using surface acoustic waves (SAW). **2016**, 16, 3515-23 33
- 305 Near-Field, On-Chip Optical Brownian Ratchets. **2016**, 16, 5261-6 33
- 304 Concentric Circular Grating Generated by the Patterning Trapping of Nanoparticles in an Optofluidic Chip. **2016**, 6, 32018 3
- 303 Flexible optofluidic waveguide platform with multi-dimensional reconfigurability. **2016**, 6, 33008 13
- 302 Manipulation of small particles at solid liquid interface: light driven diffusioosmosis. **2016**, 6, 36443 54
- 301 Plasmon-assisted trapping of nanoparticles using a silver-nanowire-embedded PMMA nanofiber. **2016**, 6, 20433 9
- 300 Photonic crystal sub-wavelength  $\pi/5$  focusing lens design using optimization method. **2016**, 23, 15001-10 13
- 299 Geometrical tuning art for entirely subwavelength grating waveguide based integrated photonics circuits. **2016**, 6, 24106 23
- 298 Optical waveguide materials, structures, and dispersion modulation. **2016**, 16, 5261-6 33
- 297 Numerical analysis of an optical nanoscale particles trapping device based on a slotted nanobeam cavity. **2016**, 6, 35977 4
- 296 Single-Molecule Tracking and Its Application in Biomolecular Binding Detection. **2016**, 22, 15001-10 14
- 295 Redistribution of fluorescent molecules at the solid/liquid interface with total internal reflection illumination. **2016**, 155, 229-34 14
- 294 Optical trapping of nanoparticles on a silicon subwavelength grating and their detection by an ellipsometric technique. **2016**, 10, 24-31 14
- 293 Nano-optical conveyor belt with waveguide-coupled excitation. **2016**, 41, 528-31 25
- 292 Optical Manipulation and Spectroscopy Of Silicon Nanoparticles Exhibiting Dielectric Resonances. **2016**, 16, 1903-10 37
- 291 Orientational Imaging of a Single Gold Nanorod at the Liquid/Solid Interface with Polarized Evanescent Field Illumination. **2016**, 88, 1995-9 10
- 290 Photodynamic assembly of nanoparticles towards designable patterning. **2016**, 1, 201-211 14



289	Optical trapping and manipulation of nanoparticles using a meta plasmonic structure. <b>2016</b> , 18, 015002	5
288	Silicon Slot Waveguides With Low Transmission and Bending Losses at 1064 nm. <b>2016</b> , 28, 19-22	7
287	Rigorous design of an ultra-high Q/V photonic/plasmonic cavity to be used in biosensing applications. <b>2016</b> , 77, 151-161	26
286	Coupling structure for silicon slot waveguide operating at 1064 nm. <b>2016</b> , 359, 129-134	
285	Rigorous analysis of optical forces between two dielectric planar waveguides immersed in dielectric fluid media. <b>2017</b> , 529, 1600198	5
284	A long-range hybrid THz plasmonic waveguide with low attenuation loss. <b>2017</b> , 80, 93-99	4
283	Enriching Nanoparticles via Acoustofluidics. <b>2017</b> , 11, 603-612	103
282	Gold nanoparticle sorting based on optofluidics. <b>2017</b> ,	
281	Multipath trapping dynamics of nanoparticles towards an integrated waveguide with a high index contrast. <b>2017</b> ,	
280	On-chip laser processing for the development of multifunctional microfluidic chips. <b>2017</b> , 11, 1600116	47
279	Low-dimensional gap plasmons for enhanced light-graphene interactions. <b>2017</b> , 7, 43333	1
278	Plasmonic optical nanotweezers. <b>2017</b> ,	0
277	Generating scattering dark states through the Fano interference between excitons and an individual silicon nanogroove. <b>2017</b> , 6, e16197	27
276	Determination of the temperature-dependent cell membrane permeabilities using microfluidics with integrated flow and temperature control. <b>2017</b> , 17, 951-960	21
275	. <b>2017</b> , 35, 2156-2160	11
274	Stable optical trapping and sensitive characterization of nanostructures using standing-wave Raman tweezers. <b>2017</b> , 7, 42930	28
273	Relative position control and coalescence of independent microparticles using ultrasonic waves. <b>2017</b> , 121, 184503	4
272	Reconfigurable optical manipulation by phase change material waveguides. <b>2017</b> , 9, 6895-6900	8

271	Dual-mode optofluidic flow rate sensor. <b>2017,</b>	
270	Separation of polystyrene nanoparticles in polydimethylsiloxane microfluidic devices with a combined titania and sodium dodecyl sulfate inner coating. <b>2017,</b> 184, 2227-2239	3
269	Dielectrophoresis-assisted plasmonic trapping of dielectric nanoparticles. <b>2017,</b> 95,	9
268	Photonic and Plasmonic Nanotweezing of Nano- and Microscale Particles. <b>2017,</b> 71, 367-390	18
267	Optofluidic bioanalysis: fundamentals and applications. <b>2017,</b> 6, 647-661	19
266	The Handbook of Nanomedicine. <b>2017,</b>	19
265	Optical trapping-assisted SERS platform for chemical and biosensing applications: Design perspectives. <b>2017,</b> 339, 138-152	43
264	A THz semiconductor hybrid plasmonic waveguide with fabrication-error tolerance. <b>2017,</b> 56, 010306	2
263	A semi-analytical model of a near-field optical trapping potential well. <b>2017,</b> 122, 163101	3
262	Optical manipulation from the microscale to the nanoscale: fundamentals, advances and prospects. <b>2017,</b> 6, e17039	285
261	Fluid photonic crystal from colloidal quantum dots. <b>2017,</b> 96,	
260	Capturing range of a near-field optical trap. <b>2017,</b> 96,	12
259	Topographical Manipulation of Microparticles and Cells with Acoustic Microstreaming. <b>2017,</b> 9, 38870-38876	46
258	3-D near-field imaging of guided modes in nanophotonic waveguides. <b>2017,</b> 6, 1141-1149	1
257	Separation of 300 and 100 nm Particles in Fabry-Perot Acoustofluidic Resonators. <b>2017,</b> 89, 12192-12200	36
256	Trapping of Micro Particles in Nanoplasmonic Optical Lattice. <b>2017,</b>	
255	Non-conservative optical forces. <b>2017,</b> 80, 112001	51
254	Reconfigurable lateral optical force achieved by selectively exciting plasmonic dark modes near Fano resonance. <b>2017,</b> 96,	11

253	Ultrahigh Purcell Factor, Improved Sensitivity, and Enhanced Optical Force in Dielectric Bowtie Whispering-Gallery-Mode Resonators. <b>2017</b> , 9, 1-10	2
252	Efficient Cross-talk Reduction of Nanophotonic Circuits Enabled by Fabrication Friendly Periodic Silicon Strip Arrays. <b>2017</b> , 7, 15827	9
251	Optofluidic trapping and delivery of massive mesoscopic matters using mobile vortex array. <b>2017</b> , 111, 191901	11
250	Low-loss nanowire and nanotube plasmonic waveguide with deep subwavelength light confinement and enhanced optical trapping forces. <b>2017</b> , 844, 012048	1
249	An adjustable multi-scale single beam acoustic tweezers based on ultrahigh frequency ultrasonic transducer. <b>2017</b> , 114, 2637-2647	12
248	Continuous micro-vortex-based nanoparticle manipulation via focused surface acoustic waves. <b>2016</b> , 17, 91-103	111
247	Lorentz force and the optical pulling of multiple rayleigh particles outside the dielectric cylindrical waveguides. <b>2017</b> , 529, 1600213	7
246	Microtechnology for Cell Manipulation and Sorting. <b>2017</b> ,	14
245	Optical Manipulation of Cells. <b>2017</b> , 93-128	5
244	Tailoring Optical Forces Behavior in Nano-optomechanical Devices Immersed in Fluid Media. <b>2017</b> , 7, 14325	2
243	Sound-mediated stable configurations for polystyrene particles. <b>2017</b> , 96, 052604	7
242	Determination of size and refractive index of single gold nanoparticles using an optofluidic chip. <b>2017</b> , 7, 095024	3
241	Tunable nanophotonic array traps with enhanced force and stability. <b>2017</b> , 25, 7907-7918	6
240	Optical forces in silicon subwavelength-grating waveguides. <b>2017</b> , 25, 30876-30884	5
239	Broadband wavelength conversion in a silicon vertical-dual-slot waveguide. <b>2017</b> , 25, 32964	6
238	All-dielectric structure for trapping nanoparticles via light funneling and nanofocusing. <b>2017</b> , 34, 2179	2
237	Performance analysis and experimental study of particle control based on fluid. <b>2017</b> ,	
236	Entropic Trapping of a Singly Charged Molecule in Solution. <b>2018</b> , 18, 3773-3779	11

235	. <b>2018</b> , 24, 1-8	13
234	200 mm wafer-scale fabrication of polydimethylsiloxane fluidic devices for fluorescence imaging of single DNA molecules. <b>2018</b> , 8, 420-427	3
233	Electrodynamic multiple-scattering method for the simulation of optical trapping atop periodic metamaterials. <b>2018</b> , 65, 1507-1514	
232	Fully suspended slot waveguide platform. <b>2018</b> , 123, 063103	22
231	Switching of Giant Lateral Force on Sub-10 nm Particle Using Phase-Change Nanoantenna. <b>2018</b> , 1, 1700027	3
230	Manipulation of particles based on swirl. <b>2018</b> , 57, 017202	2
229	Photochromism into nanosystems: towards lighting up the future nanoworld. <b>2018</b> , 47, 1044-1097	373
228	Plasmonic nanoparticles embedded in single crystals synthesized by gold ion implantation for enhanced optical nonlinearity and efficient Q-switched lasing. <b>2018</b> , 10, 4228-4236	39
227	Continuous-flow trapping and localized enrichment of micro- and nano-particles using induced-charge electrokinetics. <b>2018</b> , 14, 1056-1066	8
226	Concentrating and labeling genomic DNA in a nanofluidic array. <b>2018</b> , 10, 1376-1382	5
225	A particle manipulation method and its experimental study based on opposed jets. <b>2018</b> , 12, 024110	2
224	Reynolds-number-dependent dynamical transitions on hydrodynamic synchronization modes of externally driven colloids. <b>2018</b> , 97, 032611	3
223	Extracting the potential-well of a near-field optical trap using the Helmholtz-Hodge decomposition. <b>2018</b> , 112, 091103	8
222	Induced clustering of Escherichia coli by acoustic fields. <b>2018</b> , 8, 4668	14
221	Nanophotonic trapping: precise manipulation and measurement of biomolecular arrays. <b>2018</b> , 10, e1477	24
220	Optical Manipulation of Dielectric Nanoparticles with Au Micro-racetrack Resonator by Constructive Interference of Surface Plasmon Waves. <b>2018</b> , 13, 427-435	6
219	Optical Trapping in Bow-tie Shaped Photonic Crystal Nanobeam Cavities. <b>2018</b> ,	
218	Optical Forces at Nanometer Scales. <b>2018</b> , 63, 1137-1142	1

217	Simultaneous micro-PIV measurements and real-time control trapping in a cross-slot channel. <b>2018</b> , 59, 1	6
216	Optical Trapping of Nanoparticles Using All-Silicon Nanoantennas. <b>2018</b> , 5, 4993-5001	38
215	Optical equilibrium for resonant particles induced by surface plasmons of two-dimensional materials. <b>2018</b> , 98,	3
214	Gradient and scattering forces of anti-reflection-coated spheres in an aplanatic beam. <b>2018</b> , 8, 17423	9
213	Nanoradiator-Mediated Deterministic Opto-Thermoelectric Manipulation. <b>2018</b> , 12, 10383-10392	32
212	Patterned Optoelectronic Tweezers: A New Scheme for Selecting, Moving, and Storing Dielectric Particles and Cells. <b>2018</b> , 14, e1803342	29
211	Influence of higher modes on plasmonic force in a narrow slit. <b>2018</b> , 1, 384	
210	Characterization and generation of high-power multi-axis vortex beams by using off-axis pumped degenerate cavities with external astigmatic mode converter. <b>2018</b> , 26, 20481-20491	18
209	Light Manipulation in Inhomogeneous Liquid Flow and Its Application in Biochemical Sensing. <b>2018</b> , 9,	3
208	Optical tweezing using tunable optical lattices along a few-mode silicon waveguide. <b>2018</b> , 18, 1750-1757	23
207	Proposing an on/off optical router in telecom wavelength using plasmonic tweezer. <b>2018</b> , 427, 95-100	5
206	Inclusion of the backaction term in the total optical force exerted upon Rayleigh particles in nonresonant structures. <b>2018</b> , 98,	1
205	Single nanoparticle trapping based on on-chip nanoslotted nanobeam cavities. <b>2018</b> , 6, 99	22
204	A Single Large Assembly with Dynamically Fluctuating Swarms of Gold Nanoparticles Formed by Trapping Laser. <b>2018</b> , 18, 5846-5853	25
203	Detection and Digital Resolution Counting of Nanoparticles with Optical Resonators and Applications in Biosensing. <b>2018</b> , 6, 13	0
202	Particle Manipulation by Optical Forces in Microfluidic Devices. <b>2018</b> , 9,	20
201	Controlled Mechanical Motions of Microparticles in Optical Tweezers. <b>2018</b> , 9,	20
200	Single Particle Differentiation through 2D Optical Fiber Trapping and Back-Scattered Signal Statistical Analysis: An Exploratory Approach. <b>2018</b> , 18,	9

199	High-sensitivity silicon-based photonic crystal refractive index biosensor based on defect-mode coupling. <b>2018</b> , 427, 409-417	12
198	. <b>2018</b> ,	
197	Robust increase of the optical forces in waveguide-based optical tweezers using V-groove structure. <b>2018</b> , 35, 1905	9
196	Measurements of Radiation Pressure Owing to the Grating Momentum. <b>2018</b> , 121, 063903	11
195	Quantitative phase microscopy of red blood cells during planar trapping and propulsion. <b>2018</b> , 18, 3025-3036	15
194	Direct Particle Tracking Observation and Brownian Dynamics Simulations of a Single Nanoparticle Optically Trapped by a Plasmonic Nanoaperture. <b>2018</b> , 5, 2850-2859	42
193	Continuous-wave upconverting nanoparticle microlasers. <b>2018</b> , 13, 572-577	120
192	Solenoidal optical forces from a plasmonic Archimedean spiral. <b>2019</b> , 100,	8
191	Engineering and Modeling the Electrophoretic Trapping of a Single Protein Inside a Nanopore. <b>2019</b> , 13, 9980-9992	30
190	Sound wave activated nano-sieve (SWANS) for enrichment of nanoparticles. <b>2019</b> , 19, 3032-3044	17
189	A low temperature-rise and facile manipulation method for single micro objects at the air-substrate interface. <b>2019</b> , 29, 105007	1
188	Fokker-Planck analysis of optical near-field traps. <b>2019</b> , 9, 9557	4
187	Single-cell biomagnifier for optical nanoscopes and nanotweezers. <b>2019</b> , 8, 61	43
186	Tunable optical lattices in the near-field of a few-mode nanophotonic waveguide. <b>2019</b> , 215, 14001	
185	Erratum: A low temperature-rise and facile manipulation method for single micro objects at the air-substrate interface (2019 J. Micromech. Microeng. 29 105007). <b>2019</b> , 29, 119601	
184	Bidirectional Transport of Nanoparticles and Cells with a Bio-Conveyor Belt. <b>2019</b> , 15, e1905209	7
183	Towards biological applications of nanophotonic tweezers. <b>2019</b> , 53, 158-166	10
182	On-Chip Periodic Arrays of Optical Traps Based on the Superposition of Guided Modes in Silicon Waveguides. <b>2019</b> ,	

181	Optical transport of fluorescent diamond particles inside a tapered capillary. <b>2019</b> , 215, 16002	1
180	Rapid Purification, Enrichment, and Detection of Biomolecules Using Bulk Acoustic Wave Resonators. <b>2019</b> ,	1
179	Generating High-Order Transverse Patterns in Optically Pumped Semiconductor Lasers. <b>2019</b> , 25, 1-7	1
178	Sorting of Particles Using Inertial Focusing and Laminar Vortex Technology: A Review. <b>2019</b> , 10,	19
177	High-Performance Ultrasonic Tweezers for Manipulation of Motile and Still Single Cells in a Droplet. <b>2019</b> , 45, 3018-3027	3
176	Nanophotonic Array-Induced Dynamic Behavior for Label-Free Shape-Selective Bacteria Sieving. <b>2019</b> , 13, 12070-12080	29
175	High density colloidal particle flux using modulated nondegenerate counter-propagating optical beams. <b>2019</b> , 433, 155-158	
174	Near-field optical trapping in a non-conservative force field. <b>2019</b> , 9, 649	17
173	A review of sorting, separation and isolation of cells and microbeads for biomedical applications: microfluidic approaches. <b>2018</b> , 144, 87-113	134
172	High Trap Stiffness Microcylinders for Nanophotonic Trapping. <b>2019</b> , 11, 25074-25080	10
171	Trapping of sub-100 nm nanoparticles using gigahertz acoustofluidic tweezers for biosensing applications. <b>2019</b> , 11, 14625-14634	19
170	Efficient Optical Trapping of Nano-Particle via Waveguide-Coupled Hybrid Plasmonic Nano-Taper. <b>2019</b> , 11, 1-12	4
169	Functionalization of polyacrylamide for nanotrapping positively charged biomolecules.. <b>2019</b> , 9, 15402-15409	1
168	Design of a Single Nanoparticle Trapping Device Based on Bow-Tie-Shaped Photonic Crystal Nanobeam Cavities. <b>2019</b> , 11, 1-8	8
167	Optical Nanomanipulation and Structured-Beam Optical Traps. <b>2019</b> , 347-360	
166	Tunable optical assembly of subwavelength particles by a microfiber cavity. <b>2019</b> , 30, 255201	3
165	Optical trapping of sub-wavelength objects with point-like slot waveguides. <b>2019</b> , 185, 1152-1156	1
164	Efficient Low Shear Flow-based Trapping of Biological Entities. <b>2019</b> , 9, 5511	2

163	Label-free manipulation via the magneto-Archimedes effect: fundamentals, methodology and applications. <b>2019</b> , 6, 1359-1379	35
162	Confined whispering-gallery mode in silica double-toroid microcavities for optical sensing and trapping. <b>2019</b> , 434, 97-103	9
161	Bio-Molecular Applications of Recent Developments in Optical Tweezers. <b>2019</b> , 9,	40
160	Optical manipulation of microparticles with the momentum flux transverse to the optical axis. <b>2019</b> , 113, 266-272	17
159	Photonic crystal nanobeam/micro-ring hybrid-cavities for optical trapping. <b>2020</b> , 459, 124902	2
158	Biomedical Optical Sensors. <b>2020</b> ,	1
157	Microfluidic Isolation and Enrichment of Nanoparticles. <b>2020</b> ,	15
156	Trapping of sub-wavelength microparticles and cells in resonant cylindrical shells. <b>2020</b> , 117, 053501	5
155	Multipolar origin of electromagnetic transverse force resulting from two-wave interference. <b>2020</b> , 102,	4
154	Optical Forces: From Fundamental to Biological Applications. <b>2020</b> , 32, e2001994	45
153	Optical forces in coupled chiral particles. <b>2020</b> , 102,	2
152	. <b>2020</b> , 8, 172086-172095	
151	Far-Field Superresolution Imaging via Spatial Frequency Modulation. <b>2020</b> , 14, 1900011	9
150	Optical trapping using all silicon nanoantennas with ultra-high electric field enhancement. <b>2020</b> , 117, 241102	2
149	Examination of metamaterial solid immersion lenses for subwavelength optical manipulation. <b>2020</b> , 1461, 012121	
148	Binding of Resonant Dielectric Particles to Metal Surfaces Using Plasmons. <b>2020</b> , 532, 2000129	2
147	Next-Generation Optical Nanotweezers for Dynamic Manipulation: From Surface to Bulk. <b>2020</b> , 36, 5691-5708	15
146	Optofluidic Microengine in A Dynamic Flow Environment via Self-Induced Back-Action. <b>2020</b> , 7, 1500-1507	8



145	Optical Potential-Well Array for High-Selectivity, Massive Trapping and Sorting at Nanoscale. <b>2020</b> , 20, 5193-5200	24
144	Massively Multiplexed Submicron Particle Patterning in Acoustically Driven Oscillating Nanocavities. <b>2020</b> , 16, e2000462	17
143	Advances in Fiber-Optic Technology for Point-of-Care Diagnosis and In Vivo Biosensing. <b>2020</b> , 5, 1900792	12
142	Ultra-high resolution position sensors with self-assembled nanowire arrays. <b>2020</b> , 8, 9954-9959	3
141	Plasmonic tweezers for optical manipulation and biomedical applications. <b>2020</b> , 145, 5699-5712	31
140	Recent Progress in Optical-Resonance-Assisted Movement Control of Nanomotors. <b>2020</b> , 2, 1900160	2
139	Tunable emission and optical trapping of upconverting LiYF <sub>4</sub> :Yb,Er nanocrystal. <b>2020</b> , 126, 106109	8
138	Metasurface-Based Wide-Angle Beam Steering for Optical Trapping. <b>2020</b> , 8, 37275-37280	6
137	iLoF: An intelligent Lab on Fiber Approach for Human Cancer Single-Cell Type Identification. <b>2020</b> , 10, 3171	3
136	Simultaneous optical trapping and imaging in the axial plane: a review of current progress. <b>2020</b> , 83, 032401	16
135	Optical Fiber Tweezers: A Versatile Tool for Optical Trapping and Manipulation. <b>2020</b> , 11,	29
134	Optical pulling force on nonlinear nanoparticles with gain. <b>2020</b> , 10, 015131	3
133	. <b>2021</b> ,	1
132	Recent advances in integrated solid-state nanopore sensors. <b>2021</b> , 21, 3030-3052	2
131	Numerical and Experimental Investigation on the Optical Manipulation from an Axicon Lensed Fiber. <b>2021</b> , 12,	
130	Efficient nano-tweezers via a silver plasmonic bowtie notch with curved grooves. <b>2021</b> , 9, 281	5
129	Label-free plasmonic assisted optical trapping of single DNA molecules. <b>2021</b> , 46, 1482-1485	0
128	Nanomanipulation in Biomedical Applications. <b>2021</b> , 2, 133-145	

127	Efficient microfluidic enrichment of nano-/submicroparticle in viscoelastic fluid. <b>2021</b> , 42, 2273-2280	2
126	Plasmonic optical trapping of nanoparticles using T-shaped copper nanoantennas. <b>2021</b> , 29, 9826-9835	8
125	Detection of SARS-CoV-2 DNA Targets Using Femtoliter Optofluidic Waveguides. <b>2021</b> , 93, 4154-4159	7
124	Observation of split evanescent field distributions in tapered multicore fibers for multiline nanoparticle trapping and microsensing. <b>2021</b> , 29, 9532-9543	2
123	From molecular to supramolecular electronics. <b>2021</b> , 6, 804-828	38
122	Analysis of radiation force on a uniaxial anisotropic sphere by dual counter-propagating Gaussian beams. <b>2021</b> , 38, 616-627	1
121	Plasmonic Optical Tweezers for Particle Manipulation: Principles, Methods, and Applications. <b>2021</b> , 15, 6105-6128	17
120	Light-induced manipulation of passive and active microparticles. <b>2021</b> , 44, 50	3
119	Direct axial plane imaging of particle manipulation with nondiffracting Bessel beams. <b>2021</b> , 60, 2974-2980	1
118	Optical trapping SiO <sub>2</sub> nanoparticles based on liquid-core metal-cladding waveguide. <b>2021</b> , 96, 085507	1
117	Resonantly Enhanced Optical Trapping of Single Dye-Doped Particles at an Interface. <b>2021</b> , 8, 1832-1839	4
116	Optical Forces on an Oscillating Dipole Near VO <sub>2</sub> Phase Transition. <b>2021</b> , 7, 159	0
115	Modulated flipping torque, spin-induced radiation pressure, and chiral sorting exerted by guided light. <b>2021</b> , 29, 16969-16979	2
114	Nano-Optical Tweezers: Methods and Applications for Trapping Single Molecules and Nanoparticles. <b>2021</b> , 22, 1409-1420	3
113	Acoustoelectronic nanotweezers enable dynamic and large-scale control of nanomaterials. <b>2021</b> , 12, 3844	5
112	Silicon-on-insulator slot waveguide design for C band optical amplification confinement. <b>2021</b> , 11, 1989	2
111	Strain-Tunable Microfluidic Devices with Crack and Wrinkle Microvalves for Microsphere Screening and Fluidic Logic Gates. <b>2021</b> , 13, 36849-36858	2
110	Transport and assembling microparticles via Marangoni flows in heating and cooling modes. <b>2021</b> , 621, 126550	1

109	Optical trapping at high temperature. <b>2021,</b>	
108	Temperature Effects on Optical Trapping Stability. <b>2021, 12,</b>	2
107	Nano-optical trapping using an all-dielectric optical fiber supporting a TEM-like mode. <b>2021, 33,</b>	0
106	Probing the local density of states near the diffraction limit using nanowaveguide-collected cathode luminescence. <b>2021, 104,</b>	0
105	Dynamic Nanoparticle Trapping By Cascaded Nanophotonic Traps in a Silicon Slot Waveguide. <b>2021, 27, 1-8</b>	1
104	Low-power Optical Traps Using Anisotropic Metasurfaces: Asymmetric Potential Barriers and Broadband Response. <b>2021, 15,</b>	0
103	Acoustofluidic centrifuge for nanoparticle enrichment and separation. <b>2021, 7,</b>	36
102	Optofluidics. <b>2010, 529-551</b>	1
101	Loop-mirror-based slot waveguide refractive index sensor. <b>2012, 2, 042142</b>	4
100	Compact cross-slot waveguide polarization beam splitter using a sandwich-type coupler. <b>2020, 59, 1447-1453</b>	5
99	Perspective on light-induced transport of particles: from optical forces to phoretic motion. <b>2019, 11, 577</b>	47
98	Multi-level sorting of nanoparticles on multi-step optical waveguide splitter. <b>2018, 26, 29262-29271</b>	8
97	On-resonance photonic nanojets for nanoparticle trapping. <b>2019, 27, 10472-10481</b>	4
96	Tunable plasmonic force switch based on graphene nano-ring resonator for nanomanipulation. <b>2019, 27, 26648-26660</b>	13
95	Three-dimensional feedback-driven trapping of a single nanoparticle or molecule in aqueous solution with a confocal fluorescence microscope. <b>2019, 27, 29759-29769</b>	2
94	Design of ultra-small mode area all-dielectric waveguides exploiting the vectorial nature of light. <b>2020, 45, 4730-4733</b>	3
93	Single-particle analysis with 2D electro-optical trapping on an integrated optofluidic device. <b>2018, 5, 1311</b>	6
92	Nanophotonics for bacterial detection and antimicrobial susceptibility testing. <b>2020, 9, 4447-4472</b>	4

- 91 Electric Field Enhancement by Laser Light Focused at Electrode Edges for Controlled Positioning of Carbon Nanotubes. **2012**, 51, 06FD26 2
- 90 Magneto-optical binding in the near field. **2021**, 11, 20820 0
- 89 High-efficient subwavelength-scale optofluidic waveguides with tapered microstructured optical fibers. **2021**, 29, 38068-38081 0
- 88 Optical Manipulation using Silicon Nanophotonics (Invited). **2009**,
- 87 Selectively Patterned Notch Filter Waveguides for Optofluidic Biosensors. **2009**,
- 86 Design and Experimental Demonstration of Optical Resonators for Nanotweezing. **2010**,
- 85 Nanomechanics [Nanophotonics [Nanofluidics. **2010**, 315-364
- 84 Plasmonics. **2010**, 18-1-18-37
- 83 Single-Molecule Detection. **2010**, 13-1-13-39
- 82 Introduction to Microfluidic and Optofluidic Transport. **2010**, 1-1-1-22
- 81 Fluid-Controlled Optical Elements. **2010**, 8-1-8-19
- 80 Passive Integrated Optics. **2010**, 3-1-3-44
- 79 Optical Trapping and Manipulation. **2010**, 14-1-14-27
- 78 Integrated Optofluidic Waveguides. **2010**, 16-1-16-28 0
- 77 Nanomanipulation Using Near Field Photonics. **2011**, 0
- 76 Light-assisted templated self-assembly using photonic crystal slabs. **2011**,
- 75 Single-Molecule Biophysics with Optofluidic Trapping. **2011**,
- 74 Nano-holes and Slot Effect. **2012**,

- 73 Optofluidic Techniques for the Manipulation of Micro Particles: Principles and Applications to Bioanalyses. 89-118
- 72 Optofluidic Electrical Manipulation of Individual Biomolecules with nm-scale Precision. **2013,** ○
- 71 Optofluidic Electrical Manipulation of Individual Biomolecules with nm-scale Precision. **2013,**
- 70 Light-Assisted Assembly of Nanoparticle Arrays Using Resonant Modes of Photonic-Crystal Slabs. **2013,**
- 69 Near-field trap for submicron particles and cold, neutral atoms using rectangular etched cavities in optical nanofibers. **2013,**
- 68 Experimental demonstration of light-assisted, templated self assembly using photonic-crystal slabs. **2013,**
- 67 Optofluidics. **2014,** 261-271
- 66 Optofluidic manipulation of microsphere by graded-index fiber with flat endface. **2015,**
- 65 Nanotechnologies for Basic Research Relevant to Medicine. **2017,** 73-132
- 64 On-chip slotted photonic crystal nanobeam cavity for single nanoparticle trapping and detection. **2017,**
- 63 Optical trapping and Raman spectroscopy of single nanostructures using standing-wave Raman tweezers. **2017,**
- 62 Enhanced Plasmonic Detection with Dielectrophoretic Concentration. **2018,** 123-146
- 61 Photonic potential for TM waves. **2018,** 43, 4949-4952 1
- 60 Tunable size selectivity and nanoparticle immobilization on a photonic crystal optical trap. **2018,** 43, 5399-5402 1
- 59 Tunable, polarization-sensitive, dual guided-resonance modes in photonic crystals. **2019,** 27, 17658-17666 1
- 58 Optical Tweezers in Biotechnology.
- 57 Distance-controllable and direction-steerable opto-conveyor for targeting delivery. **2020,** 8, 1124
- 56 Controllable optofluidic assembly of biological cells using an all-dielectric one-dimensional-photonic-crystal. 4

55	Optical transport of sub-micron lipid vesicles along a nanofiber. <b>2020</b> , 28, 38527-38538	4
54	Low-Loss Tapered Waveguides for Cascaded Trapping of Microparticles. <b>2021</b> , 1-1	
53	Planar Optofluidics for On-Chip Particle Manipulation. <b>2020</b> , 181-210	
52	Trapping nanospheres within graphene-based heterogeneous plasmonic nano-trench. <b>2020</b> , 22, 105002	
51	Optical Forces in Silicon Nanophotonics and Optomechanical Systems: Science and Applications. <b>2020</b> , 2020, 1-14	1
50	The Rise of the OM-LoC: Opto-Microfluidic Enabled Lab-on-Chip.. <b>2021</b> , 12,	0
49	Multi-particle resonant optical sorting using topological photonic structure.	1
48	Optical Trapping Separation of Chiral Nanoparticles by Subwavelength Slot Waveguides.. <b>2021</b> , 127, 233902	4
47	Subwavelength Optofluidic Microstructured Optical Fibers. <b>2021</b> ,	
46	Resonator nanophotonic standing-wave array trap for single-molecule manipulation and measurement.. <b>2022</b> , 13, 77	1
45	On-chip trapping and sorting of nanoparticles using a single slotted photonic crystal nanobeam cavity.. <b>2022</b> , 30, 11192-11202	0
44	Reconfigurable label-free shape-sieving of submicron particles in paired chalcogenide waveguides.. <b>2022</b> ,	1
43	Programmable motion control and trajectory manipulation of microparticles through tri-directional symmetrical acoustic tweezers.. <b>2022</b> ,	4
42	Fabrication tolerant coupling between silicon strip and subdiffraction V-groove waveguides.	1
41	Dark modes in symmetric bulk Dirac semimetal dimers excited by cylindrical vector beams. <b>2022</b> , 15, 012006	1
40	Optical Trapping of Single Molecules. <b>2022</b> , 233-248	
39	Plasmonic C-Shaped Structures and their Applications in Photonics and Biotechnology. <b>2022</b> ,	
38	Acoustically manipulating internal structure of disk-in-sphere endoskeletal droplets.. <b>2022</b> , 13, 987	0

- 37 Optical tweezers and manipulators. Modern concepts and future prospect.
- 36 Multifunctional Virus Manipulation with Large-Scale Arrays of All-Dielectric Resonant Nanocavities. 2100197 4
- 35 Acoustic Manipulation Simulations of Single Target Particle Based on the Local Optimal Controller. **2021**, 0
- 34 Dynamically Reconfigurable Bipolar Optical Gradient Force Induced by Mid-Infrared Graphene Plasmonic Tweezers for Sorting Dispersive Nanoscale Objects. **2022**, 10, 2101744 2
- 33 Optical Levitation of Mie-Resonant Silicon Particles in the Field of Bloch Surface Electromagnetic Waves. **2022**, 115, 136-140 0
- 32 Controllable transportation of microparticles along structured waveguides by the plasmonic spin-hall effect. **2022**, 30, 16094
- 31 Controlled Optical Manipulation and Sorting of Nanomaterials Enabled by Photonic and Plasmonic Nanodevices. **2022**, 100534
- 30 Chiral lateral optical force near plasmonic ring induced by Laguerre-Gaussian beam.
- 29 Accumulation, Directional Delivery and Release of Nanoparticles along a Nanofiber. **2022**, 27, 3312
- 28 Soliton-Induced Mid-Infrared Dispersive Wave in Horizontally-Slotted Si<sub>3</sub>N<sub>4</sub> Waveguide. **2022**, 10, 62322-62329
- 27 Design of a trap-assisted exceptional-surface-enhanced silicon-on-insulator particle sensor. **2022**, 1-9
- 26 Nanoscale Optical Trapping by Means of Dielectric Bowtie. **2022**, 9, 425 2
- 25 Chemical Control Over Optical Trapping Force at an Interface. 2200940 0
- 24 Passively and actively enhanced surface plasmon resonance sensing strategies towards single molecular detection. 1
- 23 Enhancing the excitation of a high-index nanowire by adding a flat-ended head. **2022**, 97, 085505
- 22 Anisotropic slot waveguides with bulk transition metal dichalcogenides for crosstalk reduction and high-efficiency mode conversion.
- 21 Atomic-Void van der Waals Channel Waveguides.
- 20 A hybrid method to calculate optical torque: Application to a nano-dumbbell trapped by a metalens. **2022**, 12, 075024

19	Reconfigurable Size-Sorting of Micronanoparticles in Chalcogenide Waveguide Array. 2200078	
18	Metasurface Micro/Nano-Optical Sensors: Principles and Applications. <b>2022</b> , 16, 11598-11618	9
17	Optical manipulation with metamaterial structures. <b>2022</b> , 9, 031303	7
16	Radiation forces on a Mie particle in the evanescentfield of a resonance waveguide structure.	0
15	Plasmo-fluidic-Based Near-Field Optical Trapping of Dielectric Nano-Objects Using Gold Nanoislands Sensor Chips. <b>2022</b> , 14, 47409-47419	1
14	Hybrid Photonic-Plasmonic Cavity Design for Very Large Purcell Factors at Telecommunication Wavelengths. <b>2022</b> , 18,	1
13	Engineering Electromagnetic Field Distribution and Resonance Quality Factor Using Slotted Quasi-BIC Metasurfaces. <b>2022</b> , 22, 8060-8067	2
12	Analysis of radiation force on a uniaxial anisotropic sphere by dual zero-order Bessel beams. <b>2023</b> , 528, 129059	0
11	Modeling of Acoustic Vibration Theory Based on a Micro Thin Plate System and Its Control Experiment Verification. <b>2022</b> , 14, 14900	0
10	Structure Formation and Regulation of Au Nanoparticles in LiTaO <sub>3</sub> by Ion Beam and Thermal Annealing Techniques. <b>2022</b> , 12, 4028	0
9	Plasmonic Slot Waveguide Propagation Analysis.	0
8	Capillary-Wave Sieve: Continuous Particle Separation Using Millimeter-Scale Capillary Waves. <b>2022</b> , 18,	1
7	Glass-embedded PDMS microfluidic device for enhanced concentration of nanoparticles using an ultrasonic nanosieve.	0
6	Rotational Dynamics of Indirect Optical Bound Particle Assembly under a Single Tightly Focused Laser.	0
5	Multifunctional acoustofluidic centrifuge device using tri-symmetrical design for particle enrichment and separation and multiphase microflow mixing. <b>2023</b> , 311, 123215	0
4	Advances in inorganic nanoparticles trapping stiffness measurement: A promising tool for energy and environmental study. <b>2023</b> , 2, 100018	0
3	Metasurface supporting quasi-BIC for optical trapping and Raman-spectroscopy of biological nanoparticles. <b>2023</b> , 31, 6782	0
2	Extreme enhancement of optical force via the acoustic graphene plasmon mode. <b>2023</b> , 31, 6623	0



1 Materials for Dielectric Nanotweezers in the Near-Visible Region.

o