

NAADP mobilizes calcium from acidic organelles through

Nature

459, 596-600

DOI: 10.1038/nature08030

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Mining free compound databases to identify candidates selected by virtual screening. Expert Opinion on Drug Discovery, 2009, 4, 901-906. | 5.0 | 12 |
| 2 | Essential requirement for two-pore channel 1 in NAADP-mediated calcium signaling. Journal of Cell Biology, 2009, 186, 201-209. | 5.2 | 376 |
| 3 | In with the TRP Channels: Intracellular Functions for TRPM1 and TRPM2. Science Signaling, 2009, 2, pe69. | 3.6 | 26 |
| 4 | Analogues of the Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Antagonist Ned-19 Indicate Two Binding Sites on the NAADP Receptor. Journal of Biological Chemistry, 2009, 284, 34930-34934. | 3.4 | 40 |
| 5 | Ca ²⁺ -stores in sperm: their identities and functions. Reproduction, 2009, 138, 425-437. | 2.6 | 181 |
| 6 | Second Messenger Signaling: Multiple Receptors for NAADP. Current Biology, 2009, 19, R521-R523. | 3.9 | 34 |
| 7 | DNA Repair: Common Approaches to Fixing Double-Strand Breaks. Current Biology, 2009, 19, R523-R525. | 3.9 | 26 |
| 8 | The acid test: the discovery of two-pore channels (TPCs) as NAADP-gated endolysosomal Ca ²⁺ release channels. Pflügers Archiv European Journal of Physiology, 2009, 458, 869-876. | 2.8 | 86 |
| 9 | The two-pore channel TPCN2 mediates NAADP-dependent Ca ²⁺ -release from lysosomal stores. Pflügers Archiv European Journal of Physiology, 2009, 458, 891-899. | 2.8 | 244 |
| 10 | The tissue-specific expression of TRPML2 (MCOLN-2) gene is influenced by the presence of TRPML1. Pflügers Archiv European Journal of Physiology, 2009, 459, 79-91. | 2.8 | 69 |
| 11 | A Voltage-Dependent Ca ²⁺ Influx Pathway Regulates the Ca ²⁺ -Dependent Cl ⁻ Conductance of Renal IMCD-3 Cells. Journal of Membrane Biology, 2009, 230, 57-68. | 2.1 | 2 |
| 12 | Ion Channel Regulation by AMPK. Annals of the New York Academy of Sciences, 2009, 1177, 89-100. | 3.8 | 42 |
| 13 | Ca ²⁺ Channels on the Move. Biochemistry, 2009, 48, 12062-12080. | 2.5 | 37 |
| 14 | Regulation of acinar cell function in the pancreas. Current Opinion in Gastroenterology, 2010, 26, 478-483. | 2.3 | 60 |
| 15 | Sarcoplasmic Reticulum Function in Smooth Muscle. Physiological Reviews, 2010, 90, 113-178. | 28.8 | 154 |
| 16 | Two-pore channels for integrative Ca ²⁺ signaling. Communicative and Integrative Biology, 2010, 3, 12-17. | 1.4 | 34 |
| 17 | Lysosome-dependent Ca ²⁺ release response to Fas activation in coronary arterial myocytes through NAADP: evidence from CD38 gene knockouts. American Journal of Physiology - Cell Physiology, 2010, 298, C1209-C1216. | 4.6 | 38 |
| 18 | Calcium- and polyphosphate-containing acidic granules of sea urchin eggs are similar to acidocalcisomes, but are not the targets for NAADP. Biochemical Journal, 2010, 429, 485-495. | 3.7 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | NAADP as an intracellular messenger regulating lysosomal calcium-release channels. <i>Biochemical Society Transactions</i> , 2010, 38, 1424-1431. | 3.4 | 91 |
| 20 | Calcium Signaling in the Islets. <i>Advances in Experimental Medicine and Biology</i> , 2010, 654, 235-259. | 1.6 | 47 |
| 21 | Transient receptor potential channelopathies. <i>Pflugers Archiv European Journal of Physiology</i> , 2010, 460, 437-450. | 2.8 | 137 |
| 22 | Acidic calcium stores open for business: expanding the potential for intracellular Ca ²⁺ signaling. <i>Trends in Cell Biology</i> , 2010, 20, 277-286. | 7.9 | 233 |
| 23 | Purified TPC Isoforms Form NAADP Receptors with Distinct Roles for Ca ²⁺ Signaling and Endolysosomal Trafficking. <i>Current Biology</i> , 2010, 20, 703-709. | 3.9 | 234 |
| 24 | Aberrant Ca ²⁺ handling in lysosomal storage disorders. <i>Cell Calcium</i> , 2010, 47, 103-111. | 2.4 | 46 |
| 25 | Intracellular Ca ²⁺ storage in health and disease: A dynamic equilibrium. <i>Cell Calcium</i> , 2010, 47, 297-314. | 2.4 | 169 |
| 26 | Two-pore channels: Regulation by NAADP and customized roles in triggering calcium signals. <i>Cell Calcium</i> , 2010, 47, 480-490. | 2.4 | 86 |
| 27 | Mucolipins: Intracellular TRPML1 channels. <i>FEBS Letters</i> , 2010, 584, 2013-2021. | 2.8 | 212 |
| 28 | TPCs: Endolysosomal channels for Ca ²⁺ mobilization from acidic organelles triggered by NAADP. <i>FEBS Letters</i> , 2010, 584, 1966-1974. | 2.8 | 71 |
| 29 | Calcium channels in photosynthetic eukaryotes: implications for evolution of calcium-based signalling. <i>New Phytologist</i> , 2010, 187, 23-43. | 7.3 | 153 |
| 30 | TRP channels of intracellular membranes. <i>Journal of Neurochemistry</i> , 2010, 113, 313-328. | 3.9 | 153 |
| 31 | Lipids on Trial: The Search for the Offending Metabolite in Niemann-Pick type C Disease. <i>Traffic</i> , 2010, 11, 419-428. | 2.7 | 170 |
| 32 | Epac2-dependent mobilization of intracellular Ca ²⁺ by glucagon-like peptide-1 receptor agonist exendin-4 is disrupted in β -cells of phospholipase C- β knockout mice. <i>Journal of Physiology</i> , 2010, 588, 4871-4889. | 2.9 | 61 |
| 33 | Suppression subtractive hybridization analysis of low-protein diet- and vitamin D-induced gene expression from rat kidney inner medullary base. <i>Physiological Genomics</i> , 2010, 41, 203-211. | 2.3 | 6 |
| 34 | Deviant Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP)-mediated Ca ²⁺ Signaling upon Lysosome Proliferation. <i>Journal of Biological Chemistry</i> , 2010, 285, 13321-13325. | 3.4 | 24 |
| 35 | An Ancestral Deuterostome Family of Two-pore Channels Mediates Nicotinic Acid Adenine Dinucleotide Phosphate-dependent Calcium Release from Acidic Organelles. <i>Journal of Biological Chemistry</i> , 2010, 285, 2897-2901. | 3.4 | 112 |
| 36 | An NAADP-gated Two-pore Channel Targeted to the Plasma Membrane Uncouples Triggering from Amplifying Ca ²⁺ Signals. <i>Journal of Biological Chemistry</i> , 2010, 285, 38511-38516. | 3.4 | 153 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Nicotinic acid adenine dinucleotide phosphate regulates skeletal muscle differentiation via action at two-pore channels. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 19927-19932. | 7.1 | 64 |
| 38 | TPC2 Is a Novel NAADP-sensitive Ca ²⁺ Release Channel, Operating as a Dual Sensor of Luminal pH and Ca ²⁺ . Journal of Biological Chemistry, 2010, 285, 35039-35046. | 3.4 | 197 |
| 39 | Characterization of Two-pore Channel 2 (TPCN2)-mediated Ca ²⁺ Currents in Isolated Lysosomes. Journal of Biological Chemistry, 2010, 285, 21219-21222. | 3.4 | 129 |
| 40 | TPC2 Proteins Mediate Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP)- and Agonist-evoked Contractions of Smooth Muscle. Journal of Biological Chemistry, 2010, 285, 24925-24932. | 3.4 | 71 |
| 41 | Degeneration of an Intracellular Ion Channel in the Primate Lineage by Relaxation of Selective Constraints. Molecular Biology and Evolution, 2010, 27, 2352-2359. | 8.9 | 56 |
| 42 | Acidic NAADP-sensitive Calcium Stores in the Endothelium. Journal of Biological Chemistry, 2010, 285, 37133-37137. | 3.4 | 57 |
| 43 | PI(3,5)P2 controls membrane trafficking by direct activation of mucolipin Ca ²⁺ release channels in the endolysosome. Nature Communications, 2010, 1, 38. | 12.8 | 498 |
| 44 | A Single Residue in a Novel ADP-ribosyl Cyclase Controls Production of the Calcium-mobilizing Messengers Cyclic ADP-ribose and Nicotinic Acid Adenine Dinucleotide Phosphate. Journal of Biological Chemistry, 2010, 285, 19900-19909. | 3.4 | 11 |
| 45 | CD38-mediated Ca ²⁺ Signaling Contributes to Angiotensin II-induced Activation of Hepatic Stellate Cells. Journal of Biological Chemistry, 2010, 285, 576-582. | 3.4 | 58 |
| 46 | The Ecto-enzyme CD38 Is a Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Synthase That Couples Receptor Activation to Ca ²⁺ Mobilization from Lysosomes in Pancreatic Acinar Cells. Journal of Biological Chemistry, 2010, 285, 38251-38259. | 3.4 | 94 |
| 47 | A Functional Role for Nicotinic Acid Adenine Dinucleotide Phosphate in Oxytocin-Mediated Contraction of Uterine Smooth Muscle from Rat. Journal of Pharmacology and Experimental Therapeutics, 2010, 333, 726-735. | 2.5 | 28 |
| 48 | Ca ²⁺ Release from the Endoplasmic Reticulum of NY-ESO-1-â€“Specific T Cells Is Modulated by the Affinity of TCR and by the Use of the CD8 Coreceptor. Journal of Immunology, 2010, 184, 1829-1839. | 0.8 | 36 |
| 49 | An emerging role for NAADP-mediated Ca ²⁺ signaling in the pancreatic Î²-cell. Islets, 2010, 2, 323-330. | 1.8 | 29 |
| 50 | The autoimmunity-related GIMAP5 GTPase is a lysosome-associated protein. Self/nonself, 2010, 1, 259-268. | 2.0 | 32 |
| 51 | Calcium signaling via two-pore channels: local or global, that is the question. American Journal of Physiology - Cell Physiology, 2010, 298, C430-C441. | 4.6 | 117 |
| 52 | Ca ²⁺ Signalling in Damaged Endothelium: Do Connexin Hemichannels Aid in Filling the Gap?. Current Drug Therapy, 2010, 5, 277-287. | 0.3 | 10 |
| 53 | Planar Patch Clamp Approach to Characterize Ionic Currents from Intact Lysosomes. Science Signaling, 2010, 3, pl3. | 3.6 | 51 |
| 54 | Calcium Signals: The Lead Currency of Plant Information Processing. Plant Cell, 2010, 22, 541-563. | 6.6 | 918 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Surface-Enhanced Raman Spectroscopy as a Tool for Detecting Ca ²⁺ Mobilizing Second Messengers in Cell Extracts. <i>Analytical Chemistry</i> , 2010, 82, 6770-6774. | 6.5 | 28 |
| 57 | Use of Cells Expressing $\hat{\Gamma}^3$ Subunit Variants to Identify Diverse Mechanisms of AMPK Activation. <i>Cell Metabolism</i> , 2010, 11, 554-565. | 16.2 | 661 |
| 58 | Endolysosomal calcium regulation and disease. <i>Biochemical Society Transactions</i> , 2010, 38, 1458-1464. | 3.4 | 56 |
| 59 | The Role of Transient Receptor Potential Cation Channels in Ca ²⁺ Signaling. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a003962-a003962. | 5.5 | 344 |
| 60 | Molecular Basis of Calcium Signaling in Lymphocytes: STIM and ORAI. <i>Annual Review of Immunology</i> , 2010, 28, 491-533. | 21.8 | 684 |
| 61 | Update on the regulation of mammalian melanocyte function and skin pigmentation. <i>Expert Review of Dermatology</i> , 2011, 6, 97-108. | 0.3 | 167 |
| 62 | Molecular mechanisms of endolysosomal Ca ²⁺ signalling in health and disease. <i>Biochemical Journal</i> , 2011, 439, 349-378. | 3.7 | 329 |
| 63 | Receptor Signaling Integration by TRP Channelsomes. <i>Advances in Experimental Medicine and Biology</i> , 2011, 704, 373-389. | 1.6 | 9 |
| 64 | Nuclear calcium signaling: An emerging topic in plants. <i>Biochimie</i> , 2011, 93, 2068-2074. | 2.6 | 20 |
| 65 | Calcium signalling in T-lymphocytes. <i>Biochimie</i> , 2011, 93, 2087-2094. | 2.6 | 37 |
| 66 | The Ca ²⁺ Pumps of the Endoplasmic Reticulum and Golgi Apparatus. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011, 3, a004184-a004184. | 5.5 | 173 |
| 67 | Sodium Leak Channels in Neuronal Excitability and Rhythmic Behaviors. <i>Neuron</i> , 2011, 72, 899-911. | 8.1 | 128 |
| 68 | Human hair melanins: what we have learned and have not learned from mouse coat color pigmentation. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 63-74. | 3.3 | 120 |
| 69 | Organelle Calcium Buffers. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011, 3, a004069-a004069. | 5.5 | 105 |
| 70 | Identification of Intracellular and Plasma Membrane Calcium Channel Homologues in Pathogenic Parasites. <i>PLoS ONE</i> , 2011, 6, e26218. | 2.5 | 107 |
| 71 | Molecular mechanisms of pancreatic injury. <i>Current Opinion in Gastroenterology</i> , 2011, 27, 444-451. | 2.3 | 93 |
| 72 | NAADP links histamine H1 receptors to secretion of von Willebrand factor in human endothelial cells. <i>Blood</i> , 2011, 117, 4968-4977. | 1.4 | 71 |
| 73 | Differential contribution of EF-hand domains to the Ca ²⁺ -dependent activation in the plant two-pore channel TPC1. <i>Plant Journal</i> , 2011, 68, 424-432. | 5.7 | 68 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 74 | Monitoring the intracellular store Ca ²⁺ concentration in agonist-stimulated, intact human platelets by using Fluo-5N. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 540-551. | 3.8 | 23 |
| 75 | Diversity of human hair pigmentation as studied by chemical analysis of eumelanin and pheomelanin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 1369-1380. | 2.4 | 99 |
| 76 | Calcium in tumour metastasis: new roles for known actors. <i>Nature Reviews Cancer</i> , 2011, 11, 609-618. | 28.4 | 514 |
| 77 | Electrophysiology of pancreatic β -cells in intact mouse islets of Langerhans. <i>Progress in Biophysics and Molecular Biology</i> , 2011, 107, 224-235. | 2.9 | 87 |
| 78 | Molecular physiology of glucagon-like peptide-1 insulin secretagogue action in pancreatic β cells. <i>Progress in Biophysics and Molecular Biology</i> , 2011, 107, 236-247. | 2.9 | 95 |
| 79 | Compartmentation of NAD ⁺ -dependent signalling. <i>FEBS Letters</i> , 2011, 585, 1651-1656. | 2.8 | 108 |
| 80 | NAADP mediates ATP-induced Ca ²⁺ signals in astrocytes. <i>FEBS Letters</i> , 2011, 585, 2300-2306. | 2.8 | 25 |
| 81 | Acidic NAADP-releasable Ca ²⁺ compartments in the megakaryoblastic cell line MEG01. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 1483-1494. | 4.1 | 30 |
| 82 | Acidic Ca ²⁺ stores in platelets. <i>Cell Calcium</i> , 2011, 50, 168-174. | 2.4 | 23 |
| 83 | Role of secretory granules in inositol 1,4,5-trisphosphate-dependent Ca ²⁺ signaling: From phytoplankton to mammals. <i>Cell Calcium</i> , 2011, 50, 175-183. | 2.4 | 12 |
| 84 | Sea urchin eggs in the acid reign. <i>Cell Calcium</i> , 2011, 50, 147-156. | 2.4 | 27 |
| 85 | The plant vacuole: Emitter and receiver of calcium signals. <i>Cell Calcium</i> , 2011, 50, 120-128. | 2.4 | 121 |
| 86 | Aberrant Ca ²⁺ signalling through acidic calcium stores in pancreatic acinar cells. <i>Cell Calcium</i> , 2011, 50, 193-199. | 2.4 | 31 |
| 87 | Acidic Ca ²⁺ stores come to the fore. <i>Cell Calcium</i> , 2011, 50, 109-112. | 2.4 | 61 |
| 88 | Lysosomal Ca ²⁺ homeostasis: Role in pathogenesis of lysosomal storage diseases. <i>Cell Calcium</i> , 2011, 50, 200-205. | 2.4 | 122 |
| 89 | The endo-lysosomal system as an NAADP-sensitive acidic Ca ²⁺ store: Role for the two-pore channels. <i>Cell Calcium</i> , 2011, 50, 157-167. | 2.4 | 60 |
| 90 | TRPML: Transporters of metals in lysosomes essential for cell survival?. <i>Cell Calcium</i> , 2011, 50, 288-294. | 2.4 | 59 |
| 91 | NAADP influences excitation-contraction coupling by releasing calcium from lysosomes in atrial myocytes. <i>Cell Calcium</i> , 2011, 50, 449-458. | 2.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 92 | Cyclic ADP-ribose and NAADP: fraternal twin messengers for calcium signaling. Science China Life Sciences, 2011, 54, 699-711. | 4.9 | 59 |
| 93 | Physiological roles of NAADP-mediated Ca ²⁺ signaling. Science China Life Sciences, 2011, 54, 725-732. | 4.9 | 26 |
| 94 | Role of TRP Channels in the Regulation of the Endosomal Pathway. Physiology, 2011, 26, 14-22. | 3.1 | 60 |
| 95 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Regulates Autophagy in Cultured Astrocytes. Journal of Biological Chemistry, 2011, 286, 27875-27881. | 3.4 | 109 |
| 96 | NAADP Receptors. Cold Spring Harbor Perspectives in Biology, 2011, 3, a004036-a004036. | 5.5 | 52 |
| 97 | Mechanisms of Control of the Free Ca ²⁺ Concentration in the Endoplasmic Reticulum of Mouse Pancreatic β -Cells. Diabetes, 2011, 60, 2533-2545. | 0.6 | 85 |
| 98 | Two-pore Channels Form Homo- and Heterodimers. Journal of Biological Chemistry, 2011, 286, 37058-37062. | 3.4 | 51 |
| 99 | Calcium Signaling in Sperm: Help from Protasomes. Science Signaling, 2011, 4, pe27. | 3.6 | 12 |
| 100 | Cyclic Adenosine Diphosphate Ribose Activates Ryanodine Receptors, whereas NAADP Activates Two-pore Domain Channels. Journal of Biological Chemistry, 2011, 286, 9136-9140. | 3.4 | 78 |
| 101 | Mucolipin-3 Regulates Luminal Calcium, Acidification, and Membrane Fusion in the Endosomal Pathway. Journal of Biological Chemistry, 2011, 286, 9826-9832. | 3.4 | 67 |
| 102 | Transient Receptor Potential Mucolipin 1 (TRPML1) and Two-pore Channels Are Functionally Independent Organellar Ion Channels. Journal of Biological Chemistry, 2011, 286, 22934-22942. | 3.4 | 91 |
| 103 | Dendritic cell maturation and chemotaxis is regulated by TRPM2-mediated lysosomal Ca ²⁺ release. FASEB Journal, 2011, 25, 3529-3542. | 0.5 | 123 |
| 104 | Intracellular Cannabinoid Type 1 (CB1) Receptors Are Activated by Anandamide. Journal of Biological Chemistry, 2011, 286, 29166-29174. | 3.4 | 83 |
| 105 | Critical Role for CD38-mediated Ca ²⁺ Signaling in Thrombin-induced Procoagulant Activity of Mouse Platelets and Hemostasis. Journal of Biological Chemistry, 2011, 286, 12952-12958. | 3.4 | 41 |
| 106 | Membrane Topology of NAADP-sensitive Two-pore Channels and Their Regulation by N-linked Glycosylation. Journal of Biological Chemistry, 2011, 286, 9141-9149. | 3.4 | 57 |
| 107 | Calcium Channels in the Development, Maturation, and Function of Spermatozoa. Physiological Reviews, 2011, 91, 1305-1355. | 28.8 | 295 |
| 108 | Endothelial and Smooth Muscle Cell Ion Channels in Pulmonary Vasoconstriction and Vascular Remodeling. , 2011, 1, 1555-1602. | | 38 |
| 109 | TPC1 " SV Channels Gain Shape. Molecular Plant, 2011, 4, 428-441. | 8.3 | 143 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 110 | Reconstitution of lysosomal NAADP-TRP-ML1 signaling pathway and its function in TRP-ML1 ^{+/+} cells. American Journal of Physiology - Cell Physiology, 2011, 301, C421-C430. | 4.6 | 46 |
| 111 | Raf-1 Kinase Inhibitory Protein (RKIP) Mediates Ethanol-induced Sensitization of Secretagogue Signaling in Pancreatic Acinar Cells. Journal of Biological Chemistry, 2012, 287, 33377-33388. | 3.4 | 9 |
| 112 | Photoaffinity Labeling of Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Targets in Mammalian Cells*. Journal of Biological Chemistry, 2012, 287, 2296-2307. | 3.4 | 150 |
| 113 | Pathogenic mechanisms of acute pancreatitis. Current Opinion in Gastroenterology, 2012, 28, 507-515. | 2.3 | 138 |
| 114 | A Mechanism of Intracellular P2X Receptor Activation*. Journal of Biological Chemistry, 2012, 287, 28315-28326. | 3.4 | 19 |
| 115 | Cyclic ADP-ribose and Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) as Messengers for Calcium Mobilization. Journal of Biological Chemistry, 2012, 287, 31633-31640. | 3.4 | 181 |
| 116 | Defense-Related Calcium Signaling Mutants Uncovered via a Quantitative High-Throughput Screen in Arabidopsis thaliana. Molecular Plant, 2012, 5, 115-130. | 8.3 | 69 |
| 117 | Role of TRPML and Two-Pore Channels in Endolysosomal Cation Homeostasis. Journal of Pharmacology and Experimental Therapeutics, 2012, 342, 236-244. | 2.5 | 72 |
| 118 | Membrane Potential Regulates Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Dependence of the pH- and Ca ²⁺ -sensitive Organellar Two-pore Channel TPC1. Journal of Biological Chemistry, 2012, 287, 20407-20416. | 3.4 | 71 |
| 119 | Critical Role of CD38 for Generation of Ca ²⁺ Signaling Messengers in Angiotensin II-Stimulated Kupffer Cells. Messenger (Los Angeles, Calif: Print), 2012, 1, 77-85. | 0.3 | 3 |
| 120 | The intracellular Ca ²⁺ channels of membrane traffic. Channels, 2012, 6, 344-351. | 2.8 | 24 |
| 121 | Intracellular localization and physiological function of a rice Ca ²⁺ -permeable channel OsTPC1. Plant Signaling and Behavior, 2012, 7, 1428-1430. | 2.4 | 22 |
| 122 | The Molecular Basis for Ca ²⁺ Signalling by NAADP: Two-Pore Channels in a Complex?. Messenger (Los Angeles, Calif: Print), 2012, 1, 63-76. | 0.3 | 22 |
| 123 | Cross Talk among Calcium, Hydrogen Peroxide, and Nitric Oxide and Activation of Gene Expression Involving Calmodulins and Calcium-Dependent Protein Kinases in <i>Ulva compressa</i> Exposed to Copper Excess. Plant Physiology, 2012, 158, 1451-1462. | 4.8 | 157 |
| 124 | Roles of cADPR and NAADP in pancreatic cells. Acta Biochimica Et Biophysica Sinica, 2012, 44, 719-729. | 2.0 | 14 |
| 125 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Degradation by Alkaline Phosphatase. Journal of Biological Chemistry, 2012, 287, 32525-32534. | 3.4 | 29 |
| 126 | Photoaffinity Labeling of High Affinity Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP)-Binding Proteins in Sea Urchin Egg. Journal of Biological Chemistry, 2012, 287, 2308-2315. | 3.4 | 110 |
| 127 | Store-operated Ca ²⁺ entry (SOCE) pathways. , 2012, , . | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 128 | Constitutive lysosome exocytosis releases ATP and engages P2Y receptors in human monocytes. <i>Journal of Cell Science</i> , 2012, 125, 4567-75. | 2.0 | 41 |
| 129 | Pyridine Nucleotide Metabolites and Calcium Release from Intracellular Stores. <i>Advances in Experimental Medicine and Biology</i> , 2012, 740, 305-323. | 1.6 | 10 |
| 130 | Identification of Two-pore Channel 2 as a Novel Regulator of Osteoclastogenesis. <i>Journal of Biological Chemistry</i> , 2012, 287, 35057-35064. | 3.4 | 25 |
| 131 | Leucine-rich repeat kinase 2 regulates autophagy through a calcium-dependent pathway involving NAADP. <i>Human Molecular Genetics</i> , 2012, 21, 511-525. | 2.9 | 285 |
| 132 | Lipids and Lysosomes. <i>Current Drug Metabolism</i> , 2012, 13, 1371-1387. | 1.2 | 27 |
| 133 | Ca ²⁺ Signalling in Damaged Endothelium and Arterial Remodelling: Do Connexin Hemichannels Provide a Suitable Target to Prevent In-stent Restenosis?. <i>Current Drug Therapy</i> , 2012, 7, 268-280. | 0.3 | 4 |
| 134 | <I>MESSENGER</I> The Cyclic ADP-Ribose/NAADP/CD38-Signaling Pathway: Past and Present. <i>Messenger</i> (Los Angeles, Calif: Print), 2012, 1, 16-33. | 0.3 | 15 |
| 135 | Nicotinic Acid Adenine Dinucleotide 2'-Phosphate (NAADP) Binding Proteins in T-Lymphocytes. <i>Messenger</i> (Los Angeles, Calif: Print), 2012, 1, 86-94. | 0.3 | 47 |
| 136 | Fatty Acids - Induced Lipotoxicity and Inflammation. <i>Current Drug Metabolism</i> , 2012, 13, 1358-1370. | 1.2 | 88 |
| 137 | Effect of m-3m3FBS on Ca ²⁺ -handling and viability in OC2 human oral cancer cells. <i>Acta Physiologica Hungarica</i> , 2012, 99, 74-86. | 0.9 | 4 |
| 138 | Triggering of Ca ²⁺ signals by NAADP-gated two-pore channels: a role for membrane contact sites?. <i>Biochemical Society Transactions</i> , 2012, 40, 153-157. | 3.4 | 31 |
| 139 | NAADP regulates human platelet function. <i>Biochemical Journal</i> , 2012, 441, 435-442. | 3.7 | 18 |
| 140 | Domain assembly of NAADP-gated two-pore channels. <i>Biochemical Journal</i> , 2012, 441, 317-323. | 3.7 | 32 |
| 141 | ER Stress and UPR Through Dysregulated ER Ca ²⁺ Homeostasis and Signaling. , 2012, , 107-142. | | 3 |
| 142 | Signaling Pathways Induced by G-protein-coupled Receptors. , 2012, , 75-96. | | 3 |
| 143 | Lysosomes shape Ins(1,4,5)-evoked Ca ²⁺ signals by selectively sequestering Ca ²⁺ released from the endoplasmic reticulum. <i>Journal of Cell Science</i> , 2013, 126, 289-300. | 2.0 | 121 |
| 144 | From Eggs to Hearts: What Is the Link between Cyclic ADP-Ribose and Ryanodine Receptors?. <i>Cardiovascular Therapeutics</i> , 2012, 30, 109-116. | 2.5 | 21 |
| 145 | TPC Proteins Are Phosphoinositide- Activated Sodium-Selective Ion Channels in Endosomes and Lysosomes. <i>Cell</i> , 2012, 151, 372-383. | 28.9 | 456 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 146 | The luminal Ca ²⁺ chelator, TPEN, inhibits NAADP-induced Ca ²⁺ release. <i>Cell Calcium</i> , 2012, 52, 481-487. | 2.4 | 11 |
| 147 | Spatial organization of intracellular Ca ²⁺ signals. <i>Seminars in Cell and Developmental Biology</i> , 2012, 23, 172-180. | 5.0 | 43 |
| 148 | Fertilization in echinoderms. <i>Biochemical and Biophysical Research Communications</i> , 2012, 425, 588-594. | 2.1 | 61 |
| 149 | The Role of CD38 in FcÎ³ Receptor (FcÎ³R)-mediated Phagocytosis in Murine Macrophages. <i>Journal of Biological Chemistry</i> , 2012, 287, 14502-14514. | 3.4 | 42 |
| 150 | TRPML Channels in Function, Disease, and Prospective Therapies. <i>Methods in Pharmacology and Toxicology</i> , 2012, , 159-191. | 0.2 | 0 |
| 151 | A link between LRRK2, autophagy and NAADP-mediated endolysosomal calcium signalling. <i>Biochemical Society Transactions</i> , 2012, 40, 1140-1146. | 3.4 | 26 |
| 152 | Two-pore channel 2 (TPC2) modulates store-operated Ca ²⁺ entry. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1976-1983. | 4.1 | 15 |
| 153 | ÅŸ-Adrenergic receptor signaling increases NAADP and cADPR levels in the heart. <i>Biochemical and Biophysical Research Communications</i> , 2012, 427, 326-329. | 2.1 | 33 |
| 154 | Presenilin-null cells have altered two-pore calcium channel expression and lysosomal calcium: Implications for lysosomal function. <i>Brain Research</i> , 2012, 1489, 8-16. | 2.2 | 45 |
| 155 | NAADP Activates Two-Pore Channels on T Cell Cytolytic Granules to Stimulate Exocytosis and Killing. <i>Current Biology</i> , 2012, 22, 2331-2337. | 3.9 | 121 |
| 156 | Sphingolipids: Critical players in Alzheimerâ€™s disease. <i>Progress in Lipid Research</i> , 2012, 51, 378-393. | 11.6 | 143 |
| 157 | Direct mobilisation of lysosomal Ca ²⁺ triggers complex Ca ²⁺ signals. <i>Journal of Cell Science</i> , 2013, 126, 60-66. | 2.0 | 161 |
| 158 | On Ca ²⁺ signalling research. <i>Science China Life Sciences</i> , 2012, 55, 744-746. | 4.9 | 3 |
| 159 | NAADP on Target. <i>Advances in Experimental Medicine and Biology</i> , 2012, 740, 325-347. | 1.6 | 26 |
| 160 | Linking NAADP to Ion Channel Activity: A Unifying Hypothesis. <i>Science Signaling</i> , 2012, 5, pe18. | 3.6 | 72 |
| 161 | Lipid storage disorders block lysosomal trafficking by inhibiting a TRP channel and lysosomal calcium release. <i>Nature Communications</i> , 2012, 3, 731. | 12.8 | 387 |
| 162 | Effects of Ionomycin on Egg Activation and Early Development in Starfish. <i>PLoS ONE</i> , 2012, 7, e39231. | 2.5 | 43 |
| 163 | Identification of New Therapeutic Targets by Genome-Wide Analysis of Gene Expression in the Ipsilateral Cortex of Aged Rats after Stroke. <i>PLoS ONE</i> , 2012, 7, e50985. | 2.5 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 164 | A Link between Autophagy and the Pathophysiology of LRRK2 in Parkinson's Disease. Parkinson's Disease, 2012, 2012, 1-9. | 1.1 | 21 |
| 165 | Stimulus-secretion Coupling in Pancreatic Acinar Cells. , 2012, , 1361-1398. | | 16 |
| 166 | Kidney ADP-Ribosyl Cyclase Inhibitors as a Therapeutic Tool for Diabetic Nephropathy. , 2012, , . | | 0 |
| 167 | The cellular pathology of lysosomal diseases. Journal of Pathology, 2012, 226, 241-254. | 4.5 | 178 |
| 168 | Regulation of a Proteinaceous Elicitor-induced Ca ²⁺ Influx and Production of Phytoalexins by a Putative Voltage-gated Cation Channel, OsTPC1, in Cultured Rice Cells. Journal of Biological Chemistry, 2012, 287, 9931-9939. | 3.4 | 39 |
| 169 | Mitochondria as sensors and regulators of calcium signalling. Nature Reviews Molecular Cell Biology, 2012, 13, 566-578. | 37.0 | 1,369 |
| 170 | Hemichannels: permeants and their effect on development, physiology and death. Cell Biochemistry and Function, 2012, 30, 89-100. | 2.9 | 59 |
| 171 | New Aspects of the Contribution of ER to SOCE Regulation. , 2012, , 163-175. | | 0 |
| 172 | Lysosomal Acidification Mechanisms. Annual Review of Physiology, 2012, 74, 69-86. | 13.1 | 896 |
| 173 | The Natural Cell-Penetrating Peptide Crotonamine Targets Tumor Tissue <i>in Vivo</i> and Triggers a Lethal Calcium-Dependent Pathway in Cultured Cells. Molecular Pharmaceutics, 2012, 9, 211-221. | 4.6 | 62 |
| 174 | Arachidonic acid mobilizes Ca ²⁺ from the endoplasmic reticulum and an acidic store in rat pancreatic \hat{I}^2 cells. Cell Calcium, 2012, 51, 140-148. | 2.4 | 11 |
| 175 | Calcium dynamics in the secretory granules of neuroendocrine cells. Cell Calcium, 2012, 51, 331-337. | 2.4 | 7 |
| 176 | An N-Terminal Dileucine Motif Directs Two Pore Channels to the Tonoplast of Plant Cells. Traffic, 2012, 13, 1012-1022. | 2.7 | 43 |
| 177 | Intracellular Ca ²⁺ channels – A growing community. Molecular and Cellular Endocrinology, 2012, 353, 21-28. | 3.2 | 19 |
| 178 | Ancient Origin of Four-Domain Voltage-gated Na ⁺ Channels Predates the Divergence of Animals and Fungi. Journal of Membrane Biology, 2012, 245, 117-123. | 2.1 | 27 |
| 179 | Intracellular organelles in the saga of Ca ²⁺ homeostasis: different molecules for different purposes?. Cellular and Molecular Life Sciences, 2012, 69, 1077-1104. | 5.4 | 58 |
| 180 | Nanospaces between endoplasmic reticulum and mitochondria as control centres of pancreatic \hat{I}^2 -cell metabolism and survival. Protoplasma, 2012, 249, 49-58. | 2.1 | 11 |
| 181 | Comparative biology of sperm factors and fertilization-induced calcium signals across the animal kingdom. Molecular Reproduction and Development, 2013, 80, 787-815. | 2.0 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 182 | Multifaceted roles of STIM proteins. Pflugers Archiv European Journal of Physiology, 2013, 465, 1383-1396. | 2.8 | 32 |
| 183 | Effect of aging on calcium signaling in C57Bl6J mouse cerebral arteries. Pflugers Archiv European Journal of Physiology, 2013, 465, 829-838. | 2.8 | 15 |
| 184 | The Role of Calcium Stores in Apoptosis and Autophagy. Current Molecular Medicine, 2013, 13, 252-265. | 1.3 | 99 |
| 185 | Heterogeneity of Ca ²⁺ handling among and within Golgi compartments. Journal of Molecular Cell Biology, 2013, 5, 266-276. | 3.3 | 50 |
| 186 | Autocrine/Paracrine Function of Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) for Glucose Homeostasis in Pancreatic Î²-Cells and Adipocytes. Journal of Biological Chemistry, 2013, 288, 35548-35558. | 3.4 | 28 |
| 187 | Lysosomal Membrane Proteins and Their Central Role in Physiology. Traffic, 2013, 14, 739-748. | 2.7 | 175 |
| 188 | mTOR Regulates Lysosomal ATP-Sensitive Two-Pore Na ⁺ Channels to Adapt to Metabolic State. Cell, 2013, 152, 778-790. | 28.9 | 313 |
| 189 | Regulation of Ion Channels by Pyridine Nucleotides. Circulation Research, 2013, 112, 721-741. | 4.5 | 77 |
| 190 | Haxâ€1 identified as a twoâ€pore channel (TPC)â€binding protein. FEBS Letters, 2013, 587, 3782-3786. | 2.8 | 20 |
| 191 | Calcium pathway machinery at fertilization in echinoderms. Cell Calcium, 2013, 53, 16-23. | 2.4 | 23 |
| 192 | Signals from the lysosome: a control centre for cellular clearance and energy metabolism. Nature Reviews Molecular Cell Biology, 2013, 14, 283-296. | 37.0 | 1,317 |
| 193 | The endoplasmic reticulum and junctional membrane communication during calcium signaling. Biochimica Et Biophysica Acta - Molecular Cell Research, 2013, 1833, 2542-2559. | 4.1 | 99 |
| 194 | Calcium Signaling in the Liver. , 2013, 3, 515-539. | | 91 |
| 195 | Targeting Ca ²⁺ transport in cancer: close reality or long perspective?. Expert Opinion on Therapeutic Targets, 2013, 17, 225-241. | 3.4 | 50 |
| 196 | NAADP/TPC2/Ca ²⁺ Signaling Inhibits Autophagy. Communicative and Integrative Biology, 2013, 6, e27595. | 1.4 | 25 |
| 197 | Crystal Structures of Human CD38 in Complex with NAADP and ADPRP. Messenger (Los Angeles, Calif:) Tj ETQq1 1.0,784314,rgBT /Ove 0.3 | | |
| 198 | Are TPCs the Target of NAADP?. Messenger (Los Angeles, Calif: Print), 2013, 2, 106-107. | 0.3 | 0 |
| 199 | An Improved Enzymatic Cycling Assay for NAADP. Messenger (Los Angeles, Calif: Print), 2013, 2, 96-105. | 0.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 200 | Bidirectional Ca ²⁺ signaling occurs between the endoplasmic reticulum and acidic organelles. <i>Journal of Cell Biology</i> , 2013, 200, 789-805. | 5.2 | 137 |
| 201 | N-terminal tagging of two-pore channels interferes with NAADP action. <i>Biochemical Journal</i> , 2013, 453, e1-e2. | 3.7 | 1 |
| 202 | Calcium-permeable ion channels in control of autophagy and cancer. <i>Frontiers in Physiology</i> , 2013, 4, 272. | 2.8 | 101 |
| 203 | Generation and characterization of a lysosomally targeted, genetically encoded Ca ²⁺ -sensor. <i>Biochemical Journal</i> , 2013, 449, 449-457. | 3.7 | 37 |
| 204 | The N-terminal region of two-pore channel 1 regulates trafficking and activation by NAADP. <i>Biochemical Journal</i> , 2013, 453, 147-151. | 3.7 | 26 |
| 205 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Is a Second Messenger in Muscarinic Receptor-induced Contraction of Guinea Pig Trachea. <i>Journal of Biological Chemistry</i> , 2013, 288, 10986-10993. | 3.4 | 16 |
| 206 | Acidocalcisomes of <i>Trypanosoma brucei</i> have an inositol 1,4,5-trisphosphate receptor that is required for growth and infectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1887-1892. | 7.1 | 87 |
| 207 | The Mitochondrial Calcium Uniporter (MCU): Molecular Identity and Physiological Roles. <i>Journal of Biological Chemistry</i> , 2013, 288, 10750-10758. | 3.4 | 131 |
| 208 | Adenine Dinucleotide Second Messengers and T-lymphocyte Calcium Signaling. <i>Frontiers in Immunology</i> , 2013, 4, 259. | 4.8 | 33 |
| 209 | Ca ²⁺ signals evoked by histamine H ₁ receptors are attenuated by activation of prostaglandin EP ₂ and EP ₄ receptors in human aortic smooth muscle cells. <i>British Journal of Pharmacology</i> , 2013, 169, 1624-1634. | 5.4 | 15 |
| 210 | On the cellular site of two-pore channel TPC1 action in the Poaceae. <i>New Phytologist</i> , 2013, 200, 663-674. | 7.3 | 29 |
| 211 | Hypoxic pulmonary vasoconstriction in the absence of pretone: essential role for intracellular Ca ²⁺ release. <i>Journal of Physiology</i> , 2013, 591, 4473-4498. | 2.9 | 36 |
| 212 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Activates Global and Heterogeneous Local Ca ²⁺ Signals from NAADP- and Ryanodine Receptor-gated Ca ²⁺ Stores in Pulmonary Arterial Myocytes. <i>Journal of Biological Chemistry</i> , 2013, 288, 10381-10394. | 3.4 | 26 |
| 213 | Plasma membrane junctional sarcoplasmic reticulum in vascular smooth muscle: nanospace Ca ²⁺ transport for site- and function-specific Ca ²⁺ signalling. <i>Journal of Physiology</i> , 2013, 591, 2043-2054. | 2.9 | 39 |
| 214 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP)-mediated Calcium Signaling and Arrhythmias in the Heart Evoked by β_2 -Adrenergic Stimulation. <i>Journal of Biological Chemistry</i> , 2013, 288, 16017-16030. | 3.4 | 41 |
| 215 | Cytolytic granules supply Ca ²⁺ for their own exocytosis via NAADP and resident two-pore channels. <i>Communicative and Integrative Biology</i> , 2013, 6, e24175. | 1.4 | 7 |
| 216 | Two Pore Channel 2 (TPC2) Inhibits Autophagosomal-Lysosomal Fusion by Alkalinizing Lysosomal pH. <i>Journal of Biological Chemistry</i> , 2013, 288, 24247-24263. | 3.4 | 88 |
| 217 | Intracellular Ca ²⁺ signaling: A novel player in the canonical mTOR-controlled autophagy pathway. <i>Communicative and Integrative Biology</i> , 2013, 6, e25429. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 218 | Cyclic ADP-Ribose and NAADP in Vascular Regulation and Diseases. Messenger (Los Angeles, Calif: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.3 | 21 |
| 219 | NAADP-Induced Ca ²⁺ Release: Two-Pore or Not Two-Pore?. Messenger (Los Tj ETQq1 1 0.784314 rgBT /Overlock | 0.3 | 6 |
| 220 | Questioning Regulation of Two-Pore Channels by NAADP. Messenger (Los Angeles, Calif: Print), 2013, 2, 113-119. | 0.3 | 28 |
| 221 | Ca ²⁺ and Sensor Proteins in the Autophagic and Endocytic Traffic. Current Protein and Peptide Science, 2013, 14, 97-110. | 1.4 | 26 |
| 222 | Two Pore Channel 2 Differentially Modulates Neural Differentiation of Mouse Embryonic Stem Cells. PLoS ONE, 2013, 8, e66077. | 2.5 | 45 |
| 223 | Calcium Signals from the Vacuole. Plants, 2013, 2, 589-614. | 3.5 | 48 |
| 224 | Physiological Characterisation of Human iPS-Derived Dopaminergic Neurons. PLoS ONE, 2014, 9, e87388. | 2.5 | 128 |
| 225 | Role of intracellular calcium stores in hair-cell ribbon synapse. Frontiers in Cellular Neuroscience, 2014, 8, 162. | 3.7 | 20 |
| 226 | Two-pore channels function in calcium regulation in sea star oocytes and embryos. Development (Cambridge), 2014, 141, 4598-4609. | 2.5 | 15 |
| 227 | The Two-pore channel (TPC) interactome unmasks isoform-specific roles for TPCs in endolysosomal morphology and cell pigmentation. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 13087-13092. | 7.1 | 109 |
| 228 | Convergent regulation of the lysosomal two-pore channel-2 by Mg ²⁺ , NAADP, PI(3,5)P2 and multiple protein kinases. EMBO Journal, 2014, 33, 501-511. | 7.8 | 162 |
| 229 | Identification of a Novel Gene for Diabetic Traits in Rats, Mice, and Humans. Genetics, 2014, 198, 17-29. | 2.9 | 44 |
| 230 | A "mix-and-match" approach to designing Ca ²⁺ microdomains at membrane-contact sites. Communicative and Integrative Biology, 2014, 7, e29586. | 1.4 | 5 |
| 231 | Reconstituted Human TPC1 Is a Proton-Permeable Ion Channel and Is Activated by NAADP or Ca ²⁺ . Science Signaling, 2014, 7, ra46. | 3.6 | 79 |
| 232 | Dysregulation of lysosomal morphology by pathogenic LRRK2 is corrected by two-pore channel 2 inhibition. Journal of Cell Science, 2015, 128, 232-8. | 2.0 | 148 |
| 233 | Ca ²⁺ signals, NAADP and two-pore channels: role in cellular differentiation. Acta Physiologica, 2014, 211, 285-296. | 3.8 | 21 |
| 234 | Molecular biology and biophysical properties of ion channel gating pores. Quarterly Reviews of Biophysics, 2014, 47, 364-388. | 5.7 | 23 |
| 235 | A non-inactivating high-voltage-activated two-pore Na ⁺ channel that supports ultra-long action potentials and membrane bistability. Nature Communications, 2014, 5, 5015. | 12.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 236 | NAADP and the two-pore channel protein 1 participate in the acrosome reaction in mammalian spermatozoa. <i>Molecular Biology of the Cell</i> , 2014, 25, 948-964. | 2.1 | 53 |
| 237 | Two-pore channels provide insight into the evolution of voltage-gated Ca ²⁺ and Na ⁺ channels. <i>Science Signaling</i> , 2014, 7, ra109. | 3.6 | 98 |
| 238 | NAADP-sensitive two-pore channels are present and functional in gastric smooth muscle cells. <i>Cell Calcium</i> , 2014, 56, 51-58. | 2.4 | 16 |
| 239 | Mammalian Transient Receptor Potential (TRP) Cation Channels. <i>Handbook of Experimental Pharmacology</i> , 2014, , . | 1.8 | 24 |
| 240 | Transport activity and presence of ClC-7/Ostm1 complex account for different cellular functions. <i>EMBO Reports</i> , 2014, 15, 784-791. | 4.5 | 51 |
| 241 | The voltage-gated sodium channel TPC1 confers endolysosomal excitability. <i>Nature Chemical Biology</i> , 2014, 10, 463-469. | 8.0 | 142 |
| 242 | Regulation of Cellular Communication by Signaling Microdomains in the Blood Vessel Wall. <i>Pharmacological Reviews</i> , 2014, 66, 513-569. | 16.0 | 95 |
| 243 | Structural organization of signalling to and from IP3 receptors. <i>Biochemical Society Transactions</i> , 2014, 42, 63-70. | 3.4 | 35 |
| 244 | Intracellular calcium channels in protozoa. <i>European Journal of Pharmacology</i> , 2014, 739, 4-18. | 3.5 | 18 |
| 245 | Ion transport in pigmentation. <i>Archives of Biochemistry and Biophysics</i> , 2014, 563, 35-41. | 3.0 | 46 |
| 246 | VEGF-induced neoangiogenesis is mediated by NAADP and two-pore channel-dependent Ca ²⁺ signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4706-15. | 7.1 | 138 |
| 247 | Calcium signaling in pancreatic Î²-cells in health and in Type 2 diabetes. <i>Cell Calcium</i> , 2014, 56, 340-361. | 2.4 | 158 |
| 248 | The "Sweet" Side of Ion Channels. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2014, 167, 67-114. | 1.6 | 23 |
| 250 | Decoding Calcium Signaling Across the Nucleus. <i>Physiology</i> , 2014, 29, 361-368. | 3.1 | 27 |
| 251 | Calcium regulation and Alzheimer's disease. <i>Asian Pacific Journal of Tropical Disease</i> , 2014, 4, S513-S518. | 0.5 | 11 |
| 252 | TPC1 Has Two Variant Isoforms, and Their Removal Has Different Effects on Endo-Lysosomal Functions Compared to Loss of TPC2. <i>Molecular and Cellular Biology</i> , 2014, 34, 3981-3992. | 2.3 | 76 |
| 253 | P2X4 Forms Functional ATP-activated Cation Channels on Lysosomal Membranes Regulated by Luminal pH. <i>Journal of Biological Chemistry</i> , 2014, 289, 17658-17667. | 3.4 | 115 |
| 254 | The phosphoinositide PI(3,5)P2 mediates activation of mammalian but not plant TPC proteins: functional expression of endolysosomal channels in yeast and plant cells. <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 4275-4283. | 5.4 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 255 | Two-pore channels (<scp>TPC</scp>s): Current controversies. BioEssays, 2014, 36, 173-183. | 2.5 | 96 |
| 256 | Calcium signaling and the secretory activity of bile duct epithelia. Cell Calcium, 2014, 55, 317-324. | 2.4 | 19 |
| 257 | Nuclear BK channels regulate gene expression via the control of nuclear calcium signaling. Nature Neuroscience, 2014, 17, 1055-1063. | 14.8 | 93 |
| 258 | Arachidonic acid activates release of calcium ions from reticulum via ryanodine receptor channels in C2C12 skeletal myotubes. Biochemistry (Moscow), 2014, 79, 435-439. | 1.5 | 6 |
| 259 | High susceptibility to fatty liver disease in two-pore channel 2-deficient mice. Nature Communications, 2014, 5, 4699. | 12.8 | 164 |
| 260 | Acidic intracellular Ca ²⁺ stores and caveolae in Ca ²⁺ signaling and diabetes. Cell Calcium, 2014, 56, 323-331. | 2.4 | 9 |
| 261 | Role of acidic stores in secretory epithelia. Cell Calcium, 2014, 55, 346-354. | 2.4 | 13 |
| 262 | Lysosomal storage diseases and the heat shock response: convergences and therapeutic opportunities. Journal of Lipid Research, 2014, 55, 2198-2210. | 4.2 | 32 |
| 263 | A computational model of lysosome-ER Ca ²⁺ microdomains. Journal of Cell Science, 2014, 127, 2934-43. | 2.0 | 56 |
| 266 | Two-pore channels at the intersection of endolysosomal membrane traffic. Biochemical Society Transactions, 2015, 43, 434-441. | 3.4 | 54 |
| 267 | Regulation of TRPML1 function. Biochemical Society Transactions, 2015, 43, 442-446. | 3.4 | 24 |
| 268 | Expression of Ca ²⁺ -permeable two-pore channels rescues <scp>NAADP</scp> signalling in <scp>TPC</scp>-deficient cells. EMBO Journal, 2015, 34, 1743-1758. | 7.8 | 144 |
| 269 | Two-Pore Channels: Lessons from Mutant Mouse Models. Messenger (Los Angeles, Calif: Print), 2015, 4, 4-22. | 0.3 | 22 |
| 270 | Poring Over Two-Pore Channel Pore Mutants. Messenger (Los Angeles, Calif: Print), 2015, 4, 46-52. | 0.3 | 5 |
| 271 | The Roles of NAADP, Two Pore Channels and Lysosomes in Ca ²⁺ Signaling in Cardiac Muscle. Messenger (Los Angeles, Calif: Print), 2015, 4, 23-33. | 0.3 | 3 |
| 272 | A Special Issue of Messenger 2016. Messenger (Los Angeles, Calif: Print), 2015, 4, 1-3. | 0.3 | 0 |
| 273 | Departure gate of acidic Ca ²⁺ confirmed. EMBO Journal, 2015, 34, 1737-1739. | 7.8 | 12 |
| 275 | Connecting Two-Pore Channel Structure with Single Channel Permeability Measurements. Messenger (Los Angeles, Calif: Print), 2015, 4, 34-45. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 276 | Two-Pore Channel 2 activity is required for slow muscle cell-generated Ca ²⁺ signaling during myogenesis in intact zebrafish. <i>International Journal of Developmental Biology</i> , 2015, 59, 313-325. | 0.6 | 30 |
| 277 | Calcium signals regulated by NAADP and two-pore channels - their role in development, differentiation and cancer. <i>International Journal of Developmental Biology</i> , 2015, 59, 341-355. | 0.6 | 15 |
| 278 | Intracellular sphingosine releases calcium from lysosomes. <i>ELife</i> , 2015, 4, . | 6.0 | 115 |
| 279 | Pleiotropic and Sex-Specific Effects of Cancer GWAS SNPs on Melanoma Risk in the Population Architecture Using Genomics and Epidemiology (PAGE) Study. <i>PLoS ONE</i> , 2015, 10, e0120491. | 2.5 | 19 |
| 280 | Calcium Signalling Triggered by NAADP in T Cells Determines Cell Shape and Motility During Immune Synapse Formation. <i>Messenger (Los Angeles, Calif: Print)</i> , 2015, 4, 104-111. | 0.3 | 7 |
| 281 | Ca ²⁺ homeostasis and endoplasmic reticulum (ER) stress: An integrated view of calcium signaling. <i>Biochemical and Biophysical Research Communications</i> , 2015, 460, 114-121. | 2.1 | 416 |
| 282 | Alterations in late endocytic trafficking related to the pathobiology of LRRK2-linked Parkinson's disease. <i>Biochemical Society Transactions</i> , 2015, 43, 390-395. | 3.4 | 28 |
| 283 | TPC: the NAADP discovery channel?. <i>Biochemical Society Transactions</i> , 2015, 43, 384-389. | 3.4 | 41 |
| 284 | The role of TRPMLs in endolysosomal trafficking and function. <i>Cell Calcium</i> , 2015, 58, 48-56. | 2.4 | 166 |
| 285 | A primer of NAADP-mediated Ca ²⁺ signalling: From sea urchin eggs to mammalian cells. <i>Cell Calcium</i> , 2015, 58, 27-47. | 2.4 | 110 |
| 286 | Calcium mobilizing second messengers derived from NAD. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 1132-1137. | 2.3 | 71 |
| 287 | A novel Ca ²⁺ -mediated cross-talk between endoplasmic reticulum and acidic organelles: Implications for NAADP-dependent Ca ²⁺ signalling. <i>Cell Calcium</i> , 2015, 57, 89-100. | 2.4 | 78 |
| 288 | Lysosomal Physiology. <i>Annual Review of Physiology</i> , 2015, 77, 57-80. | 13.1 | 768 |
| 289 | Lysosome electrophysiology. <i>Methods in Cell Biology</i> , 2015, 126, 197-215. | 1.1 | 7 |
| 290 | Imaging approaches to measuring lysosomal calcium. <i>Methods in Cell Biology</i> , 2015, 126, 159-195. | 1.1 | 36 |
| 291 | Increasing complexity and versatility: How the calcium signaling toolkit was shaped during plant land colonization. <i>Cell Calcium</i> , 2015, 57, 231-246. | 2.4 | 122 |
| 292 | Evolution of acidic Ca ²⁺ stores and their resident Ca ²⁺ -permeable channels. <i>Cell Calcium</i> , 2015, 57, 222-230. | 2.4 | 74 |
| 293 | Measuring relative lysosomal volume for monitoring lysosomal storage diseases. <i>Methods in Cell Biology</i> , 2015, 126, 331-347. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 294 | Methods for monitoring lysosomal morphology. <i>Methods in Cell Biology</i> , 2015, 126, 1-19. | 1.1 | 17 |
| 295 | Two-pore channels control Ebola virus host cell entry and are drug targets for disease treatment. <i>Science</i> , 2015, 347, 995-998. | 12.6 | 454 |
| 296 | Lysosomal calcium signalling regulates autophagy through calcineurin and TFEB. <i>Nature Cell Biology</i> , 2015, 17, 288-299. | 10.3 | 1,006 |
| 297 | Sedimentary DNA from a submerged site reveals wheat in the British Isles 8000 years ago. <i>Science</i> , 2015, 347, 998-1001. | 12.6 | 99 |
| 298 | Lysosomal Two-pore Channel Subtype 2 (TPC2) Regulates Skeletal Muscle Autophagic Signaling. <i>Journal of Biological Chemistry</i> , 2015, 290, 3377-3389. | 3.4 | 69 |
| 299 | Organelle-specific Subunit Interactions of the Vertebrate Two-pore Channel Family. <i>Journal of Biological Chemistry</i> , 2015, 290, 1086-1095. | 3.4 | 24 |
| 300 | Fluorescence methods for analysis of interactions between Ca ²⁺ signaling, lysosomes, and endoplasmic reticulum. <i>Methods in Cell Biology</i> , 2015, 126, 237-259. | 1.1 | 0 |
| 301 | CD38 Mediates Angiotensin II-Induced Intracellular Ca ²⁺ Release in Rat Pulmonary Arterial Smooth Muscle Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2015, 52, 332-341. | 2.9 | 30 |
| 302 | Function and dysfunction of two-pore channels. <i>Science Signaling</i> , 2015, 8, re7. | 3.6 | 135 |
| 303 | Coupling acidic organelles with the ER through Ca ²⁺ microdomains at membrane contact sites. <i>Cell Calcium</i> , 2015, 58, 387-396. | 2.4 | 64 |
| 304 | Absence of Intracellular Ion Channels TPC1 and TPC2 Leads to Mature-Onset Obesity in Male Mice, Due to Impaired Lipid Availability for Thermogenesis in Brown Adipose Tissue. <i>Endocrinology</i> , 2015, 156, 975-986. | 2.8 | 21 |
| 305 | Calcium release through P2X4 activates calmodulin to promote endolysosomal membrane fusion. <i>Journal of Cell Biology</i> , 2015, 209, 879-894. | 5.2 | 108 |
| 306 | Nicotinic Acid Adenine Dinucleotide Phosphate Analogues Substituted on the Nicotinic Acid and Adenine Ribosides. Effects on Receptor-Mediated Ca ²⁺ Release. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 3593-3610. | 6.4 | 13 |
| 307 | Organelle channels and transporters. <i>Cell Calcium</i> , 2015, 58, 1-10. | 2.4 | 83 |
| 309 | Ruling out pyridine dinucleotides as true TRPM2 channel activators reveals novel direct agonist ADP-ribose-2-phosphate. <i>Journal of General Physiology</i> , 2015, 145, 419-430. | 1.9 | 53 |
| 310 | Phosphatidylinositol-3,4,5-trisphosphate stimulates Ca ²⁺ elevation and Akt phosphorylation to constitute a major mechanism of thromboxane A ₂ formation in human platelets. <i>Cellular Signalling</i> , 2015, 27, 1488-1498. | 3.6 | 8 |
| 311 | Release of calcium from endolysosomes increases calcium influx through N-type calcium channels: Evidence for acidic store-operated calcium entry in neurons. <i>Cell Calcium</i> , 2015, 58, 617-627. | 2.4 | 30 |
| 312 | Presenilin 1 Maintains Lysosomal Ca ²⁺ Homeostasis via TRPML1 by Regulating vATPase-Mediated Lysosome Acidification. <i>Cell Reports</i> , 2015, 12, 1430-1444. | 6.4 | 272 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 313 | The gastrin and cholecystokinin receptors mediated signaling network: a scaffold for data analysis and new hypotheses on regulatory mechanisms. BMC Systems Biology, 2015, 9, 40. | 3.0 | 46 |
| 314 | Both RyRs and TPCs are required for NAADP-induced intracellular Ca ²⁺ release. Cell Calcium, 2015, 58, 237-245. | 2.4 | 50 |
| 315 | Regulation and roles of Ca ²⁺ stores in human sperm. Reproduction, 2015, 150, R65-R76. | 2.6 | 96 |
| 316 | Two-pore Channels (TPC2s) and Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) at Lysosomal-Sarcoplasmic Reticular Junctions Contribute to Acute and Chronic β_2 -Adrenoceptor Signaling in the Heart. Journal of Biological Chemistry, 2015, 290, 30087-30098. | 3.4 | 63 |
| 317 | Inhibition of NAADP signalling on reperfusion protects the heart by preventing lethal calcium oscillations via two-pore channel 1 and opening of the mitochondrial permeability transition pore. Cardiovascular Research, 2015, 108, 357-366. | 3.8 | 44 |
| 319 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) and Endolysosomal Two-pore Channels Modulate Membrane Excitability and Stimulus-Secretion Coupling in Mouse Pancreatic β_2 Cells. Journal of Biological Chemistry, 2015, 290, 21376-21392. | 3.4 | 48 |
| 320 | TPC2 mediates new mechanisms of platelet dense granule membrane dynamics through regulation of Ca ²⁺ release. Molecular Biology of the Cell, 2015, 26, 3263-3274. | 2.1 | 40 |
| 321 | TPC1 Knockout Knocks Out TPC1. Molecular and Cellular Biology, 2015, 35, 1882-1883. | 2.3 | 5 |
| 322 | Fluorescent biosensors illuminate calcium levels within defined beta-cell endosome subpopulations. Cell Calcium, 2015, 57, 263-274. | 2.4 | 50 |
| 323 | Two-pore channel 1 interacts with citron kinase, regulating completion of cytokinesis. Channels, 2015, 9, 21-29. | 2.8 | 17 |
| 324 | CD38 and airway hyper-responsiveness: studies on human airway smooth muscle cells and mouse models. Canadian Journal of Physiology and Pharmacology, 2015, 93, 145-153. | 1.4 | 40 |
| 325 | The Role of Calcium and Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) in Human Osteoclast Formation and Resorption. Calcified Tissue International, 2015, 96, 73-79. | 3.1 | 5 |
| 326 | Acidic Ca ²⁺ Stores in Neurodegeneration. Messenger (Los Angeles, Calif: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.3 | 9 |
| 327 | Carvedilol Inhibits cADPR- and IP3-Induced Ca ²⁺ Release. Messenger (Los Angeles, Calif: Print), 2016, 5, 92-99. | 0.3 | 3 |
| 328 | Lysosomal Calcium in Neurodegeneration. Messenger (Los Angeles, Calif: Print), 2016, 5, 56-66. | 0.3 | 21 |
| 329 | Iron overload causes endolysosomal deficits modulated by NAADP-regulated 2-pore channels and RAB7A. Autophagy, 2016, 12, 1487-1506. | 9.1 | 37 |
| 330 | Endolysosomal two-pore channels regulate autophagy in cardiomyocytes. Journal of Physiology, 2016, 594, 3061-3077. | 2.9 | 70 |
| 331 | Endoplasmic reticulum stress is activated in acute pancreatitis. Journal of Digestive Diseases, 2016, 17, 295-303. | 1.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 332 | Differential effects of two-pore channel protein 1 and 2 silencing in MDA-MB-468 breast cancer cells. Biochemical and Biophysical Research Communications, 2016, 477, 731-736. | 2.1 | 22 |
| 333 | Inseparable tandem: evolution chooses ATP and Ca ²⁺ to control life, death and cellular signalling. Philosophical Transactions of the Royal Society B: Biological Sciences, 2016, 371, 20150419. | 4.0 | 48 |
| 334 | Principles of Virus Uncoating: Cues and the Snooker Ball. Traffic, 2016, 17, 569-592. | 2.7 | 105 |
| 335 | cAMP-dependent recruitment of acidic organelles for Ca ²⁺ signaling in the salivary gland. American Journal of Physiology - Cell Physiology, 2016, 311, C697-C709. | 4.6 | 3 |
| 336 | A melanosomal two-pore sodium channel regulates pigmentation. Scientific Reports, 2016, 6, 26570. | 3.3 | 64 |
| 337 | Suppression of histamine-induced relaxation of rat aorta and calcium signaling in endothelial cells by two-pore channel blocker trans-NED19 and hydrogen peroxide. Biology Bulletin, 2016, 43, 366-373. | 0.5 | 2 |
| 338 | Metabolic alterations derived from absence of Two-Pore Channel 1 at cardiac level. Journal of Biosciences, 2016, 41, 643-658. | 1.1 | 7 |
| 339 | NAADP-Dependent Ca ²⁺ Signaling Controls Melanoma Progression, Metastatic Dissemination and Neoangiogenesis. Scientific Reports, 2016, 6, 18925. | 3.3 | 35 |
| 340 | Exosomes in the Preservation of Cellular Homeostasis. Oxidative Stress in Applied Basic Research and Clinical Practice, 2016, , 17-45. | 0.4 | 0 |
| 341 | Isolated pores dissected from human two-pore channel 2 are functional. Scientific Reports, 2016, 6, 38426. | 3.3 | 9 |
| 342 | Endo-lysosomal TRP mucolipin-1 triggers global ER Ca ²⁺ release and Ca ²⁺ influx. Journal of Cell Science, 2016, 129, 3859-3867. | 2.0 | 57 |
| 343 | Characterization of Two-Pore Channel 2 by Nuclear Membrane Electrophysiology. Scientific Reports, 2016, 6, 20282. | 3.3 | 19 |
| 344 | Two-Pore Channels and Parkinson's Disease: Where's the Link?. Messenger (Los Angeles, Calif: Print), 2016, 5, 67-75. | 0.3 | 4 |
| 345 | Connecting Ca ²⁺ and Lysosomes to Parkinson Disease. Messenger (Los Angeles, Calif: Print), 2016, 5, 76-86. | 0.3 | 5 |
| 346 | The two pore channel TPC2 is dispensable in pancreatic β -cells for normal Ca ²⁺ dynamics and insulin secretion. Cell Calcium, 2016, 59, 32-40. | 2.4 | 26 |
| 347 | Role of Ion Channels in the Sperm Acrosome Reaction. Advances in Anatomy, Embryology and Cell Biology, 2016, 220, 35-69. | 1.6 | 30 |
| 348 | Sperm Acrosome Biogenesis and Function During Fertilization. Advances in Anatomy, Embryology and Cell Biology, 2016, , . | 1.6 | 8 |
| 349 | Pathophysiological mechanisms in acute pancreatitis: Current understanding. Indian Journal of Gastroenterology, 2016, 35, 153-166. | 1.4 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 350 | TPC2 controls pigmentation by regulating melanosome pH and size. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 5622-5627. | 7.1 | 100 |
| 351 | Using a Genetically Encoded Sensor to Identify Inhibitors of Toxoplasma gondii Ca ²⁺ Signaling. Journal of Biological Chemistry, 2016, 291, 9566-9580. | 3.4 | 61 |
| 352 | The function of the two-pore channel TPC1 depends on dimerization of its carboxy-terminal helix. Cellular and Molecular Life Sciences, 2016, 73, 2565-2581. | 5.4 | 28 |
| 353 | Intracellular Ca ²⁺ signaling and Ca ²⁺ microdomains in the control of cell survival, apoptosis and autophagy. Cell Calcium, 2016, 60, 74-87. | 2.4 | 215 |
| 354 | Modulation of Calcium Entry by the Endo-lysosomal System. Advances in Experimental Medicine and Biology, 2016, 898, 423-447. | 1.6 | 12 |
| 355 | Exploring the biophysical evidence that mammalian two-pore channels are NAADP-activated calcium-permeable channels. Journal of Physiology, 2016, 594, 4171-4179. | 2.9 | 37 |
| 356 | Regulation of lysosomal ion homeostasis by channels and transporters. Science China Life Sciences, 2016, 59, 777-791. | 4.9 | 84 |
| 357 | From contraction to gene expression: nanojunctions of the sarco/endoplasmic reticulum deliver site- and function-specific calcium signals. Science China Life Sciences, 2016, 59, 749-763. | 4.9 | 22 |
| 358 | On the move, lysosomal CAX drives Ca ²⁺ transport and motility. Journal of Cell Biology, 2016, 212, 755-757. | 5.2 | 10 |
| 359 | Ca ²⁺ dialogue between acidic vesicles and ER. Biochemical Society Transactions, 2016, 44, 546-553. | 3.4 | 29 |
| 360 | Immuno-targeting the multifunctional CD38 using nanobody. Scientific Reports, 2016, 6, 27055. | 3.3 | 61 |
| 361 | The hills and valleys of calcium signaling. Science China Life Sciences, 2016, 59, 743-748. | 4.9 | 7 |
| 362 | Transcriptomic analysis of the ion channelome of human platelets and megakaryocytic cell lines. Thrombosis and Haemostasis, 2016, 116, 272-284. | 3.4 | 28 |
| 363 | A New Perspective of Lysosomal Cation Channel-Dependent Homeostasis in Alzheimer's Disease. Molecular Neurobiology, 2016, 53, 1672-1678. | 4.0 | 11 |
| 364 | Intracellular Calcium. , 2016, , 381-439. | | 4 |
| 365 | The role of Ca ²⁺ signaling on the self-renewal and neural differentiation of embryonic stem cells (ESCs). Cell Calcium, 2016, 59, 67-74. | 2.4 | 34 |
| 366 | Ca ²⁺ microdomains, NAADP and type 1 ryanodine receptor in cell activation. Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 1379-1384. | 4.1 | 14 |
| 367 | SIDT2 is involved in the NAADP-mediated release of calcium from insulin secretory granules. Journal of Molecular Endocrinology, 2016, 56, 249-259. | 2.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 368 | Structure, inhibition and regulation of two-pore channel TPC1 from Arabidopsis thaliana. Nature, 2016, 531, 258-264. | 27.8 | 155 |
| 369 | Structure of the voltage-gated two-pore channel TPC1 from Arabidopsis thaliana. Nature, 2016, 531, 196-201. | 27.8 | 216 |
| 370 | Ebolavirus Glycoprotein Directs Fusion through NPC1 ⁺ Endolysosomes. Journal of Virology, 2016, 90, 605-610. | 3.4 | 67 |
| 371 | Using the plant vacuole as a biological system to investigate the functional properties of exogenous channels and transporters. Biochimica Et Biophysica Acta - Biomembranes, 2016, 1858, 607-612. | 2.6 | 33 |
| 372 | Tuning the ion selectivity of two-pore channels. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 1009-1014. | 7.1 | 106 |
| 373 | Two-Pore Channel Function Is Crucial for the Migration of Invasive Cancer Cells. Cancer Research, 2017, 77, 1427-1438. | 0.9 | 107 |
| 374 | Nanojunctions of the Sarcoplasmic Reticulum Deliver Site- and Function-Specific Calcium Signaling in Vascular Smooth Muscles. Advances in Pharmacology, 2017, 78, 1-47. | 2.0 | 6 |
| 375 | An Endosomal NAADP-Sensitive Two-Pore Ca ²⁺ Channel Regulates ER-Endosome Membrane Contact Sites to Control Growth Factor Signaling. Cell Reports, 2017, 18, 1636-1645. | 6.4 | 105 |
| 376 | BAPTA-AM decreases cellular pH, inhibits acidocalcisome acidification and autophagy in amino acid-starved T. brucei. Molecular and Biochemical Parasitology, 2017, 213, 26-29. | 1.1 | 4 |
| 377 | The human two-pore channel 1 is modulated by cytosolic and luminal calcium. Scientific Reports, 2017, 7, 43900. | 3.3 | 50 |
| 378 | Ca ²⁺ release via two-pore channel type 2 (TPC2) is required for slow muscle cell myofibrillogenesis and myotomal patterning in intact zebrafish embryos. Developmental Biology, 2017, 425, 109-129. | 2.0 | 22 |
| 379 | Tobacco Smoke Constituents Trigger Cytoplasmic Calcium Release. Applied in Vitro Toxicology, 2017, 3, 193-198. | 1.1 | 12 |
| 380 | A well-known potassium channel plays a critical role in lysosomes. Journal of Cell Biology, 2017, 216, 1513-1515. | 5.2 | 4 |
| 381 | Mitochondrial Calcium Handling in Physiology and Disease. Advances in Experimental Medicine and Biology, 2017, 982, 25-47. | 1.6 | 61 |
| 382 | Regulation of Sperm Behaviour. , 2017, , 126-142. | | 4 |
| 383 | The lysosomal Ca ²⁺ release channel TRPML1 regulates lysosome size by activating calmodulin. Journal of Biological Chemistry, 2017, 292, 8424-8435. | 3.4 | 84 |
| 384 | Annexin A6 in the liver: From the endocytic compartment to cellular physiology. Biochimica Et Biophysica Acta - Molecular Cell Research, 2017, 1864, 933-946. | 4.1 | 52 |
| 385 | Activity-Dependent Exocytosis of Lysosomes Regulates the Structural Plasticity of Dendritic Spines. Neuron, 2017, 93, 132-146. | 8.1 | 136 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 386 | Methods for monitoring Ca ²⁺ and ion channels in the lysosome. Cell Calcium, 2017, 64, 20-28. | 2.4 | 26 |
| 387 | NAADP-evoked Ca ²⁺ signals through two-pore channel-1 require arginine residues in the first S4-S5 linker. Cell Calcium, 2017, 68, 1-4. | 2.4 | 20 |
| 388 | Organelle Communication at Membrane Contact Sites (MCS): From Curiosity to Center Stage in Cell Biology and Biomedical Research. Advances in Experimental Medicine and Biology, 2017, 997, 1-12. | 1.6 | 34 |
| 389 | The Role of Mitochondria in the Activation/Maintenance of SOCE: Membrane Contact Sites as Signaling Hubs Sustaining Store-Operated Ca ²⁺ Entry. Advances in Experimental Medicine and Biology, 2017, 993, 277-296. | 1.6 | 9 |
| 390 | TPC2 polymorphisms associated with a hair pigmentation phenotype in humans result in gain of channel function by independent mechanisms. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E8595-E8602. | 7.1 | 55 |
| 391 | New Aspects of the Contribution of ER to SOCE Regulation: TRPC Proteins as a Link Between Plasma Membrane Ion Transport and Intracellular Ca ²⁺ Stores. Advances in Experimental Medicine and Biology, 2017, 993, 239-255. | 1.6 | 16 |
| 392 | The two-pore channel TPC1 is required for efficient protein processing through early and recycling endosomes. Scientific Reports, 2017, 7, 10038. | 3.3 | 40 |
| 393 | Small Molecules for Early Endosome-Specific Patch Clamping. Cell Chemical Biology, 2017, 24, 907-916.e4. | 5.2 | 34 |
| 394 | IP3 receptor signaling and endothelial barrier function. Cellular and Molecular Life Sciences, 2017, 74, 4189-4207. | 5.4 | 12 |
| 395 | Mitochondrial Ca ²⁺ transport in the endothelium: regulation by ions, redox signalling and mechanical forces. Journal of the Royal Society Interface, 2017, 14, 20170672. | 3.4 | 25 |
| 396 | Evolutionary History of Voltage-Gated Sodium Channels. Handbook of Experimental Pharmacology, 2017, 246, 3-32. | 1.8 | 10 |
| 397 | Role of lysosomal channel protein TPC2 in osteoclast differentiation and bone remodeling under normal and low-magnesium conditions. Journal of Biological Chemistry, 2017, 292, 20998-21010. | 3.4 | 17 |
| 398 | High resolution structural evidence suggests the Sarcoplasmic Reticulum forms microdomains with Acidic Stores (lysosomes) in the heart. Scientific Reports, 2017, 7, 40620. | 3.3 | 59 |
| 399 | Naringenin Impairs Two-Pore Channel 2 Activity And Inhibits VEGF-Induced Angiogenesis. Scientific Reports, 2017, 7, 5121. | 3.3 | 77 |
| 400 | Two-pore channels (TPCs): Novel voltage-gated ion channels with pleiotropic functions. Channels, 2017, 11, 20-33. | 2.8 | 13 |
| 401 | Beyond Intracellular Signaling: The Ins and Outs of Second Messengers Microdomains. Advances in Experimental Medicine and Biology, 2017, 981, 279-322. | 1.6 | 17 |
| 402 | Two-Pore Channels: Catalyzers of Endolysosomal Transport and Function. Frontiers in Pharmacology, 2017, 08, 45. | 3.5 | 67 |
| 403 | IP3 Receptor-Mediated Calcium Signaling and Its Role in Autophagy in Cancer. Frontiers in Oncology, 2017, 7, 140. | 2.8 | 123 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 404 | The phosphatidylinositol-3-phosphate 5-kinase inhibitor apilimod blocks filoviral entry and infection. PLoS Neglected Tropical Diseases, 2017, 11, e0005540. | 3.0 | 97 |
| 405 | Annexins: Ca ²⁺ Effectors Determining Membrane Trafficking in the Late Endocytic Compartment. Advances in Experimental Medicine and Biology, 2017, 981, 351-385. | 1.6 | 19 |
| 406 | A negative feedback regulation of MTORC1 activity by the lysosomal Ca ²⁺ channel MCOLN1 (mucolipin 1) using a CALM (calmodulin)-dependent mechanism. Autophagy, 2018, 14, 38-52. | 9.1 | 58 |
| 407 | Modulation of calcium and potassium permeation in plant TPC channels. Biophysical Chemistry, 2018, 236, 1-7. | 2.8 | 16 |
| 408 | mTORC1 controls lysosomal Ca ²⁺ release through the two-pore channel TPC2. Science Signaling, 2018, 11, . | 3.6 | 59 |
| 409 | Integration of nicotinic acid adenine dinucleotide phosphate (NAADP)-dependent calcium signalling. Journal of Physiology, 2018, 596, 2735-2743. | 2.9 | 28 |
| 410 | Phosphatidylinositol-3,5-bisphosphate lipid-binding-induced activation of the human two-pore channel 2. Cellular and Molecular Life Sciences, 2018, 75, 3803-3815. | 5.4 | 28 |
| 411 | TPC2-mediated Ca ²⁺ signaling is required for the establishment of synchronized activity in developing zebrafish primary motor neurons. Developmental Biology, 2018, 438, 57-68. | 2.0 | 10 |
| 412 | The hidden potential of lysosomal ion channels: A new era of oncogenes. Cell Calcium, 2018, 72, 91-103. | 2.4 | 40 |
| 413 | Structural insights into the voltage and phospholipid activation of the mammalian TPC1 channel. Nature, 2018, 556, 130-134. | 27.8 | 153 |
| 414 | Adrenaline Stimulates Glucagon Secretion by Tpc2-Dependent Ca ²⁺ Mobilization From Acidic Stores in Pancreatic β -Cells. Diabetes, 2018, 67, 1128-1139. | 0.6 | 61 |
| 415 | Calcium Signaling Deficits in Glia and Autophagic Pathways Contributing to Neurodegenerative Disease. Antioxidants and Redox Signaling, 2018, 29, 1158-1175. | 5.4 | 40 |
| 416 | On the structure and mechanism of two-pore channels. FEBS Journal, 2018, 285, 233-243. | 4.7 | 38 |
| 417 | Ion channels in the regulation of autophagy. Autophagy, 2018, 14, 3-21. | 9.1 | 77 |
| 418 | The regulation of autophagy by calcium signals: Do we have a consensus?. Cell Calcium, 2018, 70, 32-46. | 2.4 | 189 |
| 419 | Ca ²⁺ channels and Ca ²⁺ signals involved in abiotic stress responses in plant cells: recent advances. Plant Cell, Tissue and Organ Culture, 2018, 132, 413-424. | 2.3 | 29 |
| 420 | Recent advances in the molecular mechanism of mitochondrial calcium uptake. F1000Research, 2018, 7, 1858. | 1.6 | 46 |
| 421 | Hippocampal mGluR1-dependent long-term potentiation requires NAADP-mediated acidic store Ca ²⁺ signaling. Science Signaling, 2018, 11, . | 3.6 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 422 | ORAI1, STIM1/2, and RYR1 shape subsecond Ca ²⁺ microdomains upon T cell activation. <i>Science Signaling</i> , 2018, 11, . | 3.6 | 59 |
| 423 | Lysosomal exocytosis of ATP is coupled to P2Y2 receptor in marginal cells in the stria vascular in neonatal rats. <i>Cell Calcium</i> , 2018, 76, 62-71. | 2.4 | 12 |
| 424 | Maturation and fertilization of echinoderm eggs: Role of actin cytoskeleton dynamics. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 361-371. | 2.1 | 26 |
| 425 | Organellar TRP channels. <i>Nature Structural and Molecular Biology</i> , 2018, 25, 1009-1018. | 8.2 | 41 |
| 426 | <i>Tpcn2</i> knockout mice have improved insulin sensitivity and are protected against high-fat diet-induced weight gain. <i>Physiological Genomics</i> , 2018, 50, 605-614. | 2.3 | 3 |
| 427 | Regulation of bile secretion by calcium signaling in health and disease. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1761-1770. | 4.1 | 22 |
| 428 | Physiology of Astroglia. <i>Physiological Reviews</i> , 2018, 98, 239-389. | 28.8 | 1,044 |
| 429 | Two-pore channels open up. <i>Nature</i> , 2018, 556, 38-40. | 27.8 | 9 |
| 430 | Roles of Nicotinamide Adenine Dinucleotide (NAD ⁺) in Biological Systems. <i>Challenges</i> , 2018, 9, 3. | 1.7 | 9 |
| 431 | PLC and IP3-evoked Ca ²⁺ release initiate the fast block to polyspermy in <i>Xenopus laevis</i> eggs. <i>Journal of General Physiology</i> , 2018, 150, 1239-1248. | 1.9 | 17 |
| 432 | TPC2 mediates autophagy progression and extracellular vesicle secretion in cancer cells. <i>Experimental Cell Research</i> , 2018, 370, 478-489. | 2.6 | 34 |
| 433 | Two-pore channels and disease. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1678-1686. | 4.1 | 52 |
| 434 | Beneficial effects of naringenin in liver diseases: Molecular mechanisms. <i>World Journal of Gastroenterology</i> , 2018, 24, 1679-1707. | 3.3 | 233 |
| 435 | NAADP-dependent Ca ²⁺ signaling regulates Middle East respiratory syndrome-coronavirus pseudovirus translocation through the endolysosomal system. <i>Cell Calcium</i> , 2018, 75, 30-41. | 2.4 | 93 |
| 436 | A screening campaign in sea urchin egg homogenate as a platform for discovering modulators of NAADP-dependent Ca ²⁺ signaling in human cells. <i>Cell Calcium</i> , 2018, 75, 42-52. | 2.4 | 25 |
| 437 | Role of the endolysosomal system in Parkinson's disease. <i>Journal of Neurochemistry</i> , 2019, 150, 487-506. | 3.9 | 98 |
| 438 | Calcium Dyshomeostasis and Lysosomal Ca ²⁺ Dysfunction in Amyotrophic Lateral Sclerosis. <i>Cells</i> , 2019, 8, 1216. | 4.1 | 28 |
| 439 | Neurodegeneration: The Central Role for ER Contacts in Neuronal Function and Axonopathy, Lessons From Hereditary Spastic Paraplegias and Related Diseases. <i>Frontiers in Neuroscience</i> , 2019, 13, 1051. | 2.8 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 440 | The synthesis and characterization of a clickable-photoactive NAADP analog active in human cells. <i>Cell Calcium</i> , 2019, 83, 102060. | 2.4 | 7 |
| 441 | Resolving the topological enigma in Ca ²⁺ signaling by cyclic ADP-ribose and NAADP. <i>Journal of Biological Chemistry</i> , 2019, 294, 19831-19843. | 3.4 | 61 |
| 442 | TRPML1 Promotes Protein Homeostasis in Melanoma Cells by Negatively Regulating MAPK and mTORC1 Signaling. <i>Cell Reports</i> , 2019, 28, 2293-2305.e9. | 6.4 | 34 |
| 443 | Involvement of organelles and inter-organellar signaling in the pathogenesis of HIV-1 associated neurocognitive disorder and Alzheimer's disease. <i>Brain Research</i> , 2019, 1722, 146389. | 2.2 | 16 |
| 444 | The Role of Two-Pore Channels in Norepinephrine-Induced [Ca ²⁺] _i Rise in Rat Aortic Smooth Muscle Cells and Aorta Contraction. <i>Cells</i> , 2019, 8, 1144. | 4.1 | 9 |
| 445 | Ca ²⁺ Signaling in Cardiac Fibroblasts and Fibrosis-Associated Heart Diseases. <i>Journal of Cardiovascular Development and Disease</i> , 2019, 6, 34. | 1.6 | 44 |
| 446 | Endolysosomal Ca ²⁺ Signalling and Cancer Hallmarks: Two-Pore Channels on the Move, TRPML1 Lags Behind!. <i>Cancers</i> , 2019, 11, 27. | 3.7 | 45 |
| 447 | Adenine nucleotides as paracrine mediators and intracellular second messengers in immunity and inflammation. <i>Biochemical Society Transactions</i> , 2019, 47, 329-337. | 3.4 | 17 |
| 448 | Phosphoinositides modulate the voltage dependence of two-pore channel 3. <i>Journal of General Physiology</i> , 2019, 151, 986-1006. | 1.9 | 17 |
| 449 | A Cell-Permeant Mimetic of NMN Activates SARM1 to Produce Cyclic ADP-Ribose and Induce Non-apoptotic Cell Death. <i>IScience</i> , 2019, 15, 452-466. | 4.1 | 135 |
| 450 | NAADP Receptors. <i>Cold Spring Harbor Perspectives in Biology</i> , 2019, 11, a035071. | 5.5 | 43 |
| 451 | Calmodulin Is the Fundamental Regulator of NADK-Mediated NAD Signaling in Plants. <i>Frontiers in Plant Science</i> , 2019, 10, 681. | 3.6 | 19 |
| 452 | Revisiting the role of calcium in phagosome formation and maturation. <i>Journal of Leukocyte Biology</i> , 2019, 106, 837-851. | 3.3 | 23 |
| 453 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) Induces Intracellular Ca ²⁺ Release through the Two-Pore Channel TPC1 in Metastatic Colorectal Cancer Cells. <i>Cancers</i> , 2019, 11, 542. | 3.7 | 41 |
| 454 | Role of Calcium Signaling in GA101-Induced Cell Death in Malignant Human B Cells. <i>Cancers</i> , 2019, 11, 291. | 3.7 | 13 |
| 455 | Role of NAADP for calcium signaling in the salivary gland. <i>Cell Calcium</i> , 2019, 80, 29-37. | 2.4 | 4 |
| 456 | Probing Ca ²⁺ release mechanisms using sea urchin egg homogenates. <i>Methods in Cell Biology</i> , 2019, 151, 445-458. | 1.1 | 3 |
| 457 | The chemistry of the vitamin B3 metabolome. <i>Biochemical Society Transactions</i> , 2019, 47, 131-147. | 3.4 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 458 | The protein interaction networks of mucolipins and two-pore channels. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 1111-1123. | 4.1 | 28 |
| 459 | Mining of Ebola virus entry inhibitors identifies approved drugs as two-pore channel pore blockers. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 1151-1161. | 4.1 | 62 |
| 460 | Characterization of ADP-ribosyl cyclase 1-like (ARC1-like) activity and NAADP signaling during slow muscle cell development in zebrafish embryos. <i>Developmental Biology</i> , 2019, 445, 211-225. | 2.0 | 10 |
| 461 | Lysosomal Ion Channels as Decoders of Cellular Signals. <i>Trends in Biochemical Sciences</i> , 2019, 44, 110-124. | 7.5 | 105 |
| 462 | Calcium signalling in T cells. <i>Nature Reviews Immunology</i> , 2019, 19, 154-169. | 22.7 | 306 |
| 463 | Friend and foe: I^2 -cell Ca^{2+} signaling and the development of diabetes. <i>Molecular Metabolism</i> , 2019, 21, 1-12. | 6.5 | 57 |
| 464 | A pH-correctable, DNA-based fluorescent reporter for organellar calcium. <i>Nature Methods</i> , 2019, 16, 95-102. | 19.0 | 115 |
| 465 | 5-Azido-8-ethynyl-NAADP: A bifunctional, clickable photoaffinity probe for the identification of NAADP receptors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 1180-1188. | 4.1 | 15 |
| 466 | Release and uptake mechanisms of vesicular Ca^{2+} stores. <i>Protein and Cell</i> , 2019, 10, 8-19. | 11.0 | 76 |
| 467 | The intersection of lysosomal and endoplasmic reticulum calcium with autophagy defects in lysosomal diseases. <i>Neuroscience Letters</i> , 2019, 697, 10-16. | 2.1 | 17 |
| 468 | Role of Two-Pore Channels in Embryonic Development and Cellular Differentiation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2020, 12, a035170. | 5.5 | 13 |
| 469 | Calcium Signaling in Cardiomyocyte Function. <i>Cold Spring Harbor Perspectives in Biology</i> , 2020, 12, a035428. | 5.5 | 58 |
| 470 | Faraway, so close! Functions of Endoplasmic reticulumâ€“Endosome contacts. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158490. | 2.4 | 17 |
| 471 | Mitochondrial dysfunction plays a key role in the development of neurodegenerative diseases in diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 318, E750-E764. | 3.5 | 36 |
| 472 | Host Calcium Channels and Pumps in Viral Infections. <i>Cells</i> , 2020, 9, 94. | 4.1 | 104 |
| 473 | Lysosomal size matters. <i>Traffic</i> , 2020, 21, 60-75. | 2.7 | 130 |
| 474 | Calcium Ions Directly Interact with the Ebola Virus Fusion Peptide To Promote Structureâ€“Function Changes That Enhance Infection. <i>ACS Infectious Diseases</i> , 2020, 6, 250-260. | 3.8 | 72 |
| 475 | Inhibition of two-pore channels in antigen-presenting cells promotes the expansion of TNFR2-expressing CD4 ⁺ Foxp3 ⁺ regulatory T cells. <i>Science Advances</i> , 2020, 6, . | 10.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 476 | On a Magical Mystery Tour with 8-Bromo-Cyclic ADP-Ribose: From All-or-None Block to Nanofunctions and the Cell-Wide Web. <i>Molecules</i> , 2020, 25, 4768. | 3.8 | 0 |
| 477 | Spatial localization of SOCE channels and its modulators regulate neuronal physiology and contributes to pathology. <i>Current Opinion in Physiology</i> , 2020, 17, 50-62. | 1.8 | 4 |
| 478 | Two-pore channels as master regulators of membrane trafficking and endocytic well-being. <i>Current Opinion in Physiology</i> , 2020, 17, 163-168. | 1.8 | 19 |
| 479 | TPC1 deficiency or blockade augments systemic anaphylaxis and mast cell activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 18068-18078. | 7.1 | 21 |
| 480 | Targeting Two-Pore Channels: Current Progress and Future Challenges. <i>Trends in Pharmacological Sciences</i> , 2020, 41, 582-594. | 8.7 | 35 |
| 481 | Endocytic uptake of SARS-CoV-2: the critical roles of pH, Ca ²⁺ , and NAADP. <i>Function</i> , 2020, 1, . | 2.3 | 30 |
| 482 | The Effects of Chloroquine and Hydroxychloroquine on ACE2-Related Coronavirus Pathology and the Cardiovascular System: An Evidence-Based Review. <i>Function</i> , 2020, 1, . | 2.3 | 12 |
| 483 | Endo-Lysosomal Cation Channels and Infectious Diseases. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2020, , 259-276. | 1.6 | 19 |
| 484 | Roles of NAD ⁺ and Its Metabolites Regulated Calcium Channels in Cancer. <i>Molecules</i> , 2020, 25, 4826. | 3.8 | 10 |
| 485 | Î±-Synuclein Overexpression Induces Lysosomal Dysfunction and Autophagy Impairment in Human Neuroblastoma SH-SY5Y. <i>Neurochemical Research</i> , 2020, 45, 2749-2761. | 3.3 | 21 |
| 486 | Loss of Two-Pore Channel 2 (TPC2) Expression Increases the Metastatic Traits of Melanoma Cells by a Mechanism Involving the Hippo Signalling Pathway and Store-Operated Calcium Entry. <i>Cancers</i> , 2020, 12, 2391. | 3.7 | 22 |
| 487 | Ca ²⁺ Dyshomeostasis Disrupts Neuronal and Synaptic Function in Alzheimer's Disease. <i>Cells</i> , 2020, 9, 2655. | 4.1 | 33 |
| 488 | The Ion Channel and GPCR Toolkit of Brain Capillary Pericytes. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 601324. | 3.7 | 33 |
| 489 | CD38 Causes Autophagic Flux Inhibition and Cardiac Dysfunction Through a Transcriptional Inhibition Pathway Under Hypoxia/Ischemia Conditions. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 191. | 3.7 | 21 |
| 490 | Lysosomal Biology and Function: Modern View of Cellular Debris Bin. <i>Cells</i> , 2020, 9, 1131. | 4.1 | 144 |
| 491 | Discovery of lipophilic two-pore channel agonists. <i>FEBS Journal</i> , 2020, 287, 5284-5293. | 4.7 | 13 |
| 492 | Evolutionary Aspects of TRPMLs and TPCs. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4181. | 4.1 | 22 |
| 493 | TPC2-mediated Ca ²⁺ signaling is required for axon extension in caudal primary motor neurons in zebrafish embryos. <i>Journal of Cell Science</i> , 2020, 133, . | 2.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 494 | Nanoparticle-Mediated Therapeutic Application for Modulation of Lysosomal Ion Channels and Functions. <i>Pharmaceutics</i> , 2020, 12, 217. | 4.5 | 12 |
| 495 | IP3 receptors and their intimate liaisons. <i>Current Opinion in Physiology</i> , 2020, 17, 9-16. | 1.8 | 3 |
| 496 | Two-pore channels regulate Tat endolysosome escape and Tat-mediated HIV-1 LTR transactivation. <i>FASEB Journal</i> , 2020, 34, 4147-4162. | 0.5 | 33 |
| 497 | Membrane transport proteins in melanosomes: Regulation of ions for pigmentation. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020, 1862, 183318. | 2.6 | 46 |
| 498 | Resting state structure of the hyperdepolarization activated two-pore channel 3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 1988-1993. | 7.1 | 14 |
| 499 | Two-pore and TRPML cation channels: Regulators of phagocytosis, autophagy and lysosomal exocytosis. , 2021, 220, 107713. | | 21 |
| 500 | The role of lysosomal ion channels in lysosome dysfunction. <i>Inhalation Toxicology</i> , 2021, 33, 41-54. | 1.6 | 13 |
| 501 | Endolysosomal Ca ²⁺ signaling in cardiovascular health and disease. <i>International Review of Cell and Molecular Biology</i> , 2021, 363, 203-269. | 3.2 | 18 |
| 502 | Lysosomal calcium and autophagy. <i>International Review of Cell and Molecular Biology</i> , 2021, 362, 141-170. | 3.2 | 26 |
| 503 | Endomembrane Tension and Trafficking. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 611326. | 3.7 | 30 |
| 504 | Lysosome function in glomerular health and disease. <i>Cell and Tissue Research</i> , 2021, 385, 371-392. | 2.9 | 21 |
| 505 | Two-pore channels affect EGF receptor signaling by receptor trafficking and expression. <i>IScience</i> , 2021, 24, 102099. | 4.1 | 8 |
| 507 | HN1L/JPT2: A signaling protein that connects NAADP generation to Ca ²⁺ microdomain formation. <i>Science Signaling</i> , 2021, 14, . | 3.6 | 60 |
| 508 | The lysosomotrope GPN mobilises Ca ²⁺ from acidic organelles. <i>Journal of Cell Science</i> , 2021, 134, . | 2.0 | 14 |
| 509 | Transport, functions, and interaction of calcium and manganese in plant organellar compartments. <i>Plant Physiology</i> , 2021, 187, 1940-1972. | 4.8 | 47 |
| 510 | Essential requirement for JPT2 in NAADP-evoked Ca ²⁺ signaling. <i>Science Signaling</i> , 2021, 14, . | 3.6 | 69 |
| 511 | Chemical and biochemical control of skin pigmentation with special emphasis on mixed melanogenesis. <i>Pigment Cell and Melanoma Research</i> , 2021, 34, 730-747. | 3.3 | 38 |
| 512 | Lysosomal ion channels involved in cellular entry and uncoating of enveloped viruses: Implications for therapeutic strategies against SARS-CoV-2. <i>Cell Calcium</i> , 2021, 94, 102360. | 2.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 513 | Epac activation induces an extracellular Ca ²⁺ -independent Ca ²⁺ wave that triggers acrosome reaction in human spermatozoa. <i>Andrology</i> , 2021, 9, 1227-1241. | 3.5 | 6 |
| 514 | Pharmacological Modulators of Autophagy as a Potential Strategy for the Treatment of COVID-19. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4067. | 4.1 | 27 |
| 515 | HIV-1 gp120-Induced Endolysosome de-Acidification Leads to Efflux of Endolysosome Iron, and Increases in Mitochondrial Iron and Reactive Oxygen Species. <i>Journal of NeuroImmune Pharmacology</i> , 2022, 17, 181-194. | 4.1 | 21 |
| 516 | Deciphering the Role of Endolysosomal Ca ²⁺ Channels in Immunity. <i>Frontiers in Immunology</i> , 2021, 12, 656965. | 4.8 | 3 |
| 517 | Glucose and NAADP trigger elementary intracellular Ca^{2+} -cell Ca ²⁺ signals. <i>Scientific Reports</i> , 2021, 11, 10714. | 3.3 | 9 |
| 518 | Melanosome Biogenesis in the Pigmentation of Mammalian Skin. <i>Integrative and Comparative Biology</i> , 2021, 61, 1517-1545. | 2.0 | 44 |
| 519 | TPC2 promotes choroidal angiogenesis and inflammation in a mouse model of neovascular age-related macular degeneration. <i>Life Science Alliance</i> , 2021, 4, e202101047. | 2.8 | 9 |
| 520 | Calcium, an Emerging Intracellular Messenger for the Hippo Pathway Regulation. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 694828. | 3.7 | 9 |
| 521 | Acidic pH irreversibly activates the signaling enzyme SARM1. <i>FEBS Journal</i> , 2021, 288, 6783-6794. | 4.7 | 11 |
| 522 | Dysregulation of host cell calcium signaling during viral infections: Emerging paradigm with high clinical relevance. <i>Molecular Aspects of Medicine</i> , 2021, 81, 101004. | 6.4 | 30 |
| 523 | Two-Pore Channels Regulate Expression of Various Receptors and Their Pathway-Related Proteins in Multiple Ways. <i>Cells</i> , 2021, 10, 1807. | 4.1 | 2 |
| 524 | NAADP-induced intracellular calcium ion is mediated by the TPCs (two-pore channels) in hypoxia-induced pulmonary arterial hypertension. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 7485-7499. | 3.6 | 7 |
| 525 | Lysosomal TPCN (two pore segment channel) inhibition ameliorates beta-amyloid pathology and mitigates memory impairment in Alzheimer disease. <i>Autophagy</i> , 2022, 18, 624-642. | 9.1 | 20 |
| 526 | JPT2: The missing link between intracellular Ca ²⁺ release channels and NAADP?. <i>Cell Calcium</i> , 2021, 97, 102405. | 2.4 | 6 |
| 527 | LRRK2 is required for CD38-mediated NAADP-Ca ²⁺ signaling and the downstream activation of TFEB (transcription factor EB) in immune cells. <i>Autophagy</i> , 2022, 18, 204-222. | 9.1 | 19 |
| 528 | Lsm12 is an NAADP receptor and a two-pore channel regulatory protein required for calcium mobilization from acidic organelles. <i>Nature Communications</i> , 2021, 12, 4739. | 12.8 | 52 |
| 529 | Adenylate Cyclase 1 Links Calcium Signaling to CFTR-Dependent Cytosolic Chloride Elevations in Chick Amacrine Cells. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 726605. | 3.7 | 1 |
| 530 | The CACNA1A Mutant Disrupts Lysosome Calcium Homeostasis in Cerebellar Neurons and the Resulting Endo-Lysosomal Fusion Defect Can be Improved by Calcium Modulation. <i>Neurochemical Research</i> , 2021, 1. | 3.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 531 | NAADP: From Discovery to Mechanism. <i>Frontiers in Immunology</i> , 2021, 12, 703326. | 4.8 | 10 |
| 532 | Inhibitors of L-Type Calcium Channels Show Therapeutic Potential for Treating SARS-CoV-2 Infections by Preventing Virus Entry and Spread. <i>ACS Infectious Diseases</i> , 2021, 7, 2807-2815. | 3.8 | 32 |
| 533 | Plasma Membrane and Organellar Targets of STIM1 for Intracellular Calcium Handling in Health and Neurodegenerative Diseases. <i>Cells</i> , 2021, 10, 2518. | 4.1 | 6 |
| 534 | CD38 in the age of COVID-19: a medical perspective. <i>Physiological Reviews</i> , 2021, 101, 1457-1486. | 28.8 | 32 |
| 535 | The roles of calcium and ATP in the physiology and pathology of the exocrine pancreas. <i>Physiological Reviews</i> , 2021, 101, 1691-1744. | 28.8 | 69 |
| 536 | Unraveling the Interconnection Patterns Across Lung Microbiome, Respiratory Diseases, and COVID-19. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 619075. | 3.9 | 16 |
| 537 | Pharmacological hypothesis: TPC2 antagonist tetrandrine as a potential therapeutic agent for COVID-19. <i>Pharmacology Research and Perspectives</i> , 2020, 8, e00653. | 2.4 | 28 |
| 538 | Pyridine Nucleotide Metabolites and Calcium Release from Intracellular Stores. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1131, 371-394. | 1.6 | 15 |
| 539 | Readily Releasable Stores of Calcium in Neuronal Endolysosomes: Physiological and Pathophysiological Relevance. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1131, 681-697. | 1.6 | 9 |
| 541 | Tissue Specificity: The Role of Organellar Membrane Nanojunctions in Smooth Muscle Ca ²⁺ Signaling. <i>Advances in Experimental Medicine and Biology</i> , 2017, 993, 321-342. | 1.6 | 3 |
| 542 | Salicylic Acid-Induced Local and Long-Distance Signaling Models in Plants. <i>Signaling and Communication in Plants</i> , 2013, , 23-52. | 0.7 | 5 |
| 543 | TRPM2. <i>Handbook of Experimental Pharmacology</i> , 2014, 222, 403-426. | 1.8 | 62 |
| 544 | The name tells the story: Two-pore channels. <i>Cell Calcium</i> , 2020, 89, 102215. | 2.4 | 3 |
| 546 | Human hair melanins: what we have learned and have not learned from mouse coat color pigmentation. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, no-no. | 3.3 | 1 |
| 547 | Involvement of two-pore channels in hydrogen peroxide-induced increase in the level of calcium ions in the cytoplasm of human umbilical vein endothelial cells. <i>Doklady Biochemistry and Biophysics</i> , 2017, 474, 209-212. | 0.9 | 9 |
| 548 | Pancreatic \hat{I}^2 -Cell Electrical Activity and Insulin Secretion: Of Mice and Men. <i>Physiological Reviews</i> , 2018, 98, 117-214. | 28.8 | 497 |
| 549 | GLP-1 stimulates insulin secretion by PKC-dependent TRPM4 and TRPM5 activation. <i>Journal of Clinical Investigation</i> , 2015, 125, 4714-4728. | 8.2 | 145 |
| 550 | The journey of Ca ²⁺ through the cell – pulsing through the network of ER membrane contact sites. <i>Journal of Cell Science</i> , 2020, 133, . | 2.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 551 | Cytoplasmic nanojunctions between lysosomes and sarcoplasmic reticulum are required for specific calcium signaling. F1000Research, 2014, 3, 93. | 1.6 | 44 |
| 552 | Increased Expression of Fatty-Acid and Calcium Metabolism Genes in Failing Human Heart. PLoS ONE, 2012, 7, e37505. | 2.5 | 46 |
| 553 | Rapid Recycling of Ca ²⁺ between IP3-Sensitive Stores and Lysosomes. PLoS ONE, 2014, 9, e111275. | 2.5 | 32 |
| 554 | Genetic Variants of TPCN2 Associated with Type 2 Diabetes Risk in the Chinese Population. PLoS ONE, 2016, 11, e0149614. | 2.5 | 16 |
| 555 | NAADP-sensitive D ₂ stores in permeabilized rat hepatocytes. Ukrainian Biochemical Journal, 2014, 86, 65-73. | 0.5 | 3 |
| 556 | Integrated omics-analysis reveals Wnt-mediated NAD ⁺ metabolic reprogramming in cancer stem-like cells. Oncotarget, 2016, 7, 48562-48576. | 1.8 | 8 |
| 557 | Glutamate induces autophagy via the two-pore channels in neural cells. Oncotarget, 2017, 8, 12730-12740. | 1.8 | 45 |
| 559 | M-3M3FBS-Induced Ca ⁽²⁺⁾ Movement and Apoptosis in HA59T Human Hepatoma Cells. Chinese Journal of Physiology, 2013, 56, 26-35. | 1.0 | 10 |
| 560 | Rise of [Ca ⁽²⁺⁾] _i and Apoptosis Induced by M-3M3FBS in SCM1 Human Gastric Cancer Cells. Chinese Journal of Physiology, 2014, 57, 31-40. | 1.0 | 7 |
| 561 | The endoplasmic reticulum, not the pH gradient, drives calcium refilling of lysosomes. ELife, 2016, 5, . | 6.0 | 160 |
| 562 | Structural mechanisms of phospholipid activation of the human TPC2 channel. ELife, 2019, 8, . | 6.0 | 103 |
| 563 | Agonist-specific voltage-dependent gating of lysosomal two-pore Na ⁺ channels. ELife, 2019, 8, . | 6.0 | 32 |
| 564 | Agonist-mediated switching of ion selectivity in TPC2 differentially promotes lysosomal function. ELife, 2020, 9, . | 6.0 | 108 |
| 565 | TPC1 and TPC2 Promote Osteoclastogenesis. Journal of Hard Tissue Biology, 2021, 30, 333-338. | 0.4 | 0 |
| 566 | Intestinal goblet cells sample and deliver luminal antigens by regulated endocytic uptake and transcytosis. ELife, 2021, 10, . | 6.0 | 34 |
| 567 | Eosinophil extracellular traps drive asthma progression through neuro-immune signals. Nature Cell Biology, 2021, 23, 1060-1072. | 10.3 | 42 |
| 568 | A plastid two-pore channel essential for inter-organelle communication and growth of Toxoplasma gondii. Nature Communications, 2021, 12, 5802. | 12.8 | 19 |
| 571 | TRPML Channels and Mucopolidosis Type IV. , 2014, , 365-379. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 574 | Calcium Signaling in the Islets. , 2015, , 605-632. | | 1 |
| 575 | Signaling Pathways in Entamoeba histolytica. , 2015, , 207-230. | | 0 |
| 581 | Trans-Ned 19-Mediated Antagonism of Nicotinic Acid Adenine Nucleotideâ€”Mediated Calcium Signaling Regulates Th17 Cell Plasticity in Mice. Cells, 2021, 10, 3039. | 4.1 | 2 |
| 583 | Self-sufficient copper peroxide loaded pKa-tunable nanoparticles for lysosome-mediated chemodynamic therapy. Nano Today, 2022, 42, 101337. | 11.9 | 41 |
| 584 | Phosphoinositide regulates dynamic movement of the S4 voltage sensor in the 2nd repeat in Two-pore channel 3. Journal of Biological Chemistry, 2021, 297, 101425. | 3.4 | 4 |
| 585 | NAADP-binding proteins find their identity. Trends in Biochemical Sciences, 2022, 47, 235-249. | 7.5 | 15 |
| 586 | The calcium signaling enzyme CD38 - a paradigm for membrane topology defining distinct protein functions. Cell Calcium, 2022, 101, 102514. | 2.4 | 19 |
| 587 | Acidic Ca ²⁺ stores and immune-cell function. Cell Calcium, 2022, 101, 102516. | 2.4 | 12 |
| 588 | The ins and outs of virus trafficking through acidic Ca ²⁺ stores. Cell Calcium, 2022, 102, 102528. | 2.4 | 8 |
| 589 | Lysosomal potassium channels. Cell Calcium, 2022, 102, 102536. | 2.4 | 9 |
| 590 | Plant and animal two-pore channels. , 2022, , 247-267. | | 0 |
| 591 | Structural biology of cation channels important for lysosomal calcium release. Cell Calcium, 2022, 101, 102519. | 2.4 | 5 |
| 593 | The Putative Drosophila TMEM184B Ortholog Tmep Ensures Proper Locomotion by Restraining Ectopic Firing at the Neuromuscular Junction. Molecular Neurobiology, 2022, 59, 2605-2619. | 4.0 | 1 |
| 594 | Activation of endo-lysosomal two-pore channels by NAADP and PI(3,5)P ₂ . Five things to know.. Cell Calcium, 2022, 103, 102543. | 2.4 | 10 |
| 595 | The CD38 glycohydrolase and the NAD sink: implications for pathological conditions. American Journal of Physiology - Cell Physiology, 2022, 322, C521-C545. | 4.6 | 24 |
| 596 | TRPMLs and TPCs: Targets for lysosomal storage and neurodegenerative disease therapy?. Cell Calcium, 2022, 103, 102553. | 2.4 | 14 |
| 597 | Ion Channels and Pumps in Autophagy: A Reciprocal Relationship. Cells, 2021, 10, 3537. | 4.1 | 10 |
| 598 | Targeting the two-pore channel 2 in cancer progression and metastasis. Exploration of Targeted Anti-tumor Therapy, 0, , 62-89. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 600 | Current methods to analyze lysosome morphology, positioning, motility and function. <i>Traffic</i> , 2022, 23, 238-269. | 2.7 | 37 |
| 601 | Regulation of Aging and Longevity by Ion Channels and Transporters. <i>Cells</i> , 2022, 11, 1180. | 4.1 | 4 |
| 602 | NAADP Signaling: New Kids on the Block. <i>Cells</i> , 2022, 11, 1054. | 4.1 | 4 |
| 603 | Current Methods to Unravel the Functional Properties of Lysosomal Ion Channels and Transporters. <i>Cells</i> , 2022, 11, 921. | 4.1 | 7 |
| 604 | Roles of cADPR and NAADP in pancreatic beta cell signaling. <i>Cell Calcium</i> , 2022, 103, 102562. | 2.4 | 6 |
| 605 | NKG7 Is a T-cellâ€™Intrinsic Therapeutic Target for Improving Antitumor Cytotoxicity and Cancer Immunotherapy. <i>Cancer Immunology Research</i> , 2022, 10, 162-181. | 3.4 | 26 |
| 606 | Emerging Roles of Calcium Signaling in the Development of Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 256. | 4.1 | 18 |
| 607 | Targeting calcium-mediated inter-organellar crosstalk in cardiac diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2022, 26, 303-317. | 3.4 | 6 |
| 608 | Ca ²⁺ Dyshomeostasis Links Risk Factors to Neurodegeneration in Parkinsonâ€™s Disease. <i>Frontiers in Cellular Neuroscience</i> , 2022, 16, 867385. | 3.7 | 7 |
| 609 | Neurophysiological functions and pharmacological tools of acidic and non-acidic Ca ²⁺ stores. <i>Cell Calcium</i> , 2022, 104, 102582. | 2.4 | 8 |
| 621 | Niemann-Pick type C disease (NPC). , 2022, , 525-551. | | 2 |
| 622 | Genetic Associations and Differential mRNA Expression Levels of Host Genes Suggest a Viral Trigger for Endemic Pempigus Foliaceus. <i>Viruses</i> , 2022, 14, 879. | 3.3 | 4 |
| 623 | Two-Pore Channels Regulate Inter-Organellar Ca ²⁺ Homeostasis in Immune Cells. <i>Cells</i> , 2022, 11, 1465. | 4.1 | 3 |
| 624 | Diversity of two-pore channels and the accessory NAADP receptors in intracellular Ca ²⁺ signaling. <i>Cell Calcium</i> , 2022, 104, 102594. | 2.4 | 6 |
| 625 | The Three Two-Pore Channel Subtypes from Rabbit Exhibit Distinct Sensitivity to Phosphoinositides, Voltage, and Extracytosolic pH. <i>Cells</i> , 2022, 11, 2006. | 4.1 | 4 |
| 628 | Unexpected Motherhood-Triggered Hearing Loss in the Two-Pore Channel (TPC) Mutant Mouse. <i>Biomedicines</i> , 2022, 10, 1708. | 3.2 | 2 |
| 629 | The chemical biology of NAD ⁺ regulation in axon degeneration. <i>Current Opinion in Chemical Biology</i> , 2022, 69, 102176. | 6.1 | 12 |
| 630 | Identification of ASPDH as a novel NAADP-binding protein. <i>Biochemical and Biophysical Research Communications</i> , 2022, 621, 168-175. | 2.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 631 | NAADP-Mediated Ca ²⁺ Signalling. Handbook of Experimental Pharmacology, 2022, , . | 1.8 | 7 |
| 632 | Lysosomal Potassium Channels. Handbook of Experimental Pharmacology, 2022, , . | 1.8 | 1 |
| 633 | Two-pore channel blockade by phosphoinositide kinase inhibitors YM201636 and PI-103 determined by a histidine residue near pore-entrance. Communications Biology, 2022, 5, . | 4.4 | 5 |
| 634 | Segregated cation flux by TPC2 biases Ca ²⁺ signaling through lysosomes. Nature Communications, 2022, 13, . | 12.8 | 14 |
| 635 | Electrophysiology of Endolysosomal Two-Pore Channels: A Current Account. Cells, 2022, 11, 2368. | 4.1 | 6 |
| 636 | <scp>TPC2</scp> rescues lysosomal storage in mucopolipidosis type <scp>IV</scp> , <scp>Niemannâ€“Pick</scp> type <scp>C1</scp> and Batten disease. EMBO Molecular Medicine, 2022, 14, . | 6.9 | 18 |
| 637 | Determinants, maintenance, and function of organellar pH. Physiological Reviews, 2023, 103, 515-606. | 28.8 | 21 |
| 638 | Endo-Lysosomal Two-Pore Channels and Their Protein Partners. Handbook of Experimental Pharmacology, 2022, , . | 1.8 | 0 |
| 639 | NAADP-Dependent TPC Current. Handbook of Experimental Pharmacology, 2022, , . | 1.8 | 1 |
| 640 | Structure and Function of Plant and Mammalian TPC Channels. Handbook of Experimental Pharmacology, 2022, , 155-180. | 1.8 | 1 |
| 641 | Expanding the Toolbox: Novel Modulators of Endolysosomal Cation Channels. Handbook of Experimental Pharmacology, 2022, , 249-276. | 1.8 | 3 |
| 642 | Proteomic mapping and optogenetic manipulation of membrane contact sites. Biochemical Journal, 2022, 479, 1857-1875. | 3.7 | 0 |
| 643 | The functions of <scp>SID1</scp> transmembrane family, member 2 (<i>Sidt2</i>). FEBS Journal, 2023, 290, 4626-4637. | 4.7 | 2 |
| 644 | Mu opioid receptor-mediated release of endolysosome iron increases levels of mitochondrial iron, reactive oxygen species, and cell death. , 2022, . | | 4 |
| 645 | Lysosomal Ion Channels: What Are They Good For and Are They Druggable Targets?. Annual Review of Pharmacology and Toxicology, 2023, 63, 19-41. | 9.4 | 12 |
| 646 | Tuning TPC2. Cell Calcium, 2022, 108, 102653. | 2.4 | 0 |
| 647 | Lysosomal solute and water transport. Journal of Cell Biology, 2022, 221, . | 5.2 | 9 |
| 648 | Assessing the potential of repurposing ion channel inhibitors to treat emerging viral diseases and the role of this host factor in virus replication. Biomedicine and Pharmacotherapy, 2022, 156, 113850. | 5.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 650 | PI(3,5)P2 and NAADP: Team players or lone warriors? â€“ New insights into TPC activation modes. Cell Calcium, 2023, 109, 102675. | 2.4 | 3 |
| 651 | The potential impact of melanosomal pH and metabolism on melanoma. Frontiers in Oncology, 0, 12, . | 2.8 | 1 |
| 652 | NAADP-Evoked Ca ²⁺ Signaling: The DUOX2â€“HN1L/JPT2â€“Ryanodine Receptor 1 Axis. Handbook of Experimental Pharmacology, 2023, , 57-70. | 1.8 | 3 |
| 654 | Vascular mechanotransduction. Physiological Reviews, 2023, 103, 1247-1421. | 28.8 | 36 |
| 655 | A gain-of-function TPC2 variant R210C increases affinity to PI(3,5)P2 and causes lysosome acidification and hypopigmentation. Nature Communications, 2023, 14, . | 12.8 | 5 |
| 656 | TRPML1-Induced Lysosomal Ca ²⁺ Signals Activate AQP2 Translocation and Water Flux in Renal Collecting Duct Cells. International Journal of Molecular Sciences, 2023, 24, 1647. | 4.1 | 5 |
| 657 | TPC Functions in the Immune System. Handbook of Experimental Pharmacology, 2023, , . | 1.8 | 0 |
| 658 | The Role of CD38 in the Pathogenesis of Cardiorenal Metabolic Disease and Aging, an Approach from Basic Research. Cells, 2023, 12, 595. | 4.1 | 2 |
| 659 | A Comprehensive Review of Mammalian Pigmentation: Paving the Way for Innovative Hair Colour-Changing Cosmetics. Biology, 2023, 12, 290. | 2.8 | 3 |
| 660 | Pharmacological inhibition of lysosomal two-pore channel 2 (TPC2) confers neuroprotection in stroke via autophagy regulation. Neurobiology of Disease, 2023, 178, 106020. | 4.4 | 2 |
| 661 | Determination of the roles of cADPR and NAADP as intracellular calcium mobilizing messengers in SIP-induced contractions in rat bladders having IC/PBS. Life Sciences, 2023, 322, 121651. | 4.3 | 2 |
| 662 | Conformational rearrangements in the second voltage sensor domain switch PIP ₂ - and voltage-gating modes in two-pore channels. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, . | 7.1 | 2 |
| 663 | Endolysosomal TPCs regulate social behavior by controlling oxytocin secretion. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, . | 7.1 | 2 |
| 664 | Rac1 and Rac3 GTPases and TPC2 are required for axonal outgrowth and migration of cortical interneurons. Journal of Cell Science, 2023, 136, . | 2.0 | 2 |
| 665 | Changes in Pancreatic Senescence Mediate Pancreatic Diseases. International Journal of Molecular Sciences, 2023, 24, 3513. | 4.1 | 3 |
| 666 | Characterization of Endo-Lysosomal Cation Channels Using Calcium Imaging. Handbook of Experimental Pharmacology, 2023, , . | 1.8 | 0 |
| 667 | NAADP-Evoked Ca ²⁺ Signaling Leads to Mutant Huntingtin Aggregation and Autophagy Impairment in Murine Astrocytes. International Journal of Molecular Sciences, 2023, 24, 5593. | 4.1 | 5 |
| 668 | Effects of Apocynin, a NADPH Oxidase Inhibitor, in the Protection of the Heart from Ischemia/Reperfusion Injury. Pharmaceuticals, 2023, 16, 492. | 3.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 669 | Niemann-Pick C1 protein regulates platelet membrane-associated calcium ion signaling in thrombo-occlusive diseases in mice. <i>Journal of Thrombosis and Haemostasis</i> , 2023, 21, 1957-1966. | 3.8 | 0 |
| 670 | Advances in Drug Discovery Targeting Lysosomal Membrane Proteins. <i>Pharmaceuticals</i> , 2023, 16, 601. | 3.8 | 2 |
| 671 | Ca ²⁺ -Mediated Signaling Pathways: A Promising Target for the Successful Generation of Mature and Functional Stem Cell-Derived Pancreatic Beta Cells In Vitro. <i>Biomedicines</i> , 2023, 11, 1577. | 3.2 | 0 |
| 672 | Blocking Autophagy by the Two-Pore Channels Antagonist Tetrandrine Improves Sorafenib-Induced Death of Hepatocellular Carcinoma Cells. <i>Toxicology in Vitro</i> , 2023, 90, 105603. | 2.4 | 0 |
| 673 | Unveiling the impact of lysosomal ion channels: balancing ion signaling and disease pathogenesis. <i>Korean Journal of Physiology and Pharmacology</i> , 2023, 27, 311-323. | 1.2 | 1 |
| 675 | A DNA nanodevice for mapping sodium at single-organelle resolution. <i>Nature Biotechnology</i> , 0, , . | 17.5 | 4 |
| 676 | Convergent activation of Ca ²⁺ permeability in two-pore channel 2 through distinct molecular routes. <i>Science Signaling</i> , 2023, 16, . | 3.6 | 5 |
| 677 | Interneuron odyssey: molecular mechanisms of tangential migration. <i>Frontiers in Neural Circuits</i> , 0, 17, . | 2.8 | 0 |
| 678 | A phase transition reduces the threshold for nicotinamide mononucleotide-based activation of SARM1, an NAD(P) hydrolase, to physiologically relevant levels. <i>Journal of Biological Chemistry</i> , 2023, 299, 105284. | 3.4 | 0 |
| 679 | Using whole genome sequence findings to assess gene-disease causality in cardiomyopathy and arrhythmia patients. <i>Future Cardiology</i> , 0, , . | 1.2 | 0 |
| 680 | Two-pore channels (TPCs) acts as a hub for excitation-contraction coupling, metabolism and cardiac hypertrophy signalling. <i>Cell Calcium</i> , 2024, 117, 102839. | 2.4 | 0 |
| 681 | Two-pore channel-2 and inositol trisphosphate receptors coordinate Ca ²⁺ signals between lysosomes and the endoplasmic reticulum. <i>Cell Reports</i> , 2024, 43, 113628. | 6.4 | 2 |
| 682 | Neurodegenerative Disease: From Molecular Basis to Therapy. <i>International Journal of Molecular Sciences</i> , 2024, 25, 967. | 4.1 | 0 |
| 683 | Regulation of autophagy by perilyosomal calcium: a new player in β^2 -cell lipotoxicity. <i>Experimental and Molecular Medicine</i> , 2024, 56, 273-288. | 7.7 | 0 |
| 684 | Bafilomycin A1 Molecular Effect on ATPase Activity of Subcellular Fraction of Human Colorectal Cancer and Rat Liver. <i>International Journal of Molecular Sciences</i> , 2024, 25, 1657. | 4.1 | 0 |
| 685 | Inhibition of CD38 enzymatic activity enhances CAR-T cell immune-therapeutic efficacy by repressing glycolytic metabolism. <i>Cell Reports Medicine</i> , 2024, 5, 101400. | 6.5 | 1 |
| 686 | Calcium and Phosphate Ion Uptake, Distribution, and Homeostasis in Cells of Vertebrate Mineralized Tissues. , 2023, , 181-235. | | 0 |