

Initiation of myoblast to brown fat switch by a PRDM16

Nature

460, 1154-1158

DOI: [10.1038/nature08262](https://doi.org/10.1038/nature08262)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Episomal Vectors Rapidly and Stably Produce High-Titer Recombinant Retrovirus. Human Gene Therapy, 1996, 7, 1405-1413.	1.4	689
2	Obesity and Weight Regulation. , 2008, , 129-144.		0
4	The origin of intermuscular adipose tissue and its pathophysiological implications. American Journal of Physiology - Endocrinology and Metabolism, 2009, 297, E987-E998.	1.8	215
5	Endocrine and metabolic regulation of muscle growth and body composition in cattle. Animal, 2010, 4, 1797-1809.	1.3	54
6	Muscle stem cells in developmental and regenerative myogenesis. Current Opinion in Clinical Nutrition and Metabolic Care, 2010, 13, 243-248.	1.3	72
7	Brown fat as a therapy for obesity and diabetes. Current Opinion in Endocrinology, Diabetes and Obesity, 2010, 17, 143-149.	1.2	309
8	Cyclic Nucleotides Converge on Brown Adipose Tissue Differentiation. Science Signaling, 2010, 3, pe2.	1.6	11
9	Thermogenic brown adipocytes as new targets for the treatment of obesity in humans. Clinical Lipidology, 2010, 5, 173-180.	0.4	1
10	Brown adipose tissueâ€”a new role in humans?. Nature Reviews Endocrinology, 2010, 6, 319-325.	4.3	104
11	Genetically modified cells in regenerative medicine and tissue engineeringâ†. Advanced Drug Delivery Reviews, 2010, 62, 683-698.	6.6	74
12	Transplantation of adipose tissue and stem cells: role in metabolism and disease. Nature Reviews Endocrinology, 2010, 6, 195-213.	4.3	268
13	An adult tissue-specific stem cell in its niche: A gene profiling analysis of in vivo quiescent and activated muscle satellite cells. Stem Cell Research, 2010, 4, 77-91.	0.3	250
14	Regulation of gene expression by FSP27 in white and brown adipose tissue. BMC Genomics, 2010, 11, 446.	1.2	28
15	Mitochondrial ion transport pathways: Role in metabolic diseases. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 832-838.	0.5	46
16	Transcriptional and translational control of C/EBPs: The case for â€œdeepâ€ genetics to understand physiological function. BioEssays, 2010, 32, 680-686.	1.2	24
17	Hierarchization of Myogenic and Adipogenic Progenitors Within Human Skeletal Muscle. Stem Cells, 2010, 28, 2182-2194.	1.4	48
18	PPARs: diverse regulators in energy metabolism and metabolic diseases. Cell Research, 2010, 20, 124-137.	5.7	292
19	Transcriptional control of brown adipocyte development and thermogenesis. International Journal of Obesity, 2010, 34, S17-S22.	1.6	39

#	ARTICLE	IF	CITATIONS
20	Determinants of brown adipocyte development and thermogenesis. <i>International Journal of Obesity</i> , 2010, 34, S59-S66.	1.6	57
21	Transcriptional control of preadipocyte determination by Zfp423. <i>Nature</i> , 2010, 464, 619-623.	13.7	438
22	Cellular bioenergetics as a target for obesity therapy. <i>Nature Reviews Drug Discovery</i> , 2010, 9, 465-482.	21.5	501
23	De novo generation of white adipocytes from the myeloid lineage via mesenchymal intermediates is age, adipose depot, and gender specific. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14781-14786.	3.3	126
25	Three years with adult human brown adipose tissue. <i>Annals of the New York Academy of Sciences</i> , 2010, 1212, E20-36.	1.8	145
26	skNAC, a Smyd1-interacting transcription factor, is involved in cardiac development and skeletal muscle growth and regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20750-20755.	3.3	73
27	Human and mouse adipose-derived cells support feeder-independent induction of pluripotent stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 3558-3563.	3.3	162
28	A chromatin perspective of adipogenesis. <i>Organogenesis</i> , 2010, 6, 15-23.	0.4	33
29	The Engineering of Brown Fat. <i>Journal of Molecular Cell Biology</i> , 2010, 2, 23-25.	1.5	17
30	Propagation of adipogenic signals through an epigenomic transition state. <i>Genes and Development</i> , 2010, 24, 1035-1044.	2.7	215
31	The Genetics of Brown Adipose Tissue. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 94, 75-123.	0.9	20
33	Thyroid Hormone Induced Brown Adipose Tissue and Amelioration of Diabetes in a Patient with Extreme Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 256-262.	1.8	142
34	Transcriptional Regulation of Brown and White Adipogenesis. <i>Research and Perspectives in Endocrine Interactions</i> , 2010, , 89-92.	0.2	1
35	Utility of transplantation in studying adipocyte biogenesis and function. <i>Molecular and Cellular Endocrinology</i> , 2010, 318, 15-23.	1.6	1
36	Cellular signaling pathways regulating the initial stage of adipogenesis and marbling of skeletal muscle. <i>Meat Science</i> , 2010, 86, 103-109.	2.7	88
37	Transcriptional Control of Brown Fat Development. <i>Cell Metabolism</i> , 2010, 11, 257-262.	7.2	362
38	SIRT1 Deacetylase in POMC Neurons Is Required for Homeostatic Defenses against Diet-Induced Obesity. <i>Cell Metabolism</i> , 2010, 12, 78-87.	7.2	216
39	Perspective: Does brown fat protect against diseases of aging?. <i>Ageing Research Reviews</i> , 2010, 9, 69-76.	5.0	100

#	ARTICLE	IF	CITATIONS
40	Mitochondrial dysfunction in obesity. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2010, 17, 446-452.	1.2	344
41	Energy expenditure genes TM or energy absorption genes TM : a new target for the treatment of obesity and Type II diabetes. <i>Future Medicinal Chemistry</i> , 2010, 2, 1777-1783.	1.1	8
42	Adipogenesis at a glance. <i>Journal of Cell Science</i> , 2011, 124, 2681-2686.	1.2	296
43	Mir193b ³⁶⁵ is essential for brown fat differentiation. <i>Nature Cell Biology</i> , 2011, 13, 958-965.	4.6	273
44	A new era for brown adipose tissue: New insights into brown adipocyte function and differentiation. <i>Archives of Physiology and Biochemistry</i> , 2011, 117, 195-208.	1.0	7
45	A Potential Link between Dorsomedial Hypothalamic Nucleus NPY and Energy Balance. <i>Cell Metabolism</i> , 2011, 13, 493-494.	7.2	2
46	Plac8 Is an Inducer of C/EBP ² Required for Brown Fat Differentiation, Thermoregulation, and Control of Body Weight. <i>Cell Metabolism</i> , 2011, 14, 658-670.	7.2	92
47	Direct lineage conversions: unnatural but useful?. <i>Nature Biotechnology</i> , 2011, 29, 892-907.	9.4	240
48	Metchnikoff's policemen: macrophages in development, homeostasis and regeneration. <i>Trends in Molecular Medicine</i> , 2011, 17, 743-752.	3.5	134
49	Historical Origins of Transdifferentiation and Reprogramming. <i>Cell Stem Cell</i> , 2011, 9, 504-516.	5.2	171
50	Obesity and Weight Regulation. <i>Yearbook of Paediatric Endocrinology</i> , 2011, , 141-157.	0.0	0
51	Different Adipose Depots: Their Role in the Development of Metabolic Syndrome and Mitochondrial Response to Hypolipidemic Agents. <i>Journal of Obesity</i> , 2011, 2011, 1-15.	1.1	269
52	Brown adipose tissue growth and development: significance and nutritional regulation. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 1589.	3.0	45
53	Brown fat biology and thermogenesis. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 1233.	3.0	190
54	Brown adipose tissue in humans. <i>Current Opinion in Lipidology</i> , 2011, 22, 49-54.	1.2	40
55	Prdm16 is a physiologic regulator of hematopoietic stem cells. <i>Blood</i> , 2011, 117, 5057-5066.	0.6	119
56	Feeder-dependent and feeder-independent iPS cell derivation from human and mouse adipose stem cells. <i>Nature Protocols</i> , 2011, 6, 346-358.	5.5	89
57	Forming functional fat: a growing understanding of adipocyte differentiation. <i>Nature Reviews Molecular Cell Biology</i> , 2011, 12, 722-734.	16.1	1,090

#	ARTICLE	IF	CITATIONS
58	Sequence-specific regulator Prdm14 safeguards mouse ESCs from entering extraembryonic endoderm fates. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 120-127.	3.6	178
59	Sumoylation of MEL1S at lysine 568 and its interaction with CtBP facilitates its repressor activity and the blockade of G-CSF-induced myeloid differentiation. <i>Oncogene</i> , 2011, 30, 4194-4207.	2.6	20
60	Functional Brown Adipose Tissue is Related to Muscle Volume in Children and Adolescents. <i>Journal of Pediatrics</i> , 2011, 158, 722-726.	0.9	66
61	Adipose tissue development â€œ Impact of the early life environment. <i>Progress in Biophysics and Molecular Biology</i> , 2011, 106, 300-306.	1.4	38
62	Visualization by BiFC of different C/EBP β dimers and their interaction with HP1 α reveals a differential subnuclear distribution of complexes in living cells. <i>Experimental Cell Research</i> , 2011, 317, 706-723.	1.2	16
63	Epigenetic codes of PPAR γ in metabolic disease. <i>FEBS Letters</i> , 2011, 585, 2121-2128.	1.3	87
64	The Implication of Brown Adipose Tissue for Humans. <i>Annual Review of Nutrition</i> , 2011, 31, 33-47.	4.3	140
65	Recent progress in the study of brown adipose tissue. <i>Cell and Bioscience</i> , 2011, 1, 35.	2.1	30
66	Minimal genotypeâ€œphenotype correlation for small deletions within distal 1p36. <i>American Journal of Medical Genetics, Part A</i> , 2011, 155, 3164-3169.	0.7	9
67	Crosstalk between phosphorylation and multi-site arginine/lysine methylation in C/EBPs. <i>Transcription</i> , 2011, 2, 3-8.	1.7	26
69	Renaissance of Brown Adipose Tissue. <i>Hormone Research in Paediatrics</i> , 2011, 75, 231-239.	0.8	47
70	Identification of inducible brown adipocyte progenitors residing in skeletal muscle and white fat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 143-148.	3.3	425
71	Essential Role for miR-196a in Brown Adipogenesis of White Fat Progenitor Cells. <i>PLoS Biology</i> , 2012, 10, e1001314.	2.6	209
72	Pref-1 in brown adipose tissue: specific involvement in brown adipocyte differentiation and regulatory role of C/EBP β . <i>Biochemical Journal</i> , 2012, 443, 799-810.	1.7	28
73	Mediator MED23 plays opposing roles in directing smooth muscle cell and adipocyte differentiation. <i>Genes and Development</i> , 2012, 26, 2192-2205.	2.7	63
74	Regulation of brown adipose tissue development and white fat reduction by L-arginine. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2012, 15, 529-538.	1.3	63
75	Triiodothyronine induces UCP-1 expression and mitochondrial biogenesis in human adipocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 302, C463-C472.	2.1	138
76	Fat News: A Novel ActRIIB Decoy Receptor in the BAT-tle for Obesity. <i>Endocrinology</i> , 2012, 153, 2939-2941.	1.4	3

#	ARTICLE	IF	CITATIONS
77	Brown adipose tissue. <i>Adipocyte</i> , 2012, 1, 13-24.	1.3	135
78	Inhibition of mouse brown adipocyte differentiation by second-generation antipsychotics. <i>Experimental and Molecular Medicine</i> , 2012, 44, 545.	3.2	27
79	Body Composition Analysis Using Radionuclides. , 2012, , 185-203.		2
80	An Evi1-C/EBP β Complex Controls Peroxisome Proliferator-Activated Receptor β Gene Expression To Initiate White Fat Cell Differentiation. <i>Molecular and Cellular Biology</i> , 2012, 32, 2289-2299.	1.1	19
81	Human BAT Possesses Molecular Signatures That Resemble Beige/Brite Cells. <i>PLoS ONE</i> , 2012, 7, e49452.	1.1	541
82	The Prdm family: expanding roles in stem cells and development. <i>Development (Cambridge)</i> , 2012, 139, 2267-2282.	1.2	219
83	The Fate of Fat: A Response. <i>Gerontology</i> , 2012, 58, 123-125.	1.4	1
85	Reprogramming cell fates: insights from combinatorial approaches. <i>Annals of the New York Academy of Sciences</i> , 2012, 1266, 7-17.	1.8	19
87	Nonviral Direct Conversion of Primary Mouse Embryonic Fibroblasts to Neuronal Cells. <i>Molecular Therapy - Nucleic Acids</i> , 2012, 1, e32.	2.3	54
88	Brown-like adipocytes colonizing white fat: A (r)evolutionary way to fight obesity?. <i>European Journal of Lipid Science and Technology</i> , 2012, 114, 1227-1229.	1.0	0
89	A Mouse Model of Rhabdomyosarcoma Originating from the Adipocyte Lineage. <i>Cancer Cell</i> , 2012, 22, 536-546.	7.7	109
90	TRPV4 Is a Regulator of Adipose Oxidative Metabolism, Inflammation, and Energy Homeostasis. <i>Cell</i> , 2012, 151, 96-110.	13.5	292
91	Chromatin immunoprecipitation-promoter microarray identification of genes regulated by PRDM16 in murine embryonic palate mesenchymal cells. <i>Experimental Biology and Medicine</i> , 2012, 237, 387-394.	1.1	7
92	Efficient generation of adipocytes in a dish. <i>Nature Cell Biology</i> , 2012, 14, 126-127.	4.6	5
93	Genome-Wide Profiling of Peroxisome Proliferator-Activated Receptor β in Primary Epididymal, Inguinal, and Brown Adipocytes Reveals Depot-Selective Binding Correlated with Gene Expression. <i>Molecular and Cellular Biology</i> , 2012, 32, 3452-3463.	1.1	109
94	Making β cells from adult tissues. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 278-285.	3.1	27
95	Genetic explorations of recent human metabolic adaptations: hypotheses and evidence. <i>Biological Reviews</i> , 2012, 87, 838-855.	4.7	18
96	PPAR β agonists Induce a White-to-Brown Fat Conversion through Stabilization of PRDM16 Protein. <i>Cell Metabolism</i> , 2012, 15, 395-404.	7.2	658

#	ARTICLE	IF	CITATIONS
97	Pten Positively Regulates Brown Adipose Function, Energy Expenditure, and Longevity. <i>Cell Metabolism</i> , 2012, 15, 382-394.	7.2	308
98	Instruction of mesenchymal cell fate by the transcription factor C/EBP β . <i>Gene</i> , 2012, 497, 10-17.	1.0	32
99	A Novel Therapeutic Approach to Treating Obesity through Modulation of TGF β Signaling. <i>Endocrinology</i> , 2012, 153, 3133-3146.	1.4	94
100	Molecular Roadblocks for Cellular Reprogramming. <i>Molecular Cell</i> , 2012, 47, 827-838.	4.5	171
101	The adipose organ: white \leftrightarrow brown adipocyte plasticity and metabolic inflammation. <i>Obesity Reviews</i> , 2012, 13, 83-96.	3.1	146
102	MyomiRs-133a/b turn off the heat. <i>Nature Cell Biology</i> , 2012, 14, 1248-1249.	4.6	6
103	Combining gene expression microarray- and cluster analysis with sequence-based predictions to identify regulators of IL-13 in allergy. <i>Cytokine</i> , 2012, 60, 736-740.	1.4	6
104	Molecular Nutrition Research $\hat{=}$ The Modern Way Of Performing Nutritional Science. <i>Nutrients</i> , 2012, 4, 1898-1944.	1.7	58
105	Programming human pluripotent stem cells into white and brown adipocytes. <i>Nature Cell Biology</i> , 2012, 14, 209-219.	4.6	209
106	Targeting adipose tissue. <i>Diabetology and Metabolic Syndrome</i> , 2012, 4, 43.	1.2	31
107	Resistance to Obesity by Repression of VEGF Gene Expression through Induction of Brown-Like Adipocyte Differentiation. <i>Endocrinology</i> , 2012, 153, 3123-3132.	1.4	69
108	A PGC1 β -dependent myokine that drives brown-fat-like development of white fat and thermogenesis. <i>Nature</i> , 2012, 481, 463-468.	13.7	3,646
109	Delineating nuclear reprogramming. <i>Protein and Cell</i> , 2012, 3, 329-345.	4.8	3
110	Blockade of the Activin Receptor IIB Activates Functional Brown Adipogenesis and Thermogenesis by Inducing Mitochondrial Oxidative Metabolism. <i>Molecular and Cellular Biology</i> , 2012, 32, 2871-2879.	1.1	93
111	Developmental Origins of the Adipocyte Lineage: New Insights from Genetics and Genomics Studies. <i>Stem Cell Reviews and Reports</i> , 2012, 8, 55-66.	5.6	101
112	<i>PRDM16</i> (1p36) translocations define a distinct entity of myeloid malignancies with poor prognosis but may also occur in lymphoid malignancies. <i>British Journal of Haematology</i> , 2012, 156, 76-88.	1.2	48
113	The prolonged survival of fibroblasts with forced lipid catabolism in visceral fat following encapsulation in alginate-poly-L-lysine. <i>Biomaterials</i> , 2012, 33, 5638-5649.	5.7	15
114	PRDM proteins: Important players in differentiation and disease. <i>BioEssays</i> , 2012, 34, 50-60.	1.2	169

#	ARTICLE	IF	CITATIONS
115	Emerging roles of zinc finger proteins in regulating adipogenesis. Cellular and Molecular Life Sciences, 2013, 70, 4569-4584.	2.4	71
116	Exercise training does not increase muscle FNDC5 protein or mRNA expression in pigs. Metabolism: Clinical and Experimental, 2013, 62, 1503-1511.	1.5	40
117	Dorsomedial hypothalamic NPY modulation of adiposity and thermogenesis. Physiology and Behavior, 2013, 121, 56-60.	1.0	28
118	An update on the regulation of adipogenesis. Drug Discovery Today Disease Mechanisms, 2013, 10, e15-e19.	0.8	7
119	MicroRNA networks regulate development of brown adipocytes. Trends in Endocrinology and Metabolism, 2013, 24, 442-450.	3.1	61
120	Feeding the heat on brown fat. Annals of the New York Academy of Sciences, 2013, 1302, 11-23.	1.8	8
121	Brown and beige fat: development, function and therapeutic potential. Nature Medicine, 2013, 19, 1252-1263.	15.2	1,846
122	Super-Enhancers in the Control of Cell Identity and Disease. Cell, 2013, 155, 934-947.	13.5	2,916
123	Direct Transcriptional Reprogramming of Adult Cells to Embryonic Nephron Progenitors. Journal of the American Society of Nephrology: JASN, 2013, 24, 1424-1434.	3.0	119
124	Animal Models for Manipulation of Thermogenesis. , 2013, , 305-330.		1
125	EHMT1 controls brown adipose cell fate and thermogenesis through the PRDM16 complex. Nature, 2013, 504, 163-167.	13.7	272
126	Protein Inhibitor of Activated STAT 1 (PIAS1) Is Identified as the SUMO E3 Ligase of CCAAT/Enhancer-Binding Protein $\hat{1}^2$ (C/EBP $\hat{1}^2$) during Adipogenesis. Molecular and Cellular Biology, 2013, 33, 4606-4617.	1.1	45
127	Transcription factor-induced enhancer modulations during cell fate conversions. Current Opinion in Genetics and Development, 2013, 23, 562-567.	1.5	11
128	A peptide probe for targeted brown adipose tissue imaging. Nature Communications, 2013, 4, 2472.	5.8	55
129	Nutritional manipulations in the perinatal period program adipose tissue in offspring. American Journal of Physiology - Endocrinology and Metabolism, 2013, 305, E1195-E1207.	1.8	94
130	Dose-dependent effects of vitamin D on transdifferentiation of skeletal muscle cells to adipose cells. Journal of Endocrinology, 2013, 217, 45-58.	1.2	53
131	Increased cGMP promotes healthy expansion and browning of white adipose tissue. FASEB Journal, 2013, 27, 1621-1630.	0.2	117
132	Manipulating molecular switches in brown adipocytes and their precursors: A therapeutic potential. Progress in Lipid Research, 2013, 52, 51-61.	5.3	34

#	ARTICLE	IF	CITATIONS
133	In vitro brown and beige adipogenesis: Human cellular models and molecular aspects. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 905-914.	1.2	43
134	The Liver X Receptor Agonist T0901317 Protects Mice from High Fat Diet-Induced Obesity and Insulin Resistance. <i>AAPS Journal</i> , 2013, 15, 258-266.	2.2	39
135	Positive natural selection of TRIB2, a novel gene that influences visceral fat accumulation, in East Asia. <i>Human Genetics</i> , 2013, 132, 201-217.	1.8	19
136	p53 is required for brown adipogenic differentiation and has a protective role against diet-induced obesity. <i>Cell Death and Differentiation</i> , 2013, 20, 774-783.	5.0	97
137	Redundant roles of PRDM family members in zebrafish craniofacial development. <i>Developmental Dynamics</i> , 2013, 242, 67-79.	0.8	31
138	Construction of a doxycycline inducible adipogenic lentiviral expression system. <i>Plasmid</i> , 2013, 69, 96-103.	0.4	6
139	Fine Mapping of the 1p36 Deletion Syndrome Identifies Mutation of PRDM16 as a Cause of Cardiomyopathy. <i>American Journal of Human Genetics</i> , 2013, 93, 67-77.	2.6	164
140	Diet-induced changes in Ucp1 expression in bovine adipose tissues. <i>General and Comparative Endocrinology</i> , 2013, 184, 87-92.	0.8	36
141	TGF- β 2 family signaling in stem cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 2280-2296.	1.1	134
142	Transcriptional Regulation and Its Misregulation in Disease. <i>Cell</i> , 2013, 152, 1237-1251.	13.5	1,205
143	EBF2 Determines and Maintains Brown Adipocyte Identity. <i>Cell Metabolism</i> , 2013, 17, 562-574.	7.2	305
144	Adipose Subtype-Selective Recruitment of TLE3 or Prdm16 by PPAR γ 3 Specifies Lipid Storage versus Thermogenic Gene Programs. <i>Cell Metabolism</i> , 2013, 17, 423-435.	7.2	128
145	Pharmacological strategies for targeting BAT thermogenesis. <i>Trends in Pharmacological Sciences</i> , 2013, 34, 347-355.	4.0	65
146	Pharmacological and nutritional agents promoting browning of white adipose tissue. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 969-985.	1.2	225
147	"Browning" of adipose tissue " regulation and therapeutic perspectives. <i>Archives of Physiology and Biochemistry</i> , 2013, 119, 151-160.	1.0	42
148	A Classical Brown Adipose Tissue mRNA Signature Partly Overlaps with Brite in the Supraclavicular Region of Adult Humans. <i>Cell Metabolism</i> , 2013, 17, 798-805.	7.2	474
149	White, Brown, Beige/Brite: Different Adipose Cells for Different Functions?. <i>Endocrinology</i> , 2013, 154, 2992-3000.	1.4	437
150	A Role for Phosphodiesterase 3B in Acquisition of Brown Fat Characteristics by White Adipose Tissue in Male Mice. <i>Endocrinology</i> , 2013, 154, 3152-3167.	1.4	21

#	ARTICLE	IF	CITATIONS
151	Brown adipose tissue: development, metabolism and beyond. <i>Biochemical Journal</i> , 2013, 453, 167-178.	1.7	153
152	<scp>PRDM</scp>16 rs2651899 Variant Is a Risk Factor for <scp>C</scp>hinese Common Migraine Patients. <i>Headache</i> , 2013, 53, 1595-1601.	1.8	33
153	miR-155 regulates differentiation of brown and beige adipocytes via a bistable circuit. <i>Nature Communications</i> , 2013, 4, 1769.	5.8	225
154	Resetting epigenetic signatures to induce somatic cell reprogramming. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1413-1424.	2.4	6
155	Association of single nucleotide polymorphism Rs2236518 in PRDM16 gene with BMI in Chinese males. <i>Acta Pharmacologica Sinica</i> , 2013, 34, 710-716.	2.8	11
156	Lecithin Cholesterol Acyltransferase Deficiency Protects from Diet-Induced Insulin Resistance and Obesityâ€™Novel Insights from Mouse Models. <i>Vitamins and Hormones</i> , 2013, 91, 259-270.	0.7	5
157	C/EBPÎ³ Suppresses Senescence and Inflammatory Gene Expression by Heterodimerizing with C/EBPÎ². <i>Molecular and Cellular Biology</i> , 2013, 33, 3242-3258.	1.1	90
158	miR-133a Regulates Adipocyte Browning In Vivo. <i>PLoS Genetics</i> , 2013, 9, e1003626.	1.5	118
159	Association of genes with physiological functions by comparative analysis of pooled expression microarray data. <i>Physiological Genomics</i> , 2013, 45, 69-78.	1.0	7
160	Synergism between cAMP and PPAR<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"><mml:mrow><mml:mi mathvariant="bold">Î³</mml:mi></mml:mrow></mml:math> Signalling in the Initiation of UCP1 Gene Expression in HIB1B Brown Adipocytes. <i>PPAR Research</i> , 2013, 2013, 1-8.	1.1	22
161	Brown Adipose Tissue Growth and Development. <i>Scientifica</i> , 2013, 2013, 1-14.	0.6	99
162	Fat cells directly sense temperature to activate thermogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 12480-12485.	3.3	208
163	BMP4-mediated brown fat-like changes in white adipose tissue alter glucose and energy homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E798-807.	3.3	254
164	Adaptive thermogenesis in adipocytes: Is beige the new brown?. <i>Genes and Development</i> , 2013, 27, 234-250.	2.7	700
165	Cell transplantation therapy for diabetes mellitus: endocrine pancreas and adipocyte [Review]. <i>Endocrine Journal</i> , 2013, 60, 697-708.	0.7	3
166	The shortest isoform of C/EBPÎ², liver inhibitory protein (LIP), collaborates with Evi1 to induce AML in a mouse BMT model. <i>Blood</i> , 2013, 121, 4142-4155.	0.6	19
168	The Mechanism of White and Brown Adipocyte Differentiation. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 85.	1.8	34
169	Multiple Paths to Reprogramming. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
170	Dual functions of TAF7L in adipocyte differentiation. <i>ELife</i> , 2013, 2, e00170.	2.8	41
171	Brown Fat Determination and Development from Muscle Precursor Cells by Novel Action of Bone Morphogenetic Protein 6. <i>PLoS ONE</i> , 2014, 9, e92608.	1.1	35
172	Efficient Reprogramming of Mouse Fibroblasts to Neuronal Cells including Dopaminergic Neurons. <i>Scientific World Journal, The</i> , 2014, 2014, 1-8.	0.8	16
173	Distinction of white, beige and brown adipocytes derived from mesenchymal stem cells. <i>World Journal of Stem Cells</i> , 2014, 6, 33.	1.3	193
174	TAF7L modulates brown adipose tissue formation. <i>ELife</i> , 2014, 3, .	2.8	27
175	Tuning cell fate. <i>Organogenesis</i> , 2014, 10, 231-240.	0.4	9
176	ThermoMouse: An In Vivo Model to Identify Modulators of UCP1 Expression in Brown Adipose Tissue. <i>Cell Reports</i> , 2014, 9, 1584-1593.	2.9	94
177	How brown is brown fat that we can see?. <i>Adipocyte</i> , 2014, 3, 155-159.	1.3	5
178	Intermuscular and intramuscular adipose tissues: Bad vs. good adipose tissues. <i>Adipocyte</i> , 2014, 3, 242-255.	1.3	136
179	Direct Lineage Conversion of Adult Mouse Liver Cells and B Lymphocytes to Neural Stem Cells. <i>Stem Cell Reports</i> , 2014, 3, 948-956.	2.3	57
180	White, brite, and brown adipocytes: the evolution and function of a heater organ in mammals. <i>Canadian Journal of Zoology</i> , 2014, 92, 615-626.	0.4	24
181	Recent advance in brown adipose physiology and its therapeutic potential. <i>Experimental and Molecular Medicine</i> , 2014, 46, e78-e78.	3.2	42
182	Brown adipose tissue and its therapeutic potential. <i>Journal of Internal Medicine</i> , 2014, 276, 364-377.	2.7	119
183	An Enzymatic Chromatin Switch that Directs Formation of Active Brown Fat. <i>Cell Metabolism</i> , 2014, 19, 3-4.	7.2	0
184	Ablation of PRDM16 and Beige Adipose Causes Metabolic Dysfunction and a Subcutaneous to Visceral Fat Switch. <i>Cell</i> , 2014, 156, 304-316.	13.5	719
185	Prdm16 Is Required for the Maintenance of Brown Adipocyte Identity and Function in Adult Mice. <i>Cell Metabolism</i> , 2014, 19, 593-604.	7.2	307
186	Recent advances in brown adipose tissue biology. <i>Science Bulletin</i> , 2014, 59, 4030-4040.	1.7	4
187	A systematic survey of lipids across mouse tissues. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E854-E868.	1.8	67

#	ARTICLE	IF	CITATIONS
188	Loss of Gs1± Early in the Osteoblast Lineage Favors Adipogenic Differentiation of Mesenchymal Progenitors and Committed Osteoblast Precursors. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2414-2426.	3.1	33
189	Orally Active Osteoanabolic Agent GTDF Binds to Adiponectin Receptors, With a Preference for AdipoR1, Induces Adiponectin-Associated Signaling, and Improves Metabolic Health in a Rodent Model of Diabetes. <i>Diabetes</i> , 2014, 63, 3530-3544.	0.3	33
190	Principles of Stem Cell Biology. , 2014, , 39-55.		1
191	Brown adipose tissue as an anti-obesity tissue in humans. <i>Obesity Reviews</i> , 2014, 15, 92-106.	3.1	71
192	A New Era in Brown Adipose Tissue Biology: Molecular Control of Brown Fat Development and Energy Homeostasis. <i>Annual Review of Physiology</i> , 2014, 76, 225-249.	5.6	348
193	What We Talk About When We Talk About Fat. <i>Cell</i> , 2014, 156, 20-44.	13.5	1,789
194	Î²-Aminoisobutyric Acid Induces Browning of White Fat and Hepatic Î²-Oxidation and Is Inversely Correlated with Cardiometabolic Risk Factors. <i>Cell Metabolism</i> , 2014, 19, 96-108.	7.2	489
195	Synaptic Plasticity and the Warburg Effect. <i>Cell Metabolism</i> , 2014, 19, 4-5.	7.2	17
196	The developmental transition of ovine adipose tissue through early life. <i>Acta Physiologica</i> , 2014, 210, 20-30.	1.8	60
197	Reprogramming Somatic Cells to a Kidney Fate. <i>Seminars in Nephrology</i> , 2014, 34, 462-480.	0.6	7
198	Brown adipose tissue and thermogenesis. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2014, 19, 25-37.	0.3	139
199	ISL1 Regulates Peroxisome Proliferator-Activated Receptor Å Activation and Early Adipogenesis via Bone Morphogenetic Protein 4-Dependent and -Independent Mechanisms. <i>Molecular and Cellular Biology</i> , 2014, 34, 3607-3617.	1.1	10
200	Expression of Adipocyte Biomarkers in a Primary Cell Culture Models Reflects Prewaning Adipobiology. <i>Journal of Biological Chemistry</i> , 2014, 289, 18478-18488.	1.6	42
201	MicroRNA-378 controls classical brown fat expansion to counteract obesity. <i>Nature Communications</i> , 2014, 5, 4725.	5.8	106
202	MicroRNAs are key regulators of brown adipogenesis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1590-1595.	1.2	17
203	Brown adipose tissue: endocrine determinants of function and therapeutic manipulation as a novel treatment strategy for obesity. <i>BMC Obesity</i> , 2014, 1, 13.	3.1	25
204	Improved methodologies for the study of adipose biology: insights gained and opportunities ahead. <i>Journal of Lipid Research</i> , 2014, 55, 605-624.	2.0	68
205	KSRP Ablation Enhances Brown Fat Gene Program in White Adipose Tissue Through Reduced miR-150 Expression. <i>Diabetes</i> , 2014, 63, 2949-2961.	0.3	42

#	ARTICLE	IF	CITATIONS
206	Differentiation of White and Brown Adipocytes from Human Pluripotent Stem Cells. <i>Methods in Enzymology</i> , 2014, 538, 35-47.	0.4	11
207	Thermogenic adipocytes: From cells to physiology and medicine. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1238-1249.	1.5	46
208	IRF4 Is a Key Thermogenic Transcriptional Partner of PGC-1 β . <i>Cell</i> , 2014, 158, 69-83.	13.5	239
209	De Novo Formation of Insulin-Producing α -Neo- β Cell Islets from Intestinal Crypts. <i>Cell Reports</i> , 2014, 6, 1046-1058.	2.9	142
210	KSRP Controls Pleiotropic Cellular Functions. <i>Seminars in Cell and Developmental Biology</i> , 2014, 34, 2-8.	2.3	36
211	Meteorin-like Is a Hormone that Regulates Immune-Adipose Interactions to Increase Beige Fat Thermogenesis. <i>Cell</i> , 2014, 157, 1279-1291.	13.5	699
212	Understanding the variegation of fat: Novel regulators of adipocyte differentiation and fat tissue biology. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 352-357.	1.8	40
213	Comparative analysis of microRNA expression in mouse and human brown adipose tissue. <i>BMC Genomics</i> , 2015, 16, 820.	1.2	29
214	Laser-scanning cytometry can quantify human adipocyte browning and proves effectiveness of irisin. <i>Scientific Reports</i> , 2015, 5, 12540.	1.6	35
215	Regulatory networks of non-coding RNAs in brown/beige adipogenesis. <i>Bioscience Reports</i> , 2015, 35, .	1.1	28
216	Adiposity-Related Cancer and Functional Imaging of Brown Adipose Tissue. <i>Endocrine Practice</i> , 2015, 21, 1282-1290.	1.1	7
217	Suboptimal maternal nutrition during early-to-mid gestation in the sheep enhances pericardial adiposity in the near-term fetus. <i>Reproduction, Fertility and Development</i> , 2015, 27, 1205.	0.1	12
218	Direct Conversion of Human Preadipocytes into Hematopoietic, Neuronal, and Pancreatic β Cells by Oct4 and Klf4 Overexpression. <i>BioResearch Open Access</i> , 2015, 4, 389-397.	2.6	1
219	SUMOylation of sPRDM16 promotes the progression of acute myeloid leukemia. <i>BMC Cancer</i> , 2015, 15, 893.	1.1	10
220	An emerging role for prdm family genes in dorsoventral patterning of the vertebrate nervous system. <i>Neural Development</i> , 2015, 10, 24.	1.1	17
221	Shades of Brown: A Model for Thermogenic Fat. <i>Frontiers in Endocrinology</i> , 2015, 6, 71.	1.5	20
222	Intricate Transcriptional Networks of Classical Brown and Beige Fat Cells. <i>Frontiers in Endocrinology</i> , 2015, 6, 124.	1.5	9
223	A New Role for Browning as a Redox and Stress Adaptive Mechanism?. <i>Frontiers in Endocrinology</i> , 2015, 6, 158.	1.5	40

#	ARTICLE	IF	CITATIONS
224	Bioengineering Beige Adipose Tissue Therapeutics. <i>Frontiers in Endocrinology</i> , 2015, 6, 164.	1.5	26
225	A Clinical Approach to Brown Adipose Tissue in the Para-Aortic Area of the Human Thorax. <i>PLoS ONE</i> , 2015, 10, e0122594.	1.1	13
226	The Current Status of Directed Differentiation Technology. <i>Hanyang Medical Reviews</i> , 2015, 35, 215.	0.4	1
227	Rubi Fructus (<i>Rubus coreanus</i>) activates the expression of thermogenic genes in vivo and in vitro. <i>International Journal of Obesity</i> , 2015, 39, 456-464.	1.6	28
228	Brown Adipose Tissue and Browning Agents: Irisin and FGF21 in the Development of Obesity in Children and Adolescents. <i>Advances in Experimental Medicine and Biology</i> , 2015, 866, 25-34.	0.8	23
229	Transcriptional Regulatory Circuits Controlling Brown Fat Development and Activation. <i>Diabetes</i> , 2015, 64, 2369-2375.	0.3	123
230	Brown and Beige Fat: Molecular Parts of a Thermogenic Machine. <i>Diabetes</i> , 2015, 64, 2346-2351.	0.3	220
231	Casein Kinase 2 α Kinase that Inhibits Brown Fat Formation. <i>Cell Metabolism</i> , 2015, 22, 958-959.	7.2	2
232	Role of the cAMP Pathway in Glucose and Lipid Metabolism. <i>Handbook of Experimental Pharmacology</i> , 2015, 233, 29-49.	0.9	96
233	Potential novel therapeutic strategies from understanding adipocyte transdifferentiation mechanisms. <i>Expert Review of Endocrinology and Metabolism</i> , 2015, 10, 143-152.	1.2	1
234	Multiple symmetric lipomatosis: A rare disease and its possible links to brown adipose tissue. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 347-353.	1.1	53
235	PRDM16 enhances nuclear receptor-dependent transcription of the brown fat-specific <i>Ucp1</i> gene through interactions with Mediator subunit MED1. <i>Genes and Development</i> , 2015, 29, 308-321.	2.7	91
236	PRDM16 binds MED1 and controls chromatin architecture to determine a brown fat transcriptional program. <i>Genes and Development</i> , 2015, 29, 298-307.	2.7	112
237	Direct Lineage Reprogramming: Strategies, Mechanisms, and Applications. <i>Cell Stem Cell</i> , 2015, 16, 119-134.	5.2	350
238	miR-30 Promotes Thermogenesis and the Development of Beige Fat by Targeting RIP140. <i>Diabetes</i> , 2015, 64, 2056-2068.	0.3	103
239	Brown and beige fat: the metabolic function, induction, and therapeutic potential. <i>Frontiers of Medicine</i> , 2015, 9, 162-172.	1.5	26
240	Cold-Inducible Zfp516 Activates UCP1 Transcription to Promote Browning of White Fat and Development of Brown Fat. <i>Molecular Cell</i> , 2015, 57, 235-246.	4.5	201
241	Insulin resistance and impaired adipogenesis. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 193-200.	3.1	283

#	ARTICLE	IF	CITATIONS
242	Opportunities and challenges in three-dimensional brown adipogenesis of stem cells. <i>Biotechnology Advances</i> , 2015, 33, 962-979.	6.0	20
243	The thermogenic circuit: Regulators of thermogenic competency and differentiation. <i>Genes and Diseases</i> , 2015, 2, 164-172.	1.5	13
244	Role of PRDM16 and its PR domain in the epigenetic regulation of myogenic and adipogenic genes during transdifferentiation of C2C12 cells. <i>Gene</i> , 2015, 570, 191-198.	1.0	19
245	Promoting brown and beige adipocyte biogenesis through the PRDM16 pathway. <i>International Journal of Obesity Supplements</i> , 2015, 5, S11-S14.	12.5	33
246	Control of Adipocyte Differentiation in Different Fat Depots; Implications for Pathophysiology or Therapy. <i>Frontiers in Endocrinology</i> , 2015, 6, 1.	1.5	162
247	Lkb1 Deletion Promotes Ectopic Lipid Accumulation in Muscle Progenitor Cells and Mature Muscles. <i>Journal of Cellular Physiology</i> , 2015, 230, 1033-1041.	2.0	32
248	Anatomy and Physiology of Adipose Tissue. , 2015, , 3-12.		3
249	Osteopontin-induced brown adipogenesis from white preadipocytes through a PI3K-AKT dependent signaling. <i>Biochemical and Biophysical Research Communications</i> , 2015, 459, 553-559.	1.0	21
250	Brown and beige fat in humans: thermogenic adipocytes that control energy and glucose homeostasis. <i>Journal of Clinical Investigation</i> , 2015, 125, 478-486.	3.9	547
251	Ror1± deficiency and decreased adiposity are associated with induction of thermogenic gene expression in subcutaneous white adipose and brown adipose tissue. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E159-E171.	1.8	38
252	Somitogenesis: From somite to skeletal muscle. <i>Acta Histochemica</i> , 2015, 117, 313-328.	0.9	86
253	Regulation of brown adipose tissue recruitment, metabolism and thermogenic function by peroxisome proliferator-activated receptorα. <i>Temperature</i> , 2015, 2, 476-482.	1.7	7
254	Zic1 negatively regulates brown adipogenesis in C 3 H 10 T 1/2 cells. <i>Science Bulletin</i> , 2015, 60, 1033-1035.	4.3	10
255	Immune Regulation of Metabolic Homeostasis in Health and Disease. <i>Cell</i> , 2015, 161, 146-160.	13.5	380
256	Can Brown Fat Win the Battle Against White Fat?. <i>Journal of Cellular Physiology</i> , 2015, 230, 2311-2317.	2.0	28
257	Resveratrol induces brown-like adipocyte formation in white fat through activation of AMP-activated protein kinase (AMPK) 1±1. <i>International Journal of Obesity</i> , 2015, 39, 967-976.	1.6	240
258	Functions of Prdm16 in thermogenic fat cells. <i>Temperature</i> , 2015, 2, 65-72.	1.7	35
259	Transcriptional control and hormonal response of thermogenic fat. <i>Journal of Endocrinology</i> , 2015, 225, R35-R47.	1.2	17

#	ARTICLE	IF	CITATIONS
260	IGF2BP2/IMP2-Deficient Mice Resist Obesity through Enhanced Translation of Ucp1 mRNA and Other mRNAs Encoding Mitochondrial Proteins. <i>Cell Metabolism</i> , 2015, 21, 609-621.	7.2	148
261	Brown and Beige Fat: Physiological Roles beyond Heat Generation. <i>Cell Metabolism</i> , 2015, 22, 546-559.	7.2	763
262	Matrix-Assisted Transplantation of Functional Beige Adipose Tissue. <i>Diabetes</i> , 2015, 64, 3713-3724.	0.3	47
263	A fine balance: epigenetic control of cellular quiescence by the tumor suppressor PRDM2/RIZ at a bivalent domain in the cyclin gene. <i>Nucleic Acids Research</i> , 2015, 43, 6236-6256.	6.5	42
264	Reprogrammed Functional Brown Adipocytes Ameliorate Insulin Resistance and Dyslipidemia in Diet-Induced Obesity and Type 2 Diabetes. <i>Stem Cell Reports</i> , 2015, 5, 569-581.	2.3	45
265	MAP kinase phosphatase 3 inhibits brown adipocyte differentiation via regulation of Erk phosphorylation. <i>Molecular and Cellular Endocrinology</i> , 2015, 416, 70-76.	1.6	7
266	Innovative Medicine. , 2015, , .		17
267	Phosphoproteomics Identifies CK2 as a Negative Regulator of Beige Adipocyte Thermogenesis and Energy Expenditure. <i>Cell Metabolism</i> , 2015, 22, 997-1008.	7.2	74
268	The role of skeletal muscle-based thermogenic mechanisms in vertebrate endothermy. <i>Biological Reviews</i> , 2015, 90, 1279-1297.	4.7	162
269	Brown adipose tissue and novel therapeutic approaches to treat metabolic disorders. <i>Translational Research</i> , 2015, 165, 464-479.	2.2	42
270	Depletion of white adipocyte progenitors induces beige adipocyte differentiation and suppresses obesity development. <i>Cell Death and Differentiation</i> , 2015, 22, 351-363.	5.0	53
271	Brown, Beige, and White: The New Color Code of Fat and Its Pharmacological Implications. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 207-227.	4.2	127
272	Thermogenic brown and beige/brite adipogenesis in humans. <i>Annals of Medicine</i> , 2015, 47, 169-177.	1.5	68
273	Brown Fat and Browning for the Treatment of Obesity and Related Metabolic Disorders. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 12.	1.8	180
274	Expression of uncoupling protein 1 in bovine muscle cells1. <i>Journal of Animal Science</i> , 2016, 94, 5097-5104.	0.2	4
275	Acute exercise regulates adipogenic gene expression in white adipose tissue. <i>Biology of Sport</i> , 2016, 33, 381-391.	1.7	30
276	The Engrailed-1 Gene Stimulates Brown Adipogenesis. <i>Stem Cells International</i> , 2016, 2016, 1-9.	1.2	8
277	Cell Fate and Differentiation of Bone Marrow Mesenchymal Stem Cells. <i>Stem Cells International</i> , 2016, 2016, 1-7.	1.2	39

#	ARTICLE	IF	CITATIONS
278	Impaired Thermogenesis and a Molecular Signature for Brown Adipose Tissue in <i>Ucp1</i> ^{Cre} Mice. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-11.	1.0	4
279	Modeling Neurological Disease by Rapid Conversion of Human Urine Cells into Functional Neurons. <i>Stem Cells International</i> , 2016, 2016, 1-8.	1.2	23
280	<i>Foxo1</i> -Deficiency Affects the Gene and MicroRNA Expression Involved in Brown Adipogenesis and Browning of White Adipose Tissue in Mice. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1851.	1.8	26
281	Chrysophanic Acid Suppresses Adipogenesis and Induces Thermogenesis by Activating AMP-Activated Protein Kinase Alpha <i>In vivo</i> and <i>In vitro</i> . <i>Frontiers in Pharmacology</i> , 2016, 7, 476.	1.6	24
282	Influencing Factors of Thermogenic Adipose Tissue Activity. <i>Frontiers in Physiology</i> , 2016, 7, 29.	1.3	48
283	10th anniversary of iPS cells: the challenges that lie ahead. <i>Journal of Biochemistry</i> , 2016, 160, 121-129.	0.9	28
284	Mouse aldehyde-oxidase-4 controls diurnal rhythms, fat deposition and locomotor activity. <i>Scientific Reports</i> , 2016, 6, 30343.	1.6	15
285	Clozapine modifies the differentiation program of human adipocytes inducing browning. <i>Translational Psychiatry</i> , 2016, 6, e963-e963.	2.4	35
286	A Synergistic Antiobesity Effect by a Combination of Capsinoids and Cold Temperature Through Promoting Beige Adipocyte Biogenesis. <i>Diabetes</i> , 2016, 65, 1410-1423.	0.3	90
287	PRDM16 Suppresses MLL1 ⁺ Leukemia via Intrinsic Histone Methyltransferase Activity. <i>Molecular Cell</i> , 2016, 62, 222-236.	4.5	46
288	Chemical transdifferentiation: closer to regenerative medicine. <i>Frontiers of Medicine</i> , 2016, 10, 152-165.	1.5	10
289	Genetic backgrounds determine brown remodeling of white fat in rodents. <i>Molecular Metabolism</i> , 2016, 5, 948-958.	3.0	25
290	Fat tissues, the bright and the dark sides. <i>Pflügers Archiv European Journal of Physiology</i> , 2016, 468, 1803-1807.	1.3	28
291	Brown adipose tissue: Updates in cellular and molecular biology. <i>Tissue and Cell</i> , 2016, 48, 452-460.	1.0	64
292	miR-155 Deletion in Female Mice Prevents Diet-Induced Obesity. <i>Scientific Reports</i> , 2016, 6, 22862.	1.6	83
293	<i>Ucp1</i> ^{Cre} mice are susceptible to diet-induced obesity. <i>Obesity</i> , 2016, 24, 1741-1751.	1.5	57
294	Adipose tissue in control of metabolism. <i>Journal of Endocrinology</i> , 2016, 231, R77-R99.	1.2	423
295	Distinct functions of PPAR α isoforms in regulating adipocyte plasticity. <i>Biochemical and Biophysical Research Communications</i> , 2016, 481, 132-138.	1.0	37

#	ARTICLE	IF	CITATIONS
296	Transcriptional and epigenetic control of brown and beige adipose cell fate and function. <i>Nature Reviews Molecular Cell Biology</i> , 2016, 17, 480-495.	16.1	243
297	Innate lymphoid cells as novel regulators of obesity and its associated metabolic dysfunction. <i>Obesity Reviews</i> , 2016, 17, 485-498.	3.1	11
298	p53 regulates expression of uncoupling protein 1 through binding and repression of PPAR β coactivator-1 α . <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 310, E116-E128.	1.8	26
299	The Multifaceted Roles of PRDM16: Adipose Biology and Beyond. <i>Trends in Endocrinology and Metabolism</i> , 2016, 27, 11-23.	3.1	84
300	AgRP Neurons Control Systemic Insulin Sensitivity via Myostatin Expression in Brown Adipose Tissue. <i>Cell</i> , 2016, 165, 125-138.	13.5	222
301	Dicer1 α miR-328 α Bace1 signalling controls brown adipose tissue differentiation and function. <i>Nature Cell Biology</i> , 2016, 18, 328-336.	4.6	80
302	Convertible visceral fat as a therapeutic target to curb obesity. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 405-424.	21.5	177
303	Decreased Gluconeogenesis in the Absence of Cystathionine Gamma-Lyase and the Underlying Mechanisms. <i>Antioxidants and Redox Signaling</i> , 2016, 24, 129-140.	2.5	56
304	3D brown adipogenesis to create "Brown-Fat-in-Microstrands". <i>Biomaterials</i> , 2016, 75, 123-134.	5.7	19
305	MicroRNAs in obesity-associated disorders. <i>Archives of Biochemistry and Biophysics</i> , 2016, 589, 108-119.	1.4	53
306	Adipose Derived Cells and Tissues for Regenerative Medicine. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 1477-1482.	2.6	12
307	TRPV1 activation counters diet-induced obesity through sirtuin-1 activation and PRDM-16 deacetylation in brown adipose tissue. <i>International Journal of Obesity</i> , 2017, 41, 739-749.	1.6	84
308	Differential methylation of genes in individuals exposed to maternal diabetes in utero. <i>Diabetologia</i> , 2017, 60, 645-655.	2.9	68
309	Common and distinct regulation of human and mouse brown and beige adipose tissues: a promising therapeutic target for obesity. <i>Protein and Cell</i> , 2017, 8, 446-454.	4.8	39
310	DJ-1 maintains energy and glucose homeostasis by regulating the function of brown adipose tissue. <i>Cell Discovery</i> , 2017, 3, 16054.	3.1	44
311	Id1 Promotes Obesity by Suppressing Brown Adipose Thermogenesis and White Adipose Browning. <i>Diabetes</i> , 2017, 66, 1611-1625.	0.3	24
312	Flow Cytometric Isolation and Differentiation of Adipogenic Progenitor Cells into Brown and Brite/Beige Adipocytes. <i>Methods in Molecular Biology</i> , 2017, 1566, 25-36.	0.4	12
313	Identification of Prdm genes in human corneal endothelium. <i>Experimental Eye Research</i> , 2017, 159, 114-122.	1.2	5

#	ARTICLE	IF	CITATIONS
314	l-Arginine promotes protein synthesis and cell growth in brown adipocyte precursor cells via the mTOR signal pathway. <i>Amino Acids</i> , 2017, 49, 957-964.	1.2	50
315	A mouse tissue transcription factor atlas. <i>Nature Communications</i> , 2017, 8, 15089.	5.8	90
316	PRDM16 represses the type I interferon response in adipocytes to promote mitochondrial and thermogenic programming. <i>EMBO Journal</i> , 2017, 36, 1528-1542.	3.5	63
317	Brown Adipose Tissue. , 2017, , 91-147.		21
318	A low-protein, high-carbohydrate diet increases browning in perirenal adipose tissue but not in inguinal adipose tissue. <i>Nutrition</i> , 2017, 42, 37-45.	1.1	21
319	Blocking FSH induces thermogenic adipose tissue and reduces body fat. <i>Nature</i> , 2017, 546, 107-112.	13.7	250
320	Estrogens in Male Physiology. <i>Physiological Reviews</i> , 2017, 97, 995-1043.	13.1	320
321	Cinnamon induces browning in subcutaneous adipocytes. <i>Scientific Reports</i> , 2017, 7, 2447.	1.6	40
322	Browning effects of (-)-epicatechin on adipocytes and white adipose tissue. <i>European Journal of Pharmacology</i> , 2017, 811, 48-59.	1.7	36
323	Circadian Rhythms in Adipose Tissue Physiology. , 2017, 7, 383-427.		44
324	Genome-Wide Insights into the Development and Function of Thermogenic Adipocytes. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 104-120.	3.1	29
325	Cellular models for the evaluation of the antiobesity effect of selected phytochemicals from food and herbs. <i>Journal of Food and Drug Analysis</i> , 2017, 25, 100-110.	0.9	47
326	RNA Binding Protein Ybx2 Regulates RNA Stability During Cold-Induced Brown Fat Activation. <i>Diabetes</i> , 2017, 66, 2987-3000.	0.3	30
327	Exercise for Cardiovascular Disease Prevention and Treatment. <i>Advances in Experimental Medicine and Biology</i> , 2017, , .	0.8	3
328	Difference in intracellular temperature rise between matured and precursor brown adipocytes in response to uncoupler and β^2 -adrenergic agonist stimuli. <i>Scientific Reports</i> , 2017, 7, 12889.	1.6	29
329	PexRAP Inhibits PRDM16-Mediated Thermogenic Gene Expression. <i>Cell Reports</i> , 2017, 20, 2766-2774.	2.9	32
330	Comprehensive transcriptome mining of the direct conversion of mesodermal cells. <i>Scientific Reports</i> , 2017, 7, 10427.	1.6	1
331	Brown and Beige Adipose Tissues in Health and Disease. , 2017, 7, 1281-1306.		127

#	ARTICLE	IF	CITATIONS
332	Green tea extract induces genes related to browning of white adipose tissue and limits weight-gain in high energy diet-fed rat. <i>Food and Nutrition Research</i> , 2017, 61, 1347480.	1.2	33
333	PRDM15 safeguards naive pluripotency by transcriptionally regulating WNT and MAPK/ERK signaling. <i>Nature Genetics</i> , 2017, 49, 1354-1363.	9.4	39
334	Antiobesity effects of resveratrol: which tissues are involved?. <i>Annals of the New York Academy of Sciences</i> , 2017, 1403, 118-131.	1.8	38
335	NFIA co-localizes with PPAR β and transcriptionally controls the brown fat gene program. <i>Nature Cell Biology</i> , 2017, 19, 1081-1092.	4.6	73
337	Constitutively Active SMAD2/3 Are Broad-Scope Potentiators of Transcription-Factor-Mediated Cellular Reprogramming. <i>Cell Stem Cell</i> , 2017, 21, 791-805.e9.	5.2	35
338	Egr1 deficiency induces browning of inguinal subcutaneous white adipose tissue in mice. <i>Scientific Reports</i> , 2017, 7, 16153.	1.6	22
339	C/EBPB-CITED4 in Exercised Heart. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1000, 247-259.	0.8	8
340	Understanding the Biology of Thermogenic Fat: Is Browning A New Approach to the Treatment of Obesity?. <i>Archives of Medical Research</i> , 2017, 48, 401-413.	1.5	78
341	Induction of thermogenic adipocytes: molecular targets and thermogenic small molecules. <i>Experimental and Molecular Medicine</i> , 2017, 49, e353-e353.	3.2	58
342	Transcription factor Hlx controls a systematic switch from white to brown fat through Prdm16-mediated co-activation. <i>Nature Communications</i> , 2017, 8, 68.	5.8	27
343	An adaptive variant of TRIB2, rs1057001, is associated with higher expression levels of thermogenic genes in human subcutaneous and visceral adipose tissues. <i>Journal of Physiological Anthropology</i> , 2017, 36, 16.	1.0	7
344	Secretory phospholipase A2 group IIA modulates insulin sensitivity and metabolism. <i>Journal of Lipid Research</i> , 2017, 58, 1822-1833.	2.0	37
345	Regulation of brown and beige fat by microRNAs. , 2017, 170, 1-7.		54
346	Immune Modulation of Brown(ing) Adipose Tissue in Obesity. <i>Endocrine Reviews</i> , 2017, 38, 46-68.	8.9	50
347	Epigenetic Regulation of the Thermogenic Adipose Program. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 19-31.	3.1	28
348	Transcriptional regulation of the uncoupling protein-1 gene. <i>Biochimie</i> , 2017, 134, 86-92.	1.3	77
349	Insights into specificity, redundancy and new cellular functions of C/EBPa and C/EBPb transcription factors through interactome network analysis. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 467-476.	1.1	19
350	CIDE Family-Mediated Unique Lipid Droplet Morphology in White Adipose Tissue and Brown Adipose Tissue Determines the Adipocyte Energy Metabolism. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 989-998.	0.9	41

#	ARTICLE	IF	CITATIONS
351	Animal Models for Manipulation of Thermogenesis. , 2017, , 281-312.		0
352	Phylloidalin, a Natural Sweetener, Regulates Obesity-Related Metabolic Changes and Fat Browning-Related Genes of Subcutaneous White Adipose Tissue in High-Fat Diet-Induced Obese Mice. <i>Nutrients</i> , 2017, 9, 1049.	1.7	29
353	The Transcription Factor Prdm16 Marks a Single Retinal Ganglion Cell Subtype in the Mouse Retina. , 2017, 58, 5421.		15
354	Zinc transporter ZIP13 suppresses beige adipocyte biogenesis and energy expenditure by regulating C/EBP- β expression. <i>PLoS Genetics</i> , 2017, 13, e1006950.	1.5	50
355	Murine Adipose Organ Development. , 2018, , 385-423.		0
356	Palmitoyl lactic acid induces adipogenesis and a brown fat-like phenotype in 3T3-L1 preadipocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 772-782.	1.2	8
357	Bone Marrow Adipocyte Developmental Origin and Biology. <i>Current Osteoporosis Reports</i> , 2018, 16, 312-319.	1.5	27
358	TGR5 signalling promotes mitochondrial fission and beige remodelling of white adipose tissue. <i>Nature Communications</i> , 2018, 9, 245.	5.8	167
359	A novel brown adipocyte-enriched long non-coding RNA that is required for brown adipocyte differentiation and sufficient to drive thermogenic gene program in white adipocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 409-419.	1.2	56
360	Kynurenic Acid and Gpr35 Regulate Adipose Tissue Energy Homeostasis and Inflammation. <i>Cell Metabolism</i> , 2018, 27, 378-392.e5.	7.2	178
361	An OLTAM system for analysis of brown/beige fat thermogenic activity. <i>International Journal of Obesity</i> , 2018, 42, 939-945.	1.6	9
362	T Cell Factor 7 (TCF7)/TCF1 Feedback Controls Osteocalcin Signaling in Brown Adipocytes Independent of the Wnt/ β -Catenin Pathway. <i>Molecular and Cellular Biology</i> , 2018, 38, .	1.1	19
363	Three-Dimensional Adipose Tissue Imaging Reveals Regional Variation in Beige Fat Biogenesis and PRDM16-Dependent Sympathetic Neurite Density. <i>Cell Metabolism</i> , 2018, 27, 226-236.e3.	7.2	208
364	Repression of Adipose Tissue Fibrosis through a PRDM16-GTF2IRD1 Complex Improves Systemic Glucose Homeostasis. <i>Cell Metabolism</i> , 2018, 27, 180-194.e6.	7.2	133
365	Sucrose Nonfermenting-Related Kinase Regulates Both Adipose Inflammation and Energy Homeostasis in Mice and Humans. <i>Diabetes</i> , 2018, 67, 400-411.	0.3	16
366	Antiobesity effect of <i>Lactobacillus reuteri</i> 263 associated with energy metabolism remodeling of white adipose tissue in high-energy-diet-fed rats. <i>Journal of Nutritional Biochemistry</i> , 2018, 54, 87-94.	1.9	58
367	Biology and pathological implications of brown adipose tissue: promises and caveats for the control of obesity and its associated complications. <i>Biological Reviews</i> , 2018, 93, 1145-1164.	4.7	16
368	Transcription factors: Time to deliver. <i>Journal of Controlled Release</i> , 2018, 269, 24-35.	4.8	27

#	ARTICLE	IF	CITATIONS
369	Role of brown adipose tissue in metabolic syndrome, aging, and cancer cachexia. <i>Frontiers of Medicine</i> , 2018, 12, 130-138.	1.5	47
370	Deciphering adipose tissue heterogeneity. <i>Annals of the New York Academy of Sciences</i> , 2018, 1411, 5-20.	1.8	77
371	Beyond brown adipogenesis the inheritance of imprinted H19. <i>Non-coding RNA Investigation</i> , 2018, 2, 64-64.	0.6	2
372	EET Intervention on HO-1 Prevent Obesity Derived Cardiovascular Diseases. <i>Journal of Biomolecular Research & Therapeutics</i> , 2018, 07, .	0.2	1
373	Adipose Organ Development and Remodeling. , 2018, 8, 1357-1431.		127
374	Translational Pharmacology and Physiology of Brown Adipose Tissue in Human Disease and Treatment. <i>Handbook of Experimental Pharmacology</i> , 2018, 251, 381-424.	0.9	17
375	Genistein and daidzein decrease food intake and body weight gain in mice, and alter LXR signaling <i>in vivo</i> and <i>in vitro</i> . <i>Food and Function</i> , 2018, 9, 6257-6267.	2.1	23
376	Regulatory Small and Long Noncoding RNAs in Brite/Brown Adipose Tissue. <i>Handbook of Experimental Pharmacology</i> , 2018, 251, 215-237.	0.9	5
377	Deficiency in interleukin-18 promotes differentiation of brown adipose tissue resulting in fat accumulation despite dyslipidemia. <i>Journal of Translational Medicine</i> , 2018, 16, 314.	1.8	9
378	Histone demethylases regulate adipocyte thermogenesis. <i>Diabetology International</i> , 2018, 9, 215-223.	0.7	7
379	INDUCTION OF BROWN ADIPOSE TISSUE: A REVIEW. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2018, 11, 472.	0.3	0
380	Obesity-Associated miR-199a/214 Cluster Inhibits Adipose Browning via PRDM16-PCG-1 Transcriptional Network. <i>Diabetes</i> , 2018, 67, 2585-2600.	0.3	39
381	PR/SET Domain Family and Cancer: Novel Insights from the Cancer Genome Atlas. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3250.	1.8	29
382	p53 Functions in Adipose Tissue Metabolism and Homeostasis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2622.	1.8	68
383	Regulation of Energy Expenditure and Brown/Beige Thermogenic Activity by Interleukins: New Roles for Old Actors. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2569.	1.8	15
384	cAMP-inducible coactivator CRTC3 attenuates brown adipose tissue thermogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5289-E5297.	3.3	22
385	Spectral Unmixing Imaging for Differentiating Brown Adipose Tissue Mass and Its Activation. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-7.	0.4	4
386	Transcriptional analysis of adipose tissue during development reveals depot-specific responsiveness to maternal dietary supplementation. <i>Scientific Reports</i> , 2018, 8, 9628.	1.6	20

#	ARTICLE	IF	CITATIONS
387	The tumor secretory factor ZAG promotes white adipose tissue browning and energy wasting. <i>FASEB Journal</i> , 2018, 32, 4727-4743.	0.2	58
388	Long non-coding RNAs regulation in adipogenesis and lipid metabolism: Emerging insights in obesity. <i>Cellular Signalling</i> , 2018, 51, 47-58.	1.7	46
389	Transcriptional regulation of O-GlcNAc homeostasis is disrupted in pancreatic cancer. <i>Journal of Biological Chemistry</i> , 2018, 293, 13989-14000.	1.6	66
390	Ectopic BAT mUCP-1 overexpression in SKM by delivering a BMP7/PRDM16/PGC-1a gene cocktail or single PRMD16 using non-viral UTMD gene therapy. <i>Gene Therapy</i> , 2018, 25, 497-509.	2.3	7
391	Reprogramming Glia Into Neurons in the Peripheral Auditory System as a Solution for Sensorineural Hearing Loss: Lessons From the Central Nervous System. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 77.	1.4	16
392	Melinjo (Gnetum gnemon L.) seed extract induces uncoupling protein 1 expression in brown fat and protects mice against diet-induced obesity, inflammation, and insulin resistance. <i>Nutrition Research</i> , 2018, 58, 17-25.	1.3	11
393	Chemical compound-based direct reprogramming for future clinical applications. <i>Bioscience Reports</i> , 2018, 38, .	1.1	41
394	Translational Aspects of Brown Fat Activation by Food-Derived Stimulants. <i>Handbook of Experimental Pharmacology</i> , 2018, 251, 359-379.	0.9	13
395	RBM4a modulates the impact of PRDM16 on development of brown adipocytes through an alternative splicing mechanism. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1515-1525.	1.9	11
396	Human PRDM2: Structure, function and pathophysiology. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018, 1861, 657-671.	0.9	13
397	Connecting homocysteine and obesity through pyroptosis, gut microbiome, epigenetics, peroxisome proliferator-activated receptor β , and zinc finger protein 407. <i>Canadian Journal of Physiology and Pharmacology</i> , 2018, 96, 971-976.	0.7	31
398	Development, activation, and therapeutic potential of thermogenic adipocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 13-19.	1.2	7
399	A cellular perspective of adipogenesis transcriptional regulation. <i>Journal of Cellular Physiology</i> , 2019, 234, 1111-1129.	2.0	39
400	Reversine promotes browning of white adipocytes by suppressing <i>miR-133a</i> . <i>Journal of Cellular Physiology</i> , 2019, 234, 3800-3813.	2.0	14
401	SEN2 Suppresses Necdin Expression to Promote Brown Adipocyte Differentiation. <i>Cell Reports</i> , 2019, 28, 2004-2011.e4.	2.9	16
402	Switching on the furnace: Regulation of heat production in brown adipose tissue. <i>Molecular Aspects of Medicine</i> , 2019, 68, 60-73.	2.7	52
403	Genetic variants influencing obesity-related traits in Japanese population. <i>Annals of Human Biology</i> , 2019, 46, 298-304.	0.4	7
404	Irisin: A Hope in Understanding and Managing Obesity and Metabolic Syndrome. <i>Frontiers in Endocrinology</i> , 2019, 10, 524.	1.5	172

#	ARTICLE	IF	CITATIONS
405	Liensinine Inhibits Beige Adipocytes Recovering to white Adipocytes through Blocking Mitophagy Flux In Vitro and In Vivo. <i>Nutrients</i> , 2019, 11, 1640.	1.7	12
406	PRDM16s transforms megakaryocyte-erythroid progenitors into myeloid leukemia-initiating cells. <i>Blood</i> , 2019, 134, 614-625.	0.6	16
407	Macrophages fine tune satellite cell fate in dystrophic skeletal muscle of mdx mice. <i>PLoS Genetics</i> , 2019, 15, e1008408.	1.5	35
408	Identification of key candidate genes and molecular pathways in white fat browning: an anti-obesity drug discovery based on computational biology. <i>Human Genomics</i> , 2019, 13, 55.	1.4	8
409	mTOR signaling in Brown and Beige adipocytes: implications for thermogenesis and obesity. <i>Nutrition and Metabolism</i> , 2019, 16, 74.	1.3	24
410	Inhibition of GSK3 β Reduces Ectopic Lipid Accumulation and Induces Autophagy by the AMPK Pathway in Goat Muscle Satellite Cells. <i>Cells</i> , 2019, 8, 1378.	1.8	6
411	Foxp1 controls brown/beige adipocyte differentiation and thermogenesis through regulating β 3-AR desensitization. <i>Nature Communications</i> , 2019, 10, 5070.	5.8	54
412	Caulis Spatholobi Ameliorates Obesity through Activating Brown Adipose Tissue and Modulating the Composition of Gut Microbiota. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5150.	1.8	32
413	Effect of resveratrol on adipokines and myokines involved in fat browning: Perspectives in healthy weight against obesity. <i>Pharmacological Research</i> , 2019, 148, 104411.	3.1	39
414	Conditionally immortalized brown preadipocytes can switch between proliferative and differentiated states. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 158511.	1.2	8
415	Black Raspberry (<i>Rubus coreanus</i> Miquel) Promotes Browning of Preadipocytes and Inguinal White Adipose Tissue in Cold-Induced Mice. <i>Nutrients</i> , 2019, 11, 2164.	1.7	18
416	Experimental and Computational Approaches to Direct Cell Reprogramming: Recent Advancement and Future Challenges. <i>Cells</i> , 2019, 8, 1189.	1.8	8
417	PRDM16 functions as a suppressor of lung adenocarcinoma metastasis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 35.	3.5	30
418	Maintaining mitochondria in beige adipose tissue. <i>Adipocyte</i> , 2019, 8, 77-82.	1.3	11
419	Mechanisms of Impaired Brown Adipose Tissue Recruitment in Obesity. <i>Frontiers in Physiology</i> , 2019, 10, 94.	1.3	78
420	From white to beige adipocytes: therapeutic potential of dietary molecules against obesity and their molecular mechanisms. <i>Food and Function</i> , 2019, 10, 1263-1279.	2.1	41
421	The molecular mechanism study of insulin on proliferation and differentiation of osteoblasts under high glucose conditions. <i>Cell Biochemistry and Function</i> , 2019, 37, 385-394.	1.4	9
422	Neuroendocrine Regulation of Energy Metabolism Involving Different Types of Adipose Tissues. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2707.	1.8	40

#	ARTICLE	IF	CITATIONS
423	Berberine promotes the recruitment and activation of brown adipose tissue in mice and humans. <i>Cell Death and Disease</i> , 2019, 10, 468.	2.7	77
424	An ATAC-seq atlas of chromatin accessibility in mouse tissues. <i>Scientific Data</i> , 2019, 6, 65.	2.4	89
425	Molecular Interaction Networks to Select Factors for Cell Conversion. <i>Methods in Molecular Biology</i> , 2019, 1975, 333-361.	0.4	2
426	Dietary Sea Buckthorn Pomace Induces Beige Adipocyte Formation in Inguinal White Adipose Tissue in Lambs. <i>Animals</i> , 2019, 9, 193.	1.0	6
427	SIRT5 Regulates Brown Adipocyte Differentiation and Browning of Subcutaneous White Adipose Tissue. <i>Diabetes</i> , 2019, 68, 1449-1461.	0.3	33
428	PRISMA: Protein Interaction Screen on Peptide Matrix Reveals Interaction Footprints and Modifications- Dependent Interactome of Intrinsically Disordered C/EBP β . <i>IScience</i> , 2019, 13, 351-370.	1.9	31
429	Prolyl Isomerase Pin1 Suppresses Thermogenic Programs in Adipocytes by Promoting Degradation of Transcriptional Co-activator PRDM16. <i>Cell Reports</i> , 2019, 26, 3221-3230.e3.	2.9	12
430	The Transcription Factor ATF7 Controls Adipocyte Differentiation and Thermogenic Gene Programming. <i>IScience</i> , 2019, 13, 98-112.	1.9	10
431	Effect of resveratrol on expression of genes involved thermogenesis in mice and humans. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108634.	2.5	42
432	Gene-gene and gene-environment interactions in lipodystrophy: Lessons learned from natural PPAR β mutants. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 715-732.	1.2	28
433	Neuropeptide Y – Its role in human performance and extreme environments. <i>Reach</i> , 2019, 14-15, 100032.	0.4	4
434	Loss of SMYD1 Results in Perinatal Lethality via Selective Defects within Myotonic Muscle Descendants. <i>Diseases (Basel, Switzerland)</i> , 2019, 7, 1.	1.0	20
435	Browning of white fat: agents and implications for beige adipose tissue to type 2 diabetes. <i>Journal of Physiology and Biochemistry</i> , 2019, 75, 1-10.	1.3	158
436	BMP4 facilitates beige fat biogenesis via regulating adipose tissue macrophages. <i>Journal of Molecular Cell Biology</i> , 2019, 11, 14-25.	1.5	28
437	Genetic and epigenetic control of adipose development. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 3-12.	1.2	43
438	Insight into cellular dedifferentiation in regenerative medicine. <i>Science China Life Sciences</i> , 2020, 63, 301-304.	2.3	2
439	Brown adipocytes from induced pluripotent stem cells – how far have we come?. <i>Annals of the New York Academy of Sciences</i> , 2020, 1463, 9-22.	1.8	16
440	Obesity/Perinatal Origins of Obesity. , 2020, , 891-911.		1

#	ARTICLE	IF	CITATIONS
441	Adipose tissue as a target for second-generation (atypical) antipsychotics: A molecular view. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158534.	1.2	12
442	Effects of Sargaquinoic Acid in <i>Sargassum Serratifolium</i> on Inducing Brown Adipocyte-like Phenotype in Mouse Adipocytes In Vitro. <i>Planta Medica</i> , 2020, 86, 45-54.	0.7	4
443	The RNA-binding protein HuR is a negative regulator in adipogenesis. <i>Nature Communications</i> , 2020, 11, 213.	5.8	73
444	Emerging Role of C/EBP β and Epigenetic DNA Methylation in Ageing. <i>Trends in Genetics</i> , 2020, 36, 71-80.	2.9	28
445	The Adipokines in Cancer Cachexia. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4860.	1.8	25
446	Finding a Needle in a Haystack: Identification of a Beige Fat Progenitor. <i>Cell</i> , 2020, 182, 537-539.	13.5	2
447	Estrogen receptor β controls metabolism in white and brown adipocytes by regulating <i>Polg1</i> and mitochondrial remodeling. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	64
448	Regulatory roles of circRNAs in adipogenesis and lipid metabolism: emerging insights into lipid-related diseases. <i>FEBS Journal</i> , 2021, 288, 3663-3682.	2.2	23
449	Long-term exercise-secreted extracellular vesicles promote browning of white adipocytes by suppressing miR-191a-5p. <i>Life Sciences</i> , 2020, 263, 118464.	2.0	13
450	Beige Fat Maintenance; Toward a Sustained Metabolic Health. <i>Frontiers in Endocrinology</i> , 2020, 11, 634.	1.5	33
451	CRISPR-engineered human brown-like adipocytes prevent diet-induced obesity and ameliorate metabolic syndrome in mice. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	80
452	The Intricate Role of p53 in Adipocyte Differentiation and Function. <i>Cells</i> , 2020, 9, 2621.	1.8	16
453	Emerging Roles of PRDM Factors in Stem Cells and Neuronal System: Cofactor Dependent Regulation of PRDM3/16 and FOG1/2 (Novel PRDM Factors). <i>Cells</i> , 2020, 9, 2603.	1.8	12
454	Correlation Profile of Suppression of Tumorigenicity 2 and/or Interleukin-33 with Biomarkers in the Adipose Tissue of Individuals with Different Metabolic States. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 3839-3859.	1.1	2
455	Research methodology for in vivo measurements of resting energy expenditure, daily body temperature, metabolic heat and non-viral tissue-specific gene therapy in baboons. <i>Research in Veterinary Science</i> , 2020, 133, 136-145.	0.9	2
456	Long term hypoxia during gestation alters perirenal adipose tissue gene expression in the lamb. <i>Adipocyte</i> , 2020, 9, 223-233.	1.3	2
457	Molecular Mechanisms of Adipogenesis: The Anti-adipogenic Role of AMP-Activated Protein Kinase. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 76.	1.6	118
458	Association of uncoupling protein (Ucp) gene polymorphisms with cardiometabolic diseases. <i>Molecular Medicine</i> , 2020, 26, 51.	1.9	22

#	ARTICLE	IF	CITATIONS
459	The Role of Pref-1 during Adipogenic Differentiation: An Overview of Suggested Mechanisms. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4104.	1.8	23
460	Î ² -arrestin-1 suppresses myogenic reprogramming of brown fat to maintain euglycemia. <i>Science Advances</i> , 2020, 6, eaba1733.	4.7	15
461	The Role of Leptin Levels in Adaptation to Cold Climates. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1854.	1.2	6
462	TSH promotes adiposity by inhibiting the browning of white fat. <i>Adipocyte</i> , 2020, 9, 264-278.	1.3	10
463	The colorful versatility of adipocytes: white to brown transdifferentiation and its therapeutic potential in humans. <i>FEBS Journal</i> , 2021, 288, 3628-3646.	2.2	27
464	The conserved and divergent roles of Prdm3 and Prdm16 in zebrafish and mouse craniofacial development. <i>Developmental Biology</i> , 2020, 461, 132-144.	0.9	40
465	Dietary polyphenols turn fat to brown. A narrative review of the possible mechanisms. <i>Trends in Food Science and Technology</i> , 2020, 97, 221-232.	7.8	27
466	Comprehensive Analysis of the Characteristics and Differences in Adult and Newborn Brown Adipose Tissue (BAT): Newborn BAT Is a More Active/Dynamic BAT. <i>Cells</i> , 2020, 9, 201.	1.8	10
467	O-GlcNAc transferase inhibits visceral fat lipolysis and promotes diet-induced obesity. <i>Nature Communications</i> , 2020, 11, 181.	5.8	50
468	Transcription Factors in Cancer: When Alternative Splicing Determines Opposite Cell Fates. <i>Cells</i> , 2020, 9, 760.	1.8	44
469	Sesaminol induces brown and beige adipocyte formation through suppression of myogenic program. <i>FASEB Journal</i> , 2020, 34, 6854-6870.	0.2	5
470	Combating Obesity With Thermogenic Fat: Current Challenges and Advancements. <i>Frontiers in Endocrinology</i> , 2020, 11, 185.	1.5	45
471	Direct cell-fate conversion of somatic cells: Toward regenerative medicine and industries. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2020, 96, 131-158.	1.6	22
472	Factors inducing transdifferentiation of myoblasts into adipocytes. <i>Journal of Cellular Physiology</i> , 2021, 236, 2276-2289.	2.0	16
473	The relationship between PRDM16 promoter methylation in abdominal subcutaneous and omental adipose tissue and obesity. <i>Clinical Nutrition</i> , 2021, 40, 2278-2284.	2.3	9
474	Ad36 promotes differentiation of hADSCs into brown adipocytes by up-regulating LncRNA ROR. <i>Life Sciences</i> , 2021, 265, 118762.	2.0	3
475	Hematopoietic stem cells produce intermediate lineage adipocyte progenitors that simultaneously express both myeloid and mesenchymal lineage markers in adipose tissue. <i>Adipocyte</i> , 2021, 10, 394-407.	1.3	4
476	Critical roles of FTO-mediated mRNA m6A demethylation in regulating adipogenesis and lipid metabolism: Implications in lipid metabolic disorders. <i>Genes and Diseases</i> , 2022, 9, 51-61.	1.5	59

#	ARTICLE	IF	CITATIONS
477	Insights into current models for developing brown adipocytes from induced pluripotent stem cells. , 2021, , 95-115.		0
478	Cold-Induced Adaptations to the Proteome of Mouse Subcutaneous White Adipose Tissue (scWAT) Reveal Proteins Relevant for Tissue Remodeling and Plasticity. SSRN Electronic Journal, 0, , .	0.4	0
479	Withaferin A exerts an anti-obesity effect by increasing energy expenditure through thermogenic gene expression in high-fat diet-fed obese mice. Phytomedicine, 2021, 82, 153457.	2.3	14
480	Key Metabolic Functions of β -Arrestins: Studies with Novel Mouse Models. Trends in Endocrinology and Metabolism, 2021, 32, 118-129.	3.1	7
481	Natural Bioactive Compounds as Potential Browning Agents in White Adipose Tissue. Pharmaceutical Research, 2021, 38, 549-567.	1.7	14
482	Signaling Pathways Regulating Thermogenesis. Frontiers in Endocrinology, 2021, 12, 595020.	1.5	38
484	Brown Adipose Tissue Heterogeneity, Energy Metabolism, and Beyond. Frontiers in Endocrinology, 2021, 12, 651763.	1.5	38
485	Thermogenic Fat: Development, Physiological Function, and Therapeutic Potential. International Journal of Molecular Sciences, 2021, 22, 5906.	1.8	14
486	Aging adipose: Depot location dictates age-associated expansion and dysfunction. Ageing Research Reviews, 2021, 67, 101259.	5.0	33
489	Maternal cold exposure induces distinct transcriptome changes in the placenta and fetal brown adipose tissue in mice. BMC Genomics, 2021, 22, 500.	1.2	4
490	3-N-butylphthalide protects against high-fat-diet-induced obesity in C57BL/6 mice and increases metabolism in lipid-accumulating cells. Biomedicine and Pharmacotherapy, 2021, 139, 111687.	2.5	5
491	Therapeutic Perspectives of Thermogenic Adipocytes in Obesity and Related Complications. International Journal of Molecular Sciences, 2021, 22, 7177.	1.8	12
492	On the potential role of globins in brown adipose tissue: a novel conceptual model and studies in myoglobin knockout mice. American Journal of Physiology - Endocrinology and Metabolism, 2021, 321, E47-E62.	1.8	11
493	Genetic and Functional Characterization of Novel Brown-Like Adipocytes Around the Lamprey Brain. Frontiers in Cell and Developmental Biology, 2021, 9, 674939.	1.8	2
494	Regulation of metabolic homeostasis by the TGF β superfamily receptor ALK7. FEBS Journal, 2022, 289, 5776-5797.	2.2	10
495	Molecular Imaging of Brown Adipose Tissue Mass. International Journal of Molecular Sciences, 2021, 22, 9436.	1.8	13
496	Isthmin-1 is an adipokine that promotes glucose uptake and improves glucose tolerance and hepatic steatosis. Cell Metabolism, 2021, 33, 1836-1852.e11.	7.2	56
497	Endocrine Regulation of Brown and Beige Adipose Tissue. , 2021, , 247-259.		2

#	ARTICLE	IF	CITATIONS
498	Non-shivering Thermogenesis Signalling Regulation and Potential Therapeutic Applications of Brown Adipose Tissue. <i>International Journal of Biological Sciences</i> , 2021, 17, 2853-2870.	2.6	30
499	Adipocyte Specific Signaling. , 2020, , 409-436.		2
500	Aging and Bone. , 2016, , 23-42.		1
501	An Hsp20-FBXO4 Axis Regulates Adipocyte Function through Modulating PPAR β Ubiquitination. <i>Cell Reports</i> , 2018, 23, 3607-3620.	2.9	25
502	Epigenetic dynamics of the thermogenic gene program of adipocytes. <i>Biochemical Journal</i> , 2020, 477, 1137-1148.	1.7	14
503	Thermogenic adipocytes: lineage, function and therapeutic potential. <i>Biochemical Journal</i> , 2020, 477, 2071-2093.	1.7	18
506	The omentum of obese girls harbors small adipocytes and browning transcripts. <i>JCI Insight</i> , 2020, 5, .	2.3	8
507	Prdm16 determines the thermogenic program of subcutaneous white adipose tissue in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 96-105.	3.9	1,036
508	Brown adipose tissue regulates glucose homeostasis and insulin sensitivity. <i>Journal of Clinical Investigation</i> , 2013, 123, 215-223.	3.9	964
509	p2 Links β -adrenergic input to mitochondrial function and thermogenesis. <i>Journal of Clinical Investigation</i> , 2013, 123, 469-478.	3.9	107
510	Metabolism of Vitamin A in White Adipose Tissue and Obesity. <i>Oxidative Stress and Disease</i> , 2013, , 23-52.	0.3	5
511	The Biological Clock is Regulated by Adrenergic Signaling in Brown Fat but is Dispensable for Cold-Induced Thermogenesis. <i>PLoS ONE</i> , 2013, 8, e70109.	1.1	33
512	Activation of Classical Brown Adipocytes in the Adult Human Perirenal Depot Is Highly Correlated with PRDM16 β -EHMT1 Complex Expression. <i>PLoS ONE</i> , 2015, 10, e0122584.	1.1	42
513	Identification of VPS13C as a Galectin-12-Binding Protein That Regulates Galectin-12 Protein Stability and Adipogenesis. <i>PLoS ONE</i> , 2016, 11, e0153534.	1.1	35
514	Metabolic characteristics and therapeutic potential of brown and "beige" adipose tissues. <i>Diabetes Mellitus</i> , 2014, 17, 5-15.	0.5	11
515	Glutathione peroxidases as oncotargets. <i>Oncotarget</i> , 2017, 8, 80093-80102.	0.8	69
516	Transcription Regulators and Hormones Involved in the Development of Brown Fat and White Fat Browning: Transcriptional and Hormonal Control of Brown/Beige Fat Development. <i>Physiological Research</i> , 2018, 67, 347-362.	0.4	28
517	Diphyllin Improves High-Fat Diet-Induced Obesity in Mice Through Brown and Beige Adipocytes. <i>Frontiers in Endocrinology</i> , 2020, 11, 592818.	1.5	10

#	ARTICLE	IF	CITATIONS
518	PRDM16 in Development and Disease. , 2014, 04, .		1
519	Molecular Heterogeneities of Adipose Depots - Potential Effects on Adipose-Muscle Cross-Talk in Humans, Mice and Farm Animals. Journal of Genomics, 2014, 2, 31-44.	0.6	41
520	Obesity Impairs Embryonic Myogenesis by Enhancing BMP Signaling within the Dermomyotome. Advanced Science, 2021, 8, e2102157.	5.6	8
521	LETMD1 is required for mitochondrial structure and thermogenic function of brown adipocytes. FASEB Journal, 2021, 35, e21965.	0.2	9
522	Dichotomy in the Impact of Elevated Maternal Glucose Levels on Neonatal Epigenome. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1277-e1292.	1.8	4
523	The evolving view of thermogenic adipocytes " ontogeny, niche and function. Nature Reviews Endocrinology, 2021, 17, 726-744.	4.3	81
524	Novel Noninvasive Approaches to the Treatment of Obesity: From Pharmacotherapy to Gene Therapy. Endocrine Reviews, 2022, 43, 507-557.	8.9	39
525	Metabolism of Fatty Acids in Adipocytes. Research and Perspectives in Endocrine Interactions, 2010, , 21-43.	0.2	2
526	Brown Adipose Tissue: A New Target for Antiobesity Therapy. Indonesian Biomedical Journal, 2010, 2, 4.	0.2	1
528	<i>PRDM16</i> (1p36) translocations define a distinct entity of myeloid malignancies with poor prognosis but may also occur in lymphoid malignancies.. Journal of Clinical Oncology, 2011, 29, 6531-6531.	0.8	1
529	Sympathetic Nervous System and Endocrine Determinants of Energy Balance. , 2014, , 215-224.		0
530	Cell-Based Regenerative Therapy for Liver Disease. , 2015, , 327-339.		0
531	Recent approaches in pregnancy nutrition of slaughter animals. Anadolu Journal of Agricultural Sciences, 2015, 30, 207.	0.3	0
534	BETting on Targeted Therapy for ASXL1-mutated Myeloid Neoplasms. , 2018, 15, .		0
536	Effects of Deep Sea Water on Anti-Obesity Properties in Induction of Beige Adipocytes. Current Chemical Biology, 2019, 13, 38-48.	0.2	0
539	Current Progress in Adipose Tissue Biology: Implications in Obesity and Its Comorbidities. Indonesian Biomedical Journal, 2020, 12, 85-101.	0.2	0
540	β ² -Arrestins as Important Regulators of Glucose and Energy Homeostasis. Annual Review of Physiology, 2022, 84, 17-40.	5.6	14
541	Adipose tissue development and metabolic regulation. , 2020, , 521-534.		1

#	ARTICLE	IF	CITATIONS
542	Astragalus polysaccharide regulates brown adipocytes differentiation by miR-6911 targeting Prdm16. <i>Lipids</i> , 2021, , .	0.7	1
543	Peroxisome Proliferator-Activated Receptor β in White and Brown Adipocyte Regulation and Differentiation. <i>Physiological Research</i> , 2020, 69, 759-773.	0.4	13
544	Temperatures rising: brown fat and bone. <i>Discovery Medicine</i> , 2011, 11, 179-85.	0.5	26
545	Etiopathogenesis of insulin resistance. , 2022, , 231-273.		1
546	SNAP25 mutation disrupts metabolic homeostasis, steroid hormone production and central neurobehavior. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022, 1868, 166304.	1.8	3
547	Transcriptional and epigenetic control of adipocyte remodeling during obesity. <i>Obesity</i> , 2021, 29, 2013-2025.	1.5	6
548	Understanding the molecular basis of cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2022, 322, H181-H233.	1.5	14
549	Epigenetic interaction between UTX and DNMT1 regulates diet-induced myogenic remodeling in brown fat. <i>Nature Communications</i> , 2021, 12, 6838.	5.8	11
550	Telomerase reverse transcriptase expression marks a population of rare adipose tissue stem cells. <i>Stem Cells</i> , 2022, 40, 102-111.	1.4	1
551	PRDM paralogs antagonistically balance Wnt/ β -catenin activity during craniofacial chondrocyte differentiation. <i>Development (Cambridge)</i> , 2022, 149, .	1.2	13
552	Inactivation of Type 3 Deiodinase Results in Life-long Changes in the Brown Adipose Tissue Transcriptome in the Male Mouse. <i>Endocrinology</i> , 2022, 163, .	1.4	8
553	PRDM16 Regulating Adipocyte Transformation and Thermogenesis: A Promising Therapeutic Target for Obesity and Diabetes. <i>Frontiers in Pharmacology</i> , 2022, 13, 870250.	1.6	9
554	Somatic Lineage Reprogramming. <i>Cold Spring Harbor Perspectives in Biology</i> , 2022, 14, a040808.	2.3	9
555	Cyanidin-3-O-glucoside Regulates the Expression of Ucp1 in Brown Adipose Tissue by Activating Prdm16 Gene. <i>Antioxidants</i> , 2021, 10, 1986.	2.2	5
556	β -Arrestins as regulators of key metabolic processes. , 2022, , 69-85.		0
557	Dysfunction of insulin-AKT-UCP1 signalling inhibits transdifferentiation of human and mouse white preadipocytes into brown-like adipocytes. <i>Adipocyte</i> , 2022, 11, 213-226.	1.3	3
560	Plasmalogen Inhibits Body Weight Gain by Activating Brown Adipose Tissue and Improving White Adipose Tissue Metabolism. <i>Journal of Nutritional Science and Vitaminology</i> , 2022, 68, 140-147.	0.2	3
561	DNA methylation profiles in the blood of newborn term infants born to mothers with obesity. <i>PLoS ONE</i> , 2022, 17, e0267946.	1.1	11

#	ARTICLE	IF	CITATIONS
562	Single-nucleus chromatin accessibility profiling highlights regulatory mechanisms of coronary artery disease risk. <i>Nature Genetics</i> , 2022, 54, 804-816.	9.4	51
563	Transcriptomic analysis of Simpson Golabi Behmel syndrome cells during differentiation exhibit BAT-like function. <i>Tissue and Cell</i> , 2022, 77, 101822.	1.0	1
564	Brown Adipose Tissue—A Translational Perspective. <i>Endocrine Reviews</i> , 2023, 44, 143-192.	8.9	49
565	Hematopoietic Stem Cell-Derived Adipocytes Modulate Adipose Tissue Cellularity, Leptin Production and Insulin Responsiveness in Female Mice. <i>Frontiers in Endocrinology</i> , 2022, 13, .	1.5	1
567	New perspectives on obesity-induced adipose tissue fibrosis and related clinical manifestations. <i>Endocrine Journal</i> , 2022, 69, 739-748.	0.7	3
568	Cell fate determining molecular switches and signaling pathways in Pax7-expressing somitic mesoderm. <i>Cell Discovery</i> , 2022, 8, .	3.1	3
569	Factors Associated with White Fat Browning: New Regulators of Lipid Metabolism. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7641.	1.8	5
570	NFIA determines the cis-effect of genetic variation on Ucp1 expression in murine thermogenic adipocytes. <i>iScience</i> , 2022, 25, 104729.	1.9	2
571	The conserved Mediator subunit cyclin C (CCNC) is required for brown adipocyte development and lipid accumulation. <i>Molecular Metabolism</i> , 2022, 64, 101548.	3.0	3
573	Post-translational control of beige fat biogenesis by PRDM16 stabilization. <i>Nature</i> , 2022, 609, 151-158.	13.7	31
574	Metabolomics reveals inosine 5â€²-monophosphate is increased during mice adipocyte browning. <i>Journal of Biological Chemistry</i> , 2022, 298, 102456.	1.6	1
575	Novel association of SNP rs2297828 in PRDM16 gene with predisposition to type 2 diabetes. <i>Gene</i> , 2023, 849, 146916.	1.0	1
576	Relationships between Uncoupling Protein Genes UCP1, UCP2 and UCP3 and Irisin Levels in Residents of the Coldest Region of Siberia. <i>Genes</i> , 2022, 13, 1612.	1.0	2
577	Haploinsufficiency of the lysosomal sialidase NEU1 results in a model of pleomorphic rhabdomyosarcoma in mice. <i>Communications Biology</i> , 2022, 5, .	2.0	1
578	Implication of miR-155-5p and miR-143-3p in the Vascular Insulin Resistance and Instability of Human and Experimental Atherosclerotic Plaque. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10253.	1.8	9
579	Brown to White Fat Transition Overlap With Skeletal Muscle During Development of Larger Mammals: Is it a Coincidence?. <i>Journal of the Endocrine Society</i> , 2022, 6, .	0.1	6
580	Modelling metabolic diseases and drug response using stem cells and organoids. <i>Nature Reviews Endocrinology</i> , 2022, 18, 744-759.	4.3	30
581	Browning of the white adipose tissue regulation: new insights into nutritional and metabolic relevance in health and diseases. <i>Nutrition and Metabolism</i> , 2022, 19, .	1.3	52

#	ARTICLE	IF	CITATIONS
582	Baicalein modulates mitochondrial function by upregulating mitochondrial uncoupling protein-1 (UCP1) expression in brown adipocytes, cytotoxicity, and computational studies. <i>International Journal of Biological Macromolecules</i> , 2022, 222, 1963-1973.	3.6	7
583	Progress of m6A Methylation in Lipid Metabolism in Humans and Animals. <i>Agriculture (Switzerland)</i> , 2022, 12, 1683.	1.4	2
584	Obesity caused by an OVOL2 mutation reveals dual roles of OVOL2 in promoting thermogenesis and limiting white adipogenesis. <i>Cell Metabolism</i> , 2022, 34, 1860-1874.e4.	7.2	7
585	Chronic cAMP activation induces adipocyte browning through discordant biphasic remodeling of transcriptome and chromatin accessibility. <i>Molecular Metabolism</i> , 2022, 66, 101619.	3.0	3
586	5-Aza-2-Deoxycytidine Regulates White Adipocyte Browning by Modulating miRNA-133a/Prdm16. <i>Metabolites</i> , 2022, 12, 1131.	1.3	1
587	The links between adipose tissue DNA methylation, obesity, and insulin resistance: A protocol for systematic review. <i>Medicine (United States)</i> , 2022, 101, e31261.	0.4	0
589	Compound dark tea ameliorates obesity and hepatic steatosis and modulates the gut microbiota in mice. <i>Frontiers in Nutrition</i> , 0, 10, .	1.6	4
590	Current progress in the hypoglycemic mechanisms of natural polysaccharides. <i>Food and Function</i> , 2023, 14, 4490-4506.	2.1	10
591	Mevalonate biosynthesis pathway regulates the development and survival of brown adipocytes. <i>IScience</i> , 2023, 26, 106161.	1.9	2
592	Naringin promotes fat browning mediated by UCP1 activation via the AMPK signaling pathway in 3T3-L1 adipocytes. <i>Archives of Pharmacal Research</i> , 2023, 46, 192-205.	2.7	6
593	Thermogenic adipocyte-derived zinc promotes sympathetic innervation in male mice. <i>Nature Metabolism</i> , 2023, 5, 481-494.	5.1	3
594	Thermogenic adipose tissue in energy regulation and metabolic health. <i>Frontiers in Endocrinology</i> , 0, 14, .	1.5	8
596	5-HEPE reduces obesity and insulin resistance by promoting adipose tissue browning through GPR119/AMPK/PGC1 α activation. <i>Life Sciences</i> , 2023, 323, 121703.	2.0	3
600	Pharmacological modulation of adaptive thermogenesis: new clues for obesity management?. <i>Journal of Endocrinological Investigation</i> , 2023, 46, 2213-2236.	1.8	2