A highly ordered nanostructured carbon–sulphur cat

Nature Materials 8, 500-506 DOI: 10.1038/nmat2460

Citation Report

#	Article	IF	CITATIONS
6	Hierarchically Structured Sulfur/Carbon Nanocomposite Material for High-Energy Lithium Battery. Chemistry of Materials, 2009, 21, 4724-4730.	6.7	815
7	High Energy Rechargeable Li-S Cells for EV Application: Status, Remaining Problems and Solutions. ECS Transactions, 2010, 25, 23-34.	0.5	175
8	Facile synthesis of NaV6O15 nanorods and its electrochemical behavior as cathode material in rechargeable lithium batteries. Journal of Materials Chemistry, 2009, 19, 7885.	6.7	136
9	Single Nanorod Devices for Battery Diagnostics: A Case Study on LiMn ₂ O ₄ . Nano Letters, 2009, 9, 4109-4114.	9.1	114
11	Positive Electrode Materials for Li-Ion and Li-Batteries. Chemistry of Materials, 2010, 22, 691-714.	6.7	1,569
12	Preparation and enhanced electrochemical properties of nano-sulfur/poly(pyrrole-co-aniline) cathode material for lithium/sulfur batteries. Electrochimica Acta, 2010, 55, 4632-4636.	5.2	185
13	Preparation and performance of a core–shell carbon/sulfur material for lithium/sulfur battery. Electrochimica Acta, 2010, 55, 7010-7015.	5.2	112
14	Lithium batteries: Status, prospects and future. Journal of Power Sources, 2010, 195, 2419-2430.	7.8	4,343
15	In It to WIN It. IEEE Nanotechnology Magazine, 2010, 4, 4-12.	1.3	0
16	Beyond Intercalationâ€Based Liâ€Ion Batteries: The State of the Art and Challenges of Electrode Materials Reacting Through Conversion Reactions. Advanced Materials, 2010, 22, E170-92.	21.0	2,063
17	Selfâ€Wound Composite Nanomembranes as Electrode Materials for Lithium Ion Batteries. Advanced Materials, 2010, 22, 4591-4595.	21.0	96
18	Mesoporous LiFePO ₄ /C Nanocomposite Cathode Materials for High Power Lithium Ion Batteries with Superior Performance. Advanced Materials, 2010, 22, 4944-4948.	21.0	380
20	A Highâ€Performance Polymer Tin Sulfur Lithium Ion Battery. Angewandte Chemie - International Edition, 2010, 49, 2371-2374.	13.8	405
21	Preparation of electrochemically active lithium sulfide–carbon composites using spark-plasma-sintering process. Journal of Power Sources, 2010, 195, 2928-2934.	7.8	68
22	Electrochemical property and electroanalytical application of large mesoporous carbons. Electrochemistry Communications, 2010, 12, 1563-1567.	4.7	23
23	High-voltage performance of concentration-gradient Li[Ni0.67Co0.15Mn0.18]O2 cathode material for lithium-ion batteries. Electrochimica Acta, 2010, 55, 8621-8627.	5.2	98
24	Nanocrystalline intermetallics on mesoporous carbon for direct formic acid fuel cell anodes. Nature Chemistry, 2010, 2, 286-293.	13.6	448
25	High-performance lithium-ion anodes using a hierarchical bottom-up approach. Nature Materials, 2010, 9, 353-358.	27.5	1,844

ARTICLE IF CITATIONS # Study of a Layered Iron(III) Phosphate Phase Na[sub 3]Fe[sub 3](PO[sub 4])[sub 4] Used as Positive 2.9 21 26 Electrode in Lithium Batteries. Journal of the Electrochemical Society, 2010, 157, A947. Influence of pH of Gelatin Solution on Cycle Performance of the Sulfur Cathode. Journal of the Electrochemical Society, 2010, 157, A443. 24 Improved cycling stability of nanostructured electrode materials enabled by prelithiation. Journal of 28 2.6 32 Materials Research, 2010, 25, 1413-1420. Key challenges in future Li-battery research. Philosophical Transactions Series A, Mathematical, 29 Physical, and Engineering Sciences, 2010, 368, 3227-3241. Mesoporous Î²-Ni(OH)2: synthesis and enhanced electrochemical performance. Chemical 30 4.1 78 Communications, 2010, 46, 6267. A Layered Iron(III) Phosphate Phase, Na₃Fe₃(PO₄)₄: Synthesis, Structure, and Electrochemical Properties as Positive Electrode in Sodium Batteries. 3.1 Journal of Physical Chemistry C, 2010, 114, 10034-10044. Polyaniline Nanocoating on the Surface of Layered Li[Li_{0.2}Co_{0.1}Mn_{0.7}]O₂ Nanodisks and Enhanced 32 3.1 34 Cyclability as a Cathode Electrode for Rechargeable Lithium-Ion Battery. Journal of Physical Chemistry 2010, 114, 3675-3680. Nano active materials for lithium-ion batteries. Nanoscale, 2010, 2, 1294. 5.6 Batteries for Electric and Hybrid-Electric Vehicles. Annual Review of Chemical and Biomolecular 34 229 6.8 Engineering, 2010, 1, 299-320. Advances in Liâ€"S batteries. Journal of Materials Chemistry, 2010, 20, 9821. 1,765 NaMnFe₂(PO₄)₃ Alluaudite Phase: Synthesis, Structure, and Electrochemical Properties As Positive Electrode in Lithium and Sodium Batteries. Chemistry of 36 140 6.7 Materials, 2010, 22, 5554-5562. Synthesis and Durability of Highly Dispersed Platinum Nanoparticles Supported on Ordered Mesoporous Carbon and Their Electrocatalytic Properties for Ethanol Oxidation. Journal of Physical 3.1 Chemistry C, 2010, 114, 19055-19061 Conducting solids. Annual Reports on the Progress of Chemistry Section A, 2010, 106, 429. 38 0.8 7 Enhancement of long stability of sulfur cathode by encapsulating sulfur into micropores of carbon 39 30.8 1,187 spheres. Energy and Environmental Science, 2010, 3, 1531. Multi-electron reaction materials for high energy density batteries. Energy and Environmental 40 30.8 566 Science, 2010, 3, 174-189. New Nanostructured Li₂S/Silicon Rechargeable Battery with High Specific Energy. Nano Letters, 2010, 10, 1486-1491. Morphological and Structural Studies of Composite Sulfur Electrodes upon Cycling by HRTEM, AFM 42 2.9 168 and Raman Spectroscopy. Journal of the Electrochemical Society, 2010, 157, A1131. Influence of Size on the Rate of Mesoporous Electrodes for Lithium Batteries. Journal of the American 271 Chemical Society, 2010, 132, 996-1004.

#	Article	IF	CITATIONS
44	Stibnite (Sb ₂ S ₃) and its amorphous composite as dual electrodes for rechargeable lithium batteries. Journal of Materials Chemistry, 2010, 20, 1097-1102.	6.7	90
45	Nano-CaCO ₃ as template for preparation of disordered large mesoporous carbon with hierarchical porosities. Journal of Materials Chemistry, 2010, 20, 976-980.	6.7	98
46	Agitation induced loading of sulfur into carbon CMK-3 nanotubes: efficient scavenging of noble metals from aqueous solution. Chemical Communications, 2010, 46, 1658.	4.1	17
47	Mechanisms of Ion-Beam Modification of Terthiophene Oligomers from Atomistic Simulations. Journal of Physical Chemistry C, 2011, 115, 23936-23945.	3.1	6
48	Ordered mesoporous carbon with tunable, unusually large pore size and well-controlled particle morphology. Journal of Materials Chemistry, 2011, 21, 7410.	6.7	36
49	TiO2(B)@carbon composite nanowires as anode for lithium ion batteries with enhanced reversible capacity and cyclic performance. Journal of Materials Chemistry, 2011, 21, 8591.	6.7	71
50	Structure-Related Electrochemistry of Sulfur-Poly(acrylonitrile) Composite Cathode Materials for Rechargeable Lithium Batteries. Chemistry of Materials, 2011, 23, 5024-5028.	6.7	323
51	Novel Size and Surface Oxide Effects in Silicon Nanowires as Lithium Battery Anodes. Nano Letters, 2011, 11, 4018-4025.	9.1	284
52	Improve Rate Capability of the Sulfur Cathode Using a Gelatin Binder. Journal of the Electrochemical Society, 2011, 158, A775.	2.9	58
53	A novel Li2FeSiO4/C composite: Synthesis, characterization and high storage capacity. Journal of Materials Chemistry, 2011, 21, 9506.	6.7	150
54	Layer Structured Sulfur/Expanded Graphite Composite as Cathode for Lithium Battery. Electrochemical and Solid-State Letters, 2011, 14, A105-A107.	2.2	45
55	Graphene-Based Hybrid Electrode Material for High-Power Lithium-Ion Batteries. Journal of the Electrochemical Society, 2011, 158, A930.	2.9	44
56	Reversibility of electrochemical reactions of sulfur supported on inverse opal carbon in glyme–Li salt molten complex electrolytes. Chemical Communications, 2011, 47, 8157.	4.1	205
57	Lithium-air and lithium-sulfur batteries. MRS Bulletin, 2011, 36, 506-512.	3.5	272
58	Pig bone derived hierarchical porous carbon and its enhanced cycling performance of lithium–sulfur batteries. Energy and Environmental Science, 2011, 4, 736.	30.8	302
59	Interconnected Silicon Hollow Nanospheres for Lithium-Ion Battery Anodes with Long Cycle Life. Nano Letters, 2011, 11, 2949-2954.	9.1	1,278
60	Graphene Oxide as a Sulfur Immobilizer in High Performance Lithium/Sulfur Cells. Journal of the American Chemical Society, 2011, 133, 18522-18525.	13.7	1,415
61	First-Principles Study of Lithium Borocarbide as a Cathode Material for Rechargeable Li ion Batteries. Journal of Physical Chemistry Letters, 2011, 2, 1129-1132.	4.6	36

#	Article	IF	CITATIONS
62	Ordered mesoporous Zn-doped SnO2 synthesized by exotemplating for efficient dye-sensitized solar cells. Energy and Environmental Science, 2011, 4, 2529.	30.8	72
63	High "C―rate Li-S cathodes: sulfur imbibed bimodal porous carbons. Energy and Environmental Science, 2011, 4, 2878.	30.8	446
64	Rechargeable lithium/iodine battery with superior high-rate capability by using iodine–carbon composite as cathode. Energy and Environmental Science, 2011, 4, 3947.	30.8	131
65	Intercalation Lithium Behavior of Molybdenum Disulphide as Anode Materials for Lithium Ion Battery. Advanced Materials Research, 2011, 335-336, 218-221.	0.3	0
66	Prelithiated Silicon Nanowires as an Anode for Lithium Ion Batteries. ACS Nano, 2011, 5, 6487-6493.	14.6	471
67	A review of advanced and practical lithium battery materials. Journal of Materials Chemistry, 2011, 21, 9938.	6.7	952
68	Aqueous Electrochemistry of Poly(vinylanthraquinone) for Anode-Active Materials in High-Density and Rechargeable Polymer/Air Batteries. Journal of the American Chemical Society, 2011, 133, 19839-19843.	13.7	206
69	Stabilizing lithium–sulphur cathodes using polysulphide reservoirs. Nature Communications, 2011, 2, 325.	12.8	803
70	Clean energy new deal for a sustainable world: from non-CO2 generating energy sources to greener electrochemical storage devices. Energy and Environmental Science, 2011, 4, 2003.	30.8	626
71	Heterogeneous nanostructured electrode materials for electrochemical energy storage. Chemical Communications, 2011, 47, 1384-1404.	4.1	451
72	One-step-impregnation hard templating synthesis of high-surface-area nanostructured mixed metal oxides (NiFe2O4, CuFe2O4 and Cu/CeO2). Chemical Communications, 2011, 47, 10473.	4.1	102
73	Effect of Lithium Polysulfides on the Morphology of Block Copolymer Electrolytes. Macromolecules, 2011, 44, 9267-9275.	4.8	22
74	Nanotechnology for Sustainability: Energy Conversion, Storage, and Conservation. , 2011, , 261-303.		15
75	Enhanced Cyclability for Sulfur Cathode Achieved by a Water-Soluble Binder. Journal of Physical Chemistry C, 2011, 115, 15703-15709.	3.1	201
76	Nanotechnology Research Directions for Societal Needs in 2020. , 2011, , .		202
77	Sandwich-type functionalized graphene sheet-sulfur nanocomposite for rechargeable lithium batteries. Physical Chemistry Chemical Physics, 2011, 13, 7660.	2.8	347
78	Cathode Composites for Li–S Batteries via the Use of Oxygenated Porous Architectures. Journal of the American Chemical Society, 2011, 133, 16154-16160.	13.7	568
81	Highly ordered mesoporous NiO anode material for lithium ion batteries with an excellent electrochemical performance. Journal of Materials Chemistry, 2011, 21, 3046.	6.7	456

#	Article	IF	Citations
82	Porous carbon nanofiber–sulfur composite electrodes for lithium/sulfur cells. Energy and Environmental Science, 2011, 4, 5053.	30.8	562
83	A novel pyrolyzed polyacrylonitrile-sulfur@MWCNT composite cathode material for high-rate rechargeable lithium/sulfur batteries. Journal of Materials Chemistry, 2011, 21, 6807.	6.7	193
84	Graphene-Wrapped Sulfur Particles as a Rechargeable Lithium–Sulfur Battery Cathode Material with High Capacity and Cycling Stability. Nano Letters, 2011, 11, 2644-2647.	9.1	1,973
85	Improving the Performance of Lithium–Sulfur Batteries by Conductive Polymer Coating. ACS Nano, 2011, 5, 9187-9193.	14.6	815
86	Structure and compatibility of a magnesium electrolyte with a sulphur cathode. Nature Communications, 2011, 2, 427.	12.8	546
87	Optimization of mesoporous carbon structures for lithium–sulfur battery applications. Journal of Materials Chemistry, 2011, 21, 16603.	6.7	417
88	Prospective materials and applications for Li secondary batteries. Energy and Environmental Science, 2011, 4, 1986.	30.8	558
89	Materials Challenges and Opportunities of Lithium Ion Batteries. Journal of Physical Chemistry Letters, 2011, 2, 176-184.	4.6	928
90	Effects of Liquid Electrolytes on the Charge–Discharge Performance of Rechargeable Lithium/Sulfur Batteries: Electrochemical and in-Situ X-ray Absorption Spectroscopic Studies. Journal of Physical Chemistry C, 2011, 115, 25132-25137.	3.1	515
91	Sulfur-Impregnated Disordered Carbon Nanotubes Cathode for Lithium–Sulfur Batteries. Nano Letters, 2011, 11, 4288-4294.	9.1	1,210
92	Sulfur/Polythiophene with a Core/Shell Structure: Synthesis and Electrochemical Properties of the Cathode for Rechargeable Lithium Batteries. Journal of Physical Chemistry C, 2011, 115, 6057-6063.	3.1	486
93	Lithium-ion batteries. A look into the future. Energy and Environmental Science, 2011, 4, 3287.	30.8	2,246
94	Nanoparticles versus the placenta. Nature Nanotechnology, 2011, 6, 263-264.	31.5	63
95	Batteries take charge. Nature Nanotechnology, 2011, 6, 262-263.	31.5	38
96	Large-pore ordered mesoporous carbons with tunable structures and pore sizes templated from poly(ethylene oxide)-b-poly(methyl methacrylate). Solid State Sciences, 2011, 13, 784-792.	3.2	41
97	Nanostructured electrodes for lithium-ion and lithium-air batteries: the latest developments, challenges, and perspectives. Materials Science and Engineering Reports, 2011, 72, 203-252.	31.8	467
98	Improved cycling performances of lithium sulfur batteries with LiNO3-modified electrolyte. Journal of Power Sources, 2011, 196, 9839-9843.	7.8	457
99	Preparation and electrochemical properties of polysulfide polypyrrole. Journal of Power Sources, 2011, 196, 10263-10266.	7.8	27

#	ARTICLE	IF	CITATIONS
100	Ordered mesoporous carbon/sulfur nanocomposite of high performances as cathode for lithium–sulfur battery. Electrochimica Acta, 2011, 56, 9549-9555.	5.2	329
101	Challenges in the development of advanced Li-ion batteries: a review. Energy and Environmental Science, 2011, 4, 3243.	30.8	5,644
102	Hollow Carbon Nanofiber-Encapsulated Sulfur Cathodes for High Specific Capacity Rechargeable Lithium Batteries. Nano Letters, 2011, 11, 4462-4467.	9.1	1,194
103	Nanoporous Graphitic-C ₃ N ₄ @Carbon Metal-Free Electrocatalysts for Highly Efficient Oxygen Reduction. Journal of the American Chemical Society, 2011, 133, 20116-20119.	13.7	958
104	A composite material of SnO2/ordered mesoporous carbon for the application in Lithium-ion Battery. Journal of Electroanalytical Chemistry, 2011, 656, 185-191.	3.8	47
105	Rechargeable lithium sulfide electrode for a polymer tin/sulfur lithium-ion battery. Journal of Power Sources, 2011, 196, 343-348.	7.8	141
106	A nano-structured and highly ordered polypyrrole-sulfur cathode for lithium–sulfur batteries. Journal of Power Sources, 2011, 196, 6951-6955.	7.8	240
107	Gallium (III) sulfide as an active material in lithium secondary batteries. Journal of Power Sources, 2011, 196, 5631-5636.	7.8	36
108	Molybdenum oxide nanowires: synthesis & properties. Materials Today, 2011, 14, 346-353.	14.2	125
109	Fe ₃ O ₄ Nanoparticles Confined in Mesocellular Carbon Foam for High Performance Anode Materials for Lithiumâ€ion Batteries. Advanced Functional Materials, 2011, 21, 2430-2438.	14.9	403
110	Electrochemically Induced High Capacity Displacement Reaction of PEO/MoS ₂ /Graphene Nanocomposites with Lithium. Advanced Functional Materials, 2011, 21, 2840-2846.	14.9	491
111	Highly Improved Rate Capability for a Lithium-Ion Battery Nano-Li4Ti5O12 Negative Electrode via Carbon-Coated Mesoporous Uniform Pores with a Simple Self-Assembly Method. Advanced Functional Materials, 2011, 21, 4349-4357.	14.9	263
112	Sulfurâ€Impregnated Activated Carbon Fiber Cloth as a Binderâ€Free Cathode for Rechargeable Liâ€S Batteries. Advanced Materials, 2011, 23, 5641-5644.	21.0	846
113	Synthesis, Structure, and Thermoelectric Properties of Barium Copper Polychalcogenides with Chalcogenâ€Centered Cu Clusters and Te ₂ ^{2–} Dumbbells. European Journal of Inorganic Chemistry, 2011, 2011, 4037-4042.	2.0	18
117	Porous Hollow Carbon@Sulfur Composites for Highâ€Power Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2011, 50, 5904-5908.	13.8	1,587
118	Elemental Sulfur as a Reactive Medium for Gold Nanoparticles and Nanocomposite Materials. Angewandte Chemie - International Edition, 2011, 50, 11409-11412.	13.8	66
119	Chiral Nematic Mesoporous Carbon Derived From Nanocrystalline Cellulose. Angewandte Chemie - International Edition, 2011, 50, 10991-10995.	13.8	209
120	Analytical detection of soluble polysulphides in a modified Swagelok cell. Electrochemistry Communications, 2011, 13, 117-120.	4.7	89

#	Article	IF	CITATIONS
121	Self-assembled mesoporous manganese oxide with high surface area by ambient temperature synthesis and its enhanced electrochemical properties. Electrochemistry Communications, 2011, 13, 730-733.	4.7	39
122	Activated-phosphorus as new electrode material for Li-ion batteries. Electrochemistry Communications, 2011, 13, 346-349.	4.7	164
123	CNT enhanced sulfur composite cathode material for high rate lithium battery. Electrochemistry Communications, 2011, 13, 399-402.	4.7	165
124	Bismuth sulfide and its carbon nanocomposite for rechargeable lithium-ion batteries. Electrochimica Acta, 2011, 56, 2135-2139.	5.2	83
125	Sulfur–carbon composite electrode for all-solid-state Li/S battery with Li2S–P2S5 solid electrolyte. Electrochimica Acta, 2011, 56, 6055-6059.	5.2	281
126	Bivalent tin ion assisted reduction for preparing graphene/SnO2 composite with good cyclic performance and lithium storage capacity. Electrochimica Acta, 2011, 56, 7340-7346.	5.2	109
127	Synthesis and characterization of Pt nanoparticles on sulfur-modified carbon nanotubes for methanol oxidation. International Journal of Hydrogen Energy, 2011, 36, 7275-7283.	7.1	62
128	Sulfur-graphene composite for rechargeable lithium batteries. Journal of Power Sources, 2011, 196, 7030-7034.	7.8	362
129	Challenges for rechargeable batteries. Journal of Power Sources, 2011, 196, 6688-6694.	7.8	494
130	New three-dimensional electrode structure for the lithium battery: Nano-sized γ-Fe2O3 in a mesoporous carbon matrix. Journal of Power Sources, 2011, 196, 4741-4746.	7.8	40
131	Roles of nanosize in lithium reactive nanomaterials for lithium ion batteries. Nano Today, 2011, 6, 28-41.	11.9	381
132	Preparation and characterization of sulfur–polypyrrole composites with controlled morphology as high capacity cathode for lithium batteries. Solid State Ionics, 2011, 192, 347-350.	2.7	47
133	Vanadium oxide nanowires for Li-ion batteries. Journal of Materials Research, 2011, 26, 2175-2185.	2.6	65
134	Electrochemical energy storage to power the 21st century. MRS Bulletin, 2011, 36, 486-493.	3.5	139
135	Low-carbon electricity for 2030. Nature Climate Change, 2011, 1, 233-235.	18.8	11
136	Development of an Ordered Mesoporous Carbon/MoO2 Nanocomposite for High Performance Supercapacitor Electrode. Electrochemical and Solid-State Letters, 2011, 14, A157.	2.2	24
137	Solution Exchange Method for Synthesis of Sulfur Graphene Composite. Advanced Materials Research, 0, 460, 74-77.	0.3	1
138	Highly reversible conversion-capacity of MnOx-loaded ordered mesoporous carbon nanorods for lithium-ion battery anodes. Journal of Materials Chemistry, 2012, 22, 17870.	6.7	64

#	Article	IF	CITATIONS
139	Improved Cyclability of Liquid Electrolyte Lithium/Sulfur Batteries by Optimizing Electrolyte/Sulfur Ratio. Energies, 2012, 5, 5190-5197.	3.1	194
140	Raman Spectroscopic and X-ray Diffraction Studies of Sulfur Composite Electrodes during Discharge and Charge. Journal of the Electrochemical Society, 2012, 159, A1308-A1314.	2.9	141
141	Innovation in Rechargeable Batteries and Battery Analysis. Electrochemistry, 2012, 80, 695-699.	1.4	4
142	Quasi-Solid-State Lithium-Sulfur Battery Using Room Temperature Ionic Liquid-Li-salt-Fumed Silica Nanoparticle Composites as Electrolytes. Electrochemistry, 2012, 80, 765-767.	1.4	37
143	Graphene/Single-Walled Carbon Nanotube Hybrids: One-Step Catalytic Growth and Applications for High-Rate Li–S Batteries. ACS Nano, 2012, 6, 10759-10769.	14.6	508
144	Nanocarbon Networks for Advanced Rechargeable Lithium Batteries. Accounts of Chemical Research, 2012, 45, 1759-1769.	15.6	533
145	Orthorhombic Bipyramidal Sulfur Coated with Polypyrrole Nanolayers As a Cathode Material for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2012, 116, 8910-8915.	3.1	259
146	Sulfur–Carbon Nanocomposite Cathodes Improved by an Amphiphilic Block Copolymer for High-Rate Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2012, 4, 6046-6052.	8.0	98
147	Enhanced Cyclability of Lithium–Sulfur Batteries by a Polymer Acid-Doped Polypyrrole Mixed Ionic–Electronic Conductor. Chemistry of Materials, 2012, 24, 3081-3087.	6.7	166
148	A New Class of Lithium and Sodium Rechargeable Batteries Based on Selenium and Selenium–Sulfur as a Positive Electrode. Journal of the American Chemical Society, 2012, 134, 4505-4508.	13.7	534
149	Self-weaving sulfur–carbon composite cathodes for high rate lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2012, 14, 14495.	2.8	163
150	Facile synthesis of silicon nanoparticles inserted into graphene sheets as improved anode materials for lithium-ion batteries. Chemical Communications, 2012, 48, 2198.	4.1	417
151	Nanostructured Li ₂ S–C Composites as Cathode Material for High-Energy Lithium/Sulfur Batteries. Nano Letters, 2012, 12, 6474-6479.	9.1	286
152	Binder Based on Polyelectrolyte for High Capacity Density Lithium/Sulfur Battery. Journal of the Electrochemical Society, 2012, 159, A1226-A1229.	2.9	90
153	Reviving rechargeable lithium metal batteries: enabling next-generation high-energy and high-power cells. Energy and Environmental Science, 2012, 5, 5701-5707.	30.8	273
154	A microporous–mesoporous carbon with graphitic structure for a high-rate stable sulfur cathode in carbonate solvent-based Li–S batteries. Physical Chemistry Chemical Physics, 2012, 14, 8703.	2.8	273
155	Graphene-enveloped sulfur in a one pot reaction: a cathode with good coulombic efficiency and high practical sulfur content. Chemical Communications, 2012, 48, 1233-1235.	4.1	415
156	Sodium and sodium-ion energy storage batteries. Current Opinion in Solid State and Materials Science, 2012, 16, 168-177.	11.5	1,251

#	Article	IF	CITATIONS
157	Beyond Intercalation: Nanoscale-Enabled Conversion Anode Materials for Lithium-Ion Batteries. Nanostructure Science and Technology, 2012, , 85-116.	0.1	2
158	Recent progress in soft-templating of porous carbon materials. Soft Matter, 2012, 8, 10801.	2.7	213
159	Smaller Sulfur Molecules Promise Better Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2012, 134, 18510-18513.	13.7	1,499
161	Tailored Mesostructured Copper/Ceria Catalysts with Enhanced Performance for Preferential Oxidation of CO at Low Temperature. Angewandte Chemie - International Edition, 2012, 51, 12032-12035.	13.8	143
162	Lithium–Sulfur Batteries Based on Nitrogenâ€Doped Carbon and an Ionicâ€Liquid Electrolyte. ChemSusChem, 2012, 5, 2079-2085.	6.8	187
163	A broad pore size distribution mesoporous SnO2 as anode for lithium-ion batteries. Journal of Solid State Electrochemistry, 2012, 16, 3643-3649.	2.5	12
164	A green and fast strategy for the scalable synthesis of Fe2O3/graphene with significantly enhanced Li-ion storage properties. Journal of Materials Chemistry, 2012, 22, 3868.	6.7	125
165	Carbon/carbon nanocomposites fabricated by base catalyzed twin polymerization of a Si-spiro compound on graphite sheets. Chemical Communications, 2012, 48, 9867.	4.1	22
166	High capacity vertical aligned carbon nanotube/sulfur composite cathodes for lithium–sulfur batteries. Chemical Communications, 2012, 48, 4097.	4.1	282
167	One-step synthesis of a sulfur-impregnated graphene cathode for lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2012, 14, 6796.	2.8	177
168	Nano-graphite functionalized mesocellular carbon foam with enhanced intra-penetrating electrical percolation networks for high performance electrochemical energy storage electrode materials. Physical Chemistry Chemical Physics, 2012, 14, 5695.	2.8	26
169	Dual-mode sulfur-based cathode materials for rechargeable Li–S batteries. Chemical Communications, 2012, 48, 7868.	4.1	49
170	Lithium batteries: current technologies and future trends. , 2012, , 573-600e.		0
171	Correlation of the electrochemistry of poly(acrylonitrile)–sulfur composite cathodes with their molecular structure. Journal of Materials Chemistry, 2012, 22, 23240.	6.7	79
172	Nickel-Layer Protected, Carbon-Coated Sulfur Electrode for Lithium Battery. Journal of the Electrochemical Society, 2012, 159, A390-A395.	2.9	27
173	ZnV2O4–CMK nanocomposite as an anode material for rechargeable lithium-ion batteries. Journal of Materials Chemistry, 2012, 22, 14284.	6.7	67
174	A hierarchical architecture S/MWCNT nanomicrosphere with large pores for lithium sulfur batteries. Physical Chemistry Chemical Physics, 2012, 14, 5376.	2.8	143
175	Analysis of the synthesis process of sulphur–poly(acrylonitrile)-based cathode materials for lithium batteries. Journal of Materials Chemistry, 2012, 22, 22077.	6.7	84

#	Article	IF	CITATIONS
176	A new approach to improve cycle performance of rechargeable lithium–sulfur batteries by inserting a free-standing MWCNT interlayer. Chemical Communications, 2012, 48, 8817.	4.1	689
177	Towards commercial products by nanocasting: characterization and lithium insertion properties of carbons with a macroporous, interconnected pore structure. Journal of Materials Chemistry, 2012, 22, 10787.	6.7	33
178	Facile synthesis of a interleaved expanded graphite-embedded sulphur nanocomposite as cathode of Li–S batteries with excellent lithium storage performance. Journal of Materials Chemistry, 2012, 22, 4744.	6.7	195
179	Preparation and performance of a sulfur/graphene composite for rechargeable lithium-sulfur battery. Journal of Physics: Conference Series, 2012, 339, 012003.	0.4	13
181	Oxidation Potentials of Functionalized Sulfone Solvents for High-Voltage Li-Ion Batteries: A Computational Study. Journal of Physical Chemistry B, 2012, 116, 3235-3238.	2.6	63
182	Aligned Photoelectrodes with Large Surface Area Prepared by Pulsed Laser Deposition. Journal of Physical Chemistry C, 2012, 116, 8102-8110.	3.1	29
183	A Nanonet-Enabled Li Ion Battery Cathode Material with High Power Rate, High Capacity, and Long Cycle Lifetime. ACS Nano, 2012, 6, 919-924.	14.6	65
184	Facile synthesis of MoS2@CMK-3 nanocomposite as an improved anode material for lithium-ion batteries. Nanoscale, 2012, 4, 5868.	5.6	240
185	High-Capacity Micrometer-Sized Li ₂ S Particles as Cathode Materials for Advanced Rechargeable Lithium-Ion Batteries. Journal of the American Chemical Society, 2012, 134, 15387-15394.	13.7	624
186	A composite material of uniformly dispersed sulfur on reduced graphene oxide: Aqueous one-pot synthesis, characterization and excellent performance as the cathode in rechargeable lithium-sulfur batteries. Nano Research, 2012, 5, 726-738.	10.4	116
187	High-rate lithium–sulfur batteries promoted by reduced graphene oxide coating. Chemical Communications, 2012, 48, 4106.	4.1	315
188	KOH activation of carbon-based materials for energy storage. Journal of Materials Chemistry, 2012, 22, 23710.	6.7	2,127
189	The electrochemical characteristics of Ag2S and its nanocomposite anodes for Li-ion batteries. Journal of Electroanalytical Chemistry, 2012, 667, 24-29.	3.8	15
190	Nanostructured carbon for energy storage and conversion. Nano Energy, 2012, 1, 195-220.	16.0	895
191	Titania nanotube synthesized by a facile, scalable and cheap hydrolysis method for reversible lithium-ion batteries. Journal of Alloys and Compounds, 2012, 527, 132-136.	5.5	24
192	Application of lithiated Nafion ionomer film as functional separator for lithium sulfur cells. Journal of Power Sources, 2012, 218, 163-167.	7.8	233
193	Fabrication of favorable interface between sulfide solid electrolyte and Li metal electrode for bulk-type solid-state Li/S battery. Electrochemistry Communications, 2012, 22, 177-180.	4.7	115
194	Nanoconfined phosphorus in mesoporous carbon as an electrode for Li-ion batteries: performance and mechanism. Journal of Materials Chemistry, 2012, 22, 22713.	6.7	98

#	Article	IF	CITATIONS
195	Metal organic frameworks for electrochemical applications. Energy and Environmental Science, 2012, 5, 9269.	30.8	767
196	Surfaceâ€Initiated Growth of Thin Oxide Coatings for Li–Sulfur Battery Cathodes. Advanced Energy Materials, 2012, 2, 1490-1496.	19.5	156
197	Porous Electrode Materials for Lithiumâ€lon Batteries – How to Prepare Them and What Makes Them Special. Advanced Energy Materials, 2012, 2, 1056-1085.	19.5	594
201	Challenges Facing Lithium Batteries and Electrical Double‣ayer Capacitors. Angewandte Chemie - International Edition, 2012, 51, 9994-10024.	13.8	2,407
202	Confining Sulfur in Double‣helled Hollow Carbon Spheres for Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2012, 51, 9592-9595.	13.8	692
203	A review of the present situation and future developments of micro-batteries for wireless autonomous sensor systems. International Journal of Energy Research, 2012, 36, 1139-1150.	4.5	52
204	Nanoporous Carbon as Anode Material of High Rate Capability for Lithium Ion Batteries. Journal of the Chinese Chemical Society, 2012, 59, 1216-1219.	1.4	5
205	Polychalcogenide Anions: Structural Diversity and Ligand Versatility. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2012, 638, 2401-2424.	1.2	47
206	Controlled Soft-Template Synthesis of Ultrathin C@FeS Nanosheets with High-Li-Storage Performance. ACS Nano, 2012, 6, 4713-4721.	14.6	293
207	Black perspectives for a green future: hydrothermal carbons for environment protection and energy storage. Energy and Environmental Science, 2012, 5, 6796.	30.8	758
208	An ordered nanocomposite of organic radicalpolymer and mesocellular carbon foam as cathode material in lithium ion batteries. Journal of Materials Chemistry, 2012, 22, 1453-1458.	6.7	46
209	Li–O2 and Li–S batteries with high energy storage. Nature Materials, 2012, 11, 19-29.	27.5	8,166
210	Electrodeposition of Lithium/Polystyrene Composite Electrodes from an Ionic Liquid: First Attempts. Zeitschrift Fur Physikalische Chemie, 2012, 226, 121-128.	2.8	8
211	Engineering Empty Space between Si Nanoparticles for Lithium-Ion Battery Anodes. Nano Letters, 2012, 12, 904-909.	9.1	658
212	High-Capacity Lithium-Ion Battery Conversion Cathodes Based on Iron Fluoride Nanowires and Insights into the Conversion Mechanism. Nano Letters, 2012, 12, 6030-6037.	9.1	225
213	In situ preparation of CuS cathode with unique stability and high rate performance for lithium ion batteries. Electrochimica Acta, 2012, 80, 264-268.	5.2	133
214	Properties of surface film on lithium anode with LiNO3 as lithium salt in electrolyte solution for lithium–sulfur batteries. Electrochimica Acta, 2012, 83, 78-86.	5.2	312
215	Cel polymer electrolyte with ionic liquid for high performance lithium sulfur battery. Solid State lonics, 2012, 225, 604-607.	2.7	81

#	Article	IF	CITATIONS
216	Electrochemical properties of all solid state Li/S battery. Materials Research Bulletin, 2012, 47, 2827-2829.	5.2	12
217	Designing nanostructured Si anodes for high energy lithium ion batteries. Nano Today, 2012, 7, 414-429.	11.9	1,874
218	Polymer Electrolytes for Lithium/Sulfur Batteries. Membranes, 2012, 2, 553-564.	3.0	97
219	Understanding the Nature of Absorption/Adsorption in Nanoporous Polysulfide Sorbents for the Li–S Battery. Journal of Physical Chemistry C, 2012, 116, 19653-19658.	3.1	454
220	Topotactically synthesized ultralong LiV3O8 nanowire cathode materials for high-rate and long-life rechargeable lithium batteries. NPG Asia Materials, 2012, 4, e20-e20.	7.9	91
221	Core-shell structured sulfur-polypyrrole composite cathodes for lithium-sulfur batteries. RSC Advances, 2012, 2, 5927.	3.6	211
222	Lithium–sulphur batteries with a microporous carbon paper as a bifunctional interlayer. Nature Communications, 2012, 3, 1166.	12.8	1,298
223	Polyacrylonitrile/graphene composite as a precursor to a sulfur-based cathode material for high-rate rechargeable Li–S batteries. Energy and Environmental Science, 2012, 5, 6966.	30.8	455
224	Oxidation process of polysulfides in charge process for lithium–sulfur batteries. Ionics, 2012, 18, 867-872.	2.4	26
225	Progress in research on the performance and service life of batteries membrane of new energy automotive. Science Bulletin, 2012, 57, 4153-4159.	1.7	15
226	A flexible nanostructured sulphur–carbon nanotube cathode with high rate performance for Li-S batteries. Energy and Environmental Science, 2012, 5, 8901.	30.8	468
227	Two-Step Hydrothermal Method for Synthesis of Sulfur-Graphene Hybrid and its Application in Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2012, 159, A1236-A1239.	2.9	29
228	Preparation of sulfur-doped microporous carbons for the storage of hydrogen and carbon dioxide. Carbon, 2012, 50, 5543-5553.	10.3	213
229	In Operando X-ray Diffraction and Transmission X-ray Microscopy of Lithium Sulfur Batteries. Journal of the American Chemical Society, 2012, 134, 6337-6343.	13.7	475
230	Controlled Synthesis of Carbon-Coated Cobalt Sulfide Nanostructures in Oil Phase with Enhanced Li Storage Performances. ACS Applied Materials & Interfaces, 2012, 4, 2999-3006.	8.0	137
231	Electronic structure and chemical bonding of a graphene oxide–sulfur nanocomposite for use in superior performance lithium–sulfur cells. Physical Chemistry Chemical Physics, 2012, 14, 13670.	2.8	305
232	High-capacity Li2S–nanocarbon composite electrode for all-solid-state rechargeable lithium batteries. Journal of Materials Chemistry, 2012, 22, 10015.	6.7	240
233	Optimal Lightweighting in Battery Electric Vehicles. World Electric Vehicle Journal, 2012, 5, 751-762.	3.0	11

ARTICLE IF CITATIONS Graphene Oxide-Sulfur Nanocomposites for Advanced Lithium/Sulfur Cell Cathodes. ECS Meeting 234 0.0 0 Abstracts, 2012, , . Lithium-Sulfur Battery Development. ECS Meeting Abstracts, 2012, , . 236 The Role of Nanotechnology in Automotive Industries., 0,,. 17 Controlled Synthesis and Energy Applications of Oneâ€Dimensional Conducting Polymer 329 Nanostructures: An Overview. Advanced Energy Materials, 2012, 2, 179-218. Facile and effective synthesis of reduced graphene oxide encapsulated sulfur via oil/water system for 238 6.7 161 high performance lithium sulfur cells. Journal of Materials Chemistry, 2012, 22, 11452. Synthesis of organic–inorganic hybrids by miniemulsion polymerization and their application for electrochemical energy storage. Energy and Environmental Science, 2012, 5, 7025. 239 30.8 240 Patents pending. Nature Materials, 2012, 11, 1-1. 27.5 128 Ultrathin Graphite Foam: A Three-Dimensional Conductive Network for Battery Electrodes. Nano 9.1 Letters, 2012, 12, 2446-2451. Electrolyte roadblocks to a magnesium rechargeable battery. Energy and Environmental Science, 2012, 242 30.8 601 5, 5941. Materials for Rechargeable Lithium-Ion Batteries. Annual Review of Chemical and Biomolecular 243 6.8 Engineering, 2012, 3, 445-471. Hierarchically Structured Porous Materials for Energy Conversion and Storage. Advanced 244 14.9 796 Functional Materials, 2012, 22, 4634-4667. A Polyanilineâ€Coated Sulfur/Carbon Composite with an Enhanced Highâ€Rate Capability as a Cathode 19.5 Material for Lithium/Sulfur Batteries. Advanced Energy Materials, 2012, 2, 1238-1245. Selfâ€Assembled Nanocomposite of Silicon Nanoparticles Encapsulated in Graphene through 246 19.5 447 Electrostatic Attraction for Lithiumâ€Ion Batteries. Advanced Energy Materials, 2012, 2, 1086-1090. Spherical Ordered Mesoporous Carbon Nanoparticles with High Porosity for Lithium–Sulfur 249 13.8 1,021 Batteries. Angewandte Chemie - International Edition, 2012, 51, 3591-3595. Carbideâ€Derived Carbon Monoliths with Hierarchical Pore Architectures. Angewandte Chemie -250 13.8 131 International Edition, 2012, 51, 7577-7580. Nanoâ€Structured Phosphorus Composite as Highâ€Capacity Anode Materials for Lithium Batteries. Angewandte Chemie - International Edition, 2012, 51, 9034-9037. Mechanism of Lithium Storage in MoS₂ and the Feasibility of Using Li₂S/Mo 252 Nanocomposites as Cathode Materials for Lithiumâ€"Sulfur Batteries. Chemistry - an Asian Journal, 2012, 3.3158 7, 1013-1017. Superior Electrochemical Performance of Sulfur/Graphene Nanocomposite Material for Highâ€Capacity 3.3 58 Lithium–Sulfur Batteries. Chemistry - an Asian Journal, 2012, 7, 1637-1643.

#	Article	IF	CITATIONS
254	Mesoporous Nickel Oxide Nanowires: Hydrothermal Synthesis, Characterisation and Applications for Lithiumâ€Ion Batteries and Supercapacitors with Superior Performance. Chemistry - A European Journal, 2012, 18, 8224-8229.	3.3	133
255	Fabrication Based on the Kirkendall Effect of Co ₃ O ₄ Porous Nanocages with Extraordinarily High Capacity for Lithium Storage. Chemistry - A European Journal, 2012, 18, 8971-8977.	3.3	225
256	Synthesis of Cu _{<i>x</i>} S/Cu Nanotubes and Their Lithium Storage Properties. Journal of Physical Chemistry C, 2012, 116, 12468-12474.	3.1	92
257	Electrolytes for high-energy lithium batteries. Applied Nanoscience (Switzerland), 2012, 2, 91-109.	3.1	84
258	Effect of LiBOB as additive on electrochemical properties of lithium–sulfur batteries. Ionics, 2012, 18, 249-254.	2.4	72
259	Electrochemical study of P(VDF-HFP)/PMMA blended polymer electrolyte with high-temperature stability for polymer lithium secondary batteries. Ionics, 2012, 18, 275-281.	2.4	29
260	Femtosecond laser forming of nanostructured glassy carbon: Improved electrocatalytic behavior for electrooxidation of biomolecules. Electrochemistry Communications, 2012, 15, 38-41.	4.7	4
261	Porous carbon-sulfur composite cathode for lithium/sulfur cells. Electrochemistry Communications, 2012, 17, 1-5.	4.7	114
262	Carbon nanofiber–sulfur composite cathode materials with different binders for secondary Li/S cells. Electrochimica Acta, 2012, 65, 228-233.	5.2	117
263	Preparation of Pt nanoparticles supported on ordered mesoporous carbon FDU-15 for electrocatalytic oxidation of CO and methanol. Electrochimica Acta, 2012, 67, 127-132.	5.2	29
264	Investigation of S/C composite synthesized by solvent exchange method. Electrochimica Acta, 2012, 70, 241-247.	5.2	15
265	Role of LiNO3 in rechargeable lithium/sulfur battery. Electrochimica Acta, 2012, 70, 344-348.	5.2	836
266	Charge/discharge characteristics of sulfurized polyacrylonitrile composite with different sulfur content in carbonate based electrolyte for lithium batteries. Electrochimica Acta, 2012, 72, 114-119.	5.2	151
267	A facile in situ sulfur deposition route to obtain carbon-wrapped sulfur composite cathodes for lithium–sulfur batteries. Electrochimica Acta, 2012, 77, 272-278.	5.2	171
268	New insights into the limiting parameters of the Li/S rechargeable cell. Journal of Power Sources, 2012, 199, 322-330.	7.8	356
269	Synthesis and electrochemical performance of rod-like LiV3O8 cathode materials for rechargeable lithium batteries. Journal of Power Sources, 2012, 198, 287-293.	7.8	46
270	Anodic properties of hollow carbon nanofibers for Li-ion battery. Journal of Power Sources, 2012, 199, 53-60.	7.8	109
271	Electrochemically stabilised quinone based electrode composites for Li-ion batteries. Journal of Power Sources, 2012, 199, 308-314.	7.8	67

#	Article	IF	CITATIONS
272	A new direction for the performance improvement of rechargeable lithium/sulfur batteries. Journal of Power Sources, 2012, 200, 77-82.	7.8	274
273	A contribution to the progress of high energy batteries: A metal-free, lithium-ion, silicon–sulfur battery. Journal of Power Sources, 2012, 202, 308-313.	7.8	155
274	Enhance electrochemical performance of lithium sulfur battery through a solution-based processing technique. Journal of Power Sources, 2012, 202, 389-393.	7.8	57
275	Synthesis and electrochemical properties of a sulfur-multi walled carbon nanotubes composite as a cathode material for lithium sulfur batteries. Journal of Power Sources, 2012, 202, 394-399.	7.8	207
276	Influence of different electrode compositions and binder materials on the performance of lithium–sulfur batteries. Journal of Power Sources, 2012, 205, 420-425.	7.8	109
277	Nano-carbon/sulfur composite cathode materials with carbon nanofiber as electrical conductor for advanced secondary lithium/sulfur cells. Journal of Power Sources, 2012, 205, 474-478.	7.8	127
278	A composite of sulfur and polypyrrole–multi walled carbon combinatorial nanotube as cathode for Li/S battery. Journal of Power Sources, 2012, 206, 409-413.	7.8	135
279	One-step synthesis of branched sulfur/polypyrrole nanocomposite cathode for lithium rechargeable batteries. Journal of Power Sources, 2012, 208, 1-8.	7.8	121
280	Novel positive electrode architecture for rechargeable lithium/sulfur batteries. Journal of Power Sources, 2012, 211, 19-26.	7.8	113
281	Lithium-sulfur cell with combining carbon nanofibers–sulfur cathode and gel polymer electrolyte. Journal of Power Sources, 2012, 212, 179-185.	7.8	132
282	Lithium–sulphur batteries – binder free carbon nanotubes electrode examined with various electrolytes. Journal of Power Sources, 2012, 213, 239-248.	7.8	109
283	A proof-of-concept lithium/sulfur liquid battery with exceptionally high capacity density. Journal of Power Sources, 2012, 211, 169-172.	7.8	117
284	Lithium storage performance in ordered mesoporous MoS2 electrode material. Microporous and Mesoporous Materials, 2012, 151, 418-423.	4.4	173
285	Spatially heterogeneous carbon-fiber papers as surface dendrite-free current collectors for lithium deposition. Nano Today, 2012, 7, 10-20.	11.9	157
286	A Soft Approach to Encapsulate Sulfur: Polyaniline Nanotubes for Lithiumâ€ S ulfur Batteries with Long Cycle Life. Advanced Materials, 2012, 24, 1176-1181.	21.0	959
287	Making Liâ€Air Batteries Rechargeable: Material Challenges. Advanced Functional Materials, 2013, 23, 987-1004.	14.9	477
288	An Advanced Lithiumâ€ S ulfur Battery. Advanced Functional Materials, 2013, 23, 1076-1080.	14.9	310
289	Materials Science and Materials Chemistry for Large Scale Electrochemical Energy Storage: From Transportation to Electrical Crid, Advanced Euroctional Materials, 2013, 23, 929-946	14.9	590

#	Article	IF	CITATIONS
290	Phosphorous Pentasulfide as a Novel Additive for Highâ€Performance Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2013, 23, 1064-1069.	14.9	397
291	Ultralow Percolation Threshold in Aerogel and Cryogel Templated Composites. Langmuir, 2013, 29, 11449-11456.	3.5	28
292	Polymer electrolytes integrated with ionic liquids for future electrochemical devices. Journal of Applied Polymer Science, 2013, 129, 2363-2376.	2.6	126
293	Ultrafine Sulfur Nanoparticles in Conducting Polymer Shell as Cathode Materials for High Performance Lithium/Sulfur Batteries. Scientific Reports, 2013, 3, 1910.	3.3	193
294	Stable cycling of lithium sulfide cathodes through strong affinity with a bifunctional binder. Chemical Science, 2013, 4, 3673.	7.4	412
295	First principles prediction of nitrogen-doped carbon nanotubes as a high-performance cathode for Li–S batteries. RSC Advances, 2013, 3, 16775.	3.6	44
296	Binder-free graphene foams for O2 electrodes of Li–O2 batteries. Nanoscale, 2013, 5, 9651.	5.6	103
297	ZnO/graphene nanocomposite fabricated by high energy ball milling with greatly enhanced lithium storage capability. Electrochemistry Communications, 2013, 34, 312-315.	4.7	76
298	Grapheneâ€Encapsulated Si on Ultrathinâ€Graphite Foam as Anode for High Capacity Lithiumâ€ion Batteries. Advanced Materials, 2013, 25, 4673-4677.	21.0	320
299	Al nanorod thin films as anode electrode for Li ion rechargeable batteries. Electrochimica Acta, 2013, 87, 872-879.	5.2	41
300	Porous Nitrogenâ€Doped Carbon Nanotubes Derived from Tubular Polypyrrole for Energyâ€ S torage Applications. Chemistry - A European Journal, 2013, 19, 12306-12312.	3.3	162
301	The cycling performances of lithium–sulfur batteries in TEGDME/DOL containing LiNO3 additive. Ionics, 2013, 19, 1795-1802.	2.4	35
302	Phosphazene groups modified sulfur composites as active cathode materials for rechargeable lithium/sulfur batteries. Ionics, 2013, 19, 1477-1482.	2.4	3
303	Porous carbon nanotubes improved sulfur composite cathode for lithium-sulfur battery. Journal of Solid State Electrochemistry, 2013, 17, 1641-1647.	2.5	27
304	A metastable β-sulfur phase stabilized at room temperature during cycling of high efficiency carbon fibre–sulfur composites for Li–S batteries. Journal of Materials Chemistry A, 2013, 1, 13089.	10.3	36
305	Mesoporous graphene paper immobilised sulfur as a flexible electrode for lithium–sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 13484.	10.3	103
306	Progress in Lithium–Sulfur Batteries: The Effective Role of a Polysulfideâ€Added Electrolyte as Buffer to Prevent Cathode Dissolution. ChemSusChem, 2013, 6, 2245-2248.	6.8	70
307	Pore Size Determination in Ordered Mesoporous Materials Using Powder X-ray Diffraction. Journal of Physical Chemistry C, 2013, 117, 18120-18130.	3.1	41

#	Article	IF	CITATIONS
308	One-Dimensional Carbon–Sulfur Composite Fibers for Na–S Rechargeable Batteries Operating at Room Temperature. Nano Letters, 2013, 13, 4532-4538.	9.1	387
309	Amylopectin Wrapped Graphene Oxide/Sulfur for Improved Cyclability of Lithium–Sulfur Battery. ACS Nano, 2013, 7, 8801-8808.	14.6	181
310	Why PEO as a binder or polymer coating increases capacity in the Li–S system. Chemical Communications, 2013, 49, 8531.	4.1	98
311	Electrochemical performance of lithium/sulfur batteries using perfluorinated ionomer electrolyte with lithium sulfonyl dicyanomethide functional groups as functional separator. RSC Advances, 2013, 3, 8889.	3.6	59
312	Synthesis of sulfur/activated carbon aerogels composite with a novel homogeneous precipitation method as cathode materials for lithium–sulfur batteries. RSC Advances, 2013, 3, 16318.	3.6	18
313	Graphite nanoplatelet chemical cross-linking by elemental sulfur. Nanoscale Research Letters, 2013, 8, 94.	5.7	20
314	A Review on Li-S Batteries as a High Efficiency Rechargeable Lithium Battery. Journal of the Electrochemical Society, 2013, 160, A1256-A1263.	2.9	251
315	Electrochemical Impedance Spectroscopy Study of a Lithium/Sulfur Battery: Modeling and Analysis of Capacity Fading. Journal of the Electrochemical Society, 2013, 160, A553-A558.	2.9	579
316	Facile synthesis and application of a carbon foam with large mesopores. Physical Chemistry Chemical Physics, 2013, 15, 19134.	2.8	7
317	Facile dry synthesis of sulfur-LiFePO4 core–shell composite for the scalable fabrication of lithium/sulfur batteries. Electrochemistry Communications, 2013, 32, 35-38.	4.7	33
320	Highly mesoporous carbon foams synthesized by a facile, cost-effective and template-free Pechini method for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 3295.	10.3	205
321	Preparation and electrochemical performance of sulfur-alumina cathode material for lithium-sulfur batteries. Materials Research Bulletin, 2013, 48, 2079-2083.	5.2	69
322	Highly Reversible Lithium Storage in Hierarchical Ca ₂ Ge ₇ O ₁₆ Nanowire Arrays/Carbon Textile Anodes. Chemistry - A European Journal, 2013, 19, 8650-8656.	3.3	50
323	High capacity micro-mesoporous carbon–sulfur nanocomposite cathodes with enhanced cycling stability prepared by a solvent-free procedure. Journal of Materials Chemistry A, 2013, 1, 9225.	10.3	138
324	Composites of V2O3–ordered mesoporous carbon as anode materials for lithium-ion batteries. Carbon, 2013, 62, 382-388.	10.3	89
325	Improved lithium–sulfur cells with a treated carbon paper interlayer. Physical Chemistry Chemical Physics, 2013, 15, 2291.	2.8	241
326	Effect of chemical reactivity of polysulfide toward carbonate-based electrolyte on the electrochemical performance of Li–S batteries. Electrochimica Acta, 2013, 107, 454-460.	5.2	272
327	Bottom-Up Catalytic Approach towards Nitrogen-Enriched Mesoporous Carbons/Sulfur Composites for Superior Li-S Cathodes. Scientific Reports, 2013, 3, 2823.	3.3	31

#	Article	IF	CITATIONS
328	Understanding the Role of Different Conductive Polymers in Improving the Nanostructured Sulfur Cathode Performance. Nano Letters, 2013, 13, 5534-5540.	9.1	601
329	A simple SDS-assisted self-assembly method for the synthesis of hollow carbon nanospheres to encapsulate sulfur for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 14306.	10.3	88
330	Yolk–Shell Structure of Polyaniline-Coated Sulfur for Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2013, 135, 16736-16743.	13.7	734
331	Graphene-encapsulated sulfur (GES) composites with a core–shell structure as superior cathode materials for lithium–sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 15142.	10.3	102
332	Porous Graphitic Carbon Loading Ultra High Sulfur as High-Performance Cathode of Rechargeable Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2013, 5, 10782-10793.	8.0	109
333	Mesoporous Carbon–Carbon Nanotube–Sulfur Composite Microspheres for High-Areal-Capacity Lithium–Sulfur Battery Cathodes. ACS Applied Materials & Interfaces, 2013, 5, 11355-11362.	8.0	230
334	A Metal–Organic Framework with Open Metal Sites for Enhanced Confinement of Sulfur and Lithium–Sulfur Battery of Long Cycling Life. Crystal Growth and Design, 2013, 13, 5116-5120.	3.0	124
335	Effect of Graphene on Sulfur/Polyacrylonitrile Nanocomposite Cathode in High Performance Lithium/Sulfur Batteries. Journal of the Electrochemical Society, 2013, 160, A1194-A1198.	2.9	66
336	A Long-Life, High-Rate Lithium/Sulfur Cell: A Multifaceted Approach to Enhancing Cell Performance. Nano Letters, 2013, 13, 5891-5899.	9.1	404
337	<i>In Situ</i> -Formed Li ₂ S in Lithiated Graphite Electrodes for Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2013, 135, 18044-18047.	13.7	140
338	On the role of polysulfides for a stable solid electrolyte interphase on the lithium anode cycled in lithium–sulfur batteries. Journal of Power Sources, 2013, 236, 181-187.	7.8	146
339	A Novel Graphene-Polysulfide Anode Material for High-Performance Lithium-Ion Batteries. Scientific Reports, 2013, 3, 2341.	3.3	68
340	Free standing acetylene black mesh to capture dissolved polysulfide in lithium sulfur batteries. Chemical Communications, 2013, 49, 11107.	4.1	74
341	Effect of nanosized Mg0.6Ni0.4O prepared by self-propagating high temperature synthesis on sulfur cathode performance in Li/S batteries. Powder Technology, 2013, 235, 248-255.	4.2	72
342	Covalent Bond Glued Sulfur Nanosheet-Based Cathode Integration for Long-Cycle-Life Li–S Batteries. Nano Letters, 2013, 13, 6244-6250.	9.1	99
343	Tailoring Porosity in Carbon Nanospheres for Lithium–Sulfur Battery Cathodes. ACS Nano, 2013, 7, 10920-10930.	14.6	439
344	Enhanced electrochemical performance of sulfur/carbon nanocomposite material prepared via chemical deposition with a vacuum soaking step. Electrochimica Acta, 2013, 105, 23-30.	5.2	30
345	<i>In Situ</i> Formed Lithium Sulfide/Microporous Carbon Cathodes for Lithium-Ion Batteries. ACS Nano, 2013, 7, 10995-11003.	14.6	215

#	Article	IF	CITATIONS
346	A ternary sulfur/polyaniline/carbon composite as cathode material for lithium sulfur batteries. Electrochimica Acta, 2013, 109, 145-152.	5.2	78
347	Mesoporous β-MnO2/sulfur composite as cathode material for Li–S batteries. Electrochimica Acta, 2013, 106, 307-311.	5.2	53
348	Lithium–sulfur batteries with superior cycle stability by employing porous current collectors. Electrochimica Acta, 2013, 107, 569-576.	5.2	134
349	N-Methyl-N-propylpiperidinium bis(trifluoromethanesulfonyl)imide-based organic electrolyte for high performance lithium–sulfur batteries. Journal of Power Sources, 2013, 236, 207-214.	7.8	90
350	Sulfur/activated-conductive carbon black composites as cathode materials forÂlithium/sulfur battery. Journal of Power Sources, 2013, 240, 598-605.	7.8	92
351	Improving the performance of lithium–sulfur batteries by graphene coating. Journal of Power Sources, 2013, 243, 993-1000.	7.8	105
352	Hydrothermal nanocasting: Synthesis of hierarchically porous carbon monoliths and their application in lithium–sulfur batteries. Carbon, 2013, 61, 245-253.	10.3	120
353	Ordered Mesoporous Core/Shell SnO ₂ /C Nanocomposite as High apacity Anode Material for Lithiumâ€lon Batteries. Chemistry - A European Journal, 2013, 19, 16897-16901.	3.3	66
354	Lithium–Sulfur Batteries: Electrochemistry, Materials, and Prospects. Angewandte Chemie - International Edition, 2013, 52, 13186-13200.	13.8	2,329
356	One-pot approach to synthesize PPy@S core–shell nanocomposite cathode for Li/S batteries. Journal of Nanoparticle Research, 2013, 15, 1.	1.9	44
357	Sulfur/graphitic hollow carbon sphere nano-composite as a cathode material for high-power lithium-sulfur battery. Nanoscale Research Letters, 2013, 8, 343.	5.7	27
358	Improvement on electrochemical performance by electrodeposition of polyaniline nanowires at the top end of sulfur electrode. Applied Surface Science, 2013, 285, 900-906.	6.1	25
359	Interface Chemistry Guided Long-Cycle-Life Li–S Battery. Nano Letters, 2013, 13, 4206-4211.	9.1	125
360	Graphene-Based Three-Dimensional Hierarchical Sandwich-type Architecture for High-Performance Li/S Batteries. Nano Letters, 2013, 13, 4642-4649.	9.1	385
361	Acetylene black derived hollow carbon nanostructure and its application in lithium–sulfur batteries. RSC Advances, 2013, 3, 16936.	3.6	20
362	Ionic Liquid Electrolytes for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2013, 117, 20531-20541.	3.1	259
363	Carbyne polysulfide as a novel cathode material for lithium/sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 13261.	10.3	89
364	Enhancing performance of Li–S cells using a Li–Al alloy anode coating. Electrochemistry Communications, 2013, 36, 38-41.	4.7	75

		CITATION RE	PORT	
#	Article		IF	CITATIONS
365	Sulfurâ€Infiltrated Micro―and Mesoporous Silicon Carbideâ€Derived Carbon Cathode Highâ€Performance Lithium Sulfur Batteries. Advanced Materials, 2013, 25, 4573-457	? for 9.	21.0	296
366	Selenium@Mesoporous Carbon Composite with Superior Lithium and Sodium Storage Nano, 2013, 7, 8003-8010.	Capacity. ACS	14.6	393
367	Sulfur film-coated reduced graphene oxide composite for lithium–sulfur batteries. Jo Materials Chemistry A, 2013, 1, 9173.	urnal of	10.3	61
368	A perspective: carbon nanotube macro-films for energy storage. Energy and Environme 2013, 6, 3183-3201.	ntal Science,	30.8	168
369	Recent progress and remaining challenges in sulfur-based lithium secondary batteries â Chemical Communications, 2013, 49, 10545.	i€" a review.	4.1	467
370	Ultrathin tunable ion conducting nanomembranes for encapsulation of sulfur cathodes Environmental Science, 2013, 6, 3286.	s. Energy and	30.8	26
371	Ordered mesoporous TiO2–C nanocomposite as an anode material for long-term per lithium-ion batteries. Journal of Materials Chemistry A, 2013, 1, 4293.	formance	10.3	111
372	Sulfur/Carbon Nanotube Composite Film as a Flexible Cathode for Lithium–Sulfur Ba of Physical Chemistry C, 2013, 117, 21112-21119.	tteries. Journal	3.1	135
373	Hierarchically structured materials for lithium batteries. Nanotechnology, 2013, 24, 42	4004.	2.6	30
374	Porous carbon spheres as a functional conducting framework for use in lithium–sulfu RSC Advances, 2013, 3, 11774.	ur batteries.	3.6	51
375	Anionic Effects on Solvate Ionic Liquid Electrolytes in Rechargeable Lithium–Sulfur B of Physical Chemistry C, 2013, 117, 20509-20516.	atteries. Journal	3.1	166
376	Fabrication of a sandwich structured electrode for high-performance lithium–sulfur b Journal of Materials Chemistry A, 2013, 1, 14280.	atteries.	10.3	40
377	High-performance hollow sulfur nanostructured battery cathode through a scalable, ro temperature, one-step, bottom-up approach. Proceedings of the National Academy of 9 United States of America, 2013, 110, 7148-7153.	om Sciences of the	7.1	359
378	Mesoporous manganese dioxide cathode prepared by an ambient temperature synthes batteries. RSC Advances, 2013, 3, 26328.	is for Na-ion	3.6	12
379	A high power density electrode with ultralow carbon via direct growth of particles on g sheets. Journal of Materials Chemistry A, 2013, 1, 6183.	raphene	10.3	20
380	Alternative materials for sodium ion–sulphur batteries. Journal of Materials Chemistr	y A, 2013, 1, 5256.	10.3	141
381	Facile synthesis of novel Si nanoparticles–graphene composites as high-performance for Li-ion batteries. Physical Chemistry Chemical Physics, 2013, 15, 11394.	anode materials	2.8	54
382	Sulfur@hollow polypyrrole sphere nanocomposites for rechargeable Li–S batteries. R 2013, 3, 24914.	SC Advances,	3.6	64

#	Article	IF	CITATIONS
383	Significantly improved high-rate Li-ion batteries anode by encapsulating tin dioxide nanocrystals into mesotunnels. CrystEngComm, 2013, 15, 8537.	2.6	21
384	Fabrication and Characterization of an Effective Polymer Nanocomposite Electrolyte Membrane for High Performance Lithium/Sulfur Batteries. Journal of the Electrochemical Society, 2013, 160, A1052-A1060.	2.9	37
385	Highly improved rechargeable stability for lithium/silver vanadium oxide battery induced viaelectrospinning technique. Journal of Materials Chemistry A, 2013, 1, 852-859.	10.3	62
386	Facile control of long range orientation in mesoporous carbon films with thermal zone annealing velocity. Nanoscale, 2013, 5, 12440.	5.6	21
387	Highly reversible Li/dissolved polysulfide batteries with binder-free carbon nanofiber electrodes. Journal of Materials Chemistry A, 2013, 1, 10362.	10.3	135
388	A high-rate lithium–sulfur battery assisted by nitrogen-enriched mesoporous carbons decorated with ultrafine La2O3 nanoparticles. Journal of Materials Chemistry A, 2013, 1, 13283.	10.3	189
389	Unidirectional self-assembly of soft templated mesoporous carbons by zone annealing. Nanoscale, 2013, 5, 7928.	5.6	27
390	A PEO-assisted electrospun silicon–graphene composite as an anode material for lithium-ion batteries. Journal of Materials Chemistry A, 2013, 1, 9019.	10.3	69
391	Pulsed laser deposition of large-area manganese oxide nanosheet arrays for high-rate supercapacitors. New Journal of Chemistry, 2013, 37, 869.	2.8	22
392	Graphene-Based Composites as Cathode Materials for Lithium Ion Batteries. Journal of Nanomaterials, 2013, 2013, 1-8.	2.7	15
393	All-solid-state Li–sulfur batteries with mesoporous electrode and thio-LISICON solid electrolyte. Journal of Power Sources, 2013, 222, 237-242.	7.8	194
394	In-situ synthesis of magnetite/expanded graphite composite material as high rate negative electrode for rechargeable lithium batteries. Journal of Power Sources, 2013, 223, 119-124.	7.8	26
395	High temperature stabilization of lithium–sulfur cells with carbon nanotube current collector. Journal of Power Sources, 2013, 226, 256-265.	7.8	83
396	In-situ X-ray diffraction studies of lithium–sulfur batteries. Journal of Power Sources, 2013, 226, 313-319.	7.8	195
397	Lithium–Sulfur Battery Cathode Enabled by Lithium–Nitrile Interaction. Journal of the American Chemical Society, 2013, 135, 763-767.	13.7	329
398	Li–S batteries: simple approaches for superior performance. Energy and Environmental Science, 2013, 6, 176.	30.8	266
399	Sulphur–TiO2 yolk–shell nanoarchitecture with internal void space for long-cycle lithium–sulphur batteries. Nature Communications, 2013, 4, 1331.	12.8	1,884
400	Directing Silicon–Graphene Self-Assembly as a Core/Shell Anode for High-Performance Lithium-Ion Batteries. Langmuir, 2013, 29, 744-749.	3.5	142

#	Article	IF	CITATIONS
401	Dual core–shell structured sulfur cathode composite synthesized by a one-pot route for lithium sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 1716-1723.	10.3	197
402	Challenges and opportunities of nanostructured materials for aprotic rechargeable lithium–air batteries. Nano Energy, 2013, 2, 443-467.	16.0	315
403	Self-doping inspired zwitterionic pendant design of radical polymers toward a rocking-chair-type organic cathode-active material. Journal of Materials Chemistry A, 2013, 1, 1326-1333.	10.3	42
404	Lithium–oxygen batteries: bridging mechanistic understanding and battery performance. Energy and Environmental Science, 2013, 6, 750.	30.8	825
405	Core–shell sulfur@polypyrrole composites as high-capacity materials for aqueous rechargeable batteries. Nanoscale, 2013, 5, 1460.	5.6	86
406	Carbonylâ€∢i>β yclodextrin as a Novel Binder for Sulfur Composite Cathodes in Rechargeable Lithium Batteries. Advanced Functional Materials, 2013, 23, 1194-1201.	14.9	240
407	Encapsulating Sulfur into Hierarchically Ordered Porous Carbon as a Highâ€Performance Cathode for Lithium–Sulfur Batteries. Chemistry - A European Journal, 2013, 19, 1013-1019.	3.3	212
408	Amorphous TiS4 positive electrode for lithium–sulfur secondary batteries. Electrochemistry Communications, 2013, 31, 71-75.	4.7	61
409	Sulfur in hierarchically pore-structured carbon pillars as cathode material for lithium–sulfur batteries. Electrochimica Acta, 2013, 97, 238-243.	5.2	59
410	Structural changes of a Li/S rechargeable cell in Lithium Metal Polymer technology. Journal of Power Sources, 2013, 241, 249-254.	7.8	25
411	Aligned sulfur-coated carbon nanotubes with a polyethylene glycol barrier at one end for use as a high efficiency sulfur cathode. Carbon, 2013, 58, 99-106.	10.3	143
412	A Lithiumâ€Rich Compound Li ₇ Mn(BO ₃) ₃ Containing Mn ²⁺ in Tetrahedral Coordination: A Cathode Candidate for Lithiumâ€Ion Batteries. Angewandte Chemie - International Edition, 2013, 52, 12541-12544.	13.8	38
413	Capacity fading mechanism in lithium sulfur cells using poly(ethylene glycol)-borate ester as plasticizer for polymer electrolytes. Journal of Power Sources, 2013, 242, 478-485.	7.8	49
414	A sulfur–carbon composite for lithium/sulfur battery based on activated vapor-grown carbon fiber. Solid State Ionics, 2013, 238, 44-49.	2.7	47
415	Carbon coated lithium sulfide particles for lithium battery cathodes. Journal of Power Sources, 2013, 235, 220-225.	7.8	84
416	Graphene-coated mesoporous carbon/sulfur cathode with enhanced cycling stability. Electrochimica Acta, 2013, 113, 256-262.	5.2	79
417	Electrochemical characteristics of ternary compound CoSbS for application in Li secondary batteries. Electrochemistry Communications, 2013, 28, 71-74.	4.7	21
418	Effect of lithium borate addition on the physical and electrochemical properties of the lithium ion conductor Li3.4Si0.4P0.6O4. Solid State Ionics, 2013, 231, 109-115.	2.7	24

#	Article	IF	CITATIONS
419	Composite of sulfur impregnated in porous hollow carbon spheres as the cathode of Li-S batteries with high performance. Nano Research, 2013, 6, 38-46.	10.4	232
420	Mesoporous Co3O4 as an electrocatalyst for water oxidation. Nano Research, 2013, 6, 47-54.	10.4	274
421	Amphiphilic Surface Modification of Hollow Carbon Nanofibers for Improved Cycle Life of Lithium Sulfur Batteries. Nano Letters, 2013, 13, 1265-1270.	9.1	668
422	Organic polymer material with a multi-electron process redox reaction: towards ultra-high reversible lithium storage capacity. RSC Advances, 2013, 3, 3227.	3.6	35
423	Ultrasound Assisted Design of Sulfur/Carbon Cathodes with Partially Fluorinated Ether Electrolytes for Highly Efficient Li/S Batteries. Advanced Materials, 2013, 25, 1608-1615.	21.0	224
424	One-pot synthesis of silicon nanoparticles trapped in ordered mesoporous carbon for use as an anode material in lithium-ion batteries. Nanotechnology, 2013, 24, 025602.	2.6	41
425	A new class of Solvent-in-Salt electrolyte for high-energy rechargeable metallic lithium batteries. Nature Communications, 2013, 4, 1481.	12.8	1,917
426	A study of sulfur homogeneous nucleation from supersaturated vapor. Determination of surface tension of sulfur nanoparticles. Colloid Journal, 2013, 75, 14-25.	1.3	8
427	Sulfur embedded in metal organic framework-derived hierarchically porous carbon nanoplates for high performance lithium‑sulfur battery. Journal of Materials Chemistry A, 2013, 1, 4490.	10.3	266
428	Self-assembly of hybrid Fe2Mo3O8–reduced graphene oxide nanosheets with enhanced lithium storage properties. Journal of Materials Chemistry A, 2013, 1, 4468.	10.3	40
429	Battery Components, Active Materials for. , 2013, , 51-92.		3
430	Extensive charge–discharge cycling of lithium metal electrodes achieved using ionic liquid electrolytes. Electrochemistry Communications, 2013, 27, 69-72.	4.7	70
431	A membrane-free lithium/polysulfide semi-liquid battery for large-scale energy storage. Energy and Environmental Science, 2013, 6, 1552.	30.8	359
432	Role of Polysulfides in Selfâ€Healing Lithium–Sulfur Batteries. Advanced Energy Materials, 2013, 3, 833-838.	19.5	170
433	Suppressed lithium dendrite growth in lithium batteries using ionic liquid electrolytes: Investigation by electrochemical impedance spectroscopy, scanning electron microscopy, and in situ 7Li nuclear magnetic resonance spectroscopy. Journal of Power Sources, 2013, 228, 237-243.	7.8	137
434	Polysulfide dissolution control: the common ion effect. Chemical Communications, 2013, 49, 2004-2006.	4.1	223
435	Lithium/sulfur batteries with high specific energy: old challenges and new opportunities. Nanoscale, 2013, 5, 2186.	5.6	480
436	Exceptional electrochemical performance of rechargeable Li–S batteries with a polysulfide-containing electrolyte. RSC Advances, 2013, 3, 3540.	3.6	87

ARTICLE IF CITATIONS # Flexible self-supporting grapheneâ€"sulfur paper for lithium sulfur batteries. RSC Advances, 2013, 3, 437 3.6 115 2558. Scotch-tape-like exfoliation of graphite assisted with elemental sulfur and graphene–sulfur composites for high-performance lithium-sulfur batteries. Energy and Environmental Science, 2013, 6, 438 30.8 246 1283. Cucumber-Like V₂0₅/poly(3,4-ethylenedioxythiophene)&MnO₂ 439 9.1 201 Nanowires with Enhanced Electrochemical Cyclability. Nano Letters, 2013, 13, 740-745. Entrapment of sulfur in hierarchical porous graphene for lithium–sulfur batteries with high rate 440 230 performance from â[^]40 to 60°C. Nano Energy, 2013, 2, 314-321. Functional mesoporous materials for energy applications: solar cells, fuel cells, and batteries. 441 5.6 114 Nanoscale, 2013, 5, 4584. The Road for Nanomaterials Industry: A Review of Carbon Nanotube Production, Postâ€Treatment, and Bulk Applications for Composites and Energy Storage. Small, 2013, 9, 1237-1265. Dendrite-Free Lithium Deposition via Self-Healing Electrostatic Shield Mechanism. Journal of the 443 13.7 1,736 American Chemical Society, 2013, 135, 4450-4456. The use of elemental sulfur as an alternative feedstock for polymeric materials. Nature Chemistry, 445 13.6 1,046 2013, 5, 518-524. A novel sulfur/polypyrrole/multi-walled carbon nanotube nanocomposite cathode with coreâ€"shell 446 2.7 54 tubular structure for lithium rechargeable batteries. Solid State Ionics, 2013, 238, 30-35. Hydroxylated Grapheneâ€"Sulfur Nanocomposites for Highâ€Rate Lithiumâ€"Sulfur Batteries. Advanced 447 Energy Materials, 2013, 3, 1008-1012. Coral-like V2O5 nanowhiskers as high-capacity cathode materials for lithium-ion batteries. RSC 448 3.6 20 Advances, 2013, 3, 5069. Nanostructured sulfur cathodes. Chemical Society Reviews, 2013, 42, 3018. 449 38.1 1,778 Graphene-based electrodes for electrochemical energy storage. Energy and Environmental Science, 450 30.8 696 2013, 6, 1388. A novel porous nanocomposite of sulfur/carbon obtained from fish scales for lithium–sulfur 167 batteries. Journal of Materials Chemistry A, 2013, 1, 3334. Carbon with hierarchical pores from carbonized metal–organic frameworks for lithium sulphur 452 4.1 354 batteries. Chemical Communications, 2013, 49, 2192. In situ synthesis of lithium sulfide–carbon composites as cathode materials for rechargeable lithium 138 batteries. Journal of Materials Chemistry A, 2013, 1, 1433-1440. Decoration of sulfur with porous metal nanostructures: an alternative strategy for improving the 454 cyclability of sulfur cathode materials for advanced lithium–sulfur batteries. Chemical 4.1 60 Communications, 2013, 49, 4513. High capacity cathode materials for Liâ€"S batteries. Journal of Materials Chemistry A, 2013, 1, 1573-1578.

#	Article	IF	CITATIONS
456	Sulfur@graphene oxide core–shell particles as a rechargeable lithium–sulfur battery cathode material with high cycling stability and capacity. RSC Advances, 2013, 3, 4914.	3.6	88
457	Chemically tailoring the nanostructure of graphenenanosheets to confine sulfur for high-performance lithium-sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 1096-1101.	10.3	180
458	Thermodynamics of Electrochemical Lithium Storage. Angewandte Chemie - International Edition, 2013, 52, 4998-5026.	13.8	181
459	A modified hierarchical porous carbon for lithium/sulfur batteries with improved capacity and cycling stability. Journal of Solid State Electrochemistry, 2013, 17, 2243-2250.	2.5	25
460	A Conductive Polypyrroleâ€Coated, Sulfur–Carbon Nanotube Composite for Use in Lithium–Sulfur Batteries. ChemPlusChem, 2013, 78, 318-324.	2.8	57
461	Highly dispersed sulfur in a porous aromatic framework as a cathode for lithium–sulfur batteries. Chemical Communications, 2013, 49, 4905.	4.1	103
462	Pyrolyzed Bacterial Cellulose: A Versatile Support for Lithium Ion Battery Anode Materials. Small, 2013, 9, 2399-2404.	10.0	158
463	Preparation and phase stability of nanocrystalline Li2C2 alloy. Materials Letters, 2013, 94, 176-178.	2.6	10
464	Highly Reversible Lithium/Dissolved Polysulfide Batteries with Carbon Nanotube Electrodes. Angewandte Chemie - International Edition, 2013, 52, 6930-6935.	13.8	291
465	Enhanced cycling performance and electrochemical reversibility of a novel sulfur-impregnated mesoporous hollow TiO2 sphere cathode for advanced Li–S batteries. Nanoscale, 2013, 5, 5743.	5.6	90
466	Infiltrating sulfur in hierarchical architecture MWCNT@meso C core–shell nanocomposites for lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2013, 15, 9051.	2.8	65
467	Crab Shells as Sustainable Templates from Nature for Nanostructured Battery Electrodes. Nano Letters, 2013, 13, 3385-3390.	9.1	208
468	Hydrothermal carbon-based nanostructured hollow spheres as electrode materials for high-power lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2013, 15, 6080.	2.8	167
469	Fast, Reversible Lithium Storage with a Sulfur/Longâ€Chainâ€Polysulfide Redox Couple. Chemistry - A European Journal, 2013, 19, 8621-8626.	3.3	58
470	Challenges and Prospects of Lithium–Sulfur Batteries. Accounts of Chemical Research, 2013, 46, 1125-1134.	15.6	1,962
471	Significantly Improved Long-Cycle Stability in High-Rate Li–S Batteries Enabled by Coaxial Graphene Wrapping over Sulfur-Coated Carbon Nanofibers. Nano Letters, 2013, 13, 2485-2489.	9.1	314
472	Lithium Superionic Sulfide Cathode for All-Solid Lithium–Sulfur Batteries. ACS Nano, 2013, 7, 2829-2833.	14.6	333
473	A perspective on carbon materials for future energy application. Journal of Energy Chemistry, 2013, 22, 151-173.	12.9	187

#	ARTICLE	IF	CITATIONS
474	Figh Sulfur Loading Cathodes Fabricated Using Peapodlike, Large Pore Volume Mesoporous Carbon for Lithium–Sulfur Battery. ACS Applied Materials & Interfaces, 2013, 5, 2208-2213.	8.0	207
475	A new route for the preparation of mesoporous carbon materials with high performance in lithium–sulphur battery cathodes. Chemical Communications, 2013, 49, 5832.	4.1	97
476	Reduced Graphene Oxide Wrapped FeS Nanocomposite for Lithium-Ion Battery Anode with Improved Performance. ACS Applied Materials & amp; Interfaces, 2013, 5, 5330-5335.	8.0	199
477	One-Pot Synthesis of Tin-Embedded Carbon/Silica Nanocomposites for Anode Materials in Lithium-Ion Batteries. ACS Nano, 2013, 7, 1036-1044.	14.6	130
478	A quantum-chemical study on the discharge reaction mechanism of lithium-sulfur batteries. Journal of Energy Chemistry, 2013, 22, 72-77.	12.9	174
479	Reaction mechanism of all-solid-state lithium–sulfur battery with two-dimensional mesoporous carbon electrodes. Journal of Power Sources, 2013, 243, 60-64.	7.8	44
480	Molecular structures of polymer/sulfur composites for lithium–sulfur batteries with long cycle life. Journal of Materials Chemistry A, 2013, 1, 9517.	10.3	59
481	Atomic-Scale Quantification of the Chemical Modification of Polystyrene through S, SC, and SH Deposition from Molecular Dynamics Simulations. Journal of Physical Chemistry C, 2013, 117, 12103-12110.	3.1	1
482	New developments in lithium sulfur batteries. Proceedings of SPIE, 2013, , .	0.8	1
483	MoO ₂ -Ordered Mesoporous Carbon Nanocomposite as an Anode Material for Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2013, 5, 2182-2187.	8.0	138
484	Lithium Polysulfidophosphates: A Family of Lithiumâ€Conducting Sulfurâ€Rich Compounds for Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2013, 52, 7460-7463.	13.8	263
485	High Efficiency Immobilization of Sulfur on Nitrogen-Enriched Mesoporous Carbons for Li–S Batteries. ACS Applied Materials & Interfaces, 2013, 5, 5630-5638.	8.0	305
486	A Controllable Synthesis of Rich Nitrogenâ€Đoped Ordered Mesoporous Carbon for CO ₂ Capture and Supercapacitors. Advanced Functional Materials, 2013, 23, 2322-2328.	14.9	861
487	Nanostructured materials for rechargeable batteries: synthesis, fundamental understanding and limitations. Current Opinion in Chemical Engineering, 2013, 2, 151-159.	7.8	7
488	Polyethyleneâ€Glycolâ€Doped Polypyrrole Increases the Rate Performance of the Cathode in Lithium–Sulfur Batteries. ChemSusChem, 2013, 6, 1438-1444.	6.8	52
489	Reduced graphene oxide film as a shuttle-inhibiting interlayer in a lithium–sulfur battery. Journal of Power Sources, 2013, 242, 65-69.	7.8	268
490	Encapsulating sulfur into mesoporous TiO2 host as a high performance cathode for lithium–sulfur battery. Electrochimica Acta, 2013, 107, 78-84.	5.2	128
491	Liquid electrolyte lithium/sulfur battery: Fundamental chemistry, problems, and solutions. Journal of Power Sources, 2013, 231, 153-162.	7.8	1,368

#	Article	IF	CITATIONS
492	Binding mechanism of sulfur and dehydrogenated polyacrylonitrile in sulfur/polymer composite cathode. Journal of Power Sources, 2013, 241, 61-69.	7.8	74
493	Precisely controlled resorcinol–formaldehyde resin coating for fabricating core–shell, hollow, and yolk–shell carbon nanostructures. Nanoscale, 2013, 5, 6908.	5.6	148
494	Synthesis of hollow GeO2 nanostructures, transformation into Ge@C, and lithium storage properties. Journal of Materials Chemistry A, 2013, 1, 7666.	10.3	66
495	Electrospun Silicon Nanoparticle/Porous Carbon Hybrid Nanofibers for Lithium″on Batteries. Small, 2013, 9, 2684-2688.	10.0	164
496	Enhanced hydrogen desorption from Mg(BH4)2 by combining nanoconfinement and a Ni catalyst. Journal of Materials Chemistry A, 2013, 1, 3471.	10.3	87
497	Embedding Sulfur in MOFâ€Derived Microporous Carbon Polyhedrons for Lithium–Sulfur Batteries. Chemistry - A European Journal, 2013, 19, 10804-10808.	3.3	355
498	Synthesis of functionalized 3D hierarchical porous carbon for high-performance supercapacitors. Energy and Environmental Science, 2013, 6, 2497.	30.8	1,053
499	Electrochemical properties of ether-based electrolytes for lithium/sulfur rechargeable batteries. Electrochimica Acta, 2013, 89, 737-743.	5.2	123
500	Cathode materials for next generation lithium ion batteries. Nano Energy, 2013, 2, 439-442.	16.0	221
501	Functional porous carbon-based composite electrode materials for lithium secondary batteries. Journal of Energy Chemistry, 2013, 22, 214-225.	12.9	51
502	Hierarchical nanostructured composite cathode with carbon nanotubes as conductive scaffold for lithium-sulfur batteries. Journal of Energy Chemistry, 2013, 22, 341-346.	12.9	40
503	High-safety lithium-sulfur battery with prelithiated Si/C anode and ionic liquid electrolyte. Electrochimica Acta, 2013, 91, 58-61.	5.2	127
504	Carbon–sulfur composites for Li–S batteries: status and prospects. Journal of Materials Chemistry A, 2013, 1, 9382.	10.3	757
505	Tuning the porous structure of carbon hosts for loading sulfur toward long lifespan cathode materials for Li–S batteries. Journal of Materials Chemistry A, 2013, 1, 6602.	10.3	189
506	Solvent Effect of Room Temperature Ionic Liquids on Electrochemical Reactions in Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2013, 117, 4431-4440.	3.1	182
507	Fibrous Hybrid of Graphene and Sulfur Nanocrystals for High-Performance Lithium–Sulfur Batteries. ACS Nano, 2013, 7, 5367-5375.	14.6	722
508	Ionic liquid-enhanced solid state electrolyte interface (SEI) for lithium–sulfur batteries. Journal of Materials Chemistry A, 2013, 1, 8464.	10.3	229
509	Rapid fabrication of thick spray-layer-by-layer carbon nanotube electrodes for high power and energy devices. Energy and Environmental Science, 2013, 6, 888.	30.8	79

	CITATION	CITATION REPORT	
#	Article	IF	Citations
510	Liâ \in S Battery Analyzed by UV/Vis in Operando Mode. ChemSusChem, 2013, 6, 1177-1181.	6.8	243
511	(De)Lithiation Mechanism of Li/SeS _{<i>x</i>} (<i>x</i> = 0–7) Batteries Determined by in Situ Synchrotron X-ray Diffraction and X-ray Absorption Spectroscopy. Journal of the American Chemical Society, 2013, 135, 8047-8056.	13.7	332
512	Electrochemical performance of lithium gel polymer battery with nanostructured sulfur/carbon composite cathode. Solid State Ionics, 2013, 234, 40-45.	2.7	86
513	Plasmaâ€Enhanced Atomic Layer Deposition of Ultrathin Oxide Coatings for Stabilized Lithium–Sulfur Batteries. Advanced Energy Materials, 2013, 3, 1308-1315.	19.5	133
514	Electrochemical Performance of Allâ€Solidâ€State Li/S Batteries with Sulfurâ€Based Composite Electrodes Prepared by Mechanical Milling at High Temperature. Energy Technology, 2013, 1, 186-192.	3.8	83
515	A facile soft-template synthesis of mesoporous polymeric and carbonaceous nanospheres. Nature Communications, 2013, 4, .	12.8	555
516	Solvate Ionic Liquid Electrolyte for Li–S Batteries. Journal of the Electrochemical Society, 2013, 160, A1304-A1310.	2.9	421
517	High Energy Density Poly(acrylonitrile)-Sulfur Composite-Based Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2013, 160, A1169-A1170.	2.9	59
518	Synthesis and electrochemical performance of sulfur–carbon composite cathode for lithium–sulfur batteries. Journal of Solid State Electrochemistry, 2013, 17, 115-119.	2.5	18
519	Tin Nanoparticles Impregnated in Nitrogen-Doped Graphene for Lithium-Ion Battery Anodes. Journal of Physical Chemistry C, 2013, 117, 25367-25373.	3.1	120
520	A Li+-conductive microporous carbon–sulfur composite for Li-S batteries. Electrochimica Acta, 2013, 87, 497-502.	5.2	99
521	Towards Highly Stable Storage of Sodium Ions: A Porous Na ₃ V ₂ (PO ₄) ₃ /C Cathode Material for Sodiumâ€lon Batteries. Chemistry - A European Journal, 2013, 19, 14712-14718.	3.3	102
522	Design and Applications of Multiscale Organic–Inorganic Hybrid Materials Derived from Block Copolymer Self-Assembly. Advances in Polymer Science, 2013, , 259-293.	0.8	10
523	Sulfur-Polypyrrole/Graphene Multi-Composites as Cathode for Lithium-Sulfur Battery. Journal of the Electrochemical Society, 2013, 160, A805-A810.	2.9	60
524	Solid State Enabled Reversible Four Electron Storage. Advanced Energy Materials, 2013, 3, 120-127.	19.5	155
525	New Approaches for High Energy Density Lithium–Sulfur Battery Cathodes. Accounts of Chemical Research, 2013, 46, 1135-1143.	15.6	1,166
526	Sulphur–carbon composites for Li/S batteries. Materials Technology, 2013, 28, 270-275.	3.0	9
527	A high sulfur content composite with core–shell structure as cathode material for Li–S batteries. Journal of Materials Chemistry A, 2013, 1, 11659.	10.3	141

#	Article	IF	CITATIONS
528	A High Capacity Calcium Primary Cell Based on the Ca–S System. Advanced Energy Materials, 2013, 3, 1056-1061.	19.5	93
529	Increasing the reactive surface area of a Li three dimensional negative electrode by morphology control. Applied Physics Letters, 2013, 103, 233901.	3.3	3
530	Encapsulated Monoclinic Sulfur for Stable Cycling of Li–S Rechargeable Batteries. Advanced Materials, 2013, 25, 6547-6553.	21.0	330
531	Controlled Nucleation and Growth Process of Li ₂ S ₂ /Li ₂ S in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2013, 160, A1992-A1996.	2.9	89
532	Fabrication and Electrochemical Performance of Polyacrylonitrile-S/Carbon Composite as Cathode for Lithium Ion Batteries. Journal of the Electrochemical Society, 2013, 160, A2311-A2314.	2.9	5
533	How to Obtain Reproducible Results for Lithium Sulfur Batteries?. Journal of the Electrochemical Society, 2013, 160, A2288-A2292.	2.9	149
534	Revisit Carbon/Sulfur Composite for Li-S Batteries. Journal of the Electrochemical Society, 2013, 160, A1624-A1628.	2.9	98
535	An Advanced Selenium–Carbon Cathode for Rechargeable Lithium–Selenium Batteries. Angewandte Chemie - International Edition, 2013, 52, 8363-8367.	13.8	391
536	Effect of Fluoroethylene Carbonate on Electrochemical Performances of Lithium Electrodes and Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2013, 160, A873-A881.	2.9	71
538	Composite Cathodes Containing SWCNT@S Coaxial Nanocables: Facile Synthesis, Surface Modification, and Enhanced Performance for Li″on Storage. Particle and Particle Systems Characterization, 2013, 30, 158-165.	2.3	71
542	Sulphur back in vogue for batteries. Nature, 2013, 498, 416-417.	27.8	115
543	Binding Mechanism and Electrochemical Properties of M13 Phage-Sulfur Composite. PLoS ONE, 2013, 8, e82332.	2.5	17
544	Room-Temperature Ionic Liquid Electrolytes for Alkali Metal-Sulfur Batteries. Hyomen Kagaku, 2013, 34, 309-314.	0.0	1
545	AFM as an analysis tool for high-capacity sulfur cathodes for Li–S batteries. Beilstein Journal of Nanotechnology, 2013, 4, 611-624.	2.8	24
546	Microstructure and Surface Impurity Segregation in Al-Substituted Li7La3Zr2O12. ECS Meeting Abstracts, 2013, , .	0.0	0
547	Biomass-derived Activated Carbon for Rechargeable Lithium-Sulfur Batteries. BioResources, 2014, 10, .	1.0	5
548	The effect of V2O5/C additive on the suppression of polysulfide dissolution in Li-sulfur batteries. Journal of Electroceramics, 2014, 33, 142-148.	2.0	14
549	Stabilization of selenium cathodes via in situ formation of protective solid electrolyte layer. Journal of Materials Chemistry A, 2014, 2, 18898-18905.	10.3	32

ARTICLE IF CITATIONS # Effect of cations in ionic liquids on the electrochemical performance of lithium-sulfur batteries. 550 8.2 51 Science China Chemistry, 2014, 57, 1564-1569. Graphene-wrapped sulfur/metal organic framework-derived microporous carbon composite for 5.1 lithium sulfur batteries. APL Materials, 2014, 2, . 553 Lithium-sulfur batteries. MRS Bulletin, 2014, 39, 436-442. 3.5 284 Inorganic & amp; organic materials for rechargeable Li batteries with multi-electron reaction. Science 554 China Materials, 2014, 57, 42-58. A perspective on electrical energy storage. MRS Communications, 2014, 4, 135-142. 555 1.8 92 Electrochemical Reduction Mechanism of Sulfur Particles Electrically Isolated from Carbon Cathodes of Lithium-Sulfur Cells. Journal of the Electrochemical Society, 2014, 161, A2117-A2120. The Adsorption of Gold, Palladium, and Platinum from Acidic Chloride Solutions on Mesoporous 557 2.0 21 Carbons. Solvent Extraction and Ion Exchange, 2014, 32, 737-748. Graphene/Sulfur Nanocomposite for High Performance Lithium-Sulfur Batteries. Advanced Materials 0.3 Research, 2014, 936, 369-373. Quantifying Polarization Losses in an Organic Liquid Electrolyte/Single Ion Conductor Interface. 560 2.9 20 Journal of the Electrochemical Society, 2014, 161, A1681-A1690. High-performance lithium/sulfur cells with a bi-functionally immobilized sulfur cathode. Nano 16.0 Energy, 2014, 9, 408-416. Insight into Sulfur Reactions in Liâ€"S Batteries. ACS Applied Materials & amp; Interfaces, 2014, 6, 562 120 8.0 21938-21945. In Situ Synthesis of Bipyramidal Sulfur with 3D Carbon Nanotube Framework for Lithium–Sulfur 14.9 104 Batteries. Advanced Functional Materials, 2014, 24, 2248-2252. Potassiumâ€"Sulfur Batteries: A New Member of Room-Temperature Rechargeable Metalâ€"Sulfur 564 4.0 163 Batteries. Inorganic Chemistry, 2014, 53, 9000-9005. Carbonized Eggshell Membrane as a Natural Polysulfide Reservoir for Highly Reversible Liâ€S Batteries. 21.0 Advanced Materials, 2014, 26, 1360-1365. ZnTe and ZnTe/C nanocomposite: a new electrode material for high-performance rechargeable Li-ion 566 10.3 46 batteries. Journal of Materials Chemistry A, 2014, 2, 20075-20082. Nanocasting Hierarchical Carbide-Derived Carbons in Nanostructured Opal Assemblies for 14.6 79 High-Performance Cathodes in Lithium–Sulfur Batteries. ACS Nano, 2014, 8, 12130-12140. A Microsized Cagelike Sulfur/Carbon Composite for a Lithium/Sulfur Battery with Excellent 568 2.8 17 Performance. ChemPlusChem, 2014, 79, 919-924. MoO₂/Mo₂C Heteronanotubes Function as Highâ€Performance Liâ€Ion Battery 569 14.9 Electrode. Advanced Functional Materials, 2014, 24, 3399-3404.

#	Article	IF	CITATIONS
570	Towards a Safe Lithium–Sulfur Battery with a Flameâ€Inhibiting Electrolyte and a Sulfurâ€Based Composite Cathode. Angewandte Chemie, 2014, 126, 10263-10268.	2.0	20
571	All-Solid-State Rechargeable Lithium Batteries Using LiTi ₂ (PS ₄) ₃ Cathode with Li ₂ S-P ₂ S ₅ Solid Electrolyte. Journal of the Electrochemical Society. 2014. 161. A154-A159.	2.9	20
572	New Desolvated Gel Electrolyte for Rechargeable Lithium Metal Sulfurized Polyacrylonitrile (S-PAN) Battery. Journal of Physical Chemistry C, 2014, 118, 28369-28376.	3.1	31
573	Catalytic Self-Limited Assembly at Hard Templates: A Mesoscale Approach to Graphene Nanoshells for Lithium–Sulfur Batteries. ACS Nano, 2014, 8, 11280-11289.	14.6	166
574	Hierarchical Sulfurâ€Based Cathode Materials with Long Cycle Life for Rechargeable Lithium Batteries. ChemSusChem, 2014, 7, 563-569.	6.8	82
575	Perfluorinated Ionomerâ€Enveloped Sulfur Cathodes for Lithium–Sulfur Batteries. ChemSusChem, 2014, 7, 3341-3346.	6.8	25
576	Fabrication of symmetric supercapacitors based on MOF-derived nanoporous carbons. Journal of Materials Chemistry A, 2014, 2, 19848-19854.	10.3	419
577	Tethered Molecular Sorbents: Enabling Metalâ€Sulfur Battery Cathodes. Advanced Energy Materials, 2014, 4, 1400390.	19.5	67
578	Synthesis of nanoparticles, nanorods, and mesoporous SnO2 as anode materials for lithium-ion batteries. Journal of Materials Research, 2014, 29, 609-616.	2.6	18
579	Lithium-Sulfur Batteries. , 2014, , 1197-1201.		2
580	Ionic shield for polysulfides towards highly-stable lithium–sulfur batteries. Energy and Environmental Science, 2014, 7, 347-353.	30.8	624
581	Enhanced cycling performance of lithium metal secondary batteries with succinic anhydride as an electrolyte additive. Electrochimica Acta, 2014, 115, 525-530.	5.2	31
582	Enhanced Cycling Stability of Sulfur Cathode Surface-Modified by Poly(N-methylpyrrole). Electrochimica Acta, 2014, 135, 108-113.	5.2	13
583	Surface modification of LiV3O8 nanosheets via layer-by-layer self-assembly for high-performance rechargeable lithium batteries. Journal of Power Sources, 2014, 257, 319-324.	7.8	21
584	Hybrid network CuS monolith cathode materials synthesized via facile in situ melt-diffusion for Li-ion batteries. Journal of Power Sources, 2014, 257, 192-197.	7.8	76
585	Infiltrating sulfur into a highly porous carbon sphere as cathode material for lithium–sulfur batteries. Materials Research Bulletin, 2014, 58, 204-207.	5.2	16
586	Multiwalled carbon nanotubes-sulfur composites with enhanced electrochemical performance for lithium/sulfur batteries. Applied Surface Science, 2014, 307, 346-350.	6.1	46
587	A mesoporous carbon–sulfur composite as cathode material for high rate lithium sulfur batteries. Materials Research Bulletin, 2014, 58, 199-203.	5.2	14

#	Article	IF	CITATIONS
588	Reduced graphene oxide with ultrahigh conductivity as carbon coating layer for high performance sulfur@reduced graphene oxide cathode. Journal of Power Sources, 2014, 245, 529-536.	7.8	76
589	Li ₂ Sâ€Carbon Sandwiched Electrodes with Superior Performance for Lithiumâ€Sulfur Batteries. Advanced Energy Materials, 2014, 4, 1300655.	19.5	141
590	Graphene for advanced Li/S and Li/air batteries. Journal of Materials Chemistry A, 2014, 2, 33-47.	10.3	166
591	A novel design approach for lithium-sulphur batteries. Russian Journal of Electrochemistry, 2014, 50, 317-326.	0.9	2
592	Nanorod-like Fe2O3/graphene composite as a high-performance anode material for lithium ion batteries. Journal of Applied Electrochemistry, 2014, 44, 53-60.	2.9	46
593	Enhanced rate performance of polypyrrole-coated sulfur/MWCNT cathode material: a kinetic study by electrochemical impedance spectroscopy. Ionics, 2014, 20, 635-643.	2.4	47
594	A Novel Three-Dimensional Large-Pore Mesoporous Carbon Matrix as a Potential Nanovehicle for the Fast Release of the Poorly Water-soluble Drug, Celecoxib. Pharmaceutical Research, 2014, 31, 1059-1070.	3.5	27
595	A comparison of sulfur loading method on the electrochemical performance of porous carbon/sulfur cathode material for lithium–sulfur battery. Journal of Solid State Electrochemistry, 2014, 18, 935-940.	2.5	15
596	Sulfur/mesoporous carbon composites combined with γ-MnS as cathode materials for lithium/sulfur batteries. Ionics, 2014, 20, 659-664.	2.4	30
597	Unstacked double-layer templated graphene for high-rate lithium–sulphur batteries. Nature Communications, 2014, 5, 3410.	12.8	602
598	A Natural Carbonized Leaf as Polysulfide Diffusion Inhibitor for Highâ€Performance Lithium–Sulfur Battery Cells. ChemSusChem, 2014, 7, 1655-1661.	6.8	129
599	Solution synthesis of metal oxides for electrochemical energy storage applications. Nanoscale, 2014, 6, 5008-5048.	5.6	363
600	Facile synthesis of graphene oxide @ mesoporous carbon hybrid nanocomposites for lithium sulfur battery. Electrochimica Acta, 2014, 127, 342-348.	5.2	50
601	Progress in flexible lithium batteries and future prospects. Energy and Environmental Science, 2014, 7, 1307-1338.	30.8	1,312
602	Multi-walled carbon nanotubes @ mesoporous carbon hybrid nanocomposites from carbonized multi-walled carbon nanotubes @ metal–organic framework for lithium sulfur battery. Journal of Power Sources, 2014, 248, 570-576.	7.8	102
603	Characterization of the solid electrolyte interphase on lithium anode for preventing the shuttle mechanism in lithium–sulfur batteries. Journal of Power Sources, 2014, 246, 840-845.	7.8	343
604	A review of electrolytes for lithium–sulphur batteries. Journal of Power Sources, 2014, 255, 204-218.	7.8	379
605	Development of lithium-sulfur batteries using room temperature ionic liquid-based quasi-solid-state electrolytes. Electrochimica Acta, 2014, 125, 386-394.	5.2	45

#	Article	IF	Citations
606	Vapor-grown carbon fibers enhanced sulfur-multi walled carbon nanotubes composite cathode for lithium/sulfur batteries. Transactions of Nonferrous Metals Society of China, 2014, 24, 158-163.	4.2	11
607	Sulfur encapsulated ZIF-8 as cathode material for lithium–sulfur battery with improved cyclability. Microporous and Mesoporous Materials, 2014, 185, 92-96.	4.4	81
608	A sulfur–polyacrylonitrile/graphene composite cathode for lithium batteries with excellent cyclability. Journal of Power Sources, 2014, 252, 107-112.	7.8	73
609	Low surface area graphene/cellulose composite as a host matrix for lithium sulphur batteries. Journal of Power Sources, 2014, 254, 55-61.	7.8	44
610	Discharge–charge process of the porous sulfur/carbon nanocomposite cathode for rechargeable lithium sulfur batteries. Journal of Power Sources, 2014, 248, 1149-1155.	7.8	18
611	Enhanced performance of lithium sulfur battery with polypyrrole warped mesoporous carbon/sulfur composite. Journal of Power Sources, 2014, 254, 353-359.	7.8	140
612	Preparation of three-dimensional hybrid nanostructure-encapsulated sulfur cathode for high-rate lithium sulfur batteries. Journal of Power Sources, 2014, 253, 55-63.	7.8	73
613	Nafion coated sulfur–carbon electrode for high performance lithium–sulfur batteries. Journal of Power Sources, 2014, 246, 253-259.	7.8	100
614	Biomass derived activated carbon with 3D connected architecture for rechargeable lithiumâ^'sulfur batteries. Electrochimica Acta, 2014, 116, 146-151.	5.2	258
615	Sulfur-Functionalized Mesoporous Carbons as Sulfur Hosts in Li–S Batteries: Increasing the Affinity of Polysulfide Intermediates to Enhance Performance. ACS Applied Materials & Interfaces, 2014, 6, 10908-10916.	8.0	94
616	Harnessing Steric Separation of Freshly Nucleated Li ₂ S Nanoparticles for Bottomâ€Up Assembly of Highâ€Performance Cathodes for Lithiumâ€Sulfur and Lithiumâ€Ion Batteries. Advanced Energy Materials, 2014, 4, 1400196.	19.5	135
617	Activated carbon aerogels with high bimodal porosity for lithium/sulfur batteries. Journal of Solid State Electrochemistry, 2014, 18, 545-551.	2.5	22
618	Nanomaterials for electrochemical energy storage. Frontiers of Physics, 2014, 9, 323-350.	5.0	86
619	Inverse Vulcanization of Elemental Sulfur to Prepare Polymeric Electrode Materials for Li–S Batteries. ACS Macro Letters, 2014, 3, 229-232.	4.8	279
620	Sulfur-impregnated MWCNT microball cathode for Li–S batteries. RSC Advances, 2014, 4, 16062.	3.6	13
621	Mesoporous carbon/sulfur composite with polyaniline coating for lithium sulfur batteries. Solid State Ionics, 2014, 262, 170-173.	2.7	35
622	ReaxFF Reactive Force Field Simulations on the Influence of Teflon on Electrolyte Decomposition during Li/SWCNT Anode Discharge in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2014, 161, E3009-E3014.	2.9	88
623	Cathode materials based on carbon nanotubes for high-energy-density lithium–sulfur batteries. Carbon, 2014, 75, 161-168.	10.3	84

#	Article	IF	CITATIONS
624	A Stabilized PANâ€FeS ₂ Cathode with an EC/DEC Liquid Electrolyte. Advanced Energy Materials, 2014, 4, 1300961.	19.5	100
625	Xâ€ray Absorption Nearâ€Edge Structure and Nuclear Magnetic Resonance Study of the Lithium–Sulfur Battery and its Components. ChemPhysChem, 2014, 15, 894-904.	2.1	113
626	Confined Ultrasmall SnO ₂ Particles in Micro/Mesoporous Carbon as an Extremely Long Cycleâ€Life Anode Material for Liâ€Ion Batteries. Advanced Energy Materials, 2014, 4, 1400025.	19.5	140
627	Durable Carbon-Coated Li ₂ S Core–Shell Spheres for High Performance Lithium/Sulfur Cells. Journal of the American Chemical Society, 2014, 136, 4659-4663.	13.7	248
628	Nanoarchitectured Graphene/CNT@Porous Carbon with Extraordinary Electrical Conductivity and Interconnected Micro/Mesopores for Lithium‣ulfur Batteries. Advanced Functional Materials, 2014, 24, 2772-2781.	14.9	495
629	Complex Hydrides for Electrochemical Energy Storage. Advanced Functional Materials, 2014, 24, 2267-2279.	14.9	184
630	Electrocatalytic activity of ZnS nanoparticles in direct ethanol fuel cells. Journal of Power Sources, 2014, 255, 260-265.	7.8	7
631	Synthesis and electrochemical performance of LiV3O8/polythiophene composite as cathode materials for lithium ion batteries. Journal of Power Sources, 2014, 247, 117-126.	7.8	44
632	Electrochemistry of lithium–oxygen batteries using microelectrode voltammetry. Journal of Power Sources, 2014, 247, 26-31.	7.8	14
633	On the challenge of developing advanced technologies for electrochemical energy storage and conversion. Materials Today, 2014, 17, 110-121.	14.2	501
634	A Graphene–Pureâ€Sulfur Sandwich Structure for Ultrafast, Longâ€Life Lithium–Sulfur Batteries. Advanced Materials, 2014, 26, 625-631.	21.0	908
635	Simple, scalable, and economical preparation of sulfur–PAN composite cathodes for Li/S batteries. Journal of Power Sources, 2014, 259, 183-187.	7.8	78
636	Graphene and Grapheneâ€Based Materials for Energy Storage Applications. Small, 2014, 10, 3480-3498.	10.0	653
637	Nanoâ€Copperâ€Assisted Immobilization of Sulfur in Highâ€Surfaceâ€Area Mesoporous Carbon Cathodes for Room Temperature Naâ€S Batteries. Advanced Energy Materials, 2014, 4, 1400226.	19.5	117
638	Unique behaviour of nonsolvents for polysulphides in lithium–sulphur batteries. Energy and Environmental Science, 2014, 7, 2697-2705.	30.8	339
639	Effective Separation of Lithium Anode and Sulfur Cathode in Lithium–Sulfur Batteries. ChemElectroChem, 2014, 1, 1040-1045.	3.4	64
640	Improving the performance of lithium–sulfur batteries using conductive polymer and micrometric sulfur powder. Journal of Materials Research, 2014, 29, 1027-1033.	2.6	40
641	An aqueous electrolyte rechargeable Li-ion/polysulfide battery. Journal of Materials Chemistry A, 2014, 2, 9025-9029.	10.3	40

#	Article	IF	CITATIONS
642	Dual Protection of Sulfur by Carbon Nanospheres and Graphene Sheets for Lithium–Sulfur Batteries. Chemistry - A European Journal, 2014, 20, 5224-5230.	3.3	39
643	Effects of Cesium Cations in Lithium Deposition via Self-Healing Electrostatic Shield Mechanism. Journal of Physical Chemistry C, 2014, 118, 4043-4049.	3.1	117
644	3D Hyperbranched Hollow Carbon Nanorod Architectures for Highâ€Performance Lithiumâ€Sulfur Batteries. Advanced Energy Materials, 2014, 4, 1301761.	19.5	154
645	A dual coaxial nanocable sulfur composite for high-rate lithium–sulfur batteries. Nanoscale, 2014, 6, 1653-1660.	5.6	82
646	In situ sulfur deposition route to obtain sulfur–carbon composite cathodes for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 4316-4323.	10.3	87
647	Sulfur-Infiltrated Graphene-Based Layered Porous Carbon Cathodes for High-Performance Lithium–Sulfur Batteries. ACS Nano, 2014, 8, 5208-5215.	14.6	368
648	Heterostructures for Improved Stability of Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2014, 161, A1173-A1180.	2.9	8
649	Sulfurâ€Impregnated, Sandwichâ€Type, Hybrid Carbon Nanosheets with Hierarchical Porous Structure for Highâ€Performance Lithiumâ€5ulfur Batteries. Advanced Energy Materials, 2014, 4, 1301988.	19.5	130
650	3D Interconnected Porous Carbon Aerogels as Sulfur Immobilizers for Sulfur Impregnation for Lithium‧ulfur Batteries with High Rate Capability and Cycling Stability. Advanced Functional Materials, 2014, 24, 2500-2509.	14.9	206
651	Lithium Intercalation Behavior in Multilayer Silicon Electrodes. Advanced Energy Materials, 2014, 4, 1301494.	19.5	35
652	Insight into the Electrode Mechanism in Lithiumâ€Sulfur Batteries with Ordered Microporous Carbon Confined Sulfur as the Cathode. Advanced Energy Materials, 2014, 4, 1301473.	19.5	418
653	Reduction of Graphene Oxide by Hydrogen Sulfide: A Promising Strategy for Pollutant Control and as an Electrode for Li‧ Batteries. Advanced Energy Materials, 2014, 4, 1301565.	19.5	149
654	Nitrogenâ€Doped Mesoporous Carbon Promoted Chemical Adsorption of Sulfur and Fabrication of Highâ€Arealâ€Capacity Sulfur Cathode with Exceptional Cycling Stability for Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2014, 24, 1243-1250.	14.9	904
655	Large area, flexible ordered mesoporous carbon films from soft templating on polymer substrates. RSC Advances, 2014, 4, 3669-3677.	3.6	7
656	Improving lithium–sulphur batteries through spatial control of sulphur species deposition on a hybrid electrode surface. Nature Communications, 2014, 5, 3943.	12.8	369
657	Recent Progress on Mesoporous Carbon Materials for Advanced Energy Conversion and Storage. Particle and Particle Systems Characterization, 2014, 31, 515-539.	2.3	77
658	Functionalized N-Doped Porous Carbon Nanofiber Webs for a Lithium–Sulfur Battery with High Capacity and Rate Performance. Journal of Physical Chemistry C, 2014, 118, 1800-1807.	3.1	175
659	Carbonized Polyacrylonitrile‣tabilized SeS _x Cathodes for Long Cycle Life and High Power Density Lithium Ion Batteries. Advanced Functional Materials, 2014, 24, 4082-4089.	14.9	165
#	Article	IF	CITATIONS
-----	--	------	-----------
660	High performance silicon-based anodes in solid-state lithium batteries. Energy and Environmental Science, 2014, 7, 662-666.	30.8	84
661	Bio-inspired fabrication of carbon nanotiles for high performance cathode of Li–S batteries. Journal of Materials Chemistry A, 2014, 2, 2290-2296.	10.3	102
662	Lithium ion battery applications of molybdenum disulfide (MoS ₂) nanocomposites. Energy and Environmental Science, 2014, 7, 209-231.	30.8	1,172
663	Confine sulfur in mesoporous metal–organic framework @ reduced graphene oxide for lithium sulfur battery. Journal of Alloys and Compounds, 2014, 582, 334-340.	5.5	111
664	A review of blended cathode materials for use in Li-ion batteries. Journal of Power Sources, 2014, 248, 91-100.	7.8	258
665	Facile synthesis of Li2S–polypyrrole composite structures for high-performance Li2S cathodes. Energy and Environmental Science, 2014, 7, 672.	30.8	277
666	Disordered mesoporous carbon as polysulfide reservoir for improved cyclic performance of lithium–sulfur batteries. Carbon, 2014, 68, 265-272.	10.3	66
667	Polysulfide shuttle control: Towards a lithium-sulfur battery with superior capacity performance up to 1000 cycles by matching the sulfur/electrolyte loading. Journal of Power Sources, 2014, 253, 263-268.	7.8	124
668	Sulfur infiltrated mesoporous graphene–silica composite as a polysulfide retaining cathode material for lithium–sulfur batteries. Carbon, 2014, 69, 543-551.	10.3	64
669	Lithium metal anodes for rechargeable batteries. Energy and Environmental Science, 2014, 7, 513-537.	30.8	3,665
670	Manipulating surface reactions in lithium–sulphur batteries using hybrid anode structures. Nature Communications, 2014, 5, 3015.	12.8	290
671	Aligned carbon nanotube/sulfur composite cathodes with high sulfur content for lithium–sulfur batteries. Nano Energy, 2014, 4, 65-72.	16.0	366
672	Sulfur–amine chemistry-based synthesis of multi-walled carbon nanotube–sulfur composites for high performance Li–S batteries. Chemical Communications, 2014, 50, 1202-1204.	4.1	103
673	Poly(vinylidene fluoride-co-hexafluoropropylene)/poly(methylmethacrylate)/nanoclay composite gel polymer electrolyte for lithium/sulfur batteries. Journal of Solid State Electrochemistry, 2014, 18, 1111-1116.	2.5	70
674	Cyclability of sulfur/dehydrogenated polyacrylonitrile composite cathode in lithium–sulfur batteries. Journal of Solid State Electrochemistry, 2014, 18, 69-76.	2.5	28
675	Sulfur-infiltrated porous carbon microspheres with controllable multi-modal pore size distribution for high energy lithium–sulfur batteries. Nanoscale, 2014, 6, 882-888.	5.6	97
676	Li2S-reduced graphene oxide nanocomposites as cathode material for lithium sulfur batteries. Journal of Power Sources, 2014, 251, 331-337.	7.8	102
677	Nanoscale Technology for Advanced Lithium Batteries. Nanostructure Science and Technology, 2014, ,	0.1	6

		CITATION REPORT		
#	Article		IF	Citations
678	Sulfur-doped porous carbons: Synthesis and applications. Carbon, 2014, 68, 1-32.		10.3	537
679	Encapsulation Strategies in Energy Conversion Materials. Chemistry of Materials, 2014, 26, 423-	434.	6.7	61
680	A new lithium secondary battery system: the sulfur/lithium-ion battery. Journal of Materials Chemistry A, 2014, 2, 308-314.		10.3	48
681	Activated Li ₂ S as a High-Performance Cathode for Rechargeable Lithium–Sulfur E Journal of Physical Chemistry Letters, 2014, 5, 3986-3991.	atteries.	4.6	96
682	High Electrochemical Selectivity of Edge versus Terrace Sites in Two-Dimensional Layered MoS ₂ Materials. Nano Letters, 2014, 14, 7138-7144.		9.1	269
683	Sulfurâ€Impregnated Core–Shell Hierarchical Porous Carbon for Lithium–Sulfur Batteries. Cl A European Journal, 2014, 20, 17523-17529.	nemistry -	3.3	41
684	Making a better organic–inorganic composite electrolyte to enhance the cycle life of lithiumâ€ batteries. RSC Advances, 2014, 4, 61333-61336.	£"sulfur	3.6	14
685	Controlled Synthesis of Ordered Mesoporous Carbohydrate-Derived Carbons with Flower-like Structure and N-Doping by Self-Transformation. Chemistry of Materials, 2014, 26, 6872-6877.		6.7	88
686	A Highâ€Energy Roomâ€Temperature Sodiumâ€Sulfur Battery. Advanced Materials, 2014, 26, 1	261-1265.	21.0	525
687	Effect of sulfur loading on energy density of lithium sulfur batteries. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 1895-1899.		1.8	37
688	Solutionâ€Based Processing of Graphene–Li ₂ S Composite Cathodes for Lithiumâ Lithium–Sulfur Batteries. Particle and Particle Systems Characterization, 2014, 31, 639-644.	i€ l on and	2.3	99
689	A Polyethylene Glycolâ€6upported Microporous Carbon Coating as a Polysulfide Trap for Utilizin Sulfur Cathodes in Lithium–Sulfur Batteries. Advanced Materials, 2014, 26, 7352-7357.	g Pure	21.0	325
690	Porosity Blocking in Highly Porous Carbon Black by PVdF Binder and Its Implications for the Liâ€ System. Journal of Physical Chemistry C, 2014, 118, 25890-25898.	'S	3.1	95
691	A LiFSI–LiTFSI binary-salt electrolyte to achieve high capacity and cycle stability for a Li–S ba Chemical Communications, 2014, 50, 14647-14650.	ttery.	4.1	100
692	Electrolytes and Interphases in Li-Ion Batteries and Beyond. Chemical Reviews, 2014, 114, 1150	3-11618.	47.7	3,841
693	Copperâ€Stabilized Sulfurâ€Microporous Carbon Cathodes for Li–S Batteries. Advanced Func Materials, 2014, 24, 4156-4163.	cional	14.9	200
694	Mesoporous carbon from biomass: one-pot synthesis and application for Li–S batteries. Journa Materials Chemistry A, 2014, 2, 13916.	l of	10.3	95
695	Improved capacity retention of low cost sulfur cathodes enabled by a novel starch binder derived from food. RSC Advances, 2014, 4, 60995-61000.		3.6	23

# 696	ARTICLE Simple cathode design for Li–S batteries: cell performance and mechanistic insights by in operando X-ray diffraction. Physical Chemistry Chemical Physics, 2014, 16, 18765-18771.	IF 2.8	CITATIONS
697	Synergy of nanoconfinement and surface oxygen in recrystallization of sulfur melt in carbon nanocapsules and the related Li–S cathode properties. Journal of Materials Chemistry A, 2014, 2, 6439.	10.3	36
698	Inhibiting the shuttle effect in lithium–sulfur batteries using a layer-by-layer assembled ion-permselective separator. RSC Advances, 2014, 4, 46940-46946.	3.6	68
699	Tuning the structure and property of nanostructured cathode materials of lithium ion and lithium sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 19941-19962.	10.3	56
700	Sulfur encapsulated in porous hollow CNTs@CNFs for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 10126-10130.	10.3	98
701	High performance pure sulfur honeycomb-like architectures synthesized by a cooperative self-assembly strategy for lithium–sulfur batteries. RSC Advances, 2014, 4, 36513-36516.	3.6	8
702	Micro- and mesoporous carbide-derived carbon prepared by a sacrificial template method in high performance lithium sulfur battery cathodes. Journal of Materials Chemistry A, 2014, 2, 17649-17654.	10.3	54
703	High performance lithium sulfur batteries with a cassava-derived carbon sheet as a polysulfides inhibitor. New Journal of Chemistry, 2014, 38, 4549-4554.	2.8	82
704	One step synthesis of sulfur–carbon nanosheet hybrids via a solid solvothermal reaction for lithium sulfur batteries. RSC Advances, 2014, 4, 3684-3690.	3.6	11
705	Hydrothermal synthesis of ordered mesoporous carbons from a biomass-derived precursor for electrochemical capacitors. Nanoscale, 2014, 6, 14657-14661.	5.6	98
706	Novel Au/Pd@carbon macrocellular foams as electrodes for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 18047-18057.	10.3	12
707	Binder-free cathodes based on sulfur–carbon nanofibers composites for lithium–sulfur batteries. RSC Advances, 2014, 4, 18052-18054.	3.6	31
708	Nanoporous Li ₂ S and MWCNT-linked Li ₂ S powder cathodes for lithium-sulfur and lithium-ion battery chemistries. Journal of Materials Chemistry A, 2014, 2, 6064-6070.	10.3	128
709	Flexible all-carbon interlinked nanoarchitectures as cathode scaffolds for high-rate lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 10869-10875.	10.3	83
710	Towards a Safe Lithium–Sulfur Battery with a Flameâ€Inhibiting Electrolyte and a Sulfurâ€Based Composite Cathode. Angewandte Chemie - International Edition, 2014, 53, 10099-10104.	13.8	178
711	Improving the performance of PEDOT-PSS coated sulfur@activated porous graphene composite cathodes for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 18345-18352.	10.3	81
712	Performance enhancement of a graphene–sulfur composite as a lithium–sulfur battery electrode by coating with an ultrathin Al2O3 film via atomic layer deposition. Journal of Materials Chemistry A, 2014, 2, 7360.	10.3	135
713	Recovery from self-assembly: a composite material for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 7265.	10.3	17

#	Article	IF	CITATIONS
714	Advanced Se–C nanocomposites: a bifunctional electrode material for both Li–Se and Li-ion batteries. Journal of Materials Chemistry A, 2014, 2, 13293.	10.3	133
715	Activated carbon with ultrahigh specific surface area synthesized from natural plant material for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 15889-15896.	10.3	189
716	Sulfur gradient-distributed CNF composite: a self-inhibiting cathode for binder-free lithium–sulfur batteries. Chemical Communications, 2014, 50, 10277-10280.	4.1	75
717	High performance lithium–sulfur batteries: advances and challenges. Journal of Materials Chemistry A, 2014, 2, 12662-12676.	10.3	269
718	Two-dimensional layered transition metal disulphides for effective encapsulation of high-capacity lithium sulphide cathodes. Nature Communications, 2014, 5, 5017.	12.8	530
719	Polysulfide Flow Batteries Enabled by Percolating Nanoscale Conductor Networks. Nano Letters, 2014, 14, 2210-2218.	9.1	201
720	A unique hollow Li ₃ VO ₄ /carbon nanotube composite anode for high rate long-life lithium-ion batteries. Nanoscale, 2014, 6, 11072-11077.	5.6	96
721	MOFâ€Derived Porous ZnO/ZnFe ₂ O ₄ /C Octahedra with Hollow Interiors for Highâ€Rate Lithiumâ€Ion Batteries. Advanced Materials, 2014, 26, 6622-6628.	21.0	703
722	Application of In Operando UV/Vis Spectroscopy in Lithium–Sulfur Batteries. ChemSusChem, 2014, 7, 2167-2175.	6.8	115
723	Recent progress in polymer/sulphur composites as cathodes for rechargeable lithium–sulphur batteries. Journal of Materials Chemistry A, 2014, 2, 13783-13794.	10.3	63
724	Multi-shelled hollow carbon nanospheres for lithium–sulfur batteries with superior performances. Journal of Materials Chemistry A, 2014, 2, 16199-16207.	10.3	116
725	Sulfur-rich polymeric materials with semi-interpenetrating network structure as a novel lithium–sulfur cathode. Journal of Materials Chemistry A, 2014, 2, 9280.	10.3	149
726	The superior cycle and rate performance of a novel sulfur cathode by immobilizing sulfur into porous N-doped carbon microspheres. Chemical Communications, 2014, 50, 10468-10470.	4.1	41
727	A selenium-confined microporous carbon cathode for ultrastable lithium–selenium batteries. Journal of Materials Chemistry A, 2014, 2, 17735-17739.	10.3	117
729	More Powerful Lithium-Sulphur Batteries through Twin Polymerisation. ATZ Worldwide, 2014, 116, 60-64.	0.1	0
730	Porous carbon nanotubes etched by water steam for high-rate large-capacity lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 8683-8689.	10.3	123
731	Mechanistic insights into operational lithium–sulfur batteries by in situ X-ray diffraction and absorption spectroscopy. RSC Advances, 2014, 4, 18347.	3.6	122
732	A lithium/polysulfide semi-solid rechargeable flow battery with high output performance. RSC Advances, 2014, 4, 47517-47520.	3.6	25

#	Article	IF	CITATIONS
733	Incorporation of heterostructured Sn/SnO nanoparticles in crumpled nitrogen-doped graphene nanosheets for application as anodes in lithium-ion batteries. Chemical Communications, 2014, 50, 9961-9964.	4.1	40
734	Kroll-carbons based on silica and alumina templates as high-rate electrode materials in electrochemical double-layer capacitors. Journal of Materials Chemistry A, 2014, 2, 5131.	10.3	27
735	A nano-Si/FeSi ₂ Ti hetero-structure with structural stability for highly reversible lithium storage. Nanoscale, 2014, 6, 1005-1010.	5.6	19
736	Enhanced Cycle Performance of Lithium–Sulfur Batteries Using a Separator Modified with a PVDF-C Layer. ACS Applied Materials & Interfaces, 2014, 6, 20276-20281.	8.0	131
737	Monodisperse, nanoporous ceria microspheres embedded with Pt nanoparticles: general facile synthesis and catalytic application. RSC Advances, 2014, 4, 42965-42970.	3.6	8
738	Confining selenium in nitrogen-containing hierarchical porous carbon for high-rate rechargeable lithium–selenium batteries. Journal of Materials Chemistry A, 2014, 2, 12255.	10.3	87
739	Understanding the degradation mechanism of rechargeable lithium/sulfur cells: a comprehensive study of the sulfur–graphene oxide cathode after discharge–charge cycling. Physical Chemistry Chemical Physics, 2014, 16, 16931-16940.	2.8	112
740	Flexible freestanding sandwich-structured sulfur cathode with superior performance for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 8623-8627.	10.3	87
741	Lithiation mechanism of hierarchical porous MoO ₂ nanotubes fabricated through one-step carbothermal reduction. Journal of Materials Chemistry A, 2014, 2, 80-86.	10.3	84
742	Electrostatic shield effect: an effective way to suppress dissolution of polysulfide anions in lithium–sulfur battery. Journal of Materials Chemistry A, 2014, 2, 15938-15944.	10.3	42
743	Superior stable sulfur cathodes of Li–S batteries enabled by molecular layer deposition. Chemical Communications, 2014, 50, 9757.	4.1	56
744	A stable high performance Li–S battery with a polysulfide ion blocking layer. Journal of Materials Chemistry A, 2014, 2, 5602.	10.3	18
745	Sulfur-infiltrated three-dimensional graphene-like material with hierarchical pores for highly stable lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 4528-4533.	10.3	51
746	Binder-free phenyl sulfonated graphene/sulfur electrodes with excellent cyclability for lithium sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 5117.	10.3	70
747	Effect of microstructure and surface impurity segregation on the electrical and electrochemical properties of dense Al-substituted Li ₇ La ₃ Zr ₂ O ₁₂ . Journal of Materials Chemistry A, 2014, 2, 172-181.	10.3	170
748	The effect of sulfur loading on the electrochemical performance of a sulfur–polymer composite cathode coated on aluminium foil. Physical Chemistry Chemical Physics, 2014, 16, 13843-13848.	2.8	14
749	A hierarchical carbonized paper with controllable thickness as a modulable interlayer system for high performance Li–S batteries. Chemical Communications, 2014, 50, 4184.	4.1	169
750	Tailoring interactions of carbon and sulfur in Li–S battery cathodes: significant effects of carbon–heteroatom bonds. Journal of Materials Chemistry A, 2014, 2, 12866.	10.3	75

#	Article	IF	CITATIONS
751	Nanoscale stabilization of Li–sulfur batteries by atomic layer deposited Al2O3. RSC Advances, 2014, 4, 27126.	3.6	38
752	Enhanced Cycling Stability of Lithium Sulfur Batteries Using Sulfur–Polyaniline–Graphene Nanoribbon Composite Cathodes. ACS Applied Materials & Interfaces, 2014, 6, 15033-15039.	8.0	80
753	Scalable synthesis of a sulfur nanosponge cathode for a lithium–sulfur battery with improved cyclability. Journal of Materials Chemistry A, 2014, 2, 19788-19796.	10.3	12
754	Preparation and electrochemical performance of a graphene-wrapped carbon/sulphur composite cathode. New Carbon Materials, 2014, 29, 309-315.	6.1	17
755	Polypyrroleâ€Derived Nitrogen and Oxygen Coâ€Doped Mesoporous Carbons as Efficient Metalâ€Free Electrocatalyst for Hydrazine Oxidation. Advanced Materials, 2014, 26, 6510-6516.	21.0	114
756	Mesoporous carbon with large pore volume and high surface area prepared by a co-assembling route for Lithium-Sulfur Batteries. Electrochimica Acta, 2014, 144, 307-314.	5.2	35
757	Stabilized Lithium–Metal Surface in a Polysulfide-Rich Environment of Lithium–Sulfur Batteries. Journal of Physical Chemistry Letters, 2014, 5, 2522-2527.	4.6	145
758	Minimizing Polysulfide Shuttles in Lithium Sulfur Batteries by Introducing Immobile Lithium Ions into Carbon–Sulfur Nanocomposites. ChemElectroChem, 2014, 1, 1662-1666.	3.4	6
759	Heterolayered, One-Dimensional Nanobuilding Block Mat Batteries. Nano Letters, 2014, 14, 5677-5686.	9.1	111
760	Lithium–sulfur batteries—the solution is in the electrolyte, but is the electrolyte a solution?. Energy and Environmental Science, 2014, 7, 3902-3920.	30.8	289
761	Hierarchically Porous Carbon Encapsulating Sulfur as a Superior Cathode Material for High Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2014, 6, 194-199.	8.0	152
762	Liquidâ€Type Cathode Enabled by 3D Spongeâ€Like Carbon Nanotubes for High Energy Density and Long Cycling Life of Liâ€S Batteries. Advanced Materials, 2014, 26, 7456-7461.	21.0	109
763	Preventing the Dissolution of Lithium Polysulfides in Lithium–Sulfur Cells by using Nafion oated Cathodes. ChemSusChem, 2014, 7, 2562-2566.	6.8	18
764	Enhancing lithium–sulphur battery performance by strongly binding the discharge products on amino-functionalized reduced graphene oxide. Nature Communications, 2014, 5, 5002.	12.8	892
765	Novel Hierarchically Porous Carbon Materials Obtained from Natural Biopolymer as Host Matrixes for Lithium–Sulfur Battery Applications. ACS Applied Materials & Interfaces, 2014, 6, 13174-13182.	8.0	133
766	Nanowire Electrodes for Electrochemical Energy Storage Devices. Chemical Reviews, 2014, 114, 11828-11862.	47.7	617
767	Conducting polyaniline-wrapped lithium vanadium phosphate nanocomposite as high-rate and cycling stability cathode for lithium-ion batteries. Electrochimica Acta, 2014, 146, 295-300.	5.2	33
768	Catalytic nanoconfinement effect of in-situ synthesized Ni-containing mesoporous carbon scaffold (Ni-MCS) on the hydrogen storage properties of LiAlH 4. International Journal of Hydrogen Energy, 2014 39 18280-18290	7.1	36

#	Article	IF	CITATIONS
769	Stable Cycling of a Scalable Graphene-Encapsulated Nanocomposite for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2014, 6, 10917-10923.	8.0	80
770	Three-Dimensional Flower-Shaped Activated Porous Carbon/Sulfur Composites as Cathode Materials for Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2014, 2, 2442-2447.	6.7	34
771	High-Performance Li–S Batteries with an Ultra-lightweight MWCNT-Coated Separator. Journal of Physical Chemistry Letters, 2014, 5, 1978-1983.	4.6	340
772	Bifunctional Separator with a Lightâ€Weight Carbonâ€Coating for Dynamically and Statically Stable Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2014, 24, 5299-5306.	14.9	457
773	High sulfur loading composite wrapped by 3D nitrogen-doped graphene as a cathode material for lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 5018-5023.	10.3	249
774	A Nanosheetsâ€onâ€Channel Architecture Constructed from MoS ₂ and CMKâ€3 for Highâ€Capacity and Longâ€Cycleâ€Life Lithium Storage. Advanced Energy Materials, 2014, 4, 1400902.	19.5	180
775	Phase Transition Method To Form Group 6A Nanoparticles on Carbonaceous Templates. ACS Nano, 2014, 8, 2279-2289.	14.6	12
776	High-Rate, Ultralong Cycle-Life Lithium/Sulfur Batteries Enabled by Nitrogen-Doped Graphene. Nano Letters, 2014, 14, 4821-4827.	9.1	683
777	Key parameters in design of lithium sulfur batteries. Journal of Power Sources, 2014, 269, 111-116.	7.8	93
778	Sulfur nanocrystals anchored graphene composite with highly improved electrochemical performance for lithium–sulfur batteries. Journal of Power Sources, 2014, 270, 1-8.	7.8	106
779	Improved lithium–sulfur batteries with a conductive coating on the separator to prevent the accumulation of inactive S-related species at the cathode–separator interface. Energy and Environmental Science, 2014, 7, 3381-3390.	30.8	476
780	Polyaniline-modified cetyltrimethylammonium bromide-graphene oxide-sulfur nanocomposites with enhanced performance for lithium-sulfur batteries. Nano Research, 2014, 7, 1355-1363.	10.4	63
781	A Highly Ordered Meso@Microporous Carbon-Supported Sulfur@Smaller Sulfur Core–Shell Structured Cathode for Li–S Batteries. ACS Nano, 2014, 8, 9295-9303.	14.6	552
782	Free‣tanding Nitrogenâ€doped Graphene Paper as Electrodes for Highâ€Performance Lithium/Dissolved Polysulfide Batteries. ChemSusChem, 2014, 7, 2545-2553.	6.8	153
783	Enhancement of long stability of Li–S battery by thin wall hollow spherical structured polypyrrole based sulfur cathode. RSC Advances, 2014, 4, 21612-21618.	3.6	47
784	A Se/C composite as cathode material for rechargeable lithium batteries with good electrochemical performance. RSC Advances, 2014, 4, 9086-9091.	3.6	59
785	Sulfur Cathodes with Hydrogen Reduced Titanium Dioxide Inverse Opal Structure. ACS Nano, 2014, 8, 5249-5256.	14.6	297
786	SnLi4.4 nanoparticles encapsulated in carbon matrix as high performance anode material for lithium-ion batteries. Nano Energy, 2014, 9, 196-203.	16.0	30

#	Article	IF	CITATIONS
787	Sulfur/polyacrylonitrile/carbon multi-composites as cathode materials for lithium/sulfur battery in the concentrated electrolyte. Journal of Materials Chemistry A, 2014, 2, 4652-4659.	10.3	100
788	High cycleability nano-GeO2/mesoporous carbon composite as enhanced energy storage anode material in Li-ion batteries. Journal of Power Sources, 2014, 269, 755-759.	7.8	52
789	Sulfur/lithium-insertion compound composite cathodes for Li–S batteries. Journal of Power Sources, 2014, 270, 101-105.	7.8	57
790	Multi-wall carbon nanotube@zeolite imidazolate framework composite from a nanoscale zinc oxide precursor. Microporous and Mesoporous Materials, 2014, 198, 139-143.	4.4	46
791	Hierarchical Freeâ€6tanding Carbonâ€Nanotube Paper Electrodes with Ultrahigh Sulfur‣oading for Lithium–Sulfur Batteries. Advanced Functional Materials, 2014, 24, 6105-6112.	14.9	476
792	Hierarchical Porous Carbon by Ultrasonic Spray Pyrolysis Yields Stable Cycling in Lithium–Sulfur Battery. Nano Letters, 2014, 14, 4418-4425.	9.1	234
793	Prussian blue-derived Fe2O3/sulfur composite cathode for lithium–sulfur batteries. Materials Letters, 2014, 137, 52-55.	2.6	69
794	Preparation of a macroscopic, robust carbon-fiber monolith from filamentous fungi and its application in Liâ \in S batteries. Green Chemistry, 2014, 16, 3926.	9.0	115
795	Metalization of Li ₂ S particle surfaces in Li–S batteries. Nanoscale, 2014, 6, 13391-13395.	5.6	37
796	Selenium/interconnected porous hollow carbon bubbles composites as the cathodes of Li–Se batteries with high performance. Nanoscale, 2014, 6, 12952-12957.	5.6	101
797	Binder free three-dimensional sulphur/few-layer graphene foam cathode with enhanced high-rate capability for rechargeable lithium sulphur batteries. Nanoscale, 2014, 6, 5746-5753.	5.6	166
798	Carbonâ€Based Anodes for Lithium Sulfur Full Cells with High Cycle Stability. Advanced Functional Materials, 2014, 24, 1284-1289.	14.9	168
799	2,2′-Bis(3-hydroxy-1,4-naphthoquinone)/CMK-3 nanocomposite as cathode material for lithium-ion batteries. Inorganic Chemistry Frontiers, 2014, 1, 193-199.	6.0	79
800	Polydopamine-Coated, Nitrogen-Doped, Hollow Carbon–Sulfur Double-Layered Core–Shell Structure for Improving Lithium–Sulfur Batteries. Nano Letters, 2014, 14, 5250-5256.	9.1	361
801	Enhanced electrochemical performance by wrapping graphene on carbon nanotube/sulfur composites for rechargeable lithium–sulfur batteries. Materials Letters, 2014, 137, 277-280.	2.6	44
802	Sulfur/ Co ₃ O ₄ nanotube composite with high performances as cathode materials for lithium sulfur batteries. Functional Materials Letters, 2014, 07, 1450020.	1.2	40
803	Strongly Coupled Interfaces between a Heterogeneous Carbon Host and a Sulfur ontaining Guest for Highly Stable Lithium‧ulfur Batteries: Mechanistic Insight into Capacity Degradation. Advanced Materials Interfaces, 2014, 1, 1400227.	3.7	351
804	Ordered mesoporous carbons obtained by a simple soft template method as sulfur immobilizers for lithium–sulfur cells. Physical Chemistry Chemical Physics, 2014, 16, 17332-17340.	2.8	35

#	Article	IF	CITATIONS
805	Experiments and Theory of In situ and Operando Soft X-ray Spectroscopy for Energy Storage. Synchrotron Radiation News, 2014, 27, 4-13.	0.8	11
806	Surface-enhanced redox chemistry of polysulphides on a metallic and polar host for lithium-sulphur batteries. Nature Communications, 2014, 5, 4759.	12.8	1,122
807	A lithium anode protection guided highly-stable lithium–sulfur battery. Chemical Communications, 2014, 50, 14209-14212.	4.1	350
808	The origin of high electrolyte–electrode interfacial resistances in lithium cells containing garnet type solid electrolytes. Physical Chemistry Chemical Physics, 2014, 16, 18294-18300.	2.8	431
809	25th Anniversary Article: Polymer–Particle Composites: Phase Stability and Applications in Electrochemical Energy Storage. Advanced Materials, 2014, 26, 201-234.	21.0	244
810	Mechanism of Enhanced Carbon Cathode Performance by Nitrogen Doping in Lithium–Sulfur Battery: An X-ray Absorption Spectroscopic Study. Journal of Physical Chemistry C, 2014, 118, 7765-7771.	3.1	99
811	Highâ€Performance Li/Dissolved Polysulfide Batteries with an Advanced Cathode Structure and High Sulfur Content. Advanced Energy Materials, 2014, 4, 1400897.	19.5	55
812	A shuttle effect free lithium sulfur battery based on a hybrid electrolyte. Physical Chemistry Chemical Physics, 2014, 16, 21225-21229.	2.8	171
813	An aqueous dissolved polysulfide cathode for lithium–sulfur batteries. Energy and Environmental Science, 2014, 7, 3307-3312.	30.8	131
814	Ionic Liquid Enabled FeS ₂ for Highâ€Energyâ€Density Lithiumâ€Ion Batteries. Advanced Materials, 2014, 26, 7386-7392.	21.0	116
815	Eggshell Membrane-Derived Polysulfide Absorbents for Highly Stable and Reversible Lithium–Sulfur Cells. ACS Sustainable Chemistry and Engineering, 2014, 2, 2248-2252.	6.7	49
816	Direct hybridization of tin oxide/graphene nanocomposites for highly efficient lithium-ion battery anodes. Journal of Electroceramics, 2014, 33, 195-201.	2.0	6
817	Porous Spherical Carbon/Sulfur Nanocomposites by Aerosol-Assisted Synthesis: The Effect of Pore Structure and Morphology on Their Electrochemical Performance As Lithium/Sulfur Battery Cathodes. ACS Applied Materials & Interfaces, 2014, 6, 7596-7606.	8.0	84
818	Porous carbon materials for Li–S batteries based on resorcinol–formaldehyde resin with inverse opal structure. Journal of Power Sources, 2014, 261, 363-370.	7.8	39
819	Coaxial Carbon/Metal Oxide/Aligned Carbon Nanotube Arrays as Highâ€Performance Anodes for Lithium Ion Batteries. ChemSusChem, 2014, 7, 1335-1346.	6.8	29
821	Lewis Acid–Base Interactions between Polysulfides and Metal Organic Framework in Lithium Sulfur Batteries. Nano Letters, 2014, 14, 2345-2352.	9.1	623
822	Single-walled carbon nanohorns with unique horn-shaped structures as a scaffold for lithium–sulfur batteries. RSC Advances, 2014, 4, 28636-28639.	3.6	10
823	High-capacity Li2S–graphene oxide composite cathodes with stable cycling performance. Chemical Science, 2014, 5, 1396.	7.4	109

#	Article	IF	CITATIONS
824	Solution Ionic Strength Engineering As a Generic Strategy to Coat Graphene Oxide (GO) on Various Functional Particles and Its Application in High-Performance Lithium–Sulfur (Li–S) Batteries. Nano Letters, 2014, 14, 473-479.	9.1	168
825	Insight into the Effect of Boron Doping on Sulfur/Carbon Cathode in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2014, 6, 8789-8795.	8.0	286
826	Lithium–tellurium batteries based on tellurium/porous carbon composite. Journal of Materials Chemistry A, 2014, 2, 12201-12207.	10.3	121
827	Nanosulfur/polyaniline/graphene composites for high-performance lithium–sulfur batteries: One pot in-situ synthesis. Materials Letters, 2014, 133, 193-196.	2.6	60
828	Improved cyclability of a lithium–sulfur battery using POP–Sulfur composite materials. RSC Advances, 2014, 4, 27518-27521.	3.6	25
829	Probing the Lithium–Sulfur Redox Reactions: A Rotating-Ring Disk Electrode Study. Journal of Physical Chemistry C, 2014, 118, 5733-5741.	3.1	215
830	Systematical electrochemical study on the parasitic shuttle-effect inÂlithium-sulfur-cells at different temperatures and different rates. Journal of Power Sources, 2014, 259, 289-299.	7.8	212
831	Thin MoS ₂ Nanoflakes Encapsulated in Carbon Nanofibers as High-Performance Anodes for Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2014, 6, 6392-6398.	8.0	157
832	A Lithiumâ€ S ulfur Battery with a High Areal Energy Density. Advanced Functional Materials, 2014, 24, 5359-5367.	14.9	206
833	Hierarchically porous carbon derived from polymers and biomass: effect of interconnected pores on energy applications. Energy and Environmental Science, 2014, 7, 3574-3592.	30.8	1,204
834	Molecular structure and stability of dissolved lithium polysulfide species. Physical Chemistry Chemical Physics, 2014, 16, 10923-10932.	2.8	210
835	Strong Sulfur Binding with Conducting Magnéli-Phase Ti _{<i>n</i>} O _{2<i>n</i>–1} Nanomaterials for Improving Lithium–Sulfur Batteries. Nano Letters, 2014, 14, 5288-5294.	9.1	643
836	Formation of Large Polysulfide Complexes during the Lithium-Sulfur Battery Discharge. Physical Review Applied, 2014, 2, .	3.8	105
837	Pitfalls in the characterization of sulfur/carbon nanocomposite materials for lithium–sulfur batteries. Carbon, 2014, 79, 245-255.	10.3	35
838	In Situ Sulfur Reduction and Intercalation of Graphite Oxides for Li‣ Battery Cathodes. Advanced Energy Materials, 2014, 4, 1400482.	19.5	118
839	Li ₂ S encapsulated by nitrogen-doped carbon for lithium sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 18026-18032.	10.3	90
840	Rechargeable Lithium–Sulfur Batteries. Chemical Reviews, 2014, 114, 11751-11787.	47.7	3,842
841	An Effective Approach To Protect Lithium Anode and Improve Cycle Performance for Li–S Batteries. ACS Applied Materials & Interfaces, 2014, 6, 15542-15549.	8.0	157

#	Article	IF	CITATIONS
842	Two dimensional silicon nanowalls for lithium ion batteries. Journal of Materials Chemistry A, 2014, 2, 6051-6057.	10.3	70
843	Sulfur–Graphene Nanostructured Cathodes <i>via</i> Ball-Milling for High-Performance Lithium–Sulfur Batteries. ACS Nano, 2014, 8, 10920-10930.	14.6	213
844	Lithium–sulfur batteries: Influence of C-rate, amount of electrolyte and sulfur loading on cycle performance. Journal of Power Sources, 2014, 268, 82-87.	7.8	139
845	Functional, water-soluble binders for improved capacity and stability of lithium–sulfur batteries. Journal of Power Sources, 2014, 264, 8-14.	7.8	108
846	Carbohydrate-Derived Nanoarchitectures: On a Synergistic Effect Toward an Improved Performance in Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2014, 2, 126-129.	6.7	29
847	Toward a Molecular Understanding of Energetics in Li–S Batteries Using Nonaqueous Electrolytes: A High-Level Quantum Chemical Study. Journal of Physical Chemistry C, 2014, 118, 11545-11558.	3.1	154
848	Systematic Doping Control of CVD Graphene Transistors with Functionalized Aromatic Selfâ€Assembled Monolayers. Advanced Functional Materials, 2014, 24, 3464-3470.	14.9	45
849	Sulfur infiltrated activated carbon cathodes for lithium sulfur cells: The combined effects of pore size distribution and electrolyte molarity. Journal of Power Sources, 2014, 248, 752-761.	7.8	77
850	Sulfur–nitrogen doped multi walled carbon nanotubes composite as a cathode material forÂlithium sulfur batteries. International Journal of Hydrogen Energy, 2014, 39, 16073-16080.	7.1	46
851	A novel solvent-free thermal reaction of ferrocene and sulfur for one-step synthesis of iron sulfide and carbon nanocomposites and their electrochemical performance. Journal of Power Sources, 2014, 265, 1-5.	7.8	31
852	Three-dimensional aluminum foam/carbon nanotube scaffolds as long- and short-range electron pathways with improved sulfur loading for high energy density lithium–sulfur batteries. Journal of Power Sources, 2014, 261, 264-270.	7.8	86
853	Electrochemical characteristics of ZnSe and its nanostructured composite for rechargeable Li-ion batteries. Journal of Power Sources, 2014, 251, 319-324.	7.8	95
854	A simple synthesis of hollow carbon nanofiber-sulfur composite via mixed-solvent process for lithium–sulfur batteries. Journal of Power Sources, 2014, 256, 137-144.	7.8	88
855	On the Electrode Potentials in Lithium-Sulfur Batteries and Their Solvent-Dependence. Journal of the Electrochemical Society, 2014, 161, A1399-A1406.	2.9	34
856	Recent advances in lithium–sulfur batteries. Journal of Power Sources, 2014, 267, 770-783.	7.8	367
857	Fingerprinting Lithium-Sulfur Battery Reaction Products by X-ray Absorption Spectroscopy. Journal of the Electrochemical Society, 2014, 161, A1100-A1106.	2.9	76
858	Free-standing porous carbon nanofibers–sulfur composite for flexible Li–S battery cathode. Nanoscale, 2014, 6, 9579.	5.6	153
859	Encapsulating MWNTs into Hollow Porous Carbon Nanotubes: A Tubeâ€inâ€Tube Carbon Nanostructure for Highâ€Performance Lithiumâ€Sulfur Batteries. Advanced Materials, 2014, 26, 5113-5118.	21.0	360

#	Article	IF	CITATIONS
860	V ₂ O ₅ Polysulfide Anion Barrier for Long-Lived Li–S Batteries. Chemistry of Materials, 2014, 26, 3403-3410.	6.7	202
861	Nano-hard template synthesis of pure mesoporous NiO and its application for streptavidin protein immobilization. Nanotechnology, 2014, 25, 165701.	2.6	21
862	Carbonaceous multiscale-cellular foams as novel electrodes for stable, efficient lithium–sulfur batteries. RSC Advances, 2014, 4, 23971-23976.	3.6	26
863	Preparation of sulfur/multiple pore size porous carbon composite via gas-phase loading method for lithium-sulfur batteries. Electrochimica Acta, 2014, 137, 411-415.	5.2	10
864	Covalent-organic frameworks: potential host materials for sulfur impregnation in lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 8854-8858.	10.3	229
865	Functionalized Grapheneâ€Based Cathode for Highly Reversible Lithium–Sulfur Batteries. ChemSusChem, 2014, 7, 1265-1273.	6.8	51
866	Confine Sulfur in Polyaniline-Decorated Hollow Carbon Nanofiber Hybrid Nanostructure for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2014, 118, 13369-13376.	3.1	36
867	Magnesium(II) Bis(trifluoromethane sulfonyl) Imide-Based Electrolytes with Wide Electrochemical Windows for Rechargeable Magnesium Batteries. ACS Applied Materials & Interfaces, 2014, 6, 4063-4073.	8.0	398
868	Rational design of a metal–organic framework host for sulfur storage in fast, long-cycle Li–S batteries. Energy and Environmental Science, 2014, 7, 2715.	30.8	434
869	Core-shell meso/microporous carbon host for sulfur loading toward applications in lithium-sulfur batteries. Journal of Energy Chemistry, 2014, 23, 308-314.	12.9	57
870	Shuttle suppression in room temperature sodium–sulfur batteries using ion selective polymer membranes. Chemical Communications, 2014, 50, 3208.	4.1	140
871	Improving the Performance of Lithium-Sulfur Battery by Blocking Sulfur Diffusing Paths on the Host Materials. Journal of the Electrochemical Society, 2014, 161, A1231-A1235.	2.9	14
872	Key Parameters Governing the Energy Density of Rechargeable Li/S Batteries. Journal of Physical Chemistry Letters, 2014, 5, 882-885.	4.6	101
873	A novel sulfur/carbon composite for low cost lithium–sulfur batteries with high cycling stability. RSC Advances, 2014, 4, 28871-28874.	3.6	12
874	Synthesis of hierarchical porous honeycomb carbon for lithium-sulfur battery cathode with high rate capability and long cycling stability. Electrochimica Acta, 2014, 137, 439-446.	5.2	48
875	Selenium encapsulated into 3D interconnected hierarchical porous carbon aerogels for lithium–selenium batteries with high rate performance and cycling stability. Journal of Power Sources, 2014, 267, 394-404.	7.8	85
876	Improved cyclability of lithium–sulfur battery cathode using encapsulated sulfur in hollow carbon nanofiber@nitrogen-doped porous carbon core–shell composite. Carbon, 2014, 78, 1-9.	10.3	108
877	Oriented TiO2 nanotubes as a lithium metal storage medium. Journal of Electroanalytical Chemistry, 2014, 726, 51-54.	3.8	21

~			~		
Cr	ΤΛΤΙ	ON	NF	DO	DT
\sim				. F O	

#	Article	IF	CITATIONS
878	Cell energy density and electrolyte/sulfur ratio in Li–S cells. Journal of Power Sources, 2014, 264, 30-34.	7.8	152
879	Synthesis and electrochemical performance of a simple and low-cost sulfur/porous carbon composite cathode for rechargeable lithium sulfur battery. Composites Part A: Applied Science and Manufacturing, 2014, 62, 26-31.	7.6	15
880	A Bottomâ€Up Approach to Build 3D Architectures from Nanosheets for Superior Lithium Storage. Advanced Functional Materials, 2014, 24, 125-130.	14.9	247
881	Nanowire Electrodes for Advanced Lithium Batteries. Frontiers in Energy Research, 2014, 2, .	2.3	19
882	Nitrogen-doped carbons in Li–S batteries: materials design and electrochemical mechanism. Frontiers in Energy Research, 2014, 2, .	2.3	24
883	3-D Micro and Nano Technologies for Improvements in Electrochemical Power Devices. Micromachines, 2014, 5, 171-203.	2.9	39
885	Lithium Batteries: Status and Future. , 2014, , 121-162.		0
886	1.蓄電æ±ã®å…ƒç´æ^¦ç•¥. Electrochemistry, 2014, 82, 169-174.	1.4	1
887	Effect of post-synthesis nitrogen doping in nanocarbons on cathode reaction of metal-air cells. Materials Express, 2014, 4, 337-342.	0.5	3
888	Structural origins of enhanced capacity retention in novel copolymerized sulfur-based composite cathodes for high-energy density Li-S batteries. MRS Communications, 2015, 5, 353-364.	1.8	26
889	Long-range, low-cost electric vehicles enabled by robust energy storage. MRS Energy & Sustainability, 2015, 2, 1.	3.0	27
890	Theoretical Modeling of Internal Ionic Resistance Due to SEI Layer Formation in Li/S Batteries. Materials Research Society Symposia Proceedings, 2015, 1774, 63-68.	0.1	0
891	Electrochemical Deposition and Stripping Behavior of Lithium Metal across a Rigid Block Copolymer Electrolyte Membrane. Journal of the Electrochemical Society, 2015, 162, A2699-A2706.	2.9	81
892	Application of Lithium-Ion Batteries in Vehicle Electrification. Electrochemical Energy Storage and Conversion, 2015, , 159-168.	0.0	2
893	Leafâ€Like Grapheneâ€Oxideâ€Wrapped Sulfur for Highâ€Performance Lithium–Sulfur Battery. Advanced Science, 2015, 2, 1500071.	11.2	108
897	3D coral-like nitrogen-sulfur co-doped carbon-sulfur composite for high performance lithium-sulfur batteries. Scientific Reports, 2015, 5, 13340.	3.3	104
898	Lithium Sulfur Primary Battery with Super High Energy Density: Based on the Cauliflower-like Structured C/S Cathode. Scientific Reports, 2015, 5, 14949.	3.3	86
900	Secondary batteries with multivalent ions for energy storage. Scientific Reports, 2015, 5, 14120.	3.3	125

#	Article	IF	CITATIONS
901	Carbon- and Nitrogen-Based Porous Solids: A Recently Emerging Class of Materials. Bulletin of the Chemical Society of Japan, 2015, 88, 386-398.	3.2	113
902	Tailoring Commercially Available Raw Materials for Lithium–Sulfur Batteries with Superior Performance and Enhanced Shelf Life. Energy Technology, 2015, 3, 1007-1013.	3.8	10
903	Functional Mesoporous Carbonâ€Coated Separator for Longâ€Life, Highâ€Energy Lithium–Sulfur Batteries. Advanced Functional Materials, 2015, 25, 5285-5291.	14.9	374
904	Design Considerations for Unconventional Electrochemical Energy Storage Architectures. Advanced Energy Materials, 2015, 5, 1402115.	19.5	271
905	Progress in Mechanistic Understanding and Characterization Techniques of Li‣ Batteries. Advanced Energy Materials, 2015, 5, 1500408.	19.5	400
906	The Application of Redox Targeting Principles to the Design of Rechargeable Li–S Flow Batteries. Advanced Energy Materials, 2015, 5, 1501808.	19.5	86
907	Dual‣alt Mgâ€Based Batteries with Conversion Cathodes. Advanced Functional Materials, 2015, 25, 7300-7308.	14.9	111
908	Conjugated Microporous Polymers with Dimensionality ontrolled Heterostructures for Green Energy Devices. Advanced Materials, 2015, 27, 3789-3796.	21.0	210
909	Hollow Carbon Nanofibers Filled with MnO ₂ Nanosheets as Efficient Sulfur Hosts for Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2015, 54, 12886-12890.	13.8	765
910	Biomassâ€Derived Heteroatomâ€Doped Carbon Aerogels from a Salt Melt Sol–Gel Synthesis and their Performance in Li–S Batteries. ChemSusChem, 2015, 8, 3077-3083.	6.8	72
911	Electrochemical Property of the Composites Composed of Copper Chevrel Phase and Sulfur as Positive Electrode Materials for All-Solid-State Lithium-Sulfur Battery. Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2015, 62, 81-92.	0.2	0
912	A Rigid Naphthalenediimide Triangle for Organic Rechargeable Lithiumâ€lon Batteries. Advanced Materials, 2015, 27, 2907-2912.	21.0	145
913	Carbon Nanotube–CoF ₂ Multifunctional Cathode for Lithium Ion Batteries: Effect of Electrolyte on Cycle Stability. Small, 2015, 11, 5164-5173.	10.0	80
914	<i>Acacia Senegal</i> –Inspired Bifunctional Binder for Longevity of Lithium–Sulfur Batteries. Advanced Energy Materials, 2015, 5, 1500878.	19.5	223
915	Electrochemically Stable Rechargeable Lithium–Sulfur Batteries with a Microporous Carbon Nanofiber Filter for Polysulfide. Advanced Energy Materials, 2015, 5, 1500738.	19.5	255
916	A Nitrogen and Sulfur Dualâ€Doped Carbon Derived from Polyrhodanine@Cellulose for Advanced Lithium–Sulfur Batteries. Advanced Materials, 2015, 27, 6021-6028.	21.0	703
918	Integrating a Photocatalyst into a Hybrid Lithium–Sulfur Battery for Direct Storage of Solar Energy. Angewandte Chemie - International Edition, 2015, 54, 9271-9274.	13.8	104
919	Confined Sulfur in Microporous Carbon Renders Superior Cycling Stability in Li/S Batteries. Advanced Functional Materials, 2015, 25, 4312-4320.	14.9	279

#	Article	IF	CITATIONS
920	Mechanism and Kinetics of Li ₂ S Precipitation in Lithium–Sulfur Batteries. Advanced Materials, 2015, 27, 5203-5209.	21.0	704
921	A Hierarchical Particle–Shell Architecture for Longâ€Term Cycle Stability of Li ₂ S Cathodes. Advanced Materials, 2015, 27, 5579-5586.	21.0	111
922	Graphene/Sulfur Hybrid Nanosheets from a Spaceâ€Confined "Sauna―Reaction for Highâ€Performance Lithium–Sulfur Batteries. Advanced Materials, 2015, 27, 5936-5942.	21.0	124
923	Graphene ontaining Nanomaterials for Lithiumâ€lon Batteries. Advanced Energy Materials, 2015, 5, 1500400.	19.5	184
924	An Advanced Lithiumâ€ion Sulfur Battery for High Energy Storage. Advanced Energy Materials, 2015, 5, 1500481.	19.5	97
925	Highly Nitridated Graphene–Li ₂ S Cathodes with Stable Modulated Cycles. Advanced Energy Materials, 2015, 5, 1501369.	19.5	97
928	Designing Host Materials for Sulfur Cathodes: From Physical Confinement to Surface Chemistry. Angewandte Chemie - International Edition, 2015, 54, 11018-11020.	13.8	222
929	Poreless Separator and Electrolyte Additive for Lithium–Sulfur Batteries with High Areal Energy Densities. ChemNanoMat, 2015, 1, 240-245.	2.8	45
930	Porous Carbon Supports: Recent Advances with Various Morphologies and Compositions. ChemCatChem, 2015, 7, 2788-2805.	3.7	83
931	A Facile Synthesis of Highâ€Surfaceâ€Area Sulfur–Carbon Composites for Li/S Batteries. Chemistry - A European Journal, 2015, 21, 10061-10069.	3.3	20
932	Nitrogenâ€Doped Mesoporous Carbon: A Topâ€Down Strategy to Promote Sulfur Immobilization for Lithium–Sulfur Batteries. ChemSusChem, 2015, 8, 3234-3241.	6.8	45
933	Sulfur Immobilized in Hierarchically Porous Structured Carbon as Cathodes for Lithium-Sulfur Battery with Improved Electrochemical Performance. Particle and Particle Systems Characterization, 2015, 32, 756-763.	2.3	16
934	Stabilization of Insoluble Discharge Products by Facile Aniline Modification for High Performance Liâ€ S Batteries. Advanced Energy Materials, 2015, 5, 1500268.	19.5	51
937	Graphene/Sulfur/Carbon Nanocomposite for High Performance Lithium-Sulfur Batteries. Nanomaterials, 2015, 5, 1481-1492.	4.1	14
938	Interfacial Reaction Dependent Performance of Hollow Carbon Nanosphere ââ,¬â€œ Sulfur Composite as a Cathode for Li-S Battery. Frontiers in Energy Research, 2015, 3, .	2.3	3
939	From lithium to sodium: cell chemistry of room temperature sodium–air and sodium–sulfur batteries. Beilstein Journal of Nanotechnology, 2015, 6, 1016-1055.	2.8	368
940	Microstructures of Reduced Graphene Oxide/Sulfur Nanocomposites and Their Impacts on Lithium Storage Performances. Journal of Nanomaterials, 2015, 2015, 1-9.	2.7	3
943	Porous carbon nanofibers formed in situ by electrospinning with a volatile solvent additive into an ice water bath for lithium–sulfur batteries. RSC Advances, 2015, 5, 23749-23757.	3.6	20

#	Article	IF	CITATIONS
944	Facile preparation of an ultrathin sulfur-wrapped polyaniline nanofiber composite with a core–shell structure as a high performance cathode material for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 7215-7218.	10.3	31
945	Pyrite FeS ₂ microspheres wrapped by reduced graphene oxide as high-performance lithium-ion battery anodes. Journal of Materials Chemistry A, 2015, 3, 7945-7949.	10.3	134
946	Novel polyvinylimidazolium nanoparticles as high-performance binders for lithium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 7229-7234.	10.3	39
947	Tin and Tin Compounds for Sodium Ion Battery Anodes: Phase Transformations and Performance. Accounts of Chemical Research, 2015, 48, 1657-1665.	15.6	440
948	High capacity and cyclability of hierarchical MoS 2 /SnO 2 nanocomposites as the cathode of lithium-sulfur battery. Electrochimica Acta, 2015, 173, 476-482.	5.2	72
949	Nanospace-Confinement Copolymerization Strategy for Encapsulating Polymeric Sulfur into Porous Carbon for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2015, 7, 11165-11171.	8.0	49
950	Flexible copper-stabilized sulfur–carbon nanofibers with excellent electrochemical performance for Li–S batteries. Nanoscale, 2015, 7, 10940-10949.	5.6	58
951	MoS ₂ ultrathin nanosheets obtained under a high magnetic field for lithium storage with stable and high capacity. Nanoscale, 2015, 7, 10925-10930.	5.6	21
952	Advanced engineering of nanostructured carbons for lithium–sulfur batteries. Nano Energy, 2015, 15, 413-444.	16.0	226
953	High-performance lithium–selenium batteries promoted by heteroatom-doped microporous carbon. Journal of Materials Chemistry A, 2015, 3, 3059-3065.	10.3	90
954	Three-Dimensional Crumpled Reduced Graphene Oxide/MoS ₂ Nanoflowers: A Stable Anode for Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2015, 7, 12625-12630.	8.0	183
955	Sepiolite-sulfur as a high-capacity, high-rate performance, and low-cost cathode material for lithium–sulfur batteries. Journal of Power Sources, 2015, 293, 527-532.	7.8	19
956	Electroactive cellulose-supported graphene oxide interlayers for Li–S batteries. Carbon, 2015, 93, 611-619.	10.3	71
957	A graphene-oxide-based thin coating on the separator: an efficient barrier towards high-stable lithium–sulfur batteries. 2D Materials, 2015, 2, 024013.	4.4	47
958	Room Temperature Ionic Liquidâ€based Electrolytes as an Alternative to Carbonateâ€based Electrolytes. Israel Journal of Chemistry, 2015, 55, 586-598.	2.3	45
959	In-situ synthesis of reduced graphene oxide modified lithium vanadium phosphate for high-rate lithium-ion batteries via microwave irradiation. Electrochimica Acta, 2015, 174, 26-32.	5.2	22
960	Nanoporous Cathodes for High-Energy Li–S Batteries from Gyroid Block Copolymer Templates. ACS Nano, 2015, 9, 6147-6157.	14.6	82
961	Enhanced Performance of Lithium Sulfur Battery with a Reduced Graphene Oxide Coating Separator. Journal of the Electrochemical Society, 2015, 162, A1624-A1629.	2.9	68

#	Article	IF	CITATIONS
962	Improving lithium–sulfur battery performance via a carbon-coating layer derived from the hydrothermal carbonization of glucose. RSC Advances, 2015, 5, 50983-50988.	3.6	15
963	Polyurethane-derived N-doped porous carbon with interconnected sheet-like structure as polysulfide reservoir for lithium–sulfur batteries. Journal of Power Sources, 2015, 293, 119-126.	7.8	78
964	Dispersible percolating carbon nano-electrodes for improvement of polysulfide utilization in Li–S batteries. Carbon, 2015, 93, 161-168.	10.3	20
965	One-step hydrothermal synthesis of three-dimensional porous graphene aerogels/sulfur nanocrystals for lithium–sulfur batteries. Journal of Alloys and Compounds, 2015, 645, 509-516.	5.5	49
966	Selenium in nitrogen-doped microporous carbon spheres for high-performance lithium–selenium batteries. Journal of Materials Chemistry A, 2015, 3, 4539-4546.	10.3	87
967	Strong Surfaceâ€Bound Sulfur in Conductive MoO ₂ Matrix for Enhancing Li–S Battery Performance. Advanced Materials Interfaces, 2015, 2, 1500048.	3.7	151
968	Preparation and application of hollow ZnFe2O4@PANI hybrids as high performance anode materials for lithium-ion batteries. RSC Advances, 2015, 5, 107247-107253.	3.6	31
969	Quantifying the promise of â€`beyond' Li–ion batteries. Translational Materials Research, 2015, 2, 045002.	1.2	45
970	Sulfur quantum dots wrapped by conductive polymer shell with internal void spaces for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 4049-4057.	10.3	48
971	Kilogram scale inverse vulcanization of elemental sulfur to prepare high capacity polymer electrodes for Liâ€ S batteries. Journal of Polymer Science Part A, 2015, 53, 173-177.	2.3	123
972	Ambient Temperature Sodium–Sulfur Batteries. Small, 2015, 11, 2108-2114.	10.0	288
973	Sulphur-impregnated flow cathode to enable high-energy-density lithium flow batteries. Nature Communications, 2015, 6, 5877.	12.8	130
974	Flexible graphene devices related to energy conversion and storage. Energy and Environmental Science, 2015, 8, 790-823.	30.8	328
975	Naphthyridine Derivatives as a Model System for Potential Lithium–Sulfur Energyâ€Storage Applications. European Journal of Organic Chemistry, 2015, 2015, 933-937.	2.4	11
976	A free-standing carbon nanofiber interlayer for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 4530-4538.	10.3	317
977	Ultrasmall Li2S Nanoparticles Anchored in Graphene Nanosheets for High-Energy Lithium-Ion Batteries. Scientific Reports, 2014, 4, 6467.	3.3	122
978	A highly efficient polysulfide mediator for lithium–sulfur batteries. Nature Communications, 2015, 6, 5682.	12.8	1,691
979	A systematic approach to high and stable discharge capacity for scaling up the lithium–sulfur battery. Journal of Power Sources, 2015, 279, 231-237.	7.8	25

#	Article	IF	CITATIONS
980	A trilayer carbon nanotube/Al2O3/polypropylene separator for lithium-sulfur batteries. Ionics, 2015, 21, 981-986.	2.4	39
981	Sulfur Nanodots Electrodeposited on Ni Foam as High-Performance Cathode for Li–S Batteries. Nano Letters, 2015, 15, 721-726.	9.1	175
982	Super-aligned carbon nanotube/graphene hybrid materials as a framework for sulfur cathodes in high performance lithium sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 5305-5312.	10.3	112
983	Molecular-confinement of polysulfides within mesoscale electrodes for the practical application of lithium sulfur batteries. Nano Energy, 2015, 13, 267-274.	16.0	50
984	Towards superior volumetric performance: design and preparation of novel carbon materials for energy storage. Energy and Environmental Science, 2015, 8, 1390-1403.	30.8	364
985	Self-assembled graphene/sulfur composite as high current discharge cathode for lithium-sulfur batteries. Electrochimica Acta, 2015, 163, 24-31.	5.2	36
986	Solvent Activity in Electrolyte Solutions Controls Electrochemical Reactions in Li-Ion and Li-Sulfur Batteries. Journal of Physical Chemistry C, 2015, 119, 3957-3970.	3.1	135
987	Mesoporous Carbon Interlayers with Tailored Pore Volume as Polysulfide Reservoir for High-Energy Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2015, 119, 4580-4587.	3.1	120
988	First-Principles Study of Redox End Members in Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2015, 119, 4675-4683.	3.1	65
989	Surface Modification of Sulfur Electrodes by Chemically Anchored Cross-Linked Polymer Coating for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2015, 7, 1401-1405.	8.0	43
990	Dual onfined Flexible Sulfur Cathodes Encapsulated in Nitrogenâ€Ðoped Double‧helled Hollow Carbon Spheres and Wrapped with Graphene for Li–S Batteries. Advanced Energy Materials, 2015, 5, 1402263.	19.5	459
991	"We Create Chemistry for a Sustainable Futureâ€: Chemistry Creates Sustainable Solutions for a Growing World Population. Angewandte Chemie - International Edition, 2015, 54, 3178-3195.	13.8	12
992	Fabrication of sulfur cathodes by wet-powder spraying and the understanding of degradation. Electrochimica Acta, 2015, 157, 351-358.	5.2	5
994	Shell Structure Control of PPy-Modified CuO Composite Nanoleaves for Lithium Batteries with Improved Cyclic Performance. ACS Sustainable Chemistry and Engineering, 2015, 3, 507-517.	6.7	54
995	A novel sulfur/carbon hollow microsphere yolkâ^'shell composite as a high-performance cathode for lithium sulfur batteries. Journal of Solid State Electrochemistry, 2015, 19, 1143-1149.	2.5	31
996	Sulfur Cathodes Based on Conductive MXene Nanosheets for Highâ€Performance Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2015, 54, 3907-3911.	13.8	1,006
997	Emerging In Situ and Operando Nanoscale Xâ€Ray Imaging Techniques for Energy Storage Materials. Advanced Functional Materials, 2015, 25, 1622-1637.	14.9	95
998	Carbide-derived carbon/sulfur composite cathode for multi-layer separator assembled Li-S battery. Korean Journal of Chemical Engineering, 2015, 32, 867-873.	2.7	14

#	Article	IF	Citations
999	A hierarchical carbon fiber/sulfur composite as cathode material for Li–S batteries. Carbon, 2015, 86, 146-155.	10.3	73
1000	Wettability of colloid-imprinted carbons by contact angle kinetics and water vapor sorption measurements. Carbon, 2015, 87, 44-60.	10.3	23
1001	Lithium/sulfur batteries with mixed liquid electrolytes based on ethyl 1,1,2,2-tetrafluoroethyl ether. Electrochimica Acta, 2015, 161, 55-62.	5.2	39
1002	Lithium–Sulfur Batteries: Progress and Prospects. Advanced Materials, 2015, 27, 1980-2006.	21.0	1,288
1003	Hydrothermal Carbonization ofÂBiomass. , 2015, , 325-352.		22
1004	Permselective Graphene Oxide Membrane for Highly Stable and Anti-Self-Discharge Lithium–Sulfur Batteries. ACS Nano, 2015, 9, 3002-3011.	14.6	723
1005	Effect of Surface Microstructure on Electrochemical Performance of Garnet Solid Electrolytes. ACS Applied Materials & Interfaces, 2015, 7, 2073-2081.	8.0	347
1006	Targeting the role of lithium sulphide formation for the rapid capacity fading in lithium-sulphur batteries. Journal of Power Sources, 2015, 282, 437-443.	7.8	35
1007	A silver-nanoparticle-catalyzed graphite composite for electrochemical energy storage. Journal of Power Sources, 2015, 275, 688-693.	7.8	19
1008	lonic Liquid-Derived Nitrogen-Enriched Carbon/Sulfur Composite Cathodes with Hierarchical Microstructure—A Step Toward Durable High-Energy and High-Performance Lithium–Sulfur Batteries. Chemistry of Materials, 2015, 27, 1674-1683.	6.7	76
1009	Chemical adsorption: another way to anchor polysulfides. Nano Energy, 2015, 12, 810-815.	16.0	47
1010	Tailoring Pore Size of Nitrogenâ€Doped Hollow Carbon Nanospheres for Confining Sulfur in Lithium–Sulfur Batteries. Advanced Energy Materials, 2015, 5, 1401752.	19.5	273
1011	Hierarchically micro/mesoporous activated graphene with a large surface area for high sulfur loading in Li–S batteries. Journal of Materials Chemistry A, 2015, 3, 4799-4802.	10.3	121
1012	Demonstration of highly efficient lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 4170-4179.	10.3	51
1013	Localized polyselenides in a graphene-coated polymer separator for high rate and ultralong life lithium–selenium batteries. Chemical Communications, 2015, 51, 3667-3670.	4.1	63
1014	Sulfur cathode based on layered carbon matrix for high-performance Li–S batteries. Nano Energy, 2015, 12, 742-749	16.0	57
1015	Enhanced electrochemical performance of sulfur cathodes with a water-soluble binder. RSC Advances, 2015, 5, 13709-13714.	3.6	57
1016	Lithium-ion batteries (LIBs) for medium- and large-scale energy storage. , 2015, , 213-289.		6

#	ARTICLE Strong Lithium Polysulfide Chemisorption on Electroactive Sites of Nitrogenâ€Doped Carbon	IF	CITATIONS
1017	Composites For Highä€Performance Lithiumä€"Sulfur Battery Cathodes. Angewandte Chemie - International Edition, 2015, 54, 4325-4329.	13.8	686
1018	Dual-protection of a graphene-sulfur composite by a compact graphene skin and an atomic layer deposited oxide coating for a lithium-sulfur battery. Nanoscale, 2015, 7, 5292-5298.	5.6	102
1019	Interfacial Architecture for Extra Li+ Storage in All-Solid-State Lithium Batteries. Scientific Reports, 2014, 4, 5572.	3.3	59
1020	A Facile Layerâ€byâ€Layer Approach for Highâ€Arealâ€Capacity Sulfur Cathodes. Advanced Materials, 2015, 27, 1694-1700.	21.0	270
1021	Hierarchical carbon nanocages confining high-loading sulfur for high-rate lithium–sulfur batteries. Nano Energy, 2015, 12, 657-665.	16.0	231
1022	High-performance lithium/sulfur batteries by decorating CMK-3/S cathodes with DNA. Journal of Materials Chemistry A, 2015, 3, 7241-7247.	10.3	27
1023	Issues and Challenges for Bulkâ€īype Allâ€Solidâ€State Rechargeable Lithium Batteries using Sulfide Solid Electrolytes. Israel Journal of Chemistry, 2015, 55, 472-485.	2.3	216
1024	Design and preparation of spherical high voltage LiNi 0.5 Mn 1.5 O 4 with a novel concentration-gradient shell for lithium ion batteries. Journal of Power Sources, 2015, 281, 85-93.	7.8	25
1025	A lithium–sulfur full cell with ultralong cycle life: influence of cathode structure and polysulfide additive. Journal of Materials Chemistry A, 2015, 3, 3808-3820.	10.3	84
1026	Enhanced cycling performance of a high-energy and low-cost lithium–sulfur battery with a sulfur/hardwood charcoal composite cathode material. Journal of Solid State Electrochemistry, 2015, 19, 1161-1169.	2.5	7
1027	Direct Observation of Sulfur Radicals as Reaction Media in Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2015, 162, A474-A478.	2.9	178
1028	Atomic Layer Deposition of Metal Sulfide Materials. Accounts of Chemical Research, 2015, 48, 341-348.	15.6	178
1029	Novel double-cathode configuration to improve the cycling stability of lithium–sulfur battery. RSC Advances, 2015, 5, 14196-14201.	3.6	9
1030	Soluble polysulphide sorption using carbon nanotube forest for enhancing cycle performance in a lithium–sulphur battery. Nano Energy, 2015, 12, 538-546.	16.0	95
1031	A high-density graphene–sulfur assembly: a promising cathode for compact Li–S batteries. Nanoscale, 2015, 7, 5592-5597.	5.6	92
1032	Fabricating high performance lithium-ion batteries using bionanotechnology. Nanoscale, 2015, 7, 3356-3372.	5.6	39
1033	Free-standing TiO2 nanowire-embedded graphene hybrid membrane for advanced Li/dissolved polysulfide batteries. Nano Energy, 2015, 12, 240-249.	16.0	252
1034	Tellurium@Ordered Macroporous Carbon Composite and Free‣tanding Tellurium Nanowire Mat as Cathode Materials for Rechargeable Lithium–Tellurium Batteries. Advanced Energy Materials, 2015, 5, 1401999.	19.5	83

		IF	CITATIONS
#	A lithium-ion sulfur battery using a polymer, polysulfide-added membrane. Scientific Reports, 2015, 5,	IF 9.9	54
1035	7591.	3.3	54
1036	Recent Approaches for the Direct Use of Elemental Sulfur in the Synthesis and Processing of Advanced Materials. Angewandte Chemie - International Edition, 2015, 54, 3249-3258.	13.8	229
1037	Surface chemistry of LiNi0.5Mn1.5O4 particles coated by Al2O3 using atomic layer deposition for lithium-ion batteries. Journal of Power Sources, 2015, 274, 1254-1262.	7.8	188
1038	Lithium-ion batteries (LIBs) for medium- and large-scale energy storage:. , 2015, , 125-211.		10
1039	Te/C nanocomposites for Li-Te Secondary Batteries. Scientific Reports, 2015, 5, 7969.	3.3	87
1041	Stabilization of Sulfur Cathode with Poly-peri-naphthalene for High Electrochemical Performance. Journal of Materials Engineering and Performance, 2015, 24, 946-951.	2.5	2
1042	Fabrication of a nano-Li ⁺ -channel interlayer for high performance Li–S battery application. RSC Advances, 2015, 5, 26273-26280.	3.6	33
1043	Adsorption of insoluble polysulfides Li2Sx (x = 1, 2) on Li2S surfaces. Physical Chemistry Chemical Physics, 2015, 17, 9032-9039.	2.8	53
1044	Sulfur/carbon nanocomposite-filled polyacrylonitrile nanofibers as a long life and high capacity cathode for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 7406-7412.	10.3	130
1045	Effect of sulfur content in a sulfur-activated carbon composite on the electrochemical properties of a lithium/sulfur battery. Materials Research Bulletin, 2015, 69, 24-28.	5.2	10
1046	Inhibition of CO poisoning on Pt catalyst coupled with the reduction of toxic hexavalent chromium in a dual-functional fuel cell. Scientific Reports, 2014, 4, 7450.	3.3	77
1047	The formation of strong-couple interactions between nitrogen-doped graphene and sulfur/lithium (poly)sulfides in lithium-sulfur batteries. 2D Materials, 2015, 2, 014011.	4.4	94
1048	A scalable hybrid separator for a high performance lithium–sulfur battery. Chemical Communications, 2015, 51, 6996-6999.	4.1	50
1049	Interaction mechanism between a functionalized protective layer and dissolved polysulfide for extended cycle life of lithium sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 9461-9467.	10.3	78
1050	Fabrication of layered Ti ₃ C ₂ with an accordion-like structure as a potential cathode material for high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 7870-7876.	10.3	167
1051	Novel Largeâ€Scale Synthesis of a C/S Nanocomposite with Mixed Conducting Networks through a Spray Drying Approach for Li–S Batteries. Advanced Energy Materials, 2015, 5, 1500046.	19.5	96
1052	Polyphenylene Wrapped Sulfur/Multi-Walled Carbon Nano-Tubes via Spontaneous Grafting of Diazonium Salt for Improved Electrochemical Performance of Lithium-Sulfur Battery. Electrochimica Acta, 2015, 165, 136-141.	5.2	29
1053	Simple coordination complex-derived three-dimensional mesoporous graphene as an efficient bifunctional oxygen electrocatalyst. Chemical Communications, 2015, 51, 6773-6776.	4.1	48

#	Article	IF	CITATIONS
1054	Nanoconfined Carbon oated Na ₃ V ₂ (PO ₄) ₃ Particles in Mesoporous Carbon Enabling Ultralong Cycle Life for Sodiumâ€lon Batteries. Advanced Energy Materials, 2015, 5, 1402104.	19.5	305
1055	Electrocatalysis of Lithium Polysulfides: Current Collectors as Electrodes in Li/S Battery Configuration. Scientific Reports, 2015, 5, 8763.	3.3	181
1056	Conductive Lewis Base Matrix to Recover the Missing Link of Li ₂ S ₈ during the Sulfur Redox Cycle in Li–S Battery. Chemistry of Materials, 2015, 27, 2048-2055.	6.7	326
1057	High-performance lithium-selenium battery with Se/microporous carbon composite cathode and carbonate-based electrolyte. Science China Materials, 2015, 58, 91-97.	6.3	28
1059	A high performance lithium-ion sulfur battery based on a Li ₂ S cathode using a dual-phase electrolyte. Energy and Environmental Science, 2015, 8, 1551-1558.	30.8	230
1060	The impact of the particle size of a metal–organic framework for sulfur storage in Li–S batteries. Journal of Materials Chemistry A, 2015, 3, 8272-8275.	10.3	129
1061	Nanostructured Carbon Materials for Energy Conversion and Storage. RSC Catalysis Series, 2015, , 445-506.	0.1	0
1062	Highly stable membranes based on sulfonated fluorinated poly(ether ether ketone)s with bifunctional groups for vanadium flow battery application. Polymer Chemistry, 2015, 6, 5385-5392.	3.9	27
1063	Capacitance behavior of ordered mesoporous carbon/Fe2O3 composites: Comparison between 1D cylindrical, 2D hexagonal, and 3D bicontinuous mesostructures. Carbon, 2015, 93, 903-914.	10.3	37
1064	Metal hydroxide – a new stabilizer for the construction of sulfur/carbon composites as high-performance cathode materials for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 17106-17112.	10.3	81
1065	Scalable synthesis of highly dispersed silicon nanospheres by RF thermal plasma and their use as anode materials for high-performance Li-ion batteries. Journal of Materials Chemistry A, 2015, 3, 18136-18145.	10.3	31
1066	Sulfur loaded in curved graphene and coated with conductive polyaniline: preparation and performance as a cathode for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 18098-18104.	10.3	47
1067	Emergence of Metallic Properties at LiFePO ₄ Surfaces and LiFePO ₄ /Li ₂ S Interfaces: An Ab Initio Study. ACS Applied Materials & Interfaces, 2015, 7, 18362-18368.	8.0	15
1068	A long-life lithium ion sulfur battery exploiting high performance electrodes. Chemical Communications, 2015, 51, 14540-14542.	4.1	37
1069	A shortcut to garnet-type fast Li-ion conductors for all-solid state batteries. Journal of Materials Chemistry A, 2015, 3, 18636-18648.	10.3	114
1070	Rechargeable Lithium-Iodine Batteries with Iodine/Nanoporous Carbon Cathode. Nano Letters, 2015, 15, 5982-5987.	9.1	201
1071	Orange Peels Derived Activated Carbon as Sulfur Cathode Supporter for Lithium/Sulfur Batteries. Advanced Materials Research, 2015, 1120-1121, 493-497.	0.3	0
1072	Proof of concept for a novel, binder-free and conducting carbon-free sulfur battery cathode: Composite electroformation of copper foil with incorporated polythiophene wrapped sulfur particles. Journal of Power Sources, 2015, 296, 70-77.	7.8	17

#	Article	IF	CITATIONS
1073	Amorphous S-rich S _{1â^x} Se _x /C (x ≤0.1) composites promise better lithium–sulfur batteries in a carbonate-based electrolyte. Energy and Environmental Science, 2015, 8, 3181-3186.	30.8	164
1074	One-pot pyrolysis of lithium sulfate and graphene nanoplatelet aggregates: in situ formed Li ₂ S/graphene composite for lithium–sulfur batteries. Nanoscale, 2015, 7, 14385-14392.	5.6	73
1075	A Thermally Conductive Separator for Stable Li Metal Anodes. Nano Letters, 2015, 15, 6149-6154.	9.1	313
1076	Three-dimensional CNT/graphene–sulfur hybrid sponges with high sulfur loading as superior-capacity cathodes for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 18605-18610.	10.3	200
1077	A high energy density Li ₂ S@C nanocomposite cathode with a nitrogen-doped carbon nanotube top current collector. Journal of Materials Chemistry A, 2015, 3, 18913-18919.	10.3	55
1078	Multi-chambered micro/mesoporous carbon nanocubes as new polysulfides reserviors for lithium–sulfur batteries with long cycle life. Nano Energy, 2015, 16, 268-280.	16.0	132
1079	Li-S Batteries with Li ₂ S Cathodes and Si/C Anodes. Journal of the Electrochemical Society, 2015, 162, A1829-A1835.	2.9	56
1080	Alloy-Based Anode Materials. Green Energy and Technology, 2015, , 189-229.	0.6	3
1081	Perspectives in Lithium Batteries. , 2015, , 191-232.		3
1082	Conductivity of Block Copolymer Electrolytes Containing Lithium Polysulfides. Macromolecules, 2015, 48, 4863-4873.	4.8	14
1083	Flexible metal–organic frameworks as superior cathodes for rechargeable sodium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 16590-16597.	10.3	94
1084	Enhanced performance of Li LiFePO4 cells using CsPF6 as an electrolyte additive. Journal of Power Sources, 2015, 293, 1062-1067.	7.8	29
1085	Trapping lithium polysulfides of a Li–S battery by forming lithium bonds in a polymer matrix. Energy and Environmental Science, 2015, 8, 2389-2395.	30.8	194
1086	Nanocomposite Li ₃ V ₂ (PO ₄) ₃ /carbon as a cathode material with high rate performance and long-term cycling stability in lithium-ion batteries. RSC Advances, 2015, 5, 57127-57132.	3.6	13
1087	Graphene-Enveloped Poly(<i>N</i> -vinylcarbazole)/Sulfur Composites with Improved Performances for Lithium–Sulfur Batteries by A Simple Vibrating-Emulsification Method. ACS Applied Materials & Interfaces, 2015, 7, 16668-16675.	8.0	24
1088	Sulfur synchronously electrodeposited onto exfoliated graphene sheets as a cathode material for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 16513-16519.	10.3	37
1089	Effect of LiNO3 additive and pyrrolidinium ionic liquid on the solid electrolyte interphase in the lithium–sulfur battery. Journal of Power Sources, 2015, 295, 212-220.	7.8	92
1090	Long-life Li/polysulphide batteries with high sulphur loading enabled by lightweight three-dimensional nitrogen/sulphur-codoped graphene sponge. Nature Communications, 2015, 6, 7760.	12.8	923

#	Article	IF	CITATIONS
1091	Engineering of Hollow Core–Shell Interlinked Carbon Spheres for Highly Stable Lithium–Sulfur Batteries. ACS Nano, 2015, 9, 8504-8513.	14.6	247
1092	Single step transformation of sulphur to Li2S2/Li2S in Li-S batteries. Scientific Reports, 2015, 5, 12146.	3.3	154
1093	Hydroxylated carbon nanotube enhanced sulfur cathodes for improved electrochemical performance of lithium–sulfur batteries. Chemical Communications, 2015, 51, 13682-13685.	4.1	55
1094	An electrochemical approach to graphene oxide coated sulfur for long cycle life. Nanoscale, 2015, 7, 13249-13255.	5.6	20
1095	Microporous carbon nanosheets derived from corncobs for lithium–sulfur batteries. Electrochimica Acta, 2015, 176, 853-860.	5.2	162
1096	Nanocomposite Architecture for Rapid, Spectrally-Selective Electrochromic Modulation of Solar Transmittance. Nano Letters, 2015, 15, 5574-5579.	9.1	179
1097	PEO-coated sulfur-carbon composite for high-performance lithium-sulfur batteries. Journal of Solid State Electrochemistry, 2015, 19, 3373-3379.	2.5	31
1098	Microscale characterization of coupled degradation mechanism of graded materials in lithium batteries of electric vehicles. Renewable and Sustainable Energy Reviews, 2015, 50, 1445-1461.	16.4	17
1099	Hollow-in-hollow carbon spheres with hollow foam-like cores for lithium–sulfur batteries. Nano Research, 2015, 8, 2663-2675.	10.4	114
1100	Facile synthesis of ultrahigh-surface-area hollow carbon nanospheres for enhanced adsorption and energy storage. Nature Communications, 2015, 6, 7221.	12.8	554
1101	Synthesis of three-dimensionally interconnected sulfur-rich polymers for cathode materials of high-rate lithium–sulfur batteries. Nature Communications, 2015, 6, 7278.	12.8	357
1102	Effects of electrolyte concentration and synthesis methods of sulfur/carbon composites on the electrochemical performance in lithium–sulfur batteries. RSC Advances, 2015, 5, 54293-54300.	3.6	10
1103	Sulfur embedded in one-dimensional French fries-like hierarchical porous carbon derived from a metal–organic framework for high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 15314-15323.	10.3	101
1104	A multi functional binder with lithium ion conductive polymer and polysulfide absorbents to improve cycleability of lithium–sulfur batteries. Journal of Power Sources, 2015, 294, 187-192.	7.8	85
1105	Synthesis of Mn3O4-Based Aerogels and Their Lithium-Storage Abilities. Nanoscale Research Letters, 2015, 10, 960.	5.7	13
1106	Enhanced electrochemical performance of a crosslinked polyaniline-coated graphene oxide-sulfur composite for rechargeable lithium–sulfur batteries. Journal of Power Sources, 2015, 294, 386-392.	7.8	65
1107	Nanomaterials: Science and applications in the lithium–sulfur battery. Nano Today, 2015, 10, 315-338.	11.9	324
1108	A review on porous negative electrodes for high performance lithium-ion batteries. Journal of Porous Materials, 2015, 22, 1313-1343.	2.6	52

#	Article	IF	CITATIONS
1109	Cooperative Assembly of Metal Nitrate and Citric Acid with Block Copolymers: Role of Carbonate Conversion Temperature on the Mesostructure of Ordered Porous Oxides. Journal of Physical Chemistry C, 2015, 119, 12138-12148.	3.1	11
1110	Electrochemical Performance of Iron Diphosphide/Carbon Tube Nanohybrids in Lithium-ion Batteries. Electrochimica Acta, 2015, 170, 140-145.	5.2	34
1111	Synthesis of nanorod-FeP@C composites with hysteretic lithiation in lithium-ion batteries. Dalton Transactions, 2015, 44, 10297-10303.	3.3	58
1112	Reduced graphene oxide encapsulated selenium nanoparticles for high-power lithium–selenium battery cathode. Journal of Power Sources, 2015, 288, 214-220.	7.8	88
1113	Pyrite (FeS ₂) nanocrystals as inexpensive high-performance lithium-ion cathode and sodium-ion anode materials. Nanoscale, 2015, 7, 9158-9163.	5.6	167
1114	On the Way Toward Understanding Solution Chemistry of Lithium Polysulfides for High Energy Li–S Redox Flow Batteries. Advanced Energy Materials, 2015, 5, 1500113.	19.5	142
1115	Recent Advances in Electrolytes for Lithium–Sulfur Batteries. Advanced Energy Materials, 2015, 5, 1500117.	19.5	508
1116	Bendable and Thin Sulfide Solid Electrolyte Film: A New Electrolyte Opportunity for Free-Standing and Stackable High-Energy All-Solid-State Lithium-Ion Batteries. Nano Letters, 2015, 15, 3317-3323.	9.1	233
1117	A 3D nanostructure of graphene interconnected with hollow carbon spheres for high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 11395-11402.	10.3	84
1118	Critical Link between Materials Chemistry and Cell-Level Design for High Energy Density and Low Cost Lithium-Sulfur Transportation Battery. Journal of the Electrochemical Society, 2015, 162, A982-A990.	2.9	206
1119	Well-dispersed platinum nanoparticles supported on hierarchical nitrogen-doped porous hollow carbon spheres with enhanced activity and stability for methanol electrooxidation. Journal of Power Sources, 2015, 288, 42-52.	7.8	55
1120	Model Membraneâ€Free Li–S Batteries for Enhanced Performance and Cycle Life. Advanced Science, 2015, 2, 1500068.	11.2	36
1121	A bimodal porous carbon with high surface area supported selenium cathode for advanced Li–Se batteries. Solid State Ionics, 2015, 274, 71-76.	2.7	25
1122	Airflow-induced nanochannel orientation in mesoporous polymers and carbon films. Microporous and Mesoporous Materials, 2015, 211, 152-157.	4.4	4
1123	Carbon–Sulfur Composites from Cylindrical and Gyroidal Mesoporous Carbons with Tunable Properties in Lithium–Sulfur Batteries. Chemistry of Materials, 2015, 27, 3349-3357.	6.7	65
1124	Semiconductor nanowire battery electrodes. , 2015, , 441-469.		1
1125	Progress Towards Commercially Viable Li–S Battery Cells. Advanced Energy Materials, 2015, 5, 1500118.	19.5	355
1126	Highâ€Performance Organic Lithium Batteries with an Etherâ€Based Electrolyte and 9,10â€Anthraquinone (AQ)/CMKâ€3 Cathode. Advanced Science, 2015, 2, 1500018.	11.2	155

#	Article	IF	CITATIONS
1127	Polydopamine-coated separator for high-performance lithium-sulfur batteries. Journal of Solid State Electrochemistry, 2015, 19, 1709-1715.	2.5	52
1128	Flexible cathodes and multifunctional interlayers based on carbonized bacterial cellulose for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 10910-10918.	10.3	155
1129	Metal–organic frameworks and their derived nanostructures for electrochemical energy storage and conversion. Energy and Environmental Science, 2015, 8, 1837-1866.	30.8	1,483
1130	A graphene wrapped hair-derived carbon/sulfur composite for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 9609-9615.	10.3	109
1131	Encapsulating sulfur into a hybrid porous carbon/CNT substrate as a cathode for lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 6827-6834.	10.3	73
1132	Efficient Electrolytes for Lithiumââ,¬â€œSulfur Batteries. Frontiers in Energy Research, 2015, 3, .	2.3	42
1133	Electrochemical properties of all-solid-state lithium batteries with amorphous MoS ₃ electrodes prepared by mechanical milling. Journal of Materials Chemistry A, 2015, 3, 14142-14147.	10.3	60
1134	V 2 O 5 /Mesoporous Carbon Composite as a Cathode Material for Lithium-ion Batteries. Electrochimica Acta, 2015, 173, 172-177.	5.2	36
1135	Graphene-decorated graphite–sulfur composite as a high-tap-density electrode for Li–S batteries. RSC Advances, 2015, 5, 47621-47627.	3.6	18
1136	Graphene-based nano-materials for lithium–sulfur battery and sodium-ion battery. Nano Energy, 2015, 15, 379-405.	16.0	210
1137	Understanding the Anchoring Effect of Two-Dimensional Layered Materials for Lithium–Sulfur Batteries. Nano Letters, 2015, 15, 3780-3786.	9.1	779
1138	Chemical vapor deposition and atomic layer deposition for advanced lithium ion batteries and supercapacitors. Energy and Environmental Science, 2015, 8, 1889-1904.	30.8	236
1139	Following the Transient Reactions in Lithium–Sulfur Batteries Using an In Situ Nuclear Magnetic Resonance Technique. Nano Letters, 2015, 15, 3309-3316.	9.1	107
1140	A novel laminated separator with multi functions for high-rate dischargeable lithium–sulfur batteries. Journal of Power Sources, 2015, 283, 524-529.	7.8	60
1141	Encapsulation of S/SWNT with PANI Web for Enhanced Rate and Cycle Performance in Lithium Sulfur Batteries. Scientific Reports, 2015, 5, 8946.	3.3	42
1142	Specially designed carbon black nanoparticle-sulfur composite cathode materials with a novel structure for lithium–sulfur battery application. Journal of Power Sources, 2015, 285, 478-484.	7.8	45
1143	Sulfur supported by carbon nanotubes and coated with polyaniline: Preparation and performance as cathode of lithium-sulfur cell. Electrochimica Acta, 2015, 166, 93-99.	5.2	61
1144	Bowl-like sulfur particles wrapped by graphene oxide as cathode material of lithium–sulfur batteries. RSC Advances, 2015, 5, 28832-28835.	3.6	12

#	Article	IF	CITATIONS
1145	One step production of in situ nitrogen doped mesoporous carbon confined sulfur for lithium–sulfur batteries. RSC Advances, 2015, 5, 31629-31636.	3.6	12
1146	Activated clay of nest structure encapsulated sulfur cathodes for lithium–sulfur batteries. RSC Advances, 2015, 5, 28349-28353.	3.6	9
1147	Sulfur-infiltrated graphene-backboned mesoporous carbon nanosheets with a conductive polymer coating for long-life lithium–sulfur batteries. Nanoscale, 2015, 7, 7569-7573.	5.6	106
1148	Protected lithium anode with porous Al ₂ O ₃ layer for lithium–sulfur battery. Journal of Materials Chemistry A, 2015, 3, 12213-12219.	10.3	189
1149	Nanoeffects promote the electrochemical properties of organic Na2C8H4O4 as anode material for sodium-ion batteries. Nano Energy, 2015, 13, 450-457.	16.0	139
1151	A hierarchical carbon nanotube-loaded glass-filter composite paper interlayer with outstanding electrolyte uptake properties for high-performance lithium–sulphur batteries. Nanoscale, 2015, 7, 10362-10367.	5.6	56
1152	Improving the electrochemical performance of a lithium–sulfur battery with a conductive polymer-coated sulfur cathode. RSC Advances, 2015, 5, 44160-44164.	3.6	46
1153	A novel lithium–sulfur battery cathode from butadiene rubber-caged sulfur-rich polymeric composites. RSC Advances, 2015, 5, 38792-38800.	3.6	9
1154	Polymers: Opening Doors to Future Batteries. Polymer Reviews, 2015, 55, 208-246.	10.9	76
1155	Exceptionally highly performing Na-ion battery anode using crystalline SnO ₂ nanoparticles confined in mesoporous carbon. Journal of Materials Chemistry A, 2015, 3, 11960-11969.	10.3	68
1156	Elucidating the intercalation mechanism of zinc ions into α-MnO ₂ for rechargeable zinc batteries. Chemical Communications, 2015, 51, 9265-9268.	4.1	447
1157	All-solid-state MoS ₂ /Li ₆ PS ₅ Br/In–Li batteries as a novel type of Li/S battery. Journal of Materials Chemistry A, 2015, 3, 10698-10702.	10.3	76
1158	Review on Liâ€ S ulfur Battery Systems: an Integral Perspective. Advanced Energy Materials, 2015, 5, 1500212.	19.5	641
1159	Trapping Polysulfides Catholyte in Carbon Nanofiber Sponges for Improving the Performances of Sulfur Batteries. Journal of the Electrochemical Society, 2015, 162, A1396-A1400.	2.9	20
1160	Free-standing graphene-based porous carbon films with three-dimensional hierarchical architecture for advanced flexible Li–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 9438-9445.	10.3	51
1161	Polyaniline-Coated Mesoporous Carbon/Sulfur Composites for Advanced Lithium Sulfur Batteries. Journal of Physical Chemistry C, 2015, 119, 7996-8003.	3.1	64
1162	Direct Observation of the Redistribution of Sulfur and Polysufides in Li–S Batteries During the First Cycle by In Situ Xâ€Ray Fluorescence Microscopy. Advanced Energy Materials, 2015, 5, 1500072.	19.5	84
1163	High-performance graphene/sulphur electrodes for flexible Li-ion batteries using the low-temperature spraying method. Nanoscale, 2015, 7, 8093-8100.	5.6	23

#	Article	IF	CITATIONS
1164	Synergetic Effects of Al ³⁺ Doping and Graphene Modification on the Electrochemical Performance of V ₂ O ₅ Cathode Materials. ChemSusChem, 2015, 8, 1017-1025.	6.8	60
1165	High sulfur loaded carbon aerogel cathode for lithium–sulfur batteries. RSC Advances, 2015, 5, 34008-34018.	3.6	55
1166	A Lightweight TiO ₂ /Graphene Interlayer, Applied as a Highly Effective Polysulfide Absorbent for Fast, Longâ€Life Lithium–Sulfur Batteries. Advanced Materials, 2015, 27, 2891-2898.	21.0	667
1167	Status and prospects in sulfur–carbon composites as cathode materials for rechargeable lithium–sulfur batteries. Carbon, 2015, 92, 41-63.	10.3	371
1168	Polysulfide transport through separators measured by a linear voltage sweep method. Journal of Power Sources, 2015, 286, 557-560.	7.8	19
1169	A hydrophilic separator for high performance lithium sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 11014-11020.	10.3	71
1170	Sulfur/microporous carbon composites for Li-S battery. Ionics, 2015, 21, 2161-2170.	2.4	15
1171	Recent Advances in Lithium Sulfide Cathode Materials and Their Use in Lithium Sulfur Batteries. Advanced Energy Materials, 2015, 5, 1500110.	19.5	240
1172	Superior Conductive Solid-like Electrolytes: Nanoconfining Liquids within the Hollow Structures. Nano Letters, 2015, 15, 3398-3402.	9.1	115
1173	Highly Cyclable Lithium–Sulfur Batteries with a Dual-Type Sulfur Cathode and a Lithiated Si/SiO _{<i>x</i>} Nanosphere Anode. Nano Letters, 2015, 15, 2863-2868.	9.1	116
1174	Anodes for Rechargeable Lithiumâ \in Sulfur Batteries. Advanced Energy Materials, 2015, 5, 1402273.	19.5	423
1175	High Energy Density Lithium–Sulfur Batteries: Challenges of Thick Sulfur Cathodes. Advanced Energy Materials, 2015, 5, 1402290.	19.5	483
1177	Vertically Aligned Sulfur–Graphene Nanowalls on Substrates for Ultrafast Lithium–Sulfur Batteries. Nano Letters, 2015, 15, 3073-3079.	9.1	183
1178	Vertically-aligned carbon nanotubes on aluminum as a light-weight positive electrode for lithium-polysulfide batteries. Chemical Communications, 2015, 51, 7749-7752.	4.1	18
1179	Materials and technologies for rechargeable lithium–sulfur batteries. , 2015, , 117-147.		9
1180	Structural Design of Cathodes for Liâ€S Batteries. Advanced Energy Materials, 2015, 5, 1500124.	19.5	402
1181	Synthesis, Nickel Decoration, and Hydrogen Adsorption of Silica-Templated Mesoporous Carbon Material with High Surface Area. Journal of Physical Chemistry C, 2015, 119, 23430-23435.	3.1	13
1182	ZnO/CoO and ZnCo2O4 Hierarchical Bipyramid Nanoframes: Morphology Control, Formation Mechanism, and Their Lithium Storage Properties. ACS Applied Materials & Interfaces, 2015, 7, 22848-22857.	8.0	56

#	Article	IF	CITATIONS
1183	Carbonized non-woven fabric films as adsorbing interlayers to enhance electrochemical performance of lithium–sulfur batteries. New Journal of Chemistry, 2015, 39, 9659-9664.	2.8	13
1184	Sulfur impregnated in a mesoporous covalent organic framework for high performance lithium–sulfur batteries. RSC Advances, 2015, 5, 86137-86143.	3.6	66
1185	Supramolecular Perylene Bisimide-Polysulfide Gel Networks as Nanostructured Redox Mediators in Dissolved Polysulfide Lithium–Sulfur Batteries. Chemistry of Materials, 2015, 27, 6765-6770.	6.7	78
1186	Bottom-up, hard template and scalable approaches toward designing nanostructured Li ₂ S for high performance lithium sulfur batteries. Nanoscale, 2015, 7, 18071-18080.	5.6	26
1187	Free-standing and binder-free highly N-doped carbon/sulfur cathodes with tailorable loading for high-areal-capacity lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 20482-20486.	10.3	46
1188	Porous nitrogen-doped carbon derived from silk fibroin protein encapsulating sulfur as a superior cathode material for high-performance lithium–sulfur batteries. Nanoscale, 2015, 7, 17791-17797.	5.6	107
1189	SnCo–CMK nanocomposite with improved electrochemical performance for lithium-ion batteries. Materials Research Bulletin, 2015, 71, 42-47.	5.2	10
1190	Effect of Boron-Doping on the Graphene Aerogel Used as Cathode for the Lithium–Sulfur Battery. ACS Applied Materials & Interfaces, 2015, 7, 25202-25210.	8.0	158
1191	Systematic Effect for an Ultralong Cycle Lithium–Sulfur Battery. Nano Letters, 2015, 15, 7431-7439.	9.1	110
1192	Yolk/shell nanoparticles: classifications, synthesis, properties, and applications. Nanoscale, 2015, 7, 19789-19873.	5.6	253
1193	Modeling of nano-structured cathodes for improved lithium-sulfur batteries. Electrochimica Acta, 2015, 184, 124-133.	5.2	47
1194	High Energy Organic Cathode for Sodium Rechargeable Batteries. Chemistry of Materials, 2015, 27, 7258-7264.	6.7	160
1195	Advanced Sodium Ion Battery Anode Constructed <i>via</i> Chemical Bonding between Phosphorus, Carbon Nanotube, and Cross-Linked Polymer Binder. ACS Nano, 2015, 9, 11933-11941.	14.6	255
1196	Effects of Nickel Particle Size and Graphene Support on the Electrochemical Performance of Lithium/Dissolved Polysulfide Batteries. Electrochimica Acta, 2015, 185, 297-303.	5.2	15
1197	Attainable Gravimetric and Volumetric Energy Density of Li–S and Li Ion Battery Cells with Solid Separator-Protected Li Metal Anodes. Journal of Physical Chemistry Letters, 2015, 6, 4581-4588.	4.6	235
1198	Trimodal hierarchical carbide-derived carbon monoliths from steam- and CO ₂ -activated wood templates for high rate lithium sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 24103-24111.	10.3	38
1199	Multidimensional Polycation β-Cyclodextrin Polymer as an Effective Aqueous Binder for High Sulfur Loading Cathode in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2015, 7, 26257-26265.	8.0	116
1200	Hierarchically porous sulfur-containing activated carbon monoliths via ice-templating and one-step pyrolysis. Carbon, 2015, 95, 268-278.	10.3	48

ARTICLE IF CITATIONS High-rate lithium–sulfur batteries enabled by hierarchical porous carbons synthesized via ice 1201 7.8 41 templation. Journal of Power Sources, 2015, 297, 188-194. Facile synthesis of nitrogen-doped carbon nanosheets with hierarchical porosity for high performance supercapacitors and lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 10.3 18400-18405. A chemistry and material perspective on lithium redox flow batteries towards high-density electrical 1203 38.1 388 energy storage. Chemical Society Reviews, 2015, 44, 7968-7996. A crystalline Cu–Sn–S framework for high-performance lithium storage. Journal of Materials 1204 Chemistry A, 2015, 3, 19410-19416. Copolymerization of Polythiophene and Sulfur To Improve the Electrochemical Performance in 1205 6.7 120 Lithiumâ€"Sulfur Batteries. Chemistry of Materials, 2015, 27, 7011-7017. Efficient and Inexpensive Sodium–Magnesium Hybrid Battery. Chemistry of Materials, 2015, 27, 7452-7458. 6.7 Reviewâ€"The Importance of Chemical Interactions between Sulfur Host Materials and Lithium 1207 Polysulfides for Advanced Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2015, 162, 2.9 294 A2567-A2576. Aligned carbon nanostructures based 3D electrodes for energy storage. Journal of Energy Chemistry, 1208 12.9 19 2015, 24, 559-586. Multi-functional separator/interlayer system for high-stable lithium-sulfur batteries: Progress and 1209 18.0 581 prospects. Energy Storage Materials, 2015, 1, 127-145. Durable polydopamine-coated porous sulfur coreâ€"shell cathode for high performance lithiumâ€"sulfur batteries. Journal of Power Sources, 2015, 300, 386-394. Fluorinated Reduced Graphene Oxide as an Interlayer in Li–S Batteries. Chemistry of Materials, 2015, 27, 1211 6.7 124 7070-7081. One-pot synthesis of carbon-coated Ni₅P₄ nanoparticles and CoP nanorods for high-rate and high-stability lithium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 23345-23351. 10.3 Enhanced Cyclability of Li/Polysulfide Batteries by a Polymer-Modified Carbon Paper Current 1213 8.0 31 Collector. ACS Applied Materials & amp; Interfaces, 2015, 7, 20369-20376. Nitrogen-enriched hierarchical porous carbon with enhanced performance in supercapacitors and lithium–sulfur batteries. RSC Advances, 2015, 5, 75403-75410. 1214 3.6 Anchoring Lithium Polysulfides via Affinitive Interactions: Electrostatic Attraction, Hydrogen 1215 3.153 Bonding, or in Parallel?. Journal of Physical Chemistry C, 2015, 119, 20495-20502. Substrate effects on Li⁺ electrodeposition in Li secondary batteries with a competitive 33 kinetics model. Physical Chemistry Chemical Physics, 2015, 17, 20398-20406. Controllable graphene coated mesoporous carbon/sulfur composite for lithiumâ€"sulfur batteries. 1217 3.6 10 RSC Advances, 2015, 5, 74138-74143. Solution processable, cross-linked sulfur polymers as solid electrolytes in dye-sensitized solar cells. 4.1 Chemical Communications, 2015, 51, 14660-14662.

#	Article	IF	CITATIONS
1219	Mechanism of Polysulfone-Based Anion Exchange Membranes Degradation in Vanadium Flow Battery. ACS Applied Materials & Interfaces, 2015, 7, 19446-19454.	8.0	123
1220	The effect of a solid electrolyte interphase on the mechanism of operation of lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 19873-19883.	10.3	85
1221	High-Performance Lithium–Sulfur Batteries with a Cost-Effective Carbon Paper Electrode and High Sulfur-Loading. Chemistry of Materials, 2015, 27, 6394-6401.	6.7	73
1222	Naturally derived nanostructured materials from biomass for rechargeable lithium/sodium batteries. Nano Energy, 2015, 17, 91-103.	16.0	135
1223	Absorption mechanism of carbon-nanotube paper-titanium dioxide as a multifunctional barrier material for lithium-sulfur batteries. Nano Research, 2015, 8, 3066-3074.	10.4	95
1224	Lotus Root-like Structured Carbon Fibers as Encapsulated Sulfur Host for Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2015, 162, A2157-A2162.	2.9	8
1225	Porous carbonized graphene-embedded fungus film as an interlayer for superior Li–S batteries. Nano Energy, 2015, 17, 224-232.	16.0	130
1226	Taming the polysulphide shuttle in Li–S batteries by plasma-induced asymmetric functionalisation of the separator. RSC Advances, 2015, 5, 79654-79660.	3.6	33
1227	Mesoporous carbons: recent advances in synthesis and typical applications. RSC Advances, 2015, 5, 83239-83285.	3.6	147
1228	Tailor-made graphene aerogels with inbuilt baffle plates by charge-induced template-directed assembly for high-performance Li–S batteries. Journal of Materials Chemistry A, 2015, 3, 21842-21848.	10.3	33
1229	Enhancing the Reversibility of Mg/S Battery Chemistry through Li ⁺ Mediation. Journal of the American Chemical Society, 2015, 137, 12388-12393.	13.7	225
1230	Embedding SiO2into graphene oxide in situ to generate 3D hierarchical porous graphene laminates for high performance lithium–sulfur batteries. RSC Advances, 2015, 5, 80353-80356.	3.6	6
1231	Lanthanide complexes with a biphosphonate ester ligand and their fluorescent properties. Inorganic Chemistry Communication, 2015, 59, 53-56.	3.9	12
1232	Hybrid Cellular Nanosheets for High-Performance Lithium-Ion Battery Anodes. Journal of the American Chemical Society, 2015, 137, 11954-11961.	13.7	114
1233	Free-standing high-voltage LiCoO ₂ /multi-wall carbon nanotube paper electrodes with extremely high areal mass loading for lithium ion batteries. Journal of Materials Chemistry A, 2015, 3, 23180-23184.	10.3	26
1234	Density functional theory screening of gas-treatment strategies for stabilization of high energy-density lithium metal anodes. Journal of Power Sources, 2015, 296, 150-161.	7.8	57
1235	Fabrication of a novel TiO ₂ /S composite cathode for high performance lithium–sulfur batteries. RSC Advances, 2015, 5, 77348-77353.	3.6	29
1236	Hybrid cathode architectures for lithium batteries based on TiS ₂ and sulfur. Journal of Materials Chemistry A, 2015, 3, 19857-19866.	10.3	119

#	Article	IF	CITATIONS
1237	Rapidly reversible adsorption of methane with a high storage capacity on the zeolite templated carbons with glucose as carbon precursors. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2015, 485, 11-17.	4.7	26
1238	Effect of Anion on Behaviour of Li-S Battery Electrolyte Solutions Based on N-Methyl-N-Butyl-Pyrrolidinium Ionic Liquids. Electrochimica Acta, 2015, 180, 636-644.	5.2	35
1239	Graphene materials for lithium–sulfur batteries. Energy Storage Materials, 2015, 1, 51-73.	18.0	225
1240	Metal–Sulfur Battery Cathodes Based on PAN–Sulfur Composites. Journal of the American Chemical Society, 2015, 137, 12143-12152.	13.7	488
1241	Ternary Hybrid Material for High-Performance Lithium–Sulfur Battery. Journal of the American Chemical Society, 2015, 137, 12946-12953.	13.7	253
1242	Synthesis of sulfur encapsulated 3D graphene sponge driven by micro-pump and its application in Li–S battery. Journal of Materiomics, 2015, 1, 333-339.	5.7	7
1243	Organic electrode for non-aqueous potassium-ion batteries. Nano Energy, 2015, 18, 205-211.	16.0	397
1244	Strongly Bonded Selenium/Microporous Carbon Nanofibers Composite as a High-Performance Cathode for Lithium–Selenium Batteries. Journal of Physical Chemistry C, 2015, 119, 27316-27321.	3.1	77
1245	Pie-like electrode design for high-energy density lithium–sulfur batteries. Nature Communications, 2015, 6, 8850.	12.8	453
1246	Li[B(OCH ₂ CF ₃) ₄]: Synthesis, Characterization and Electrochemical Application as a Conducting Salt for LiSB Batteries. ChemPhysChem, 2015, 16, 666-675.	2.1	20
1247	In-operando optical imaging of temporal and spatial distribution of polysulfides in lithium-sulfur batteries. Nano Energy, 2015, 11, 579-586.	16.0	84
1248	Role of organic solvent addition to ionic liquid electrolytes for lithium–sulphur batteries. RSC Advances, 2015, 5, 2122-2128.	3.6	21
1249	Preparation of sodium trimetaphosphate and its application as an additive agent in a novel polyvinylidene fluoride based gel polymer electrolyte in lithium sulfur batteries. Polymer Chemistry, 2015, 6, 1619-1626.	3.9	32
1250	Split-half-tubular polypyrrole@sulfur@polypyrrole composite with a novel three-layer-3D structure as cathode for lithium/sulfur batteries. Nano Energy, 2015, 11, 587-599.	16.0	128
1251	Vulcanization accelerator enabled sulfurized carbon materials for high capacity and high stability of lithium–sulfur batteries. Journal of Materials Chemistry A, 2015, 3, 1392-1395.	10.3	66
1252	ReaxFF molecular dynamics simulations on lithiated sulfur cathode materials. Physical Chemistry Chemical Physics, 2015, 17, 3383-3393.	2.8	143
1253	A Revolution in Electrodes: Recent Progress in Rechargeable Lithium–Sulfur Batteries. Small, 2015, 11, 1488-1511.	10.0	305
1254	Electrostatic self-assembly of graphene oxide wrapped sulfur particles for lithium–sulfur batteries. Materials Research Bulletin, 2015, 64, 12-16.	5.2	27

#	Article	IF	Citations
1255	Graphene oxide wrapped hierarchical porous carbon–sulfur composite cathode with enhanced cycling and rate performance for lithium sulfur batteries. RSC Advances, 2015, 5, 5516-5522.	3.6	29
1256	In Situ Formation of Protective Coatings on Sulfur Cathodes in Lithium Batteries with LiFSIâ€Based Organic Electrolytes. Advanced Energy Materials, 2015, 5, 1401792.	19.5	189
1257	Highly ordered nitrogen-rich mesoporous carbon derived from biomass waste for high-performance lithium–sulfur batteries. Carbon, 2015, 84, 399-408.	10.3	194
1258	Synthesis of Ordered Mesoporous Phenanthrenequinone-Carbon via ï€-ï€ Interaction-Dependent Vapor Pressure for Rechargeable Batteries. Scientific Reports, 2014, 4, 7404.	3.3	35
1259	A class of polysulfide catholytes for lithium–sulfur batteries: energy density, cyclability, and voltage enhancement. Physical Chemistry Chemical Physics, 2015, 17, 2127-2136.	2.8	82
1260	Interconnected carbon nanotube/graphene nanosphere scaffolds as free-standing paper electrode for high-rate and ultra-stable lithium–sulfur batteries. Nano Energy, 2015, 11, 746-755.	16.0	168
1261	A layered porous ZrO ₂ /RGO composite as sulfur host for lithium–sulfur batteries. RSC Advances, 2015, 5, 5102-5106.	3.6	44
1262	Glucose-assisted synthesis of the hierarchical TiO ₂ nanowire@MoS ₂ nanosheet nanocomposite and its synergistic lithium storage performance. Journal of Materials Chemistry A, 2015, 3, 2762-2769.	10.3	142
1263	Microporous carbon derived from Apricot shell as cathode material for lithium–sulfur battery. Microporous and Mesoporous Materials, 2015, 204, 235-241.	4.4	80
1264	Enhanced electrochemical performances of mesoporous carbon microsphere/selenium composites by controlling the pore structure and nitrogen doping. Electrochimica Acta, 2015, 153, 140-148.	5.2	44
1265	Sulfurâ€Doped Graphene Derived from Cycled Lithium–Sulfur Batteries as a Metalâ€Free Electrocatalyst for the Oxygen Reduction Reaction. Angewandte Chemie - International Edition, 2015, 54, 1888-1892.	13.8	328
1266	Macroporous free-standing nano-sulfur/reduced graphene oxide paper as stable cathode for lithium-sulfur battery. Nano Energy, 2015, 11, 678-686.	16.0	190
1268	Poly(ionic liquid)-derived nanoporous carbon analyzed by combination of gas physisorption and small-angle neutron scattering. Carbon, 2015, 82, 425-435.	10.3	37
1270	Pyrolytic carbon-coated Si nanoparticles on elastic graphene framework as anode materials for high-performance lithium-ion batteries. Carbon, 2015, 82, 161-167.	10.3	105
1271	Identification of lithium–sulfur battery discharge products through 6Li and 33S solid-state MAS and 7Li solution NMR spectroscopy. Surface Science, 2015, 631, 295-300.	1.9	58
1272	Synergistic Effects of Mixing Sulfone and Ionic Liquid as Safe Electrolytes for Lithium Sulfur Batteries. ChemSusChem, 2015, 8, 353-360.	6.8	28
1273	Sulfur Encapsulated in a TiO ₂ â€Anchored Hollow Carbon Nanofiber Hybrid Nanostructure for Lithium–Sulfur Batteries. Chemistry - A European Journal, 2015, 21, 1343-1349.	3.3	80
1274	Rational design of sulphur host materials for Li–S batteries: correlating lithium polysulphide adsorptivity and self-discharge capacity loss. Chemical Communications, 2015, 51, 2308-2311.	4.1	206

#	Article	IF	CITATIONS
1275	S–TiO2 composite cathode materials for lithium/sulfur batteries. Journal of Electroanalytical Chemistry, 2015, 736, 127-131.	3.8	79
1276	Biomineralization-induced self-assembly of porous hollow carbon nanocapsule monoliths and their application in Li–S batteries. Chemical Communications, 2015, 51, 1085-1088.	4.1	20
1277	ZnO Hard Templating for Synthesis of Hierarchical Porous Carbons with Tailored Porosity and High Performance in Lithium‣ulfur Battery. Advanced Functional Materials, 2015, 25, 287-297.	14.9	315
1278	A graphene foam electrode with high sulfur loading for flexible and high energy Li-S batteries. Nano Energy, 2015, 11, 356-365.	16.0	526
1279	A Freeâ€Standing and Ultralongâ€Life Lithiumâ€Selenium Battery Cathode Enabled by 3D Mesoporous Carbon/Graphene Hierarchical Architecture. Advanced Functional Materials, 2015, 25, 455-463.	14.9	186
1280	From a historic review to horizons beyond: lithium–sulphur batteries run on the wheels. Chemical Communications, 2015, 51, 18-33.	4.1	170
1281	A Highly Reversible Lithium Metal Anode. Scientific Reports, 2014, 4, 3815.	3.3	266
1282	Solution processible hyperbranched inverse-vulcanized polymers as new cathode materials in Li–S batteries. Polymer Chemistry, 2015, 6, 973-982.	3.9	52
1283	Lithium–sulfur batteries: from liquid to solid cells. Journal of Materials Chemistry A, 2015, 3, 936-958.	10.3	343
1284	A Flexible Porous Carbon Nanofibers‣elenium Cathode with Superior Electrochemical Performance for Both Li‣e and Na‣e Batteries. Advanced Energy Materials, 2015, 5, 1401377.	19.5	230
1285	Performance Improvement of Magnesium Sulfur Batteries with Modified Nonâ€Nucleophilic Electrolytes. Advanced Energy Materials, 2015, 5, 1401155.	19.5	308
1286	Polysulfide rejection layer from alpha-lipoic acid for high performance lithium–sulfur battery. Journal of Materials Chemistry A, 2015, 3, 323-330.	10.3	41
1287	Lithium Iodide as a Promising Electrolyte Additive for Lithium–Sulfur Batteries: Mechanisms of Performance Enhancement. Advanced Materials, 2015, 27, 101-108.	21.0	304
1288	A Flexible Sulfurâ€Grapheneâ€Polypropylene Separator Integrated Electrode for Advanced Li–S Batteries. Advanced Materials, 2015, 27, 641-647.	21.0	545
1289	Sustainable carbon materials. Chemical Society Reviews, 2015, 44, 250-290.	38.1	997
1290	Sulfur/three-dimensional graphene composite for high performance lithium–sulfur batteries. Journal of Power Sources, 2015, 275, 22-25.	7.8	155
1291	Structures of [Li(glyme)] ⁺ complexes and their interactions with anions in equimolar mixtures of glymes and Li[TFSA]: analysis by molecular dynamics simulations. Physical Chemistry Chemical Physics, 2015, 17, 126-129.	2.8	87
1292	High performance all-solid-state lithium/sulfur batteries using lithium argyrodite electrolyte. Journal of Solid State Electrochemistry, 2015, 19, 697-702.	2.5	108

#	Article	IF	CITATIONS
1293	Micro-nano structure composite cathode material with high sulfur loading for advanced lithium–sulfur batteries. Electrochimica Acta, 2015, 152, 53-60.	5.2	39
1294	Graphene-wrapped sulfur nanospheres with ultra-high sulfur loading for high energy density lithium–sulfur batteries. Applied Surface Science, 2015, 324, 399-404.	6.1	53
1295	Microporous bamboo biochar for lithium-sulfur batteries. Nano Research, 2015, 8, 129-139.	10.4	284
1296	High Performance C/S Composite Cathodes with Conventional Carbonate-Based Electrolytes in Li-S Battery. Scientific Reports, 2014, 4, 4842.	3.3	94
1297	Towards greener and more sustainable batteries for electrical energy storage. Nature Chemistry, 2015, 7, 19-29.	13.6	5,789
1298	In situ formed carbon bonded and encapsulated selenium composites for Li–Se and Na–Se batteries. Journal of Materials Chemistry A, 2015, 3, 555-561.	10.3	115
1299	Surface and Interface Engineering of Electrode Materials for Lithiumâ€Ion Batteries. Advanced Materials, 2015, 27, 527-545.	21.0	426
1300	Efficient one-pot synthesis of peapod-like hollow carbon nanomaterials for utrahigh drug loading capacity. Journal of Colloid and Interface Science, 2015, 437, 90-96.	9.4	10
1301	Micro―and Mesoporous Carbideâ€Derived Carbon–Selenium Cathodes for Highâ€Performance Lithium Selenium Batteries. Advanced Energy Materials, 2015, 5, 1400981.	19.5	144
1302	A Three omponent Nanocomposite with Synergistic Reactivity for Oxygen Reduction Reaction in Alkaline Solution. Advanced Energy Materials, 2015, 5, 1401186.	19.5	34
1303	Sulfurâ€Based Composite Cathode Materials for Highâ€Energy Rechargeable Lithium Batteries. Advanced Materials, 2015, 27, 569-575.	21.0	293
1304	Coaxial-cable structure composite cathode material with high sulfur loading for high performance lithium–sulfur batteries. Journal of Power Sources, 2015, 274, 338-344.	7.8	38
1305	Rechargeable Batteries with High Energy Storage Activated by In-situ Induced Fluorination of Carbon Nanotube Cathode. Scientific Reports, 2015, 4, 5310.	3.3	19
1306	Development of Electrolytes towards Achieving Safe and Highâ€Performance Energyâ€ S torage Devices: A Review. ChemElectroChem, 2015, 2, 22-36.	3.4	299
1307	Metal-organic frameworks for lithium ion batteries and supercapacitors. Journal of Solid State Chemistry, 2015, 223, 109-121.	2.9	182
1308	Heat-treatment of metal–organic frameworks for green energy applications. CrystEngComm, 2015, 17, 10-22.	2.6	89
1309	Lithium-Sulfur Batteries: Overview and Advances. Nanoscience and Nanotechnology - Asia, 2016, 6, 28-48.	0.7	4
1310	Cathode Materials for Lithium Sulfur Batteries: Design, Synthesis, and Electrochemical Performance. , 0, , .		5

#	Article	IF	CITATIONS
1311	High Reversibility of "Soft―Electrode Materials in All-Solid-State Batteries. Frontiers in Energy Research, 2016, 4, .	2.3	22
1312	Recent Development of Carbonaceous Materials for Lithium–Sulphur Batteries. Batteries, 2016, 2, 33.	4.5	20
1313	X-ray Absorption Spectroscopy Characterization of a Li/S Cell. Nanomaterials, 2016, 6, 14.	4.1	32
1314	Mesoporous hollow carbon spheres for lithium–sulfur batteries: distribution of sulfur and electrochemical performance. Beilstein Journal of Nanotechnology, 2016, 7, 1229-1240.	2.8	28
1315	High performance lithium–sulfur batteries with a permselective sulfonated acetylene black modified separator. Journal of Materials Chemistry A, 2016, 4, 12319-12327.	10.3	83
1316	Freestanding Bilayer Carbon–Sulfur Cathode with Function of Entrapping Polysulfide for High Performance Li–S Batteries. Advanced Functional Materials, 2016, 26, 1225-1232.	14.9	89
1317	Mesoporous Titanium Nitrideâ€Enabled Highly Stable Lithiumâ€Sulfur Batteries. Advanced Materials, 2016, 28, 6926-6931.	21.0	544
1318	Low ost Higher Loading of a Sulfur Cathode. Advanced Energy Materials, 2016, 6, 1502059.	19.5	92
1319	Grapheneâ€Based Nanocomposites for Energy Storage. Advanced Energy Materials, 2016, 6, 1502159.	19.5	306
1320	Hard Carbon Anodes and Novel Electrolytes for Longâ€Cycleâ€Life Room Temperature Sodiumâ€Sulfur Full Cell Batteries. Advanced Energy Materials, 2016, 6, 1502185.	19.5	94
1321	Design Principles for Optimum Performance of Porous Carbons in Lithium–Sulfur Batteries. Advanced Energy Materials, 2016, 6, 1600134.	19.5	98
1322	Restricting the Solubility of Polysulfides in Liâ€5 Batteries Via Electrolyte Salt Selection. Advanced Energy Materials, 2016, 6, 1600160.	19.5	66
1323	Carbon Nanotube Sponges, Aerogels, and Hierarchical Composites: Synthesis, Properties, and Energy Applications. Advanced Energy Materials, 2016, 6, 1600554.	19.5	183
1324	Sulfur Confined in Subâ€Nanometerâ€Sized 2 D Graphene Interlayers and Its Electrochemical Behavior in Lithium–Sulfur Batteries. Chemistry - an Asian Journal, 2016, 11, 2690-2694.	3.3	25
1325	Atomic Layer Deposition of Li _{<i>x</i>} Al _{<i>y</i>} S Solid‣tate Electrolytes for Stabilizing Lithiumâ€Metal Anodes. ChemElectroChem, 2016, 3, 858-863.	3.4	104
1326	Carbon Materials for Lithium Sulfur Batteries—Ten Critical Questions. Chemistry - A European Journal, 2016, 22, 7324-7351.	3.3	353
1327	A High Energy Lithiumâ€Sulfur Battery with Ultrahighâ€Loading Lithium Polysulfide Cathode and its Failure Mechanism. Advanced Energy Materials, 2016, 6, 1502459.	19.5	282
1328	From Hollow Carbon Spheres to Nâ€Doped Hollow Porous Carbon Bowls: Rational Design of Hollow Carbon Host for Li‧ Batteries. Advanced Energy Materials, 2016, 6, 1502539.	19.5	485
#	Article	IF	CITATIONS
------	---	------	-----------
1329	Catalytic graphitization of ordered mesoporous carbon CMKâ€3 with iron oxide catalysts: Evaluation of different synthesis pathways. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 1395-1402.	1.8	17
1330	Design Principles for Heteroatom-Doped Nanocarbon to Achieve Strong Anchoring of Polysulfides for Lithium-Sulfur Batteries. Small, 2016, 12, 3283-3291.	10.0	661
1331	The Role of the Carbon Framework in Sulfur-Carbon Composite Cathodes in Li-S Batteries. Electrochimica Acta, 2016, 212, 212-216.	5.2	17
1332	Performance-Enhancing Asymmetric Separator for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 18822-18831.	8.0	55
1333	Selfâ€Sacrificial Templateâ€Directed Synthesis of Metal–Organic Frameworkâ€Derived Porous Carbon for Energyâ€Storage Devices. ChemElectroChem, 2016, 3, 668-674.	3.4	52
1334	Biomassâ€Derived Porous Carbon with Micropores and Small Mesopores for Highâ€Performance Lithium–Sulfur Batteries. Chemistry - A European Journal, 2016, 22, 3239-3244.	3.3	117
1335	Builtâ€in Carbon Nanotube Network inside a Biomassâ€Derived Hierarchically Porous Carbon to Enhance the Performance of the Sulfur Cathode in a Liâ€5 Battery. ChemNanoMat, 2016, 2, 712-718.	2.8	52
1337	Tuning Transition Metal Oxide–Sulfur Interactions for Long Life Lithium Sulfur Batteries: The "Goldilocks―Principle. Advanced Energy Materials, 2016, 6, 1501636.	19.5	623
1338	Grapheneâ€Supported Nitrogen and Boron Rich Carbon Layer for Improved Performance of Lithium–Sulfur Batteries Due to Enhanced Chemisorption of Lithium Polysulfides. Advanced Energy Materials, 2016, 6, 1501733.	19.5	162
1339	No More HF: Teflonâ€Assisted Ultrafast Removal of Silica to Generate Highâ€6urfaceâ€Area Mesostructured Carbon for Enhanced CO ₂ Capture and Supercapacitor Performance. Angewandte Chemie - International Edition, 2016, 55, 2032-2036.	13.8	88
1340	Double‧helled Nanocages with Cobalt Hydroxide Inner Shell and Layered Double Hydroxides Outer Shell as Highâ€Efficiency Polysulfide Mediator for Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2016, 55, 3982-3986.	13.8	505
1341	First-principles Study on the Charge Transport Mechanism of Lithium Sulfide (Li2S) in Lithium-Sulfur Batteries. Chemistry - an Asian Journal, 2016, 11, 1288-1292.	3.3	27
1342	A Carbonâ€Sulfur Hybrid with Pomegranateâ€like Structure for Lithiumâ€Sulfur Batteries. Chemistry - an Asian Journal, 2016, 11, 1343-1347.	3.3	17
1343	The Electrochemistry with Lithium versus Sodium of Selenium Confined To Slit Micropores in Carbon. Nano Letters, 2016, 16, 4560-4568.	9.1	140
1344	Enhancing the Stability of Sulfur Cathodes in Li–S Cells via in Situ Formation of a Solid Electrolyte Layer. ACS Energy Letters, 2016, 1, 373-379.	17.4	61
1345	The search for a solid electrolyte, as a polysulfide barrier, for lithium/sulfur batteries. Journal of Solid State Electrochemistry, 2016, 20, 3393-3404.	2.5	35
1346	Stabilizing sulfur cathodes using nitrogen-doped graphene as a chemical immobilizer for Li S batteries. Carbon, 2016, 108, 120-126.	10.3	134
1347	Interconnected core–shell pyrolyzed polyacrylonitrile@sulfur/carbon nanocomposites for rechargeable lithium–sulfur batteries. New Journal of Chemistry, 2016, 40, 7680-7686.	2.8	17

#	Article	IF	CITATIONS
1348	Lithium Sulfide/Metal Nanocomposite as a High apacity Cathode Prelithiation Material. Advanced Energy Materials, 2016, 6, 1600154.	19.5	87
1349	Riceâ€like Sulfur/Polyaniline Nanorods Wrapped with Reduced Graphene Oxide Nanosheets as Highâ€Performance Cathode for Lithium–Sulfur Batteries. ChemElectroChem, 2016, 3, 999-1005.	3.4	15
1350	Elemental‧ulfurâ€Mediated Facile Synthesis of a Covalent Triazine Framework for Highâ€Performance Lithium–Sulfur Batteries. Angewandte Chemie, 2016, 128, 3158-3163.	2.0	96
1351	Elementalâ€Sulfurâ€Mediated Facile Synthesis of a Covalent Triazine Framework for Highâ€Performance Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2016, 55, 3106-3111.	13.8	308
1352	Electrochemical activity of sulfur networks synthesized through RAFT polymerization. Journal of Applied Polymer Science, 2016, 133, .	2.6	13
1353	Solutionâ€Based Chemical Process for Synthesis of Highly Active Li ₂ S/Carbon Nanocomposite for Lithiumâ€Sulfur Batteries. ChemNanoMat, 2016, 2, 656-659.	2.8	5
1354	3D Hierarchically Interconnected Porous Graphene Containing Sulfur for Stable High Rate Li–S Batteries. Energy Technology, 2016, 4, 625-632.	3.8	14
1355	A facile synthesis of three dimensional graphene sponge composited with sulfur nanoparticles for flexible Li–S cathodes. Physical Chemistry Chemical Physics, 2016, 18, 22146-22153.	2.8	63
1356	Functional Organosulfide Electrolyte Promotes an Alternate Reaction Pathway to Achieve High Performance in Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2016, 55, 4231-4235.	13.8	149
1357	Nitrogenâ€Doped Nanoporous Graphenic Carbon: An Efficient Conducting Support for O ₂ Cathode. ChemNanoMat, 2016, 2, 692-697.	2.8	38
1358	Effect of the Anion Activity on the Stability of Li Metal Anodes in Lithium‣ulfur Batteries. Advanced Functional Materials, 2016, 26, 3059-3066.	14.9	117
1359	Understanding the Effect of Additives in Li-Sulfur Batteries by Operando ec- (S)TEM. Microscopy and Microanalysis, 2016, 22, 836-837.	0.4	1
1360	From Metal–Organic Framework to Li ₂ S@C–Co–N Nanoporous Architecture: A High-Capacity Cathode for Lithium–Sulfur Batteries. ACS Nano, 2016, 10, 10981-10987.	14.6	273
1361	Selective surface modification in bimodal mesoporous CMK-5 carbon. Journal of Materials Chemistry A, 2016, 4, 18426-18431.	10.3	14
1362	Easy preparation of partially-opened carbon nanotubes by simple air oxidation for high performance Li–S batteries. RSC Advances, 2016, 6, 113522-113526.	3.6	8
1363	The Effect of Crystal Face of Fe2O3 on the Electrochemical Performance for Lithium-ion Batteries. Scientific Reports, 2016, 6, 29381.	3.3	55
1364	Ultradispersed Nanoarchitecture of LiV3O8 Nanoparticle/Reduced Graphene Oxide with High-Capacity and Long-Life Lithium-Ion Battery Cathodes. Scientific Reports, 2016, 6, 19843.	3.3	26
1365	A separator modified by spray-dried hollow spherical cerium oxide and its application in lithium sulfur batteries. RSC Advances, 2016, 6, 114989-114996.	3.6	16

#	Article	IF	CITATIONS
1366	Analytical Multimode Scanning and Transmission Electron Imaging and Tomography of Multiscale Structural Architectures of Sulfur Copolymer-Based Composite Cathodes for Next-Generation High-Energy Density Li–S Batteries. Microscopy and Microanalysis, 2016, 22, 1198-1221.	0.4	14
1367	A binder-free sulfur/reduced graphene oxide aerogel as high performance electrode materials for lithium sulfur batteries. Scientific Reports, 2016, 6, 39615.	3.3	38
1368	A Microstructurally Resolved Model for Li-S Batteries Assessing the Impact of the Cathode Design on the Discharge Performance. Journal of the Electrochemical Society, 2016, 163, A2817-A2829.	2.9	52
1369	Fabrication of Si negative electrodes for Li-ion batteries (LIBs) using cross-linked polymer binders. Scientific Reports, 2016, 6, 38050.	3.3	9
1370	Quantum-chemical modeling of lithiation–delithiation of infinite fibers [Si n C m] k (k = â^ž) for n = 12–16 and m = 8–19 and small silicon clusters. Russian Journal of Inorganic Chemistry, 2016, 61, 1677-1687.	1.3	6
1371	A brief review: Past, present and future of lithium ion batteries. Russian Journal of Electrochemistry, 2016, 52, 1095-1121.	0.9	156
1372	A Novel One-dimensional Reduced Graphene Oxide/Sulfur Nanoscroll Material and its Application in Lithium Sulfur Batteries. Electrochimica Acta, 2016, 222, 1861-1869.	5.2	31
1373	The role of nanotechnology in the development of battery materials for electric vehicles. Nature Nanotechnology, 2016, 11, 1031-1038.	31.5	581
1374	A Sheet-like Carbon Matrix Hosted Sulfur as Cathode for High-performance Lithium-Sulfur Batteries. Scientific Reports, 2016, 6, 20445.	3.3	34
1375	Alkali metal ion storage properties of sulphur and phosphorous molecules encapsulated in nanometer size carbon cylindrical pores. AIP Advances, 2016, 6, 035112.	1.3	12
1376	Wrinkled sulfur@graphene microspheres with high sulfur loading as superior-capacity cathode for Li S batteries. Materials Today Energy, 2016, 1-2, 11-16.	4.7	37
1377	Cathode Loading Effect on Sulfur Utilization in Lithium–Sulfur Battery. Journal of Electrochemical Energy Conversion and Storage, 2016, 13, .	2.1	19
1378	Discharge/charge reaction mechanisms of FeS2 cathode material for aluminum rechargeable batteries at 55°C. Journal of Power Sources, 2016, 313, 9-14.	7.8	137
1379	Effect of commercial activated carbons in sulfur cathodes on the electrochemical properties of lithium/sulfur batteries. Materials Research Bulletin, 2016, 82, 109-114.	5.2	12
1380	Insight into the Capacity Fading Mechanism of Amorphous Se ₂ S ₅ Confined in Micro/Mesoporous Carbon Matrix in Ether-Based Electrolytes. Nano Letters, 2016, 16, 2663-2673.	9.1	83
1381	Improved Electrochemical Performance of Biomass-Derived Nanoporous Carbon/Sulfur Composites Cathode for Lithium-Sulfur Batteries by Nitrogen Doping. Electrochimica Acta, 2016, 202, 131-139.	5.2	49
1382	Reduction of graphene oxide gel with carbon nanotubes, sulfur cathode material preparation and electrochemical performance. RSC Advances, 2016, 6, 38943-38949.	3.6	7
1383	A 2D porous porphyrin-based covalent organic framework for sulfur storage in lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 7416-7421.	10.3	267

~	<u> </u>
CITATION	REPORT
onnon	

#	Article	IF	CITATIONS
1384	Effect of the aromatic precursor flow rate on the morphology and properties of carbon nanostructures in plasma enhanced chemical vapor deposition. RSC Advances, 2016, 6, 32779-32788.	3.6	14
1385	A hierarchical micro/mesoporous carbon fiber/sulfur composite for high-performance lithium–sulfur batteries. RSC Advances, 2016, 6, 37443-37451.	3.6	46
1386	Sulfurâ€Based Catholyte Solution with a Glass eramic Membrane for Li–S Batteries. ChemElectroChem, 2016, 3, 152-157.	3.4	24
1387	Li2S nano spheres anchored to single-layered graphene as a high-performance cathode material for lithium/sulfur cells. Nano Energy, 2016, 26, 524-532.	16.0	61
1388	Lithium battery using sulfur infiltrated in three-dimensional flower-like hierarchical porous carbon electrode. Materials Chemistry and Physics, 2016, 180, 82-88.	4.0	23
1389	Facile synthesis of hierarchical MoS ₂ –carbon microspheres as a robust anode for lithium ion batteries. Journal of Materials Chemistry A, 2016, 4, 9653-9660.	10.3	73
1390	Porous polymer derived ceramics. Materials Science and Engineering Reports, 2016, 106, 1-30.	31.8	167
1391	Microwave assisted preparation of expanded graphite/sulfur composites as cathodes for Li-S batteries. New Carbon Materials, 2016, 31, 199-204.	6.1	20
1392	High capacity and cycle stability Rechargeable Lithium–Sulfur batteries by sandwiched gel polymer electrolyte. Electrochimica Acta, 2016, 210, 71-78.	5.2	83
1393	High rate and stable cycling of lithium-sulfur batteries with carbon fiber cloth interlayer. Electrochimica Acta, 2016, 209, 691-699.	5.2	71
1394	Elemental Sulfur and Molybdenum Disulfide Composites for Li–S Batteries with Long Cycle Life and High-Rate Capability. ACS Applied Materials & Interfaces, 2016, 8, 13437-13448.	8.0	108
1395	Manganese dioxide nanosheet functionalized sulfur@PEDOT core–shell nanospheres for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 9403-9412.	10.3	112
1396	Nanostructured lithium sulfide materials for lithium-sulfur batteries. Journal of Power Sources, 2016, 323, 174-188.	7.8	76
1397	Bifunctional separator as a polysulfide mediator for highly stable Li–S batteries. Journal of Materials Chemistry A, 2016, 4, 9661-9669.	10.3	86
1398	Influence of the binder and preparation process on the positive electrode electrochemical response and Li/S system performances. Electrochimica Acta, 2016, 210, 492-501.	5.2	34
1399	Graphene quantum dots: structural integrity and oxygen functional groups for high sulfur/sulfide utilization in lithium sulfur batteries. NPG Asia Materials, 2016, 8, e272-e272.	7.9	105
1400	Trapping sulfur in hierarchically porous, hollow indented carbon spheres: a high-performance cathode for lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 9526-9535.	10.3	100
1401	A high-level N-doped porous carbon nanowire modified separator for long-life lithium–sulfur batteries. Journal of Electroanalytical Chemistry, 2016, 768, 55-61.	3.8	74

#	Article	IF	Citations
1402	Improved performance of electrodes based on carbonized olive stones/S composites by impregnating with mesoporous TiO 2 for advanced Li—S batteries. Journal of Power Sources, 2016, 313, 21-29.	7.8	39
1403	Improving the Performance of Lithium–Sulfur Batteries by Employing Polyimide Particles as Hosting Matrixes. ACS Applied Materials & Interfaces, 2016, 8, 7464-7470.	8.0	52
1404	Polyaniline-coated partially unzipped vapor-grown carbon fibers/sulfur microsphere composites for Li–S cathodes. Journal of Electroanalytical Chemistry, 2016, 761, 62-67.	3.8	8
1405	Stability of the Solid Electrolyte Interface on the Li Electrode in Li–S Batteries. ACS Applied Materials & Interfaces, 2016, 8, 10360-10366.	8.0	20
1406	Hierarchically porous few-layer porphyrinic carbon nanosheets formed by a VO _x -templating method for high-efficiency oxygen electroreduction. Journal of Materials Chemistry A, 2016, 4, 7305-7312.	10.3	13
1407	Structural and chemical synergistic encapsulation of polysulfides enables ultralong-life lithium–sulfur batteries. Energy and Environmental Science, 2016, 9, 2533-2538.	30.8	330
1408	PAA/PEDOT:PSS as a multifunctional, water-soluble binder to improve the capacity and stability of lithium–sulfur batteries. RSC Advances, 2016, 6, 40650-40655.	3.6	81
1409	Mango stone-derived activated carbon with high sulfur loading as a cathode material for lithium–sulfur batteries. RSC Advances, 2016, 6, 39918-39925.	3.6	39
1410	Enhanced charging capability of lithium metal batteries based on lithium bis(trifluoromethanesulfonyl)imide-lithium bis(oxalato)borate dual-salt electrolytes. Journal of Power Sources, 2016, 318, 170-177.	7.8	186
1411	Three-Dimensional Hierarchical Graphene-CNT@Se: A Highly Efficient Freestanding Cathode for Li–Se Batteries. ACS Energy Letters, 2016, 1, 16-20.	17.4	161
1412	The design of nanostructured sulfur cathodes using layer by layer assembly. Energy and Environmental Science, 2016, 9, 1668-1673.	30.8	45
1413	High-Energy-Density Lithium–Sulfur Batteries Based on Blade-Cast Pure Sulfur Electrodes. ACS Energy Letters, 2016, 1, 46-51.	17.4	109
1414	Polymerizations with elemental sulfur: A novel route to high sulfur content polymers for sustainability, energy and defense. Progress in Polymer Science, 2016, 58, 90-125.	24.7	321
1415	Mapping the Challenges of Magnesium Battery. Journal of Physical Chemistry Letters, 2016, 7, 1736-1749.	4.6	224
1416	Lithium ion batteries made of electrodes with 99Âwt% active materials and 1Âwt% carbon nanotubes without binder or metal foils. Journal of Power Sources, 2016, 321, 155-162.	7.8	33
1417	A lithium–tellurium rechargeable battery with exceptional cycling stability. Journal of Applied Electrochemistry, 2016, 46, 627-633.	2.9	31
1418	Highly efficient synthesis of ordered nitrogen-doped mesoporous carbons with tunable properties and its application in high performance supercapacitors. Journal of Power Sources, 2016, 321, 143-154.	7.8	77
1419	In situ synthesis of flexible elastic N-doped carbon foam as a carbon current collector and interlayer for high-performance lithium sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 8636-8644.	10.3	62

#	Article	IF	CITATIONS
1420	Electrode surface engineering by atomic layer deposition: A promising pathway toward better energy storage. Nano Today, 2016, 11, 250-271.	11.9	106
1421	An in situ confinement strategy to porous poly(3,4-ethylenedioxythiophene)/sulfur composites for lithium–sulfur batteries. RSC Advances, 2016, 6, 47858-47863.	3.6	9
1422	Graphene decorated with bimodal size of carbon polyhedrons for enhanced lithium storage. Carbon, 2016, 106, 9-19.	10.3	29
1423	Sulfur-impregnated 3D hierarchical porous nitrogen-doped aligned carbon nanotubes as high-performance cathode for lithium-sulfur batteries. Journal of Power Sources, 2016, 322, 138-146.	7.8	66
1424	A simply effective double-coating cathode with MnO 2 nanosheets/graphene as functionalized interlayer for high performance lithium-sulfur batteries. Electrochimica Acta, 2016, 207, 198-206.	5.2	85
1425	One-pot Biotemplate Synthesis of FeS 2 Decorated Sulfur-doped Carbon Fiber as High Capacity Anode for Lithium-ion Batteries. Electrochimica Acta, 2016, 209, 201-209.	5.2	63
1426	Inverse vulcanization of bismaleimide and divinylbenzene by elemental sulfur for lithium sulfur batteries. European Polymer Journal, 2016, 80, 70-77.	5.4	82
1427	A polydopamine coating ultralight graphene matrix as a highly effective polysulfide absorbent for high-energy Li S batteries. Renewable Energy, 2016, 96, 333-340.	8.9	24
1428	X-ray Absorption Spectroscopic Characterization of the Synthesis Process: Revealing the Interactions in Cetyltrimethylammonium Bromide-Modified Sulfur–Graphene Oxide Nanocomposites. Journal of Physical Chemistry C, 2016, 120, 10111-10117.	3.1	13
1429	Achieving high capacity retention in lithium-sulfur batteries with an aqueous binder. Electrochemistry Communications, 2016, 72, 79-82.	4.7	43
1430	Fabricating multifunctional nanoparticle membranes by a fast layer-by-layer Langmuir–Blodgett process: application in lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 14709-14719.	10.3	65
1431	Application of Gel Polymer Electrolytes Based on Ionic Liquids in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2016, 163, A2390-A2398.	2.9	31
1432	Atomic Layer Deposition for Lithiumâ€Based Batteries. Advanced Materials Interfaces, 2016, 3, 1600564.	3.7	71
1433	Efficient Polysulfide Chemisorption in Covalent Organic Frameworks for Highâ€Performance Lithium‣ulfur Batteries. Advanced Energy Materials, 2016, 6, 1601250.	19.5	231
1434	(De)Lithiation of tubular polypyrrole-derived carbon/sulfur composite in lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2016, 780, 26-31.	3.8	25
1435	Hierarchical Carbon Nanotubes with a Thick Microporous Wall and Inner Channel as Efficient Scaffolds for Lithium–Sulfur Batteries. Advanced Functional Materials, 2016, 26, 1571-1579.	14.9	177
1436	Surface oxidized mesoporous carbons derived from porous silicon as dual polysulfide confinement and anchoring cathodes in lithium sulfur batteries. Journal of Power Sources, 2016, 330, 70-77.	7.8	33
1437	[Fe(SCN)2(bipy)2]·2(S8): A two-dimensional coordination polymer intercalating the S8 molecules. Inorganic Chemistry Communication, 2016, 72, 128-131.	3.9	3

#	ARTICLE	IF	CITATIONS
1438	Anode of Li–S Batteries. Advanced Materials, 2016, 28, 9094-9102.	21.0	184
1439	Encapsulation of selenium sulfide in double-layered hollow carbon spheres as advanced electrode material for lithium storage. Nano Research, 2016, 9, 3725-3734.	10.4	45
1440	Biological cell derived N-doped hollow porous carbon microspheres for lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 15612-15620.	10.3	80
1441	Two dimensional and layered transition metal oxides. Applied Materials Today, 2016, 5, 73-89.	4.3	400
1442	Operando Resonant Inelastic X-ray Scattering: An Appropriate Tool to Characterize Sulfur in Li–S Batteries. Journal of Physical Chemistry C, 2016, 120, 24568-24576.	3.1	35
1443	Redox-Active Supramolecular Polymer Binders for Lithium–Sulfur Batteries That Adapt Their Transport Properties in Operando. Chemistry of Materials, 2016, 28, 7414-7421.	6.7	55
1444	Nanostructured positive electrode materials for post-lithium ion batteries. Energy and Environmental Science, 2016, 9, 3570-3611.	30.8	241
1445	Elucidating the Electrochemical Activity of Electrolyte-Insoluble Polysulfide Species in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2016, 163, A2109-A2116.	2.9	20
1446	Optimization of Pore Structure of Cathodic Carbon Supports for Solvate Ionic Liquid Electrolytes Based Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 27803-27813.	8.0	24
1447	Synthesis of S/CoS2 Nanoparticles-Embedded N-doped Carbon Polyhedrons from Polyhedrons ZIF-67 and their Properties in Lithium-Sulfur Batteries. Electrochimica Acta, 2016, 218, 243-251.	5.2	141
1448	In situ coating of Poly(3,4-ethylenedioxythiophene) on sulfur cathode for high performance lithium–sulfur batteries. Journal of Power Sources, 2016, 332, 72-78.	7.8	32
1449	Encapsulating sulfur into highly graphitized hollow carbon spheres as high performance cathode for lithium–sulfur batteries. RSC Advances, 2016, 6, 98035-98041.	3.6	9
1450	B,N-Co-doped Graphene Supported Sulfur for Superior Stable Li–S Half Cell and Ge–S Full Battery. ACS Applied Materials & Interfaces, 2016, 8, 27679-27687.	8.0	56
1451	A long-life lithium–sulphur battery by integrating zinc–organic framework based separator. Journal of Materials Chemistry A, 2016, 4, 16812-16817.	10.3	121
1452	A trifunctional multi-walled carbon nanotubes/polyethylene glycol (MWCNT/PEG)-coated separator through a layer-by-layer coating strategy for high-energy Li–S batteries. Journal of Materials Chemistry A, 2016, 4, 16805-16811.	10.3	72
1453	Direct Utilization of Elemental Sulfur in the Synthesis of Microporous Polymers for Natural Gas Sweetening. CheM, 2016, 1, 482-493.	11.7	46
1454	Enhanced performances of Li/polysulfide batteries with 3D reduced graphene oxide/carbon nanotube hybrid aerogel as the polysulfide host. Nano Energy, 2016, 30, 193-199.	16.0	55
1455	Novel Li[(CF ₃ SO ₂)(n-C ₄ F ₉ SO ₂)N]-Based Polymer Electrolytes for Solid-State Lithium Batteries with Superior Electrochemical Performance. ACS Applied Materials & Interfaces, 2016, 8, 29705-29712.	8.0	87

#	Article	IF	CITATIONS
1456	Light-weight functional layer on a separator as a polysulfide immobilizer to enhance cycling stability for lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 17033-17041.	10.3	70
1457	Tunable Large Mesopores in Carbon Nanofiber Interlayers for High-Rate Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2016, 163, A2745-A2756.	2.9	24
1458	Sulfur loaded in micropore-rich carbon aerogel as cathode of lithium-sulfur battery with improved cyclic stability. Journal of Power Sources, 2016, 334, 23-30.	7.8	50
1459	Precise Perforation and Scalable Production of Si Particles from Low-Grade Sources for High-Performance Lithium Ion Battery Anodes. Nano Letters, 2016, 16, 7210-7215.	9.1	105
1460	Investigating the all-solid-state batteries based on lithium garnets and a high potential cathode – LiMn _{1.5} Ni _{0.5} O ₄ . Nanoscale, 2016, 8, 18412-18420.	5.6	63
1461	Predicting the composition and formation of solid products in lithium–sulfur batteries by using an experimental phase diagram. Chemical Communications, 2016, 52, 12885-12888.	4.1	42
1462	Three-Dimensional CNT/Graphene–Li ₂ S Aerogel as Freestanding Cathode for High-Performance Li–S Batteries. ACS Energy Letters, 2016, 1, 820-826.	17.4	148
1463	Zn-MOF derived micro/meso porous carbon nanorod for high performance lithium–sulfur battery. RSC Advances, 2016, 6, 94629-94635.	3.6	35
1464	Enhancing the performance of lithium–sulfur batteries by anchoring polar polymers on the surface of sulfur host materials. Journal of Materials Chemistry A, 2016, 4, 16148-16156.	10.3	52
1465	Cloud cap-like, hierarchically porous carbon derived from mushroom as an excellent host cathode for high performance lithium-sulfur batteries. Electrochimica Acta, 2016, 212, 1021-1030.	5.2	70
1466	Polypyrrole/TiO2 nanotube arrays with coaxial heterogeneous structure as sulfur hosts for lithium sulfur batteries. Journal of Power Sources, 2016, 327, 447-456.	7.8	74
1467	Layer-by-Layer Assembled Architecture of Polyelectrolyte Multilayers and Graphene Sheets on Hollow Carbon Spheres/Sulfur Composite for High-Performance Lithium–Sulfur Batteries. Nano Letters, 2016, 16, 5488-5494.	9.1	104
1468	Tailoring Surface Acidity of Metal Oxide for Better Polysulfide Entrapment in Liâ€ S Batteries. Advanced Functional Materials, 2016, 26, 7164-7169.	14.9	95
1469	Confining Sulfur Species in Cathodes of Lithium–Sulfur Batteries: Insight into Nonpolar and Polar Matrix Surfaces. ACS Energy Letters, 2016, 1, 481-489.	17.4	53
1470	Evaluation of the Electrochemical Properties of Crystalline Copper Antimonide Thin Film Anodes for Lithium Ion Batteries Produced by Single Step Electrodeposition. Electrochimica Acta, 2016, 214, 253-264.	5.2	27
1471	In-situ Fabrication of a Freestanding Acrylate-based Hierarchical Electrolyte for Lithium-sulfur Batteries. Electrochimica Acta, 2016, 213, 871-878.	5.2	74
1472	Uniform Li2S precipitation on N,O-codoped porous hollow carbon fibers for high-energy-density lithium–sulfur batteries with superior stability. Chemical Communications, 2016, 52, 10964-10967.	4.1	42
1473	Graphene derived carbon confined sulfur cathodes for lithium-sulfur batteries: Electrochemical impedance studies. Electrochimica Acta, 2016, 214, 129-138.	5.2	43

#	Article	IF	Citations
1474	Simultaneous micropore development and nitrogen doping of ordered mesoporous carbons for enhanced supercapacitor and Li-S cathode performance. Electrochimica Acta, 2016, 214, 231-240.	5.2	21
1475	Rapid, in Situ Synthesis of High Capacity Battery Anodes through High Temperature Radiation-Based Thermal Shock. Nano Letters, 2016, 16, 5553-5558.	9.1	67
1476	Conductive Carbon Network inside a Sulfur-Impregnated Carbon Sponge: A Bioinspired High-Performance Cathode for Li–S Battery. ACS Applied Materials & Interfaces, 2016, 8, 22261-22269.	8.0	54
1477	Colloidal and micro-carbon spheres derived from low-temperature polymerization reactions. Advances in Colloid and Interface Science, 2016, 236, 113-141.	14.7	30
1478	Janus Separator of Polypropylene‣upported Cellular Graphene Framework for Sulfur Cathodes with High Utilization in Lithium–Sulfur Batteries. Advanced Science, 2016, 3, 1500268.	11.2	294
1479	Highly-flexible 3D Li2S/graphene cathode for high-performance lithium sulfur batteries. Journal of Power Sources, 2016, 327, 474-480.	7.8	114
1480	Spatially Interlinked Graphene with Uniformly Loaded Sulfur for High Performance Liâ€ S Batteries. Chinese Journal of Chemistry, 2016, 34, 41-45.	4.9	11
1481	Grapheneâ€Based Sulfur Composites for Energy Storage and Conversion in Liâ€5 Batteries. Chinese Journal of Chemistry, 2016, 34, 13-31.	4.9	32
1482	A MnO ₂ /Graphene Oxide/Multi-Walled Carbon Nanotubes-Sulfur Composite with Dual-Efficient Polysulfide Adsorption for Improving Lithium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 28566-28573.	8.0	77
1483	Modified Electronic Properties of Graphene. , 2016, , 167-182.		0
1484	Mesoporous TiO ₂ Nanocrystals/Graphene as an Efficient Sulfur Host Material for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 23784-23792.	8.0	89
1485	Titanium arbideâ€Decorated Carbon Nanofibers as Hybrid Electrodes for High Performance Liâ€ 5 Batteries. ChemNanoMat, 2016, 2, 937-941.	2.8	37
1486	A novel facile and fast hydrothermal-assisted method to synthesize sulfur/carbon composites for high-performance lithium–sulfur batteries. RSC Advances, 2016, 6, 81950-81957.	3.6	10
1487	Enhanced cycleability and dendrite-free lithium deposition by adding potassium ion to the electrolyte for lithium metal batteries. Electrochimica Acta, 2016, 212, 758-766.	5.2	31
1488	A Micelle Fusion–Aggregation Assembly Approach to Mesoporous Carbon Materials with Rich Active Sites for Ultrasensitive Ammonia Sensing. Journal of the American Chemical Society, 2016, 138, 12586-12595.	13.7	152
1489	One-pot in situ chemical reduction of graphene oxide and recombination of sulphur as a cathode material for a Li–S battery. Journal of Materials Chemistry A, 2016, 4, 15140-15147.	10.3	17
1490	An integrated electrode/separator with nitrogen and nickel functionalized carbon hybrids for advanced lithium/polysulfide batteries. Carbon, 2016, 109, 719-726.	10.3	55
1491	Bi2S3 in-situ formed in molten S environment stabilized sulfur cathodes for high-performance lithium-sulfur batteries. Journal of Power Sources, 2016, 329, 379-386.	7.8	24

#	Article	IF	CITATIONS
1492	Challenges and current development of sulfur cathode in lithium–sulfur battery. Current Opinion in Chemical Engineering, 2016, 13, 53-62.	7.8	23
1493	Preparation, characterization and application of modified macroporous carbon with Co N site for long-life lithium-sulfur battery. Journal of Power Sources, 2016, 328, 536-542.	7.8	44
1494	Nano-hydroxyapatite as an Efficient Polysulfide Absorbent for High-performance Li-S Batteries. Electrochimica Acta, 2016, 215, 162-170.	5.2	12
1495	Chemical modification of pristine carbon nanotubes and their exploitation as the carbon hosts for lithium-sulfur batteries. International Journal of Hydrogen Energy, 2016, 41, 21850-21860.	7.1	35
1496	Kinetically-enhanced polysulfide redox reactions by Nb ₂ O ₅ nanocrystals for high-rate lithium–sulfur battery. Energy and Environmental Science, 2016, 9, 3230-3239.	30.8	328
1497	Multifunctional Separator Coatings for Highâ€Performance Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2016, 3, 1600450.	3.7	59
1498	A review of recent developments in rechargeable lithium–sulfur batteries. Nanoscale, 2016, 8, 16541-16588.	5.6	326
1499	MOFs Derived Hierarchically Porous TiO 2 as Effective Chemical and Physical Immobilizer for Sulfur Species as Cathodes for High-Performance Lithium-Sulfur Batteries. Electrochimica Acta, 2016, 215, 689-698.	5.2	74
1500	Effects of Carbon Content on the Electrochemical Performances of MoS ₂ –C Nanocomposites for Li-Ion Batteries. ACS Applied Materials & Interfaces, 2016, 8, 22168-22174.	8.0	46
1501	Heteroatomic Se _{<i>n</i>} S _{8–<i>n</i>} Molecules Confined in Nitrogen-Doped Mesoporous Carbons as Reversible Cathode Materials for High-Performance Lithium Batteries. ACS Nano, 2016, 10, 8289-8298.	14.6	93
1502	Self-assembled sulfur/reduced graphene oxide nanoribbon paper as a free-standing electrode for high performance lithium–sulfur batteries. Chemical Communications, 2016, 52, 12825-12828.	4.1	39
1503	Rational Sulfur Cathode Design for Lithium–Sulfur Batteries: Sulfur-Embedded Benzoxazine Polymers. ACS Energy Letters, 2016, 1, 566-572.	17.4	107
1504	Coordination compound-derived ordered mesoporous N-free Fe–P _x –C material for efficient oxygen electroreduction. Journal of Materials Chemistry A, 2016, 4, 14291-14297.	10.3	20
1505	Reaction between Lithium Anode and Polysulfide Ions in a Lithium–Sulfur Battery. ChemSusChem, 2016, 9, 2348-2350.	6.8	37
1506	Ternary Porous Sulfur/Dual-Carbon Architectures for Lithium/Sulfur Batteries Obtained Continuously and on a Large Scale via an Industry-Oriented Spray-Pyrolysis/Sublimation Method. ACS Applied Materials & Interfaces, 2016, 8, 25251-25260.	8.0	15
1507	Toward More Reliable Lithium–Sulfur Batteries: An All-Graphene Cathode Structure. ACS Nano, 2016, 10, 8676-8682.	14.6	246
1508	Graphene Sandwiched by Sulfur-Confined Mesoporous Carbon Nanosheets: A Kinetically Stable Cathode for Li–S Batteries. ACS Applied Materials & Interfaces, 2016, 8, 33704-33711.	8.0	56
1509	Carbon Disulfide Cosolvent Electrolytes for High-Performance Lithium Sulfur Batteries. ACS Applied Materials & Mat	8.0	45

#	Article	IF	CITATIONS
1510	Effect of Hydrofluoroether Cosolvent Addition on Li Solvation in Acetonitrile-Based Solvate Electrolytes and Its Influence on S Reduction in a Li–S Battery. ACS Applied Materials & Interfaces, 2016, 8, 34360-34371.	8.0	58
1511	Exploring 3D microstructural evolution in Li-Sulfur battery electrodes using in-situ X-ray tomography. Scientific Reports, 2016, 6, 35291.	3.3	61
1512	Nanostructured energy materials for electrochemical energy conversion and storage: A review. Journal of Energy Chemistry, 2016, 25, 967-984.	12.9	409
1513	Achieving High-Performance Room-Temperature Sodium–Sulfur Batteries With S@Interconnected Mesoporous Carbon Hollow Nanospheres. Journal of the American Chemical Society, 2016, 138, 16576-16579.	13.7	280
1514	Gas Pickering Emulsion Templated Hollow Carbon for High Rate Performance Lithium Sulfur Batteries. Advanced Functional Materials, 2016, 26, 8408-8417.	14.9	98
1515	Hollow porous titanium nitride tubes as a cathode electrode for extremely stable Li–S batteries. Journal of Materials Chemistry A, 2016, 4, 16184-16190.	10.3	93
1516	Entrapment of Polysulfides by a Blackâ€Phosphorusâ€Modified Separator for Lithium–Sulfur Batteries. Advanced Materials, 2016, 28, 9797-9803.	21.0	453
1517	Effective Polysulfide Rejection by Dipoleâ€Aligned BaTiO ₃ Coated Separator in Lithium–Sulfur Batteries. Advanced Functional Materials, 2016, 26, 7817-7823.	14.9	170
1518	In situ formation of MoS ₂ /C nanocomposite as an anode for high-performance lithium-ion batteries. RSC Advances, 2016, 6, 92259-92266.	3.6	11
1519	Soybean-derived hierarchical porous carbon with large sulfur loading and sulfur content for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 16507-16515.	10.3	91
1520	A carbon nanofiber network for stable lithium metal anodes with high Coulombic efficiency and long cycle life. Nano Research, 2016, 9, 3428-3436.	10.4	120
1521	FeS2 nanocrystals prepared in hierarchical porous carbon for lithium-ion battery. Journal of Power Sources, 2016, 331, 366-372.	7.8	36
1522	Dense coating of Li4Ti5O12 and graphene mixture on the separator to produce long cycle life of lithium-sulfur battery. Nano Energy, 2016, 30, 1-8.	16.0	179
1523	Conversion from Li2SO4 to Li2S@C on carbon paper matrix: A novel integrated cathode for lithium-sulfur batteries. Journal of Power Sources, 2016, 331, 475-480.	7.8	38
1524	Mechanism of polysulfide immobilization on defective graphene sheets with N-substitution. Carbon, 2016, 110, 207-214.	10.3	92
1525	Facile and scalable synthesis of nanosized core–shell Li ₂ S@C composite for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 16653-16660.	10.3	26
1526	Suppressing the dissolution of polysulfides with cosolvent fluorinated diether towards high-performance lithium sulfur batteries. Physical Chemistry Chemical Physics, 2016, 18, 29293-29299.	2.8	59
1527	A simple melting-diffusing-reacting strategy to fabricate S/NiS ₂ –C for lithium–sulfur batteries. Nanoscale, 2016, 8, 17616-17622.	5.6	100

#	Article	IF	CITATIONS
1528	All-Solid-State Lithium-Sulfur Battery Based on a Nanoconfined LiBH ₄ Electrolyte. Journal of the Electrochemical Society, 2016, 163, A2029-A2034.	2.9	90
1529	Chlorideâ€Reinforced Carbon Nanofiber Host as Effective Polysulfide Traps in Lithium–Sulfur Batteries. Advanced Science, 2016, 3, 1600175.	11.2	68
1530	Enhanced Performance of a Lithium–Sulfur Battery Using a Carbonateâ€Based Electrolyte. Angewandte Chemie, 2016, 128, 10528-10531.	2.0	28
1531	Enhanced Performance of a Lithium–Sulfur Battery Using a Carbonateâ€Based Electrolyte. Angewandte Chemie - International Edition, 2016, 55, 10372-10375.	13.8	124
1532	Lithium metal protection through in-situ formed solid electrolyte interphase in lithium-sulfur batteries: The role of polysulfides on lithium anode. Journal of Power Sources, 2016, 327, 212-220.	7.8	222
1533	Designing high-energy lithium–sulfur batteries. Chemical Society Reviews, 2016, 45, 5605-5634.	38.1	2,008
1534	A Rechargeable Al/S Battery with an Ionic‣iquid Electrolyte. Angewandte Chemie, 2016, 128, 10052-10055.	2.0	64
1535	Preparation of Electrically Conductive Graphene-Based Aerogels to Modify the Supercapacitor Electrode Surface. , 2016, , 59-72.		0
1536	High Sulfur Loading in Hierarchical Porous Carbon Rods Constructed by Vertically Oriented Porous Grapheneâ€Like Nanosheets for Liâ€5 Batteries. Advanced Functional Materials, 2016, 26, 8952-8959.	14.9	159
1537	MnO modified carbon nanotubes as a sulfur host with enhanced performance in Li/S batteries. Journal of Materials Chemistry A, 2016, 4, 12858-12864.	10.3	80
1538	Synergistic Ultrathin Functional Polymer-Coated Carbon Nanotube Interlayer for High Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 20092-20099.	8.0	102
1539	Cyclized-polyacrylonitrile modified carbon nanofiber interlayers enabling strong trapping of polysulfides in lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 12973-12980.	10.3	64
1540	Nanostructured Li2Se cathodes for high performance lithium-selenium batteries. Nano Energy, 2016, 27, 238-246.	16.0	54
1541	Suppressed Polysulfide Crossover in Li–S Batteries through a High-Flux Graphene Oxide Membrane Supported on a Sulfur Cathode. ACS Nano, 2016, 10, 7768-7779.	14.6	144
1542	An Overview and Future Perspectives of Aluminum Batteries. Advanced Materials, 2016, 28, 7564-7579.	21.0	650
1543	Interfaceâ€Engineered Allâ€Solidâ€State Liâ€Ion Batteries Based on Garnetâ€Type Fast Li ⁺ Conductors. Advanced Energy Materials, 2016, 6, 1600736.	19.5	268
1544	A Rechargeable Al/S Battery with an Ionic‣iquid Electrolyte. Angewandte Chemie - International Edition, 2016, 55, 9898-9901.	13.8	215
1545	Sparingly Solvating Electrolytes for High Energy Density Lithium–Sulfur Batteries. ACS Energy Letters, 2016, 1, 503-509.	17.4	190

ARTICLE IF CITATIONS The Importance of Pore Size and Surface Polarity for Polysulfide Adsorption in Lithium Sulfur 3.7 76 1546 Batteries. Advanced Materials Interfaces, 2016, 3, 1600508. Structure Design and Performance Tuning of Nanomaterials for Electrochemical Energy Conversion 1547 15.6 and Storage. Accounts of Chemical Research, 2016, 49, 2569-2577. In Situ Reactive Synthesis of Polypyrrole-MnO₂ Coaxial Nanotubes as Sulfur Hosts for 1548 9.1 271 High-Performance Lithiumâ€"Sulfur Battery. Nano Letters, 2016, 16, 7276-7281. Immobilizing Polysulfides with MXene-Functionalized Separators for Stable Lithium–Sulfur Batteries. 1549 8.0 234 ACS Applied Materials & amp; Interfaces, 2016, 8, 29427-29433. Understanding and controlling the chemical evolution and polysulfide-blocking ability of lithium–sulfur battery membranes cast from polymers of intrinsic microporosity. Journal of 1550 10.3 45 Materials Chemistry A, 2016, 4, 16946-16952. Effective sulfur-salt composite cathode containing lithium bis(trifluoromethane) sulfonamide for lithium sulfur batteries. Electrochimica Acta, 2016, 220, 130-136. 5.2 Graphene-Based Hierarchically Micro/Mesoporous Nanocomposites as Sulfur Immobilizers for 1552 6.7 48 High-Performance Lithium–Sulfur Batteries. Chemistry of Materials, 2016, 28, 7864-7871. Promise and reality of post-lithium-ion batteries with high energy densities. Nature Reviews Materials, 48.7 3,562 2016, 1, . Mesoporous materials for energy conversion and storage devices. Nature Reviews Materials, 2016, 1, . 48.7 1,031 1554 A stable room-temperature sodiumâ€"sulfur battery. Nature Communications, 2016, 7, 11722. 12.8 459 Metalâ€"organic framework-based separator for lithiumâ€"sulfur batteries. Nature Energy, 2016, 1, . 1556 39.51.059 Three-dimensional and highly ordered porous carbon–MnO₂ composite foam for 3.6 excellent electromagnetic interference shielding efficiency. RSC Advances, 2016, 6, 100713-100722. High-performance supercapacitors and batteries derived from activated banana-peel with porous 1558 5.2 147 structures. Electrochimica Acta, 2016, 222, 1257-1266. Controlled Preparation of Well-Defined Mesoporous Carbon/Polymer Hybrids via Surface-Initiated ICAR ATRP with a High Dilution Strategy Assisted by Facile Polydopamine Chemistry. Macromolecules, 4.8 2016, 49, 8943-8950. Highly Reversible Diphenyl Trisulfide Catholyte for Rechargeable Lithium Batteries. ACS Energy 1560 17.4 82 Letters, 2016, 1, 1221-1226. Superior rate capability of a sulfur composite cathode in a tris(trimethylsilyl)borate-containing functional electrolyte. Chemical Communications, 2016, 52, 14430-14433. N-doped Carbon Framework/Reduced Graphene Oxide Nanocomposite as a Sulfur Reservoir for 1562 5.227 Lithium-Sulfur Batteries. Electrochimica Acta, 2016, 222, 1345-1353. Molybdenum Polysulfide Chalcogels as High-Capacity, Anion-Redox-Driven Electrode Materials for 69 Li-Ion Batteries. Chemistry of Materials, 2016, 28, 8357-8365.

ARTICLE IF CITATIONS A novel quasi-solid state electrolyte with highly effective polysulfide diffusion inhibition for 3.3 42 1564 lithium-sulfur batteries. Scientific Reports, 2016, 6, 25484. CeO₂ nanodots decorated ketjen black for high performance lithiumâ€"sulfur batteries. 3.6 RSC Advances, 2016, 6, 111190-111196. Preparation and Performance of Metal-Organic-Frameworks-Derived Activated Mesoporous Carbon Polyhedron with Sponge-Like Structure for Lithiumâ€"Sulfur Batteries. Journal of the Electrochemical 1566 2.9 17 Society, 2016, 163, A2922-A2929. Discharging a Li-S battery with ultra-high sulphur content cathode using a redox mediator. Scientific Reports, 2016, 6, 32433. Advanced Lithiumâ€"Sulfur Batteries Enabled by a Bioâ€Inspired Polysulfide Adsorptive Brush. Advanced 1568 14.9 120 Functional Materials, 2016, 26, 8418-8426. Sandwich-type porous carbon/sulfur/polyaniline composite as cathode material for high-performance 3.6 lithium–sulfur batteries. RSC Advances, 2016, 6, 104591-104596. Guar gum as a novel binder for sulfur composite cathodes in rechargeable lithium batteries. Chemical 1570 4.1 66 Communications, 2016, 52, 13479-13482. Effect of vapor pressure on performance of sulfurized polyacrylonitrile cathodes for Li/S batteries. 1571 3.6 29 RSC Advances, 2016, 6, 106625-106630. Growth of conformal graphene cages on micrometre-sized silicon particles as stable battery anodes. 1572 39.5 609 Nature Energy, 2016, 1, . Advances in lithium–sulfur batteries based on multifunctional cathodes and electrolytes. Nature 39.5 1,710 Energy, 2016, 1, . Promises and challenges of nanomaterials for lithium-based rechargeable batteries. Nature Energy, 1574 39.5 1.388 2016, 1, . Encapsulation of redox polysulphides via chemical interaction with nitrogen atoms in the organic 3.3 linkers of metal-organic framework nanocrystals. Scientific Reports, 2016, 6, 25555. Conductive framework of inverse opal structure for sulfur cathode in lithium-sulfur batteries. 1576 3.3 17 Scientific Reports, 2016, 6, 32800. Polysulfides Capture-Copper Additive for Long Cycle Life Lithium Sulfur Batteries. ACS Applied Materials & amp; Interfaces, 2016, 8, 30248-30255. 8.0 54 Aspergillus flavus Conidia-derived Carbon/Sulfur Composite as a Cathode Material for High 1578 3.3 22 Performance Lithiumâ€"Sulfur Battery. Scientific Reports, 2016, 6, 18739. A sulfur host based on titanium monoxide@carbon hollow spheres for advanced lithium–sulfur 1579 12.8 590 batteries. Nature Communications, 2016, 7, 13065. Biomass-derived hierarchical carbon as sulfur cathode stabilizing agent for lithium-sulfur batteries. 1580 2.7 39 Solid State Ionics, 2016, 297, 59-63. Balancing surface adsorption and diffusion of lithium-polysulfides on nonconductive oxides for 12.8 1,136 lithiumâ€"sulfur battery design. Nature Communications, 2016, 7, 11203.

ARTICLE IF CITATIONS Batteries: Sieving the ions. Nature Energy, 2016, 1, . 39.5 2 1582 Metalâ€"Sulfur Batteries. Electrochemical Energy Storage and Conversion, 2016, , 151-172. Low-temperature hydrogen desorption from Mg(BH4)2 catalysed by ultrafine Ni nanoparticles in a 1584 26 7.1 mesoporous carbon matrix. International Journal of Hydrogen Energy, 2016, 41, 20573-20582. Sustainable Sulfur-rich Copolymer/Graphene Composite as Lithium-Sulfur Battery Cathode with Excellent Electrochemical Performance. Scientific Reports, 2016, 6, 25207. Alleviating polarization by designing ultrasmall Li₂S nanocrystals encapsulated in N-rich carbon as a cathode material for high-capacity, long-life Liâ€"S batteries. Journal of Materials Chemistry 1586 10.3 29 A, 2016, 4, 18284-18288. Porous Carbon Paper as Interlayer to Stabilize the Lithium Anode for Lithium–Sulfur Battery. ACS 1587 8.0 Applied Materials & amp; Interfaces, 2016, 8, 31684-31694. High rate lithium-sulfur battery enabled by sandwiched single ion conducting polymer electrolyte. 1588 3.3 36 Scientific Reports, 2016, 6, 22048. Nanoscale defect engineering of lithium–sulfur battery composite cathodes for improved 1589 5.6 performance. Nanoscale, 2016, 8, 19368-19375. Understanding the Effect of Additives in Li-ion and Li-Sulfur Batteries by Operando ec- (S)TEM. 1590 0.4 5 Microscopy and Microanalysis, 2016, 22, 22-23. CaOâ€Templated Growth of Hierarchical Porous Graphene for Highâ€Power Lithium–Sulfur Battery 1591 14.9 Applications. Advanced Functional Materials, 2016, 26, 577-585 Activation of Oxygenâ€Stabilized Sulfur for Li and Na Batteries. Advanced Functional Materials, 2016, 26, 1592 14.9 80 745-752. 3D Grapheneâ€Foam–Reducedâ€Grapheneâ€Oxide Hybrid Nested Hierarchical Networks for Highâ€Performance_{21.0} 497 Li–S Batteries. Advanced Materials, 2016, 28, 1603-1609. Doubleâ€Shelled Nanocages with Cobalt Hydroxide Inner Shell and Layered Double Hydroxides Outer Shell as Highâ€Efficiency Polysulfide Mediator for Lithiumâ€"Sulfur Batteries. Angewandte Chemie, 2016, 1594 2.0 62 128, 4050-4054. A Strategy for Configuration of an Integrated Flexible Sulfur Cathode for Highâ€Performance 1595 Lithium†"Sulfur Batteries. Angewandte Chemie, 2016, 128, 4060-4064. Facile Solidâ€State Growth of 3D Wellâ€Interconnected Nitrogenâ€Rich Carbon Nanotubeâ€"Graphene Hybrid 1596 14.9 281 Architectures for Lithiumâ€"Sulfur Batteries. Advanced Functional Materials, 2016, 26, 1112-1119. A Cableâ€Shaped Lithium Sulfur Battery. Advanced Materials, 2016, 28, 491-496. 180 3D Interconnected Electrode Materials with Ultrahigh Areal Sulfur Loading for Li–S Batteries. 1598 21.0 488 Advanced Materials, 2016, 28, 3374-3382. Facile Synthesis of Nitrogenâ€Containing Mesoporous Carbon for Highâ€Performance Energy Storage 1599 3.3 Applications. Chemistry - A European Journal, 2016, 22, 4256-4262.

		CITATION RE	PORT	
#	ARTICLE	5044	IF	CITATION
1600	Multilayer Approach for Advanced Hybrid Lithium Battery. ACS Nano, 2010, 10, 0037-0		14.0	00
1601	<i>In Situ</i> Polymerization Synthesis of Ternary Sulfur/Polypyrrole/Graphe Cathode for Lithium/Sulfur Batteries. Materials Science Forum, 0, 847, 8-13.	ne Nanosheet	0.3	2
1602	Multi-shelled NiO hollow spheres: Easy hydrothermal synthesis and lithium storage per Journal of Alloys and Compounds, 2016, 685, 8-14.	formances.	5.5	61
1603	Graphene-like g-C3N4 nanosheets/sulfur as cathode for lithium–sulfur battery. Elect 2016, 210, 829-836.	rochimica Acta,	5.2	76
1604	Modified Separator Using Thin Carbon Layer Obtained from Its Cathode for Advanced Batteries. ACS Applied Materials & amp; Interfaces, 2016, 8, 16101-16107.	Lithium Sulfur	8.0	48
1605	Silicon dioxide molecular sieve with mono-layer carbon deposited in the channels and on nanotubes on the outside for lithium–sulfur batteries. RSC Advances, 2016, 6, 6055	carbon 0-60555.	3.6	4
1606	High-Performance All-Solid-State Lithium–Sulfur Battery Enabled by a Mixed-Conduc Li ₂ S Nanocomposite. Nano Letters, 2016, 16, 4521-4527.	tive	9.1	333
1607	Impact of Anionic Structure of Lithium Salt on the Cycling Stability of Lithium-Metal Ar Batteries. Journal of the Electrochemical Society, 2016, 163, A1776-A1783.	node in Li-S	2.9	40
1608	One-Dimensional Peptide Nanostructure Templated Growth of Iron Phosphate Nanost Lithium-Ion Battery Cathodes. ACS Applied Materials & Interfaces, 2016, 8, 1742	ructures for I-17427.	8.0	14
1609	SnO ₂ as a high-efficiency polysulfide trap in lithium–sulfur batteries. Na 13638-13645.	noscale, 2016, 8,	5.6	131
1610	Monoclinic sulfur cathode utilizing carbon for high-performance lithium–sulfur batte of Power Sources, 2016, 325, 495-500.	ries. Journal	7.8	28
1611	Flexible sulfur wires (Flex-SWs)—A new versatile platform for lithium-sulfur batteries. Electrochimica Acta, 2016, 212, 286-293.		5.2	12
1612	Highly Conductive, Sulfonated, UV-Cross-Linked Separators for Li–S Batteries. Chem 2016, 28, 5147-5154.	istry of Materials,	6.7	82
1613	A Novel TiO2-Wrapped Activated Carbon Fiber/Sulfur Hybrid Cathode for High Perform Sulfur Batteries. Electrochimica Acta, 2016, 210, 415-421.	ance Lithium	5.2	34
1614	Improvement of Cycling Performance of FeF ₃ -Based Lithium-Ion Battery b Additives. Journal of the Electrochemical Society, 2016, 163, A1633-A1636.	y Boron-Based	2.9	16
1615	Zinc-salt templating of hierarchical porous carbons for low electrolyte high energy lithi batteries (LE-LiS). Carbon, 2016, 107, 705-710.	um-sulfur	10.3	28
1616	A Graphite-Polysulfide Full Cell with DME-Based Electrolyte. Journal of the Electrochem 2016, 163, A1543-A1549.	ical Society,	2.9	22
1617	Synergistically Enhanced Polysulfide Chemisorption Using a Flexible Hybrid Separator Dual-Doped Mesoporous Carbon Coating for Advanced Lithium–Sulfur Batteries. AC Materials & Interfaces, 2016, 8, 14586-14595.	vith N and S S Applied	8.0	153

#	Article	IF	CITATIONS
1618	A binder-free sulfur/carbon composite electrode prepared by a sulfur sublimation method for Li–S batteries. RSC Advances, 2016, 6, 52642-52645.	3.6	10
1619	Sulfur Encapsulated in Mo ₄ O ₁₁ -Anchored Ultralight Graphene for High-Energy Lithium Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2016, 4, 3679-3687.	6.7	25
1620	Preparation and performance of sulfur–carbon composite based on hollow carbon nanofiber for lithium-sulfur batteries. Ionics, 2016, 22, 1509-1515.	2.4	6
1621	Free-Standing Copper Nanowire Network Current Collector for Improving Lithium Anode Performance. Nano Letters, 2016, 16, 4431-4437.	9.1	597
1622	Durable Li-S batteries with nano-sulfur/graphite nanoplatelets composites. Chemical Engineering Journal, 2016, 303, 369-383.	12.7	26
1623	Mesoporous carbon materials prepared from litchi shell as sulfur encapsulator for lithium-sulfur battery application. Journal of Power Sources, 2016, 324, 547-555.	7.8	83
1624	Copper sulfide microspheres wrapped with reduced graphene oxide for high-capacity lithium-ion storage. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2016, 213, 57-62.	3.5	10
1625	On the dispersion of lithium-sulfur battery cathode materials effected by electrostatic and stereo-chemical factors of binders. Journal of Power Sources, 2016, 324, 455-461.	7.8	56
1626	Promising Cell Configuration for Next-Generation Energy Storage: Li ₂ S/Graphite Battery Enabled by a Solvate Ionic Liquid Electrolyte. ACS Applied Materials & Interfaces, 2016, 8, 16053-16062.	8.0	67
1627	Amorphous TiS ₃ /S/C Composite Positive Electrodes with High Capacity for Rechargeable Lithium Batteries. Journal of the Electrochemical Society, 2016, 163, A1730-A1735.	2.9	7
1628	Biomass-derived nanostructured porous carbons for lithium-sulfur batteries. Science China Materials, 2016, 59, 389-407.	6.3	110
1629	The critical role of lithium nitrate in the gas evolution of lithium–sulfur batteries. Energy and Environmental Science, 2016, 9, 2603-2608.	30.8	202
1630	A flexible S1â^'xSex@porous carbon nanofibers (xâ‰ 0 .1) thin film with high performance for Li-S batteries and room-temperature Na-S batteries. Energy Storage Materials, 2016, 5, 50-57.	18.0	85
1631	A novel approach for development of graphene structure in mesoporous carbon of high specific surface area. Carbon, 2016, 107, 440-447.	10.3	17
1632	Optimized cell conditions for a high-energy density, large-scale Li-S battery. International Journal of Energy Research, 2016, 40, 670-676.	4.5	11
1633	Highâ€Performance Lithiumâ€Sulfur Batteries with a Selfâ€Supported, 3D Li ₂ Sâ€Doped Graphene Aerogel Cathodes. Advanced Energy Materials, 2016, 6, 1501355.	19.5	183
1634	No More HF: Teflonâ€Assisted Ultrafast Removal of Silica to Generate Highâ€Surfaceâ€Area Mesostructured Carbon for Enhanced CO ₂ Capture and Supercapacitor Performance. Angewandte Chemie, 2016, 128, 2072-2076.	2.0	5
1635	Functional Organosulfide Electrolyte Promotes an Alternate Reaction Pathway to Achieve High Performance in Lithium–Sulfur Batteries. Angewandte Chemie, 2016, 128, 4303-4307.	2.0	35

#	Article	IF	CITATIONS
1636	A Strategy for Configuration of an Integrated Flexible Sulfur Cathode for Highâ€Performance Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2016, 55, 3992-3996.	13.8	200
1637	Electrochemical Properties of Lithium–Sulfur Cells in a Very Wide Range of Sulfur Concentration. Bulletin of the Korean Chemical Society, 2016, 37, 148-153.	1.9	5
1638	Heterogeneous WS _{<i>x</i>} /WO ₃ Thorn-Bush Nanofiber Electrodes for Sodium-Ion Batteries. ACS Nano, 2016, 10, 3257-3266.	14.6	121
1639	Sisal-derived activated carbons for cost-effective lithium–sulfur batteries. RSC Advances, 2016, 6, 13772-13779.	3.6	45
1640	Chemical routes toward long-lasting lithium/sulfur cells. Nano Research, 2016, 9, 94-116.	10.4	112
1641	Carbon nitride based mesoporous materials as cathode matrix for high performance lithium–sulfur batteries. RSC Advances, 2016, 6, 13572-13580.	3.6	11
1642	Multiscale sulfur particles confined in honeycomb-like graphene with the assistance of bio-based adhesive for ultrathin and robust free-standing electrode of Li–S batteries with improved performance. RSC Advances, 2016, 6, 9320-9327.	3.6	20
1643	Scientific and technological challenges toward application of lithium–sulfur batteries. Chinese Physics B, 2016, 25, 018801.	1.4	15
1644	Synthesis and elevated temperature performance of a polypyrrole-sulfur-multi-walled carbon nanotube composite cathode for lithium sulfur batteries. Ionics, 2016, 22, 1103-1112.	2.4	28
1645	Evolution of the effect of sulfur confinement in graphene-based porous carbons for use in Li–S batteries. Nanoscale, 2016, 8, 4447-4451.	5.6	69
1646	Three-dimensional graphene framework with ultra-high sulfur content for a robust lithium–sulfur battery. Nano Research, 2016, 9, 240-248.	10.4	165
1647	Citrus-Peel-Derived, Nanoporous Carbon Nanosheets Containing Redox-Active Heteroatoms for Sodium-Ion Storage. ACS Applied Materials & Interfaces, 2016, 8, 3175-3181.	8.0	76
1648	Enhancement of electrochemical properties by polysulfide trapping in a graphene-coated sulfur cathode on patterned current collector. Chemical Communications, 2016, 52, 3203-3206.	4.1	15
1649	Longitudinal unzipped carbon nanotubes with high specific surface area and trimodal pore structure. RSC Advances, 2016, 6, 8661-8668.	3.6	16
1650	Binder-free network-enabled MoS2-PPY-rGO ternary electrode for high capacity and excellent stability of lithium storage. Journal of Power Sources, 2016, 307, 510-518.	7.8	80
1651	Biomass-mediated synthesis of carbon-supported nanostructured metal sulfides for ultra-high performance lithium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 2738-2745.	10.3	24
1652	Cross-stacked carbon nanotube film as an additional built-in current collector and adsorption layer for high-performance lithium sulfur batteries. Nanotechnology, 2016, 27, 075401.	2.6	20
1653	Graphene functionalized attapulgite/sulfur composite as cathode of lithium–sulfur batteries for energy storage. Microporous and Mesoporous Materials, 2016, 224, 239-244.	4.4	23

#	Article	IF	CITATIONS
1654	Rational design of a nested pore structure sulfur host for fast Li/S batteries with a long cycle life. Journal of Materials Chemistry A, 2016, 4, 1653-1662.	10.3	57
1655	Assessment of the density of (meso)porous materials from standard volumetric physisorption data. Microporous and Mesoporous Materials, 2016, 223, 53-57.	4.4	16
1656	Solid state lithiation–delithiation of sulphur in sub-nano confinement: a new concept for designing lithium–sulphur batteries. Chemical Science, 2016, 7, 1224-1232.	7.4	69
1657	Sol–gel encapsulated lithium polysulfide catholyte and its application in lithium–sulfur batteries. Materials Horizons, 2016, 3, 137-144.	12.2	18
1658	Layered carbide-derived carbon with hierarchically porous structure for high rate lithium-sulfur batteries. Electrochimica Acta, 2016, 188, 385-392.	5.2	54
1659	A graphene-like metallic cathode host for long-life and high-loading lithium–sulfur batteries. Materials Horizons, 2016, 3, 130-136.	12.2	409
1660	Phosphorus-doped carbon–carbon nanotube hierarchical monoliths as true three-dimensional electrodes in supercapacitor cells. Journal of Materials Chemistry A, 2016, 4, 1251-1263.	10.3	136
1661	Interactions Between Electrolytes and Carbon-Based Materials—NMR Studies on Electrical Double-Layer Capacitors, Lithium-Ion Batteries, and Fuel Cells. Annual Reports on NMR Spectroscopy, 2016, , 237-318.	1.5	17
1662	Enhanced Li–S Batteries Using Amine-Functionalized Carbon Nanotubes in the Cathode. ACS Nano, 2016, 10, 1050-1059.	14.6	289
1663	Reduced graphene oxide-hollow carbon sphere nanostructure cathode material with ultra-high sulfur content for high performance lithium-sulfur batteries. Electrochimica Acta, 2016, 188, 516-522.	5.2	24
1664	Perspectives in in situ transmission electron microscopy studies on lithium battery electrodes. Current Opinion in Chemical Engineering, 2016, 12, 37-43.	7.8	26
1665	A few-layered Ti ₃ C ₂ nanosheet/glass fiber composite separator as a lithium polysulphide reservoir for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 5993-5998.	10.3	130
1666	Improved cycling stability of lithium–sulphur batteries by enhancing the retention of active material with a sandwiched hydrothermally treated graphite film. RSC Advances, 2016, 6, 34131-34136.	3.6	10
1667	A methodical approach for fabrication of binder-free Li2S-C composite cathode with high loading of active material for Li-S battery. Carbon, 2016, 103, 163-171.	10.3	45
1668	1-D oriented cross-linking hierarchical porous carbon fibers as a sulfur immobilizer for high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 5965-5972.	10.3	92
1669	One-step microwave synthesized core–shell structured selenium@carbon spheres as cathode materials for rechargeable lithium batteries. Chemical Communications, 2016, 52, 5613-5616.	4.1	41
1670	Comprehensive electronic structure characterization of pristine and nitrogen/phosphorus doped carbon nanocages. Carbon, 2016, 103, 480-487.	10.3	23
1671	Li2S@C composite incorporated into 3D reduced graphene oxide as a cathode material for lithium-sulfur batteries. Journal of Power Sources, 2016, 313, 233-239.	7.8	57

#	Article	IF	CITATIONS
1672	On the effect of gold nanoparticles loading within carbonaceous macro-mesocellular foams toward lithium-sulfur battery performances. Solid State Sciences, 2016, 55, 112-120.	3.2	4
1673	Highâ€Energy, Highâ€Rate, Lithium–Sulfur Batteries: Synergetic Effect of Hollow TiO ₂ â€Webbed Carbon Nanotubes and a Dual Functional Carbonâ€Paper Interlayer. Advanced Energy Materials, 2016, 6, 1501480.	19.5	308
1674	Mildly reduced less defective graphene oxide/sulfur/carbon nanotube composite films for high-performance lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2016, 18, 11104-11110.	2.8	30
1675	A graphene oxide-wrapped bipyramidal sulfur@polyaniline core–shell structure as a cathode for Li–S batteries with enhanced electrochemical performance. Journal of Materials Chemistry A, 2016, 4, 6404-6410.	10.3	98
1676	Amorphous Red Phosphorus Embedded in Highly Ordered Mesoporous Carbon with Superior Lithium and Sodium Storage Capacity. Nano Letters, 2016, 16, 1546-1553.	9.1	360
1677	Latest development of nanostructured Si/C materials for lithium anode studies and applications. Energy Storage Materials, 2016, 4, 1-14.	18.0	101
1678	Nitrogen-doped porous "green carbon―derived from shrimp shell: Combined effects of pore sizes and nitrogen doping on the performance of lithium sulfur battery. Journal of Alloys and Compounds, 2016, 671, 17-23.	5.5	73
1679	Hierarchical Carbon with High Nitrogen Doping Level: A Versatile Anode and Cathode Host Material for Long-Life Lithium-Ion and Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 10274-10282.	8.0	49
1680	Novel gel polymer electrolyte for high-performance lithium–sulfur batteries. Nano Energy, 2016, 22, 278-289.	16.0	382
1681	Rational design and preparation of few-layered MoSe ₂ nanosheet@C/TiO ₂ nanobelt heterostructures with superior lithium storage performance. RSC Advances, 2016, 6, 23161-23168.	3.6	47
1682	Self-Assembly of Polyethylene Glycol-Grafted Carbon Nanotube/Sulfur Composite with Nest-like Structure for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 6061-6071.	8.0	42
1683	Natural Integrated Carbon Architecture for Rechargeable Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2016, 4, 666-670.	6.7	55
1684	Long-Life and High-Areal-Capacity Li–S Batteries Enabled by a Light-Weight Polar Host with Intrinsic Polysulfide Adsorption. ACS Nano, 2016, 10, 4111-4118.	14.6	376
1685	Highly porous polyacrylonitrile/graphene oxide membrane separator exhibiting excellent anti-self-discharge feature for high-performance lithium–sulfur batteries. Carbon, 2016, 101, 272-280.	10.3	214
1686	Towards Next Generation Lithium-Sulfur Batteries: Non-Conventional Carbon Compartments/Sulfur Electrodes and Multi-Scale Analysis. Journal of the Electrochemical Society, 2016, 163, A730-A741.	2.9	43
1687	Three-dimensional porous carbon composites containing high sulfur nanoparticle content for high-performance lithium–sulfur batteries. Nature Communications, 2016, 7, 10601.	12.8	637
1688	Effects of compatibility of polymer binders with solvate ionic liquid electrolytes on discharge and charge reactions of lithium-sulfur batteries. Journal of Power Sources, 2016, 307, 746-752.	7.8	52
1689	Film Properties of Electropolymerized Polypyrrole for a Sulfur/Ketjenblack Cathode in Lithium Secondary Batteries. Journal of the Electrochemical Society, 2016, 163, A683-A689.	2.9	25

#	Article	IF	CITATIONS
1690	Ketjen Black-MnO Composite Coated Separator For High Performance Rechargeable Lithium-Sulfur Battery. Electrochimica Acta, 2016, 192, 346-356.	5.2	122
1691	Nanocellulose-laden composite polymer electrolytes for high performing lithium–sulphur batteries. Energy Storage Materials, 2016, 3, 69-76.	18.0	102
1692	Separator modified by Ketjen black for enhanced electrochemical performance of lithium–sulfur batteries. RSC Advances, 2016, 6, 13680-13685.	3.6	54
1693	Nanostructured nitrogen-doped mesoporous carbon derived from polyacrylonitrile for advanced lithium sulfur batteries. Applied Surface Science, 2016, 380, 151-158.	6.1	45
1694	Comparative theoretical study of adsorption of lithium polysulfides (Li2Sx) on pristine and defective graphene. Journal of Power Sources, 2016, 308, 166-171.	7.8	70
1695	Improvement of Cycling Performance of Lithium–Sulfur Batteries by Using Magnesium Oxide as a Functional Additive for Trapping Lithium Polysulfide. ACS Applied Materials & Interfaces, 2016, 8, 4000-4006.	8.0	161
1696	Dual-shell hollow polyaniline/sulfur-core/polyaniline composites improving the capacity and cycle performance of lithium–sulfur batteries. Applied Surface Science, 2016, 375, 215-222.	6.1	28
1697	A ternary sulphonium composite Cu3BiS3/S as cathode materials for lithium–sulfur batteries. Journal of Materials Science, 2016, 51, 5139-5145.	3.7	22
1698	<i>In Situ</i> Reactive Assembly of Scalable Core–Shell Sulfur–MnO ₂ Composite Cathodes. ACS Nano, 2016, 10, 4192-4198.	14.6	351
1699	Synthesis of graphitic ordered mesoporous carbon with cubic symmetry and its application in lithium–sulfur batteries. Nanotechnology, 2016, 27, 125401.	2.6	16
1700	Self-assembled peptides for coating of active sulfur nanoparticles in lithium–sulfur battery. Journal of Nanoparticle Research, 2016, 18, 1.	1.9	10
1701	Immobilization of sulfur in microgels for lithium–sulfur battery. Chemical Communications, 2016, 52, 4525-4528.	4.1	36
1702	Atomic layer deposited TiO ₂ on a nitrogen-doped graphene/sulfur electrode for high performance lithium–sulfur batteries. Energy and Environmental Science, 2016, 9, 1495-1503.	30.8	320
1703	Distribution of Sulfur in Carbon/Sulfur Nanocomposites Analyzed by Small-Angle X-ray Scattering. Langmuir, 2016, 32, 2780-2786.	3.5	36
1704	Stabilization of polysulfides via lithium bonds for Li–S batteries. Journal of Materials Chemistry A, 2016, 4, 5406-5409.	10.3	105
1705	Synthesis and electrochemical performances of mixed-valence vanadium oxide/ordered mesoporous carbon composites for supercapacitors. RSC Advances, 2016, 6, 25056-25061.	3.6	15
1706	Ball-milling synthesis of ZnO@sulphur/carbon nanotubes and Ni(OH)2@sulphur/carbon nanotubes composites for high-performance lithium-sulphur batteries. Electrochimica Acta, 2016, 196, 369-376.	5.2	77
1707	A novel synergistic composite with multi-functional effects for high-performance Li–S batteries. Energy and Environmental Science, 2016, 9, 1998-2004.	30.8	527

ARTICLE IF CITATIONS Activation of micropore-confined sulfur within hierarchical porous carbon for lithium-sulfur 1708 7.8 36 batteries. Journal of Power Sources, 2016, 306, 617-622. Advanced Sulfur Cathode Enabled by Highly Crumpled Nitrogen-Doped Graphene Sheets for 1709 9.1 High-Energy-Density Lithium–Sulfur Batteries. Nano Letters, 2016, 16, 864-870. Powering Lithiumâ€"Sulfur Battery Performance by Propelling Polysulfide Redox at Sulfiphilic Hosts. 1710 9.1 1,294 Nano Letters, 2016, 16, 519-527. Efficient Activation of High-Loading Sulfur by Small CNTs Confined Inside a Large CNT for High-Capacity and High-Rate Lithium–Sulfur Batteries. Nano Letters, 2016, 16, 440-447. 1711 9.1 170 Ge/GeO₂-Ordered Mesoporous Carbon Nanocomposite for Rechargeable Lithium-Ion Batteries with a Long-Term Cycling Performance. ACS Applied Materials & Amp; Interfaces, 2016, 8, 1712 8.0 88 232-239. Novel strategies towards the realization of larger lithium sulfur/silicon pouch cells. Electrochimica Acta, 2016, 191, 124-132. 1713 5.2 A novel acetylene black/sulfur@graphene composite cathode with unique three-dimensional 1714 5.2 42 sandwich structure for lithium-sulfur batteries. Electrochimica Acta, 2016, 190, 426-433. Sulfur Nanogranular Film-Coated Three-Dimensional Graphene Sponge-Based High Power Lithium 1715 8.0 Sulfur Battery. ACS Applied Materials & amp; Interfaces, 2016, 8, 1984-1991. Magnetic PSA-Fe 3 O 4 @C 3D mesoporous microsphere as anode for lithium ion batteries. 1716 5.2 26 Electrochimica Acta, 2016, 188, 734-743. Tri-modal mesoporous carbon/sulfur nanocomposite for high performance Li-S battery. 1717 5.2 Electrochimica Acta, 2016, 190, 322-328. A dual-spatially-confined reservoir by packing micropores within dense graphene for long-life 1718 5.6 43 lithium/sulfur batteries. Nanoscale, 2016, 8, 2395-2402. Electronic and ionic co-conductive coating on the separator towards high-performance 1719 lithium–sulfur batteries. Journal of Power Sources, 2016, 306, 347-353. Three-Dimensional Growth of Li₂S in Lithium–Sulfur Batteries Promoted by a Redox 1720 9.1 199 Mediator. Nano Letters, 2016, 16, 549-554. High-Performance Lithium–Sulfur Batteries with a Self-Assembled Multiwall Carbon Nanotube Interlayer and a Robust Electrode–Electrolyte Interface. ACS Applied Materials & Difference and the second sec 8.0 104 8, 983-987. Sulfur Embedded in a Mesoporous Carbon Nanotube Network as a Binder-Free Electrode for 1722 14.6 196 High-Performance Lithiumâ'€"Sulfur Batteries. ACS Nano, 2016, 10, 1300-1308. Hierarchical sulfur-impregnated hydrogenated TiO₂mesoporous spheres comprising anatase nanosheets with highly exposed (001) facets for advanced Li-S batteries. Nanotechnology, 2016, 27, 045403. Incorporating Sulfur Inside the Pores of Carbons for Advanced Lithium–Sulfur Batteries: An 1724 14.6 109 Electrolysis Approach. ACS Nano, 2016, 10, 1633-1639. Nitrogen, sulfur-codoped graphene sponge as electroactive carbon interlayer for high-energy and -power lithium–sulfur batteries. Journal of Power Sources, 2016, 303, 22-28.

#	Article	IF	CITATIONS
1726	C–S@PANI composite with a polymer spherical network structure for high performance lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2016, 18, 261-266.	2.8	29
1727	Improved cycling stability of lithium–sulfur batteries using a polypropylene-supported nitrogen-doped mesoporous carbon hybrid separator as polysulfide adsorbent. Journal of Power Sources, 2016, 303, 317-324.	7.8	114
1728	Silicon(lithiated)–sulfur full cells with porous silicon anode shielded by Nafion against polysulfides to achieve high capacity and energy density. Nano Energy, 2016, 19, 68-77.	16.0	77
1729	Electrochemical characterization of sulfur with low depth of charge/discharge in lithium sulfur batteries. Electrochimica Acta, 2016, 187, 629-635.	5.2	19
1730	Carbon-supported and nanosheet-assembled vanadium oxide microspheres for stable lithium-ion battery anodes. Nano Research, 2016, 9, 128-138.	10.4	64
1731	Enhancement of cycle performance of Li–S batteries by redistribution of sulfur. Chemical Communications, 2016, 52, 1198-1201.	4.1	20
1732	To mitigate self-discharge of lithium–sulfur batteries by optimizing ionic liquid electrolytes. Energy and Environmental Science, 2016, 9, 224-231.	30.8	196
1733	Graphene-directed two-dimensional porous carbon frameworks for high-performance lithium–sulfur battery cathodes. Journal of Materials Chemistry A, 2016, 4, 314-320.	10.3	83
1734	A gel-ceramic multi-layer electrolyte for long-life lithium sulfur batteries. Chemical Communications, 2016, 52, 1637-1640.	4.1	113
1735	Polyamidoamine dendrimer-based binders for high-loading lithium–sulfur battery cathodes. Nano Energy, 2016, 19, 176-186.	16.0	132
1736	A layer-by-layer supramolecular structure for a sulfur cathode. Energy and Environmental Science, 2016, 9, 992-998.	30.8	52
1737	High Ionic Conductivity of Composite Solid Polymer Electrolyte via In Situ Synthesis of Monodispersed SiO ₂ Nanospheres in Poly(ethylene oxide). Nano Letters, 2016, 16, 459-465.	9.1	791
1738	Wet Chemistry Synthesis of Multidimensional Nanocarbon–Sulfur Hybrid Materials with Ultrahigh Sulfur Loading for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 3584-3590.	8.0	108
1739	Recent advances in electrospun carbon nanofibers and their application in electrochemical energy storage. Progress in Materials Science, 2016, 76, 319-380.	32.8	579
1740	Tunable porous structure of metal organic framework derived carbon and the application in lithium–sulfur batteries. Journal of Power Sources, 2016, 302, 174-179.	7.8	100
1741	TiO ₂ as an active or supplemental material for lithium batteries. Journal of Materials Chemistry A, 2016, 4, 14-31.	10.3	166
1742	Partially unzipped carbon nanotubes for high-rate and stable lithium–sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 819-826.	10.3	76
1743	Binder-free polymer encapsulated sulfur–carbon nanotube composite cathodes for high performance lithium batteries. Carbon, 2016, 96, 1053-1059.	10.3	64

#	Article	IF	Citations
1744	Performance study of magnesium–sulfur battery using a graphene based sulfur composite cathode electrode and a non-nucleophilic Mg electrolyte. Nanoscale, 2016, 8, 3296-3306.	5.6	247
1745	Carbon materials for Li–S batteries: Functional evolution and performance improvement. Energy Storage Materials, 2016, 2, 76-106.	18.0	504
1746	High surface area porous polymer frameworks: Potential host material for lithium–sulfur batteries. Journal of Alloys and Compounds, 2016, 657, 626-630.	5.5	27
1747	High-power lithium polysulfide-carbon battery. Carbon, 2016, 96, 125-130.	10.3	22
1748	Hierarchical structured graphene/metal oxide/porous carbon composites as anode materials for lithium-ion batteries. Materials Research Bulletin, 2016, 73, 102-110.	5.2	37
1749	Synthesis and characterization of sulfur–carbon–vanadium pentoxide composites for improved electrochemical properties of lithium–sulfur batteries. Materials Research Bulletin, 2016, 73, 164-170.	5.2	32
1750	Lithium Batteries. , 2016, , 29-68.		27
1751	A new solid polymer electrolyte incorporating Li10GeP2S12 into a polyethylene oxide matrix for all-solid-state lithium batteries. Journal of Power Sources, 2016, 301, 47-53.	7.8	371
1752	Sulfur encapsulated in porous carbon nanospheres and coated with conductive polyaniline as cathode of lithium–sulfur battery. Journal of Solid State Electrochemistry, 2016, 20, 153-161.	2.5	39
1753	The controllable construction and properties characterization of organic–inorganic hybrid materials based on benzoxazine-bridged polysilsesquioxanes. RSC Advances, 2017, 7, 3136-3144.	3.6	11
1754	Catalytic oxidation of Li ₂ S on the surface of metal sulfides for Liâ^'S batteries. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 840-845.	7.1	1,030
1755	Towards stable lithium-sulfur batteries: Mechanistic insights into electrolyte decomposition on lithium metal anode. Energy Storage Materials, 2017, 8, 194-201.	18.0	171
1756	Electrocatalytic activity of lithium polysulfides adsorbed into porous TiO2 coated MWCNTs hybrid structure for lithium-sulfur batteries. Scientific Reports, 2017, 7, 40679.	3.3	26
1757	Timeâ€dependent density functional theory study on directionâ€dependent electron and hole transfer processes in molecular systems. Journal of Computational Chemistry, 2017, 38, 698-703.	3.3	3
1758	Introducing ion-transport-regulating nanochannels to lithium-sulfur batteries. Nano Energy, 2017, 33, 205-212.	16.0	54
1759	Porous Oneâ€Dimensional Nanomaterials: Design, Fabrication and Applications in Electrochemical Energy Storage. Advanced Materials, 2017, 29, 1602300.	21.0	615
1760	Understanding the Origin of Irreversible Capacity loss in Non-Carbonized Carbonate â^' based Metal Organic Framework (MOF) Sulfur hosts for Lithium â^' Sulfur battery. Electrochimica Acta, 2017, 229, 208-218.	5.2	49
1761	Facile fabrication of nanoporous graphene powder for high-rate lithium–sulfur batteries. RSC Advances, 2017, 7, 5177-5182.	3.6	14

#	Article	IF	CITATIONS
1762	Freestanding and Sandwich‧tructured Electrode Material with High Areal Mass Loading for Longâ€Life Lithium–Sulfur Batteries. Advanced Energy Materials, 2017, 7, 1602347.	19.5	159
1763	Heterogeneous Catalysis for Lithium–Sulfur Batteries: Enhanced Rate Performance by Promoting Polysulfide Fragmentations. ACS Energy Letters, 2017, 2, 327-333.	17.4	174
1764	Highly flexible, freestanding tandem sulfur cathodes for foldable Li–S batteries with a high areal capacity. Materials Horizons, 2017, 4, 249-258.	12.2	78
1765	High power rechargeable magnesium/iodine battery chemistry. Nature Communications, 2017, 8, 14083.	12.8	251
1766	Poly(3,4-ethylene-dioxythiophene)-poly(styrenesulfonate) glued and graphene encapsulated sulfur-carbon film for high-performance free-standing lithium-sulfur batteries. Journal of Power Sources, 2017, 342, 772-778.	7.8	22
1767	Inhibiting the shuttle effect of Li–S battery with a graphene oxide coating separator: Performance improvement and mechanism study. Journal of Power Sources, 2017, 342, 929-938.	7.8	108
1768	Ordered SnO nanoparticles in MWCNT as a functional host material for high-rate lithium-sulfur battery cathode. Nano Research, 2017, 10, 2083-2095.	10.4	40
1769	Hierarchical Porous Carbon Materials Derived from Self-Template Bamboo Leaves for Lithium–Sulfur Batteries. Electrochimica Acta, 2017, 229, 352-360.	5.2	55
1770	A Mixed Microporous/Low-range Mesoporous Composite with High Sulfur Loading from Hierarchically-structured Carbon for Lithium Sulfur Batteries. Electrochimica Acta, 2017, 230, 181-188.	5.2	36
1771	Zinc diphosphide nanowires: bismuth nanocrystal-seeded growth and their use as high-capacity lithium ion battery anodes. CrystEngComm, 2017, 19, 975-981.	2.6	17
1772	High performance all-solid-state lithium-sulfur battery using a Li2S-VGCF nanocomposite. Electrochimica Acta, 2017, 230, 279-284.	5.2	56
1773	Ultra-microporous carbons encapsulate small sulfur molecules for high performance lithium-sulfur battery. Nano Energy, 2017, 33, 402-409.	16.0	120
1774	Nanostructured Metal Oxides and Sulfides for Lithium–Sulfur Batteries. Advanced Materials, 2017, 29, 1601759.	21.0	1,197
1775	A Fluorinated Ether Electrolyte Enabled High Performance Prelithiated Graphite/Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 6959-6966.	8.0	65
1776	The mechanism of Li2S activation in lithium-sulfur batteries: Can we avoid the polysulfide formation?. Journal of Power Sources, 2017, 344, 208-217.	7.8	82
1777	Selenium and Selenium–Sulfur Chemistry for Rechargeable Lithium Batteries: Interplay of Cathode Structures, Electrolytes, and Interfaces. ACS Energy Letters, 2017, 2, 605-614.	17.4	110
1778	Salt-Induced Phase Separation to Synthesize Ordered Mesoporous Carbon by pH-Controlled Self-Assembly. Journal of Physical Chemistry C, 2017, 121, 1243-1248.	3.1	11
1779	Suppressing Selfâ€Ðischarge and Shuttle Effect of Lithium–Sulfur Batteries with V ₂ O ₅ â€Ðecorated Carbon Nanofiber Interlayer. Small, 2017, 13, 1602539.	10.0	190

#	Article	IF	CITATIONS
1780	The rise of lithium–selenium batteries. Sustainable Energy and Fuels, 2017, 1, 14-29.	4.9	203
1781	Hybrid graphene@MoS ₂ @TiO ₂ microspheres for use as a high performance negative electrode material for lithium ion batteries. Journal of Materials Chemistry A, 2017, 5, 3667-3674.	10.3	66
1782	Polymer-Capped Sulfur Copolymers as Lithium–Sulfur Battery Cathode: Enhanced Performance by Combined Contributions of Physical and Chemical Confinements. Journal of Physical Chemistry C, 2017, 121, 2495-2503.	3.1	79
1783	The strategies of advanced cathode composites for lithium-sulfur batteries. Science China Technological Sciences, 2017, 60, 175-185.	4.0	25
1784	High-rate-capability asymmetric supercapacitor device based on lily-like Co ₃ O ₄ nanostructures assembled using nanowires. RSC Advances, 2017, 7, 3752-3759.	3.6	22
1785	Complex Hollow Nanostructures: Synthesis and Energyâ€Related Applications. Advanced Materials, 2017, 29, 1604563.	21.0	627
1786	Tungsten Disulfide Catalysts Supported on a Carbon Cloth Interlayer for High Performance Li–S Battery. Advanced Energy Materials, 2017, 7, 1602567.	19.5	309
1787	Hydroxylated N-doped carbon nanotube-sulfur composites as cathodes for high-performance lithium-sulfur batteries. Journal of Power Sources, 2017, 343, 54-59.	7.8	78
1788	High performance asymmetric supercapacitors with ultrahigh energy density based on hierarchical carbon nanotubes@NiO core–shell nanosheets and defect-introduced graphene sheets with hole structure. RSC Advances, 2017, 7, 7843-7856.	3.6	68
1789	Persulfurated Coronene: A New Generation of "Sulflowerâ€. Journal of the American Chemical Society, 2017, 139, 2168-2171.	13.7	89
1790	Sulfiphilic Nickel Phosphosulfide Enabled Li ₂ S Impregnation in 3D Graphene Cages for Li–S Batteries. Advanced Materials, 2017, 29, 1603366.	21.0	139
1791	Core–Shell Structure and Interaction Mechanism of γâ€MnO ₂ Coated Sulfur for Improved Lithiumâ€ S ulfur Batteries. Small, 2017, 13, 1603466.	10.0	145
1792	Structure controllable carbon matrix derived from benzene-constructed porous organic polymers for high-performance Li-S batteries. Carbon, 2017, 116, 633-639.	10.3	16
1793	Graphitic Nanocarbon–Selenium Cathode with Favorable Rate Capability for Li–Se Batteries. ACS Applied Materials & Interfaces, 2017, 9, 8759-8765.	8.0	54
1794	High-content of sulfur uniformly embedded in mesoporous carbon: a new electrodeposition synthesis and an outstanding lithium–sulfur battery cathode. Journal of Materials Chemistry A, 2017, 5, 5905-5911.	10.3	37
1795	Improving the capacity of lithium–sulfur batteries by tailoring the polysulfide adsorption efficiency of hierarchical oxygen/nitrogen-functionalized carbon host materials. Physical Chemistry Chemical Physics, 2017, 19, 8349-8355.	2.8	24
1796	Implantable Solid Electrolyte Interphase in Lithium-Metal Batteries. CheM, 2017, 2, 258-270.	11.7	474
1797	Supercritical fluid assisted synthesis of titanium carbide particles embedded in mesoporous carbon for advanced Li-S batteries. Journal of Alloys and Compounds, 2017, 706, 227-233.	5.5	20

#		IF	CITATIONS
π 1798	Insights into the redistribution of sulfur species during cycling in lithium-sulfur batteries using physisorption methods. Nano Energy, 2017, 34, 437-441.	16.0	29
1799	Discovery-Synthesis, Design, and Prediction of Chalcogenide Phases. Inorganic Chemistry, 2017, 56, 3158-3173.	4.0	156
1800	An Analogous Periodic Law for Strong Anchoring of Polysulfides on Polar Hosts in Lithium Sulfur Batteries: S- or Li-Binding on First-Row Transition-Metal Sulfides?. ACS Energy Letters, 2017, 2, 795-801.	17.4	264
1801	Transforming waste newspapers into nitrogen-doped conducting interlayers for advanced Li–S batteries. Sustainable Energy and Fuels, 2017, 1, 444-449.	4.9	26
1802	The use of polymers in Liâ€ S batteries: A review. Journal of Polymer Science Part A, 2017, 55, 1635-1668.	2.3	119
1803	Characterization of Sulfur and Nanostructured Sulfur Battery Cathodes in Electron Microscopy Without Sublimation Artifacts. Microscopy and Microanalysis, 2017, 23, 155-162.	0.4	40
1804	Enhanced Li–S battery performance based on solution-impregnation-assisted sulfur/mesoporous carbon cathodes and a carbon-coated separator. Journal of Materials Chemistry A, 2017, 5, 5750-5760.	10.3	48
1805	Controllable synthesis of highly uniform flower-like hierarchical carbon nanospheres and their application in high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 6245-6256.	10.3	48
1806	A New Type of Multifunctional Polar Binder: Toward Practical Application of High Energy Lithium Sulfur Batteries. Advanced Materials, 2017, 29, 1605160.	21.0	284
1807	Easily Accessible, Textile Fiber-Based Sulfurized Poly(acrylonitrile) as Li/S Cathode Material: Correlating Electrochemical Performance with Morphology and Structure. ACS Energy Letters, 2017, 2, 595-604.	17.4	116
1808	Enhanced performance of sulfur-infiltrated bimodal mesoporous carbon foam by chemical solution deposition as cathode materials for lithium sulfur batteries. Scientific Reports, 2017, 7, 42238.	3.3	20
1809	Intricate Hollow Structures: Controlled Synthesis and Applications in Energy Storage and Conversion. Advanced Materials, 2017, 29, 1602914.	21.0	523
1810	A highly stretchable gel-polymer electrolyte for lithium-sulfur batteries. Polymer, 2017, 112, 447-456.	3.8	37
1811	Effective Suppression of Polysulfide Dissolution by Uniformly Transfer-Printed Conducting Polymer on Sulfur Cathode for Li-S Batteries. Journal of the Electrochemical Society, 2017, 164, A6417-A6421.	2.9	26
1812	Polysulfide Anchoring Mechanism Revealed by Atomic Layer Deposition of V ₂ O ₅ and Sulfur-Filled Carbon Nanotubes for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 7185-7192.	8.0	100
1813	Hydroniumâ€lon Batteries with Perylenetetracarboxylic Dianhydride Crystals as an Electrode. Angewandte Chemie - International Edition, 2017, 56, 2909-2913.	13.8	169
1814	Sulfurâ€Rich Phosphorus Sulfide Molecules for Use in Rechargeable Lithium Batteries. Angewandte Chemie - International Edition, 2017, 56, 2937-2941.	13.8	50
1815	A carbon-based 3D current collector with surface protection for Li metal anode. Nano Research, 2017, 10, 1356-1365.	10.4	200

#	Article	IF	Citations
1816	Nitrogen-doped microporous carbon from polyaspartic acid bonding separator for high performance lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2017, 791, 167-174.	3.8	24
1817	Aluminium-ion batteries: developments and challenges. Journal of Materials Chemistry A, 2017, 5, 6347-6367.	10.3	312
1818	Lock of sulfur with carbon black and a three-dimensional graphene@carbon nanotubes coated separator for lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 708, 743-750.	5.5	54
1819	Pyrrole as a promising electrolyte additive to trap polysulfides for lithium-sulfur batteries. Journal of Power Sources, 2017, 348, 175-182.	7.8	95
1820	Sulfurâ€Rich Phosphorus Sulfide Molecules for Use in Rechargeable Lithium Batteries. Angewandte Chemie, 2017, 129, 2983-2987.	2.0	6
1821	Regenerative Polysulfide-Scavenging Layers Enabling Lithium–Sulfur Batteries with High Energy Density and Prolonged Cycling Life. ACS Nano, 2017, 11, 2697-2705.	14.6	132
1822	Pressure Profile for an Associating Lennard-Jones Fluid Confined in a Spherical Cavity. Journal of Physical Chemistry B, 2017, 121, 2142-2152.	2.6	7
1823	Carboxymethyl cellulose binders enable high-rate capability of sulfurized polyacrylonitrile cathodes for Li–S batteries. Journal of Materials Chemistry A, 2017, 5, 5460-5465.	10.3	62
1824	Recent innovative configurations in high-energy lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 5222-5234.	10.3	115
1825	Hydroniumâ€ion Batteries with Perylenetetracarboxylic Dianhydride Crystals as an Electrode. Angewandte Chemie, 2017, 129, 2955-2959.	2.0	53
1826	Characteristics of glyme electrolytes for sodium battery: nuclear magnetic resonance and electrochemical study. Electrochimica Acta, 2017, 231, 223-229.	5.2	39
1828	Revealing Localized Electrochemical Transition of Sulfur in Sub-nanometer Confinement. Springer Theses, 2017, , 23-37.	0.1	1
1829	Flexible Nanostructured Sulfur–Carbon Nanotube Cathode with High-Rate Performance for Li–S Batteries. Springer Theses, 2017, , 39-55.	0.1	0
1830	A Graphene Foam Electrode with High Sulfur Loading for Flexible and High-Energy Li–S Batteries. Springer Theses, 2017, , 95-112.	0.1	1
1831	Enhanced Li–S batteries using cation-functionalized pigment nanocarbon in core–shell structured composite cathodes. Journal of Materials Chemistry A, 2017, 5, 5559-5567.	10.3	21
1832	A Conductive Molecular Framework Derived Li ₂ S/N,P odoped Carbon Cathode for Advanced Lithium–Sulfur Batteries. Advanced Energy Materials, 2017, 7, 1602876.	19.5	258
1833	Sulfonic Groups Originated Dual-Functional Interlayer for High Performance Lithium–Sulfur Battery. ACS Applied Materials & Interfaces, 2017, 9, 14878-14888.	8.0	126
1834	Flexible three-dimensional electrodes of hollow carbon bead strings as graded sulfur reservoirs and the synergistic mechanism for lithium–sulfur batteries. Applied Surface Science, 2017, 413, 209-218.	6.1	38

#	Article	IF	CITATIONS
1835	Improved Rate Performance of Lithium Sulfur Batteries by In-Situ Anchoring of Lithium Iodide in Carbon/Sulfur Cathode. Electrochimica Acta, 2017, 238, 257-262.	5.2	30
1836	Investigation of in situ grown and carbon-free copper sulfide electrode for rechargeable lithium battery. Journal of Electroanalytical Chemistry, 2017, 794, 8-14.	3.8	9
1837	Atomic-Layer-Deposition Functionalized Carbonized Mesoporous Wood Fiber for High Sulfur Loading Lithium Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 14801-14807.	8.0	77
1838	Understanding the role of lithium sulfide clusters in lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 9293-9298.	10.3	43
1839	Elaborately Designed Micro–Mesoporous Graphitic Carbon Spheres as Efficient Polysulfide Reservoir for Lithium–Sulfur Batteries. ACS Energy Letters, 2017, 2, 1105-1114.	17.4	84
1840	A novel strategy for high-stability lithium sulfur batteries by in situ formation of polysulfide adsorptive-blocking layer. Journal of Power Sources, 2017, 355, 147-153.	7.8	30
1841	A sulfur–eugenol allyl ether copolymer: a material synthesized via inverse vulcanization from renewable resources and its application in Li–S batteries. Materials Chemistry Frontiers, 2017, 1, 1818-1822.	5.9	80
1842	Redox-Active Macrocycles for Organic Rechargeable Batteries. Journal of the American Chemical Society, 2017, 139, 6635-6643.	13.7	106
1843	Boosting the electrochemical performance of Li-garnet based all-solid-state batteries with Li4Ti5O12 electrode: Routes to cheap and large scale ceramic processing. Journal of Electroceramics, 2017, 38, 182-188.	2.0	22
1844	Functional membrane separators for next-generation high-energy rechargeable batteries. National Science Review, 2017, 4, 917-933.	9.5	89
1845	Caterpillar-like graphene confining sulfur by restacking effect for high performance lithium sulfur batteries. Chemical Engineering Journal, 2017, 322, 454-462.	12.7	33
1846	Hierarchical carbon microstructures prepared from oil-palm-shell tracheids for Li–S batteries. New Journal of Chemistry, 2017, 41, 4110-4115.	2.8	12
1847	Three-dimensional stable lithium metal anode with nanoscale lithium islands embedded in ionically conductive solid matrix. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 4613-4618.	7.1	285
1848	Synergistic protective effect of a BN-carbon separator for highly stable lithium sulfur batteries. NPG Asia Materials, 2017, 9, e375-e375.	7.9	85
1849	Porous Carbon Composites for Next Generation Rechargeable Lithium Batteries. Advanced Energy Materials, 2017, 7, 1700283.	19.5	263
1850	Multifunctional Freeâ€Standing Gel Polymer Electrolyte with Carbon Nanofiber Interlayers for Highâ€Performance Lithiumâ€"Sulfur Batteries. Chemistry - an Asian Journal, 2017, 12, 1470-1474.	3.3	35
1851	Graphene directed architecture of fine engineered nanostructures with electrochemical applications. Electrochimica Acta, 2017, 242, 202-218.	5.2	24
1852	Garnet Solid Electrolyte Protected Li-Metal Batteries. ACS Applied Materials & Interfaces, 2017, 9, 18809-18815.	8.0	247

#	Article	IF	CITATIONS
1853	Nanoconfined NaAlH ₄ Conversion Electrodes for Li Batteries. ACS Omega, 2017, 2, 1956-1967.	3.5	18
1854	Mechanism on the Improved Performance of Lithium Sulfur Batteries with MXene-Based Additives. Journal of Physical Chemistry C, 2017, 121, 11047-11054.	3.1	118
1855	Understanding Heterogeneous Electrocatalysis of Lithium Polysulfide Redox on Pt and WS ₂ Surfaces. Journal of Physical Chemistry C, 2017, 121, 12718-12725.	3.1	42
1856	Facilitating the redox reaction of polysulfides by an electrocatalytic layer-modified separator for lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 10936-10945.	10.3	87
1857	Long-Life Lithium–Sulfur Battery Derived from Nori-Based Nitrogen and Oxygen Dual-Doped 3D Hierarchical Biochar. ACS Applied Materials & Interfaces, 2017, 9, 18889-18896.	8.0	66
1858	Tuning the Adsorption of Polysulfides in Lithium–Sulfur Batteries with Metal–Organic Frameworks. Chemistry of Materials, 2017, 29, 4932-4939.	6.7	98
1859	Freestanding Flexible Li ₂ S Paper Electrode with High Mass and Capacity Loading for Highâ€Energy Li–S Batteries. Advanced Energy Materials, 2017, 7, 1700018.	19.5	152
1860	Review on Highâ€Loading and Highâ€Energy Lithium–Sulfur Batteries. Advanced Energy Materials, 2017, 7, 1700260.	19.5	1,307
1861	Crossâ€Linked Sulfur–Selenium Polymers as Holeâ€Transporting Materials in Dyeâ€Sensitized Solar Cells and Perovskite Solar Cells. ChemPhotoChem, 2017, 1, 363-368.	3.0	13
1862	Practical Challenges in Employing Graphene for Lithium-Ion Batteries and Beyond. Small Methods, 2017, 1, 1700099.	8.6	31
1863	High-performance nitrogen-doped titania nanowire decorated carbon cloth electrode for lithium-polysulfide batteries. Electrochimica Acta, 2017, 242, 137-145.	5.2	22
1864	Electrolyte decomposition and gas evolution in a lithium-sulfur cell upon long-term cycling. Electrochimica Acta, 2017, 243, 26-32.	5.2	31
1865	Combined mediator and electrochemical charging and discharging of redox targeting lithium-sulfur flow batteries. Materials Today Energy, 2017, 5, 15-21.	4.7	24
1866	Activator-induced tuning of micromorphology and electrochemical properties in biomass carbonaceous materials derived from mushroom for lithium-sulfur batteries. Electrochimica Acta, 2017, 242, 146-158.	5.2	44
1867	Direct observation of lithium polysulfides in lithium–sulfur batteries using operando X-rayÂdiffraction. Nature Energy, 2017, 2, .	39.5	257
1868	Recent Progress in the Design of Advanced Cathode Materials and Battery Models for Highâ€Performance Lithiumâ€X (X = O ₂ , S, Se, Te, I ₂ , Br ₂) Batteries. Advanced Materials, 2017, 29, 1606454.	21.0	240
1869	Highâ€Performance Aqueous Rechargeable Liâ€Ni Battery Based on Ni(OH) ₂ /NiOOH Redox Couple with High Voltage. Advanced Energy Materials, 2017, 7, 1700155.	19.5	39
1870	Microporous novolac-derived carbon beads/sulfur hybrid cathode for lithium-sulfur batteries. Journal of Power Sources, 2017, 357, 198-208.	7.8	33

#	Article	IF	CITATIONS
1871	Three-dimensional bilayer garnet solid electrolyte based high energy density lithium metal–sulfur batteries. Energy and Environmental Science, 2017, 10, 1568-1575.	30.8	499
1872	Highâ€Performance Allâ€5olidâ€5tate Lithium–Sulfur Batteries Enabled by Amorphous Sulfurâ€Coated Reduced Graphene Oxide Cathodes. Advanced Energy Materials, 2017, 7, 1602923.	19.5	331
1873	Carbonate-based additive for improvement of cycle durability of electrodeposited Si-O-C composite anode in glyme-based ionic liquid electrolyte for use in lithium secondary batteries. Electrochimica Acta, 2017, 243, 65-71.	5.2	18
1874	Hollow spherical Lanthanum oxide coated separator for high electrochemical performance lithium-sulfur batteries. Materials Research Bulletin, 2017, 94, 104-112.	5.2	38
1875	Nucleophilic substitution between polysulfides and binders unexpectedly stabilizing lithium sulfur battery. Nano Energy, 2017, 38, 82-90.	16.0	119
1876	Recent advances in cathode materials for Li–S battery: structure and performance. Rare Metals, 2017, 36, 365-380.	7.1	27
1877	Pyrolyzed bacterial cellulose/graphene oxide sandwich interlayer for lithium–sulfur batteries. Rare Metals, 2017, 36, 418-424.	7.1	30
1878	Hierarchical porous carbon derived from animal bone as matric to encapsulated selenium for high performance Li–Se battery. Rare Metals, 2017, 36, 434-441.	7.1	12
1879	MnO 2 -GO double-shelled sulfur (S@MnO 2 @GO) as a cathode for Li-S batteries with improved rate capability and cyclic performance. Journal of Power Sources, 2017, 356, 72-79.	7.8	58
1880	A composite of hollow carbon nanospheres and sulfur-rich polymers for lithium-sulfur batteries. Journal of Power Sources, 2017, 357, 11-18.	7.8	56
1881	Free-standing sulfur host based on titanium-dioxide-modified porous-carbon nanofibers for lithium-sulfur batteries. Journal of Power Sources, 2017, 356, 172-180.	7.8	91
1882	Stable Artificial Solid Electrolyte Interphases for Lithium Batteries. Chemistry of Materials, 2017, 29, 4181-4189.	6.7	199
1883	Hard–Soft Composite Carbon as a Long ycling and Highâ€Rate Anode for Potassiumâ€lon Batteries. Advanced Functional Materials, 2017, 27, 1700324.	14.9	471
1884	An Improved Li–SeS ₂ Battery with High Energy Density and Long Cycle Life. Advanced Energy Materials, 2017, 7, 1700281.	19.5	111
1885	Materials Genomics Screens for Adaptive Ion Transport Behavior by Redox-Switchable Microporous Polymer Membranes in Lithium–Sulfur Batteries. ACS Central Science, 2017, 3, 399-406.	11.3	44
1886	Hierarchical sulfur confinement by graphene oxide wrapped, walnut-like carbon spheres for cathode of Li-S battery. Journal of Alloys and Compounds, 2017, 714, 311-317.	5.5	32
1887	Sulfur Nanodots Stitched in 2D "Bubble-Like―Interconnected Carbon Fabric as Reversibility-Enhanced Cathodes for Lithium–Sulfur Batteries. ACS Nano, 2017, 11, 4694-4702.	14.6	84
1888	Sulfur Vapor-Infiltrated 3D Carbon Nanotube Foam for Binder-Free High Areal Capacity Lithium–Sulfur Battery Composite Cathodes. ACS Nano, 2017, 11, 4877-4884.	14.6	235

#	Article	IF	CITATIONS
1889	Gum‣ike Nanocomposites as Conformable, Conductive, and Adhesive Electrode Matrix for Energy Storage Devices. Advanced Energy Materials, 2017, 7, 1601767.	19.5	40
1890	Thermodynamic origins of the solvent-dependent stability of lithium polysulfides from first principles. Physical Chemistry Chemical Physics, 2017, 19, 1441-1448.	2.8	41
1891	Ferroelectricâ€Enhanced Polysulfide Trapping for Lithium–Sulfur Battery Improvement. Advanced Materials, 2017, 29, 1604724.	21.0	149
1892	Effect of Current Collector on Performance of Liâ€5 Batteries. Advanced Materials Interfaces, 2017, 4, 1600811.	3.7	14
1893	Preparation of monodispersed sulfur nanoparticles-partly reduced graphene oxide-polydopamine composite for superior performance lithium-sulfur battery. Carbon, 2017, 114, 8-14.	10.3	53
1894	High-performance lithium-sulfur batteries with a carbonized bacterial cellulose/TiO 2 modified separator. Journal of Electroanalytical Chemistry, 2017, 788, 150-155.	3.8	42
1895	High capacity of lithium-sulfur batteries at low electrolyte/sulfur ratio enabled by an organosulfide containing electrolyte. Nano Energy, 2017, 31, 418-423.	16.0	83
1896	Conductive graphene oxide-polyacrylic acid (GOPAA) binder for lithium-sulfur battery. Nano Energy, 2017, 31, 568-574.	16.0	147
1897	Research Progress toward the Practical Applications of Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 24407-24421.	8.0	95
1898	Catecholamine-Functionalized Reduced Graphene Oxide: A Scalable Carbon Host for Stable Cycling in Lithium–Sulfur Batteries. Electrochimica Acta, 2017, 246, 451-458.	5.2	20
1899	Towards flexible lithium-sulfur battery from natural cotton textile. Electrochimica Acta, 2017, 246, 507-516.	5.2	137
1900	Mechanistic Insights into Surface Chemical Interactions between Lithium Polysulfides and Transition Metal Oxides. Journal of Physical Chemistry C, 2017, 121, 14222-14227.	3.1	86
1902	Separator modified by Y2O3 nanoparticles-Ketjen Black hybrid and its application in lithium-sulfur battery. Journal of Solid State Electrochemistry, 2017, 21, 3229-3236.	2.5	25
1903	Double-oxide sulfur host for advanced lithium-sulfur batteries. Nano Energy, 2017, 38, 12-18.	16.0	93
1904	Balancing the chemisorption and charge transport properties of the interlayer in lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 12506-12512.	10.3	62
1905	Lithium ion, lithium metal, and alternative rechargeable battery technologies: the odyssey for high energy density. Journal of Solid State Electrochemistry, 2017, 21, 1939-1964.	2.5	787
1906	Strategies of constructing stable and high sulfur loading cathodes based on the blade-casting technique. Journal of Materials Chemistry A, 2017, 5, 12879-12888.	10.3	38
1907	Techniques for realizing practical application of sulfur cathodes in future Li-ion batteries. Journal of Solid State Electrochemistry, 2017, 21, 1925-1937.	2.5	14

#	Article	IF	CITATIONS
1908	A Robust, Waterâ€Based, Functional Binder Framework for Highâ€Energy Lithium–Sulfur Batteries. ChemSusChem, 2017, 10, 2758-2766.	6.8	40
1909	The Complexation between Amide Groups of Polyamideâ€6 and Polysulfides in the Lithium–Sulfur Battery. Macromolecular Materials and Engineering, 2017, 302, 1700122.	3.6	14
1910	Rational Design of Lithium–Sulfur Battery Cathodes Based on Experimentally Determined Maximum Active Material Thickness. Journal of the American Chemical Society, 2017, 139, 9229-9237.	13.7	38
1911	How to make inert boron nitride nanosheets active for the immobilization of polysulfides for lithium–sulfur batteries: a computational study. Physical Chemistry Chemical Physics, 2017, 19, 18208-18216.	2.8	35
1912	Cathode materials for lithium–sulfur batteries: a practical perspective. Journal of Materials Chemistry A, 2017, 5, 17734-17776.	10.3	226
1913	Ultra-high rate Li–S batteries based on a novel conductive Ni ₂ P yolk–shell material as the host for the S cathode. Journal of Materials Chemistry A, 2017, 5, 14519-14524.	10.3	86
1914	Prussian Blue Nanocubes with an Open Framework Structure Coated with PEDOT as High apacity Cathodes for Lithium–Sulfur Batteries. Advanced Materials, 2017, 29, 1700587.	21.0	170
1915	Encapsulating a high content of iodine into an active graphene substrate as a cathode material for high-rate lithium–iodine batteries. Journal of Materials Chemistry A, 2017, 5, 15235-15242.	10.3	55
1916	A novel bi-functional double-layer rGO–PVDF/PVDF composite nanofiber membrane separator with enhanced thermal stability and effective polysulfide inhibition for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 15096-15104.	10.3	121
1917	Structural Motifs for Modeling Sulfurâ€Poly(acrylonitrile) Composite Materials in Sulfurâ€Lithium Batteries. ChemElectroChem, 2017, 4, 2494-2499.	3.4	7
1918	Dual confinement of sulphur with rGO-wrapped microporous carbon from β-cyclodextrin nanosponges as a cathode material for Li–S batteries. Journal of Solid State Electrochemistry, 2017, 21, 3411-3420.	2.5	15
1919	A bifunctional hierarchical porous carbon network integrated with an in situ formed ultrathin graphene shell for stable lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 13674-13682.	10.3	30
1920	Roomâ€Temperature Sodiumâ€Sulfur Batteries: A Comprehensive Review on Research Progress and Cell Chemistry. Advanced Energy Materials, 2017, 7, 1602829.	19.5	270
1921	A Dual-Function Na ₂ SO ₄ Template Directed Formation of Cathode Materials with a High Content of Sulfur Nanodots for Lithium-Sulfur Batteries. Small, 2017, 13, 1700358.	10.0	26
1922	Directing the Lithium–Sulfur Reaction Pathway via Sparingly Solvating Electrolytes for High Energy Density Batteries. ACS Central Science, 2017, 3, 605-613.	11.3	164
1923	Electrocatalysis of polysulfide conversion by sulfur-deficient MoS ₂ nanoflakes for lithium–sulfur batteries. Energy and Environmental Science, 2017, 10, 1476-1486.	30.8	805
1924	Nanosized Li2S-based cathodes derived from MoS2 for high-energy density Li–S cells and Si–Li2S full cells in carbonate-based electrolyte. Energy Storage Materials, 2017, 8, 209-216.	18.0	47
1925	Walnut shell – Derived activated carbon: Synthesis and its application in the sulfur cathode for lithium–sulfur batteries. Journal of Alloys and Compounds, 2017, 718, 373-378.	5.5	44

		15	0
#	ARTICLE	IF	CITATIONS
1926	all-solid-state lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 12934-12942.	10.3	126
1927	Paperâ€Based Electrodes for Flexible Energy Storage Devices. Advanced Science, 2017, 4, 1700107.	11.2	361
1928	Pore geometry effect on the synthesis of silica supported perovskite oxides. Journal of Colloid and Interface Science, 2017, 504, 346-355.	9.4	6
1929	Lithium-ion batteries for sustainable energy storage: recent advances towards new cell configurations. Green Chemistry, 2017, 19, 3442-3467.	9.0	205
1930	Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 6197-6202.	7.1	151
1931	Co ₄ N Nanosheet Assembled Mesoporous Sphere as a Matrix for Ultrahigh Sulfur Content Lithium–Sulfur Batteries. ACS Nano, 2017, 11, 6031-6039.	14.6	390
1932	Reduced graphene oxide coated porous carbon–sulfur nanofiber as a flexible paper electrode for lithium–sulfur batteries. Nanoscale, 2017, 9, 9129-9138.	5.6	53
1933	Metallic and polar Co 9 S 8 inlaid carbon hollow nanopolyhedra as efficient polysulfide mediator for lithiumâ~'sulfur batteries. Nano Energy, 2017, 38, 239-248.	16.0	314
1934	Activated graphene with tailored pore structure parameters for long cycle-life lithium–sulfur batteries. Nano Research, 2017, 10, 4305-4317.	10.4	52
1935	Burning lithium in CS2 for high-performing compact Li2S–graphene nanocapsules for Li–SÂbatteries. Nature Energy, 2017, 2, .	39.5	349
1936	Li–S batteries: Firing for compactness. Nature Energy, 2017, 2, .	39.5	30
1937	A hybrid electrolyte for long-life semi-solid-state lithium sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 13971-13975.	10.3	52
1938	A Toolbox for Lithium–Sulfur Battery Research: Methods and Protocols. Small Methods, 2017, 1, 1700134.	8.6	230
1939	Hierarchical self-supported C@TiO2-MoS2 core-shell nanofiber mats as flexible anode for advanced lithium ion batteries. Applied Surface Science, 2017, 423, 375-382.	6.1	40
1940	Core-double shell sulfur@carbon black nanosphere@oxidized carbon nanosheet composites as the cathode materials for Li-S batteries. Electrochimica Acta, 2017, 237, 78-86.	5.2	21
1941	MOF-templated thermolysis for porous CuO/Cu2O@CeO2 anode material of lithium-ion batteries with high rate performance. Journal of Materials Science, 2017, 52, 7140-7148.	3.7	23
1942	Preparation of ordered N-doped mesoporous carbon materials via a polymer–ionic liquid assembly. Chemical Communications, 2017, 53, 4915-4918.	4.1	29
1943	Biotemplating pores with size and shape diversity for Li-oxygen Battery Cathodes. Scientific Reports, 2017, 7, 45919.	3.3	25

#	Article	IF	CITATIONS
1944	More Reliable Lithium‣ulfur Batteries: Status, Solutions and Prospects. Advanced Materials, 2017, 29, 1606823.	21.0	1,414
1945	Gaseous-phase, silica-coated sulfur particles as a cathode material for high-performance lithium/sulfur batteries. Journal of Materials Science: Materials in Electronics, 2017, 28, 8901-8907.	2.2	9
1946	Three-dimensionally ordered, ultrathin graphitic-carbon frameworks with cage-like mesoporosity for highly stable Li-S batteries. Nano Research, 2017, 10, 2495-2507.	10.4	30
1947	A Facile Synthesis of Mesoporous TiO 2 Sub-Microsphere Host for Long Life Lithium-Sulfur Battery Cathodes. Electrochimica Acta, 2017, 239, 56-64.	5.2	33
1948	Interface Stability of Argyrodite Li ₆ PS ₅ Cl toward LiCoO ₂ , LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ , and LiMn ₂ O ₄ in Bulk All-Solid-State Batteries. Chemistry of Materials, 2017, 29, 3883-3890.	6.7	424
1949	Effect of fibrous separators on the performance of lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2017, 19, 11239-11248.	2.8	19
1950	Solid-State Lithium–Sulfur Batteries Operated at 37 °C with Composites of Nanostructured Li ₇ La ₃ Zr ₂ O ₁₂ /Carbon Foam and Polymer. Nano Letters, 2017, 17, 2967-2972.	9.1	384
1951	Rational Method for Improving the Performance of Lithiumâ€Sulfur Batteries: Coating the Separator with Lithium Fluoride. ChemElectroChem, 2017, 4, 1535-1543.	3.4	21
1952	Recent progress in Li–S and Li–Se batteries. Rare Metals, 2017, 36, 339-364.	7.1	84
1953	Influence of cations in lithium and magnesium polysulphide solutions: dependence of the solvent chemistry. Physical Chemistry Chemical Physics, 2017, 19, 11152-11162.	2.8	85
1954	Binding S _{0.6} Se _{0.4} in 1D Carbon Nanofiber with CS Bonding for Highâ€Performance Flexible Li–S Batteries and Na–S Batteries. Small, 2017, 13, 1603513.	10.0	114
1955	Ultrafine TiO ₂ Confined in Porous-Nitrogen-Doped Carbon from Metal–Organic Frameworks for High-Performance Lithium Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 12400-12407.	8.0	99
1956	A controlled red phosphorus@Ni–P core@shell nanostructure as an ultralong cycle-life and superior high-rate anode for sodium-ion batteries. Energy and Environmental Science, 2017, 10, 1222-1233.	30.8	170
1957	Research Progress towards Understanding the Unique Interfaces between Concentrated Electrolytes and Electrodes for Energy Storage Applications. Advanced Science, 2017, 4, 1700032.	11.2	363
1958	Rational design of graphene @ nitrogen and phosphorous dual-doped porous carbon sandwich-type layer for advanced lithium–sulfur batteries. Journal of Materials Science, 2017, 52, 7719-7732.	3.7	49
1959	Synthesis and characterization of sulfur/carbon/porous nanostructured V 2 O 5 composite cathodes for lithium sulfur batteries. Advanced Powder Technology, 2017, 28, 1411-1417.	4.1	19
1960	Effect of Carbon and Binder on High Sulfur Loading Electrode for Li-S Battery Technology. Electrochimica Acta, 2017, 235, 399-408.	5.2	32
1961	Crosslinked Polypyrrole Grafted Reduced Graphene Oxide-Sulfur Nanocomposite Cathode for High Performance Li-S Battery. Electrochimica Acta, 2017, 235, 32-41.	5.2	50

#	Article	IF	CITATIONS
1962	Porous membranes in secondary battery technologies. Chemical Society Reviews, 2017, 46, 2199-2236.	38.1	357
1963	Liquid Sulfur Impregnation of Microporous Carbon Accelerated by Nanoscale Interfacial Effects. Nano Letters, 2017, 17, 2517-2523.	9.1	16
1964	Instantaneous carbonization of an acetylenic polymer into highly conductive graphene-like carbon and its application in lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 7015-7025.	10.3	26
1965	Capacity retention of lithium sulfur batteries enhanced with nano-sized TiO ₂ -embedded polyethylene oxide. Journal of Materials Chemistry A, 2017, 5, 6708-6715.	10.3	66
1966	Healing High-Loading Sulfur Electrodes with Unprecedented Long Cycling Life: Spatial Heterogeneity Control. Journal of the American Chemical Society, 2017, 139, 8458-8466.	13.7	198
1967	Recent Advances in Ultrathin Two-Dimensional Nanomaterials. Chemical Reviews, 2017, 117, 6225-6331.	47.7	3,940
1968	MoS ₂ /Celgard Separator as Efficient Polysulfide Barrier for Long‣ife Lithium–Sulfur Batteries. Advanced Materials, 2017, 29, 1606817.	21.0	746
1969	High-capacity, low-tortuosity, and channel-guided lithium metal anode. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 3584-3589.	7.1	412
1970	Elaborate construction and electrochemical properties of lignin-derived macro-/micro-porous carbon-sulfur composites for rechargeable lithium-sulfur batteries: The effect of sulfur-loading time. Journal of Alloys and Compounds, 2017, 709, 677-685.	5.5	33
1971	A high strength, free-standing cathode constructed by regulating graphitization and the pore structure in nitrogen-doped carbon nanofibers for flexible lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 6832-6839.	10.3	94
1972	From Silica Sphere to Hollow Carbon Nitrideâ€Based Sphere: Rational Design of Sulfur Host with Both Chemisorption and Physical Confinement. Advanced Materials Interfaces, 2017, 4, 1601195.	3.7	25
1973	Strings of Porous Carbon Polyhedrons as Selfâ€Standing Cathode Host for Highâ€Energyâ€Density Lithium–Sulfur Batteries. Angewandte Chemie, 2017, 129, 6272-6276.	2.0	37
1974	Strings of Porous Carbon Polyhedrons as Selfâ€Standing Cathode Host for Highâ€Energyâ€Density Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2017, 56, 6176-6180.	13.8	153
1975	Oneâ€5tep Process to Remove Spent Sulfidic Caustics and Assemble Advanced Sulfur Cathodes Synchronously for Lithium–Sulfur Batteries. Energy Technology, 2017, 5, 1282-1291.	3.8	2
1976	Confined selenium within metal-organic frameworks derived porous carbon microcubes as cathode for rechargeable lithium–selenium batteries. Journal of Power Sources, 2017, 341, 53-59.	7.8	56
1977	Transition Metal Dichalcogenide Atomic Layers for Lithium Polysulfides Electrocatalysis. Journal of the American Chemical Society, 2017, 139, 171-178.	13.7	325
1978	Biomass Organs Control the Porosity of Their Pyrolyzed Carbon. Advanced Functional Materials, 2017, 27, 1604687.	14.9	154
1979	Highly Efficient Retention of Polysulfides in "Sea Urchin―Like Carbon Nanotube/Nanopolyhedra Superstructures as Cathode Material for Ultralong-Life Lithium–Sulfur Batteries. Nano Letters, 2017, 17, 437-444.	9.1	223
#	Article	IF	CITATIONS
------	--	------	-----------
1980	Multi-shelled hollow micro-/nanostructures: promising platforms for lithium-ion batteries. Materials Chemistry Frontiers, 2017, 1, 414-430.	5.9	189
1981	In Situ X-ray Absorption Spectroscopy Studies of Discharge Reactions in a Thick Cathode of a Lithium Sulfur Battery. Journal of the Electrochemical Society, 2017, 164, A18-A27.	2.9	31
1982	Scalable Synthesis of Honeycomb-like Ordered Mesoporous Carbon Nanosheets and Their Application in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 2430-2438.	8.0	61
1983	Mechanism of Capacity Fade in Sodium Storage and the Strategies of Improvement for FeS ₂ Anode. ACS Applied Materials & Interfaces, 2017, 9, 1536-1541.	8.0	77
1984	Sulfur enriched carbon nanotubols with a Poly(3,4-ethylenedioxypyrrole) coating as cathodes for long-lasting Li-S batteries. Journal of Power Sources, 2017, 342, 202-213.	7.8	28
1985	Review—On the Mechanism of Quasi-Solid-State Lithiation of Sulfur Encapsulated in Microporous Carbons: Is the Existence of Small Sulfur Molecules Necessary?. Journal of the Electrochemical Society, 2017, 164, A6244-A6253.	2.9	74
1986	Amorphous Lithium Lanthanum Titanate for Solid-State Microbatteries. Journal of the Electrochemical Society, 2017, 164, A6268-A6273.	2.9	35
1987	Metal Sulfide-Blended Sulfur Cathodes in High Energy Lithium-Sulfur Cells. Journal of the Electrochemical Society, 2017, 164, A265-A276.	2.9	42
1988	A Sulfurâ€Rich Copolymer@CNT Hybrid Cathode with Dualâ€Confinement of Polysulfides for Highâ€Performance Lithium–Sulfur Batteries. Advanced Materials, 2017, 29, 1603835.	21.0	202
1989	A Lithium/Polysulfide Battery with Dual-Working Mode Enabled by Liquid Fuel and Acrylate-Based Gel Polymer Electrolyte. ACS Applied Materials & Interfaces, 2017, 9, 2526-2534.	8.0	24
1990	High Capacity Sulfurized Alcohol Composite Positive Electrode Materials Applicable for Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2017, 164, A6288-A6293.	2.9	8
1991	A pre-lithiation method for sulfur cathode used for future lithium metal free full battery. Journal of Power Sources, 2017, 342, 537-545.	7.8	29
1992	Graphitized porous carbon materials with high sulfur loading for lithium-sulfur batteries. Nano Energy, 2017, 32, 503-510.	16.0	118
1993	Ammonium Additives to Dissolve Lithium Sulfide through Hydrogen Binding for High-Energy Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 4290-4295.	8.0	74
1994	Sulfur impregnated N, P co-doped hierarchical porous carbon as cathode for high performance Li-S batteries. Journal of Power Sources, 2017, 341, 165-174.	7.8	157
1995	Fabrication of a new gel polymer electrolyte containing core–shell silica–polyelectrolyte nanoparticles via activators regenerated by electron transfer atom transfer radical polymerization (ARGET-ATRP) for high-performance lithium–sulfur batteries. Chemical Papers, 2017, 71, 21-28.	2.2	12
1996	Synthesis, Structure, and Electrochemical Properties of a Sulfur-Carbon Replica Composite Electrode for All-Solid-State Li-Sulfur Batteries. Journal of the Electrochemical Society, 2017, 164, A6178-A6183.	2.9	20
1997	Freestanding hollow double-shell Se@CNx nanobelts as large-capacity and high-rate cathodes for Li-Se batteries. Nano Energy, 2017, 32, 1-9.	16.0	108

#	Article	IF	CITATIONS
1998	Ultra-long cycle life, low-cost room temperature sodium-sulfur batteries enabled by highly doped (N,S) nanoporous carbons. Nano Energy, 2017, 32, 59-66.	16.0	178
1999	Lithium–Sulfur Battery Cable Made from Ultralight, Flexible Graphene/Carbon Nanotube/Sulfur Composite Fibers. Advanced Functional Materials, 2017, 27, 1604815.	14.9	176
2000	Edge-functionalized acetylene black anchoring sulfur for high-performance Li–S batteries. Journal of Energy Chemistry, 2017, 26, 448-453.	12.9	16
2001	Carbon onion–sulfur hybrid cathodes for lithium–sulfur batteries. Sustainable Energy and Fuels, 2017, 1, 84-94.	4.9	34
2002	Nanostructured cathode materials for lithium–sulfur batteries: progress, challenges and perspectives. Journal of Materials Chemistry A, 2017, 5, 3014-3038.	10.3	165
2003	A stable lithiated silicon–chalcogen battery via synergetic chemical coupling between silicon and selenium. Nature Communications, 2017, 8, 13888.	12.8	46
2004	Ordered mesoporous carbon and its applications for electrochemical energy storage and conversion. Materials Chemistry Frontiers, 2017, 1, 1001-1027.	5.9	172
2005	Gel based sulfur cathodes with a high sulfur content and large mass loading for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 1650-1657.	10.3	56
2006	The Potential for the Creation of a High Areal Capacity Lithium-Sulfur Battery Using a Metal Foam Current Collector. Journal of the Electrochemical Society, 2017, 164, A5026-A5030.	2.9	34
2007	Recent Progress on Spray Pyrolysis for High Performance Electrode Materials in Lithium and Sodium Rechargeable Batteries. Advanced Energy Materials, 2017, 7, 1601578.	19.5	120
2008	Hierarchical nitrogen-doped porous graphene/reduced fluorographene/sulfur hybrids for high-performance lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2017, 19, 2567-2573.	2.8	22
2009	The path towards sustainable energy. Nature Materials, 2017, 16, 16-22.	27.5	3,288
2010	Fabrication of Nâ€doped Graphene–Carbon Nanotube Hybrids from Prussian Blue for Lithium–Sulfur Batteries. Advanced Energy Materials, 2017, 7, 1602014.	19.5	304
2011	Hierarchical porous carbon modified with ionic surfactants as efficient sulfur hosts for the high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2017, 313, 404-414.	12.7	93
2012	Highly Conductive and Lightweight Composite Film as Polysulfide Reservoir for Highâ€Performance Lithium–Sulfur Batteries. ChemElectroChem, 2017, 4, 362-368.	3.4	31
2013	Carbon-coated core–shell Li ₂ S@C nanocomposites as high performance cathode materials for lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 1428-1433.	10.3	36
2014	Liquid cell transmission electron microscopy observation of lithium metal growth and dissolution: Root growth, dead lithium and lithium flotsams. Nano Energy, 2017, 32, 271-279.	16.0	361
2015	Redox activity of argyrodite Li6PS5Cl electrolyte in all-solid-state Li-ion battery: An XPS study. Solid State Ionics, 2017, 300, 78-85.	2.7	216

#	Article	IF	CITATIONS
2016	Greatly Suppressed Shuttle Effect for Improved Lithium Sulfur Battery Performance through Short Chain Intermediates. Nano Letters, 2017, 17, 538-543.	9.1	271
2017	Computational Criteria for Evaluating Polysulfide Cohesion, Solvation, and Stabilization: Approach for Screening Effective Anchoring Substrates. Journal of Physical Chemistry C, 2017, 121, 308-314.	3.1	10
2018	Improving the electrochemical behavior of lithium-sulfur batteries through silica-coated nickel-foam cathode collector. Journal of Power Sources, 2017, 341, 366-372.	7.8	21
2019	Space-confinement and chemisorption co-involved in encapsulation of sulfur for lithium–sulfur batteries with exceptional cycling stability. Journal of Materials Chemistry A, 2017, 5, 24602-24611.	10.3	24
2020	Mesoporous Carbon@Titanium Nitride Hollow Spheres as an Efficient SeS ₂ Host for Advanced Li–SeS ₂ Batteries. Angewandte Chemie - International Edition, 2017, 56, 16003-16007.	13.8	111
2021	Single-wall carbon nanotube network enabled ultrahigh sulfur-content electrodes for high-performance lithium-sulfur batteries. Nano Energy, 2017, 42, 205-214.	16.0	183
2022	New Insights into Mossy Li Induced Anode Degradation and Its Formation Mechanism in Li–S Batteries. ACS Energy Letters, 2017, 2, 2696-2705.	17.4	90
2023	Mesoporous Carbon@Titanium Nitride Hollow Spheres as an Efficient SeS ₂ Host for Advanced Li–SeS ₂ Batteries. Angewandte Chemie, 2017, 129, 16219-16223.	2.0	19
2024	Controllably Designed "Vice-Electrode―Interlayers Harvesting High Performance Lithium Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 40273-40280.	8.0	44
2025	Theoretical Studies of the Reduction of Cyclic Esters on the Anode Interface of Lithium Batteries. Journal of the Electrochemical Society, 2017, 164, A3144-A3153.	2.9	11
2026	A novel MoS2/C nanocomposite as an anode material for lithium-ion batteries. Journal of Alloys and Compounds, 2017, 729, 583-589.	5.5	19
2027	A Compact Nanoconfined Sulfur Cathode for High-Performance Lithium-Sulfur Batteries. Joule, 2017, 1, 576-587.	24.0	255
2028	Redox-Active Polymers for Energy Storage Nanoarchitectonics. Joule, 2017, 1, 739-768.	24.0	400
2029	Harvesting polysulfides by sealing the sulfur electrode in a composite ion-selective net. Journal of Power Sources, 2017, 368, 38-45.	7.8	5
2030	Corallineâ€Like Nâ€Doped Hierarchically Porous Carbon Derived from Enteromorpha as a Host Matrix for Lithiumâ€Sulfur Battery. Chemistry - A European Journal, 2017, 23, 18208-18215.	3.3	35
2031	Shape-controlled synthesis of Ti4O7 nanostructures under solvothermal-assisted heat treatment and its application in lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 729, 1136-1144.	5.5	55
2032	Application of diatomite as an effective polysulfides adsorbent for lithium-sulfur batteries. Journal of Energy Chemistry, 2017, 26, 1267-1275.	12.9	26
2033	Cell Concepts of Metal–Sulfur Batteries (MetalÂ=ÂLi, Na, K, Mg): Strategies for Using Sulfur in Energy Storage Applications. Topics in Current Chemistry, 2017, 375, 81.	5.8	51

#	Article	IF	CITATIONS
2034	Electrochemical impedance spectroscopy of a Li–S battery: Part 2. Influence of separator chemistry on the lithium electrode/electrolyte interface. Electrochimica Acta, 2017, 255, 379-390.	5.2	23
2035	Chemically tailoring porosity carbon foam with oxygen-containing functional groups to restrain polysulfide for lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2017, 805, 120-125.	3.8	14
2036	High Sulfur Content Material with Stable Cycling in Lithiumâ€Sulfur Batteries. Angewandte Chemie, 2017, 129, 15314-15318.	2.0	19
2037	High Sulfur Content Material with Stable Cycling in Lithiumâ€Sulfur Batteries. Angewandte Chemie - International Edition, 2017, 56, 15118-15122.	13.8	61
2038	Recent advances in solid polymer electrolytes for lithium batteries. Nano Research, 2017, 10, 4139-4174.	10.4	380
2039	Encapsulation of cathode in lithium-sulfur batteries with a novel two-dimensional carbon allotrope: DHP-graphene. Scientific Reports, 2017, 7, 14948.	3.3	32
2040	Controlling Solid–Liquid Conversion Reactions for a Highly Reversible Aqueous Zinc–lodine Battery. ACS Energy Letters, 2017, 2, 2674-2680.	17.4	207
2041	Fluorinated, Sulfur-Rich, Covalent Triazine Frameworks for Enhanced Confinement of Polysulfides in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 37731-37738.	8.0	164
2042	One-step synthesis of carbon nanosheet-decorated carbon nanofibers as a 3D interconnected porous carbon scaffold for lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 23737-23743.	10.3	36
2043	Facile and tailored synthesis of ultrahigh-surface-area clews of carbon nanobelts for high-rate lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 23209-23220.	10.3	24
2044	Nitrogen-doped graphene aerogel as both a sulfur host and an effective interlayer for high-performance lithium–sulfur batteries. Nanotechnology, 2017, 28, 495701.	2.6	21
2045	An Extremely High Surface Area Mesoporous-Microporous-Networked Pillared Carbon for High Stability Li-S and Intermediate Temperature Na-S Batteries. ChemistrySelect, 2017, 2, 9249-9255.	1.5	11
2046	<i>In situ</i> preparation of a macro-chamber for S conversion reactions in lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 23497-23505.	10.3	34
2047	Favorable Carbon Conductive Additives in Li ₃ PS ₄ Composite Positive Electrode Prepared by Ball-Milling for All-Solid-State Lithium Batteries. Journal of the Electrochemical Society, 2017, 164, A2804-A2811.	2.9	21
2048	Complex Nanostructures from Materials based on Metal–Organic Frameworks for Electrochemical Energy Storage and Conversion. Advanced Materials, 2017, 29, 1703614.	21.0	629
2049	Non-encapsulation approach for high-performance Li–S batteries through controlled nucleation and growth. Nature Energy, 2017, 2, 813-820.	39.5	326
2050	Sandwich-like graphene-mesoporous carbon as sulfur host for enhanced lithium–sulfur batteries. Materials Research Express, 2017, 4, 105017.	1.6	1
2051	A Delicately Designed Sulfide Graphdiyne Compatible Cathode for Highâ€Performance Lithium/Magnesium–Sulfur Batteries. Small, 2017, 13, 1702277.	10.0	123

#	Article	IF	CITATIONS
2052	Factors Affecting the Proper Functioning of a 3Ah Li-S Pouch Cell. Journal of the Electrochemical Society, 2017, 164, A2948-A2955.	2.9	40
2053	Dual functional MoS2/graphene interlayer as an efficient polysulfide barrier for advanced lithium-sulfur batteries. Electrochimica Acta, 2017, 256, 28-36.	5.2	106
2054	In situ synthesized Li2S@porous carbon cathode for graphite/Li2S full cells using ether-based electrolyte. Electrochimica Acta, 2017, 256, 348-356.	5.2	32
2055	H2S + SO2 produces water-dispersed sulfur nanoparticles for lithium-sulfur batteries. Nano Energy, 2017, 41, 665-673.	16.0	12
2056	Designing solid-electrolyte interphases for lithium sulfur electrodes using ionic shields. Nano Energy, 2017, 41, 573-582.	16.0	34
2057	Operando Multi-modal Synchrotron Investigation for Structural and Chemical Evolution of Cupric Sulfide (CuS) Additive in Li-S battery. Scientific Reports, 2017, 7, 12976.	3.3	18
2058	Green synthesis of a Se/HPCF–rGO composite for Li–Se batteries with excellent long-term cycling performance. Journal of Materials Chemistry A, 2017, 5, 22997-23005.	10.3	61
2059	Metal–Organic Frameworks and Their Composites: Synthesis and Electrochemical Applications. Small Methods, 2017, 1, 1700187.	8.6	163
2060	High coulombic efficiency and high-rate capability lithium sulfur batteries with low-solubility lithium polysulfides by using alkylene radicals to covalently connect sulfur. Nano Energy, 2017, 41, 758-764.	16.0	37
2061	Nitrogenâ€Doped Graphene Nanosheets/S Composites as Cathode in Roomâ€Temperature Sodiumâ€Sulfur Batteries. ChemistrySelect, 2017, 2, 9425-9432.	1.5	30
2062	Coaxial Carbon/MnO ₂ Hollow Nanofibers as Sulfur Hosts for Highâ€Performance Lithium‣ulfur Batteries. Chemistry - an Asian Journal, 2017, 12, 3128-3134.	3.3	46
2063	Nitrogen-doped hierarchical porous carbon derived from metal–organic aerogel for high performance lithium–sulfur batteries. Journal of Energy Chemistry, 2017, 26, 1282-1290.	12.9	56
2064	Freeze-Dried Sulfur–Graphene Oxide–Carbon Nanotube Nanocomposite for High Sulfur-Loading Lithium/Sulfur Cells. Nano Letters, 2017, 17, 7086-7094.	9.1	95
2065	Effective Trapping of Lithium Polysulfides Using a Functionalized Carbon Nanotube-Coated Separator for Lithium–Sulfur Cells with Enhanced Cycling Stability. ACS Applied Materials & Interfaces, 2017, 9, 38445-38454.	8.0	82
2066	Effect of the Hydrofluoroether Cosolvent Structure in Acetonitrile-Based Solvate Electrolytes on the Li ⁺ Solvation Structure and Li–S Battery Performance. ACS Applied Materials & Interfaces, 2017, 9, 39357-39370.	8.0	58
2067	Perfluoroarylâ€Elemental Sulfur S _N Ar Chemistry in Covalent Triazine Frameworks with High Sulfur Contents for Lithium–Sulfur Batteries. Advanced Functional Materials, 2017, 27, 1703947.	14.9	158
2068	Oneâ€Pot Synthesis of Functionalized Holey Graphene/Sulfur Composite for Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2017, 4, 1700783.	3.7	27
2069	Self-Templated Formation of Interlaced Carbon Nanotubes Threaded Hollow Co ₃ S ₄ Nanoboxes for High-Rate and Heat-Resistant Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2017, 139, 12710-12715.	13.7	456

#	Article	IF	CITATIONS
2070	A high areal capacity lithium–sulfur battery cathode prepared by site-selective vapor infiltration of hierarchical carbon nanotube arrays. Nanoscale, 2017, 9, 15018-15026.	5.6	35
2071	Free-standing compact cathodes for high volumetric and gravimetric capacity Li–S batteries. Journal of Materials Chemistry A, 2017, 5, 19924-19933.	10.3	21
2072	Application of a Sulfur Cathode in Nucleophilic Electrolytes for Magnesium/Sulfur Batteries. Journal of the Electrochemical Society, 2017, 164, A2504-A2512.	2.9	55
2073	A Highâ€Volumetricâ€Capacity Cathode Based on Interconnected Closeâ€Packed Nâ€Doped Porous Carbon Nanospheres for Longâ€Life Lithium–Sulfur Batteries. Advanced Energy Materials, 2017, 7, 1701082.	19.5	88
2074	Interwoven NiCo ₂ O ₄ Nanosheet/Carbon Nanotube Composites as Highly Efficient Lithiumâ^'Sulfur Cathode Hosts. ChemElectroChem, 2017, 4, 2959-2965.	3.4	18
2075	Multi-Modal Characterization of New Battery Technologies by Operando ec-STEM. Microscopy and Microanalysis, 2017, 23, 886-887.	0.4	1
2076	Ammoniaâ€Treated Ordered Mesoporous Carbons with Hierarchical Porosity and Nitrogenâ€Doping for Lithiumâ€Sulfur Batteries. ChemistrySelect, 2017, 2, 7160-7168.	1.5	8
2077	Nitrogen and oxygen dual-doped hollow carbon nanospheres derived from catechol/polyamine as sulfur hosts for advanced lithium sulfur batteries. Carbon, 2017, 124, 23-33.	10.3	79
2078	Reversible S ⁰ /MgS _{<i>x</i>} Redox Chemistry in a MgTFSI ₂ /MgCl ₂ /DME Electrolyte for Rechargeable Mg/S Batteries. Angewandte Chemie - International Edition, 2017, 56, 13526-13530.	13.8	149
2079	Reversible S ⁰ /MgS _{<i>x</i>} Redox Chemistry in a MgTFSI ₂ /MgCl ₂ /DME Electrolyte for Rechargeable Mg/S Batteries. Angewandte Chemie, 2017, 129, 13711-13715.	2.0	58
2080	Bacterial cellulose derived carbon nanofiber aerogel with lithium polysulfide catholyte for lithium–sulfur batteries. Carbon, 2017, 124, 212-218.	10.3	76
2081	Reverse Microemulsion Synthesis of Sulfur/Graphene Composite for Lithium/Sulfur Batteries. ACS Nano, 2017, 11, 9048-9056.	14.6	73
2082	Compact high volumetric and areal capacity lithium sulfur batteries through rock salt induced nano-architectured sulfur hosts. Journal of Materials Chemistry A, 2017, 5, 21435-21441.	10.3	45
2083	Integration of Graphene, Nano Sulfur, and Conducting Polymer into Compact, Flexible Lithium–Sulfur Battery Cathodes with Ultrahigh Volumetric Capacity and Superior Cycling Stability for Foldable Devices. Advanced Materials, 2017, 29, 1703324.	21.0	167
2084	Bis(aryl) Tetrasulfides as Cathode Materials for Rechargeable Lithium Batteries. Chemistry - A European Journal, 2017, 23, 16941-16947.	3.3	56
2085	Advances in lithium—sulfur batteries. Materials Science and Engineering Reports, 2017, 121, 1-29.	31.8	100
2086	Sulfur in Hyper-cross-linked Porous Polymer as Cathode in Lithium–Sulfur Batteries with Enhanced Electrochemical Properties. ACS Applied Materials & Interfaces, 2017, 9, 34783-34792.	8.0	38
2087	Porous Coconut Shell Carbon Offering High Retention and Deep Lithiation of Sulfur for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 33855-33862.	8.0	107

#	Article	IF	CITATIONS
2088	Templated and Catalytic Fabrication of N-Doped Hierarchical Porous Carbon–Carbon Nanotube Hybrids as Host for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 33876-33886.	8.0	66
2089	Metal–Organic Framework-Based Separators for Enhancing Li–S Battery Stability: Mechanism of Mitigating Polysulfide Diffusion. ACS Energy Letters, 2017, 2, 2362-2367.	17.4	229
2090	A three dimensional sulfur/reduced graphene oxide with embedded carbon nanotubes composite as a binder-free, free-standing cathode for lithium–sulfur batteries. RSC Advances, 2017, 7, 43483-43490.	3.6	5
2091	The construction of high sulfur content spherical sulfur-carbon nanotube-polyethylene glycol-nickel nitrate hydroxide composites for lithium sulfur battery. Journal of Alloys and Compounds, 2017, 729, 331-337.	5.5	6
2092	Metal/nanocarbon layer current collectors enhanced energy efficiency in lithium-sulfur batteries. Science Bulletin, 2017, 62, 1267-1274.	9.0	49
2093	On-site chemical pre-lithiation of S cathode at room temperature on a 3D nano-structured current collector. Journal of Power Sources, 2017, 366, 65-71.	7.8	50
2094	Rutile TiO ₂ Mesocrystals as Sulfur Host for Highâ€Performance Lithium–Sulfur Batteries. Chemistry - A European Journal, 2017, 23, 16312-16318.	3.3	36
2095	Capillarity Composited Recycled Paper/Graphene Scaffold for Lithium–Sulfur Batteries with Enhanced Capacity and Extended Lifespan. Small, 2017, 13, 1701927.	10.0	78
2096	Stabilizing the Garnet Solid-Electrolyte/Polysulfide Interface in Li–S Batteries. Chemistry of Materials, 2017, 29, 8037-8041.	6.7	73
2097	Enhanced Cycling Stability of Sulfur Electrodes through Effective Binding of Pyridine-Functionalized Polymer. ACS Energy Letters, 2017, 2, 2454-2462.	17.4	23
2098	Rational design of self-supporting graphene - Polypyrrole/sulfur - Graphene sandwich as structural paper electrode for lithium sulfur batteries. Journal of Alloys and Compounds, 2017, 728, 376-382.	5.5	27
2099	Atomic Layer Deposition of pâ€Type Semiconducting Thin Films: a Review. Advanced Materials Interfaces, 2017, 4, 1700300.	3.7	45
2100	Rational design of yolk–shell silicon dioxide@hollow carbon spheres as advanced Li–S cathode hosts. Nanoscale, 2017, 9, 14881-14887.	5.6	38
2101	Bio-inspired Self-Healing Electrolytes for Li-S Batteries. CheM, 2017, 3, 388-389.	11.7	13
2102	A rechargeable iodine-carbon battery that exploits ion intercalation and iodine redox chemistry. Nature Communications, 2017, 8, 527.	12.8	176
2103	High sulfur-containing carbon polysulfide polymer as a novel cathode material for lithium-sulfur battery. Scientific Reports, 2017, 7, 11386.	3.3	43
2104	Sulfur Cathode. , 2017, , 31-103.		0
2105	The Use of Lithium (Poly)sulfide Species in Li–S Batteries. , 2017, , 105-148.		0

	Сітатіо	CITATION REPORT	
#	Article	IF	CITATIONS
2106	Nanodiamonds suppress the growth of lithium dendrites. Nature Communications, 2017, 8, 336.	12.8	327
2107	Dendrite-Free Lithium Metal Anodes in High Performance Lithium-Sulfur Batteries with Bifunctional Carbon Nanofiber Interlayers. Electrochimica Acta, 2017, 252, 127-137.	5.2	46
2108	Sulfur-impregnated N-doped hollow carbon nanofibers as cathode for lithium-sulfur batteries. Materials Letters, 2017, 209, 505-508.	2.6	27
2109	Perovskite La0.6Sr0.4CoO3-δas a new polysulfide immobilizer for high-energy lithium-sulfur batteries. Nano Energy, 2017, 40, 360-368.	16.0	69
2110	Phosphorene for energy and catalytic application—filling the gap between graphene and 2D metal chalcogenides. 2D Materials, 2017, 4, 042006.	4.4	46
2111	Physical and chemical dual-confinement of polysulfides within hierarchically meso-microporous nitrogen-doped carbon nanocages for advanced Li–S batteries. RSC Advances, 2017, 7, 42627-42633.	3.6	11
2112	Effective electrostatic confinement of polysulfides in lithium/sulfur batteries by a functional binder. Nano Energy, 2017, 40, 559-565.	16.0	83
2113	Reactivation of dead sulfide species in lithium polysulfide flow battery for grid scale energy storage. Nature Communications, 2017, 8, 462.	12.8	48
2114	<i>Ad hoc</i> solid electrolyte on acidized carbon nanotube paper improves cycle life of lithium–sulfur batteries. Energy and Environmental Science, 2017, 10, 2544-2551.	30.8	82
2115	Self-supporting sulfur cathodes enabled by two-dimensional carbon yolk-shell nanosheets for high-energy-density lithium-sulfur batteries. Nature Communications, 2017, 8, 482.	12.8	300
2116	In situ wrapping of the cathode material in lithium-sulfur batteries. Nature Communications, 2017, 8, 479.	12.8	134
2117	Fructoseâ€Derived Hollow Carbon Nanospheres with Ultrathin and Ordered Mesoporous Shells as Cathodes in Lithium–Sulfur Batteries for Fast Energy Storage. Advanced Sustainable Systems, 2017, 1, 1700081.	5.3	27
2118	Hierarchically porous carbon derived from banana peel for lithium sulfur battery with high areal and gravimetric sulfur loading. Journal of Power Sources, 2017, 362, 160-167.	7.8	75
2119	NiS ₂ /FeS Holey Film as Freestanding Electrode for Highâ€Performance Lithium Battery. Advanced Energy Materials, 2017, 7, 1701309.	19.5	99
2120	Chemistry of Sputter-Deposited Lithium Sulfide Films. Journal of the American Chemical Society, 2017, 139, 10669-10676.	13.7	26
2121	Porous hollow carbon nanospheres embedded with well-dispersed cobalt monoxide nanocrystals as effective polysulfide reservoirs for high-rate and long-cycle lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 17352-17359.	10.3	31
2122	3-D vertically aligned few layer graphene – partially reduced graphene oxide/sulfur electrodes for high performance lithium–sulfur batteries. Sustainable Energy and Fuels, 2017, 1, 1516-1523.	4.9	12
2123	Protected Lithiumâ€Metal Anodes in Batteries: From Liquid to Solid. Advanced Materials, 2017, 29, 1701169	9. 21.0	596

#	Article	IF	CITATIONS
2124	A carbon nanofiber@mesoporous δ-MnO2 nanosheet-coated separator for high-performance lithium-sulfur batteries. Energy Storage Materials, 2017, 9, 179-187.	18.0	92
2125	A stable lithium–selenium interface via solid/liquid hybrid electrolytes: Blocking polyselenides and suppressing lithium dendrite. Nano Energy, 2017, 39, 554-561.	16.0	52
2126	Ternary NiO/RGO-Sn Hybrid Flexible Freestanding Film as Interlayer for Lithium-Sulfur Batteries with Improved Performance. Electrochimica Acta, 2017, 251, 43-50.	5.2	46
2127	MoS ₂ Nanosheets Grown on CMK-3 with Enhanced Sodium Storage Properties. ChemistrySelect, 2017, 2, 5283-5287.	1.5	8
2128	A thin multifunctional coating on a separator improves the cyclability and safety of lithium sulfur batteries. Chemical Science, 2017, 8, 6619-6625.	7.4	94
2129	Renewable and high efficient syngas production from carbon dioxide and water through solar energy assisted electrolysis in eutectic molten salts. Journal of Power Sources, 2017, 362, 92-104.	7.8	23
2130	Active Platinum Nanoparticles as a Bifunctional Promoter for Lithiumâ^'Sulfur Batteries. ChemElectroChem, 2017, 4, 2577-2582.	3.4	23
2131	A modularly-assembled interlayer to entrap polysulfides and protect lithium metal anode for high areal capacity lithium–sulfur batteries. Energy Storage Materials, 2017, 9, 126-133.	18.0	50
2132	Shaddock wadding created activated carbon as high sulfur content encapsulator for lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 724, 575-580.	5.5	15
2133	Three-dimensional hierarchical C-Co-N/Se derived from metal-organic framework as superior cathode for Li-Se batteries. Journal of Power Sources, 2017, 363, 103-109.	7.8	82
2134	A sulfur–FePO ₄ –C nanocomposite cathode for stable and anti-self-discharge lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 17926-17932.	10.3	17
2135	A Flexible Glass Fiber Based Freestanding Composite Electrode for Highâ€Performance Lithium Polysulfide Batteries. Advanced Sustainable Systems, 2017, 1, 1700083.	5.3	15
2136	Encapsulation of Se/C into ultra-thin Ni(OH)2 nanosheets as cathode materials for lithium-selenium batteries. Journal of Solid State Electrochemistry, 2017, 21, 3611-3618.	2.5	14
2137	Impact of Micro-/Mesoporous Carbonaceous Structure on Electrochemical Performance of Sulfur. Electrochimica Acta, 2017, 248, 416-424.	5.2	9
2138	Structural Dependence of the Sulfur Reduction Mechanism in Carbon-Based Cathodes for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2017, 121, 18369-18377.	3.1	17
2139	Unusual Mesoporous Carbonaceous Matrix Loading with Sulfur as the Cathode of Lithium Sulfur Battery with Exceptionally Stable High Rate Performance. ACS Applied Materials & Interfaces, 2017, 9, 28366-28376.	8.0	19
2140	A CMK-5-encapsulated MoSe ₂ composite for rechargeable lithium-ion batteries with improved electrochemical performance. Journal of Materials Chemistry A, 2017, 5, 19632-19638.	10.3	85
2141	Quinone molecules encapsulated in SWCNTs for low-temperature Na ion batteries. Nanotechnology, 2017, 28, 355401.	2.6	18

#	Article	IF	CITATIONS
2142	New electrochemical energy storage systems based on metallic lithium anode—the research status, problems and challenges of lithium-sulfur, lithium-oxygen and all solid state batteries. Science China Chemistry, 2017, 60, 1402-1412.	8.2	32
2143	Strong adsorption of lithium polysulfides on ethylenediamine-functionalized carbon fiber paper interlayer providing excellent capacity retention of lithium-sulfur batteries. Carbon, 2017, 123, 492-501.	10.3	42
2144	Large‣cale Syntheses of Zinc Sulfideâ‹(Diethylenetriamine) _{0.5} Hybrids as Precursors for Sulfur Nanocomposite Cathodes. Angewandte Chemie, 2017, 129, 11998-12002.	2.0	2
2145	Silicon enclosed in rGO/CNT shell-like scaffold as a micro lithium-ion battery anode. , 2017, , .		1
2146	Large‣cale Syntheses of Zinc Sulfideâ<(Diethylenetriamine) _{0.5} Hybrids as Precursors for Sulfur Nanocomposite Cathodes. Angewandte Chemie - International Edition, 2017, 56, 11836-11840.	13.8	24
2147	Performance Enhancement of a Sulfur/Carbon Cathode by Polydopamine as an Efficient Shell for Highâ€Performance Lithium–Sulfur Batteries. Chemistry - A European Journal, 2017, 23, 10610-10615.	3.3	21
2148	Introduction to Rechargeable Lithium–Sulfur Batteries. , 2017, , 1-30.		2
2149	Flexible carbon@graphene composite cloth for advanced lithium–sulfur batteries and supercapacitors with enhanced energy storage capability. Journal of Materials Science, 2017, 52, 13478-13489.	3.7	20
2150	Theoretical Studies on the Charging and Discharging of Poly(acrylonitrile)â€Based Lithiumâ€Sulfur Batteries. ChemElectroChem, 2017, 4, 2975-2980.	3.4	11
2151	Robust electrical "highway―network for high mass loading sulfur cathode. Nano Energy, 2017, 40, 390-398.	16.0	68
2152	Dual Core–Shell-Structured S@C@MnO ₂ Nanocomposite for Highly Stable Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 34793-34803.	8.0	142
2153	Directly Coating a Multifunctional Interlayer on the Cathode via Electrospinning for Advanced Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 29804-29811.	8.0	55
2154	Using Firstâ€Principles Calculations for the Advancement of Materials for Rechargeable Batteries. Advanced Functional Materials, 2017, 27, 1702887.	14.9	40
2155	In situ monitoring the viscosity change of an electrolyte in a Li–S battery. Chemical Communications, 2017, 53, 10152-10155.	4.1	21
2156	A review of flexible lithium–sulfur and analogous alkali metal–chalcogen rechargeable batteries. Chemical Society Reviews, 2017, 46, 5237-5288.	38.1	572
2157	3D hierarchical nitrogen-doped carbon nanoflower derived from chitosan for efficient electrocatalytic oxygen reduction and high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 18193-18206.	10.3	86
2158	Decomposition of Ionic Liquids at Lithium Interfaces. 1. <i>Ab Initio</i> Molecular Dynamics Simulations. Journal of Physical Chemistry C, 2017, 121, 28214-28234.	3.1	68
2159	Design of Complex Nanomaterials for Energy Storage: Past Success and Future Opportunity. Accounts of Chemical Research, 2017, 50, 2895-2905.	15.6	258

#	Article	IF	CITATIONS
2160	Modified Separator Performing Dual Physical/Chemical Roles to Inhibit Polysulfide Shuttle Resulting in Ultrastable Li–S Batteries. ACS Nano, 2017, 11, 12436-12445.	14.6	83
2161	Advanced Sulfur-Silicon Full Cell Architecture for Lithium Ion Batteries. Scientific Reports, 2017, 7, 17264.	3.3	20
2162	Atomic Sulfur Anchored on Silicene, Phosphorene, and Borophene for Excellent Cycle Performance of Li–S Batteries. ACS Applied Materials & Interfaces, 2017, 9, 42836-42844.	8.0	53
2163	Amorphous MoS ₃ as the sulfur-equivalent cathode material for room-temperature Li–S and Na–S batteries. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 13091-13096.	7.1	170
2164	Atom-Thick Interlayer Made of CVD-Grown Graphene Film on Separator for Advanced Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 43696-43703.	8.0	79
2165	Electrochemical Properties and Redox Mechanism of Na ₂ Ni _{0.4} Co _{0.6} [Fe(CN) ₆] Nanocrystallites as High-Capacity Cathode for Aqueous Sodium-Ion Batteries. Journal of Physical Chemistry C, 2017, 121, 27805-27812.	3.1	63
2166	Toward Theoretically Cycling-Stable Lithium–Sulfur Battery Using a Foldable and Compositionally Heterogeneous Cathode. ACS Applied Materials & Interfaces, 2017, 9, 43640-43647.	8.0	18
2167	Fluorinated Ether Based Electrolyte for High-Energy Lithium–Sulfur Batteries: Li ⁺ Solvation Role Behind Reduced Polysulfide Solubility. Chemistry of Materials, 2017, 29, 10037-10044.	6.7	75
2168	Anionic Redox Chemistry in Polysulfide Electrode Materials for Rechargeable Batteries. ChemSusChem, 2017, 10, 4805-4811.	6.8	56
2169	Polyimide-polyether binders–diminishing the carbon content in lithium sulfur batteries. Materials Today Energy, 2017, 6, 264-270.	4.7	37
2170	A sustainable hierarchical carbon derived from cultivated fibroid fungus for high performance lithium–sulfur batteries. RSC Advances, 2017, 7, 47407-47415.	3.6	13
2171	Facile and scalable fabrication of highly loaded sulfur cathodes and lithium–sulfur pouch cells via air-controlled electrospray. Materials Today Energy, 2017, 6, 255-263.	4.7	17
2172	Improved performance through tight coupling of redox cycles of sulfur and 2,6-polyanthraquinone in lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 24103-24109.	10.3	6
2173	<i>In situ</i> / <i>operando</i> characterization techniques for rechargeable lithium–sulfur batteries: a review. Nanoscale, 2017, 9, 19001-19016.	5.6	94
2174	Highly Ordered Mesoporous Sulfurized Polyacrylonitrile Cathode Material for High-Rate Lithium Sulfur Batteries. Journal of Physical Chemistry C, 2017, 121, 26172-26179.	3.1	52
2175	A sulfur host based on cobalt–graphitic carbon nanocages for high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 24901-24908.	10.3	75
2176	Synchrotron radiation <i>in situ</i> X-ray absorption fine structure and <i>in situ</i> X-ray diffraction analysis of a high-performance cobalt catalyst towards the oxygen reduction reaction. Physical Chemistry Chemical Physics, 2017, 19, 30749-30755.	2.8	7
2177	Binder-free carbon monolith cathode material for operando investigation of high performance lithium-sulfur batteries with X-ray radiography. Energy Storage Materials, 2017, 9, 96-104.	18.0	23

#	Article	IF	CITATIONS
2178	Fabrication of carbon-sulphur composites via a vibration mill process as cathode material for lithium sulphur batteries. Energy Storage Materials, 2017, 9, 70-77.	18.0	21
2179	Twinborn TiO ₂ –TiN heterostructures enabling smooth trapping–diffusion–conversion of polysulfides towards ultralong life lithium–sulfur batteries. Energy and Environmental Science, 2017, 10, 1694-1703.	30.8	884
2180	Graphitized Carbon Fibers as Multifunctional 3D Current Collectors for High Areal Capacity Li Anodes. Advanced Materials, 2017, 29, 1700389.	21.0	495
2181	Construction of S@TiO ₂ @râ€GO Composites for Highâ€Performance Lithium–Sulfur Batteries. European Journal of Inorganic Chemistry, 2017, 2017, 3248-3252.	2.0	12
2182	Air-stable and freestanding lithium alloy/graphene foil as an alternative to lithium metal anodes. Nature Nanotechnology, 2017, 12, 993-999.	31.5	376
2183	A high-capacity dual core–shell structured MWCNTs@S@PPy nanocomposite anode for advanced aqueous rechargeable lithium batteries. Nanoscale, 2017, 9, 11004-11011.	5.6	41
2184	A nickel-foam@carbon-shell with a pie-like architecture as an efficient polysulfide trap for high-energy Li–S batteries. Journal of Materials Chemistry A, 2017, 5, 15002-15007.	10.3	44
2185	A novel synthetic route to cathode materials for Li–S batteries: from organic sulfides to sulfur/nitrogenous carbon composites. Journal of Materials Chemistry A, 2017, 5, 16796-16802.	10.3	20
2186	Unveiling the synergistic effect of polysulfide additive and MnO2 hollow spheres in evolving a stable cyclic performance in Li–S batteries. Chemical Communications, 2017, 53, 8782-8785.	4.1	26
2187	Phosphorus-based materials for high-performance rechargeable batteries. Inorganic Chemistry Frontiers, 2017, 4, 1424-1444.	6.0	35
2188	High-Performance Li–Se Batteries Enabled by Selenium Storage in Bottom-Up Synthesized Nitrogen-Doped Carbon Scaffolds. ACS Applied Materials & Interfaces, 2017, 9, 25232-25238.	8.0	50
2189	In Situ Grown S Nanosheets on Cu Foam: An Ultrahigh Electroactive Cathode for Room-Temperature Na–S Batteries. ACS Applied Materials & Interfaces, 2017, 9, 24446-24450.	8.0	65
2190	Effect of the cation on the stability of cation–glyme complexes and their interactions with the [TFSA] ^{â^'} anion. Physical Chemistry Chemical Physics, 2017, 19, 18262-18272.	2.8	49
2191	Insight on lithium polysulfide intermediates in a Li/S battery by density functional theory. RSC Advances, 2017, 7, 33373-33377.	3.6	27
2192	LiNO3-free electrolyte for Li-S battery: A solvent of choice with low Ksp of polysulfide and low dendrite of lithium. Nano Energy, 2017, 39, 262-272.	16.0	104
2193	Review of nanostructured current collectors in lithium–sulfur batteries. Nano Research, 2017, 10, 4027-4054.	10.4	91
2194	Cerium Oxide Nanocrystal Embedded Bimodal Micromesoporous Nitrogen-Rich Carbon Nanospheres as Effective Sulfur Host for Lithium–Sulfur Batteries. ACS Nano, 2017, 11, 7274-7283.	14.6	213
2195	Clew-like N-doped multiwalled carbon nanotube aggregates derived from metal-organic complexes for lithium-sulfur batteries. Carbon, 2017, 122, 635-642.	10.3	39

#	Article	IF	Citations
2196	Hierarchical MoO2/C microspheres: Preparation and application asÂanode materials for lithium ion batteries. Journal of Alloys and Compounds, 2017, 723, 1113-1120.	5.5	26
2197	Investigation of the Effect of Using Al ₂ O ₃ –Nafion Barrier on Room-Temperature Na–S Batteries. Journal of Physical Chemistry C, 2017, 121, 15120-15126.	3.1	60
2198	Solid state microwave synthesis of highly crystalline ordered mesoporous hausmannite Mn ₃ O ₄ films. CrystEngComm, 2017, 19, 4294-4303.	2.6	14
2199	<i>In Situ</i> Observation and Electrochemical Study of Encapsulated Sulfur Nanoparticles by MoS ₂ Flakes. Journal of the American Chemical Society, 2017, 139, 10133-10141.	13.7	126
2200	Vesicle-like sulfur/reduced graphene oxide composites for high performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 724, 1007-1013.	5.5	20
2201	Confining Sulfur in N-Doped Porous Carbon Microspheres Derived from Microalgaes for Advanced Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 23782-23791.	8.0	148
2202	Efficient Activation of Li ₂ S by Transition Metal Phosphides Nanoparticles for Highly Stable Lithium–Sulfur Batteries. ACS Energy Letters, 2017, 2, 1711-1719.	17.4	252
2203	High-safety lithium-ion sulfur battery with sulfurized polyacrylonitrile cathode, prelithiated SiOx/C anode and carbonate-based electrolyte. Journal of Alloys and Compounds, 2017, 723, 974-982.	5.5	26
2204	Phosphorene as a Polysulfide Immobilizer and Catalyst in Highâ€Performance Lithium–Sulfur Batteries. Advanced Materials, 2017, 29, 1602734.	21.0	289
2205	Chemical Bonding and Physical Trapping of Sulfur in Mesoporous Magnéli Ti ₄ O ₇ Microspheres for Highâ€Performance Li–S Battery. Advanced Energy Materials, 2017, 7, 1601616.	19.5	130
2206	The Effect of Binders on the Performance and Degradation of the Lithium/Sulfur Battery Assembled in the Discharged State. Journal of the Electrochemical Society, 2017, 164, A5001-A5007.	2.9	63
2207	A new approach for recycling waste rubber products in Li–S batteries. Energy and Environmental Science, 2017, 10, 86-90.	30.8	85
2208	Co ₃ O ₄ nanoneedle arrays as a multifunctional "super-reservoir―electrode for long cycle life Li–S batteries. Journal of Materials Chemistry A, 2017, 5, 250-257.	10.3	147
2210	Biomass-derived renewable carbon materials for electrochemical energy storage. Materials Research Letters, 2017, 5, 69-88.	8.7	402
2211	Hierarchical porous carbon derived from soybean hulls as a cathode matrix for lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 695, 2246-2252.	5.5	66
2212	Li–S and Li–O2 Batteries with High Specific Energy. Springer Briefs in Molecular Science, 2017, , 1-48.	0.1	3
2213	A Comprehensive Approach toward Stable Lithium–Sulfur Batteries with High Volumetric Energy Density. Advanced Energy Materials, 2017, 7, 1601630.	19.5	277
2214	A facile and scalable method to prepare carbon nanotube-grafted-graphene for high performance Li-S battery. Journal of Power Sources, 2017, 339, 20-26.	7.8	54

#	Article	IF	CITATIONS
2215	Conversion cathodes for rechargeable lithium and lithium-ion batteries. Energy and Environmental Science, 2017, 10, 435-459.	30.8	545
2216	Progress of rechargeable lithium metal batteries based on conversion reactions. National Science Review, 2017, 4, 54-70.	9.5	128
2217	Fabrication of novel powdery carbon aerogels with high surface areas for superior energy storage. Energy Storage Materials, 2017, 7, 8-16.	18.0	55
2218	Processing–Structure–Property Relationships for Ligninâ€Based Carbonaceous Materials Used in Energyâ€Storage Applications. Energy Technology, 2017, 5, 1311-1321.	3.8	27
2219	Gluing Carbon Black and Sulfur at Nanoscale: A Polydopamineâ€Based "Nanoâ€Binder―for Doubleâ€&helled Sulfur Cathodes. Advanced Energy Materials, 2017, 7, 1601591.	19.5	64
2220	Tunable synthesis of hierarchical mesoporous silica via porogen-carrying organosilicates. Microporous and Mesoporous Materials, 2017, 239, 409-415.	4.4	1
2221	Poly(dimethylsiloxane) Thin Film as a Stable Interfacial Layer for Highâ€Performance Lithiumâ€Metal Battery Anodes. Advanced Materials, 2017, 29, 1603755.	21.0	454
2222	Sole Chemical Confinement of Polysulfides on Nonporous Nitrogen/Oxygen Dualâ€Doped Carbon at the Kilogram Scale for Lithium–Sulfur Batteries. Advanced Functional Materials, 2017, 27, 1604265.	14.9	173
2223	Nitrogen and phosphorus codoped hierarchically porous carbon as an efficient sulfur host for Li-S batteries. Energy Storage Materials, 2017, 6, 112-118.	18.0	135
2224	Sulfurâ€Embedded Activated Multichannel Carbon Nanofiber Composites for Longâ€Life, Highâ€Rate Lithium–Sulfur Batteries. Advanced Energy Materials, 2017, 7, 1601943.	19.5	191
2225	Direct Nanofabrication Using DNA Nanostructure. Methods in Molecular Biology, 2017, 1500, 217-235.	0.9	1
2226	Carbonized cellulose paper as an effective interlayer in lithium-sulfur batteries. Applied Surface Science, 2017, 396, 637-643.	6.1	83
2227	Effective strategies for stabilizing sulfur for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 448-469.	10.3	143
2228	Transition metal dichalcogenide based nanomaterials for rechargeable batteries. Chemical Engineering Journal, 2017, 307, 189-207.	12.7	89
2229	Natural nitrogen-doped multiporous carbon from biological cells as sulfur stabilizers for lithium–sulfur batteries. Chinese Chemical Letters, 2017, 28, 738-742.	9.0	19
2230	Ultrathin Cobaltosic Oxide Nanosheets as an Effective Sulfur Encapsulation Matrix with Strong Affinity Toward Polysulfides. ACS Applied Materials & amp; Interfaces, 2017, 9, 4320-4325.	8.0	59
2231	Synthesizing nitrogen-doped porous carbon@sulfur cathode for high-performance and stable cycling Li-S batteries. Journal of Alloys and Compounds, 2017, 691, 613-618.	5.5	21
2232	MoS2-decorated coaxial nanocable carbon aerogel composites as cathode materials for high performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 692, 40-48.	5.5	55

#	Article	IF	CITATIONS
2233	Sulfurâ€Based Polymer Composites from Vegetable Oils and Elemental Sulfur: A Sustainable Active Material for Li–S Batteries. Macromolecular Chemistry and Physics, 2017, 218, 1600303.	2.2	116
2234	Disordered mesoporous polyacenes/sulfur nanocomposites: Superior cathode materials for lithium-sulfur batteries. Journal of Alloys and Compounds, 2017, 693, 1045-1051.	5.5	6
2235	Exceptional energy and new insight with a sodium–selenium battery based on a carbon nanosheet cathode and a pseudographite anode. Energy and Environmental Science, 2017, 10, 153-165.	30.8	184
2236	Selenium-impregnated hollow carbon microspheres as efficient cathode materials for lithium-selenium batteries. Carbon, 2017, 111, 198-206.	10.3	58
2237	Lithium Metal Anodes and Rechargeable Lithium Metal Batteries. Springer Series in Materials Science, 2017, , .	0.6	70
2239	Cobalt oxyhydroxide/graphene oxide nanocomposite for amelioration of electrochemical performance of lithium/sulfur batteries. Journal of Solid State Electrochemistry, 2017, 21, 649-656.	2.5	19
2240	Application of Lithium Metal Anodes. Springer Series in Materials Science, 2017, , 153-188.	0.6	1
2241	Towards Highâ€Safe Lithium Metal Anodes: Suppressing Lithium Dendrites via Tuning Surface Energy. Advanced Science, 2017, 4, 1600168.	11.2	399
2242	Carbon fiber-incorporated sulfur/carbon ternary cathode for lithium–sulfur batteries with enhanced performance. Journal of Solid State Electrochemistry, 2017, 21, 1203-1210.	2.5	22
2243	Natural halloysite nano-clay electrolyte for advanced all-solid-state lithium-sulfur batteries. Nano Energy, 2017, 31, 478-485.	16.0	306
2244	Fe-Based Metal-Organic Framework and Its Derivatives for Reversible Lithium Storage. Journal of Materials Science and Technology, 2017, 33, 768-774.	10.7	37
2245	High sulfur loading lithium–sulfur batteries based on a upper current collector electrode with lithium-ion conductive polymers. Journal of Materials Chemistry A, 2017, 5, 97-101.	10.3	41
2246	Facile Synthesis of Sulfur–Polypyrrole as Cathodes for Lithium–Sulfur Batteries. ChemElectroChem, 2017, 4, 115-121.	3.4	50
2247	Inverse vulcanization of elemental sulfur and styrene for polymeric cathodes in Liâ€5 batteries. Journal of Polymer Science Part A, 2017, 55, 107-116.	2.3	139
2248	Molecular understanding of polyelectrolyte binders that actively regulate ion transport in sulfur cathodes. Nature Communications, 2017, 8, 2277.	12.8	117
2249	Performance Enhancement of Rechargeable Sulfur Cathode Utilizing Microporous Activated Carbon Composite. Electrochemistry, 2017, 85, 671-674.	1.4	7
2250	Polyaniline-Coated Activated Carbon Aerogel/Sulfur Composite for High-performance Lithium-Sulfur Battery. Nanoscale Research Letters, 2017, 12, 617.	5.7	16
2251	Surface Free Energyâ€Induced Assembly to the Synthesis of Gridâ€Like Multicavity Carbon Spheres with High Level In avity Encapsulation for Lithium–Sulfur Cathode. Advanced Energy Materials, 2017, 7, 1701518.	19.5	63

#	Article	IF	CITATIONS
2253	Biomass-Derived Oxygen and Nitrogen Co-Doped Porous Carbon with Hierarchical Architecture as Sulfur Hosts for High-Performance Lithium/Sulfur Batteries. Nanomaterials, 2017, 7, 402.	4.1	45
2254	Functional Hybrid Materials Based on Manganese Dioxide and Lignin Activated by Ionic Liquids and Their Application in the Production of Lithium Ion Batteries. International Journal of Molecular Sciences, 2017, 18, 1509.	4.1	17
2255	Complex Hydride Electrolytes for All-solid-state Lithium Rechargeable Batteries. Materia Japan, 2017, 56, 354-357.	0.1	0
2256	Self-Assembly for Mesoporous Carbon. , 2017, , 75-87.		0
2257	Long-cycle-life Lithium-sulfur Batteries with Lithium Solvate Ionic Liquids. Electrochemistry, 2017, 85, 680-682.	1.4	33
2258	Functional Host–Guest Materials. , 2017, , 493-543.		6
2259	Corncob-derived Porous Carbon as an Interlayer Coating to Improve the Performance of Lithium Sulphur Battery. International Journal of Electrochemical Science, 2017, 12, 4515-4527.	1.3	16
2260	Multifunctional vanadium nitride@N-doped carbon composites for kinetically enhanced lithium–sulfur batteries. New Journal of Chemistry, 2018, 42, 5109-5116.	2.8	34
2261	Promises, Challenges, and Recent Progress of Inorganic Solidâ€State Electrolytes for Allâ€Solidâ€State Lithium Batteries. Advanced Materials, 2018, 30, e1705702.	21.0	743
2262	Understanding the roles of activated porous carbon nanotubes as sulfur support and separator coating for lithium-sulfur batteries. Electrochimica Acta, 2018, 268, 1-9.	5.2	61
2263	Promoting sulfur adsorption using surface Cu sites in metal–organic frameworks for lithium sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 4811-4821.	10.3	85
2264	S-doped mesoporous graphene microspheres: A high performance reservoir material for Li S batteries. Electrochimica Acta, 2018, 269, 83-92.	5.2	46
2265	Functionalized Carbon as Polysulfide Traps for Advanced Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2018, 122, 5948-5955.	3.1	18
2266	Tungsten Carbide as a Highly Efficient Catalyst for Polysulfide Fragmentations in Li–S Batteries. Journal of Physical Chemistry C, 2018, 122, 7664-7669.	3.1	39
2267	Necklaceâ€Like Silicon Carbide and Carbon Nanocomposites Formed by Steady Joule Heating. Small Methods, 2018, 2, 1700371.	8.6	17
2268	Progress of the Interface Design in Allâ€Solidâ€State Li–S Batteries. Advanced Functional Materials, 2018, 28, 1707533.	14.9	182
2269	Advanced Characterization Techniques in Promoting Mechanism Understanding for Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1707543.	14.9	81
2270	Catalyzing polysulfide conversion by g-C3N4 in a graphene network for long-life lithium-sulfur batteries. Nano Research, 2018, 11, 3480-3489.	10.4	97

ARTICLE IF CITATIONS Lithiated Nafion as polymer electrolyte for solid-state lithium sulfur batteries using carbon-sulfur 2271 7.8 78 composite cathode. Journal of Power Sources, 2018, 382, 179-189. Carbon nanomaterials for advanced lithium sulfur batteries. Nano Today, 2018, 19, 84-107. 11.9 A super-long life rechargeable aluminum battery. Solid State Ionics, 2018, 320, 70-75. 2.7 2273 40 Safer lithium–sulfur battery based on nonflammable electrolyte with sulfur composite cathode. 2274 Chemical Communications, 2018, 54, 4132-4135. A separator-based lithium polysulfide recirculator for high-loading and high-performance Li–S 2275 10.3 68 batteries. Journal of Materials Chemistry A, 2018, 6, 5862-5869. Addressing Passivation in Lithium–Sulfur Battery Under Lean Electrolyte Condition. Advanced Functional Materials, 2018, 28, 1707234. Free-Standing Porous Carbon Nanofiber/Carbon Nanotube Film as Sulfur Immobilizer with High Areal 2277 8.0 129 Capacity for Lithiumâ€"Sulfur Battery. ACS Applied Materials & amp; Interfaces, 2018, 10, 8749-8757. Rational Design of Nanostructured Functional Interlayer/Separator for Advanced Li–S Batteries. 2278 14.9 272 Advanced Functional Materials, 2018, 28, 1707411. Review of Carbon Materials for Lithiumâ€Sulfur Batteries. ChemistrySelect, 2018, 3, 2245-2260. 2279 1.5 92 The evolution of selenium cathodes: from infusion melts to particle synthesis. Sustainable Energy and Fuels, 2018, 2, 759-762. Synergistic Effect between Poly(3,4-ethylenedioxythiophene)-poly(styrene sulfonate) Coated Sulfur 2281 Nano-Composites and Poly(vinylidene difluoride) on Lithium-Sulfur Battery. Journal of the 7 2.9 Electrochemical Society, 2018, 165, A557-A564. High-performance lithium sulfur batteries based on nitrogen-doped graphitic carbon derived from 2282 30 covalent organic frameworks. Materials Today Energy, 2018, 7, 141-148. Block copolymer derived 3-D interpenetrating multifunctional gyroidal nanohybrids for electrical energy storage. Energy and Environmental Science, 2018, 11, 1261-1270. 2283 30.8 124 Effective strategies for long-cycle life lithium–sulfur batteries. Journal of Materials Chemistry A, 2284 2018, 6, 6155-6182. Hollow Nitrogen Rich Carbon Nanowire Array Electrode for Application in Lithium-Ion Battery. 2285 2 0.3Materials Science Forum, 0, 914, 47-55. Synthesis of polyglycerol mediated covalent construction of a coreâ€satellite superparamagnetic mesoporous carbon nanocomposite: application on dye adsorption. Journal of Chemical Technology and Biotechnology, 2018, 93, 2635-2643. Improving the cycling stability of lithium–sulfur batteries by hollow dual-shell coating. RSC 2287 3.6 3 Advances, 2018, 8, 9161-9167. Sulfur film sandwiched between few-layered MoS₂ electrocatalysts and conductive 2288 reduced graphene oxide as a robust cathode for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 5899-5909.

#	Article	IF	CITATIONS
2289	Enhanced electrochemical kinetics in lithium-sulfur batteries by using carbon nanofibers/manganese dioxide composite as a bifunctional coating on sulfur cathode. Electrochimica Acta, 2018, 269, 180-187.	5.2	62
2290	Nitrogen doped yolk-shell carbon spheres as cathode host for lithium-sulfur battery. Journal of Alloys and Compounds, 2018, 747, 283-292.	5.5	23
2291	Wool fiber-derived nitrogen-doped porous carbon prepared from molten salt carbonization method for supercapacitor application. Journal of Materials Science, 2018, 53, 8372-8384.	3.7	61
2292	High-Performance Anode Materials for Rechargeable Lithium-Ion Batteries. Electrochemical Energy Reviews, 2018, 1, 35-53.	25.5	514
2293	Energy use and climate change improvements of Li/S batteries based on life cycle assessment. Journal of Power Sources, 2018, 383, 87-92.	7.8	33
2294	A Hostâ€Configured Lithium–Sulfur Cell Built on 3D Nickel Photonic Crystal with Superior Electrochemical Performances. Small, 2018, 14, e1800616.	10.0	25
2295	A 3D Multifunctional Architecture for Lithium–Sulfur Batteries with High Areal Capacity. Small Methods, 2018, 2, 1800067.	8.6	33
2296	A Nacreâ€Like Carbon Nanotube Sheet for High Performance Liâ€Polysulfide Batteries with High Sulfur Loading. Advanced Science, 2018, 5, 1800384.	11.2	39
2297	Organic Polysulfides Based on â^'Sâ^'Sâ^'Sâ^' Structure as Additives or Cosolvents for High Performance Lithium‣ulfur Batteries. ChemElectroChem, 2018, 5, 1717-1723.	3.4	16
2298	Cabbage-like nitrogen-doped graphene/sulfur composite for lithium-sulfur batteries with enhanced rate performance. Journal of Alloys and Compounds, 2018, 753, 622-629.	5.5	32
2299	Nano-SiO ₂ -embedded poly(propylene carbonate)-based composite gel polymer electrolyte for lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 9539-9549.	10.3	66
2300	The Use of Spray Drying in Large Batch Synthesis of KBâ€S@rCO Composite for Highâ€Performance Lithiumâ€Sulfur Batteries. ChemistrySelect, 2018, 3, 4271-4276.	1.5	2
2301	Ionically cross-linked PEDOT:PSS as a multi-functional conductive binder for high-performance lithium–sulfur batteries. Sustainable Energy and Fuels, 2018, 2, 1574-1581.	4.9	74
2302	A Mild Strategy to Strengthen Three Dimensional Graphene Aerogel for Supporting Sulfur as a Freeâ€standing Cathode in Lithium–Sulfur Batteries. Bulletin of the Korean Chemical Society, 2018, 39, 605-610.	1.9	2
2303	Vanadium Dioxide-Graphene Composite with Ultrafast Anchoring Behavior of Polysulfides for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 15733-15741.	8.0	92
2304	Lithium Titanate Anode Thin Films for Liâ€lon Solid State Battery Based on Garnets. Advanced Functional Materials, 2018, 28, 1800879.	14.9	45
2305	Lithium–Sulfur Batteries: State of the Art and Future Directions. ACS Applied Energy Materials, 2018, 1, 1783-1814.	5.1	108
2306	Stabilizing Lithium–Sulfur Batteries through Control of Sulfur Aggregation and Polysulfide Dissolution. Small, 2018, 14, e1703816.	10.0	28

#	Article	IF	CITATIONS
2307	In Situ Assembly of 2D Conductive Vanadium Disulfide with Graphene as a Highâ€Sulfur‣oading Host for Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1800201.	19.5	188
2308	Porphyrinâ€Đerived Grapheneâ€Based Nanosheets Enabling Strong Polysulfide Chemisorption and Rapid Kinetics in Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1800849.	19.5	211
2309	A review on anode for lithium-sulfur batteries: Progress and prospects. Chemical Engineering Journal, 2018, 347, 343-365.	12.7	227
2310	Toward High Performance Lithium–Sulfur Batteries Based on Li ₂ S Cathodes and Beyond: Status, Challenges, and Perspectives. Advanced Functional Materials, 2018, 28, 1800154.	14.9	107
2311	In Situ Encapsulating αâ€MnS into N,Sâ€Codoped Nanotubeâ€Like Carbon as Advanced Anode Material: α → β Transition Promoted Cycling Stability and Superior Li/Na‣torage Performance in Half/Full Cells. Advanced Materials, 2018, 30, e1706317.	Phase 21.0	164
2312	Nafion/Titanium Dioxideâ€Coated Lithium Anode for Stable Lithium–Sulfur Batteries. Chemistry - an Asian Journal, 2018, 13, 1379-1385.	3.3	34
2313	Novel Sulfur Host Composed of Cobalt and Porous Graphitic Carbon Derived from MOFs for the High-Performance Li–S Battery. ACS Applied Materials & Interfaces, 2018, 10, 13499-13508.	8.0	54
2314	Confining small sulfur molecules in peanut shell-derived microporous graphitic carbon for advanced lithium sulfur battery. Electrochimica Acta, 2018, 273, 127-135.	5.2	74
2315	A Li-ion sulfur full cell with ambient resistant Al-Li alloy anode. Energy Storage Materials, 2018, 15, 209-217.	18.0	44
2316	Polysulfide Binding to Several Nanoscale Magnéli Phases Synthesized in Carbon for Longâ€Life Lithium–Sulfur Battery Cathodes. ChemSusChem, 2018, 11, 1838-1848.	6.8	19
2317	Lithiation and Delithiation Processes in Lithium–Sulfur Batteries from Ab Initio Molecular Dynamics Simulations. Journal of Physical Chemistry C, 2018, 122, 8769-8779.	3.1	28
2318	Symmetric Lithium Sulfide – Sulfur Cells: A Method to Study Degradation Mechanisms of Cathode, Separator and Electrolyte Concepts for Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2018, 165, A1084-A1091.	2.9	16
2319	Ferromagnetic Nanoparticle–Assisted Polysulfide Trapping for Enhanced Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1800563.	14.9	109
2320	A general dissolution–recrystallization strategy to achieve sulfur-encapsulated carbon for an advanced lithium–sulfur battery. Journal of Materials Chemistry A, 2018, 6, 11664-11669.	10.3	38
2321	Metal-Embedded Porous Graphitic Carbon Fibers Fabricated from Bamboo Sticks as a Novel Cathode for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 13598-13605.	8.0	57
2322	Mechanism for the Stable Performance of Sulfur-Copolymer Cathode in Lithium–Sulfur Battery Studied by Solid-State NMR Spectroscopy. Chemistry of Materials, 2018, 30, 2915-2923.	6.7	58
2323	Toward High-Performance Lithium–Sulfur Batteries: Upcycling of LDPE Plastic into Sulfonated Carbon Scaffold via Microwave-Promoted Sulfonation. ACS Applied Materials & Interfaces, 2018, 10, 14827-14834.	8.0	54
2324	Structured Titanium Nitride Nanotube Arrays/Sulfur Composite as Cathode Materials for Advanced Lithium Sulfur Battery. Journal of the Electrochemical Society, 2018, 165, A1011-A1018.	2.9	20

#	Article	IF	CITATIONS
2325	Chemisorption of polysulfides through redox reactions with organic molecules for lithium–sulfur batteries. Nature Communications, 2018, 9, 705.	12.8	207
2326	Direct growth of 3D host on Cu foil for stable lithium metal anode. Energy Storage Materials, 2018, 13, 323-328.	18.0	92
2327	Hierarchically porous nitrogen-doped carbon as cathode for lithium–sulfur batteries. Journal of Energy Chemistry, 2018, 27, 1661-1667.	12.9	76
2328	All-MXene-Based Integrated Electrode Constructed by Ti ₃ C ₂ Nanoribbon Framework Host and Nanosheet Interlayer for High-Energy-Density Li–S Batteries. ACS Nano, 2018, 12, 2381-2388.	14.6	340
2329	Efficient entrapment and catalytic conversion of lithium polysulfides on hollow metal oxide submicro-spheres as lithium–sulfur battery cathodes. Nanoscale, 2018, 10, 5634-5641.	5.6	74
2330	Novel biomass derived hierarchical porous carbon for lithium sulfur batteries. Materials Letters, 2018, 217, 167-170.	2.6	42
2331	SiC2 siligraphene as a promising anchoring material for lithium-sulfur batteries: a computational study. Applied Surface Science, 2018, 440, 889-896.	6.1	32
2332	Towards highly stable lithium sulfur batteries: Surface functionalization of carbon nanotube scaffolds. Carbon, 2018, 131, 175-183.	10.3	47
2333	Improved performance of dual-conducting polymer-coated sulfur composite with high sulfur utilization for lithium-sulfur batteries. Journal of Alloys and Compounds, 2018, 742, 868-876.	5.5	29
2334	CO2 oxidation of carbon nanotubes for lithium-sulfur batteries with improved electrochemical performance. Carbon, 2018, 132, 370-379.	10.3	48
2335	Surface modification of PET fabric through in-situ reduction and cross-linking of graphene oxide: Towards developing durable conductive fabric coatings. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 545, 16-25.	4.7	22
2336	Quantitative investigation of polysulfide adsorption capability of candidate materials for Li-S batteries. Energy Storage Materials, 2018, 13, 241-246.	18.0	134
2337	Duplex component additive of tris(trimethylsilyl) phosphite-vinylene carbonate for lithium sulfur batteries. Energy Storage Materials, 2018, 14, 75-81.	18.0	33
2338	Free-standing sulfur-polypyrrole cathode in conjunction with polypyrrole-coated separator for flexible Li-S batteries. Energy Storage Materials, 2018, 13, 312-322.	18.0	105
2339	A facile Schiff base chemical approach: towards molecular-scale engineering of N-C interface for high performance lithium-sulfur batteries. Nano Energy, 2018, 46, 365-371.	16.0	32
2340	Metal–Organic Frameworks for High Charge–Discharge Rates in Lithium–Sulfur Batteries. Angewandte Chemie, 2018, 130, 3980-3985.	2.0	70
2341	An Aqueous Inorganic Polymer Binder for High Performance Lithium–Sulfur Batteries with Flame-Retardant Properties. ACS Central Science, 2018, 4, 260-267.	11.3	147
2342	Understanding Conversion-Type Electrodes for Lithium Rechargeable Batteries. Accounts of Chemical Research, 2018, 51, 273-281.	15.6	249

#	Article	IF	CITATIONS
2343	Self-Formed Hybrid Interphase Layer on Lithium Metal for High-Performance Lithium–Sulfur Batteries. ACS Nano, 2018, 12, 1500-1507.	14.6	149
2344	Beyond Insertion for Naâ€lon Batteries: Nanostructured Alloying and Conversion Anode Materials. Advanced Energy Materials, 2018, 8, 1702582.	19.5	231
2345	Advanced Phosphorusâ€Based Materials for Lithium/Sodiumâ€Ion Batteries: Recent Developments and Future Perspectives. Advanced Energy Materials, 2018, 8, 1703058.	19.5	197
2346	Sulfur nanocomposite as a positive electrode material for rechargeable potassium–sulfur batteries. Chemical Communications, 2018, 54, 2288-2291.	4.1	86
2347	Molecular dynamics study of thermodynamic stability and dynamics of [Li(glyme)]+ complex in lithium-glyme solvate ionic liquids. Journal of Chemical Physics, 2018, 148, 193809.	3.0	31
2348	Metal/Graphene Composites with Strong Metal–S Bondings for Sulfur Immobilization in Li–S Batteries. Journal of Physical Chemistry C, 2018, 122, 3263-3272.	3.1	36
2349	Ionic liquids and derived materials for lithium and sodium batteries. Chemical Society Reviews, 2018, 47, 2020-2064.	38.1	452
2350	Nanoscale <i>in situ</i> detection of nucleation and growth of Li electrodeposition at various current densities. Journal of Materials Chemistry A, 2018, 6, 4629-4635.	10.3	24
2351	Differences in Electrochemistry between Fibrous SPAN and Fibrous S/C Cathodes Relevant to Cycle Stability and Capacity. Journal of the Electrochemical Society, 2018, 165, A6017-A6020.	2.9	32
2352	A Highly Stretchable Crossâ€Linked Polyacrylamide Hydrogel as an Effective Binder for Silicon and Sulfur Electrodes toward Durable Lithiumâ€Ion Storage. Advanced Functional Materials, 2018, 28, 1705015.	14.9	148
2353	Designing Safe Electrolyte Systems for a High‣tability Lithium–Sulfur Battery. Advanced Energy Materials, 2018, 8, 1702348.	19.5	266
2354	Biomimetic Bipolar Microcapsules Derived from <i>Staphylococcus aureus</i> for Enhanced Properties of Lithium–Sulfur Battery Cathodes. Advanced Energy Materials, 2018, 8, 1702373.	19.5	106
2355	Triptycene-based quinone molecules showing multi-electron redox reactions for large capacity and high energy organic cathode materials in Li-ion batteries. Journal of Materials Chemistry A, 2018, 6, 3134-3140.	10.3	80
2356	Self-assembled layer-by-layer partially reduced graphene oxide–sulfur composites as lithium–sulfur battery cathodes. RSC Advances, 2018, 8, 3443-3452.	3.6	18
2357	Manipulating the Redox Kinetics of Li–S Chemistry by Tellurium Doping for Improved Li–S Batteries. ACS Energy Letters, 2018, 3, 420-427.	17.4	146
2358	Metal–Organic Frameworks for High Charge–Discharge Rates in Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2018, 57, 3916-3921.	13.8	307
2359	Insights into the Interconnection of the Electrodes and Electrolyte Species in Lithium–Sulfur Batteries Using Spatially Resolved <i>Operando</i> X-ray Absorption Spectroscopy and X-ray Fluorescence Mapping. Journal of Physical Chemistry C, 2018, 122, 5303-5316.	3.1	10
2360	A Sulfur–Limoneneâ€Based Electrode for Lithium–Sulfur Batteries: Highâ€Performance by Selfâ€Protection. Advanced Materials, 2018, 30, e1706643.	21.0	114

#	Article	IF	CITATIONS
2361	Dodecylamineâ€Induced Synthesis of a Nitrogenâ€Doped Carbon Comb for Advanced Lithium–Sulfur Battery Cathodes. Advanced Materials Interfaces, 2018, 5, 1701659.	3.7	21
2362	1,3â€Dioxolane: A Strategy to Improve Electrode Interfaces in Lithium Ion and Lithiumâ€Sulfur Batteries. ChemElectroChem, 2018, 5, 1272-1278.	3.4	20
2363	Formation of Multilayer Graphene Domains with Strong Sulfur–Carbon Interaction and Enhanced Sulfur Reduction Zones for Lithium–Sulfur Battery Cathodes. ChemSusChem, 2018, 11, 1970-1980.	6.8	41
2364	Templateâ€Derived Submicrometric Carbon Spheres for Lithium–Sulfur and Sodium″on Battery Electrodes. Energy Technology, 2018, 6, 1797-1804.	3.8	13
2365	Shuttle Suppression by Polymer-Sealed Graphene-Coated Polypropylene Separator. ACS Applied Materials & Interfaces, 2018, 10, 5534-5542.	8.0	27
2366	2D framework C ₂ N as a potential cathode for lithium–sulfur batteries: an <i>ab initio</i> density functional study. Journal of Materials Chemistry A, 2018, 6, 2984-2994.	10.3	37
2367	Direct Observation of Electrochemical Lithium–Sulfur Reaction inside Carbon Nanotubes. ACS Applied Energy Materials, 2018, 1, 807-813.	5.1	16
2368	Nitrogen-Doped Single-Walled Carbon Nanohorns as a Cost-Effective Carbon Host toward High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 5551-5559.	8.0	57
2369	<i>In situ</i> template synthesis of hierarchical porous carbon used for high performance lithium–sulfur batteries. RSC Advances, 2018, 8, 4503-4513.	3.6	13
2370	Nanocasting in ball mills – combining ultra-hydrophilicity and ordered mesoporosity in carbon materials. Journal of Materials Chemistry A, 2018, 6, 859-865.	10.3	29
2371	Multifunctional Interlayer Based on Molybdenum Diphosphide Catalyst and Carbon Nanotube Film for Lithium–Sulfur Batteries. Small, 2018, 14, 1702853.	10.0	142
2372	Modeling of a Hybrid Langmuir Adsorption Isotherm for Describing Interactions Between Drug Molecules and Silica Surfaces. Journal of Pharmaceutical Sciences, 2018, 107, 1392-1397.	3.3	10
2373	Sulfur Immobilization by "Chemical Anchor―to Suppress the Diffusion of Polysulfides in Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2018, 5, 1701274.	3.7	87
2374	Simple modification with amine- and hydroxyl- group rich biopolymer on ordered mesoporous carbon/sulfur composite for lithium-sulfur batteries. Korean Journal of Chemical Engineering, 2018, 35, 579-586.	2.7	37
2375	A Two-Dimensional Porous Carbon-Modified Separator for High-Energy-Density Li-S Batteries. Joule, 2018, 2, 323-336.	24.0	344
2376	A non-aqueous Li/organosulfur semi-solid flow battery. Chinese Chemical Letters, 2018, 29, 716-718.	9.0	19
2377	Direct visualization of sulfur cathodes: new insights into Li–S batteries <i>via operando</i> X-ray based methods. Energy and Environmental Science, 2018, 11, 202-210.	30.8	96
2378	Adiabatic and Nonadiabatic Charge Transport in Li–S Batteries. Chemistry of Materials, 2018, 30, 915-928.	6.7	30

#	Article	IF	Citations
2379	Recent Progress in Porous Graphene and Reduced Graphene Oxideâ€Based Nanomaterials for Electrochemical Energy Storage Devices. Advanced Materials Interfaces, 2018, 5, 1701212.	3.7	95
2380	Bimodal Mesoporous CMK-5 Carbon: Selective Pore Filling with Sulfur and SnO ₂ for Lithium Battery Electrodes. ACS Applied Nano Materials, 2018, 1, 455-462.	5.0	19
2381	Three dimensional porous SiC for lithium polysulfide trapping. Physical Chemistry Chemical Physics, 2018, 20, 4005-4011.	2.8	10
2382	High performance lithium-sulfur batteries with facile titanium nitride particles modified separator. Materials Letters, 2018, 215, 91-94.	2.6	12
2383	Aqueous-Processable Redox-Active Supramolecular Polymer Binders for Advanced Lithium/Sulfur Cells. Chemistry of Materials, 2018, 30, 685-691.	6.7	42
2384	Interaction between functionalized graphene and sulfur compounds in a lithium–sulfur battery – a density functional theory investigation. RSC Advances, 2018, 8, 2271-2279.	3.6	50
2385	Design of structural and functional nanomaterials for lithium-sulfur batteries. Nano Today, 2018, 18, 35-64.	11.9	110
2386	Increasing Energy Densities of Sulfur Cathodes using Dispersing and Calendering Processes for Lithium–Sulfur Batteries. Energy Technology, 2018, 6, 1139-1147.	3.8	13
2387	Polar cross-linked polystyrene as polysulfides anchor enhanced cycle performance and coulombic efficiency for lithium sulfur batteries. Journal of Electroanalytical Chemistry, 2018, 810, 171-175.	3.8	7
2388	Do imaging techniques add real value to the development of better post-Li-ion batteries?. Journal of Materials Chemistry A, 2018, 6, 3304-3327.	10.3	36
2389	Electro-plating and stripping behavior on lithium metal electrode with ordered three-dimensional structure. Nano Energy, 2018, 45, 463-470.	16.0	81
2391	Updated Metal Compounds (MOFs, S, OH, N, C) Used as Cathode Materials for Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1702607.	19.5	202
2392	Pomegranate‧tructured Silica/Sulfur Composite Cathodes for Highâ€Performance Lithium–Sulfur Batteries. Chemistry - an Asian Journal, 2018, 13, 568-576.	3.3	5
2393	Rational Design Oxygen and Sulfur Dual-Doped 3D Hierarchical Porous Carbons for High-Performance Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2018, 165, A31-A39.	2.9	7
2394	Flexible and Hierarchically Structured Sulfur Composite Cathode Based on the Carbonized Textile for High-Performance Li–S Batteries. ACS Applied Materials & Interfaces, 2018, 10, 3938-3947.	8.0	33
2395	Room-Temperature, Ambient-Pressure Chemical Synthesis of Amine-Functionalized Hierarchical Carbon–Sulfur Composites for Lithium–Sulfur Battery Cathodes. ACS Applied Materials & Interfaces, 2018, 10, 4767-4775.	8.0	15
2396	Severe Loss of Confined Sulfur in Nanoporous Carbon for Li–S Batteries under Wetting Conditions. ACS Energy Letters, 2018, 3, 387-392.	17.4	32
2397	Ionothermal synthesis of graphene-based microporous carbon for lithium–sulfur batteries. New Journal of Chemistry, 2018, 42, 2483-2490.	2.8	8

#	Article	IF	CITATIONS
2398	Graphene aerogels for efficient energy storage and conversion. Energy and Environmental Science, 2018, 11, 772-799.	30.8	435
2399	Hierarchically Porous Multilayered Carbon Barriers for Highâ€Performance Li–S Batteries. Chemistry - A European Journal, 2018, 24, 3768-3775.	3.3	43
2400	Correlating Morphological Evolution of Li Electrodes with Degrading Electrochemical Performance of Li/LiCoO ₂ and Li/S Battery Systems: Investigated by Synchrotron X-ray Phase Contrast Tomography. ACS Energy Letters, 2018, 3, 356-365.	17.4	64
2401	Stable cycling of lithium-sulfur battery enabled by a reliable gel polymer electrolyte rich in ester groups. Journal of Membrane Science, 2018, 550, 399-406.	8.2	65
2402	Phase Inversion Strategy to Fabricate Porous Carbon for Liâ€6 Batteries via Block Copolymer Selfâ€Assembly. Advanced Materials Interfaces, 2018, 5, 1701116.	3.7	18
2403	Facile Synthesis of Crumpled Nitrogenâ€Doped MXene Nanosheets as a New Sulfur Host for Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1702485.	19.5	488
2404	Hierarchically structured carbon nanomaterials for electrochemical energy storage applications. Journal of Materials Research, 2018, 33, 1058-1073.	2.6	33
2405	Lightweight Reduced Graphene Oxide@MoS ₂ Interlayer as Polysulfide Barrier for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 3707-3713.	8.0	239
2406	Low Cost Metal Carbide Nanocrystals as Binding and Electrocatalytic Sites for High Performance Li–S Batteries. Nano Letters, 2018, 18, 1035-1043.	9.1	285
2407	A LiAlO ₂ /nitrogen-doped hollow carbon spheres (NdHCSs) modified separator for advanced lithium–sulfur batteries. RSC Advances, 2018, 8, 1632-1637.	3.6	9
2408	A multi-electron redox mediator for redox-targeting lithium-sulfur flow batteries. Journal of Power Sources, 2018, 378, 418-422.	7.8	11
2409	Sulfur–hydrazine hydrate-based chemical synthesis of sulfur@graphene composite for lithium–sulfur batteries. Inorganic Chemistry Frontiers, 2018, 5, 785-792.	6.0	14
2410	Mangosteen peel-derived porous carbon: synthesis and its application in the sulfur cathode for lithium sulfur battery. Journal of Materials Science, 2018, 53, 11062-11077.	3.7	51
2411	Insight into the effect of lithium-dendrite suppression by lithium bis(fluorosulfony)imide/1,2-dimethoxyethane electrolytes. Electrochimica Acta, 2018, 277, 116-126.	5.2	9
2412	Porous Organic Polymers for Polysulfide Trapping in Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1707597.	14.9	154
2413	Sulfurâ€Containing Molecules Grafted on Carbon Nanotubes as Highly Cyclable Cathodes for Lithium/Organic Batteries. ChemElectroChem, 2018, 5, 1732-1737.	3.4	5
2414	Two-Dimensional Material-Reinforced Separator for Li–Sulfur Battery. Journal of Physical Chemistry C, 2018, 122, 10765-10772.	3.1	23
2415	Direct impregnation of SeS ₂ into a MOF-derived 3D nanoporous Co–N–C architecture towards superior rechargeable lithium batteries. Journal of Materials Chemistry A, 2018, 6, 10466-10473.	10.3	120

#	Article	IF	CITATIONS
2416	Evaluation of Processes for Mechanical Manufacturing of Composite Materials for Liâ€6ulfur Batteries. Chemie-Ingenieur-Technik, 2018, 90, 513-520.	0.8	7
2417	Engineering Graphenes from the Nano- to the Macroscale for Electrochemical Energy Storage. Electrochemical Energy Reviews, 2018, 1, 139-168.	25.5	55
2418	Superior Performance of a Lithium–Sulfur Battery Enabled by a Dimethyl Trisulfide Containing Electrolyte. Small Methods, 2018, 2, 1800038.	8.6	44
2419	Porous hybrid aerogels with ultrahigh sulfur loading for lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 9032-9040.	10.3	33
2420	In situ synthesis of 3D sulfur-doped graphene/sulfur as a cathode material for lithium-sulfur batteries. Journal of Alloys and Compounds, 2018, 754, 64-71.	5.5	34
2421	Heteroatomic Te _x S _{1â^x} molecule/C nanocomposites as stable cathode materials in carbonate-based electrolytes for lithium–chalcogen batteries. Journal of Materials Chemistry A, 2018, 6, 10104-10110.	10.3	28
2422	Enhanced kinetics of polysulfide redox reactions on Mo ₂ C/CNT in lithium–sulfur batteries. Nanotechnology, 2018, 29, 295401.	2.6	32
2423	High performance sulfur graphite full cell for next generation sulfur Li-ion battery. Journal of Power Sources, 2018, 388, 5-10.	7.8	10
2424	A robust network binder with dual functions of Cu ²⁺ ions as ionic crosslinking and chemical binding agents for highly stable Li–S batteries. Journal of Materials Chemistry A, 2018, 6, 7382-7388.	10.3	81
2425	Multi-electron reaction materials for sodium-based batteries. Materials Today, 2018, 21, 960-973.	14.2	103
2426	Free-Standing Mn ₃ O ₄ @CNF/S Paper Cathodes with High Sulfur Loading for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 13406-13412.	8.0	68
2427	Progress and Perspective of Solid‣tate Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1707570.	14.9	194
2428	Coordination effect of network NiO nanosheet and a carbon layer on the cathode side in constructing a high-performance lithium–sulfur battery. Journal of Materials Chemistry A, 2018, 6, 6503-6509.	10.3	58
2429	Electrochemical Impedance Imaging via the Distribution of Diffusion Times. Physical Review Letters, 2018, 120, 116001.	7.8	71
2430	A multifunctional graphene oxide-Zn(II)-triazole complex for improved performance of lithium-sulfur battery at low temperature. Electrochimica Acta, 2018, 271, 58-66.	5.2	22
2431	Double-Confined Sulfur Inside Compressed Nickel Foam and Pencil-Plating Graphite for Lithium–Sulfur Battery. Industrial & Engineering Chemistry Research, 2018, 57, 4880-4886.	3.7	2
2432	CeF ₃ -Doped Porous Carbon Nanofibers as Sulfur Immobilizers in Cathode Material for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 12626-12638.	8.0	53
2433	Nickel-Based-Hydroxide-Wrapped Activated Carbon Cloth/Sulfur Composite with Tree-Bark-Like Structure for High-Performance Freestanding Sulfur Cathode. ACS Applied Energy Materials, 2018, 1, 1594-1602.	5.1	23

#	Article	IF	CITATIONS
2434	Thermal Lithiated-TiO ₂ : A Robust and Electron-Conducting Protection Layer for Li–Si Alloy Anode. ACS Applied Materials & Interfaces, 2018, 10, 12750-12758.	8.0	45
2435	In-situ preparation of poly(ethylene oxide)/Li3PS4 hybrid polymer electrolyte with good nanofiller distribution for rechargeable solid-state lithium batteries. Journal of Power Sources, 2018, 387, 72-80.	7.8	95
2436	Polymeric binders for the sulfur electrode compatible with ionic liquid containing electrolytes. Electrochimica Acta, 2018, 271, 103-109.	5.2	8
2437	Polymer coating technology for high performance applications: Fundamentals and advances. Journal of Macromolecular Science - Pure and Applied Chemistry, 2018, 55, 440-448.	2.2	58
2438	A polypyrrole hollow nanosphere with ultra-thin wrinkled shell: Synergistic trapping of sulfur in Lithium-Sulfur batteries with excellent elasticity and buffer capability. Electrochimica Acta, 2018, 271, 67-76.	5.2	36
2439	Dual confinement of polysulfides in boron-doped porous carbon sphere/graphene hybrid for advanced Li-S batteries. Nano Research, 2018, 11, 4562-4573.	10.4	54
2440	Progress and perspective of organosulfur polymers as cathode materials for advanced lithium-sulfur batteries. Energy Storage Materials, 2018, 15, 53-64.	18.0	131
2441	A Li-dual carbon composite as stable anode material for Li batteries. Energy Storage Materials, 2018, 15, 116-123.	18.0	53
2442	High-Performance All-Solid-State Na–S Battery Enabled by Casting–Annealing Technology. ACS Nano, 2018, 12, 3360-3368.	14.6	102
2443	Carbon-coated Li2S cathode for improving the electrochemical properties of an all-solid-state lithium-sulfur battery using Li2S-P2S5 solid electrolyte. Ceramics International, 2018, 44, 7450-7453.	4.8	33
2444	Nanopore-confined g-C ₃ N ₄ nanodots inÂN, S co-doped hollow porous carbon with boosted capacity for lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 7133-7141.	10.3	80
2445	Carbon-based core–shell nanostructured materials for electrochemical energy storage. Journal of Materials Chemistry A, 2018, 6, 7310-7337.	10.3	102
2446	Self-standing sulfur cathodes enabled by 3D hierarchically porous titanium monoxide-graphene composite film for high-performance lithium-sulfur batteries. Nano Energy, 2018, 47, 331-339.	16.0	106
2447	Dense Graphene Monolith for High Volumetric Energy Density Li–S Batteries. Advanced Energy Materials, 2018, 8, 1703438.	19.5	97
2448	Titanium nitride hollow nanospheres with strong lithium polysulfide chemisorption as sulfur hosts for advanced lithium-sulfur batteries. Nano Research, 2018, 11, 4302-4312.	10.4	81
2449	Fabrication of oriented-macroporous-carbon incorporated with Î ³ -Al2O3 for high performance lithium-sulfur battery. Microporous and Mesoporous Materials, 2018, 266, 276-282.	4.4	19
2450	Heteroatom dopings and hierarchical pores of graphene for synergistic improvement of lithium–sulfur battery performance. Inorganic Chemistry Frontiers, 2018, 5, 1053-1061.	6.0	22
2451	Achieving high capacity hybrid-cathode FeF ₃ @Li ₂ C ₆ O ₆ /rGO based on morphology control synthesis and interface engineering. Chemical Communications, 2018, 54, 3235-3238.	4.1	11

#	Article	IF	CITATIONS
2452	CeO2-webbed carbon nanotubes as a highly efficient sulfur host for lithium-sulfur batteries. Energy Storage Materials, 2018, 10, 216-222.	18.0	92
2453	Adapting benzoxazine chemistry for unconventional applications. Reactive and Functional Polymers, 2018, 129, 76-88.	4.1	120
2454	Lightweight, free-standing 3D interconnected carbon nanotube foam as a flexible sulfur host for high performance lithium-sulfur battery cathodes. Energy Storage Materials, 2018, 10, 206-215.	18.0	91
2455	Enhanced sulfide chemisorption by conductive Al-doped ZnO decorated carbon nanoflakes for advanced Li–S batteries. Nano Research, 2018, 11, 477-489.	10.4	36
2456	Recent development of metal compound applications in lithium–sulphur batteries. Journal of Materials Research, 2018, 33, 16-31.	2.6	41
2457	Multifunctional Separator with Porous Carbon/Multiâ€Walled Carbon Nanotube Coating for Advanced Lithiumâ^'Sulfur Batteries. ChemElectroChem, 2018, 5, 71-77.	3.4	38
2458	Leaf-like interconnected network structure of MWCNT/Co9S8/S for lithium-sulfur batteries. Journal of Alloys and Compounds, 2018, 731, 964-970.	5.5	38
2459	Carbon onion/sulfur hybrid cathodes <i>via</i> inverse vulcanization for lithium–sulfur batteries. Sustainable Energy and Fuels, 2018, 2, 133-146.	4.9	36
2460	Polymeric multilayer-modified manganese dioxide with hollow porous structure as sulfur host for lithium sulfur batteries. Electrochimica Acta, 2018, 259, 440-448.	5.2	27
2461	Quaternary ammonium cationic polymer as a superior bifunctional binder for lithium–sulfur batteries and effects of counter anion. Electrochimica Acta, 2018, 259, 626-636.	5.2	49
2462	Synthesis and characterization of three-dimensional MoS2@carbon fibers hierarchical architecture with high capacity and high mass loading for Li-ion batteries. Journal of Colloid and Interface Science, 2018, 510, 327-333.	9.4	27
2463	Fe3O4@S nanoparticles embedded/coated on the multi-wall carbon nanotubes for rechargeable lithium batteries. Chemical Engineering Journal, 2018, 333, 268-275.	12.7	16
2464	Superior lithium-ion storage performances of carbonaceous microspheres with high electrical conductivity and uniform distribution of Fe and TiO ultrafine nanocrystals for Li-S batteries. Carbon, 2018, 126, 394-403.	10.3	13
2465	Preparation of mesoporous carbon for improved-performance lithium-sulfur battery. lonics, 2018, 24, 1057-1064.	2.4	5
2466	Catalytic Effects in Lithium–Sulfur Batteries: Promoted Sulfur Transformation and Reduced Shuttle Effect. Advanced Science, 2018, 5, 1700270.	11.2	669
2467	Mesoscale Physicochemical Interactions in Lithium–Sulfur Batteries: Progress and Perspective. Journal of Electrochemical Energy Conversion and Storage, 2018, 15, .	2.1	11
2468	Dreidimensionale Architekturen aus Übergangsmetallâ€Dichalkogenidâ€Nanomaterialien zur elektrochemischen Energiespeicherung und â€umwandlung. Angewandte Chemie, 2018, 130, 634-655.	2.0	37
2469	Threeâ€Dimensional Architectures Constructed from Transitionâ€Metal Dichalcogenide Nanomaterials for Electrochemical Energy Storage and Conversion. Angewandte Chemie - International Edition, 2018, 57, 626-646.	13.8	398

#	Article	IF	CITATIONS
2470	Novel mesoporous composite with zeolite-like selectivity to capture tobacco specific nitrosamine NNK. Chemical Engineering Journal, 2018, 332, 331-339.	12.7	16
2471	Systematic Study of Effect on Enhancing Specific Capacity and Electrochemical Behaviors of Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1701330.	19.5	154
2472	High-performance lithium-sulfur batteries based on self-supporting graphene/carbon nanotube foam@sulfur composite cathode and quasi-solid-state polymer electrolyte. Chemical Engineering Journal, 2018, 332, 8-15.	12.7	39
2473	High Performance Lithium–Sulfur Batteries with a Sustainable and Environmentally Friendly Carbon Aerogel Modified Separator. ACS Sustainable Chemistry and Engineering, 2018, 6, 248-257.	6.7	67
2474	Understanding the anchoring effect of Graphene, BN, C2N and C3N4 monolayers for lithiumâ~'polysulfides in Liâ~'S batteries. Applied Surface Science, 2018, 434, 596-603.	6.1	78
2475	Designing a Highâ€Performance Lithium–Sulfur Batteries Based on Layered Double Hydroxides–Carbon Nanotubes Composite Cathode and a Dualâ€Functional Graphene–Polypropylene–Al ₂ O ₃ Separator. Advanced Functional Materials, 2018. 28. 1704294.	14.9	135
2476	Fabrication of hierarchical porous N-doping carbon membrane by using "confined nanospace deposition―method for supercapacitor. Applied Surface Science, 2018, 435, 424-431.	6.1	13
2477	Nitrogen-doped nanostructured porous carbon derived from monosodium glutamate for high-performance lithium sulfur battery. Materials Research Bulletin, 2018, 99, 429-435.	5.2	24
2478	Supercritical CO ₂ mediated incorporation of sulfur into carbon matrix as cathode materials towards high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 212-222.	10.3	49
2479	C3B monolayer as an anchoring material for lithium-sulfur batteries. Carbon, 2018, 129, 38-44.	10.3	105
2480	Self-assembled N-graphene nanohollows enabling ultrahigh energy density cathode for Li–S batteries. Nanoscale, 2018, 10, 386-395.	5.6	55
2481	Nanoconfined Oxidation Synthesis of Nâ€Doped Carbon Hollow Spheres and MnO ₂ Encapsulated Sulfur Cathode for Superior Liâ€5 Batteries. Chemistry - A European Journal, 2018, 24, 4573-4582.	3.3	34
2482	Nanostructured Host Materials for Trapping Sulfur in Rechargeable Li–S Batteries: Structure Design and Interfacial Chemistry. Small Methods, 2018, 2, 1700279.	8.6	201
2483	Thermodynamics and Kinetics of Sulfur Cathode during Discharge in MgTFSI ₂ –DME Electrolyte. Advanced Materials, 2018, 30, 1704313.	21.0	122
2484	Preparation of a Si/SiO ₂ –Orderedâ€Mesoporousâ€Carbon Nanocomposite as an Anode for Highâ€Performance Lithiumâ€Ion and Sodiumâ€Ion Batteries. Chemistry - A European Journal, 2018, 24, 4841-4848.	3.3	70
2485	3D interconnected porous carbon nanosheets/carbon nanotubes as a polysulfide reservoir for high performance lithium–sulfur batteries. Nanoscale, 2018, 10, 816-824.	5.6	150
2486	Hollow polypyrrole @ MnO2 spheres as nano-sulfur hosts for improved lithium-sulfur batteries. Electrochimica Acta, 2018, 260, 912-920.	5.2	59
2487	Facile Synthesis of Ultrahigh‣urfaceâ€Area Hollow Carbon Nanospheres and their Application in Lithium‣ulfur Batteries. Chemistry - A European Journal, 2018, 24, 1988-1997.	3.3	27

#	Article	IF	CITATIONS
2488	Chemical Immobilization Effect on Lithium Polysulfides for Lithium–Sulfur Batteries. Small, 2018, 14, 1701986.	10.0	153
2489	S nano-layer deposited on the surface of 3D carbon for high cycle-stability Li–S batteries. Journal of Alloys and Compounds, 2018, 737, 1-7.	5.5	13
2490	Suppressing Polysulfide Dissolution via Cohesive Forces by Interwoven Carbon Nanofibers for High-Areal-Capacity Lithium–Sulfur Batteries. Nano Letters, 2018, 18, 475-481.	9.1	137
2491	Sn Wears Super Skin: A New Design for Long Cycling Batteries. Nano Letters, 2018, 18, 467-474.	9.1	67
2492	Electrochemical properties of modified acetylene black/sulfur composite cathode material for lithium/sulfur batteries. Ionics, 2018, 24, 2219-2225.	2.4	14
2493	Process optimization for producing hierarchical porous bamboo-derived carbon materials with ultrahigh specific surface area for lithium-sulfur batteries. Journal of Alloys and Compounds, 2018, 738, 16-24.	5.5	60
2494	Functional interlayer of PVDF-HFP and carbon nanofiber for long-life lithium-sulfur batteries. Nano Research, 2018, 11, 3340-3352.	10.4	60
2495	A synergistic "cascade―effect in copper zinc tin sulfide nanowalls for highly stable and efficient lithium ion storage. Nano Energy, 2018, 44, 438-446.	16.0	24
2496	Modern Applications of Green Chemistry. , 2018, , 771-860.		4
2497	Metal-organic-framework-derived N-C-Co film as a shuttle-suppressing interlayer for lithium sulfur battery. Chemical Engineering Journal, 2018, 334, 2356-2362.	12.7	82
2498	Hollow Mesoporous Carbon Nanocubes: Rigidâ€Interfaceâ€Induced Outward Contraction of Metalâ€Organic Frameworks. Advanced Functional Materials, 2018, 28, 1705253.	14.9	100
2499	Aerosol‧pray Pyrolysis toward Preparation of Nanostructured Materials for Batteries and Supercapacitors. Small Methods, 2018, 2, 1700272.	8.6	48
2500	PEO-Linked MoS ₂ –Graphene Nanocomposites with 2D Polar–Nonpolar Amphoteric Surfaces as Sulfur Hosts for High-Performance Li–S Batteries. ACS Sustainable Chemistry and Engineering, 2018, 6, 974-982.	6.7	37
2501	VS ₄ Nanoparticles Anchored on Graphene Sheets as a Highâ€Rate and Stable Electrode Material for Sodium Ion Batteries. ChemSusChem, 2018, 11, 735-742.	6.8	93
2502	Mesoporous graphitic carbon-TiO2 composite microspheres produced by a pilot-scale spray-drying process as an efficient sulfur host material for Li-S batteries. Chemical Engineering Journal, 2018, 335, 600-611.	12.7	59
2503	A combined theoretical and experimental study on the oxygenated graphitic carbon nitride as a promising sulfur host for lithium–sulfur batteries. Journal of Power Sources, 2018, 373, 31-39.	7.8	26
2504	New Separators in Lithium/Sulfur Cells with High-Capacity Cathodes. Journal of the Electrochemical Society, 2018, 165, A6021-A6028.	2.9	14
2505	Molecular simulations of electrolyte structure and dynamics in lithium–sulfur battery solvents. Journal of Power Sources, 2018, 373, 70-78.	7.8	79

#	Article	IF	CITATIONS
2506	Carbon nanotubes: A potential material for energy conversion and storage. Progress in Energy and Combustion Science, 2018, 64, 219-253.	31.2	184
2507	Review—From Nano Size Effect to In Situ Wrapping: Rational Design of Cathode Structure for High Performance Lithiumâ^'Sulfur Batteries. Journal of the Electrochemical Society, 2018, 165, A6034-A6042.	2.9	25
2508	Improving the Durability and Minimizing the Polysulfide Shuttle in the Li/S Battery. Journal of the Electrochemical Society, 2018, 165, A6051-A6057.	2.9	23
2509	Reduced Shuttle Effect of Lithiumâ^'sulfur Batteries by using a Simple Graphiteâ€Modified Separator with a Preformed SEI Film. ChemElectroChem, 2018, 5, 375-382.	3.4	15
2510	Repurposing paper by-product lignosulfonate as a sulfur donor/acceptor for high performance lithium–sulfur batteries. Sustainable Energy and Fuels, 2018, 2, 422-429.	4.9	26
2511	Root-like porous carbon nanofibers with high sulfur loading enabling superior areal capacity of lithium sulfur batteries. Carbon, 2018, 128, 138-146.	10.3	82
2512	Two-dimensional organic cathode materials for alkali-metal-ion batteries. Journal of Energy Chemistry, 2018, 27, 86-98.	12.9	56
2513	Long-chain solid organic polysulfide cathode for high-capacity secondary lithium batteries. Energy Storage Materials, 2018, 12, 30-36.	18.0	31
2514	Hybrid Sulfurâ^'Selenium Coâ€polymers as Cathodic Materials for Lithium Batteries. ChemElectroChem, 2018, 5, 260-265.	3.4	29
2515	Synthesis and electrochemical analysis of electrode prepared from zeolitic imidazolate framework (ZIF)-67/graphene composite for lithium sulfur cells. Electrochimica Acta, 2018, 259, 1021-1029.	5.2	44
2516	A review of core-shell nanostructured electrocatalysts for oxygen reduction reaction. Energy Storage Materials, 2018, 12, 260-276.	18.0	99
2517	Review—Li Metal Anode in Working Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2018, 165, A6058-A6072.	2.9	227
2518	Multifunctional second barrier layers for lithium–sulfur batteries. Materials Chemistry Frontiers, 2018, 2, 235-252.	5.9	34
2519	Facilitation of sulfur evolution reaction by pyridinic nitrogen doped carbon nanoflakes for highly-stable lithium-sulfur batteries. Energy Storage Materials, 2018, 10, 1-9.	18.0	208
2520	Hollow carbon nanofibers with dynamic adjustable pore sizes and closed ends as hosts for high-rate lithium-sulfur battery cathodes. Nano Research, 2018, 11, 1238-1246.	10.4	85
2521	Polysulfide immobilization and conversion on a conductive polar MoC@MoOx material for lithium-sulfur batteries. Energy Storage Materials, 2018, 10, 56-61.	18.0	157
2522	Recent Advances in Applying Vulcanization/Inverse Vulcanization Methods to Achieve Highâ€Performance Sulfurâ€Containing Polymer Cathode Materials for Li–S Batteries. Small Methods, 2018, 2, 1800156.	8.6	73
2523	Interface Engineering of Carbonâ€Based Nanocomposites for Advanced Electrochemical Energy Storage. Advanced Materials Interfaces, 2018, 5, 1800430.	3.7	95

#	Article	IF	Citations
2524	A Bifunctional Perovskite Promoter for Polysulfide Regulation toward Stable Lithium–Sulfur Batteries. Advanced Materials, 2018, 30, 1705219.	21.0	276
2525	Inorganic separators enable significantly suppressed polysulfide shuttling in high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 23720-23729.	10.3	52
2526	An <i>in situ</i> chemically and physically confined sulfur–polymer composite for lithium–sulfur batteries with carbonate-based electrolytes. Chemical Communications, 2018, 54, 14093-14096.	4.1	20
2527	A critical review of cathodes for rechargeable Mg batteries. Chemical Society Reviews, 2018, 47, 8804-8841.	38.1	420
2528	Polyvinylchloride-derived N, S co-doped carbon as an efficient sulfur host for high-performance Li–S batteries. RSC Advances, 2018, 8, 37811-37816.	3.6	10
2529	Micropores of pure nanographite spheres for long cycle life and high-rate lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 23062-23070.	10.3	87
2530	Metal-based nanostructured materials for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 23127-23168.	10.3	195
2531	Synthesis and characterization of porous monodisperse carbon spheres/selenium composite for high-performance rechargeable Li-Se batteries. Transactions of Nonferrous Metals Society of China, 2018, 28, 1819-1827.	4.2	4
2532	Net-Structured Filter of Co(OH) ₂ -Anchored Carbon Nanofibers with Ketjen Black for High Performance Li–S Batteries. ACS Sustainable Chemistry and Engineering, 2018, 6, 17099-17107.	6.7	23
2533	The synchronous reutilization of the expired ferrous sulfate granules and waste Li foils for LiFePO4/C cathode. International Journal of Hydrogen Energy, 2018, 43, 22419-22426.	7.1	5
2534	Computer Simulation of Cathode Materials for Lithium Ion and Lithium Batteries: A Review. Energy and Environmental Materials, 2018, 1, 148-173.	12.8	56
2535	Recent Advances in Energy Chemical Engineering of Next-Generation Lithium Batteries. Engineering, 2018, 4, 831-847.	6.7	169
2536	Realizing High-Performance Sulfur Cathodes through a Self-Healing and Confining Strategy. ACS Applied Energy Materials, 2018, 1, 6919-6926.	5.1	13
2537	Effect of surface modification of \$\$hbox {TiO}_{2}\$ TiO 2 on the electrochemical performance of lithium–sulfur cell. Bulletin of Materials Science, 2018, 41, 1.	1.7	0
2538	High-Conductivity Argyrodite Li ₆ PS ₅ Cl Solid Electrolytes Prepared via Optimized Sintering Processes for All-Solid-State Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 42279-42285.	8.0	170
2539	Insight of Enhanced Redox Chemistry for Porous MoO ₂ Carbon-Derived Framework as Polysulfide Reservoir in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 42286-42293.	8.0	35
2540	Simultaneously Porous Structure and Chemical Anchor: A Multifunctional Composite by One-Step Mechanochemical Strategy toward High-Performance and Safe Lithium–Sulfur Battery. ACS Applied Materials & Interfaces, 2018, 10, 41359-41369.	8.0	12
2541	Recent Progress in Liquid Electrolyte-Based Li–S Batteries: Shuttle Problem and Solutions. Electrochemical Energy Reviews, 2018, 1, 599-624.	25.5	56

#	Article	IF	CITATIONS
2542	Highly Fluoro-Substituted Covalent Organic Framework and Its Application in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 42233-42240.	8.0	127
2543	Assessing the Performance of Cobalt Phthalocyanine Nanoflakes as Molecular Catalysts for Li-Promoted Oxalate Formation in Li–CO ₂ –Oxalate Batteries. Journal of Physical Chemistry C, 2018, 122, 25776-25784.	3.1	22
2544	Recognizing the Mechanism of Sulfurized Polyacrylonitrile Cathode Materials for Li–S Batteries and beyond in Al–S Batteries. ACS Energy Letters, 2018, 3, 2899-2907.	17.4	224
2545	Sulfur–oleyl amine platelet derivatives with liquid crystalline behavior. RSC Advances, 2018, 8, 41480-41483.	3.6	5
2546	Performances of Platinum and nitrogen Dual-Doped Ordered Mesoporous Carbon as Sulfur Host for Li-S Battery. International Journal of Electrochemical Science, 2018, 13, 11294-11322.	1.3	6
2547	In Situ Self-Formed Nanosheet MoS3/Reduced Graphene Oxide Material Showing Superior Performance as a Lithium-Ion Battery Cathode. ACS Nano, 2018, 13, 1490-1498.	14.6	49
2548	Revisiting Scientific Issues for Industrial Applications of Lithium–Sulfur Batteries. Energy and Environmental Materials, 2018, 1, 196-208.	12.8	158
2549	Status, promises, and challenges of nanocomposite solid-state electrolytes for safe and high performance lithium batteries. Materials Today Nano, 2018, 4, 1-16.	4.6	201
2550	A Simple Solution-Based Method to Prepare Honeycomb-Like Li2S/Graphene Composite for Lithium-Sulfur Batteries. International Journal of Electrochemical Science, 2018, , 3407-3419.	1.3	4
2551	Exploring Effective Approach to Synthesize Graphene@sulfur Composites for High Performance Lithium-sulfur Batteries. Current Nanoscience, 2018, 14, 335-342.	1.2	4
2552	Applications of Conventional Vibrational Spectroscopic Methods for Batteries Beyond Liâ€lon. Small Methods, 2018, 2, 1700332.	8.6	33
2553	A Flexible All-in-One Lithium-Sulfur Battery. ACS Nano, 2018, 12, 12503-12511.	14.6	95
2554	Aligning academia and industry for unified battery performance metrics. Nature Communications, 2018, 9, 5262.	12.8	244
2555	A Lithium–Sulfur Battery using a 2D Current Collector Architecture with a Large‧ized Sulfur Host Operated under High Areal Loading and Low E/S Ratio. Advanced Materials, 2018, 30, e1804271.	21.0	74
2556	Sulfurâ€Rich Polymers with Functional Linkers for Highâ€Capacity and Fastâ€Charging Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1802423.	19.5	81
2557	Constructing Universal Ionic Sieves via Alignment of Twoâ€Dimensional Covalent Organic Frameworks (COFs). Angewandte Chemie - International Edition, 2018, 57, 16072-16076.	13.8	115
2558	Constructing Universal Ionic Sieves via Alignment of Twoâ€Dimensional Covalent Organic Frameworks (COFs). Angewandte Chemie, 2018, 130, 16304-16308.	2.0	16
2559	Polyoxometalates/Active Carbon Thin Separator for Improving Cycle Performance of Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 35911-35918.	8.0	39

#	Article	IF	Citations
2560	An Integrated Strategy towards Enhanced Performance of the Lithium–Sulfur Battery and its Fading Mechanism. Chemistry - A European Journal, 2018, 24, 18544-18550.	3.3	14
2561	Correlating Structure and Function of Battery Interphases at Atomic Resolution Using Cryoelectron Microscopy. Joule, 2018, 2, 2167-2177.	24.0	284
2562	Electron bridging structure glued yolk-shell hierarchical porous carbon/sulfur composite for high performance Li-S batteries. Electrochimica Acta, 2018, 292, 199-207.	5.2	27
2563	Conductive and Polar Titanium Boride as a Sulfur Host for Advanced Lithium–Sulfur Batteries. Chemistry of Materials, 2018, 30, 6969-6977.	6.7	101
2564	Advanced Nanocarbon Materials for Future Energy Applications. , 2018, , 305-325.		7
2565	Fiber network composed of interconnected yolk-shell carbon nanospheres for high-performance lithium-sulfur batteries. Nano Energy, 2018, 54, 50-58.	16.0	87
2566	On the mechanistic role of nitrogen-doped carbon cathodes in lithium-sulfur batteries with low electrolyte weight portion. Nano Energy, 2018, 54, 116-128.	16.0	67
2567	Atomic cobalt as an efficient electrocatalyst in sulfur cathodes for superior room-temperature sodium-sulfur batteries. Nature Communications, 2018, 9, 4082.	12.8	305
2568	Improvement of Li-S battery electrochemical performance with 2D TiS2 additive. Electrochimica Acta, 2018, 292, 779-788.	5.2	29
2569	WS ₂ –Graphite Dual-Ion Batteries. Nano Letters, 2018, 18, 7155-7164.	9.1	88
2570	Defects on carbons for electrocatalytic oxygen reduction. Chemical Society Reviews, 2018, 47, 7628-7658.	38.1	432
2571	A high performance lithium-ion–sulfur battery with a free-standing carbon matrix supported Li-rich alloy anode. Chemical Science, 2018, 9, 8829-8835.	7.4	36
2572	Self-Healing Lamellar Structure Boosts Highly Stable Zinc-Storage Property of Bilayered Vanadium Oxides. ACS Applied Materials & Interfaces, 2018, 10, 35079-35089.	8.0	169
2573	A 3D Nitrogenâ€Doped Graphene/TiN Nanowires Composite as a Strong Polysulfide Anchor for Lithium–Sulfur Batteries with Enhanced Rate Performance and High Areal Capacity. Advanced Materials, 2018, 30, e1804089.	21.0	251
2574	A Polysulfideâ€Immobilizing Polymer Retards the Shuttling of Polysulfide Intermediates in Lithium–Sulfur Batteries. Advanced Materials, 2018, 30, e1804581.	21.0	246
2575	Exceptional catalytic effects of black phosphorus quantum dots in shuttling-free lithium sulfur batteries. Nature Communications, 2018, 9, 4164.	12.8	304
2577	Enhanced Adsorptions to Polysulfides on Graphene-Supported BN Nanosheets with Excellent Li–S Battery Performance in a Wide Temperature Range. ACS Nano, 2018, 12, 11120-11129.	14.6	131
2578	Flexible and stable high-energy lithium-sulfur full batteries with only 100% oversized lithium. Nature Communications, 2018, 9, 4480.	12.8	193

#	Article	IF	CITATIONS
2579	Carbon-metal oxide nanocomposites as lithium-sulfur battery cathodes. Functional Materials Letters, 2018, 11, 1830007.	1.2	24
2580	Hierarchical Porous Carbon Cathode for Lithium–Sulfur Batteries Using Carbon Derived from Hybrid Materials Synthesized by Twin Polymerization. Particle and Particle Systems Characterization, 2018, 35, 1800364.	2.3	18
2581	MoS ₂ -Coated N-doped Mesoporous Carbon Spherical Composite Cathode and CNT/Chitosan Modified Separator for Advanced Lithium Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2018, 6, 16828-16837.	6.7	72
2582	Raising the redox potential in carboxyphenolate-based positive organic materials via cation substitution. Nature Communications, 2018, 9, 4401.	12.8	101
2583	On-grid batteries for large-scale energy storage: Challenges and opportunities for policy and technology. MRS Energy & Sustainability, 2018, 5, 1.	3.0	33
2585	Carbon Nanotube-Connected Yolk–Shell Carbon Nanopolyhedras with Cobalt and Nitrogen Doping as Sulfur Immobilizers for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2018, 1, 6487-6496.	5.1	29
2586	Nickel–Cobalt Double Hydroxide as a Multifunctional Mediator for Ultrahighâ€Rate and Ultralong‣ife Li–S Batteries. Advanced Energy Materials, 2018, 8, 1802431.	19.5	76
2587	The Dualâ€Play of 3D Conductive Scaffold Embedded with Co, N Codoped Hollow Polyhedra toward Highâ€Performance Li–S Full Cell. Advanced Energy Materials, 2018, 8, 1802561.	19.5	114
2588	A Multifunctional Sillyâ€Putty Nanocomposite Spontaneously Repairs Cathode Composite for Advanced Liâ^'S Batteries. Advanced Functional Materials, 2018, 28, 1804777.	14.9	52
2589	Metal-organic framework-74-Ni/carbon nanotube composite as sulfur host for high performance lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2018, 830-831, 43-49.	3.8	47
2590	A 3D MoS2/Graphene Microsphere Coated Separator for Excellent Performance Li-S Batteries. Materials, 2018, 11, 2064.	2.9	16
2591	Synthesis and physical properties of new fluoroether sulfones. Journal of Fluorine Chemistry, 2018, 216, 118-123.	1.7	4
2592	Sulfur@microporous Carbon Cathode with a High Sulfur Content for Magnesium–Sulfur Batteries with Nucleophilic Electrolytes. Journal of Physical Chemistry C, 2018, 122, 26764-26776.	3.1	53
2593	Mixed Lithium Oxynitride/Oxysulfide as an Interphase Protective Layer To Stabilize Lithium Anodes for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 39695-39704.	8.0	35
2594	Plane Double-Layer Structure of AC@S Cathode Improves Electrochemical Performance for Lithium-Sulfur Battery. Frontiers in Chemistry, 2018, 6, 447.	3.6	8
2595	Recessed deposition of TiN into N-doped carbon as a cathode host for superior Li-S batteries performance. Nano Energy, 2018, 54, 1-9.	16.0	103
2596	Recent advances of polar transition-metal sulfides host materials for advanced lithium–sulfur batteries. Functional Materials Letters, 2018, 11, 1840010.	1.2	33
2597	In-situ PECVD-enabled graphene-V2O3 hybrid host for lithium–sulfur batteries. Nano Energy, 2018, 53, 432-439.	16.0	105

#	Article	IF	CITATIONS
2598	Multi-functional CoS2-N-C porous carbon composite derived from metal-organic frameworks for high performance lithium-sulfur batteries. Electrochimica Acta, 2018, 289, 94-103.	5.2	63
2599	Doubleâ€Shelled Phosphorus and Nitrogen Codoped Carbon Nanospheres as Efficient Polysulfide Mediator for Highâ€Performance Lithium–Sulfur Batteries. Advanced Science, 2018, 5, 1800621.	11.2	83
2600	Chemically impregnated NiO catalyst for molten electrolyte based gas-tank-free Li O2 battery. Journal of Power Sources, 2018, 402, 68-74.	7.8	11
2601	Nontrivial Effects of "Trivial―Parameters on the Performance of Lithium–Sulfur Batteries. Batteries, 2018, 4, 22.	4.5	14
2602	Largeâ€Area Preparation of Crackâ€Free Crystalline Microporous Conductive Membrane to Upgrade High Energy Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1802052.	19.5	159
2603	Insight into Sulfur Confined in Ultramicroporous Carbon. ACS Omega, 2018, 3, 11290-11299.	3.5	42
2604	Biotemplating Growth of Nepenthes-like N-Doped Graphene as a Bifunctional Polysulfide Scavenger for Li–S Batteries. ACS Nano, 2018, 12, 10240-10250.	14.6	146
2605	Construction of a low-defect and highly conductive 3D graphene network to enable a high sulphur content cathode for high performance Li–S/graphene batteries. Journal of Materials Chemistry A, 2018, 6, 22555-22565.	10.3	45
2606	Ternary confined-functional sulfur composite with a host–sulfur–container architecture for lithium/sulfur batteries. Nanoscale, 2018, 10, 18407-18414.	5.6	9
2607	Coral-like hierarchical carbon nanoarchitectures loaded with Rh- and Co-porphyrins as high-efficiency electrodes: effect of pore morphology on CO oxidation and oxygen reduction performance. Journal of Materials Chemistry A, 2018, 6, 20044-20055.	10.3	11
2609	MXene Aerogel Scaffolds for Highâ€Rate Lithium Metal Anodes. Angewandte Chemie, 2018, 130, 15248-15253.	2.0	49
2610	MXene Aerogel Scaffolds for Highâ€Rate Lithium Metal Anodes. Angewandte Chemie - International Edition, 2018, 57, 15028-15033.	13.8	279
2611	Unexpected Effect of Electrode Architecture on High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 33269-33275.	8.0	9
2612	Recent progress in metal–organic frameworks for lithium–sulfur batteries. Polyhedron, 2018, 155, 464-484.	2.2	74
2613	Cobalt nanoparticle-encapsulated carbon nanowire arrays: Enabling the fast redox reaction kinetics of lithium-sulfur batteries. Carbon, 2018, 140, 385-393.	10.3	31
2614	Inverse-vulcanization of vinyl functionalized covalent organic frameworks as efficient cathode materials for Li–S batteries. Journal of Materials Chemistry A, 2018, 6, 17977-17981.	10.3	122
2615	Double-shelled hollow carbon sphere with microporous outer shell towards high performance lithium-sulfur battery. Electrochimica Acta, 2018, 284, 89-97.	5.2	53
2616	Mesoporous, conductive molybdenum nitride as efficient sulfur hosts for high-performance lithium-sulfur batteries. Journal of Power Sources, 2018, 395, 77-84.	7.8	78

#	Article	IF	CITATIONS
2617	Advances in Polar Materials for Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1707520.	14.9	268
2618	Progress on the Critical Parameters for Lithium–Sulfur Batteries to be Practically Viable. Advanced Functional Materials, 2018, 28, 1801188.	14.9	368
2619	Insight into the positive effect of porous hierarchy in S/C cathodes on the electrochemical performance of Li–S batteries. Nanoscale, 2018, 10, 11861-11868.	5.6	32
2620	Long-life and high-areal-capacity lithium-sulfur batteries realized by a honeycomb-like N, P dual-doped carbon modified separator. Chemical Engineering Journal, 2018, 349, 327-337.	12.7	108
2621	Insights into the Li+ storage mechanism of TiC@C-TiO2 core-shell nanostructures as high performance anodes. Nano Energy, 2018, 50, 25-34.	16.0	53
2622	Sulfur/PAN/acetylene black composite prepared by a solution processing technique for lithium–sulfur batteries. Journal of Applied Polymer Science, 2018, 135, 46598.	2.6	24
2623	Hierarchical and Highly Stable Conductive Network Cathode for Ultraflexible Li–S Batteries. ACS Applied Energy Materials, 2018, 1, 2689-2697.	5.1	10
2624	Metal oxide nanoprism-arrays assembled in N-doped carbon foamy nanoplates that have efficient polysulfide-retention for ultralong-cycle-life lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 11260-11269.	10.3	28
2625	Tunable porous carbon spheres for high-performance rechargeable batteries. Journal of Materials Chemistry A, 2018, 6, 12816-12841.	10.3	82
2626	A Functional Separator Coated with Sulfonated Poly(Styrene-ethylene-butylene-styrene) to Synergistically Enhance the Electrochemical Performance and Anti-Self-Discharge Behavior of Li–S Batteries. ACS Applied Energy Materials, 2018, 1, 2555-2564.	5.1	21
2627	Synthesis of new fluorine-containing room temperature ionic liquids and their physical and electrochemical properties. Journal of Fluorine Chemistry, 2018, 212, 26-37.	1.7	14
2628	High Cycle Capability of All-Solid-State Lithium–Sulfur Batteries Using Composite Electrodes by Liquid-Phase and Mechanical Mixing. ACS Applied Energy Materials, 2018, 1, 2373-2377.	5.1	65
2629	Atomic Iron Catalysis of Polysulfide Conversion in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 19311-19317.	8.0	152
2630	A low cost ultra-microporous carbon scaffold with confined chain-like sulfur molecules as a superior cathode for lithium–sulfur batteries. Sustainable Energy and Fuels, 2018, 2, 2187-2196.	4.9	20
2631	Tin-based materials as versatile anodes for alkali (earth)-ion batteries. Journal of Power Sources, 2018, 395, 41-59.	7.8	98
2632	Use of Tween Polymer To Enhance the Compatibility of the Li/Electrolyte Interface for the High-Performance and High-Safety Quasi-Solid-State Lithium–Sulfur Battery. Nano Letters, 2018, 18, 4598-4605.	9.1	81
2633	Crumpled graphene-encapsulated sulfur for lithium–sulfur batteries. RSC Advances, 2018, 8, 18502-18507.	3.6	6
2634	Interface Design and Development of Coating Materials in Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1801323.	14.9	91
#	Article		CITATIONS
------	---	------	-----------
2635	Gyroidal Porous Carbon Activated with NH ₃ or CO ₂ as Lithiumâ^'Sulfur Battery Cathodes. Batteries and Supercaps, 2018, 1, 83-94.	4.7	11
2636	Chemical Immobilization and Conversion of Active Polysulfides Directly by Copper Current Collector: A New Approach to Enabling Stable Roomâ€īemperature Liâ€6 and Naâ€6 Batteries. Advanced Energy Materials, 2018, 8, 1800624.	19.5	64
2637	Lithium sulfur batteries with compatible electrolyte both for stable cathode and dendrite-free anode. Energy Storage Materials, 2018, 15, 299-307.	18.0	92
2638	Highly stable garnet solid electrolyte based Li-S battery with modified anodic and cathodic interfaces. Energy Storage Materials, 2018, 15, 282-290.	18.0	121
2639	Self-Assembling Hollow Carbon Nanobeads into Double-Shell Microspheres as a Hierarchical Sulfur Host for Sustainable Room-Temperature Sodium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 20422-20428.	8.0	65
2640	Hollow Graphitized Carbon Nanocage Supported Pd Catalyst with Excellent Electrocatalytic Activity for Ethanol Oxidation. ACS Sustainable Chemistry and Engineering, 2018, 6, 7507-7514.	6.7	38
2641	Suppression of dendritic lithium growth in lithium metal-based batteries. Chemical Communications, 2018, 54, 6648-6661.	4.1	184
2642	Engineering multi-chambered carbon nanospheres@carbon as efficient sulfur hosts for lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 10891-10897.	10.3	24
2643	Low-temperature solid-state growth of three-dimensional bicontinuous nanoporous graphene with tunable porosity for lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 11405-11415.	10.3	8
2644	Carbon/tin oxide composite electrodes for improved lithium-ion batteries. Journal of Applied Electrochemistry, 2018, 48, 811-817.	2.9	13
2645	Metal-organic complex derived hierarchical porous carbon as host matrix for rechargeable Na-Se batteries. Electrochimica Acta, 2018, 276, 21-27.	5.2	28
2646	Multifunctional Additives Improve the Electrolyte Properties of Magnesium Borohydride Toward Magnesium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 23757-23765.	8.0	38
2647	Free-standing, curled and partially reduced graphene oxide network as sulfur host for high-performance lithium–sulfur batteries. Chinese Physics B, 2018, 27, 068101.	1.4	5
2648	Nickel–Iron Layered Double Hydroxide Hollow Polyhedrons as a Superior Sulfur Host for Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2018, 57, 10944-10948.	13.8	269
2649	A novel epoxy resin-based cathode binder for low cost, long cycling life, and high-energy lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 14315-14323.	10.3	47
2650	Pomegranate-like microclusters organized by ultrafine Co nanoparticles@nitrogen-doped carbon subunits as sulfur hosts for long-life lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 14178-14187.	10.3	78
2651	Insight into the Function Mechanism of the Carbon Interlayer in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2018, 165, A1880-A1885.	2.9	6
2652	Recent Progress in Organic Electrodes for Li and Na Rechargeable Batteries. Advanced Materials, 2018, 30, e1704682.	21.0	366

#	Article		CITATIONS
2653	Novel 2D Sb ₂ S ₃ Nanosheet/CNT Coupling Layer for Exceptional Polysulfide Recycling Performance. Advanced Energy Materials, 2018, 8, 1800710.	19.5	93
2654	Structural Design of Lithium–Sulfur Batteries: From Fundamental Research to Practical Application. Electrochemical Energy Reviews, 2018, 1, 239-293.	25.5	298
2655	Graphene and its derivatives in lithium–sulfur batteries. Materials Today Energy, 2018, 9, 319-335.	4.7	138
2656	A heterogenized Ni-doped zeolitic imidazolate framework to guide efficient trapping and catalytic conversion of polysulfides for greatly improved lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 13593-13598.	10.3	65
2657	Nickel–Iron Layered Double Hydroxide Hollow Polyhedrons as a Superior Sulfur Host for Lithium–Sulfur Batteries. Angewandte Chemie, 2018, 130, 11110-11114.	2.0	35
2658	Synchronous immobilization and conversion of polysulfides on a VO ₂ –VN binary host targeting high sulfur load Li–S batteries. Energy and Environmental Science, 2018, 11, 2620-2630.	30.8	465
2659	Derivatives of coordination compounds for rechargeable batteries. Journal of Materials Chemistry A, 2018, 6, 13999-14024.	10.3	58
2660	Binder-free, freestanding cathodes fabricated with an ultra-rapid diffusion of sulfur into carbon nanofiber mat for lithium sulfur batteries. Materials Today Energy, 2018, 9, 336-344.	4.7	34
2661	Single ion conducting lithium sulfur polymer batteries with improved safety and stability. Journal of Materials Chemistry A, 2018, 6, 14330-14338.	10.3	49
2662	Carboxyl grafted sulfur-expanded graphite composites as cathodes for lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2018, 823, 422-428.	3.8	12
2663	Enhanced Electrochemical Performance of High-Energy Lithium-Sulfur Batteries Using an Electrolyte with 1,1,2,2-Tetrafluoro-3-(1,1,2,2-tetrafluoroethoxy)propane. Journal of the Electrochemical Society, 2018, 165, A1915-A1919.	2.9	12
2664	lron Fluoride–Carbon Nanocomposite Nanofibers as Free‧tanding Cathodes for Highâ€Energy Lithium Batteries. Advanced Functional Materials, 2018, 28, 1801711.	14.9	97
2665	A novel class of functional additives for cyclability enhancement of the sulfur cathode in lithium sulfur batteries. Inorganic Chemistry Frontiers, 2018, 5, 2013-2017.	6.0	13
2666	Experimental and first-principles study of a metal–organic framework with sulfur embedding cathode for enhanced performance lithium–sulfur battery. Sustainable Energy and Fuels, 2018, 2, 1828-1836.	4.9	11
2667	Research Progress for the Development of Liâ€Air Batteries: Addressing Parasitic Reactions Arising from Air Composition. Energy and Environmental Materials, 2018, 1, 61-74.	12.8	46
2668	Novel Non arbon Sulfur Hosts Based on Strong Chemisorption for Lithium–Sulfur Batteries. Small, 2018, 14, e1801987.	10.0	68
2669	Cation-Directed Selective Polysulfide Stabilization in Alkali Metal–Sulfur Batteries. Journal of the American Chemical Society, 2018, 140, 10740-10748.	13.7	68
2670	Carbon Nanofibers Grown on Carbon Felt as a Reinforced Current Collector for Highâ€Performance Lithiumâ^'Sulfur Batteries. ChemElectroChem, 2018, 5, 3293-3299.	3.4	7

#	Article	IF	CITATIONS
2671	Influence of C–S interactions on the electrochemical performance of –COOH functionalized MWCNT/S composites as lithium-sulfur battery cathode. Journal of Chemical Sciences, 2018, 130, 1.		8
2672	Entrapping polysulfides by using ultrathin hollow carbon sphere-functionalized separators in high-rate lithium-sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 16610-16616.	10.3	76
2673	Potentiostatic way to fabricate Li2Sx cathode with suppressed polysulfide formation. Journal of Power Sources, 2018, 399, 287-293.	7.8	5
2674	Interphases in Lithium–Sulfur Batteries: Toward Deployable Devices with Competitive Energy Density and Stability. ACS Energy Letters, 2018, 3, 2104-2113.	17.4	54
2675	Electrocatalysis of polysulfide conversion by conductive RuO ₂ nano dots for lithium–sulfur batteries. Nanoscale, 2018, 10, 16730-16737.	5.6	25
2676	Minimizing the Electrolyte Volume in Li–S Batteries: A Step Forward to High Gravimetric Energy Density. Advanced Energy Materials, 2018, 8, 1801560.	19.5	68
2677	Breaking the Limits of Ionic Liquidâ€Based Supercapacitors: Mesoporous Carbon Electrodes Functionalized with Manganese Oxide Nanosplotches for Dense, Stable, and Wideâ€Temperature Energy Storage. Advanced Functional Materials, 2018, 28, 1801298.	14.9	75
2678	Simultaneous Suppression of the Dendrite Formation and Shuttle Effect in a Lithium–Sulfur Battery by Bilateral Solid Electrolyte Interface. Advanced Science, 2018, 5, 1700934.	11.2	70
2679	Lithium phosphide/lithium chloride coating on lithium for advanced lithium metal anode. Journal of Materials Chemistry A, 2018, 6, 15859-15867.	10.3	90
2680	Multiporous sp ² -hybridized boron nitride (d-BN): stability, mechanical properties, lattice thermal conductivity and promising application in energy storage. Physical Chemistry Chemical Physics, 2018, 20, 20726-20731.	2.8	19
2681	Three-dimensionally ordered macro/mesoporous TiO ₂ matrix to immobilize sulfur for high performance lithium/sulfur batteries. Nanotechnology, 2018, 29, 415401.	2.6	13
2682	Metal-organic framework/carbon nanotube-coated polyethylene separator for improving the cycling performance of lithium-sulfur cells. Electrochimica Acta, 2018, 283, 1291-1299.	5.2	60
2683	Theoretical Investigation of 2D Conductive Microporous Coordination Polymers as Li–S Battery Cathode with Ultrahigh Energy Density. Advanced Energy Materials, 2018, 8, 1801823.	19.5	63
2684	Controlling Nucleation in Lithium Metal Anodes. Small, 2018, 14, e1801423.	10.0	159
2685	S-enriched porous polymer derived N-doped porous carbons for electrochemical energy storage and conversion. Frontiers of Chemical Science and Engineering, 2018, 12, 346-357.	4.4	9
2686	Tunable pore structure for confining polysulfides in high performance Li-S battery with coal precursor. Applied Surface Science, 2018, 458, 714-721.	6.1	13
2687	A conductive selenized polyacrylonitrile cathode in nucleophilic Mg ²⁺ /Li ⁺ hybrid electrolytes for magnesium–selenium batteries. Journal of Materials Chemistry A, 2018, 6, 17075-17085.	10.3	35
2688	Li ₂ S―or Sâ€Based Lithiumâ€Ion Batteries. Advanced Materials, 2018, 30, e1801190.	21.0	54

#	Article		CITATIONS
2689	A high-performance dual-ion cell utilizing Si nanosphere@graphene anode. Electrochimica Acta, 2018, 282, 946-954.	5.2	13
2690	Sulfur Diffusion within Nitrogen-Doped Ordered Mesoporous Carbons Determined by in Situ X-ray Scattering. Langmuir, 2018, 34, 8767-8776.	3.5	13
2691	The interfacial evolution between polycarbonate-based polymer electrolyte and Li-metal anode. Journal of Power Sources, 2018, 397, 157-161.	7.8	94
2692	Padding molybdenum net with Graphite/MoO3 composite as a multi-functional interlayer enabling high-performance lithium-sulfur batteries. Journal of Power Sources, 2018, 397, 150-156.	7.8	41
2693	Techno-economic analysis of a biological desulfurization process for a landfill gas in Korea. Separation Science and Technology, 2018, 53, 2769-2781.	2.5	5
2694	Novel Sulfur/Ethylenediamine-Functionalized Reduced Graphene Oxide Composite as Cathode Material for High-performance Lithium-Sulfur Batteries. Nanomaterials, 2018, 8, 303.	4.1	7
2695	Confining selenium disulfide in 3D sulfur-doped mesoporous carbon for rechargeable lithium batteries. Applied Surface Science, 2018, 457, 705-711.	6.1	24
2696	Carbon Nanotubes Derived from Yeast-Fermented Wheat Flour and Their Energy Storage Application. ACS Sustainable Chemistry and Engineering, 2018, 6, 11386-11396.	6.7	67
2697	Bifunctional Separator Coated with Hexachlorocyclotriphosphazene/Reduced Graphene Oxide for Enhanced Performance of Lithium–Sulfur Batteries. Chemistry - A European Journal, 2018, 24, 13582-13588.	3.3	12
2698	3D Ferroconcreteâ€Like Aminated Carbon Nanotubes Network Anchoring Sulfur for Advanced Lithium–Sulfur Battery. Advanced Energy Materials, 2018, 8, 1801066.	19.5	115
2699	Communication—Influence of Carbonate-Based Electrolyte Composition on Cell Performance of SPAN-Based Lithium-Sulfur-Batteries. Journal of the Electrochemical Society, 2018, 165, A2093-A2095.	2.9	28
2700	Simultaneous growth of carbon nanotubes on inner/outer surfaces of porous polyhedra: Advanced sulfur hosts for lithium-sulfur batteries. Nano Research, 2018, 11, 6155-6166.	10.4	33
2701	Hierarchical electrode architectures for high energy lithium-chalcogen rechargeable batteries. Nano Energy, 2018, 51, 668-679.	16.0	13
2702	Fe ₃ O ₄ -Decorated Porous Graphene Interlayer for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 26264-26273.	8.0	117
2703	SnS ₂ /TiO ₂ nanohybrids chemically bonded on nitrogen-doped graphene for lithium–sulfur batteries: synergy of vacancy defects and heterostructures. Nanoscale, 2018, 10, 15505-15512.	5.6	116
2704	Heterogeneous/Homogeneous Mediators for Highâ€Energyâ€Density Lithium–Sulfur Batteries: Progress and Prospects. Advanced Functional Materials, 2018, 28, 1707536.	14.9	251
2705	Fe3O4@CoO mesospheres with core-shell nanostructure as catalyst for Li-O2 batteries. Applied Surface Science, 2018, 457, 804-808.	6.1	29
2706	Sulfur-polyaniline coated mesoporous carbon composite in combination with carbon nanotubes interlayer as a superior cathode assembly for high capacity lithium-sulfur cells. Applied Surface Science, 2018, 458, 751-761.	6.1	24

#	Article	IF	CITATIONS
2707	Materials Engineering of High-Performance Anodes as Layered Composites with Self-Assembled Conductive Networks. Journal of Physical Chemistry C, 2018, 122, 14014-14028.	3.1	7
2708	Recent progress in two-dimensional polymers for energy storage and conversion: design, synthesis, and applications. Journal of Materials Chemistry A, 2018, 6, 21676-21695.	10.3	78
2709	Synergistic Effect of Molecular-Type Electrocatalysts with Ultrahigh Pore Volume Carbon Microspheres for Lithium–Sulfur Batteries. ACS Nano, 2018, 12, 6013-6022.	14.6	100
2710	A multidimensional and nitrogen-doped graphene/hierarchical porous carbon as a sulfur scaffold for high performance lithium sulfur batteries. Electrochimica Acta, 2018, 278, 83-92.	5.2	32
2711	Recent progress on confinement of polysulfides through physical and chemical methods. Journal of Energy Chemistry, 2018, 27, 1555-1565.	12.9	101
2712	Highly Uniform Carbon Sheets with Orientation-Adjustable Ordered Mesopores. ACS Nano, 2018, 12, 5436-5444.	14.6	86
2713	Polyaniline@spherical ordered mesoporous carbon/sulfur nanocomposites for high-performance lithium-sulfur batteries. International Journal of Hydrogen Energy, 2018, 43, 10502-10510.	7.1	39
2714	Facile Synthesis of Uniform Carbon Coated Li2S/rGO cathode for High-Performance Lithium-Sulfur Batteries. MRS Advances, 2018, 3, 3501-3506.	0.9	2
2715	3D Wettable Framework for Dendriteâ€Free Alkali Metal Anodes. Advanced Energy Materials, 2018, 8, 1800635.	19.5	196
2716	Hollow carbon spheres with nanoporous shells and tailored chemical interfaces as sulfur host for long cycle life of lithium sulfur batteries. Electrochimica Acta, 2018, 279, 10-18.	5.2	46
2717	A novel hybrid positive electrode with liquid-solid redox couples having high-capacity for lithium battery. Journal of Power Sources, 2018, 390, 54-60.	7.8	1
2718	Organic Cathode for Aqueous Zn-Ion Batteries: Taming a Unique Phase Evolution toward Stable Electrochemical Cycling. Chemistry of Materials, 2018, 30, 3874-3881.	6.7	373
2719	A high-performance Te@CMK-3 composite negative electrode for Na rechargeable batteries. Journal of Applied Electrochemistry, 2018, 48, 1265-1271.	2.9	14
2720	Systematic Exploration of the Role of a Modified Layer on the Separator in the Electrochemistry of Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 30306-30313.	8.0	22
2721	Tuning the electrolyte network structure to invoke quasi-solid state sulfur conversion and suppress lithium dendrite formation in Li–S batteries. Nature Energy, 2018, 3, 783-791.	39.5	421
2722	Four-Dimensional Studies of Morphology Evolution in Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2018, 1, 5090-5100.	5.1	49
2723	Multifunctionality of Carbon-based Frameworks in Lithium Sulfur Batteries. Electrochemical Energy Reviews, 2018, 1, 403-432.	25.5	42
2724	Mechanism Investigation of High-Performance Li–Polysulfide Batteries Enabled by Tungsten Disulfide Nanopetals. ACS Nano, 2018, 12, 9504-9512.	14.6	89

#	ARTICLE Three-dimensional spongy framework as superlyophilic, strongly absorbing, and electrocatalytic	IF	Citations
2725	polysulfide reservoir layer for high-rate and long-cycling lithium-sulfur batteries. Nano Research, 2018, 11, 6436-6446.		38
2726	Advances in Cathode Materials for High-Performance Lithium-Sulfur Batteries. IScience, 2018, 6, 151-198.	4.1	85
2727	Three-dimensional TiO2-B nanotubes/carbon nanotubes intertwined network as sulfur hosts for high performance lithiumâ^'sulfur batteries. Journal of Power Sources, 2018, 400, 23-30.	7.8	35
2728	Reduced graphene oxide-encapsulated mesoporous silica as sulfur host for lithium–sulfur battery. Journal of Solid State Electrochemistry, 2018, 22, 3557-3568.	2.5	17
2729	Nanostructured Functional Hydrogels as an Emerging Platform for Advanced Energy Technologies. Advanced Materials, 2018, 30, e1801796.	21.0	177
2730	Nitrogen-doped carbon nanotube sponge with embedded Fe/Fe ₃ C nanoparticles as binder-free cathodes for high capacity lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 17473-17480.	10.3	60
2731	Enhanced polysulfide redox kinetics electro-catalyzed by cobalt phthalocyanine for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 17132-17141.	10.3	50
2732	A Polysulfide-Infiltrated Carbon Cloth Cathode for High-Performance Flexible Lithium–Sulfur Batteries. Nanomaterials, 2018, 8, 90.	4.1	27
2733	Metal–organic framework@SiO ₂ as permselective separator for lithium–sulfur batteries. Journal of Materials Chemistry A, 2018, 6, 14623-14632.	10.3	116
2734	Easy fabrication of flexible and multilayer nanocarbon-based cathodes with a high unreal sulfur loading by electrostatic spraying for lithium-sulfur batteries. Carbon, 2018, 138, 18-25.	10.3	25
2735	Sulfur nanoparticles/disordered mesoporous carbon composite based on nanotemplates in-situ transformation route. Chemical Physics Letters, 2018, 706, 133-139.	2.6	2
2736	Recent research trends in Li–S batteries. Journal of Materials Chemistry A, 2018, 6, 11582-11605.	10.3	199
2737	S0.87Se0.13/CPAN composites as high capacity and stable cycling performance cathode for lithium sulfur battery. Electrochimica Acta, 2018, 281, 789-795.	5.2	26
2738	Porous Molybdenum Carbide Nanorods as Novel "Bifunctional―Cathode Material for Liâ€5 Batteries. Chemistry - A European Journal, 2018, 24, 14154-14161.	3.3	35
2739	A Universal Strategy To Prepare Sulfur-Containing Polymer Composites with Desired Morphologies for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 22002-22012.	8.0	14
2740	Enabling High-Energy-Density Cathode for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 23094-23102.	8.0	67
2741	Rational Design of Low Cost and High Energy Lithium Batteries through Tailored Fluorineâ€free Electrolyte and Nanostructured S/C Composite. ChemSusChem, 2018, 11, 2981-2986.	6.8	20
2742	30 Years of Lithiumâ€lon Batteries. Advanced Materials, 2018, 30, e1800561.	21.0	3,039

#	Article	IF	Citations
2743	Nitrogenâ€Ðoped Graphene‣upported Mixed Transitionâ€Metal Oxide Porous Particles to Confine Polysulfides for Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1800595.	19.5	151
2744	Creating Effective Nanoreactors on Carbon Nanotubes with Mechanochemical Treatments for Highâ€Areal apacity Sulfur Cathodes and Lithium Anodes. Advanced Functional Materials, 2018, 28, 1800595.		52
2745	Zinc acetate activation-enhanced performance of hollow nano silica/carbon composite nanofibers for lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2018, 823, 287-295.	3.8	10
2746	A multi-shelled CoP nanosphere modified separator for highly efficient Li–S batteries. Nanoscale, 2018, 10, 13694-13701.	5.6	116
2747	Atomic and Molecular Layer Deposition for Superior Lithium‣ulfur Batteries: Strategies, Performance, and Mechanisms. Batteries and Supercaps, 2018, 1, 41-68.	4.7	50
2748	Gelatin-polyethylenimine composite as a functional binder for highly stable lithium-sulfur batteries. Electrochimica Acta, 2018, 282, 758-766.	5.2	51
2749	Functional Carbons Remedy the Shuttling of Polysulfides in Lithium–Sulfur Batteries: Confining, Trapping, Blocking, and Breaking up. Advanced Functional Materials, 2018, 28, 1800508.	14.9	164
2750	Carbon@SnS2 core-shell microspheres for lithium-ion battery anode materials. Ionics, 2018, 24, 2915-2923.	2.4	11
2751	A stable hybrid anode of graphene/silicon nanowires array for high performance lithium-ion battery. Materials Letters, 2018, 228, 262-265.	2.6	16
2752	Facile preparation of fullerene nanorods for high-performance lithium-sulfur batteries. Materials Letters, 2018, 228, 175-178.		13
2753	Li-Ion-Permeable and Electronically Conductive Membrane Comprising Garnet-Type Li ₆ La ₃ Ta _{1.5} Y _{0.5} O ₁₂ and Graphene Toward Ultrastable and High-Rate Lithium Sulfur Batteries. ACS Applied Energy Materials, 2018, 1, 3733-3741.		12
2754	Metal-organic frameworks composites threaded on the CNT knitted separator for suppressing the shuttle effect of lithium sulfur batteries. Energy Storage Materials, 2018, 14, 383-391.	18.0	135
2755	Design and synthesis of an interfacial layer of the polysulfide immobilizer for lithium-sulfur batteries by the one-pot hydrothermal method. Applied Surface Science, 2018, 461, 154-160.	6.1	3
2756	Sulfur Hosts against the Shuttle Effect. Small Methods, 2018, 2, 1700345.	8.6	132
2757	The recent progress of nitrogen-doped carbon nanomaterials for electrochemical batteries. Journal of Materials Chemistry A, 2018, 6, 12932-12944.	10.3	218
2758	Mesoporous Co–N–C composite as a sulfur host for high-capacity and long-life lithium–sulfur batteries. Journal of Materials Science, 2018, 53, 13143-13155.	3.7	20
2759	Lithium Conductivity and Ions Dynamics in LiBH ₄ /SiO ₂ Solid Electrolytes Studied by Solid-State NMR and Quasi-Elastic Neutron Scattering and Applied in Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2018, 122, 15264-15275.	3.1	51
2760	Porous Fe ₃ O ₄ Nanospheres as Effective Sulfur Hosts for Li-S Batteries. Journal of the Electrochemical Society, 2018, 165, A1656-A1661.	2.9	23

#	Article		CITATIONS
2761	Emerging Nonaqueous Aluminumâ€ion Batteries: Challenges, Status, and Perspectives. Advanced Materials, 2018, 30, e1706310.	21.0	301
2762	Electrochemical process of sulfur in carbon materials from electrode thickness to interlayer. Journal of Energy Chemistry, 2019, 31, 119-124.	12.9	42
2763	Sulfur/nickel ferrite composite as cathode with high-volumetric-capacity for lithium-sulfur battery. Science China Materials, 2019, 62, 74-86.	6.3	86
2764	A porous N-doped carbon aggregate as sulfur host for lithium-sulfur batteries. Ionics, 2019, 25, 2131-2138.	2.4	8
2765	LiNi0.8Co0.15Al0.05O2 as both a trapper and accelerator of polysulfides for lithium-sulfur batteries. Energy Storage Materials, 2019, 17, 111-117.	18.0	54
2766	Combining theory and experiment in lithium–sulfur batteries: Current progress and future perspectives. Materials Today, 2019, 22, 142-158.	14.2	301
2767	An ultrathin and continuous Li4Ti5O12 coated carbon nanofiber interlayer for high rate lithium sulfur battery. Journal of Energy Chemistry, 2019, 31, 19-26.	12.9	70
2768	Modeling and theoretical design of next-generation lithium metal batteries. Energy Storage Materials, 2019, 16, 169-193.	18.0	67
2769	Carbon@titanium nitrideÂdual shell nanospheres as multi-functional hosts for lithium sulfur batteries. Energy Storage Materials, 2019, 16, 228-235.	18.0	276
2770	Materials with Nanoscale Porosity: Energy and Environmental Applications. Chemical Record, 2019, 19, 333-346.	5.8	9
2771	Electrospun Ti4O7/C conductive nanofibers as interlayer for lithium-sulfur batteries with ultra long cycle life and high-rate capability. Chemical Engineering Journal, 2019, 355, 390-398.	12.7	77
2772	Entrapment of polysulfides by Al2O3 modified separator for high energy Li–S redox flow batteries. Journal of Alloys and Compounds, 2019, 770, 1229-1236.	5.5	30
2773	Nanomat Li–S batteries based on all-fibrous cathode/separator assemblies and reinforced Li metal anodes: towards ultrahigh energy density and flexibility. Energy and Environmental Science, 2019, 12, 177-186.	30.8	138
2774	High Coulombic efficiency cathode with nitryl grafted sulfur for Li-S battery. Energy Storage Materials, 2019, 17, 260-265.	18.0	35
2775	Sustainable treatment of dye wastewater for high-performance rechargeable battery cathodes. Energy Storage Materials, 2019, 17, 334-340.	18.0	13
2776	High energy batteries based on sulfur cathode. Green Energy and Environment, 2019, 4, 345-359.	8.7	55
2777	3D-crosslinked tannic acid/poly(ethylene oxide) complex as a three-in-one multifunctional binder for high-sulfur-loading and high-stability cathodes in lithium-sulfur batteries. Energy Storage Materials, 2019, 17, 293-299.	18.0	76
2778	Highly conductive copolymer/sulfur composites with covalently grafted polyaniline for stable and durable lithium-sulfur batteries. Electrochimica Acta, 2019, 321, 134678.	5.2	36

#	Article		CITATIONS
2779	Study for an effect of LiNO3 on polysulfide multistep reaction in Li/S battery. Journal of Industrial and Engineering Chemistry, 2019, 80, 283-291.		14
2780	Long-life Li–S batteries based on enabling the immobilization and catalytic conversion of polysulfides. Journal of Materials Chemistry A, 2019, 7, 21747-21758.	10.3	37
2781	Sponge-like graphene cubes: S reservoir with large polysulfide diffusion resistance for lithium-sulfur batteries. Carbon, 2019, 155, 100-107.	10.3	11
2782	Quasi-solid-state electrolytes for lithium sulfur batteries: Advances and perspectives. Journal of Power Sources, 2019, 438, 226985.	7.8	73
2783	Threeâ€Ðimensional Hierarchical Constructs of MOFâ€onâ€Reduced Graphene Oxide for Lithium–Sulfur Batteries. Chemistry - an Asian Journal, 2019, 14, 3577-3582.	3.3	29
2784	Nitrogen-Doped Porous Carbon Networks with Active Fe–N <i>_x</i> Sites to Enhance Catalytic Conversion of Polysulfides in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 31860-31868.	8.0	39
2785	Accelerated Li–S chemistry at a cooperative interface built <i>in situ</i> . Journal of Materials Chemistry A, 2019, 7, 20750-20759.	10.3	28
2786	Highly Reversible Lithium-Metal Anode and Lithium–Sulfur Batteries Enabled by an Intrinsic Safe Electrolyte. ACS Applied Materials & Interfaces, 2019, 11, 33419-33427.	8.0	38
2787	Bromomethylation of high-surface area carbons as a versatile synthon: adjusting the electrode–electrolyte interface in lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 20013-20025.	10.3	10
2788	Dendrite-Free and Stable Lithium Metal Anodes Enabled by an Antimony-Based Lithiophilic Interphase. Chemistry of Materials, 2019, 31, 7565-7573.	6.7	73
2789	A high performance all solid state lithium sulfur battery with lithium thiophosphate solid electrolyte. Journal of Materials Chemistry A, 2019, 7, 24173-24179.	10.3	70
2790	Carbon-based catalysts for electrochemical CO ₂ reduction. Sustainable Energy and Fuels, 2019, 3, 2890-2906.	4.9	67
2791	Chelation-assisted formation of multi-yolk–shell Co ₄ N@carbon nanoboxes for self-discharge-suppressed high-performance Li–SeS ₂ batteries. Journal of Materials Chemistry A, 2019, 7, 20302-20309.	10.3	29
2792	Sulfiphilic Fewâ€Layered MoSe ₂ Nanoflakes Decorated rGO as a Highly Efficient Sulfur Host for Lithiumâ€Sulfur Batteries. Advanced Energy Materials, 2019, 9, 1901896.	19.5	147
2793	Sulfur encapsulation by MOF-derived CoS ₂ embedded in carbon hosts for high-performance Li–S batteries. Journal of Materials Chemistry A, 2019, 7, 21128-21139.	10.3	79
2794	Electro-polymerized polypyrrole film for fabrication of flexible and slurry-free polypyrrole-sulfur-polypyrrole sandwich electrode for the lithium-sulfur battery. Journal of Power Sources, 2019, 437, 226925.	7.8	27
2795	Interfacial Incompatibility and Internal Stresses in Allâ€Solidâ€State Lithium Ion Batteries. Advanced Energy Materials, 2019, 9, 1901810.	19.5	79
2796	Architectural design and promises of carbon materials for energy conversion and storage: in laboratory and industry. , 2019, , 25-61.		8

#	Article	IF	Citations
2797	Carbon nanomaterials for rechargeable lithium–sulfur batteries. , 2019, , 279-309.		2
2798	Carbonized regenerated silk nanofiber as multifunctional interlayer for high-performance lithium-sulfur batteries. Journal of Membrane Science, 2019, 592, 117349.	8.2	45
2799	Exceptional adsorption and catalysis effects of hollow polyhedra/carbon nanotube confined CoP nanoparticles superstructures for enhanced lithium–sulfur batteries. Nano Energy, 2019, 64, 103965.	16.0	153
2800	Sustainable production of reduced graphene oxide using elemental sulfur for multifunctional composites. Composites Part B: Engineering, 2019, 176, 107236.	12.0	20
2801	Organosulfides: An Emerging Class of Cathode Materials for Rechargeable Lithium Batteries. Accounts of Chemical Research, 2019, 52, 2290-2300.	15.6	177
2802	Ni(OH)2@hollow carbon spheres/sulfur composites as cathode materials for high-performance Li–S batteries. Journal of Materials Science: Materials in Electronics, 2019, 30, 17155-17163.	2.2	4
2803	Asymmetric behaviour of Li/Li symmetric cells for Li metal batteries. Chemical Communications, 2019, 55, 9637-9640.	4.1	38
2804	A Facile Strategy to Improve the Electrochemical Performance of Porous Organic Polymerâ€Based Lithium–Sulfur Batteries. Energy Technology, 2019, 7, 1900583.	3.8	17
2805	Polysulfide Shuttle Suppression by Electrolytes with Lowâ€Density for Highâ€Energy Lithium–Sulfur Batteries. Energy Technology, 2019, 7, 1900625.	3.8	57
2806	Programmed Design of a Lithium–Sulfur Battery Cathode by Integrating Functional Units. Advanced Science, 2019, 6, 1900711.	11.2	44
2807	Nitrogen-doped hierarchical porous carbon derived from low-cost biomass pomegranate residues for high performance lithium‑sulfur batteries. Journal of Electroanalytical Chemistry, 2019, 848, 113316.	3.8	36
2808	Pressure effect on mechanical stability and ground state optoelectronic properties of Li2S2 produced by Lithiumâ^'Sulfur batteries discharge: GGA-PBE, GLLB-SC and mBJ investigation. Philosophical Magazine, 2019, 99, 2789-2817.	1.6	1
2809	Improving lithiumâ€sulfur battery performance with lignin reinforced MWCNT protection layer. International Journal of Energy Research, 2019, 43, 5803-5811.	4.5	18
2810	A Fourâ€Electron Sulfur Electrode Hosting a Cu ²⁺ /Cu ⁺ Redox Charge Carrier. Angewandte Chemie, 2019, 131, 12770-12775.	2.0	18
2811	A Fourâ€Electron Sulfur Electrode Hosting a Cu ²⁺ /Cu ⁺ Redox Charge Carrier. Angewandte Chemie - International Edition, 2019, 58, 12640-12645.	13.8	77
2812	High lithium sulfide loading electrodes for practical Li/S cells with high specific energy. Nano Energy, 2019, 64, 103891.	16.0	7
2813	Boosting Highâ€Rate Li–S Batteries by an MOFâ€Derived Catalytic Electrode with a Layerâ€byâ€Layer Structur Advanced Science, 2019, 6, 1802362.	e. 11.2	91
2814	A review of biomass materials for advanced lithium–sulfur batteries. Chemical Science, 2019, 10, 7484-7495.	7.4	180

#	Article		CITATIONS
2815	Bio-derived N-doped porous carbon as sulfur hosts for high performance lithium sulfur batteries. Journal of Central South University, 2019, 26, 1426-1434.		6
2816	A double-shelled structure confining sulfur for lithium-sulfur batteries. Journal of Alloys and Compounds, 2019, 811, 151434.	5.5	20
2817	Lithium-Anode Protection in Lithium–Sulfur Batteries. Trends in Chemistry, 2019, 1, 693-704.	8.5	98
2818	New Structural Carbons via Industrial Gas Explosion for Hybrid Cathodes in Li–S Batteries. ACS Sustainable Chemistry and Engineering, 2019, 7, 12948-12954.	6.7	5
2819	Hierarchical porous Fe/N doped carbon nanofibers as host materials for high sulfur loading Li–S batteries. Nanoscale, 2019, 11, 15156-15165.	5.6	29
2820	Recent advances in cathode materials for rechargeable lithium–sulfur batteries. Nanoscale, 2019, 11, 15418-15439.	5.6	125
2821	Single-atom Fe and N co-doped graphene for lithium-sulfur batteries: a density functional theory study. Materials Research Express, 2019, 6, 095620.	1.6	29
2822	Rational Design of Highly Packed, Crack-Free Sulfur Electrodes by Scaffold-Supported Drying for Ultrahigh-Sulfur-Loaded Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 29849-29857.	8.0	6
2823	Lithium Borate Containing Bifunctional Binder To Address Both Ion Transporting and Polysulfide Trapping for High-Performance Li–S Batteries. ACS Applied Materials & Interfaces, 2019, 11, 28968-28977.	8.0	24
2824	Patterned macroporous Fe ₃ C/C membrane-induced high ionic conductivity for integrated Li–sulfur battery cathodes. Journal of Materials Chemistry A, 2019, 7, 20614-20623.	10.3	37
2825	Sulfurized Polyacrylonitrile Cathodes with High Compatibility in Both Ether and Carbonate Electrolytes for Ultrastable Lithium–Sulfur Batteries. Advanced Functional Materials, 2019, 29, 1902929.	14.9	161
2826	sp–sp ² hybrid-conjugated microporous polymer-derived Pd-encapsulated porous carbon materials for lithium–sulfur batteries. Chemical Communications, 2019, 55, 10084-10087.	4.1	6
2827	Facile Preparation of Highâ€Content Nâ€Doped CNT Microspheres for Highâ€Performance Lithium Storage. Advanced Functional Materials, 2019, 29, 1904819.	14.9	81
2828	Allâ€Solidâ€State Lithiumâ€Sulfur Batteries Using Sulfurized Alcohol Composite Material with Improved Coulomb Efficiency. Energy Technology, 2019, 7, 1900509.	3.8	4
2829	Chemical-dealloying to fabricate nonconductive interlayers for high-loading lithium sulfur batteries. Journal of Alloys and Compounds, 2019, 806, 881-888.	5.5	16
2830	Thiuram Vulcanization Accelerators as Polysulfide Scavengers To Suppress Shuttle Effects for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 29970-29977.	8.0	20
2831	Three-dimensional hollow reduced graphene oxide spheres with a hierarchically porous structure for high-performance lithium–sulfur batteries. Inorganic Chemistry Frontiers, 2019, 6, 2528-2538.	6.0	7
2832	Blocking Polysulfides in Graphene–Sulfur Cathodes of Lithium–Sulfur Batteries through Atomic Layer Deposition of Alumina. Energy Technology, 2019, 7, 1900621.	3.8	5

		CITATION R	EPORT	
#	Article		IF	CITATIONS
2833	Interfacial design for lithium–sulfur batteries: From liquid to solid. EnergyChem, 2019, 2	1, 100002.	19.1	113
2834	Enhanced constraint and catalysed conversion of lithium polysulfides <i>via</i> composit from spent layered cathodes. Journal of Materials Chemistry A, 2019, 7, 17867-17875.	te oxides	10.3	28
2835	Stable and Fast Lithium–Sulfur Battery Achieved by Rational Design of Multifunctional Energy and Environmental Materials, 2019, 2, 216-224.	Separator.	12.8	35
2836	Polydopamine-coated hierarchical tower-shaped carbon for high-performance lithium-sulf batteries. Electrochimica Acta, 2019, 319, 359-365.	ur	5.2	31
2837	Recent advances in understanding dendrite growth on alkali metal anodes. EnergyChem, 100003.	2019, 1,	19.1	146
2838	Synergistic Effect of Covalent Bonding and Physical Encapsulation of Sulfur in the Pores of Microporous COF to Improve Cycling Performance in Liâ \in Batteries. Chemistry - A Europ 2019, 25, 12394-12404.	of a ean Journal,	3.3	37
2839	Double-Net Enclosed Sulfur Composite as a New Cathode in Lithium Sulfur Batteries. Jour Physical Chemistry C, 2019, 123, 17719-17727.	nal of	3.1	6
2840	Double-shelled microscale porous Si anodes for stable lithium-ion batteries. Journal of Pov Sources, 2019, 436, 226794.	ver	7.8	24
2841	Sulfur-anchored azulene as a cathode material for Li–S batteries. Chemical Communications, 2019, 55, 9047-9050.		4.1	31
2842	An Interfacial Layer Based on Polymers of Intrinsic Microporosity to Suppress Dendrite Growth on Li Metal Anodes. Chemistry - A European Journal, 2019, 25, 12052-12057.		3.3	24
2843	Electric-field assisted spray technique for controlled pore filling of nanostructured films: c applications. Journal of Materials Science: Materials in Electronics, 2019, 30, 13567-1357	levice '5.	2.2	4
2844	Electrospun Fe ₂ O ₃ Entrenched SiO ₂ Supported N Incorporated TiO ₂ Nanofibers Derived from Mixed Polymeric Template/Surfa Enriched Mesoporosity within Nanofibers, Effective Charge Separation, and Visible Light Photocatalysis Activity. Industrial & amp: Engineering Chemistry Research. 2019. 58, 1253	l and S Dual ctant: 35-12550.	3.7	8
2845	A Class of Catalysts of BiOX (X = Cl, Br, I) for Anchoring Polysulfides and Accelerating Rec in Lithium Sulfur Batteries. ACS Nano, 2019, 13, 13109-13115.	lox Reaction	14.6	104
2846	Implanting Atomic Cobalt within Mesoporous Carbon toward Highly Stable Lithium–Su Advanced Materials, 2019, 31, e1903813.	lfur Batteries.	21.0	310
2847	Carbonâ€Based Nanocages: A New Platform for Advanced Energy Storage and Conversio Materials, 2020, 32, e1904177.	n. Advanced	21.0	84
2848	Polysulfide Confinement and Highly Efficient Conversion on Hierarchical Mesoporous Car Nanosheets for Li–S Batteries. Advanced Energy Materials, 2019, 9, 1901935.	bon	19.5	93
2849	Physical Inhibition and Chemical Confinement of Lithium Polysulfides by Designing a Dou Composite Separator for Lithium‣ulfur Battery. ChemElectroChem, 2019, 6, 4817-483	bleâ€Layer 0.	3.4	9
2850	ZnS coating of cathode facilitates leanâ \in electrolyte Liâ \in S batteries. , 2019, 1, 165-172.			87

#	Article	IF	CITATIONS
2851	A Highly Conductive MOF of Graphene Analogue Ni ₃ (HITP) ₂ as a Sulfur Host for Highâ€Performance Lithium–Sulfur Batteries. Small, 2019, 15, e1902605.	10.0	136
2852	Solid/Solid Interfacial Architecturing of Solid Polymer Electrolyte–Based Allâ€Solidâ€State Lithium–Sulfur Batteries by Atomic Layer Deposition. Small, 2019, 15, e1903952.	10.0	62
2853	Stability analysis of switched positive nonlinear systems: an invariant ray approach. Science China Information Sciences, 2019, 62, 1.	4.3	3
2854	A Conductive/Ferroelectric Hybrid Interlayer for Highly Improved Trapping of Polysulfides in Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2019, 6, 1900984.	3.7	12
2855	Birth of a class of nanomaterial. Nature, 2019, 575, 40-41.	27.8	30
2856	Building High Performance Li-S Batteries by Compositing Nanosized Sulfur and Conductive Adsorbent within MWCNTs. Journal of the Electrochemical Society, 2019, 166, A3401-A3408.	2.9	4
2857	Nano-compacted Li ₂ S/Graphene Composite Cathode for High-Energy Lithium–Sulfur Batteries. ACS Energy Letters, 2019, 4, 2787-2795.	17.4	37
2858	Rational Construction of Fe ₂ N@C Yolk–Shell Nanoboxes as Multifunctional Hosts for Ultralong Lithium–Sulfur Batteries. ACS Nano, 2019, 13, 12137-12147.	14.6	150
2859	Carbon paper with attached hollow mesoporous nickel oxide microspheres as a sulfur-hosting material for rechargeable lithium-sulfur batteries. Electrochimica Acta, 2019, 327, 135028.	5.2	18
2860	Which Process Limits the Operation of a Li–S System?. Chemistry of Materials, 2019, 31, 9012-9023.	6.7	56
2861	A Molecularâ€Cage Strategy Enabling Efficient Chemisorption–Electrocatalytic Interface in Nanostructured Li ₂ S Cathode for Li Metalâ€Free Rechargeable Cells with High Energy. Advanced Functional Materials, 2019, 29, 1905986.	14.9	51
2862	A Dual Plating Battery with the lodine/[Znl _{<i>x</i>} (OH ₂) _{4â^²<i>x</i>}] ^{2â^²<i>x</i>} Cathode. Angewandte Chemie - International Edition, 2019, 58, 15910-15915.	13.8	86
2863	Double-Shelled Co ₃ O ₄ /C Nanocages Enabling Polysulfides Adsorption for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2019, 2, 8153-8162.	5.1	55
2864	Rechargeable Magnesium–Sulfur Battery Technology: State of the Art and Key Challenges. Advanced Functional Materials, 2019, 29, 1905248.	14.9	80
2865	Controlling Li Ion Flux through Materials Innovation for Dendriteâ€Free Lithium Metal Anodes. Advanced Functional Materials, 2019, 29, 1905940.	14.9	122
2866	2D Metal Carbides and Nitrides (MXenes). , 2019, , .		240
2867	MXene Materials as Electrodes for Lithium-Sulfur Batteries. , 2019, , 381-398.		4
2868	Voxerâ€"a platform for creating, customizing, and sharing scientific visualizations. Journal of Visualization, 2019, 22, 1161-1176. $_$	1.8	2

#	Article	IF	CITATIONS
2869	Hybrid Anatase/Rutile Nanodots-Embedded Covalent Organic Frameworks with Complementary Polysulfide Adsorption for High-Performance Lithium–Sulfur Batteries. ACS Central Science, 2019, 5, 1876-1883.	11.3	59
2870	Novel Metallic Crystalline Phase of Li2S3. Journal of Physical Chemistry C, 2019, 123, 28027-28034.	3.1	3
2871	O-Doping Boosts the Electrochemical Oxygen Reduction Activity of a Single Fe Site in Hydrophilic Carbon with Deep Mesopores. ACS Applied Materials & Interfaces, 2019, 11, 45825-45831.	8.0	37
2873	Brush-structured sulfur-polyaniline-graphene composite as cathodes for lithium-sulfur batteries. MRS Communications, 2019, 9, 1355-1360.	1.8	7
2874	Advanced Li ₂ S/Si Full Battery Enabled by TiN Polysulfide Immobilizer. Small, 2019, 15, e1902377.	10.0	29
2875	Short-Chain Polyselenosulfide Copolymers as Cathode Materials for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 45785-45795.	8.0	36
2876	Salt Template Synthesis of Nitrogen and Sulfur Co-Doped Porous Carbons as CO ₂ Adsorbents. ACS Sustainable Chemistry and Engineering, 2019, 7, 19513-19521.	6.7	57
2877	A Dual Plating Battery with the Iodine/[Znl _{<i>x</i>} (OH ₂) _{4â^'<i>x</i>}] ^{2â^'<i>x</i>} Cathode. Angewandte Chemie, 2019, 131, 16057-16062.	2.0	23
2878	Factors of Kinetics Processes in Lithium–Sulfur Reactions. Energy Technology, 2019, 7, 1900574.	3.8	18
2879	<i>ENAM</i> mutations and digenic inheritance. Molecular Genetics & amp; Genomic Medicine, 2019, 7, e00928.	1.2	14
2880	Novel "Bird-Nest―Structured Co ₃ O ₄ /Acidified Multiwall Carbon Nanotube (ACNT) Hosting Materials for Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2019, 2, 1348-1356.	5.1	40
2881	How Far Away Are Lithium-Sulfur Batteries From Commercialization?. Frontiers in Energy Research, 2019, 7, .	2.3	124
2882	Synthetic control of Prussian blue derived nano-materials for energy storage and conversion application. Materials Today Energy, 2019, 14, 100332.	4.7	28
2883	Allâ€Solidâ€State Printed Bipolar Li–S Batteries. Advanced Energy Materials, 2019, 9, 1901841.	19.5	45
2884	Rechargeable Iron–Sulfur Battery without Polysulfide Shuttling. Advanced Energy Materials, 2019, 9, 1902422.	19.5	84
2885	Dendrites in Lithium Metal Anodes: Suppression, Regulation, and Elimination. Accounts of Chemical Research, 2019, 52, 3223-3232.	15.6	322
2886	Cobalt atoms dispersed on hierarchical carbon nitride support as the cathode electrocatalyst for high-performance lithium-polysulfide batteries. Science Bulletin, 2019, 64, 1875-1880.	9.0	54
2887	Synergetic enhancement of polysulfide chemisorption and electrocatalysis over bicontinuous MoN@N-rich carbon porous nano-octahedra for Li–S batteries. Journal of Materials Chemistry A, 2019, 7, 21934-21943.	10.3	37

#	Article	IF	CITATIONS
2888	Preparation and properties of Sulfur/Mesoporous Carbon Composite Cathode Materials. IOP Conference Series: Earth and Environmental Science, 2019, 252, 022067.	0.3	0
2889	Efficient Synthesis and Characterization of Robust MoS ₂ and S Cathode for Advanced Li–S Battery: Combined Experimental and Theoretical Studies. ACS Applied Materials & Interfaces, 2019, 11, 35729-35737.	8.0	14
2890	Formation of Co–Mn mixed oxide double-shelled hollow spheres as advanced electrodes for hybrid supercapacitors. Journal of Materials Chemistry A, 2019, 7, 25247-25253.	10.3	67
2891	Hollow Carbon Nanoballs Coupled with Ultrafine TiO ₂ Nanoparticles as Efficient Sulfur Hosts for Lithium–Sulfur Batteries. Industrial & Engineering Chemistry Research, 2019, 58, 18197-18204.	3.7	13
2892	A multi-functional sulfurized polyacrylonitrile interlayer for lithium sulfur batteries. Materials Letters, 2019, 256, 126604.	2.6	11
2893	Building better all-solid-state batteries with Li-garnet solid electrolytes and metalloid anodes. Journal of Materials Chemistry A, 2019, 7, 21299-21308.	10.3	49
2894	A paradigm of storage batteries. Energy and Environmental Science, 2019, 12, 3203-3224.	30.8	154
2895	Electrochemical Energy Storage. Topics in Current Chemistry Collections, 2019, , .	0.5	3
2896	Fluorinated Covalent Organic Polymers for High Performance Sulfur Cathodes in Lithium–Sulfur Batteries. Chemistry of Materials, 2019, 31, 7910-7921.	6.7	66
2897	Understanding and Predicting Lithium Crystal Growth on Perfect and Defective Interfaces: A Kohn–Sham Density Functional Study. ACS Applied Materials & Interfaces, 2019, 11, 37239-37246.	8.0	14
2898	MXene-engineered lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 22730-22743.	10.3	174
2899	Effective incorporation of nitrogen and boron in worm-like carbon foam for confining polysulfides. Carbon, 2019, 155, 379-385.	10.3	12
2900	3D Porous Spherical Sulfur/Carbon Cathode Materials with in Situ Vapor-Phase Polymerized Polypyrrole Coating Layer for High-Performance Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2019, 7, 17491-17499.	6.7	21
2901	Theoretical Investigation of the Electrochemical Performance of Transition Metal Nitrides for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2019, 123, 25025-25030.	3.1	35
2902	Redox-active polymers (redoxmers) for electrochemical energy storage. MRS Communications, 2019, 9, 1151-1167.	1.8	9
2903	An in Situ Template for the Synthesis of Tunable Hollow Carbon Particles for High-Performance Lithium–Sulfur Batteries. ACS Omega, 2019, 4, 16088-16094.	3.5	13
2904	Synergistic Effects of Nitrogen Doping on MXene for Enhancement of Hydrogen Evolution Reaction. ACS Sustainable Chemistry and Engineering, 2019, 7, 16879-16888.	6.7	130
2905	Construction of Electrocatalytic and Heat-Resistant Self-Supporting Electrodes for High-Performance Lithium–Sulfur Batteries. Nano-Micro Letters, 2019, 11, 78.	27.0	40

#	Article	IF	CITATIONS
2906	Modified Separators with Ultrathin Graphite Coating Simultaneously Mitigate the Issues of Metal Dendrites and Lithium Polysulfides to Provide Stable Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2019, 7, 16604-16611.	6.7	23
2907	Facile synthesis of 2D ultrathin and ultrahigh specific surface hierarchical porous carbon nanosheets for advanced energy storage. Carbon, 2019, 155, 674-685.	10.3	18
2908	Structural characterization of an amorphous VS ₄ and its lithiation/delithiation behavior studied by solid-state NMR spectroscopy. RSC Advances, 2019, 9, 23979-23985.	3.6	21
2909	Tracing the technological development trajectory in post-lithium-ion battery technologies: A patent-based approach. Journal of Cleaner Production, 2019, 241, 118343.	9.3	56
2910	Nanowires for Electrochemical Energy Storage. Chemical Reviews, 2019, 119, 11042-11109.	47.7	309
2911	A ZIF-67-derived–sulfur sandwich structure for high performance Li–S batteries. APL Materials, 2019, 7, 091115.	5.1	9
2912	Cellulose Separators With Integrated Carbon Nanotube Interlayers for Lithium-Sulfur Batteries: An Investigation into the Complex Interplay between Cell Components. Journal of the Electrochemical Society, 2019, 166, A3235-A3241.	2.9	17
2913	Boosting the electrochemical performance of lithium/sulfur batteries with the carbon nanotube/Fe3O4 coated by carbon modified separator. Electrochimica Acta, 2019, 327, 134843.	5.2	47
2914	C–S Bonds in Sulfur-Embedded Graphene, Carbon Nanotubes, and Flake Graphite Cathodes for Lithium–Sulfur Batteries. ACS Omega, 2019, 4, 16352-16359.	3.5	20
2915	Controlled synthesis of transition metal disulfides (MoS2 and WS2) on carbon fibers: Effects of phase and morphology toward lithium–sulfur battery performance. Applied Materials Today, 2019, 16, 529-537.	4.3	42
2916	Nitrogen-doped hollow porous carbon nanotubes for high-sulfur loading Li–S batteries. Electrochimica Acta, 2019, 324, 134849.	5.2	26
2917	One-pot sulfur-containing ion assisted microwave synthesis of reduced graphene oxide@nano-sulfur fibrous hybrids for high-performance lithium-sulfur batteries. Electrochimica Acta, 2019, 325, 134920.	5.2	24
2918	Natural-Wood-Derived Lignosulfonate Ionomer as Multifunctional Binder for High-Performance Lithium–Sulfur Battery. ACS Sustainable Chemistry and Engineering, 2019, 7, 17580-17586.	6.7	43
2919	Graphitic N-CMK3 pores filled with SnO2 nanoparticles as an ultrastable anode for rechargeable Li-ion batteries. Journal of Power Sources, 2019, 440, 227104.	7.8	21
2920	Design Principles for Covalent Organic Frameworks to Achieve Strong Heteroatom-Synergistic Effect on Anchoring Polysulfides for Lithium–Sulfur Batteries. Journal of Physical Chemistry Letters, 2019, 10, 7445-7451.	4.6	18
2921	Poly(amic acid) Lithium Salt as a Multi-Functional Binder for High Performance Lithium/Sulfur Battery Cathodes. International Journal of Electrochemical Science, 2019, 14, 8772-8780.	1.3	2
2922	Improved performance of CoS2 nanoparticles encapsulated in carbon micro-polyhedron for propelling redox reaction of polysulfide. Electrochimica Acta, 2019, 324, 134899.	5.2	3
2923	Stable cycling of lithium-sulfur batteries by optimizing the cycle condition. Electrochimica Acta, 2019, 326, 134948.	5.2	9

#	Article	IF	CITATIONS
2924	"Induced Electron Transfer―in Silk Cocoon Derived N-Doped Reduced Graphene Oxide-Mo-Li-S Electrode. Frontiers in Materials, 2019, 6, .	2.4	0
2925	A new metallic π-conjugated carbon sheet used for the cathode of Li–S batteries. RSC Advances, 2019, 9, 92-98.	3.6	6
2926	Self-assembled CdS quantum dots in carbon nanotubes: induced polysulfide trapping and redox kinetics enhancement for improved lithium–sulfur battery performance. Journal of Materials Chemistry A, 2019, 7, 806-815.	10.3	72
2927	Rechargeable Na/Ni batteries based on the Ni(OH) ₂ /NiOOH redox couple with high energy density and good cycling performance. Journal of Materials Chemistry A, 2019, 7, 1564-1573.	10.3	40
2928	Plasma Treatment for Nitrogenâ€Doped 3D Graphene Framework by a Conductive Matrix with Sulfur for Highâ€Performance Li–S Batteries. Small, 2019, 15, e1804347.	10.0	97
2929	TiO ₂ and Co Nanoparticleâ€Decorated Carbon Polyhedra as Efficient Sulfur Host for Highâ€Performance Lithium–Sulfur Batteries. Small, 2019, 15, e1804533.	10.0	67
2930	Electrospun PVDF/PSSLi ionomer films as a functional separator for lithium-sulfur batteries. Journal of Alloys and Compounds, 2019, 785, 627-633.	5.5	25
2931	Nitrogen and oxygen dual-doped porous carbon derived from natural ficus microcarpas as host for high performance lithium-sulfur batteries. Materials Research Bulletin, 2019, 113, 70-76.	5.2	26
2932	A hybrid shell material with mixed ion/electron conductivity used for high-performance Li–S batteries. Chemical Communications, 2019, 55, 1991-1994.	4.1	14
2933	Graphitic carbon nitride based materials for electrochemical energy storage. Journal of Materials Chemistry A, 2019, 7, 901-924.	10.3	178
2934	Stable lithium–sulfur full cells enabled by dual functional and interconnected mesocarbon arrays. Journal of Materials Chemistry A, 2019, 7, 3289-3297.	10.3	29
2935	Plasma-functionalized carbon-layered separators for improved performance of lithium sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 3772-3782.	10.3	35
2936	Outstanding cycle stability and rate capabilities of the all-solid-state Li–S battery with a Li ₇ P ₃ S ₁₁ glass-ceramic electrolyte and a core–shell S@BP2000 nanocomposite. Journal of Materials Chemistry A, 2019, 7, 3895-3902.	10.3	60
2937	Porous nitrogen-doped carbon nanofibers assembled with nickel nanoparticles for lithium–sulfur batteries. Nanoscale, 2019, 11, 647-655.	5.6	66
2938	Powder exfoliated MoS ₂ nanosheets with highly monolayer-rich structures as high-performance lithium-/sodium-ion-battery electrodes. Nanoscale, 2019, 11, 1887-1900.	5.6	93
2939	Two Dimensional WS ₂ /C Nanosheets as a Polysulfides Immobilizer for High Performance Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2019, 166, A5386-A5395.	2.9	29
2940	Hierarchical VS ₂ Nano-Flowers as Sulfur Host for Lithium Sulfur Battery Cathodes. Journal of the Electrochemical Society, 2019, 166, A188-A194.	2.9	33
2941	Ni@N-doped graphene nanosheets and CNTs hybrids modified separator as efficient polysulfide barrier for high-performance lithium sulfur batteries. Nano Research, 2019, 12, 829-836.	10.4	54

#	Article	IF	CITATIONS
2942	Biphasic Dielectrophoresis of Isotropic Pocket Carriers Containing Quantum Dots (QDs) in Nematic Medium and Fabrication of QD Cluster Array with Matrix Emission of Point Light Sources. Particle and Particle Systems Characterization, 2019, 36, 1800470.	2.3	7
2943	Sulfur Redox Reactions at Working Interfaces in Lithium–Sulfur Batteries: A Perspective. Advanced Materials Interfaces, 2019, 6, 1802046.	3.7	128
2944	Oxygenated Nitrogenâ€Doped Microporous Nanocarbon as a Permselective Interlayer for Ultrastable Lithium‣ulfur Batteries. ChemElectroChem, 2019, 6, 1094-1100.	3.4	27
2945	Predicting Structure and Electrochemistry of Dilithium Thiophene-2,5-Dicarboxylate Electrodes by Density Functional Theory and Evolutionary Algorithms. Journal of Physical Chemistry C, 2019, 123, 4691-4700.	3.1	10
2946	Study of energy storage systems and environmental challenges of batteries. Renewable and Sustainable Energy Reviews, 2019, 104, 192-208.	16.4	479
2947	Secure communication in multigroup multicasting cellâ€free massive MIMO networks with active spoofing attack. Electronics Letters, 2019, 55, 96-98.	1.0	17
2948	High capacity and rate capability of S/3D ordered bimodal mesoporous carbon cathode for lithium/sulfur batteries. Journal of Materials Research, 2019, 34, 600-607.	2.6	5
2949	WO ₃ nanolayer coated 3D-graphene/sulfur composites for high performance lithium/sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 4596-4603.	10.3	47
2950	Cobaltâ€Doped SnS ₂ with Dual Active Centers of Synergistic Absorptionâ€Catalysis Effect for Highâ€S Loading Liâ€S Batteries. Advanced Functional Materials, 2019, 29, 1806724.	14.9	186
2951	CoFe2O4 coated carbon fiber paper fabricated via a spray pyrolysis method for trapping lithium polysulfide in Li-S batteries. Applied Surface Science, 2019, 478, 341-346.	6.1	26
2952	Room-Temperature Potassium–Sulfur Batteries Enabled by Microporous Carbon Stabilized Small-Molecule Sulfur Cathodes. ACS Nano, 2019, 13, 2536-2543.	14.6	80
2953	High-performance lithiumâ~'sulfur batteries fabricated from a three-dimensional porous reduced graphene oxide/La2O3 microboards/sulfur aerogel. Ceramics International, 2019, 45, 9017-9024.	4.8	24
2954	Two-dimensional materials for advanced Li-S batteries. Energy Storage Materials, 2019, 22, 284-310.	18.0	114
2955	Full Organic Aqueous Battery Based on TEMPO Small Molecule with Millimeter-Thick Electrodes. Chemistry of Materials, 2019, 31, 1869-1880.	6.7	42
2956	Rational Design of TiO–TiO ₂ Heterostructure/Polypyrrole as a Multifunctional Sulfur Host for Advanced Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 5055-5063.	8.0	91
2957	Enhancing the performance of sulfurized polyacrylonitrile cathode by in-situ wrapping. Journal of Electroanalytical Chemistry, 2019, 835, 156-160.	3.8	12
2958	An ultrathin surface-nitrided porous titanium sheet as a current collector-free sulfur host for high-gravimetric-capacity lithium–sulfur batteries. Chemical Communications, 2019, 55, 1655-1658.	4.1	2
2959	Hierarchically assembled mesoporous carbon nanosheets with an ultra large pore volume for high-performance lithium–sulfur batteries. New Journal of Chemistry, 2019, 43, 1380-1387.	2.8	16

#	Article	IF	CITATIONS
2960	Vanadium dioxide–reduced graphene oxide binary host as an efficient polysulfide plague for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 1658-1668.	10.3	106
2961	Chemisorption and electrocatalytic effect from CoxSny alloy for high performance lithium sulfur batteries. Energy Storage Materials, 2019, 23, 62-71.	18.0	76
2962	Uniform zeolitic imidazolate framework coating via in situ recoordination for efficient polysulfide trapping. Energy Storage Materials, 2019, 23, 55-61.	18.0	33
2963	An air-stable and waterproof lithium metal anode enabled by wax composite packaging. Science Bulletin, 2019, 64, 910-917.	9.0	58
2964	Sulfolane-Based Highly Concentrated Electrolytes of Lithium Bis(trifluoromethanesulfonyl)amide: Ionic Transport, Li-Ion Coordination, and Li–S Battery Performance. Journal of Physical Chemistry C, 2019, 123, 14229-14238.	3.1	138
2965	Polar and Nonpolar Matrix Consisting of Twined Multiwalled Carbon Nanotube and High Nitrogenâ€Doped Porous Carbon Derived from Ionic Liquid for Stable Liâ€S Battery. Energy Technology, 2019, 7, 1900470.	3.8	2
2966	Facile preparation and electrochemistry performance of quasi solid-state polymer lithium–sulfur battery with high-safety and weak shuttle effect. Journal of Physics and Chemistry of Solids, 2019, 134, 255-261.	4.0	18
2967	Surface-modified PVdF-derived hierarchical mesoporous carbon matrix for high sulfur loading cathode in lithium–sulfur batteries. Journal of Power Sources, 2019, 427, 165-173.	7.8	15
2968	Oxygen Vacancies on Layered Niobic Acid That Weaken the Catalytic Conversion of Polysulfides in Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2019, 58, 11491-11496.	13.8	104
2969	Oxygen Vacancies on Layered Niobic Acid That Weaken the Catalytic Conversion of Polysulfides in Lithium–Sulfur Batteries. Angewandte Chemie, 2019, 131, 11615-11620.	2.0	13
2970	Facile, Solventâ€Free Preparation of High Density, High Mass Loading Sulfur Cathodes Enabled by Dryâ€Pressable Holey Graphene Scaffolds. Batteries and Supercaps, 2019, 2, 774-783.	4.7	25
2971	Strong charge polarization effect enabled by surface oxidized titanium nitride for lithium-sulfur batteries. Communications Chemistry, 2019, 2, .	4.5	29
2972	Combined High Catalytic Activity and Efficient Polar Tubular Nanostructure in Urchinâ€Like Metallic NiCo ₂ Se ₄ for Highâ€Performance Lithium–Sulfur Batteries. Advanced Functional Materials, 2019, 29, 1903842.	14.9	153
2973	The Road Towards Planar Microbatteries and Microâ€Supercapacitors: From 2D to 3D Device Geometries. Advanced Materials, 2019, 31, e1900583.	21.0	160
2974	A 2D/2D graphitic carbon nitride/N-doped graphene hybrid as an effective polysulfide mediator in lithium–sulfur batteries. Materials Chemistry Frontiers, 2019, 3, 1807-1815.	5.9	19
2975	Enhanced rate capability due to highly active Ta2O5 catalysts for lithium sulfur batteries. Journal of Power Sources, 2019, 435, 226707.	7.8	21
2976	A solution-processed binary composite as a cathode material in lithium–sulfur batteries. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	4
2977	Ultrahigh sulfur content up to 93Âwt% encapsulated in multilayer nanoshell of V/V2O5 composite to suppress shuttle effect of lithium–sulfur battery with high-performance. Materials Today Energy, 2019, 13, 267-276.	4.7	29

#	Article	IF	CITATIONS
2978	Twoâ€Ðimensional Arrays of Transition Metal Nitride Nanocrystals. Advanced Materials, 2019, 31, e1902393.	21.0	93
2979	Confined Pyrolysis of ZIFâ€8 Polyhedrons Wrapped with Graphene Oxide Nanosheets to Prepare 3D Porous Carbon Heterostructures. Small Methods, 2019, 3, 1900277.	8.6	31
2980	Metal–Organic Frameworks/Conducting Polymer Hydrogel Integrated Three-Dimensional Free-Standing Monoliths as Ultrahigh Loading Li–S Battery Electrodes. Nano Letters, 2019, 19, 4391-4399.	9.1	115
2981	Recent progress on solid-state hybrid electrolytes for solid-state lithium batteries. Energy Storage Materials, 2019, 21, 308-334.	18.0	221
2982	Sulfur–nitrogen co-doped porous carbon nanosheets to control lithium growth for a stable lithium metal anode. Journal of Materials Chemistry A, 2019, 7, 18267-18274.	10.3	71
2983	Customizing a Li–metal battery that survives practical operating conditions for electric vehicle applications. Energy and Environmental Science, 2019, 12, 2174-2184.	30.8	130
2984	Graphene-Based Mesoporous SnO ₂ Nanosheets as Multifunctional Hosts for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2019, 2, 5009-5018.	5.1	23
2985	Blocking Polysulfide with Co ₂ B@CNT via "Synergetic Adsorptive Effect―toward Ultrahigh-Rate Capability and Robust Lithium–Sulfur Battery. ACS Nano, 2019, 13, 6742-6750.	14.6	105
2986	Effects of Sulfur Loading, Cathode Porosity, and Electrolyte Amount on Li-S Battery Performance with Solvate Ionic Liquid Electrolyte. Electrochemistry, 2019, 87, 254-259.	1.4	11
2987	Effect of dual doping on the structure and performance of garnet-type Li7La3Zr2O12 ceramic electrolytes for solid-state lithium-ion batteries. Ceramics International, 2019, 45, 17874-17883.	4.8	16
2988	Carbon nanotubes/SiC prepared by catalytic chemical vapor deposition as scaffold for improved lithium-sulfur batteries. Journal of Nanoparticle Research, 2019, 21, 1.	1.9	11
2989	Graphene/carbon aerogel for high areal capacity sulfur cathode of Li-S batteries. Ionics, 2019, 25, 4615-4624.	2.4	10
2990	Designing room temperature sodium sulfur batteries with long cycle-life at pouch cell level. Energy Storage Materials, 2019, 21, 41-49.	18.0	28
2991	Temperatureâ€Dependent Nucleation and Growth of Dendriteâ€Free Lithium Metal Anodes. Angewandte Chemie - International Edition, 2019, 58, 11364-11368.	13.8	182
2992	Temperatureâ€Dependent Nucleation and Growth of Dendriteâ€Free Lithium Metal Anodes. Angewandte Chemie, 2019, 131, 11486-11490.	2.0	72
2993	Kombucha scoby-based carbon as a green scaffold for high-capacity cathode in lithium–sulfur batteries. Ionics, 2019, 25, 4637-4650.	2.4	11
2994	Titanium(III) Sulfide Nanoparticles Coated with Multicomponent Oxide (Ti–S–O) as a Conductive Polysulfide Scavenger for Lithium–Sulfur Batteries. Electronic Materials Letters, 2019, 15, 613-622.	2.2	4
2995	Bacteria-Derived Biological Carbon Building Robust Li–S Batteries. Nano Letters, 2019, 19, 4384-4390.	9.1	95

#	Article	IF	CITATIONS
2996	Highly active and robust Ni–MoS ₂ supported on mesoporous carbon: a nanocatalyst for hydrodeoxygenation reactions. RSC Advances, 2019, 9, 17194-17202.	3.6	21
2997	Nitrogen–sulfur dual-doped porous carbon spheres/sulfur composites for high-performance lithium–sulfur batteries. RSC Advances, 2019, 9, 16571-16577.	3.6	13
2998	Black BaTiO3 as multifunctional sulfur immobilizer for superior lithium sulfur batteries. Journal of Power Sources, 2019, 434, 226729.	7.8	34
2999	Current-density dependence of Li ₂ S/Li ₂ S ₂ growth in lithium–sulfur batteries. Energy and Environmental Science, 2019, 12, 2976-2982.	30.8	102
3000	Fabrication of a Lightâ€Weight Dualâ€Function Modified Separator towards Highâ€Performance Lithiumâ€Sulfur Batteries. ChemElectroChem, 2019, 6, 3648-3656.	3.4	11
3001	Carbon coated halloysite nanotubes as efficient sulfur host materials for lithium sulfur batteries. Applied Clay Science, 2019, 179, 105172.	5.2	29
3002	Effect of soluble sulfur species on the electrochemical behavior of lithium–sulfur batteries with dual-phase electrolytes. Sustainable Energy and Fuels, 2019, 3, 1966-1970.	4.9	5
3003	Preparation and optimization of nanoporous hollow carbon spheres /S composite cathode materials for Li-S battery. International Journal of Electrochemical Science, 2019, 14, 4693-4704.	1.3	6
3004	Suppressing the Shuttle Effect in Lithium–Sulfur Batteries by a UiO-66-Modified Polypropylene Separator. ACS Omega, 2019, 4, 10328-10335.	3.5	57
3005	Dual Dopamine Derived Polydopamine Coated Nâ€Doped Porous Carbon Spheres as a Sulfur Host for Highâ€Performance Lithium–Sulfur Batteries. Chemistry - A European Journal, 2019, 25, 10710-10717.	3.3	22
3006	Fabrication of three-dimensionally nanostructured carbon materials with functional tube-in-tube network units for enhanced electrochemical performances. Carbon, 2019, 151, 103-108.	10.3	6
3007	Natural Vermiculite Enables Highâ€Performance in Lithium–Sulfur Batteries via Electrical Double Layer Effects. Advanced Functional Materials, 2019, 29, 1902820.	14.9	50
3008	A review on the status and challenges of electrocatalysts in lithium-sulfur batteries. Energy Storage Materials, 2019, 20, 55-70.	18.0	349
3009	Anchored monodispersed silicon and sulfur nanoparticles on graphene for high-performance lithiated silicon-sulfur battery. Energy Storage Materials, 2019, 23, 284-291.	18.0	17
3010	A multi-functional interface derived from thiol-modified mesoporous carbon in lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 13372-13381.	10.3	17
3011	Understanding the boosted sodium storage behavior of a nanoporous bismuth-nickel anode using <i>operando</i> X-ray diffraction and density functional theory calculations. Journal of Materials Chemistry A, 2019, 7, 13602-13613.	10.3	20
3012	Applications and challenges of elemental sulfur, nanosulfur, polymeric sulfur, sulfur composites, and plasmonic nanostructures. Critical Reviews in Environmental Science and Technology, 2019, 49, 2314-2358.	12.8	37
3013	A Comprehensive Review of Materials with Catalytic Effects in Li–S Batteries: Enhanced Redox Kinetics. Angewandte Chemie, 2019, 131, 18920-18931.	2.0	90

#	Article	IF	CITATIONS
3014	A Comprehensive Review of Materials with Catalytic Effects in Li–S Batteries: Enhanced Redox Kinetics. Angewandte Chemie - International Edition, 2019, 58, 18746-18757.	13.8	379
3015	Improving Polysulfides Adsorption and Redox Kinetics by the Co ₄ N Nanoparticle/Nâ€Doped Carbon Composites for Lithiumâ€Sulfur Batteries. Small, 2019, 15, e1901454.	10.0	130
3016	Low Temperature Nanotailoring of Hydrated Compound by Alcohols: FeF3·3H2O as an Example. Preparation of Nanosized FeF3·0.33H2O Cathode Material for Li-Ion Batteries. Inorganic Chemistry, 2019, 58, 6765-6771.	4.0	13
3017	Sulfur cloaked with different carbonaceous materials for high performance lithium sulfur batteries. Current Applied Physics, 2019, 19, 902-909.	2.4	26
3018	Pitch-derived yolk-shell-structured carbon microspheres as efficient sulfur host materials and their application as cathode material for Li–S batteries. Chemical Engineering Journal, 2019, 373, 382-392.	12.7	41
3019	Nanostructures and Nanomaterials for Lithium Metal Batteries. , 2019, , 159-214.		0
3020	Metal multiple-sulfides with nitrogen doped carbon layer for high performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2019, 798, 531-539.	5.5	7
3021	Enhancing the electrochemical performances of a tellurium-based cathode for a high-volumetric capacity Li battery via a high-energy ball mill with sulfur edge-functionalized carbon. Journal of Power Sources, 2019, 430, 112-119.	7.8	22
3022	Ultrathin sheets of MoS2/g-C3N4 composite as a good hosting material of sulfur for lithium–sulfur batteries. Journal of Power Sources, 2019, 431, 93-104.	7.8	61
3023	Nanostructures and Nanomaterials for Sodium Batteries. , 2019, , 265-312.		1
3024	Nitrogen, sulfur-codoped micro–mesoporous carbon derived from boat-fruited sterculia seed for robust lithium–sulfur batteries. RSC Advances, 2019, 9, 15715-15726.	3.6	24
3025	Silkworm Excrement Derived Inâ€situ Coâ€doped Nanoporous Carbon as Confining Sulfur Host for Lithium Sulfur Batteries. ChemistrySelect, 2019, 4, 5678-5685.	1.5	7
3026	Metal-organic frameworks (MOFs) and their composites as electrodes for lithium battery applications: Novel means for alternative energy storage. Coordination Chemistry Reviews, 2019, 393, 48-78.	18.8	198
3027	Electrochemical properties of high-loading sulfur–carbon materials prepared by in situ generation method. Rare Metals, 2023, 42, 3877-3885.	7.1	1
3028	Heterostructures of doped graphene and MoX ₂ (X = S and Se) as promising anchoring materials for lithium–sulfur batteries: a first-principles study. New Journal of Chemistry, 2019, 43, 9396-9402.	2.8	17
3029	Sulfur-deficient MoS2-x promoted lithium polysulfides conversion in lithium-sulfur battery: A first-principles study. Applied Surface Science, 2019, 487, 452-463.	6.1	58
3030	Selenium Edge as a Selective Anchoring Site for Lithium–Sulfur Batteries with MoSe ₂ /Graphene-Based Cathodes. ACS Applied Materials & Interfaces, 2019, 11, 19986-19993.	8.0	67
3031	Molybdenum trisulfide based anionic redox driven chemistry enabling high-performance all-solid-state lithium metal batteries. Energy Storage Materials, 2019, 23, 168-180.	18.0	51

	CITATION	Citation Report	
# 3032	ARTICLE Engineering stable electrode-separator interfaces with ultrathin conductive polymer layer for high-energy-density Li-S batteries. Energy Storage Materials, 2019, 23, 261-268.	IF 18.0	Citations 149
3033	Current Status and Future Prospects of Metal–Sulfur Batteries. Advanced Materials, 2019, 31, e1901125.	21.0	422
3034	Large-diameter and heteroatom-doped graphene nanotubes decorated with transition metals as carbon hosts for lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 13389-13399.	10.3	27
3035	Advances in nanostructures fabricated <i>via</i> spray pyrolysis and their applications in energy storage and conversion. Chemical Society Reviews, 2019, 48, 3015-3072.	38.1	260
3036	Nanostructures and Nanomaterials for Batteries. , 2019, , .		12
3037	Improving electrochemical properties of Lithium–Sulfur batteries by adding a catalyst-embedded interlayer. Electrochimica Acta, 2019, 315, 33-40.	5.2	17
3038	Interlayers for lithium-based batteries. Energy Storage Materials, 2019, 23, 112-136.	18.0	37
3039	In-situ lithiation through an â€`injection' strategy in the pouch type sulfur-graphite battery system. Journal of Power Sources, 2019, 430, 228-232.	7.8	6
3040	Effect of Synthesis Method Using Varying Types of Micropore Level Sulfur Infiltration on Electrochemical Performance in Lithium–Sulfur Batteries. Energy Technology, 2019, 7, 1900194.	3.8	4
3041	A polar TiO/MWCNT coating on a separator significantly suppress the shuttle effect in a lithium-sulfur battery. Electrochimica Acta, 2019, 310, 1-12.	5.2	56
3042	A new class of electrolytes based on magnesium bis(diisopropyl)amide for magnesium–sulfur batteries. Chemical Communications, 2019, 55, 6086-6089.	4.1	33
3043	Enhanced reversible capability of a macroporous ZnMn ₂ O ₄ /C microsphere anode with a water-soluble binder for long-life and high-rate lithium-ion storage. Inorganic Chemistry Frontiers, 2019, 6, 1535-1545.	6.0	22
3044	Mesoporous carbon prepared by etching halloysite nanotubes (HNTs) with pyrrole as a precursor for a sulfur carrier of superior lithium–sulfur batteries. RSC Advances, 2019, 9, 12331-12338.	3.6	12
3045	Akin solid–solid biphasic conversion of a Li–S battery achieved by coordinated carbonate electrolytes. Journal of Materials Chemistry A, 2019, 7, 12498-12506.	10.3	52
3046	Constructing layered double hydroxide fences onto porous carbons as high-performance cathodes for lithium–sulfur batteries. Electrochimica Acta, 2019, 312, 109-118.	5.2	39
3047	Bi-structural fibers of carbon nanotube coated with nitrogen/oxygen dual-doped porous carbon layer as superior sulfur host for lithium-sulfur batteries. Journal of Alloys and Compounds, 2019, 797, 1205-1215.	5.5	47
3048	In Situ Generated Li ₂ S–C Nanocomposite for High-Capacity and Long-Life All-Solid-State Lithium Sulfur Batteries with Ultrahigh Areal Mass Loading. Nano Letters, 2019, 19, 3280-3287.	9.1	98
3049	Essential Features of Electrolyte Solvents that Enable Highâ€Performance LiS Batteries. Bulletin of the Korean Chemical Society, 2019, 40, 566-571.	1.9	5

# 3050	ARTICLE Constructing dual interfacial modification by synergetic electronic and ionic conductors: Toward high-performance LAGP-Based Li-S batteries. Energy Storage Materials, 2019, 23, 299-305.	IF 18.0	Citations
3051	Boron-phosphide monolayer as a potential anchoring material for lithium-sulfur batteries: A first-principles study. Applied Surface Science, 2019, 486, 281-286.	6.1	53
3052	Evaluation of a Highâ€Intensive Mixing Process in a Ring Shear Mixer and Its Impact on the Properties of Composite Particles for Lithium–Sulfur Battery Cathodes. Energy Technology, 2019, 7, 1801059.	3.8	6
3053	Stable Cycling Lithium–Sulfur Solid Batteries with Enhanced Li/Li ₁₀ GeP ₂ S ₁₂ Solid Electrolyte Interface Stability. ACS Applied Materials & Interfaces, 2019, 11, 18436-18447.	8.0	82
3054	Sulfur-deficient MoS ₂ grown inside hollow mesoporous carbon as a functional polysulfide mediator. Journal of Materials Chemistry A, 2019, 7, 12068-12074.	10.3	112
3055	New Insight into the "Shuttle Mechanism―of Rechargeable Lithiumâ€Sulfur Batteries. ChemElectroChem, 2019, 6, 2782-2787.	3.4	20
3056	The rise of bio-inspired energy devices. Energy Storage Materials, 2019, 23, 390-408.	18.0	18
3057	A Sulfurâ€layered Separator Enabling an Innovative Flexible Li  S Battery without Integrating Elemental Sulfur in the Cathode. Bulletin of the Korean Chemical Society, 2019, 40, 517-521.	1.9	4
3058	2D hierarchical yolk-shell heterostructures as advanced host-interlayer integrated electrode for enhanced Li-S batteries. Journal of Energy Chemistry, 2019, 36, 64-73.	12.9	39
3059	Investigating an all-organic battery using polyisothianaphthene as a redox-active bipolar electrode material. Journal of Power Sources, 2019, 428, 115-123.	7.8	19
3060	Polar Bilayer Cathode for Advanced Lithium–Sulfur Battery: Synergy Between Polysulfide Conversion and Confinement. Journal of Physical Chemistry C, 2019, 123, 10777-10787.	3.1	13
3061	Few‣ayer Boron Nitride with Engineered Nitrogen Vacancies for Promoting Conversion of Polysulfide as a Cathode Matrix for Lithium–Sulfur Batteries. Chemistry - A European Journal, 2019, 25, 8112-8117.	3.3	39
3062	Electrocatalysis of S-doped carbon with weak polysulfide adsorption enhances lithium–sulfur battery performance. Chemical Communications, 2019, 55, 6365-6368.	4.1	45
3063	Electrolyte Evolution Propelling the Development of Nonlithium Metal–Sulfur Batteries. Energy Technology, 2019, 7, 1900164.	3.8	19
3064	Manipulating Interfacial Nanostructure to Achieve Highâ€Performance Allâ€Solidâ€State Lithiumâ€Ion Batteries. Small Methods, 2019, 3, 1900261.	8.6	90
3065	Acid induced conversion towards a robust and lithiophilic interface for Li–Li ₇ La ₃ Zr ₂ O ₁₂ solid-state batteries. Journal of Materials Chemistry A, 2019, 7, 14565-14574.	10.3	138
3066	Natural Okra Shells Derived Nitrogenâ€Doped Porous Carbon to Regulate Polysulfides for Highâ€Performance Lithium–Sulfur Batteries. Energy Technology, 2019, 7, 1900165.	3.8	11
3067	Mesoporous N-doped graphene prepared by a soft-template method with high performance in Li–S batteries. Nanoscale, 2019, 11, 7440-7446.	5.6	38

#	Article	IF	CITATIONS
3068	Understanding the Reaction Mechanism of Lithium–Sulfur Batteries by In Situ/Operando X-ray Absorption Spectroscopy. Arabian Journal for Science and Engineering, 2019, 44, 6217-6229.	3.0	6
3069	High sulfur content multifunctional conducting polymer composite electrodes for stable Li-S battery. Electrochimica Acta, 2019, 306, 489-497.	5.2	41
3070	The catalytic activity of manganese dioxide supported on graphene promoting the electrochemical performance of lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2019, 840, 144-152.	3.8	11
3071	Rational design of Co9S8/CoO heterostructures with well-defined interfaces for lithium sulfur batteries: A study of synergistic adsorption-electrocatalysis function. Nano Energy, 2019, 60, 332-339.	16.0	156
3072	Reviving catalytic activity of nitrides by the doping of the inert surface layer to promote polysulfide conversion in lithium-sulfur batteries. Nano Energy, 2019, 60, 305-311.	16.0	106
3073	Facile and scalable fabrication of high-energy-density sulfur cathodes for pragmatic lithium-sulfur batteries. Journal of Power Sources, 2019, 422, 104-112.	7.8	24
3074	Ultrafine SnO2 aggregates in interior of porous carbon nanotubes as high-performance anode materials of lithium-ion batteries. Materials Today Energy, 2019, 12, 303-310.	4.7	26
3075	Hand-in-Hand Reinforced rGO Film Used as an Auxiliary Functional Layer for High-Performance Li–S Batteries. ACS Applied Materials & Interfaces, 2019, 11, 12544-12553.	8.0	36
3076	Sulfurâ€Based Composite Electrode with Interconnected Mesoporous Carbon for All olidâ€State Lithium–Sulfur Batteries. Energy Technology, 2019, 7, 1900077.	3.8	38
3077	N-functionalized graphene quantum dots: Charge transporting layer for high-rate and durable Li4Ti5O12-based Li-ion battery. Chemical Engineering Journal, 2019, 369, 1024-1033.	12.7	55
3078	Effect of Varying the Ratio of Carbon Black to Vapor-Grown Carbon Fibers in the Separator on the Performance of Li–S Batteries. Nanomaterials, 2019, 9, 436.	4.1	6
3080	Housing Sulfur in Polymer Composite Frameworks for Li–S Batteries. Nano-Micro Letters, 2019, 11, 17.	27.0	102
3081	A polyacrylonitrile (PAN)-based double-layer multifunctional gel polymer electrolyte for lithium-sulfur batteries. Journal of Membrane Science, 2019, 582, 37-47.	8.2	114
3082	Covalent Confinement of Sulfur Copolymers onto Graphene Sheets Affords Ultrastable Lithium–Sulfur Batteries with Fast Cathode Kinetics. ACS Applied Materials & Interfaces, 2019, 11, 13234-13243.	8.0	50
3083	Highly Dispersed Catalytic Co ₃ S ₄ among a Hierarchical Carbon Nanostructure for High-Rate and Long-Life Lithium–Sulfur Batteries. ACS Nano, 2019, 13, 3982-3991.	14.6	198
3084	Hierarchical N/P-Co-Doped Porous Carbon as Host Materials for High-Performance Lithium Sulfur Battery. Journal of the Electrochemical Society, 2019, 166, A880-A885.	2.9	14
3085	Multifunctional Ion-Sieve Constructed by 2D Materials as an Interlayer for Li–S Batteries. ACS Applied Materials & Interfaces, 2019, 11, 11474-11480.	8.0	45
3086	Synergy between partially exfoliated carbon nanotubes-sulfur cathode and nitrogen rich dual function interlayer for high performance lithium sulfur battery. Carbon, 2019, 147, 364-376.	10.3	27

#	Article	IF	CITATIONS
3087	Manipulating kinetics of sulfurized polyacrylonitrile with tellurium as eutectic accelerator to prevent polysulfide dissolution in lithium-sulfur battery under dissolution-deposition mechanism. Nano Energy, 2019, 60, 153-161.	16.0	103
3088	Effects of Dimethyl Disulfide Cosolvent on Li–S Battery Chemistry and Performance. Chemistry of Materials, 2019, 31, 2377-2389.	6.7	11
3089	A novel type of multifunctional binder for improved cycle stability of lithium-sulfur battery. Journal of Solid State Electrochemistry, 2019, 23, 1269-1278.	2.5	8
3090	Ether-compatible sulfurized polyacrylonitrile cathode with excellent performance enabled by fast kinetics via selenium doping. Nature Communications, 2019, 10, 1021.	12.8	211
3091	Capture and Catalytic Conversion of Polysulfides by In Situ Built TiO ₂ â€MXene Heterostructures for Lithium–Sulfur Batteries. Advanced Energy Materials, 2019, 9, 1900219.	19.5	481
3092	3D Hierarchical Porous Graphene-Based Energy Materials: Synthesis, Functionalization, and Application in Energy Storage and Conversion. Electrochemical Energy Reviews, 2019, 2, 332-371.	25.5	82
3093	MnO2-decorated graphene aerogel with dual-polymer interpenetrating network as an efficient hybrid host for Li-S batteries. Journal of Alloys and Compounds, 2019, 791, 483-489.	5.5	22
3094	Natural chalcopyrite as a sulfur source and its electrochemical performance for lithium–sulfur batteries. Inorganic Chemistry Frontiers, 2019, 6, 1217-1227.	6.0	9
3095	Arranged redistribution of sulfur species and synergistic mediation of polysulfide conversion in lithium–sulfur batteries by a cactus structure MnO ₂ /carbon nanofiber interlayer. Materials Chemistry Frontiers, 2019, 3, 948-954.	5.9	4
3096	Metalâ^'Organic Frameworks for Highâ€Energy Lithium Batteries with Enhanced Safety: Recent Progress and Future Perspectives. Batteries and Supercaps, 2019, 2, 591-626.	4.7	45
3097	Mesoporous Carbonâ€dispersed Carbon Nanotube Film Electrode Incorporated with Sulfur for Longâ€Life Li–S Batteries. Bulletin of the Korean Chemical Society, 2019, 40, 412-417.	1.9	2
3098	Role and Potential of Metal Sulfide Catalysts in Lithiumâ€Sulfur Battery Applications. ChemCatChem, 2019, 11, 2373-2387.	3.7	54
3099	A PEG-grafted carbon hybrid as sulfur host for high-performance lithium-sulfur batteries. Journal of Nanoparticle Research, 2019, 21, 1.	1.9	8
3100	High areal capacity flexible sulfur cathode based on multi-functionalized super-aligned carbon nanotubes. Nano Research, 2019, 12, 1105-1113.	10.4	28
3101	Rechargeable metal batteries based on selenium cathodes: progress, challenges and perspectives. Journal of Materials Chemistry A, 2019, 7, 11566-11583.	10.3	61
3102	Highly stable lithium–sulfur batteries based on p–n heterojunctions embedded on hollow sheath carbon propelling polysulfides conversion. Journal of Materials Chemistry A, 2019, 7, 9230-9240.	10.3	79
3103	Introduction to Lithium-Sulfur Batteries. , 2019, , 5-13.		6
3104	Materials for Positive Electrode (Cathode). , 2019, , 29-71.		0

ARTICLE IF CITATIONS 3105 Mg-S Batteries. , 2019, , 175-182. 0 CoS-interposed and Ketjen black-embedded carbon nanofiber framework as a separator modulation for 12.7 high performance Li-S batteries. Chemical Engineering Journal, 2019, 369, 77-86. Promoting polythionate intermediates formation by oxygen-deficient manganese oxide hollow nanospheres for high performance lithium-sulfur batteries. Chemical Engineering Journal, 2019, 370, 3107 12.7 54 556-564. Solid-state polymer electrolytes with in-built fast interfacial transport for secondary lithium 681 batteries. Natúre Energy, 2019, 4, 365-373. Deposition of thin Î'-MnO2 functional layers on carbon foam/sulfur composites for synergistically inhibiting polysulfides shuttling and increasing sulfur utilization. Electrochimica Acta, 2019, 305, 3109 5.2 11 247-255. Hollow N-doped Carbon Polyhedrons with Hierarchically Porous Shell for Confinement of Polysulfides in Lithiumâ ${\in}$ "Sulfur Batteries. IScience, 2019, 13, 243-253. 4.1 Rational design of multi-functional CoS@rGO composite for performance enhanced Li-S cathode. 3111 7.8 54 Journal of Power Sources, 2019, 421, 132-138. Dense monolithic MOF and carbon nanotube hybrid with enhanced volumetric and areal capacities 10.3 70 for lithium–sulfur battery. Journal of Materials Chemistry A, 2019, 7, 9195-9201. Design of Red Phosphorus Nanostructured Electrode for Fast-Charging Lithium-Ion Batteries with 3113 24.0 168 High Energy Density. Joule, 2019, 3, 1080-1093. High energy density lithium-selenium batteries enabled by a covalent organic framework-coated 2.6 separator. Materials Letters, 2019, 246, 144-148. Mesoporous silica nanoplates facilitating fast Li⁺ diffusion as effective polysulfide-trapping materials for lithiumâ€"sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 3116 10.327 9110-9119. Deciphering the Reaction Mechanism of Lithiumâ€"Sulfur Batteries by In Situ/Operando 19.5 96 Synchrotrona€Based Characterization Techniques. Advanced Energy Materials, 2019, 9, 1900148. Rare earth incorporated electrode materials for advanced energy storage. Coordination Chemistry 3118 18.8 126 Reviews, 2019, 390, 32-49. Na+/K+ Hybrid Battery Based on a Sulfurized Polyacrylonitrile Cathode. Materials, 2019, 12, 969. Graphene/Sulfur@Graphene Composite Structure Material for a Lithium-Sulfur Battery Cathode. 3120 7 2.7 Journal of Nanomaterials, 2019, 2019, 1-10. Nickel sulfide cathode for stable charge-discharge rates in lithium rechargeable battery. Materials Chemistry and Physics, 2019, 231, 131-137. Toward Improving the Areal Energy Density of Lithium–Sulfur Batteries with Ultramicroporous 3122 3.8 4 Carbonâ€"Sulfur Composite Electrodes. Energy Technology, 2019, 7, 1900183. Facile and scalable synthesis of micro-mesoporous carbon/magnesium oxide/sulfur composite for lithium-sulfur batteries. Solid State Ionics, 2019, 337, 12-18.

#	Article	IF	CITATIONS
3124	Co–Fe Mixed Metal Phosphide Nanocubes with Highly Interconnected-Pore Architecture as an Efficient Polysulfide Mediator for Lithium–Sulfur Batteries. ACS Nano, 2019, 13, 4731-4741.	14.6	212
3125	Block copolymers for supercapacitors, dielectric capacitors and batteries. Journal of Physics Condensed Matter, 2019, 31, 233001.	1.8	27
3126	Electrocatalysis driven high energy density Li-ion polysulfide battery. Electrochimica Acta, 2019, 307, 253-259.	5.2	11
3127	Boosting redox activity on MXene-induced multifunctional collaborative interface in high Li2S loading cathode for high-energy Li-S and metallic Li-free rechargeable batteries. Journal of Energy Chemistry, 2019, 37, 183-191.	12.9	80
3128	Graphene/RuO2 nanocrystal composites as sulfur host for lithium-sulfur batteries. Journal of Energy Chemistry, 2019, 35, 204-211.	12.9	32
3129	Dual synergistic immobilization effect on lithium polysulfides for lithium–sulfur batteries. Journal of Electroanalytical Chemistry, 2019, 840, 125-133.	3.8	6
3130	Loofah sponge as a high-loading 3D carbon matrix for lithium-sulfur batteries. Materials Letters, 2019, 247, 86-89.	2.6	11
3131	Novel nitrogen-doped ordered mesoporous carbon as high-performance anode material for sodium-ion batteries. Journal of Alloys and Compounds, 2019, 791, 874-882.	5.5	47
3132	Exploring reaction dynamics in lithium–sulfur batteries by time-resolved <i>operando</i> sulfur K-edge X-ray absorption spectroscopy. Chemical Communications, 2019, 55, 4993-4996.	4.1	9
3133	Sulfurâ€Deficient TiS _{2â€x} for Promoted Polysulfide Redox Conversion in Lithiumâ€Sulfur Batteries. ChemElectroChem, 2019, 6, 2231-2237.	3.4	37
3134	Observation of Chemomechanical Failure and the Influence of Cutoff Potentials in All-Solid-State Li–S Batteries. Chemistry of Materials, 2019, 31, 2930-2940.	6.7	112
3135	Necklace-like MoC sulfiphilic sites embedded in interconnected carbon networks for Li–S batteries with high sulfur loading. Journal of Materials Chemistry A, 2019, 7, 11298-11304.	10.3	68
3136	An Entangled Cobalt–Nitrogen–Carbon Nanotube Array Electrode with Synergetic Confinement and Electrocatalysis of Polysulfides for Stable Li–S Batteries. ACS Applied Energy Materials, 2019, 2, 2904-2912.	5.1	28
3137	Hierarchical micro-mesoporous carbon prepared from waste cotton textile for lithium-sulfur batteries. Ionics, 2019, 25, 4057-4066.	2.4	14
3138	Oxygen-deficient titanium dioxide as a functional host for lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 10346-10353.	10.3	109
3139	Lithium sulfide-based cathode for lithium-ion/sulfur battery: Recent progress and challenges. Energy Storage Materials, 2019, 19, 1-15.	18.0	64
3140	Facile Synthesis of Hierarchical Sulfur Composites for Lithium–Sulfur Batteries. ChemElectroChem, 2019, 6, 2438-2447.	3.4	2
3141	Free-standing integrated cathode derived from 3D graphene/carbon nanotube aerogels serving as binder-free sulfur host and interlayer for ultrahigh volumetric-energy-density lithium sulfur batteries. Nano Energy, 2019, 60, 743-751.	16.0	151

#	Article	IF	CITATIONS
3142	Preparation of activated carbon derived from biomass and its application in lithium–sulfur batteries. Journal of Porous Materials, 2019, 26, 1325-1333.	2.6	27
3143	Interfacial competition between a borophene-based cathode and electrolyte for the multiple-sulfide immobilization of a lithium sulfur battery. Journal of Materials Chemistry A, 2019, 7, 7092-7098.	10.3	30
3144	Recent Progress in All-Solid-State Lithiumâ ''Sulfur Batteries Using High Li-Ion Conductive Solid Electrolytes. Electrochemical Energy Reviews, 2019, 2, 199-230.	25.5	179
3145	The State of Research Regarding Ordered Mesoporous Materials in Batteries. Small, 2019, 15, e1804600.	10.0	23
3146	Recent Advances in Hollow Porous Carbon Materials for Lithium–Sulfur Batteries. Small, 2019, 15, e1804786.	10.0	314
3147	Cobalt-embedded carbon nanofiber as electrocatalyst for polysulfide redox reaction in lithium sulfur batteries. Electrochimica Acta, 2019, 304, 11-19.	5.2	57
3148	Full-cell hydride-based solid-state Li batteries for energy storage. International Journal of Hydrogen Energy, 2019, 44, 7875-7887.	7.1	46
3149	Promoting sulfur immobilization by a hierarchical morphology of hollow carbon nanosphere clusters for high-stability Li–S battery. Journal of Materials Chemistry A, 2019, 7, 6250-6258.	10.3	50
3150	A homemade self-healing material utilized as multi-functional binder for long-lifespan lithium–sulfur batteries. Journal of Materials Science: Materials in Electronics, 2019, 30, 5536-5543.	2.2	11
3151	Squalene-derived sulfur-rich copolymer@ 3D graphene-carbon nanotube network cathode for high-performance lithium-sulfur batteries. Polyhedron, 2019, 162, 147-154.	2.2	23
3152	Recent advances in separators to mitigate technical challenges associated with re-chargeable lithium sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 6596-6615.	10.3	173
3153	Polypyrrole-modified carbon nanotubes@manganese dioxide@sulfur composite for lithium–sulfur batteries. Ionics, 2019, 25, 3107-3119.	2.4	10
3154	Metallic silver doped vanadium pentoxide cathode for aqueous rechargeable zinc ion batteries. Journal of Alloys and Compounds, 2019, 787, 9-16.	5.5	80
3155	Designing a Quinone-Based Redox Mediator to Facilitate Li2S Oxidation in Li-S Batteries. Joule, 2019, 3, 872-884.	24.0	188
3156	Substituting copolymeric poly(alkylenetetrasulfide) for elemental sulfur to diminish the shuttling effect of modified intermediate polysulfides for high-performance lithium–sulfur batteries. Chemical Communications, 2019, 55, 3729-3732.	4.1	12
3157	Bulk Nanostructured Materials Design for Fractureâ€Resistant Lithium Metal Anodes. Advanced Materials, 2019, 31, e1807585.	21.0	88
3158	Uniform Mesoporous MnO ₂ Nanospheres as a Surface Chemical Adsorption and Physical Confinement Polysulfide Mediator for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 10624-10630.	8.0	60
3159	Highâ€Fluorinated Electrolytes for Li–S Batteries. Advanced Energy Materials, 2019, 9, 1803774. 	19.5	227

ARTICLE IF CITATIONS Physical activation of graphene: An effective, simple and clean procedure for obtaining microporous 3160 10.4 38 graphene for high-performance Li/S batteries. Nano Research, 2019, 12, 759-766. Recent advances in shuttle effect inhibition for lithium sulfur batteries. Energy Storage Materials, 18.0 249 2019, 23, 707-732. A high-entropy metal oxide as chemical anchor of polysulfide for lithium-sulfur batteries. Energy 3162 18.0 163 Storage Materials, 2019, 23, 678-683. Critical Parameters for Evaluating Coin Cells and Pouch Cells of Rechargeable Li-Metal Batteries. 3163 24.0 Joule, 2019, 3, 1094-1105. The adsorption effect of freestanding SiO_x-decorated stabilized polyacrylonitrile 3164 3.3 6 interlayers in lithiumâ€"sulfur batteries. Dalton Transactions, 2019, 48, 4353-4361. Rooting bismuth oxide nanosheets into porous carbon nanoboxes as a sulfur immobilizer for 10.3 lithium〓sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 7074-7081. Immobilisation of sulphur on cathodes of lithium–sulphur batteries <i>via</i> B-doped atomic-layer 3166 2.8 19 carbon materials. Physical Chemistry Chemical Physics, 2019, 21, 10895-10901. Rational design of sulfur-containing composites for high-performance lithium–sulfur batteries. APL 5.1 30 Materials, 2019, 7, . Full Dissolution of the Whole Lithium Sulfide Family (Li₂S₈ to) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 427 Td (Li 3168 2.0 11 Chemie, 2019, 131, 5613-5617. Full Dissolution of the Whole Lithium Sulfide Family (Li₂S₈ to) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 3169 13.8 Chemie - International Edition, 2019, 58, 5557-5561. Hierarchical Co₃O₄ Nanofiberâ€"Carbon Sheet Skeleton with Superior Na/Liâ€Philic Property Enabling Highly Stable Alkali Metal Batteries. Advanced Functional Materials, 3170 14.9 147 2019, 29, 1808847. Size-Dependent Charge Storage Behavior of Mesoporous Hollow Carbon Spheres for 3171 3.1 High-Performance Li〓Se Batteries. Journal of Physical Chemistry C, 2019, 123, 5881-5889. Rational design of free-standing 3D porous MXene/rGO hybrid aerogels as polysulfide reservoirs for 3172 10.3 226 high-energy lithiumâ€"sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 6507-6513. Elucidating the reaction kinetics of lithiumâ€"sulfur batteries by <i>operando</i> XRD based on an open-hollow S@MnO₂ cathode. Journal of Materials Chemistry A, 2019, 7, 6651-6658. Prospect for Supramolecular Chemistry in High-Energy-Density Rechargeable Batteries. Joule, 2019, 3, 3174 24.0 66 662-682. Selenium as Extra Binding Site for Sulfur Species in Sulfurized Polyacrylonitrile Cathodes for High Capacity Lithiumâ€Sulfur Batteries. ChemĖlectroChem, 2019, 6, 1365-1370. Constructing metal-free and cost-effective multifunctional separator for high-performance 3176 16.0 96 lithium-sulfur batteries. Nano Energy, 2019, 59, 390-398. Cobalt in Nitrogen-Doped Graphene as Single-Atom Catalyst for High-Sulfur Content Lithium–Sulfur 1,071 Batteries. Journal of the American Chemical Society, 2019, 141, 3977-3985.

ARTICLE IF CITATIONS Fe3O4 nanoparticle decorated three-dimensional porous carbon/MoS2 composites as anodes for high 3178 13 5.6 performance lithium-ion batteries. Nanoscale, 2019, 11, 4837-4845. A low-cost deep eutectic solvent electrolyte for rechargeable aluminum-sulfur battery. Energy 3179 18.0 Storage Materials, 2019, 22, 418-423. Electrocatalytic Polysulfide Traps and their Conversion to long- chain Polysulfides using rGO-Pt 3180 composite as electrocatalyst to Improve the Performance of Li-S Battery. International Journal of 1.3 3 Electrochemical Science, 2019, 14, 11225-11236. Redox Catalytic and Quasi-Solid Sulfur Conversion for High-Capacity Lean Lithium Sulfur Batteries. 14.6 44 ACS Nano, 2019, 13, 14540-14548. Expediting redox kinetics of sulfur species by atomicâ€scale electrocatalysts in lithiumâ€"sulfur 3182 17.3 261 batteries. InformaÄnÃ-MateriÃ; ly, 2019, 1, 533-541. Suppression of Polysulfide Dissolution and Shuttling with Glutamate Electrolyte for Lithium Sulfur 14.6 64 Batteries. ACS Nano, 2019, 13, 14172-14181. Promoting polysulfide conversion by catalytic ternary 3184 Fe₃O₄/carbon/graphene composites with ordered microchannels for 10.3 68 ultrahigh-rate lithium–sulfur batteries. Journal of Materials Chemistry A, 2019, 7, 25078-25087. Probing the dynamic evolution of lithium dendrites: a review of <i>in situ</i>/<i>operando</i>characterization for lithium metallic batteries. Nanoscale, 2019, 11, 3185 5.6 26 20429-20436. Bifunctional semi-closed YF₃-doped 1D carbon nanofibers with 3D porous network 3186 structure including fluorinating interphases and polysulfide confinement for lithium–sulfur 5.6 21 batteries. Nanoscale, 2019, 11, 21324-21339. Nitrogen-doped graphdiyne nanowall stabilized dendrite-free lithium metal anodes. Journal of 10.3 Materials Chemistry A, 2019, 7, 27535-27546. Energy storage: The future enabled by nanomaterials. Science, 2019, 366, . 3188 12.6 1.119 Polyimide-Coated Glass Microfiber as Polysulfide Perm-Selective Separator for High-Performance 3189 4.1 Lithium-Sulphur Batteries. Nanomaterials, 2019, 9, 1612. Physical and Chemical Properties of Phosphorus. ACS Symposium Series, 2019, , 61-77. 3190 0.5 1 Towards fast-charging technologies in Li⁺/Na⁺storage: from the perspectives of pseudocapacitive materials and non-aqueous hybrid capacitors. Nanoscale, 2019, 11, 19225-19240. 5.6 44 A simple and general approach for <i>in situ</i> synthesis of sulfurâ€"porous carbon composites for 3192 23 4.9 lithium–sulfur batteries. Sustainable Energy and Fuels, 2019, 3, 3498-3509. 3D ordered macroporous MoO₂ attached on carbonized cloth for high performance free-standing binder-free lithium–sulfur electrodes. Journal of Materials Chemistry Å, 2019, 7, 24524-24531. A wet-laid carbon paper with 3D conductive structure as an interlayer for lithium-sulfur batteries. 3194 1.6 4 Materials Research Express, 2019, 6, 125547. Construction of three-dimensional ordered porous carbon bulk networks for high performance, 9.4 lithium-sulfur batteries. Journal of Colloid and Interface Science, 2019, 533, 445-451.

#	Article	IF	CITATIONS
3196	Electrosprayed multiscale porous carbon microspheres as sulfur hosts for long-life lithium-sulfur batteries. Carbon, 2019, 141, 16-24.	10.3	54
3197	Porous Carbon Hosts for Lithium–Sulfur Batteries. Chemistry - A European Journal, 2019, 25, 3710-3725.	3.3	136
3198	Constructing flexible coaxial-cable structured sulfur cathode with carbon nanomaterials on textile. Carbon, 2019, 144, 525-531.	10.3	5
3199	Lithium metal anode on a copper dendritic superstructure. Electrochemistry Communications, 2019, 99, 27-31.	4.7	64
3200	Ultrathin MOF nanosheet assembled highly oriented microporous membrane as an interlayer for lithium-sulfur batteries. Energy Storage Materials, 2019, 21, 14-21.	18.0	182
3201	PECVD-derived graphene nanowall/lithium composite anodes towards highly stable lithium metal batteries. Energy Storage Materials, 2019, 22, 29-39.	18.0	65
3202	A Review on Graphene-Based Electrospun Conductive Nanofibers, Supercapacitors, Anodes, and Cathodes for Lithium-Ion Batteries. Critical Reviews in Solid State and Materials Sciences, 2019, 44, 427-443.	12.3	28
3203	Tin Intercalated Ultrathin MoO ₃ Nanoribbons for Advanced Lithium–Sulfur Batteries. Advanced Energy Materials, 2019, 9, 1803137.	19.5	126
3204	Nanoparticle Assembled Mesoporous MoO ₂ Microrods Derived from Metal Organic Framework and Wrapped with Graphene as the Sulfur Host for Longâ€Life Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2019, 6, 1801636.	3.7	34
3205	Strong lithium polysulfides chemical trapping of TiC-TiO2/S composite for long-cycle lithium-sulfur batteries. Electrochimica Acta, 2019, 298, 43-51.	5.2	46
3206	Sulfurizedâ "poly(acrylonitrile) wrapped carbon sulfur composite cathode material for high performance rechargeable lithium sulfur batteries. Journal of Power Sources, 2019, 412, 670-676.	7.8	38
3207	Effect of silicon dioxide in sulfur/carbon black composite as a cathode material for lithium sulfur batteries. Vacuum, 2019, 161, 37-48.	3.5	40
3208	A waste-minimized biorefinery scenario for the hierarchical conversion of agricultural straw into prebiotic xylooligosaccharides, fermentable sugars and lithium-sulfur batteries. Industrial Crops and Products, 2019, 129, 269-280.	5.2	33
3209	Practical Challenges and Future Perspectives of All-Solid-State Lithium-Metal Batteries. CheM, 2019, 5, 753-785.	11.7	595
3210	Review on areal capacities and long-term cycling performances of lithium sulfur battery at high sulfur loading. Energy Storage Materials, 2019, 18, 289-310.	18.0	231
3211	Optimized synthesis of banana peel derived porous carbon and its application in lithium sulfur batteries. Materials Research Bulletin, 2019, 112, 269-280.	5.2	33
3212	Recent progress in polymer materials for advanced lithium-sulfur batteries. Progress in Polymer Science, 2019, 90, 118-163.	24.7	130
3213	Mitigation of Shuttle Effect in Li–S Battery Using a Self-Assembled Ultrathin Molybdenum Disulfide Interlayer. ACS Applied Materials & Interfaces, 2019, 11, 3080-3086.	8.0	58

#	Article	IF	Citations
3214	Mesopore Channel Length Control in Ordered Mesoporous Carbon Hosts for High Performance Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2019, 166, A5244-A5251.	2.9	11
3215	The Role of Cellulose Based Separator in Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2019, 166, A5237-A5243.	2.9	27
3216	Freestanding sulfur-graphene oxide/carbon composite paper as a stable cathode for high performance lithium-sulfur batteries. Electrochimica Acta, 2019, 299, 27-33.	5.2	44
3217	Direct electrochemical generation of supercooled sulfur microdroplets well below their melting temperature. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 765-770.	7.1	39
3218	Self-Assembled 3D MnO ₂ Nanosheets@Delaminated-Ti ₃ C ₂ Aerogel as Sulfur Host for Lithium–Sulfur Battery Cathodes. ACS Applied Energy Materials, 2019, 2, 705-714.	5.1	65
3219	Theoretical versus Practical Energy: A Plea for More Transparency in the Energy Calculation of Different Rechargeable Battery Systems. Advanced Energy Materials, 2019, 9, 1803170.	19.5	276
3220	Facile synthesis of Li2S@C composites as cathode for Li–S batteries. Journal of Energy Chemistry, 2019, 37, 111-116.	12.9	33
3221	Nitrogen and oxygen dual-doped hierarchical porous carbon derived from rapeseed meal for high performance lithium–sulfur batteries. Journal of Solid State Chemistry, 2019, 270, 500-508.	2.9	29
3222	Comparative Study of Water-Based LA133 and CMC/SBR Binders for Sulfur Cathode in Advanced Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2019, 123, 250-257.	3.1	35
3223	Bio-inspired low-tortuosity carbon host for high-performance lithium-metal anode. National Science Review, 2019, 6, 247-256.	9.5	57
3224	Approaching Ultrastable Highâ€Rate Li–S Batteries through Hierarchically Porous Titanium Nitride Synthesized by Multiscale Phase Separation. Advanced Materials, 2019, 31, e1806547.	21.0	155
3225	Hierarchical Porous Carbon Derived from Peanut Hull for Polysulfide Confinement in Lithium–Sulfur Batteries. Energy Technology, 2019, 7, 1800898.	3.8	11
3226	Enhanced Cycling Performance for Lithium–Sulfur Batteries by a Laminated 2D g ₃ N ₄ /Graphene Cathode Interlayer. ChemSusChem, 2019, 12, 213-223.	6.8	72
3227	A compact 3D interconnected sulfur cathode for high-energy, high-power and long-life lithium-sulfur batteries. Energy Storage Materials, 2019, 20, 14-23.	18.0	35
3228	Stabilizing Li–S Battery Through Multilayer Encapsulation of Sulfur. Advanced Energy Materials, 2019, 9, 1802213.	19.5	66
3229	Carbon-nanotube/sulfur cathode with in-situ assembled Si3N4/graphene interlayer for high-rate and long cycling-life lithium-sulfur batteries. Electrochimica Acta, 2019, 296, 155-164.	5.2	26
3230	Layer by Layer Assemble of Colloid Nanomaterial and Functional Multilayer Films for Energy Storage and Conversion. , 2019, , 255-278.		4
3231	Solid‣tate Lithium/Selenium–Sulfur Chemistry Enabled via a Robust Solidâ€Electrolyte Interphase. Advanced Energy Materials, 2019, 9, 1802235.	19.5	63

#	Article	IF	CITATIONS
3232	Small things make big deal: Powerful binders of lithium batteries and post-lithium batteries. Energy Storage Materials, 2019, 20, 146-175.	18.0	118
3233	Surface-Activated Graphite Paper for High-Performance Lithium-Polysulfide Batteries. ACS Sustainable Chemistry and Engineering, 2019, 7, 276-284.	6.7	6
3234	Entrapment of polysulfides by a Ketjen Black & mesoporous TiO2 modified glass fiber separator for high performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2019, 779, 412-419.	5.5	26
3235	LaLiO2-Based Multi-Functional Interlayer for Enhanced Performance of Li-S Batteries. Journal of the Electrochemical Society, 2019, 166, A68-A73.	2.9	4
3236	Nanoâ€sized Titanium Nitride Functionalized Separator Improves Cycling Performance of Lithium Sulfur Batteries. ChemistrySelect, 2019, 4, 698-704.	1.5	19
3237	Suppressing Self-Discharge of Vanadium Diboride by Zwitterionicity of the Polydopamine Coating Layer. ACS Applied Materials & Interfaces, 2019, 11, 5123-5128.	8.0	9
3238	Stable Li Metal Anode with "lon–Solvent-Coordinated―Nonflammable Electrolyte for Safe Li Metal Batteries. ACS Energy Letters, 2019, 4, 483-488.	17.4	148
3239	Nanoporous Carbon: Liquid-Free Synthesis and Geometry-Dependent Catalytic Performance. ACS Nano, 2019, 13, 2463-2472.	14.6	15
3240	Improvement of Li-Sulfur Cell Cycling Performance by Use of Fe _{1-x} S@NC as a Functional Additive for Chemical Confinement of Lithium Polysulfides. Journal of the Electrochemical Society, 2019, 166, A5201-A5209.	2.9	18
3241	Carbon@carbon double hollow spheres as efficient cathode host for high rate Li S battery. Materials Chemistry and Physics, 2019, 225, 309-315.	4.0	8
3242	Thin Film All-solid-state Battery Using Li ₂ MnO ₃ Epitaxial Film Electrode. Chemistry Letters, 2019, 48, 192-195.	1.3	25
3243	A Novel Design of Sulfur Cathode Integrating a Sulfur Film on a Carbon Electrode for a Lowâ€Cost and Facile Fabrication of Sustainable LiS Cells. Bulletin of the Korean Chemical Society, 2019, 40, 107-111.	1.9	1
3244	Metal–Sulfur Batteries: Overview and Research Methods. ACS Energy Letters, 2019, 4, 436-446.	17.4	108
3245	A novel separator modified by titanium dioxide nanotubes/carbon nanotubes composite for high performance lithium-sulfur batteries. Functional Materials Letters, 2019, 12, 1950016.	1.2	9
3246	Controllable Chainâ€Length for Covalent Sulfur–Carbon Materials Enabling Stable and Highâ€Capacity Sodium Storage. Advanced Energy Materials, 2019, 9, 1803478.	19.5	145
3247	Separator Membranes for Lithium–Sulfur Batteries: Design Principles, Structure, and Performance. Energy Technology, 2019, 7, 1800819.	3.8	19
3250	Graphitic Carbon Nitride Induced Microâ€Electric Field for Dendriteâ€Free Lithium Metal Anodes. Advanced Energy Materials, 2019, 9, 1803186.	19.5	147
3251	NiCo ₂ O ₄ Nanofibers as Carbonâ€Free Sulfur Immobilizer to Fabricate Sulfurâ€Based Composite with High Volumetric Capacity for Lithium–Sulfur Battery. Advanced Energy Materials, 2019, 9, 1803477.	19.5	252

#	Article	IF	CITATIONS
3252	Synergistic Dual-Confinement Effect: Merit of Hollowly Metallic Co ₉ S ₈ in Packaging Enhancement of Electrochemical Performance of Li–S Batteries. ACS Applied Energy Materials, 2019, 2, 1428-1435.	5.1	33
3253	Carbon/Sulfur Composites Stabilized with Nano-TiNi for High-Performance Li–S Battery Cathodes. ACS Applied Energy Materials, 2019, 2, 1537-1543.	5.1	9
3254	A functional separator modified by synergistic MoS ₂ and activated carbon for improved-performance lithium sulfur batteries. Materials Research Express, 2019, 6, 045506.	1.6	11
3255	Achieving three-dimensional lithium sulfide growth in lithium-sulfur batteries using high-donor-number anions. Nature Communications, 2019, 10, 188.	12.8	203
3256	Wettability and Applications of Nanochannels. Advanced Materials, 2019, 31, e1804508.	21.0	123
3257	Lightweight Metallic MgB2 Mediates Polysulfide Redox and Promises High-Energy-Density Lithium-Sulfur Batteries. Joule, 2019, 3, 136-148.	24.0	256
3258	A top-down approach to build Li2S@rGO cathode composites for high-loading lithium–sulfur batteries in carbonate-based electrolyte. Electrochimica Acta, 2019, 296, 243-250.	5.2	21
3259	Self-conversion templated fabrication of sulfur encapsulated inside the N-doped hollow carbon sphere and 3D graphene frameworks for high-performance lithium–sulfur batteries. Electrochimica Acta, 2019, 295, 900-909.	5.2	29
3260	A robust and low-cost biomass carbon fiber@SiO2 interlayer for reliable lithium-sulfur batteries. Electrochimica Acta, 2019, 295, 684-692.	5.2	56
3261	The improved electrochemical performance of vanadium redox flow battery by decorating functionalized mesoporous carbon catalyst with three-dimensional interconnected network. Journal of Industrial and Engineering Chemistry, 2019, 70, 290-298.	5.8	13
3262	Size Tunable Zeoliteâ€Templated Carbon as Microporous Sulfur Host for Lithiumâ€Sulfur Batteries. ChemElectroChem, 2019, 6, 558-565.	3.4	17
3263	CNT-assembled dodecahedra core@nickel hydroxide nanosheet shell enabled sulfur cathode for high-performance lithium-sulfur batteries. Nano Energy, 2019, 55, 82-92.	16.0	185
3264	A novel wheel-confined composite as cathode in Li-S batteries with high capacity retention. Journal of Alloys and Compounds, 2019, 776, 504-510.	5.5	11
3265	Rational design of novel nanostructured arrays based on porous AAO templates for electrochemical energy storage and conversion. Nano Energy, 2019, 55, 234-259.	16.0	71
3266	<i>s</i> â€Tetrazines as a New Electrodeâ€Active Material for Secondary Batteries. ChemSusChem, 2019, 12, 503-510.	6.8	25
3267	Efficient synergism of electrocatalysis and physical confinement leading to durable high-power lithium-sulfur batteries. Nano Energy, 2019, 57, 34-40.	16.0	104
3268	Directly Deposited Binder-Free Sulfur Electrode Enabled by Air-Controlled Electrospray Process. ACS Applied Energy Materials, 2019, 2, 678-686.	5.1	3
3269	Cardanol Benzoxazines: A Versatile Monomer with Advancing Applications. Macromolecular Chemistry and Physics, 2019, 220, 1800470.	2.2	33

#	Article	IF	CITATIONS
3270	Stainless steel as low-cost high-voltage cathode via stripping/deposition in metal-lithium battery. Electrochimica Acta, 2019, 298, 186-193.	5.2	15
3271	Recent Advances in 3D Graphene Architectures and Their Composites for Energy Storage Applications. Small, 2019, 15, e1803858.	10.0	99
3272	Advanced MoS ₂ and graphene heterostructures as high-performance anode for sodium-ion batteries. Nanotechnology, 2019, 30, 104003.	2.6	21
3273	TiO2 nanoparticles anchored on three-dimensionally ordered macro/mesoporous carbon matrix as polysulfides' immobilizers for high performance lithium/sulfur batteries. Journal of Solid State Electrochemistry, 2019, 23, 565-572.	2.5	12
3274	N-doped carbon-coated hollow carbon nanofibers with interspersed TiO2 for integrated separator of Li-S batteries. Electrochimica Acta, 2019, 297, 641-649.	5.2	49
3275	Facile Synthesis of rGO/g-C ₃ N ₄ /CNT Microspheres via an Ethanol-Assisted Spray-Drying Method for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 819-827.	8.0	79
3276	A New Concept of a Porous Carbon Interlayer Impregnated with Sulfur for Longâ€Life and Highâ€Energy LiS Batteries. Bulletin of the Korean Chemical Society, 2019, 40, 24-28.	1.9	1
3277	Discrete Hollow Carbon Spheres Derived from Pyrolytic Copolymer Microspheres for Li-S Batteries. Journal of the Electrochemical Society, 2019, 166, A5099-A5108.	2.9	13
3278	Palladium nanocrystals-imbedded mesoporous hollow carbon spheres with enhanced electrochemical kinetics for high performance lithium sulfur batteries. Carbon, 2019, 143, 878-889.	10.3	70
3279	Accelerating polysulfide redox conversion on bifunctional electrocatalytic electrode for stable Li-S batteries. Energy Storage Materials, 2019, 20, 98-107.	18.0	87
3280	Multifunctional porous VN nanowires interlayer as polysulfides barrier for high performance lithium sulfur batteries. Journal of Electroanalytical Chemistry, 2019, 832, 475-479.	3.8	23
3281	Synergetic pore structure optimization and nitrogen doping of 3D porous graphene for high performance lithium sulfur battery. Carbon, 2019, 143, 869-877.	10.3	50
3282	Supramolecular complexation of polysulfides by β-cyclodextrin polymer functionalized graphene hybrid cathode for high-performance lithium-sulfur batteries. Energy Storage Materials, 2019, 21, 378-389.	18.0	22
3283	Cobalt nitride nanoparticles embedded in porous carbon nanosheet arrays propelling polysulfides conversion for highly stable lithium–sulfur batteries. Energy Storage Materials, 2019, 21, 210-218.	18.0	79
3284	Freestanding oxidized poly(acrylonitrile-co-vinylpyrrolidone)/SnCl2 nanofibers as interlayer for Lithium Sulfur batteries. Journal of Power Sources, 2019, 412, 472-479.	7.8	13
3285	Toward a remarkable Li-S battery via 3D printing. Nano Energy, 2019, 56, 595-603.	16.0	115
3286	Designed Nanoarchitectures by Electrostatic Spray Deposition for Energy Storage. Advanced Materials, 2019, 31, e1803408.	21.0	48
3287	Synthesis of interconnected graphene framework with two-dimensional protective layers for stable lithium metal anodes. Energy Storage Materials, 2019, 17, 341-348.	18.0	26
#	Article	IF	CITATIONS
------	--	------	-----------
3288	Facile synthesis of hierarchically \hat{I}^3 -Al2O3@C yolk-shell microspheres for lithium-sulfur batteries. Materials Chemistry and Physics, 2019, 221, 258-262.	4.0	15
3289	ZnO nanoparticles filled tetrapod-shaped carbon shell for lithium-sulfur batteries. Carbon, 2019, 141, 258-265.	10.3	54
3290	A novel CuS/graphene-coated separator for suppressing the shuttle effect of lithium/sulfur batteries. Applied Surface Science, 2019, 466, 309-319.	6.1	62
3291	Titanium oxide-Ti3C2 hybrids as sulfur hosts in lithium-sulfur battery: Fast oxidation treatment and enhanced polysulfide adsorption ability. Chemical Engineering Journal, 2019, 358, 1253-1261.	12.7	92
3292	In-situ measurements of stress evolution in composite sulfur cathodes. Energy Storage Materials, 2019, 16, 491-497.	18.0	26
3293	Porous nitrogen-doped carbon/MnO coaxial nanotubes as an efficient sulfur host for lithium sulfur batteries. Nano Research, 2019, 12, 205-210.	10.4	39
3294	Advanced nanostructured carbon-based materials for rechargeable lithium-sulfur batteries. Carbon, 2019, 141, 400-416.	10.3	268
3295	Design of Hollow Nanostructures for Energy Storage, Conversion and Production. Advanced Materials, 2019, 31, e1801993.	21.0	313
3296	Biomass-derived, activated carbon-sulfur composite cathode with a bifunctional interlayer of functionalized carbon nanotubes for lithium-sulfur cells. Journal of Colloid and Interface Science, 2019, 535, 287-299.	9.4	40
3297	High sulfur loading in activated bamboo-derived porous carbon as a superior cathode for rechargeable Li–S batteries. Arabian Journal of Chemistry, 2019, 12, 3517-3525.	4.9	13
3298	Hybrid graphene album with polysulfides adsorption layer for Li-S batteries. Chemical Engineering Science, 2019, 194, 148-155.	3.8	18
3299	Rechargeable batteries based on anion intercalation graphite cathodes. Energy Storage Materials, 2019, 16, 65-84.	18.0	183
3300	Synthesis and characterization of a sulfur/TiO2 composite for Li-S battery. Ionics, 2019, 25, 9-15.	2.4	20
3301	High-performance lithium sulfur batteries enabled by a synergy between sulfur and carbon nanotubes. Energy Storage Materials, 2019, 16, 194-202.	18.0	264
3302	Recent progress in fluorinated electrolytes for improving the performance of Li–S batteries. Journal of Energy Chemistry, 2020, 41, 149-170.	12.9	76
3303	N/O dual-doped hollow carbon microspheres constructed by holey nanosheet shells as large-grain cathode host for high loading Li-S batteries. Energy Storage Materials, 2020, 24, 644-654.	18.0	93
3304	Chemical Confinement and Utility of Lithium Polysulfides in Lithium Sulfur Batteries. Small Methods, 2020, 4, 1900001.	8.6	68
3305	In-situ polymerized cross-linked binder for cathode in lithium-sulfur batteries. Chinese Chemical Letters, 2020, 31, 570-574.	9.0	36

#	Article	IF	CITATIONS
3306	Sway of MnO2 with poly(acrylonitrile) in the sulfur-based electrode for lithium–sulfur batteries. Polymer Bulletin, 2020, 77, 4167-4179.	3.3	6
3307	From agaric hydrogel to nitrogen-doped 3D porous carbon for high-performance Li–S batteries. Journal of Materials Science, 2020, 55, 1136-1147.	3.7	17
3308	Three dimensional porous frameworks for lithium dendrite suppression. Journal of Energy Chemistry, 2020, 44, 73-89.	12.9	104
3309	High-Energy-Density Solid-Electrolyte-Based Liquid Li-S and Li-Se Batteries. Joule, 2020, 4, 262-274.	24.0	109
3310	Lithium‧chwefelâ€Batterien mit Magerelektrolyt: Herausforderungen und Perspektiven. Angewandte Chemie, 2020, 132, 12736-12753.	2.0	33
3311	Macroscopic Carbon Nanotube Structures for Lithium Batteries. Small, 2020, 16, e1902719.	10.0	35
3312	In Situ/Operando Spectroscopic Characterizations Guide the Compositional and Structural Design of Lithium–Sulfur Batteries. Small Methods, 2020, 4, 1900467.	8.6	42
3313	Designing vapor silica-supported sulfur cathode for long-life lithium–sulfur battery. Chemical Engineering Journal, 2020, 382, 122843.	12.7	11
3314	Reversible insertion/extraction of polysulfides into/from polyaniline as an effective strategy to confine polysulfides in lithium-sulfur batteries. Ionics, 2020, 26, 191-199.	2.4	6
3315	Converting a thick electrode into vertically aligned "Thin electrodes―by 3D-Printing for designing thickness independent Li-S cathode. Energy Storage Materials, 2020, 24, 682-688.	18.0	59
3316	A Game Changer: Functional Nano/Micromaterials for Smart Rechargeable Batteries. Advanced Functional Materials, 2020, 30, 1902499.	14.9	41
3317	Long cycle performance folium cycas biochar/S composite material for lithium-sulfur batteries. Ionics, 2020, 26, 183-189.	2.4	13
3318	Graphene-based composites for electrochemical energy storage. Energy Storage Materials, 2020, 24, 22-51.	18.0	364
3319	2 D Materials for Inhibiting the Shuttle Effect in Advanced Lithium–Sulfur Batteries. ChemSusChem, 2020, 13, 1447-1479.	6.8	49
3320	Concrete-like high sulfur content cathodes with enhanced electrochemical performance for lithium-sulfur batteries. Journal of Energy Chemistry, 2020, 42, 174-179.	12.9	16
3321	Rationalizing Electrocatalysis of Li–S Chemistry by Mediator Design: Progress and Prospects. Advanced Energy Materials, 2020, 10, 1901075.	19.5	296
3322	A three dimensional kinetic Monte Carlo model for simulating the carbon/sulfur mesostructural evolutions of discharging lithium sulfur batteries. Energy Storage Materials, 2020, 24, 472-485.	18.0	33
3323	LiF modified stable flexible PVDF-garnet hybrid electrolyte for high performance all-solid-state Li–S batteries. Energy Storage Materials, 2020, 24, 198-207.	18.0	139

# 3324	ARTICLE Two-dimensional π-conjugated metal bis(dithiolene) nanosheet: A promising anchoring material for lithium-sulfur batteries. Computational Materials Science, 2020, 171, 109228.	IF 3.0	Citations
3325	Twoâ€Ðimensional MoS ₂ for Liâ^'S Batteries: Structural Design and Electronic Modulation. ChemSusChem, 2020, 13, 1392-1408.	6.8	31
3326	Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. Angewandte Chemie - International Edition, 2020, 59, 7306-7318.	13.8	113
3327	Ferroconcrete-inspired construction of self-supporting Li2S cathode for high-performance lithium–sulfur batteries. Microporous and Mesoporous Materials, 2020, 293, 109822.	4.4	12
3328	2D Materials as Ionic Sieves for Inhibiting the Shuttle Effect in Batteries. Chemistry - an Asian Journal, 2020, 15, 2294-2302.	3.3	20
3329	Novel construction of nanostructured carbon materials as sulfur hosts for advanced lithiumâ€sulfur batteries. International Journal of Energy Research, 2020, 44, 70-91.	4.5	25
3330	Ionic liquid-reinforced carbon nanofiber matrix enabled lean-electrolyte Li-S batteries via electrostatic attraction. Energy Storage Materials, 2020, 26, 378-384.	18.0	25
3331	Interfacially Polymerized Polyamide Interlayer onto Ozonated Carbon Nanotube Networks for Improved Stability of Sulfur Cathodes. ChemSusChem, 2020, 13, 2471-2478.	6.8	5
3332	MOFs and COFs for Batteries and Supercapacitors. Electrochemical Energy Reviews, 2020, 3, 81-126.	25.5	98
3333	In situ transformation of LDH into hollow cobalt-embedded and N-doped carbonaceous microflowers as polysulfide mediator for lithium-sulfur batteries. Chemical Engineering Journal, 2020, 385, 123457.	12.7	31
3334	1T-MoS2 nanotubes wrapped with N-doped graphene as highly-efficient absorbent and electrocatalyst for Li–S batteries. Journal of Power Sources, 2020, 447, 227364.	7.8	103
3335	Constructing a LiPAA interface layer: a new strategy to suppress polysulfide migration and facilitate Li ⁺ transport for high-performance flexible Li–S batteries. Nanotechnology, 2020, 31, 095401.	2.6	9
3336	Lithium–Sulfur Batteries under Lean Electrolyte Conditions: Challenges and Opportunities. Angewandte Chemie - International Edition, 2020, 59, 12636-12652.	13.8	425
3337	Efficient adsorption of uranium (VI) from aqueous solution by a novel modified steel slag adsorbent. Journal of Radioanalytical and Nuclear Chemistry, 2020, 323, 73-81.	1.5	10
3338	Tailoring three-dimensional interconnected nanoporous graphene micro/nano-foams for lithium-sulfur batteries. Carbon, 2020, 157, 437-447.	10.3	30
3339	Highly Safe Electrolyte Enabled via Controllable Polysulfide Release and Efficient Conversion for Advanced Lithium–Sulfur Batteries. Small, 2020, 16, e1905737.	10.0	60
3340	Scalable production of nitrogen-doped carbons for multilayer lithium-sulfur battery cells. Carbon, 2020, 161, 190-197.	10.3	43
3341	Li2S growth on graphene: Impact on the electrochemical performance of Li-S batteries. Journal of Chemical Physics, 2020, 152, 014701.	3.0	10

#	Article	IF	CITATIONS
3342	Uniform Polypyrrole Layer-Coated Sulfur/Graphene Aerogel via the Vapor-Phase Deposition Technique as the Cathode Material for Li–S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 5958-5967.	8.0	29
3343	Cycling Performance and Kinetic Mechanism Analysis of a Li Metal Anode in Series-Concentrated Ether Electrolytes. ACS Applied Materials & Interfaces, 2020, 12, 8366-8375.	8.0	29
3344	Novel S-doped ordered mesoporous carbon nanospheres toward advanced lithium metal anodes. Nano Energy, 2020, 69, 104443.	16.0	52
3345	Interface enhanced well-dispersed Co9S8 nanocrystals as an efficient polysulfide host in lithium–sulfur batteries. Journal of Energy Chemistry, 2020, 48, 109-115.	12.9	59
3346	Covalent fixing of sulfur in metal–sulfur batteries. Energy and Environmental Science, 2020, 13, 432-471.	30.8	118
3347	Confining sulfur particles in clay nanotubes with improved cathode performance of lithium–sulfur batteries. Journal of Power Sources, 2020, 450, 227698.	7.8	33
3348	Polar, catalytic, and conductive CoSe2/C frameworks for performance enhanced S cathode in Li–S batteries. Journal of Energy Chemistry, 2020, 48, 128-135.	12.9	61
3349	Electrode Degradation in Lithium-Ion Batteries. ACS Nano, 2020, 14, 1243-1295.	14.6	484
3350	Rational design of two-dimensional nanomaterials for lithium–sulfur batteries. Energy and Environmental Science, 2020, 13, 1049-1075.	30.8	285
3351	The stability and reaction mechanism of a LiF/electrolyte interface: insight from density functional theory. Journal of Materials Chemistry A, 2020, 8, 2613-2617.	10.3	13
3352	A 3D-printed ultra-high Se loading cathode for high energy density quasi-solid-state Li–Se batteries. Journal of Materials Chemistry A, 2020, 8, 278-286.	10.3	41
3353	Anchoring MOF-derived CoS ₂ on sulfurized polyacrylonitrile nanofibers for high areal capacity lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 1298-1306.	10.3	112
3354	Shuttle confinement of lithium polysulfides in borocarbonitride nanotubes with enhanced performance for lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 296-304.	10.3	40
3355	Rational design of polar/nonpolar mediators toward efficient sulfur fixation and enhanced conductivity. Journal of Materials Chemistry A, 2020, 8, 1010-1051.	10.3	32
3356	Electrospun carbon nanofibers with MnS sulfiphilic sites as efficient polysulfide barriers for high-performance wide-temperature-range Li–S batteries. Journal of Materials Chemistry A, 2020, 8, 1212-1220.	10.3	73
3357	Poly(N-methylpyrrole) barrier coating and SiO2 fillers based gel electrolyte for safe and reversible Li–S batteries. Electrochimica Acta, 2020, 334, 135571.	5.2	14
3358	Selenium sulfide cathode with copper foam interlayer for promising magnesium electrochemistry. Energy Storage Materials, 2020, 26, 23-31.	18.0	54
3359	Synergistic effect of interface layer and mechanical pressure for advanced Li metal anodes. Energy Storage Materials, 2020, 26, 112-118.	18.0	25

#	Article	IF	CITATIONS
3360	γ-Fe2O3 nanoparticles anchored in MWCNT hybrids as efficient sulfur hosts for high-performance lithium‑sulfur battery cathode. Journal of Electroanalytical Chemistry, 2020, 858, 113806.	3.8	21
3361	Hermetically encapsulating sulfur by FePS ₃ flakes for high-performance lithium sulfur batteries. Chemical Communications, 2020, 56, 810-813.	4.1	13
3362	One-step hydrothermal synthesis of Ni-Co sulfide on Ni foam as a binder-free electrode for lithium-sulfur batteries. Journal of Colloid and Interface Science, 2020, 565, 378-387.	9.4	31
3363	Flexible free-standing sulfurized polyacrylonitrile electrode for stable Li/Na storage. Electrochimica Acta, 2020, 333, 135493.	5.2	29
3364	Affinity Laminated Chromatography Membrane Builtâ€in Electrodes for Suppressing Polysulfide Shuttling in Lithium–Sulfur Batteries. Advanced Energy Materials, 2020, 10, 1903233.	19.5	14
3365	Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. Angewandte Chemie, 2020, 132, 7374-7386.	2.0	30
3366	Emerging Functional Porous Polymeric and Carbonaceous Materials for Environmental Treatment and Energy Storage. Advanced Functional Materials, 2020, 30, 1907006.	14.9	176
3367	Mechanistic understanding of the Sulfurized-Poly(acrylonitrile) cathode for lithium-sulfur batteries. Energy Storage Materials, 2020, 26, 483-493.	18.0	99
3368	Silica-templated hierarchically porous carbon modified separators for lithium–sulfur batteries with superior cycling stabilities. Journal of Power Sources, 2020, 448, 227462.	7.8	25
3369	Graphdiyne nanostructure for high-performance lithium-sulfur batteries. Nano Energy, 2020, 68, 104307.	16.0	51
3370	Holey graphene modified LiFePO4 hollow microsphere as an efficient binary sulfur host for high-performance lithium-sulfur batteries. Energy Storage Materials, 2020, 26, 433-442.	18.0	49
3371	Reducing the shuttle effect with the interactions of polar TiN and non-polar graphene for lithium–sulfur batteries. CrystEngComm, 2020, 22, 1555-1559.	2.6	7
3372	A sustainable sulfur–carbonaceous composite electrode toward high specific energy rechargeable cells. Materials Horizons, 2020, 7, 524-529.	12.2	9
3373	Stabilization of Li–S batteries with a lean electrolyte <i>via</i> ion-exchange trapping of lithium polysulfides using a cationic, polybenzimidazolium binder. Sustainable Energy and Fuels, 2020, 4, 1180-1190.	4.9	15
3374	3D lithiophilic–lithiophobic–lithiophilic dual-gradient porous skeleton for highly stable lithium metal anode. Journal of Materials Chemistry A, 2020, 8, 313-322.	10.3	76
3375	MOF-derived conductive carbon nitrides for separator-modified Li–S batteries and flexible supercapacitors. Journal of Materials Chemistry A, 2020, 8, 1757-1766.	10.3	107
3376	Suppression of the Shuttle Effect in Li–S Batteries via Magnetron Sputtered TiO ₂ Thin Film at the Electrode–Electrolyte Interface. ACS Applied Energy Materials, 2020, 3, 1515-1529.	5.1	19
3377	Constructing a High‣trength Solid Electrolyte Layer by In Vivo Alloying with Aluminum for an Ultrahighâ€Rate Lithium Metal Anode. Advanced Functional Materials, 2020, 30, 1907343.	14.9	83

#	Article	IF	CITATIONS
3378	Vanadium Sulfide@Sulfur Composites as Highâ€Performance Cathode for Advanced Lithium–Sulfur Batteries. Energy Technology, 2020, 8, 1901163.	3.8	21
3379	Rational Design of Porous N-Ti3C2 MXene@CNT Microspheres for High Cycling Stability in Li–S Battery. Nano-Micro Letters, 2020, 12, 4.	27.0	91
3380	Batteries with high theoretical energy densities. Energy Storage Materials, 2020, 26, 46-55.	18.0	152
3381	Morphology and Dielectric Studies of Natural Fibers and PbO2 Based Flexible Composite Sheets for Potential Energy Storage Applications. Journal of Electronic Materials, 2020, 49, 1896-1903.	2.2	6
3382	Designing Highly Conductive Functional Groups Improving Guest–Host Interactions in Li/S Batteries. Small, 2020, 16, e1905585.	10.0	28
3383	Effects of different GO contents in GO@KB-S composite prepared by spray drying method for lithium-sulfur batteries. Ionics, 2020, 26, 2315-2324.	2.4	8
3384	Fe–P–S electrodes for all-solid-state lithium secondary batteries using sulfide-based solid electrolytes. Journal of Power Sources, 2020, 449, 227576.	7.8	11
3385	Magnetic and mesoporous Fe3O4-modified glass fiber separator for high-performance lithium-sulfur battery. Ionics, 2020, 26, 2325-2334.	2.4	26
3386	Hollow spheres of Mo2C@C as synergistically confining sulfur host for superior Li–S battery cathode. Electrochimica Acta, 2020, 332, 135482.	5.2	33
3387	Enhanced Chemical Immobilization and Catalytic Conversion of Polysulfide Intermediates Using Metallic Mo Nanoclusters for High-Performance Li–S Batteries. ACS Nano, 2020, 14, 1148-1157.	14.6	125
3388	Atomic-Level Alloying of Sulfur and Selenium for Advanced Lithium Batteries. ACS Applied Materials & Interfaces, 2020, 12, 1005-1013.	8.0	14
3389	Donor dominated triazine-based microporous polymer as a polysulfide immobilizer and catalyst for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2020, 392, 123694.	12.7	78
3390	Multi-electron reaction concept for the universal battery design. Journal of Energy Chemistry, 2020, 51, 416-417.	12.9	14
3391	Inducing the Formation of In Situ Li ₃ N-Rich SEI via Nanocomposite Plating of Mg ₃ N ₂ with Lithium Enables High-Performance 3D Lithium-Metal Batteries. ACS Applied Materials & Interfaces, 2020, 12, 627-636.	8.0	64
3392	Eliminating Dendrites through Dynamically Engineering the Forces Applied during Li Deposition for Stable Lithium Metal Anodes. Advanced Energy Materials, 2020, 10, 1902932.	19.5	34
3393	Confining Li2S6 catholyte in 3D graphene sponge with ultrahigh total pore volume and oxygen-containing groups for lithium-sulfur batteries. Carbon, 2020, 158, 244-255.	10.3	39
3394	Nanoscale Phenomena in Lithium-Ion Batteries. Chemical Reviews, 2020, 120, 6684-6737.	47.7	142
3395	A carbonâ€nanofiber glass composite with high electrical conductivity. International Journal of Applied Glass Science, 2020, 11, 590-600.	2.0	4

ARTICLE IF CITATIONS Highly stable lithium anode enabled by self-assembled monolayer of dihexadecanoalkyl phosphate. 3396 10.4 17 Nano Research, 2020, 13, 1324-1331. Catalytic Interfacesâ€Enriched Hybrid Hollow Spheres Sulfur Host for Advanced Li–S Batteries. Advańced Materials Interfaces, 2020, 7, 1901420. Ceramics for electrochemical storage., 2020, , 549-709. 3398 21 A nitrogen-rich hyperbranched polymer as cathode encapsulated material for superior long-cycling 3399 5.2 lithium-sulfur batteries. Electrochimica Acta, 2020, 330, 135337. A bipolar modified separator using TiO2 nanosheets anchored on N-doped carbon scaffold for 3400 10.7 29 high-performance Li–S batteries. Journal of Materials Science and Technology, 2020, 55, 152-158. Power Ready for Driving Catalysis and Sensing: Nanomaterials Designed for Renewable Energy Storage. , 2020, , 307-346. Lithium Sulfide-Embedded Three-Dimensional Heterogeneous Micro-/Mesoporous Interwoven Carbon 3402 Architecture as the Cathode of Lithiumâ€"Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 6.7 10 2020, 8, 351-361. Improved performance of lithium-sulfur batteries at elevated temperature by porous aluminum. 8.1 Journal of Energy Storage, 2020, 27, 101104. Advances in Artificial Layers for Stable Lithium Metal Anodes. Chemistry - A European Journal, 2020, 26, 3404 3.3 36 4193-4203. In-situ topochemical nitridation derivative MoO2–Mo2N binary nanobelts as multifunctional, 3405 16.0 interlayer for fast-kinetic Li-Sulfur batteries. Nano Energy, 2020, 68, 104356. Metal/LiF/Li₂O Nanocomposite for Battery Cathode Prelithiation: Trade-off between 3406 72 9.1 Capacity and Stability. Nano Letters, 2020, 20, 546-552. Construction of reduced graphene oxide wrapped yolk–shell vanadium dioxide sphere hybrid host for 3.3 high-performance lithium〓sulfur batteries. Dalton Transactions, 2020, 49, 14921-1493Ó. Advanced ordered mesoporous carbon with fast Li-ion diffusion for lithium–selenium sulfide 3408 10.3 16 batteries in a carbonate-based electrolyte. Carbon, 2020, 170, 236-244. Lithium superionic conduction in α-Li10P4N10: A promising inorganic solid electrolyte candidate. 3409 Journal of Power Sources, 2020, 477, 228744. Reducing polarization of lithium-sulfur batteries via ZnS/reduced graphene oxide accelerated lithium 3410 39 4.7 polysulfide conversion. Materials Today Energy, 2020, 18, 100519. Temperature-Dependent Vapor Infiltration of Sulfur into Highly Porous Hierarchical Three-Dimensional Conductive Carbon Networks for Lithium Ion Battery Applications. ACS Omega, 3411 2020, 5, 28196-28203. An energy-dense, flowable suspension of hollow carbon nanoshell-hosted sulfur as an electroactive 3412 7.8 7 material for flow batteries. Journal of Power Sources, 2020, 478, 228750. Fe₂P-decorated N,P Codoped Carbon Synthesized via Direct Biological Recycling for 3413 11.3 Endurable Sulfur Encapsulation. ACS Central Science, 2020, 6, 1827-1834.

#	Article	IF	CITATIONS
3414	Turning Soluble Polysulfide Intermediates Back into Solid State by a Molecule Binder in Li–S Batteries. ACS Nano, 2020, 14, 15884-15893.	14.6	35
3415	Microporous Carbon Nanoparticles for Lithium–Sulfur Batteries. Nanomaterials, 2020, 10, 2012.	4.1	15
3416	Stable lithium metal anode enabled by high-dimensional lithium deposition through a functional organic substrate. Energy Storage Materials, 2020, 33, 158-163.	18.0	19
3417	Highly Catalytic Boron Nitride Nanofiber In Situ Grown on Pretreated Ketjenblack as a Cathode for Enhanced Performance of Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 10841-10853.	5.1	16
3418	Polyaniline-Derived Carbon Heterostructure as Redox Mediator of Li ₂ S Oxidation and Polysulfide Immobilizer for High-Performance Lithium–Sulfur Cathode. ACS Sustainable Chemistry and Engineering, 2020, 8, 16659-16670.	6.7	11
3419	Enhanced Adsorption of Polysulfides on Carbon Nanotubes/Boron Nitride Fibers for Highâ€Performance Lithiumâ€Sulfur Batteries. Chemistry - A European Journal, 2020, 26, 17567-17573.	3.3	12
3420	Accelerating Redox Kinetics of Lithium-Sulfur Batteries. Trends in Chemistry, 2020, 2, 1020-1033.	8.5	46
3421	Al-compatible boron-based electrolytes for rechargeable magnesium batteries. Chemical Communications, 2020, 56, 14163-14166.	4.1	7
3422	Spatial Effects between Two 3D Selfâ€Supported Carbonâ€Nanotubeâ€Based Skeleton as Binderâ€Free Cathodes for Lithiumâ€Sulfur Batteries. ChemistrySelect, 2020, 5, 11383-11390.	^S 1.5	4
3423	Metal-Based Electrocatalysts for High-Performance Lithium-Sulfur Batteries: A Review. Catalysts, 2020, 10, 1137.	3.5	14
3424	A Multifunctional Inorganic Composite Separator for Stable High-Safety Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 10139-10146.	5.1	10
3425	Synthesis of the Se-HPCF composite <i>via</i> a liquid-solution route and its stable cycling performance in Li–Se batteries. Dalton Transactions, 2020, 49, 14536-14542.	3.3	5
3426	A Review of the Design of Advanced Binders for Highâ€Performance Batteries. Advanced Energy Materials, 2020, 10, 2002508.	19.5	202
3427	Metal chalcogenide hollow polar bipyramid prisms as efficient sulfur hosts for Na-S batteries. Nature Communications, 2020, 11, 5242.	12.8	102
3428	Integrating flexible PMIA separator and electrode for dealing with multi-aspect issues in Li–S batteries. Electrochimica Acta, 2020, 359, 136987.	5.2	13
3429	The impact of polymeric binder on the morphology and performances of sulfur electrodes in lithium–sulfur batteries. Electrochimica Acta, 2020, 360, 136993.	5.2	14
3430	Characteristics of magnesium-sulfur batteries based on a sulfurized poly(acrylonitrile) composite and a fluorinated electrolyte. Electrochimica Acta, 2020, 361, 137024.	5.2	21
3431	Enhancing polysulfide confinement and redox kinetics by electrocatalytic interlayer for highly stable lithium–sulfur batteries. Electrochimica Acta, 2020, 362, 137035.	5.2	24

#	Article	IF	CITATIONS
3432	Controlling hydroxyl content of reduced graphene oxide for superior cathode performance of lithium sulfur batteries. Electrochimica Acta, 2020, 362, 137112.	5.2	17
3433	Lithiophilic surface treatment of metal- and metallic compound-based frameworks by gas nitriding for lithium metal batteries. Journal of Power Sources, 2020, 477, 228776.	7.8	20
3434	Electrolyte-Phobic Surface for the Next-Generation Nanostructured Battery Electrodes. Nano Letters, 2020, 20, 7455-7462.	9.1	25
3435	Renewable Polysulfide Regulation by Versatile Films toward High-Loading Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2020, 12, 47590-47598.	8.0	11
3436	The role of synthesis pathway on the microstructural characteristics of sulfur-carbon composites: X-ray imaging and electrochemistry in lithium battery. Journal of Power Sources, 2020, 472, 228424.	7.8	26
3437	N-doped porous carbon derived from rGO-Incorporated polyphenylenediamine composites for CO2 adsorption and supercapacitors. Journal of Power Sources, 2020, 472, 228610.	7.8	46
3438	Rational design of MXene@TiO ₂ nanoarray enabling dual lithium polysulfide chemisorption towards high-performance lithium–sulfur batteries. Nanoscale, 2020, 12, 16678-16684.	5.6	55
3439	<i>in situ</i> engineered ultrafine NiS ₂ -ZnS heterostructures in micro–mesoporous carbon spheres accelerating polysulfide redox kinetics for high-performance lithium–sulfur batteries. Nanoscale, 2020, 12, 16201-16207.	5.6	28
3440	Status and prospects of porous graphene networks for lithium–sulfur batteries. Materials Horizons, 2020, 7, 2487-2518.	12.2	63
3441	Applications of transition-metal sulfides in the cathodes of lithium–sulfur batteries. Tungsten, 2020, 2, 134-146.	4.8	75
3442	Superhierarchical Conductive Framework Implanted with Nickel/Graphitic Carbon Nanocages as Sulfur/Lithium Metal Dual-Role Hosts for Li–S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 35058-35070.	8.0	30
3443	Alleviating the shuttle effect via bifunctional MnFe2O4/AB modified separator for high performance lithium sulfur battery. Electrochimica Acta, 2020, 354, 136704.	5.2	24
3444	LiV ₃ O ₈ -Based Functional Separator Coating as Effective Polysulfide Mediator for Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 2893-2899.	5.1	27
3445	MOF-derived Co9S8/C hollow polyhedra grown on 3D graphene aerogel as efficient polysulfide mediator for long-life Li-S batteries. Materials Letters, 2020, 277, 128331.	2.6	19
3446	Fluorinated co-solvent promises Li-S batteries under lean-electrolyte conditions. Materials Today, 2020, 40, 63-71.	14.2	61
3447	Suppressing the Shuttling of Polysulfide by a Self-Assembled FeOOH Separator in Li–S Batteries. Industrial & Engineering Chemistry Research, 2020, 59, 21066-21076.	3.7	8
3448	Artificial Lithium Isopropyl-Sulfide Macromolecules as an Ion-Selective Interface for Long-Life Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2020, 12, 54537-54544.	8.0	49
3449	Ti ₃ C ₂ T _x nanosheet wrapped core–shell MnO ₂ nanorods @ hollow porous carbon as a multifunctional polysulfide mediator for improved Li–S batteries. Nanoscale, 2020, 12, 24196-24205.	5.6	17

#	Article	IF	CITATIONS
3450	The Dr Jekyll and Mr Hyde of lithium sulfur batteries. Energy and Environmental Science, 2020, 13, 4808-4833.	30.8	91
3451	Conductive Porous Laminated Vanadium Nitride as Carbon-Free Hosts for High-Loading Sulfur Cathodes in Lithium–Sulfur Batteries. ACS Nano, 2020, 14, 17308-17320.	14.6	86
3452	The importance of sulfur host structural preservation for lithium–sulfur battery performance. Journal of Materials Chemistry A, 2020, 8, 26085-26097.	10.3	14
3453	3D Coral-like LLZO/PVDF Composite Electrolytes with Enhanced Ionic Conductivity and Mechanical Flexibility for Solid-State Lithium Batteries. ACS Applied Materials & Interfaces, 2020, 12, 52652-52659.	8.0	81
3454	Critical Role of Surface Defects in the Controllable Deposition of Li ₂ S on Graphene: From Molecule to Crystallite. ACS Applied Materials & Interfaces, 2020, 12, 53435-53445.	8.0	8
3455	Advances in understanding Li battery mechanisms using impedance spectroscopy - Review. Journal of Electrochemical Science and Engineering, 2020, 10, 79-93.	3.5	11
3456	Lithium Metal Anodes with Nonaqueous Electrolytes. Chemical Reviews, 2020, 120, 13312-13348.	47.7	393
3457	Electropolymerized Conjugated Microporous Nanoskin Regulating Polysulfide and Electrolyte for High-Energy Li–S Batteries. ACS Nano, 2020, 14, 17163-17173.	14.6	55
3458	Efficient suppression of the shuttle effect in Na–S batteries with an As ₂ S ₃ anchoring monolayer. Physical Chemistry Chemical Physics, 2020, 22, 27300-27307.	2.8	20
3459	Nitrogenâ€Ðoped Hollow Carbon Polyhedrons with Carbon Nanotubes Surface Layers as Effective Sulfur Hosts for Highâ€Rate, Longâ€Lifespan Lithium–Sulfur Batteries. ChemElectroChem, 2020, 7, 4990-4998.	3.4	10
3460	Shielding Polysulfide Intermediates by an Organosulfur ontaining Solid Electrolyte Interphase on the Lithium Anode in Lithium–Sulfur Batteries. Advanced Materials, 2020, 32, e2003012.	21.0	108
3461	MoS2/graphene composites: Fabrication and electrochemical energy storage. Energy Storage Materials, 2020, 33, 470-502.	18.0	85
3462	Free-Standing Sulfur-Carbon Nanotube Electrode with a Deposited Sulfur Layer for High-Energy Lithium-Sulfur Batteries. Journal of Nanoscience and Nanotechnology, 2020, 20, 5019-5023.	0.9	3
3463	Manipulation of surface microstructures of porous carbon derived from waste tea leaves for lithium sulfur batteries. Surface and Coatings Technology, 2020, 400, 126228.	4.8	13
3464	Design, synthesis, and application of metal sulfides for Li–S batteries: progress and prospects. Journal of Materials Chemistry A, 2020, 8, 17848-17882.	10.3	85
3465	Sulfur-based redox chemistry for electrochemical energy storage. Coordination Chemistry Reviews, 2020, 422, 213445.	18.8	28
3466	Rational Designed Mixed-Conductive Sulfur Cathodes for All-Solid-State Lithium Batteries. ACS Applied Materials & Interfaces, 2020, 12, 36066-36071.	8.0	12
3467	Exploring and Understanding the Roles of Li2Sn and the Strategies to beyond Present Li-S Batteries. CheM, 2020, 6, 2533-2557.	11.7	148

#	Article	IF	CITATIONS
3468	Dual-engineered separator for highly robust, all-climate lithium-sulfur batteries. Energy Storage Materials, 2020, 32, 46-54.	18.0	54
3469	Ultrafast Absorption of Polysulfides through Electrostatic Confinement by Protonated Molecules for Highly Efficient Li–S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 36220-36227.	8.0	4
3470	Towards high energy density Li–S batteries with high sulfur loading: From key issues to advanced strategies. Energy Storage Materials, 2020, 32, 320-355.	18.0	64
3471	Opportunities for Cryogenic Electron Microscopy in Materials Science and Nanoscience. ACS Nano, 2020, 14, 9263-9276.	14.6	55
3472	High stable rate cycling performances of microporous carbon spheres/selenium composite (MPCS/Se) cathode as lithium–selenium battery. Journal of Power Sources, 2020, 473, 228611.	7.8	19
3473	Mitigation of Polysulfide Shuttling by Interlayer/Permselective Separators in Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 8095-8129.	5.1	60
3474	Boosting the anchoring and catalytic capability of MoS ₂ for high-loading lithium sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 17646-17656.	10.3	33
3475	Stable Electrochemical Li Plating/Stripping Behavior by Anchoring MXene Layers on Three-Dimensional Conductive Skeletons. ACS Applied Materials & Interfaces, 2020, 12, 37967-37976.	8.0	33
3476	Hollow TiN Microspheres Synthesized by a Templateâ€Free Method as a Matrix for High Performance Liâ€S Battery. ChemistrySelect, 2020, 5, 8735-8739.	1.5	7
3477	TiO2 embedded hydrothermally synthesized carbon composite as interlayer for lithium-sulfur batteries. Journal of Solid State Electrochemistry, 2020, 24, 2469-2478.	2.5	7
3478	Tuning Nitrogen in Graphitic Carbon Nitride Enabling Enhanced Performance for Polysulfide Confinement in Li–S Batteries. Energy & Fuels, 2020, 34, 11557-11564.	5.1	19
3479	Investigation on the Electrochemical Properties of Antimony Tin Oxide Nanoparticle-Modified Graphene Aerogel as Cathode Matrix in Lithium–Sulfur Battery. Journal of Nanoscience and Nanotechnology, 2020, 20, 7027-7033.	0.9	6
3480	Review of the application of biomass-derived porous carbon in lithium-sulfur batteries. Ionics, 2020, 26, 4765-4781.	2.4	34
3481	Clout of carbon in polyacrylonitrile/sulfur composite cathode via solution processing technique for lithium-sulfur batteries. Journal of Porous Materials, 2020, 27, 1837-1845.	2.6	2
3482	Defective VSe ₂ –Graphene Heterostructures Enabling <i>In Situ</i> Electrocatalyst Evolution for Lithium–Sulfur Batteries. ACS Nano, 2020, 14, 11929-11938.	14.6	142
3483	In Situ Conversion of Metal–Organic Frameworks into VO ₂ –V ₃ S ₄ Heterocatalyst Embedded Layered Porous Carbon as an "Allâ€inâ€One―Host for Lithium–Sulfur Batteries. Small, 2020, 16, e2004806.	10.0	35
3484	Layered double hydroxides and their derivatives for lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 23738-23755.	10.3	45
3485	Fast Heat Transport Inside Lithium-Sulfur Batteries Promotes Their Safety and Electrochemical Performance. IScience, 2020, 23, 101576.	4.1	28

#	Article	IF	CITATIONS
3486	Practical energy densities, cost, and technical challenges for magnesiumâ€sulfur batteries. EcoMat, 2020, 2, e12056.	11.9	17
3487	Solid-state lithium–sulfur batteries: Advances, challenges and perspectives. Materials Today, 2020, 40, 114-131.	14.2	100
3488	Advanced Materials Prepared via Metallic Reduction Reactions for Electrochemical Energy Storage. Small Methods, 2020, 4, 2000613.	8.6	15
3489	Reaction heterogeneity in practical high-energy lithium–sulfur pouch cells. Energy and Environmental Science, 2020, 13, 3620-3632.	30.8	127
3490	Temperature Control in the Formation of Bimetallic Metal-doped Nanoporous Carbon as a Sulfur Host for Long-Life Lithium-Sulfur Batteries. International Journal of Electrochemical Science, 2020, 15, 8527-8535.	1.3	2
3491	A Review of Solid-State Lithium–Sulfur Battery: Ion Transport and Polysulfide Chemistry. Energy & Fuels, 2020, 34, 11942-11961.	5.1	83
3492	ZnO quantum dot-modified rGO with enhanced electrochemical performance for lithium–sulfur batteries. RSC Advances, 2020, 10, 32966-32975.	3.6	13
3493	Atomic level design of single iron atom embedded mesoporous hollow carbon spheres as multi-effect nanoreactors for advanced lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 23772-23783.	10.3	63
3494	Hollow multishelled structural NiO as a "shelter―for high-performance Li–S batteries. Materials Chemistry Frontiers, 2020, 4, 2971-2975.	5.9	14
3495	3D Graphene Materials: From Understanding to Design and Synthesis Control. Chemical Reviews, 2020, 120, 10336-10453.	47.7	319
3496	Nanostructured Sulfur and Sulfides for Advanced Lithium/Sulfur Cells. ChemElectroChem, 2020, 7, 3927-3942.	3.4	8
3497	Enhancing the of Performance of Lithiumâ€6ulfur Batteries through Electrochemical Impregnation of Sulfur in Hierarchical Mesoporous Carbon Nanoparticles. ChemElectroChem, 2020, 7, 3653-3655.	3.4	10
3498	Electrocatalytic Cathodes Based on Cobalt Nanoparticles Supported on Nitrogen-Doped Porous Carbon by Strong Electrostatic Adsorption for Advanced Lithium–Sulfur Batteries. Energy & Fuels, 2020, 34, 13038-13047.	5.1	6
3499	Chalcogen cathode and its conversion electrochemistry in rechargeable Li/Na batteries. Science China Chemistry, 2020, 63, 1402-1415.	8.2	48
3500	Low-Cost Synthetic Honeycomb-like Carbon Derived from Cotton as a Sulfur Host for the Enhanced Electrochemical Performances of Lithium–Sulfur Batteries. Energy & Fuels, 2020, 34, 13096-13103.	5.1	8
3501	Cobalt and Molybdenum Carbide Nanoparticles Grafted on Nitrogenâ€Doped Carbon Nanotubes as Efficient Chemical Anchors and Polysulfide Conversion Catalysts for Lithiumâ€ S ulfur Batteries. ChemElectroChem, 2020, 7, 3767-3775.	3.4	13
3502	Coordinating Adsorption and Catalytic Activity of Polysulfide on Hierarchical Integrated Electrodes for High-Performance Flexible Li–S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 49519-49529.	8.0	17
3503	Inverse Fabrication of Li ₂ Sâ€Nanocrystals@Dopedâ€Carbon Loaded on Woven Carbon Fibers to Spatial Structure Cathodes for Highâ€6table Lithium–Sulfur Batteries. Small Methods, 2020, 4, 2000463.	8.6	14

#	Article	IF	CITATIONS
3504	A review of cathode materials in lithium-sulfur batteries. Ionics, 2020, 26, 5299-5318.	2.4	65
3505	Reconfiguring Organosulfur Cathode by Over-Lithiation to Enable Ultrathick Lithium Metal Anode toward Practical Lithium–Sulfur Batteries. ACS Nano, 2020, 14, 13784-13793.	14.6	62
3506	Black phosphorus-modified sulfurized polyacrylonitrile with high C-rate and cycling performance in ether-based electrolyte for lithium sulfur batteries. Chemical Communications, 2020, 56, 12797-12800.	4.1	15
3507	Highly Stable Lithium–Sulfur Batteries Achieved by a SnS/Porous Carbon Nanosheet Architecture Modified Celgard Separator. Advanced Functional Materials, 2020, 30, 2006297.	14.9	50
3508	Effects of structural feature of biomass raw materials on carbon products as matrix in cathode of Li-S battery and its electrochemical performance. Ionics, 2020, 26, 6035-6047.	2.4	4
3509	Salt-washing Improvement of the Electrochemical Properties of Zeolite-sulfur Cathode for Lithium-sulfur Batteries. Journal Wuhan University of Technology, Materials Science Edition, 2020, 35, 665-670.	1.0	2
3510	Graphene oxide coated nanosheetâ€like γâ€MnS @ KBâ€S fabricated by spray drying for high energy density Liâ€ batteries. International Journal of Energy Research, 2020, 44, 11274-11287.	5 4.5	8
3511	Vanadium sulfide based materials: synthesis, energy storage and conversion. Journal of Materials Chemistry A, 2020, 8, 20781-20802.	10.3	73
3512	Up-Scalable Conversion of White-Waste Polystyrene Foams to Sulfur, Phosphorus-Codoped Porous Carbon for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 9369-9378.	5.1	8
3513	Promoting polysulfide conversion by catalytic separator with LiNiPO ₄ and rGO hybrids for high performance Li–S batteries. Journal of Materials Chemistry A, 2020, 8, 20111-20121.	10.3	28
3514	The Toxicity of Secondary Lithium-Sulfur Batteries Components. Batteries, 2020, 6, 45.	4.5	4
3515	Cryo-STEM-EDX for Reliable Characterization of Sulfur Distribution and the Rational Design of Sulfur Hosts for Li-S Batteries. Microscopy and Microanalysis, 2020, 26, 1654-1658.	0.4	3
3516	Intrinsic self-healing polymers for advanced lithium-based batteries: Advances and strategies. Applied Physics Reviews, 2020, 7, .	11.3	58
3517	Effect of Pyrolysis Method on Physical Properties of Activated Biochar and its Application as Cathode Material for Lithium-Sulfur Battery. Transactions of the ASABE, 2020, 63, 485-493.	1.1	1
3518	State-of-the-Art Applications of 2D Nanomaterials in Energy Storage. ACS Symposium Series, 2020, , 253-293.	0.5	5
3519	Novel Bifunctional Separator with a Self-Assembled FeOOH/Coated g-C ₃ N ₄ /KB Bilayer in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2020, 12, 57859-57869.	8.0	23
3520	Sustainable Liâ€ion Batteries: Chemistry and Recycling. Advanced Energy Materials, 2021, 11, 2003456.	19.5	157
3521	First-Principles Investigation of the Anchoring Behavior of Pristine and Defect-Engineered Tungsten Disulfide for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2020, 124, 27323-27332.	3.1	28

#	Article	IF	Citations
3522	Past, Present and Future of Carbon Nanotubes and Graphene based Electrode Materials for Energy Storage Batteries. International Journal of Electrochemical Science, 2020, 15, 10315-10329.	1.3	2
3523	Tremellaâ€shaped TiCN Nanosheets as Anodeâ€mAterials of Lithiumâ€lon Batteries. ChemistrySelect, 2020, 5, 13502-13510.	1.5	1
3524	Hierarchical porous carbon sheets for high-performance room temperature sodium–sulfur batteries: integration of nitrogen-self-doping and space confinement. Journal of Materials Chemistry A, 2020, 8, 24590-24597.	10.3	45
3525	Kinetic Enhancement of Sulfur Cathodes by Nâ€Đoped Porous Graphitic Carbon with Bound VN Nanocrystals. Small, 2020, 16, e2004950.	10.0	64
3526	Atomic Layer Deposition of Single Atomic Cobalt as a Catalytic Interlayer for Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 11206-11212.	5.1	25
3527	Universal <i>in Situ</i> Crafted MO <i>_{<i>x</i>}</i> MXene Heterostructures as Heavy and Multifunctional Hosts for 3D-Printed Li–S Batteries. ACS Nano, 2020, 14, 16073-16084.	14.6	82
3528	Interlayer design based on carbon materials for lithium–sulfur batteries: a review. Journal of Materials Chemistry A, 2020, 8, 10709-10735.	10.3	128
3529	Microfluidic controllable synthesis of monodispersed sulfur nanoparticles with enhanced antibacterial activities. Chemical Engineering Journal, 2020, 398, 125293.	12.7	26
3530	Boosting Polysulfide Conversion in Lithium–Sulfur Batteries by Cobalt-Doped Vanadium Nitride Microflowers. ACS Applied Energy Materials, 2020, 3, 4523-4530.	5.1	36
3531	Dual Functional Ni ₃ S ₂ @Ni Core–Shell Nanoparticles Decorating Nanoporous Carbon as Cathode Scaffolds for Lithium–Sulfur Battery with Lean Electrolytes. ACS Applied Energy Materials, 2020, 3, 4173-4179.	5.1	19
3532	Facile synthesis of a mixed-conductive Li2S composites for all-solid-state lithium-sulfur batteries. Ionics, 2020, 26, 4257-4265.	2.4	10
3533	Advanced Current Collectors for Alkali Metal Anodes. Chemical Research in Chinese Universities, 2020, 36, 386-401.	2.6	24
3534	Hollow Micro-/Nanostructure Reviving Lithium-sulfur Batteries. Chemical Research in Chinese Universities, 2020, 36, 313-319.	2.6	70
3535	The preparation and performances of lithium sulfide (Li2S)-oriented cathode composite via carbothermic reduction. Journal of Alloys and Compounds, 2020, 835, 155421.	5.5	9
3536	Defect-Rich, Mesoporous Cobalt Sulfide Hexagonal Nanosheets as Superior Sulfur Hosts for High-Rate, Long-Cycle Rechargeable Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2020, 124, 12259-12268.	3.1	26
3537	Elastic, Conductive Coating Layer for Selfâ€5tanding Sulfur Cathode Achieving Long Lifespan Li–S Batteries. Advanced Energy Materials, 2020, 10, 1904026.	19.5	12
3538	Atomically Engineered Transition Metal Dichalcogenides for Liquid Polysulfide Adsorption and Their Effective Conversion in Li-S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 27112-27121.	8.0	35
3539	Nanochannels regulating ionic transport for boosting electrochemical energy storage and conversion: a review. Nanoscale, 2020, 12, 15923-15943.	5.6	42

#	Article	IF	CITATIONS
3540	An efficient bi-functional permselective separator coated with cubic type-Li ₇ La ₃ Zr ₂ O ₁₂ and activated carbon for lithium–sulfur batteries. Sustainable Energy and Fuels, 2020, 4, 3500-3510.	4.9	15
3541	Selfâ€Phosphorization of MOFâ€Armored Microbes for Advanced Energy Storage. Small, 2020, 16, e2000755.	10.0	23
3542	High Volumetric Energy Density Sulfur Cathode with Heavy and Catalytic Metal Oxide Host for Lithium–Sulfur Battery. Advanced Science, 2020, 7, 1903693.	11.2	96
3543	Rational understanding of the catalytic mechanism of molybdenum carbide in polysulfide conversion in lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 11818-11823.	10.3	38
3544	Rational design of well-dispersed ultrafine CoS ₂ nanocrystals in micro–mesoporous carbon spheres with a synergistic effect for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 10885-10890.	10.3	37
3545	N-Doped Graphene Sheet Encapsulated Sulfur Binary Composite as Cathode for Lithium-Sulfur Battery Applications. Journal of Materials Engineering and Performance, 2020, 29, 2865-2870.	2.5	5
3546	High performance potassium–sulfur batteries and their reaction mechanism. Journal of Materials Chemistry A, 2020, 8, 10875-10884.	10.3	40
3547	High-rate operation of sulfur/mesoporous activated carbon composite electrode for all-solid-state lithium-sulfur batteries. Journal of the Ceramic Society of Japan, 2020, 128, 233-237.	1.1	19
3549	Multiple core-shelled sulfur composite based on spherical double-layered hollow carbon and PEDOT:PSS as cathode for lithium–sulfur batteries. Journal of Alloys and Compounds, 2020, 837, 155498.	5.5	21
3550	A Sulfur-Infused Separator for Boosting Areal Capacity of Li–S Batteries. Journal of Nanoscience and Nanotechnology, 2020, 20, 4937-4942.	0.9	Ο
3551	3D MXene Architectures for Efficient Energy Storage and Conversion. Advanced Functional Materials, 2020, 30, 2000842.	14.9	276
3552	Regulating the Hidden Solvationâ€Ionâ€Exchange in Concentrated Electrolytes for Stable and Safe Lithium Metal Batteries. Advanced Energy Materials, 2020, 10, 2000901.	19.5	65
3553	Two Cathodes in One for Lithiumâ€Ion Batteries: Voltammetric Study of a Composite Cathode of Sulfur and LiFePO 4. ChemistrySelect, 2020, 5, 6172-6177.	1.5	2
3554	Rational Design of Coâ€NiSe ₂ @Nâ€Doped Carbon Hollow Structure for Enhanced Li–S Battery Performance. Energy Technology, 2020, 8, 2000302.	3.8	14
3555	Controllable electrolytic formation of Ti ₂ O as an efficient sulfur host in lithium–sulfur (Li–S) batteries. Journal of Materials Chemistry A, 2020, 8, 11224-11232.	10.3	32
3556	Serial Disulfide Polymers as Cathode Materials in Lithium-Sulfur Battery: Materials Optimization and Electrochemical Characterization. Applied Sciences (Switzerland), 2020, 10, 2538.	2.5	2
3557	Simple and Sustainable Preparation of Nonactivated Porous Carbon from Brewing Waste for Highâ€Performance Lithium–Sulfur Batteries. ChemSusChem, 2020, 13, 3439-3446.	6.8	25
3558	Comprehensive evaluation of safety performance and failure mechanism analysis for lithium sulfur pouch cells. Energy Storage Materials, 2020, 30, 87-97.	18.0	65

#	Article	IF	CITATIONS
3559	Hollow CoP nanoparticles embedded in Two–Dimensional N–doped carbon arrays enabling advanced Li–SeS2 batteries with rapid kinetics. Materials Today Energy, 2020, 17, 100423.	4.7	14
3560	A flexible mesofiber-based fast current collector. Journal of Materials Science, 2020, 55, 11391-11402.	3.7	2
3561	rGO-CNT aerogel embedding iron phosphide nanocubes for high-performance Li-polysulfide batteries. Carbon, 2020, 167, 446-454.	10.3	21
3562	Ultrathin TiO2 surface layer coated TiN nanoparticles in freestanding film for high sulfur loading Li-S battery. Chemical Engineering Journal, 2020, 399, 125674.	12.7	35
3563	A polypyrrole/black-TiO2/S double-shelled composite fixing polysulfides for lithium-sulfur batteries. Electrochimica Acta, 2020, 353, 136529.	5.2	29
3564	Recent Progress in High Donor Electrolytes for Lithium–Sulfur Batteries. Advanced Energy Materials, 2020, 10, 2001456.	19.5	112
3565	Fast conversion and controlled deposition of lithium (poly)sulfides in lithium-sulfur batteries using high-loading cobalt single atoms. Energy Storage Materials, 2020, 30, 250-259.	18.0	264
3566	12 years roadmap of the sulfur cathode for lithium sulfur batteries (2009–2020). Energy Storage Materials, 2020, 30, 346-366.	18.0	189
3567	Yolk-shell structure MnO2@Hollow carbon nanospheres as sulfur host with synergistic encapsulation of polysulfides for improved Li–S batteries. Journal of Alloys and Compounds, 2020, 842, 155790.	5.5	42
3568	A three-dimensional nitrogen-doped graphene framework decorated with an atomic layer deposited ultrathin V ₂ O ₅ layer for lithium sulfur batteries with high sulfur loading. Journal of Materials Chemistry A, 2020, 8, 12106-12113.	10.3	28
3569	Addressing Passivation of a Sulfur Electrode in Li–S Pouch Cells for Dramatically Improving Their Cyclic Stability. ACS Applied Materials & Interfaces, 2020, 12, 29296-29301.	8.0	5
3571	Self-assembly of block copolymers towards mesoporous materials for energy storage and conversion systems. Chemical Society Reviews, 2020, 49, 4681-4736.	38.1	311
3572	A melt-diffusion strategy for tunable sulfur loading on CC@MoS2 for lithium–sulfurâ€< batteries. Energy Reports, 2020, 6, 172-180.	5.1	24
3573	Nitrogen Doping Improves the Immobilization and Catalytic Effects of Co ₉ S ₈ in Li‣ Batteries. Advanced Functional Materials, 2020, 30, 2002462.	14.9	86
3574	Enhanced Polysulfide Regulation <i>via</i> Porous Catalytic V ₂ O ₃ /V ₈ C ₇ Heterostructures Derived from Metal–Organic Frameworks toward High-Performance Li–S Batteries. ACS Nano, 2020, 14, 8495-8507.	14.6	192
3575	Design considerations for lithium–sulfur batteries: mass transport of lithium polysulfides. Nanoscale, 2020, 12, 15466-15472.	5.6	14
3576	The Development of Catalyst Materials for the Advanced Lithium–Sulfur Battery. Catalysts, 2020, 10, 682.	3.5	20
3577	Electrocatalytic polysulfide transformation for suppressing the shuttle effect of Li-S batteries. Applied Surface Science, 2020, 528, 146970.	6.1	16

		CITATION REPORT		
#	Article		IF	CITATIONS
3578	In-built durable Li–S counterparts from Li–TiS2 batteries. Materials Today Energy, 2	2020, 17, 100439.	4.7	8
3579	Phenoxazine as a high-voltage p-type redox center for organic battery cathode materia structural reorganization for faster charging and narrow operating voltage. Energy and Environmental Science, 2020, 13, 4142-4156.	ls: small	30.8	78
3580	Activating Li ₂ S as the Lithium-Containing Cathode in Lithium–Sulfur Ba Letters, 2020, 5, 2234-2245.	atteries. ACS Energy	17.4	125
3581	Phosphazene based star-branched polymeric cathode materials <i>via</i> inverse vulca sulfur for lithium–sulfur batteries. Polymer Chemistry, 2020, 11, 4124-4132.	anization of	3.9	15
3582	Catalytic Conversion of Polysulfides on Single Atom Zinc Implanted MXene toward Hig Lithium–Sulfur Batteries. Advanced Functional Materials, 2020, 30, 2002471.	ghâ€Rate	14.9	158
3583	Functionalized MXenes as effective polyselenide immobilizers for lithium–selenium b functional theory (DFT) study. Nanoscale, 2020, 12, 14087-14095.	patteries: a density	5.6	41
3584	A chemically stabilized sulfur cathode for lean electrolyte lithium sulfur batteries. Proce the National Academy of Sciences of the United States of America, 2020, 117, 14712-	eedings of 14720.	7.1	102
3585	Metal-organic-framework-derived 3D crumpled carbon nanosheets with self-assembled nanocatalysts as an interlayer for lithium-sulfur batteries. Chemical Engineering Journa 125959.	CoxSy I, 2020, 400,	12.7	35
3586	Lithiation of Sulfur-Graphene Compounds Using Reactive Force-Field Molecular Dynam Journal of the Electrochemical Society, 2020, 167, 100555.	ics Simulations.	2.9	10
3587	Incorporating the Nanoscale Encapsulation Concept from Liquid Electrolytes into Solic Lithium–Sulfur Batteries. Nano Letters, 2020, 20, 5496-5503.	l-State	9.1	30
3589	Crepe Cake Structured Layered Double Hydroxide/Sulfur/Graphene as a Positive Electro Li–S Batteries. ACS Nano, 2020, 14, 8220-8231.	ode Material for	14.6	73
3590	Shape-controlled MnO ₂ as a sulfur host for high performance lithium–s New Journal of Chemistry, 2020, 44, 11365-11372.	sulfur batteries.	2.8	10
3591	Semiâ€Flooded Sulfur Cathode with Ultralean Absorbed Electrolyte in Li–S Battery. A 2020, 7, 1903168.	Advanced Science,	11.2	40
3592	Straightforward synthesis of Sulfur/N,S-codoped carbon cathodes for Lithium-Sulfur ba Scientific Reports, 2020, 10, 4866.	atteries.	3.3	29
3593	Effects of Polysulfide Solubility and Li Ion Transport on Performance of Li–S Batterie: Sparingly Solvating Electrolytes. Journal of the Electrochemical Society, 2020, 167, 070	s Using 0531.	2.9	52
3594	Hierarchical porous silicon structures with extraordinary mechanical strength as high-p lithium-ion battery anodes. Nature Communications, 2020, 11, 1474.	erformance	12.8	298
3595	Sandwich structured NASICON-type electrolyte matched with sulfurized polyacrylonitr for high performance solid-state lithium-sulfur batteries. Chemical Engineering Journal, 124705.	ile cathode 2020, 393,	12.7	71
3596	From bulk to porous: Structure transformation of nitrogen and phosphorous co-doped material via sodium chloride assistance and its application in lithium-sulfur batteries. Jo Alloys and Compounds, 2020, 830, 154638.	carbon burnal of	5.5	15

#	Article	IF	CITATIONS
3597	Three-dimensional carbon framework as high-proportion sulfur host for high-performance lithium-sulfur batteries. Journal of Materials Science and Technology, 2020, 48, 84-91.	10.7	26
3598	Twoâ€Dimensional Transition Metal Chalcogenides for Alkali Metal Ions Storage. ChemSusChem, 2020, 13, 1114-1154.	6.8	69
3599	Electrode Design for Lithium–Sulfur Batteries: Problems and Solutions. Advanced Functional Materials, 2020, 30, 1910375.	14.9	206
3600	An <i>in situ</i> encapsulation approach for polysulfide retention in lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 6902-6907.	10.3	9
3601	Enveloping ultrathin Ti ₃ C ₂ nanosheets on carbon fibers: a high-density sulfur loaded lithium–sulfur battery cathode with remarkable cycling stability. Journal of Materials Chemistry A, 2020, 8, 7253-7260.	10.3	44
3602	Amine―and Amideâ€Functionalized Mesoporous Carbons: A Strategy for Improving Sulfur/Host Interactions in Li–S Batteries. Batteries and Supercaps, 2020, 3, 757-765.	4.7	10
3603	Cobalt single atoms supported on N-doped carbon as an active and resilient sulfur host for lithium–sulfur batteries. Energy Storage Materials, 2020, 28, 196-204.	18.0	117
3604	A MoO ₃ /MoO ₂ -CP self-supporting heterostructure for modification of lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 15816-15821.	10.3	45
3605	Hollow MnO2 spheres/porous reduced graphene oxide as a cathode host for high-performance lithium-sulfur batteries. Journal of Solid State Chemistry, 2020, 286, 121297.	2.9	17
3606	Unveiling the Advances of 2D Materials for Li/Na-S Batteries Experimentally and Theoretically. Matter, 2020, 2, 323-344.	10.0	115
3607	Octopus-Inspired Design of Apical NiS ₂ Nanoparticles Supported on Hierarchical Carbon Composites as an Efficient Host for Lithium Sulfur Batteries with High Sulfur Loading. ACS Applied Materials & Interfaces, 2020, 12, 17528-17537.	8.0	12
3608	Research Progress of Sulfur/Carbon Composite Cathode Materials and the Corresponding Safe Electrolytes for Advanced Li-S Batteries. Nano, 2020, 15, 2030002.	1.0	22
3609	A reflection on lithium-ion battery cathode chemistry. Nature Communications, 2020, 11, 1550.	12.8	1,398
3610	Promoting spherical epitaxial deposition of solid sulfides for high-capacity Li–S batteries. Journal of Materials Chemistry A, 2020, 8, 7100-7108.	10.3	10
3611	An Electrochemically Stable 2D Covalent Organic Framework for High-performance Organic Supercapacitors. Chinese Journal of Polymer Science (English Edition), 2020, 38, 558-564.	3.8	21
3612	Kombucha SCOBY-based carbon and graphene oxide wrapped sulfur/polyacrylonitrile as a high-capacity cathode in lithium-sulfur batteries. Frontiers of Chemical Science and Engineering, 2020, 14, 976-987.	4.4	11
3613	New Insight into the Confinement Effect of Microporous Carbon in Li/Se Battery Chemistry: A Cathode with Enhanced Conductivity. Small, 2020, 16, e2000266.	10.0	40
3614	Improving the capacity and cycling-stability of Lithium–sulfur batteries using self-healing binders containing dynamic disulfide bonds. Sustainable Energy and Fuels, 2020, 4, 2760-2767.	4.9	27

#	Article	IF	CITATIONS
3615	Compositions and Formation Mechanisms of Solid-Electrolyte Interphase on Microporous Carbon/Sulfur Cathodes. Chemistry of Materials, 2020, 32, 3765-3775.	6.7	27
3616	Microâ€Mesopores Nitrogenâ€Doped Carbon Combined Polarâ€MoS ₂ as Host for Highâ€Performance Liâ€6 Batteries. ChemistrySelect, 2020, 5, 3098-3104.	1.5	7
3617	Covalent organic frameworks (COF)/CNT nanocomposite for high performance and wide operating temperature lithium–sulfur batteries. Energy, 2020, 199, 117372.	8.8	46
3618	Conductive cobalt doped niobium nitride porous spheres as an efficient polysulfide convertor for advanced lithium-sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 6276-6282.	10.3	58
3619	VN/S Nanoclusters Encapsulated with Graphene via Zeta Potential Control: A Pomegranateâ€Like Cathode for Lithiumâ€Sulfur Batteries with Enhanced Rate Performance. ChemElectroChem, 2020, 7, 1679-1688.	3.4	9
3620	An advanced structural characterization of templated meso-macroporous carbon monoliths by small- and wide-angle scattering techniques. Beilstein Journal of Nanotechnology, 2020, 11, 310-322.	2.8	4
3621	N-doped carbon sheets arrays embedded with CoP nanoparticles as high-performance cathode for Li-S batteries via triple synergistic effects. Journal of Power Sources, 2020, 455, 227959.	7.8	34
3622	TMDs beyond MoS ₂ for Electrochemical Energy Storage. Chemistry - A European Journal, 2020, 26, 6320-6341.	3.3	52
3623	A functional hyperbranched binder enabling ultra-stable sulfur cathode for high-performance lithium-sulfur battery. Journal of Energy Chemistry, 2020, 50, 63-72.	12.9	31
3624	Multifunctional ultrasmall-MoS ₂ /graphene composites for high sulfur loading Li–S batteries. Materials Chemistry Frontiers, 2020, 4, 1483-1491.	5.9	17
3625	A High‣fficiency CoSe Electrocatalyst with Hierarchical Porous Polyhedron Nanoarchitecture for Accelerating Polysulfides Conversion in Li–S Batteries. Advanced Materials, 2020, 32, e2002168.	21.0	281
3626	High volumetric energy density Li-S batteries enabled by dense sulfur monolith cathodes with ultra-small-sized sulfur immobilizers. Chemical Engineering Journal, 2020, 401, 126076.	12.7	32
3627	Metal-organic framework MIL-101(Fe)–NH2 as an efficient host for sulphur storage in long-cycle Li–S batteries. Electrochimica Acta, 2020, 354, 136640.	5.2	41
3628	Initiating a Reversible Aqueous Zn/Sulfur Battery through a "Liquid Film― Advanced Materials, 2020, 32, e2003070.	21.0	88
3629	Potassiumâ€sulfur batteries: Status and perspectives. EcoMat, 2020, 2, e12038.	11.9	41
3630	A Perspective toward Practical Lithium–Sulfur Batteries. ACS Central Science, 2020, 6, 1095-1104.	11.3	442
3631	Interfaces and Interphases in All-Solid-State Batteries with Inorganic Solid Electrolytes. Chemical Reviews, 2020, 120, 6878-6933.	47.7	676
3632	Bonding VSe2 ultrafine nanocrystals on graphene toward advanced lithium-sulfur batteries. Nano Research, 2020, 13, 2673-2682.	10.4	62

#	ARTICLE Remarkable cycling durability of lithium-sulfur batteries with interconnected mesoporous hollow	IF 12.7	CITATIONS
3634	Carbon nanospheres as high sulfur content host. Chemical Engineering Journal, 2020, 401, 126141. Sealed pre-carbonization to regulate the porosity and heteroatom sites of biomass derived carbons for lithium-sulfur batteries. Journal of Colloid and Interface Science, 2020, 579, 667-679.	9.4	24
3635	Recent advances in the mitigation of dendrites in lithium-metal batteries. Journal of Applied Physics, 2020, 128, .	2.5	14
3636	Highâ€Performance Magnesiumâ€6ulfur Batteries Based on a Sulfurated Poly(acrylonitrile) Cathode, a Borohydride Electrolyte, and a Highâ€6urface Area Magnesium Anode. Batteries and Supercaps, 2020, 3, 1239-1247.	4.7	23
3637	Dense and high loading sulfurized pyrolyzed poly (acrylonitrile)(S@pPAN) cathode for rechargeable lithium batteries. Energy Storage Materials, 2020, 31, 187-194.	18.0	28
3638	Al ₂ O ₃ â€Assisted Confinement Synthesis of Oxide/Carbon Hollow Composite Nanofibers and Application in Metalâ€ion Capacitors. Small, 2020, 16, e2001950.	10.0	65
3639	Hollow multishelled structures revive high energy density batteries. Nanoscale Horizons, 2020, 5, 1287-1292.	8.0	31
3640	An extremely high rate Li–S battery with hybrid electrolyte. Journal of Alloys and Compounds, 2020, 845, 156261.	5.5	16
3641	Consolidating Lithiothermicâ€Ready Transition Metals for Li ₂ Sâ€Based Cathodes. Advanced Materials, 2020, 32, e2002403.	21.0	59
3642	Single-atom Catalytic Materials for Lean-electrolyte Ultrastable Lithium–Sulfur Batteries. Nano Letters, 2020, 20, 5522-5530.	9.1	111
3643	Transformation of ZIF-8 nanoparticles into 3D nitrogen-doped hierarchically porous carbon for Li–S batteries. RSC Advances, 2020, 10, 17345-17352.	3.6	12
3644	Plasma-polymerized C60-coated CNT interlayer with physical and chemical functions for lithium–sulfur batteries. Chemical Engineering Journal, 2020, 401, 126075.	12.7	43
3645	Dual-Functional Multichannel Carbon Framework Embedded with CoS ₂ Nanoparticles: Promoting the Phase Transformation for High-Loading Li–S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 32726-32735.	8.0	40
3646	A post-synthesis surface reconstructed carbon aerogel as an enhanced oxygen reduction reaction catalyst for zinc–air batteries. Catalysis Science and Technology, 2020, 10, 5288-5297.	4.1	8
3647	Highly ordered mesoporous carbon/iron porphyrin nanoreactor for the electrochemical reduction of CO ₂ . Journal of Materials Chemistry A, 2020, 8, 14966-14974.	10.3	19
3648	Universal Access to Twoâ€Dimensional Mesoporous Heterostructures by Micelleâ€Directed Interfacial Assembly. Angewandte Chemie, 2020, 132, 19738-19743.	2.0	18
3649	Universal Access to Twoâ€Dimensional Mesoporous Heterostructures by Micelleâ€Directed Interfacial Assembly. Angewandte Chemie - International Edition, 2020, 59, 19570-19575.	13.8	52
3650	Selenium or Tellurium as Eutectic Accelerators for High-Performance Lithium/Sodium–Sulfur Batteries. Electrochemical Energy Reviews, 2020, 3, 613-642.	25.5	75

#	Article	IF	CITATIONS
3651	Polypyrrole-controlled plating/stripping for advanced zinc metal anodes. Materials Today Energy, 2020, 17, 100443.	4.7	40
3652	In Situ Selfâ€Polymerization to Form Hollow Graphitized Carbon Nanocages with Embedded Cobalt Nanoparticles for Highâ€Performance Lithium–Sulfur Batteries. Chemistry - A European Journal, 2020, 26, 13295-13304.	3.3	5
3653	Rational integration of spatial confinement and polysulfide conversion catalysts for high sulfur loading lithium–sulfur batteries. Nanoscale Horizons, 2020, 5, 720-729.	8.0	30
3654	Electrochemical Behaviors of Sulfurized-Polyacrylonitrile with Synthesized Polyacrylonitrile Precursors Based on the Radical Polymerization Through Monomer Acrylonitrile. Journal of Nanoscience and Nanotechnology, 2020, 20, 1578-1588.	0.9	3
3655	Vanadium oxide nanorods embed in porous graphene aerogel as high-efficiency polysulfide-trapping-conversion mediator for high performance lithium-sulfur batteries. Chemical Engineering Journal, 2020, 393, 124570.	12.7	47
3656	Tuning of interactions between cathode and lithium polysulfide in Li-S battery by rational halogenation. Journal of Energy Chemistry, 2020, 49, 147-152.	12.9	19
3657	Cathode materials for lithium–sulfur batteries based on sulfur covalently bound to a polymeric backbone. Journal of Materials Chemistry A, 2020, 8, 5379-5394.	10.3	39
3658	Optimized Catalytic WS ₂ –WO ₃ Heterostructure Design for Accelerated Polysulfide Conversion in Lithium–Sulfur Batteries. Advanced Energy Materials, 2020, 10, 2000091.	19.5	221
3659	Oxygen-deficient titanium dioxide supported cobalt nano-dots as efficient cathode material for lithium-sulfur batteries. Journal of Energy Chemistry, 2020, 48, 390-397.	12.9	22
3660	Cationic and anionic redox in lithium-ion based batteries. Chemical Society Reviews, 2020, 49, 1688-1705.	38.1	152
3661	A freestanding hierarchically structured cathode enables high sulfur loading and energy density of flexible Li–S batteries. Journal of Materials Chemistry A, 2020, 8, 6303-6310.	10.3	25
3662	Towards high-performance solid-state Li–S batteries: from fundamental understanding to engineering design. Chemical Society Reviews, 2020, 49, 2140-2195.	38.1	337
3663	Simultaneous Suppression of Shuttle Effect and Lithium Dendrite Growth by Lightweight Bifunctional Separator for Li–S Batteries. ACS Applied Energy Materials, 2020, 3, 2643-2652.	5.1	34
3664	Application of MoS ₂ in the cathode of lithium sulfur batteries. RSC Advances, 2020, 10, 7384-7395.	3.6	23
3665	In situ sulfur-doped graphene nanofiber network as efficient metal-free electrocatalyst for polysulfides redox reactions in lithium–sulfur batteries. Journal of Energy Chemistry, 2020, 47, 281-290.	12.9	72
3666	Facile Multivalent Redox Chemistries in Water-in-Bisalt Hydrogel Electrolytes for Hybrid Energy Storage Full Cells. ACS Energy Letters, 2020, 5, 1054-1061.	17.4	26
3667	Ti ₃ C ₂ T _{<i>x</i>/sub>/Graphene Oxide Free-Standing Membranes as Modified Separators for Lithium–Sulfur Batteries with Enhanced Rate Performance. ACS Applied Energy Materials, 2020, 3, 2708-2718.}	5.1	42
3668	Aminomethylâ€Functionalized Carbon Nanotubes as a Host of Small Sulfur Clusters for Highâ€Performance Lithium–Sulfur Batteries. ChemSusChem, 2020, 13, 2761-2768.	6.8	9

#	Article	IF	CITATIONS
3669	Preparation of Polymerâ€Based Nanocomposites Composed of Sustainable Organoâ€Modified Needlelike Nanoparticles and Their Particle Dispersion States in the Matrix. Polymer Engineering and Science, 2020, 60, 541-552.	3.1	6
3670	Solid Additives for Improving the Performance of Sulfur Cathodes in Lithium–Sulfur Batteries—Adsorbents, Mediators, and Catalysts. Small Methods, 2020, 4, 1900864.	8.6	60
3671	Grapheneâ€Modified Mesoporous Iron Phosphate as Superior Binary Sulfur Host for Lithium–Sulfur Batteries. Energy Technology, 2020, 8, 1901462.	3.8	4
3672	A 20â€Â°C operating high capacity solid-state Li-S battery with an engineered carbon support cathode structure. Applied Materials Today, 2020, 19, 100585.	4.3	11
3673	Guidelines and trends for next-generation rechargeable lithium and lithium-ion batteries. Chemical Society Reviews, 2020, 49, 1569-1614.	38.1	1,326
3674	A high-resilience and conductive composite binder for lithium-sulfur batteries. Chemical Engineering Journal, 2020, 389, 124404.	12.7	43
3675	Design and fabrication of hierarchically porous carbon frameworks with Fe2O3 cubes as hard template for CO2 adsorption. Chemical Engineering Journal, 2020, 389, 124459.	12.7	67
3676	Cerium oxide embedded bilayer separator enabling fast polysulfide conversion for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2020, 388, 124120.	12.7	51
3677	Iron single-atom catalyst anchored on nitrogen-rich MOF-derived carbon nanocage to accelerate polysulfide redox conversion for lithium sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 3421-3430.	10.3	151
3678	PIM-1-based carbon–sulfur composites for sodium–sulfur batteries that operate without the shuttle effect. Journal of Materials Chemistry A, 2020, 8, 3580-3585.	10.3	31
3679	MOF-derived hierarchical CoP nanoflakes anchored on vertically erected graphene scaffolds as self-supported and flexible hosts for lithium–sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 3027-3034.	10.3	105
3680	Nitrogenâ€doped nanoarrayâ€modified 3D hierarchical graphene as a cofunction host for highâ€performance flexible Liâ€5 battery. EcoMat, 2020, 2, e12010.	11.9	50
3681	Atomic layer deposition for improved lithiophilicity and solid electrolyte interface stability during lithium plating. Energy Storage Materials, 2020, 28, 17-26.	18.0	47
3682	Propelling polysulfide conversion for high-loading lithium–sulfur batteries through highly sulfiphilic NiCo2S4 nanotubes. Energy Storage Materials, 2020, 27, 51-60.	18.0	80
3683	Encapsulation of sulfur cathodes by sericin-derived carbon/Co3O4 hollow microspheres for the long-term cyclability of lithium-sulfur batteries. Journal of Alloys and Compounds, 2020, 823, 153912.	5.5	22
3684	Sulfur–Carbon Nano Fiber Composite Solid Electrolyte for All-Solid-State Li–S Batteries. ACS Applied Energy Materials, 2020, 3, 1569-1573.	5.1	29
3685	Research Frontiers in Energyâ€Related Materials and Applications for 2020–2030. Advanced Sustainable Systems, 2020, 4, 1900145.	5.3	30
3686	3D Vertically Aligned Li Metal Anodes with Ultrahigh Cycling Currents and Capacities of 10 mA cm ^{â^²2} /20 mAh cm ^{â^²2} Realized by Selective Nucleation within Microchannel Walls. Advanced Energy Materials, 2020, 10, 1903753.	19.5	62

#	Article	IF	CITATIONS
3687	Lychee-like TiO ₂ @TiN dual-function composite material for lithium–sulfur batteries. RSC Advances, 2020, 10, 2670-2676.	3.6	11
3688	Towards stable lithium-sulfur battery cathodes by combining physical and chemical confinement of polysulfides in core-shell structured nitrogen-doped carbons. Carbon, 2020, 161, 162-168.	10.3	76
3689	Enhancing the kinetics of lithium–sulfur batteries under solid-state conversion by using tellurium as a eutectic accelerator. Journal of Materials Chemistry A, 2020, 8, 3405-3412.	10.3	28
3690	Curbing polysulfide shuttling by synergistic engineering layer composed of supported Sn4P3 nanodots electrocatalyst in lithium-sulfur batteries. Nano Energy, 2020, 70, 104532.	16.0	83
3691	Synergetic Covalent and Spatial Confinement of Sulfur Species by Phthalazinone-Containing Covalent Triazine Frameworks for Ultrahigh Performance of Li–S Batteries. ACS Applied Materials & Interfaces, 2020, 12, 8296-8305.	8.0	42
3692	High-yield and <i>in situ</i> fabrication of high-content nitrogen-doped graphene nanoribbons@Co/CoOOH as an integrated sulfur host towards Li–S batteries. Journal of Materials Chemistry A, 2020, 8, 3048-3059.	10.3	32
3693	Engineering Oxygen Vacancies in a Polysulfideâ€Blocking Layer with Enhanced Catalytic Ability. Advanced Materials, 2020, 32, e1907444.	21.0	171
3694	Colloidal dispersion of Nb2O5/reduced graphene oxide nanocomposites as functional coating layer for polysulfide shuttle suppression and lithium anode protection of Li-S battery. Journal of Colloid and Interface Science, 2020, 566, 11-20.	9.4	27
3695	Composite sulfur cathode for Li-S batteries comprising hierarchical carbon obtained from waste PET bottles. Synthetic Metals, 2020, 261, 116305.	3.9	19
3696	Polysulfide Regulation by the Zwitterionic Barrier toward Durable Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2020, 142, 3583-3592.	13.7	174
3697	Vertically aligned graphene nanosheets on multi-yolk/shell structured TiC@C nanofibers for stable Li–S batteries. Energy Storage Materials, 2020, 27, 159-168.	18.0	124
3698	Understanding the Inhibition of the Shuttle Effect of Sulfides (S â‰\$) in Lithium–Sulfur Batteries by Heteroatom-Doped Graphene: First-Principles Study. Journal of Physical Chemistry C, 2020, 124, 3644-3649.	3.1	19
3699	Revisiting the anchoring behavior in lithium-sulfur batteries: many-body effect on the suppression of shuttle effect. Npj Computational Materials, 2020, 6, .	8.7	29
3700	Twoâ€dimensional MXenes for lithiumâ€sulfur batteries. InformaÄnÃ-Materiály, 2020, 2, 613-638.	17.3	221
3701	Efficient polysulfide trapping enabled by a polymer adsorbent in lithium-sulfur batteries. Electrochimica Acta, 2020, 336, 135693.	5.2	16
3702	3D Printed Highâ€Loading Lithiumâ€Sulfur Battery Toward Wearable Energy Storage. Advanced Functional Materials, 2020, 30, 1909469.	14.9	81
3703	Stable cycling of Li–S batteries by simultaneously suppressing Li-dendrite growth and polysulfide shuttling enabled by a bioinspired separator. Journal of Materials Chemistry A, 2020, 8, 3692-3700.	10.3	71
3704	Radially Inwardly Aligned Hierarchical Porous Carbon for Ultraâ€Longâ€Life Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2020, 59, 6406-6411.	13.8	100

#	Article	IF	CITATIONS
3705	Sodium Sulfide Cathodes Superseding Hard Carbon Preâ€sodiation for the Production and Operation of Sodium–Sulfur Batteries at Room Temperature. Advanced Energy Materials, 2020, 10, 1903245.	19.5	40
3706	Hollow CuS Nanoboxes as Liâ€Free Cathode for Highâ€Rate and Longâ€Life Lithium Metal Batteries. Advanced Energy Materials, 2020, 10, 1903401.	19.5	56
3707	The role of titanium-deficient anatase TiO2 interlayers in boosting lithium–sulfur battery performance: polysulfide trapping, catalysis and enhanced lithium ion transport. Nanoscale, 2020, 12, 4645-4654.	5.6	43
3708	Synthesis of Lithium Sulfide (Li ₂ S) Wrapped Carbon Nano Composite for Binder-Free Li ₂ S Cathode. Journal of the Electrochemical Society, 2020, 167, 020531.	2.9	4
3709	Ordered micro-mesoporous carbon spheres embedded with well-dispersed ultrafine Fe3C nanocrystals as cathode material for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2020, 388, 124315.	12.7	27
3710	Excellent electrochemical application of Ni-based hydroxide/biomass porous carbon/sulfur composite cathode on lithium-sulfur batteries. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 591, 124513.	4.7	25
3711	Highly integrated sulfur cathodes with strong sulfur/high-strength binder interactions enabling durable high-loading lithium–sulfur batteries. Journal of Energy Chemistry, 2020, 49, 71-79.	12.9	20
3712	Highly symmetric gigaporous carbon microsphere as conductive host for sulfur to achieve high areal capacity for lithium–sulfur batteries. Journal of Power Sources, 2020, 451, 227818.	7.8	14
3713	Rational design of porous nitrogen-doped Ti3C2 MXene as a multifunctional electrocatalyst for Li–S chemistry. Nano Energy, 2020, 70, 104555.	16.0	194
3714	A Highly Crosslinked and Conductive Sulfur-Rich Copolymer with Grafted Polyaniline for Stable Cycling Lithium–Sulfur Batteries. Journal of the Electrochemical Society, 2020, 167, 020530.	2.9	10
3715	Solid 3D Li–S Battery Design via Stacking 2D Conductive Microporous Coordination Polymers and Amorphous Li–S Layers. Chemistry of Materials, 2020, 32, 1974-1982.	6.7	11
3716	Structure Design and Composition Engineering of Carbonâ€Based Nanomaterials for Lithium Energy Storage. Advanced Energy Materials, 2020, 10, 1903030.	19.5	122
3717	Self-Regulated Phenomenon of Inorganic Artificial Solid Electrolyte Interphase for Lithium Metal Batteries. Nano Letters, 2020, 20, 4029-4037.	9.1	78
3718	Enhanced Multiple Anchoring and Catalytic Conversion of Polysulfides by Amorphous MoS ₃ Nanoboxes for Highâ€Performance Liâ€6 Batteries. Angewandte Chemie - International Edition, 2020, 59, 13071-13078.	13.8	186
3719	Boosting the polysulfide confinement in B/N–codoped hierarchically porous carbon nanosheets via Lewis acid–base interaction for stable Li–S batteries. Journal of Energy Chemistry, 2020, 51, 90-100.	12.9	38
3720	Mo ₂ C-Embedded Carambola-like N,S-Rich Carbon Framework as the Interlayer Material for High-Rate Lithium–Sulfur Batteries in a Wide Temperature Range. ACS Applied Materials & Interfaces, 2020, 12, 22971-22980.	8.0	56
3721	Layered MXene Protected Lithium Metal Anode as an Efficient Polysulfide Blocker for Lithiumâ€Sulfur Batteries. Batteries and Supercaps, 2020, 3, 892-899.	4.7	22
3722	Enhanced Multiple Anchoring and Catalytic Conversion of Polysulfides by Amorphous MoS 3 Nanoboxes for Highâ€Performance Liâ€S Batteries. Angewandte Chemie, 2020, 132, 13171-13178.	2.0	7

#	Article	IF	Citations
3723	Single-atom catalysis enables long-life, high-energy lithium-sulfur batteries. Nano Research, 2020, 13, 1856-1866.	10.4	257
3724	Rational design of MoNi sulfide yolk-shell heterostructure nanospheres as the efficient sulfur hosts for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2020, 394, 124983.	12.7	31
3725	Review of Emerging Potassium–Sulfur Batteries. Advanced Materials, 2020, 32, e1908007.	21.0	91
3726	Infixing NiS 2 nanospheres into a threeâ€dimensional rGO/CNTsâ€Li carbon composite as superior electrocatalyst for highâ€performance Liâ^'S batteries. ChemNanoMat, 2020, 6, 976-983.	2.8	7
3727	Quest for magnesium-sulfur batteries: Current challenges in electrolytes and cathode materials developments. Coordination Chemistry Reviews, 2020, 415, 213312.	18.8	43
3728	A robust electrospun separator modified with in situ grown metal-organic frameworks for lithium-sulfur batteries. Chemical Engineering Journal, 2020, 395, 124979.	12.7	85
3729	A novel chemical reduction/co-precipitation method to prepare sulfur functionalized reduced graphene oxide for lithium-sulfur batteries. Electrochimica Acta, 2020, 344, 136147.	5.2	35
3730	A combination of MnO2-decorated graphene aerogel modified separator and I/N codoped graphene aerogel sulfur host to synergistically promote Liâ€"S battery performance. Electrochimica Acta, 2020, 348, 136173.	5.2	22
3731	Siloxane based copolymer sulfur as binder-free cathode for advances lithium-sulfur batteries. Journal of Colloid and Interface Science, 2020, 574, 190-196.	9.4	11
3732	One-dimensional mesoporous inorganic nanostructures and their applications in energy, sensor, catalysis and adsorption. Progress in Materials Science, 2020, 113, 100671.	32.8	64
3733	Unveiling the Role of Hydroxyl Architecture on Polysulfide Trapping for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2020, 3, 4023-4032.	5.1	11
3734	Effective accommodation and conversion of polysulfides using organic–inorganic hybrid frameworks for long-life lithium–sulfur batteries. Nanoscale, 2020, 12, 13377-13387.	5.6	3
3735	An organic–inorganic composite separator for preventing shuttle effect in lithium–sulfur batteries. Sustainable Energy and Fuels, 2020, 4, 3051-3057.	4.9	8
3736	Preparation and Application of Manganese Dioxide/Graphene Composite in Lithium Sulfur Batteries. Journal Wuhan University of Technology, Materials Science Edition, 2020, 35, 1-8.	1.0	2
3737	Vanadium carbide nanoparticles incorporation in carbon nanofibers for room-temperature sodium sulfur batteries: Confining, trapping, and catalyzing. Chemical Engineering Journal, 2020, 395, 124978.	12.7	37
3738	Mn3(PO4)2/rGO as dual-function polysulfide inhibitor through oxygen deficiencies and polar sites for lithium sulfur batteries. Applied Surface Science, 2020, 521, 146425.	6.1	5
3739	Confining sulfur in intact freestanding scaffold of yolk-shell nanofibers with high sulfur content for lithium-sulfur batteries. Journal of Energy Chemistry, 2020, 51, 378-387.	12.9	20
3740	Lithium-Sulfur Batteries with a Block Copolymer Electrolyte Analyzed by X-ray Microtomography. Journal of the Electrochemical Society, 2020, 167, 060506.	2.9	5

ARTICLE IF CITATIONS An Anionicâ€MOFâ€Based Bifunctional Separator for Regulating Lithium Deposition and Suppressing 3741 8.6 110 Polysulfides Shuttle in Li–S Batteries. Small Methods, 2020, 4, 2000082. Revisiting the Role of Conductivity and Polarity of Host Materials for Longâ€Life Lithium–Sulfur 3742 19.5 Battery. Advanced Energy Materials, 2020, 10, 1903934. Unraveling the Dual Functionality of Highâ€Donorâ€Number Anion in Leanâ€Electrolyte Lithiumâ€Sulfur 3743 19.5 77 Batteries. Advanced Energy Materials, 2020, 10, 2000493. Confining ultrafine Li3P nanoclusters in porous carbon for high-performance lithium-ion battery 3744 anode. Nano Research, 2020, 13, 1122-1126. Rational design of MoS2 nanosheets decorated on mesoporous hollow carbon spheres as a dual-functional accelerator in sulfur cathode for advanced pouch-type Li–S batteries. Journal of 3745 12.9 69 Energy Chemistry, 2020, 51, 262-271. Co₉S₈ Nanorods as an Electrocatalyst To Enhance Polysulfide Conversion and Alleviate Passivation in Li \hat{e} ^CS Batteries under Lean Electrolyte Conditions. ACS Applied Materials & amp; Interfaces, 2020, 12, 21701-21708. 3746 8.0 Stable Lithium Metal Anode Enabled by a Lithiophilic and Electron/Ion Conductive Framework. ACS 3747 14.6 81 Nano, 2020, 14, 5618-5627. Three-Dimensional Porous Carbon Skeleton Synthesized by a Template-Free and No-Post-Activation Process Applied for High-Performance Lithium–Sulfur Bátteries. ACS Sustainable Chemistry and 3748 6.7 9 Engineering, 2020, 8, 6964-6971. Electrocatalytic Assisted Performance Enhancement for the Na-S Battery in Nitrogen-Doped Carbon 3749 3.8 15 Nanosphere's Loaded with Fe. Molecules, 2020, 25, 1585. Effect of Polyaniline on Sulfur/Sepiolite Composite Cathode for Lithium-Sulfur Batteries. Polymers, 4.5 2020, 12, 755. Water-based phytic acid-crosslinked supramolecular binders for lithium-sulfur batteries. Chemical 3751 12.7 49 Engineering Journal, 2020, 395, 124981. Microstructural analyses of all-solid-state Li–S batteries using LiBH4-based solid electrolyte for prolonged cycle performance. Journal of Energy Chemistry, 2020, 50, 424-429. Hybrid co-based MOF nanoboxes/CNFs interlayer as microreactors for polysulfides-trapping in 3753 12.9 43 lithium-sulfur batteries. Journal of Energy Chemistry, 2021, 57, 469-476. Loading Fe3O4 nanoparticles on paper-derived carbon scaffold toward advanced lithium–sulfur 3754 batteries. Journal of Energy Chemistry, 2021, 52, 1-11. Reaction Mechanism Optimization of Solidâ€State Liâ€"S Batteries with a PEOâ€Based Electrolyte. Advanced 3755 14.9 116 Functional Materials, 2021, 31, 2001812. Catalyzing the polysulfide conversion for promoting lithium sulfur battery performances: A review. 136 Journal of Energy Chemistry, 2021, 54, 434-451. Solidifying Cathode–Electrolyte Interface for Lithium–Sulfur Batteries. Advanced Energy Materials, 3757 19.5 75 2021, 11, 2000791. Carbon-containing electrospun nanofibers for lithiumâ€"sulfur battery: Current status and future 3758 directions. Journal of Energy Chemistry, 2021, 54, 254-273.

#	Article	IF	CITATIONS
3759	Electrolyte solvation chemistry for lithium–sulfur batteries with electrolyte-lean conditions. Journal of Energy Chemistry, 2021, 55, 80-91.	12.9	57
3760	Single-atom catalysts for metal-sulfur batteries: Current progress and future perspectives. Journal of Energy Chemistry, 2021, 54, 452-466.	12.9	63
3761	Host Materials Anchoring Polysulfides in Li–S Batteries Reviewed. Advanced Energy Materials, 2021, 11, 2001304.	19.5	254
3762	Highâ€Performing Liâ€Ion Battery with "Two Cathodes in One―of Sulfur and LiFePO 4 by Strategies of Mitigation of Polysulfide Shuttling. Batteries and Supercaps, 2021, 4, 359-367.	4.7	2
3763	Manganese and graphene oxide composite as highly effective sulfur host for enlightening electrochemical kinetics of lithiumâ€sulfur batteries. International Journal of Energy Research, 2021, 45, 5214-5223.	4.5	2
3764	Understanding all solid-state lithium batteries through in situ transmission electron microscopy. Materials Today, 2021, 42, 137-161.	14.2	64
3765	Stabilizing Effect of Polysulfides on Lithium Metal Anodes in Sparingly Solvating Solvents. Batteries and Supercaps, 2021, 4, 347-358.	4.7	10
3766	Unraveling Shuttle Effect and Suppression Strategy in Lithium/Sulfur Cells by In Situ/Operando Xâ€ray Absorption Spectroscopic Characterization. Energy and Environmental Materials, 2021, 4, 222-228.	12.8	31
3767	Regulation of carbon distribution to construct high-sulfur-content cathode in lithium–sulfur batteries. Journal of Energy Chemistry, 2021, 56, 203-208.	12.9	89
3768	Confined Thermolysis for Oriented Nâ€Đoped Carbon Supported Pd toward Stable Catalytic and Energy Storage Applications. Small, 2021, 17, e2002811.	10.0	12
3769	VOx/VSx@Graphene nanocomposites for electrochemical energy storage. Chemical Engineering Journal, 2021, 404, 126310.	12.7	9
3770	Promoting performance of lithium–sulfur battery via in situ sulfur reduced graphite oxide coating. Rare Metals, 2021, 40, 417-424.	7.1	58
3771	Vanadium-based polyanionic compounds as cathode materials for sodium-ion batteries: Toward high-power applications. Journal of Energy Chemistry, 2021, 55, 361-390.	12.9	79
3772	Insight into the reaction mechanism of sulfur chains adjustable polymer cathode for high-loading lithium-organosulfur batteries. Journal of Energy Chemistry, 2021, 56, 238-244.	12.9	28
3773	Solid state lithium-sulfur (Li-S) batteries based on solid electrolytes- a brief review. Materials Today: Proceedings, 2021, 42, 1689-1691.	1.8	5
3774	Ordered Mesoporous Carbons with Graphitic Tubular Frameworks by Dual Templating for Efficient Electrocatalysis and Energy Storage. Angewandte Chemie, 2021, 133, 1461-1469.	2.0	5
3775	Ordered Mesoporous Carbons with Graphitic Tubular Frameworks by Dual Templating for Efficient Electrocatalysis and Energy Storage. Angewandte Chemie - International Edition, 2021, 60, 1441-1449.	13.8	40
3776	A Perspective on the Behavior of Lithium Anodes under a Magnetic Field. Small Structures, 2021, 2, 2000043.	12.0	34

#	Article	IF	CITATIONS
3777	Encapsulation methods of sulfur particles for lithium-sulfur batteries: A review. Energy Storage Materials, 2021, 34, 107-127.	18.0	110
3778	Selective Modification of Hierarchical Pores and Surfaces in Nanoporous Materials. Advanced Materials Interfaces, 2021, 8, 2001153.	3.7	14
3779	Carbon microspheres with embedded FeP nanoparticles as a cathode electrocatalyst in Li-S batteries. Chemical Engineering Journal, 2021, 406, 126823.	12.7	60
3780	Improved Redox Reaction of Lithium Polysulfides on the Interfacial Boundary of Polar CoC ₂ O ₄ as a Polysulfide Catenator for a High apacity Lithium‣ulfur Battery. ChemSusChem, 2021, 14, 876-883.	6.8	15
3781	MOF-derived Co9S8 nano-flower cluster array modified separator towards superior lithium sulfur battery. Chinese Chemical Letters, 2021, 32, 1157-1160.	9.0	52
3782	Synergistic mediation of polysulfide immobilization and conversion by a catalytic and dual-adsorptive system for high performance lithium-sulfur batteries. Chemical Engineering Journal, 2021, 406, 126802.	12.7	33
3783	Taming polysulfides and facilitating redox: Novel interlayer based on chestnut-like and multi-level structural materials for ultra-stable lithium-sulfur batteries. Journal of Alloys and Compounds, 2021, 851, 156859.	5.5	21
3784	Decalcified fish scale-based sponge-like nitrogen-doped porous carbon for lithium-sulfur batteries. Ionics, 2021, 27, 165-174.	2.4	4
3785	Ultrafast microwave-assisted synthesis of highly nitrogen-doped ordered mesoporous carbon. Microporous and Mesoporous Materials, 2021, 310, 110639.	4.4	16
3786	BaTiO ₃ - <i>g</i> -GO as an efficient permselective material for lithium–sulfur batteries. Materials Chemistry Frontiers, 2021, 5, 950-960.	5.9	12
3787	Recent advances in lithium-based batteries using metal organic frameworks as electrode materials. Electrochemistry Communications, 2021, 122, 106881.	4.7	75
3788	Rational design of Lithium-Sulfur battery cathodes based on differential Atom Electronegativity. Energy Storage Materials, 2021, 35, 577-585.	18.0	25
3789	Mesoporous carbon nanomaterials with tunable geometries and porous structures fabricated by a surface-induced assembly strategy. Energy Storage Materials, 2021, 35, 602-609.	18.0	12
3790	A high-energy and long-cycling lithium–sulfur pouch cell via a macroporous catalytic cathode with double-end binding sites. Nature Nanotechnology, 2021, 16, 166-173.	31.5	392
3791	High-performance Li–Se battery: Li2Se cathode as intercalation product of electrochemical in situ reduction of multilayer graphene-embedded 2D-MoSe2. Electrochimica Acta, 2021, 368, 137556.	5.2	19
3792	Understanding effects of conductive additives in lithium-sulfur batteries. Materials Today Communications, 2021, 26, 101934.	1.9	11
3793	Unraveling the effects of anions in NixAy@CC (A=O, S, P) on Li-sulfur batteries. Materials Today Nano, 2021, 13, 100106.	4.6	5
3794	Trapping and catalytic conversion of polysulfides by kirkendall effect built hollow NiCo2S4 nano-prisms for advanced sulfur cathodes in Li–S battery. Journal of Materials Science, 2021, 56, 4328-4340	3.7	13

#	Article	IF	CITATIONS
3795	Perspective on ultramicroporous carbon as sulphur host for Li–S batteries. Journal of Energy Chemistry, 2021, 59, 242-256.	12.9	40
3796	Material design strategies to improve the performance of rechargeable magnesium–sulfur batteries. Materials Horizons, 2021, 8, 830-853.	12.2	55
3797	Coupling highly dispersed Sb2S3 nanodots with nitrogen/sulfur dual-doped porous carbon nanosheets for efficient immobilization and catalysis of polysulfides conversion. Chemical Engineering Journal, 2021, 420, 127688.	12.7	29
3798	Deciphering interpenetrated interface of transition metal oxides/phosphates from atomic level for reliable Li/S electrocatalytic behavior. Nano Energy, 2021, 81, 105602.	16.0	56
3799	Aluminumâ^'lithium alloy as a stable and reversible anode for lithium batteries. Electrochimica Acta, 2021, 368, 137626.	5.2	33
3800	Diphenyl ditelluride as a low-potential and fast-kinetics anolyte for nonaqueous redox flow battery applications. Energy Storage Materials, 2021, 35, 761-771.	18.0	7
3801	1T-MoS2/carbon nanofiber composite as an interlayer fabricated by an in situ electrochemical fabrication method for lithium-sulfur batteries. Journal of Alloys and Compounds, 2021, 857, 158236.	5.5	22
3802	Sub-nanometric Manganous Oxide Clusters in Nitrogen Doped Mesoporous Carbon Nanosheets for High-Performance Lithium–Sulfur Batteries. Nano Letters, 2021, 21, 700-708.	9.1	60
3803	Chickpea derived Co nanocrystal encapsulated in 3D nitrogen-doped mesoporous carbon: Pressure cooking synthetic strategy and its application in lithium-sulfur batteries. Journal of Colloid and Interface Science, 2021, 585, 328-336.	9.4	29
3804	Cotton cloth templated <i>in situ</i> encapsulation of sulfur into carbon fibers for lithium–sulfur batteries. Chemical Communications, 2021, 57, 544-547.	4.1	15
3805	Dissolving Vanadium into Titanium Nitride Lattice Framework for Rational Polysulfide Regulation in Li–S Batteries. Advanced Energy Materials, 2021, 11, 2003020.	19.5	52
3806	A water-soluble, adhesive and 3D cross-linked polyelectrolyte binder for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 2375-2384.	10.3	30
3807	Blocking polysulfides with a Janus Fe ₃ C/N-CNF@RGO electrode <i>via</i> physiochemical confinement and catalytic conversion for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 2205-2213.	10.3	69
3808	Redox mediator assists electron transfer in lithium–sulfur batteries with sulfurized polyacrylonitrile cathodes. EcoMat, 2021, 3, e12066.	11.9	69
3809	Strong lithium-polysulfide anchoring effect of amorphous carbon for lithium–sulfur batteries. Current Applied Physics, 2021, 22, 94-103.	2.4	6
3810	Boosting Li–S battery performance using an in-cell electropolymerized conductive polymer. Materials Advances, 2021, 2, 974-984.	5.4	7
3811	Construction of stable solid electrolyte interphase on lithium anode for long-cycling solid-state lithium–sulfur batteries. Journal of Electroanalytical Chemistry, 2021, 880, 114874.	3.8	7
3812	A quasi-solid-state rechargeable cell with high energy and superior safety enabled by stable redox chemistry of Li ₂ S in gel electrolyte. Energy and Environmental Science, 2021, 14, 2278-2290.	30.8	40

#	Article	IF	CITATIONS
3813	Novel NiCo2O4 nanofibers prepared via electrospinning method as host materials for perfect polysulfide inhibition. Ionics, 2021, 27, 651-656.	2.4	1
3814	Rational design of 3D hierarchical MXene@AlF3/Ni(OH)2 nanohybrid for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2021, 409, 128102.	12.7	43
3815	Manipulation of porosity and electrochemical artificial separator interphase for durable lithium-sulfur batteries. Chemical Engineering Journal, 2021, 409, 128137.	12.7	15
3816	Nitrogen-rich microporous carbon framework as an efficient polysulfide host for lithium-sulfur batteries. Journal of Materials Science, 2021, 56, 3364-3374.	3.7	12
3817	Methods and Cost Estimation for the Synthesis of Nanosized Lithium Sulfide. Small Structures, 2021, 2, 2000059.	12.0	27
3818	Nitrogen-rich hierarchical porous carbon paper for a free-standing cathode of lithium sulfur battery. Carbon, 2021, 172, 624-636.	10.3	49
3819	Yolk-shell porous carbon spheres@CoSe2 nanosheets as multilayer defenses system of polysulfide for advanced Li-S batteries. Chemical Engineering Journal, 2021, 413, 127521.	12.7	49
3820	A durable lithium–tellurium battery: Effects of carbon pore structure and tellurium content. Carbon, 2021, 173, 11-21.	10.3	30
3821	Revealing the working mechanism of a multi-functional block copolymer binder for lithium-sulfur batteries. Journal of Energy Chemistry, 2021, 59, 1-8.	12.9	8
3822	Reduced graphene oxide wrapped sulfur nanocomposite as cathode material for lithium sulfur battery. Ceramics International, 2021, 47, 14790-14797.	4.8	21
3823	Analysis of Charge Carrier Transport Toward Optimized Cathode Composites for Allâ€5olidâ€5tate Liâ^'S Batteries. Batteries and Supercaps, 2021, 4, 183-194.	4.7	53
3824	Multi-electron Reaction Materials for High-Energy-Density Secondary Batteries: Current Status and Prospective. Electrochemical Energy Reviews, 2021, 4, 35-66.	25.5	68
3825	Vapor deposition of aluminium oxide into N-rich mesoporous carbon framework as a reversible sulfur host for lithium-sulfur battery cathode. Nano Research, 2021, 14, 131-138.	10.4	24
3826	Cationic polymer-grafted graphene oxide/CNT cathode-coating material for lithium–sulfur batteries. RSC Advances, 2021, 11, 25305-25313.	3.6	2
3827	A vanadium-based oxide-nitride heterostructure as a multifunctional sulfur host for advanced Li–S batteries. Nanoscale, 2021, 13, 13085-13094.	5.6	30
3828	Revealing Charge-Transfer Dynamics at Electrified Sulfur Cathodes Using Constrained Density Functional Theory. Journal of Physical Chemistry Letters, 2021, 12, 739-744.	4.6	5
3829	Degradation mechanisms of lithium sulfide (Li ₂ S) composite cathode in carbonate electrolyte and improvement by increasing electrolyte concentration. Sustainable Energy and Fuels, 2021, 5, 1714-1726.	4.9	4
3830	Dipolar and catalytic effects of an Fe ₃ O ₄ based nitrogen-doped hollow carbon sphere framework for high performance lithium sulfur batteries. Inorganic Chemistry Frontiers, 2021, 8, 1771-1778.	6.0	19

#	Article	IF	CITATIONS
3831	Hydrogen-substituted graphdiyne/graphene as an sp/sp ² hybridized carbon interlayer for lithium–sulfur batteries. Nanoscale, 2021, 13, 3817-3826.	5.6	27
3832	Recent advances in the synthesis of mesoporous materials and their application to lithium-ion batteries and hybrid supercapacitors. Korean Journal of Chemical Engineering, 2021, 38, 227-247.	2.7	37
3833	WO3 Nanowire/Carbon Nanotube Interlayer as a Chemical Adsorption Mediator for High-Performance Lithium-Sulfur Batteries. Molecules, 2021, 26, 377.	3.8	12
3834	Integration of adsorption and catalytic active sites in cobalt iron oxide nanorods for an excellent performance Li–S battery with a wide temperature range. Sustainable Energy and Fuels, 2021, 5, 4284-4288.	4.9	7
3835	A Zn–S aqueous primary battery with high energy and flat discharge plateau. Chemical Communications, 2021, 57, 9918-9921.	4.1	16
3836	Promoting sulphur conversion chemistry with tri-modal porous N, O-codoped carbon for stable Li–S batteries. Journal of Materials Chemistry A, 2021, 9, 5497-5506.	10.3	40
3837	The lithium metal anode in Li–S batteries: challenges and recent progress. Journal of Materials Chemistry A, 2021, 9, 10012-10038.	10.3	45
3838	Effect of Porous Carbon Morphologies and Composite Manufacturing Processes on Long-Cycling Performance in High Sulfur Loading Li–S Batteries. Journal of Electrochemical Energy Conversion and Storage, 2021, 18, .	2.1	0
3839	Fundamental Properties and Solubility Toward Cathode Active Materials. , 2021, , 277-286.		0
3840	Metal Oxide Composite Cathode Material for High Energy Density Batteries. , 2021, , 509-530.		1
3841	The Fundamental Understanding of Lithium Polysulfides in Ether-Based Electrolyte for Lithium–Sulfur Batteries. ACS Energy Letters, 2021, 6, 537-546.	17.4	88
3842	Freestanding interlayers for Li–S batteries: design and synthesis of hierarchically porous N-doped C nanofibers comprising vanadium nitride quantum dots and MOF-derived hollow N-doped C nanocages. Journal of Materials Chemistry A, 2021, 9, 11651-11664.	10.3	45
3843	Polymer nanocomposites for energy-related applications. , 2021, , 215-248.		0
3844	Heterostructures of titanium-based MXenes in energy conversion and storage devices. Journal of Materials Chemistry C, 2021, 9, 8395-8465.	5.5	30
3845	Balanced capture and catalytic ability toward polysulfides by designing MoO ₂ –Co ₂ Mo ₃ O ₈ heterostructures for lithium–sulfur batteries. Nanoscale, 2021, 13, 15689-15698.	5.6	35
3846	Three-in-one cathode host based on Nb ₃ O ₈ /graphene superlattice heterostructures for high-performance Li–S batteries. Journal of Materials Chemistry A, 2021, 9, 9952-9960.	10.3	22
3847	Frontiers for Room-Temperature Sodium–Sulfur Batteries. ACS Energy Letters, 2021, 6, 529-536.	17.4	85
3848	Stateâ€Ofâ€Theâ€Art and Future Challenges in High Energy Lithium–Selenium Batteries. Advanced Materials,	21.0	75

#	Article	IF	CITATIONS
3849	S8 Cathode. , 2021, , 347-355.		0
3850	Applications of Metal-organic Frameworks (MOFs) Materials in Lithium-ion Battery/Lithium-metal Battery Electrolytes. Acta Chimica Sinica, 2021, 79, 139.	1.4	10
3851	High-capacity sulfur copolymer cathode with metallic fibril-based current collector and conductive capping layer. Journal of Materials Chemistry A, 2021, 9, 2334-2344.	10.3	4
3852	Metal-Sulfur Batteries. , 2021, , .		0
3853	All-solid-state lithium batteries enabled by sulfide electrolytes: from fundamental research to practical engineering design. Energy and Environmental Science, 2021, 14, 2577-2619.	30.8	201
3854	Polarization Doping - Ab Initio Verification of the Concept: Charge Conservation and Locality. SSRN Electronic Journal, 0, , .	0.4	0
3855	Research Progress of Magnesium Sulfur Batteries. , 2022, , 158-170.		0
3856	Freestanding porous carbon membrane deriving from the alginic acid/poly(ionic liquid) complex and its high-performance HER electrocatalysis. New Journal of Chemistry, 2021, 45, 10349-10356.	2.8	4
3857	A porous polycrystalline NiCo ₂ P _{<i>x</i>} as a highly efficient host for sulfur cathodes in Li–S batteries. Journal of Materials Chemistry A, 2021, 9, 23149-23156.	10.3	19
3858	Nanostructured cathodes in rechargeable batteries. , 2021, , 221-292.		0
3859	Enabling high-performance room-temperature sodium/sulfur batteries with few-layer 2H-MoSe ₂ embellished nitrogen-doped hollow carbon spheres as polysulfide barriers. Journal of Materials Chemistry A, 2021, 9, 3451-3463.	10.3	36
3860	Emergent electrochemical functions and future opportunities of hierarchically constructed metal–organic frameworks and covalent organic frameworks. Nanoscale, 2021, 13, 6341-6356.	5.6	28
3861	Highly reversible aluminium–sulfur batteries obtained through effective sulfur confinement with hierarchical porous carbon. Journal of Materials Chemistry A, 2021, 9, 8966-8974.	10.3	36
3862	Oligomerized imide and thioimide organic cathode materials <i>via</i> a H-transfer mechanism for high capacity lithium ion batteries. Journal of Materials Chemistry A, 2021, 9, 18306-18312.	10.3	4
3863	Tailoring polysulfide trapping and kinetics by engineering hollow carbon bubble nanoreactors for high-energy Li-S pouch cells. Nano Research, 2021, 14, 1355-1363.	10.4	38
3864	Metal–organic frameworks as separators and electrolytes for lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 7301-7316.	10.3	45
3865	Materials engineering for adsorption and catalysis in room-temperature Na–S batteries. Energy and Environmental Science, 2021, 14, 3757-3795.	30.8	62
3866	Doping strategy, properties and application of heteroatom-doped ordered mesoporous carbon. RSC Advances, 2021, 11, 5361-5383.	3.6	65

#	Article	IF	CITATIONS
3867	Scale-up Efforts. , 2021, , 415-422.		0
3868	Investigation on Fabrication of Reduced Graphene Oxide-Sulfur Composite Cathodes for Li-S Battery via Hydrothermal and Thermal Reduction Methods. Materials, 2021, 14, 861.	2.9	4
3869	High-Performance All-Solid-State Lithium–Sulfur Batteries Enabled by Slurry-Coated Li6PS5Cl/S/C Composite Electrodes. Frontiers in Energy Research, 2021, 8, .	2.3	15
3870	Thermodynamic analysis and perspective of aqueous metal-sulfur batteries. Materials Today, 2021, 49, 184-200.	14.2	31
3871	Reducing Time to Discovery: Materials and Molecular Modeling, Imaging, Informatics, and Integration. ACS Nano, 2021, 15, 3971-3995.	14.6	36
3872	Dendriteâ€Free Liâ€Metal Anode Enabled by Dendritic Structure. Advanced Functional Materials, 2021, 31, 2009712.	14.9	43
3873	Deep Cycling for Highâ€Capacity Liâ€lon Batteries. Advanced Materials, 2021, 33, e2004998.	21.0	43
3874	Characterization of Li–S Batteries Using Laboratory Sulfur X-ray Emission Spectroscopy. ACS Applied Energy Materials, 2021, 4, 2357-2364.	5.1	8
3875	Templating Synthesis of Metal–Organic Framework Nanofiber Aerogels and Their Derived Hollow Porous Carbon Nanofibers for Energy Storage and Conversion. Small, 2021, 17, e2004140.	10.0	32
3876	Recent developments in materials design for all-solid-state Li–S batteries. Critical Reviews in Solid State and Materials Sciences, 2022, 47, 283-308.	12.3	15
3877	Multifunctional MOFâ€Based Separator Materials for Advanced Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2021, 8, 2001941.	3.7	27
3878	Oxygenâ€Doped Carbon Nitride Tubes for Highly Stable Lithium–Sulfur Batteries. Energy Technology, 2021, 9, 2001057.	3.8	10
3879	Preparation of gelatin-derived nitrogen-doped large pore volume porous carbons as sulfur hosts for lithium-sulfur batteries. New Carbon Materials, 2021, 36, 198-208.	6.1	8
3880	Modeling and Simulations of the Sulfur Infiltration in Activated Carbon Fabrics during Composite Cathode Fabrication for Lithium-Sulfur Batteries. Journal of Composites Science, 2021, 5, 65.	3.0	7
3881	Interface Aspects in Allâ€Solidâ€State Liâ€Based Batteries Reviewed. Advanced Energy Materials, 2021, 11, 2003939.	19.5	66
3882	Understanding the Electrolytes of Lithiumâ^'Sulfur Batteries. Batteries and Supercaps, 2021, 4, 1064-1095.	4.7	23
3883	Comprehensive Analyses of Aqueous Zn Metal Batteries: Characterization Methods, Simulations, and Theoretical Calculations. Advanced Energy Materials, 2021, 11, 2003823.	19.5	66
3884	Theoretical Study of Two-Dimensional α-Tellurene with Pseudo-Heterospecies as a Promising Elemental Anchoring Material for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2021, 125, 4623-4631.	3.1	12

ARTICLE IF CITATIONS A new insight into capacity fading of sulfurized polyacrylonitrile composite in carbonate electrolyte. 3885 3.8 13 Journal of Electroanalytical Chemistry, 2021, 882, 114964. Efficient Sulfur Host Based on Yolkâ€Shell Iron Oxide/Sulfideâ€Carbon Nanospindles for Lithiumâ€Sulfur 3886 6.8 Batteries. ChemSusChem, 2021, 14, 1404-1413. A short review on dissolved lithium polysulfide catholytes for advanced lithium-sulfur batteries. 3887 2.7 27 Korean Journal of Chemical Engineering, 2021, 38, 461-474. Manipulating metal–sulfur interactions for achieving highâ€performance S cathodes for room 3888 temperature Li/Na–sulfur batteries. , 2021, 3, 253-270. The 2021 battery technology roadmap. Journal Physics D: Applied Physics, 2021, 54, 183001. 3889 2.8 158 Crossover Effects in Batteries with Highâ€Nickel Cathodes and Lithiumâ€Metal Anodes. Advanced 3890 Functional Materials, 2021, 31, 2010267. Linking Solid Electrolyte Degradation to Charge Carrier Transport in the Thiophosphateâ€Based Composite Cathode toward Solidâ€State Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2021, 3891 14.9 71 31, 2010620. High-rate and high sulfur-loaded lithium-sulfur batteries with a polypyrrole-coated sulfur cathode 3892 9 2.6 on a 3D aluminum foam current collector. Materials Letters, 2021, 285, 129115. Promoting the synergistic effect of sulfur immobilization and polysulfides trapping by nitrogen 3893 functionalized interconnected hollow carbon nanocages for high-performance lithium–sulfur 7.8 28 batteries. Journal of Power Sources, 2021, 486, 229358. Surface/Interface Structure and Chemistry of Lithium–Sulfur Batteries: From Density Functional 3894 5.8 Theory Calculations' Perspective. Advanced Energy and Sustainability Research, 2021, 2, 2100007. Exploration of materials electrochemistry in rechargeable batteries using advanced in situ/operando 3895 4 2.8 x-ray absorption spectroscopy. Electronic Structure, 2021, 3, 013001. Tailoring 3D Carbon Foam using CNTs and MnO₂ to Fabricate Stable Lithium/Dissolved 3.5 Lithium Polysulfide Batteries. Langmuir, 2021, 37, 4016-4024. A Growing Appreciation for the Role of LiF in the Solid Electrolyte Interphase. Advanced Energy 3898 19.5 401 Materials, 2021, 11, 2100046. Engineering Allâ€Purpose Amorphous Carbon Nanotubes with High N/Oâ€Coâ€Doping Content to Bridge the 3899 10.0 Alkaliâ€Ion Batteries and Li Metal Batteries. Small, 2021, 17, e2006566. Preparation of Highly Pyrrolicâ€Nitrogenâ€Doped Carbon Aerogels for Lithiumâ€Sulfur Batteries. 3900 3.4 6 ChemElectroChem, 2021, 8, 895-902. Lithium-Sulfur Batteries Employing Hybrid-electrolyte Structure with Li<sub>7</sub>La<sub>3</sub>2r<sub>2</sub>O<sub>12</sub> 1.4 at Middle Operating Temperature: Effect of Li Salts Concentration on Electrochemical Performance. Electrochemistry, 2021, 89, 197-203 3902 A perspective on sustainable energy materials for lithium batteries. SusMat, 2021, 1, 38-50. 14.9 208 Preparation of nitrogen doped CNTs porous carbon materials based on MOF in situ growth and its 3903 application in lithium sulfur cathode. IOP Conference Series: Earth and Environmental Science, 2021, 680, 012094.

#		IE	CITATIONS
#	Solution-based Preparation of High Sulfur Content Sulfur/Graphene Cathode Material for Li-S	IF	CHATIONS
3904	Battery. Chemical Research in Chinese Universities, 2021, 37, 323-327.	2.6	5
3905	Sulfur Transfer Melt Infiltration for Highâ€Power Carbon Nanotube Sheets in Lithiumâ€Sulfur Pouch Cells. Batteries and Supercaps, 2021, 4, 989-1002.	4.7	14
3906	NiCo2S4 nanoparticles embedded in nitrogen-doped carbon nanotubes networks as effective sulfur carriers for advanced Lithium–Sulfur batteries. Microporous and Mesoporous Materials, 2021, 316, 110924.	4.4	13
3907	Yolk@Shell Structured MnS@Nitrogen-Doped Carbon as a Sulfur Host and Polysulfide Conversion Booster for Lithium/Sodium Sulfur Batteries. ACS Applied Energy Materials, 2021, 4, 3487-3494.	5.1	16
3908	Anchoring Polysulfides and Accelerating Redox Reaction Enabled by Feâ€Based Compounds in Lithium–Sulfur Batteries. Advanced Functional Materials, 2021, 31, 2100970.	14.9	94
3909	Enabling a Stable Room-Temperature Sodium–Sulfur Battery Cathode by Building Heterostructures in Multichannel Carbon Fibers. ACS Nano, 2021, 15, 5639-5648.	14.6	70
3910	3D Hierarchical Carbon-Rich Micro-/Nanomaterials for Energy Storage and Catalysis. Electrochemical Energy Reviews, 2021, 4, 269-335.	25.5	108
3911	A Multiscale Xâ€Ray Tomography Study of the Cycledâ€Induced Degradation in Magnesium–Sulfur Batteries. Small Methods, 2021, 5, e2001193.	8.6	10
3912	Metal Atom-Decorated Carbon Nanomaterials for Enhancing Li-S/Se Batteries Performances: A Mini Review. Frontiers in Energy Research, 2021, 9, .	2.3	12
3913	Enhanced sulfur utilization in lithium-sulfur batteries by hybrid modified separators. Materials Today Communications, 2021, 26, 102133.	1.9	6
3914	The Functional Chameleon of Materials Chemistry—Combining Carbon Structures into Allâ€Carbon Hybrid Nanomaterials with Intrinsic Porosity to Overcome the "Functionalityâ€Conductivityâ€Dilemma―in Electrochemical Energy Storage and Electrocatalysis. Small, 2021, 17, e2007508.	10.0	10
3915	2021 roadmap on lithium sulfur batteries. JPhys Energy, 2021, 3, 031501.	5.3	74
3916	TiN nanocrystal anchored on N-doped graphene as effective sulfur hosts for high-performance lithium-sulfur batteries. Journal of Energy Chemistry, 2021, 54, 16-22.	12.9	35
3917	Critical Role of Functional Groups Containing N, S, and O on Graphene Surface for Stable and Fast Charging Liâ€ S Batteries. Small, 2021, 17, e2007242.	10.0	23
3918	Hierarchical Nanoreactor with Multiple Adsorption and Catalytic Sites for Robust Lithium–Sulfur Batteries. ACS Nano, 2021, 15, 6849-6860.	14.6	70
3919	Arsenene, antimonene and bismuthene as anchoring materials for lithiumâ€sulfur batteries: A computational study. International Journal of Quantum Chemistry, 2021, 121, 26661.	2.0	9
3920	Single Atomâ€Based Nanoarchitectured Electrodes for Highâ€Performance Lithium–Sulfur Batteries. Advanced Materials Interfaces, 2021, 8, 2002159.	3.7	22
3921	Status and Prospects of MXeneâ€Based Lithium–Sulfur Batteries. Advanced Functional Materials, 2021, 31, 2100457.	14.9	147

		CITATION REPORT		
#	Article		IF	CITATIONS
3922	Stable Lithium-Carbon Composite Enabled by Dual-Salt Additives. Nano-Micro Letters,	2021, 13, 111.	27.0	11
3923	Enhancing Reaction Kinetics of Sulfur-Containing Species in Li-S Batteries by Quantum Oxide Hydroxide Catalysts. ACS Applied Energy Materials, 2021, 4, 4935-4944.	Dot-Level Tin	5.1	6
3924	Boosting Catalytic Activity by Seeding Nanocatalysts onto Interlayers to Inhibit Polysu in Li–S Batteries. Advanced Functional Materials, 2021, 31, 2101980.	lfide Shuttling	14.9	116
3925	Carbonaceous Hosts for Sulfur Cathode in Alkaliâ€Metal/S (Alkali Metal = Lithium, Soc Batteries. Small, 2021, 17, e2006504.	lium, Potassium)	10.0	17
3926	Tunable Interaction between Metalâ€Organic Frameworks and Electroactive Compone Lithium–Sulfur Batteries: Status and Perspectives. Advanced Energy Materials, 2021	ents in , 11, 2100387.	19.5	84
3927	MXene Nanoflakes Confined in Multichannel Carbon Nanofibers as Electrocatalysts for Lithium–Sulfur Batteries. Journal of Electrochemical Energy Conversion and Storage	, 2022, 19, .	2.1	1
3928	Sandwich-like NOCC@S8/rGO composite as cathode for high energy lithium-sulfur bat 2021, 220, 119747.	teries. Energy,	8.8	14
3929	Controllable synthesis of sulfurized polyacrylonitrile nanofibers for high performance lithium–sulfur batteries. Composites Communications, 2021, 24, 100675.		6.3	26
3930	Layered Double Hydroxide Quantum Dots for Use in a Bifunctional Separator of Lithiur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 17978-17987.	n–Sulfur	8.0	28
3931	High Energy Density and Stable Threeâ€Dimensionally Structured Seâ€Loaded Biconti Battery Electrodes. Energy Technology, 2021, 9, 2100175.	nuous Porous Carbon	3.8	4
3932	Highly Effective Trapping-Conversion Interface Based on Nickel-Modified Versatile Carl Enabled High-Performance Li–S Battery. ACS Applied Materials & Interfaces, 20	oon Skeleton 21, 13, 16374-16383.	8.0	22
3933	Denseâ€Stacking Porous Conjugated Polymer as Reactiveâ€Type Host for Highâ€Perfo Batteries. Angewandte Chemie, 2021, 133, 11460-11470.	ormance Lithium Sulfur	2.0	11
3934	Progress and Perspective on Rechargeable Magnesium–Sulfur Batteries. Small Meth e2001303.	ods, 2021, 5,	8.6	19
3935	Metal-organic frameworks enable broad strategies for lithium-sulfur batteries. Nationa Review, 2021, 8, nwab055.	l Science	9.5	58
3936	Ultra-high conductive 3D aluminum photonic crystal as sulfur immobilizer for high-per lithium-sulfur batteries. Nano Research, 2021, 14, 4776-4782.	formance	10.4	13
3937	High-Performance Lithium Sulfur Batteries Based on Multidimensional Graphene-CNT-I Hybrid Cathodes. Batteries, 2021, 7, 26.	Nanosulfur	4.5	10
3938	The use of graphene and its composites to suppress the shuttle effect in lithium-sulfur Carbon Materials, 2021, 36, 336-349.	batteries. New	6.1	12
3939	Porous Carbon Nanosphere with Multiple Heteroatom Doping Derived from Silicon Ox as Sulfur Host for Lithium–Sulfur Batteries. Energy Technology, 2021, 9, 2100067.	ycarbonitride	3.8	2
#	ARTICLE Stabilizing electrode/electrolyte interface in Li-S batteries using liquid/solid Li2S-P2S5 bybrid	IF	CITATIONS	
------	--	------	-----------	
3940	electrolyte. Applied Surface Science, 2021, 546, 149034.	6.1	14	
3941	Hexagonal borophene sandwiched between blue phosphorenes: A novel bonding heterostructure as an anchoring material for lithium-sulfur batteries. Applied Surface Science, 2021, 545, 148770.	6.1	11	
3942	Material design and structure optimization for rechargeable lithium-sulfur batteries. Matter, 2021, 4, 1142-1188.	10.0	116	
3943	MXeneâ€Derived Ti <i>_n</i> O ₂ <i>_{nâ^'}</i> ₁ Quantum Dots Distributed on Porous Carbon Nanosheets for Stable and Longâ€Life Li–S Batteries: Enhanced Polysulfide Mediation via Defect Engineering. Advanced Materials, 2021, 33, e2008447.	21.0	115	
3944	Graphene-Based Nanomaterials as the Cathode for Lithium-Sulfur Batteries. Molecules, 2021, 26, 2507.	3.8	18	
3945	Fabrication and electrochemical applications of the Co-embedded N&P-codoped hierarchical porous carbon host from yeast for Li-S batteries. Applied Surface Science, 2021, 545, 148936.	6.1	16	
3946	Polysulfides shuttling remedies by interface-catalytic effect of Mn3O4-MnPx heterostructure. Energy Storage Materials, 2021, 36, 496-503.	18.0	28	
3947	Design Strategies for Electrocatalysts from an Electrochemist's Perspective. ACS Catalysis, 2021, 11, 5318-5346.	11.2	73	
3948	Porous sulfurized poly(acrylonitrile) nanofiber as a long-life and high-capacity cathode for lithium–sulfur batteries. Journal of Alloys and Compounds, 2021, 860, 158445.	5.5	17	
3949	Flexible high-energy-density lithium-sulfur batteries using nanocarbon-embedded fibrous sulfur cathodes and membrane separators. NPG Asia Materials, 2021, 13, .	7.9	28	
3950	Covalently Interlinked Graphene Sheets with Sulfurâ€Chains Enable Superior Lithium–Sulfur Battery Cathodes at Fullâ€Mass Level. Advanced Functional Materials, 2021, 31, 2101326.	14.9	27	
3951	Graphite as anode materials: Fundamental mechanism, recent progress and advances. Energy Storage Materials, 2021, 36, 147-170.	18.0	344	
3952	Lamellar MXene Composite Aerogels with Sandwiched Carbon Nanotubes Enable Stable Lithium–Sulfur Batteries with a High Sulfur Loading. Advanced Functional Materials, 2021, 31, 2100793.	14.9	95	
3953	Denseâ€Stacking Porous Conjugated Polymer as Reactiveâ€Type Host for Highâ€Performance Lithium Sulfur Batteries. Angewandte Chemie - International Edition, 2021, 60, 11359-11369.	13.8	62	
3954	NiMoO ₄ Nanosheets Anchored on NS Doped Carbon Clothes with Hierarchical Structure as a Bidirectional Catalyst toward Accelerating Polysulfides Conversion for LïS Battery. Advanced Functional Materials, 2021, 31, 2101285.	14.9	119	
3955	Edge Engineering in 2D Molybdenum Disulfide: Simultaneous Regulation of Lithium and Polysulfides for Stable Lithium–Sulfur Batteries. Advanced Energy and Sustainability Research, 2021, 2, 2100053.	5.8	6	
3956	Two-dimensional selenium and its composites for device applications. Nano Research, 2022, 15, 104-122.	10.4	26	
3957	Silk cocoon derived carbon and sulfur nanosheets as cathode material for Li-S battery application. Emergent Materials, 0, , 1.	5.7	5	

#	Article	IF	CITATIONS
3958	Vanadium nitride and carbon nanofiber composite membrane as an interlayer for extended life cycle lithium-sulphur batteries. Ceramics International, 2021, 47, 21476-21489.	4.8	10
3959	Challenges and promises of lithium metal anode by soluble polysulfides in practical lithium–sulfur batteries. Materials Today, 2021, 45, 62-76.	14.2	152
3960	Enhanced anchoring and catalytic conversion of polysulfides by iron phthalocyanine for graphene-based Li–S batteries. Ionics, 2021, 27, 3007-3016.	2.4	4
3961	Polysulfide Filter and Dendrite Inhibitor: Highly Graphitized Wood Framework Inhibits Polysulfide Shuttle and Lithium Dendrites in Li–S Batteries. Advanced Functional Materials, 2021, 31, 2102458.	14.9	42
3962	Recent Advances in Emerging Nonâ€Lithium Metal–Sulfur Batteries: A Review. Advanced Energy Materials, 2021, 11, 2100770.	19.5	34
3963	3D-structured organic-inorganic hybrid solid-electrolyte-interface layers for Lithium metal anode. Energy Storage Materials, 2021, 37, 567-575.	18.0	21
3964	Facilitating redox kinetics of sulfur species by cobalt-nitrogen co-doped porous hollow carbon for high-performance Li-S battery. IOP Conference Series: Earth and Environmental Science, 2021, 781, 052034.	0.3	1
3965	A Biomassâ€Based Integral Approach Enables Liâ€S Full Pouch Cells with Exceptional Power Density and Energy Density. Advanced Science, 2021, 8, e2101182.	11.2	21
3966	Architecturing aligned orthorhombic Nb2O5 nanowires toward sodium-ion hybrid capacitor and Lithium–Sulfur battery applications. FlatChem, 2021, 27, 100236.	5.6	12
3967	Thick freeâ€standing electrode based on carbon–carbon nitride microspheres with large mesopores for highâ€energyâ€density lithium–sulfur batteries. , 2021, 3, 410-423.		16
3968	Electrochemical impedance spectroscopy study of sulfur reduction pathways using a flexible, free-standing and high-sulfur-loading film. Chemical Engineering Journal, 2021, 412, 128559.	12.7	13
3969	Nanotechnology for Sulfur Cathodes. ACS Nano, 2021, 15, 8087-8094.	14.6	29
3970	Defect Engineering for Expediting Li–S Chemistry: Strategies, Mechanisms, and Perspectives. Advanced Energy Materials, 2021, 11, 2100332.	19.5	143
3971	Aluminum and lithium sulfur batteries: a review of recent progress and future directions. Journal of Physics Condensed Matter, 2021, 33, 253002.	1.8	7
3972	Investigation of the structural effect of the carbon coated separator towards to the properties of Li-S batteries. Materials Letters, 2021, 290, 129512.	2.6	5
3973	Hierarchical Porous Graphene Bubbles as Host Materials for Advanced Lithium Sulfur Battery Cathode. Frontiers in Chemistry, 2021, 9, 653476.	3.6	8
3974	Antimonene Allotropes α- and β-Phases as Promising Anchoring Materials for Lithium–Sulfur Batteries. Energy & Fuels, 2021, 35, 9001-9009.	5.1	15
3975	Carbonaceous and Polymer Materials for Li–S Batteries with an Emphasis on Flexible Devices. Advanced Energy and Sustainability Research, 2021, 2, 2000096.	5.8	6

#	Article	IF	CITATIONS
3976	A Synergistic Strategy with 3D Highly Conductive Carbon Matrixâ€Decorated with Low Loading of CdS Quantum Dots as a Sulfur Host for Advanced Liâ^'S Batteries. ChemElectroChem, 2021, 8, 1642-1652.	3.4	6
3977	Improvement of Cycle Capability of VS ₄ by Addition of Phosphorus Element. Electrochemistry, 2021, 89, 273-278.	1.4	5
3978	Unlocking the dissolution mechanism of phosphorus anode for lithium-ion batteries. Energy Storage Materials, 2021, 37, 417-423.	18.0	36
3979	Zinc Complex-Based Multifunctional Reactive Lithium Polysulfide Trapper Approaching Its Theoretical Efficiency. ACS Applied Materials & Interfaces, 2021, 13, 23936-23944.	8.0	12
3980	Repurposing Waste Tires as Tunable Frameworks for Use in Sodium-Ion and Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2021, 9, 6972-6990.	6.7	7
3981	A review of halide charge carriers for rockingâ€chair and dualâ€ion batteries. , 2021, 3, 627-653.		24
3982	Immobilization and kinetic promotion of polysulfides by molybdenum carbide in lithium-sulfur batteries. Chemical Engineering Journal, 2021, 411, 128563.	12.7	35
3983	Hierarchical cathode from hollow CoP embedded in graphene nanosheets to synergistically confine SeS2 for advanced Li/SeS2 batteries. Journal of Alloys and Compounds, 2021, 867, 159089.	5.5	3
3984	Nitrogen and sulfur co-doped hierarchical porous carbon as functional sulfur host for lithium-sulfur batteries. Materials Today Communications, 2021, 27, 102312.	1.9	3
3985	Sandwiched Cathodes Assembled from CoS ₂ â€Modified Carbon Clothes for Highâ€Performance Lithiumâ€5ulfur Batteries. Advanced Science, 2021, 8, e2101019.	11.2	64
3986	Hollow Carbon Spheres Embedded with VN Quantum Dots as an Efficient Cathode Host for Lithium–Sulfur Batteries. Energy & Fuels, 2021, 35, 10219-10226.	5.1	17
3987	Enhanced sulfur redox kinetics and polysulfide regulations with petal-like nickel hydroxide nanosheets/rGO modified separators in Li-S batteries. Applied Surface Science, 2021, 551, 149393.	6.1	7
3988	Advances in Lithium–Sulfur Batteries: From Academic Research to Commercial Viability. Advanced Materials, 2021, 33, e2003666.	21.0	357
3989	An Atomistic View of the Lithiation/Delithiation Behavior of Carbon Nanotube-Confined Sulfur Cathode for Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2021, 168, 060531.	2.9	3
3990	Rational design of MXene-based films for energy storage: Progress, prospects. Materials Today, 2021, 46, 183-211.	14.2	83
3991	A flexible metallic <scp>TiC</scp> nanofiber/vertical graphene <scp>1D</scp> / <scp>2D</scp> heterostructured as active electrocatalyst for advanced <scp>Li–S</scp> batteries. InformaÄnÃ- Materiály, 2021, 3, 790-803.	17.3	142
3992	MXenes in lithium–sulfur batteries: Scratching the surface of a complex 2D material – A minireview. Materials Today Communications, 2021, 27, 102323.	1.9	20
3993	Nonpolar Solventâ€based Electrolytes with a Quasiâ€Solidâ€State Redox Reaction for Lithiumâ€Sulfur Batteries. ChemElectroChem, 2021, 8, 2321-2328.	3.4	0

# 3994	ARTICLE Coordinated Adsorption and Catalytic Conversion of Polysulfides Enabled by Perovskite Bimetallic Hydroxide Nanocages for Lithium‣ulfur Batteries. Small, 2021, 17, e2101538.	IF 10.0	CITATIONS
3995	A robust polymeric binder based on complementary multiple hydrogen bonds in lithium-sulfur batteries. Chemical Engineering Journal, 2022, 427, 130844.	12.7	29
3996	Electrolyte Structure of Lithium Polysulfides with Antiâ€Reductive Solvent Shells for Practical Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2021, 60, 15503-15509.	13.8	108
3997	Electrolyte Structure of Lithium Polysulfides with Antiâ€Reductive Solvent Shells for Practical Lithium–Sulfur Batteries. Angewandte Chemie, 2021, 133, 15631-15637.	2.0	8
3998	Metal–Organic Frameworks Reinforce the Carbon Nanotube Sponge-Derived Robust Three-Dimensional Sulfur Host for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 28036-28048.	8.0	23
3999	Self-Assembled Polyoxometalate Nanodots as Bidirectional Cluster Catalysts for Polysulfide/Sulfide Redox Conversion in Lithium–Sulfur Batteries. ACS Nano, 2021, 15, 12222-12236.	14.6	77
4000	Accelerated Polysulfide Redox in Binderâ€Free Li ₂ S Cathodes Promises Highâ€Energyâ€Density Lithium–Sulfur Batteries. Advanced Energy Materials, 2021, 11, 2100957.	19.5	35
4001	Flexible S@C-CNTs cathodes with robust mechanical strength via blade-coating for lithium-sulfur batteries. Journal of Colloid and Interface Science, 2021, 592, 448-454.	9.4	24
4002	Experimental Methods for Assembly of Dendrite-free Lithium-Sulfur Batteries. Chemistry Letters, 2021, 50, 1217-1219.	1.3	2
4003	Sulfurized-Pyrolyzed Polyacrylonitrile Cathode for Magnesium-Sulfur Batteries Containing Mg2+/Li+ Hybrid Electrolytes. Chemical Engineering Journal, 2022, 427, 130902.	12.7	17
4004	Yeast-Derived Carbon Nanotube-Coated Separator for High Performance Lithium-Sulfur Batteries. Jom, 2021, 73, 2516-2524.	1.9	17
4005	Vanadium Nitride Quantum Dots/Holey Graphene Matrix Boosting Adsorption and Conversion Reaction Kinetics for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 30746-30755.	8.0	29
4006	Electrolyte Issues in Lithium–Sulfur Batteries: Development, Prospect, and Challenges. Energy & Fuels, 2021, 35, 10405-10427.	5.1	64
4007	Liquidâ€Phase Exfoliated Few‣ayer Iodine Nanosheets for Highâ€Rate Lithium″odine Batteries. ChemPlusChem, 2021, 86, 865-869.	2.8	7
4008	Strong Interfacial Adhesion between the Li ₂ S Cathode and a Functional Li ₇ P _{2.9} Ce _{0.2} S _{10.9} Cl _{0.3} Solid-State Electrolyte Endowed Long-Term Cycle Stability to All-Solid-State Lithium–Sulfur Batteries. ACS Applied Materials & amp: Interfaces, 2021, 13, 28270-28280.	8.0	27
4009	Aligned sulfur-deficient ZnS1â^'x nanotube arrays as efficient catalyzer for high-performance lithium/sulfur batteries. Nano Energy, 2021, 84, 105891.	16.0	81
4010	Macroporous Multichannel Carbon Nanofibers Embedded with Co/Feâ€N Electrocatalyst as the Sulfur Host for Boosting Polysulfides Conversion in Lithiumâ€Sulfur Batteries. ChemistrySelect, 2021, 6, 5932-5940.	1.5	3
4011	Investigating Multiscale Spatial Distribution of Sulfur in a CNT Scaffold and Its Impact on Li–S Cell Performance. Journal of Physical Chemistry C, 2021, 125, 13146-13157.	3.1	24

#	Article	IF	Citations
4012	Dielectric Barrier Discharge (DBD) Plasma Coating of Sulfur for Mitigation of Capacity Fade in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 28072-28089.	8.0	14
4013	Lamellar Polypyrene Based on Attapulgite–Sulfur Composite for Lithium–Sulfur Battery. Membranes, 2021, 11, 483.	3.0	3
4014	Vanadium Monoxide-Based Free-Standing Nanofiber Hosts for High-Loading Lithium-Sulfur Batteries. ACS Applied Energy Materials, 2021, 4, 5649-5660.	5.1	10
4015	Laserâ€Ablated Red Phosphorus on Carbon Nanotube Film for Accelerating Polysulfide Conversion toward Highâ€Performance and Flexible Lithium–Sulfur Batteries. Small Methods, 2021, 5, e2100215.	8.6	19
4016	Durable Lithium/Selenium Batteries Enabled by the Integration of MOF-Derived Porous Carbon and Alucone Coating. Nanomaterials, 2021, 11, 1976.	4.1	9
4017	Porosity Engineering of MXene Membrane towards Polysulfide Inhibition and Fast Lithium Ion Transportation for Lithium–Sulfur Batteries. Small, 2021, 17, e2007442.	10.0	57
4018	Probing Sulfur Deposition onto Carbon Nanomaterials from Aqueous, Elemental Sulfur Sols for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 31569-31582.	8.0	2
4019	Promoting polysulfide redox kinetics by Co9S8 nanoparticle-embedded in N-doped carbon nanotube hollow polyhedron for lithium sulfur batteries. Journal of Alloys and Compounds, 2021, 869, 159306.	5.5	19
4020	Recent advances in cathode prelithiation additives and their use in lithium–ion batteries. Journal of Electroanalytical Chemistry, 2021, 893, 115325.	3.8	45
4021	Understanding the Roles of the Electrode/Electrolyte Interface for Enabling Stable Liâ^¥Sulfurized Polyacrylonitrile Batteries. ACS Applied Materials & Interfaces, 2021, 13, 31733-31740.	8.0	25
4022	Recent Progresses on Applications of Conducting Polymers for Modifying Electrode of Rechargeable Batteries. Advanced Energy and Sustainability Research, 2021, 2, 2100088.	5.8	19
4023	Electrochemical investigation of Li-ion diffusion and absorbing polysulfide of hierarchically structured carbon for the quasi-solid lithium-sulfur batteries. Ionics, 2021, 27, 3895-3902.	2.4	5
4024	The Electrocatalyst based on LiVPO4F/CNT to enhance the electrochemical kinetics for high performance Li-S batteries. Chemical Engineering Journal, 2021, 415, 129053.	12.7	17
4025	Designing Cation–Solvent Fully Coordinated Electrolyte for Highâ€Energyâ€Density Lithium–Sulfur Full Cell Based On Solid–Solid Conversion. Angewandte Chemie, 2021, 133, 17867-17875.	2.0	11
4026	Selfâ€Assembly of 0D–2D Heterostructure Electrocatalyst from MOF and MXene for Boosted Lithium Polysulfide Conversion Reaction. Advanced Materials, 2021, 33, e2101204.	21.0	183
4027	A Hierarchically Ordered Mesoporous-Carbon-Supported Iron Sulfide Anode for High-Rate Na-Ion Storage. Molecules, 2021, 26, 4349.	3.8	3
4028	Metal–Organic Frameworksâ€Derived Nitrogenâ€Doped Porous Carbon Nanocubes with Embedded Co Nanoparticles as Efficient Sulfur Immobilizers for Room Temperature Sodium–Sulfur Batteries. Small Methods, 2021, 5, e2100455.	8.6	48
4029	Laserâ€Induced Graphene Assisting Selfâ€Conversion Reaction for Sulfurâ€Free Aqueous Cuâ€S Battery. Advanced Functional Materials, 2021, 31, 2103893.	14.9	27

#	Article	IF	CITATIONS
4030	Atomic-scale regulation of anionic and cationic migration in alkali metal batteries. Nature Communications, 2021, 12, 4184.	12.8	57
4031	An Enhanced Electrode via Coupling with a Conducting Molecule to Extend Interfacial Reactions. Advanced Energy Materials, 2021, 11, 2101156.	19.5	11
4032	Molecular Dynamics Simulation of Solvation Nanostructure in Carbonate-Based Electrolyte of Lithium–Sulfur Battery. Nano, 2021, 16, 2150092.	1.0	0
4033	Design principles and direct applications of cobalt-based metal-organic frameworks for electrochemical energy storage. Coordination Chemistry Reviews, 2021, 438, 213872.	18.8	51
4034	Heterogeneous Mediator Enabling Threeâ€Ðimensional Growth of Lithium Sulfide for Highâ€Performance Lithium–Sulfur Batteries. Energy and Environmental Materials, 2022, 5, 1214-1221.	12.8	16
4035	Nitrogen-doped carbonaceous scaffold anchored with cobalt nanoparticles as sulfur host for efficient adsorption and catalytic conversion of polysulfides in lithium-sulfur batteries. Electrochimica Acta, 2021, 383, 138371.	5.2	25
4036	Cobalt-embedded hierarchically-porous hollow carbon microspheres as multifunctional confined reactors for high-loading Li-S batteries. Nano Energy, 2021, 85, 105981.	16.0	85
4037	Customizing Multifunctional Sulfur Host Materials Via a General Anionâ€Exchange Process with Metal–Organic Solid. Advanced Functional Materials, 2021, 31, 2104513.	14.9	4
4038	Construction of high performance N-doped Na3V2(PO4)2F3/C cathode assisting by plasma enhanced chemical vapor deposition for sodium-ion batteries. Electrochimica Acta, 2021, 383, 138370.	5.2	15
4039	Synthesis and Characteristics of Nanoporous Carbon Spheres /S Composite as Cathode Material for Li-S Battery. International Journal of Electrochemical Science, 2021, 16, 21073.	1.3	0
4040	High-Rate Performance All-Solid-State Li-SeS2 Battery with Selenium sulphide/three-dimensional graphene as cathode material. International Journal of Electrochemical Science, 2021, 16, 210759.	1.3	3
4041	Designing Cation–Solvent Fully Coordinated Electrolyte for Highâ€Energyâ€Density Lithium–Sulfur Full Cell Based On Solid–Solid Conversion. Angewandte Chemie - International Edition, 2021, 60, 17726-17734.	13.8	50
4042	Mechanistic Insights into Interactions of Polysulfides at VS ₂ Interfaces in Na–S Batteries: A DFT Study. ACS Applied Materials & Interfaces, 2021, 13, 35848-35855.	8.0	28
4043	Improving the low-rate stability of lithium-sulfur battery through the coating of conductive polymer. Ionics, 2021, 27, 3887-3893.	2.4	4
4044	Enhanced Cyclic Stability of Sulfur Electrode by a Liâ€Nafionâ€Supported Encapsulated Configuration. Energy Technology, 2021, 9, 2100418.	3.8	5
4045	First-principles study: Polyethylene glycol as a promising coating material for Li-S batteries. Chemical Physics Letters, 2021, 777, 138711.	2.6	2
4046	The free-standing cathode fabricated with nano-CoSe2 embedded in mesoporous carbon nanosheets towards high performance Li/SeS2 batteries. Chemical Engineering Journal, 2021, 418, 129475.	12.7	11
4047	Weaving 3D highly conductive hierarchically interconnected nanoporous web by threading MOF crystals onto multi walled carbon nanotubes for high performance Li–Se battery. Journal of Energy Chemistry, 2021, 59, 396-404.	12.9	43

#	Article	IF	CITATIONS
4048	Defect-Rich Amorphous Iron-Based Oxide/Graphene Hybrid-Modified Separator toward the Efficient Capture and Catalysis of Polysulfides. ACS Applied Materials & Interfaces, 2021, 13, 41698-41706.	8.0	17
4049	Flowerâ€Like Interlayerâ€Expanded MoS _{2â^'} <i>_x</i> Nanosheets Confined in Hollow Carbon Spheres with Highâ€Efficiency Electrocatalysis Sites for Advanced Sodium–Sulfur Battery. Small, 2021, 17, e2101879.	10.0	53
4050	Realizing Highâ€Performance Liâ€6 Batteries through Additive Manufactured and Chemically Enhanced Cathodes. Small Methods, 2021, 5, e2100176.	8.6	12
4051	Identifying the Evolution of Seâ€Vacancyâ€Modulated MoSe2 Preâ€Catalyst in Li–S Chemistry. Angewandte Chemie, 0, , .	2.0	11
4052	Universal interface and defect engineering dual-strategy for graphene-oxide heterostructures toward promoted Li–S chemistry. Chemical Engineering Journal, 2021, 418, 129407.	12.7	24
4053	SnS2 monolayer and SnS2/graphene heterostructure as promising anchoring materials for lithium-sulfur batteries: A computational study. Chemical Physics, 2021, 548, 111220.	1.9	17
4054	Selective Catalysis Remedies Polysulfide Shuttling in Lithium‣ulfur Batteries. Advanced Materials, 2021, 33, e2101006.	21.0	229
4055	A Dual-Functional Fibrous Skeleton Implanted with Single-Atomic Co–N _{<i>x</i>} Dispersions for Longevous Li–S Full Batteries. ACS Nano, 2021, 15, 14105-14115.	14.6	72
4056	Dual-heterostructures decorated interweaved carbon nanofibers sulfur host for high performance lithium-sulfur batteries. Chemical Engineering Journal, 2021, 418, 129388.	12.7	27
4057	Design Zwitterionic Amorphous Conjugated Microâ€∤Mesoporous Polymer Assembled Nanotentacle as Highly Efficient Sulfur Electrocatalyst for Lithiumâ€Sulfur Batteries. Advanced Energy Materials, 2021, 11, 2101926.	19.5	32
4058	Incorporating Cobalt Nanoparticles in Nitrogen-Doped Mesoporous Carbon Spheres through Composite Micelle Assembly for High-Performance Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 38604-38612.	8.0	17
4059	Single-Atom Catalysts as Promising Cathode Materials for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2021, 125, 18108-18118.	3.1	41
4060	Effects of Photochemical Oxidation of the Carbonaceous Additives on Li–S Cell Performance. ACS Applied Materials & Interfaces, 2021, 13, 41517-41523.	8.0	3
4061	Recent Advances and Applications Toward Emerging Lithium–Sulfur Batteries: Working Principles and Opportunities. Energy and Environmental Materials, 2022, 5, 777-799.	12.8	106
4062	Facet-Engineered Tungsten Disulfide for Promoting Polysulfide Electrocatalysis in Lithium–Sulfur Batteries. Inorganic Chemistry, 2021, 60, 12883-12892.	4.0	7
4063	Ordered nano-structured mesoporous CMK-8 and other carbonaceous positive electrodes for rechargeable aluminum batteries. Chemical Engineering Journal, 2021, 417, 129131.	12.7	15
4064	Recent progress in organic Polymers-Composited sulfur materials as cathodes for Lithium-Sulfur battery. Chemical Engineering Journal, 2021, 417, 129309.	12.7	65
4065	ldentifying the Evolution of Seleniumâ€Vacancyâ€Modulated MoSe ₂ Precatalyst in Lithium–Sulfur Chemistry. Angewandte Chemie - International Edition, 2021, 60, 24558-24565.	13.8	113

#	Article	lF	CITATIONS
4066	Porous carbon prepared by zeolitic imidazolate framework (<scp>ZIFâ€7â€III</scp>) as the precursor for supercapacitor applications in different electrolytes. International Journal of Energy Research, 2022, 46, 795-809.	4.5	15
4067	Multiscale Understanding of Covalently Fixed Sulfur–Polyacrylonitrile Composite as Advanced Cathode for Metal–Sulfur Batteries. Advanced Science, 2021, 8, e2101123.	11.2	27
4068	A Highly Conductive COF@CNT Electrocatalyst Boosting Polysulfide Conversion for Li–S Chemistry. ACS Energy Letters, 2021, 6, 3053-3062.	17.4	97
4069	A Nickelâ€Decorated Carbon Flower/Sulfur Cathode for Leanâ€Electrolyte Lithium–Sulfur Batteries. Advanced Energy Materials, 2021, 11, 2101449.	19.5	67
4070	Conductive metal-organic frameworks promoting polysulfides transformation in lithium-sulfur batteries. Journal of Energy Chemistry, 2021, 63, 336-343.	12.9	17
4071	3D CoS2/rGO aerogel as trapping-catalyst sulfur host to promote polysulfide conversion for stable Li-S batteries. Journal of Alloys and Compounds, 2021, 873, 159780.	5.5	32
4072	Improved lithium storage performance of sulfur loaded by CMK-3 with a tailored hierarchical pore structure. Journal of Solid State Electrochemistry, 2021, 25, 2503-2511.	2.5	6
4073	Poly(Ethylene Glycolâ€ <i>block</i> â€2â€Ethylâ€2â€Oxazoline) as Cathode Binder in Lithiumâ€Sulfur Batteries. ChemistryOpen, 2021, 10, 960-965.	1.9	3
4074	Multifunctional B/N Coâ€Doped Graphene Interlayer for Fast and Stable Lithium‣ulfur Batteries. ChemistrySelect, 2021, 6, 8375-8378.	1.5	1
4075	High-Capacity CuSi ₂ P ₃ -Based Semisolid Anolyte for Redox Flow Batteries. ACS Applied Materials & Interfaces, 2021, 13, 40552-40561.	8.0	7
4076	Mn-N-C Nanostructure Derived from MnO2-x/PANI as Highly Performing Cathode Additive in Li-S Battery. Reactions, 2021, 2, 275-286.	2.1	0
4077	Effect of loading methods on the performance of hierarchical porous carbon/sulfur composites in lithium sulfur batteries. Electrochimica Acta, 2021, 388, 138650.	5.2	17
4078	Three-Dimensional Engineering of Sulfur/MnO ₂ Composites for High-Rate Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 38394-38404.	8.0	17
4079	Grafting and Depositing Lithium Polysulfides on Cathodes for Cycling Stability of Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 40685-40694.	8.0	8
4080	Properties of S-Functionalized Nitrogen-Based MXene (Ti2NS2) as a Hosting Material for Lithium-Sulfur Batteries. Nanomaterials, 2021, 11, 2478.	4.1	12
4081	Facile "Lotus Blooming―Strategy to Synthesize a 3D Carbon Nanosheet/Carbon Nanotube Framework with Embedded Co Nanocrystals for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2021, 4, 11343-11352.	5.1	2
4082	Mo ₂ C Electrocatalysts for Kinetically Boosting Polysulfide Conversion in Quasi-Solid-State Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 45651-45660.	8.0	7
4083	Basal-Plane-Activated Molybdenum Sulfide Nanosheets with Suitable Orbital Orientation as Efficient Electrocatalysts for Lithium–Sulfur Batteries. ACS Nano, 2021, 15, 16515-16524.	14.6	46

#	Article	IF	Citations
4084	Microregion Welding Strategy Prevents the Formation of Inactive Sulfur Species for Highâ€Performance Li–S Battery. Advanced Energy Materials, 2021, 11, 2102024.	19.5	21
4085	Rational design and superfast production of biomimetic, calendering-compatible, catalytic, sulfur-rich secondary particles for advanced lithium-sulfur batteries. Energy Storage Materials, 2021, 40, 415-425.	18.0	27
4086	Porous Mo2C nanofibers with high conductivity as an efficient sulfur host for highly-stable lithium-sulfur batteries. Journal of Physics and Chemistry of Solids, 2021, 156, 110193.	4.0	5
4087	Recent progress of separators in lithium-sulfur batteries. Energy Storage Materials, 2021, 40, 439-460.	18.0	156
4088	A 3D Graphene/WO3 nanowire composite with enhanced capture and polysulfides conversion catalysis for high-performance Li–S batteries. Carbon, 2021, 182, 335-347.	10.3	34
4089	Advances in multi-functional flexible interlayers for Li–S batteries and metal-based batteries. Materials Today Communications, 2021, 28, 102566.	1.9	6
4090	Quantitative analysis on the heat transfer modes in the process of thermal runaway propagation in lithium-ion battery pack under confined and semi-confined space. International Journal of Heat and Mass Transfer, 2021, 176, 121483.	4.8	37
4091	Nitrogen/oxygen codoped hierarchical porous Carbons/Selenium cathode with excellent lithium and sodium storage behavior. Journal of Colloid and Interface Science, 2022, 608, 265-274.	9.4	20
4092	Construction of all-carbon micro/nanoscale interconnected sulfur host for high-rate and ultra-stable lithium-sulfur batteries: Role of oxygen-containing functional groups. Journal of Colloid and Interface Science, 2022, 608, 459-469.	9.4	13
4093	A high-performance lithiated silicon–sulfur battery with pomegranate-structured electrodes. Journal of Power Sources, 2021, 506, 230174.	7.8	12
4094	A long-life and safe lithiated graphite-selenium cell with competitive gravimetric and volumetric energy densities. Journal of Energy Chemistry, 2021, 60, 556-563.	12.9	4
4095	Electrolyte solutions design for lithium-sulfur batteries. Joule, 2021, 5, 2323-2364.	24.0	199
4096	Materials design and fundamental understanding of tellurium-based electrochemistry for rechargeable batteries. Energy Storage Materials, 2021, 40, 166-188.	18.0	39
4097	Hollow C/Co9S8 hybrid polyhedra-modified carbon nanofibers as sulfur hosts for promising Li–S batteries. Ceramics International, 2021, 47, 25387-25397.	4.8	13
4098	Efficient Polysulfide Trapping and Conversion on Nâ€Doped CoTe ₂ via Enhanced Dualâ€Anchoring Effect. Small, 2021, 17, e2102962.	10.0	19
4099	Engineering the morphology/porosity of oxygen-doped carbon for sulfur host as lithium-sulfur batteries. Journal of Energy Chemistry, 2021, 60, 531-545.	12.9	38
4100	Wide Working Temperature Range Rechargeable Lithium–Sulfur Batteries: A Critical Review. Advanced Functional Materials, 2021, 31, 2107136.	14.9	43
4101	Cobalt-iron oxide nanotubes decorated with polyaniline as advanced cathode hosts for Li-S batteries. Electrochimica Acta, 2021, 390, 138873.	5.2	16

		CITATION REPORT		
#	ARTICLE Revisiting lithium metal anodes from a dynamic and realistic perspective. EnergyChem. 20	021.3.100063	IF 19.1	Citations
4103	Titanium oxide nanowire clots with two-phase composition as multi-effect sulfur reservoi lithium-sulfur batteries. Scripta Materialia, 2021, 202, 113989.	rs for	5.2	4
4104	Quantifying the chemical, electrochemical heterogeneity and spatial distribution of (poly species using Operando SANS. Energy Storage Materials, 2021, 40, 219-228.) sulfide	18.0	7
4105	Role of Polysulfide Anions in Solid-Electrolyte Interphase Formation at the Lithium Metal ELi–S Batteries. Journal of Physical Chemistry Letters, 2021, 12, 9360-9367.	Surface in	4.6	13
4106	A porous rGO with high specific surface area and high content of doped-N modifying the for high performance Li-S battery. Electrochimica Acta, 2021, 391, 138910.	separator	5.2	18
4107	Minimizing Long-Chain Polysulfide Formation in Li-S Batteries by Using Localized Low Co Highly Fluorinated Electrolytes. Journal of the Electrochemical Society, 2021, 168, 09054	ncentration 3.	2.9	8
4108	Efficient polysulfides conversion on Mo2CTx MXene for high-performance lithium–sulfı Rare Metals, 2022, 41, 311-318.	ır batteries.	7.1	40
4109	Regulating the polysulfide redox kinetics for high-performance lithium-sulfur batteries the highly sulfiphilic FeWO4 nanorods. Chemical Engineering Journal, 2021, 419, 129509.	rough	12.7	23
4110	A crosslinking hydrogel binder for high-sulfur content S@pPAN cathode in rechargeable li batteries. Journal of Energy Chemistry, 2021, 60, 360-367.	thium	12.9	16
4111	Cobalt(II) entered Fluorinated Phthalocyanineâ€Sulfur S _N Ar Chemistry fo Lithium–Sulfur Batteries with Superior Conversion Kinetics. Advanced Functional Mate 2106679.	pr Robust rials, 2021, 31,	14.9	28
4112	Catalyzing polysulfide redox conversion for promoting the electrochemical performance lithium-sulfur batteries by CoFe alloy. Chemical Engineering Journal, 2021, 421, 129997.	of	12.7	40
4113	Diphenyl guanidine vulcanization accelerators enable sulfurized polyacrylonitrile cathode capacity and ether-compatible by fast kinetic. Energy, 2021, 233, 121160.	for high	8.8	3
4114	Double bond effects induced by iron selenide as immobilized homogenous catalyst for ef polysulfides capture. Chemical Engineering Journal, 2021, 421, 129770.	ficient	12.7	18
4115	One-Pot Structure Direction of Large-Pore Co-Continuous Carbon Monoliths from Ultrala Diblock Copolymers. Chemistry of Materials, 2021, 33, 7731-7742.	rge Linear	6.7	2
4116	Enhanced catalytic conversion of polysulfide using 1D CoTe and 2D MXene for heat-resis lean-electrolyte Li–S batteries. Chemical Engineering Journal, 2022, 430, 132734.	tant and	12.7	40
4117	Gradient sulfur fixing separator with catalytic ability for stable lithium sulfur battery. Che Engineering Journal, 2021, 422, 130107.	mical	12.7	36
4118	Encapsulation of sulfur within well-defined size-tunable ultrasmall carbon nanospheres fo high-rate and long-stability Li–S batteries. Chemical Engineering Journal, 2021, 422, 13	r superior 0129.	12.7	14
4119	A special core-shell ZnS-CNTs/S@NH cathode constructed to elevate electrochemical per lithium-sulfur batteries. Journal of Colloid and Interface Science, 2021, 599, 416-426.	formances of	9.4	13

#	Article	IF	CITATIONS
4120	Addressing interface elimination: Boosting comprehensive performance of all-solid-state Li-S battery. Energy Storage Materials, 2021, 41, 563-570.	18.0	22
4121	A Cost- and Energy Density-Competitive Lithium-Sulfur Battery. Energy Storage Materials, 2021, 41, 588-598.	18.0	30
4122	Recent Progress in MXene-Based Materials for Metal-Sulfur and Metal-Air Batteries: Potential High-Performance Electrodes. Electrochemical Energy Reviews, 2022, 5, 112-144.	25.5	99
4123	Dual lignin valorization enabled by carbon quantum dots and lithium-sulfur cathode. Industrial Crops and Products, 2021, 170, 113801.	5.2	10
4124	Rechargeable metal (Li, Na, Mg, Al)-sulfur batteries: Materials and advances. Journal of Energy Chemistry, 2021, 61, 104-134.	12.9	80
4125	Concurrent realization of dendrite-free anode and high-loading cathode via 3D printed N-Ti3C2 MXene framework toward advanced Li–S full batteries. Energy Storage Materials, 2021, 41, 141-151.	18.0	72
4126	Improving poisoning resistance of electrocatalysts via alloying strategy for high-performance lithium-sulfur batteries. Energy Storage Materials, 2021, 41, 248-254.	18.0	51
4127	Laser-induced micro-explosion to construct hierarchical structure as efficient polysulfide mediators for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2021, 421, 129707.	12.7	11
4128	Modified nano-CaCO3 hard template method for hierarchical porous carbon powder with enhanced electrochemical performance in lithium-sulfur battery. Advanced Powder Technology, 2021, 32, 3574-3584.	4.1	10
4129	A Conjugated Porous Polymer Complexed with a Single-Atom Cobalt Catalyst as An Electrocatalytic Sulfur Host for Enhancing Cathode Reaction Kinetics. Energy Storage Materials, 2021, 41, 14-23.	18.0	51
4130	Rational design of carbon nanotube architectures for lithium–chalcogen batteries: Advances and perspectives. Energy Storage Materials, 2021, 42, 723-752.	18.0	20
4131	Enhancing the electrochemical performances of Li2S-based cathode through conductive interface design and addition of mixed conductive materials. Electrochimica Acta, 2021, 396, 139238.	5.2	2
4132	A heterogeneous FeP-CoP electrocatalyst for expediting sulfur redox in high-specific-energy lithium-sulfur batteries. Electrochimica Acta, 2021, 397, 139275.	5.2	17
4133	Thirty-minute synthesis of hierarchically ordered sulfur particles enables high-energy, flexible lithium-sulfur batteries. Nano Energy, 2021, 89, 106459.	16.0	22
4134	Appreciating the role of polysulfides in lithium-sulfur batteries and regulation strategies by electrolytes engineering. Energy Storage Materials, 2021, 42, 645-678.	18.0	36
4135	Multifunction Co-Nx species to manipulate polysulfides conversion kinetics toward highly efficient lithium-sulfur batteries. Nano Energy, 2021, 89, 106426.	16.0	32
4136	Fluorinated quinone derived organosulfur copolymer cathodes for long-cycling, thermostable and flexible lithium–sulfur batteries. Chemical Engineering Journal, 2021, 424, 130316.	12.7	21
4137	Fe, N co-doped amorphous carbon as efficient electrode materials for fast and stable Na/K-storage. Electrochimica Acta, 2021, 396, 139265.	5.2	11

#	Article	IF	CITATIONS
4138	Hierarchically porous nanofibers comprising multiple core–shell Co3O4@graphitic carbon nanoparticles grafted within N-doped CNTs as functional interlayers for excellent Li–S batteries. Chemical Engineering Journal, 2021, 426, 130805.	12.7	49
4139	Entrapping polysulfides via S, N-coordinated supermolecule towards enhanced Li-S kinetics. Chemical Engineering Journal, 2021, 426, 131355.	12.7	6
4140	Peach gum as an efficient binder for high-areal-capacity lithium–sulfur batteries. Sustainable Materials and Technologies, 2021, 30, e00334.	3.3	3
4141	High-performance lithium-sulfur battery enabled by jointing cobalt decorated interlayer and polyethyleneimine functionalized separator. Journal of Alloys and Compounds, 2021, 888, 161459.	5.5	4
4142	Multiple roles of titanium carbide in performance boosting: Mediator, anchor and electrocatalyst for polysulfides redox regulation. Chemical Engineering Journal, 2021, 426, 130744.	12.7	11
4143	Crosslinked polyacrylonitrile precursor for S@pPAN composite cathode materials for rechargeable lithium batteries. Journal of Energy Chemistry, 2022, 65, 186-193.	12.9	15
4144	Nano storage-boxes constructed by the vertical growth of MoS2 on graphene for high-performance Li-S batteries. Journal of Energy Chemistry, 2022, 66, 91-99.	12.9	37
4145	Co nanoparticles anchored on the Co-Nx active centers grafted nitrogen-doped graphene with enhanced performance for lithium-sulfur battery. Journal of Alloys and Compounds, 2022, 890, 161552.	5.5	8
4146	The formation of crystalline lithium sulfide on electrocatalytic surfaces in lithium–sulfur batteries. Journal of Energy Chemistry, 2022, 64, 568-573.	12.9	56
4147	Evaluation on a 400ÂWhÂkgâ^'1 lithium–sulfur pouch cell. Journal of Energy Chemistry, 2022, 66, 24-29.	12.9	69
4148	Dual-regulation strategy to enhance electrochemical catalysis ability of NiCo2O4-x for polysulfides conversion in Li-S batteries. Chemical Engineering Journal, 2022, 428, 131109.	12.7	35
4149	Dual redox catalysis of VN/nitrogen-doped graphene nanocomposites for high-performance lithium-sulfur batteries. Journal of Energy Chemistry, 2022, 64, 574-582.	12.9	68
4150	Guanine-assisted N-doped ordered mesoporous carbons as efficient capacity decaying suppression materials for lithium–sulfur batteries. Journal of Materials Science and Technology, 2022, 101, 155-164.	10.7	23
4151	Dual-functional Co5.47N/Fe3N heterostructure interconnected 3D N-doped carbon nanotube-graphene hybrids for accelerating polysulfide conversion in Li-S batteries. Chemical Engineering Journal, 2022, 427, 131774.	12.7	38
4152	Templated spherical coassembly strategy to fabricate MoS2/C hollow spheres with physical/chemical polysulfides trapping for lithium-sulfur batteries. Journal of Materials Science and Technology, 2022, 98, 136-142.	10.7	10
4153	An integrated flexible film as cathode for High-Performance Lithium–Sulfur battery. Journal of Colloid and Interface Science, 2022, 606, 1627-1635.	9.4	7
4154	Rational design of an Allyl-rich Triazine-based covalent organic framework host used as efficient cathode materials for Li-S batteries. Chemical Engineering Journal, 2022, 429, 132254.	12.7	29
4155	Multivalent metal–sulfur batteries for green and cost-effective energy storage: Current status and challenges. Journal of Energy Chemistry, 2022, 64, 144-165.	12.9	31

#	Article	IF	CITATIONS
4156	Novel functional separator with self-assembled MnO2 layer via a simple and fast method in lithium-sulfur battery. Journal of Colloid and Interface Science, 2022, 606, 666-676.	9.4	33
4157	Roles of metal element substitutions from the bimetallic solid state electrolytes in lithium batteries. Particuology, 2022, 65, 51-71.	3.6	3
4158	Two-dimensional conjugated aromatic polymer as a promising anchoring material for lithium-sulfur batteries. Applied Surface Science, 2022, 571, 151226.	6.1	6
4159	Novel lithium-chalcogenide batteries combining S, Se and C characteristics supported by chitosan-derived carbon intertwined with CNTs. Chemical Engineering Journal, 2022, 427, 131790.	12.7	12
4160	Deciphering the intrinsic kinetics of liquid lithium polysulfides redox process in ether-based flowing electrolyte for Li–S batteries. Chemical Engineering Journal, 2022, 427, 131586.	12.7	4
4161	Cubic MnSe2 microcube enabling high-performance sulfur cathode for lithium-sulfur batteries. Sustainable Energy and Fuels, 0, , .	4.9	2
4162	Improved Redox Reaction of Lithium Polysulfides on the Interfacial Boundary of Polar CoC 2 O 4 as a Polysulfide Catenator for a Highâ€Capacity Lithiumâ€Sulfur Battery. ChemSusChem, 2021, 14, 757-757.	6.8	2
4163	Nanoboxes with a porous MnO core and amorphous TiO ₂ shell as a mediator for lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 4952-4961.	10.3	26
4164	Interfacial design of thick sulfur cathodes to achieve high energy density and stability. Journal of Materials Chemistry A, 2021, 9, 17129-17142.	10.3	9
4165	A review of size engineering-enabled electrocatalysts for Li–S chemistry. Nanoscale Advances, 2021, 3, 5777-5784.	4.6	10
4166	Accelerating the redox kinetics by catalytic activation of "dead sulfur―in lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 13442-13458.	10.3	30
4167	Reversible electrochemical conversion from selenium to cuprous selenide. Chemical Communications, 2021, 57, 10703-10706.	4.1	6
4168	Dual Li-ion migration channels in an ester-rich copolymer/ionic liquid quasi-solid-state electrolyte for high-performance Li–S batteries. Journal of Materials Chemistry A, 2021, 9, 2459-2469.	10.3	18
4169	High-performance lithium–sulfur batteries enabled by regulating Li ₂ S deposition. Physical Chemistry Chemical Physics, 2021, 23, 21385-21398.	2.8	12
4170	Transition metal nitrides for electrochemical energy applications. Chemical Society Reviews, 2021, 50, 1354-1390.	38.1	580
4172	Lithium–Sulfur Batteries. , 2021, , 393-402.		0
4173	Li–S Battery Using Li2S Cathode. , 2021, , 403-414.		0
4174	The development, application, and performance of black phosphorus in energy storage and conversion. Materials Advances, 2021, 2, 2483-2509.	5.4	14

#	Article	IF	CITATIONS
4175	Efficient polysulfide trapping in lithium–sulfur batteries using ultrathin and flexible BaTiO ₃ /graphene oxide/carbon nanotube layers. Nanoscale, 2021, 13, 6863-6870.	5.6	3
4176	Research Progress of Organic Sulfur Polymer Cathode Materials for Lithium-Sulfur Batteries. Journal of Advances in Physical Chemistry, 2021, 10, 41-50.	0.1	0
4177	Carbonaceous Electrode Materials. , 2021, , .		0
4178	MOF-derived ZnO/ZnFe2O4@RGO nanocomposites with high lithium storage performance. Journal of Solid State Electrochemistry, 2021, 25, 1175-1181.	2.5	7
4179	Thermodynamic aspect of sulfur, polysulfide anion and lithium polysulfide: plausible reaction path during discharge of lithium–sulfur battery. Physical Chemistry Chemical Physics, 2021, 23, 6832-6840.	2.8	11
4180	Towards practical cells: combined use of titanium black as a cathode additive and sparingly solvating electrolyte for high-energy-density lithium–sulfur batteries. Sustainable Energy and Fuels, 2021, 5, 1821-1831.	4.9	15
4181	High Performance of Sulfur/Carbon Cathode Synthesized via a Facile Green Microwave Approach. Energy & Fuels, 2021, 35, 2750-2757.	5.1	1
4182	Crucial Challenges and Recent Optimization Progress of Metal–Sulfur Battery Electrolytes. Energy & Fuels, 2021, 35, 1966-1988.	5.1	26
4183	Boosting the rate performance of Li–S batteries under high mass-loading of sulfur based on a hierarchical NCNT@Co-CoP nanowire integrated electrode. Journal of Materials Chemistry A, 2021, 9, 11151-11159.	10.3	26
4184	Biomass-based materials for green lithium secondary batteries. Energy and Environmental Science, 2021, 14, 1326-1379.	30.8	157
4185	Recent Advances in Heterostructure Engineering for Lithium–Sulfur Batteries. Advanced Energy Materials, 2021, 11, 2003689.	19.5	269
4186	Single Atom Catalysts for Fuel Cells and Rechargeable Batteries: Principles, Advances, and Opportunities. ACS Nano, 2021, 15, 210-239.	14.6	199
4187	Advanced Electrode Materials in Lithium Batteries: Retrospect and Prospect. Energy Material Advances, 2021, 2021, .	11.0	179
4188	Strategy of Enhancing the Volumetric Energy Density for Lithium–Sulfur Batteries. Advanced Materials, 2021, 33, e2003955.	21.0	185
4189	Hierarchical Carbideâ€Derived Carbon Foams with Advanced Mesostructure as a Versatile Electrochemical Energyâ€Storage Material. Advanced Energy Materials, 2014, 4, 1300645.	19.5	96
4190	Highly Dispersed Cobalt Clusters in Nitrogenâ€Doped Porous Carbon Enable Multiple Effects for Highâ€Performance Li–S Battery. Advanced Energy Materials, 2020, 10, 1903550. 	19.5	192
4191	Boosting Polysulfide Redox Kinetics by Grapheneâ€5upported Ni Nanoparticles with Carbon Coating. Advanced Energy Materials, 2020, 10, 2000907.	19.5	89
4192	Radially Inwardly Aligned Hierarchical Porous Carbon for Ultraâ€Longâ€Life Lithium–Sulfur Batteries. Angewandte Chemie, 2020, 132, 6468-6473.	2.0	15

#	Article	IF	CITATIONS
4193	Anode Materials, SEI, Carbon, Graphite, Conductivity, Graphene, Reversible, Formation. , 2019, , 1-71.		6
4194	Zukunftstechnologien. , 2013, , 199-217.		5
4195	Next generation technologies. , 2018, , 187-208.		1
4196	Electrospinning of Nanofibers for Li–S Battery. , 2020, , 101-120.		1
4197	Sulfur-doped graphene aerogels reinforced with carbon fibers as electrode materials. Journal of Materials Science, 2020, 55, 9676-9685.	3.7	7
4198	Dealloyed nanoporous materials for rechargeable lithium batteries. Electrochemical Energy Reviews, 2020, 3, 541-580.	25.5	49
4199	All-solid-state sodium-sulfur battery showing full capacity with activated carbon MSP20-sulfur-Na3SbS4 composite. Electrochemistry Communications, 2020, 116, 106741.	4.7	18
4200	Catalytic Effects in the Cathode of Li-S Batteries: Accelerating polysulfides redox conversion. EnergyChem, 2020, 2, 100036.	19.1	35
4201	Halogen-free flame-retardant sulfur copolymers with stable Li–S battery performance. Energy Storage Materials, 2020, 29, 350-360.	18.0	36
4202	A rational VO2 nanotube/graphene binary sulfur host for superior lithium-sulfur batteries. Journal of Alloys and Compounds, 2020, 838, 155504.	5.5	18
4203	Performance enhancement of Li-S battery with the anatase nano structured Fe doped TiO2 as a robust interlayer. Journal of Alloys and Compounds, 2020, 838, 155607.	5.5	13
4204	All in one plasma process: From the preparation of S-C composite cathode to alleviation of polysulfide shuttle in Li-S batteries. Journal of Colloid and Interface Science, 2020, 577, 450-458.	9.4	7
4205	A polypyrrole-coated acetylene black/sulfur composite cathode material for lithium–sulfur batteries. Journal of Energy Chemistry, 2018, 27, 813-819.	12.9	45
4206	The origin of the two-plateaued or one-plateaued open circuit voltage in Li–S batteries. Nano Energy, 2020, 75, 104915.	16.0	28
4207	Expediting the electrochemical kinetics of 3D-printed sulfur cathodes for Li–S batteries with high rate capability and areal capacity. Nano Energy, 2020, 75, 104970.	16.0	44
4208	Research Progress on Improving the Sulfur Conversion Efficiency on the Sulfur Cathode Side in Lithium–Sulfur Batteries. Industrial & Engineering Chemistry Research, 2020, 59, 20979-21000.	3.7	13
4209	Effective Trapping of Polysulfides Using Functionalized Thin-Walled Porous Carbon Nanotubes as Sulfur Hosts for Lithium–Sulfur Batteries. Inorganic Chemistry, 2020, 59, 8481-8486.	4.0	21
4210	The Anchoring Effect of 2D Graphdiyne Materials for Lithium–Sulfur Batteries. ACS Omega, 2020, 5, 13424-13429.	3.5	10

#	Article	IF	CITATIONS
4211	Perovskite Lithium Lanthanum Titanate-Modified Separator as Both Adsorbent and Converter of Soluble Polysulfides toward High-Performance Li-S Battery. ACS Sustainable Chemistry and Engineering, 2020, 8, 16477-16492.	6.7	20
4212	CHAPTER 8. HTC-Derived Materials in Energy and Sequestration Applications. RSC Green Chemistry, 2015, , 225-273.	0.1	1
4213	<i>In situ</i> optical spectroscopy characterization for optimal design of lithium–sulfur batteries. Chemical Society Reviews, 2019, 48, 5432-5453.	38.1	120
4214	Recent advances of hollow-structured sulfur cathodes for lithium–sulfur batteries. Materials Chemistry Frontiers, 2020, 4, 2517-2547.	5.9	19
4215	Three-dimensional ordered macroporous ZIF-8 nanoparticle-derived nitrogen-doped hierarchical porous carbons for high-performance lithium–sulfur batteries. RSC Advances, 2020, 10, 41983-41992.	3.6	11
4216	Approaching the voltage and energy density limits of potassium–selenium battery chemistry in a concentrated ether-based electrolyte. Chemical Science, 2020, 11, 6045-6052.	7.4	38
4217	Metal-organic frameworks (MOFs) derived carbon-coated NiS nanoparticles anchored on graphene layers for high-performance Li-S cathode material. Nanotechnology, 2020, 31, 485404.	2.6	10
4218	Harnessing the unique properties of MXenes for advanced rechargeable batteries. JPhys Energy, 2021, 3, 012005.	5.3	14
4219	Supercooled liquid sulfur maintained in three-dimensional current collector for high-performance Li-S batteries. Science Advances, 2020, 6, eaay5098.	10.3	95
4220	Modifications of Separators for Li–S Batteries with Improved Electrochemical Performance. Russian Journal of Electrochemistry, 2020, 56, 365-377.	0.9	18
4221	Characterization of the Solid-Electrolyte Interphase between a Cu Electrode and LiN(CF ₃ SO ₂) ₂ -triglyme Solvate Ionic Liquid. Journal of the Electrochemical Society, 2020, 167, 110560.	2.9	6
4222	Solid-State Lithium-Sulfur Battery Based on Composite Electrode and Bi-layer Solid Electrolyte Operable at Room Temperature. Journal of the Electrochemical Society, 2020, 167, 140529.	2.9	11
4223	Catalyst-Free <i>In Situ</i> Carbon Nanotube Growth in Confined Space <i>via</i> High Temperature Gradient. Research, 2018, 2018, 1793784.	5.7	7
4224	Effects of Carbon Hosts on Electrochemical Properties of Lithium-Sulfur Batteries. International Journal of Electrochemical Science, 2017, 12, 5731-5741.	1.3	6
4225	Core-shell MnO2/S Composite as High-Performance Cathode Materials for Li-S Batteries. International Journal of Electrochemical Science, 2018, 13, 12155-12162.	1.3	3
4226	Reality and Future of Rechargeable Lithium Batteries. Open Materials Science Journal, 2011, 5, 204-214.	0.2	43
4227	The Development of Silicon Nanocomposite Materials for Li-Ion Secondary Batteries. Open Materials Science Journal, 2011, 5, 228-235.	0.2	12
4229	Lithium/Sulfur Secondary Batteries: A Review. Journal of Electrochemical Science and Technology, 2016, 7, 97-114.	2.2	34

#	Article	IF	CITATIONS
4230	Preparation of Mesoporous Carbon/Sulfur Composite Loaded with ZnS and Its Property for Lithium-sulfur Batteries. Wuji Cailiao Xuebao/Journal of Inorganic Materials, 2013, 28, 1127-1131.	1.3	14
4231	Mesoporous Carbon Additives for Long Cycle Life Sulfur Cathodes of Li-S Batteries. Bulletin of the Korean Chemical Society, 2014, 35, 3331-3335.	1.9	4
4232	Influence of Electrolyte Composition on Electrochemical Performance of Li-S Cells. Bulletin of the Korean Chemical Society, 2014, 35, 1299-1304.	1.9	7
4233	Lithium/Sulfur Secondary Batteries: A Review. Journal of Electrochemical Science and Technology, 2016, 7, 97-114.	2.2	10
4234	Effect of Preparation Parameters of Sulfur Cathodes on Electrochemical Properties of Lithium Sulfur Battery. Journal of the Korean Electrochemical Society, 2010, 13, 169-174.	0.1	10
4235	Study on urea precursor effect on the electroactivities of nitrogen-doped graphene nanosheets electrodes for lithium cells. Carbon Letters, 2016, 19, 40-46.	5.9	4
4236	Challenges and key parameters in exploring the cyclability limitation of practical lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 24215-24240.	10.3	53
4237	Sulfurized polyacrylonitrile cathodes with electrochemical and structural tuning for high capacity all-solid-state lithium–sulfur batteries. Sustainable Energy and Fuels, 2021, 5, 5603-5614.	4.9	8
4238	Double Hierarchical 3D Carbon Nanotube Network with Tailored Structure as a Lithium Sulfur Cathode. , 2021, , .		0
4239	Interfacial Assembly and Applications of Functional Mesoporous Materials. Chemical Reviews, 2021, 121, 14349-14429.	47.7	151
4240	High-entropy ceramics: Review of principles, production and applications. Materials Science and Engineering Reports, 2021, 146, 100644.	31.8	294
4241	Revamping Lithium–Sulfur Batteries for High Cellâ€Level Energy Density by Synergistic Utilization of Polysulfide Additives and Artificial Solidâ€Electrolyte Interphase Layers. Advanced Materials, 2021, 33, e2104246.	21.0	8
4242	Natural Lepidolite Enables Fast Polysulfide Redox for Highâ€Rate Lithium Sulfur Batteries. Advanced Energy Materials, 2021, 11, 2102058.	19.5	47
4243	Collectively Exhaustive MXene and Graphene Oxide Multilayer for Suppressing Shuttling Effect in Flexible Lithium Sulfur Battery. Advanced Materials Technologies, 2022, 7, 2101025.	5.8	14
4244	Sulfur/carbon binding with polar MoS3 as cathode materials for lithium-sulfur batteries. Sustainable Materials and Technologies, 2021, 30, e00346.	3.3	3
4245	Electron and Ion Coâ€Conductive Catalyst Achieving Instant Transformation of Lithium Polysulfide towards Li ₂ S. Advanced Materials, 2021, 33, e2105362.	21.0	36
4246	Concurrent Polyvalent Interaction and Electrocatalysis to Improve Lithiumâ€Sulfur Battery Performance. Batteries and Supercaps, 0, , .	4.7	2
4247	Constructing Heterogeneous Structure in Metal–Organic Framework-Derived Hierarchical Sulfur Hosts for Capturing Polysulfides and Promoting Conversion Kinetics. ACS Nano, 2021, 15, 18363-18373.	14.6	35

#	Article	IF	CITATIONS
4248	Donorâ'π–Acceptor Heterosystem-Functionalized Porous Hollow Carbon Microsphere for High-Performance Li–S Cathode Materials with S up to 93 wt %. ACS Applied Materials & Interfaces, 2021, 13, 48872-48880.	8.0	11
4249	Toward High-Performance Lithium–Sulfur Batteries: Efficient Anchoring and Catalytic Conversion of Polysulfides Using P-Doped Carbon Foam. ACS Applied Materials & Interfaces, 2021, 13, 50093-50100.	8.0	18
4250	Recent Advances and Perspectives in Lithiumâ [~] 'Sulfur Pouch Cells. Molecules, 2021, 26, 6341.	3.8	12
4251	A Review of Heteroatom Doped Materials for Advanced Lithium–Sulfur Batteries. Advanced Functional Materials, 2022, 32, 2107166.	14.9	113
4252	Lithium sulfide nanocrystals as cathode materials for advanced batteries. Journal of Energy Chemistry, 2021, 63, 138-169.	12.9	10
4253	Performance enhancement of rechargeable magnesium–sulfur batteries based on a sulfurized poly(acrylonitrile) composite and a lithium salt. Journal of Power Sources, 2021, 515, 230604.	7.8	12
4254	Bead-milling and recrystallization from natural marmatite to Fe-doping ZnS-C materials for lithium-ion battery anodes. Electrochimica Acta, 2021, 399, 139430.	5.2	12
4255	Rational design of a polysulfide catholyte electrocatalyst by interfacial engineering based on novel MoS2/MoN heterostructures for superior room-temperature Na–S batteries. Nano Energy, 2021, 90, 106590.	16.0	22
4256	Electronic and magnetic properties in nitrogen-doped 2D titanium carbides (MXenes): Insight from first-principles calculations. Solid State Communications, 2021, 340, 114549.	1.9	7
4257	Sulfur/Carbon Nanocomposites for High Energy Lithium Battery. ECS Meeting Abstracts, 2010, , .	0.0	0
4258	Battery Components, Active Materials for. , 2012, , 739-768.		0
4259	Synthesis of one-dimensional metallic sulfur inside the nano-confined spaces of carbon nanotubes. Tanso, 2013, 2013, 292-296.	0.1	1
4260	Nano Aspects of Lithium/Sulfur Batteries. Nanostructure Science and Technology, 2014, , 243-257.	0.1	0
4261	Fabrication of for. , 2014, , 1-29.		0
4262	How to use Nanostructured Materials Effectively in Rechargeable Lithium/Sulfur Battery. , 2014, , 867-874.		0
4263	Effect of Particles Drift on Dendritic Growth. Journal of Electrochemical Science and Technology, 2014, 5, 53-57.	2.2	0
4264	Fabrication of Organic Materials for Electronic Textiles. , 2015, , 739-773.		1
4265	Nano-Confined Synthesis of Fullerene Mesoporous Carbon (C60-FMC) with Bimodal Pores: XRD, TEM, Structural Properties, NMR, and Protein Immobilization. International Journal of Nanomaterials Nanotechnology and Nanomedicine, 0, , 001-008.	0.2	0

#	Article	IF	CITATIONS
4267	Polymer-Derived Carbon/Inorganic Nanohybrids for Electrochemical Energy Storage and Conversion. Engineering Materials and Processes, 2017, , 419-480.	0.4	0
4268	Polymer- and Carbon-Based Nanofibres for Energy Storage. Engineering Materials and Processes, 2017, , 307-335.	0.4	0
4269	Electrochemical and Spectroscopic Studies of Nanocomposites Laden with BaTiO3-grafted-graphene Oxide. International Journal of Scientific Research in Science and Technology, 2018, , 319-327.	0.1	0
4270	Rechargeable Lithium Metal Batteries. , 2019, , 147-203.		0
4271	Advanced Coupling of Energy Storage and Photovoltaics. , 2019, , 317-350.		0
4272	Controllable Synthesis of N-Doped Reduced Graphene Oxide Sponge and Its Application in Li-S Batteries. Material Sciences, 2019, 09, 361-367.	0.0	0
4273	Water and mass transport in low-dimensional confined structures. Wuli Xuebao/Acta Physica Sinica, 2019, 68, 018801.	0.5	3
4275	Investigation of the Electrochemical Properties of Lithium–Sulfur Cells with Sulfur Electrodes Based on Carbon Inverted Opals. IFMBE Proceedings, 2020, , 193-197.	0.3	1
4276	1.ãfªãfẽ,¦ãfç;«é»"é›»æ±ç"¨é›»è§£æ¶². Denki Kagaku, 2019, 87, 195-199.	0.0	0
4277	Enhancement in Graphitization of Ordered Mesoporous Carbon by Assistance of Soybean Oil Surfactant. VNU Journal of Science Natural Sciences and Technology, 2020, 36, .	0.1	0
4278	Anthraquinone Covalent Organic Framework Hollow Tubes as Binder Microadditives in Liâ^'S Batteries. Angewandte Chemie, 2022, 134, .	2.0	12
4279	Facile template-free synthesis of mesoporous cobalt sulfide for high-performance hybrid supercapacitors. Journal of Materials Science: Materials in Electronics, 2021, 32, 28663.	2.2	0
4280	The Dual Functions of Defectâ€Rich Carbon Nanotubes as Both Conductive Matrix and Efficient Mediator for LiS Batteries. Small, 2021, 17, e2103535.	10.0	23
4281	Anthraquinone Covalent Organic Framework Hollow Tubes as Binder Microadditives in Liâ^'S Batteries. Angewandte Chemie - International Edition, 2022, 61, .	13.8	52
4282	Engineering Catalytic CoSe–ZnSe Heterojunctions Anchored on Graphene Aerogels for Bidirectional Sulfur Conversion Reactions. Advanced Science, 2022, 9, e2103456.	11.2	79
4283	Balancing Anchoring and Diffusion for Screening of Metal Oxide Cathode Materials in Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2021, 125, 24318-24327.	3.1	3
4284	Construction of Ti4O7/TiN/carbon microdisk sulfur host with strong polar N–Ti–O bond for ultralong life lithium–sulfur battery. Energy Storage Materials, 2022, 44, 180-189.	18.0	74
4285	BiOI nanosheets-wrapped carbon fibers as efficient electrocatalyst for bidirectional polysulfide conversion in Li–S batteries. Chemical Engineering Journal, 2022, 430, 133015.	12.7	14

#	Article	IF	CITATIONS
4286	Recent advances in lithium-sulfur batteries using biomass-derived carbons as sulfur host. Renewable and Sustainable Energy Reviews, 2022, 154, 111783.	16.4	83
4287	Asymmetric separator integrated with ferroelectric-BaTiO3 and mesoporous-CNT for the reutilization of soluble polysulfide in lithium-sulfur batteries. Journal of Alloys and Compounds, 2022, 893, 162272.	5.5	25
4288	A free-standing PAN/PMMA/rGO carbon paper as an effective interlayer for high performance lithium-sulfur batteries. Thermal Science, 2020, 24, 2485-2490.	1.1	3
4289	All-Solid-State Lithium–Sulfur Batteries Enhanced by Redox Mediators. Journal of the American Chemical Society, 2021, 143, 18188-18195.	13.7	66
4290	Heterostructure design of Fe2(MoO4)3 decorated MoO3 nanorods for boosting catalytic activity in high-performance lithium sulfur batteries. Electrochimica Acta, 2022, 401, 139535.	5.2	4
4291	Cobalt embedded in porous carbon fiber membranes for high-performance lithium-sulfur batteries. Carbon, 2022, 187, 187-195.	10.3	27
4292	Scalable Synthesis of Ultrathin Polyimide Covalent Organic Framework Nanosheets for High-Performance Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2021, 143, 19446-19453.	13.7	104
4293	Mesoporous Carbon Materials for Electrochemical Energy Storage and Conversion. ChemElectroChem, 2022, 9, .	3.4	9
4294	Polymers in Lithium–Sulfur Batteries. Advanced Science, 2022, 9, e2103798.	11.2	56
4295	Effect of Preparation Parameters of Sulfur Cathodes on Electrochemical Properties of Lithium Sulfur Battery. Journal of the Korean Electrochemical Society, 2010, 13, 169-174.	0.1	1
4296	Progress of nanotechnology for lithium-sulfur batteries. Frontiers of Nanoscience, 2021, 19, 137-164.	0.6	3
4297	Carbon nanotube-supported polyimide nanoarrays as sulfur host with physical/chemical polysulfide-traps for Li–S batteries. Composites Communications, 2022, 29, 101019.	6.3	15
4298	Ultrafine NbN nanoparticle decorated nitrogen-doped carbon nanosheets with efficient polysulfide catalytic conversion for superior Li–S batteries. Journal of Power Sources, 2022, 520, 230764.	7.8	13
4299	Regulating Coordination Environment in Metal–Organic Frameworks for Adsorption and Redox Conversion of Polysulfides in Lithium–Sulfur Batteries. , 2021, 3, 1684-1694.		25
4300	Singleâ€Atom Catalyst Aggregates: Sizeâ€Matching is Critical to Electrocatalytic Performance in Sulfur Cathodes. Advanced Science, 2022, 9, e2103773.	11.2	40
4301	Metal–Organic Framework Separator as a Polyselenide Filter for High-Performance Lithium–Selenium Batteries. ACS Applied Energy Materials, 2021, 4, 13450-13460.	5.1	8
4302	MOF-Derived MnS/N–C@CNT Composites as Separator Coating Materials for Long-Cycling Li–S Batteries. ACS Sustainable Chemistry and Engineering, 2021, 9, 15469-15477.	6.7	26
4303	Enhanced chemisorption and catalytic conversion of polysulfides via CoFe@NC nanocubes modified separator for superior Li–S batteries. Chemical Engineering Journal, 2022, 433, 133792.	12.7	26

#	Article	IF	CITATIONS
4304	Catalytic materials for lithium-sulfur batteries: mechanisms, design strategies and future perspective. Materials Today, 2022, 52, 364-388.	14.2	78
4305	Catalytic Mo2C decorated N-doped honeycomb-like carbon network for high stable lithium-sulfur batteries. Chemical Engineering Journal, 2022, 433, 133683.	12.7	34
4306	Fabrication of GeS-graphene composites for electrode materials in lithium-ion batteries. Materials Research Express, 2021, 8, 115013.	1.6	5
4307	Lightweight freestanding hollow carbon fiber interlayer for <scp>highâ€performance</scp> lithiumâ€sulfur batteries. International Journal of Energy Research, 2022, 46, 5296-5305.	4.5	9
4308	The polyethylene glycol@MoO3/canbon nanotubes/S composite fixing polysulfides for lithium-sulfur batteries. Journal of Solid State Chemistry, 2022, 307, 122749.	2.9	7
4309	Semi-Immobilized Molecular Electrocatalysts for High-Performance Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2021, 143, 19865-19872.	13.7	173
4310	Synthesis of Double-Shelled Co-LDH@rGO Nanocages through a Spray-Drying Process as an Advanced Sulfur Reservoir for Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2021, 4, 12623-12630.	5.1	1
4311	Accelerating Sulfur Redox Reactions by Topological Insulator Bi ₂ Te ₃ for Highâ€Performance Li‧ Batteries. Advanced Functional Materials, 2022, 32, .	14.9	27
4312	An optimized combination inspired by the wooden-barrel effect for Li-S pouch cells. Cell Reports Physical Science, 2021, 2, 100659.	5.6	3
4313	Anode Material Options Toward 500 Wh kg ^{â~'1} Lithium–Sulfur Batteries. Advanced Science, 2022, 9, e2103910.	11.2	63
4314	Lithiated Sulfur-Incorporated, Polymeric Cathode for Durable Lithium–Sulfur Batteries with Promoted Redox Kinetics. ACS Nano, 2021, 15, 20287-20299.	14.6	6
4315	Lithium–Sulfur Batteries Meet Electrospinning: Recent Advances and the Key Parameters for High Gravimetric and Volume Energy Density. Advanced Science, 2022, 9, e2103879.	11.2	98
4316	Two-dimensional mesoporous B, N co-doped carbon nanosheets decorated with TiN nanostructures for enhanced performance lithium–sulfur batteries. Applied Physics A: Materials Science and Processing, 2021, 127, 1.	2.3	2
4317	One-Dimensional Mesoporous Inorganic Nanomaterials, What Are They?. Springer Series in Materials Science, 2022, , 3-8.	0.6	1
4318	Construction of KB@ZIF-8/PP Composite Separator for Lithium–Sulfur Batteries with Enhanced Electrochemical Performance. Polymers, 2021, 13, 4210.	4.5	5
4319	Novel melamine-based porous organic polymers: synthesis, characterizations, morphology modifications, and their applications in lithium–sulfur batteries. Nanotechnology, 2022, 33, 085704.	2.6	0
4320	High Surface Area Nâ€Doped Carbon Fibers with Accessible Reaction Sites for Allâ€Solidâ€State Lithiumâ€Sulfur Batteries. Small, 2022, 18, e2105678.	10.0	16
4321	A Perspective on Li/S Battery Design: Modeling and Development Approaches. Batteries, 2021, 7, 82.	4.5	10

#	Article	IF	Citations
4322	Single-atom catalysts for next-generation rechargeable batteries and fuel cells. Energy Storage Materials, 2022, 45, 301-322.	18.0	67
4323	An <i>in situ</i> generated polymer electrolyte <i>via</i> anionic ring-opening polymerization for lithium–sulfur batteries. Journal of Materials Chemistry A, 2021, 9, 25927-25933.	10.3	11
4324	Lithium sulfur batteries: Electrochemistry and mechanistic research. , 2021, , .		0
4326	Unraveling the superior anchoring of lithium polyselenides to the confinement bilayer C ₂ N: an efficient host material for lithium–selenium batteries. Physical Chemistry Chemical Physics, 2021, 23, 26981-26989.	2.8	7
4327	Strategies for improving rechargeable lithium-ion batteries: From active materials to CO ₂ emissions. Nanotechnology Reviews, 2021, 10, 1993-2026.	5.8	9
4328	Geçmişten Günümüze Batarya Teknolojisi. European Journal of Science and Technology, 0, , .	0.5	1
4329	Lignin-derived materials and their applications in rechargeable batteries. Green Chemistry, 2022, 24, 565-584.	9.0	37
4330	Progress and Perspectives of Organosulfur for Lithium–Sulfur Batteries. Advanced Energy Materials, 2022, 12, 2103483.	19.5	69
4331	P-block tin single atom catalyst for improved electrochemistry in a lithium–sulfur battery: a theoretical and experimental study. Journal of Materials Chemistry A, 2022, 10, 3667-3677.	10.3	28
4332	Engineering Stable SEI Film on Mg-Doped Li Metal Anode by Electrolyte Additive With High Donor-Number Anion for Li-S Batteries. SSRN Electronic Journal, 0, , .	0.4	1
4333	rGO@S Aerogel Cathode for High Performance Lithium-Sulfur Batteries. International Journal of Electrochemical Science, 0, , ArticleID:220251.	1.3	2
4334	A rational design of V2O3/VN heterostructures with high-efficient chemisorption and electrocatalytic activity for polysulfides in lithium-sulfur batteries. Materials Chemistry and Physics, 2022, 277, 125578.	4.0	10
4335	Ordered Dual-Channel carbon embedded with molybdenum nitride catalytically induced High-Performance Lithium-Sulfur battery. Chemical Engineering Journal, 2022, 431, 134163.	12.7	16
4336	Polaron hopping-mediated dynamic interactive sites boost sulfur chemistry for flexible lithium-sulfur batteries. Energy Storage Materials, 2022, 45, 840-850.	18.0	23
4337	Intrinsic catalytic Sites-Rich Co-doped SnO2 nanoparticles enabling enhanced conversion and capture of polysulfides. Chemical Engineering Journal, 2022, 431, 134033.	12.7	19
4338	Synthesis and nano-engineering of MXenes for energy conversion and storage applications: Recent advances and perspectives. Coordination Chemistry Reviews, 2022, 454, 214339.	18.8	71
4339	Fe3C@NCNT as a promoter for the sulfur cathode toward high-performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2022, 899, 163245.	5.5	24
4340	Rational design and preparation of covalent organic frameworks and their functional mechanism analysis for lithium-ion and lithium sulfur/selenium cells. Energy Storage Materials, 2022, 46, 29-67.	18.0	12

#	Article	IF	CITATIONS
4341	Revealing the synergistic mechanism of multiply nanostructured V2O3 hollow nanospheres integrated with doped N, Ni heteroatoms, in-situ grown carbon nanotubes and coated carbon nanolayers for the enhancement of lithium-sulfur batteries. Journal of Colloid and Interface Science, 2022, 612, 760-771.	9.4	11
4342	High-valence sulfur-containing species in solid electrolyte interphase stabilizes lithium metal anodes in lithium–sulfur batteries. Journal of Energy Chemistry, 2022, 68, 300-305.	12.9	36
4343	Anchoring Mo2C nanoparticles on vertical graphene nanosheets as a highly efficient catalytic interlayer for Li-S batteries. Chemical Engineering Journal, 2022, 433, 134306.	12.7	27
4344	An Ant-Nest Like Hierarchical Nanoreactor for Highly Efficient Sulfur Species Redox Reactions. SSRN Electronic Journal, 0, , .	0.4	0
4345	Multifactorial engineering of biomimetic membranes for batteries with multiple high-performance parameters. Nature Communications, 2022, 13, 278.	12.8	36
4346	Cathode Materials for Rechargeable Lithiumâ€Sulfur Batteries: Current Progress and Future Prospects. ChemElectroChem, 2022, 9, .	3.4	12
4347	Probing the Polysulfide Confinement in Two Different Sulfur Hosts for a Mg S Battery Employing Operando Raman and Ex-Situ UV–Visible Spectroscopy. Journal of Physical Chemistry Letters, 2022, 13, 1159-1164.	4.6	10
4348	Si-based polymer-derived ceramics for energy conversion and storage. Journal of Advanced Ceramics, 2022, 11, 197-246.	17.4	55
4349	Fabrication of a Covalent Triazine Framework Functional Interlayer for High-Performance Lithium–Sulfur Batteries. Nanomaterials, 2022, 12, 255.	4.1	7
4350	High strength, epoxy cross-linked high sulfur content polymers from one-step reactive compatibilization inverse vulcanization. Chemical Science, 2022, 13, 566-572.	7.4	14
4351	An ultrathin and highly efficient interlayer for lithium–sulfur batteries with high sulfur loading and lean electrolyte. Journal of Materials Chemistry A, 2022, 10, 7653-7659.	10.3	33
4352	One-Pot Pyrolysis to Nitrogen-Doped Hierarchically Porous Carbon Nanosheets as Sulfur-Host in Lithium–Sulfur Batteries. Journal of Electrochemical Energy Conversion and Storage, 2022, 19, .	2.1	2
4353	Principles and Challenges of Lithium–Sulfur Batteries. Modern Aspects of Electrochemistry, 2022, , 1-18.	0.2	1
4354	Recent advances on graphene-based materials as cathode materials in lithium-sulfur batteries. International Journal of Hydrogen Energy, 2022, 47, 8630-8657.	7.1	21
4355	A nitroaromatic cathode with an ultrahigh energy density based on six-electron reaction per nitro group for lithium batteries. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	23
4356	Petroleum coke derived porous carbon/NiCoP with efficient reviving catalytic and adsorptive activity as sulfur host for high performance lithium—sulfur batteries. Nano Research, 2022, 15, 4058-4067.	10.4	10
4357	Porous carbons for energy storage and conversion. , 2022, , 239-540.		1
4358	Designing principles of advanced sulfur cathodes toward practical lithiumâ€sulfur batteries. SusMat, 2022, 2, 34-64.	14.9	77

#	Article	IF	CITATIONS
4359	Cotton-Derived Fe/Fe ₃ C-Encapsulated Carbon Nanotubes for High-Performance Lithium–Sulfur Batteries. Nano Letters, 2022, 22, 1217-1224.	9.1	51
4360	Inhibition of vacuum sublimation artefacts for (Scanning) Transmission Electron Microscopy ((S)TEM) of sulphur samples via encapsulation. Open Research Europe, 0, 2, 1.	2.0	0
4362	Biomass-Derived Carbon/Sulfur Composite Cathodes with Multiwalled Carbon Nanotube Coatings for Li-S Batteries. Processes, 2022, 10, 136.	2.8	6
4363	Functional catalysts for polysulfide conversion in Li–S batteries: from micro/nanoscale to single atom. Rare Metals, 2022, 41, 1080-1100.	7.1	16
4364	High ion conductivity based on a polyurethane composite solid electrolyte for all-solid-state lithium batteries. RSC Advances, 2022, 12, 3828-3837.	3.6	10
4365	Single-dispersed polyoxometalate clusters embedded on multilayer graphene as a bifunctional electrocatalyst for efficient Li-S batteries. Nature Communications, 2022, 13, 202.	12.8	128
4366	Visualization of Dissolutionâ€Precipitation Processes in Lithium–Sulfur Batteries. Advanced Energy Materials, 2022, 12, .	19.5	24
4367	Functionalized Carbon-Based Composite Materials for Cathode Application of Lithium-Sulfur Batteries. Acta Chimica Sinica, 2022, 80, 89.	1.4	3
4369	Computation and Simulation. Modern Aspects of Electrochemistry, 2022, , 355-395.	0.2	1
4370	Physical and Chemical Adsorption of Polysulfides. Modern Aspects of Electrochemistry, 2022, , 111-163.	0.2	1
4372	Graphitic carbon nitride for batteries. , 2022, , 367-392.		1
4373	Fundamentals, basic components and performance evaluation of energy storage and conversion devices. , 2022, , 51-74.		0
4374	Perspectives on manufacturing simulations of Li-S battery cathodes. JPhys Energy, 2022, 4, 011002.	5.3	6
4375	Characterization of Sulfur/Graphitized Mesocarbon Microbeads Composite Cathodes for Li-S Batteries. Advanced Engineering Forum, 0, 44, 87-94.	0.3	0
4376	Lithium–sulfur battery. , 2022, , 309-328.		1
4377	Dual Role of Mo ₆ S ₈ in Polysulfide Conversion and Shuttle for Mg–S Batteries. Advanced Science, 2022, 9, e2104605.	11.2	33
4378	Customized Structure Design and Functional Mechanism Analysis of Carbon Spheres for Advanced Lithium–Sulfur Batteries. Small, 2022, 18, e2104469.	10.0	31
4379	Atomic Structure Modification of Fe‒N‒C Catalysts via Morphology Engineering of Graphene for Enhanced Conversion Kinetics of Lithium–Sulfur Batteries. Advanced Functional Materials, 2022, 32, .	14.9	45

		CITATION RE	PORT	
#	Article		IF	Citations
4380	How to Model the Cathode Area in Lithiumâ \in Sulfur Batteries?. ChemElectroChem, 202	.2, 9, .	3.4	2
4381	La ₂ MoO ₆ as an Effective Catalyst for the Cathode Reaction: Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2022, 14, 5247-5	s of 256.	8.0	5
4382	lodine-doped fibrous sulfurized polyacrylonitrile with accelerated reaction kinetics. Cor Communications, 2022, 30, 101078.	nposites	6.3	10
4383	Fabrication and Porous Architecture of Crosslinked Polyimides for Lithium–Sulfur Ba Their Electrochemical Properties. Industrial & Engineering Chemistry Research, 0,	tteries and	3.7	7
4384	Inhibition of vacuum sublimation artefacts for (Scanning) Transmission Electron Micro of sulphur samples via encapsulation. Open Research Europe, 0, 2, 1.	scopy ((S)TEM)	2.0	0
4385	Single-atom catalysts for lithium sulfur batteries via atomic layer deposition process. Electrochemistry Communications, 2022, 135, 107215.		4.7	7
4386	Enhanced sulfur redox kinetics by hollow structured NiCo2O4 entangled with acidified lithium sulfur batteries. Journal of Materials Science, 2022, 57, 4704-4715.	MWCNTs for	3.7	8
4387	Oxygen-defective MnO2 decorated carbon nanotube as an effective sulfur host for hig lithium sulfur battery. Advanced Powder Technology, 2022, 33, 103396.	h performance	4.1	11
4388	Application of Guar Gum and its Derivatives as Green Binder/Separator for Advanced Li Batteries. ChemistryOpen, 2022, 11, e202100209.	thiumâ€ i on	1.9	10
4389	Defects on Li2S@graphene cathode improves the performance of lithium-sulfur batter study. Acta Materialia, 2022, 226, 117632.	y, A theoretical	7.9	10
4390	Li–Se batteries: Insights to the confined structure of selenium in hierarchical porous discharge mechanism in the carbonate electrolyte. Carbon, 2022, 191, 122-131.	carbon and	10.3	22
4391	Plasma and magnetron sputtering constructed dual-functional polysulfides barrier sep high-performance lithium-sulfur batteries. Journal of Colloid and Interface Science, 202	arator for 2, 613, 636-643.	9.4	9
4392	Two steps synthesis of plum-shaped C@Ni/MnO nanofiber heterostructures for trappir catalyzing polysulfides in lithium-sulfur batteries. Journal of Colloid and Interface Scien 15-22.	ıg and ce, 2022, 613,	9.4	4
4393	Mixed-Valence iron phosphate as an effective catalytic host for the High-Rate Lithium-S Chemical Engineering Journal, 2022, 435, 134814.	Sulfur battery.	12.7	8
4394	In situ conversion to construct fast ion transport and high catalytic cathode for high-su loading with lean electrolyte lithium–sulfur battery. Nano Energy, 2022, 95, 106979	ılfur	16.0	53
4395	The effect of NiO-Ni3N interfaces in in-situ formed heterostructure ultrafine nanopartic enhanced polysulfide regulation in lithium-sulfur batteries. Journal of Energy Chemistry 762-770.	cles on , 2022, 68,	12.9	28
4396	é",硫电æ±ç»¼åêæ€§èf½ååŒæå‡ç−ç•¥. Chinese Science Bulletin, 2022, , .		0.7	1
4397	Nitrogen and Sulfur Co-doped Two-Dimensional Highly Porous Carbon Nanosheets for High-Performance Lithium–Sulfur Batteries. Energy & Fuels, 2022, 36, 2220-223	27	5.1	15

#	Article	IF	CITATIONS
4398	Streamline Sulfur Redox Reactions to Achieve Efficient Roomâ€Temperature Sodium–Sulfur Batteries. Angewandte Chemie - International Edition, 2022, 61, .	13.8	38
4399	Electronic Localization Derived Excellent Stability of Li Metal Anode with Ultrathin Alloy. Advanced Science, 2022, 9, e2105656.	11.2	22
4400	Extending the Conversion Rate of Sulfur Infiltrated into Microporous Carbon in Carbonate Electrolytes. Batteries and Supercaps, 2022, 5, .	4.7	3
4401	Streamline Sulfur Redox Reactions to Achieve Efficient Roomâ€Temperature Sodium–Sulfur Batteries. Angewandte Chemie, 2022, 134, .	2.0	3
4402	Sulfur infiltration and allotrope formation in porous cathode hosts for lithiumâ€sulfur batteries. AICHE Journal, 2022, 68, .	3.6	5
4403	Design and synthesis of core–shell porous carbon derived from porous polymer as sulfur immobilizers for high-performance lithium–sulfur batteries. Journal of Materials Science, 2022, 57, 5130-5141.	3.7	4
4404	Interfacial Assembly of Functional Mesoporous Carbonâ€Based Materials into Films for Batteries and Electrocatalysis. Advanced Materials Interfaces, 2022, 9, .	3.7	13
4405	Understanding the Impact of Precipitation Kinetics on the Electrochemical Performance of Lithium–Sulfur Batteries by Operando X-ray Diffraction. Journal of Physical Chemistry C, 0, , .	3.1	8
4406	Kinetics of sulphur dissolution in lithium–sulphur batteries. JPhys Energy, 2022, 4, 024001.	5.3	6
4407	Few-layer bismuth selenide cathode for low-temperature quasi-solid-state aqueous zinc metal batteries. Nature Communications, 2022, 13, 752.	12.8	49
4408	Spherical Polyelectrolyte Brushes Templated Hollow C@MnO Nanospheres as Sulfur Host Materials for Liâ^'S Batteries. ChemNanoMat, 2022, 8, .	2.8	2
4409	Facile and Economic Synthesis of Robust Non-Nucleophilic Electrolyte for High-Performance Rechargeable Magnesium Batteries. ACS Applied Materials & Interfaces, 2022, 14, 8906-8915.	8.0	18
4410	Effect of zinc-based active sites on porous carbon and electrochemical properties in lithium-sulfur batteries. Journal of Alloys and Compounds, 2022, 905, 164182.	5.5	5
4411	Catalytic polysulfide conversion in lithium-sulfur batteries by platinum nanoparticles supported on carbonized microspheres. Chemical Engineering Journal, 2022, 435, 135112.	12.7	11
4412	Ternary Transition Metal Sulfide as High Real Energy Cathode for Lithium–Sulfur Pouch Cell Under Lean Electrolyte Conditions. Small Methods, 2022, 6, e2101402.	8.6	18
4413	NbN nanodot decorated N-doped graphene as a multifunctional interlayer for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 8578-8590.	10.3	39
4414	The Investigation of Cus/Cnts with Synergistic Effect of Physical and Chemical Immobilization to Lithium Polysulfides for High-Performance Li–S Batteries. SSRN Electronic Journal, 0, , .	0.4	0
4415	Lithiated Carboxylated Nitrile Butadiene Rubber with Strong Polysulfide Immobilization Ability as a Binder for Improving Lithium-Sulfur Battery Performance. SSRN Electronic Journal, 0, , .	0.4	0

#	Article	IF	CITATIONS
4416	Conductive Few-Layered 1t-Mose2/Mxene as a Highly Efficient Bidirectional Catalyst for Accelerating Redox Kinetics of Polysulfide. SSRN Electronic Journal, 0, , .	0.4	0
4417	Functionalized M2ct2 (M = Ti, V, Cr, Mn; T = O, S, Se) Mxenes as Anchoring Materials for Lithium-Sulfur Batteries. SSRN Electronic Journal, 0, , .	0.4	0
4418	Toward Unveiling Structure and Property Relationships from Ionic Ordering in Li/S Battery Electrolytes: Neutron Total Scattering and Molecular Dynamics Simulations. SSRN Electronic Journal, 0, , .	0.4	0
4419	Computational screening of functionalized MXenes to catalyze the solid and non-solid conversion reactions in cathodes of lithium–sulfur batteries. Physical Chemistry Chemical Physics, 2022, 24, 8913-8922.	2.8	4
4420	Dispersing Single-Layered Ti3c2tx Nanosheets in Hierarchically-Porous Membrane for High-Efficiency Li+ Transporting and Polysulfide Anchoring in Li-S Batteries. SSRN Electronic Journal, 0, , .	0.4	0
4421	One-dimensional structures in nanoconfinement. Wuli Xuebao/Acta Physica Sinica, 2022, .	0.5	0
4422	Understanding the interactions between lithium polysulfides and anchoring materials in advanced lithium–sulfur batteries using density functional theory. Physical Chemistry Chemical Physics, 2022, 24, 8604-8623.	2.8	10
4423	Life-Related Hazards of Materials Applied to Mg–S Batteries. Energies, 2022, 15, 1543.	3.1	1
4424	An Ultrathin Functional Layer Based on Porous Organic Cages for Selective Ion Sieving and Lithium–Sulfur Batteries. Nano Letters, 2022, 22, 2030-2037.	9.1	20
4425	Complex <scp>permittivityâ€dependent</scp> plasma <scp>confinementâ€assisted</scp> growth of asymmetric vertical graphene nanofiber membrane for <scp>highâ€performance Liâ€6</scp> full cells. InformaÄnÃ-Materiály, 2022, 4, .	17.3	45
4426	Roomâ€ŧemperature metal–sulfur batteries: What can we learn from <scp>lithium–sulfur</scp> ?. InformaÄnÃ-Materiály, 2022, 4, .	17.3	45
4427	In-situ constructed three-dimensional MoS2–MoN heterostructure as the cathode of lithium–sulfur battery. Rare Metals, 2022, 41, 1743-1752.	7.1	35
4429	Templating synthesis of porous carbons for energy-related applications: A review. New Carbon Materials, 2022, 37, 25-45.	6.1	25
4430	TiO2-carbon porous nanostructures for immobilization and conversion of polysulfides. Chinese Chemical Letters, 2023, 34, 107229.	9.0	7
4431	Solid/Quasi‣olid Phase Conversion of Sulfur in Lithium–Sulfur Battery. Small, 2022, 18, e2106970.	10.0	21
4432	Advances in the Development of Singleâ€Atom Catalysts for Highâ€Energyâ€Density Lithium–Sulfur Batteries. Advanced Materials, 2022, 34, e2200102.	21.0	202
4433	Review of Multifunctional Separators: Stabilizing the Cathode and the Anode for Alkali (Li, Na, and K) Metal–Sulfur and Selenium Batteries. Chemical Reviews, 2022, 122, 8053-8125.	47.7	132
4434	Multimodal Capturing of Polysulfides by Phosphorusâ€Doped Carbon Composites for Flexible Highâ€Energyâ€Density Lithium–Sulfur Batteries. Small, 2022, 18, e2200326.	10.0	28

#	Article	IF	CITATIONS
4435	The Synergy of La ₂ O ₃ Nanoparticles and Graphene for Advanced Liâ€S Batteries. ChemistrySelect, 2022, 7, .	1.5	1
4436	Recent Advances and Strategies toward Polysulfides Shuttle Inhibition for Highâ€Performance Li–S Batteries. Advanced Science, 2022, 9, e2106004.	11.2	161
4437	Interconnected Microporous and Mesoporous Carbon Derived from Pitch for Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2022, 10, 4462-4472.	6.7	5
4438	Ameliorating the Energy Storage Performance of Lithium–Sulfur Batteries via Sulfur-Intercalated Titanium Carbide (Ti ₃ C ₂ T <i>_x</i>) MXene. Energy & Fuels, 2022, 36, 4042-4051.	5.1	8
4439	Synergistic dual conversion reactions assisting Pb-S electrochemistry for energy storage. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2118675119.	7.1	28
4440	A novel modified sulfur cathode to facilitate the adsorption and conversion of polysulfides in lithium–sulfur batteries. Journal of Solid State Electrochemistry, 0, , 1.	2.5	0
4441	Synthetic Methodologies and Energy Storage/Conversion Applications of Porous Carbon Nanosheets: A Systematic Review. Energy & Fuels, 2022, 36, 3420-3442.	5.1	12
4442	Largeâ€Scale Synthesis of Nanostructured Carbonâ€Ti ₄ O ₇ Hollow Particles as Efficient Sulfur Host Materials for Multilayer Lithiumâ€Sulfur Pouch Cells. Batteries and Supercaps, 2022, 5, .	4.7	8
4443	Ion Channel Engineering in Super Thick Cathodes toward High-Energy-Density Li–S Batteries. Energy & Fuels, 2022, 36, 4087-4093.	5.1	3
4444	<scp>NiFe</scp> â€layered double hydroxide nanosheets grafted onto carbon nanotubes for functional separator of lithium sulfur batteries. International Journal of Energy Research, 2022, 46, 9634-9642.	4.5	9
4445	Recent advances in the cathode materials and solid-state electrolytes for lithium sulfur batteries. Electrochemistry Communications, 2022, 136, 107248.	4.7	6
4446	Free-Standing Titanium Nitride Films as Carbon-Free Sulfur Hosts for Flexible Lithium–Sulfur Batteries. ACS Applied Nano Materials, 2022, 5, 3531-3540.	5.0	10
4447	Understanding Voltage Hysteresis for High-Energy-Density Li–S Batteries. ACS Applied Energy Materials, 2022, 5, 5219-5226.	5.1	9
4448	Encapsulating sulphur inside Magnéli phase <scp>Ti₄O₇</scp> nanotube array for high performance lithium sulphur battery cathode. Canadian Journal of Chemical Engineering, 2022, 100, 2417-2431.	1.7	3
4449	Flower-like Bi2S3/rGO modified separator for lithium-sulfur batteries. Advanced Powder Technology, 2022, 33, 103521.	4.1	10
4450	Seamlessly integrated alloy-polymer interphase for high-rate and long-life lithium metal anodes. Materials Today Energy, 2022, 26, 100988.	4.7	5
4451	Nitrogen-doped hollow carbon boosting the anchoring of sulfur capacity for high-loading lithium–sulfur batteries. Microporous and Mesoporous Materials, 2022, 335, 111837.	4.4	12
4452	A COF-coated MOF framework polysulfide barrier design for enhanced performance in lithium-sulfur batteries. Electrochimica Acta, 2022, 412, 140156.	5.2	19

#	Article	IF	CITATIONS
4453	Role of Ferroelectric In ₂ Se ₃ in Polysulfide Shuttling and Charging/Discharging Kinetics in Lithium/Sodium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2022, 14, 16178-16184.	8.0	17
4454	Nanoporous Cobalt–Nitrogen–Carbon Catalyst-Based Multifunctional Interlayer for Enhanced Li–S Battery Performance. ACS Applied Energy Materials, 2022, 5, 4691-4697.	5.1	14
4455	Enabling fast-charging selenium-based aqueous batteries via conversion reaction with copper ions. Nature Communications, 2022, 13, 1863.	12.8	27
4456	Designing Hybrid Artificial Interphases with Dilithium Vinylphosphonate for Lithium Batteries with Si–Graphite Anodes. ACS Applied Energy Materials, 2022, 5, 4673-4683.	5.1	2
4457	lonic liquid modified mesoporous silica (SAB-15) as an effective polysulfide reservoir for high-performance lithium sulfur batteries. Advanced Powder Technology, 2022, 33, 103530.	4.1	4
4458	Review—Advances in Rechargeable Li-S Full Cells. Journal of the Electrochemical Society, 2022, 169, 040525.	2.9	11
4459	ZnFe2O4 hollow rods enabling accelerated polysulfide conversion for advanced lithium-sulfur batteries. Electrochimica Acta, 2022, 414, 140231.	5.2	14
4460	Cobalt phosphide embedded in a 3D carbon frame as a sulfur carrier for high-performance lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2022, 912, 116202.	3.8	7
4461	A multi-functional model based on confined assembly of polyaniline on the surface of multiwalled carbon nanotubes as framework for high-performance lithium-sulfur battery. Electrochimica Acta, 2022, 415, 140267.	5.2	6
4462	Visualized redox reaction guides polysulfide synthesis with electrochemical approach for long-cycle lithium-sulfur batteries. Electrochimica Acta, 2022, 413, 140178.	5.2	2
4463	In-situ synthesis of highly graphitized and Fe/N enriched carbon tubes as catalytic mediums for promoting multi-step conversion of lithium polysulfides. Carbon, 2022, 192, 418-428.	10.3	28
4464	Horizontally aligned lamellar porous graphene/nickel composite for high volumetric capacity lithium-sulfur batteries. Applied Surface Science, 2022, 586, 152805.	6.1	5
4465	Upcycling of electroplating sludge into Fe3C-decorated N,P dual-doped porous carbon via microalgae as efficient sulfur host for lithium–sulfur batteries. Surfaces and Interfaces, 2022, 30, 101869.	3.0	6
4466	Facilitating catalytic activity of indium oxide in lithium-sulfur batteries by controlling oxygen vacancies. Energy Storage Materials, 2022, 48, 133-144.	18.0	42
4467	Exploring the anchoring effect of surface functionalized 2D electrides Ca2N and Y2C in lithium sulfur battery: First principle study. Applied Surface Science, 2022, 591, 153185.	6.1	6
4468	Bipolar CoSe2 nanocrystals embedded in porous carbon nanocages as an efficient electrocatalyst for Li-S batteries. Chemical Engineering Journal, 2022, 440, 135820.	12.7	25
4469	Recent developments and progress of halogen elements in enhancing the performance of all-solid-state lithium metal batteries. Energy Storage Materials, 2022, 49, 19-57.	18.0	15
4470	Carbon-Based Conductive Frameworks and Metal Catalytic Sites Derived from Cross-Linked Porous Porphyrin-Based Polyimides for Enhanced Conversion of Lithium Polysulfides in Li–S Batteries. ACS Applied Energy Materials, 2021, 4, 14497-14507.	5.1	6

#	Article	IF	CITATIONS
4471	Engineering a TiNb ₂ O ₇ -Based Electrocatalyst on a Flexible Self-Supporting Sulfur Cathode for Promoting Li-S Battery Performance. ACS Applied Materials & Interfaces, 2022, 14, 1157-1168.	8.0	12
4472	BiFeO3 Coupled Polysulfide Trapping in C/S Composite Cathode Material for Li-S Batteries as Large Efficiency and High Rate Performance. Energies, 2021, 14, 8362.	3.1	3
4473	"First-Cycle Effect―of Trace Li ₂ S in a High-Performance Sulfur Cathode. ACS Applied Materials & Interfaces, 2022, 14, 698-705.	8.0	2
4474	Trends in a study on thermal runaway mechanism of lithiumâ€ion battery with LiNi _{<i>x</i>} Mn _{<i>y</i>} Co _{1â€<i>x</i>â€<i>y</i>} O ₂ cathode materials. , 2022, 1, .		32
4475	Design Principles of Bifunctional Electrocatalysts for Engineered Interfaces in Na–S Batteries. ACS Catalysis, 2021, 11, 15149-15161.	11.2	24
4476	Carbon-Nanotube-Encapsulated-Sulfur Cathodes for Lithium–Sulfur Batteries: Integrated Computational Design and Experimental Validation. Nano Letters, 2022, 22, 441-447.	9.1	12
4477	Redox Catalysis Promoted Activation of Sulfur Redox Chemistry for Energy-Dense Flexible Solid-State Zn–S Battery. ACS Nano, 2022, 16, 7344-7351.	14.6	44
4479	A Mo5N6 electrocatalyst for efficient Na2S electrodeposition in room-temperature sodium-sulfur batteries. Nature Communications, 2021, 12, 7195.	12.8	80
4480	Flexible, Electrically Conductive, Nanostructured, Asymmetric Aerogel Films for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2021, 13, 59174-59184.	8.0	5
4481	High-Performance Li-Metal-Free Sulfur Battery Employing a Lithiated Anatase TiO ₂ Anode and a Freestanding Li ₂ S–Carbon Aerogel Cathode. ACS Sustainable Chemistry and Engineering, 2022, 10, 410-420.	6.7	6
4482	Geometrical engineering of a SPAN–graphene composite cathode for practical Li–S batteries. Journal of Materials Chemistry A, 2022, 10, 10844-10853.	10.3	15
4483	Enhancing the Bidirectional Reaction Kinetics of Polysulfides by Mott–Schottky-like Electrocatalysts with Rich Heterointerfaces. ACS Sustainable Chemistry and Engineering, 2022, 10, 5092-5100.	6.7	6
4484	In situ enhance lithium polysulfides redox kinetics by carbon cloth/MoO3 self-standing electrode for lithium–sulfur battery. Journal of Materials Science, 2022, 57, 10003-10016.	3.7	3
4485	A multifunctional nano filler for solid polymer electrolyte toward stable cycling for lithium-metal anodes in lithium–sulfur batteries. Chemical Engineering Journal, 2022, 444, 136328.	12.7	25
4487	Constructing Highâ€Performance Quasiâ€Solidâ€State Sulfur Cathodes via the Cooperation of Solid Electrolyte Interface and Selenium Doping. ChemElectroChem, 2022, 9, .	3.4	1
4488	CoP@C with chemisorption-catalysis effect toward lithium polysulfides as multifunctional interlayer for high-performance lithium-sulfur batteries. Electrochimica Acta, 2022, 419, 140391.	5.2	4
4489	Stabilizing interface of novel 3D-hierarchical porous carbon for high-performance lithium–sulfur batteries. Electrochimica Acta, 2022, 418, 140369.	5.2	4
4490	Kaolinite nanoscroll significantly inhibiting polysulfide ions shuttle in lithium sulfur batteries. Applied Clay Science, 2022, 224, 106516.	5.2	8

#	Article	IF	Citations
4491	The unique interconnected structure of hollow carbon skeleton doped by F and N facilitating rapid Li ions diffusion in lithium-sulfur batteries. Carbon, 2022, 195, 207-218.	10.3	21
4492	Conductive inks composed of multicomponent carbon nanomaterials and hydrophilic polymer binders for high-energy-density lithium-sulfur batteries. Energy Storage Materials, 2022, 49, 236-245.	18.0	21
4494	Aqueous Quaternary Polymer Binder Enabling Long-Life Lithium–Sulfur Batteries by Multifunctional Physicochemical Properties. ACS Applied Materials & Interfaces, 2022, 14, 19353-19364.	8.0	7
4495	Cooperative Catalytic Mo-S-Co Heterojunctions with Sulfur Vacancies for Kinetically Boosted Lithium-Sulfur Battery. SSRN Electronic Journal, 0, , .	0.4	0
4496	Chemistry and operation of lithium–sulfur batteries. , 2022, , 37-55.		1
4497	Graphene–sulfur nanocomposites as cathode materials and separators for lithium–sulfur batteries. , 2022, , 289-314.		2
4498	The Study on the Electrochemical Performance of Lithium-Sulfur Battery Cathode Based on Vanadium Sulfide/Reduced Graphene Oxide. Material Sciences, 2022, 12, 352-361.	0.0	0
4499	Accurate Determination of Optimal Sulfur Content in Mesoporous Carbon Hosts for High-Capacity Stable Lithium-Sulfur Batteries. SSRN Electronic Journal, 0, , .	0.4	0
4500	MOF-based electrolytes for battery applications. , 2022, , 341-362.		0
4501	Enhanced catalysis of radical-to-polysulfide interconversion <i>via</i> increased sulfur vacancies in lithium–sulfur batteries. Chemical Science, 2022, 13, 6224-6232.	7.4	32
4502	MXene-based sulfur composite cathodes. , 2022, , 361-388.		0
4503	Graphene–sulfur nanohybrids for cathodes in lithium–sulfur batteries. , 2022, , 315-332.		0
4504	Recent advances and perspectives in conductive-polymer-based composites as cathode materials for high-performance lithium–sulfur batteries. Sustainable Energy and Fuels, 2022, 6, 2901-2923.	4.9	9
4505	Design of nanostructured sulfur cathodes for high-performance lithium–sulfur batteries. , 2022, , 425-452.		0
4506	High-performance lithium–sulfur batteries. , 2022, , 57-73.		1
4507	Oxygen vacancy enabled fabrication of dual-atom Mn/Co catalysts for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 11702-11711.	10.3	24
4508	Consumer Nanoproducts for Environment. , 2022, , 1169-1200.		0
4509	A High-Efficiency Ws2 Nanosheets on N-Doped Graphene Electrocatalyst with Dual-Function of Preventing Shuttling and Accelerating Polysulfides Conversion in Li-S Batteries. SSRN Electronic Journal, 0, , .	0.4	0

#	Article	IF	CITATIONS
4510	Polymeric nanocomposites for lithium–sulfur batteries. , 2022, , 389-424.		0
4511	Metal–organic framework based cathode materials in lithium–sulfur batteries. , 2022, , 333-360.		2
4512	Porous carbon–sulfur composite cathodes. , 2022, , 207-224.		0
4513	Formulating energy density for designing practical lithium–sulfur batteries. Nature Energy, 2022, 7, 312-319.	39.5	342
4514	Status and perspectives of hierarchical porous carbon materials in terms of highâ€performance lithium–sulfur batteries. , 2022, 4, 346-398.		65
4515	Scalable Composites Benefiting from Transitionâ€Metal Oxides as Cathode Materials for Efficient Lithiumâ€5ulfur Batteries. ChemElectroChem, 2022, 9, .	3.4	14
4516	Metal phosphides and borides as the catalytic host of sulfur cathode for lithium–sulfur batteries. International Journal of Minerals, Metallurgy and Materials, 2022, 29, 990-1002.	4.9	21
4517	Toward Practical Highâ€Energyâ€Density Lithium–Sulfur Pouch Cells: A Review. Advanced Materials, 2022, 34, e2201555.	21.0	112
4518	Regulating Polysulfide Diffusion and Deposition via Rational Design of Core–Shell Active Materials in Li–S Batteries. ACS Nano, 2022, 16, 7982-7992.	14.6	29
4519	Ultrafast Crystallization of Ordered Mesoporous Metal Oxides and Carbon from Block Copolymer Selfâ€Assembly and Joule Heating. Advanced Materials Interfaces, 2022, 9, .	3.7	6
4520	Unraveling the morphological evolution mechanism of solid sulfur species in lithium-sulfur batteries with operando light microscopy. Journal of Energy Chemistry, 2022, 73, 460-468.	12.9	6
4521	A Climpse on the plethora of applications of prodigious material MXene. Sustainable Materials and Technologies, 2022, 32, e00439.	3.3	9
4522	Communicationâ<ë "Polysulfide-Induced Chemical Capacity Loss in Li-S Batteries. Journal of the Electrochemical Society, 0, , .	2.9	0
4523	Strategies towards High Performance Lithiumâ€Sulfur Batteries. Batteries and Supercaps, 2022, 5, .	4.7	30
4524	A Polymer Network Layer Containing Dually Anchored Ionic Liquids for Stable Lithium–Sulfur Batteries. Macromolecular Rapid Communications, 2023, 44, e2200246.	3.9	2
4525	From Copper to Basic Copper Carbonate: A Reversible Conversion Cathode in Aqueous Anion Batteries. Angewandte Chemie - International Edition, 2022, 61, .	13.8	6
4526	Tuning the Delithiation State of LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ Enabling the Electronic Structure Modification to Enhance the Conversion of Polysulfides in a Lithium–Sulfur Battery. Industrial & Engineering Chemistry Research, 2022, 61, 6521-6530.	3.7	3
4527	An analysis of the promise of Li–O2 and Li–S batteries incorporating plasmonic metal nanostructures. Materials Today Energy, 2022, 27, 101033.	4.7	1

#	Article	IF	CITATIONS
4528	Early Failure of Lithium–Sulfur Batteries at Practical Conditions: Crosstalk between Sulfur Cathode and Lithium Anode. Advanced Science, 2022, 9, e2201640.	11.2	12
4529	From Copper to Basic Copper Carbonate: A Reversible Conversion Cathode in Aqueous Anion Batteries. Angewandte Chemie, 0, , .	2.0	3
4530	Self-activated pyrolytic synthesis of S, N and O co-doped porous carbon derived from discarded COVID-19 masks for lithium sulfur batteries. Renewable Energy, 2022, 192, 58-66.	8.9	9
4531	Regulating liquid and solid-state electrolytes for solid-phase conversion in Li–S batteries. CheM, 2022, 8, 1201-1230.	11.7	59
4532	Highly sulfur-rich polymeric cathode materials via inverse vulcanization of sulfur for lithium–sulfur batteries. Materials Chemistry and Physics, 2022, 285, 126168.	4.0	5
4533	Rational design of 3D hierarchical MOFs-derived hollow porous carbon/Ni(OH)2 nanosheet for long-cycle Li/Na–Se batteries. Composites Part B: Engineering, 2022, 239, 109948.	12.0	5
4534	Tetrathiafulvalene as a multifunctional electrolyte additive for simultaneous interface amelioration, electron conduction, and polysulfide redox regulation in lithium-sulfur batteries. Journal of Power Sources, 2022, 536, 231482.	7.8	8
4535	Ganoderma Lucidum-derived erythrocyte-like sustainable materials. Carbon, 2022, 196, 70-77.	10.3	14
4536	Nitrogen-rich azoles as trifunctional electrolyte additives for high-performance lithium-sulfur battery. Journal of Energy Chemistry, 2022, 71, 572-579.	12.9	18
4537	Catalytic Mo2C decorated hollow mesoporous carbon spheres as sulfur host for lithium-sulfur batteries with high sulfur loading. Journal of Solid State Chemistry, 2022, 312, 123187.	2.9	8
4538	Coaxially grafting conjugated microporous polymers containing single-atom cobalt catalysts to carbon nanotubes enhances sulfur cathode reaction kinetics. Chemical Engineering Journal, 2022, 444, 136546.	12.7	24
4539	Benzoselenol as an organic electrolyte additive in Li-S battery. Nano Research, 2023, 16, 3814-3822.	10.4	20
4540	Effects of Catalysis and Separator Functionalization on Highâ€Energy Lithium–Sulfur Batteries: A Complete Review. Energy and Environmental Materials, 2023, 6, .	12.8	28
4541	ZnFe ₂ O ₄ –Ni ₅ P ₄ Mott–Schottky Heterojunctions to Promote Kinetics for Advanced Li–S Batteries. ACS Applied Materials & Interfaces, 2022, 14, 23546-23557.	8.0	53
4542	Spherical CoS2 with high load capacity as cathode carrier material of lithium sulfur batteries for improving the volume energy density. Journal of Materials Science: Materials in Electronics, 2022, 33, 14121-14133.	2.2	2
4543	Fluorinating the Solid Electrolyte Interphase by Rational Molecular Design for Practical Lithiumâ€Metal Batteries. Angewandte Chemie, 2022, 134, .	2.0	10
4544	Fluorinating the Solid Electrolyte Interphase by Rational Molecular Design for Practical Lithiumâ€Metal Batteries. Angewandte Chemie - International Edition, 2022, 61, .	13.8	68
4545	Confining ZnS/SnS ₂ Ultrathin Heterostructured Nanosheets in Hollow Nâ€Doped Carbon Nanocubes as Novel Sulfur Host for Advanced Liâ€S Batteries. Small, 2022, 18, e2107727.	10.0	39

#	Article	IF	CITATIONS
4546	Composite gel-polymer electrolyte for high-loading polysulfide cathodes. Journal of Materials Chemistry A, 2022, 10, 13719-13726.	10.3	28
4547	Finelyâ€Dispersed Ni ₂ Co Nanoalloys on Flowerâ€Like Graphene Microassembly Empowering a Biâ€Service Matrix for Superior Lithium–Sulfur Electrochemistry. Advanced Functional Materials, 2022, 32, .	14.9	22
4548	A global design principle for polysulfide electrocatalysis in lithium–sulfur batteries—A computational perspective. , 2022, 1, .		13
4549	Hollow Ni ₃ Se ₄ with High Tap Density as a Carbon-Free Sulfur Immobilizer to Realize High Volumetric and Gravimetric Capacity for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2022, 14, 25267-25277.	8.0	15
4550	Acetylene Black Interlayer Regulated Sulfur Deposition for Lithium-Sulfur Batteries with High Utilization and Long-Term Life. SSRN Electronic Journal, 0, , .	0.4	0
4551	Flower-Like Metal Oxide Composite as an Efficient Sulfur Host for Stable and High-Capacity Lithium-Sulfur Batteries. SSRN Electronic Journal, 0, , .	0.4	0
4552	Rubber-Derived Sulfur Composite Cathode Material for Li-S/Li-ion Battery. Electrochemistry, 2022, , .	1.4	1
4553	Adsorptionâ€Catalysisâ€Conversion of Polysulfides in Sandwiched Ultrathin Ni(OH) ₂ â€PANI for Stable Lithium–Sulfur Batteries. Small, 2022, 18, .	10.0	18
4554	Confinement and Electrocatalysis of Cerium Fluoride Nanocages to Boost the Lithium–Sulfur Batteries Performance. Small Structures, 2022, 3, .	12.0	8
4555	Photo-enhanced rechargeable high-energy-density metal batteries for solar energy conversion and storage. , 2022, 1, e9120007.		89
4556	Mechanisms for selfâ€ŧemplating design of micro/nanostructures toward efficient energy storage. Exploration, 2022, 2, .	11.0	11
4557	Effective polysulfide adsorption and catalysis by polyoxometalate contributing to high-performance Li–S batteries. Materials Today Nano, 2022, 19, 100231.	4.6	10
4558	Carbon-based cathode host derived from crosslinked porous polyimides for lithium-sulfur batteries and their electrochemical properties. International Journal of Hydrogen Energy, 2022, , .	7.1	1
4559	Structural regulation of vanadium oxide by poly(3,4-ethylenedioxithiophene) intercalation for ammonium-ion supercapacitors. , 2022, 1, 100013.		11
4560	High-density/efficient surface active sites on modified separators to boost Li-S batteries via atomic Co3+-Se termination. Nano Research, 2022, 15, 7199-7208.	10.4	18
4561	Covalently grafting conjugated porous polymers to MXene offers a two-dimensional sandwich-structured electrocatalytic sulfur host for lithium–sulfur batteries. Chemical Engineering Journal, 2022, 446, 137365.	12.7	25
4562	<scp>Lithiumâ€Sulfur</scp> Batteries at Extreme Temperatures: Challenges, Strategies and Prospects. Energy and Environmental Materials, 2023, 6, .	12.8	5
4563	Iron (Fe, Ni, Co)-based transition metal compounds for lithium-sulfur batteries: Mechanism, progress and prospects. Journal of Energy Chemistry, 2022, 73, 513-532.	12.9	50

#	Article	IF	CITATIONS
4564	Understandings about functionalized porous carbon via scanning transmission x-ray microscopy (STXM) for high sulfur utilization in lithium-sulfur batteries. Nano Energy, 2022, 100, 107446.	16.0	7
4565	Dualâ€Atom Nickel Moieties of Ni(II) ₂ N ₄ (µ ₂ â€N) ₂ Anchored on Alfalfaâ€Derived Developed Porous Nâ€Doped Carbon for Highâ€Performance Li–S Battery. Small, 2022, 18, .	10.0	7
4566	Electrochemical polymerization of nonflammable electrolyte enabling fast-charging lithium-sulfur battery. Energy Storage Materials, 2022, 50, 387-394.	18.0	23
4567	Fibrous organosulfur cathode materials with high bonded sulfur for high-performance lithium-sulfur batteries. Journal of Power Sources, 2022, 541, 231693.	7.8	22
4568	Rational design of ultrathin Mo2C/C nanosheets decorated on mesoporous hollow carbon spheres as a multifunctional sulfur host for advanced Li-S batteries. Journal of Alloys and Compounds, 2022, 918, 165667.	5.5	6
4569	Kinetics of polysulfide on metal-sulfur batteries. , 2022, , 679-713.		Ο
4570	Recent advances in metal-sulfur batteries with sulfides. , 2022, , 713-732.		0
4571	Phosphorus-based nanomaterials for lithium-ion battery anode. , 2023, , 533-549.		5
4572	Function-directed design of battery separators based on microporous polyolefin membranes. Journal of Materials Chemistry A, 2022, 10, 14137-14170.	10.3	38
4574	A review on recent advancements in solid state lithium–sulfur batteries: fundamentals, challenges, and perspectives. Progress in Energy, 2022, 4, 042001.	10.9	7
4575	Li–S batteries: effect of uniaxial compression on the electrical conductivity and electrochemical performance of graphene aerogel cathodes. Journal of Solid State Electrochemistry, 2022, 26, 1747-1759.	2.5	4
4576	Impact of Sulfur Infiltration Time and Its Content in an N-doped Mesoporous Carbon for Application in Li-S Batteries. Batteries, 2022, 8, 58.	4.5	9
4577	Engineering the interface between separators and cathodes to suppress polysulfide shuttling in lithium-sulfur batteries. New Carbon Materials, 2022, 37, 527-543.	6.1	17
4578	Advanced Nanostructured MXene-Based Materials for High Energy Density Lithium–Sulfur Batteries. International Journal of Molecular Sciences, 2022, 23, 6329.	4.1	8
4579	Lithium-sulfur battery diagnostics through distribution of relaxation times analysis. Energy Storage Materials, 2022, 51, 97-107.	18.0	54
4580	Capturing Polysulfides with a Functional Anhydride Compound for Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2022, 5, 7719-7727.	5.1	10
4581	Cation-doped ZnS catalysts for polysulfide conversion in lithium–sulfur batteries. Nature Catalysis, 2022, 5, 555-563.	34.4	198
4582	Lithium-Sulfur Solid-State Batteries. ACS Symposium Series, 0, , 267-288.	0.5	1

#	Article	IF	CITATIONS
4583	Achieving job-synergistic polysulfides adsorption-conversion within hollow structured MoS2/Co4S3/C heterojunction host for long-life lithium–sulfur batteries. Journal of Colloid and Interface Science, 2022, 626, 535-543.	9.4	17
4584	The Catalyst Design for Lithiumâ \in Sulfur Batteries: Roles and Routes. Chemical Record, 2022, 22, .	5.8	12
4585	Accurate determination of optimal sulfur content in mesoporous carbon hosts for high-capacity stable lithium-sulfur batteries. Carbon, 2022, 197, 200-208.	10.3	12
4586	Atomic-Scale Insights into Comparative Mechanisms and Kinetics of Na–S and Li–S Batteries. ACS Catalysis, 2022, 12, 7664-7676.	11.2	23
4587	High-Performance Cathode Materials for Lithium–Sulfur Batteries Based on Sulfurated Poly(norbornadiene) and Sulfurated Poly(dicyclopentadiene). ACS Applied Energy Materials, 2022, 5, 7642-7650.	5.1	2
4588	Solid-state electrolytes for solid-state lithium-sulfur batteries: Comparisons, advances and prospects. Journal of Energy Chemistry, 2022, 73, 370-386.	12.9	32
4589	Internally enhanced conductive 3D porous hierarchical biochar framework for lithium sulfur battery. Energy, 2022, 255, 124474.	8.8	9
4590	Construction of high-performance sulfurized poly(acrylonitrile) cathodes for lithium-sulfur batteries via catalytic and conductive regulation. Journal of Alloys and Compounds, 2022, 919, 165838.	5.5	10
4591	A high-efficiency WS2 nanosheets on N-doped graphene electrocatalyst with dual-function of preventing shuttling and accelerating polysulfides conversion in Li-S batteries. Applied Surface Science, 2022, 599, 154022.	6.1	1
4592	Engineering functional mesoporous materials from plant polyphenol based coordination polymers. Coordination Chemistry Reviews, 2022, 468, 214649.	18.8	39
4593	Dual catalysis-adsorption function modified separator towards high-performance Li-Se battery. Applied Surface Science, 2022, 599, 153932.	6.1	7
4594	Boosting sulfur catalytic kinetics by defect engineering of vanadium disulfide for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2022, 448, 137683.	12.7	19
4595	Deciphering the role of LiNO ₃ additives in Li–S batteries. Materials Horizons, 2022, 9, 2325-2334.	12.2	29
4596	A dual-functional interlayer for Li–S batteries using carbon fiber film cladded electron-deficient Li ₂ B ₄ O ₇ . Journal of Materials Chemistry A, 2022, 10, 16152-16162.	10.3	13
4597	Realizing fast polysulfides conversion within yolk-shelled NiO@HCSs nanoreactor as cathode host for high-performance lithium-sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 16309-16318.	10.3	23
4598	Machine learning enabled high-throughput screening of inorganic solid electrolytes for regulating dendritic growth in lithium metal anodes. New Journal of Chemistry, 2022, 46, 14227-14238.	2.8	4
4599	The role of advanced host materials and binders for improving lithium-sulfur battery performance. , 2022, , 297-324.		0
4600	Advances in understanding and regulation of sulfur conversion processes in metal–sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 19412-19443.	10.3	14
# 4601	ARTICLE Heteroatom-Doped Ginkgo Folium Porous Carbon Modified Separator for High-Capacity and Long-Cycle Lithium-Sulfur Batteries. SSRN Electronic Journal, 0, , .	IF 0.4	CITATIONS 0
-----------	---	-----------	----------------
4602	The key role of concentrated Zn(OTF) ₂ electrolyte in the performance of aqueous Zn–S batteries. Chemical Communications, 2022, 58, 8145-8148.	4.1	23
4603	Future prospects for lithium-sulfur batteries: The criticality of solid electrolytes. , 2022, , 327-351.		0
4604	Advanced cathodic free-standing interlayers for lithium–sulfur batteries: understanding, fabrication, and modification. Physical Chemistry Chemical Physics, 2022, 24, 17383-17396.	2.8	9
4605	Realizing the compatibility of a Li metal anode in an all-solid-state Liâ^'S battery by chemical iodine–vapor deposition. Energy and Environmental Science, 2022, 15, 3236-3245.	30.8	39
4606	<scp>Carbonâ€toâ€sulfur</scp> ratio in the cell controls the discharge capacity, cycling performance and energy density of a <scp>lithiumâ€sulfur</scp> battery. International Journal of Energy Research, 2022, 46, 15926-15937.	4.5	2
4607	Immobilization and Kinetic Acceleration of Lithium Polysulfides by Iodine-Doped MXene Nanosheets in Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 2022, 126, 10986-10994.	3.1	5
4608	Functional Janus Membranes: Promising Platform for Advanced Lithium Batteries and Beyond. Energy and Environmental Materials, 2023, 6, .	12.8	3
4609	MXenes for advanced separator in rechargeable batteries. Materials Today, 2022, 57, 146-179.	14.2	38
4610	Urchin-like Nb2O5/CNT modified separator for lithium-sulfur batteries. International Journal of Hydrogen Energy, 2022, 47, 27671-27679.	7.1	12
4611	Quantitative defect regulation of heterostructures for sulfur catalysis toward fast and long lifespan lithium-sulfur batteries. Nano Research, 2022, 15, 7925-7932.	10.4	19
4612	Organocatalysis-Inspired Palladium Molecule as a Robust Polysulfide-Confinement-Scissors Catalyst for Advanced Lithium–Sulfur Battery. ACS Applied Energy Materials, 2022, 5, 8538-8546.	5.1	4
4613	In Situ Construction of CeO ₂ -Incorporated Hybrid Covalent Organic Frameworks for Highly Efficient Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2022, 5, 8554-8562.	5.1	5
4614	Investigation and Design of High-Loading Sulfur Cathodes with a High-Performance Polysulfide Adsorbent for Electrochemically Stable Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2022, 10, 9254-9264.	6.7	20
4615	Poly(ionic liquid) Nanovesicle-Templated Carbon Nanocapsules Functionalized with Uniform Iron Nitride Nanoparticles as Catalytic Sulfur Host for Li–S Batteries. ACS Nano, 2022, 16, 10554-10565.	14.6	18
4616	Advances and challenges of aluminum–sulfur batteries. Communications Chemistry, 2022, 5, .	4.5	15
4617	Unity of Opposites between Soluble and Insoluble Lithium Polysulfides in Lithium–Sulfur Batteries. Advanced Materials, 2022, 34, .	21.0	38
4618	Sulfurized Polypropylene as Low ost Cathode Material for High Capacity Lithiumâ€Sulfur Batteries. Batteries and Supercaps, 0, , .	4.7	1

#	Article	IF	CITATIONS
4620	Solid Carbon Spheres with Interconnected Open Pore Channels Enabling High-Efficient Polysulfide Conversion for High-Rate Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2022, 14, 32183-32195.	8.0	17
4621	Anion Redox in an Amorphous Titanium Polysulfide. ACS Applied Materials & Interfaces, 2022, 14, 33191-33199.	8.0	1
4622	Toward unveiling structure and property relationships from ionic ordering in Li/S battery electrolytes: Neutron total scattering and molecular dynamics simulations. Energy Storage Materials, 2022, 52, 85-93.	18.0	2
4623	Metalâ€Organic Frameworks Functionalized Separators for Lithiumâ€&ulfur Batteries. Chemical Record, 2022, 22, .	5.8	6
4624	Application of MXenes in lithium-sulfur batteries. Science China Technological Sciences, 2022, 65, 2259-2273.	4.0	8
4625	An ultralight electroconductive metal-organic framework membrane for multistep catalytic conversion and molecular sieving in lithium-sulfur batteries. Energy Storage Materials, 2022, 51, 882-889.	18.0	22
4626	Lithiated carboxylated nitrile butadiene rubber with strong polysulfide immobilization ability as a binder for improving lithium-sulfur battery performance. Journal of Power Sources, 2022, 542, 231771.	7.8	2
4627	Multiple structure integrations of embedded-Co and coated-TiO2 nanoparticles in N, Co-codoped carbon nanotubes for high efficiency lithium-sulfur batteries. Applied Surface Science, 2022, 600, 154154.	6.1	2
4628	Yolk-double shells hierarchical N-doped carbon nanosphere as an electrochemical nanoreactor for high performance lithium-sulfur batteries. Carbon, 2022, 198, 80-90.	10.3	30
4629	Efficient polysulfide conversion by Fe-N/C active sites anchored in N, P- doped carbon for high-performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2022, 922, 166132.	5.5	11
4630	Cooperative catalytic Mo-S-Co heterojunctions with sulfur vacancies for kinetically boosted lithium-sulfur battery. Chemical Engineering Journal, 2022, 450, 138115.	12.7	23
4631	Effective adsorption and acceleration redox conversion towards lithium polysulfide by nanorod-like Sb-doped SnO2 nanofibers for high-performance lithium-sulfur battery. Journal of Alloys and Compounds, 2022, 922, 166234.	5.5	3
4632	The synergistic adsorption-electrocatalysis research of Mn2P interlayer for durable large-capacity and high-energy-efficiency Li-S batteries. Chemical Engineering Journal, 2022, 450, 137925.	12.7	11
4633	Flower-Shaped Hollow VOOH Spheres Wrapped by Carbon Nanotubes as the Cathode Electrocatalyst Enable Ultrafast and Long-Lasting Li–S Batteries. ACS Applied Materials & Interfaces, 2022, 14, 34802-34813.	8.0	13
4634	Flower-like metal oxide composite as an efficient sulfur host for stable and high-capacity lithium-sulfur batteries. Journal of Solid State Chemistry, 2022, 314, 123430.	2.9	2
4635	Novel nitrogen-doped bamboo-structure carbon nanotubes as superior sulfur host for high-performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2022, 923, 166376.	5.5	8
4636	Lean-electrolyte lithium-sulfur batteries: Recent advances in the design of cell components. Chemical Engineering Journal, 2022, 450, 138209.	12.7	19
4638	Strengthened d–p Orbital Hybridization through Asymmetric Coordination Engineering of Single-Atom Catalysts for Durable Lithium–Sulfur Batteries. Nano Letters, 2022, 22, 6366-6374.	9.1	50

#	Article	IF	CITATIONS
4639	Insight into the Catalytic Role of Defect-Enriched Vanadium Sulfide for Regulating the Adsorption–Catalytic Conversion Behavior of Polysulfides in Li–S Batteries. ACS Applied Materials & Interfaces, 2022, 14, 35833-35843.	8.0	13
4640	Catalytic Effects of Electrodes and Electrolytes in Metal–Sulfur Batteries: Progress and Prospective. Advanced Materials, 2022, 34, .	21.0	22
4641	Mo ₂ N Quantum Dots Decorated Nâ€Doped Graphene Nanosheets as Dualâ€Functional Interlayer for Dendriteâ€Free and Shuttleâ€Free Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2022, 32, .	14.9	77
4642	<i>In Operando</i> FTIR Study on the Effect of Sulfur Chain Length in Sulfur Copolymer-Based Li–S Batteries. Journal of Physical Chemistry C, 2022, 126, 12327-12338.	3.1	14
4643	é",çj«ç"µæ±éžå‡ç›,电å,¬åŒ−å‰,. Chinese Science Bulletin, 2023, 68, 399-413.	0.7	1
4644	Ultrahighâ€Content CoP Cluster as a Dualâ€Atomâ€Site Electrocatalyst for Accelerating Polysulfides Conversion in Li–S Batteries. Advanced Functional Materials, 2022, 32, .	14.9	37
4645	Understanding the lithium–sulfur battery redox reactions via operando confocal Raman microscopy. Nature Communications, 2022, 13, .	12.8	36
4646	Emerging catalytic materials for practical lithium-sulfur batteries. Journal of Energy Chemistry, 2023, 76, 127-145.	12.9	43
4647	Intrinsic Regularity of Catalytic Cobalt Chalcogenides in Lithiumâ€Sulfur Battery: Theoretical Study Delivers New Insights. Chemistry - A European Journal, 2022, 28, .	3.3	0
4648	Energetics of Sulfurâ€Carbon Interaction. ChemPhysChem, 2022, 23, .	2.1	2
4649	Understanding Synthesis–Structure–Performance Correlations of Nanoarchitectured Activated Carbons for Electrochemical Applications and Carbon Capture. Advanced Functional Materials, 2022, 32, .	14.9	32
4650	MOF-Derived AlCuSe ₂ Embedded in a Carbon Matrix for an Economical Anode of Lithium-Ion Battery. ACS Omega, 2022, 7, 30440-30446.	3.5	1
4651	Polarization doping— <i>Ab initio</i> verification of the concept: Charge conservation and nonlocality. Journal of Applied Physics, 2022, 132, .	2.5	2
4652	Research progress and potential materials of porous thick electrode with directional structure for lithium-sulfur batteries. Journal of Porous Materials, 0, , .	2.6	4
4653	Polysulfide Speciation in Li–S Battery Electrolyte via In-Operando Optical Imaging and Ex-Situ UV-vis Spectra Analysis. Journal of the Electrochemical Society, 2022, 169, 090518.	2.9	2
4654	Tunnel Structure Enhanced Polysulfide Conversion for Inhibiting "Shuttle Effect―in Lithium-Sulfur Battery. Nanomaterials, 2022, 12, 2752.	4.1	2
4655	Fillerâ€integrated Composite Polymer Electrolyte for Solid‣tate Lithium Batteries. Advanced Materials, 2023, 35, .	21.0	105
4656	A Diluted Electrolyte for Long-Life Sulfurized Polyacrylonitrile-Based Anode-Free Li-S Batteries. Polymers, 2022, 14, 3312.	4.5	4

#	Article	IF	CITATIONS
4657	Selective sulfur conversion with surface engineering of electrocatalysts in a lithium–sulfur battery. , 2023, 5, .		23
4658	Acetylene black interlayer regulated sulfur deposition for lithium-sulfur batteries with high utilization and long-term life. Electrochimica Acta, 2022, 431, 141100.	5.2	3
4659	Development of high-energy non-aqueous lithium-sulfur batteries via redox-active interlayer strategy. Nature Communications, 2022, 13, .	12.8	33
4660	Construction of high sulfur loading electrode with functional binder of polyacrylic acid polymer grafted with polyethylene glycol for lithium/sulfur batteries. International Journal of Energy Research, 2022, 46, 24565-24577.	4.5	13
4661	Suppressing Polysulfides Shuttling and Promoting Sulfur Utilization via Transition Metal and Nitrogen Co-Doping on Graphdiyne Cathodes of Lithium-Sulfur Batteries: A First-Principles Modeling. ACS Applied Energy Materials, 2022, 5, 9722-9732.	5.1	3
4662	Removal of Methylene Blue from Wastewater Using a Ternary Composite Hydrogel System: Pullulan Polysaccharides Grafted with Polyacrylamide and Decorated with Graphene Oxide. Journal of Polymers and the Environment, 0, , .	5.0	0
4663	3D printing CO2-activated carbon nanotubes host to promote sulfur loading for high areal capacity lithium-sulfur batteries. Nano Research, 2023, 16, 8281-8289.	10.4	6
4664	Demystifying Activity Origin of M–N–C Singleâ€Atomic Mediators Toward Expedited Rateâ€Determining Step in Li–S Electrochemistry. Small Science, 2022, 2, .	9.9	17
4665	Modulating Bond Interactions and Interface Microenvironments between Polysulfide and Catalysts toward Advanced Metal–Sulfur Batteries. Advanced Functional Materials, 2022, 32, .	14.9	22
4666	Zirconia-supported cobalt nanoparticles as high-performance sulfur cathode for lithium–sulfur batteries. Nanotechnology, 2022, 33, 485405.	2.6	1
4667	Catalytic Disproportionation for Suppressing Polysulfide Shuttle in Li–S Pouch Cells: Beyond Adsorption Interactions. Advanced Energy Materials, 2022, 12, .	19.5	16
4668	Multi-functional yolk-shell structured materials and their applications for high-performance lithium ion battery and lithium sulfur battery. Energy Storage Materials, 2022, 53, 684-743.	18.0	28
4669	Polyglycerol-functionalized microporous carbon/sulfur cathode for Li-S battery. Electrochimica Acta, 2022, 429, 141000.	5.2	6
4670	A review of Li-ion batteries for autonomous mobile robots: Perspectives and outlook for the future. Journal of Power Sources, 2022, 545, 231943.	7.8	20
4671	Functionalized M2CT2 (MÂ=ÂTi, V, Cr, Mn; TÂ=ÂO, S, Se) MXenes as anchoring materials for lithium-sulfur batteries. Applied Surface Science, 2022, 602, 154375.	6.1	6
4672	Heteroatom-doped Ginkgo Folium porous carbon modified separator for high-capacity and long-cycle lithium-sulfur batteries. Applied Surface Science, 2022, 602, 154342.	6.1	12
4673	Two-dimensional montmorillonite-based heterostructure for high-rate and long-life lithium-sulfur batteries. Energy Storage Materials, 2022, 52, 120-129.	18.0	35
4674	Surface Film Formation from Sodium Polysulfide Decomposition on Sodium-Metal Anode Surface. Journal of Physical Chemistry C, 2022, 126, 16615-16626.	3.1	5

#	Article	IF	CITATIONS
4675	The use of activated bio-carbon derived from "Posidonia oceanica―sea-waste for Lithium-Sulfur batteries development. Sustainable Energy Technologies and Assessments, 2022, 53, 102748.	2.7	2
4676	Multifunctional behaviour of graphite in lithium–sulfur batteries. Renewable and Sustainable Energy Reviews, 2022, 169, 112948.	16.4	14
4677	Integrating LiF-rich solid electrolyte interphase and in-situ formed gel blocking layer for Li–S battery. Journal of Power Sources, 2022, 548, 232035.	7.8	8
4678	Nanoscale advanced carbons as an anode for lithium-ion battery. Materials Today Advances, 2022, 16, 100290.	5.2	7
4679	Dispersing single-layered Ti3C2TX nanosheets in hierarchically-porous membrane for high-efficiency Li+ transporting and polysulfide anchoring in Li-S batteries. Energy Storage Materials, 2022, 53, 32-41.	18.0	31
4680	CeO2 nanoparticles decorated CMK-3 as high-performance sulfur host for Li-S batteries. Journal of Alloys and Compounds, 2022, 928, 167179.	5.5	7
4681	Designable ultra-stable electrode surface engineering by the electrophoretic deposition of modified graphene oxide for rechargeable batteries. Applied Surface Science, 2022, 605, 154704.	6.1	2
4682	Multi-function hollow nanorod as an efficient sulfur host accelerates sulfur redox reactions for high-performance Li-S batteries. Journal of Colloid and Interface Science, 2023, 629, 65-75.	9.4	8
4683	Investigation of Poly(3,6-Dioxa-1,8-Octane-Dithiol)-Based Organosulfur Polymer as the Positive Electrode Material in Rechargeable Li-S Battery. SSRN Electronic Journal, 0, , .	0.4	0
4684	The Effect of Porosity of Activated Carbon Cloth Cathodes on the Cyclic Performance of Li-S Cells. SSRN Electronic Journal, 0, , .	0.4	0
4685	Recent progress in ZnCo ₂ O ₄ and its composites for energy storage and conversion: a review. Energy Advances, 2022, 1, 793-841.	3.3	12
4686	Promoting the conversion of S and Li ₂ S using a Co ₃ O ₄ @NC additive in all-solid-state Li–S batteries. Journal of Materials Chemistry A, 2022, 10, 18907-18915.	10.3	9
4687	Recent advances in novel graphene: new horizons in renewable energy storage technologies. Journal of Materials Chemistry C, 2022, 10, 11472-11531.	5.5	18
4688	Few-layered V ₂ C MXene derived 3D V ₃ S ₄ nanocrystal functionalized carbon flakes boosting polysulfide adsorption and catalytic conversion towards Li–S batteries. Journal of Materials Chemistry A, 2022, 10, 18679-18689.	10.3	17
4689	Sandwich-type CoSe ₂ -CNWs@rGO/S composites with efficient trapping and catalytic conversion of polysulfides in lithium–sulfur batteries. Dalton Transactions, 2022, 51, 14097-14106.	3.3	4
4690	Atomically distributed asymmetrical five-coordinated Co–N ₅ moieties on N-rich doped C enabling enhanced redox kinetics for advanced Li–S batteries. Journal of Materials Chemistry A, 2022, 10, 22114-22124.	10.3	11
4691	Carbon-Based Nanomaterials for Metal-Sulfur/Selenium Batteries. Springer Series in Materials Science, 2022, , 227-247.	0.6	0
4692	Renewable biomass-derived carbon-based hosts for lithium–sulfur batteries. Sustainable Energy and Fuels, 2022, 6, 5211-5242.	4.9	6

# 4693	ARTICLE Post-synthetically modified metal–porphyrin framework GaTCPP for carbon dioxide adsorption and energy storage in Li–S batteries. RSC Advances, 2022, 12, 23989-24002.	IF 3.6	CITATIONS
4694	Status and prospects of electrocatalysts for lithium-sulfur battery under lean electrolyte and high sulfur loading conditions. Chemical Engineering Journal, 2023, 452, 139344.	12.7	6
4695	Advances of graphene-based aerogels and their modifications in lithium-sulfur batteries. Carbon, 2023, 201, 679-702.	10.3	19
4696	Highâ€Energy and Longâ€Lifespan Potassium–Sulfur Batteries Enabled by Concentrated Electrolyte. Advanced Functional Materials, 2022, 32, .	14.9	16
4697	The Role of Functionalized Conducting Polymer Binders in Improving Power Density and Cycle Life of Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2022, 169, 100515.	2.9	2
4698	Recyclable Sulfur-Rich Polymers with Enhanced Thermal, Mechanical, and Optical Performance. Macromolecules, 2022, 55, 8651-8658.	4.8	16
4699	Battery materials for electric vehicle – A comprehensive review. Materials Today: Proceedings, 2022, , .	1.8	0
4700	Lithium Sulfide: Magnesothermal Synthesis and Battery Applications. ACS Applied Materials & Interfaces, 2022, 14, 41003-41012.	8.0	9
4701	Preparation and electrochemical properties of hollow carbon spheres/sulfur co-doped with N and O for high-performance lithium-sulfur batteries. Journal of Porous Materials, 2023, 30, 277-288.	2.6	3
4702	Advantage of Dimethyl Sulfoxide in the Fabrication of Binder-Free Layered Double Hydroxides Electrodes: Impacts of Physical Parameters on the Crystalline Domain and Electrochemical Performance. International Journal of Molecular Sciences, 2022, 23, 10192.	4.1	1
4703	Mesoporous Nâ€rich Carbon with Singleâ€Ni Atoms as a Multifunctional Sulfur Host for Liâ€5 Batteries. Angewandte Chemie, 0, , .	2.0	0
4704	Mesoporous Nâ€rich Carbon with Singleâ€Ni Atoms as a Multifunctional Sulfur Host for Liâ€5 Batteries. Angewandte Chemie - International Edition, 2022, 61, .	13.8	51
4705	Bulk and interface-strengthened Li7P2.9Sb0.1S10.65O0.15I0.2 electrolyte via dual-source doping for all-solid-state lithium-sulfur batteries. Science China Materials, 2023, 66, 513-521.	6.3	3
4706	Review on recent advances in twoâ€dimensional nanomaterialsâ€based cathodes for lithiumâ€sulfur batteries. EcoMat, 2023, 5, .	11.9	15
4707	Regulating Polysulfide Conversion Kinetics Using Tungsten Diboride as Additive For Highâ€Performance Li–S Battery. Small, 2022, 18, .	10.0	8
4708	Multifunctional 1D Nanostructures toward Future Batteries: A Comprehensive Review. Advanced Functional Materials, 2022, 32, .	14.9	18
4709	In-situ processing nano-porous silicon into 3D conductive structure as high-capacity anode for lithium-ion batteries. Science China Materials, 2023, 66, 493-504.	6.3	6
4710	XO (XÂ= Ti, Mn) decorated hollow multi-channel carbon sub-micro fiber networks as freestanding cathode for Li S batteries. Journal of Materiomics, 2022, , .	5.7	0

#	Article	IF	CITATIONS
4711	Sulfur Reduction Reaction in Lithium–Sulfur Batteries: Mechanisms, Catalysts, and Characterization. Advanced Energy Materials, 2022, 12, .	19.5	69
4712	Three-dimensional carbon foam decorated with SnO2 as multifunctional host for lithium sulfur batteries. Journal of Colloid and Interface Science, 2023, 630, 106-114.	9.4	8
4713	Thin Nano Cages with Limited Hollow Space for Ultrahigh Sulfur Loading Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2022, 14, 45414-45422.	8.0	9
4714	Effect of CeO2-x-CNT/S cathode on the electrochemical performance of lithium-sulfur batteries. Journal of Solid State Chemistry, 2022, 316, 123642.	2.9	7
4715	Unraveling the hierarchical porous structure in natural pollen-derived Fe-containing carbon to address the shuttle effect and dead sulfur problems in lithium-sulfur batteries. Chemical Engineering Journal, 2023, 453, 139516.	12.7	9
4716	Weakening the Solvating Power of Solvents to Encapsulate Lithium Polysulfides Enables Long ycling Lithium–Sulfur Batteries. Advanced Materials, 2022, 34, .	21.0	35
4717	Mesoporous biophotonic carbon spheres with tunable curvature for intelligent drug delivery. Nanophotonics, 2022, 11, 5165-5175.	6.0	2
4718	Graphene oxide wrapped hollow mesoporous carbon spheres as a dynamically bipolar host for lithium–sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 24422-24433.	10.3	15
4719	Battery materials. , 2023, , 308-363.		0
4720	Multiple boosting Janus membranes synergized with Li-rich PAF-6 and carbon nanoparticles for high performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 24106-24114.	10.3	5
4721	Synergistic effect of adsorption and electrocatalysis of CoO/NiO heterostructure nanosheet assembled nanocages for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2022, 10, 23811-23822.	10.3	30
4722	Synthesis and Electrochemical Performance of Microporous Hollow Carbon from Milkweed Pappus as Cathode Material of Lithium–Sulfur Batteries. Nanomaterials, 2022, 12, 3605.	4.1	3
4723	The Multiâ€Functional Effects of CuS as Modifier to Fabricate Efficient Interlayer for Liâ€S Batteries. Advanced Science, 2022, 9, .	11.2	29
4724	The role of polysulfide-saturation in electrolytes for high power applications of real world Li-S pouch cells. Nano Research, 2023, 16, 8313-8320.	10.4	2
4725	Transition Metal Carbides Filler-Reinforced Composite Polymer Electrolyte for Solid-State Lithium-Sulfur Batteries at Room Temperature: Breakthrough. Energies, 2022, 15, 7827.	3.1	2
4726	Effects of Periodic Pore Ordering on Photocatalytic Hydrogen Generation with Mesoporous Semiconductor Oxides. Small Structures, 2023, 4, .	12.0	3
4727	Progress and Prospects of Emerging Potassium–Sulfur Batteries. Advanced Energy Materials, 2022, 12,	19.5	11
4728	An Electrocatalytic Model of the Sulfur Reduction Reaction in Lithium–Sulfur Batteries. Angewandte Chemie, 2022, 134, .	2.0	2

#	Article	IF	CITATIONS
4729	Spherical Templating of CoSe ₂ Nanoparticle-Decorated MXenes for Lithium–Sulfur Batteries. Nano Letters, 2022, 22, 8679-8687.	9.1	20
4730	Working Principles of Lithium Metal Anode in Pouch Cells. Advanced Energy Materials, 2022, 12, .	19.5	39
4731	Lithium‣ulfur Batteries: Current Achievements and Further Development. Batteries and Supercaps, 2022, 5, .	4.7	10
4732	Mitigating Lithium Dissolution and Polysulfide Shuttle Effect Phenomena Using a Polymer Composite Layer Coating on the Anode in Lithium–Sulfur Batteries. Polymers, 2022, 14, 4359.	4.5	3
4733	Understanding the Role of Carbon Mixtures on the Polarization of Sulfur Electrodes in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2022, 169, 110528.	2.9	1
4734	Opportunities of Flexible and Portable Electrochemical Devices for Energy Storage: Expanding the Spotlight onto Semi-solid/Solid Electrolytes. Chemical Reviews, 2022, 122, 17155-17239.	47.7	67
4735	An Electrocatalytic Model of the Sulfur Reduction Reaction in Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2022, 61, .	13.8	28
4736	Melamine-Sacrificed Pyrolytic Synthesis of Spiderweb-like Nanocages Encapsulated with Catalytic Co Atoms as Cathode for Advanced Li-S Batteries. Batteries, 2022, 8, 161.	4.5	3
4737	Okra-Like Multichannel TiO@NC Fibers Membrane with Spatial and Chemical Restriction on Shuttle-Effect for Lithium–Sulfur Batteries. Advanced Fiber Materials, 2023, 5, 252-265.	16.1	10
4738	Binary Metal Single Atom Electrocatalysts with Synergistic Catalytic Activity toward Highâ€Rate and High Areal apacity Lithium–Sulfur Batteries. Advanced Functional Materials, 2022, 32, .	14.9	44
4739	Catalytic effect of carbon-based electrode materials in energy storage devices. Science China Materials, 2022, 65, 3229-3242.	6.3	5
4740	Li ₂ S–V ₂ S ₃ –Lil Bifunctional Material as the Positive Electrode in the All-Solid-State Li/S Battery. Chemistry of Materials, 2022, 34, 9745-9752.	6.7	13
4741	Regulating <i>f</i> orbital of Tb electronic reservoir to activate stepwise and dualâ€directional sulfur conversion reaction. InformaÄnÃ-Materiály, 2023, 5, .	17.3	8
4742	Exploring the Superior Anchoring Performance of the Two-Dimensional Nanosheets B ₂ C ₄ P ₂ and B ₃ C ₂ P ₃ for Lithium–Sulfur Batteries. ACS Omega, 2022, 7, 38543-38549.	3.5	7
4743	Enhancing the Catalytic Activity of Layered Double Hydroxide Supported on Graphene for Lithium–Sulfur Redox Reactions. Batteries, 2022, 8, 200.	4.5	0
4744	Promising Au&CNTs@N-Doped Hierarchical Carbon Composite for High-Performance Lithium–Sulfur Batteries. Energy & Fuels, 2022, 36, 13327-13336.	5.1	0
4745	Advances in sulfide-based all-solid-state lithium-sulfur battery: Materials, composite electrodes and electrochemo-mechanical effects. Chemical Engineering Journal, 2023, 454, 139923.	12.7	12
4746	CeO2-C nanorods obtained by high-temperature carbonization of Ce-MOF as separator coating for Li-S battery. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2023, 657, 130443.	4.7	3

#	Article	IF	CITATIONS
4747	Facile synthesis of nitrogen deficient-carbon nitride as an efficient polysulfide barrier for lithium-sulfur battery. Ionics, 2022, 28, 5351-5359.	2.4	3
4748	Locally Concentrated Ionic Liquid Electrolyte with Partially Solvating Diluent for Lithium/Sulfurized Polyacrylonitrile Batteries. Advanced Materials, 2022, 34, .	21.0	17
4749	Carbon Coated Metalâ€Based Composite Electrode Materials for Lithium Sulfur Batteries: A Review. Chemical Record, 2022, 22, .	5.8	5
4750	Spin Effect to Promote Reaction Kinetics and Overall Performance of Lithiumâ€Sulfur Batteries under External Magnetic Field. Angewandte Chemie, 2022, 134, .	2.0	2
4751	Occurrence of pharmaceuticals and personal care products in domestic wastewater, available treatment technologies, and potential treatment using constructed wetland: A review. Chemical Engineering Research and Design, 2022, 168, 1067-1088.	5.6	23
4752	Core-shell and hollow meso@microporous carbon derived from ZIF-8Â@CMK-3 composites for Li-S batteries. Journal of Alloys and Compounds, 2023, 934, 167861.	5.5	7
4753	Engineering vacancy-defect atomic Ni sites via biowaste valorisation for high-power kinetics in lithium-sulfur batteries. Energy Storage Materials, 2023, 54, 553-562.	18.0	12
4754	Post lithium-sulfur battery era: challenges and opportunities towards practical application. Science China Chemistry, 2024, 67, 106-121.	8.2	3
4755	Double-Shell Carbon-Coated CoFe Alloy Nanoparticles Derived From Dopamine-Coated Prussian Blue Analogues for High-Efficiency Lithium-Sulfur Batteries. International Journal of Electrochemical Science, 2022, 17, 22118.	1.3	1
4756	FeCoNi Ternary Nano-Alloys Embedded in a Nitrogen-Doped Porous Carbon Matrix with Enhanced Electrocatalysis for Stable Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2022, 14, 51001-51009.	8.0	12
4757	Spin Effect to Promote Reaction Kinetics and Overall Performance of Lithiumâ€6ulfur Batteries under External Magnetic Field. Angewandte Chemie - International Edition, 2022, 61, .	13.8	32
4758	Porous-crystalline C/Fe3O4 microspheres with highly accessible adsorptive/catalytic and conductive interfaces to manipulate polysulfide shuttling in Li-S batteries. Electrochimica Acta, 2022, 435, 141385.	5.2	6
4759	The effect of porosity of activated carbon cloth cathodes on the cyclic performance of Li–S cells. Journal of Power Sources, 2022, 552, 232250.	7.8	4
4760	Transition Metalâ^'N/Graphene for advanced Lithium–Sulfur Batteries: A first principles study. Chemical Physics Letters, 2022, 808, 140118.	2.6	2
4761	A Nickel-decorated porous graphitized carbon/sulfur cathode enabling excellent cycling stability of all-solid-state lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2022, 926, 116908.	3.8	2
4762	N doped FeP nanospheres decorated carbon matrix as an efficient electrocatalyst for durable lithium-sulfur batteries. Journal of Colloid and Interface Science, 2023, 630, 70-80.	9.4	7
4763	Constructing a 700 Wh kgâ^'1-level rechargeable lithium-sulfur pouch cell. Journal of Energy Chemistry, 2023, 76, 181-186.	12.9	48
4764	Controlling coordination environment and pore structure of Co/N-doped C host to enhance electrochemical performance of S cathode. Journal of Alloys and Compounds, 2023, 933, 167630.	5.5	1

#	Article	IF	CITATIONS
4765	Aqueous metal-sulfide battery with enhanced stability achieved by a four-electron Ag2S electrode with a Cu2+/Cu+ redox charge carrier. Energy Storage Materials, 2023, 54, 323-329.	18.0	3
4766	Utilizing MOF precursors toward one-step, calcination-free synthesis of MnO ₂ superstructures for superior lithium storage. Sustainable Energy and Fuels, 2022, 7, 181-189.	4.9	2
4767	Rubber-Derived Sulfur Composite as a High Capacity Anode for Li-ion Battery Using 5 V-Class LiNi _{0.5} Mn _{1.5} O ₄ Cathode. Electrochemistry, 2022, , .	1.4	0
4768	Stable all-solid-state sodium-sulfur batteries for low-temperature operation enabled by sodium alloy anode and confined sulfur cathode. Nano Energy, 2023, 105, 107995.	16.0	14

4769 Đ[~]ÑŇĐ»ĐμĐ Ɗ¾Đ2аĐ½D,Đμ Đ³Ñ€Đ°Ň,,ĐμĐ½D¾Đ2Ñ<Ñ... аÑŇ€Đ¾Đ3ĐμĐ»ĐμĐ¹ Đ2 Đ⁰а҇ĐμÑŇ,Đ2Đμ Đ¿Đở∕aÑ€Đ,ÑŇ¢Đ¾Đ1 Ñf

4770	Flexible 2D Boron Imidazolate Framework for Polysulfide Adsorption in Lithium–Sulfur Batteries. Chemistry of Materials, 2022, 34, 10451-10458.	6.7	8
4771	Ti _{<i>n</i>} O _{2<i>n</i>–1} /MXene Hierarchical Bifunctional Catalyst Anchored on Graphene Aerogel toward Flexible and High-Energy Li–S Batteries. ACS Nano, 2022, 16, 19133-19144.	14.6	22
4772	Porosity vs carbon shell number: Key factor actually affecting the performance of multi-shelled hollow carbon nanospheres in Li-S batteries. Journal of Electroanalytical Chemistry, 2022, 927, 116980.	3.8	1
4773	A review on design of cathode, anode and solid electrolyte for true all-solid-state lithium sulfur batteries. Materials Today Energy, 2023, 31, 101201.	4.7	16
4774	Strong internal electric field enhanced polysulfide trapping and ameliorates redox kinetics for lithium-sulfur battery. Journal of Energy Chemistry, 2023, 77, 376-383.	12.9	11
4775	The Optimization of a Carbon Paper/MnO2 Composite Current Collector for Manufacturing a High-Performance Li–S Battery Cathode. Crystals, 2022, 12, 1596.	2.2	1
4776	One-Pot Synthesis of Aminated Bimodal Mesoporous Silica Nanoparticles as Silver-Embedded Antibacterial Nanocarriers and CO ₂ Capture Sorbents. ACS Applied Materials & Interfaces, 2022, 14, 52279-52288.	8.0	4
4777	Protonâ€Induced Defectâ€Rich Vanadium Oxides as Reversible Polysulfide Conversion Sites for Highâ€Performance Lithium Sulfur Batteries. Chemistry - A European Journal, 2023, 29, .	3.3	2
4778	Mixed-Domain Charge Transport in the S–Se System from First-Principles. , 2022, 4, 2579-2589.		0
4779	Supercritical carbon dioxide assisted synthesis of ultra-stable sulfur/carbon composite cathodes for Li– S batteries. Materials Today Chemistry, 2022, 26, 101240.	3.5	3
4780	Controllable catalysis behavior for high performance lithium sulfur batteries: From kinetics to strategies. EnergyChem, 2023, 5, 100096.	19.1	30
4782	Tuning the surface structure of CeO2 nanoparticles by chlorine-doped strategy to improve the polysulfide reaction kinetic for lithium sulfur battery. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2023, 659, 130571.	4.7	4
4783	A cocklebur-like sulfur host with the TiO2-VOx heterostructure efficiently implementing one-step adsorption-diffusion-conversion towards long-life Li–S batteries. Composites Part B: Engineering, 2023, 249, 110410.	12.0	52

#	Article	IF	CITATIONS
4784	Synthetic perylenequinone as anchoring center of sulfur and catalyst for polysulfides conversion. Chemical Engineering Journal, 2023, 455, 140847.	12.7	5
4785	Dual additive of lithium titanate and sulfurized pyrolyzed polyacrylonitrile in sulfur cathode for high rate performance in lithium–sulfur battery. Physical Chemistry Chemical Physics, 2022, 25, 351-358.	2.8	0
4786	Environmentally friendly, non-glove box, closed-system and continuously massive production of lithium sulfide for battery applications. Journal of Cleaner Production, 2023, 382, 135221.	9.3	5
4787	Molecular polysulfide-scavenging sulfurized–triazine polymer enable high energy density Li-S battery under lean electrolyte. Energy Storage Materials, 2023, 55, 225-235.	18.0	6
4788	Investigation of the temperature and DOD effect on the performance-degradation behavior of lithium–sulfur pouch cells during calendar aging. Applied Energy, 2023, 332, 120543.	10.1	5
4789	Atomic Fe on hierarchically ordered porous carbon towards High-performance Lithium-sulfur batteries. Journal of Electroanalytical Chemistry, 2023, 928, 117046.	3.8	7
4790	CoMoO4 nanorods coated separator for high-performance lithium sulfur batteries. Materials Chemistry and Physics, 2023, 295, 127182.	4.0	3
4791	TiO2 top layer improving the performance of sulfur/carbon composite cathode in Li-sulfur cells. Materials Chemistry and Physics, 2023, 296, 127246.	4.0	2
4792	A rational design of titanium-based heterostructures as electrocatalyst for boosted conversion kinetics of polysulfides in Li-S batteries. Journal of Colloid and Interface Science, 2023, 633, 432-440.	9.4	4
4793	Spatial confinement of the cellular wall of yeast to the insertion of Co for enhanced electrochemical performance of Li-S batteries. Applied Surface Science, 2023, 612, 155929.	6.1	2
4794	Functional CNTs@EMIM ⁺ â€Br ^{â^'} Electrode Enabling Polysulfides Confining and Deposition Regulating for Solid‣tate Li‣ulfur Battery. Small, 0, , 2205809.	10.0	0
4795	Ni Single Atoms on MoS ₂ Nanosheets Enabling Enhanced Kinetics of Liâ€5 Batteries. Small, 2023, 19, .	10.0	34
4796	A Universal Grapheneâ€6elenide Heterostructured Reservoir with Elevated Polysulfide Evolution Efficiency for Pragmatic Lithium–Sulfur Battery. Advanced Functional Materials, 2023, 33, .	14.9	16
4797	Tuning the Architecture of Hierarchical Porous CoNiO2 Nanosheet for Enhanced Performance of Li-S Batteries. Batteries, 2022, 8, 262.	4.5	0
4798	A green method for preparing a porous yeast-derived carbon with high loading of elemental cobalt and high-specific surface area and its application in lithium-sulphur batteries. Ionics, 0, , .	2.4	0
4799	Multifunctional Quasi-Solid-State Zinc–Sulfur Battery. ACS Nano, 2023, 17, 1217-1228.	14.6	14
4800	Strategies toward High-Loading Lithium–Sulfur Batteries. ACS Energy Letters, 2023, 8, 116-150.	17.4	65
4801	Template-free synthesis of hollow carbon-based nanostructures from MOFs for rechargeable battery applications. Science China Chemistry, 2023, 66, 65-77.	8.2	16

#	Article	IF	CITATIONS
4802	Lignocellulose Biopolymers and Electronically Conducting Polymers: Toward Sustainable Energy Storage Applications. Energy & Fuels, 2022, 36, 14625-14656.	5.1	7
4803	Electrochemical energy storage and conversion: An overview. Wiley Interdisciplinary Reviews: Energy and Environment, 2023, 12, .	4.1	6
4804	Incorporating TiO2 nanoparticles into the multichannels of electrospun carbon fibers to increase the adsorption of polysulfides in room temperature sodium-sulfur batteries. New Carbon Materials, 2022, 37, 1116-1122.	6.1	3
4805	A high-performance tellurium-sulfur cathode in carbonate-based electrolytes. Nano Energy, 2023, 107, 108141.	16.0	4
4806	Molybdenumâ€Based Catalytic Materials for Li–S Batteries: Strategies, Mechanisms, and Prospects. Advanced Energy and Sustainability Research, 2023, 4, .	5.8	5
4807	Investigation of Poly(3,6-dioxa-1,8-octane-dithiol)-Based Organosulfur Polymer as the Positive Electrode Material in Rechargeable Li-S Battery. Journal of Electroanalytical Chemistry, 2022, , 117113.	3.8	0
4808	Bifunctional electrolyte additive with redox mediation and capacity contribution for sulfur cathode in aqueous Zn-S batteries. Chemical Engineering Journal, 2023, 457, 141083.	12.7	11
4809	Hierarchical and lamellar porous carbon as interconnected sulfur host and polysulfide-proof interlayer for Li–S batteries. EScience, 2023, 3, 100088.	41.6	38
4810	Lightâ€Driven Polymerâ€Based Allâ€Solidâ€State Lithiumâ€Sulfur Battery Operating at Room Temperature. Advanced Functional Materials, 2023, 33, .	14.9	10
4811	Progress and perspective on rechargeable magnesium-ion batteries. Science China Chemistry, 2024, 67, 214-246.	8.2	5
4812	Ultra-thin MoO2 Nanosheets Loaded on Hollow Mesoporous Carbon Spheres Promoting Polysulfide Adsorption and Redox Kinetics for Lithium-sulfur Batteries. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, , 130881.	4.7	3
4813	Secondary Batteries for Mobile Applications: From Lead to Lithium [Historical]. IEEE Industrial Electronics Magazine, 2022, 16, 60-68.	2.6	1
4814	Thermal Transport Properties of Sulfur-Loaded Carbon-Based Nanotubes and Composite Sulfur Cathodes in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 1817-1826.	8.0	3
4815	Unraveling Polysulfide's Adsorption and Electrocatalytic Conversion on Metal Oxides for Liâ€S Batteries. Advanced Science, 2023, 10, .	11.2	29
4816	Insights into the use of polyepichlorohydrin polymer in lithium battery energy storage/conversion devices: review. SN Applied Sciences, 2023, 5, .	2.9	3
4817	Review of the Li-Ion Battery, Thermal Management, and Al-Based Battery Management System for EV Application. Energies, 2023, 16, 185.	3.1	19
4818	Defectâ€Rich Hierarchical Porous Mnâ€Doped CoP Hollow Microspheres Accelerate Polysulfide Conversion. Advanced Functional Materials, 2023, 33, .	14.9	14
4819	Water Kefir Grains—Microbial Biomass Source for Carbonaceous Materials Used as Sulfur-Host Cathode in Li-S Batteries. Materials, 2022, 15, 8856.	2.9	3

#	Article	IF	CITATIONS
4820	<scp>Oxygenâ€modulated</scp> metal nitride clusters with moderate binding ability to insoluble <scp>Li₂S</scp> <i>_{<i>x</i>}</i> for reversible polysulfide electrocatalysis. InformaÄnÃ-Materiály, 2023, 5, .	17.3	18
4821	Aqueous Zinc–Chalcogen Batteries: Emerging Conversion-Type Energy Storage Systems. Batteries, 2023, 9, 62.	4.5	5
4822	Carbon sequestration potential of different forest types in Pakistan and its role in regulating services for public health. Frontiers in Public Health, 0, 10, .	2.7	6
4823	Protecting lithium metal anodes in lithium–sulfur batteries: A review. Energy Material Advances, 2023, 4, .	11.0	51
4824	Covalent Coupled Sulfur-Deficient MoS ₂ Nanosheets on Carbon Nanotubes toward Polysulfide Catalytic Conversion in a Lithium Sulfur Battery. ACS Sustainable Chemistry and Engineering, 2023, 11, 1019-1026.	6.7	8
4825	Longâ€lasting, reinforced electrical networking in a highâ€loading Li ₂ S cathode for highâ€performance lithium–sulfur batteries. , 2023, 5, .		5
4826	Sulfur polymerization strategy based on the intrinsic properties of polymers for advanced binderâ€free and highâ€sulfurâ€content Li–S batteries. SusMat, 2023, 3, 111-127.	14.9	8
4827	The Role of Carbon-Based Cathode Components in Li–S Batteries. Journal of the Electrochemical Society, 2023, 170, 010522.	2.9	4
4828	Electrochemical Reactivation of Dead Li ₂ S for Liâ^'S Batteries in Nonâ€Solvating Electrolytes. Angewandte Chemie, 2023, 135, .	2.0	0
4829	A Comparison Study of the Electrocatalytic Sulfur Reduction Activity on Heteroatomâ€Doped Graphene for Li–S Battery. Small Structures, 2023, 4, .	12.0	17
4830	Electrochemical Reactivation of Dead Li ₂ S for Liâ^'S Batteries in Nonâ€Solvating Electrolytes. Angewandte Chemie - International Edition, 2023, 62, .	13.8	15
4831	Layered double hydroxides used as the sulfur hosts for lithium-sulfur batteries and the influence of metal composition on their performance. Journal of Solid State Electrochemistry, 2023, 27, 797-807.	2.5	7
4832	Defect engineering in carbon materials for electrochemical energy storage and catalytic conversion. Materials Advances, 2023, 4, 835-867.	5.4	11
4833	Bidirectional Atomic Iron Catalysis of Sulfur Redox Conversion in Highâ€Energy Flexible ZnS Battery. Advanced Functional Materials, 2023, 33, .	14.9	20
4834	Synergic effect of covalent and chemical sulfur fixation enhancing the immobilization-conversion of polysulfides in lithium-sulfur batteries. Journal of Energy Chemistry, 2023, 79, 1-11.	12.9	8
4835	Synthetic porous carbons for clean energy storage and conversion. EnergyChem, 2023, 5, 100099.	19.1	6
4836	Sulfurâ€Composites Derived from Poly(acrylonitrile) and Poly(vinylacetylene) – A Comparative Study on the Role of Pyridinic and Thioamidic Nitrogen. Batteries and Supercaps, 2023, 6, .	4.7	3
4837	Agricultural biomass-based carbon cathode materials for lithium-sulfur batteries: A systematic review. Materials Science for Energy Technologies, 2023, 6, 205-225.	1.8	3

#	Article	IF	CITATIONS
4838	A review on lithium-sulfur batteries: Challenge, development, and perspective. Nano Research, 2023, 16, 8097-8138.	10.4	36
4839	Optimization on transport of charge carriers in cathode of sulfide electrolyte-based solid-state lithium-sulfur batteries. Nano Research, 2023, 16, 8139-8158.	10.4	4
4841	Future potential for lithium-sulfur batteries. Journal of Power Sources, 2023, 558, 232566.	7.8	28
4842	Synergy of palygorskite supported polyaniline and MoS2 for improvement of Li S Battery performance. Applied Clay Science, 2023, 233, 106821.	5.2	4
4843	Porous nanofibers comprising VN nanodots and densified N-doped CNTs as redox-active interlayers for Li–S batteries. Journal of Power Sources, 2023, 559, 232632.	7.8	12
4844	Identifying cathode and anode polarizations during practical highâ€rate charging/discharging in different Liâ€ion pouch batteries. , 2023, 2, .		10
4845	Carbonâ€Hybridized Hydroxides for Energy Conversion and Storage: Interface Chemistry and Manufacturing. Advanced Materials, 2023, 35, .	21.0	5
4846	Progress and Prospect of Practical Lithium-Sulfur Batteries Based on Solid-Phase Conversion. Batteries, 2023, 9, 27.	4.5	5
4847	Novel Strategy for the Formulation of Highâ€Energyâ€Density Cathodes via Porous Carbon for Liâ€S Batteries. ChemSusChem, 0, , .	6.8	0
4848	KVPO4F/carbon nanocomposite with highly accessible active sites and robust chemical bonds for advanced potassium-ion batteries. Green Energy and Environment, 2023, 8, 1469-1478.	8.7	11
4849	Graphitic carbon nitride/polymer nanocomposites. , 2023, , 77-110.		1
4850	Effective chemisorption of polysulfides through organic molecules for high-performance lithium–sulfur batteries. Chemical Engineering Journal, 2023, 459, 141556.	12.7	6
4851	Polarization Doping in a GaN-InN System—Ab Initio Simulation. Materials, 2023, 16, 1227.	2.9	0
4852	Highâ€entropy stabilized oxides derived via a lowâ€ŧemperature template route for highâ€performance lithiumâ€sulfur batteries. EcoMat, 2023, 5, .	11.9	20
4853	Mixed-domain Charge Transport in the S-Se System from First Principles. , 2023, , .		0
4854	Isolated Fe-Co heteronuclear diatomic sites as efficient bifunctional catalysts for high-performance lithium-sulfur batteries. Nature Communications, 2023, 14, .	12.8	75
4855	Surface-dominated potassium storage enabled by single-atomic sulfur for high-performance K-ion battery anodes. Energy and Environmental Science, 2023, 16, 1540-1547.	30.8	19
4856	Cathode materials for lithium-sulfur battery: a review. Journal of Solid State Electrochemistry, 2023, 27, 813-839.	2.5	14

#	Article	IF	CITATIONS
4857	Covalent Organic Framework Based Lithium–Sulfur Batteries: Materials, Interfaces, and Solid‣tate Electrolytes. Advanced Energy Materials, 2023, 13, .	19.5	71
4858	Biomass fallen leaves derived porous carbon for high performance lithium sulfur batteries. Ionics, 2023, 29, 1029-1038.	2.4	6
4859	Achieving balanced behavior between polysulfides adsorption and catalytic conversion from heterostructure Fe3C-Fe3P promotor for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2023, 460, 141794.	12.7	10
4860	A diatomite-derived N-doped carbon aerogel with 98% sulfur loading for the enhancement of Li–S battery performance. New Journal of Chemistry, 2023, 47, 4614-4618.	2.8	8
4861	Designing a Stable Solid Electrolyte Interphase on Lithium Metal Anodes by Tailoring a Mg Atom Center and the Inner Helmholtz Plane for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 17893-17903.	8.0	5
4862	Rational design of the cathode catalysts for high performance lithium–sulfur batteries. Chemical Physics Reviews, 2023, 4, .	5.7	1
4863	Entrapping polysulfides using mesoporous carbon hollow spheres with controlled internal SiO2 content for lithium–sulfur batteries. Journal of Materials Science, 0, , .	3.7	0
4864	Toward high-sulfur-content, high-performance lithium-sulfur batteries: Review of materials and technologies. Journal of Energy Chemistry, 2023, 80, 625-657.	12.9	49
4865	The quinone-based conjugated microporous polymer as an effective electrode additive for activated graphene host material in lithium-sulfur batteries. Chemical Engineering Journal, 2023, 463, 142422.	12.7	8
4866	Nitrogen-doped 3-D porous carbon network derived from lotus leaves as interlayer for lithium sulfur batteries. Materials Chemistry and Physics, 2023, 300, 127565.	4.0	2
4867	Material, configuration, and fabrication designs for lean-electrolyte lithium–sulfur cell with a high-loading sulfur cathode. Journal of Power Sources, 2023, 566, 232944.	7.8	17
4868	Deciphering the electrocatalysis essence of cobalt diselenide in lithium-sulfur electrochemistry from crystal-phase engineering. Chemical Engineering Journal, 2023, 463, 142416.	12.7	3
4869	Highly electrocatalytic active amorphous Al2O3 in porous carbon assembled on carbon cloth as an independent multifunctional interlayer for advanced lithium-sulfur batteries. Applied Surface Science, 2023, 618, 156689.	6.1	10
4870	SnS2 quantum dot as bifunctional "electrolyte additive―for lithium metal anode. Applied Surface Science, 2023, 620, 156849.	6.1	2
4871	A review on battery technology for space application. Journal of Energy Storage, 2023, 61, 106792.	8.1	10
4872	Construction of strong built-in electric field in binary metal sulfide heterojunction to propel high-loading lithium-sulfur batteries. Journal of Energy Chemistry, 2023, 81, 492-501.	12.9	10
4873	Activating redox kinetics of polysulfides within edge-rich nitrogen doped porous interconnected carbon nanosphere. Chemical Engineering Science, 2023, 274, 118640.	3.8	3
4874	The synergistic adsorption-catalysis research of highly efficient interlayer constructed from coal fly ash for superior lithium-sulfur batteries. Chemical Engineering Journal, 2023, 465, 142795.	12.7	3

#	Article	IF	CITATIONS
4875	Hollow carbon dual-decorated with MnO2 shielding layer and carbon nanotube as a sulfur host for Li-S batteries. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2023, 667, 131408.	4.7	2
4876	Precisely optimizing polysulfides adsorption and conversion by local coordination engineering for high-performance Li-S batteries. Nano Energy, 2023, 110, 108353.	16.0	20
4877	Recent advances in two-dimensional metal-organic frameworks as an exotic candidate for the evaluation of redox-active sites in energy storage devices. Journal of Energy Storage, 2023, 64, 107142.	8.1	25
4878	Mesoporous Carbon-Based Materials for Enhancing the Performance of Lithium-Sulfur Batteries. International Journal of Molecular Sciences, 2023, 24, 7291.	4.1	3
4879	A bibliometric analysis of lithium-ion batteries in electric vehicles. Journal of Energy Storage, 2023, 63, 107109.	8.1	8
4880	Preparation of functional groups-rich graphene oxide for high-performance lithium–sulfur batteries. Materials Today Sustainability, 2023, 21, 100300.	4.1	5
4881	Li–S battery cathode anchoring polysulfides by interaction between redox-active imide and carbon nanotube. Solid State Sciences, 2023, 137, 107113.	3.2	1
4882	Optimizing the p charge of S in p-block metal sulfides for sulfur reduction electrocatalysis. Nature Catalysis, 2023, 6, 174-184.	34.4	47
4883	Stabilizing cathodes and interphases for next-generation Li-ion batteries. Journal of Power Sources, 2023, 561, 232738.	7.8	12
4884	Recent Progress in Solid Electrolytes for All-Solid-State Metal(Li/Na)–Sulfur Batteries. Batteries, 2023, 9, 110.	4.5	4
4885	MOF-related electrocatalysts for sulfur reduction/evolution reactions: Composition modulation, structure design, and mechanism research. EScience, 2023, 3, 100107.	41.6	6
4886	Hollow cubic ZnS-SnS2 heterostructures as sulfur hosts to enhance chemisorption and catalytic conversion of polysulfides for lithium sulfur batteries. Journal of Electroanalytical Chemistry, 2023, 932, 117252.	3.8	8
4887	Dual Single-Atom Moieties Anchored on N-Doped Multilayer Graphene As a Catalytic Host for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 9439-9446.	8.0	13
4888	State and future implementation perspectives of porous carbon-based hybridized matrices for lithium sulfur battery. Coordination Chemistry Reviews, 2023, 481, 215055.	18.8	9
4889	Interface Engineering Toward Expedited Li ₂ S Deposition in Lithium–Sulfur Batteries: A Critical Review. Advanced Materials, 2023, 35, .	21.0	29
4890	Advanced twoâ€dimensional materials toward polysulfides regulation of metal–sulfur batteries. SmartMat, 2023, 4, .	10.7	6
4891	Construction of Lithium Metal Anode with High Lithium Utilization and its Application in Lithium-Sulfur Batteries. Hans Journal of Nanotechnology, 2023, 13, 7-28.	0.0	0
4892	High Entropy Oxide (CrMnFeNiMg) ₃ O ₄ with Large Compositional Space Shows Longâ€Term Stability as Cathode in Lithiumâ€Sulfur Batteries. ChemSusChem, 2023, 16, .	6.8	7

#	Article	IF	CITATIONS
4893	A review in rational design of graphene toward advanced Li–S batteries. , 2023, 2, e9120054.		7
4894	Multifunctional Mesoporous Carbonaceous Materials Enable the High Performance of Lithium–Sulfur Batteries. Langmuir, 2023, 39, 3173-3178.	3.5	2
4895	Fluorinated Multi-Walled Carbon Nanotubes Coated Separator Mitigates Polysulfide Shuttle in Lithium-Sulfur Batteries. Materials, 2023, 16, 1804.	2.9	1
4896	Realizing a "solid to solid―process via in situ cathode electrolyte interface (CEI) by solvent-in-salt electrolyte for Li-S batteries. Nano Research, 2023, 16, 5018-5025.	10.4	Ο
4897	Two-dimensional sandwich-like MXene–conductive polymer nanocomposite with in-plane cylindrical mesopores for long cycling lithium-sulfur batteries. 2D Materials, 2023, 10, 024006.	4.4	1
4898	Conductive metal–metal phase and built-in electric field of 1T-VSe2-MXene hetero-structure to accelerate dual-directional sulfur conversion for high-performance Li-S batteries. Chemical Engineering Journal, 2023, 461, 142100.	12.7	5
4899	Metalâ€Redox Bicatalysis Batteries for Energy Storage and Chemical Production. Advanced Materials, 2023, 35, .	21.0	8
4900	Towards safe lithium-sulfur batteries from liquid-state electrolyte to solid-state electrolyte. Frontiers of Materials Science, 2023, 17, .	2.2	2
4901	Recycling inactive lithium in lithium–sulfur batteries using organic polysulfide redox. Journal of Materials Chemistry A, 2023, 11, 7441-7446.	10.3	11
4902	Charge–discharge performances of Li–S battery using Nal–NaBH4–Lil solid electrolyte. Journal of Solid State Electrochemistry, 2023, 27, 1195-1201.	2.5	2
4903	Hollow Co ₃ S ₄ Nanocubes Interconnected with Carbon Nanotubes as Nanoreactors to Accelerate Polysulfide Conversion for High-Performance Lithium–Sulfur Batteries. Industrial & Engineering Chemistry Research, 2023, 62, 4364-4372.	3.7	6
4904	Heterojunction interlocked catalysis-conduction network in monolithic porous-pipe scaffold for endurable Li-S batteries. Energy Storage Materials, 2023, 58, 74-84.	18.0	27
4905	Current collectors based on multiwalled carbon-nanotubes and few-layer graphene for enhancing the conversion process in scalable lithium-sulfur battery. Nano Research, 2023, 16, 8433-8447.	10.4	8
4906	A critical review on the properties and energy storage applications of graphene oxide/layered double hydroxides and graphene oxide/MXenes. Journal of Power Sources, 2023, 564, 232870.	7.8	16
4907	General Construction of Ultrathick Sulfur Cathode for Highâ€Energyâ€Ðensity Lithium–Sulfur Battery. Energy Technology, 0, , 2201409.	3.8	0
4908	Exploring inverse vulcanization in lithium–sulfur batteries. Current Opinion in Electrochemistry, 2023, 39, 101271.	4.8	2
4909	Coupling of Oxygen Vacancies and Heterostructure on Fe ₃ O ₄ via an Anion Doping Strategy to Boost Catalytic Activity for Lithium‣ulfur Batteries. Small, 2023, 19, .	10.0	17
4910	Space-Confined Electrochemical Reactions and Materials for High-Energy-Density Batteries. Accounts of Materials Research, 2023, 4, 580-590.	11.7	3

#	Article	IF	CITATIONS
4911	A Self-regulatory organosulfur copolymer cathode towards high performance lithium-sulfur batteries. Energy Storage Materials, 2023, 58, 222-231.	18.0	5
4912	Visualizing Reaction Fronts and Transport Limitations in Solidâ€State Li–S Batteries via Operando Neutron Imaging. Advanced Energy Materials, 2023, 13, .	19.5	9
4913	Metalâ€Organic Framework Composites and Their Derivatives as Efficient Electrodes for Energy Storage Applications: Recent Progress and Future Perspectives. Chemical Record, 2023, 23, .	5.8	4
4914	A low-cost sulfur-loading material based on the modification of Ketjen Black for rechargeable lithium-sulfur battery. Journal of Electroanalytical Chemistry, 2023, , 117370.	3.8	0
4915	Preparation of a Flexible Reduced Graphene Oxide-Si Composite Film and Its Application in High-Performance Lithium Ion Batteries. Crystals, 2023, 13, 547.	2.2	1
4916	Influence of Sulfur Loading on Lithiumâ€Sulfur Battery Performance for Different Cathode Carbon Types. ChemistrySelect, 2023, 8, .	1.5	1
4917	"One Stone Two Birds―Strategy of Synthesizing the Battery Material Lithium Sulfide: Aluminothermal Reduction of Lithium Sulfate. Inorganic Chemistry, 2023, 62, 5576-5585.	4.0	4
4918	Two-Dimensional Mesoporous Materials for Energy Storage and Conversion: Current Status, Chemical Synthesis and Challenging Perspectives. Electrochemical Energy Reviews, 2023, 6, .	25.5	15
4919	Facile and Effective Strategy to Encapsulate Sulfur Particles for High-Performance Lithium–Sulfur Battery. ACS Applied Energy Materials, 2023, 6, 3894-3902.	5.1	0
4920	Co-Fe phosphide@graphitic carbon nitride nanosheet modified separator for high-performance lithium-sulfur batteries. Journal of Alloys and Compounds, 2023, 949, 169873.	5.5	7
4921	Advances in Cathodes for High-Performance Magnesium-Sulfur Batteries: A Critical Review. Batteries, 2023, 9, 203.	4.5	4
4922	é«~åţå•¶æ°®å«é‡çš"氮掺æ;èœ,çªçŠ¶ç¢³ä¿fèį›å⁻¹å₿ç¡«åŒ−物的 é™å^¶ä»¥å®žçްé«~性èf½é",硫电a	e±6 % cience	e <mark>ahina Ma</mark> te
4923	Discharge Behavior within Lithium–Sulfur Batteries Using Li–Glyme Solvate Ionic Liquids. Journal of Physical Chemistry C, 2023, 127, 6645-6654.	3.1	2
4924	The Rise and Development of MOFâ€Based Materials for Metalâ€Chalcogen Batteries: Current Status, Challenges, and Prospects. Advanced Energy Materials, 2023, 13, .	19.5	6
4925	Ultrathin Carbon-Shell-Encapsulated Cobalt Nanoparticles with Balanced Activity and Stability for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 19002-19010.	8.0	4
4926	Metallic and Dimensional Optimization of Metal–Organic Frameworks for Highâ€Performance Lithiumâ€6ulfur Batteries. Chemistry - A European Journal, 2023, 29, .	3.3	1
4927	Engineering Peculiar Cathode Electrolyte Interphase toward Sustainable and Highâ€Rate Li–S Batteries. Advanced Energy Materials, 2023, 13, .	19.5	8
4928	Synergistic effect of defected MoS2 and N-S-codoped Carbon on the conversion of polysulfides in Liâ \in "S battery. Ionics, 0, , .	2.4	0

#	Article	IF	CITATIONS
4929	Hollow and Hierarchical CuCo-LDH Nanocatalyst for Boosting Sulfur Electrochemistry in Li-S Batteries. Energy Material Advances, 2023, 4, .	11.0	9
4931	Synthesis of LiTiO ₂ Nanocrystals/Ordered Mesoporous Carbon Composite Hosts for Highâ€Performance Lithium–Sulfur Batteries. Small Science, 2023, 3, .	9.9	3
4932	A Ternary Composite with Medium Adsorption Confirms Good Reversibility of Li‧e Batteries. Advanced Science, 2023, 10, .	11.2	3
4933	Tubular NiCo2S4 hierarchical architectures as sulfur hosts for advanced rechargeable lithium sulfur batteries. International Journal of Electrochemical Science, 2023, 18, 100159.	1.3	6
4934	CrP Nanocatalyst within Porous MOF Architecture to Accelerate Polysulfide Conversion in Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 21040-21048.	8.0	9
4935	The Metal–Organic Frameworks Derived Co ₃ O ₄ /TiO ₂ Heterojunction as a Highâ€Efficiency Sulfur Carrier for Lithium–Sulfur Batteries. Energy Technology, 2023, 11, .	3.8	3
4936	Synergistic effect of Li2S@Li3PS4 nanosheets and MXene for high performance lithium-sulfur batteries. Journal of Power Sources, 2023, 571, 233050.	7.8	0
4937	Mo and Ni Coordinated Bimetallic Oxide as Catalyst in Modified Separators for Lowâ€Capacity Decay Lithium Sulfur Batteries. ChemNanoMat, 0, , .	2.8	0
4938	Hafnium Diboride Spherical Superstructure Born of 5dâ€Metal Hfâ€MOFâ€Induced p Orbital Activity of B Atom and Enhanced Kinetics of Sulfur Cathode Reaction. Advanced Energy Materials, 2023, 13, .	19.5	8
4939	Conversion reaction lithium metal batteries. Nano Research, 2023, 16, 8219-8252.	10.4	2
4940	Nickel Oxide Decorated Halloysite Nanotubes as Sulfur Host Materials for Lithium–Sulfur Batteries. Global Challenges, 2023, 7, .	3.6	1
4941	Furnishing Continuous Efficient Bidirectional Polysulfide Conversion for Longâ€Life and Highâ€Loading Lithium–Sulfur Batteries via the Builtâ€In Electric Field. Small, 2023, 19, .	10.0	9
4942	Flexible Hierarchical Coâ€Doped NiS ₂ @CNFâ€CNT Electron Deficient Interlayer with Grassâ€Roots Structure for Li–S Batteries. Advanced Energy Materials, 2023, 13, .	19.5	32
4943	Rational synthesis of chitin-derived nitrogen-doped porous carbon nanofibers for efficient polysulfide confinement. Nano Research, 2023, 16, 8478-8487.	10.4	3
4944	Bimetallic nanoparticles decorated porous carbon as the host material to enhance the performance of lithium-sulfur batteries. Chemical Engineering Journal, 2023, 466, 143187.	12.7	2
4945	Synergistic effect of porous carbon shell confinement and catalytic conversion of nickel nanoparticle cores for improved lithium–sulfur batteries. RSC Advances, 2023, 13, 12792-12798.	3.6	0
4946	An Etherâ€Based Low Density Electrolyte for the Use of Graphite Anodes in Stable Lithium‣ulfur Batteries. Batteries and Supercaps, 2023, 6, .	4.7	0

#	Article	IF	CITATIONS
4948	Lithium Aluminate Nanoflakes as an Additive to Sulfur Cathodes for Enhanced Mass Transport in High-Energy-Density Lithium–Sulfur Pouch Cells Utilizing Sparingly Solvating Electrolytes. ACS Applied Materials & Interfaces, 2023, 15, 23104-23114.	8.0	2
4949	Defectâ€engineered Sulfur Vacancy Modified NiCo ₂ S _{4â€x} Nanosheet Anchoring Polysulfide for Improved Lithium Sulfur Batteries. Small, 2023, 19, .	10.0	15
4950	Key challenges, recent advances and future perspectives of rechargeable lithium-sulfur batteries. Journal of Industrial and Engineering Chemistry, 2023, 124, 68-88.	5.8	14
4951	Progress in Energy Storage Technologies and Methods for Renewable Energy Systems Application. Applied Sciences (Switzerland), 2023, 13, 5626.	2.5	7
4952	Dynamic evolution of electrocatalytic materials for Li–S batteries. Materials Chemistry Frontiers, 2023, 7, 3543-3559.	5.9	1
4953	Metal Polysulfides as High Capacity Electrode Active Materials — Toward Superior Secondary Batteries Based on Sulfur Chemistry. Electrochemistry, 2023, 91, 102003-102003.	1.4	1
4954	Turning yerba mate waste into high-performance lithium–sulfur battery cathodes. Journal of Energy Storage, 2023, 67, 107627.	8.1	4
4955	Physicochemically Interlocked Sulfur Covalent Triazine Framework for Lithiumâ€Sulfur Batteries with Exceptional Longevity. Small, 2023, 19, .	10.0	2
4956	Modulating dâ€Band Electronic Structures of Molybdenum Disulfide via p/n Doping to Boost Polysulfide Conversion in Lithiumâ€Sulfur Batteries. Small, 2023, 19, .	10.0	7
4957	Regulating Fe Aggregation State via Unique FeNV Preâ€Coordination to Optimize the Adsorptionâ€Catalysis Effect in Highâ€Performance Lithiumâ€Sulfur Batteries. Advanced Functional Materials, 2023, 33, .	14.9	7
4958	Polythiocyanogen as Cathode Materials for High Temperature All-Solid-State Lithium–Sulfur Batteries. ACS Energy Letters, 2023, 8, 2699-2706.	17.4	4
4959	Electrochemical Effects of the Hollow Structure Co ₃ O ₄ /MWCNT Interlayer Derived through ZIF-67 in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2023, 170, 060521.	2.9	1
4960	A Rational Design of a CoS2-CoSe2 Heterostructure for the Catalytic Conversion of Polysulfides in Lithium-Sulfur Batteries. Materials, 2023, 16, 3992.	2.9	2
4961	Highly efficient sulfur cathode built from biomass of hierarchical porous carbon for aqueous Cu–S batteries. Inorganic Chemistry Frontiers, 2023, 10, 3844-3851.	6.0	1
4962	High Areal Capacity and Sustainable High Energy in Ferroelectric Doped Holey Graphene/Sulfur Composite Cathode for Lithium-Sulfur Batteries. Batteries, 2023, 9, 293.	4.5	0
4963	Green Production of Biomass-Derived Carbon Materials for High-Performance Lithium–Sulfur Batteries. Nanomaterials, 2023, 13, 1768.	4.1	2
4964	Deploying Proteins as Electrolyte Additives in Li–S Batteries: The Multifunctional Role of Fibroin in Improving Cell Performance. ACS Applied Energy Materials, 2023, 6, 5671-5680.	5.1	2
4965	FeS2-Decorated Carbon NanoFiber as Solid Phase Conversion-Type Cathode for Li-S Batteries. Energies, 2023, 16, 4496.	3.1	1

#	Article	IF	CITATIONS
4966	Dendritic Solid Polymer Electrolytes: A New Paradigm for Highâ€Performance Lithiumâ€Based Batteries. Advanced Materials, 2023, 35, .	21.0	9
4967	Magneli Ti4O7 nanotube arrays as a free-standing efficient interlayer for fast-delivery and high-energy density lithium-sulfur batteries. Journal of Alloys and Compounds, 2023, 960, 170874.	5.5	0
4968	Engineering Cooperative Catalysis in Liâ \in "S Batteries. Advanced Energy Materials, 2023, 13, .	19.5	21
4969	Cobalt nanoparticles & amp; nitrogen-doped carbon nanotubes@hollow carbon with high catalytic ability for high-performance lithium sulfur batteries. Journal of Colloid and Interface Science, 2023, 648, 846-854.	9.4	10
4970	Monodispersed MOF-Modified Nanofibers as Versatile Building Blocks for the Ion Regulations in Safe Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 29094-29101.	8.0	5
4971	Highâ€Energy Density Aqueous Alkali/Acid Hybrid Zn–S Battery. Advanced Energy Materials, 2023, 13, .	19.5	5
4972	Multifunctional sulfur-immobilizing GO/MXene aerogels for highly-stable and long-cycle-life lithium–sulfur batteries. Rare Metals, 2023, 42, 2577-2591.	7.1	4
4973	Structural Design of Electrocatalyst-Decorated MXenes on Sulfur Spheres for Lithium–Sulfur Batteries. Nano Letters, 2023, 23, 5762-5769.	9.1	8
4974	A new insight into the molecular rearrangement of sulfurized polyacrylonitrile cathode in ether electrolyte. Chemical Engineering Journal, 2023, 470, 144142.	12.7	3
4976	Spherical Sulfur-Infiltrated Carbon Cathode with a Tunable Poly(3,4-ethylenedioxythiophene) Layer for Lithium–Sulfur Batteries. ACS Omega, 0, , .	3.5	0
4977	Embedding cobalt (II, III) oxide nanoparticles into nitrogen-doped carbon nanotubes-grafted hollow polyhedrons as sulfur hosts for ultralong-life lithium-sulfur batteries. Journal of Colloid and Interface Science, 2023, 649, 832-843.	9.4	2
4978	Electrolyte Design for Improving Mechanical Stability of Solid Electrolyte Interphase in Lithium–Sulfur Batteries. Angewandte Chemie, 2023, 135, .	2.0	0
4979	Novel SnO2 / Mesoporous Carbon Spheres Composite Anode for Li-ion Batteries. International Journal of Electrochemical Science, 2011, 6, 3580-3593.	1.3	28
4980	Electrolyte Design for Improving Mechanical Stability of Solid Electrolyte Interphase in Lithium–Sulfur Batteries. Angewandte Chemie - International Edition, 2023, 62, .	13.8	17
4981	Theoretical identifying the superior anchoring effect and electrochemical performance of Ti2CS2 by single atom Zn doping for lithium-sulfur batteries. Physical Chemistry Chemical Physics, 0, , .	2.8	0
4982	Boosting Lean Electrolyte Lithium–Sulfur Battery Performance with Transition Metals: A Comprehensive Review. Nano-Micro Letters, 2023, 15, .	27.0	15
4983	Fluorine/sulfur-comodulated covalent organic frameworks cathode for high-performance lithium ion batteries. Chemical Engineering Journal, 2023, 466, 143149.	12.7	3
4984	Regulating Electrocatalytic Polysulfides Redox Kinetics through Manipulating Surface Electronic Structure of Molybdenum-Based Catalysts for High-Performance Lithium-Sulfur Batteries. ACS Applied Energy Materials, 2023, 6, 5588-5597.	5.1	0

		CITATION REPORT		
#	Article		IF	CITATIONS
4985	Towards Li–S microbatteries: A perspective review. Journal of Power Sources, 2023, 573, 23315	8.	7.8	5
4986	Performance Stabilization of Lithium-Sulfur Batteries Containing Sulfolane-based Electrolyte and Microporous Cathode by Controlling Working Voltage Range. Electrochemistry, 2023, 91, 067002-067002.		1.4	0
4987	Confined sulfur electrode to achieve quasi-solid state sulfur conversion reaction in Li S battery. Journal of Energy Storage, 2023, 67, 107601.		8.1	1
4988	Edge-distributed iron single-atom moiety with efficient "trapping-conversion―for polysulfides high-performance of Li-S battery. Applied Catalysis B: Environmental, 2023, 334, 122876.	driving	20.2	6
4989	Lithiumâ€Ion Batteries Containing Surfactants for the Protection of Graphite Anode against the Passivation Layer Byproducts. ChemElectroChem, 2023, 10, .		3.4	1
4990	Efficient Synergism of Chemisorption and Wackenroder Reaction via Heterostructured La ₂ O ₃ â€Ti ₃ C ₂ T <i>_x</i> â€Embe Nanofiber for Highâ€Energy Lithiumâ€Sulfur Pouch Cells. Advanced Functional Materials, 2023, 33	edded Carbon 8, .	14.9	14
4991	Role of ferroelectric nanoparticles coated separator in improvement of capacity retention at high current density on sulfur/SWCNT composite cathodes for Liâ \in "S batteries. APL Materials, 2023, 1	1,.	5.1	0
4992	An outlook on Lithium sulfur batteries and role of doped Lithium sulfur batteries in oxygen reduction reaction. AIP Conference Proceedings, 2023, , .		0.4	0
4993	M-fluoroiodobenzene electrolyte additive with multifunctional groups for protecting lithium metal anode. Materials Today Energy, 2023, 35, 101328.		4.7	0
4994	DFT-supported Mechanistic Understanding of the Ring-opening Polymerization of Cyclic Trithiocarbonates Mediated by Organic Base. Chemical Research in Chinese Universities, 2023, 39 772-776.		2.6	0
4995	Thin-walled hollow MoS2 microspheres as sulfur hosts for high-performance lithium sulfur batteries. International Journal of Electrochemical Science, 2023, 18, 100215.		1.3	1
4996	Ni Anchored to Hydrogen-Substituted Graphdiyne for Lithium Sulfide Cathodes in Lithium–Sulfu Batteries. Nano Letters, 2023, 23, 5967-5974.	r	9.1	6
4997	Impact of C-S-TiO2 Composite Material Coated by Graphene on the Conductive Properties of Sulfu Cathode Material. International Journal of Electrochemical Science, 2014, 9, 6677-6685.	ır	1.3	1
4998	Humic Acid-Derived Mesoporous Carbon as Cathode Component for Lithium-Sulfur Battery. International Journal of Electrochemical Science, 2015, 10, 9370-9378.		1.3	5
4999	Fabrication and Electrochemical Performance of Sulfur/Carbon Composite Synthesized from Self-Assembled Phenol Resin. International Journal of Electrochemical Science, 2014, 9, 1-11.		1.3	8
5000	Self-supporting cathodes with conductive composite interlayer for high performance bendable lithium-sulfur batteries. Journal of Energy Storage, 2023, 71, 108072.		8.1	1
5001	Recent progress and strategic perspectives of inorganic solid electrolytes: fundamentals, modifications, and applications in sodium metal batteries. Chemical Society Reviews, 2023, 52, 4933-4995.		38.1	23
5002	New Composite Cathode Materials for Li/S Batteries: A Review. International Journal of Electrochemical Science, 2013, 8, 10308-10319.		1.3	33

#	Article	IF	CITATIONS
5003	Sulfurized poly(o-phenylenediamine) as a novel high-performance solid-phase conversion sulfur cathode. Chemical Engineering Journal, 2023, 471, 144402.	12.7	0
5004	Scalable SPAN Membrane Cathode with High Conductivity and Hierarchically Porous Framework for Enhanced Ion Transfer and Cycling Stability in Li–S Batteries. , 2023, 5, 2047-2057.		3
5005	Energy Storage System Based on Recycled Polypropylene and Its Use in Lithium–Sulfur and Lithium-Ion Batteries. ACS Applied Polymer Materials, 2023, 5, 5238-5245.	4.4	1
5006	A computational study on bifunctional 1T-MnS ₂ with an adsorption-catalysis effect for lithium–sulfur batteries. Physical Chemistry Chemical Physics, 0, , .	2.8	0
5007	On the electrochemical properties of lithium‑sulfur batteries. Journal of Energy Storage, 2023, 71, 108203.	8.1	4
5008	Regulating Polysulfide Transformation and Deposition Kinetics in Lithium–Sulfur Batteries Based on 3D Conductive Framework. ACS Applied Materials & Interfaces, 2023, 15, 33525-33540.	8.0	1
5009	Nitrogen functionalities in mesoporous carbons and their impact on the sulfur infiltration efficiency and in the electrochemical performance of Li S cells. Solid State Ionics, 2023, 399, 116303.	2.7	1
5010	Turning on Lithium–Sulfur Full Batteries at â^'10 °C. ACS Nano, 2023, 17, 14032-14042.	14.6	8
5011	Molecular Dynamics Simulations of High-Concentration Li[TFSA] Sulfone Solution: Effect of Easy Conformation Change of Sulfolane on Fast Diffusion of Li Ion. Journal of Physical Chemistry B, 2023, 127, 6333-6341.	2.6	2
5012	Boosting Polysulfide Conversion in Lithium–Sulfur Batteries via Palladium-Based Environmentally Friendly Porous Catalyst. Chemistry of Materials, 2023, 35, 5362-5367.	6.7	1
5013	Impact of the Carbon Matrix Composition on the S/C Cathode Porosity and Performance in Prototype Li–S Cells. Energy Technology, 0, , .	3.8	0
5015	Molybdenum disulfide (MoS2)/porous silica nanosheet composite barrier for polysulfide shuttling inhibition in lithium-sulfur batteries. Composites Part B: Engineering, 2023, 264, 110898.	12.0	0
5016	Revealing Performance Enhancement Mechanism for Lithium–Sulfur Battery Using In Situ Electrochemicalâ€Fluorescence Technology. Small Methods, 2023, 7, .	8.6	1
5017	Uniform loading of ultrathin MoS2 nanosheets on hollow carbon spheres with mesoporous walls as efficient sulfur hosts for promising lithium-sulfur batteries. Journal of Alloys and Compounds, 2023, 965, 171427.	5.5	3
5018	Rational design of nanoarray structures for lithium–sulfur batteries: recent advances and future prospects. Materials Futures, 2023, 2, 042103.	8.4	5
5019	Organic electrode materials and carbon/small-sulfur composites for affordable, lightweight and sustainable batteries. Chemical Communications, 2023, 59, 9803-9817.	4.1	1
5020	Insights into the solvation chemistry in liquid electrolytes for lithium-based rechargeable batteries. Chemical Society Reviews, 2023, 52, 5255-5316.	38.1	24
5021	Electrochemical investigation of the ageing of a 400ÂWh/kg Li-S pouch-cell. Electrochimica Acta, 2023, 464, 142889.	5.2	1

#	Article	IF	CITATIONS
5022	Synergizing Spatial Confinement and Dualâ€Metal Catalysis to Boost Sulfur Kinetics in Lithium–Sulfur Batteries. Advanced Materials, 2023, 35, .	21.0	12
5023	Recent progress in zeolitic imidazolate frameworks (ZIFs)-derived nanomaterials for effective lithium polysulfide management in lithium–sulfur batteries. Journal of Materials Chemistry A, 2023, 11, 17892-17919.	10.3	3
5024	Multi-electron reaction based molybdenum pentasulfide towards high-energy density all-solid-state lithium batteries. Chemical Engineering Journal, 2023, 472, 144914.	12.7	4
5025	Design and structural characteristics of conducting polymer-metal organic framework composites for energy storage devices. Synthetic Metals, 2023, 297, 117421.	3.9	7
5026	Electrolytes with moderate lithium polysulfide solubility for high-performance long-calendar-life lithium–sulfur batteries. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, .	7.1	9
5027	Carbon-coated nitrogen, vanadium co-doped MXene interlayer for enhanced polysulfide shuttling inhibition in lithium-sulfur batteries. Journal of Power Sources, 2023, 580, 233445.	7.8	4
5028	Improvement of Lithium–Sulfur Battery Performance by Porous Carbon Selection and LiFSI/DME Electrolyte Optimization. ACS Applied Materials & Interfaces, 0, , .	8.0	1
5029	Multiple-ring BP monolayer as adsorption material for lithium‑sulfur battery. Solid State Ionics, 2023, 399, 116307.	2.7	0
5030	Largely enhanced pseudocapacitance by a facile in-situ decoration of MoS2 nanosheets with CoFe2O4 nanoparticles. Journal of Energy Storage, 2023, 72, 108499.	8.1	1
5031	Unraveling the Coupling Effect between Cathode and Anode toward Practical Lithium–Sulfur Batteries. Advanced Materials, 2024, 36, .	21.0	6
5032	Design principles for 2D transition metal dichalcogenides toward lithiumâ^'sulfur batteries. IScience, 2023, 26, 107489.	4.1	1
5033	Insight into the failure mechanism of large-scale cylindrical lithium–sulphur cells. Chemical Communications, 2023, 59, 10376-10379.	4.1	0
5034	Progress and Perspectives on the Development of Pouchâ€Type Lithium Metal Batteries. Angewandte Chemie, 2024, 136, .	2.0	3
5035	Progress and Perspectives on the Development of Pouchâ€Type Lithium Metal Batteries. Angewandte Chemie - International Edition, 2024, 63, .	13.8	2
5036	A sulfur cathode design strategy for polysulfide restrictions and kinetic enhancements in Li-S batteries through oxidative chemical vapor deposition. Nano Energy, 2023, 115, 108756.	16.0	2
5037	Synthesis of Deliquescent Lithium Sulfide in Air. ACS Applied Materials & Interfaces, 2023, 15, 40633-40647.	8.0	4
5038	Fundamental mechanistic insights into the catalytic reactions of Li─S redox by Co single-atom electrocatalysts via operando methods. Science Advances, 2023, 9, .	10.3	1
5039	Recent advances in aqueous zinc–sulfur batteries: overcoming challenges for sustainable energy storage. Journal of Materials Chemistry A, 2023, 11, 18029-18045.	10.3	1

#	Article	IF	CITATIONS
5040	High-Performance Lithium–Sulfur Batteries via Molecular Complexation. Journal of the American Chemical Society, 2023, 145, 18865-18876.	13.7	3
5041	Strengthened dâ€p Orbitalâ€Hybridization of Single Atoms with Sulfur Species Induced Bidirectional Catalysis for Lithium–Sulfur Batteries. Advanced Functional Materials, 2023, 33, .	14.9	4
5042	Progress and prospects for solving the "shuttle effect―in magnesium-sulfur batteries. Energy Storage Materials, 2023, 62, 102933.	18.0	1
5043	CoS2 embedded 3D hollow carbon spheres nanoreactors for high-performance lithium-sulfur batteries. Electrochimica Acta, 2023, 468, 143054.	5.2	2
5044	Combining in situ electrochemistry, operando FTIR and post-mortem analyses to understand Co-Mn-Al spinels on mitigating shuttle effect in lithium-sulfur battery. Nano Energy, 2023, 116, 108809.	16.0	3
5045	Impact of composite preparation method on the electrochemical performance of lithium–sulfur batteries. Journal of Alloys and Compounds, 2023, 968, 171810.	5.5	2
5046	Quasi-solid-state composite polymer electrolyte with NASICON-type nanofillers for high performance lithium-oxygen batteries. Journal of Energy Storage, 2023, 72, 108744.	8.1	1
5047	Two-dimensional MXenes for flexible energy storage devices. Energy and Environmental Science, 2023, 16, 4191-4250.	30.8	12
5048	Metal Nanoclusters as a Superior Polysulfides Immobilizer toward Highly Stable Lithium–Sulfur Batteries. Small, 2024, 20, .	10.0	0
5049	Research status and prospect of separators for magnesium-sulfur batteries. Journal of Energy Chemistry, 2023, 87, 225-246.	12.9	4
5050	Cooperative catalytic platinum species accelerating polysulfide redox reactions for Li-S batteries. Journal of Energy Chemistry, 2023, 87, 123-135.	12.9	1
5051	Dual-Functional Electrolyte Additive for Lithium–Sulfur Batteries Limits Lithium Dendrite Formation and Increases Sulfur Utilization Rate. Batteries, 2023, 9, 444.	4.5	1
5052	Tailoring the Interface between Sulfur and Sulfide Solid Electrolyte for High-Areal-Capacity All-Solid-State Lithium–Sulfur Batteries. ACS Energy Letters, 2023, 8, 3971-3979.	17.4	2
5053	Multifunctional Interlayer Engineering for Silkworm Excrementâ€Derived Porous Carbon Enabling Highâ€Energy Lithium Sulfur Batteries. ChemSusChem, 2024, 17, .	6.8	2
5054	Tuning dual-atom mediator toward high-rate bidirectional polysulfide conversion in Li-S batteries. Journal of Energy Chemistry, 2023, 87, 462-472.	12.9	4
5055	Recent advances in rare earth compounds for lithium–sulfur batteries. EScience, 2023, , 100180.	41.6	4
5056	TiO ₂ –TiN Decorated Carbon Nanoplates Derived from NH ₂ -MIL-125 with Efficient Polysulfide Catalytic Conversion for Long-Life Lithium–Sulfur Batteries. Industrial & Engineering Chemistry Research, 0, , .	3.7	0
5057	A dual-mediator for a sulfur cathode approaching theoretical capacity with low overpotential in aqueous Zn–S batteries. Energy and Environmental Science, 2023, 16, 4326-4333.	30.8	6

#	Article	IF	Citations
5058	Single-atom site catalysis in Li–S batteries. Physical Chemistry Chemical Physics, 2023, 25, 25942-25960.	2.8	1
5059	Li-S Batteries: Challenges, Achievements and Opportunities. Electrochemical Energy Reviews, 2023, 6, .	25.5	22
5060	Visualizing interfacial collective reaction behaviour of Li–S batteries. Nature, 2023, 621, 75-81.	27.8	35
5061	Mott Schottky heterojunction Co/CoSe2 electrocatalyst: Achieved rapid conversion of polysulfides and Li2S deposition dissolution via built-in electric field interface effect. Chemical Engineering Journal, 2023, 475, 146126.	12.7	2
5062	Investigation of the corrosion behavior influence of carbon interlayer on aluminum collector in lithium-sulfur battery system. Electrochimica Acta, 2023, 469, 143033.	5.2	0
5064	Bitumenâ€Like Polymers Prepared via Inverse Vulcanization with Shear Stiffening and Selfâ€Healing Abilities for Multifunctional Applications. Advanced Functional Materials, 2023, 33, .	14.9	1
5065	Revisiting the Importance of Sulfur Electrodeâ€Currentâ€Collector Interface in Lithium‣ulfur Batteries. Batteries and Supercaps, 2023, 6, .	4.7	0
5066	Nontraditional Approaches To Enable High-Energy and Long-Life Lithium–Sulfur Batteries. Accounts of Chemical Research, 2023, 56, 2700-2712.	15.6	3
5067	Morphology Control of Li ₂ S Deposition via Geometrical Effect of Cobaltâ€Edged Nickel Alloy to Improve Performance of Lithium–Sulfur Batteries. Advanced Functional Materials, 2023, 33, .	14.9	3
5068	Anatase/Rutile Phases Regulating TiO ₂ /C Heterointerfaces for Enhanced Polysulfide Conversion in Sulfur Cathodes. ACS Sustainable Chemistry and Engineering, 2023, 11, 14207-14215.	6.7	1
5069	Mobile energy storage technologies for boosting carbon neutrality. Innovation(China), 2023, 4, 100518.	9.1	4
5070	Nonmetallicâ€Bonding Fe–Mn Diatomic Pairs Anchored on Hollow Carbonaceous Nanodisks for Highâ€Performance Li–S Battery. Small, 0, , .	10.0	0
5071	Advanced preparation and application of bimetallic materials in lithium-sulfur batteries: A review. Journal of Energy Chemistry, 2024, 88, 469-512.	12.9	7
5072	Oxygen self-doping pyrolyzed polyacrylic acid as sulfur host with physical/chemical adsorption dual function for lithium-sulfur batteries. Chinese Chemical Letters, 2023, , 109001.	9.0	2
5073	Effect of Electrolyte Chemistry and Sulfur Content in Li Sulfurized Polyacrylonitrile (SPAN) Batteries. ACS Applied Materials & Interfaces, 2023, 15, 43724-43731.	8.0	1
5074	High-Performance Li-S Batteries with a Minimum Shuttle Effect: Disproportionation of Dissolved Polysulfide to Elemental Sulfur Catalyzed by a Bifunctional Carbon Host. ACS Applied Materials & Interfaces, 2023, 15, 36250-36261.	8.0	6
5075	SnO ₂ /h-BN nanocomposite modified separator as a high-efficiency polysulfide trap in lithium–sulfur batteries. Energy Advances, 2023, 2, 1926-1934.	3.3	1
5076	Challenges and Prospects of Phosphorusâ€based Anode Materials for Secondary Batteries. Batteries and Supercaps, 2023, 6, .	4.7	0

#	Article	IF	CITATIONS
5077	A sulfur host based on silicon oxycarbide for advanced lithium‑sulfur batteries. Journal of Energy Storage, 2023, 72, 108388.	8.1	3
5078	Size Effect for Inhibiting Polysulfides Shuttle in Lithiumâ€Sulfur Batteries. Small, 2024, 20, .	10.0	1
5079	Hollow multishelled structural TiN as multi-functional catalytic host for high-performance lithium-sulfur batteries. Nano Research, 2023, 16, 12745-12752.	10.4	4
5080	Synthesis of an Advanced Sulfur Cathode with a Porous Graphitic C/Fe ₃ C Electrocatalyst and Three-Dimensional Current Collector for Li–S Batteries. Energy & Fuels, 2023, 37, 14324-14333.	5.1	1
5082	Construction of CoS ₂ Reduction Accelerator-Modified Sulfurized Polyacrylonitrile Nanofibers as High-Performance Cathode Materials for Practical Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2023, 6, 8466-8478.	5.1	1
5083	Manipulating orbital hybridization of single-atom catalytic sites in metal-organic framework for high-performance lithium-sulfur batteries. Nano Energy, 2023, 116, 108813.	16.0	3
5084	Engineering CoMoO4 in reduced graphene oxide as superior cathode hosts for advanced room-temperature sodium-sulfur batteries. Journal of Energy Chemistry, 2023, 86, 620-627.	12.9	3
5085	NC-Co3O4 polyhedron embedded multifunctional separator based on structural engineering towards stable and durable lithium-sulfur battery. Journal of Alloys and Compounds, 2023, 968, 171969.	5.5	2
5086	A comprehensive review of carbon nanotube-based metal oxide nanocomposites for supercapacitors. Journal of Energy Storage, 2023, 73, 108847.	8.1	3
5087	Eliminating bandgap between Cu-CeO2-x heterointerface enabling fast electron transfer and redox reaction in Li-S batteries. Energy Storage Materials, 2023, 63, 102983.	18.0	3
5088	Degradation Mechanisms of a Li—S Cell using Commercial Activated Carbon. Journal of Electrochemical Science and Technology, 2023, 14, 361-368.	2.2	1
5089	Clarifying the Role of Ordered Mesoporous Carbon on a Separator for High-Performance Lithium–Sulfur Batteries. ACS Applied Energy Materials, 2023, 6, 9975-9984.	5.1	1
5090	Polysulfides in Magnesiumâ \in Sulfur Batteries. Advanced Materials, 2024, 36, .	21.0	1
5091	Revisiting the Roles of Carbon in the Catalysis of Lithium–Sulfur Batteries. Advanced Energy and Sustainability Research, 2024, 5, .	5.8	0
5092	CoS2/carbon hollow sphere was used as a matrix of the sulfur cathode for lithium–sulfur batteries with enhanced rate and cycling performance. Journal of Materials Science: Materials in Electronics, 2023, 34, .	2.2	0
5093	Regulation of waste-derived hierarchically porous carbon for optimizing the sulfur cathode host of Li S batteries. Journal of Energy Storage, 2023, 73, 109087.	8.1	0
5094	Dual-functional chloropyrazine additives for enhanced performance of lithium-sulfur batteries. Energy Storage Materials, 2023, 63, 103011.	18.0	2
5096	Anion-doped polypyrrole three-dimensional framework enables adsorption and conversion in lithium–sulfur batteries. Journal of Colloid and Interface Science, 2024, 654, 201-211.	9.4	2

\sim		<u> </u>	
	TION	REDC) D L

#	Article	IF	CITATIONS
5097	Eco-friendly synthesis of chemically cross-linked chitosan/cellulose nanocrystal/CMK-3 aerogel based shape-stable phase change material with enhanced energy conversion and storage. Carbohydrate Polymers, 2023, , 121514.	10.2	0
5098	Ni-plated viscose-based carbon fibers/biomass-derived hierarchical porous carbon for high-performance lithium-sulfur battery free-standing cathodes. Journal of Alloys and Compounds, 2024, 970, 172593.	5.5	0
5100	Tuning the localized dissolution environment of polysulfides for practical Li-S cells. Journal of Power Sources, 2024, 589, 233754.	7.8	0
5101	Dual-atoms iron sites boost the kinetics of reversible conversion of polysulfide for high-performance lithium-sulfur batteries. Energy Storage Materials, 2023, 63, 103026.	18.0	3
5102	Perspectives of Highâ€Performance Li–S Battery Electrolytes. Advanced Functional Materials, 2024, 34, .	14.9	2
5103	Titanium nitride nanorod array/carbon cloth as flexible integrated host for highly stable lithium–sulfur batteries. Rare Metals, 0, , .	7.1	0
5104	PEI/Super P Cathode Coating: A Pathway to Superior Lithium–Sulfur Battery Performance. Batteries, 2023, 9, 531.	4.5	0
5105	Market capabilities and environmental impact of all-electric aircraft. Transportation Research, Part D: Transport and Environment, 2023, 124, 103944.	6.8	1
5106	A Detailed Discourse on the Epistemology of Lithiumâ€Sulfur Batteries. Chemical Engineering and Technology, 2024, 47, 408-429.	1.5	0
5107	A review on iron-nitride (Fe2N) based nanostructures for electrochemical energy storage applications: Research progress, and future perspectives. Journal of Alloys and Compounds, 2024, 976, 172626.	5.5	2
5108	Multifunctional Asymmetric Separator Constructed by Polyacrylonitrile-Derived Nanofibers for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2023, 15, 51241-51251.	8.0	0
5109	A low-self-discharge high-loading polysulfide cathode design for lithium–sulfur cells. Journal of Materials Chemistry A, 2023, 11, 24651-24660.	10.3	0
5110	Designing metal sulfide-based cathodes and separators for suppressing polysulfide shuttling in lithium-sulfur batteries. Nano Research, 0, , .	10.4	1
5111	MOF-Based Nanoarchitectonics for Lithium-Ion Batteries: A Comprehensive Review. Journal of Inorganic and Organometallic Polymers and Materials, 0, , .	3.7	0
5112	Aqueous heterocoagulation-driven assembly of graphene oxide and polycation-coated sulfur particles for nanocomposite Li-S battery cathodes. Journal of Colloid and Interface Science, 2024, 655, 931-942.	9.4	1
5113	A macrocyclic amine-based electrolyte for lithium–sulfur batteries: Li ion encapsulation regulates electrode performance. Applied Physics Reviews, 2023, 10,	11.3	1
5114	Engineering Strategies for Suppressing the Shuttle Effect in Lithium–Sulfur Batteries. Nano-Micro Letters, 2024, 16, .	27.0	7
5115	Separator Materials for Lithium Sulfur Battery—A Review. Electrochem, 2023, 4, 485-522.	3.3	0

	CITATION	Report	
#	Article	IF	CITATIONS
5116	Blockâ€Copolymerâ€Architected Materials in Electrochemical Energy Storage. Small Science, 2023, 3, .	9.9	1
5117	Double-shelled ZnS@CoS2 nanocages with heterojunctions for high performance cathodes in lithiuma^'sulfur batteries. Journal of Energy Storage, 2024, 75, 109505.	8.1	0
5118	Insight into Lithium–sulfur batteries performance enhancement: from metal nanoparticles to metal nanoparticles to metal nanoclusters to single metal atoms. Tungsten, 0, , .	4.8	1
5119	Carbons Derived from <i>Agave tequilana</i> Fibers as Efficient Sulfur Supports for Highâ€Performance Lithium–Sulfur Batteries. Energy Technology, 2024, 12, .	3.8	0
5120	Cage-confinement synthesis of MoC nanoclusers as efficient sulfiphilic and lithiophilic regulator for superior Li–S batteries. Rare Metals, 0, , .	7.1	1
5121	Detangling electrolyte chemical dynamics in lithium sulfur batteries by operando monitoring with optical resonance combs. Nature Communications, 2023, 14, .	12.8	2
5122	Electronic, vibrational, and optical properties of fullerene–S ₈ co-crystals. Journal of Materials Chemistry C, 2023, 11, 16316-16324.	5.5	0
5123	Dualâ€Confinement Effect of Nanocages@Nanotubes Suppresses Polysulfide Shuttle Effect for Highâ€Performance Lithium–Sulfur Batteries. Small, 0, , .	10.0	2
5124	Fast redox conversion and low shuttle effect enabled by functionalized zeolite for high-performance lithium–sulfur batteries. Chemical Engineering Journal, 2023, 478, 147315.	12.7	0
5125	An examination and prospect of stabilizing Li metal anode in lithium–sulfur batteries: A review of latest progress. , 2023, 1, .		1
5126	Loadings of Functionalized Multiwalled Carbon Nanotubes for Enhancing Sulfurized Polyacrylonitrile Performance in Lithium–Sulfur Batteries. ACS Applied Nano Materials, 2023, 6, 21058-21067.	5.0	0
5127	Constructing a built-in electron reservoir to dynamically coordinate bidirectional polysulfides conversion for lithium–sulfur batteries with a wide working temperature range. Energy Storage Materials, 2023, 63, 103061.	18.0	0
5128	Se as Eutectic Accelerator SPAN Cathode for Kâ^'S Batteries with Improved Specific Capacity and Reaction Kinetics. ChemistrySelect, 2023, 8, .	1.5	0
5130	A Ternary (P, Se, S) Covalent Inorganic Framework as a Shuttle Effectâ€Free Cathode for Li–S Batteries. Advanced Materials, 0, , .	21.0	0
5131	PerfECT Design Tool: Electric Vehicle Modelling and Experimental Validation. World Electric Vehicle Journal, 2023, 14, 337.	3.0	3
5132	Transition Metal Phosphides: The Rising Star of Lithium–Sulfur Battery Cathode Host. Small, 0, , .	10.0	0
5133	High-performance lithium–sulfur batteries utilizing charged binder and solid-state ionogel electrolyte. Macromolecular Research, 0, , .	2.4	0
5134	Advancements in the long-term performance of aqueous lithium-sulfur batteries. Diamond and Related Materials, 2024, 141, 110615.	3.9	0

#	Article	IF	CITATIONS
5135	Study of the growth mechanism of a self-assembled and ordered multi-dimensional heterojunction at atomic resolution. Frontiers of Optoelectronics, 2023, 16, .	3.7	0
5136	N-Doped Porous Graphitic Carbon Hybridized with CrN Nanocrystals: Electrocatalysis-Induced Li ₂ S Three-Dimensional Growth and Enhanced Cathode Kinetics. ACS Applied Energy Materials, 2023, 6, 11157-11167.	5.1	0
5137	Flame-retardant ammonium polyphosphate/MXene decorated carbon foam materials as polysulfide traps for fire-safe and stable lithium-sulfur batteries. Journal of Energy Chemistry, 2024, 89, 313-323.	12.9	1
5138	CoS2-MoS2-CNT composite modified separator with enhanced LiPS adsorption capacity for lithium-sulfur battery. Journal of Alloys and Compounds, 2024, 972, 172733.	5.5	4
5139	Sulfurâ€Tuned Advanced Carbons of Novel Properties and Scalable Productivity. Advanced Functional Materials, 2024, 34, .	14.9	0
5140	Continuous Preparation of a Flexible Carbon Nanotube Film from Lignin as a Sulfur Host Material for Lithium–Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2023, 11, 16544-16553.	6.7	1
5141	Chemical and physical synergism between PAF-54 and SFPEEKK for effective shuttle effect inhibition of lithium–sulfur battery. Materials Today Energy, 2023, 38, 101455.	4.7	0
5142	Tandem Catalysis inside Doubleâ€Shelled Nanocages with Separated and Tunable Atomic Catalyst Sites for High Performance Lithiumâ€Sulfur Batteries. Advanced Materials, 0, , .	21.0	0
5143	Imparting selective polysulfide conversion via geminal-atom moieties in lithium-sulfur batteries. Applied Catalysis B: Environmental, 2024, 343, 123553.	20.2	0
5144	Atomic Insights into the S Poisoning Effects of Single-Atom Catalysts in Li–S Batteries. ACS Omega, 2023, 8, 45348-45357.	3.5	0
5145	Theoretical investigation of synergistically boosting the anchoring and electrochemical performance of lithiophilic/sulfiphilic transition metal carbides for lithium–sulfur batteries. Nanoscale, 0, , .	5.6	1
5146	Ab Initio Molecular Dynamics Simulations of Amorphous Metal Sulfides as Cathode Materials for Lithium–Sulfur Batteries. Journal of Physical Chemistry C, 0, , .	3.1	0
5147	Design of filamentous conductive catalyst as separator coating for high-efficiency lithium-sulfur batteries. Chemical Engineering Journal, 2024, 479, 147870.	12.7	1
5148	An Ionic Liquid Electrolyte Additive for High-Performance Lithium–Sulfur Batteries. Materials, 2023, 16, 7504.	2.9	0
5149	Co nanoparticles-embedded hierarchical porous carbon network as high-performance cathode for lithium-sulfur batteries. Science China Materials, 2023, 66, 4587-4594.	6.3	1
5150	Nitro-functionalized Fe-MOFs for lithium-sulfur batteries. Ionics, 2024, 30, 769-778.	2.4	0
5151	Application of MXeneâ€based materials for cathode in lithiumâ€sulfur batteries. Chemistry - A European Journal, 0, , .	3.3	0
5152	Flower-Shaped Sulfurized Polyacrylonitrile Nanostructures as Cathode Materials for High-Performance Lithium–Sulfur Batteries. ACS Applied Nano Materials, 0, , .	5.0	1

#	Article	IF	CITATIONS
5153	Investigating the impact of mesoporous and microporous carbon host materials on the performance of sulfur cathodes in Zinc-Sulfur batteries. Materials Letters, 2024, 357, 135691.	2.6	0
5155	A 2D montmorillonite-carbon nanotube interconnected porous network that prevents polysulfide shuttling. New Carbon Materials, 2023, 38, 1070-1079.	6.1	0
5156	Mesoporous Materials. , 2024, , 9-15.		0
5157	Moss-like porous biochar loading Co3O4 nanoparticles as sulfur host maintain the stability of Li-sulfur batteries. Ionics, 2024, 30, 759-768.	2.4	0
5158	Sulfur-containing polymer/carbon nanotube composite cathode materials for high-energy lithium–sulfur batteries. New Journal of Chemistry, 0, , .	2.8	0
5159	Facilitation polysulfides adsorption/catalysis by nitrogen/phosphorous co-doped carbon nanofibers networks for advanced lithium/polysulfides batteries. Diamond and Related Materials, 2024, 141, 110730.	3.9	3
5160	An oxygen-vacancy-boosted heterostructured catalyst with synergistically integrated dual transition-metal oxides for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2024, 479, 147820.	12.7	3
5161	MoS2 confined within CMK-3 as multifunctional nanoreactor towards high-performance Li–S battery. Composites Communications, 2024, 45, 101795.	6.3	0
5162	Enhancing lithium-sulfur battery performance with biomass-derived graphene-like porous carbon and NiO nanoparticles composites. Journal of Power Sources, 2024, 593, 233959.	7.8	0
5163	Understanding the Impact of Peripheral Substitution on the Activity of Co Phthalocyanine in Sulfur Reduction Catalysis. Advanced Functional Materials, 0, , .	14.9	0
5164	Structure engineering of cathode host materials for Li–S batteries. Rare Metals, 0, , .	7.1	0
5165	Covalent Organic Frameworks: Their Composites and Derivatives for Rechargeable Metal-Ion Batteries. ACS Nano, 2024, 18, 28-66.	14.6	5
5166	Undercoordination Chemistry of Sulfur Electrocatalyst in Lithium–Sulfur Batteries. Advanced Materials, 0, , .	21.0	0
5167	Systematic insight of the behavior of LiNO3 additive in Li S batteries with gradient S loading. Journal of Energy Storage, 2024, 79, 110215.	8.1	1
5168	Ferromagnetic single atom doped boron phosphide monolayers as effective electrocatalysts for Lithium-Sulfur batteries. Applied Surface Science, 2024, 649, 159196.	6.1	0
5169	Toward a Synergistic Optimization of Porous Electrode Formulation and Polysulfide Regulation in Lithium–Sulfur Batteries. Small, 0, , .	10.0	0
5170	Catalytic engineering for polysulfide conversion in high-performance lithium-sulfur batteries. Journal of Materials Science and Technology, 2024, 186, 110-131.	10.7	0
5172	Ammonium silicofluoride as bifunctional electrolyte additive to regulate the electrode interface in lithium-sulfur battery. Ionics, 2024, 30, 1383-1389.	2.4	0

# 5173	ARTICLE Roadmap for rechargeable batteries: present and beyond. Science China Chemistry, 0, , .	IF 8.2	CITATIONS
5174	Recent advances in copper-based materials for robust lithium polysulfides adsorption and catalytic conversion. Chinese Chemical Letters, 2023, , 109461.	9.0	Ο
5175	Air‣table Li ₂ S Cathodes Enabled by an In Situâ€Formed Li ⁺ Conductor for Graphiteâ€Li ₂ S Pouch Cells. Advanced Materials, 2024, 36, .	21.0	0
5176	Review—Advanced Secondary Batteries with Multi-Electron Reaction of Light Elements. Journal of the Electrochemical Society, 2024, 171, 010517.	2.9	0
5177	Tetragonal phase-free crystallization of highly conductive nanoscale cubic garnet (Li6.1Al0.3La3Zr2O12) for all-solid-state lithium-metal batteries. Journal of Power Sources, 2024, 595, 234061.	7.8	0
5178	Functionless cobalt toward functional cobalt nitride: Catalytic sulfur carrier for lithium-sulfur pouch batteries. Matter, 2024, 7, 1035-1053.	10.0	0
5179	A review on polyoxometalates-based materials in addressing challenges faced by electrochemical energy storage systems. Chemical Engineering Journal, 2024, 483, 149143.	12.7	0
5180	Anchoring and catalytic insights into bilayer C ₄ N ₃ material for lithium–selenium batteries: a first-principles study. Physical Chemistry Chemical Physics, 2024, 26, 2291-2303.	2.8	0
5181	Investigation of the Chemisorptionâ€Catalysis Behavior of Sulfur Species on the Electrocatalysts Designed by Coâ€regulation Strategy of Anions and Cations. Chemistry - A European Journal, 2024, 30, .	3.3	0
5182	Influence of Primary Particle Morphology and Hydrophilicity of Carbon Matrix on Electrode Coating Quality and Performance of Practical Highâ€Energyâ€Density Li–S Batteries. Advanced Materials Interfaces, 2024, 11, .	3.7	0
5183	Research Progr ess of Metal Catalysts for Sulfur Reduction of Lithium Sulfur Batteries. Journal of Organic Chemistry Research, 2023, 11, 314-333.	0.1	0
5184	Faradaic impedance and discharge reactions in lithium sulfur battery with sparingly solvating electrolyte. Electrochimica Acta, 2024, 477, 143759.	5.2	0
5185	Interfacial polymerization achieved integration of pore size adjustment, electrostatic repulsion and physical adsorption into one to inhibit polysulfide shuttle for enhanced lithium–sulfur battery. Journal of Power Sources, 2024, 594, 233975.	7.8	1
5186	Enhanced Adsorption and Conversion of Polysulfides by ZIFâ€67â€Based Co ₃ O ₄ /TiO ₂ Heterostructure and Attached Polypyrrole 3D Conductive Network for Lithium–Sulfur Batteries with Stable and Extended Cycling. Energy Technology, 2024, 12, .	3.8	0
5188	Synergistic promotion of electrocatalytic activities and multilevel descriptors in nitrogen-doped graphene supported dual-atom catalysts for lithium-sulfur batteries. Energy Storage Materials, 2024, 65, 103187.	18.0	1
5189	Interface engineering toward stable lithium–sulfur batteries. Energy and Environmental Science, 2024, 17, 1330-1367.	30.8	2
5190	High entropy alloy nanoparticles dual-decorated with nitrogen-doped carbon and carbon nanotubes as promising electrocatalysts for lithium–sulfur batteries. Journal of Materials Science and Technology, 2024, 188, 98-104.	10.7	0
5191	N-doped CNTs wrapped sulfur-loaded hierarchical porous carbon cathode for Li–sulfur battery studies. RSC Advances, 2024, 14, 2564-2576.	3.6	0

#	Article	IF	CITATIONS
5192	MBene with Redoxâ€Active Terminal Groups for an Energyâ€Dense Cascade Aqueous Battery. Advanced Materials, 2024, 36, .	21.0	0
5193	Accelerating polysulfides conversion by constructing Lewis acidic Mn-N4 single atomic sites for Li-S battery with high sulfur loading. Chemical Engineering Journal, 2024, 482, 148747.	12.7	0
5194	Effect of activated Ketjen black and nano-size sulfur particles on electrochemical performance of lithium-sulfur battery. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2024, 685, 133265.	4.7	0
5195	Ethylene Glycol ontaining Acrylic Polyphosphazene Based Cathode Materials via Inverse Vulcanization of Sulfur for Liâ^'S Batteries. ChemElectroChem, 2024, 11, .	3.4	0
5196	Regulating the interfacial electric field of NbP–NbC heterostructures to efficiently inhibit polysulfide shuttling in Li–S batteries. Journal of Materials Chemistry A, 2024, 12, 5307-5318.	10.3	0
5197	Accelerated Li2S conversion in sparingly-solvating electrolytes enabled with dipole-dipole interaction for wide-temperature Li-S batteries. Energy Storage Materials, 2024, 66, 103215.	18.0	0
5198	Superstructured carbon materials: design and energy applications. , 2023, 1, 9370017.		0
5199	Different energy storage techniques: recent advancements, applications, limitations, and efficient utilization of sustainable energy. Journal of Thermal Analysis and Calorimetry, 2024, 149, 1895-1933.	3.6	1
5200	Blanket biochar loaded with nano-Co3O4/graphite heterostructure assisted polysulfide trapping for high-stability lithium sulfur batteries. Journal of Physics and Chemistry of Solids, 2024, 188, 111896.	4.0	0
5201	Preparation of carbon–sulphur composite electrodes by solution impregnation and application to all-solid-state lithium–sulphur batteries. Energy Advances, 2024, 3, 609-613.	3.3	0
5202	A solid-state electrolyte for electrochemical lithium–sulfur cells. RSC Advances, 2024, 14, 4025-4033.	3.6	0
5203	Unveiling the Pivotal Parameters for Advancing High Energy Density in Lithium ulfur Batteries: A Comprehensive Review. Advanced Functional Materials, 0, , .	14.9	0
5204	Advanced Polymers in Cathodes and Electrolytes for Lithium–Sulfur Batteries: Progress and Prospects. Small, 2024, 20, .	10.0	0
5205	A Review on Engineering Transition Metal Compound Catalysts to Accelerate the Redox Kinetics of Sulfur Cathodes for Lithium–Sulfur Batteries. Nano-Micro Letters, 2024, 16, .	27.0	0
5206	Enhanced reliability of aluminum–sulfur batteries with cost-effective ionic liquid electrolyte and sulfur/graphite cathode. New Journal of Chemistry, 2024, 48, 4020-4029.	2.8	0
5207	Establishing reaction networks in the 16-electron sulfur reduction reaction. Nature, 2024, 626, 98-104.	27.8	5
5208	Electrochemical deposition of Li2S2/Li2S in aprotic Li–S batteries. Particuology, 2024, 90, 516-521.	3.6	0
5209	Nanomaterials in batteries. , 2024, , 149-171.		0

#	Article	IF	CITATIONS
5210	Self-Supporting Nanoporous Carbon Films with Single-Atom Co–N–C Sites as Hosts for Lithium–Sulfur Batteries. ACS Applied Nano Materials, 0, , .	5.0	0
5211	Heterostructured WO _x /W ₂ C Nanocatalyst for Li ₂ S Oxidation in Lithium–Sulfur Batteries with Highâ€Arealâ€Capacity. Small, 0, , .	10.0	0
5212	Spatial configuration of interlayer maximizing suppression and conversion efficiency of lithium polysulfides for advanced lithium–sulfur batteries. Materials Today Energy, 2024, 41, 101521.	4.7	0
5213	High-Performance Li-S Batteries Boosted by Redox Mediators: A Review and Prospects. Energy Storage Materials, 2024, 67, 103223.	18.0	1
5214	Lithium Sulfur Batteries: Insights from Solvation Chemistry to Feasibility Designing Strategies for Practical Applications. Energy and Environmental Materials, 0, , .	12.8	0
5215	Porous Carbon Cloth@CoSe ₂ as Kineticsâ€Enhanced and High‣oading Integrated Sulfur Host for Lithium–Sulfur Batteries. Advanced Functional Materials, 0, , .	14.9	0
5216	Electrospun polar-nanofiber PVDF separator for lithium–sulfur batteries with enhanced charge storage capacity and cycling durability. Energy Advances, 2024, 3, 625-635.	3.3	0
5217	Metal organic frameworks-based cathode materials for advanced Li-S batteries: A comprehensive review. Nano Research, 2024, 17, 2592-2618.	10.4	0
5218	Synergistic sulfur-selenium cathodes for lithium-sulfur batteries. Journal of Power Sources, 2024, 598, 234193.	7.8	0
5219	Pristine and engineered biochar as Na-ion batteries anode material: A comprehensive overview. Renewable and Sustainable Energy Reviews, 2024, 194, 114304.	16.4	Ο
5220	Boosting the high rate and durability of lithium–sulfur batteries using a bidirectional catalyst of a polyoxometalate-cyclodextrin supramolecular compound. Inorganic Chemistry Frontiers, 2024, 11, 1710-1723.	6.0	0
5221	Tailoring molecular structures for enhanced anchoring of polysulfides in lithium–sulfur batteries. Chemical Engineering Journal, 2024, 484, 149596.	12.7	Ο
5222	Self-discharge in rechargeable electrochemical energy storage devices. Energy Storage Materials, 2024, 67, 103261.	18.0	0
5223	Heterostructured nickel–cobalt metal alloy and metal oxide nanoparticles as a polysulfide mediator for stable lithium–sulfur full batteries with lean electrolyte. , 0, , .		Ο
5224	Porous Carbon Interlayer Derived from Traditional Korean Paper for Li–S Batteries. Nanomaterials, 2024, 14, 385.	4.1	0
5225	Constructing the Interconnected Charge Transfer Pathways in Sulfur Composite Cathode for All-Solid-State Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2024, 16, 11076-11083.	8.0	0
5226	Spartina anglica-Derived Carbon-Coated PEÂSeparator for Physically Restraining Polysulfide Migration in Lithium-Sulfur Batteries. Korean Journal of Chemical Engineering, 2024, 41, 1187-1196.	2.7	0
5227	A vapor-assisted construction of 3D highly porous boron nitride for anchoring and catalyzing polysulfides in lithium-sulfur batteries. Chemical Engineering Journal, 2024, 485, 150042.	12.7	0

	CITATION RE	CITATION REPORT	
#	Article	IF	Citations
5228	Optimization of the Form Factors of Advanced Liâ \in S Pouch Cells. Small, 0, , .	10.0	0
5229	Healable and conductive sulfur iodide for solid-state Li–S batteries. Nature, 2024, 627, 301-305.	27.8	0
5230	Mesoporous NiCo2S4@rGO nanocomposites as sulfur carriers for high performance lithium sulfur batteries. International Journal of Electrochemical Science, 2024, 19, 100535.	1.3	0
5231	Lithium batteries - Secondary systems â \in " Lithium-metal systems Lithium-Sulfur. , 2023, , .		0
5232	Using the fermi level as a predictive indicator of the electrocatalytic activities displayed by single-atom catalysts in sulfur cathode reactions. Chemical Engineering Journal, 2024, 486, 150241.	12.7	0
5233	A Perspective of Bioinspired Interfaces Applied in Renewable Energy Storage and Conversion Devices. Langmuir, 2024, 40, 6601-6611.	3.5	0
5234	Recent progress and perspective on lithium metal battery with nickel-rich layered oxide cathode. EScience, 2024, , 100265.	41.6	0
5235	The electrochemistry of stable sulfur isotopes versus lithium. Proceedings of the National Academy of Sciences of the United States of America, 2024, 121, .	7.1	0
5236	One action, two benefits: improving the performance of lithium–sulfur batteries with a poly(ionic) Tj ETQq0 0 () rgBT /Ov	verlock 10 Tf S
5237	Advances and Challenges in Electrolyte Development for Magnesium–Sulfur Batteries: A Comprehensive Review. Molecules, 2024, 29, 1234.	3.8	0
5238	Interfacial "Double-Terminal Binding Sites―Catalysts Synergistically Boosting the Electrocatalytic Li ₂ S Redox for Durable Lithium–Sulfur Batteries. ACS Nano, 2024, 18, 8839-8852.	14.6	0
5239	Surface Adaptive Dualâ€Layer Protection of Liâ€metal Anode for Extending Cycleâ€Life of Li–Sulfur Batteries with Lean Electrolyte. Advanced Functional Materials, 0, , .	14.9	0
5240	Interfacial synergy of nanoengineered PANI/MnO2 for strong anchoring and fast conversion of polysulfides in Li-S batteries. Journal of Power Sources, 2024, 602, 234315.	7.8	0
5241	Nb–Se–C Thin Films Deposited by a 1064 nm Laser as Model Electrodes for Li ⁺ and Na ⁺ Storage. ACS Applied Energy Materials, 2024, 7, 2109-2119.	5.1	0
5242	Porous FeNi Prussian blue cubes derived carbon-based phosphides as superior sulfur hosts for high-performance lithium–sulfur batteries. Nanotechnology, 2024, 35, 235701.	2.6	0
5243	Nitrogen-doped carbon nanorods embedded with cobalt nanoparticles as separator coatings for high-performance lithium-sulfur batteries. Ionics, 2024, 30, 2705-2714.	2.4	0
5244	Mesoporous Carbons and Highly Cross-Linking Polymers for Removal of Cationic Dyes from Aqueous Solutions—Studies on Adsorption Equilibrium and Kinetics. Materials, 2024, 17, 1374.	2.9	0
524 <u>5</u>	Dependence of Interlayer or Sulfur Host on Hollow Framework of Lithium–Sulfur Battery. Small, 0, , .	10.0	0

#	Article	IF	CITATIONS
5246	Metal-Coordinated Covalent Organic Frameworks as Advanced Bifunctional Hosts for Both Sulfur Cathodes and Lithium Anodes in Lithium–Sulfur Batteries. Journal of the American Chemical Society, 2024, 146, 9385-9394.	13.7	0
5248	DFT insights into the adsorption mechanisms of lithium polysulfides on Ni2P (0001) surface for lithium–sulfur batteries. Applied Surface Science, 2024, 659, 159847.	6.1	0
5249	Insights into the aspect ratio effects of ordered mesoporous carbon on the electrochemical performance of sulfur cathode in lithium-sulfur batteries. Journal of Colloid and Interface Science, 2024, 665, 286-298.	9.4	0
5250	In-situ UV-Vis Spectroscopy of Trisulfur Radicals in Lithium-Sulfur Batteries. Chemical Research in Chinese Universities, 2024, 40, 279-286.	2.6	0