

# The prevalence of lower urinary tract symptoms (LUTS) results from the Epidemiology of LUTS (EpiLUTS) study

BJU International

104, 352-360

DOI: [10.1111/j.1464-410x.2009.08427.x](https://doi.org/10.1111/j.1464-410x.2009.08427.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The overlap of storage, voiding and postmicturition symptoms and implications for treatment seeking in the USA, UK and Sweden: EpiLUTS. BJU International, 2009, 103, 12-23.	1.3	163
2	The burden of lower urinary tract symptoms: evaluating the effect of LUTS on health-related quality of life, anxiety and depression: EpiLUTS. BJU International, 2009, 103, 4-11.	1.3	371
3	Implications of recent epidemiology studies for the clinical management of lower urinary tract symptoms. BJU International, 2009, 103, 48-57.	1.3	27
4	Risk factors and comorbid conditions associated with lower urinary tract symptoms: EpiLUTS. BJU International, 2009, 103, 24-32.	1.3	185
5	The impact of lower urinary tract symptoms on male sexual health: EpiLUTS. BJU International, 2009, 103, 33-41.	1.3	124
6	Introduction. BJU International, 2009, 103, 1-3.	1.3	0
7	Epidemiology of Pelvic Floor Dysfunction. Obstetrics and Gynecology Clinics of North America, 2009, 36, 421-443.	0.7	104
8	Update on Uro pharmacology: Bladder Dysfunction, Nitric Oxide, and Reactive Oxygen Species. Current Bladder Dysfunction Reports, 2010, 5, 150-156.	0.2	1
9	Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms: A Longitudinal Population-Based Survey in Men Aged 45-103 Years. European Urology, 2010, 58, 149-156.	0.9	128
10	Dynamic Progression of Overactive Bladder and Urinary Incontinence Symptoms: A Systematic Review. European Urology, 2010, 58, 532-543.	0.9	87
11	Women's toileting behaviour related to urinary elimination: concept analysis. Journal of Advanced Nursing, 2010, 66, 1874-1884.	1.5	45
12	The overactive bladder. Therapeutic Advances in Urology, 2010, 2, 147-155.	0.9	13
13	Afferent Neurourology: An Epidemiological Perspective. Journal of Urology, 2010, 184, 432-439.	0.2	10
14	Lower Urinary Tract Symptoms. Clinics in Geriatric Medicine, 2010, 26, 249-260.	1.0	17
15	The physiological function of lower urinary tract smooth muscle. Autonomic Neuroscience: Basic and Clinical, 2010, 154, 3-13.	1.4	79
16	New Concepts in Epidemiology of Lower Urinary Tract Symptoms in Men. European Urology Supplements, 2010, 9, 477-481.	0.1	5
17	Pharmacotherapy of overactive bladder: epidemiology and pathophysiology of overactive bladder. Expert Opinion on Pharmacotherapy, 2011, 12, 1017-1027.	0.9	15
18	Assessment and Management of Irritative Voiding Symptoms. Medical Clinics of North America, 2011, 95, 121-127.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Anatomy and Histology of the Lower Urinary Tract. Handbook of Experimental Pharmacology, 2011, , 117-148.	0.9	45
20	Urinary Tract. Handbook of Experimental Pharmacology, 2011, , .	0.9	8
21	National Community Prevalence of Overactive Bladder in the United States Stratified by Sex and Age. Urology, 2011, 77, 1081-1087.	0.5	289
22	Race and Ethnic Differences in Health Beliefs About Lower Urinary Tract Symptoms. Nursing Research, 2011, 60, 165-172.	0.8	30
23	Influence of age and bladder dysfunction on the contractile properties of isolated human detrusor smooth muscle. BJU International, 2011, 108, E91-6.	1.3	51
24	Worldwide prevalence estimates of lower urinary tract symptoms, overactive bladder, urinary incontinence and bladder outlet obstruction. BJU International, 2011, 108, 1132-1138.	1.3	790
25	The impact of overactive bladder on mental health, work productivity and health-related quality of life in the UK and Sweden: results from EpiLUTS. BJU International, 2011, 108, 1459-1471.	1.3	210
26	Impact of robot-assisted radical prostatectomy on health-related quality of life in patients with lower urinary tract symptoms. International Journal of Urology, 2011, 18, 297-303.	0.5	5
27	Prevalence and Effect on Health-Related Quality of Life of Overactive Bladder in Older Americans: Results from the Epidemiology of Lower Urinary Tract Symptoms Study. Journal of the American Geriatrics Society, 2011, 59, 1465-1470.	1.3	131
28	The Prevalence of Clinically Meaningful Overactive Bladder: Bother and Quality of Life Results from the Population-Based FINNO Study. European Urology, 2011, 59, 629-636.	0.9	88
29	Effects of coffee and tea consumption on urinary incontinence in female twins. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 806-813.	1.1	24
30	Patients' experiences of seeking health care for lower urinary tract symptoms. Research in Nursing and Health, 2011, 34, 496-507.	0.8	17
31	Prevalence of overactive bladder, urinary incontinence, and lower urinary tract symptoms: results of Korean EPIC study. World Journal of Urology, 2011, 29, 185-190.	1.2	152
33	Epidemiology of Stress Urinary Incontinence in Women. Current Urology Reports, 2011, 12, 370-376.	1.0	104
34	In a free healthcare system, why do men not consult for lower urinary tract symptoms (LUTS)?. Asia Pacific Family Medicine, 2011, 10, 7.	0.4	11
35	Stress urinary incontinence in the aging male: current treatment options. Aging Health, 2011, 7, 763-774.	0.3	1
36	A Qualitative Inquiry of Patient-Reported Outcomes. Nursing Research, 2012, 61, 283-290.	0.8	9
37	Estimating the quality-of-life impact and cost-effectiveness of alpha-blocker and anti-muscarinic combination treatment in men with lower urinary tract symptoms related to benign prostatic hyperplasia and overactive bladder. Journal of Medical Economics, 2012, 15, 586-600.	1.0	9

#	ARTICLE	IF	CITATIONS
38	Female functional bladder outlet obstruction: treatment with $\alpha$ -blockers. Expert Review of Obstetrics and Gynecology, 2012, 7, 241-247.	0.4	0
39	The problems affecting the diagnosis of urinary tract infection. Aging Health, 2012, 8, 537-545.	0.3	3
40	Associations between subjective overactive bladder symptoms and objective parameters on bladder diary and filling cystometry. International Urogynecology Journal, 2012, 23, 1619-1624.	0.7	15
41	Prevalence and bother of postmicturition dribble in Finnish men aged 30-80 years: Tampere Ageing Male Urologic Study (TAMUS). Scandinavian Journal of Urology and Nephrology, 2012, 46, 418-423.	1.4	11
42	Are Metabolic Syndrome and Its Components Associated With Lower Urinary Tract Symptoms? Results From a Chinese Male Population Survey. Urology, 2012, 79, 194-201.	0.5	46
43	Racial Differences in the Prevalence of Overactive Bladder in the United States From the Epidemiology of LUTS (EpiLUTS) Study. Urology, 2012, 79, 95-101.	0.5	78
44	Correlation of Ultrasound-estimated Bladder Weight to Urodynamic Diagnoses in Women With Lower Urinary Tract Symptoms. Urology, 2012, 80, 66-70.	0.5	9
45	Lycopene for the prevention and treatment of benign prostatic hyperplasia and prostate cancer: A systematic review. Maturitas, 2012, 72, 269-276.	1.0	96
46	Determining lower urinary tract symptoms and associated risk factors in young women. International Journal of Gynecology and Obstetrics, 2012, 118, 27-30.	1.0	22
47	Drug development for LUTS - The challenge for industry. Drug Discovery Today: Therapeutic Strategies, 2012, 9, e5-e14.	0.5	2
48	Trends in Care Delivery for Disorders of the Female Pelvic Floor. Current Bladder Dysfunction Reports, 2012, 7, 194-200.	0.2	0
49	Recognition and Management of Nonrelaxing Pelvic Floor Dysfunction. Mayo Clinic Proceedings, 2012, 87, 187-193.	1.4	166
50	Managing Overactive Bladder and Urinary Incontinence in the Male. , 2012, , 129-140.		0
52	Overactive Bladder in Clinical Practice. , 2012, , .		6
53	Increased high-sensitivity c-reactive protein predicts a high risk of lower urinary tract symptoms in chinese male: Results from the fangchenggang area male health and examination survey. Prostate, 2012, 72, 193-200.	1.2	22
54	Moving towards a comprehensive assessment of lower urinary tract symptoms (LUTS). Neurourology and Urodynamics, 2012, 31, 448-454.	0.8	54
55	The psychology of LUTS: ICI-RS 2011. Neurourology and Urodynamics, 2012, 31, 340-343.	0.8	26
56	Defining female voiding dysfunction: ICI-RS 2011. Neurourology and Urodynamics, 2012, 31, 313-316.	0.8	39

#	ARTICLE	IF	CITATIONS
58	Detrusor overactivity leak point pressure in women with urgency incontinence. International Urogynecology Journal, 2012, 23, 443-446.	0.7	5
59	Pelvic floor muscle training for urgency urinary incontinence in women: a systematic review. International Urogynecology Journal, 2012, 23, 687-697.	0.7	29
60	Urinary Incontinence and its Relationship to Mental Health and Health-Related Quality of Life in Men and Women in Sweden, the United Kingdom, and the United States. European Urology, 2012, 61, 88-95.	0.9	253
61	Lower urinary tract symptoms in women with and without urinary incontinence. International Journal of Urological Nursing, 2012, 6, 22-29.	0.1	7
62	Prevalence of hesitancy in 30-80-year-old Finnish men: Tampere Ageing Male Urological Study (TAMUS). BJU International, 2012, 109, 1360-1364.	1.3	8
63	The prevalence of lower urinary tract symptoms (LUTS) and overactive bladder (OAB) by racial/ethnic group and age: Results from OAB-POLL. Neurourology and Urodynamics, 2013, 32, 230-237.	0.8	191
64	Systematic Review of Combination Drug Therapy for Non-neurogenic Male Lower Urinary Tract Symptoms. European Urology, 2013, 64, 228-243.	0.9	97
65	Urinary incontinence and risk of functional decline in older women: data from the Norwegian HUNT-study. BMC Geriatrics, 2013, 13, 47.	1.1	27
66	Current State of the Art in Non-Invasive Urodynamics. Current Bladder Dysfunction Reports, 2013, 8, 83-91.	0.2	5
67	Current Understanding of the Interplay between Oab & Bph. Current Bladder Dysfunction Reports, 2013, 8, 128-133.	0.2	2
68	UROPSYCHIATRY: The Relationship Between Overactive Bladder and Psychiatric Disorders. Current Bladder Dysfunction Reports, 2013, 8, 69-76.	0.2	4
69	Voiding dysfunction in women: How to manage it correctly. Arab Journal of Urology Arab Association of Urology, 2013, 11, 319-330.	0.7	24
70	Association of Bowel Habits with Lower Urinary Tract Symptoms in Men: Findings from the 2005-2006 and 2007-2008 National Health and Nutrition Examination Survey. Journal of Urology, 2013, 189, 1409-1414.	0.2	15
71	The Impact of OAB on Physical Activity in the United States: Results from OAB-POLL. Urology, 2013, 82, 799-806.	0.5	30
72	Neuromodulation for Neurogenic Bladder. Current Bladder Dysfunction Reports, 2013, 8, 282-288.	0.2	3
73	Efficacy and Tolerability of Mirabegron, a Î²3-Adrenoceptor Agonist, in Patients with Overactive Bladder: Results from a Randomised European-Australian Phase 3 Trial. European Urology, 2013, 63, 283-295.	0.9	370
74	Caffeine and urinary incontinence in US women. International Urogynecology Journal, 2013, 24, 295-302.	0.7	73
75	Understanding the effects on HR-QoL of treatment for overactive bladder: a detailed analysis of EQ-5D clinical trial data for mirabegron. Journal of Medical Economics, 2013, 16, 866-876.	1.0	9

#	ARTICLE	IF	CITATIONS
76	Consequences of Nocturia. <i>Postgraduate Medicine</i> , 2013, 125, 38-46.	0.9	7
77	Male overactive bladder. <i>Current Opinion in Urology</i> , 2013, 23, 515-519.	0.9	5
78	Spectrum of Bacterial Colonization Associated with Urothelial Cells from Patients with Chronic Lower Urinary Tract Symptoms. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2054-2062.	1.8	197
79	Empirical evaluation of grouping of lower urinary tract symptoms: principal component analysis of Tampere Ageing Male Urological Study data. <i>BJU International</i> , 2013, 111, 467-473.	1.3	9
80	Efficiency of using community organisations as catalysts for recruitment to continence promotion trials. <i>Clinical Trials</i> , 2013, 10, 151-159.	0.7	8
81	Prevalence of postmicturition urinary incontinence in Japanese men: Comparison with other types of incontinence. <i>International Journal of Urology</i> , 2013, 20, 911-916.	0.5	11
82	Current issues in managing men with lower urinary tract symptoms in primary care. <i>International Journal of Clinical Practice</i> , 2013, 67, 931-933.	0.8	1
83	Overactive bladder symptoms, stress urinary incontinence and associated bother in women aged 40 and above; a Belgian epidemiological survey. <i>International Journal of Clinical Practice</i> , 2013, 67, 198-204.	0.8	20
84	Comorbidities and personal burden of urgency urinary incontinence: a systematic review. <i>International Journal of Clinical Practice</i> , 2013, 67, 1015-1033.	0.8	129
85	Mirabegron for the treatment of overactive bladder: a prespecified pooled efficacy analysis and pooled safety analysis of three randomised, double-blind, placebo-controlled, phase III studies. <i>International Journal of Clinical Practice</i> , 2013, 67, 619-632.	0.8	186
86	Prevalence, associated factors, and relationship to quality of life of lower urinary tract symptoms: a cross-sectional, questionnaire survey of cancer patients. <i>International Journal of Clinical Practice</i> , 2013, 67, 566-575.	0.8	5
88	Impact of mirabegron extended-release on the treatment of overactive bladder with urge urinary incontinence, urgency, and frequency. <i>Research and Reports in Urology</i> , 2013, 5, 147.	0.6	5
89	The Prevalence of Lower Urinary Tract Symptoms in Korean Men Aged 40 Years or Older: A Population-Based Survey. <i>International Neurourology Journal</i> , 2014, 18, 126.	0.5	32
90	Lower Urinary Tract Disease and Their Objective and Noninvasive Biomarkers. , 2014, , 1-18.		0
91	The Role(s) of Cytokines/Chemokines in Urinary Bladder Inflammation and Dysfunction. <i>BioMed Research International</i> , 2014, 2014, 1-17.	0.9	54
93	Contemporary issues with pharmacotherapy for lower urinary tract symptoms. <i>International Journal of Clinical Practice</i> , 2014, 68, 541-542.	0.8	0
94	The relationship between BMI and urinary incontinence subgroups: Results from EpiLUTS. <i>Neurourology and Urodynamics</i> , 2014, 33, 392-399.	0.8	72
95	Changes in nerve-mediated contractility of the lower urinary tract in a mouse model of premature ageing. <i>British Journal of Pharmacology</i> , 2014, 171, 1687-1705.	2.7	10

#	ARTICLE	IF	CITATIONS
96	Outcomes of medical and surgical treatment for lower urinary tract symptoms (benign prostatic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 349-355.	0.8	1
97	Clinical implications of a feeling of incomplete emptying with little postâ€void residue in men with lower urinary tract symptoms. Neurourology and Urodynamics, 2014, 33, 1123-1127.	0.8	9
98	The changing face of urinary continence surgery in <scp>E</scp>ngland: a perspective from the <scp>H</scp>ospital <scp>E</scp>pisode <scp>S</scp>tatistics database. BJU International, 2014, 114, 268-277.	1.3	32
99	Prevalence of lower urinary tract symptoms, overactive bladder and urinary incontinence in western <scp>T</scp>urkey: Results of a populationâ€™based survey. International Journal of Urology, 2014, 21, 1027-1033.	0.5	32
100	Validation of the Patient Perception of Intensity of Urgency Scale in Patients with Lower Urinary Tract Symptoms Associated with Benign Prostatic Hyperplasia. Value in Health, 2014, 17, 823-829.	0.1	9
101	Associations of carotid artery plaque with lower urinary tract symptoms and erectile dysfunction. International Urology and Nephrology, 2014, 46, 2263-2270.	0.6	7
102	The role of electrical stimulation techniques in the management of the male patient with urgency incontinence. Current Opinion in Urology, 2014, 24, 560-565.	0.9	2
104	Featured paper Postmenopausal overactive bladder. Przegląd Menopauzalny, 2014, 6, 313-329.	0.6	10
106	Lycopene for the Prevention and Treatment of Prostate Disease. Recent Results in Cancer Research, 2014, 202, 109-114.	1.8	6
107	Comparative evaluation of naftopidil and tamsulosin in the treatment of patients with lower urinary tract symptoms with benign prostatic hyperplasia. Urology Annals, 2014, 6, 181.	0.3	11
108	Epidemiology of Lower Urinary Tract Symptoms: Emphasis on the Status in Korea. Korean Journal of Urology, 2014, 55, 300.	1.2	14
109	What Is the Most Bothersome Lower Urinary Tract Symptom? Individual- and Population-level Perspectives for Both Men and Women. European Urology, 2014, 65, 1211-1217.	0.9	193
110	Natural Course of Lower Urinary Tract Symptoms in Men Not Requiring Treatmentâ€™â€™ 5-Year Longitudinal Population-based Study. Urology, 2014, 83, 411-415.	0.5	7
111	Relationship between lower urinary tract symptoms and metabolic syndrome in a Chinese male population. Journal of Endocrinological Investigation, 2014, 37, 339-344.	1.8	11
112	Association of inflammaging (inflammationâ€™â€™aging) with higher prevalence of OAB in elderly population. International Urology and Nephrology, 2014, 46, 871-877.	0.6	45
113	The Prevalence and Treatment of Voiding Dysfunction in the Elderly. Current Geriatrics Reports, 2014, 3, 33-41.	1.1	2
114	Application of Bother in patient reported outcomes instruments across cultures. Health and Quality of Life Outcomes, 2014, 12, 18.	1.0	7
115	Efficacy and Safety of the Coadministration of Tadalafil Once Daily with Finasteride for 6 Months in Men with Lower Urinary Tract Symptoms and Prostatic Enlargement Secondary to Benign Prostatic Hyperplasia. Journal of Urology, 2014, 191, 727-733.	0.2	95

#	ARTICLE	IF	CITATIONS
116	Managing Therapeutic Competition in Patients with Heart Failure, Lower Urinary Tract Symptoms and Incontinence. <i>Drugs and Aging</i> , 2014, 31, 93-101.	1.3	38
117	Chronic Lower Urinary Tract Symptoms in Women: Classification of Abnormalities and Value of Dedicated MRI for Diagnosis. <i>American Journal of Roentgenology</i> , 2014, 202, W59-W66.	1.0	2
118	ADP-induced bladder contractility is mediated by P2Y <sub>12</sub> receptor and temporally regulated by ectonucleotidases and adenosine signaling. <i>FASEB Journal</i> , 2014, 28, 5288-5298.	0.2	16
119	The relationship between uterine leiomyomata and pelvic floor symptoms. <i>International Urogynecology Journal</i> , 2014, 25, 241-248.	0.7	17
120	Morbidity and Mortality After Benign Prostatic Hyperplasia Surgery: Data from the American College of Surgeons National Surgical Quality Improvement Program. <i>Journal of Endourology</i> , 2014, 28, 831-840.	1.1	64
121	Lower urinary tract symptoms, benign prostatic hyperplasia/benign prostatic enlargement and erectile dysfunction: Are these conditions related to vascular dysfunction?. <i>International Journal of Urology</i> , 2014, 21, 856-864.	0.5	33
122	Lower urinary tract symptoms in men. <i>BMJ</i> , The, 2014, 349, g4474-g4474.	3.0	50
123	Terminology, epidemiology, etiology, and pathophysiology of nocturia. <i>Neurourology and Urodynamics</i> , 2014, 33, S2-5.	0.8	53
124	The health-related quality of life of Chinese patients with lower urinary tract symptoms in primary care. <i>Quality of Life Research</i> , 2014, 23, 2723-2733.	1.5	32
125	The prevalence of lower urinary tract symptoms in a Chinese population, and the correlation with uroflowmetry and disease perception. <i>International Urology and Nephrology</i> , 2014, 46, 703-710.	0.6	16
126	The Incontinence Impact Questionnaire-7 (IIQ-7) Can Be Applicable to Chinese Males and Females with Lower Urinary Tract Symptoms. <i>Patient</i> , 2014, 7, 403-411.	1.1	18
127	A Phase 2, Randomized, Double-Blind, Efficacy and Safety Study of Oxybutynin Vaginal Ring for Alleviation of Overactive Bladder Symptoms in Women. <i>Journal of Urology</i> , 2014, 191, 1014-1021.	0.2	19
128	New horizons: urinary incontinence in older people. <i>Age and Ageing</i> , 2014, 43, 157-163.	0.7	58
130	Validation of a patient reported outcome questionnaire for assessing success of endoscopic prostatectomy. <i>Prostate International</i> , 2014, 2, 182-187.	1.2	22
131	β <sub>1</sub> -adrenergic receptor antagonists versus placebo for female lower urinary tract symptoms: A meta-analysis. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 251-256.	0.8	1
132	Supraspinal Control of Urine Storage and Micturition in Men—An fMRI Study. <i>Cerebral Cortex</i> , 2015, 25, 3369-3380.	1.6	52
133	Mid-urethral sling operations for stress urinary incontinence in women. , 2015, , CD006375.		150
134	Short-stay transurethral prostate surgery: A randomized controlled trial comparing transurethral resection in saline bipolar transurethral vaporization of the prostate with monopolar transurethral resection. <i>Asian Journal of Endoscopic Surgery</i> , 2015, 8, 316-322.	0.4	5



#	ARTICLE	IF	CITATIONS
135	Risk Factors for Surgical Site Infection in Patients Undergoing Sacral Nerve Modulation Therapy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 198-204.	0.6	19
136	The responsiveness of the International Prostate Symptom Score, Incontinence Impact Questionnaire and Depression, Anxiety and Stress Scale in patients with lower urinary tract symptoms. <i>Journal of Advanced Nursing</i> , 2015, 71, 1857-1870.	1.5	11
137	Nocturia: risk factors and associated comorbidities; findings from the EpiLUTS study. <i>International Journal of Clinical Practice</i> , 2015, 69, 1508-1516.	0.8	43
138	Urgency and other lower urinary tract symptoms in men aged 40 years: a Belgian epidemiological survey using the ICIQ-MLUTS questionnaire. <i>International Journal of Clinical Practice</i> , 2015, 69, 358-365.	0.8	31
139	Combination of tadalafil and finasteride for improving the symptoms of benign prostatic hyperplasia: critical appraisal and patient focus. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 507.	0.9	12
140	The Impact of Lower Urinary Tract Symptoms on Quality of Life, Work Productivity, Depressive Symptoms, and Sexuality in Korean Men Aged 40 Years and Older: A Population-Based Survey. <i>International Neurourology Journal</i> , 2015, 19, 120-129.	0.5	34
141	Systematic review and meta-analysis on phosphodiesterase 5 inhibitors and $\alpha$ -adrenoceptor antagonists used alone or combined for treatment of LUTS due to BPH. <i>Asian Journal of Andrology</i> , 2015, 17, 1022.	0.8	20
142	Lower urinary tract symptoms and benign prostatic hyperplasia and their impact on quality of life. <i>Geriatric Care</i> , 2015, 1, .	0.2	0
143	Seasonal Variation of Urinary Symptoms in Korean Men with Lower Urinary Tract Symptoms and Benign Prostatic Hyperplasia. <i>World Journal of Men's Health</i> , 2015, 33, 81.	1.7	14
144	Fesoterodine clinical efficacy and safety for the treatment of overactive bladder in relation to patient profiles: a systematic review. <i>Current Medical Research and Opinion</i> , 2015, 31, 1201-1243.	0.9	20
145	A review of cost-effectiveness comparisons for overactive bladder treatments: which is the most cost-effective for improving quality of life?. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2015, 15, 413-423.	0.7	4
146	Review of the Efficacy and Safety of Fesoterodine for Treating Overactive Bladder and Urgency Urinary Incontinence in Elderly Patients. <i>Drugs and Aging</i> , 2015, 32, 103-125.	1.3	16
147	A Population-based Survey of the Prevalence, Potential Risk Factors, and Symptom-specific Bother of Lower Urinary Tract Symptoms in Adult Chinese Women. <i>European Urology</i> , 2015, 68, 97-112.	0.9	99
148	Time to Onset of Clinically Meaningful Improvement with Tadalafil 5 mg Once Daily for Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia: Analysis of Data Pooled from 4 Pivotal, Double-Blind, Placebo Controlled Studies. <i>Journal of Urology</i> , 2015, 193, 1581-1589.	0.2	32
149	Prevalence, risk factors, and symptom bother of nocturia: a population-based survey in China. <i>World Journal of Urology</i> , 2015, 33, 677-683.	1.2	22
150	The Current Role of Retropubic Suspensions. <i>Current Bladder Dysfunction Reports</i> , 2015, 10, 57-63.	0.2	0
151	Effects of Resveratrol on Benign Prostatic Hyperplasia by the Regulation of Inflammatory and Apoptotic Proteins. <i>Journal of Natural Products</i> , 2015, 78, 689-694.	1.5	20
152	Prevalence, risk factors and the bother of lower urinary tract symptoms in China: a population-based survey. <i>International Urogynecology Journal</i> , 2015, 26, 911-919.	0.7	55

#	ARTICLE	IF	CITATIONS
153	On Epidemiology: Extrapolations, Foibles, and Fictions. <i>European Urology</i> , 2015, 68, 113-114.	0.9	0
154	Clinical use of the $\beta_3$ adrenoceptor agonist mirabegron in patients with overactive bladder syndrome. <i>Therapeutic Advances in Urology</i> , 2015, 7, 241-248.	0.9	25
155	Exploring associations between lower urinary tract symptoms (<scp>LUTS</scp>) and gastrointestinal (<scp>GI</scp>) problems in women: a study in women with urological and <scp>GI</scp> problems vs a control population. <i>BJU International</i> , 2015, 115, 958-967.	1.3	20
156	Urinary ATP as an indicator of infection and inflammation of the urinary tract in patients with lower urinary tract symptoms. <i>BMC Urology</i> , 2015, 15, 7.	0.6	25
157	Management of recurrent stress urinary incontinence after failed midurethral sling: a survey of members of the International Urogynecological Association (IUGA). <i>International Urogynecology Journal</i> , 2015, 26, 1285-1291.	0.7	31
158	Outpatient surgery for lower urinary tract symptoms/benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2015, 25, 27-31.	0.9	4
159	Chronic social defeat, but not restraint stress, alters bladder function in mice. <i>Physiology and Behavior</i> , 2015, 150, 83-92.	1.0	17
160	Drug Therapy for an Overactive Bladder. <i>Women's Health</i> , 2015, 11, 445-448.	0.7	0
161	Tadalafil for lower urinary tract symptoms secondary to benign prostatic hyperplasia: a review of clinical data in Asian men and an update on the mechanism of action. <i>Therapeutic Advances in Urology</i> , 2015, 7, 249-264.	0.9	19
162	Non-drug treatment for lower urinary tract symptoms in women with voiding dysfunction. <i>The Cochrane Library</i> , 0, , .	1.5	2
163	Intracellular Bacterial Communities: A Potential Etiology for Chronic Lower Urinary Tract Symptoms. <i>Urology</i> , 2015, 86, 425-431.	0.5	73
164	Antimicrobial susceptibility patterns of clinical <i>Escherichia coli</i> isolates from dogs and cats in the United States: January 2008 through January 2013. <i>Veterinary Microbiology</i> , 2015, 179, 287-295.	0.8	42
165	Appropriateness of oral drugs for long-term treatment of lower urinary tract symptoms in older persons: results of a systematic literature review and international consensus validation process (LUTS-FORTA 2014). <i>Age and Ageing</i> , 2015, 44, 745-755.	0.7	105
166	Nationwide incidence and treatment pattern of benign prostatic hyperplasia in Korea. <i>Investigative and Clinical Urology</i> , 2016, 57, 424.	1.0	27
167	A guide to lower urinary tract symptoms in women. <i>Practice Nursing</i> , 2016, 27, 319-324.	0.1	1
168	Nocturnal Enuresis in Older People. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016, 43, 401-406.	0.6	3
169	A 2014 snapshot audit of the role of urodynamics in the UK for benign prostatic enlargement surgery. <i>Neurourology and Urodynamics</i> , 2016, 35, 271-272.	0.8	2
170	A multiplexed analysis approach identifies new association of inflammatory proteins in patients with overactive bladder. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F28-F34.	1.3	21

#	ARTICLE	IF	CITATIONS
171	Discover Tipping Users for Cross Network Influencing (Invited Paper). , 2016, , .		8
172	Effect of Reflexology to Depressive Symptoms in Women With Overactive Bladder. <i>Holistic Nursing Practice</i> , 2016, 30, 294-300.	0.3	3
173	Benign prostatic hyperplasia and lower urinary tract symptoms. A review of current evidence. <i>Actas Urológicas Españolas (English Edition)</i> , 2016, 40, 288-294.	0.2	1
175	Repeat Surgical Intervention for Stress Urinary Incontinence after a Failed Mid Urethral Sling. <i>Urology Practice</i> , 2016, 3, 475-480.	0.2	2
176	Coffee and caffeine intake and risk of urinary incontinence: a meta-analysis of observational studies. <i>BMC Urology</i> , 2016, 16, 61.	0.6	16
177	The impact of lower urinary tract symptoms on health-related quality of life among patients with multiple sclerosis. <i>Neurourology and Urodynamics</i> , 2016, 35, 48-54.	0.8	35
178	Responder and health-related quality of life analyses in men with lower urinary tract symptoms treated with a fixed-dose combination of solifenacin and tamsulosin oral-controlled absorption system: results from the NEPTUNE study. <i>BJU International</i> , 2016, 117, 165-172.	1.3	14
181	Lower urinary tract symptoms, benign prostatic hyperplasia and metabolic syndrome. <i>Nature Reviews Urology</i> , 2016, 13, 108-119.	1.9	98
182	The efficacy and tolerability of mirabegron, a $\beta_3$ adrenoceptor agonist, in patients with symptoms of overactive bladder. <i>Therapeutic Advances in Urology</i> , 2016, 8, 38-46.	0.9	21
183	Hiperplasia prostática benigna y síntomas del tracto urinario inferior. Revisión de las evidencias actuales. <i>Actas Urológicas Españolas</i> , 2016, 40, 288-294.	0.3	21
184	Safety and tolerability of $\beta_3$ -adrenoceptor agonists in the treatment of overactive bladder syndrome – insight from transcriptome and experimental studies. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 647-657.	1.0	42
185	Diagnosis and treatment patterns of male lower urinary tract symptoms suggestive of benign prostatic hyperplasia in Murjani General Hospital, Central Kalimantan, Indonesia. <i>Prostate International</i> , 2016, 4, 65-69.	1.2	1
186	Treatments for Benign Conditions of the Prostate Gland. , 2016, , 197-218.		0
187	Epidemiology of mixed, stress, and urgency urinary incontinence in middle-aged/older women: the importance of incontinence history. <i>International Urogynecology Journal</i> , 2016, 27, 763-772.	0.7	68
188	<i>Interventional Urology</i> . , 2016, , .		4
189	The correlation between lower urinary tract symptoms (LUTS) and erectile dysfunction (ED): results from a survey in males from Mexico City (MexiLUTS). <i>World Journal of Urology</i> , 2016, 34, 979-983.	1.2	14
190	Prevalence of Female Urinary Incontinence in the General Population According to Different Definitions and Study Designs. <i>European Urology</i> , 2016, 69, 256-264.	0.9	59
191	An Investigation of Lower Urinary Tract Symptoms in Women Aged 40 and Over. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2017, 9, 21-26.	0.6	13

#	ARTICLE	IF	CITATIONS
192	Do female patients with predominant voiding symptoms really have objective voiding-phase dysfunction?. <i>Urological Science</i> , 2017, 28, 152-155.	0.2	1
193	Analysis of the Prevalence and Factors Associated with Nocturia in Adult Korean Men. <i>Scientific Reports</i> , 2017, 7, 41714.	1.6	14
194	Lower Urinary Tract Symptoms, Erectile Dysfunction, and Quality of Life in Poststroke Men: A Controlled Cross-Sectional Study. <i>American Journal of Men's Health</i> , 2017, 11, 748-756.	0.7	7
195	Diagnosing bladder outlet obstruction using the penile cuff test in men with lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2017, 36, 1884-1889.	0.8	10
196	Efficacy and safety of silodosin in the treatment of lower urinary tract symptoms in elderly men taking antihypertensive medications. <i>Prostate International</i> , 2017, 5, 113-118.	1.2	7
197	Prevalence and characteristics of urinary incontinence in a cohort of patients with chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 67-73.	0.8	3
198	Prevalence of urinary incontinence among women and analysis of potential risk factors in Germany and Denmark. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 939-948.	1.3	122
199	The role of environmental stress on lower urinary tract symptoms. <i>Current Opinion in Urology</i> , 2017, 27, 268-273.	0.9	28
200	Evidence of the Impact of Diet, Fluid Intake, Caffeine, Alcohol and Tobacco on Lower Urinary Tract Symptoms: A Systematic Review. <i>Journal of Urology</i> , 2017, 198, 1010-1020.	0.2	66
201	Toileting behaviours and lower urinary tract symptoms among female nurses: A cross-sectional questionnaire survey. <i>International Journal of Nursing Studies</i> , 2017, 65, 1-7.	2.5	35
202	Factors that influence lower urinary tract symptom (LUTS)-related quality of life (QoL) in a healthy population. <i>World Journal of Urology</i> , 2017, 35, 1783-1789.	1.2	10
203	Mixed urinary incontinence- what should we treat first?. <i>Journal of Clinical Urology</i> , 2017, 10, 492-499.	0.1	1
204	Relationship Between Back Pain and Urinary Incontinence in the Canadian Population. <i>Physical Therapy</i> , 2017, 97, 449-454.	1.1	19
205	Toileting behavior and urinary tract symptoms among younger women. <i>International Urogynecology Journal</i> , 2017, 28, 1677-1684.	0.7	16
206	Randomized double-blind controlled clinical trials with herbal preparations of <i>Serenoa repens</i> fruits in treatment of lower urinary tract symptoms. <i>Wiener Medizinische Wochenschrift</i> , 2017, 167, 177-182.	0.5	5
207	Efficacy of Daily Low-dose Tadalafil for Treating Overactive Bladder: Results of a Randomized, Double-blind, Placebo-controlled Trial. <i>Urology</i> , 2017, 100, 59-64.	0.5	36
208	In obesity even young women suffer from urogynecological symptoms. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 947-956.	0.8	10
209	Urinary Incontinence and Associated Female Sexual Dysfunction. <i>Sexual Medicine Reviews</i> , 2017, 5, 470-485.	1.5	66

#	ARTICLE	IF	CITATIONS
210	Evaluating the voiding spot assay in mice: a simple method with complex environmental interactions. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F1274-F1280.	1.3	26
211	A pooled analysis of the efficacy of fesoterodine for the treatment of overactive bladder, and the relationship between safety, co-morbidity and polypharmacy in patients aged 65 years or older. <i>Age and Ageing</i> , 2017, 46, 620-626.	0.7	26
212	Clinical guidelines for male lower urinary tract symptoms and benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2017, 24, 716-729.	0.5	90
213	Prevalence of Lower Urinary Tract Symptoms in China, Taiwan, and South Korea: Results from a Cross-Sectional, Population-Based Study. <i>Advances in Therapy</i> , 2017, 34, 1953-1965.	1.3	82
214	Mid-urethral sling operations for stress urinary incontinence in women. <i>The Cochrane Library</i> , 2017, 2017, CD006375.	1.5	286
215	Patient-perceived effectiveness and impact on quality of life of solifenacin in combination with an $\alpha$ -blocker in men with overactive bladder in Sweden: a non-interventional study. <i>Aging Male</i> , 2017, 20, 266-276.	0.9	6
216	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. <i>International Urogynecology Journal</i> , 2018, 29, 531-537.	0.7	3
217	Factors related to receipt of non-cancer-related transurethral prostatectomy: findings from a large prospective study of 106 769 middle-aged and older Australian men. <i>BMJ Open</i> , 2017, 7, e013737.	0.8	1
218	High risk of lower urinary tract symptoms in patients with irritable bowel syndrome. <i>Techniques in Coloproctology</i> , 2017, 21, 433-438.	0.8	4
219	Prevalence and degree of both of pelvic floor disorder symptoms among women from primary care and specialty clinics in Lebanon: an exploratory study. <i>International Urogynecology Journal</i> , 2017, 28, 105-118.	0.7	25
220	Urinary incontinence in nulliparous women aged 25-64 years: a national survey. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 149.e1-149.e11.	0.7	50
221	Nocturia Is Associated with Slipping and Falling. <i>PLoS ONE</i> , 2017, 12, e0169690.	1.1	26
222	Association of lower urinary tract symptoms and OAB severity with quality of life and mental health in China, Taiwan and South Korea: results from a cross-sectional, population-based study. <i>BMC Urology</i> , 2017, 17, 108.	0.6	31
223	Surgical management of benign prostatic hyperplasia. <i>Medicina</i> , 2017, 53, 320-326.	0.0	0
224	Urinary, bowel and sexual health in older men from Northern Ireland. <i>BJU International</i> , 2018, 122, 845-857.	1.3	18
225	Patients' perspectives on urethral bulk injection therapy and mid-urethral sling surgery for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2018, 29, 1249-1257.	0.7	22
226	Effects of Bladder Training and Pelvic Floor Muscle Training in Female Patients with Overactive Bladder Syndrome: A Randomized Controlled Trial. <i>Urologia Internationalis</i> , 2018, 100, 420-427.	0.6	22
228	Cardiovascular Safety of the $\beta$ -Adrenoceptor Agonist Mirabegron and the Antimuscarinic Agent Solifenacin in the SYNERGY Trial. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 1084-1091.	1.0	15

#	ARTICLE	IF	CITATIONS
230	Role of P2X4 Receptor in Mouse Voiding Function. <i>Scientific Reports</i> , 2018, 8, 1838.	1.6	13
231	To investigate the correlation between the visual prostate symptom score, the international prostate symptom score, and uroflowmetry parameters in adult Thai males of different educational levels. <i>Prostate International</i> , 2018, 6, 115-118.	1.2	11
232	Use of Euclidean length to measure urinary incontinence severity based on the lower urinary tract symptoms tool. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 357-359.	0.7	12
233	Influence of adequate pelvic floor muscle contraction on the movement of the coccyx during pelvic floor muscle training. <i>Journal of Physical Therapy Science</i> , 2018, 30, 544-548.	0.2	7
234	Concomitant Functional Disorders in Genito-Urinary Prolapse. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2018, , 31-40.	0.0	1
235	Prevalence of Post-Micturition Incontinence before and after Anterior Urethroplasty. <i>Journal of Urology</i> , 2018, 200, 843-847.	0.2	14
236	Early Surgical Intervention May Be More Likely to Cause Complications in Patients with Male Lower Urinary Tract Symptoms than To Prevent Them. <i>European Urology Focus</i> , 2018, 4, 4-5.	1.6	0
237	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018, 37, 501-509.	0.8	66
238	Factors Influencing the Rate of Lost to Followup after Suburethral Synthetic Sling Removal. <i>Urology Practice</i> , 2018, 5, 101-106.	0.2	2
239	Five-Year Followup Results of a Prospective, Multicenter Study of Patients with Overactive Bladder Treated with Sacral Neuromodulation. <i>Journal of Urology</i> , 2018, 199, 229-236.	0.2	122
240	The effectiveness of transcutaneous tibial nerve stimulation (TTNS) for adults with overactive bladder syndrome: A systematic review. <i>Neurourology and Urodynamics</i> , 2018, 37, 528-541.	0.8	71
241	Patient-reported outcomes from SYNERGY, a randomized, double-blind, multicenter study evaluating combinations of mirabegron and solifenacin compared with monotherapy and placebo in OAB patients. <i>Neurourology and Urodynamics</i> , 2018, 37, 394-406.	0.8	33
242	Peptidergic nerve fibers in the urethra: Morphological and neurochemical characteristics in female mice of reproductive age. <i>Neurourology and Urodynamics</i> , 2018, 37, 960-970.	0.8	14
243	Collagen content in the bladder of men with LUTS undergoing open prostatectomy: A pilot study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1088-1094.	0.8	14
244	Urological dysfunction in young women: an inheritance of childhood?. <i>BJU International</i> , 2018, 121, 453-457.	1.3	9
245	The prevalence of lower urinary tract symptoms (LUTS) in Brazil: Results from the epidemiology of LUTS (Brazil LUTS) study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1356-1364.	0.8	60
246	Prevalence and Risk Factors of Urinary Incontinence and Overactive Bladder in Japanese Women. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018, 10, 308-314.	0.6	25
247	Epidemiology of lower urinary tract symptoms in a cross-sectional, population-based study. <i>Medicine (United States)</i> , 2018, 97, e11554.	0.4	22

#	ARTICLE	IF	CITATIONS
248	Managing urinary incontinence in an acute mental health ward: A case study. <i>British Journal of Mental Health Nursing</i> , 2018, 7, 85-91.	0.1	0
249	Defining and discriminating responders from non-responders following transurethral resection of the prostate. <i>Scandinavian Journal of Urology</i> , 2018, 52, 437-444.	0.6	6
250	Severity and bother of lower urinary tract symptoms among men aged 30-80 years: Tampere Ageing Male Urological Study (TAMUS). <i>Scandinavian Journal of Urology</i> , 2018, 52, 296-301.	0.6	1
251	Prevalence, Burden, and Treatment of Lower Urinary Tract Symptoms in Men Aged 50 and Older: A Systematic Review of the Literature. <i>SAGE Open Nursing</i> , 2018, 4, 237796081881177.	0.5	8
252	How mesh became a four letter word. <i>BMJ: British Medical Journal</i> , 0, , k4137.	2.4	25
254	Postmicturition Dribble Is Associated with Erectile Dysfunction in Middle-Aged and Older Men with Lower Urinary Tract Symptoms. <i>World Journal of Men's Health</i> , 2018, 36, 263.	1.7	6
255	The Prevention of Lower Urinary Tract Symptoms (PLUS) in girls and women: Developing a conceptual framework for a prevention research agenda. <i>Neurourology and Urodynamics</i> , 2018, 37, 2951-2964.	0.8	46
256	Epidemiology of LUTS and BPH. , 2018, , 1-14.		5
257	The effect of mirabegron, used for overactive bladder treatment, on female sexual function: a prospective controlled study. <i>BMC Urology</i> , 2018, 18, 61.	0.6	12
258	Do we understand voiding dysfunction in women? Current understanding and future perspectives: ICIERS 2017. <i>Neurourology and Urodynamics</i> , 2018, 37, S75-S85.	0.8	20
259	Prevalence and associated factors of urinary leakage among women participating in the 45 and Up Study. <i>Neurourology and Urodynamics</i> , 2018, 37, 2782-2791.	0.8	4
260	Urological symptoms among 23,240 men in the general danish population - concerns about symptoms, their persistence and influence on primary care contacts. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 227-236.	0.6	14
261	UDS in Voiding Dysfunction Syndrome (VD-S). , 2018, , 149-167.		0
262	Patient centred care for the medical treatment of lower urinary tract symptoms in patients with benign prostatic obstruction: a key point to improve patients' care - a systematic review. <i>BMC Urology</i> , 2018, 18, 62.	0.6	28
263	Female Voiding Dysfunction: a Practical Approach to Diagnosis and Treatment. <i>Current Obstetrics and Gynecology Reports</i> , 2018, 7, 74-83.	0.3	1
264	The prevalence of lower urinary tract symptoms in population aged 40 years or over, in South Korea. <i>Investigative and Clinical Urology</i> , 2018, 59, 166.	1.0	31
265	Surgical Treatment for Stress Urinary Incontinence in Women: A Systematic Review and Meta-analysis. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2018, 40, 477-490.	0.3	14
266	Urinary Retention and Voiding Dysfunction. , 2018, , 207-231.		0

#	ARTICLE	IF	CITATIONS
267	The change of IPSS 7 (nocturia) score has the maximum influence on the change of Qol score in patients with lower urinary tract symptoms. <i>World Journal of Urology</i> , 2019, 37, 719-725.	1.2	6
268	Central obesity indicating a higher prevalence of lower urinary tract symptoms: A caseâ€control matching analysis from a Chinese crossâ€sectional study in males. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, O135-O140.	0.6	1
269	Effect of Morbid Obesity on Midurethral Sling Efficacy for the Management of Stress Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 448-452.	0.6	10
271	Management of Overactive Bladder After Treatment of Bladder Outlet Obstruction. <i>Current Bladder Dysfunction Reports</i> , 2019, 14, 197-204.	0.2	1
272	Alpha-1 Adrenergic Receptor Blockers for the Treatment of Lower Urinary Tract Symptoms in Women: A Systematic Review and Meta-Analysis. <i>International Neurourology Journal</i> , 2019, 23, 56-68.	0.5	23
273	The validation of the Dutch OABâ€q SF: An overactive bladder symptom bother and healthâ€related quality of life shortâ€form questionnaire. <i>Neurourology and Urodynamics</i> , 2019, 38, 1775-1782.	0.8	8
274	Meta-Analysis of Efficacy and Safety of Tadalafil Plus Tamsulosin Compared with Tadalafil Alone in Treating Men with Benign Prostatic Hyperplasia and Erectile Dysfunction. <i>American Journal of Men's Health</i> , 2019, 13, 155798831988259.	0.7	9
275	Development and validation of a symptom assessment tool for postmicturition dribble: A prospective, multicenter, observational study in Korea. <i>PLoS ONE</i> , 2019, 14, e0223734.	1.1	2
276	Holmium laser enucleation of the prostate for the treatment of lower urinary tract symptoms in men with benign prostatic hyperplasia. <i>The Cochrane Library</i> , 2019, , .	1.5	0
277	Lower Urinary Tract Symptoms in Kidney Transplant Recipients and Timing of Treatment With TURP: Impact on Renal Graft Survival and Function. <i>Transplantation Proceedings</i> , 2019, 51, 2921-2926.	0.3	3
278	A phosphodiesterase 5 inhibitor, tadalafil, suppresses stromal predominance and inflammation in a rat model of nonbacterial prostatitis. <i>BMC Urology</i> , 2019, 19, 99.	0.6	11
279	Bladder Health Experiences, Perceptions and Knowledge of Sexual and Gender Minorities. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3170.	1.2	21
280	Longitudinal study of the relationship between lower urinary tract symptoms and depressive symptoms. <i>Journal of Psychosomatic Research</i> , 2019, 116, 100-105.	1.2	16
281	Prevalence, risk factors, and treatment for women with stress urinary incontinence in a racially and ethnically diverse population. <i>Neurourology and Urodynamics</i> , 2019, 38, 934-940.	0.8	22
282	Effect of tadalafil 5Âmg on postâ€micturition dribble in men with lower urinary tract symptoms: a multicentre, doubleâ€blind, randomized, placeboâ€controlled trial. <i>BJU International</i> , 2019, 124, 862-869.	1.3	6
283	A new outcome measure for LUTS: Symptoms of Lower Urinary Tract Dysfunction Research Network Symptom Indexâ€29 (LURN SIâ€29) questionnaire. <i>Neurourology and Urodynamics</i> , 2019, 38, 1751-1759.	0.8	22
284	A current perspective on post-micturition dribble in males. <i>Investigative and Clinical Urology</i> , 2019, 60, 142.	1.0	8
285	Impact of LUTS on treatmentâ€related behaviors and quality of life: A populationâ€based study in Brazil. <i>Neurourology and Urodynamics</i> , 2019, 38, 1579-1587.	0.8	14



#	ARTICLE	IF	CITATIONS
286	The Spectrum of Bladder Health: The Relationship Between Lower Urinary Tract Symptoms and Interference with Activities. <i>Journal of Women's Health</i> , 2019, 28, 827-841.	1.5	15
287	Sildenafil corrects the increased contractility of rat detrusor muscle induced by alprostadil in vitro. <i>Pharmacological Reports</i> , 2019, 71, 659-668.	1.5	2
288	Sexual function and urinary incontinence complaints and other urinary tract symptoms of perimenopausal Turkish women. <i>Psychology, Health and Medicine</i> , 2019, 24, 1111-1122.	1.3	5
289	A Novel Proteomics Approach to Identify Serum and Urinary Biomarkers and Pathways that Associate with Lower Urinary Tract Symptoms in Men and Women: Pilot Results of the Symptoms of Lower Urinary Tract Dysfunction Research Network (LURN) Study. <i>Urology</i> , 2019, 129, 35-42.	0.5	6
290	What uro-gynecologists should know about sacral neuromodulation (SNM) for the treatment of refractory overactive bladder. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 1243-1252.	0.8	5
291	Lower urinary tract symptoms and sexual dysfunction in men with multiple sclerosis. <i>Clinics</i> , 2019, 74, e713.	0.6	18
292	Development of the Nocturia Sleep Quality Scale: a patient-reported outcome measure of sleep impact related to nocturia. <i>Sleep Medicine</i> , 2019, 59, 101-106.	0.8	3
293	The Bladder is Not Sterile: an Update on the Urinary Microbiome. <i>Current Bladder Dysfunction Reports</i> , 2019, 14, 331-341.	0.2	32
294	A Survey on Voiding Complaints in Women Presenting at a Pelvic Care Center. <i>Current Urology</i> , 2019, 13, 31-36.	0.4	4
295	Do we need better information to advise women with stress incontinence on their choice of surgery? Report from the ICIâ€RS 2018. <i>Neurourology and Urodynamics</i> , 2019, 38, S98-S103.	0.8	1
296	The prevalence of urinary incontinence. <i>Climacteric</i> , 2019, 22, 217-222.	1.1	218
297	Effect of diuresis on bother related to lower urinary tract symptoms. <i>International Journal of Clinical Practice</i> , 2019, 73, e13299.	0.8	6
298	Management of Male Lower Urinary Tract Symptoms in a Simulated, Over-the-Counter Setting: An Exploratory Study of Tamsulosin. <i>Drugs and Aging</i> , 2019, 36, 179-188.	1.3	4
299	Development of quality outcome indicators to improve the quality of urinary and faecal continence care. <i>International Urogynecology Journal</i> , 2019, 30, 23-32.	0.7	5
300	Metaâ€analysis of the efficacy and safety of mirabegron and solifenacin monotherapy for overactive bladder. <i>Neurourology and Urodynamics</i> , 2019, 38, 22-30.	0.8	27
301	Hysterectomy associated with de novo lower urinary tract symptoms in a Taiwanese population: a nationwide, population-based study. <i>International Urogynecology Journal</i> , 2019, 30, 1711-1717.	0.7	5
302	Changing surgical trends for female stress urinary incontinence in England. <i>International Urogynecology Journal</i> , 2019, 30, 203-209.	0.7	32
303	Systematic Review of Combination Drug Therapy for Non-neurogenic Lower Urinary Tract Symptoms. <i>European Urology</i> , 2019, 75, 129-168.	0.9	19

#	ARTICLE	IF	CITATIONS
304	Diagnosis of Overactive Bladder. , 2019, , 13-25.		2
305	Symptomatic overlap in overactive bladder and interstitial cystitis/bladder pain syndrome: development of a new algorithm. BJU International, 2019, 123, 682-693.	1.3	22
306	Prevalence of lower urinary tract symptoms and overactive bladder in men and women over 18 years old: The Colombian overactive bladder and lower urinary tract symptoms (COBaLT) study. Neurourology and Urodynamics, 2019, 38, 200-207.	0.8	14
307	Prevalence of overactive bladder in <sc>C</sc>hina, <sc>T</sc>aiwan and <sc>S</sc>outh <sc>K</sc>orea: <sc>R</sc>esults from a cross-sectional, population-based study. LUTS: Lower Urinary Tract Symptoms, 2019, 11, 48-55.	0.6	74
308	The use of Mechanical Diagnosis and Therapy (MDT) in patients with lower urinary tract symptoms (LUTS): case series. Physiotherapy Theory and Practice, 2019, 35, 383-391.	0.6	2
309	The prevalence and bother of lower urinary tract symptoms in men and women aged 40 years or over in Taiwan. Journal of the Formosan Medical Association, 2019, 118, 170-178.	0.8	24
310	Prevalence of post-micturition dribble in Japanese men and its relationship with benign prostatic hyperplasia/lower urinary tract symptoms. LUTS: Lower Urinary Tract Symptoms, 2019, 11, O38-O41.	0.6	3
311	Effect of udenafil administration on postmicturition dribbling in men: a prospective, multicenter, double-blind, placebo-controlled, randomized clinical study. Aging Male, 2020, 23, 571-578.	0.9	3
312	Prevalence of Lower Urinary Tract Symptoms in Pregnant Adolescents and the Influencing Factors. Journal of Pediatric and Adolescent Gynecology, 2020, 33, 160-166.	0.3	12
313	Multiplex PCR Based Urinary Tract Infection (UTI) Analysis Compared to Traditional Urine Culture in Identifying Significant Pathogens in Symptomatic Patients. Urology, 2020, 136, 119-126.	0.5	57
314	Lower urinary tract symptoms and health-related quality of life in Hong Kong primary care: a cross-sectional study. Quality of Life Research, 2020, 29, 1311-1321.	1.5	2
315	Enhancing behavioral treatment for women with pelvic floor disorders: Study protocol for a pilot randomized controlled trial. Contemporary Clinical Trials Communications, 2020, 17, 100514.	0.5	3
316	Gender specific pharmacokinetic and pharmacodynamic considerations for antimuscarinic drugs for overactive bladder treatment. Expert Opinion on Drug Metabolism and Toxicology, 2020, 16, 103-110.	1.5	7
317	Phytotherapy Adds to the Therapeutic Armamentarium for the Treatment of Mild-To-Moderate Lower Urinary Tract Symptoms in Men. Urologia Internationalis, 2020, 104, 333-342.	0.6	16
318	Psychometric Evaluation of the Toileting Behaviors: Women's Elimination Behaviors Scale in a Sample of College Women. Female Pelvic Medicine and Reconstructive Surgery, 2020, 26, 270-275.	0.6	5
319	Microbiomes other than the gut: inflammaging and age-related diseases. Seminars in Immunopathology, 2020, 42, 589-605.	2.8	65
320	Phenotyping nocturnal polyuria: circadian and age-related variations in diuresis rate, free water clearance and sodium clearance. Age and Ageing, 2020, 49, 439-445.	0.7	8
321	Prevalence and bother of lower urinary tract symptoms and overactive bladder in Poland, an Eastern European Study. Scientific Reports, 2020, 10, 19819.	1.6	37

#	ARTICLE	IF	CITATIONS
322	Should we routinely assess psychological morbidities in idiopathic lower urinary tract dysfunction: ICIâ€RS 2019?. <i>Neurourology and Urodynamics</i> , 2020, 39, S70-S79.	0.8	2
323	Safety and Tolerability Results from the PILLAR Study: A Phase IV, Double-Blind, Randomized, Placebo-Controlled Study of Mirabegron in Patientsâ€™sâ€™65 Years with Overactive Bladder-Wet. <i>Drugs and Aging</i> , 2020, 37, 665-676.		14
324	Association Between Stress Urinary Incontinence and the Components of Metabolic Syndrome Among Females 20-59 Years. <i>Urology</i> , 2020, 145, 100-105.	0.5	5
326	&lt;p&gt;Insights into the Management of Overactive Bladder with Transdermal Oxybutynin: A Practical Review&lt;/p&gt;. <i>Research and Reports in Urology</i> , 2020, Volume 12, 321-330.	0.6	5
327	The impact of smoking on male lower urinary tract symptoms (LUTS). <i>Scientific Reports</i> , 2020, 10, 20212.	1.6	10
328	Prevalence, Bother and Treatment Behavior Related to Lower Urinary Tract Symptoms and Overactive Bladder among Cardiology Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 4102.	1.0	2
329	<p>Effects on Depression and Anxiety After Mid-Urethral Sling Surgery for Female Stress Urinary Incontinence</p>. <i>Research and Reports in Urology</i> , 2020, Volume 12, 495-501.	0.6	2
330	The role of macrophage migration inhibitory factor in promoting benign prostatic hyperplasia epithelial cell growth by modulating COX-2 and P53 signaling. <i>Biology Open</i> , 2020, 9, .	0.6	7
332	Multiple sclerosis and related challenges to young women's health: Canadian expert review. <i>Neurodegenerative Disease Management</i> , 2020, 10, 1-13.	1.2	3
333	Pharmacology of the lower urinary tract: update on LUTS treatment. <i>Therapeutic Advances in Urology</i> , 2020, 12, 175628722092242.	0.9	8
334	The clinical features and predictive factors of nocturnal enuresis in adult men. <i>BJU International</i> , 2020, 126, 472-480.	1.3	4
335	Which Anti-Incontinence Surgery Option is Better in Patients Undergoing Total Laparoscopic Hysterectomy? Burch Colposuspension or Transobturator Tape Procedure. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 249, 59-63.	0.5	5
336	Neurogenic bladder symptom score: Polish translation, adaptation and validation of urinary disorderâ€™specific instrument for patients with neurogenic lower urinary tract dysfunction. <i>International Journal of Clinical Practice</i> , 2020, 74, e13582.	0.8	10
337	Involvement of personal and professional relations among men bothered by lower urinary tract symptoms: a population-based cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 868.	1.2	2
338	Underrepresentation of functional conditions of the lower urinary tract in adults in US federal research funding. <i>Neurourology and Urodynamics</i> , 2020, 39, 1708-1716.	0.8	0
339	Development of a flowchart reflecting the current attitude and approach towards idiopathic overactive bladder treatment in Belgium: A Delphi study. <i>Neurourology and Urodynamics</i> , 2020, 39, 1781-1795.	0.8	4
340	Prevention of Stress Urinary Incontinence in Women. <i>Current Bladder Dysfunction Reports</i> , 2020, 15, 30-37.	0.2	1
341	Effect of mirabegron on cognitive function in elderly patients with overactive bladder: MoCA results from a phase 4 randomized, placebo-controlled study (PILLAR). <i>BMC Geriatrics</i> , 2020, 20, 109.	1.1	45

#	ARTICLE	IF	CITATIONS
342	<p>Is There a Link Between Carotid Atherosclerosis and Idiopathic Overactive Bladder Among Women with Metabolic Syndrome?</p>. Research and Reports in Urology, 2020, Volume 12, 43-48.	0.6	2
343	Converging on Bladder Health through Design Thinking: From an Ecology of Influence to a Focused Set of Research Questions. International Journal of Environmental Research and Public Health, 2020, 17, 4340.	1.2	5
344	Do overactive bladder symptoms and their treatmentâ€associated changes exhibit a normal distribution? Implications for analysis and reporting. Neurourology and Urodynamics, 2020, 39, 754-761.	0.8	13
345	What do we really know about the role of caffeine on urinary tract symptoms? A scoping review on caffeine consumption and lower urinary tract symptoms in adults. Neurourology and Urodynamics, 2020, 39, 1217-1233.	0.8	8
346	Urinary symptoms and quality of life in women living with HIV: a cross-sectional study. International Urogynecology Journal, 2021, 32, 353-358.	0.7	2
347	Impact of severe obesity on long-term success and complications of the retropubic midurethral sling. International Urogynecology Journal, 2021, 32, 57-63.	0.7	2
348	Sacral neuromodulation for overactive bladder in women: do age and comorbidities make a difference?. International Urogynecology Journal, 2021, 32, 149-157.	0.7	10
349	Efficacy and safety of the noradrenaline reuptake inhibitor, TASâ€03, in women with stress urinary incontinence: Results of a doubleâ€blind, randomized, placeboâ€controlled, early phaseâ€II trial. International Journal of Urology, 2021, 28, 82-90.	0.5	2
350	Incidence and predictors of early and late hospital readmission after transurethral resection of the prostate: a populationâ€based cohort study. BJU International, 2021, 127, 238-246.	1.3	6
351	Sex Differences in Prevalence and Patient Behavior Regarding Lower Urinary Tract Symptoms Among Japanese Medical Checkup Examinees. Urology, 2021, 151, 24-30.	0.5	1
352	Improving management of the genitourinary syndrome of menopause: evaluation of a health systemâ€based, cluster-randomized intervention. American Journal of Obstetrics and Gynecology, 2021, 224, 62.e1-62.e13.	0.7	3
353	Does apical prolapse in addition to early stage anterior prolapse have any effect on lower urinary tract symptoms?. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101922.	0.6	0
354	Seasonal changes in occurrence and severity of lower urinary tract symptomsâ€Tampere Aging Male Urologic Study ( TAMUS ). LUTS: Lower Urinary Tract Symptoms, 2021, 13, 216-223.	0.6	1
355	Over the Counter and Home Remedies. , 2021, , 123-136.		1
356	Association of the inflammatory potential of diet and lower urinary tract symptoms among men in the United States. Aging Male, 2021, 24, 72-79.	0.9	2
357	The prevalence of lower urinary tract symptoms in patients with multiple sclerosis in Riyadh, Saudi Arabia. Journal of Biochemical and Clinical Genetics, 0, , 1317-1323.	0.1	0
358	Social Processes Informing Toileting Behavior Among Adolescent and Adult Women: Social Cognitive Theory as an Interpretative Lens. Qualitative Health Research, 2021, 31, 430-442.	1.0	7
359	Â¿Es mÃ¡s efectivo el tratamiento combinado de electroestimulaciÃ³n transcutÃ¡nea del nervio tibial y electroestimulaciÃ³n vaginal que el tratamiento en monoterapia de electroestimulaciÃ³n del nervio tibial para la vejiga hiperactiva? Un ensayo controlado aleatorizado. Actas UrolÃ³gicas EspaÃ±olas, 2021, 45, 64-72.	0.3	9

#	ARTICLE	IF	CITATIONS
360	Health-related quality of life among Chinese primary care patients with different lower urinary tract symptoms: a latent class analysis. <i>Quality of Life Research</i> , 2021, 30, 1305-1315.	1.5	4
361	Impact of Incontinence on Female Sexual Function. , 2021, , 23-34.		0
362	Is the addition of vaginal electrical stimulation to transcutaneous tibial nerve electrical stimulation more effective for overactive bladder treatment? A randomized controlled trial. <i>Actas Urológicas Españolas (English Edition)</i> , 2021, 45, 64-72.	0.2	2
363	Medications and Drug Targets for the Treatment of Diseases of the Urinary Bladder and Urethra. , 2021, , .		0
364	Low Serum 25-Hydroxyvitamin D Level as a Potential Risk Factor of Erectile Dysfunction in Elderly Men with Moderate to Severe Lower Urinary Tract Symptoms. <i>World Journal of Men's Health</i> , 2022, 40, 139.	1.7	4
365	Validation of the Overactive Bladder-Bladder Assessment Tool (OAB-BAT): A Potential Alternative to the Standard Bladder Diary for Monitoring OAB Outcomes. <i>European Urology Focus</i> , 2021, 7, 1176-1183.	1.6	5
367	Predictors of urogenital distress and impaired quality of life in adult Egyptians with lower urinary tract symptoms. <i>African Journal of Urology</i> , 2021, 27, .	0.1	0
368	Transient receptor potential channels in sensory mechanisms of the lower urinary tract. <i>Nature Reviews Urology</i> , 2021, 18, 139-159.	1.9	34
369	The Role of Periprostatic Adipose Tissue on Prostate Function in Vascular-Related Disorders. <i>Frontiers in Pharmacology</i> , 2021, 12, 626155.	1.6	7
370	Clinical Guidelines for Female Lower Urinary Tract Symptoms (second edition). <i>International Journal of Urology</i> , 2021, 28, 474-492.	0.5	18
371	Body size throughout the life-course and incident benign prostatic hyperplasia-related outcomes and nocturia. <i>BMC Urology</i> , 2021, 21, 47.	0.6	4
372	Effects of isolated posterior vaginal wall prolapse on lower urinary tract symptoms. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 102095.	0.6	2
373	Preservation of antegrade ejaculation after surgical relief of benign prostatic obstruction is a valid endpoint. <i>World Journal of Urology</i> , 2021, 39, 2277-2289.	1.2	3
374	Polish versions of the ICIQ-FLUTS and the ICIQ-FLUTS LF: translation, adaptation, and validation of female-specific instruments for evaluation of lower urinary tract symptoms. <i>International Urogynecology Journal</i> , 2021, 32, 3259-3265.	0.7	2
375	Holmium Versus Thulium Laser Enucleation of the Prostate: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>European Urology Focus</i> , 2022, 8, 545-554.	1.6	30
376	Physical activity effects on bladder dysfunction in an obese and insulin-resistant murine model. <i>Physiological Reports</i> , 2021, 9, e14792.	0.7	1
377	Foreword: An Evidenced Based Approach to Urinary Incontinence in Women: What's New?. <i>Clinical Obstetrics and Gynecology</i> , 2021, 64, 257-258.	0.6	0
378	Prevalence of lower urinary tract symptoms in nurses and civil servants working at a hospital: a cross-sectional study. <i>African Health Sciences</i> , 2021, 21, 220-9.	0.3	3

#	ARTICLE	IF	CITATIONS
379	What are the chances of improvement or cure from overactive bladder? A pooled responder analysis of efficacy and treatment emergent adverse events following treatment with fesoterodine. <i>Neurourology and Urodynamics</i> , 2021, 40, 1559-1568.	0.8	5
381	Population-Level Prevalence, Bother, and Treatment Behavior for Urinary Incontinence in an Eastern European Country: Findings from the LUTS POLAND Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2314.	1.0	5
382	Nocturia at the Population Level in Poland: Prevalence, Bother, Quality of Life, and Treatment-Related Behavior. <i>Healthcare (Switzerland)</i> , 2021, 9, 555.	1.0	0
383	Conducting invasive urodynamics in primary care: qualitative interview study examining experiences of patients and healthcare professionals. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 10.	0.8	3
384	Visual Analogue Score for Urinary Symptomsâ€”VASUS, validation of a visual scale for lower urinary tract symptoms (LUTS) in an African country. <i>World Journal of Urology</i> , 2021, 39, 4191-4197.	1.2	1
385	Urodynamic and clinical features in women with overactive bladder: When to suspect concomitant voiding dysfunction?. <i>Neurourology and Urodynamics</i> , 2021, 40, 1509-1514.	0.8	5
386	Perceptions of Older Men Using a Mobile Health App to Monitor Lower Urinary Tract Symptoms and Tamsulosin Side Effects: Mixed Methods Study. <i>JMIR Human Factors</i> , 2021, 8, e30767.	1.0	1
388	Population-Based Study of Prevalence, Bother and Behavior Related to Treatment for Lower Urinary Tract Symptoms and Overactive Bladder among Polish Neurogenic Patients. <i>Brain Sciences</i> , 2021, 11, 712.	1.1	2
389	Detrusor contractility in post-menopausal women: Impact of ageing, complaint and urodynamic diagnosis. <i>Progres En Urologie</i> , 2021, 31, 406-413.	0.3	2
390	The usefulness of uroflowmetry and ultrasound bladder scanning as diagnostic tools in primary care for new male patients with lower urinary tract symptoms; a cluster randomized controlled trial. <i>Family Practice</i> , 2021, 38, 705-711.	0.8	0
391	Do the Prostate-Specific Antigen (PSA) Tests That Are Ordered in Clinical Practice Adhere to the Pertinent Guidelines?. <i>Journal of Clinical Medicine</i> , 2021, 10, 2650.	1.0	5
392	Characterizing the Spectrum of Bladder Health and Lower Urinary Tract Symptoms (LUTS) Among Women: Results From the CARDIA Study. <i>Urology</i> , 2021, 158, 88-94.	0.5	8
393	Questionnaires to Evaluate Lower Urinary Tract Symptoms in Men and Women. <i>Current Bladder Dysfunction Reports</i> , 2021, 16, 80-86.	0.2	1
394	Impact of Urinary Incontinence on Quality of Life Among Older Adults Living in a Rural Area of Turkey. <i>Journal of Gerontological Nursing</i> , 2021, 47, 43-52.	0.3	0
395	High Frequency of Concomitant Bladder, Bowel, and Sexual Symptoms in Huntingtonâ€™s Disease: A Self-Reported Questionnaire Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 714.	1.1	3
396	Association of Lower Urinary Tract Symptoms Based on the International Prostate Symptom Score and Cardiovascular Disease. <i>Circulation Journal</i> , 2021, 85, 2092-2099.	0.7	4
397	LUTS/BPH and SARS-COV2: when a misunderstanding in the correct physiopathology results in incorrect associations. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 5-6.	2.0	9
398	Hip and Pelvic Floor Muscle Strength in Women With and Without Urgency and Frequency-Predominant Lower Urinary Tract Symptoms. <i>Journal of Women's Health Physical Therapy</i> , 2021, 45, 126-134.	0.5	7

#	ARTICLE	IF	CITATIONS
399	The Clinical and Pathologic Relevance of a Prostate MRI Diagnosis of "Prostatitis". Urology, 2021, 154, 233-236.	0.5	0
400	Movement Impairments in Women With and Without Urinary Urgency/Frequency. Journal of Women's Health Physical Therapy, 2021, Publish Ahead of Print, 164-173.	0.5	3
401	Systematic review and meta-analysis identify significant relationships between clinical anxiety and lower urinary tract symptoms. Brain and Behavior, 2021, 11, e2268.	1.0	12
402	Relationships between overactive bladder and cerebral white matter hyperintensity in outpatients at a memory clinic. Geriatrics and Gerontology International, 2021, 21, 996-1002.	0.7	2
404	Development of primary design guidelines for supportive underwear to elevate the bladder neck in women based on finite element analysis of the pelvis. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2022, 236, 269-278.	1.0	0
405	Turkish validation and reliability of the symptoms of Lower Urinary Tract Dysfunction Research Network Symptom Index (LURN SI) questionnaire in patients with lower urinary tract symptoms. Neurourology and Urodynamics, 2021, 40, 2034-2040.	0.8	2
406	Prevalence of lower urinary tract symptoms and influencing factors in women. Cukurova Medical Journal, 2021, 46, 1040-1049.	0.1	1
407	A Systemic Review and Meta-analysis of Transabdominal Intravesical Prostatic Protrusion Assessment in Determining Bladder Outlet Obstruction and Unsuccessful Trial Without Catheter. European Urology Focus, 2022, 8, 1003-1014.	1.6	6
408	Using Search Trends to Analyze Web-Based Interest in Lower Urinary Tract Symptoms-Related Inquiries, Diagnoses, and Treatments in Mainland China: Infodemiology Study of Baidu Index Data. Journal of Medical Internet Research, 2021, 23, e27029.	2.1	15
409	Relationship between Lower Urinary Tract Symptoms and Treatment-Related Behavior in an Eastern European Country: Findings from the LUTS POLAND Study. International Journal of Environmental Research and Public Health, 2021, 18, 785.	1.2	7
410	Pre- and postmenopausal women have different core urinary microbiota. Scientific Reports, 2021, 11, 2212.	1.6	23
411	The Biology of Aging and the Development of Lower Urinary Tract Dysfunction and Disease. , 2014, , 13-35.		2
412	Urogynaecology. , 2019, , 215-234.		1
413	Dysuria. , 2018, , 451-464.		1
414	Nocturia. , 2012, , 1958-1966.e3.		1
415	A New Brief Clinical Assessment of Lower Urinary Tract Symptoms for Women and Men: LURN SI-10. Journal of Urology, 2020, 203, 164-170.	0.2	21
416	Pudendal nerve release for lower urinary tract symptoms in young males. LUTS: Lower Urinary Tract Symptoms, 2021, 13, 286-290.	0.6	2
417	Targetable purinergic receptors P2Y12 and A2b antagonistically regulate bladder function. JCI Insight, 2019, 4, .	2.3	16

#	ARTICLE	IF	CITATIONS
418	Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. <i>Psychiatria Polska</i> , 2016, 50, 417-430.	0.2	40
419	Coexistence of lower urinary tract symptoms (LUTS) with depressive symptoms in patients suffering from depressive disorders. <i>Psychiatria Polska</i> , 2019, 53, 939-953.	0.2	9
420	Survey on prevalence of lower urinary tract symptoms in an Asian population. <i>Hong Kong Medical Journal</i> , 2019, 25, 13-20.	0.1	7
421	Combined effect of polymorphisms in type III 5- $\alpha$ reductase and androgen receptor gene with the risk of benign prostatic hyperplasia in Korea. <i>Journal of Exercise Rehabilitation</i> , 2016, 12, 504-508.	0.4	3
422	<i>Enterococcus faecalis</i> Subverts and Invades the Host Urothelium in Patients with Chronic Urinary Tract Infection. <i>PLoS ONE</i> , 2013, 8, e83637.	1.1	80
423	Developing an Internationally-Applicable Service Specification for Continence Care: Systematic Review, Evidence Synthesis and Expert Consensus. <i>PLoS ONE</i> , 2014, 9, e104129.	1.1	24
424	Relationship between Lifestyle and Health Factors and Severe Lower Urinary Tract Symptoms (LUTS) in 106,435 Middle-Aged and Older Australian Men: Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e109278.	1.1	38
425	Voiding symptoms obtained by open versus directed anamnesis as predictors of voiding dysfunction in women. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019, 45, 798-806.	0.7	2
426	Validation of the international consultation on incontinence modular questionnaire "female lower urinary tract symptoms (ICIQ-FLUTS) into brazilian portuguese. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020, 46, 53-59.	0.7	6
427	Contractile responses of urinary bladder in an experimental model of chronic renal failure. <i>Bosnian Journal of Basic Medical Sciences</i> , 2012, 12, 219.	0.6	1
428	Open Access Capture of Patients With Gastroesophageal Reflux Disease Using an Online Patient-Reported Outcomes Instrument. <i>Interactive Journal of Medical Research</i> , 2012, 1, e7.	0.6	4
429	Training and Professional Development for Nurses and Healthcare Support Workers: Supporting Foundation for Quality and Good Practice for Care of the Acutely Ill Older Person. <i>International Archives of Nursing and Health Care</i> , 2015, 1, .	0.2	2
430	Bladder ultrasonography for diagnosing detrusor overactivity: test accuracy study and economic evaluation. <i>Health Technology Assessment</i> , 2016, 20, 1-150.	1.3	25
431	Urodynamics tests for the diagnosis and management of bladder outlet obstruction in men: the UPSTREAM non-inferiority RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-122.	1.3	21
432	A Survey on the Effect of Anticholinergic Therapy on Post-Void Dribbling. <i>UroToday International Journal</i> , 2012, 05, .	0.1	1
433	Lower Urinary Tract Symptoms: Prevalence and Factors Associated with Help-Seeking in Male Primary Care Attendees. <i>Korean Journal of Family Medicine</i> , 2020, 41, 256-262.	0.4	6
434	Analyzing the Factors Associated With Nocturia in Older People in the United States. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 184-188.	0.7	4
435	Occupational Therapy Interventions for Urinary Dysfunction in Primary Care: A Case Series. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7305185040p1-7305185040p8.	0.1	6



#	ARTICLE	IF	CITATIONS
436	Where can urodynamic testing help assess male lower urinary tract symptoms?. Turkish Journal of Urology, 2019, 45, 157-163.	1.3	4
437	Tadalafil in the management of lower urinary tract symptoms: a review of the literature and current practices in Russia. Central European Journal of Urology, 2014, 67, 167-77.	0.2	10
438	Overview of the Epidemiology of Lower Urinary Tract Dysfunction in South Korea. International Neurourology Journal, 2016, 20, 91-100.	0.5	13
439	Do Lifestyle Factors Affect Lower Urinary Tract Symptoms? Results from the Korean Community Health Survey. International Neurourology Journal, 2019, 23, 125-135.	0.5	8
440	Nocturia is the Lower Urinary Tract Symptom With Greatest Impact on Quality of Life of Men From a Community Setting. International Neurourology Journal, 2014, 18, 86.	0.5	22
441	Population-Based Survey on Disease Insight, Quality of Life, and Health-Seeking Behavior Associated With Female Urinary Incontinence. International Neurourology Journal, 2015, 19, 39-46.	0.5	19
442	Lower Urinary Tract Symptom Prevalence and Management Among Patients with Multiple Sclerosis. International Journal of MS Care, 2015, 17, 14-25.	0.4	43
443	Clinical validation of an audio-based uroflowmetry app in adult males. Canadian Urological Association Journal, 2021, 16, .	0.3	2
444	Urinary urgency acts as a source of divided attention leading to changes in gait in older adults with overactive bladder. PLoS ONE, 2021, 16, e0257506.	1.1	2
445	Female Urgency, Trial of Urodynamics as Routine Evaluation (FUTURE study): a superiority randomised clinical trial to evaluate the effectiveness and cost-effectiveness of invasive urodynamic investigations in management of women with refractory overactive bladder symptoms. Trials, 2021, 22, 745.	0.7	6
447	Fesoterodine fumarate for the treatment of overactive bladder in the elderly â€“ a review of the latest clinical data. Clinical Investigation, 2012, 2, 825-833.	0.0	1
448	Relationship between Benign Prostatic Hyperplasia and International Prostatic Symptom Score. British Journal of Medicine and Medical Research, 2015, 10, 1-9.	0.2	3
449	Health Promotion to Patients with Pelvic Floor Dysfunction: An Integrative Review. Open Journal of Obstetrics and Gynecology, 2015, 05, 155-162.	0.1	2
450	Lower Urinary Tract Disease and Their Objective and Noninvasive Biomarkers. Biomarkers in Disease, 2015, , 1229-1250.	0.0	0
451	Do we need new patient reported measures to evaluate lower urinary tract dysfunction?. Indian Journal of Urology, 2016, 32, 91.	0.2	2
452	The Value of Urodynamic Study for Diagnosing the Causes of Lower Urinary Tract Symptoms in Male Patients: A Study From Iran. Nephro-Urology Monthly, 2016, 8, e34342.	0.0	0
453	Reply. Central European Journal of Urology, 2017, 70, 452.	0.2	0
454	Community Based Survey of lower Urinary Tract Symptoms among Men with Cataract in North-Eastern Nigeria: A Window for Screening.. Journal of Medical Science and Clinical Research, 2017, 05, 21254-21257.	0.0	1

#	ARTICLE	IF	CITATIONS
455	Neuromodulation for Non-obstructive Urinary Retention. , 2018, , 47-61.		0
456	Lower urinary tract symptoms and feeling of incomplete emptying in Saudi Arabian men and its correlation with postvoid residual urine. Urology Annals, 2019, 11, 132.	0.3	1
457	Benign Prostate Hyperplasia. , 2019, , 1-4.		0
458	Development and validation of a clinical nomogram predicting bladder outlet obstruction via routine clinical parameters in men with refractory nonneurogenic lower urinary tract symptoms. Asian Journal of Andrology, 2019, 21, 486.	0.8	3
459	Foley Catheter Use and Management of Urinary Symptoms. , 2020, , 453-466.		0
460	Conditions and Syndromes. , 2020, , 39-73.		0
463	Lower Urinary Tract Symptoms, Overactive Bladder Syndrome, and Urinary Incontinence (LUTS, OAB,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf		0
464	Overview: Epidemiology and Etiology of Urinary Incontinence and Voiding Dysfunction. , 2021, , 239-248.		0
465	Comprehensive Review of Effective Application of Questionnaires for Clinical Research on Lower Urinary Tract Symptoms With Translation and Cultural Adaptation to the Korean Language. International Neurourology Journal, 2020, 24, 313-323.	0.5	5
466	Effect of symptom-based alpha-blocker treatment on lower urinary tract symptoms in women: systematic review and meta-analysis. Therapeutic Advances in Urology, 2021, 13, 175628722110536.	0.9	1
467	Desmopressin treatment for nocturia caused by nocturnal polyuria: practical guidelines. Central European Journal of Urology, 2020, 73, 498-505.	0.2	1
468	Correlation of urinary incontinence with depression severity of patients treated for depression. Central European Journal of Urology, 2020, 73, 321-327.	0.2	1
469	Benign Prostate Conditions. , 2020, , 1-8.		0
470	Relationship Between Prostate Volume and Lower Urinary Tract Symptom in Health Checkup Subjects. The Korean Journal of Urological Oncology, 2020, 18, 53-60.	0.1	1
471	Comparative Effectiveness of Tadalafil versus Tamsulosin in Treating Lower Urinary Tract Symptoms Suggestive of Benign Prostate Hyperplasia: A Meta-Analysis of Randomized Controlled Trials. Medical Science Monitor, 2020, 26, e923179.	0.5	4
472	Introductory Chapter: Lower Urinary Tract Dysfunction at a Glance. , 0, , .		1
473	Pilot study for the comparison of machine-learning augmented audio-urowflowmetry with standard urowflowmetry in healthy men. BMJ Innovations, 2020, 6, 199-203.	1.0	5
475	Evaluation of urodynamics parameters in different age and incontinence group of women. Journal of Surgery and Medicine, 2020, 4, 1-1.	0.0	0

#	ARTICLE	IF	CITATIONS
476	The Role of Apoptosis in Detrusor Contractility. International Neurourology Journal, 2020, 24, 67-71.	0.5	1
478	Do Drugs Work for $\overline{\text{I}}\overline{\text{I}}\overline{\text{I}}$ Following Prostate Cancer Surgery. Current Drug Targets, 2020, 21, 1515-1526.	1.0	2
479	Frequency and Pattern of Lower Urinary Tract Symptoms in a screened population of Men above 40 Years in Ibadan, Southwestern Nigeria. Journal of the West African Colleges of Surgeons, 2015, 5, 60-78.	0.0	3
480	Correlation Analysis of Erectile Dysfunction with Lower Urinary Tract Symptoms (LUTS) Degree and Clinical Features in LUTS Patients. Iranian Journal of Public Health, 2018, 47, 658-665.	0.3	2
481	Comment on: Safety and efficacy of mirabegron: analysis of a large integrated clinical trial database of patients with overactive bladder receiving mirabegron, antimuscarinics, or placebo. Translational Andrology and Urology, 2020, 9, 2305-2307.	0.6	0
482	Treatments for Benign Conditions of the Prostate Gland. , 2021, , 285-316.		0
483	Pelvic Floor Mobility Measured by Transperineal Ultrasound Imaging in Women With and Without Urgency and Frequency Predominant Lower Urinary Tract Symptoms. Journal of Women's Health Physical Therapy, 2021, Publish Ahead of Print, .	0.5	0
484	Lower Urinary Tract Symptoms Among Females with Rheumatoid Arthritis: A Prospective Cross-Sectional Study. International Journal of General Medicine, 2021, Volume 14, 8427-8435.	0.8	4
485	Sauna habits/bathing and changes in lower urinary tract symptoms $\hat{\text{e}}$ Tampere Ageing Male Urologic Study (TAMUS). Scandinavian Journal of Urology, 2022, 56, 77-82.	0.6	4
486	A Lower Urine White Blood Cell Median Can be a Predictor of Undiscovered Urolithiasis in Patients with Acute Urinary Tract Symptoms. Urological Science, 2020, 31, 115-121.	0.2	1
487	Benign Prostate Hyperplasia. , 2021, , 631-634.		0
488	Comment on: Safety and efficacy of mirabegron: analysis of a large integrated clinical trial database of patients with overactive bladder receiving mirabegron, antimuscarinics, or placebo. Translational Andrology and Urology, 2020, 9, 2305-2307.	0.6	0
489	Benign Prostate Conditions. , 2022, , 1399-1406.		0
491	Robot-Assisted Simple Prostatectomy <i>&lt;i&gt;vs&lt;/i&gt;</i> Endoscopic Enucleation of the Prostate: A Systematic Review and Meta-Analysis of Comparative Trials. Journal of Endourology, 2022, 36, 1018-1028.	1.1	13
492	The Prevalence of Nocturnal Polyuria in the United States: Results from the Epidemiology of Nocturnal Polyuria Study. European Urology Focus, 2022, 8, 1415-1423.	1.6	8
493	Survey of lower urinary tract symptoms in United States women using the new lower urinary tract dysfunction research Network $\hat{\text{e}}$ Symptom Index 29 (LURN $\hat{\text{e}}$ SI $\hat{\text{e}}$ 29) and a national research registry. Neurourology and Urodynamics, 2022, 41, 650-661.	0.8	5
494	Incomplete bladder emptying and urinary tract infections after botulinum toxin injection for overactive bladder: Multi $\hat{\text{e}}$ institutional collaboration from the SUFU research network. Neurourology and Urodynamics, 2022, 41, 662-671.	0.8	10
495	Prevalence of moderate to severe lower urinary tract symptoms in systemic sclerosis. Rheumatology, 2022, 61, 4016-4023.	0.9	1

#	ARTICLE	IF	CITATIONS
496	Prevalence of pelvic floor dysfunction: a Saudi national survey. <i>BMC Women's Health</i> , 2022, 22, 27.	0.8	16
497	Relationship between bladder outlet obstruction and prostatic indentation, prostatic urethral length, and bladder-prostatic urethral angle. <i>Urologia</i> , 2022, 89, 547-552.	0.3	2
498	Diagnostic Value of the Maximum Urethral Closing Pressure in Women With Overactive Bladder Symptoms and Functional Bladder Outlet Obstruction. <i>International Neurourology Journal</i> , 2022, 26, S1-7.	0.5	5
499	Outcomes of a complementary and alternative medicine based on vitamins, herbal products, and amino acid as a first line treatment in idiopathic overactive bladder syndrome in men and women without bladder outlet obstruction. <i>Urologia</i> , 2022, 89, 358-362.	0.3	1
500	Clinical assessment of lower urinary tract symptoms in adults. <i>Nursing Standard (Royal College of)</i> Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.1	0
501	Phytotherapy for male luts: What happens then? 10-year research. <i>Actas Urológicas Españolas (English)</i> Tj ETQq1 1 0.784314 rgBT 10	0.2	2
503	Oxidative Stress Biomarkers in Age-Related Lower Urinary Tract Disorders: A Systematic Review. <i>International Neurourology Journal</i> , 2022, 26, 3-19.	0.5	7
504	The Epidemiology and Population-Based Studies of Women with Lower Urinary Tract Symptoms: A Systematic Review. , 2022, 48, 155-165.		5
505	Correlaci3n del grosor de la pared vesical con sAndrome de vejiga hiperactiva y hallazgos urodinÁmicos. <i>Revista Mexicana De Urologia</i> , 2021, 81, 1-11.	0.0	0
507	Family Physicianâ€™s Educational Interview with Patients Helps in Early Recognition of Lower Urinary Tract Symptoms. <i>International Journal of General Medicine</i> , 2021, Volume 14, 9689-9696.	0.8	1
508	The placebo and nocebo effects in functional urology. <i>Nature Reviews Urology</i> , 2022, 19, 171-189.	1.9	5
509	The efficacy and safety of silodosin-a review of literature. <i>Pharmacy &amp; Pharmacology International Journal</i> , 2021, 9, 249-256.	0.1	0
510	Reviving Cav1.2 as an attractive drug target to treat bladder dysfunction. <i>FASEB Journal</i> , 2022, 36, e22118.	0.2	2
511	Validity and Rigour in Soma Design-Sketching with the Soma. <i>ACM Transactions on Computer-Human Interaction</i> , 2021, 28, 1-36.	4.6	23
512	Overactive Bladder Symptoms Within Nervous System: A Focus on Etiology. <i>Frontiers in Physiology</i> , 2021, 12, 747144.	1.3	3
513	Free combination of dutasteride plus tamsulosin for the treatment of benign prostatic hyperplasia in South Korea: analysis of drug utilization and adverse events using the National Health Insurance Review and Assessment Service database. <i>BMC Urology</i> , 2021, 21, 178.	0.6	0
515	Reliability and validity of assessment methods available in primary care for bladder outlet obstruction and benign prostatic obstruction in men with lower urinary tract symptoms: a systematic review. <i>BMJ Open</i> , 2022, 12, e056234.	0.8	3
516	The Relationship between Anxiety and Depression Levels and General Health Status before and 12 Months after SUI Treatment in Postmenopausal Women from the Lower Silesian Population. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5156.	1.2	1

#	ARTICLE	IF	CITATIONS
517	Does response to percutaneous tibial nerve stimulation predict similar outcome to sacral nerve stimulation?. <i>Neurourology and Urodynamics</i> , 2022, 41, 1172-1176.	0.8	3
518	Trospium chloride in older patients with idiopathic overactive urinary bladder. <i>Russian Journal of Geriatric Medicine</i> , 2022, , 58-63.	0.3	0
519	Urinary symptoms and incontinence in postmenopausal women and the effects on quality of life. <i>International Journal of Urological Nursing</i> , 2022, 16, 225-233.	0.1	1
520	Subtyping of common complex diseases and disorders by integrating heterogeneous data. Identifying clusters among women with lower urinary tract symptoms in the LURN study. <i>PLoS ONE</i> , 2022, 17, e0268547.	1.1	3
521	Association of lower urinary tract symptoms and diuretic adherence. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2022, 14, 366-372.	0.6	1
522	An Annotated Soma Design Process of the Pelvic Chair. , 2022, , .		1
523	Pelvic floor symptoms in cisgender women with Ehlers-Danlos syndrome: an international survey study. <i>International Urogynecology Journal</i> , 0, , .	0.7	1
524	Higher Levels of Serum Uric Acid Have a Significant Association with Lower Incidence of Lower Urinary Tract Symptoms in Healthy Korean Men. <i>Metabolites</i> , 2022, 12, 649.	1.3	3
525	Development and Validation of a Deep Learning System for Sound-based Prediction of Urinary Flow. <i>European Urology Focus</i> , 2023, 9, 209-215.	1.6	3
526	Busting for change: a care pathway for overactive bladder. <i>Trends in Urology &amp; Men's Health</i> , 2022, 13, 17-21.	0.2	1
527	Botulinum toxin A injection to the external urethral sphincter for voiding dysfunction in females: A tertiary center experience. <i>Neurourology and Urodynamics</i> , 2022, 41, 1793-1799.	0.8	3
528	The Japan Frailty Scale is a promising screening test for frailty and pre-frailty in Japanese elderly people. <i>Gene</i> , 2022, 844, 146775.	1.0	6
529	The Clinical Effects of Pixel CO2 Laser on Bladder Neck and Stress Urinary Incontinence. <i>Journal of Clinical Medicine</i> , 2022, 11, 4971.	1.0	2
530	Evolving Role of Silodosin for the Treatment of Urological Disorders – A Narrative Review. <i>Drug Design, Development and Therapy</i> , 0, Volume 16, 2861-2884.	2.0	3
531	Reliability and validity of the Turkish language version of the Core Lower Urinary Tract Symptom Score. <i>LUTS: Lower Urinary Tract Symptoms</i> , 0, , .	0.6	0
532	Deletion of mechanosensory $\alpha 21$ -integrin from bladder smooth muscle results in voiding dysfunction and tissue remodeling. <i>Function</i> , 0, , .	1.1	4
533	Urinary Incontinence Following Obstetric Fistula Surgery. <i>Global Maternal and Child Health</i> , 2022, , 393-404.	0.1	0
534	Implementation of sacral neuromodulation for urinary indications. A Danish prospective study during the initial 15 months of a new service in a tertiary referral hospital. <i>Scandinavian Journal of Urology</i> , 2022, 56, 404-411.	0.6	0

#	ARTICLE	IF	CITATIONS
535	A national survey of lower urinary tract symptoms in Jordan. <i>Asian Journal of Urology</i> , 2022, , .	0.5	0
536	Making shared decisions with older men selecting treatment for lower urinary tract symptoms secondary to benign prostatic hyperplasia (LUTS/BPH): a pilot randomized trial. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, .	0.9	1
537	Effect of Electroacupuncture Added to Pelvic Floor Muscle Training in Women with Stress Urinary Incontinence: A Randomized Clinical Trial. <i>European Urology Focus</i> , 2023, 9, 352-360.	1.6	5
538	Detailed Investigation of Bladder Diary Parameters During Sacral Neuromodulation in Patients With Overactive Symptoms. <i>Neuromodulation</i> , 2023, 26, 1831-1835.	0.4	0
539	Etiological factors of voiding disorders in females. <i>Consilium Medicum</i> , 2022, 24, 451-455.	0.1	0
540	Female LUTS adaptations to COVID era: Lessons learned from the AICS TURNOVER (Transition of) Tj ETQq1 1 0.784314 rgBT /Overloc	1	1
541	Social Disparities in the Diagnosis and Care of Lower Urinary Tract Dysfunction. <i>Current Bladder Dysfunction Reports</i> , 0, , .	0.2	0
542	Global burden and temporal trends of lower urinary tract symptoms: a systematic review and meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2023, 26, 421-428.	2.0	15
543	Negative experiences with public bathrooms and chronic illness-related shame. <i>Neurourology and Urodynamics</i> , 2023, 42, 539-546.	0.8	0
544	Impact of Female Stress Urinary Incontinence on Quality of Life, Mental Health, Work Limitation, and Healthcare Seeking in China, Taiwan, and South Korea (LUTS Asia): Results from a Cross-Sectional, Population-Based Study. <i>International Journal of Women's Health</i> , 0, Volume 14, 1871-1880.	1.1	12
546	The low dopamine hypothesis: A plausible mechanism underpinning residual urine, overactive bladder and nocturia (RON) syndrome in older patients. <i>Progres En Urologie</i> , 2023, 33, 155-171.	0.3	2
547	Does the climacteric influence the prevalence, incidence and type of urinary incontinence?. <i>Climacteric</i> , 2023, 26, 75-79.	1.1	1
549	An Analysis of Stated Insurance Coverage and Estimated Patient-Incurred Costs of Treatments for Lower Urinary Tract Symptoms. , 2023, 29, 287-294.		1
550	Leaking all the time and for no obvious reason are clinical markers of incontinence severity: A cross-sectional study. , 2023, 6, 100029.		0
551	Lower Urinary Tract Symptoms and Overactive Bladder in a Large Cohort of Older Poles A Representative Tele-Survey. <i>Journal of Clinical Medicine</i> , 2023, 12, 2859.	1.0	0
552	A High-Efficiency Consultation Improves Urological Diagnosis in Patients with Complex LUTS A Pilot Study. <i>Diagnostics</i> , 2023, 13, 986.	1.3	0
553	Menopausal Changes in the Microbiome A Review Focused on the Genitourinary Microbiome. <i>Diagnostics</i> , 2023, 13, 1193.	1.3	5
555	Anxiety and depression in association with lower urinary tract symptoms: results from the COBaLT study. <i>World Journal of Urology</i> , 2023, 41, 1381-1388.	1.2	7

#	ARTICLE	IF	CITATIONS
556	The spectrum and etiologies of lower urinary tract symptoms in postmenopausal women. Current Urology, 0, Publish Ahead of Print, .	0.4	0
557	Lower urinary tract symptoms are elevated with depression in Japanese women. LUTS: Lower Urinary Tract Symptoms, 2023, 15, 116-121.	0.6	3
558	Urinary Incontinence in Parous Women Practicing Non-Extreme Competitive Sports Compared to the General Population. Journal of Clinical Medicine, 2023, 12, 2803.	1.0	2
559	Smoking and lower urinary tract symptoms in Reduction by Dutasteride of Prostate Cancer EventsATrial. Prostate, 0, , .	1.2	0
561	Dysuria. , 2022, , 561-575.		0
565	Neuro-urology research: a comprehensive overview. , 2023, , 1-28.		0
569	Sex and Gender Differences in the Pharmacology of the Overactive Urinary Bladder. Handbook of Experimental Pharmacology, 2023, , .	0.9	0
595	Brain control of bladder control. , 2024, , .		0