

Noninvasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B

Liver International

29, 242-247

DOI: [10.1111/j.1478-3231.2008.01802.x](https://doi.org/10.1111/j.1478-3231.2008.01802.x)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Liver Biopsy and Histopathological Diagnosis. , 0, , 2449-2479.		0
7	Monitoring during and after antiviral therapy for hepatitis B. <i>Hepatology</i> , 2009, 49, S166-S173.	3.6	51
8	Evaluation of the patient with hepatitis B. <i>Hepatology</i> , 2009, 49, S22-S27.	3.6	44
9	Long-term outcome of hepatitis B and hepatitis C virus co-infection and single HBV infection acquired in youth. <i>Journal of Medical Virology</i> , 2009, 81, 2012-2020.	2.5	11
10	Transient elastography and other noninvasive tests to assess hepatic fibrosis in patients with viral hepatitis. <i>Journal of Viral Hepatitis</i> , 2009, 16, 300-314.	1.0	146
11	Variability in liver stiffness values from different intercostal spaces. <i>Liver International</i> , 2009, 29, 760-766.	1.9	19
15	EASL Clinical Practice Guidelines: Management of chronic hepatitis B. <i>Journal of Hepatology</i> , 2009, 50, 227-242.	1.8	1,710
16	Transient elastography for the assessment of liver fibrosis in patients with chronic viral hepatitis: The missing tool?. <i>Digestive and Liver Disease</i> , 2009, 41, 863-866.	0.4	31
17	Hepatitis B Virus Genotype C Is Associated With More Severe Liver Fibrosis Than Genotype B. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1361-1366.	2.4	75
18	Impact of interferon-alpha treatment on liver fibrosis in patients with chronic hepatitis B: An overview of published trials. <i>Gastroenterologie Clinique Et Biologique</i> , 2009, 33, 916-922.	0.9	14
19	New Imaging Techniques for Non-Alcoholic Steatohepatitis. <i>Clinics in Liver Disease</i> , 2009, 13, 607-619.	1.0	21
20	Future directions in the treatment of HIV-HBV coinfection. <i>HIV Therapy</i> , 2009, 3, 405-415.	0.6	7
21	Transient elastography assessment of the liver stiffness dynamics during acute hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 180-184.	0.8	47
22	Long-Term Outcome of Renal Transplant Recipients With Chronic Hepatitis B Infection—Impact of Antiviral Treatments. <i>Transplantation</i> , 2010, 90, 325-330.	0.5	59
23	Liver Stiffness, a Non-Invasive Marker of Liver Disease: A Core Study Group Report. <i>Antiviral Therapy</i> , 2010, 15, 69-78.	0.6	33
24	Liver Transient Elastography (Fibroscan®): A Place in the Management Algorithms of Chronic Viral Hepatitis. <i>Antiviral Therapy</i> , 2010, 15, 1-11.	0.6	29
25	Prevalence and Risk Factors for Abnormal Liver Stiffness in HIV-infected Patients without Viral Hepatitis Coinfection: Role of Didanosine. <i>Antiviral Therapy</i> , 2010, 15, 753-763.	0.6	41
27	Thrombocytopenia is more severe in patients with advanced chronic hepatitis C than B with the same grade of liver stiffness and splenomegaly. <i>Journal of Gastroenterology</i> , 2010, 45, 876-884.	2.3	23

#	ARTICLE	IF	CITATIONS
28	Chronic hepatitis B: whom to treat and for how long? Propositions, challenges, and future directions. <i>Hepatology International</i> , 2010, 4, 386-395.	1.9	47
29	Reduction of liver stiffness following resolution of acute flares of chronic hepatitis B. <i>Hepatology International</i> , 2010, 4, 716-722.	1.9	29
30	Assessment of hepatic fibrosis by transient elastography in patients with chronic hepatitis B. <i>Pathology International</i> , 2010, 60, 284-290.	0.6	14
31	Pitfalls of liver stiffness measurement: A 5-year prospective study of 13,369 examinations. <i>Hepatology</i> , 2010, 51, NA-NA.	3.6	890
32	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , 2010, 28, 802-811.	1.0	15
33	Controlled Attenuation Parameter (CAP): A Novel VCTE [®] , [®] Guided Ultrasonic Attenuation Measurement for the Evaluation of Hepatic Steatosis: Preliminary Study and Validation in a Cohort of Patients with Chronic Liver Disease from Various Causes. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1825-1835.	0.7	683
34	What are "true normal" liver stiffness values using FibroScan [®] : a prospective study in healthy living liver and kidney donors in South Korea. <i>Liver International</i> , 2010, 30, 268-274.	1.9	76
35	Feasibility of liver transient elastography with FibroScan [®] using a new probe for obese patients. <i>Liver International</i> , 2010, 30, 1043-1048.	1.9	189
36	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , 2010, 30, 1073-1081.	1.9	31
37	Prevalence, risk factors and causes of discordance in fibrosis staging by transient elastography and liver biopsy. <i>Liver International</i> , 2010, 30, 1471-1480.	1.9	83
38	Factors that affect the diagnostic accuracy of liver fibrosis measurement by Fibrosan in patients with chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 32, 498-505.	1.9	47
39	Assessment of liver stiffness in subjects affected by familial combined hyperlipidaemia with hepatic steatosis. <i>European Journal of Clinical Investigation</i> , 2010, 40, 722-728.	1.7	16
40	Transient elastography. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 1726-1731.	1.4	82
41	Liver stiffness: a novel parameter for the diagnosis of liver disease. <i>Hepatic Medicine: Evidence and Research</i> , 2010, 2, 49.	0.9	300
42	Transient elastography in chronic hepatitis B: An Asian perspective. <i>World Journal of Gastroenterology</i> , 2010, 16, 5173.	1.4	30
43	Idiopathic Noncirrhotic Portal Hypertension in HIV ⁺ Infected Patients. <i>Clinical Infectious Diseases</i> , 2010, 50, 127-128.	2.9	6
44	HIV/hepatitis B virus co-infection: current challenges and new strategies. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 10-17.	1.3	63
45	The Diagnostic Value of Ultrasound Elastography in Patients with Hepatitis B Virus Infection: A Prospective Study. <i>Journal of International Medical Research</i> , 2010, 38, 2117-2125.	0.4	3

#	ARTICLE	IF	CITATIONS
46	Liver biopsy for histological assessment - the case against. Saudi Journal of Gastroenterology, 2010, 16, 124.	0.5	68
47	A Liver Stiffness Measurement-Based, Noninvasive Prediction Model for High-Risk Esophageal Varices in B-Viral Liver Cirrhosis. American Journal of Gastroenterology, 2010, 105, 1382-1390.	0.2	194
48	Correlation of Liver Stiffness and Histological Features in Healthy Persons and in Patients With Occult Hepatitis B, Chronic Active Hepatitis B, or Hepatitis B Cirrhosis. American Journal of Gastroenterology, 2010, 105, 1116-1122.	0.2	52
49	Comparison of Elastography, Serum Marker Scores, and Histology for the Assessment of Liver Fibrosis in Hepatitis B Virus (HBV)-Infected Patients in Burkina Faso. American Journal of Tropical Medicine and Hygiene, 2010, 82, 454-458.	0.6	66
50	End points of therapy in chronic hepatitis B. Expert Review of Gastroenterology and Hepatology, 2010, 4, 37-49.	1.4	3
51	Assessment of liver fibrosis with transient elastography and FibroTest in patients treated with methotrexate for chronic inflammatory diseases: A caseâ€“control study. Journal of Hepatology, 2010, 53, 1035-1040.	1.8	92
52	Transient elastography for the diagnosis of liver fibrosis. Expert Review of Medical Devices, 2010, 7, 811-823.	1.4	83
53	Usefulness of transient elastography for assessment of liver fibrosis in chronic hepatitis B: Regression of liver stiffness during entecavir therapy. Hepatology Research, 2010, 40, 853-861.	1.8	51
54	Biopsy and non-invasive methods for the diagnosis of liver fibrosis: does it take two to tango?. Gut, 2010, 59, 861-866.	6.1	182
55	Low liver stiffness among cirrhotic patients with hepatitis B after prolonged treatment with nucleoside analogs. Scandinavian Journal of Gastroenterology, 2011, 46, 760-766.	0.6	16
56	Transient elastography as a screening tool for liver fibrosis and cirrhosis in a community-based population aged over 45 years. Gut, 2011, 60, 977-984.	6.1	272
57	The role of transient elastography in patients with hepatitis B viral disease. Digestive and Liver Disease, 2011, 43, S25-S31.	0.4	14
58	Performance and utility of transient elastography and noninvasive markers of liver fibrosis in primary biliary cirrhosis. Digestive and Liver Disease, 2011, 43, 887-92.	0.4	50
59	Elastography for Hepatic Fibrosis Severity in Chronic Hepatitis B or C. Case Reports in Gastroenterology, 2011, 5, 63-72.	0.3	2
60	Medical ultrasound: imaging of soft tissue strain and elasticity. Journal of the Royal Society Interface, 2011, 8, 1521-1549.	1.5	415
61	Management of Hepatitis B. Clinical Gastroenterology and Hepatology, 2011, 9, 385-391.	2.4	1
63	Reliability of transient elastography for the detection of fibrosis in Non-Alcoholic Fatty Liver Disease and chronic viral hepatitis. Journal of Hepatology, 2011, 54, 64-71.	1.8	230
64	Etiology-related determinants of liver stiffness values in chronic viral hepatitis B or C. Journal of Hepatology, 2011, 54, 621-628.	1.8	110

#	ARTICLE	IF	CITATIONS
65	Elastography for the diagnosis of severity of fibrosis in chronic liver disease: A meta-analysis of diagnostic accuracy. <i>Journal of Hepatology</i> , 2011, 54, 650-659.	1.8	610
66	Close correlation of liver stiffness with collagen deposition and presence of myofibroblasts in nonalcoholic fatty liver disease. <i>Hepatology Research</i> , 2011, 41, 897-903.	1.8	16
67	Female patients in fertile age with chronic hepatitis C, easy genotype, and persistently normal transaminases have a 100% chance to reach a sustained virological response. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 997-1003.	0.8	17
68	Management and Treatment of Hepatitis B Virus in Patients with Hiv Infection: A Practical Guide for Health Care Professionals. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2011, 22, 88-96.	0.7	3
69	Reversal of hepatic fibrosis: pathophysiological basis of antifibrotic therapies. <i>Hepatic Medicine: Evidence and Research</i> , 2011, 3, 69.	0.9	36
70	Non-Invasive Assessment of Liver Fibrosis by Vibration-Controlled Transient Elastography (Fibroscan®). , 0, , .		8
71	Liver Stiffness Measurement and Biochemical Markers in Senegalese Chronic Hepatitis B Patients with Normal ALT and High Viral Load. <i>PLoS ONE</i> , 2011, 6, e22291.	1.1	23
72	Screening for Hepatocellular Carcinoma After HBsAg Clearance Age Before Cirrhosis?. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 4-5.	1.1	2
73	On-Treatment Monitoring of Liver Fibrosis with Transient Elastography in Chronic Hepatitis B Patients. <i>Antiviral Therapy</i> , 2011, 16, 165-172.	0.6	82
74	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: A multicenter, prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 171-178.	1.4	42
75	Serum aminotransferase levels instead of etiology affects the accuracy of transient elastography in chronic viral hepatitis patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 492-500.	1.4	26
76	Application of the HALF index obviates the need for liver biopsy in half of all patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 987-995.	1.4	15
77	Transient elastography and biomarkers for liver fibrosis assessment and follow-up of inactive hepatitis B carriers. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 455-465.	1.9	71
78	Dual cut-off transient elastography to assess liver fibrosis in chronic hepatitis B: a cohort study with internal validation. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 34, 353-362.	1.9	66
79	Proficiency of transient elastography compared to liver biopsy for the assessment of fibrosis in HIV/HBV-coinfected patients. <i>Journal of Viral Hepatitis</i> , 2011, 18, 61-69.	1.0	51
80	Prognostic significance of liver stiffness for hepatocellular carcinoma and mortality in HBeAg-negative chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2011, 18, 738-744.	1.0	42
81	Dynamic evaluation of liver stiffness measurement to improve diagnostic accuracy of liver cirrhosis in patients with chronic hepatitis B acute exacerbation. <i>Journal of Viral Hepatitis</i> , 2011, 18, 884-891.	1.0	37
82	Significant changes in liver stiffness measurements in patients with chronic hepatitis B: 3-year follow-up study. <i>Journal of Viral Hepatitis</i> , 2011, 18, e200-5.	1.0	47

#	ARTICLE	IF	CITATIONS
83	The effect of caffeine and alcohol consumption on liver fibrosis - a study of 1045 Asian hepatitis B patients using transient elastography. <i>Liver International</i> , 2011, 31, 1047-1053.	1.9	31
84	Effect of Detoxification on Liver Stiffness Assessed by Fibroscan® in Alcoholic Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 566-570.	1.4	61
85	Prospective Evaluation of FibroScan for the Diagnosis of Hepatic Fibrosis Compared with Liver Biopsy/AST Platelet Ratio Index and FIB-4 in Patients with Chronic HBV Infection. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2742-2749.	1.1	78
86	Reduction of liver stiffness by antiviral therapy in chronic hepatitis B. <i>Journal of Gastroenterology</i> , 2011, 46, 1324-1334.	2.3	48
87	Invasive and non-invasive methods for the assessment of fibrosis and disease progression in chronic liver disease. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2011, 25, 291-303.	1.0	119
88	The use of transient elastography in the management of chronic hepatitis B. <i>Hepatology International</i> , 2011, 5, 868-875.	1.9	14
89	Noninvasive Markers of Hepatic Fibrosis in Chronic Hepatitis B. <i>Current Hepatitis Reports</i> , 2011, 10, 87-97.	0.3	51
90	High prevalence of significant liver fibrosis and cirrhosis in chronic hepatitis B patients with normal ALT in central Europe. <i>Journal of Medical Virology</i> , 2011, 83, 968-973.	2.5	41
92	Non-invasive detection of hepatic amyloidosis: FibroScan, a new tool. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011, 18, 19-24.	1.4	29
93	Risk Assessment of Esophageal Variceal Bleeding in B-Viral Liver Cirrhosis by a Liver Stiffness Measurement-Based Model. <i>American Journal of Gastroenterology</i> , 2011, 106, 1654-1662.	0.2	56
94	Diagnostic accuracy of transient elastography (FibroScan) versus the aspartate transaminase to platelet ratio index in assessing liver fibrosis in chronic hepatitis B: The role in primary care setting. <i>Journal of Clinical Pathology</i> , 2011, 64, 916-920.	1.0	34
95	Mild-to-Moderate Elevation of Alanine Aminotransferase Increases Liver Stiffness Measurement by Transient Elastography in Patients With Chronic Hepatitis B. <i>American Journal of Gastroenterology</i> , 2011, 106, 492-496.	0.2	52
96	Transient elastography in chronic viral hepatitis: a critical appraisal. <i>Gut</i> , 2011, 60, 759-764.	6.1	20
97	Clinical and virological outcomes in HIV-infected patients with chronic hepatitis B on long-term nucleos(t)ide analogues. <i>Aids</i> , 2011, 25, 73-79.	1.0	74
98	Minimal hepatic encephalopathy in patients with cirrhosis by measuring liver stiffness and hepatic venous pressure gradient. <i>Saudi Journal of Gastroenterology</i> , 2012, 18, 316.	0.5	5
99	Is ultrasound elastography of the liver ready to replace biopsy? A critical review of the current techniques. <i>Ultrasound</i> , 2012, 20, 24-32.	0.3	12
100	The accuracy of noninvasive methods in the prediction of clinically relevant outcomes in patients with chronic liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2012, 6, 679-682.	1.4	5
101	Epidemiology, Responses, and Way Forward. <i>Journal of the International Association of Providers of AIDS Care</i> , 2012, 11, 311-320.	1.2	20

#	ARTICLE	IF	CITATIONS
102	Focus on Therapeutic Strategies of Nonalcoholic Fatty Liver Disease. <i>International Journal of Hepatology</i> , 2012, 2012, 1-9.	0.4	23
104	Optimal Time for Restoring the Reliability of Liver Stiffness Measurement in Patients With Chronic Hepatitis B Experiencing Acute Exacerbation. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 602-607.	1.1	15
107	Comparative Study Concerning the Value of Acoustic Radiation Force Impulse Elastography (ARFI) in Comparison with Transient Elastography (TE) for the Assessment of Liver Fibrosis in Patients with Chronic Hepatitis B and C. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1310-1316.	0.7	56
108	Prediction of Recurrence after Curative Resection of Hepatocellular Carcinoma using Liver Stiffness Measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , 2012, 19, 4278-4286.	0.7	70
109	Clinical and Virological Response to Entecavir in HBV-Related Chronic Hepatitis or Cirrhosis: Data from the Clinical Practice in a Single-Centre Cohort. <i>Antiviral Therapy</i> , 2013, 18, 87-94.	0.6	8
110	Direct comparison of diagnostic performance of transient elastography in patients with chronic hepatitis B and chronic hepatitis C. <i>Liver International</i> , 2012, 32, 612-621.	1.9	123
111	Evaluation of transient elastography for fibrosis assessment compared with large biopsies in chronic hepatitis B and C. <i>Liver International</i> , 2012, 32, 622-628.	1.9	68
112	Can transient elastography be used for the management of chronic hepatitis B patients?. <i>Liver International</i> , 2012, 32, 528-530.	1.9	6
113	Discordance in fibrosis staging between liver biopsy and transient elastography using the FibroScan XL probe. <i>Journal of Hepatology</i> , 2012, 56, 564-570.	1.8	126
114	Follow-up and indications for liver biopsy in HBeAg-negative chronic hepatitis B virus infection with persistently normal ALT: A systematic review. <i>Journal of Hepatology</i> , 2012, 57, 196-202.	1.8	152
115	EASL Clinical Practice Guidelines: Management of chronic hepatitis B virus infection. <i>Journal of Hepatology</i> , 2012, 57, 167-185.	1.8	2,784
117	Five-year on-treatment efficacy of lamivudine, tenofovir and tenofovir + efemtricitabine based HAART in HBV/HIV coinfected patients. <i>Journal of Viral Hepatitis</i> , 2012, 19, 801-810.	1.0	60
118	Noninvasive Methods to Assess Liver Disease in Patients With Hepatitis B or C. <i>Gastroenterology</i> , 2012, 142, 1293-1302.e4.	0.6	533
119	The controlled attenuation parameter (CAP): A novel tool for the non-invasive evaluation of steatosis using Fibroscan®. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012, 36, 13-20.	0.7	232
120	Improving transient elastography performance for detecting hepatitis B cirrhosis. <i>Digestive and Liver Disease</i> , 2012, 44, 61-66.	0.4	26
121	Diagnosing and monitoring cirrhosis: Liver biopsy, hepatic venous pressure gradient and elastography. <i>Gastroenterology and Hepatology</i> , 2012, 35, 488-495.	0.2	37
123	Influence of Fuzheng Huayu Tablet (æ%¶æCE-ç~€ç%¶) on mental state and social function of patients with post-hepatitis B liver cirrhosis. <i>Chinese Journal of Integrative Medicine</i> , 2012, 18, 466-472.	0.7	5
124	Noninvasive markers of fibrosis: key concepts for improving accuracy in daily clinical practice. <i>Annals of Hepatology</i> , 2012, 11, 426-439.	0.6	41

#	ARTICLE	IF	CITATIONS
125	Current Trends in Liver Biopsy Indications for Chronic Liver Diseases. , 2012, , .		2
126	How Many Valid Measurements Are Necessary to Assess Liver Fibrosis Using FibroScan® in Patients with Chronic Viral Hepatitis? An Analysis of Subjects with at Least 10 Valid Measurements. Yonsei Medical Journal, 2012, 53, 337.	0.9	16
127	Transient elastography identifies liver recipients with nonviral graft disease after transplantation: A guide for liver biopsy. Liver Transplantation, 2012, 18, 566-576.	1.3	34
128	Liver stiffness predicts clinical outcome in human immunodeficiency virus/hepatitis C virus-coinfected patients with compensated liver cirrhosis. Hepatology, 2012, 56, 228-238.	3.6	76
129	Noninvasive measurement of liver fibrosis by transient elastography and influencing factors in patients with chronic hepatitis B—A single center retrospective study of 466 patients. Journal of Huazhong University of Science and Technology [Medical Sciences], 2012, 32, 69-74.	1.0	7
130	Liver stiffness and 30-day mortality in a cohort of patients admitted to hospital. European Journal of Clinical Investigation, 2012, 42, 146-152.	1.7	19
131	Non-invasive algorithms for liver fibrosis: authors' reply. Alimentary Pharmacology and Therapeutics, 2012, 35, 311-313.	1.9	0
132	Novel controlled attenuation parameter for noninvasive assessment of steatosis using Fibroscan®: validation in chronic hepatitis C. Journal of Viral Hepatitis, 2012, 19, 244-253.	1.0	182
133	Is transient elastography valuable for high-risk esophageal varices prediction in patients with hepatitis B-related cirrhosis?. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 533-539.	1.4	27
134	Normal liver stiffness values differ between men and women: A prospective study for healthy living liver and kidney donors in a native Korean population. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 781-788.	1.4	29
135	Larger biopsies evaluation of transient elastography for detecting advanced fibrosis in patients with compensated chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 1219-1226.	1.4	22
136	Non-invasive assessment of liver fibrosis in patients with chronic hepatitis B. Hepatology International, 2013, 7, 356-368.	1.9	22
137	The Fatty Liver Index has limited utility for the detection and quantification of hepatic steatosis in obese patients. Hepatology International, 2013, 7, 592-599.	1.9	19
138	Analysis of discordance between transient elastography and liver biopsy for assessing liver fibrosis in chronic hepatitis B virus infection. Hepatology International, 2013, 7, 134-143.	1.9	9
139	The relationship between transient elastography and histological collagen proportionate area for assessing fibrosis in chronic viral hepatitis. Journal of Gastroenterology, 2013, 48, 921-929.	2.3	37
140	Liver stiffness values in HIV-infected patients with isolated anti-hepatitis B core antibodies. Médecine Et Maladies Infectieuses, 2013, 43, 222-225.	5.1	1
142	Management of chronic hepatitis B in childhood: ESPGHAN clinical practice guidelines. Journal of Hepatology, 2013, 59, 814-829.	1.8	178
143	Fibroscan can avoid liver biopsy in Indian patients with chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 1738-1745.	1.4	44

#	ARTICLE	IF	CITATIONS
144	Noninvasive tests for fibrosis and liver stiffness predict 5-year survival of patients chronically infected with hepatitis B virus. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 37, 979-988.	1.9	96
145	Role of fibroscan and APRI in detection of liver fibrosis: A systematic review and meta-analysis. <i>Arab Journal of Gastroenterology</i> , 2013, 14, 44-50.	0.4	34
146	Ultrasound elastography in liver. <i>Diagnostic and Interventional Imaging</i> , 2013, 94, 515-534.	1.8	149
147	Impact of mild to moderate elevations of alanine aminotransferase on liver stiffness measurement in chronic hepatitis B patients during antiviral therapy. <i>Hepatology Research</i> , 2013, 43, 185-191.	1.8	11
148	The influence of aminotransferase levels on liver stiffness assessed by Acoustic Radiation Force Impulse Elastography: A retrospective multicentre study. <i>Digestive and Liver Disease</i> , 2013, 45, 762-768.	0.4	76
149	Influence of different frequencies and insertion depths on the diagnostic accuracy of liver elastography by acoustic radiation force impulse imaging (ARFI). <i>European Journal of Radiology</i> , 2013, 82, 1207-1212.	1.2	49
150	Quantification of Liver Viscoelasticity with Acoustic Radiation Force: A Study of Hepatic Fibrosis in a Rat Model. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 2091-2102.	0.7	60
151	Acoustic Radiation Force Impulse and Supersonic Shear Imaging Versus Transient Elastography for Liver Fibrosis Assessment. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1933-1941.	0.7	86
153	Acoustic radiation force impulse imaging for noninvasive assessment of liver fibrosis in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2013, 20, 240-247.	1.0	69
154	Use of Liver Stiffness Measurement for Liver Resection Surgery: Correlation with Indocyanine Green Clearance Testing and Post-Operative Outcome. <i>PLoS ONE</i> , 2013, 8, e72306.	1.1	30
155	Liver Elastography – An Update. <i>Medical Ultrasonography</i> , 2013, 15, 304-314.	0.4	47
156	Update of liver fibrosis and steatosis with transient elastography (Fibroscan). <i>Gastroenterology Report</i> , 2013, 1, 19-26.	0.6	80
157	Comparative assessment of liver fibrosis by computerized morphometry in naïve patients with chronic hepatitis B and C. <i>Liver International</i> , 2013, 33, 428-438.	1.9	25
158	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , 2013, 33, 706-713.	1.9	14
159	Magnetic Resonance Elastography of Liver. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 887-896.	0.5	74
160	Liver Stiffness Measurement by Transient Elastography as a Predictor on Posthepatectomy Outcomes. <i>Annals of Surgery</i> , 2013, 257, 922-928.	2.1	96
161	Effect of alcohol consumption on liver stiffness measured by transient elastography. <i>World Journal of Gastroenterology</i> , 2013, 19, 516.	1.4	62
162	Defining Normal Liver Stiffness Range in a Normal Healthy Chinese Population without Liver Disease. <i>PLoS ONE</i> , 2013, 8, e85067.	1.1	38

#	ARTICLE	IF	CITATIONS
163	A Health Technology Assessment of Transient Elastography in Adult Liver Disease. Canadian Journal of Gastroenterology & Hepatology, 2013, 27, 149-158.	1.8	31
164	Radiologic Assessment of Liver Fibrosis – Present and Future. , 2013, , .		3
165	Noninvasive Assessment of Hepatic Fibrosis in Patients with Chronic Hepatitis B Viral Infection Using Magnetic Resonance Elastography. Korean Journal of Radiology, 2014, 15, 210.	1.5	31
166	Viscoelastic Parameters for Quantifying Liver Fibrosis: Three-Dimensional Multifrequency MR Elastography Study on Thin Liver Rat Slices. PLoS ONE, 2014, 9, e94679.	1.1	20
167	Liver Stiffness Measurement-Based Scoring System for Significant Inflammation Related to Chronic Hepatitis B. PLoS ONE, 2014, 9, e111641.	1.1	5
168	Invasive and non-invasive diagnosis of cirrhosis and portal hypertension. World Journal of Gastroenterology, 2014, 20, 4300.	1.4	98
169	Non-invasive diagnosis of hepatitis B virus-related cirrhosis. World Journal of Gastroenterology, 2014, 20, 445.	1.4	25
170	Relationship of Liver Stiffness and Controlled Attenuation Parameter Measured by Transient Elastography with Diabetes Mellitus in Patients with Chronic Liver Disease. Journal of Korean Medical Science, 2014, 29, 1113.	1.1	4
171	Non invasive tools for the diagnosis of liver cirrhosis. World Journal of Gastroenterology, 2014, 20, 18131.	1.4	76
172	Value of reelin for assessing hepatic fibrogenesis in a group of Egyptian HCV infected patients. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1319-28.	1.4	12
173	Noninvasive diagnosis of cirrhosis: A review of different imaging modalities. World Journal of Gastroenterology, 2014, 20, 7231.	1.4	27
174	The usefulness of transient elastography in the assessment of patients with <sc>HB</sc>e<sc>A</sc>g negative chronic hepatitis <sc>B</sc> virus infection. Journal of Viral Hepatitis, 2014, 21, 517-524.	1.0	18
175	ELF-test less accurately identifies liver cirrhosis diagnosed by liver stiffness measurement in non-Asian women with chronic hepatitis B. Journal of Clinical Virology, 2014, 61, 503-508.	1.6	0
176	Performance of Enhanced Liver Fibrosis test and comparison with transient elastography in the identification of liver fibrosis in patients with chronic hepatitis <sc>B</sc> infection. Journal of Viral Hepatitis, 2014, 21, 430-438.	1.0	37
177	Hepatic Fibrosis: Prospective Comparison of MR Elastography and US Shear-Wave Elastography for Evaluation. Radiology, 2014, 273, 772-782.	3.6	147
178	Non-invasive diagnosis of liver fibrosis in chronic hepatitis C. World Journal of Gastroenterology, 2014, 20, 2854.	1.4	62
179	Historic and current hepatitis B viral DNA and quantitative HBsAg level are not associated with cirrhosis in non-Asian women with chronic hepatitis B. International Journal of Infectious Diseases, 2014, 29, 133-138.	1.5	6
180	Transient elastography, APRI, and ultrasound have minimal utility in chronic low-replicative hepatitis B infection. European Journal of Gastroenterology and Hepatology, 2014, 26, 1010-1014.	0.8	4

#	ARTICLE	IF	CITATIONS
181	SASLT practice guidelines for the management of hepatitis B virus. Saudi Journal of Gastroenterology, 2014, 20, 5.	0.5	27
182	The incidence of hepatocellular carcinoma is reduced in patients with chronic hepatitis B on long-term nucleos(t)ide analogue therapy. Alimentary Pharmacology and Therapeutics, 2014, 40, 1262-1269.	1.9	53
183	JSH Guidelines for the Management of Hepatitis B Virus Infection. Hepatology Research, 2014, 44, 1-58.	1.8	142
184	Metabolic syndrome association with fibrosis development in chronic hepatitis B virus inactive carriers. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 173-178.	1.4	31
185	Magnetic resonance elastography for the detection and staging of liver fibrosis in chronic hepatitis B. European Radiology, 2014, 24, 70-78.	2.3	147
186	Non-invasive evaluation of liver fibrosis: a comparison of ultrasound-based transient elastography and MR elastography in patients with viral hepatitis B and C. European Radiology, 2014, 24, 638-648.	2.3	90
187	The role of ultrasound elastographic techniques in chronic liver disease: Current status and future perspectives. European Journal of Radiology, 2014, 83, 450-455.	1.2	57
188	Food intake increases liver stiffness measurements and hampers reliable values in patients with chronic hepatitis B and healthy controls: the PROLIFICA experience in The Gambia. Alimentary Pharmacology and Therapeutics, 2014, 39, 188-196.	1.9	56
189	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. Liver International, 2014, 34, 1216-1223.	1.9	32
190	MR Elastography for the Assessment of Hepatic Fibrosis in Patients with Chronic Hepatitis B Infection: Does Histologic Necroinflammation Influence the Measurement of Hepatic Stiffness?. Radiology, 2014, 273, 88-98.	3.6	97
191	Acoustic Radiation Force Impulse (ARFI) and Transient Elastography (TE) for evaluation of liver fibrosis in HIV-HCV co-infected patients. BMC Infectious Diseases, 2014, 14, 405.	1.3	22
192	Knowledge-based fuzzy approach in determining the mass spring stiffness parameter. Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization, 2014, 2, 167-175.	1.3	0
193	Prospective evaluation of FibroTest®, FibroMeter®, and HepaScore® for staging liver fibrosis in chronic hepatitis B: Comparison with hepatitis C. Journal of Hepatology, 2014, 61, 28-34.	1.8	67
194	Hepatitis B: are non-invasive markers of liver fibrosis reliable?. Liver International, 2014, 34, 91-96.	1.9	50
195	Non-invasive assessment of liver fibrosis using real-time tissue elastography in patients with chronic hepatitis B. Clinical Radiology, 2014, 69, 194-199.	0.5	9
197	Ultrasound in chronic liver disease. Insights Into Imaging, 2014, 5, 441-455.	1.6	88
198	Improving performance of liver biopsy in fibrosis assessment. Journal of Hepatology, 2014, 61, 193-195.	1.8	35
199	Is liver biopsy still needed in children with chronic viral hepatitis?. World Journal of Gastroenterology, 2015, 21, 12141.	1.4	34

#	ARTICLE	IF	CITATIONS
200	Hepatitis C Related Chronic Liver Cirrhosis: Feasibility of Texture Analysis of MR Images for Classification of Fibrosis Stage and Necroinflammatory Activity Grade. PLoS ONE, 2015, 10, e0118297.	1.1	33
201	Validation of Ten Noninvasive Diagnostic Models for Prediction of Liver Fibrosis in Patients with Chronic Hepatitis B. PLoS ONE, 2015, 10, e0144425.	1.1	20
202	Ultrasound-based elastography for the diagnosis of portal hypertension in cirrhotics. World Journal of Gastroenterology, 2015, 21, 11542.	1.4	26
203	Imaging Based Methods of Liver Fibrosis Assessment in Viral Hepatitis: A Practical Approach. Interdisciplinary Perspectives on Infectious Diseases, 2015, 2015, 1-10.	0.6	2
204	Diagnostic performance of controlled attenuation parameter for predicting steatosis grade in chronic hepatitis B. Annals of Hepatology, 2015, 14, 826-836.	0.6	18
205	Noninvasive assessment of alcoholic liver disease using unidimensional transient elastography (Fibroscan [®]). World Journal of Gastroenterology, 2015, 21, 11914.	1.4	18
206	EASL-ALEH Clinical Practice Guidelines: Non-invasive tests for evaluation of liver disease severity and prognosis. Journal of Hepatology, 2015, 63, 237-264.	1.8	1,463
207	Can we use HCC risk scores to individualize surveillance in chronic hepatitis B infection?. Journal of Hepatology, 2015, 63, 722-732.	1.8	97
208	Serum Levels of Hepatitis B Surface Antigen Predict Severity of Fibrosis in Patients With E Antigen-Positive Chronic Hepatitis B. Clinical Gastroenterology and Hepatology, 2015, 13, 1532-1539.e1.	2.4	19
209	Reappraisal of serum alpha-fetoprotein as a surveillance test for hepatocellular carcinoma during entecavir treatment. Liver International, 2015, 35, 232-239.	1.9	35
210	Liver stiffness and the prediction of clinically significant portal hypertension and portal hypertensive complications. Scandinavian Journal of Gastroenterology, 2015, 50, 462-469.	0.6	48
211	Transient elastography compared to serum markers to predict liver fibrosis in a cohort of Chinese patients with chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2015, 30, 756-762.	1.4	65
212	Clinical application of transient elastography in patients with chronic viral hepatitis receiving antiviral treatment. Liver International, 2015, 35, 1103-1115.	1.9	57
213	Ultrasound elastography: liver. Abdominal Imaging, 2015, 40, 698-708.	2.0	24
214	Validation of Rapid Point-of-Care (POC) Tests for Detection of Hepatitis B Surface Antigen in Field and Laboratory Settings in the Gambia, Western Africa. Journal of Clinical Microbiology, 2015, 53, 1156-1163.	1.8	81
216	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. Hepatology, 2015, 61, 1851-1859.	3.6	121
217	Probability-Based Interpretation of Liver Stiffness Measurement in Untreated Chronic Hepatitis B Patients. Digestive Diseases and Sciences, 2015, 60, 1448-1456.	1.1	18
218	Influence of Hepatic Inflammation on FibroScan Findings in Diagnosing Fibrosis in Patients with Chronic Hepatitis B. Ultrasound in Medicine and Biology, 2015, 41, 1538-1544.	0.7	26

#	ARTICLE	IF	CITATIONS
219	Elastography Assessment of Liver Fibrosis: Society of Radiologists in Ultrasound Consensus Conference Statement. <i>Radiology</i> , 2015, 276, 845-861.	3.6	468
220	Performance of transient elastography assessing fibrosis of single hepatitis B virus infection: a systematic review and meta-analysis of a diagnostic test. <i>Hepatology International</i> , 2015, 9, 558-566.	1.9	27
221	Noninvasive Assessment of Liver Fibrosis. <i>Digestive Diseases</i> , 2015, 33, 498-503.	0.8	44
222	Significant Variations in Elastometry Measurements Made Within Short-term in Patients With Chronic Liver Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 763-771.e6.	2.4	65
223	WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 3: Liver. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1161-1179.	0.7	620
224	Using Ultrasonic Transient Elastometry (FibroScan) to Predict Esophageal Varices in Patients with Viral Liver Cirrhosis. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1530-1537.	0.7	20
225	Low serum hyaluronic acid levels associated with spontaneous HBsAg clearance. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 2183-2189.	1.3	2
226	Management of chronic hepatitis B infection. <i>BMJ, The</i> , 2015, 351, h4263-h4263.	3.0	54
227	Australian Liver Association (ALA) expert consensus recommendations for the use of transient elastography in chronic viral hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 453-462.	1.4	23
228	Hepatitis B surface antigen levels after hepatitis B antigen seroclearance: a longitudinal follow-up study. <i>Liver International</i> , 2015, 35, 854-859.	1.9	6
229	Noninvasive assessment of liver fibrosis in C282Y homozygous HFE hemochromatosis. <i>Liver International</i> , 2015, 35, 1731-1738.	1.9	39
230	Comparative clinical study between the effect of fenofibrate alone and its combination with pentoxifylline on biochemical parameters and liver stiffness in patients with non-alcoholic fatty liver disease. <i>Hepatology International</i> , 2015, 9, 471-479.	1.9	39
231	Noninvasive score system for fibrosis in chronic hepatitis: proposal for a model based on biochemical, FibroScan and ultrasound data. <i>Liver International</i> , 2015, 35, 2027-2035.	1.9	22
232	Type 2 diabetes: A risk factor for liver mortality and complications in hepatitis B cirrhosis patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 591-599.	1.4	60
233	FibroScan (Vibration-Controlled Transient Elastography): Where Does It Stand in the United States Practice. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 27-36.	2.4	133
234	Epidemiology, disease burden and outcomes of cirrhosis in a large secondary care hospital in South Auckland, New Zealand. <i>Internal Medicine Journal</i> , 2015, 45, 160-169.	0.5	27
235	Contemporary Assessment of Hepatic Fibrosis. <i>Clinics in Liver Disease</i> , 2015, 19, 123-134.	1.0	25
236	Controlled Attenuation Parameter for Noninvasive Assessment of Hepatic Steatosis Using Fibroscan®: Validation in Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2015, 60, 243-251.	1.1	35

#	ARTICLE	IF	CITATIONS
237	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , 2015, 35, 455-462.	1.9	18
238	Serological and clinical outcomes of horizontally transmitted chronic hepatitis B infection in New Zealand Māori: results from a 28-year follow-up study. <i>Gut</i> , 2015, 64, 966-972.	6.1	28
239	Four-dimensional flow magnetic resonance imaging in cirrhosis. <i>World Journal of Gastroenterology</i> , 2016, 22, 89.	1.4	23
240	Noninvasive models for assessment of liver fibrosis in patients with chronic hepatitis B virus infection. <i>World Journal of Gastroenterology</i> , 2016, 22, 6663.	1.4	24
241	Transient elastography and APRI score: looking at false positives and false negatives. Diagnostic performance and association to fibrosis staging in chronic hepatitis C. <i>Brazilian Journal of Medical and Biological Research</i> , 2016, 49, e5432.	0.7	12
242	Transient elastography (FibroScan [®]) with controlled attenuation parameter in the assessment of liver steatosis and fibrosis in patients with nonalcoholic fatty liver disease - Where do we stand?. <i>World Journal of Gastroenterology</i> , 2016, 22, 7236.	1.4	193
243	What we need to know when performing and interpreting US elastography. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 406-414.	4.5	43
244	HIV infection, viral hepatitis and liver fibrosis among prison inmates in West Africa. <i>BMC Infectious Diseases</i> , 2016, 16, 249.	1.3	33
245	Non-invasive Markers of Liver Fibrosis: Adjuncts or Alternatives to Liver Biopsy?. <i>Frontiers in Pharmacology</i> , 2016, 7, 159.	1.6	67
246	Noninvasive Markers to Assess Liver Fibrosis. <i>Journal of Clinical Gastroenterology</i> , 2016, 50, 445-457.	1.1	14
247	Influencing factors of transient elastography in detecting liver stiffness. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 2302-2306.	0.8	8
248	Systematic review with meta-analysis: the diagnostic accuracy of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 43, 458-469.	1.9	116
249	Cytokeratin 18-Aspartate396 apoptotic fragment for fibrosis detection in patients with non-alcoholic fatty liver disease and chronic viral hepatitis. <i>Digestive and Liver Disease</i> , 2016, 48, 55-61.	0.4	19
250	Combined detection of liver stiffness and C-reactive protein in patients with hepatitis B virus-related liver cirrhosis, with and without hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2016, 4, 587-590.	0.4	9
251	Liver and Spleen Stiffness Measurements by Point Shear Wave Elastography via Acoustic Radiation Force Impulse. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 2373-2380.	0.8	34
252	Role of Noninvasive Fibrosis Methods in Management of Chronic Hepatitis B Virus. <i>Current Hepatology Reports</i> , 2016, 15, 220-229.	0.4	1
253	Elastography Assessment of Liver Fibrosis. <i>Ultrasound Quarterly</i> , 2016, 32, 94-107.	0.3	99
254	Major changes in the number and indications of liver biopsy for chronic liver diseases over one decade in France. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, e26-e32.	0.8	10

#	ARTICLE	IF	CITATIONS
256	Liver Fibrosis Regression Measured by Transient Elastography in Human Immunodeficiency Virus (HIV)-Hepatitis B Virus (HBV)-Coinfected Individuals on Long-Term HBV-Active Combination Antiretroviral Therapy. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw035.	0.4	19
257	The Application of Liver Stiffness Measurement in Residents Without Overt Liver Diseases Through a Community-Based Screening Program. <i>Medicine (United States)</i> , 2016, 95, e3193.	0.4	15
258	Predicting the severity of liver cirrhosis through clinical parameters. <i>Journal of Surgical Research</i> , 2016, 204, 274-281.	0.8	13
259	Shear Wave Speed Measurements Using Crawling Wave Sonoelastography and Single Tracking Location Shear Wave Elasticity Imaging for Tissue Characterization. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2016, 63, 1351-1360.	1.7	29
260	FibroGENE: A gene-based model for staging liver fibrosis. <i>Journal of Hepatology</i> , 2016, 64, 390-398.	1.8	64
263	The gamma-glutamyl transpeptidase to platelet ratio (GPR) predicts significant liver fibrosis and cirrhosis in patients with chronic HBV infection in West Africa. <i>Gut</i> , 2016, 65, 1369-1376.	6.1	267
264	Are noninvasive fibrosis markers for chronic hepatitis B reliable in sub-Saharan Africa?. <i>Liver International</i> , 2017, 37, 1461-1467.	1.9	38
265	The value of ElastPQ for the evaluation of liver stiffness in patients with B and C chronic hepatopathies. <i>Ultrasonics</i> , 2017, 77, 144-151.	2.1	29
266	Stage of fibrosis and portal pressure correlation in nonalcoholic steatohepatitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 516-523.	0.8	16
267	A diagnostic algorithm for assessment of liver fibrosis by liver stiffness measurement in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2017, 24, 1005-1015.	1.0	23
268	Mechanism and prediction of HCC development in HBV infection. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 291-298.	1.0	22
269	American Gastroenterological Association Institute Technical Review on the Role of Elastography in Chronic Liver Diseases. <i>Gastroenterology</i> , 2017, 152, 1544-1577.	0.6	208
270	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2017, 112, 882-891.	0.2	42
271	Association between non-hypervascular hypointense nodules on gadoxetic acid-enhanced MRI and liver stiffness or hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2017, 95, 362-369.	1.2	9
272	Use of Liver Imaging and Biopsy in Clinical Practice. <i>New England Journal of Medicine</i> , 2017, 377, 756-768.	13.9	280
273	Reply to Huang et al.. <i>American Journal of Gastroenterology</i> , 2017, 112, 1478-1479.	0.2	0
274	Characteristics of patients with hepatitis B virus and hepatitis C virus dual infection in a Western European country: Comparison with monoinfected patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2017, 41, 656-663.	0.7	11
275	Establishing ultrasound based transient elastography cutoffs for different stages of hepatic fibrosis and cirrhosis in Egyptian chronic hepatitis C patients. <i>Arab Journal of Gastroenterology</i> , 2017, 18, 210-215.	0.4	3

#	ARTICLE	IF	CITATIONS
276	Real-time elastography (RTE): a valuable sonography-based non-invasive method for the assessment of liver fibrosis in chronic hepatitis B. <i>Abdominal Radiology</i> , 2017, 42, 2632-2638.	1.0	8
277	Current Condition of Chronic Hepatitis B Virus Infection in Cuban Adults. <i>Current Therapeutic Research</i> , 2017, 85, 15-19.	0.5	6
278	Ex vivo study of acoustic radiation force impulse imaging elastography for evaluation of rat liver with steatosis. <i>Ultrasonics</i> , 2017, 74, 161-166.	2.1	9
279	Optimization of hepatitis B cirrhosis detection by stepwise application of transient elastography and routine biomarkers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 459-465.	1.4	12
280	Fibrosis assessment in patients with chronic hepatitis B virus (HBV) infection. <i>Annals of Translational Medicine</i> , 2017, 5, 40-40.	0.7	67
281	A Noninvasive Score Model for Prediction of NASH in Patients with Chronic Hepatitis B and Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2017, 2017, 1-7.	0.9	11
282	Panel of three novel serum markers predicts liver stiffness and fibrosis stages in patients with chronic liver disease. <i>PLoS ONE</i> , 2017, 12, e0173506.	1.1	20
283	Comparison of diagnostic accuracy of magnetic resonance elastography and Fibroscan for detecting liver fibrosis in chronic hepatitis B patients: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0186660.	1.1	61
284	Noninvasive Diagnostic and Prognostic Assessment Tools for Liver Fibrosis and Cirrhosis in Patients with Chronic Liver Disease. , 2017, , .		3
285	A novel predictive model using routinely clinical parameters to predict liver fibrosis in patients with chronic hepatitis B. <i>Oncotarget</i> , 2017, 8, 59257-59267.	0.8	22
286	Quantitative Elastography Methods in Liver Disease: Current Evidence and Future Directions. <i>Radiology</i> , 2018, 286, 738-763.	3.6	215
287	Diagnostic accuracy of liver stiffness measurement in chronic hepatitis B patients with normal or mildly elevated alanine transaminase levels. <i>Scientific Reports</i> , 2018, 8, 5224.	1.6	28
288	Influence of antiviral therapy on the liver stiffness in chronic HBV hepatitis. <i>Infection</i> , 2018, 46, 231-238.	2.3	13
289	Non-invasive Assessment of Liver Disease. , 2018, , 163-179.		0
290	Changes of FibroScan, APRI, and FIB-4 in chronic hepatitis B patients with significant liver histological changes receiving 3-year entecavir therapy. <i>Clinical and Experimental Medicine</i> , 2018, 18, 273-282.	1.9	11
291	Prospects in non-invasive assessment of liver fibrosis: Liquid biopsy as the future gold standard?. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1024-1036.	1.8	41
292	Field performance of the Determine HBsAg point-of-care test for diagnosis of hepatitis B virus co-infection among HIV patients in Zambia. <i>Journal of Clinical Virology</i> , 2018, 98, 5-7.	1.6	15
293	Liver stiffness measurement in the primary care setting detects high rates of advanced fibrosis and predicts liver-related events in hepatitis C. <i>Journal of Hepatology</i> , 2018, 69, 575-583.	1.8	27

#	ARTICLE	IF	CITATIONS
294	Liver Stiffness by Ultrasound Elastography. , 2018, , 95-111.		1
295	Diverse correlations between fibrosis-related factors and liver stiffness measurement by transient elastography in chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 217-225.	0.8	6
296	Shear wave liver elastography. <i>Abdominal Radiology</i> , 2018, 43, 800-807.	1.0	99
297	Onâ€treatment changes of liver stiffness at week 26 could predict 2â€year clinical outcomes in <scp>HBV</scp>â€related compensated cirrhosis. <i>Liver International</i> , 2018, 38, 1045-1054.	1.9	29
299	Ultrasound diagnosis of hepaticfibrosis and steatosis. <i>Acta Hepatologica Japonica</i> , 2018, 59, 384-392.	0.0	0
301	Prevalence and Determinants of Significant Liver Fibrosis by Vibration-Controlled Transient Elastography in Thai Chronic Hepatitis B Patients. <i>International Journal of Hepatology</i> , 2018, 2018, 1-7.	0.4	0
302	Magnetic Resonance Elastography of Liver. <i>Topics in Magnetic Resonance Imaging</i> , 2018, 27, 319-333.	0.7	92
303	The current situation and challenges of screening for and treating hepatitis B in sub-Saharan Africa. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 537-546.	1.4	15
304	Transient Elastography for Significant Liver Fibrosis and Cirrhosis in Chronic Hepatitis B: A Meta-Analysis. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018, 2018, 1-13.	0.8	19
305	Non-invasive diagnosis of liver fibrosis in patients with alcohol-related liver disease by transient elastography: an individual patient data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 614-625.	3.7	91
306	HBV and HIV viral load but not microbial translocation or immune activation are associated with liver fibrosis among patients in South Africa. <i>BMC Infectious Diseases</i> , 2018, 18, 214.	1.3	22
307	How does antiviral therapy for hepatitis B influence liver stiffness?. <i>Future Virology</i> , 2018, 13, 521-523.	0.9	0
308	The development and validation of magnetic resonance elastography for fibrosis staging in primary sclerosing cholangitis. <i>European Radiology</i> , 2019, 29, 1039-1047.	2.3	22
309	Determination of liver fibrosis stages in Egyptian chronic hepatitis B patients by a noninvasive tool. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 1145-1150.	0.4	1
310	Nonalcoholic Fatty Liver Disease: An Update on the Diagnosis. <i>Gene Expression</i> , 2019, 19, 187-198.	0.5	23
311	Low compliance with hepatocellular carcinoma screening guidelines in hepatitis B/C virus coâ€infected HIV patients with cirrhosis. <i>Journal of Viral Hepatitis</i> , 2019, 26, 1224-1228.	1.0	15
312	Fibrosis in Chronic Liver Disease: An Update on Diagnostic and Treatment Modalities. <i>Drugs</i> , 2019, 79, 903-927.	4.9	47
313	Fuzzy Inference System. <i>Studies in Computational Intelligence</i> , 2019, , 49-61.	0.7	0

#	ARTICLE	IF	CITATIONS
314	Fibrosis evolution in chronic hepatitis B e antigen-negative patients across a 10-year interval. <i>Journal of Viral Hepatitis</i> , 2019, 26, 818-827.	1.0	40
315	Follow-Up Liver Stiffness Measurements after Liver Resection Influence Oncologic Outcomes of Hepatitis-B-Associated Hepatocellular Carcinoma with Liver Cirrhosis. <i>Cancers</i> , 2019, 11, 425.	1.7	8
316	Real-time Knowledge-based Fuzzy Logic Model for Soft Tissue Deformation. <i>Studies in Computational Intelligence</i> , 2019, , .	0.7	0
319	A noninvasive indicator for the diagnosis of early hepatitis B virus-related liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 218-223.	0.8	6
320	Evaluation of Point Shear Wave Elastography Using Acoustic Radiation Force Impulse Imaging for Longitudinal Fibrosis Assessment in Patients with HBeAg-Negative HBV Infection. <i>Journal of Clinical Medicine</i> , 2019, 8, 2101.	1.0	5
321	Serum hepatitis B core-related antigen is an effective tool to categorize patients with HBsAg-negative chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2019, 26, 568-575.	1.0	15
322	Evaluating Noninvasive Markers to Identify Advanced Fibrosis by Liver Biopsy in HBV/HIV Co-infected Adults. <i>Hepatology</i> , 2020, 71, 411-421.	3.6	23
323	Fibrosis-4, aspartate transaminase-to-platelet ratio index, and gamma-glutamyl transpeptidase-to-platelet ratio for risk assessment of hepatocellular carcinoma in chronic hepatitis B patients: comparison with liver biopsy. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 433-439.	0.8	8
324	FibroBox: a novel noninvasive tool for predicting significant liver fibrosis and cirrhosis in HBV infected patients. <i>Biomarker Research</i> , 2020, 8, 48.	2.8	8
325	Noninvasive Assessment of Diffuse Liver Diseases Using Vibration-Controlled Transient Elastography (VCTE). , 0, , .		2
326	Red cell distribution width to platelet ratio predicts liver fibrosis in patients with autoimmune hepatitis. <i>Medicine (United States)</i> , 2020, 99, e21408.	0.4	7
327	Hepatitis C Clearance by Direct-Acting Antivirals Impacts Glucose and Lipid Homeostasis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2702.	1.0	23
328	Diagnostic of hepatic fibrosis with the XL probe of the Fibroscan versus biopsies in patients candidates to bariatric surgery. <i>Clinical Nutrition ESPEN</i> , 2020, 37, 226-232.	0.5	5
329	Elevated liver stiffness without histological evidence of liver fibrosis in rural Ugandans. <i>Journal of Viral Hepatitis</i> , 2020, 27, 1022-1031.	1.0	0
330	Accuracy of FibroScan in analysis of liver fibrosis in patients with concomitant chronic Hepatitis B and nonalcoholic fatty liver disease. <i>Medicine (United States)</i> , 2020, 99, e20616.	0.4	6
331	Elastography in Chronic Liver Diseases. , 0, , .		1
332	A statistical analysis of the correlations among various types of clinical indexes for patients with chronic hepatitis B. <i>Medicine (United States)</i> , 2020, 99, e19201.	0.4	1
333	JNJ-56136379, an HBV Capsid Assembly Modulator, Is Well-Tolerated and Has Antiviral Activity in a Phase 1 Study of Patients With Chronic Infection. <i>Gastroenterology</i> , 2020, 159, 521-533.e9.	0.6	80

#	ARTICLE	IF	CITATIONS
334	Association of Î±-fetoprotein levels with liver stiffness measurement in outpatients with chronic hepatitis B. <i>Bioscience Reports</i> , 2021, 41, .	1.1	6
335	Fatty Acid-Binding Protein 1 as a Potential New Serological Marker of Liver Status in Children With Wilson Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 73, 455-462.	0.9	1
336	Trends in Cirrhosis and Mortality by Age, Sex, Race, and Antiviral Treatment Status Among US Chronic Hepatitis B Patients (2006-2016). <i>Journal of Clinical Gastroenterology</i> , 2021, Publish Ahead of Print, .	1.1	4
337	Demographics and outcomes of hepatitis B and D: A 10-year retrospective analysis in a Swiss tertiary referral center. <i>PLoS ONE</i> , 2021, 16, e0250347.	1.1	9
338	Brazilian Society of Hepatology and Brazilian College of Radiology practice guidance for the use of elastography in liver diseases. <i>Annals of Hepatology</i> , 2021, 22, 100341.	0.6	4
339	EASLâ€ALEH 2015 algorithm for the use of transient elastography in treatmentâ€naive patients with hepatitis B: An independent validation. <i>Journal of Viral Hepatitis</i> , 2021, 28, 1169-1176.	1.0	1
340	The role of elastography in viral hepatitis and autoimmune hepatitis. <i>Minerva Gastroenterology</i> , 2021, 67, 141-150.	0.3	1
341	Combining hepatic surface nodularity and serum tests better predicts hepatic fibrosis stages in chronic liver disease. <i>Abdominal Radiology</i> , 2021, 46, 4189-4199.	1.0	2
342	Assessment of liver fibrosis by transient elastography in young children with chronic hepatitis Bâvirus infection. <i>Hepatology International</i> , 2021, 15, 602-610.	1.9	7
343	Application of Risk Scores for Hepatocellular Carcinoma in Patients with Chronic Hepatitis B: Current Status and Future Perspective. <i>Seminars in Liver Disease</i> , 2021, 41, 285-297.	1.8	7
344	Hepatitis B virus (HBV) viral load, liver and renal function in adults treated with tenofovir disoproxil fumarate (TDF) vs. untreated: a retrospective longitudinal UK cohort study. <i>BMC Infectious Diseases</i> , 2021, 21, 610.	1.3	9
345	Gamma-glutamyl Transpeptidase to Platelet Ratio Predicts Liver Injury in Hepatitis B e Antigen-negative Chronic Hepatitis B Patients With Normal Alanine Aminotransferase. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 10, 247-253.	0.7	4
346	Cirrhosis of Wilsonâ€™s disease: High and low cutoff using acoustic radiation force impulse (ARFI) -Comparison and combination with serum fibrosis index. <i>Clinical Hemorheology and Microcirculation</i> , 2021, , 1-11.	0.9	7
347	Different Risk Factors for Early and Late Recurrence After Curative Resection of Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2022, 46, 197-206.	0.8	9
348	The Role of Elastography in HBV: Assessing Liver Fibrosis. , 2021, , 43-59.		0
350	Clinical Applications of Liver Magnetic Resonance Elastography: Chronic Liver Disease. , 2014, , 39-60.		2
351	Romanian national guidelines and practical recommendations on liver elastography. <i>Medical Ultrasonography</i> , 2014, 16, 123-138.	0.4	28
352	Optimal liver stiffness measurement values for the diagnosis of significant fibrosis and cirrhosis in chronic liver disease in Singapore. <i>Singapore Medical Journal</i> , 2019, 60, 532-537.	0.3	7

#	ARTICLE	IF	CITATIONS
353	Performance of common imaging techniques <i>vs</i> serum biomarkers in assessing fibrosis in patients with chronic hepatitis B: A systematic review and meta-analysis. World Journal of Clinical Cases, 2019, 7, 2022-2037.	0.3	28
354	Prediction of Liver-Related Events Using Fibroscan in Chronic Hepatitis B Patients Showing Advanced Liver Fibrosis. PLoS ONE, 2012, 7, e36676.	1.1	84
355	Performance of Transient Elastography for the Staging of Liver Fibrosis in Patients with Chronic Hepatitis B: A Meta-Analysis. PLoS ONE, 2012, 7, e44930.	1.1	242
356	The Changes of Liver Stiffness and Its Associated Factors for Chronic Hepatitis B Patients with Entecavir Therapy. PLoS ONE, 2014, 9, e93160.	1.1	30
357	The Frequency and Determinants of Liver Stiffness Measurement Failure: A Retrospective Study of 38,464 Examinations. PLoS ONE, 2014, 9, e105183.	1.1	15
358	Evaluating the Significance of Viscoelasticity in Diagnosing Early-Stage Liver Fibrosis with Transient Elastography. PLoS ONE, 2017, 12, e0170073.	1.1	16
359	Clinical Application of Transient Elastography in the Diagnosis of Liver Fibrosis: an Expert Panel Review and Opinion. Journal of Clinical and Translational Hepatology, 2014, 2, 110-6.	0.7	6
360	Principles and clinical application of ultrasound elastography for diffuse liver disease. Ultrasonography, 2014, 33, 149-160.	1.0	104
361	Current role of transient elastography in the management of chronic hepatitis B patients. Ultrasonography, 2017, 36, 86-94.	1.0	17
363	Risk prediction models for hepatocellular carcinoma in different populations. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2016, 28, 150-160.	0.7	10
364	Guidelines for the management of hepatitis B virus infection. Acta Hepatologica Japonica, 2013, 54, 402-472.	0.0	4
365	Cost-effectiveness of non-invasive methods for assessment and monitoring of liver fibrosis and cirrhosis in patients with chronic liver disease: systematic review and economic evaluation. Health Technology Assessment, 2015, 19, 1-410.	1.3	130
366	Clinical applications of transient elastography. Clinical and Molecular Hepatology, 2012, 18, 163.	4.5	93
367	Prediction of fibrosis progression in chronic viral hepatitis. Clinical and Molecular Hepatology, 2014, 20, 228.	4.5	41
368	Liver stiffness measurements in patients with HBV vs HCV chronic hepatitis: A comparative study. World Journal of Gastroenterology, 2010, 16, 4832.	1.4	67
369	Noninvasive assessment of liver fibrosis in patients with chronic hepatitis B. World Journal of Gastroenterology, 2014, 20, 12031.	1.4	21
370	Non-invasive assessment of liver fibrosis in chronic hepatitis B. World Journal of Gastroenterology, 2014, 20, 14568.	1.4	43
371	Hepatitis B and human immunodeficiency virus co-infection. World Journal of Gastroenterology, 2014, 20, 17360.	1.4	37

#	ARTICLE	IF	CITATIONS
372	Value of controlled attenuation parameter in fibrosis prediction in nonalcoholic steatohepatitis. World Journal of Gastroenterology, 2019, 25, 4959-4969.	1.4	13
373	Transient elastography in clinical detection of liver cirrhosis: A systematic review and meta-analysis. Saudi Journal of Gastroenterology, 2016, 22, 294.	0.5	20
374	Transient elastography: Kill two birds with one stone?. World Journal of Hepatology, 2013, 5, 264.	0.8	77
375	Current and future directions for treating hepatitis B virus infection. World Journal of Hepatology, 2015, 7, 1541.	0.8	26
376	Normal liver stiffness: A study in living donors with normal liver histology. World Journal of Hepatology, 2015, 7, 1149.	0.8	18
377	Clinical applications, limitations and future role of transient elastography in the management of liver disease. World Journal of Gastrointestinal Pharmacology and Therapeutics, 2016, 7, 91.	0.6	54
378	Noninvasive assessment of liver fibrosis: Serum markers and transient elastography (FibroScan). Revista Espanola De Enfermedades Digestivas, 2009, 101, 787-99.	0.1	8
379	Diagnostic Estimation of Noninvasive Tests for Hepatic Fibrosis in Chronic Hepatitis B Patients Without a Gold Standard. Hepatitis Monthly, 2016, 16, e31983.	0.1	4
380	The Relationship Between 25-Hydroxyvitamin D3 and Hepatitis B Surface Antigen Levels in Patients with Chronic Hepatitis B in Japan. Hepatitis Monthly, 2018, 18, .	0.1	1
382	Ã%valuer la fibrose: Pourquoi? Comment? Pour qui?. , 2010, , 245-257.		0
383	Que reste-t-il des indications de la ponction biopsie hÃ©patique?. , 2011, , 231-237.		0
384	Tentative Proposal of Optimal Timing of Kasai Operation for Biliary Atresia Based on Fibroscan Results. Korean Journal of Pediatric Gastroenterology and Nutrition, 2011, 14, 74.	0.2	1
385	Metabolic Steatosis & Fibrosis: Review of the Non-Invasive Tools for Diagnosis and Screening. , 0, .		0
387	Transient Elastography (Fibroscan®): A New Look of Liver Fibrosis and Beyond. Euroasian Journal of Hepato-gastroenterology, 2013, 3, 70-77.	0.1	1
389	Current Approaches to the Diagnosis and Screening for Metabolic Disorders in Patients with Nonalcoholic Fatty Liver Disease. MÃ¼narodnij EndokrinologÃ¼nij Å½urnal, 2016, .	0.1	0
390	Relation between hepatitis B viral load and liver fibrosis assessed using transient elastography in patients with chronic hepatitis B virus infection. Egyptian Liver Journal, 2016, 6, 65-69.	0.3	0
391	Diagnosis of liver cirrhosis. Journal of the Korean Medical Association, 2017, 60, 561.	0.1	1
392	Clinical Application of Vibration Controlled Transient Elastography in Patients with Chronic Hepatitis B. Journal of Clinical and Translational Hepatology, 2017, XX, XX-XX.	0.7	2

#	ARTICLE	IF	CITATIONS
393	Noninvasive Assessment of Disease Progression. , 2018, , 117-126.e3.		1
394	Evaluation of Noninvasive Liver Fibrosis Blood Markers in Patients with Chronic Hepatitis B and Hepatitis C. Laboratory Medicine Online, 2019, 9, 153.	0.0	0
395	Efficacy and safety of long-term therapy with nucleos(t)ide analogues in chronic hepatitis B. Terapevticheskii Arkhiv, 2019, 91, 40-47.	0.2	2
397	Introduction to Fibrosis Assessment by Liver Stiffness in Different Etiologies. , 2020, , 105-111.		2
398	<p>The Impact of Virologic Parameters and Liver Fibrosis on Health-Related Quality of Life in Black African Patients with Chronic Hepatitis B: Results from a High Endemic Area</p>. Clinical and Experimental Gastroenterology, 2020, Volume 13, 407-418.	1.0	1
399	Serum Markers as a Predictor of Hepatic Fibrosis Compared to Fibroscan in chronic hepatitis B Infected Egyptian patients: A Cross-sectional Study. Open Biomarkers Journal, 2020, 10, 69-75.	0.1	4
401	Assessment of noninvasive liver stiffness in inactive HBsAg carriers by transient elastography: Fibroscan in inactive HBsAg carriers. Hepatitis Monthly, 2011, 11, 182-5.	0.1	11
402	Non-invasive assessment of liver fibrosis. Annals of Gastroenterology, 2012, 25, 218-231.	0.4	93
403	Better plans and more powerful evidence are needed in the research and treatment of chronic hepatitis B in China. International Journal of Clinical and Experimental Medicine, 2015, 8, 22030-8.	1.3	2
404	Assessment of transient elastography (FibroScan) for diagnosis of fibrosis in non-alcoholic fatty liver disease: A systematic review and meta-analysis. Caspian Journal of Internal Medicine, 2016, 7, 242-252.	0.1	29
405	Hepatitis B Virus Infection: What Is Current and New. Topics in Antiviral Medicine, 2019, 26, 112-116.	0.1	13
406	The Role of Elastography in Non-Alcoholic Fatty Liver Disease. Current Health Sciences Journal, 2020, 46, 255-269.	0.2	0
407	Quantitative evaluation of hepatic fibrosis by fibro Scan and Gd-EOB-DTPA-enhanced T1 mapping magnetic resonance imaging in chronic hepatitis B. Abdominal Radiology, 2022, 47, 684-692.	1.0	6
408	Safety, antiviral activity and pharmacokinetics of JNJ-64530440, a novel capsid assembly modulator, as 4 week monotherapy in treatment-naive patients with chronic hepatitis B virus infection. Journal of Antimicrobial Chemotherapy, 2022, 77, 1102-1110.	1.3	5
409	Evaluation of Liver Fibrosis Using Shear Wave Elastography: An Overview. , 0, , .		0
410	Spontaneous Seroclearance Is Associated with Lower Liver Fibrosis in Treatment-Naive Chronic Hepatitis B Patients. Digestive Diseases and Sciences, 2022, , 1.	1.1	0
411	Staging Fibrosis in Chronic Viral Hepatitis. Viruses, 2022, 14, 660.	1.5	8
412	Diagnostic and risk stratification aspects of liver fibrosis progression in chronic hepatitis B and C viral infection. Rossiiskii Meditsinskii Zhurnal: Organ Ministerstva Zdravookhraneniia RSFSR, 2021, 27, 373-384.	0.1	0

#	ARTICLE	IF	CITATIONS
415	Lower prevalence of hepatic fibrosis in low viremic hepatitis B patients with fluctuating HBV DNA levels. Saudi Journal of Gastroenterology, 2022, 28, 341.	0.5	3
416	A review of the natural history of chronic hepatitis B in the era of transient elastography. Antiviral Therapy, 2009, 14, 489-499.	0.6	34
417	Machine learning models are superior to noninvasive tests in identifying clinically significant stages of NAFLD and NAFLD-related cirrhosis. Hepatology, 2023, 77, 546-557.	3.6	12
418	Formulating Elafibranor and Obeticholic Acid in Liposomes Decreases Drug-Induced Association of SPARC to LX-2 Hepatic Stellate Cells' Extracellular Vesicles. SSRN Electronic Journal, 0, , .	0.4	0
419	Fibroscan® and Shear Wave correlated well in hepatic fibrosis evaluation of patients with chronic liver diseases "in real life situation". Medicine (United States), 2022, 101, e30025.	0.4	3
420	Biomechanical changes in the liver tissue induced by a mouse model of multiple sclerosis (EAE) and the effect of anti-VLA-4 mAb treatment. Archives of Biochemistry and Biophysics, 2022, 728, 109356.	1.4	0
421	Long-term trends of alanine aminotransferase levels among persons living with human immunodeficiency virus/hepatitis B virus with and without hepatitis delta coinfection. Frontiers in Medicine, 0, 9, .	1.2	1
424	Reproducibility of MRI-derived liver surface nodularity score: analysis of patients with repeated MRI in various scanners. Abdominal Radiology, 2023, 48, 590-600.	1.0	1
425	Diagnostic Efficacy of Serum Asialo Î±1-Acid Glycoprotein Levels for Advanced Liver Fibrosis and Cirrhosis in Patients with Chronic Hepatitis B Compared to That in Healthy Subjects: A Prospective Study. Journal of Clinical Medicine, 2023, 12, 712.	1.0	1
426	A novel point-of-care test for cirrhosis based on dimeric to monomeric IgA ratio in blood: a pilot cohort study. Hepatology Communications, 2023, 7, .	2.0	1