

CITATION REPORT

List of articles citing

Removal of cationic dyes from aqueous solution using magnetic multi-wall carbon nanotube nanocomposite as adsorbent

DOI: 10.1016/j.jhazmat.2008.09.072

Journal of Hazardous Materials, 2009, 164, 1517-22.

Source: <https://exaly.com/paper-pdf/46466524/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 884 | A Novel One-Pot Route for Large-Scale Synthesis of Novel Magnetic CNTs/Fe@C Hybrids and Their Applications for Binary Dye Removal. | | |
| 883 | Synthesis of YolkShell Magnetic Porous Organic Nanospheres for Efficient Removal of Methylene Blue from Water. | | |
| 882 | Plasma-induced grafting of cyclodextrin onto multiwall carbon nanotube/iron oxides for adsorbent application. 2010 , 114, 6779-85 | | 253 |
| 881 | Application and toxicity of CNTs in human body. 2010 , 2, 94-98 | | |
| 880 | Adsorption of Cd (II) and Zn (II) from aqueous solutions using magnetic hydroxyapatite nanoparticles as adsorbents. 2010 , 162, 487-494 | | 367 |
| 879 | A novel magnetically separable gamma-Fe ₂ O ₃ /crosslinked chitosan adsorbent: preparation, characterization and adsorption application for removal of hazardous azo dye. <i>Journal of Hazardous Materials</i> , 2010 , 179, 251-7 | 12.8 | 256 |
| 878 | Determination of sulfonamides in soil samples based on alumina-coated magnetite nanoparticles as adsorbents. 2010 , 665, 185-92 | | 68 |
| 877 | Activated carbon/CoFe ₂ O ₄ composites: Facile synthesis, magnetic performance and their potential application for the removal of malachite green from water. 2010 , 156, 243-249 | | 281 |
| 876 | The attachment of Fe ₃ O ₄ nanoparticles to graphene oxide by covalent bonding. 2010 , 48, 3139-3144 | | 387 |
| 875 | Fast removal of organic dyes from aqueous solutions by AC/ferrospinel composite. 2010 , 262, 134-140 | | 61 |
| 874 | Modified maghemite nanoparticles as an efficient adsorbent for removing some cationic dyes from aqueous solution. 2010 , 263, 240-248 | | 160 |
| 873 | Removal of Rhodamine B from Aqueous Solution Using ACF/CNT Composites Prepared by Chemical Vapor Deposition. 2010 , 156-157, 477-480 | | |
| 872 | Reusable nanomaterial and plant biomass composites for the removal of Methylene Blue from water. 2010 , 31, 755-60 | | 8 |
| 871 | Synthesis of carbon nanotubes/metal oxide composites over layered double hydroxides and application in electrooxidation of ethanol. 2010 , 50, 64-72 | | 31 |
| 870 | Uniform polyaniline microspheres: A novel adsorbent for dye removal from aqueous solution. 2010 , 160, 762-767 | | 98 |
| 869 | Study on the adsorption of Neutral Red from aqueous solution onto halloysite nanotubes. 2010 , 44, 1489-97 | | 388 |
| 868 | Magnetic dendritic materials for highly efficient adsorption of dyes and drugs. 2010 , 2, 1483-91 | | 272 |

| | | | |
|-----|---|------|-----|
| 867 | Carboxyl and negative charge-functionalized superparamagnetic nanochains with amorphous carbon shell and magnetic core: synthesis and their application in removal of heavy metal ions. 2011 , 3, 4600-3 | | 38 |
| 866 | Determination of triazine herbicides in environmental water samples by high-performance liquid chromatography using graphene-coated magnetic nanoparticles as adsorbent. 2011 , 708, 155-9 | | 194 |
| 865 | Preferential and Enhanced Adsorption of Different Dyes on Iron Oxide Nanoparticles: A Comparative Study. 2011 , 115, 8024-8033 | | 199 |
| 864 | Magnetic multi-walled carbon nanotubes assisted dispersive solid phase extraction of nerve agents and their markers from muddy water. 2011 , 86, 248-55 | | 94 |
| 863 | Fabrication of carboxylic functionalized superparamagnetic mesoporous silica microspheres and their application for removal basic dye pollutants from water. 2011 , 139, 8-15 | | 77 |
| 862 | Control of porosity and pore size of metal reinforced carbon nanotube membranes. 2010 , 1, 25-36 | | 38 |
| 861 | Syntheses of Carbon Nanotube-Metal Oxides Composites; Adsorption and Photo-degradation. 2011 , | | 25 |
| 860 | The Adsorption Behavior of Reactive Dye on Magnetic Chitosan Coated Cotton Fibers. 2011 , 396-398, 2198-2201 | | |
| 859 | Role of Ni(NO ₃) ₂ in the preparation of a magnetic coal-based activated carbon. 2011 , 21, 599-603 | | 7 |
| 858 | Adsorption of Reactive Red M-2BE dye from water solutions by multi-walled carbon nanotubes and activated carbon. <i>Journal of Hazardous Materials</i> , 2011 , 192, 1122-31 | 12.8 | 266 |
| 857 | Novel magnetic Fe ₃ O ₄ @C nanoparticles as adsorbents for removal of organic dyes from aqueous solution. <i>Journal of Hazardous Materials</i> , 2011 , 193, 325-9 | 12.8 | 305 |
| 856 | Removal of some cationic dyes from aqueous solutions using magnetic-modified multi-walled carbon nanotubes. <i>Journal of Hazardous Materials</i> , 2011 , 196, 109-14 | 12.8 | 282 |
| 855 | Removal of methylene blue from aqueous solution with magnetite loaded multi-wall carbon nanotube: kinetic, isotherm and mechanism analysis. <i>Journal of Hazardous Materials</i> , 2011 , 198, 282-90 | 12.8 | 521 |
| 854 | Preparation of a graphene-based magnetic nanocomposite for the removal of an organic dye from aqueous solution. 2011 , 173, 92-97 | | 282 |
| 853 | Preparation and characterization of magnetic rectorite/iron oxide nanocomposites and its application for the removal of the dyes. 2011 , 174, 489-494 | | 80 |
| 852 | Preparation of a graphene-based magnetic nanocomposite for the extraction of carbamate pesticides from environmental water samples. 2011 , 1218, 7936-42 | | 252 |
| 851 | Review on the progress in synthesis and application of magnetic carbon nanocomposites. 2011 , 3, 2748-67 | | 196 |
| 850 | Characterization of Co(II) removal from aqueous solution using bentonite/iron oxide magnetic composites. 2011 , 290, 675-684 | | 27 |

| | | | |
|-----|--|------|-----|
| 849 | Characterization of magnetic soluble starch-functionalized carbon nanotubes and its application for the adsorption of the dyes. <i>Journal of Hazardous Materials</i> , 2011 , 186, 2144-50 | 12.8 | 159 |
| 848 | Preparation and characterization of magnetic chitosan microsphere sorbent for separation and determination of environmental estrogens through SPE coupled with HPLC. 2011 , 34, 46-52 | | 26 |
| 847 | Magnetic halloysite nanotubes/iron oxide composites for the adsorption of dyes. 2011 , 168, 959-963 | | 165 |
| 846 | Selective adsorption and separation of BPA from aqueous solution using novel molecularly imprinted polymers based on kaolinite/Fe ₃ O ₄ composites. 2011 , 171, 603-611 | | 144 |
| 845 | Removal of methylene blue from aqueous solution by montmorillonite/CoFe ₂ O ₄ composite with magnetic separation performance. 2011 , 266, 72-77 | | 155 |
| 844 | Removal of Neutral Red from aqueous solution by using modified hectorite. 2011 , 267, 9-15 | | 29 |
| 843 | Preparation of magnetic CoFe ₂ O ₄ -functionalized graphene sheets via a facile hydrothermal method and their adsorption properties. 2011 , 184, 953-958 | | 225 |
| 842 | Removal of 1-naphthylamine from aqueous solution by multiwall carbon nanotubes/iron oxides/cyclodextrin composite. <i>Journal of Hazardous Materials</i> , 2011 , 185, 463-71 | 12.8 | 123 |
| 841 | 3-aminopropyltriethoxysilane functionalized nanoscale zero-valent iron for the removal of dyes from aqueous solution. 2011 , 13, 35-39 | | 5 |
| 840 | Adsorption of Reactive Blue 4 dye from water solutions by carbon nanotubes: experiment and theory. 2012 , 14, 11139-53 | | 133 |
| 839 | Adsorption of anionic dye Direct Red 23 onto magnetic multi-walled carbon nanotubes-Fe ₃ C nanocomposite: Kinetics, equilibrium and thermodynamics. 2012 , 210, 87-95 | | 136 |
| 838 | Simultaneous adsorption of atrazine and Cu (II) from wastewater by magnetic multi-walled carbon nanotube. 2012 , 211-212, 470-478 | | 223 |
| 837 | Stable organic-inorganic hybrid of polyaniline/zirconium phosphate for efficient removal of organic pollutants in water environment. 2012 , 4, 2686-92 | | 127 |
| 836 | Application of Iron Oxide Based Nanomaterials (NMs) in Magnetic Assisted Chemical Separation (MACS) Processes for Water/Wastewater Treatment. 2012 , 610-613, 1242-1251 | | 3 |
| 835 | A Comparative Study on the Adsorption of Acid and Reactive Dyes on Multiwall Carbon Nanotubes in Single and Binary Dye Systems. 2012 , 57, 1563-1569 | | 95 |
| 834 | Extraction and preconcentration of trace levels of cobalt using functionalized magnetic nanoparticles in a sequential injection lab-on-valve system with detection by electrothermal atomic absorption spectrometry. 2012 , 713, 92-6 | | 52 |
| 833 | Removal of Cationic Dye by Magnetic Nanoparticle (Fe ₃ O ₄) Impregnated onto Activated Maize Cob Powder and Kinetic Study of Dye Waste Adsorption. 2012 , 1, 83-89 | | 57 |
| 832 | A simplified method for synthesis of Fe ₃ O ₄ @PAA nanoparticles and its application for the removal of basic dyes. 2012 , 258, 3897-3902 | | 81 |

| | | |
|-----|--|-----|
| 831 | Synergistic and competitive adsorption of organic dyes on multiwalled carbon nanotubes. 2012 , 197, 34-40 | 161 |
| 830 | Surface molecular imprinting onto magnetic yeast composites via atom transfer radical polymerization for selective recognition of cefalexin. 2012 , 198-199, 503-511 | 45 |
| 829 | Adsorption of bilirubin to magnetic multi-walled carbon nanotubes as a potential application in bound solute dialysis. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012 , 405, 38-44 ^{5.1} | 28 |
| 828 | Evaluation of carbon-based nanosorbents synthesised by ethylene decomposition on stainless steel substrates as potential sequestering materials for nickel ions in aqueous solution. 2012 , 24, 1559-68 | 22 |
| 827 | Magnetic CoFe ₂ O ₄ @Graphene Hybrids: Facile Synthesis, Characterization, and Catalytic Properties. 2012 , 51, 6044-6051 | 185 |
| 826 | Fe nanoparticle-functionalized multi-walled carbon nanotubes: one-pot synthesis and their applications in magnetic removal of heavy metal ions. 2012 , 22, 9230 | 64 |
| 825 | Facile synthesis of multiwall carbon nanotubes/iron oxides for removal of tetrabromobisphenol A and Pb(II). 2012 , 22, 15853 | 137 |
| 824 | Poly(lactide)-functionalized and Fe ₃ O ₄ nanoparticle-decorated multiwalled carbon nanotubes for preparation of electrically-conductive and magnetic poly(lactide) films and electrospun nanofibers. 2012 , 22, 4855 | 37 |
| 823 | Impact of environmental conditions on the removal of Ni(II) from aqueous solution to bentonite/iron oxide magnetic composites. 2012 , 292, 1181-1191 | 4 |
| 822 | Characterization of magnetic guar gum-grafted carbon nanotubes and the adsorption of the dyes. 2012 , 87, 1919-1924 | 78 |
| 821 | Comparison of activated carbon and iron impregnated activated carbon derived from Gliba lignite to remove cyanide from water. 2012 , 181-182, 467-478 | 70 |
| 820 | Synthesis, characterization, and adsorption properties of magnetic Fe ₃ O ₄ @graphene nanocomposite. 2012 , 184, 326-332 | 477 |
| 819 | Halloysite nanotube-Fe ₃ O ₄ composite for removal of methyl violet from aqueous solutions. 2012 , 293, 46-52 | 92 |
| 818 | Facile synthesis, characterization of a MnFe ₂ O ₄ /activated carbon magnetic composite and its effectiveness in tetracycline removal. 2012 , 135, 16-24 | 154 |
| 817 | Preparation of surface modified zinc oxide nanoparticle with high capacity dye removal ability. 2012 , 47, 1800-1809 | 26 |
| 816 | Adsorption of reactive yellow 145 onto chitosan coated magnetite nanoparticles. 2012 , 124, 576-584 | 40 |
| 815 | Decoration of multi-walled carbon nanotubes (MWCNTs) with different ferrite nanoparticles and its use as an adsorbent. 2013 , 3, 1 | 39 |
| 814 | Catalytic wet air oxidation of phenol over Co-doped Fe ₃ O ₄ nanoparticles. 2013 , 15, 1 | 8 |

| | | | |
|-----|---|------|-----|
| 813 | Dye removal using modified copper ferrite nanoparticle and RSM analysis. 2013 , 185, 10235-48 | | 10 |
| 812 | Kinetic and Thermodynamic Studies of the Adsorption of Several Anionic Dyes From Water Samples on Magnetite-Modified Multi-Walled Carbon Nanotubes. 2013 , 48, 2638-2648 | | 9 |
| 811 | The adsorption of malachite green (MG) as a cationic dye onto functionalized multi walled carbon nanotubes. 2013 , 30, 1603-1608 | | 80 |
| 810 | A bioconjugated design for amino acid-modified mesoporous silicas as effective adsorbents for toxic chemicals. <i>Journal of Hazardous Materials</i> , 2013 , 260, 1083-91 | 12.8 | 17 |
| 809 | Solid-phase microextraction based on cetyltrimethylammonium bromide-coated magnetic nanoparticles for determination of antidepressants from biological fluids. 2013 , 22, 1570-1577 | | 47 |
| 808 | Magnetic (nano)materials as an useful tool for sample preparation in analytical methods. A review. 2013 , 5, 4558 | | 90 |
| 807 | Magnetic multi-wall carbon nanotube nanocomposite as an adsorbent for preconcentration and determination of lead (II) and manganese (II) in various matrices. 2013 , 115, 744-50 | | 120 |
| 806 | A novel water treatment magnetic nanomaterial for removal of anionic and cationic dyes under severe condition. 2013 , 233, 258-264 | | 91 |
| 805 | Manufactured Nanomaterials: The Connection Between Environmental Fate and Toxicity. 2013 , 43, 2581-2616 | 15 | |
| 804 | Synthesis of Fe ₂ O ₃ Nanoparticles Via Various Methods and Coating With Silica for Drug Immobilization. 2013 , 43, 1224-1227 | | 1 |
| 803 | Sequential study on reactive blue 29 dye removal from aqueous solution by peroxy acid and single wall carbon nanotubes: experiment and theory. 2013 , 10, 5 | | 8 |
| 802 | Isotherm modeling, kinetic study and optimization of batch parameters for effective removal of Acid Blue 45 using tannery waste. <i>Journal of Molecular Liquids</i> , 2013 , 187, 189-200 | 6 | 15 |
| 801 | Covalent and Non-Covalent Functionalization of Carbon Nanotubes. 2013 , 317-330 | | 2 |
| 800 | Regenerable granular carbon nanotubes/alumina hybrid adsorbents for diclofenac sodium and carbamazepine removal from aqueous solution. 2013 , 47, 4139-47 | | 139 |
| 799 | An alternative hydrothermal route to amorphous carbon nanotubes for treatment of organic pollutants in water. <i>RSC Advances</i> , 2013 , 3, 23197 | 3.7 | 9 |
| 798 | Rheology and microstructure of dilute graphene oxide suspension. 2013 , 15, 1 | | 44 |
| 797 | Synthesis of Amine-Functionalized Magnetic Ferrite Nanoparticle and Its Dye Removal Ability. 2013 , 139, 1382-1390 | | 67 |
| 796 | The Change from Past to Future for Adsorbent Materials in Treatment of Dyeing Wastewaters. 2013 , 6, 5131-5158 | | 127 |

| | | | |
|-----|--|------|-----|
| 795 | Thermally reduced graphene: synthesis, characterization and dye removal applications. <i>RSC Advances</i> , 2013 , 3, 24455 | 3.7 | 27 |
| 794 | Preparation, characterization and adsorption properties of chitosan modified magnetic graphitized multi-walled carbon nanotubes for highly effective removal of a carcinogenic dye from aqueous solution. 2013 , 285, 865-873 | | 89 |
| 793 | Graphene oxide-chitosan composite hydrogels as broad-spectrum adsorbents for water purification. 2013 , 1, 1992-2001 | | 497 |
| 792 | Synthesis and characterization of magnetic nano-material for removal of Eu ³⁺ ions from aqueous solutions. 2013 , 295, 929-935 | | 11 |
| 791 | Nickel Ferrite Nanoparticle: Synthesis, Modification by Surfactant and Dye Removal Ability. <i>Water, Air, and Soil Pollution</i> , 2013 , 224, 1 | 2.6 | 61 |
| 790 | Fe ₃ O ₄ @C@polyaniline trilaminar core-shell composite microspheres as separable adsorbent for organic dye. 2013 , 87, 8-13 | | 50 |
| 789 | Facile fabrication of ZnLa _{0.02} Fe _{1.98} O ₄ /PPy and application in water treatment. 2013 , 178, 1476-1482 | | 16 |
| 788 | Synthesis of Ce ³⁺ doped ZnFe ₂ O ₄ self-assembled clusters and adsorption of chromium(VI). <i>Journal of Hazardous Materials</i> , 2013 , 250-251, 229-37 | 12.8 | 34 |
| 787 | Adsorption of an azo dye in an aqueous solution using hydroxyl-terminated polybutadiene (HTPB). 2013 , 91, 935-40 | | 9 |
| 786 | Adsorption Behavior of Basic Red 46 by Single-Walled Carbon Nanotubes Surfaces. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2013 , 21, 286-301 | 1.8 | 51 |
| 785 | Sorption of pollutants by porous carbon, carbon nanotubes and fullerene- an overview. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 2828-43 | 5.1 | 760 |
| 784 | Adsorptive removal of dyes from aqueous solution onto carbon nanotubes: a review. 2013 , 193-194, 24-34 | | 902 |
| 783 | Synthesis, bifunctionalization, and remarkable adsorption performance of benzene-bridged periodic mesoporous organosilicas functionalized with high loadings of carboxylic acids. 2013 , 19, 6358-67 | | 47 |
| 782 | Facile Low Temperature Hydrothermal Synthesis of Magnetic Mesoporous Carbon Nanocomposite for Adsorption Removal of Ciprofloxacin Antibiotics. 2013 , 52, 2604-2612 | | 133 |
| 781 | Equilibrium and kinetic studies on acid dye Acid Red 88 adsorption by magnetic ZnFe ₂ O ₄ spinel ferrite nanoparticles. 2013 , 398, 152-60 | | 187 |
| 780 | Silver modified magnetic carbon nanotubes composite as a selective solid phase extractor for preconcentration and determination of trace mercury ions in water solution. 2013 , 93, 1513-1524 | | 11 |
| 779 | Adsorptive removal of Congo red dye from wastewater by mixed iron oxide-alumina nanocomposites. 2013 , 39, 5443-5451 | | 91 |
| 778 | Simultaneous removal of Cd(II) and ionic dyes from aqueous solution using magnetic graphene oxide nanocomposite as an adsorbent. 2013 , 226, 189-200 | | 472 |

| | | |
|-----|---|--------|
| 777 | Adsorption of acid red18 dye from aqueous solution using single-wall carbon nanotubes: kinetic and equilibrium. 2013 , 51, 6507-6516 | 27 |
| 776 | Removal of anionic azo dyes from aqueous solution using magnetic polymer multi-wall carbon nanotube nanocomposite as adsorbent. 2013 , 223, 84-90 | 147 |
| 775 | A facile one-pot solvothermal method to produce superparamagnetic graphene-Fe ₃ O ₄ nanocomposite and its application in the removal of dye from aqueous solution. 2013 , 101, 210-4 | 105 |
| 774 | Adsorption of Acid Blue 161 (AB 161) Dye from Water by Multi-walled Carbon Nanotubes. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2013 , 21, 579-593 | 1.8 22 |
| 773 | Adsorption of reactive blue 29 dye from aqueous solution by multiwall carbon nanotubes. 2013 , 51, 7655-7662 | 31 |
| 772 | REMOVAL OF CATIONIC DYES FROM AQUEOUS SOLUTION USING CARBON-ENCAPSULATED SUPERPARAMAGNETIC COLLOIDAL NANOPARTICLES AS ADSORBENT. 2013 , 08, 1350006 | 4 |
| 771 | Recent advances in heterogeneous photocatalytic decolorization of synthetic dyes. 2014 , 2014, 692307 | 194 |
| 770 | Ecofriendly Application of Nanomaterials: Nanobioremediation. 2014 , 2014, 1-7 | 100 |
| 769 | . 2014 , | 10 |
| 768 | Investigation of Safranin O adsorption on superparamagnetic iron oxide nanoparticles (SPION) and multi-wall carbon nanotube/SPION composites. 2014 , 52, 6966-6975 | 11 |
| 767 | Preparation of an Estriol Surface Imprinted Polymer and its Adsorption Ability Evaluation. 2014 , 53, 662-672 | 3 |
| 766 | Surface modifications of halloysite nanotubes with superparamagnetic Fe ₃ O ₄ nanoparticles and carbonaceous layers for efficient adsorption of dyes in water treatment. 2014 , 30, 971-977 | 29 |
| 765 | Application of Carbon Nanotube-Polymer Composites and Carbon Nanotube-Semiconductor Hybrids in Water Treatment. 2014 , 183-227 | |
| 764 | Adsorption and photodegradation of methylene blue on TiO ₂ -halloysite adsorbents. 2014 , 31, 2051-2056 | 46 |
| 763 | Modification of carbon nanotubes with cationic surfactant and its application for removal of direct dyes. 2014 , 52, 4356-4368 | 16 |
| 762 | Hierarchical co-assembly avenue to uniform rhombododecahedral magnetic mesoporous graphitic composites. 2014 , 414, 59-65 | 2 |
| 761 | Kinetics and thermodynamics of adsorption of methylene blue by a magnetic graphene-carbon nanotube composite. 2014 , 290, 116-124 | 249 |
| 760 | Ultrasound-assisted magnetic solid-phase extraction based ionic liquid-coated Fe ₃ O ₄ @graphene for the determination of nitrobenzene compounds in environmental water samples. 2014 , 139, 1938-44 | 54 |

| | | | |
|-----|--|------|-----|
| 759 | Investigation of Reactive Red Dye 198 removal using multiwall carbon nanotubes in aqueous solution. 2014 , 20, 2921-2926 | | 20 |
| 758 | Adsorption performance of carboxylated multi-wall carbon nanotube-Fe ₃ O ₄ magnetic hybrids for Cu(II) in water. 2014 , 29, 15-25 | | 27 |
| 757 | Preparation of a core-shell magnetic ion-imprinted polymer via a sol-gel process for selective extraction of Cu(II) from herbal medicines. 2014 , 139, 2459-66 | | 55 |
| 756 | Sorption of carbamazepine by commercial graphene oxides: a comparative study with granular activated carbon and multiwalled carbon nanotubes. 2014 , 426, 152-61 | | 88 |
| 755 | Quantum dot and superparamagnetic nanoparticle interaction with pathogenic fungi: internalization and toxicity profile. 2014 , 6, 9100-10 | | 61 |
| 754 | The study of thermodynamics and kinetics methyl orange and malachite green by SWCNTs, SWCNT-COOH and SWCNT-NH ₂ as adsorbents from aqueous solution. 2014 , 20, 3186-3194 | | 56 |
| 753 | Fe ₃ O ₄ MNPs and gum xanthan based hydrogels nanocomposites for the efficient capture of malachite green from aqueous solution. 2014 , 255, 471-482 | | 106 |
| 752 | Magnetic Fe ₃ O ₄ /carbon sphere/cobalt composites for catalytic oxidation of phenol solutions with sulfate radicals. 2014 , 245, 1-9 | | 133 |
| 751 | A dual function magnetic nanomaterial modified with lysine for removal of organic dyes from water solution. 2014 , 239, 250-256 | | 101 |
| 750 | Fabrication of ultra-light graphene-based gels and their adsorption of methylene blue. 2014 , 240, 595-600 | | 145 |
| 749 | Gum ghatti and Fe ₃ O ₄ magnetic nanoparticles based nanocomposites for the effective adsorption of methylene blue from aqueous solution. 2014 , 20, 2184-2192 | | 50 |
| 748 | Development of carbon nanotubes/CoFe ₂ O ₄ magnetic hybrid material for removal of tetrabromobisphenol A and Pb(II). <i>Journal of Hazardous Materials</i> , 2014 , 265, 104-14 | 12.8 | 170 |
| 747 | Theoretical Study of Fractal-Like Kinetics of Adsorption. 2014 , 32, 623-634 | | 11 |
| 746 | Photocatalytic degradation of phenol by the heterogeneous Fe ₃ O ₄ nanoparticles and oxalate complex system. <i>RSC Advances</i> , 2014 , 4, 40828-40836 | 3.7 | 23 |
| 745 | Fe ₃ O ₄ /MWCNT as a heterogeneous Fenton catalyst: degradation pathways of tetrabromobisphenol A. <i>RSC Advances</i> , 2014 , 4, 24900 | 3.7 | 24 |
| 744 | Photocatalytic degradation of methylene blue in ZIF-8. <i>RSC Advances</i> , 2014 , 4, 54454-54462 | 3.7 | 294 |
| 743 | Synthesis of magnetic separable iron oxide/carbon nanocomposites for efficient adsorptive removal of Congo red. 2014 , 617, 76-80 | | 17 |
| 742 | Magnetic Multi-Wall Carbon Nanotubes for Methyl Orange Removal from Aqueous Solutions: Equilibrium, Kinetic and Thermodynamic Studies. 2014 , 49, 1389-1400 | | 20 |

| | | |
|-----|---|-----|
| 741 | Sensitive spectrophotometric determination of fluoxetine from urine samples using charge transfer complex formation after solid phase extraction by magnetic multiwalled carbon nanotubes. 2014 , 6, 8633-8639 | 15 |
| 740 | Utilization of nano-gold tracing technique: Study the adsorption and transmission of laccase in mediator-involved enzymatic degradation of lignin during solid-state fermentation. 2014 , 91, 149-156 | 21 |
| 739 | PREPARATION OF MAGNETIC OXIDIZED MULTI-WALLED CARBON NANOTUBES FOR THE ADSORPTION OF RHODAMINE B IN AQUEOUS SOLUTION. 2014 , 09, 1450093 | 8 |
| 738 | Magnetic composite an environmental super adsorbent for dye sequestration [A review. 2014 , 1-2, 36-49 | 106 |
| 737 | Trace vapour detection at room temperature using Raman spectroscopy. 2014 , 139, 1960-6 | 7 |
| 736 | Polyacrylamide/Ni _{0.02} Zn _{0.98} O Nanocomposite with High Solar Light Photocatalytic Activity and Efficient Adsorption Capacity for Toxic Dye Removal. 2014 , 53, 15549-15560 | 96 |
| 735 | Characterization of Magnetic Carbon Nanotube β -cyclodextrin Composite and Its Adsorption of Dye. 2014 , 53, 1415-1421 | 39 |
| 734 | Kinetics and thermodynamics studies of pentachlorophenol adsorption on covalently functionalized Fe ₃ O ₄ @SiO ₂ /MWCNTs core-shell magnetic microspheres. 2014 , 257, 10-19 | 67 |
| 733 | Iron-oxide-supported nanocarbon in lithium-ion batteries, medical, catalytic, and environmental applications. 2014 , 8, 7571-612 | 128 |
| 732 | Synthesis of magnetic core/shell carbon nanosphere supported manganese catalysts for oxidation of organics in water by peroxymonosulfate. 2014 , 433, 68-75 | 54 |
| 731 | Synthesis of an Organic-Inorganic Hybrid Polymeric Material and Its Adsorption Performance Characterization Toward Acrylamide. 2014 , 53, 486-495 | 1 |
| 730 | Application of Carbon Nanotubes in Heavy Metals Remediation. 2014 , 44, 1000-1035 | 57 |
| 729 | Recent advances in bio-sourced polymeric carbohydrate/nanotube composites. 2014 , 131, n/a-n/a | 11 |
| 728 | Surface modification and ternary system dye removal ability of manganese ferrite nanoparticle. 2014 , 15, 1616-1626 | 5 |
| 727 | Direct dyes removal using modified magnetic ferrite nanoparticle. 2014 , 12, 96 | 62 |
| 726 | Magnetite decorated multi-walled carbon nanotubes for removal of toxic dyes from aqueous solutions. 2014 , 16, 1 | 38 |
| 725 | Synthesis of magnetite multi-walled carbon nanotubes composite and its application for removal of basic dyes from aqueous solutions. 2014 , 9, n/a-n/a | 2 |
| 724 | Hybrid multiwalled carbon nanotube--Laponite sorbent for removal of methylene blue from aqueous solutions. 2014 , 431, 241-9 | 16 |

| | | | |
|-----|---|------|----|
| 723 | Synthesis of Magnetic Fe ₃ O ₄ Modified Graphene Nanocomposite and its Application on the Adsorption of some Dyes from Aqueous Solution. 2014 , 49, 861-867 | | 6 |
| 722 | Highly sensitive electrochemical sensor using a MWCNTs/GNPs-modified electrode for lead (II) detection based on Pb(2+)-induced G-rich DNA conformation. 2014 , 139, 5014-20 | | 96 |
| 721 | Functionalized Magnetic Microparticles for Fast and Efficient Removal of Textile Dyes from Aqueous Solution. <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1 | 2.6 | 4 |
| 720 | Synthesis of an Organic-Inorganic Hybrid Polymeric Material and its Adsorption Performance Characterization Toward Acrylamide. 2014 , 53, 683-692 | | 1 |
| 719 | Catalytic carbonization of polypropylene into cup-stacked carbon nanotubes with high performances in adsorption of heavy metallic ions and organic dyes. 2014 , 248, 27-40 | | 56 |
| 718 | Inactivation performance and mechanism of Escherichia coli in aqueous system exposed to iron oxide loaded graphene nanocomposites. <i>Journal of Hazardous Materials</i> , 2014 , 276, 66-76 | 12.8 | 80 |
| 717 | Determination of triazine herbicides in vegetables by ionic liquid foam floatation solid phase extraction high performance liquid chromatography. 2014 , 953-954, 132-7 | | 17 |
| 716 | Preparation of magnetic separable CoFe ₂ O ₄ /PAC composite and the adsorption of bisphenol A from aqueous solution. <i>Journal of Saudi Chemical Society</i> , 2014 , 18, 208-213 | 4.3 | 20 |
| 715 | Enhanced decolorization of azo dye solution by cadmium sulfide/multi-walled carbon nanotubes/polymer composite in combination with hydrogen peroxide under simulated solar light irradiation. 2014 , 40, 3769-3777 | | 25 |
| 714 | Rectorite/Fe ₃ O ₄ composites: Assembly, characterization, adsorption and photodegradation. 2014 , 255, 49-54 | | 34 |
| 713 | A novel smart microsphere with magnetic core and ion-recognizable shell for Pb ²⁺ adsorption and separation. 2014 , 6, 9530-42 | | 56 |
| 712 | Multifunctional and recollectable carbon nanotube ponytails for water purification. 2014 , 6, 9426-34 | | 38 |
| 711 | Removal of Metal Ions from Water Using Poly(MMA-co-MA)/Modified-Fe ₃ O ₄ Magnetic Nanocomposite: Isotherm and Kinetic Study. 2014 , 53, 8188-8197 | | 65 |
| 710 | Application of fullerenes-extracted soot modified with ethylenediamine as a novel adsorbent of hexavalent chromium in water. <i>Journal of Environmental Chemical Engineering</i> , 2014 , 2, 1191-1198 | 6.8 | 8 |
| 709 | Magnetite/carbon nanocomposites prepared by an innovative combustion synthesis technique Excellent adsorbent materials. 2014 , 40, 13649-13657 | | 21 |
| 708 | Trace elements and nutrients adsorption onto nano-maghemite in a contaminated-soil solution: A geochemical/statistical approach. <i>Journal of Hazardous Materials</i> , 2014 , 276, 271-7 | 12.8 | 16 |
| 707 | Preparation and evaluation of hydrotalcite-iron oxide magnetic organocomposite intercalated with surfactants for cationic methylene blue dye removal. 2014 , 254, 88-97 | | 65 |
| 706 | Synthesis of core-shell magnetic adsorbent nanoparticle and selectivity analysis for binary system dye removal. 2014 , 20, 2050-2058 | | 71 |

| | | | |
|-----|---|-----|-----|
| 705 | Adsorption Kinetics of Acid Dye Acid Red 88 onto Magnetic Multi-Walled Carbon Nanotubes-Fe ₃ C Nanocomposite. 2014 , 42, 284-294 | | 36 |
| 704 | Spectroscopic study of proflavine adsorption on the carbon nanotube surface. 2014 , 68, 232-7 | | 2 |
| 703 | Novel Carbon-Based Nanoadsorbents for Removal of Synthetic Textile Dyes from Wastewaters. 2015 , 35-82 | | 2 |
| 702 | Removal of V(V) ions from aqueous solutions using oxidized multi-walled carbon nanotubes. 2015 , 64, 425-433 | | 4 |
| 701 | Magnetically Active Carbon Nanotubes at Work. 2015 , 21, 9288-301 | | 14 |
| 700 | Engineering of Iron-Based Magnetic Activated Carbon Fabrics for Environmental Remediation. 2015 , 8, 4593-4607 | | 28 |
| 699 | Synthesis of water-dispersible graphene-modified magnetic polypyrrole nanocomposite and its ability to efficiently adsorb methylene blue from aqueous solution. 2015 , 279, 757-766 | | 113 |
| 698 | Response of extracellular carboxylic and thiol ligands (oxalate, thiol compounds) to Pb ²⁺ stress in <i>Phanerochaete chrysosporium</i> . <i>Environmental Science and Pollution Research</i> , 2015 , 22, 12655-63 | 5.1 | 19 |
| 697 | Interaction between Cu ²⁺ and different types of surface-modified nanoscale zero-valent iron during their transport in porous media. 2015 , 32, 180-8 | | 35 |
| 696 | Evaluating the efficacy of alumina/carbon nanotube hybrid adsorbents in removing Azo Reactive Red 198 and Blue 19 dyes from aqueous solutions. 2015 , 96, 125-137 | | 61 |
| 695 | Molecular basis of laccase bound to lignin: insight from comparative studies on the interaction of <i>Trametes versicolor</i> laccase with various lignin model compounds. <i>RSC Advances</i> , 2015 , 5, 52307-52313 | 3.7 | 40 |
| 694 | Highly effective removal of basic fuchsin from aqueous solutions by anionic polyacrylamide/graphene oxide aerogels. 2015 , 453, 107-114 | | 66 |
| 693 | Adsorption behavior of Cr(VI) from aqueous solution onto magnetic graphene oxide functionalized with 1,2-diaminocyclohexanetetraacetic acid. <i>RSC Advances</i> , 2015 , 5, 45384-45392 | 3.7 | 53 |
| 692 | Monolithic porous rectorite/starch composites: fabrication, modification and adsorption. 2015 , 349, 251-258 | | 25 |
| 691 | Well-designed multihollow magnetic imprinted microspheres based on cellulose nanocrystals (CNCs) stabilized Pickering double emulsion polymerization for selective adsorption of bifenthrin. 2015 , 276, 249-260 | | 48 |
| 690 | Bioremediation of soils contaminated with polycyclic aromatic hydrocarbons, petroleum, pesticides, chlorophenols and heavy metals by composting: Applications, microbes and future research needs. 2015 , 33, 745-55 | | 559 |
| 689 | Removal and recycling of ppm levels of methylene blue from an aqueous solution with graphene oxide. <i>RSC Advances</i> , 2015 , 5, 27922-27932 | 3.7 | 61 |
| 688 | A comparative study on the basis of adsorption capacity between CNTs and activated carbon as adsorbents for removal of noxious synthetic dyes: a review. 2015 , 5, 227-236 | | 143 |

| | | | |
|-----|---|-----|-----|
| 687 | The oxidative stress of <i>Phanerochaete chrysosporium</i> against lead toxicity. 2015 , 175, 1981-91 | | 24 |
| 686 | Interaction between phosphate and acid-activated neutralized red mud during adsorption process. 2015 , 356, 128-134 | | 41 |
| 685 | Porous 3D network rectorite/chitosan gels: Preparation and adsorption properties. 2015 , 107, 21-27 | | 18 |
| 684 | Effect of early dry season induced by the Three Gorges Dam on the soil microbial biomass and bacterial community structure in the Dongting Lake wetland. 2015 , 53, 129-136 | | 61 |
| 683 | One-step synthesis of amino-functionalized attapulgite clay nanoparticles adsorbent by hydrothermal carbonization of chitosan for removal of methylene blue from wastewater. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 470, 248-257 | 5.1 | 102 |
| 682 | Study of the degradation of methylene blue by semi-solid-state fermentation of agricultural residues with <i>Phanerochaete chrysosporium</i> and reutilization of fermented residues. 2015 , 38, 424-30 | | 44 |
| 681 | Hierarchical hybrid carbon nano-structures as robust and reusable adsorbents: Kinetic studies with model dye compound. 2015 , 268, 197-207 | | 40 |
| 680 | Magnetic hydroxyapatite nanoparticles: an efficient adsorbent for the separation and removal of nitrate and nitrite ions from environmental samples. 2015 , 38, 164-9 | | 33 |
| 679 | Surface modification of magnetic nanoparticle and dye removal from ternary systems. 2015 , 27, 251-259 | | 76 |
| 678 | Characteristics of mannosylerythritol lipids and their environmental potential. 2015 , 407, 63-72 | | 39 |
| 677 | A magnetic fluid based on covalent-bonded nanoparticle organic hybrid materials (NOHMs) and its decolorization application in water. <i>Journal of Molecular Liquids</i> , 2015 , 204, 50-59 | 6 | 9 |
| 676 | Separation and enrichment of six indicator polychlorinated biphenyls from real waters using a novel magnetic multiwalled carbon nanotube composite absorbent. 2015 , 38, 871-82 | | 18 |
| 675 | Carbon nanotube-bonded graphene hybrid aerogels and their application to water purification. 2015 , 7, 6782-9 | | 63 |
| 674 | Tartaric acid modified <i>Pleurotus ostreatus</i> for enhanced removal of Cr(VI) ions from aqueous solution: characteristics and mechanisms. <i>RSC Advances</i> , 2015 , 5, 24009-24015 | 3.7 | 11 |
| 673 | A facile approach to prepare porous cup-stacked carbon nanotube with high performance in adsorption of methylene blue. 2015 , 445, 195-204 | | 60 |
| 672 | One-Step Fabrication of Graphene Oxide Enhanced Magnetic Composite Gel for Highly Efficient Dye Adsorption and Catalysis. 2015 , 3, 1677-1685 | | 212 |
| 671 | Synthesis and characterization of superparamagnetic activated carbon adsorbents based on cyanobacteria. 2015 , 163, 407-415 | | 8 |
| 670 | Enhanced adsorptive removal of Safranin T from aqueous solutions by waste sea buckthorn branch powder modified with dopamine: Kinetics, equilibrium, and thermodynamics. 2015 , 87, 23-31 | | 20 |

| | | | |
|-----|---|------|-----|
| 669 | Magnetic adsorbents for the treatment of water/wastewater: A review. <i>Journal of Water Process Engineering</i> , 2015 , 7, 244-265 | 6.7 | 235 |
| 668 | Response of rhizosphere microbial community structure and diversity to heavy metal co-pollution in arable soil. 2015 , 99, 8259-69 | | 80 |
| 667 | Mussel inspired functionalization of carbon nanotubes for heavy metal ion removal. <i>RSC Advances</i> , 2015 , 5, 68430-68438 | 3.7 | 55 |
| 666 | SnO ₂ quantum dots decorated silica nanoparticles for fast removal of cationic dye (methylene blue) from wastewater. 2015 , 281, 482-490 | | 60 |
| 665 | A novel method of synthesis of small band gap SnS nanorods and its efficient photocatalytic dye degradation. 2015 , 457, 339-44 | | 54 |
| 664 | A double network gel as low cost and easy recycle adsorbent: Highly efficient removal of Cd(II) and Pb(II) pollutants from wastewater. <i>Journal of Hazardous Materials</i> , 2015 , 300, 153-160 | 12.8 | 113 |
| 663 | Hollow poly(cyclotriphosphazene-co-phloroglucinol) microspheres: An effective and selective adsorbent for the removal of cationic dyes from aqueous solution. 2015 , 281, 42-52 | | 67 |
| 662 | Development of a chitin/graphene oxide hybrid composite for the removal of pollutant dyes: Adsorption and desorption study. 2015 , 280, 41-48 | | 165 |
| 661 | Combined biological removal of methylene blue from aqueous solutions using rice straw and <i>Phanerochaete chrysosporium</i> . 2015 , 99, 5247-56 | | 32 |
| 660 | Enhanced adsorption of Congo red dye by functionalized carbon nanotube/mixed metal oxides nanocomposites derived from layered double hydroxide precursor. 2015 , 275, 315-321 | | 130 |
| 659 | Facile synthesis of alumina-decorated multi-walled carbon nanotubes for simultaneous adsorption of cadmium ion and trichloroethylene. 2015 , 273, 101-110 | | 102 |
| 658 | Graphene nanosheets decorated with tunable magnetic nanoparticles and their efficiency of wastewater treatment. 2015 , 68, 234-239 | | 21 |
| 657 | Facile synthesis of Fe ₂ O ₃ nanoparticles integrated H ₂ Ti ₃ O ₇ nanotubes structure as a magnetically recyclable dye-removal catalyst. <i>RSC Advances</i> , 2015 , 5, 30354-30362 | 3.7 | 16 |
| 656 | An overview on limitations of TiO ₂ -based particles for photocatalytic degradation of organic pollutants and the corresponding countermeasures. 2015 , 79, 128-46 | | 705 |
| 655 | Carbon nanotube β -cyclodextrin adducts for electrochemical recognition of tartaric acid. 2015 , 55, 117-122 | | 20 |
| 654 | Effectiveness of carbon nanotube β -cobalt ferrite nanocomposites for the adsorption of rhodamine B from aqueous solutions. <i>RSC Advances</i> , 2015 , 5, 22724-22739 | 3.7 | 74 |
| 653 | Highly effective adsorption of cationic and anionic dyes on magnetic Fe/Ni nanoparticles doped bimodal mesoporous carbon. 2015 , 448, 451-9 | | 97 |
| 652 | Adsorption of sulfamethoxazole and 17 β -estradiol by carbon nanotubes/CoFe ₂ O ₄ composites. 2015 , 274, 17-29 | | 107 |

| | | | |
|-----|--|------|-----|
| 651 | Investigation on efficient adsorption of cationic dyes on porous magnetic polyacrylamide microspheres. <i>Journal of Hazardous Materials</i> , 2015 , 292, 90-7 | 12.8 | 117 |
| 650 | Efficiency of biochar and compost (or composting) combined amendments for reducing Cd, Cu, Zn and Pb bioavailability, mobility and ecological risk in wetland soil. <i>RSC Advances</i> , 2015 , 5, 34541-34548 | 3.7 | 113 |
| 649 | Solvothermal synthesis of magnetic Fe ₃ O ₄ /C nanocomposites used as adsorbents for the removal of methylene blue from wastewater. 2015 , 121, 989-1001 | | 25 |
| 648 | Pb(II) Adsorption Onto a Magnetic Composite of Activated Carbon and Superparamagnetic Fe ₃ O ₄ Nanoparticles: Experimental and Modeling Study. 2015 , 43, 1157-1166 | | 59 |
| 647 | Enhanced removal of toxic Congo red dye using multi walled carbon nanotubes: Kinetic, equilibrium studies and its comparison with other adsorbents. <i>Journal of Molecular Liquids</i> , 2015 , 212, 266-271 | 6 | 93 |
| 646 | Fundamental Characteristics and Their Influence on Fate and Behavior of Nanomaterials in Environments. 2015 , 1-26 | | 2 |
| 645 | Magnetic solid-phase extraction using carbon nanotubes as sorbents: a review. 2015 , 892, 10-26 | | 243 |
| 644 | Cationic Dye Removal Ability from Multicomponent System by Magnetic Carbon Nanotubes. 2015 , 44, 1568-1583 | | 5 |
| 643 | Study and comparison of polydopamine and its derived carbon decorated nanoparticles in the magnetic solid-phase extraction of estrogens. 2015 , 1414, 41-50 | | 41 |
| 642 | Amino-Functionalized Multi-Walled Carbon Nanotubes as Novel Adsorbents for Selective Adsorption of Anionic Dyes in Aqueous Solution. 2015 , 10, 1550065 | | 3 |
| 641 | Adsorption and degradation of norfloxacin by a novel molecular imprinting magnetic Fenton-like catalyst. 2015 , 23, 1698-1704 | | 15 |
| 640 | Magnetised nanocomposite mesoporous silica and its application for effective removal of methylene blue from aqueous solution. <i>Separation and Purification Technology</i> , 2015 , 153, 67-75 | 8.3 | 19 |
| 639 | Application of Response Surface Method for Optimization of Adsorptive Removal of Eriochrome Black T Using Magnetic Multi-Wall Carbon Nanotube Nanocomposite. 2015 , 40, 3363-3372 | | 16 |
| 638 | Oil Recovery from Water under Environmentally Relevant Conditions Using Magnetic Nanoparticles. 2015 , 49, 11729-36 | | 103 |
| 637 | Synthesis, characterization, swelling and dye adsorption properties of starch incorporated acrylic gels. 2015 , 81, 847-57 | | 16 |
| 636 | Adsorption of Cr(VI) in wastewater using magnetic multi-wall carbon nanotubes. 2015 , 8, 226-232 | | 105 |
| 635 | Oxidative degradation of Orange G by persulfate activated with iron-immobilized resin chars. 2015 , 25, 308-313 | | 24 |
| 634 | Synthesis of β -Cyclodextrin-Based Electrospun Nanofiber Membranes for Highly Efficient Adsorption and Separation of Methylene Blue. 2015 , 7, 26649-57 | | 246 |

| | | | |
|-----|--|------|-----|
| 633 | Visualization and analysis of nanoparticle transport and ageing in reactive porous media. <i>Journal of Hazardous Materials</i> , 2015 , 299, 513-9 | 12.8 | 8 |
| 632 | Fabrication of Bi-Fe ₃ O ₄ @RGO hybrids and their catalytic performance for the reduction of 4-nitrophenol. 2015 , 17, 1 | | 9 |
| 631 | Kinetics and isotherm of cationic dye removal from multicomponent system using the synthesized silica nanoparticle. 2015 , 54, 562-571 | | 14 |
| 630 | Electrochemical sensor based on electrodeposited graphene-Au modified electrode and nanoAu carrier amplified signal strategy for attomolar mercury detection. 2015 , 87, 989-96 | | 229 |
| 629 | Effect of low-concentration rhamnolipid on adsorption of <i>Pseudomonas aeruginosa</i> ATCC 9027 on hydrophilic and hydrophobic surfaces. <i>Journal of Hazardous Materials</i> , 2015 , 285, 383-8 | 12.8 | 36 |
| 628 | Fast and highly-efficient removal of methylene blue from aqueous solution by poly(styrenesulfonic acid-co-maleic acid)-sodium-modified magnetic colloidal nanocrystal clusters. 2015 , 324, 854-863 | | 18 |
| 627 | A magnetic carbon sorbent for radioactive material from the Fukushima nuclear accident. 2014 , 4, 6053 | | 24 |
| 626 | Fast Removal of Methylene Blue from Aqueous Solution Using Magnetic-Modified Fe ₃ O ₄ Nanoparticles. 2015 , 141, 04014049 | | 14 |
| 625 | Removal of azo dye from aqueous solution using an anionic polymeric urethane absorbent (APUA). 2015 , 21, 387-393 | | 11 |
| 624 | Preparation and Magnetic Properties of a Multi-Walled Carbon Nanotube-Iron Oxide Nanoparticle Composite. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2015 , 23, 623-626 | 1.8 | 14 |
| 623 | Removal of Four Nitrofurans Drugs from Aqueous Solution by Magnetic Multi-Wall Carbon Nanotubes. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2015 , 23, 640-648 | 1.8 | 2 |
| 622 | Removal of basic dyes (malachite green) from aqueous medium by adsorption onto amino functionalized graphenes in batch mode. 2015 , 53, 818-825 | | 11 |
| 621 | Extended isotherm and kinetics of binary system dye removal using carbon nanotube from wastewater. 2015 , 54, 2777-2793 | | 10 |
| 620 | Enhancement of Cd(II) adsorption by polyacrylic acid modified magnetic mesoporous carbon. 2015 , 259, 153-160 | | 142 |
| 619 | Amine functionalized magnetic carbon nanotube: synthesis and binary system dye removal. 2015 , 56, 107-120 | | 4 |
| 618 | Isolation of heavy metal-resistant fungi from contaminated soil and co-culturing with rice seedlings. 2016 , 10, 1080-1085 | | 6 |
| 617 | Environmentally friendly reduced graphene oxide as a broad-spectrum adsorbent for anionic and cationic dyes via π -interactions. 2016 , 4, 12126-12135 | | 160 |
| 616 | Responses of bacterial community and functional marker genes of nitrogen cycling to biochar, compost and combined amendments in soil. 2016 , 100, 8583-91 | | 110 |

| | | | |
|-----|--|-----|-----|
| 615 | Optimization of anionic dye adsorption onto Melia azedarach sawdust in aqueous solutions: effect of calcium cations. 2016 , 11, 258-270 | | 11 |
| 614 | Hydrocarbon Cracking Over Red Mud and Modified Red Mud Samples. 2016 , 2, 387-393 | | 6 |
| 613 | Enhanced magnetic properties of carbon nanotubes and multilayer graphene decorated with Co ₃ O ₄ . 2016 , | | 2 |
| 612 | Adsorption of reactive green 19 from water using polyaniline/bentonite. 2016 , 6, 515-523 | | 8 |
| 611 | Optimization of process parameters for rapid adsorption of Pb(II), Ni(II), and Cu(II) by magnetic/talc nanocomposite using wavelet neural network. 2016 , 42, 1977-1987 | | 7 |
| 610 | Ferrimagnetic Behaviors in a Double-Wall Cubic Metal Nanotube: a Monte Carlo Study. 2016 , 29, 1953-1959 | | 11 |
| 609 | SnO ₂ quantum dots decorated reduced graphene oxide nanocomposites for efficient water remediation. 2016 , 297, 55-65 | | 39 |
| 608 | Dodecyl sulphate functionalized magnetic graphene oxide nanosorbent for the investigation of fast and efficient removal of aqueous malachite green. 2016 , 63, 81-88 | | 22 |
| 607 | Surface modified spinel cobalt ferrite nanoparticles for cationic dye removal: Kinetics and thermodynamics studies. <i>Journal of Water Process Engineering</i> , 2016 , 11, 152-161 | 6.7 | 34 |
| 606 | Preparation and characterization of magnetic carboxylated nanodiamonds for vortex-assisted magnetic solid-phase extraction of ziram in food and water samples. 2016 , 158, 152-158 | | 56 |
| 605 | Removal of Reactive Red 198 from aqueous solution by combined method multi-walled carbon nanotubes and zero-valent iron: Equilibrium, kinetics, and thermodynamic. 2016 , 24, 1448-1455 | | 20 |
| 604 | Novel in situ Synthesized Fe@C Magnetic Nanocapsules Used as Adsorbent for Removal of Organic Dyes and its Recycling. 2016 , 11, 1650013 | | 6 |
| 603 | Preparation of a novel Fe ₃ O ₄ /graphene oxide hybrid for adsorptive removal of methylene blue from water. 2016 , 53, 276-281 | | 21 |
| 602 | Environmental application of nanotechnology: air, soil, and water. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 13754-88 | 5.1 | 179 |
| 601 | Synthesis of magnetic Co _{1-x} Ni _x Fe ₂ O ₄ /carbon nanotubes with controlled microstructure for adsorption of pentachlorophenol. 2016 , 33, 1640-1646 | | 1 |
| 600 | Basic Blue 41 removal by microwave hydrothermal reactor reduced graphene oxide. 2016 , 57, 27269-27278 | | 12 |
| 599 | Effect of SiO ₂ nanoparticles on the removal of natural organic matter (NOM) by coagulation. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 11835-44 | 5.1 | 3 |
| 598 | Adsorption isotherms and kinetic studies of crystal violet dye removal from aqueous solution using surfactant modified magnetic nanoadsorbent. 2016 , 63, 354-362 | | 135 |

| | | | |
|-----|--|------|-----|
| 597 | One-Step Fabrication of Magnetic Carbon Nanocomposite as Adsorbent for Removal of Methylene Blue. 2016 , 26, 632-639 | | 20 |
| 596 | Adsorption of food dye Acid red 18 onto polyaniline-modified rice husk composite: isotherm and kinetic analysis. 2016 , 1-13 | | 14 |
| 595 | Sequential Use of UV/H ₂ O ₂ (PSF/TiO ₂ /MWCNT) Mixed Matrix Membranes for Dye Removal in Water Purification: Membrane Permeation, Fouling, Rejection, and Decolorization. 2016 , 33, 430-440 | | 37 |
| 594 | Carbon nanotube-metal oxide nanocomposites: Fabrication, properties and applications. 2016 , 302, 344-367 | | 177 |
| 593 | A novel magnetic chitosan/clinoptilolite/magnetite nanocomposite for highly efficient removal of Pb(II) ions from aqueous solution. 2016 , 302, 372-383 | | 68 |
| 592 | Synthesis and evaluation of a new class of stabilized nano-chlorapatite for Pb immobilization in sediment. <i>Journal of Hazardous Materials</i> , 2016 , 320, 278-288 | 12.8 | 95 |
| 591 | Effective removal of bisphenol A (BPA) from water using a goethite/activated carbon composite. 2016 , 103, 87-96 | | 61 |
| 590 | Design and cellular studies of a carbon nanotube-based delivery system for a hybrid platinum-acridine anticancer agent. 2016 , 165, 170-180 | | 12 |
| 589 | Application of mesoporous magnetic carbon composite for reactive dyes removal: Process optimization using response surface methodology. 2016 , 33, 2878-2890 | | 40 |
| 588 | Toxicity and bioaccumulation of heavy metals in <i>Phanerochaete chrysosporium</i> . 2016 , 26, 1410-1418 | | 15 |
| 587 | Utilization of LDH-based materials as potential adsorbents and photocatalysts for the decontamination of dyes wastewater: a review. <i>RSC Advances</i> , 2016 , 6, 79415-79436 | 3.7 | 107 |
| 586 | Room-temperature Synthesis of Cu ₂ O Nanostructures and Their Morphology-dependent Adsorption Properties. 2016 , 37, 1114-1123 | | 12 |
| 585 | Mineralization of naphthenic acids with thermally-activated persulfate: The important role of oxygen. <i>Journal of Hazardous Materials</i> , 2016 , 318, 355-362 | 12.8 | 35 |
| 584 | Magnetic demulsifier prepared by using one-pot reaction and its performance for treating oily wastewater. 2016 , 94, 2298-2302 | | 10 |
| 583 | Metal-based quantum dots: synthesis, surface modification, transport and fate in aquatic environments and toxicity to microorganisms. <i>RSC Advances</i> , 2016 , 6, 78595-78610 | 3.7 | 80 |
| 582 | ZrxCo0.8Ni0.2Fe2O4-graphene nanocomposite for enhanced structural, dielectric and visible light photocatalytic applications. 2016 , 42, 15747-15755 | | 20 |
| 581 | Selective removal of BPA from aqueous solution using molecularly imprinted polymers based on magnetic graphene oxide. <i>RSC Advances</i> , 2016 , 6, 106201-106210 | 3.7 | 43 |
| 580 | Hematite decorated multi-walled carbon nanotubes (Fe ₂ O ₃ /MWCNTs) as sorbents for Cu(II) and Cr(VI): comparison of hybrid sorbent performance to its nanomaterial building blocks. <i>RSC Advances</i> , 2016 , 6, 99997-100007 | 3.7 | 15 |

| | | | |
|-----|---|------|-----|
| 579 | The disinfection performance and mechanisms of Ag/lysozyme nanoparticles supported with montmorillonite clay. <i>Journal of Hazardous Materials</i> , 2016 , 317, 416-429 | 12.8 | 22 |
| 578 | Removal of brilliant cresyl blue from aqueous solutions using modified zirconia nanoparticles as an adsorbent under ultrasonic action. 2016 , 57, 28999-29006 | | |
| 577 | Decorating carbon nanotubes with co-precipitated magnetite nanocrystals. 2016 , 66, 90-97 | | 16 |
| 576 | Reproducible magnetic carbon nanocomposites derived from polystyrene with superior tetrabromobisphenol A adsorption performance. 2016 , 4, 10174-10185 | | 34 |
| 575 | Preparation and characterization of chitosan/halloysite magnetic microspheres and their application for removal of tetracycline from an aqueous solution. 2016 , 57, 4162-4173 | | 5 |
| 574 | Optimization and evaluation of reactive dye adsorption on magnetic composite of activated carbon and iron oxide. 2016 , 57, 6411-6422 | | 38 |
| 573 | Synthesis, adsorption and photocatalytic property of halloysite-TiO ₂ -Fe ₃ O ₄ composites. 2016 , 57, 22703-22710 | | 10 |
| 572 | Probing molecular basis of single-walled carbon nanotube degradation and nondegradation by enzymes based on manganese peroxidase and lignin peroxidase. <i>RSC Advances</i> , 2016 , 6, 3592-3599 | 3.7 | 23 |
| 571 | Synthesis and characterization of the functionalized nanoparticle and dye removal modeling. 2016 , 57, 24035-24046 | | 2 |
| 570 | Highly reusability surface loaded metal particles magnetic catalyst microspheres (MCM-MPs) for treatment of dye-contaminated water. 2016 , 403, 18-29 | | 6 |
| 569 | Remarkable performance of magnetized chitosan-decorated lignocellulose fiber towards biosorptive removal of acidic azo colorant from aqueous environment. 2016 , 100, 97-106 | | 19 |
| 568 | Magnetic dispersive micro solid-phase extraction for trace mercury pre-concentration and determination in water, hemodialysis solution and fish samples. <i>Microchemical Journal</i> , 2016 , 127, 170-178 | | 27 |
| 567 | Novel N-doped CNTs stabilized Cu ₂ O nanoparticles as adsorbent for enhancing removal of Malachite Green and tetrabromobisphenol A. 2016 , 292, 326-339 | | 57 |
| 566 | Efficacy of carbonaceous nanocomposites for sorbing ionizable antibiotic sulfamethazine from aqueous solution. 2016 , 95, 103-12 | | 260 |
| 565 | Effect of polymeric matrix on the adsorption of reactive dye by anion-exchange resins. 2016 , 62, 98-103 | | 19 |
| 564 | TiO ₂ nanotube-carbon macroscopic monoliths with multimodal porosity as efficient recyclable photocatalytic adsorbents for water purification. 2016 , 173, 452-459 | | 6 |
| 563 | Fabrication of highly hydrophobic organic-inorganic hybrid magnetic polysulfone microcapsules: A lab-scale feasibility study for removal of oil and organic dyes from environmental aqueous samples. <i>Journal of Hazardous Materials</i> , 2016 , 309, 65-76 | 12.8 | 40 |
| 562 | Easily separated silver nanoparticle-decorated magnetic graphene oxide: Synthesis and high antibacterial activity. 2016 , 471, 94-102 | | 51 |

| | | | |
|-----|--|------|-----|
| 561 | Adsorption behaviors of methyl orange dye on nitrogen-doped mesoporous carbon materials. 2016 , 466, 343-51 | | 73 |
| 560 | Sensitive and selective detection of mercury ions based on papain and 2,6-pyridinedicarboxylic acid functionalized gold nanoparticles. <i>RSC Advances</i> , 2016 , 6, 3259-3266 | 3.7 | 32 |
| 559 | Synthesis of polyaniline/Fe ₃ O ₄ magnetic nanoparticles for removal of reactive red 198 from textile waste water: kinetic, isotherm, and thermodynamic studies. 2016 , 57, 22551-22563 | | 31 |
| 558 | Multi-Walled Carbon Nanotubes and Powder-Activated Carbon Adsorbents for the Removal of Nitrofurazone from Aqueous Solution. 2016 , 37, 613-624 | | 9 |
| 557 | Magnetic chitosan-graphene oxide composite for anti-microbial and dye removal applications. 2016 , 82, 702-10 | | 126 |
| 556 | Separation of Emulsified Oil from Oily Wastewater by Functionalized Multiwalled Carbon Nanotubes. 2016 , 37, 1294-1302 | | 35 |
| 555 | Application of acid-activated Bauxsol for wastewater treatment with high phosphate concentration: Characterization, adsorption optimization, and desorption behaviors. 2016 , 167, 1-7 | | 14 |
| 554 | Treatment of landfill leachate using immobilized <i>Phanerochaete chrysosporium</i> loaded with nitrogen-doped TiO ₂ nanoparticles. <i>Journal of Hazardous Materials</i> , 2016 , 301, 106-18 | 12.8 | 100 |
| 553 | Effective removal of methylene blue from aqueous solution using a new magnetic iron oxide nanosorbent prepared by combustion synthesis. 2016 , 18, 705-715 | | 30 |
| 552 | Magnetically modified multiwalled carbon nanotubes for the adsorption of bismarck brown R and Cd(II) from aqueous solution: batch and column studies. 2016 , 57, 19374-19390 | | 18 |
| 551 | Application of granular activated carbon/MnFeO _x composite immobilized on <i>C. glutamicum</i> MTCC 2745 to remove As(III) and As(V): Kinetic, mechanistic and thermodynamic studies. 2016 , 153, 298-314 | | 20 |
| 550 | Fe/Cu bimetallic catalysis for reductive degradation of nitrobenzene under oxic conditions. 2016 , 283, 366-374 | | 57 |
| 549 | A hierarchically porous MgFe ₂ O ₄ /Fe ₂ O ₃ magnetic microspheres for efficient removals of dye and pharmaceutical from water. 2016 , 283, 524-534 | | 67 |
| 548 | Nanoscale iron oxides loaded granular activated carbon (GAC-NSIO) for cadmium removal. 2016 , 57, 3559-3571 | | 9 |
| 547 | Milled goethite nanocrystalline for selective and fast uptake of cadmium ions from aqueous solution. 2016 , 57, 6531-6539 | | 13 |
| 546 | Preparation of a cellulose-based adsorbent with covalently attached hydroxypropyldodecyldimethylammonium groups for the removal of C.I. Reactive Blue 21 dye from aqueous solution. 2016 , 57, 10604-10615 | | 8 |
| 545 | Removal of ionizable aromatic pollutants from contaminated water using nano Fe ₃ O ₄ based magnetic cationic hydrogel: Sorptive performance, magnetic separation and reusability. <i>Journal of Hazardous Materials</i> , 2017 , 322, 195-204 | 12.8 | 61 |
| 544 | Magnetic iron species highly dispersed over silica: use as catalysts for removal of pollutants in water. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 6114-6125 | 5.1 | 9 |

| | | | |
|-----|--|-----|-----|
| 543 | Zn ²⁺ /Silica Modified Cobalt Ferrite Magnetic Nanostructured Composite for Efficient Adsorption of Cationic Pollutants from Water. 2017 , 5, 1280-1286 | | 22 |
| 542 | Effect of multi-walled carbon nanotubes on phytotoxicity of sediments contaminated by phenanthrene and cadmium. 2017 , 172, 449-458 | | 70 |
| 541 | Removal of cadmium and lead ions from water by sulfonated magnetic nanoparticle adsorbents. 2017 , 494, 307-316 | | 169 |
| 540 | Removal of methylene blue from its aqueous solution by froth flotation: hydrophobic silica nanoparticle as a collector. 2017 , 19, 1 | | 20 |
| 539 | Adsorption of phosphate from aqueous solution using iron-zirconium modified activated carbon nanofiber: Performance and mechanism. 2017 , 493, 17-23 | | 206 |
| 538 | SDS-goethite adsorbent material preparation, structural characterization and the kinetics of the manganese adsorption. <i>Journal of Molecular Liquids</i> , 2017 , 231, 499-508 | 6 | 13 |
| 537 | The rapid degradation of bisphenol A induced by the response of indigenous bacterial communities in sediment. 2017 , 101, 3919-3928 | | 22 |
| 536 | Adsorption of anionic azo-dyes from aqueous solutions onto graphene oxide: Equilibrium, kinetic and thermodynamic studies. 2017 , 496, 188-200 | | 246 |
| 535 | Combined Impacts of Land Use and Climate Change in the Modeling of Future Groundwater Vulnerability. 2017 , 22, 05017007 | | 21 |
| 534 | L-cysteine-reduced graphene oxide/poly(vinyl alcohol) ultralight aerogel as a broad-spectrum adsorbent for anionic and cationic dyes. 2017 , 52, 5807-5821 | | 32 |
| 533 | Sequestration of HCHs and DDTs in sediments in Dongting Lake of China with multiwalled carbon nanotubes: implication for in situ sequestration. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 7726-7739 | 5.1 | 3 |
| 532 | Graphene oxide/Fe ₃ O ₄ /chitosan nanocomposite: a recoverable and recyclable adsorbent for organic dyes removal. Application to methylene blue. 2017 , 4, 035701 | | 49 |
| 531 | Cadmium-containing quantum dots: properties, applications, and toxicity. 2017 , 101, 2713-2733 | | 77 |
| 530 | Remediation of organochlorine pesticides contaminated lake sediment using activated carbon and carbon nanotubes. 2017 , 177, 65-76 | | 40 |
| 529 | Magnetic nanocomposite of multi-walled carbon nanotube as effective adsorbent for methyl violet removal from aqueous solutions: Response surface modeling and kinetic study. 2017 , 34, 1051-1061 | | 25 |
| 528 | Titanium dioxide nanotube arrays with silane coupling agent modification for heavy metal reduction and persistent organic pollutant degradation. 2017 , 41, 4377-4389 | | 16 |
| 527 | A Magnetized Nanoparticle Based Solid-Phase Extraction Procedure Followed by Inductively Coupled Plasma Atomic Emission Spectrometry to Determine Arsenic, Lead and Cadmium in Water, Milk, Indian Rice and Red Tea. 2017 , 98, 830-836 | | 20 |
| 526 | Use of macadamia nut shell residues as magnetic nanosorbents. 2017 , 124, 276-287 | | 18 |

| | | | |
|-----|---|------|-----|
| 525 | Cross-linking to prepare composite graphene oxide-framework membranes with high-flux for dyes and heavy metal ions removal. 2017 , 322, 657-666 | | 159 |
| 524 | Biological technologies for the remediation of co-contaminated soil. 2017 , 37, 1062-1076 | | 341 |
| 523 | Synthesis of superparamagnetic Fe ₃ O ₄ nanoparticles coated with green tea polyphenols and their use for removal of dye pollutant from aqueous solution. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 2214-2221 | 6.8 | 64 |
| 522 | Evaluation methods for assessing effectiveness of in situ remediation of soil and sediment contaminated with organic pollutants and heavy metals. 2017 , 105, 43-55 | | 275 |
| 521 | Electrical double layer ion transport with cell voltage-pulse potential coupling circuit for separating dilute lead ions from wastewater. 2017 , 535, 20-27 | | 25 |
| 520 | Yield cultivation of magnetotactic bacteria and magnetosomes: A review. 2017 , 57, 643-652 | | 45 |
| 519 | Fabrication and investigation of MnFe ₂ O ₄ /MWCNTs nanocomposite by hydrothermal technique and adsorption of cationic and anionic dyes. 2017 , 419, 70-83 | | 67 |
| 518 | Carbon nanotube amendment for treating dichlorodiphenyltrichloroethane and hexachlorocyclohexane remaining in Dong-ting Lake sediment - An implication for in-situ remediation. <i>Science of the Total Environment</i> , 2017 , 579, 283-291 | 10.2 | 15 |
| 517 | Adsorption of red azo dyes on multi-walled carbon nanotubes and activated carbon: A thermodynamic study. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 529, 531-540 | 5.1 | 64 |
| 516 | Aloe vera assisted facile green synthesis of reduced graphene oxide for electrochemical and dye removal applications. <i>RSC Advances</i> , 2017 , 7, 26680-26688 | 3.7 | 70 |
| 515 | Organic matters removal from landfill leachate by immobilized Phanerochaete chrysosporium loaded with graphitic carbon nitride under visible light irradiation. 2017 , 184, 1071-1079 | | 26 |
| 514 | Solar light driven degradation of post tanning water at heterostructured BiVO ₄ -ZnO mixed oxide catalyst interface. <i>Surfaces and Interfaces</i> , 2017 , 8, 147-153 | 4.1 | 10 |
| 513 | Magnetic separation and adsorptive performance for methylene blue of mesoporous NiFe ₂ O ₄ /SBA-15 nanocomposites. 2017 , 28, 2087-2093 | | 20 |
| 512 | MWCNT-Fe ₃ O ₄ as a superior adsorbent for microcystins LR removal: Investigation on the magnetic adsorption separation, artificial neural network modeling, and genetic algorithm optimization. <i>Journal of Molecular Liquids</i> , 2017 , 241, 102-113 | 6 | 45 |
| 511 | Polyurethane foam membranes filled with humic acid-chitosan crosslinked gels for selective and simultaneous removal of dyes. 2017 , 505, 67-78 | | 45 |
| 510 | Adsorption of polyaromatic pollutants from water system using carbon/ZnFe ₂ O ₄ nanocomposite: Equilibrium, kinetic and thermodynamic mechanism. <i>Journal of Molecular Liquids</i> , 2017 , 240, 361-371 | 6 | 29 |
| 509 | Interactions of carbon nanotubes and/or graphene with manganese peroxidase during biodegradation of endocrine disruptors and triclosan. 2017 , 184, 127-136 | | 35 |
| 508 | Nanotubes. 2017 , 1-24 | | 2 |

| | | | |
|-----|--|-----|-----|
| 507 | Repeating recovery and reuse of SDS micelles from MEUF retentate containing Cd ²⁺ by acidification UF. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 520, 361-368 | 5.1 | 30 |
| 506 | Effective removal of methylene blue from aqueous solutions using magnetic loaded activated carbon as novel adsorbent. 2017 , 122, 151-163 | | 187 |
| 505 | Carbon nanotube-impeded transport of non-steroidal anti-inflammatory drugs in Xiangjiang sediments. 2017 , 498, 229-238 | | 3 |
| 504 | Electrochemical deposition of carbon nanotubes from CO ₂ in CaCl ₂ /NaCl-based melts. 2017 , 5, 6219-6225 | | 32 |
| 503 | Influence of pH on heavy metal speciation and removal from wastewater using micellar-enhanced ultrafiltration. 2017 , 173, 199-206 | | 140 |
| 502 | Fabrication of reduced glutathione functionalized iron oxide nanoparticles for magnetic removal of Pb(II) from wastewater. 2017 , 71, 165-173 | | 42 |
| 501 | Synthesis of carbon loaded FeO nanocomposite and their applicability for the selective removal of binary mixture of dyes by ultrasonic adsorption based on response surface methodology. 2017 , 36, 393-408 | | 29 |
| 500 | Synthesis of Pd/Au bimetallic nanoparticle-loaded ultrathin graphitic carbon nitride nanosheets for highly efficient catalytic reduction of p-nitrophenol. 2017 , 490, 834-843 | | 57 |
| 499 | Carbon nanoparticle-modified multi-wall carbon nanotubes with fast adsorption kinetics for water treatment. 2017 , 28, 085703 | | 1 |
| 498 | Effect of embedded sodium polyacrylate chains on the adsorption mechanism of neutral red by magnetic particles. 2017 , 127, 223-235 | | 8 |
| 497 | Remedial Role of Nanocomposite as Photocatalysts, Adsorbents, and Disinfectants in Aqueous System and Their Biomedical Applications. 2017 , 371-401 | | 1 |
| 496 | Co-occurrence and interactions of pollutants, and their impacts on soil remediation: A review. 2017 , 47, 1528-1553 | | 286 |
| 495 | Tetragonal nanostructured zirconia modified hematite mesoporous composite for efficient adsorption of toxic cations from wastewater. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 5285-5292 | 6.8 | 6 |
| 494 | Assessing of Removal Efficiency of Indigo Carmine from Wastewater Using MWCNTs. 2017 , 41, 1047-1053 | | 8 |
| 493 | Metabolic Engineering for Bioactive Compounds. 2017 , | | 4 |
| 492 | Lead-induced oxidative stress and antioxidant response provide insight into the tolerance of <i>Phanerochaete chrysosporium</i> to lead exposure. 2017 , 187, 70-77 | | 45 |
| 491 | Superior adsorption capacity of strontium titanate and titania composites for anionic dyes removal. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 4663-4675 | 6.8 | 6 |
| 490 | Fungal strains isolation, identification and application for the recovery of Zn(II) ions. 2017 , 175, 282-290 | | 18 |

| | | |
|-----|---|--------|
| 489 | How Do Enzymes 'Meet' Nanoparticles and Nanomaterials?. 2017 , 42, 914-930 | 103 |
| 488 | Synthesis, characterization and adsorption properties of Fe ₃ O ₄ /MWCNT magnetic nanocomposites. 2017 , 4, 6567-6575 | 17 |
| 487 | Comprehensive evaluation of the cytotoxicity of CdSe/ZnS quantum dots in <i>Phanerochaete chrysosporium</i> by cellular uptake and oxidative stress. 2017 , 4, 2018-2029 | 78 |
| 486 | Magnetic graphene oxide modified by imidazole-based ionic liquids for the magnetic-based solid-phase extraction of polysaccharides from brown alga. 2017 , 40, 3301-3310 | 24 |
| 485 | Iron-Oxide-Filled Carbon Nanotubes. 2017 , 293-313 | 1 |
| 484 | Environment-friendly fullerene separation methods. 2017 , 330, 134-145 | 55 |
| 483 | Evaluation of Fe ₃ O ₄ @MnO ₂ core-shell magnetic nanoparticles as an adsorbent for decolorization of methylene blue dye in contaminated water: Synthesis and characterization, kinetic, equilibrium, and thermodynamic studies. 2017 , 1149, 199-205 | 32 |
| 482 | Core@double-shell structured magnetic halloysite nanotube nano-hybrid as efficient recyclable adsorbent for methylene blue removal. 2017 , 330, 491-504 | 160 |
| 481 | Contribution characteristics of the in situ extracellular polymeric substances (EPS) in <i>Phanerochaete chrysosporium</i> to Pb immobilization. 2017 , 40, 1447-1452 | 7 |
| 480 | Bioaccumulation and toxicity of CdSe/ZnS quantum dots in <i>Phanerochaete chrysosporium</i> . 2017 , 159, 303-311 | 18 |
| 479 | Rapid and efficient removal of methylene blue by freshly prepared manganese dioxide. 2017 , 4, 1345289 | 3 |
| 478 | Magnetic Nanoparticles for Bioseparation, Biosensing, and Regenerative Medicine. 2017 , 343-364 | |
| 477 | Selective removal of cationic micro-pollutants using disulfide-linked network structures. <i>RSC Advances</i> , 2017 , 7, 25969-25977 | 3-7 17 |
| 476 | Salicylic acid/ethanol modified steel converter slag as heterogeneous Fenton-like catalyst for enhanced degradation of alachlor. 2017 , 327, 686-693 | 54 |
| 475 | Effect of <i>Phanerochaete chrysosporium</i> inoculation on bacterial community and metal stabilization in lead-contaminated agricultural waste composting. 2017 , 243, 294-303 | 92 |
| 474 | Synthesis and application of magnetic chlorapatite nanoparticles for zinc (II), cadmium (II) and lead (II) removal from water solutions. 2017 , 505, 824-835 | 28 |
| 473 | Manganese-enhanced degradation of lignocellulosic waste by <i>Phanerochaete chrysosporium</i> : evidence of enzyme activity and gene transcription. 2017 , 101, 6541-6549 | 19 |
| 472 | Preparation of Fe ₃ O ₄ /TiO ₂ /Polypyrrole Ternary Magnetic Composite and Using as Adsorbent for the Removal of Acid Red G. 2017 , 25, 781-791 | 15 |

| | | | |
|-----|---|-----|-----|
| 471 | Application of response surface methodology for optimization of lead removal from an aqueous solution by a novel superparamagnetic nanocomposite. 2017 , 35, 241-260 | | 33 |
| 470 | The interactions of composting and biochar and their implications for soil amendment and pollution remediation: a review. 2017 , 37, 754-764 | | 246 |
| 469 | Removal of tetracycline and oxytetracycline from water by magnetic FeO@graphene. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 2987-2995 | 5.1 | 59 |
| 468 | Insight into highly efficient simultaneous photocatalytic removal of Cr(VI) and 2,4-dichlorophenol under visible light irradiation by phosphorus doped porous ultrathin g-C ₃ N ₄ nanosheets from aqueous media: Performance and reaction mechanism. 2017 , 203, 343-354 | | 383 |
| 467 | Incentive effect of bentonite and concrete admixtures on stabilization/solidification for heavy metal-polluted sediments of Xiangjiang River. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 892-901 | 5.1 | 15 |
| 466 | Advances in draw solutes for forward osmosis: Hybrid organic-inorganic nanoparticles and conventional solutes. 2017 , 309, 738-752 | | 60 |
| 465 | A magnetic superhydrophilic/oleophobic sponge for continuous oil-water separation. 2017 , 309, 366-373 | | 124 |
| 464 | Synthesis of novel hierarchically porous Fe ₃ O ₄ @MgAl ₂ OH magnetic microspheres and its superb adsorption properties of dye from water. 2017 , 46, 315-323 | | 109 |
| 463 | Biogenic reductive preparation of magnetic inverse spinel iron oxide nanoparticles for the adsorption removal of heavy metals. 2017 , 307, 74-84 | | 179 |
| 462 | Bare, gold and silver nanoparticle decorated, monodisperse-porous titania microbeads for photocatalytic dye degradation in a newly constructed microfluidic, photocatalytic packed-bed reactor. 2017 , 332, 60-65 | | 25 |
| 461 | Chelator-mimetic multi-functionalized hydrogel: Highly efficient and reusable sorbent for Cd, Pb, and As removal from waste water. 2017 , 307, 496-502 | | 19 |
| 460 | Practical and regenerable electrochemical aptasensor based on nanoporous gold and thymine-Hg-thymine base pairs for Hg detection. 2017 , 90, 542-548 | | 90 |
| 459 | Superparamagnetic Fe ₃ O ₄ @EDTA nanoparticles as an efficient adsorbent for simultaneous removal of Ag(I), Hg(II), Mn(II), Zn(II), Pb(II) and Cd(II) from water and soil environmental samples. <i>Microchemical Journal</i> , 2017 , 131, 51-56 | 4.8 | 94 |
| 458 | Responses of landscape pattern of China's two largest freshwater lakes to early dry season after the impoundment of Three-Gorges Dam. 2017 , 56, 36-43 | | 49 |
| 457 | Bioremediation mechanisms of combined pollution of PAHs and heavy metals by bacteria and fungi: A mini review. 2017 , 224, 25-33 | | 270 |
| 456 | Pseudo first ordered adsorption of noxious textile dyes by low-temperature synthesized amorphous carbon nanotubes. 2017 , 87, 68-76 | | 27 |
| 455 | A facile approach towards amino-coated polyethersulfone particles for the removal of toxins. 2017 , 485, 39-50 | | 37 |
| 454 | Facile and highly efficient fabrication of graphene oxide-based polymer nanocomposites through mussel-inspired chemistry and their environmental pollutant removal application. 2017 , 52, 504-518 | | 36 |

| | | |
|-----|--|--------|
| 453 | Preparation of adsorbent based on cotton fiber for removal of dyes. 2017 , 18, 2102-2110 | 16 |
| 452 | Column performance of carbon nanotube packed bed for methylene blue and orange red dye removal from waste water. 2017 , 206, 012081 | 3 |
| 451 | Activated Carbon, Carbon Nanotubes and Graphene: Materials and Composites for Advanced Water Purification. 2017 , 3, 18 | 86 |
| 450 | Multifunctional PMMA@Fe ₃ O ₄ @DR Magnetic Materials for Efficient Adsorption of Dyes. 2017 , 10, | 17 |
| 449 | Fate and Toxicity of Zinc Oxide Nanomaterial in Municipal Wastewaters. 2017 , 89, 880-889 | 9 |
| 448 | Synthesis of Magnetic Carbon Supported Manganese Catalysts for Phenol Oxidation by Activation of Peroxymonosulfate. 2017 , 7, 3 | 6 |
| 447 | Synthesis of polyaniline/magnetite nanocomposites using swollen liquid crystal templates for magnetically separable dye adsorbent applications. 2018 , 42, 5709-5719 | 11 |
| 446 | Remediation of contaminated soils by enhanced nanoscale zero valent iron. 2018 , 163, 217-227 | 117 |
| 445 | Magnetic solid-phase extraction based on FeO/graphene nanocomposites for enantioselective determination of representative profens in the environmental water samples and molecular docking study on adsorption mechanism of graphene. 2018 , 156, 88-96 | 20 |
| 444 | Multivariate relationships between microbial communities and environmental variables during co-composting of sewage sludge and agricultural waste in the presence of PVP-AgNPs. 2018 , 261, 10-18 | 110 |
| 443 | Root derived carbon transport extends the rhizosphere of rice compared to wheat. 2018 , 122, 211-219 | 8 |
| 442 | Rational Design of Carbon-Doped Carbon Nitride/Bi ₂ O ₃ /TiO ₂ Composites: A Promising Candidate Photocatalyst for Boosting Visible-Light-Driven Photocatalytic Degradation of Tetracycline. 2018 , 6, 6941-6949 | 156 |
| 441 | Ultrathin reduced graphene oxide/MOF nanofiltration membrane with improved purification performance at low pressure. 2018 , 204, 378-389 | 55 |
| 440 | How to Construct DNA Hydrogels for Environmental Applications: Advanced Water Treatment and Environmental Analysis. 2018 , 14, e1703305 | 37 |
| 439 | Mussel-inspired modification of PPS membrane to separate and remove the dyes from the wastewater. 2018 , 341, 371-382 | 96 |
| 438 | Impact of surfactant and clay platelets on electrokinetic potential and size distribution in carbon nanotubes aqueous suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 544, 205-212 | 5.1 11 |
| 437 | A novel biosorbent prepared by immobilized <i>Bacillus licheniformis</i> for lead removal from wastewater. 2018 , 200, 173-179 | 61 |
| 436 | Three-dimensional graphene supported catalysts for organic dyes degradation. 2018 , 228, 19-28 | 215 |

| | | | |
|-----|--|------|-----|
| 435 | New developments in non-covalent surface modification, dispersion and electrophoretic deposition of carbon nanotubes. 2018 , 130, 584-598 | | 76 |
| 434 | Gold rush in modern science: Fabrication strategies and typical advanced applications of gold nanoparticles in sensing. 2018 , 359, 1-31 | | 199 |
| 433 | Mussel inspired green synthesis of silver nanoparticles-decorated halloysite nanotube using dopamine: characterization and evaluation of its catalytic activity. 2018 , 8, 173-186 | | 47 |
| 432 | Adsorption of tetracycline antibiotics from aqueous solutions on nanocomposite multi-walled carbon nanotube functionalized MIL-53(Fe) as new adsorbent. <i>Science of the Total Environment</i> , 2018 , 627, 235-244 | 10.2 | 304 |
| 431 | In Situ Grown AgI/Bi ₂ O ₃ /TiO ₂ Heterojunction Photocatalysts for Visible Light Degradation of Sulfamethazine: Efficiency, Pathway, and Mechanism. 2018 , 6, 4174-4184 | | 200 |
| 430 | Hydrothermal synthesis of graphene wrapped Fe-doped TiO ₂ nanospheres with high photocatalysis performance. 2018 , 44, 7473-7480 | | 42 |
| 429 | Preparation of nanoparticle-modified polymeric adsorbent using waste fuzzes of mechanized carpet and its application in dye removal from aqueous solution. <i>Journal of Cleaner Production</i> , 2018 , 178, 373-383 | 10.3 | 21 |
| 428 | Monodisperse-porous titania microspheres and their gold decorated forms as new photocatalysts for dye degradation in batch fashion. 2018 , 207, 359-366 | | 8 |
| 427 | Green one-pot preparation of Fe ₂ O ₃ @carboxyl-functionalized yeast composite with high adsorption and catalysis properties for removal of methylene blue. 2018 , 50, 311-320 | | 13 |
| 426 | Enhanced adsorption of methylene blue onto graphene oxide-doped XFe ₂ O ₄ (X = Co, Mn, Ni) nanocomposites: kinetic, isothermal, thermodynamic and recyclability studies. 2018 , 44, 1661-1687 | | 54 |
| 425 | High adsorption of methylene blue by salicylic acid-methanol modified steel converter slag and evaluation of its mechanism. 2018 , 515, 232-239 | | 65 |
| 424 | Pathway and mechanism of nitrogen transformation during composting: Functional enzymes and genes under different concentrations of PVP-AgNPs. 2018 , 253, 112-120 | | 65 |
| 423 | Nano-adsorbents based on conducting polymer nanocomposites with main focus on polyaniline and its derivatives for removal of heavy metal ions/dyes: A review. 2018 , 162, 173-195 | | 291 |
| 422 | Magnetic multiwalled carbon nanotubes as nanocarrier tags for sensitive determination of fetuin in saliva. 2018 , 113, 88-94 | | 22 |
| 421 | Experimental and molecular docking study on graphene/Fe ₃ O ₄ composites as a sorbent for magnetic solid-phase extraction of seven imidazole antifungals in environmental water samples prior to LC-MS/MS for enantiomeric analysis. <i>Microchemical Journal</i> , 2018 , 140, 222-231 | 4.8 | 21 |
| 420 | Enhanced removal performance for methylene blue by kaolin with graphene oxide modification. 2018 , 89, 77-85 | | 43 |
| 419 | Nanobioremediation: Ecofriendly Application of Nanomaterials. 2018 , 1-13 | | 0 |
| 418 | Differential behaviors of silver nanoparticles and silver ions towards cysteine: Bioremediation and toxicity to <i>Phanerochaete chrysosporium</i> . 2018 , 203, 199-208 | | 34 |

| | | | |
|-----|--|------|-----|
| 417 | Application of molecular docking for the degradation of organic pollutants in the environmental remediation: A review. 2018 , 203, 139-150 | | 67 |
| 416 | Solvent-free production of nano-FeS anchored graphene from <i>Ulva fasciata</i> : A scalable synthesis of super-adsorbent for lead, chromium and dyes. <i>Journal of Hazardous Materials</i> , 2018 , 353, 190-203 | 12.8 | 28 |
| 415 | Removal of atenolol from aqueous solutions by multiwalled carbon nanotubes modified with ozone: kinetic and equilibrium study. 2018 , 2017, 636-649 | | 3 |
| 414 | Fabrication and evaluation of hollow surface molecularly imprinted polymer for rapid and selective adsorption of dibenzothiophene. 2018 , 345, 414-424 | | 47 |
| 413 | BiOX (X = Cl, Br, I) photocatalytic nanomaterials: Applications for fuels and environmental management. 2018 , 254, 76-93 | | 288 |
| 412 | Carbon-based core-shell nanostructured materials for electrochemical energy storage. 2018 , 6, 7310-7337 | | 73 |
| 411 | Efficient degradation of sulfamethazine in simulated and real wastewater at slightly basic pH values using Co-SAM-SCS /HO Fenton-like system. 2018 , 138, 7-18 | | 151 |
| 410 | Comparison of activated carbon and iron/cerium modified activated carbon to remove methylene blue from wastewater. 2018 , 65, 92-102 | | 64 |
| 409 | Preparation and characterization of sulfonated polystyrene/magnetite nanocomposites for organic dye adsorption. 2018 , 27, 403-413 | | 26 |
| 408 | ZnO supported on zeolite pellets as efficient catalytic system for the removal of caffeine by adsorption and photocatalysis. <i>Separation and Purification Technology</i> , 2018 , 193, 303-310 | 8.3 | 42 |
| 407 | Polyimide-based carbon nanofibers: A versatile adsorbent for highly efficient removals of chlorophenols, dyes and antibiotics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 537, 92-101 | 5.1 | 42 |
| 406 | Effect of exogenous carbonaceous materials on the bioavailability of organic pollutants and their ecological risks. 2018 , 116, 70-81 | | 89 |
| 405 | Magnetic carbon nanotubes: preparation, physical properties, and applications in biomedicine. 2018 , 46, 1314-1330 | | 38 |
| 404 | 0D/2D interface engineering of carbon quantum dots modified Bi ₂ WO ₆ ultrathin nanosheets with enhanced photoactivity for full spectrum light utilization and mechanism insight. 2018 , 222, 115-123 | | 233 |
| 403 | Rhamnolipid stabilized nano-chlorapatite: Synthesis and enhancement effect on Pb-and Cd-immobilization in polluted sediment. <i>Journal of Hazardous Materials</i> , 2018 , 343, 332-339 | 12.8 | 113 |
| 402 | Designer carbon nanotubes for contaminant removal in water and wastewater: A critical review. <i>Science of the Total Environment</i> , 2018 , 612, 561-581 | 10.2 | 180 |
| 401 | Highly porous carbon nitride by supramolecular preassembly of monomers for photocatalytic removal of sulfamethazine under visible light driven. 2018 , 220, 202-210 | | 394 |
| 400 | Facile fabrication of mediator-free Z-scheme photocatalyst of phosphorous-doped ultrathin graphitic carbon nitride nanosheets and bismuth vanadate composites with enhanced tetracycline degradation under visible light. 2018 , 509, 219-234 | | 116 |

| | | | |
|-----|---|------|-----|
| 399 | Sorption, transport and biodegradation - An insight into bioavailability of persistent organic pollutants in soil. <i>Science of the Total Environment</i> , 2018 , 610-611, 1154-1163 | 10.2 | 304 |
| 398 | Selective separation of methyl orange from water using magnetic ZIF-67 composites. 2018 , 333, 49-57 | | 197 |
| 397 | Enhanced bioremediation of 4-nonylphenol and cadmium co-contaminated sediment by composting with <i>Phanerochaete chrysosporium</i> inocula. 2018 , 250, 625-634 | | 30 |
| 396 | The potential impact on the biodegradation of organic pollutants from composting technology for soil remediation. 2018 , 72, 138-149 | | 65 |
| 395 | Magnetic solid-phase extraction based on magnetic multiwalled carbon nanotubes for the simultaneous enantiomeric analysis of five β -blockers in the environmental samples by chiral liquid chromatography coupled with tandem mass spectrometry. 2018 , 180, 98-107 | | 35 |
| 394 | Modeling the transport of sodium dodecyl benzene sulfonate in riverine sediment in the presence of multi-walled carbon nanotubes. 2018 , 129, 20-28 | | 72 |
| 393 | Sandwiched Fe ₃ O ₄ /Carboxylate Graphene Oxide Nanostructures Constructed by Layer-by-Layer Assembly for Highly Efficient and Magnetically Recyclable Dye Removal. 2018 , 6, 1279-1288 | | 243 |
| 392 | Adsorption of cationic dyes onto Fe@graphite core-shell magnetic nanocomposite: Equilibrium, kinetics and thermodynamics. 2018 , 129, 259-270 | | 76 |
| 391 | Mesoporous/microporous silica materials: Preparation from natural sands and highly efficient fixed-bed adsorption of methylene blue in wastewater. 2018 , 257, 9-18 | | 43 |
| 390 | Biochar-Based Magnetic Nanocomposite for Dye Removal from Aqueous Solutions: Response Surface Modeling and Kinetic Study. 2018 , 91, 1856-1866 | | 5 |
| 389 | Magnetic Sorbent Based on Magnetite and Modified Carbon Nanotubes for Extraction of Some Toxic Elements. 2018 , 91, 1849-1855 | | 5 |
| 388 | Effects of molecular weight fractionated humic acid on the transport and retention of quantum dots in porous media. 2018 , 5, 2699-2711 | | 5 |
| 387 | Prospects of biosynthesized nanomaterials for the remediation of organic and inorganic environmental contaminants. 2018 , 5, 2784-2808 | | 67 |
| 386 | Adsorption of phosphorus with calcium alginate beads containing drinking water treatment residual. 2018 , 78, 1980-1989 | | 9 |
| 385 | Biosorption of reactive blue BF-5G dye by malt bagasse: kinetic and equilibrium studies. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 7111-7118 | 6.8 | 27 |
| 384 | Preparation of CoFeO/activated carbon@chitosan as a new magnetic nanobiocomposite for adsorption of ciprofloxacin in aqueous solutions. 2018 , 78, 2158-2170 | | 50 |
| 383 | Facile Surface Modification of Glass-Fiber Membrane with Silylating Reagent through Chemical Bonding for the Selective Separation and Recycling of Diverse Dyes from Aqueous Solutions. 2018 , 3, 12734-12741 | | 2 |
| 382 | Alkali Metal-Assisted Synthesis of Graphite Carbon Nitride with Tunable Band-Gap for Enhanced Visible-Light-Driven Photocatalytic Performance. 2018 , 6, 15503-15516 | | 134 |

| | | | |
|-----|---|-----|-----|
| 381 | Microplastic pollution in surface sediments of urban water areas in Changsha, China: Abundance, composition, surface textures. 2018 , 136, 414-423 | | 116 |
| 380 | CNT/PVP blend PVDF membranes for the removal of organic pollutants from simulated treated wastewater effluent. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 6733-6740 | 6.8 | 17 |
| 379 | Removal of five cationic dyes using a resin coated with nickel/nickel boride nanoparticles. 2018 , 42, | | 1 |
| 378 | Spinel ferrite magnetic nanostructures at the surface of graphene sheets for visible light photocatalysis applications. 2018 , 550, 317-323 | | 20 |
| 377 | Development of Maghemite Glass Fibre Nanocomposite for Adsorptive Removal of Methylene Blue. 2018 , 19, 1735-1746 | | 13 |
| 376 | Immobilization of Cationic Titanium Dioxide (TiO ₂ ⁺) on Electrospun Nanofibrous Mat: Synthesis, Characterization, and Potential Environmental Application. 2018 , 19, 1715-1725 | | 19 |
| 375 | Preparation of porous carbon nanotube/carbon composite spheres and their adsorption properties. 2018 , 137, 493-501 | | 23 |
| 374 | Zirconium-based metal organic frameworks loaded on polyurethane foam membrane for simultaneous removal of dyes with different charges. 2018 , 527, 267-279 | | 62 |
| 373 | Construction of iodine vacancy-rich BiOI/Ag@AgI Z-scheme heterojunction photocatalysts for visible-light-driven tetracycline degradation: Transformation pathways and mechanism insight. 2018 , 349, 808-821 | | 354 |
| 372 | Nanobioremediation: Ecofriendly Application of Nanomaterials. 2018 , 1-14 | | 1 |
| 371 | Application of response surface methodology for optimization of reactive black 5 removal by three dimensional electro-Fenton process. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 3418-3435 | 6.8 | 13 |
| 370 | Polymeric nanocomposites for the removal of Acid red 52 dye from aqueous solutions: Synthesis, characterization, kinetic and isotherm studies. 2018 , 160, 42-51 | | 28 |
| 369 | Efficient removal of cadmium and lead ions from water by hydrogels modified with cystine. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 3962-3970 | 6.8 | 16 |
| 368 | Preparation of PEDOT-ordered mesoporous carbon hybrid material using vapor phase polymerization. 2018 , 35, 1941-1947 | | 2 |
| 367 | Cross-linked poly(methyl methacrylate)/multiwall carbon nanotube nanocomposites for environmental treatment. 2018 , 37, 3240-3251 | | 8 |
| 366 | Functionalized Inorganic Nanoparticles for Magnetic Separation and SERS Detection of Water Pollutants. 2018 , 2018, 3443-3461 | | 20 |
| 365 | Carbon nanotube-based environmental technologies: the adopted properties, primary mechanisms, and challenges. 2018 , 17, 571-590 | | 39 |
| 364 | Experimental investigation of Al-F species formation and transformation during coagulation for fluoride removal using alum and PACl. <i>Journal of Molecular Liquids</i> , 2018 , 266, 349-360 | 6 | 28 |

| | | | |
|-----|---|------|-----|
| 363 | Selective prepared carbon nanomaterials for advanced photocatalytic application in environmental pollutant treatment and hydrogen production. 2018 , 239, 408-424 | | 300 |
| 362 | Advanced photocatalytic Fenton-like process over biomimetic hemin-Bi ₂ WO ₆ with enhanced pH. 2018 , 93, 184-192 | | 109 |
| 361 | Antioxidative response of <i>Phanerochaete chrysosporium</i> against silver nanoparticle-induced toxicity and its potential mechanism. 2018 , 211, 573-583 | | 67 |
| 360 | Semiconductor/boron nitride composites: Synthesis, properties, and photocatalysis applications. 2018 , 238, 6-18 | | 218 |
| 359 | High adsorption performance of β -cyclodextrin-functionalized multi-walled carbon nanotubes for the removal of organic dyes from water and industrial wastewater. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 4634-4643 | 6.8 | 53 |
| 358 | Poly(N-isopropylmethacrylamide-acrylic acid) microgels as adsorbent for removal of toxic dyes from aqueous medium. <i>Journal of Molecular Liquids</i> , 2018 , 268, 229-238 | 6 | 22 |
| 357 | Multi-walled carbon nanotube/amino-functionalized MIL-53(Fe) composites: Remarkable adsorptive removal of antibiotics from aqueous solutions. 2018 , 210, 1061-1069 | | 167 |
| 356 | Superhydrophobic kaolinite modified graphene oxide-melamine sponge with excellent properties for oil-water separation. 2018 , 163, 63-71 | | 33 |
| 355 | Chromosomal expression of CadR on <i>Pseudomonas aeruginosa</i> for the removal of Cd(II) from aqueous solutions. <i>Science of the Total Environment</i> , 2018 , 636, 1355-1361 | 10.2 | 52 |
| 354 | Metal-organic frameworks for highly efficient heterogeneous Fenton-like catalysis. 2018 , 368, 80-92 | | 258 |
| 353 | Application of clay ceramics and nanotechnology in water treatment: A review. 2018 , 5, 1476017 | | 18 |
| 352 | Removal of dyes from aqueous solution by sorption with fly ash using a hydrocyclone. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 5204-5211 | 6.8 | 26 |
| 351 | Antibacterial and catalytic activity of biogenic gold nanoparticles synthesised by. 2018 , 12, 509-513 | | 44 |
| 350 | Toxicity effects of silver nanoparticles on the freshwater bivalve <i>Corbicula fluminea</i> . <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 4236-4244 | 6.8 | 19 |
| 349 | Magnetic dispersive solid phase extraction using modified magnetic multi-walled carbon nanotubes combined with electrothermal atomic absorption spectrometry for the determination of selenium. 2018 , 98, 555-569 | | 7 |
| 348 | Doping Ag/AgCl in zeolitic imidazolate framework-8 (ZIF-8) to enhance the performance of photodegradation of methylene blue. 2018 , 209, 44-52 | | 33 |
| 347 | Pesticide Contamination: Environmental Problems and Remediation Strategies. 2019 , 245-269 | | 18 |
| 346 | Effect of Cysteine Substitutions on the Structural and Magnetic Properties of Fe ₃ O ₄ @Cysteine/RGO and Fe ₃ O ₄ /RGO@Cysteine Nanocomposites. 2019 , 32, 1299-1306 | | 4 |

| | | | |
|-----|--|------|-----|
| 345 | Research on the sustainable efficacy of g-MoS decorated biochar nanocomposites for removing tetracycline hydrochloride from antibiotic-polluted aqueous solution. <i>Science of the Total Environment</i> , 2019 , 648, 206-217 | 10.2 | 167 |
| 344 | Synthesis of a novel magnetic SnNb ₂ O ₆ /CoFe-LDH 2D/2D heterostructure for the degradation of organic pollutants under visible light irradiation. 2019 , 54, 172-187 | | 9 |
| 343 | Adsorptive removal of dibenzothiophene from petroleum distillates using pomegranate leaf (Punica granatum) powder as a greener adsorbent. 2019 , 206, 333-345 | | 10 |
| 342 | Characterization and adsorption performance of CdMn ₂ O ₄ nanocomposite as a new highly efficient adsorbent. 2019 , 16, 5979-5988 | | 7 |
| 341 | Metal Organic Frameworks as Robust Host of Palladium Nanoparticles in Heterogeneous Catalysis: Synthesis, Application, and Prospect. 2019 , 11, 32579-32598 | | 62 |
| 340 | Cooperative catalytic performance of bimetallic Ni-Au nanocatalyst for highly efficient hydrogenation of nitroaromatics and corresponding mechanism insight. 2019 , 259, 118035 | | 110 |
| 339 | Preparation of silver-nanoparticle-loaded magnetic biochar/poly(dopamine) composite as catalyst for reduction of organic dyes. 2019 , 555, 460-469 | | 30 |
| 338 | Heterogeneous Fenton-like catalyst for treatment of rhamnolipid-solubilized hexadecane wastewater. 2019 , 236, 124387 | | 64 |
| 337 | Adsorption of an Anionic Azo Dye Using Moringa oleifera Seed Protein-Montmorillonite Composite. 2019 , 2019, 1-8 | | 5 |
| 336 | A novel potential oscillation in situ removal method: preparation of ion imprinted 8-HQ/PPy film for the selective separation of zinc ions. 2019 , 23, 2541-2550 | | 1 |
| 335 | Ti ₃ C ₂ Mxene/porous g-C ₃ N ₄ interfacial Schottky junction for boosting spatial charge separation in photocatalytic H ₂ O ₂ production. 2019 , 258, 117956 | | 269 |
| 334 | Ultra-rapid removal of cationic organic dyes by novel single- and double-stranded DNA immobilized on quaternary ammonium magnetic chitosan. <i>Journal of Environmental Chemical Engineering</i> , 2019 , 7, 103308 | 6.8 | 9 |
| 333 | Magnetically retrievable Ce-doped FeO nanoparticles as scaffolds for the removal of azo dyes.. <i>RSC Advances</i> , 2019 , 9, 23129-23141 | 3.7 | 18 |
| 332 | Simultaneous enantiomeric analysis of six chiral pesticides in functional foods using magnetic solid-phase extraction based on carbon nanospheres as adsorbent and chiral liquid chromatography coupled with tandem mass spectrometry. 2019 , 175, 112784 | | 11 |
| 331 | Nanosized Iron Oxide Uniformly Distributed on 3D Carbon Nanosheets: Efficient Adsorbent for Methylene Blue. 2019 , 9, 2898 | | 1 |
| 330 | Adsorptive desulfurization of dibenzothiophene (DBT) in model petroleum distillate using functionalized carbon nanotubes. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 32746-32758 | 5.1 | 13 |
| 329 | PdII Immobilized on Ferromagnetic Multi-Walled Carbon Nanotubes Functionalized by Aminated 2-Chloroethylphosphonic Acid with S-Methylisothiurea (FMMWCNTs@CPA@SMTU@PdII NPs) Applied as a Highly Efficient and Recyclable Nanostructured Catalyst for SuzukiMiyaura and Mizoroki-Heck Cross-Coupling Reactions in Solvent-Free Conditions. 2019 , 72, 674 | | 8 |
| 328 | Visible-light-driven photocatalytic degradation of sulfamethazine by surface engineering of carbon nitride: Properties, degradation pathway and mechanisms. <i>Journal of Hazardous Materials</i> , 2019 , 380, 120815 | 12.8 | 90 |

| | | | |
|-----|--|------|----|
| 327 | Impacts of iron oxide nanoparticles on organic matter degradation and microbial enzyme activities during agricultural waste composting. 2019 , 95, 289-297 | | 24 |
| 326 | Bio-inspired N,S-doped siligraphenes as novel metal-free catalysts for removal of dyes in the dark. <i>Journal of Molecular Liquids</i> , 2019 , 295, 111657 | 6 | 11 |
| 325 | Syntheses, structure, photocatalytic degradation for methylene blue of Co(II)-Based coordination polymers. 2019 , 279, 120932 | | 7 |
| 324 | Kinetics, isotherm, and thermodynamic studies of methylene blue selective adsorption and photocatalysis of malachite green from aqueous solution using layered Na-intercalated Cu-doped Titania. 2019 , 183, 105323 | | 16 |
| 323 | Magnetic Nanoparticles@Metal-Organic Framework Composites as Sustainable Environment Adsorbents. 2019 , 2019, 1-11 | | 15 |
| 322 | In-situ synthesis of magnetic nanoparticle immobilized heterogeneous catalyst through mussel mimetic approach for the efficient removal of water pollutants. 2019 , 33, 100218 | | 35 |
| 321 | Chitosan-Graphene Oxide Hydrogels with Embedded Magnetic Iron Oxide Nanoparticles for Dye Removal. 2019 , 2, 7379-7392 | | 55 |
| 320 | Development of sponge/graphene oxide composite as eco-friendly filter to remove methylene blue from aqueous media. 2019 , 496, 143676 | | 19 |
| 319 | Powerful combination of g-CN and LDHs for enhanced photocatalytic performance: A review of strategy, synthesis, and applications. 2019 , 272, 101999 | | 80 |
| 318 | Methylene Blue Removal by Graphene Oxide/Alginate Gel Beads. 2019 , 20, 1666-1672 | | 10 |
| 317 | Aminated β -cyclodextrin-grafted FeO-loaded gambogic acid magnetic nanoparticles: preparation, characterization, and biological evaluation.. <i>RSC Advances</i> , 2019 , 9, 27136-27146 | 3-7 | 3 |
| 316 | Efficient removal of methylene blue dye from aqueous media using Fe/Si, Cr/Si, Ni/Si, and Zn/Si amorphous novel adsorbents. 2019 , 8, 5301-5313 | | 51 |
| 315 | Novel carbon based bioactive nanocomposites of aniline/indole copolymer for removal of cationic dyes from aqueous solution: kinetics and isotherms. 2019 , 43, 2400-2410 | | 12 |
| 314 | Design and development of TiO ₂ -FeO nanoparticle-immobilized nanofibrous mat for photocatalytic degradation of hazardous water pollutants. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 4842-4854 | 2-1 | 16 |
| 313 | FMMWCNTs@CPA@SMTU@PdII NPs: As a Versatile Ferromagnetic Nanostructured Catalyst for Sonogashira-Hagihara Cross-Coupling Reaction in Solvent-Free Conditions. 2019 , 4, 1542-1555 | | 9 |
| 312 | Graphene oxide nanocomposite hydrogel based on poly(acrylic acid) grafted onto salep: an adsorbent for the removal of noxious dyes from water. 2019 , 43, 3572-3582 | | 21 |
| 311 | Graphene composite nanofibers as a high-performance photocatalyst for environmental remediation. <i>Separation and Purification Technology</i> , 2019 , 215, 602-611 | 8-3 | 16 |
| 310 | Utilization of nanomaterials for in-situ remediation of heavy metal(loid) contaminated sediments: A review. <i>Science of the Total Environment</i> , 2019 , 662, 205-217 | 10-2 | 88 |

| | | | |
|-----|---|------|-----|
| 309 | Influence of FeONPs amendment on nitrogen conservation and microbial community succession during composting of agricultural waste: Relative contributions of ammonia-oxidizing bacteria and archaea to nitrogen conservation. 2019 , 287, 121463 | | 27 |
| 308 | Ni-doped MIL-53(Fe) nanoparticles for optimized doxycycline removal by using response surface methodology from aqueous solution. 2019 , 232, 186-194 | | 57 |
| 307 | Heterogeneous form of poly (4-vinyl pyridine) beads based dendrimer stabilized Ag, Au and PdNPs catalyst for reduction of trypan blue. 2019 , 2, 532-542 | | 3 |
| 306 | Catalytic degradation of diclofenac from aqueous solutions using peroxymonosulfate activated by magnetic MWCNTs-CoFeO nanoparticles.. <i>RSC Advances</i> , 2019 , 9, 16496-16508 | 3.7 | 19 |
| 305 | Evolutions of different microbial populations and the relationships with matrix properties during agricultural waste composting with amendment of iron (hydr)oxide nanoparticles. 2019 , 289, 121697 | | 9 |
| 304 | Changes of heavy metal fractions during co-composting of agricultural waste and river sediment with inoculation of <i>Phanerochaete chrysosporium</i> . <i>Journal of Hazardous Materials</i> , 2019 , 378, 120757 | 12.8 | 56 |
| 303 | Facile synthesis of a triptycene-based porous organic polymer with a high efficiency and recyclable adsorption for organic dyes. 2019 , 136, 47987 | | 16 |
| 302 | Basic Blue Dye Adsorption from Water using Polyaniline/Magnetite(FeO) Composites: Kinetic and Thermodynamic Aspects. 2019 , 12, | | 37 |
| 301 | Recent advances in toxicological research of nanoplastics in the environment: A review. 2019 , 252, 511-521 | | 190 |
| 300 | Enhanced adsorption and catalytic degradation of organic dyes by nanometer iron oxide anchored to single-wall carbon nanotubes. 2019 , 488, 813-826 | | 33 |
| 299 | Metal-organic frameworks derived magnetic carbon-Fe/Fe ₃ C composites as a highly effective adsorbent for tetracycline removal from aqueous solution. 2019 , 374, 91-99 | | 93 |
| 298 | Photocatalytic membrane in water purification: is it stepping closer to be driven by visible light?. 2019 , 584, 364-392 | | 100 |
| 297 | Brief bibliometric analysis of "ionic liquid" applications and its review as a substitute for common adsorbent modifier for the adsorption of organic pollutants. 2019 , 175, 34-51 | | 26 |
| 296 | Chitosan functionalized activated coke for Au nanoparticles anchoring: Green synthesis and catalytic activities in hydrogenation of nitrophenols and azo dyes. 2019 , 255, 117740 | | 146 |
| 295 | Effects of typical engineered nanomaterials on 4-nonylphenol degradation in river sediment: based on bacterial community and function analysis. 2019 , 6, 2171-2184 | | 5 |
| 294 | Biological synthesis of copper nanoparticles, using Nerium oleander leaves extract: Characterization and study of their interaction with organic dyes. 2019 , 105, 36-46 | | 36 |
| 293 | Surfactant-assisted synthesis of photocatalysts: Mechanism, synthesis, recent advances and environmental application. 2019 , 372, 429-451 | | 79 |
| 292 | Sustainable sludge management by removing emerging contaminants from urban wastewater using carbon nanotubes. 2019 , 553-571 | | 7 |

| | | | |
|-----|---|------|-----|
| 291 | Synthesis and application of modified commercial sponges for oil-water separation. 2019 , 373, 213-226 | | 97 |
| 290 | A novel 3D adsorbent of reduced graphene oxide- β -cyclodextrin aerogel coupled hardness with softness for efficient removal of bisphenol A. 2019 , 372, 896-904 | | 39 |
| 289 | Environmental Remediation Applications of Carbon Nanotubes and Graphene Oxide: Adsorption and Catalysis. <i>Nanomaterials</i> , 2019 , 9, | 5.4 | 64 |
| 288 | Lignosulfonate functionalized kaolin-Ag hybrid catalyst for highly effective dye decolorization. 2019 , 171, 38-47 | | 12 |
| 287 | Coconut-Shell-Derived Carbon/Carbon Nanotube Composite for Fluoride Adsorption from Aqueous Solution. 2019 , 47, 1800286 | | 22 |
| 286 | Synergistic effect of artificial enzyme and 2D nano-structured Bi ₂ WO ₆ for eco-friendly and efficient biomimetic photocatalysis. 2019 , 250, 52-62 | | 273 |
| 285 | Core-shell nanomaterials: Applications in energy storage and conversion. 2019 , 267, 26-46 | | 73 |
| 284 | Facile assembled biochar-based nanocomposite with improved graphitization for efficient photocatalytic activity driven by visible light. 2019 , 250, 78-88 | | 370 |
| 283 | Enhanced dyes adsorption from wastewater via FeO nanoparticles functionalized activated carbon. <i>Journal of Hazardous Materials</i> , 2019 , 373, 397-407 | 12.8 | 145 |
| 282 | Magnetism in two-dimensional materials beyond graphene. 2019 , 27, 107-122 | | 69 |
| 281 | Magnetic Carbon Composite Particles for Dye Adsorption from Water and their Electrochemical Regeneration. 2019 , 36, 1800537 | | 6 |
| 280 | Influence of surfactants on anaerobic digestion of waste activated sludge: acid and methane production and pollution removal. 2019 , 39, 746-757 | | 27 |
| 279 | Facile synthesis of manganese oxide-embedded mesoporous carbons and their adsorbability towards methylene blue. 2019 , 227, 455-461 | | 41 |
| 278 | Synthesis of carboxyl-functionalized magnetic nanoparticle for the removal of methylene blue. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 572, 58-66 | 5.1 | 40 |
| 277 | Synthesis of mesoporous rebar MWCNT/alumina composite (RMAC) nodules for the effective removal of methylene blue and Cr (VI) from an aqueous medium. <i>Journal of Hazardous Materials</i> , 2019 , 374, 140-151 | 12.8 | 32 |
| 276 | Efficient visible light driven degradation of sulfamethazine and tetracycline by salicylic acid modified polymeric carbon nitride via charge transfer. 2019 , 370, 1077-1086 | | 104 |
| 275 | Preparation and Characterization of Magadiite?Magnetite Nanocomposite with Its Sorption Performance Analyses on Removal of Methylene Blue from Aqueous Solutions. 2019 , 11, | | 17 |
| 274 | Nanobiotechnology Approach for the Remediation of Environmental Hazards Generated from Industrial Waste. 2019 , 531-561 | | 3 |

| | | |
|-----|---|---------|
| 273 | Immobilized laccase on bentonite-derived mesoporous materials for removal of tetracycline. 2019 , 222, 865-871 | 72 |
| 272 | Alleviation of heavy metal and silver nanoparticle toxicity and enhancement of their removal by hydrogen sulfide in <i>Phanerochaete chrysosporium</i> . 2019 , 224, 554-561 | 19 |
| 271 | Effective and fast adsorptive removal of toxic cationic dye (MB) from aqueous medium using amino-functionalized magnetic multiwall carbon nanotubes. <i>Journal of Molecular Liquids</i> , 2019 , 282, 154-161 | 71 |
| 270 | Application of silver phosphate-based photocatalysts: Barriers and solutions. 2019 , 366, 339-357 | 61 |
| 269 | Efficient removal of methylene blue from aqueous solutions using magnetic graphene oxide modified zeolite. 2019 , 543, 43-51 | 87 |
| 268 | Aerosol-assisted chemical deposition of nanocomposite material in the [Iron-carbon-oxygen] system. 2019 , 337, 012088 | |
| 267 | Effective Adsorption of Methylene Blue dye onto Magnetic Nanocomposites. Modeling and Reuse Studies. 2019 , 9, 4563 | 22 |
| 266 | Synthesis, characterisation and applications of new Schiff base as microbicidal agent and removal of heavy metals from water. 2019 , 1-15 | 3 |
| 265 | Mathematical Modeling of Batch Adsorption Kinetics of Lead Ions on Modified Natural Zeolite from Aqueous Media. 2019 , 53, 1057-1066 | 4 |
| 264 | In-situ deposition of gold nanoparticles onto polydopamine-decorated g-CN for highly efficient reduction of nitroaromatics in environmental water purification. 2019 , 534, 357-369 | 160 |
| 263 | Interaction of tetramer protein with carbon nanotubes. 2019 , 464, 30-35 | 6 |
| 262 | Facile synthesis of CoFe ₂ O ₄ nanoparticles and application in removal of malachite green dye. 2019 , 7, 137-142 | 20 |
| 261 | Alginate-based composites for environmental applications: A critical review. 2018 , 49, 318-356 | 127 |
| 260 | Ultrahigh adsorption capacities for anionic and cationic dyes from wastewater using only chitosan. <i>Journal of Cleaner Production</i> , 2019 , 214, 89-94 | 10.3 67 |
| 259 | Au nanoparticles decorated on activated coke via a facile preparation for efficient catalytic reduction of nitrophenols and azo dyes. 2019 , 473, 578-588 | 108 |
| 258 | Boron nitride quantum dots decorated ultrathin porous g-C ₃ N ₄ : Intensified exciton dissociation and charge transfer for promoting visible-light-driven molecular oxygen activation. 2019 , 245, 87-99 | 378 |
| 257 | Ionic liquid modified molybdenum disulfide and reduced graphene oxide magnetic nanocomposite for the magnetic separation of dye from aqueous solution. 2019 , 1054, 47-58 | 23 |
| 256 | Fabrication of polydopamine-kaolin supported Ag nanoparticles as effective catalyst for rapid dye decoloration. 2019 , 219, 400-408 | 13 |

| | | | | |
|-----|--|------|--|-----|
| 255 | Adsorption Behavior of Azo Dyes on Carbon Nanotubes Grown on Alumina: Process Optimization, Kinetics, and Equilibrium Study. 2019 , 145, 04018134 | | | 3 |
| 254 | Immobilizing laccase on kaolinite and its application in treatment of malachite green effluent with the coexistence of Cd (II). 2019 , 217, 843-850 | | | 35 |
| 253 | Rational design of graphitic carbon nitride copolymers by molecular doping for visible-light-driven degradation of aqueous sulfamethazine and hydrogen evolution. 2019 , 359, 186-196 | | | 153 |
| 252 | Rapid synthesis of a silsesquioxane-based disulfide-linked polymer for selective removal of cationic dyes from aqueous solutions. 2019 , 359, 436-445 | | | 47 |
| 251 | Synthesis and characterization of deep eutectic solvent functionalized CNT/ZnCo ₂ O ₄ nanostructure: Kinetics, isotherm and regenerative studies on Eosin Y adsorption. <i>Journal of Environmental Chemical Engineering</i> , 2019 , 7, 102877 | 6.8 | | 15 |
| 250 | Ternary Z-scheme heterojunction of BiWO ₄ with reduced graphene oxide (rGO) and meso-tetra (4-carboxyphenyl) porphyrin (TCPP) for enhanced visible-light photocatalysis. 2019 , 540, 115-125 | | | 61 |
| 249 | Binary nanocomposite of Fe ₃ O ₄ /MWCNTs for adsorption of Reactive Violet 2: Taguchi design, kinetics and equilibrium isotherms. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2019 , 27, 305-316 | 1.8 | | 5 |
| 248 | Methods for dispersing carbon nanotubes for nanotechnology applications: liquid nanocrystals, suspensions, polyelectrolytes, colloids and organization control. 2019 , 9, 31-49 | | | 27 |
| 247 | Using nanomaterials to facilitate the phytoremediation of contaminated soil. 2019 , 49, 791-824 | | | 58 |
| 246 | Influence of immobilization on phenanthrene degradation by <i>Bacillus</i> sp. P1 in the presence of Cd(II). <i>Science of the Total Environment</i> , 2019 , 655, 1279-1287 | 10.2 | | 21 |
| 245 | Graphene hybridized polydopamine-kaolin composite as effective adsorbent for methylene blue removal. 2019 , 161, 141-149 | | | 67 |
| 244 | Synthetic strategies and application of gold-based nanocatalysts for nitroaromatics reduction. <i>Science of the Total Environment</i> , 2019 , 652, 93-116 | 10.2 | | 31 |
| 243 | Adsorption behavior and mechanism of Mg/Fe layered double hydroxide with FeO-carbon spheres on the removal of Pb(II) and Cu(II). 2019 , 536, 440-455 | | | 132 |
| 242 | Synthesis of CaWO ₄ -biochar nanocomposites for organic dye removal. 2019 , 110, 169-173 | | | 28 |
| 241 | Simultaneous enantioselective determination of 22 chiral pesticides in fruits and vegetables using chiral liquid chromatography coupled with tandem mass spectrometry. 2019 , 277, 298-306 | | | 36 |
| 240 | Carbon nanotube-based magnetic and non-magnetic adsorbents for the high-efficiency removal of diquat dibromide herbicide from water: OMWCNT, OMWCNT-FeO and OMWCNT- β -carrageenan-FeO nanocomposites. 2019 , 244, 723-732 | | | 124 |
| 239 | Effects of multi-walled carbon nanotubes on metabolic function of the microbial community in riverine sediment contaminated with phenanthrene. 2019 , 144, 1-7 | | | 45 |
| 238 | Magnetically responsive porous materials for efficient adsorption and desorption processes. 2019 , 27, 1324-1338 | | | 9 |

| | | | |
|-----|---|------|-----|
| 237 | Facile Preparation of Semiconductor Silver Phosphate Loaded on Multi-walled Carbon Nanotube Surface and Its Enhanced Catalytic Performance. 2019 , 29, 617-627 | | 3 |
| 236 | Three-dimensional Fe ₂ O ₃ /amino-functionalization carbon nanotube sponge for adsorption and oxidative removal of tetrabromobisphenol A. <i>Separation and Purification Technology</i> , 2019 , 211, 359-367 | 8.3 | 19 |
| 235 | Synthesis and characterization of maghemite nanocrystals decorated multi-wall carbon nanotubes for methylene blue dye removal. 2019 , 54, 200-216 | | 21 |
| 234 | Carbon Nanotubes as Plant Growth Regulators. 2019 , 23-42 | | 10 |
| 233 | Nano-structured bismuth tungstate with controlled morphology: Fabrication, modification, environmental application and mechanism insight. 2019 , 358, 480-496 | | 124 |
| 232 | Polypropylene composite hollow fiber ultrafiltration membranes with an acrylic hydrogel surface by in situ ultrasonic wave-assisted polymerization for dye removal. 2019 , 136, 47099 | | 7 |
| 231 | Graphene/Fe ₃ O ₄ nanocomposite for effective removal of ten triazole fungicides from water solution: Tebuconazole as an example for investigation of the adsorption mechanism by experimental and molecular docking study. 2019 , 95, 635-642 | | 26 |
| 230 | Effects of silver nanoparticles with different dosing regimens and exposure media on artificial ecosystem. 2019 , 75, 181-192 | | 8 |
| 229 | Comparative study of calcium alginate, ball-milled biochar, and their composites on aqueous methylene blue adsorption. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 11535-11541 | 5.1 | 44 |
| 228 | Measuring and modeling metal ions adsorption on Al ₂ O ₃ , SiO ₂ and TiO ₂ nanoparticles in the presence of organic ligands. 2019 , 16, 223-236 | | 4 |
| 227 | Bisphenol A removal from water by biomass-based carbon: isotherms, kinetics and thermodynamics studies. 2020 , 41, 971-980 | | 7 |
| 226 | Removal of methylene blue dye from aqueous solution using activated charcoal modified manganese ferrite (AC-MnFe ₂ O ₄): kinetics, isotherms, and thermodynamics studies. 2020 , 38, 756-767 | | 5 |
| 225 | Antimicrobial efficacy and mechanisms of silver nanoparticles against <i>Phanerochaete chrysosporium</i> in the presence of common electrolytes and humic acid. <i>Journal of Hazardous Materials</i> , 2020 , 383, 121153 | 12.8 | 14 |
| 224 | Electrospun metal-organic frameworks with polyacrylonitrile as precursors to hierarchical porous carbon and composite nanofibers for adsorption and catalysis. 2020 , 239, 124833 | | 10 |
| 223 | Recent progress on metal-organic frameworks based- and derived-photocatalysts for water splitting. 2020 , 383, 123196 | | 96 |
| 222 | Electrochemically enhanced simultaneous degradation of sulfamethoxazole, ciprofloxacin and amoxicillin from aqueous solution by multi-walled carbon nanotube filter. <i>Separation and Purification Technology</i> , 2020 , 235, 116167 | 8.3 | 29 |
| 221 | Eco-friendly synthesis of <i>Cynomorium coccineum</i> extract for controlled production of copper nanoparticles for sorption of methylene blue dye. 2020 , 13, 4263-4274 | | 41 |
| 220 | One-pot synthesis of magnetic graphene oxide composites as an efficient and recoverable adsorbent for Cd(II) and Pb(II) removal from aqueous solution. <i>Journal of Hazardous Materials</i> , 2020 , 381, 120914 | 12.8 | 84 |

| | | | |
|-----|--|------|----|
| 219 | A "bottle-around-ship" like method synthesized yolk-shell AgPO@MIL-53(Fe) Z-scheme photocatalysts for enhanced tetracycline removal. 2020 , 561, 501-511 | | 43 |
| 218 | Synthesis, Structure and Photocatalytic Dye Degradation Ability of Co(II)-Based Coordination Polymers. 2020 , 30, 2105-2113 | | 2 |
| 217 | Zn-substituted iron oxide nanoparticles from thermal decomposition and their thermally treated derivatives for magnetic solid-phase extraction. 2020 , 498, 166083 | | 3 |
| 216 | One-step synthesis of highly porous carbon graphite/carbon nanotubes composite by in-situ growth of carbon nanotubes for the removal of humic acid and copper (II) from wastewater. 2020 , 101, 107557 | | 11 |
| 215 | Adsorption of ciprofloxacin hydrochloride on multiwall carbon nanotube. 2020 , 1206, 127711 | | 47 |
| 214 | Distorted polymeric carbon nitride via carriers transfer bridges with superior photocatalytic activity for organic pollutants oxidation and hydrogen production under visible light. <i>Journal of Hazardous Materials</i> , 2020 , 386, 121947 | 12.8 | 75 |
| 213 | Carbon-dot modified polyacrylonitrile fibers: Recyclable materials capable of selectively and reversibly adsorbing small-sized anionic dyes. 2020 , 391, 123484 | | 25 |
| 212 | Adsorption of dyes using activated carbon derived from pyrolysis of vetiveria zizanioides in a fixed bed reactor. 2020 , 10, 100303 | | 14 |
| 211 | An insight into methylene blue adsorption characteristics onto functionalized alginate bio-polymer gel beads with β -arrageenan-calcium phosphate, carboxymethyl cellulose, and celite 545. 2020 , 156, 1091-1103 | | 12 |
| 210 | Synthesis of Si/Cu Amorphous Adsorbent for Efficient Removal of Methylene Blue Dye from Aqueous Media. 2020 , 30, 2881-2889 | | 8 |
| 209 | Magsorbents: Potential candidates in wastewater treatment technology A review on the removal of methylene blue dye. 2020 , 500, 166408 | | 90 |
| 208 | Efficient removal of perfluorooctanoic acid by persulfate advanced oxidative degradation: inherent roles of iron-porphyrin and persistent free radicals. 2020 , 392, 123640 | | 18 |
| 207 | Design and Preparation of Chitosan-Crosslinked Bismuth Ferrite/Biochar Coupled Magnetic Material for Methylene Blue Removal. 2019 , 17, | | 15 |
| 206 | Acrylic acid grafted-multi-walled carbon nanotubes and their high-efficiency adsorption of methylene blue. 2020 , 55, 4656-4670 | | 21 |
| 205 | Investigation of adsorption properties of levulinic acid by a nanotechnological material. 2020 , 1203, 127454 | | 4 |
| 204 | Polyvinyl Alcohol/Calcium Carbonate Nanocomposites as Efficient and Cost-Effective Cationic Dye Adsorbents. 2020 , 12, | | 1 |
| 203 | Magnetic polyester bis-MPA dendron nanohybrid demulsifier can effectively break water-in-crude oil emulsions. 2020 , 9, 13411-13424 | | 14 |
| 202 | Comparative study of malachite green and phenol adsorption on synthetic hematite iron oxide nanoparticles (Fe_2O_3). <i>Surfaces and Interfaces</i> , 2020 , 21, 100637 | 4.1 | 7 |

| | | | |
|-----|---|-----|-----|
| 201 | Metal-organic frameworks derived Bi ₂ O ₂ CO ₃ /porous carbon nitride: A nanosized Z-scheme systems with enhanced photocatalytic activity. 2020 , 267, 118700 | | 72 |
| 200 | Emerging Carbon-Based Nanocomposites for Remediation of Heavy Metals and Organic Pollutants from Wastewater. 2020 , 1-29 | | |
| 199 | A Natural Montmorillonite-Based Magsorbent as an Effective Scavenger for Cadmium Contamination. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1 | 2.6 | 3 |
| 198 | Removal of methylene blue from aqueous solution using poly(acrylic acid)/SiO ₂ and functionalized poly(acrylic acid)/SiO ₂ composite nanofibers. 2020 , 14, 100381 | | 3 |
| 197 | Decolourization of Acid Orange 74 Aqueous Solutions in Presence of Multi-Walled Carbon Nanotubes under Ultrasound Irradiation. 2020 , 42, 235-243 | | |
| 196 | Novel and Green Reduction of Graphene Oxide by Capsicum Annum: Its Photo Catalytic Activity. 2020 , 1-16 | | 0 |
| 195 | Effects of microplastics and nanoplastics on marine environment and human health. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 44743-44756 | 5.1 | 41 |
| 194 | Bioremediation. 2020 , 3139-3172 | | |
| 193 | Preparation and Characterization of a three-component hydrogel composite and study of kinetic and thermodynamic applications of adsorption of some positive and negative dyes from their aqueous solutions. 2020 , 928, 052027 | | 1 |
| 192 | A novel flower-like MnO ₂ nanowires for rapid removal of methylene blue. 2020 , 1-10 | | |
| 191 | 1D porous tubular g-C ₃ N ₄ capture black phosphorus quantum dots as 1D/0D metal-free photocatalysts for oxytetracycline hydrochloride degradation and hexavalent chromium reduction. 2020 , 273, 119051 | | 158 |
| 190 | Adsorptive removal of dye and antibiotic from water with functionalized zirconium-based metal organic framework and graphene oxide composite nanomaterial Uio-66-(OH) ₂ /GO. 2020 , 525, 146614 | | 68 |
| 189 | Preparation of a carboxymethyl β -cyclodextrin polymer and its rapid adsorption performance for basic fuchsin.. <i>RSC Advances</i> , 2020 , 10, 20905-20914 | 3.7 | 7 |
| 188 | Bioremediation of co-contaminated soil with heavy metals and pesticides: Influence factors, mechanisms and evaluation methods. 2020 , 398, 125657 | | 90 |
| 187 | Brushite-infused polyacrylonitrile nanofiber adsorbent for strontium removal from water. 2020 , 270, 110837 | | 7 |
| 186 | 3D graphene aerogel based photocatalysts: Synthesized, properties, and applications. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 594, 124666 | 5.1 | 11 |
| 185 | Talc-graphite schist as a natural organo-mineral complex for methylene blue remediation: kinetic and isotherm study. 2020 , 2, 1 | | 2 |
| 184 | Polyacrylamide hybrid nanocomposites hydrogels for efficient water treatment. 2020 , 29, 455-466 | | 5 |

| | | | |
|-----|---|------|-----|
| 183 | CNTs synthesized with polyoxometalate-based metal-organic compounds as catalyst precursors via the CVD method and their adsorption performance towards organic dyes. 2020 , 44, 5508-5512 | | 3 |
| 182 | Efficient activation of peroxymonosulfate by a novel catalyst prepared directly from electrolytic manganese slag for degradation of recalcitrant organic pollutants. 2020 , 401, 126085 | | 14 |
| 181 | Synthesis, characterization and DFT studies of water stable Cd(II) metal-organic clusters with better adsorption property towards the organic pollutant in waste water. 2020 , 512, 119872 | | 11 |
| 180 | Concentrative isolation of uranium traces in aqueous solutions via resurfaced-magnetic carbon nanotube suspension. 2020 , 271, 110970 | | 9 |
| 179 | Recycling performance of graphene oxide-chitosan hybrid hydrogels for removal of cationic and anionic dyes. 2020 , 7, 4 | | 31 |
| 178 | Synthesis of FeSiO-FeCo Nanocomposite Dispersed in the Mesoporous SBA-15: Application as Magnetically Separable Adsorbent. 2020 , 25, | | 4 |
| 177 | Magnetic Hollow Biocomposites Prepared from Lycopodium clavatum Pollens as Efficient Recyclable Catalyst. 2020 , 5, 2225-2231 | | 6 |
| 176 | Comprehensive systematic review and meta-analysis of dyes adsorption by carbon-based adsorbent materials: Classification and analysis of last decade studies. 2020 , 250, 126238 | | 102 |
| 175 | Carbon-Based Nanomaterials for Separation Media. 2020 , 93, 482-489 | | 12 |
| 174 | CNT-sorbents for heavy metals: Electrochemical regeneration and closed-loop recycling. <i>Journal of Hazardous Materials</i> , 2020 , 393, 122432 | 12.8 | 13 |
| 173 | Carbon nanotube-based adsorbents for the removal of dyes from waters: A review. 2020 , 18, 605-629 | | 69 |
| 172 | Nanotechnology for soil remediation: Revitalizing the tarnished resource. 2020 , 345-370 | | 11 |
| 171 | Adsorbent Particles with Magnetically-Supported Improved Electrochemical Conversion Behavior for Waste Water Treatment Processes. 2020 , 37, 1900487 | | 4 |
| 170 | Magnetic Multi-walled Carbon Nanotube as Effective Adsorbent for Ciprofloxacin (CIP) Removal from Aqueous Solutions: Isotherm and Kinetics Studies. 2020 , 18, | | 4 |
| 169 | Insights into catalytic removal and separation of attached metals from natural-aged microplastics by magnetic biochar activating oxidation process. 2020 , 179, 115876 | | 85 |
| 168 | Accumulation characteristics of endosulfan soil residues in soybean and reduction in their phytoavailability by treatment with powdered activated carbon. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 21260-21272 | 5.1 | 1 |
| 167 | Synthesis and characterization of a novel fluorene-based covalent triazine framework as a chemical adsorbent for highly efficient dye removal. 2020 , 195, 122430 | | 31 |
| 166 | Nanomaterials with Tailored Magnetic Properties as Adsorbents of Organic Pollutants from Wastewaters. 2020 , 8, 24 | | 14 |

| | | | |
|-----|--|------|----|
| 165 | Fabrication of Erythrina senegalensis leaf extract mediated reduced graphene oxide for cardiac repair applications in the nursing care. 2021 , 51, 143-149 | | 1 |
| 164 | A direct Z-scheme oxygen vacant BWO/oxygen-enriched graphitic carbon nitride polymer heterojunction with enhanced photocatalytic activity. 2021 , 403, 126363 | | 32 |
| 163 | Surfactant changes lead adsorption behaviors and mechanisms on microplastics. 2021 , 405, 126989 | | 46 |
| 162 | Zr-MOFs loaded on polyurethane foam by polydopamine for enhanced dye adsorption. 2021 , 101, 177-188 | | 41 |
| 161 | Carbon-based sustainable nanomaterials for water treatment: State-of-art and future perspectives. 2021 , 263, 128005 | | 80 |
| 160 | Application of Carbon Microsphere Loaded with Magnetite Nanoparticles for the Removal of a Cationic Azo Dye: Efficiency and Mechanism. 2021 , 147, 04020147 | | 4 |
| 159 | Recyclable and degradable nonwoven-based double-network composite hydrogel adsorbent for efficient removal of Pb(II) and Ni(II) from aqueous solution. <i>Science of the Total Environment</i> , 2021 , 758, 143640 | 10.2 | 10 |
| 158 | Sensors for the environmental pollutant detection: Are we already there?. 2021 , 431, 213681 | | 11 |
| 157 | Polydopamine interface encapsulating graphene and immobilizing ultra-small, active Fe ₃ O ₄ nanoparticles for organic dye adsorption. 2021 , 47, 3219-3231 | | 13 |
| 156 | Fast adsorptive removal of cationic organic dye by anionic group functionalized carbon nanotubes with high efficiency. 2021 , 40, 100328 | | 5 |
| 155 | Adsorptive Removal of Basic Green Dye from Aqueous Solution Using Humic Acid Modified Magnetite Nanoparticles: Kinetics, Equilibrium and Thermodynamic Studies. 2021 , 29, 967-984 | | 8 |
| 154 | The carbon nanotubes-based materials and their applications for organic pollutant removal: A critical review. 2021 , 32, 1626-1636 | | 55 |
| 153 | Preparation and characteristics of a magnetic carbon nanotube adsorbent: Its efficient adsorption and recoverable performances. <i>Separation and Purification Technology</i> , 2021 , 257, 117917 | 8.3 | 21 |
| 152 | Facile one-step synthesis of magnetic Zeolitic Imidazolate Framework for ultra fast removal of Congo red from water. 2021 , 311, 110712 | | 8 |
| 151 | CHAPTER 5:Biological Applications of Magnetically Empowered Carbon Nanotubes. 2021 , 153-183 | | |
| 150 | Advantages and prospective challenges of nanotechnology applications in fish cultures: a comparative review. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 7669-7690 | 5.1 | 5 |
| 149 | Synthesis of Poly(cyclotriphosphazene-co-3,3'-sulfonyldianilide) Microspheres and Their Adsorption of Anionic (Congo Red) Dye. 2021 , 102, 231 | | 1 |
| 148 | Recent advances on the removal of dyes from wastewater using various adsorbents: a critical review. | | 97 |

| | | | |
|-----|---|-----|----|
| 147 | Recent progress on strategies for the preparation of 2D/2D MXene/g-C ₃ N ₄ nanocomposites for photocatalytic energy and environmental applications. 2021 , 11, 1222-1248 | | 29 |
| 146 | Endocrine-disrupting chemical removal by carbon nanocomposites. 2021 , 45-74 | | 0 |
| 145 | Recent Trends in Nanobioremediation. 2021 , 327-348 | | |
| 144 | Nanoremediation of Polluted Environment: Current Scenario and Case Studies. 2021 , 2821-2837 | | |
| 143 | Magnetic materials and magnetic separation of dyes from aqueous solutions: a review. 2021 , 19, 1275-1294 | | 22 |
| 142 | The potential application of carbon nanotubes in water Treatment: A state-of-the-art-review. 2021 , 43, 2998-3005 | | 7 |
| 141 | Degradation of textile dyes from aqueous solution using tea-polyphenol/Fe loaded waste silk fabrics as Fenton-like catalysts.. <i>RSC Advances</i> , 2021 , 11, 8290-8305 | 3-7 | 5 |
| 140 | Environmental contaminants and their management using microorganisms. 2021 , 37-45 | | |
| 139 | Magnetic nanoparticles in wastewater treatment. 2021 , 547-589 | | 0 |
| 138 | Application of Magnetic Nanomaterials for Water Treatment. 2021 , 1211-1229 | | |
| 137 | Nanomaterials in integrated methods for soil remediation (biological/physiological combination processes). 2021 , 445-462 | | |
| 136 | An overview on degradation kinetics of organic dyes by photocatalysis using nanostructured electrocatalyst. 2021 , 195-213 | | 2 |
| 135 | Using dyes to evaluate the photocatalytic activity. 2021 , 125-224 | | 1 |
| 134 | Antibacterial properties of recoverable CuZnO@FeO@GO composites in water treatment. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 33355 | 5-1 | 2 |
| 133 | Adsorption onto MWCNTs Coupled with Cloud Point Extraction for Dye Removal from Aqueous Solutions: Optimization by Experimental Design. 2021 , 24, 246-258 | | 1 |
| 132 | Plant extract assisted synthesis of reduced graphene oxide sheet and the photocatalytic performances on cationic and anionic dyes to decontaminate wastewater. 2021 , 12, 015008 | | 2 |
| 131 | Theoretical assessment of the adsorption mechanism of ibuprofen, ampicillin, orange G and malachite green on a biomass functionalized with plasma. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 104950 | 6.8 | 10 |
| 130 | Preparation and properties of polyphenylene sulfide/oxidized-polyphenylene sulfide composite membranes. 2021 , 160, 104842 | | 3 |

| | | | |
|-----|--|------|----|
| 129 | Optimization and kinetic studies on cationic dye adsorption using textile yarn waste/Multiwall carbon nanotube nanofibrous composites. 2021 , 112, 333-342 | | 0 |
| 128 | Biological treatment of hazardous heavy metals by <i>Streptomyces rochei</i> ANH for sustainable water management in agriculture. 2021 , 11, 9314 | | 5 |
| 127 | Clay-Based Adsorbents for the Analysis of Dye Pollutants. 2021 , 163-197 | | 0 |
| 126 | Effects of Functionalization in Different Conditions and Ball Milling on the Dispersion and Thermal and Electrical Conductivity of MWCNTs in Aqueous Solution. <i>Nanomaterials</i> , 2021 , 11, | 5.4 | 5 |
| 125 | A Study On the Zn(II) Separation Efficiency of Chemically Synthesized Hydroxyapatite (HAp) Particles. | | |
| 124 | Nanophytoremediation: An Overview of Novel and Sustainable Biological Advancement. | | 1 |
| 123 | On the Determination of Elastic Properties of Single-Walled Boron Nitride Nanotubes by Numerical Simulation. 2021 , 14, | | 1 |
| 122 | Regeneration and reuse of the carbon nanotubes for the adsorption of selected anticancer drugs from water matrices. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 618, 126355 ^{5,1} | | 5 |
| 121 | A review exploring the adsorptive removal of organic micropollutants on tailored hierarchical carbon nanotubes. 1-44 | | 1 |
| 120 | Fabrication, Modification, and Characterization of Lignin-Based Electrospun Fibers Derived from Distinctive Biomass Sources. 2021 , 13, | | 5 |
| 119 | A comprehensive review on magnetic carbon nanotubes and carbon nanotube-based buckypaper for removal of heavy metals and dyes. <i>Journal of Hazardous Materials</i> , 2021 , 413, 125375 | 12.8 | 80 |
| 118 | Use of Electrocoagulation for Treatment of Pharmaceutical Compounds in Water/Wastewater: A Review Exploring Opportunities and Challenges. 2021 , 13, 2105 | | 4 |
| 117 | Interface Assembly to Magnetic Mesoporous Organosilica Microspheres with Tunable Surface Roughness as Advanced Catalyst Carriers and Adsorbents. 2021 , 13, 36138-36146 | | 5 |
| 116 | Carbon nanotube embedded ultrafiltration membranes for the treatment of rapid granular multimedia prefiltered beauty hair salon and municipal wastewater. <i>Separation and Purification Technology</i> , 2021 , 267, 118618 | 8.3 | 1 |
| 115 | Modification of natural gums for application as corrosion inhibitor: a review. 1 | | 0 |
| 114 | Microorganisms-carbonaceous materials immobilized complexes: Synthesis, adaptability and environmental applications. <i>Journal of Hazardous Materials</i> , 2021 , 416, 125915 | 12.8 | 8 |
| 113 | Vortex-assisted dispersive solid phase microextraction using FeO/FeOOH magnetic nanocomposites for high-performance thin-layer chromatographic determination of zolmitriptan in rabbit plasma samples. 2021 , 1651, 462276 | | 3 |
| 112 | Adsorptive performance of MWCNTs for simultaneous cationic and anionic dyes removal; kinetics, thermodynamics, and isotherm study. 2021 , 45, 1189-1200 | | 1 |

| | | | |
|-----|---|------|----|
| 111 | Assembly of CaIn ₂ S ₄ on Defect-Rich BiOCl for Acceleration of Interfacial Charge Separation and Photocatalytic Phenol Degradation via S-Scheme Electron Transfer Mechanism. 2021 , 11, 1130 | | 5 |
| 110 | Removal of Cu(II) ions from aqueous solution by a magnetic multi-wall carbon nanotube adsorbent. <i>Chemical Engineering Journal Advances</i> , 2021 , 8, 100184 | 3.6 | 2 |
| 109 | The Superior Adsorption Capacity of Boron-Nitrogen Co-Doping Walnut Shell Biochar Powder for Au(III), Pt(IV), and Pd(II). <i>Journal of Environmental Chemical Engineering</i> , 2021 , 106288 | 6.8 | 2 |
| 108 | One-step synthesis of carbon quantum dot-carbon nanotube composites on waste eggshell-derived catalysts for enhanced adsorption of methylene blue. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106222 | 6.8 | 5 |
| 107 | Stoichiometry-dependent photocatalytic performance of bismuth-based oxychlorides Bi _x O _y Cl. 2021 , 562, 150215 | | 4 |
| 106 | Industrial applications of immobilized nano-biocatalysts. 2021 , 1 | | 5 |
| 105 | Hollow porous molecularly imprinted polymers as emerging adsorbents. 2021 , 288, 117775 | | 7 |
| 104 | Nanoparticles-assisted phytoremediation: Advances and applications. 2022 , 155-178 | | |
| 103 | Response of microorganisms to phosphate nanoparticles in Pb polluted sediment: Implications of Pb bioavailability, enzyme activities and bacterial community. 2022 , 286, 131643 | | 2 |
| 102 | Modification of coal fly ash and its use as low-cost adsorbent for the removal of directive, acid and reactive dyes. <i>Journal of Hazardous Materials</i> , 2022 , 422, 126778 | 12.8 | 12 |
| 101 | Recovery of lanthanum cations by functionalized magnetic multi-walled carbon nanotube bundles.. <i>RSC Advances</i> , 2021 , 11, 4751-4759 | 3.7 | 6 |
| 100 | Nanomaterials usage as adsorbents for the pollutants removal from wastewater; a review. 2021 , 42, 2590-2595 | | 2 |
| 99 | Industrial dye degradation by different nanocomposite doped material. 2021 , 377-404 | | |
| 98 | Application of Sustainable Nanocomposites for Water Purification Process. 2019 , 387-412 | | 19 |
| 97 | Nanobioremediation: Ecofriendly Application of Nanomaterials. 2019 , 3523-3535 | | 3 |
| 96 | Nanobioremediation: An Emerging Approach for a Cleaner Environment. 2020 , 309-363 | | 6 |
| 95 | Adaptive Physiological Responses of Plants under Abiotic Stresses: Role of Phytohormones. 2020 , 797-824 | | 6 |
| 94 | Removal of acid blue 113 from aqueous solutions using low-cost adsorbent: adsorption isotherms, thermodynamics, kinetics and regeneration studies. 1-13 | | 10 |

| | | | |
|----|--|-----|----|
| 93 | Basic RED-5 adsorption on montmorillonite: faktorial design, equilibrium, kinetic and thermodynamic studies. 2020 , 269-283 | | 2 |
| 92 | Adsorption of Cu ²⁺ Ions From Aqueous Solutions Using Oxidized Multi-Walled Carbon Nanotubes. 2015 , 2, | | 7 |
| 91 | Thermodynamic Analysis of Reactive Red 198 Removal from Synthetic Wastewater by Using Multiwall Carbon Nanotubes. 2013 , 2, 149-155 | | 6 |
| 90 | Aktifleştirilmiş zeolit ve polivinilpirrolidon kullanılarak sulu çeltiden metilen mavisinin giderilmesinde adsorpsiyon parametrelerinin belirlenmesi. | | 0 |
| 89 | Adsorption of Nile Blue A from Wastewater Using Magnetic Multi-Walled Carbon Nanotubes: Kinetics and Equilibrium Studies. 2016 , 10, 7-12 | | 1 |
| 88 | Acid violet 17 Dye Decolorization by Multi-walled Carbon Nanotubes from Aqueous Solution. 2016 , 1, 110-117 | | 5 |
| 87 | Efficient Removal of La(III) and Nd(III) from Aqueous Solutions Using Carbon Nanoparticles. 2014 , 05, 1273-1284 | | 18 |
| 86 | Adsorption of Reactive Black 5 Dye from Aqueous Solutions by Carbon Nanotubes and its Electrochemical Regeneration Process. 2020 , 9, | | 1 |
| 85 | Facile synthesis and characterisation of novel Sn/Si mixtures for the efficient removal of methylene blue and crystal violet dyes from aqueous media. 1-17 | | 3 |
| 84 | Preparation and Application of Chitosan-Based Membrane: Focusing on Dye Removal. <i>Sustainable Textiles</i> , 2022 , 121-179 | 1.1 | 0 |
| 83 | Role of Nanoparticles in Abiotic Stress. | | 4 |
| 82 | Preparation of novel magnetic hydrophobic and lipophilic polyurethane sponge for effective separation of oil/water mixtures. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 26291-26305 | | 0 |
| 81 | Adsorptive studies on the removal of dyes from single and binary systems using Saccharum munja plant-based novel functionalized CNT composites. <i>Environmental Technology and Innovation</i> , 2021 , 24, 102015 | 7 | 8 |
| 80 | Simulation. 2015 , 161-212 | | |
| 79 | Nio @ Paraffin Wax Soot Carbon Nano Composites for Congo Red Dye Removal from Waste Water. <i>Journal of Environmental Nanotechnology</i> , 2019 , 8, 52-67 | 0.1 | |
| 78 | Application of Magnetic Nanomaterials for Water Treatment. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2019 , 201-219 | 0.4 | |
| 77 | Biodegradation of materials in presence of nanoparticles. 2022 , 9-30 | | 1 |
| 76 | Applications of Metal Oxide-Based Nanocomposites. 2020 , 303-326 | | |

| | | | |
|----|---|------|----|
| 75 | Nanoremediation of Polluted Environment: Current Scenario and Case Studies. 2020 , 1-16 | | 2 |
| 74 | Polymer-based nanocomposites reinforced with functionalized-MWCNT and their utilizing as sorbent for removal of MB and Cd ²⁺ ion from water media: A review. <i>Journal of Organometallic Chemistry</i> , 2022 , 957, 122170 | 2.3 | 0 |
| 73 | Molecular dynamics and quantum simulation of different cationic dyes removal from contaminated water using UiO-66 (Zr)-(COOH) ₂ metal-organic framework. <i>Journal of Molecular Liquids</i> , 2021 , 118085 | 6 | 2 |
| 72 | Carbon Nanotubes for Environmental Remediation Applications. 2021 , 1-30 | | |
| 71 | Sustainable toxic dyes removal with advanced materials for clean water production: A comprehensive review. <i>Journal of Cleaner Production</i> , 2022 , 332, 130039 | 10.3 | 19 |
| 70 | Synthesis of magnetic multi-walled carbon nanotubes via facile and solvent-free direct doping method for water remediation. <i>Journal of Water Process Engineering</i> , 2022 , 45, 102487 | 6.7 | 0 |
| 69 | Simple and low-cost production of magnetite/graphene nanocomposites for heavy metal ions adsorption.. <i>Science of the Total Environment</i> , 2021 , 813, 152604 | 10.2 | 3 |
| 68 | Simultaneous Adsorption of Toxic Dyes onto the Magnetite Decorated Multi-Walled Carbon Nanotubes: Statistical Optimization, Kinetics and Isotherms. <i>Moscow University Chemistry Bulletin</i> , 2021 , 76, 422-434 | 0.5 | |
| 67 | Facets of nanoparticle-microbe interactions and their roles in nanobioremediation of environmental pollutants: Biochemical, molecular, and technological perspectives. 2022 , 111-145 | | |
| 66 | Efficient removal of pefloxacin from aqueous solution by acid-alkali modified sludge-based biochar: adsorption kinetics, isotherm, thermodynamics, and mechanism.. <i>Environmental Science and Pollution Research</i> , 2022 , 1 | 5.1 | 0 |
| 65 | Evaluation of adsorption and kinetics of neem leaf powder (<i>Azadirachta indica</i>) as a bio-sorbent for desulfurization of dibenzothiophene (DBT) from synthetic diesel. <i>Journal of Saudi Chemical Society</i> , 2022 , 26, 101433 | 4.3 | 3 |
| 64 | Catalytic Neutralization of Water Pollutants Mediated by Dendritic Polymers.. <i>Nanomaterials</i> , 2022 , 12, | 5.4 | 5 |
| 63 | Removal of phosphate by a novel activated sewage sludge biochar: Equilibrium, kinetic and mechanism studies. <i>Applications in Energy and Combustion Science</i> , 2022 , 100056 | 0.8 | |
| 62 | Humic acid non-covalent functionalized multi-walled carbon nanotubes composite membrane and its application for the removal of organic dyes. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107320 | 6.8 | 2 |
| 61 | One-Step Coprecipitation Synthesis of Cl- Intercalated Fe ₃ O ₄ @SiO ₂ @MgAl Ldh Nanocomposites with Excellent Adsorption Performance Toward Three Dyes. <i>SSRN Electronic Journal</i> , | 1 | |
| 60 | Carbon and isostructural boron nitride nanomaterials doped with ferromagnetic clusters. 2022 , 165-233 | | |
| 59 | Nanotechnology in the Restoration of Polluted Soil.. <i>Nanomaterials</i> , 2022 , 12, | 5.4 | 6 |
| 58 | Aminated magnetic polymeric resin for removal of anthraquinone and azo dyes from aqueous solutions. <i>Journal of Polymer Research</i> , 2022 , 29, 1 | 2.7 | 0 |

| | | | |
|----|---|-----|---|
| 57 | Facile Fabrication of Magnetic Poly(Vinyl Alcohol)/Activated Carbon Composite Gel for Adsorptive Removal of Dyes. <i>Journal of Composites Science</i> , 2022 , 6, 55 | 3 | 1 |
| 56 | Au/Boron organic frameworks for efficient removal and degradation of azo dye pollutants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 128884 | 5.1 | 0 |
| 55 | Tea polyphenols mediated biogenic synthesis of chitosan-coated cerium oxide (CS/CeO) nanocomposites and their potent antimicrobial capabilities.. <i>Environmental Science and Pollution Research</i> , 2022 , 1 | 5.1 | 1 |
| 54 | S and N co-doped graphene quantum dots as an effective fluorescence probe for sensing of furazolidone after magnetic solid-phase microextraction using magnetic multiwalled carbon nanotubes. <i>Microchemical Journal</i> , 2022 , 107439 | 4.8 | 1 |
| 53 | Microwave-assisted synthesis of carbon nanotubes for the removal of toxic cationic dyes from textile wastewater. <i>Journal of Molecular Liquids</i> , 2022 , 356, 119045 | 6 | 4 |
| 52 | Adsorption of 1, 2-Benzanthracene from Aqueous Solution by DNA-Conjugated Magnetic Nanoparticles. <i>Water, Air, and Soil Pollution</i> , 2022 , 233, 1 | 2.6 | |
| 51 | Synergistic effect of GO/SrFeO as magnetic hybrid nanocatalyst for regioselective ring-opening of epoxides with amines under eco-friendly conditions.. <i>RSC Advances</i> , 2022 , 12, 11139-11154 | 3.7 | 0 |
| 50 | Zn/Co-ZIFs@MIL-101(Fe) metal-organic frameworks are effective photo-Fenton catalysts for RhB removal. <i>Separation and Purification Technology</i> , 2022 , 293, 121099 | 8.3 | 3 |
| 49 | Iron-Based Magnetic Nanoadsorbents for Organic Dye Removal. 2022 , 1-33 | | |
| 48 | Photoluminescence properties of Reactive Red 141 for organic light-emitting diode (OLED). 2022 , | | |
| 47 | A comprehensive review on application of plant-based bioadsorbents for Congo red removal. <i>Biomass Conversion and Biorefinery</i> , 1 | 2.3 | 1 |
| 46 | Synthesis of tea waste/Fe ₃ O ₄ magnetic composite (TWMC) for efficient adsorption of crystal violet dye: Isotherm, kinetic and thermodynamic studies. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 107893 | 6.8 | 4 |
| 45 | Efficient and recyclable AuNPs@aminoclay nanocomposite catalyst for the reduction of organic dyes. <i>Surfaces and Interfaces</i> , 2022 , 102052 | 4.1 | 1 |
| 44 | Sustainable Use of Recycled Soot (Carbon Black) for the Cleaner Production of Value-added Products: A Compendium. <i>Chemical Engineering Journal Advances</i> , 2022 , 100324 | 3.6 | 0 |
| 43 | One-step coprecipitation synthesis of Cl ⁻ intercalated Fe ₃ O ₄ @SiO ₂ @MgAl LDH nanocomposites with excellent adsorption performance toward three dyes. <i>Separation and Purification Technology</i> , 2022 , 295, 121227 | 8.3 | 0 |
| 42 | Nanobioremediation: a novel application of green-nanotechnology in environmental cleanup. 2022 , 823-841 | | |
| 41 | Nanotechnology and green nano-synthesis for nano-bioremediation. 2022 , 843-856 | | |
| 40 | Dissociation of acid blue 113 dye from aqueous solutions using activated persulfate by zero iron nanoparticle from green synthesis: the optimization process with RSM-BBD model: mineralization and reaction kinetic study. <i>Biomass Conversion and Biorefinery</i> , | 2.3 | |

| | | | |
|----|--|-----|---|
| 39 | Functionalization of unzipped multi-walled carbon nanotube oxides with l-tyrosine for the adsorption of methylene blue. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 1-8 | 1.8 | 1 |
| 38 | Carbon nanotube based magnetic composites for decontamination of organic chemical pollutants in water: A review. <i>Applied Surface Science Advances</i> , 2022 , 10, 100270 | 2.6 | 2 |
| 37 | Facile synthesis, physico-chemical studies of Ocimum sanctum magnetic nanocomposite and its adsorptive application against Methylene blue. <i>Journal of Molecular Liquids</i> , 2022 , 362, 119752 | 6 | 4 |
| 36 | Sonochemical synthesis of improved graphene oxide for enhanced adsorption of methylene blue. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 650, 129587 | 5.1 | 0 |
| 35 | Sustainable Nanocomposites for Water Treatment. 1-12 | | |
| 34 | Ultra-Fast Synthesis of Thiol-Functionalized Organosilica (OS-SH) for Adsorption of Hg(II) from Aqueous Solution. 2022 , 96, 1561-1566 | | |
| 33 | A Study of Methylene Blue Dye Interaction and Adsorption by Monolayer Graphene Oxide. 2022 , 2022, 1-16 | | 2 |
| 32 | Comparative analysis of bisphenol-A removal efficiency from water: equilibrium, kinetics, thermodynamics and optimization evaluations. | | 0 |
| 31 | Marine-derived polymer nanocomposites for water remediation. 2022 , 393-485 | | 0 |
| 30 | Carbon Materials for Dye Removal from Wastewater. 2022 , 141-183 | | 0 |
| 29 | A Cu(II)-tetra(imidazole) coordination polymer and its g-C3N4 composite of photodegradation of organic dyes. 2022 , 316, 123615 | | 0 |
| 28 | Iron-Based Magnetic Nanoadsorbents for Organic Dye Removal. 2022 , 915-947 | | 0 |
| 27 | Tight UF membranes with ultrahigh water flux prepared by in-situ growing ZIF particles in NIPS process for greatly enhanced dye removal efficiency. 2022 , 121136 | | 0 |
| 26 | Multiwalled carbon nanotubes versus metal-organic frameworks: a review of their hexavalent chromium adsorption performance. 1-23 | | 0 |
| 25 | Bifunctional Peptide-Assisted Synthesis of Magnetic Carbon Nanotubes for Toluidine Blue Dye Remediation in Aqueous Conditions. | | 0 |
| 24 | Surface Modified Carbon Nanotubes in Removal of Textile Effluents. 175-197 | | 0 |
| 23 | Synthesis of magnetic nanocarbon using palm oil as the green precursor via microwave-assisted arc for wastewater treatment. 2022 , 12, | | 0 |
| 22 | Carbon Nanotubes for Environmental Remediation Applications. 2022 , 1845-1873 | | 0 |

| | | |
|----|---|---|
| 21 | A systematic review of layered double hydroxide-based materials for environmental remediation of heavy metals and dye pollutants. 2023 , 148, 110325 | 1 |
| 20 | Coupling of gaseous toluene adsorption and heterogeneous oxidative degradation by iron-based porous polymeric resin LXQ-10. 2023 , 337, 127130 | 0 |
| 19 | Fabrication of N-doping activated carbon (NDAC) from saw dust/ZnCl ₂ for Acid Brown 14 dye removal from water. | 0 |
| 18 | Transcriptome analysis and cytochrome P450 monooxygenase reveal the molecular mechanism of Bisphenol A degradation by <i>Pseudomonas putida</i> strain YC-AE1. 2022 , 22, | 0 |
| 17 | Fabrication and Evaluation of Multiwalled Carbon Nanotube-Containing Bijels and Bijels-Derived Porous Nanocomposites. | 0 |
| 16 | Iron selenide nanorods for light-activated anticancer and catalytic applications. | 0 |
| 15 | Fe ₃ O ₄ -multiwalled carbon nanotubes-bentonite as adsorbent for removal of methylene blue from aqueous solutions. 2023 , 137824 | 1 |
| 14 | GN/Fe ₂ O ₃ -based aerobic granular sludge for enhanced formation and synchronous nitrification-denitrification: Promote the secretion of polysaccharides and enrichment of denitrifying bacteria. 2023 , 51, 103475 | 0 |
| 13 | Arsenic oxidation and its subsequent removal from water: An overview. 2023 , 309, 123055 | 0 |
| 12 | Porous biomass gel beads SA/CS/GO construction and bifunction tuning on adsorption and antibacterial properties. | 0 |
| 11 | Removal of methylene blue dye from aqueous solution using an efficient chitosan-pectin bio-adsorbent: kinetics and isotherm studies. 2023 , 195, | 0 |
| 10 | Applications and implications of carbon nanotubes for the sequestration of organic and inorganic pollutants from wastewater. | 0 |
| 9 | Magnetic Fe ₂ O ₃ /CNT nanocomposites: Characterization and photocatalytic application towards the degradation of Rose Bengal dye. 2023 , | 0 |
| 8 | Magnetic carbonized cellulose-MIL 101(Fe) composite as a sorbent for magnetic solid phase extraction of selected organophosphorus pesticides combined with high performance liquid chromatography-ultraviolet detection. 2023 , 7, 100212 | 0 |
| 7 | Facile Synthesis and Characterization of Sodium Magnesium Silicate Hydrate/Sodium Magnesium Silicate Hydroxide as Novel Nanostructures for the Efficient Removal of Methylene Blue Dye from Aqueous Media. 2023 , 33, 1005-1015 | 0 |
| 6 | Nanoparticles-Assisted Phytoremediation of Polluted Soils: Potential Application and Challenges. 2023 , 487-526 | 0 |
| 5 | Potentials and Frontiers of Nanotechnology for Phytoremediation. 2023 , 365-382 | 0 |
| 4 | Porous biomass gel beads SA/CS/GO construction and bifunction tuning on adsorption and antibacterial properties. | 0 |

- 3 Novel Inorganic Membranes Based on Magnetite-Containing Silica Porous Glasses for Ultrafiltration: Structure and Sorption Properties. **2023**, 13, 341 ○
- 2 A cost-effective o-toulidine-based Schiff base as an efficient sorbent for metal ion uptake from aqueous and soil samples: Synthesis, antimicrobial, and acute toxicity analyses. 11, ○
- 1 Underwater superoleophobic cellulose/acrylamide-modified magnetic polyurethane foam for efficient oil/water separation. **2023**, 302, 127609 ○