
## CITATION REPORT List of articles citing



DOI: 10.1016/j.polymdegradstab.2008.11.019 Polymer Degradation and Stability, 2009, 94, 465-495.

Source: https://exaly.com/paper-pdf/46484898/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
387	A novel intumescent flame-retardant system for flame-retarded LLDPE/EVA composites. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 114, 3626-3635	2.9	65
386	Synergistic effects of Etyclodextrin containing silicone oligomer on intumescent flame retardant polypropylene system. <b>2009</b> , 21, 691-697		39
385	Combined kinetic analysis of thermal degradation of polymeric materials under any thermal pathway. <i>Polymer Degradation and Stability</i> , <b>2009</b> , 94, 2079-2085	4.7	81
384	Thermal stability and flame retardancy of polyurethanes. 2009, 34, 1068-1133		1144
383	Preparation and characteristics of thermal resistance polysiloxane/Al composite coatings with low infrared emissivity. <b>2009</b> , 486, 371-375		26
382	Flexible and transparent silicon nanoparticle/polymer composites with stable luminescence. <b>2010</b> , 5, 50-5		20
381	Calcium and aluminium-based fillers as flame-retardant additives in silicone matrices. I. Blend preparation and thermal properties. <i>Polymer Degradation and Stability</i> , <b>2010</b> , 95, 1911-1919	4.7	59
380	Residues characterisation from the fluidised bed combustion of East London's solid recovered fuel. <b>2010</b> , 30, 1318-24		3
379	Optimisation of the Ceramic Phase for Ceramizable Silicone Rubber Based Composites. <b>2010</b> , 66, 162-	167	6
378	The Effects of Coupling Agents on the Mechanical Properties of NBR-Clay Nanocomposites and its Conventional Composites. <b>2010</b> , 44, 2975-2989		6
377	Mechanical analysis of silicone rubber used on the cover of polymeric insulators. <b>2010</b> , 8, 653-657		O
376	Tracking and erosion resistance of high temperature vulcanizing ATH-free silicone rubber. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2010</b> , 17, 533-540	2.3	50
375	Thermal ageing studies on low infrared emissivity composite coatings. <b>2010</b> , 496, 691-694		15
374	Flame Retardants. <b>2010</b> , 0-0		
373	High residue contents indebted by platinum and silica synergistic action during the pyrolysis of silicone formulations. <b>2011</b> , 3, 869-80		60
372	Recycling of Elastomeric Nanocomposites. <b>2011</b> , 179-198		3
371	Thermally Stable and Flame Retardant Elastomeric Nanocomposites. <b>2011</b> , 155-178		5

370	Flame retardancy materials based on a novel fully end-capped hyperbranched polysiloxane and bismaleimide/diallylbisphenol A resin with simultaneously improved integrated performance. <b>2011</b> , 21, 6584		101
369	Optimisation of the Ceramic Phase for Ceramizable Silicone Rubber Based Composites. <b>2011</b> , 18, 2020	27	1
368	Softness Evaluation of Silicone Elastomers. <b>2011</b> , 40, 1426-1427		2
367	Synergistic flame retardant effect of poly(ether sulfones) and polysiloxane on polycarbonate. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 124, n/a-n/a	2.9	3
366	Synthesis of a novel hybrid synergistic flame retardant and its application in PP/IFR. <i>Polymer Degradation and Stability</i> , <b>2011</b> , 96, 1134-1140	4.7	72
365	Thermal Characterization and Flammability of Polyester Fiber Coated with Nonionic and Cationic Softeners. <b>2011</b> , 14, 595-603		30
364	Preparation of flexible, self-extinguishing silicone foams. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 119, 1696-1703	2.9	40
363	Determining factors for high performance silicone rubber microwave absorbing materials. <b>2011</b> , 323, 1643-1651		30
362	Flame retardancy and flame retarding mechanism of high performance hyperbranched polysiloxane modified bismaleimide/cyanate ester resin. <i>Polymer Degradation and Stability</i> , <b>2011</b> , 96, 505-514	4.7	49
361	Analysis of influence of thermal and voltage treatments on silicone/mica electrical insulation by FT-IR ATR. <b>2011</b> ,		
360	Optimisation of the Ceramic Phase for Ceramizable Silicone Rubber Based Composites   Microstructural Aspect. <b>2011</b> , 484, 226-229		1
359	Synthesis of a New Silicon-Phosphorus Hybrid Flame Retardant from Waste Silicon Oil and its Application in Polypropylene System. <b>2012</b> , 534, 304-308		1
358	Surface migration and effect of ionomer network on ethylene-based copolymer©aCO3PDMS fire-retardant systems studied by rheological analysis and X-ray photoelectron spectrometry. <b>2012</b> , 30, 256-269		2
357	Preparation, Characterization, and Flame Retardancy of Novel Rosin-Based Siloxane Epoxy Resins. <b>2012</b> , 51, 8178-8184		57
356	Comparison of Surface and Bulk Properties of Pendant and Hybrid Fluorosilicones. 2012, 115-178		8
355	Degradation processes of polydimethylsiloxane under thermal cracking conditions of hydrocarbons in an experimental pilot plant followed by size exclusion chromatography coupled to inductively coupled plasma high resolution mass spectrometry. <b>2012</b> , 104, 300-309		19
354	Preparation of halogen-free flame retardant hybrid paraffin composites as thermal energy storage materials by in-situ solgel process. <b>2012</b> , 107, 13-19		18
353	Effects of poly(dimethylsiloxane) and inorganic fillers in halogen free flame retardant poly(ethylene-co-vinyl acetate) compound: A chemometric approach. <i>Polymer Degradation and Stability</i> <b>2012</b> 97 2536-2544	4.7	13

352	Deciphering the inert atmosphere degradation patterns in hybrid silicones. <i>Polymer Degradation and Stability</i> , <b>2012</b> , 97, 1633-1643	4.7	8
351	Fire Performance of Curable Silicone-Based Coatings. <b>2012</b> , 205-221		4
350	Development of heart-cutting multidimensional gas chromatography coupled to time of flight mass spectrometry for silicon speciation at trace levels in gasoline samples. <b>2012</b> , 1264, 80-6		11
349	Effects of phosphate and polysiloxane on flame retardancy and impact toughening behavior of poly(2,6-dimethyl-1,4-phenylene oxide). <b>2012</b> , 52, 927-936		5
348	High strength retention and dimensional stability of silicone/alumina composite panel under fire. <b>2012</b> , 36, 254-263		22
347	Barrier effect of flame retardant systems in poly(methyl methacrylate): Study of the efficiency of the surface treatment by octylsilane of silica nanoparticles in combination with phosphorous fire retardant additives. <b>2012</b> , 36, 590-602		13
346	Coating of macroemulsion and microemulsion silicones on poly(ethylene terephthalate) fibers: Evaluation of the thermal properties and flammability. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 125, 1430-1438	2.9	19
345	Multifunctional water and oil repellent and antimicrobial properties of finished cotton: influence of solgel finishing procedure. <b>2012</b> , 61, 340-354		49
344	Flame retardancy and thermal stability of polyhedral oligomeric silsesquioxane nanocomposites. <b>2013</b> , 37, 1-16		30
343	Efficiency of wollastonite and ammonium polyphosphate combinations on flame retardancy of polystyrene. <b>2013</b> , 24, 104-113		8
342	Calcium and aluminum-based fillers as flame-retardant additives in lilicone matrices. III. Investigations on fire reaction. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 2021-2032	4.7	22
341	A Review on Silicone Rubber. <b>2013</b> , 36, 355-365		212
340	Surface-Modified Polyimide Fiber-Filled Ethylenepropylenediene Monomer Insulations for a Solid Rocket Motor: Processing, Morphology, and Properties. <b>2013</b> , 52, 1284-1290		32
339	Preparation of a novel PEG composite with halogen-free flame retardant supporting matrix for thermal energy storage application. <b>2013</b> , 106, 321-327		62
338	Preparation of shape-stabilized co-crystallized poly (ethylene glycol) composites as thermal energy storage materials. <b>2013</b> , 76, 101-108		15
337	Flammability behaviour of wood and a review of the methods for its reduction. <b>2013</b> , 2, 4		147
336	A correlation between the flashover voltage and the electrical bulk conductivities AC and DC on silicone rubber insulator during thermal ageing. <b>2013</b> ,		1
335	Characterization of silicon species issued from PDMS degradation under thermal cracking of hydrocarbons: Part 1 las samples analysis by gas chromatography-time of flight mass spectrometry. 2013, 111, 519-527		14

334	Thermal degradation behaviors of polydimethylsiloxane-graft-poly(methyl methacrylate). <b>2013</b> , 573, 32-38		23
333	Using explosions to power a soft robot. <b>2013</b> , 52, 2892-6		166
332	Synthesis of a phosphorus/silicon hybrid and its synergistic effect with melamine polyphosphates on flame retardant polypropylene system. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 316-323	2.9	11
331	Thermal stability enhancement mechanism of poly(dimethylsiloxane) composite by incorporating octavinyl polyhedral oligomeric silsesquioxanes. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 109-114	4.7	34
330	Health Hazards and Recycling and Life Cycle Assessment of Nanomaterials and Their Composites. <b>2013</b> , 279-294		
329	UV radiation induced flame retardant cellulose fiber by using polyvinylphosphonic acid/carbon nanotube composite coating. <b>2013</b> , 45, 282-289		78
328	A novel polyurethane prepolymer as toughening agent: Preparation, characterization, and its influence on mechanical and flame retardant properties of phenolic foam. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 128, 2720-2728	2.9	57
327	Flame retardant fiber-reinforced composites. <b>2013</b> , 623-652		3
326	Preparation, Characterization, Thermal, and Flame-Retardant Properties of Green Silicon-Containing Epoxy/Functionalized Graphene Nanosheets Composites. <b>2013</b> , 2013, 1-10		16
325	Effects of coating of nano- and microemulsion silicones on thermal properties and flammability of polyethylene terephthalate textile. <b>2013</b> , 42, 34-44		12
324	Synthesis and characterization of hydroxypropyl terminated polydimethylsiloxane-polyurethane copolymers. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 2152-2160	2.9	4
323	Using Explosions to Power a Soft Robot. <b>2013</b> , 125, 2964-2968		66
322	Thermal behavior of silicone rubber-based ceramizable composites characterized by Fourier transform infrared (FT-IR) spectroscopy and microcalorimetry. <b>2013</b> , 67, 1437-40		11
321	In situ polymerized wood polymer composite: effect of additives and nanoclay on the thermal, mechanical properties. <b>2013</b> , 16, 954-963		19
320	Ceramizable Composites for Fire Resistant Applications. <b>2014</b> , 602-603, 290-295		3
319	Effect and origin of the structure of hyperbranched polysiloxane on the surface and integrated performances of grafted Kevlar fibers. <b>2014</b> , 320, 883-894		11
318	Synthesis, characterization, and properties of hydroxyl-terminated copolysiloxanes containing Etyanopropyl groups. <b>2014</b> , 52, 1408-1421		10
317	Effects of ?CH2CH2CF3 on properties of RTV polysiloxane rubber: Processability, thermal stability, and oil/solvent resistance. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	3

316	Mechanical and thermal analysis of injection molded poly(methyl methacrylate) modified with 9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide (DOPO) fire retarder. <b>2014</b> , 54, 1030-1037		8
315	Enhancement of wollastonite on flame retardancy and mechanical properties of PP/IFR composite. <b>2014</b> , 35, 158-166		11
314	Review on flammability of biofibres and biocomposites. <b>2014</b> , 111, 149-82		131
313	Silicone containing copolymers: Synthesis, properties and applications. <b>2014</b> , 39, 1165-1195		285
312	Synthesis and characterization of novel phosphorous-silicone-nitrogen flame retardant and evaluation of its flame retardancy for epoxy thermosets. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	2
311	Characterization of silicon species issued from PDMS degradation under thermal cracking of hydrocarbons: Part 2 Liquid samples analysis by a multi-technical approach based on gas chromatography and mass spectrometry. <b>2014</b> , 116, 478-489		12
310	Investigation into the eroding dry-band arcing of filled silicone rubber under DC using wavelet-based multiresolution analysis. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2014</b> , 21, 713-720	2.3	25
309	Flame retardancy mechanism of poly(butylene terephthalate)/aluminum diethylphosphinate composites with an epoxy-functional polysiloxane. <b>2014</b> , 4, 16551-16560		23
308	Polymers on Fire. <b>2014</b> , 1-43		12
307	Influence of metallic palladium on thermal properties of polysiloxane networks. <i>Polymer Degradation and Stability</i> , <b>2014</b> , 109, 249-260	4.7	11
306	An intumescent flame retardant polypropylene system with simultaneously improved flame retardancy and water resistance. <i>Polymer Degradation and Stability</i> , <b>2014</b> , 108, 97-107	4.7	68
305	The flame-retardancy and anti-dripping properties of novel poly(ethylene terephalate)/cyclotriphosphazene/silicone composites. <i>Polymer Degradation and Stability</i> , <b>2014</b> , 110, 268-277	4.7	30
304	A Resilient, Untethered Soft Robot. <b>2014</b> , 1, 213-223		612
303	Towards silicon speciation in light petroleum products using gas chromatography coupled to inductively coupled plasma mass spectrometry equipped with a dynamic reaction cell. <b>2014</b> , 97, 49-56		19
302	Silicon Based Flame Retardants. <b>2014</b> , 169-199		5
301	Flame Retardants: Overview. <b>2015</b> , 1-28		
300	Controlled Silylation of Nanofibrillated Cellulose in Water: Reinforcement of a Model Polydimethylsiloxane Network. <b>2015</b> , 8, 2681-90		43
299	Flame retardant lignin-based silicone composites. <b>2015</b> , 5, 103907-103914		33

## (2015-2015)

298	Influence of ferric hydroxide on smoke suppression properties and combustion behavior of intumescent flame retardant silicone rubber composites. <b>2015</b> , 119, 487-497	19
297	Influence of surface-modified montmorillonites on properties of silicone rubber-based ceramizable composites. <b>2015</b> , 119, 111-121	46
296	Softening finishes for textiles and clothing. <b>2015</b> , 123-152	4
295	Synthesis of boehmite and its effect on flame retardancy of epoxy resin. <b>2015</b> , 27, 100-104	18
294	Thermal degradation mechanism of addition-cure liquid silicone rubber with urea-containing silane. <b>2015</b> , 605, 28-36	35
293	Suppression of silicone rubber erosion by alumina trihydrate and silica fillers from dry-band arcing under DC. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2015</b> , 22, 14-20	39
292	Preparation, structure and properties of hybrid materials based on geopolymers and polysiloxanes. <b>2015</b> , 87, 82-94	47
291	Influence of cenosphere particles on thermal properties composites of silicon rubber. <b>2015</b> , 122, 1307-1318	12
290	Electrophoretic deposition of a memory-type flame retardant material. 2015, 153, 106-109	5
289	Synergistic effect between silicone-containing macromolecular charring agent and ammonium polyphosphate in flame retardant polypropylene. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a <sup>2.9</sup>	14
288	Study of thermal stability and degradation kinetics of polyurethanellreas by thermogravimetry. <b>2015</b> , 24, 783-789	10
287	Testing of the fire-proof functionality of cable insulation under fire conditions via insulation resistance measurements. <b>2015</b> , 57, 334-349	13
286	Organic Nano-Montmorillonite for Simultaneously Improving the Flame Retardancy, Thermal Stability, and Mechanical Properties of Intumescent Flame-Retardant Silicone Rubber Composites. <b>2015</b> , 54, 1282-1296	10
285	Effects of graphene reduction degree on thermal oxidative stability of reduced graphene oxide/silicone rubber nanocomposites. <b>2015</b> , 27, 997-1006	29
284	A rapid and facile preparation of novel macroporous silicone-based cryogels via photo-induced thiol-ene click chemistry. <b>2015</b> , 51, 17479-82	28
283	An efficient flame retardant for silicone rubber: Preparation and application. <i>Polymer Degradation and Stability</i> , <b>2015</b> , 121, 42-50	33
282	Mechanical and ceramifiable properties of silicone rubber filled with different inorganic fillers.  Polymer Degradation and Stability, <b>2015</b> , 121, 149-156  4-7	64
281	Environmental chemistry of organosiloxanes. <b>2015</b> , 115, 466-524	166

280	The Thermal Stabilisation and Ceramifying of Silicone Rubbers. <b>2016</b> , 43, 33-40		2
279	bis-Nitrile and bis-Dialkylcyanamide Platinum(II) Complexes as Efficient Catalysts for Hydrosilylation Cross-Linking of Siloxane Polymers. <i>Molecules</i> , <b>2016</b> , 21, 311	4.8	23
278	Inorganic Antiflaming Wood Caused by aTiO2-Decorated ZnO Nanorod Arrays Coating Prepared by a Facile Hydrothermal Method. <b>2016</b> , 2016, 1-9		9
277	Thermal Processing of Silicones for Green, Scalable, and Healable Superhydrophobic Coatings. <b>2016</b> , 28, 3677-82		128
276	A review on flammability of epoxy polymer, cellulosic and non-cellulosic fiber reinforced epoxy composites. <b>2016</b> , 27, 577-590		66
275	Influence of the microstructure of gums on the mechanical properties of silicone high consistency rubbers. <b>2016</b> , 65, 713-720		3
274	Flame-Retardant and Smoke-Suppressed Silicone Foams with Chitosan-Based Nanocoatings. <b>2016</b> , 55, 7239-7248		39
273	Investigation of the tracking and erosion resistance of cured liquid silicone rubber containing ureido-modified MQ silicone resin. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2016</b> , 23, 3668-3675	2.3	18
272	Synergistic effect and mechanism of platinum catalyst and nitrogen-containing silane on the thermal stability of silicone rubber. <b>2016</b> , 632, 1-9		31
271	Effect of the sintering temperature on the microstructure, properties and formation mechanism of ceramic materials obtained from polysiloxane elastomer-based ceramizable composites. <b>2016</b> , 678, 499	-505	18
270	Zirconium phosphate functionalized by hindered amine: A new strategy for effectively enhancing the flame retardancy of addition-cure liquid silicone rubber. <b>2016</b> , 174, 230-233		23
269	Effect of cenospheric fillers on the flammability and fire hazard of silicone rubber composites. <b>2016</b> , 125, 1373-1386		13
268	Silicone rubber selection for passive sampling of pesticides in water. <b>2016</b> , 160, 306-313		15
267	Suppression Effect and Mechanism of Platinum and Nitrogen-Containing Silane on the Tracking and Erosion of Silicone Rubber for High-Voltage Insulation. <b>2016</b> , 8, 21039-45		36
266	TGMS study on the effect of multi-walled carbon nanotubes and nano-Fe2O3 on thermo-oxidative stability of silicone rubber. <b>2016</b> , 126, 733-742		7
265	A novel high-temperature-resistant polymeric material for cables and insulated wires via the ceramization of mica-based ceramifiable EVA composites. <b>2016</b> , 132, 116-122		31
264	Evaluation of flammability and shear performance of layered-silicate-reinforced styrenic polymer. <b>2016</b> , 125, 187-197		5
263	Influencing mechanism and interaction of muscovite on thermal decomposition of ammonium polyphosphate. <b>2016</b> , 31, 334-339		6

262	OrganicIhorganic nanocomposite films made from polyurethane dispersions and colloidal silica particles. <b>2016</b> , 23, 157-173	14
261	Composite PolymerMetal Hydroxide Coatings with Flame-Retardant Properties. 2016, 31, 1201-1205	4
260	House-of-cardsIstructures in silicone rubber composites for superb anti-collapsing performance at medium high temperature. <b>2016</b> , 6, 7970-7976	15
259	The ceramifying process and mechanical properties of silicone rubber/ ammonium polyphosphate/ aluminium hydroxide/ mica composites. <i>Polymer Degradation and Stability</i> , <b>2016</b> , 126, 196-203 4-7	40
258	Effect of carbon fibers on thermal properties and mechanical strength of ceramizable composites based on silicone rubber. <b>2016</b> , 124, 197-203	39
257	Synergistic effect of iron oxide modified carbon nanotubes on the thermal stability of silicone rubber under different atmospheres. <b>2016</b> , 123, 1281-1291	11
256	Reactive Modification of Thermoplastic and Thermoset Polymers using Flame Retardants: An Overview. <b>2016</b> , 55, 71-91	20
255	An experimental design approach in formulating a ceramifiable EVA/PDMS composite coating for electric cable insulation. <b>2017</b> , 38, 371-380	11
254	Thermal and combustion behavior of phosphorusBitrogen and phosphorusBilicon retarded epoxy. <b>2017</b> , 26, 21-30	12
253	Thermoset Cellulose Nanocomposites: Flammability Characteristics. <b>2017</b> , 235-272	2
252	Graphene-Borate as an Efficient Fire Retardant for Cellulosic Materials with Multiple and Synergetic Modes of Action. <b>2017</b> , 9, 10160-10168	54
251	Current advances in the fire retardancy of natural fiber and bio-based composites IA review. <b>2017</b> , 4, 247-262	55
250	A novel and facile strategy for highly flame retardant polymer foam composite materials: Transforming silicone resin coating into silica self-extinguishing layer. <b>2017</b> , 336, 222-231	60
249	Processing and Properties of Fire Resistant EPDM Rubber-Based Ceramifiable Composites. <b>2017</b> , 36, 963-969	6
248	Recent developments and applications of protective silicone coatings: A review of PDMS functional materials. <b>2017</b> , 111, 124-163	258
247	Preparation and properties of ceramifiable flame-retarded silicone rubber composites. 2017, 130, 813-821	23
246	Synthesis and characterization of polyphenylsilsesquioxane terminated with methyl and vinyl groups low-melting glass. <b>2017</b> , 31, 2399-2409	5
245	Flame-retardant carbon nanotube films. <b>2017</b> , 411, 177-181	15

244	Effect of glass frit with low softening temperature on the properties, microstructure and formation mechanism of polysiloxane elastomer-based ceramizable composites. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 136, 71-79	4.7	25
243	Hydroxyapatite Nanowire-Based All-Weather Flexible Electrically Conductive Paper with Superhydrophobic and Flame-Retardant Properties. <b>2017</b> , 9, 39534-39548		36
242	A review of flame retardant nanocoatings prepared using layer-by-layer assembly of polyelectrolytes. <b>2017</b> , 52, 12923-12959		120
241	Synthesis and properties of an intrinsic flame retardant silicone rubber containing phosphaphenanthrene structure. <b>2017</b> , 7, 39786-39795		20
240	Effect of alkyl-disubstituted ureido silanes with different alkyl chain structures on tracking resistance property of addition-cure liquid silicone rubber. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 142, 263-272	4.7	18
239	Effect of the platinum catalyst content on the tracking and erosion resistance of addition-cure liquid silicone rubber. <b>2017</b> , 63, 92-100		11
238	An efficient strategy for simultaneously improving tracking resistance and flame retardancy of addition-cure liquid silicone rubber. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 144, 176-186	4.7	20
237	Studies on the thermal properties of silicone polymer based thermal protection systems for space applications. <b>2017</b> , 128, 1731-1741		5
236	Iridium(III)-catalysed cross-linking of polysiloxanes leading to the thermally resistant luminescent silicone rubbers. <b>2017</b> , 7, 5843-5846		27
235	Effect of nano-fillers distribution on the nonlinear conductivity and space charge behavior in SiC/PDMS composites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 1735-1742	2.3	12
234	Development of graphite/silicone composites for use as flexible electrode materials. <b>2017</b> , 691, 220-22	9	11
233	Synthesis and characterization of siloxane-based cyanate ester elastomers from readily available materials: a top-down approach. <b>2017</b> , 66, 540-547		5
232	Understanding the impact of silicon compounds on metallic catalysts through experiments and multi-technical analysis. <b>2017</b> , 20, 55-66		6
231	Characterization of Polymer Waste Containing Nano-fillers Prior its End-of-Life Treatment. <b>2017</b> , 8, 246	3-247	13
230	Poly(urethane-siloxane) Copolymers as New Coating Materials. 2017, 283-304		
229	Flame Retardancy of Composites and Nanocomposites Based on PU Polymers. <b>2017</b> , 499-524		4
228	Electrically conductive PDMS-grafted CNTs-reinforced silicone elastomer. 2018, 159, 208-215		26
227	Durable flame-retardant and antidroplet finishing of polyester fabrics with flexible polysiloxane and phytic acid through layer-by-layer assembly and solgel process. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 46414	2.9	30

226	Ceramifiable EVA/APP/SGF composites for improved ceramifiable properties. <i>Polymer Degradation and Stability</i> , <b>2018</b> , 150, 140-147	4.7	14
225	Preparation of a novel polysiloxane and its synergistic effect with ammonium polyphosphate on the flame retardancy of polypropylene. <i>Polymer Degradation and Stability</i> , <b>2018</b> , 150, 73-85	4.7	31
224	Preparation of functionalized zirconium phosphate and its effect on the flame retardancy of silicone rubber. <b>2018</b> , 8, 111-121		22
223	An alternative fabrication of underoil superhydrophobic or underwater superoleophobic stainless steel meshes for oil-water separation: Originating from one-step vapor deposition of polydimethylsiloxane. <b>2018</b> , 204, 116-126		34
222	Enhancement of tracking and erosion resistance of silicone rubber with platinum/amino-silane by modulation of crosslinking density. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2018</b> , 25, 741-748	2.3	7
221	Effect of acid-treated multi-walled carbon nanotubes on thermo-oxidative stability and degradation behavior of silicone rubber. <b>2018</b> , 133, 1353-1364		4
220	Flame retardant efficiency of KH-550 modified urea-formaldehyde resin cooperating with ammonium polyphosphate on polypropylene. <i>Polymer Degradation and Stability</i> , <b>2018</b> , 151, 160-171	4.7	20
219	Thermal insulation and stability of polysiloxane foams containing hydroxyl-terminated polydimethylsiloxanes <b>2018</b> , 8, 9901-9909		18
218	The improved thermal oxidative stability of silicone rubber by incorporating reduced graphene oxide: Impact factors and action mechanism. <b>2018</b> , 39, 1105-1115		15
217	Synergistic effects of a novel silicon-containing triazine charring agent on the flame-retardant properties of poly(ethylene terephthalate)/hexakis (4-phenoxy)cyclotriphosphazene composites. <b>2018</b> , 39, 858-868		8
216	The influence of particle size and surface treatment of filler on the properties of oyster shell powder filled polypropylene composites. <b>2018</b> , 39, 2420-2430		14
215	Efficient Flame Detection and Early Warning Sensors on Combustible Materials Using Hierarchical Graphene Oxide/Silicone Coatings. <b>2018</b> , 12, 416-424		135
214	Inherently flame retardant vinyl bearing hyperbranched polysiloxanes having improved thermal stability-Ceramization and analysis of associated thermal properties. <i>Polymer Degradation and Stability</i> , <b>2018</b> , 147, 12-24	4.7	12
213	Effect of Interaction between carbon nanotubes and phenyl groups on the thermal stability of silicone rubber. <b>2018</b> , 131, 2503-2512		5
212	Effect of mineral filler additives on flammability, processing and use of silicone-based ceramifiable composites. <b>2018</b> , 75, 1731-1751		14
211	Effect of the Flux on the Fire-Resistance Properties of Cerami-Fiable Epdm Rubber Composites. <b>2018</b> , 27, 096369351802700		7
210	Facile scalable fabrication of ultra-thin freestanding SiO-based hybrid nanosheets with multifunctional properties. <b>2018</b> , 10, 19351-19359		4
209	Research progress on flame-retarded silicone rubber. <b>2018</b> , 392, 032007		1

208	Synthesis of Zirconium-Containing Polyhedral Oligometallasilsesquioxane as an Efficient Thermal Stabilizer for Silicone Rubber. <i>Polymers</i> , <b>2018</b> , 10,	4.5	9
207	Designing reliable silicone elastomers for high-temperature applications. <i>Polymer Degradation and Stability</i> , <b>2018</b> , 157, 175-180	4.7	11
206	A novel application of silicone-based flame-retardant adhesive in plywood. 2018, 189,		28
205	Biobased Epoxy Resin with Low Electrical Permissivity and Flame Retardancy: From Environmental Friendly High-Throughput Synthesis to Properties. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 8856-8867	8.3	65
204	Fabrication of polymethylphenylsiloxane decorated C60 via Estacking interaction for reducing the flammability of silicone rubber. <b>2018</b> , 229, 85-88		6
203	Effect and mechanism of ureido-modified MQ silicone resin and platinum on tracking and erosion resistance of silicone rubber. <b>2018</b> , 70, 162-169		7
202	Synthesis of a phosphorus-containing trisilanol POSS and its application in RTV composites. <b>2018</b> , 18, 237-245		9
201	Similar nature leads to improved properties: cyclic organosilicon triperoxides as promising curing agents for liquid polysiloxanes. <b>2018</b> , 42, 15006-15013		10
200	Covalent functionalization of carbon nanotubes with hydroxyl-terminated polydimethylsiloxane to enhance filler dispersion, interfacial adhesion and performance of poly(methylphenylsiloxane) composites. <b>2018</b> , 165, 274-281		15
199	Significant improvement of urethane-containing silane on the tracking and erosion resistance of silicone rubber/silica nanocomposite by enhancing the interfacial effect. <b>2018</b> , 69, 16-25		17
198	Origami and 4D printing of elastomer-derived ceramic structures. <b>2018</b> , 4, eaat0641		97
197	Effect of POSS Particles and Synergism Action of POSS and Poly-(Melamine Phosphate) on the Thermal Properties and Flame Retardance of Silicone Rubber Composites. <i>Materials</i> , <b>2018</b> , 11,	3.5	10
196	The Future of Flame Retardant Polymers (Unmet Needs and Likely New Approaches. <b>2019</b> , 59, 25-54		65
195	Functional Finishes for Cotton-Based Textiles: Current Situation and Future Trends. <b>2019</b> , 131-190		10
194	Design and Application of Highly Efficient Flame Retardants for Polycarbonate Combining the Advantages of Cyclotriphosphazene and Silicone Oil. <i>Polymers</i> , <b>2019</b> , 11,	4.5	7
193	Self-Limiting Processes in the Flame-Based Fabrication of Superhydrophobic Surfaces from Silicones. <b>2019</b> , 11, 29231-29241		4
192	Facile fabrication of a novel polyborosiloxane-decorated layered double hydroxide for remarkably reducing fire hazard of silicone rubber. <b>2019</b> , 175, 107068		26
191	Determination of toxic products emissions of polymers thermal decomposition using fluidised bed reactor and FTIR analysis. <b>2019</b> , 79, 106040		7

190	. IEEE Transactions on Dielectrics and Electrical Insulation, <b>2019</b> , 26, 1620-1626	-3	15
189	Synthesis and characterization of ureido-containing MQ silicone resin. <b>2019</b> , 56, 1141-1147		2
188	Glycerol-silicone foams ©Tunable 3-phase elastomeric porous materials. 2019, 113, 107-114		11
187	Thermal Decomposition and Ceramifying Process of Ceramifiable Silicone Rubber Composite with Hydrated Zinc Borate. <i>Materials</i> , <b>2019</b> , 12,	.5	6
186	Synthesis and characterization of fire resistance polymeric coating solution for carbon-blended aluminized (E-glass-based) and non-aluminized fabric. <b>2019</b> , 110, 1710-1715		1
185	Enhancement of an organic-metallic hybrid charring agent on flame retardancy of ethylene-vinyl acetate copolymer. <b>2019</b> , 6, 181413		18
184	Eugenol-based thermally stable thermosets by Alder-ene reaction: From synthesis to thermal degradation. <b>2019</b> , 117, 337-346		10
183	Flame-retardant composite coatings for cotton fabrics fabricated by using oxygen plasma-induced polymerization of vinyl phosphonic acid/cyclotetrasiloxane. <b>2019</b> , 89, 5053-5066		13
182	Synthesis of silicic poly carbonyl urea and its flame-retardant effect on polypropylene for char forming. <b>2019</b> , 137, 1267-1277		10
181	Thermal degradation of hydroxyalkylated poly(dimethylsiloxane)s and poly(dimethylsiloxane)-poly(trialkylsilyl methacrylate) based block copolymers synthesized by RAFT 4 polymerization. <i>Polymer Degradation and Stability</i> , <b>2019</b> , 164, 136-144	.7	5
180	Evaluation of nanosilica emission in polydimethylsiloxane composite during incineration. <b>2019</b> , 371, 415-4	122	11
179	Preparation of a novel phosphorus-containing organosilicon and its effect on the flame retardant and smoke suppression of polyethylene terephthalate. <b>2019</b> , 30, 1279-1289		7
178	Rhodium(I)-catalysed cross-linking of polysiloxanes conducted at room temperature. <b>2019</b> , 372, 193-200		17
177	Facile Approach to Recycling Highly Cross-Linked Thermoset Silicone Resins under Ambient Conditions. <b>2019</b> , 4, 3782-3789		16
176	Three-dimensional cross-linking structures in ceramifiable EVA composites for improving self-supporting property and ceramifiable properties at high temperature. <i>Polymer Degradation and Stability</i> , <b>2019</b> , 162, 94-101	·7	8
175	Enhancing fire and mechanical strengths of epoxy nanocomposites for metal/metal bonding of aircraft aluminum alloys. <b>2019</b> , 40, 3691-3702		10
174	Synthesis of a novel intumescent flame retardant based on phosphorus, nitrogen, and silicone, and application in VMQ. <b>2019</b> , 137, 1549-1557		11
173	Correlation of Montmorillonite Sheet Thickness and Flame Retardant Behavior of a Chitosan?Montmorillonite Nanosheet Membrane Assembled on Flexible Polyurethane Foam.  **Polymers**, <b>2019</b> , 11,	5	14

172	Influence of Hydroxyl Silicone Oil on Mechanical and Electrical Properties of Silicone Rubber-based ceramizable composites. <b>2019</b> , 562, 012070		1
171	The role of Nano-sized Alumina tri-hydrate and Fumed Silica on the Erosion of Silicone Rubber under DC Voltage. <b>2019</b> ,		O
170	In situ reactive self-assembly of a graphene oxide nano-coating in polymer foam materials with synergistic fire shielding properties. <b>2019</b> , 7, 27032-27040		48
169	Mechanical, Thermal, and Acoustic Properties of Aluminum Foams Impregnated with Epoxy/Graphene Oxide Nanocomposites. <b>2019</b> , 9, 1214		8
168	Grafting strategies for hydroxy groups of lignin for producing materials. <b>2019</b> , 21, 5714-5752		57
167	Silicone Structurants for Soybean Oil: Foams, Elastomers, and Candles. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 1347-1352	8.3	8
166	Importance of optimization of functionalization of single walled carbon nanotube with special reference to mechanical, viscoelastic and adhesive characteristics of vinyl terminated polydimethyl siloxane. <b>2019</b> , 160, 181-195		5
165	How the Crosslinking Agent Influences the Thermal Stability of RTV Phenyl Silicone Rubber. <i>Materials</i> , <b>2018</b> , 12,	3.5	10
164	Effects of Tung Oil-Based Polyols on the Thermal Stability, Flame Retardancy, and Mechanical Properties of Rigid Polyurethane Foam. <i>Polymers</i> , <b>2018</b> , 11,	4.5	14
163	Thermal degradation and combustion behavior of flame-retardant epoxy resins with novel phosphorus-based flame retardants and silicon particles. <b>2019</b> , 76, 3607-3619		10
162	Effect and mechanism of hepta-phenyl vinyl polyhedral oligomeric silsesquioxane on the flame retardancy of silicone rubber. <i>Polymer Degradation and Stability</i> , <b>2019</b> , 159, 163-173	4.7	13
161	Effect of the sheet size on the thermal stability of silicone rubberEeduced graphene oxide nanocomposites. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47034	2.9	9
160	Effects of platinum compounds/superfine aluminum hydroxide/ultrafine calcium carbonate on the flame retardation and smoke suppression of silicone foams. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 47679	2.9	4
159	Flame retardant application of a hypophosphite/cyclotetrasiloxane bigroup compound on polycarbonate. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 48699	2.9	16
158	Improving Thermal Stability and Electrical Insulation of Gamma-Irradiated Silicone Rubber Nanocomposites. <b>2020</b> , 26, 354-361		3
157	Study of flame-retarded silicone rubber with ceramifiable property. <b>2020</b> , 44, 487-496		9
156	Flame retardant efficiency of modified para-aramid fiber synergizing with ammonium polyphosphate on PP/EPDM. <i>Polymer Degradation and Stability</i> , <b>2020</b> , 172, 109065	4.7	15
155	Design and synthesis of phenyl silicone rubber with functional epoxy groups through anionic copolymerization and subsequent epoxidation. <b>2020</b> , 186, 122077		13

## (2020-2020)

154	Polydimethylsiloxane/monomer casting nylon copolymers: Preparation, flame-retardant properties, and wear-resistant properties. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 48753	2.9	6
153	Flexible, Strong, Multifunctional Graphene Oxide/Silica-Based Composite Aerogels via a Double-Cross-Linked Network Approach. <b>2020</b> , 12, 47854-47864		13
152	Improved Self-Supporting and Ceramifiable Properties of Ceramifiable EPDM Composites by Adding Aramid Fiber. <i>Polymers</i> , <b>2020</b> , 12,	4.5	6
151	Polymer-based ceramifiable composites for flame retardant applications: A review. <i>Composites Communications</i> , <b>2020</b> , 21, 100405	6.7	16
150	Effect of benzotriazole-protected platinum catalyst on flame retardancy and ceramic-forming property of ceramifiable silicone rubber. <b>2020</b> , 31, 2687-2700		1
149	Flame Retardancy of Biobased Composites-Research Development. <i>Materials</i> , <b>2020</b> , 13,	3.5	13
148	Examples of Polymers. <b>2020</b> , 239-302		
147	Types of Flame Retardants. <b>2020</b> , 1-129		
146	Smoke Suppressants. <b>2020</b> , 165-194		
145	Preparation and Characterization of Tris(trimethylsiloxy)silyl Modified Polyurethane Acrylates and Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,	4.5	3
145 144		4·5 3·5	3
	Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,  Ceramization Mechanism of Ceramizable Silicone Rubber Composites with Nano Silica at Low		
144	Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,  Ceramization Mechanism of Ceramizable Silicone Rubber Composites with Nano Silica at Low Temperature. <i>Materials</i> , <b>2020</b> , 13,		1
144	Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,  Ceramization Mechanism of Ceramizable Silicone Rubber Composites with Nano Silica at Low Temperature. <i>Materials</i> , <b>2020</b> , 13,  Enhanced Resistance to Fire of the Bark-Based Panels Bonded with Clay. <b>2020</b> , 10, 5594  Fabrication of Magnetically Inorganic/Organic Superhydrophobic Fabrics and Their Applications.		1
144 143 142	Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,  Ceramization Mechanism of Ceramizable Silicone Rubber Composites with Nano Silica at Low Temperature. <i>Materials</i> , <b>2020</b> , 13,  Enhanced Resistance to Fire of the Bark-Based Panels Bonded with Clay. <b>2020</b> , 10, 5594  Fabrication of Magnetically Inorganic/Organic Superhydrophobic Fabrics and Their Applications. <b>2020</b> , 12, 45296-45305		1 10 18
144 143 142	Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,  Ceramization Mechanism of Ceramizable Silicone Rubber Composites with Nano Silica at Low Temperature. <i>Materials</i> , <b>2020</b> , 13,  Enhanced Resistance to Fire of the Bark-Based Panels Bonded with Clay. <b>2020</b> , 10, 5594  Fabrication of Magnetically Inorganic/Organic Superhydrophobic Fabrics and Their Applications. <b>2020</b> , 12, 45296-45305  Flame Resistant Silicone-Containing Coating Materials. <b>2020</b> , 10, 479		1 10 18
144 143 142 141	Their Application in Textile Treatment. <i>Polymers</i> , <b>2020</b> , 12,  Ceramization Mechanism of Ceramizable Silicone Rubber Composites with Nano Silica at Low Temperature. <i>Materials</i> , <b>2020</b> , 13,  Enhanced Resistance to Fire of the Bark-Based Panels Bonded with Clay. <b>2020</b> , 10, 5594  Fabrication of Magnetically Inorganic/Organic Superhydrophobic Fabrics and Their Applications. <b>2020</b> , 12, 45296-45305  Flame Resistant Silicone-Containing Coating Materials. <b>2020</b> , 10, 479  Dicht- und Klebstoffe auf Silikonbasis. <b>2020</b> , 54, 386-396  Effect of expandable Graphite/Hexaphenoxycyclotriphosphazene beads on the flame retardancy of	3.5	1 10 18 13

136	Flame-retardant properties and synergistic effect of ammonium polyphosphate/aluminum hydroxide/mica/silicone rubber composites. <b>2020</b> , 44, 673-682		8
135	Mica-Based Multilayer Nanocoating as a Highly Effective Flame Retardant and Smoke Suppressant. <b>2020</b> , 12, 19938-19943		22
134	One-step and green synthesis of lightweight, mechanically flexible and flame-retardant polydimethylsiloxane foam nanocomposites via surface-assembling ultralow content of graphene derivative. <i>Chemical Engineering Journal</i> , <b>2020</b> , 393, 124724	14.7	36
133	A metal-free radical technique for cross-linking of polymethylhydrosiloxane or polymethylvinylsiloxane using AIBN. <b>2020</b> , 49, 8855-8858		2
132	. IEEE Transactions on Dielectrics and Electrical Insulation, <b>2020</b> , 27, 249-256	2.3	7
131	Thermal properties of coatings based on full aluminosiloxane polymer. <i>Materials Research Express</i> , <b>2020</b> , 7, 015342	1.7	
130	Flame retardancy and smoke suppression of silicone foams with microcapsulated aluminum hypophosphite and zinc borate. <b>2020</b> , 31, 654-664		7
129	Hydrophobic and heat-resistant poly(methylphenylsiloxane)-modified resorcinol <b>f</b> ormaldehyde composite xerogel monoliths and the carbonized derivatives. <b>2020</b> , 94, 393-405		1
128	Cellulose-based hybrid glycosilicones via grafted-to metal-catalyzed hydrosilylation: "When opposites unite". <b>2020</b> , 241, 116327		2
127	Synthesis and properties of hybrid materials obtained via additive cross-linking of liquid polybutadiene rubber with H-Si containing reagents. <b>2020</b> , 87, 106516		4
126	Study on flame retardancy and smoke suppression of PET by the synergy between Fe2O3 and new phosphorus-containing silicone flame retardant. <b>2020</b> , 32, 871-882		9
125	Thermogravimetric and dynamic mechanical analysis of woven glass/kenaf/epoxy hybrid nanocomposite filled with clay. <b>2021</b> , 7, 166-179		6
124	Valorization of fly ash as a harmless flame retardant via carbonation treatment for enhanced fire-proofing performance and mechanical properties of silicone composites. <b>2021</b> , 404, 124202		9
123	Improving ablation properties of liquid silicone rubber composites by in situ construction of rich-porous char layer. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50030	2.9	8
122	Nickel(II)-pyridinedicarboxamide-co-polydimethylsiloxane complexes as elastic self-healing silicone materials with reversible coordination. <b>2021</b> , 212, 123119		7
121	Stable electrically conductive, highly flame-retardant foam composites generated from reduced graphene oxide and silicone resin coatings. <b>2021</b> , 17, 68-82		6
<b>12</b> 0	Superhydrophobic and superoleophilic cuttlebone with an inherent lamellar structure for continuous and effective oil spill cleanup. <i>Chemical Engineering Journal</i> , <b>2021</b> , 420, 127596	14.7	7
119	Pyrolysis and oxidation behaviour of dehydrogenation silicone foam containing Pt compounds. <b>2021</b> , 144, 351-361		O

118	Great enhancement of efficiency of intumescent flame retardants by titanate coupling agent and polysiloxane. <b>2021</b> , 32, 41-53		1
117	Structural features of functional polysiloxanes radical and ionic photo-curing for laser printing applications. <i>Journal of Polymer Research</i> , <b>2021</b> , 28, 1	2.7	O
116	Investigation of Mechanical Properties of Concrete Containing Liquid Silicone Rubber Under Axial Loads. <b>2021</b> , 2021, 1-13		
115	Cyclometalated Platinum(II) Complexes Simultaneously Catalyze the Cross-Linking of Polysiloxanes and Function as Luminophores. <i>ACS Applied Polymer Materials</i> , <b>2021</b> , 3, 857-866	4.3	9
114	Study on char reinforcing of different inorganic fillers for expandable fire resistance silicone rubber. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50675	2.9	1
113	Flame Retardants and Flame-Retarded Plastics. <b>2021</b> , 53-128		1
112	Synthesis, Characterization, and Thermal Properties of Fluoropyridyl-Functionalized Siloxanes of Diverse Polymeric Architectures. <i>Macromolecules</i> , <b>2021</b> , 54, 4871-4879	5.5	1
111	Ultrafast Flame-Induced Pyrolysis of Poly(dimethylsiloxane) Foam Materials toward Exceptional Superhydrophobic Surfaces and Reliable Mechanical Robustness. <b>2021</b> , 13, 23161-23172		20
110	Preparation of synergistic silicon, phosphorus and nitrogen flame retardant based on cyclosiloxane and its application to cotton fabric. <b>2021</b> , 28, 8115-8128		4
109	Common Perceptions about the Use of Fillers in Silicone Rubber Insulation Housing Composites. <i>Energies</i> , <b>2021</b> , 14, 3655	3.1	O
108	Analyzing the Role of Filler Interface on the Erosion Performance of Filled RTV Silicone Rubber under DC Dry-band Arcing. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 788-796	2.3	4
107	The encapsulation of intumescent flame retardants by poly-siloxane for thermoplastic polyolefin: Fire safety and water resistance. <i>Polymer Degradation and Stability</i> , <b>2021</b> , 188, 109561	4.7	2
106	A Novel Framework to Study the Role of Ground and Fumed Silica Fillers in Suppressing DC Erosion of Silicone Rubber Outdoor Insulation. <i>Energies</i> , <b>2021</b> , 14, 3449	3.1	2
105	A superhydrophobic and flame-retardant cotton fabric fabricated by an eco-friendly assembling method. 004051752110226		2
104	Effect of Strain on Heating Characteristics of Silicone/CNT Composites. <i>Materials</i> , <b>2021</b> , 14,	3.5	0
103	Studies on Hollow Glass Microsphere Reinforced Silicone Matrix Composite for Use in Fast Curing Low Density Thermal Insulation Coating Applications. 1		O
102	Vinyl-functionalized polyborosiloxane for improving mechanical and flame-retardancy performances of silicone rubber foam composites.		1
101	Improving the mechanical and ceramifiable properties of low temperature prepared silicone rubber composites. <i>Materials Research Express</i> , <b>2021</b> , 8, 095203	1.7	3

100	Synergistic effect and mechanism of polysilazane and platinum on the thermal stability of silicone rubber. 009524432110386		1
99	Corrosion performance of high-temperature organic coatings subjected to heat treatments. <b>2021</b> , 159, 106418		2
98	Review of Chemical Treatments of Natural Fibers: A Novel Plastination Approach. 2021, 599-617		O
97	Flame retardancy effects between expandable graphite and halloysite nanotubes in silicone rubber foam <b>2021</b> , 11, 13821-13831		4
96	Flame Retardants: Additives in Plastic Technology. <b>2017</b> , 1-27		1
95	Exceptionally flame-retardant flexible polyurethane foam composites: synergistic effect of the silicone resin/graphene oxide coating. <b>2021</b> , 15, 969-983		6
94	The corrosion behaviour of nanograined metals and alloys. <b>2012</b> , 48, 377-394		16
93	Silicon-Basing Ceramizable Composites Containing Long Fibers. <b>2013</b> , 01, 43-48		1
92	A Review on the Flammability and Flame Retardant Properties of Natural Fibers and Polymer Matrix Based Composites. <b>2015</b> , 28, 29-39		27
91	Effect of a synthesized chitosan flame retardant on the flammability, thermal properties, and mechanical properties of vinyl ester/bamboo nonwoven fiber composites. <b>2021</b> , 28, 11625		О
90	Novel Polyimide-block-poly(dimethyl siloxane) copolymers: Effect of time on the synthesis and thermal properties. 095400832110404		1
89	Spectroscopic Analysis of Epoxy/Rubber Blends. <b>2016</b> , 1-38		
88	Study on Flame Retardant Silicone Rubber with Synergistic Effect from Aluminium Hydroxide and Fe-Montmorillonite. <b>2017</b> , 07, 331-336		
87	Spectroscopic Analysis of Epoxy/Rubber Blends. <b>2017</b> , 147-184		O
86	GITUTUUR POLEROPIIEN POLEMERIVE LE UYGULAMALARINDA SON GELEMELER VE GELECEK BEKLENTIIER II Uluda IUniversity Journal of the Faculty of Engineering, 609-632	0.1	1
85	The influence of heat treatment on the phase composition of coatings based on full aluminosiloxane polymer. <i>Voprosy Khimii I Khimicheskoi Tekhnologii</i> , <b>2020</b> , 148-153	0.7	
84	Comparative Study on the Effect of Inorganic Filler Content and Surface Contaminants on Hydrophobicity Transfer of HTV Polymeric Insulators. <b>2020</b> ,		
83	Thermal insulation performance of silicone rubber / silica aerogel composite. <i>Materials Chemistry and Physics</i> , <b>2022</b> , 276, 125359	4.4	1

82 The Role of Filler Interface in Suppressing the Erosion of Silicone Rubber Under DC Voltage. 2020,

81	Influence of Nano Sized Fillers on Suppressing DC Erosion of Hybrid Silicone Rubber Composites. <b>2021</b> ,		
80	Preparation, Characterization and Properties of Flame Retardant Unsaturated Polyester Resin Based on r-PET. <i>Journal of Polymers and the Environment</i> , 1	4.5	1
79	Re(I) Complexes as Backbone Substituents and Cross-Linking Agents for Hybrid Luminescent Polysiloxanes and Silicone Rubbers. <i>Molecules</i> , <b>2021</b> , 26,	4.8	O
78	Novel phosphorus-containing silazanes as flame retardants in epoxy resins. <i>Reactive and Functional Polymers</i> , <b>2021</b> , 105120	4.6	5
77	Very High-Char-Yielding Elastomers Based on the Copolymers of a Catechol/Furfurylamine Benzoxazine and Polydimethylsiloxane Oligomers. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	3
76	Research status and development trend of ceramifiable silicone rubber composites: a brief review. <i>Materials Research Express</i> , <b>2022</b> , 9, 012001	1.7	O
75	Synergistic effect of additives on electrical resistivity, fire and smoke suppression of silicone rubber for high voltage insulation. <i>Composites Communications</i> , <b>2022</b> , 29, 101045	6.7	1
74	Thermal Characteristics of Various Silicone Rubber Composites Filled with Silica. 2020,		1
73	Preparation, Mechanical, and Low-temperature Properties of Fire Retardant Elastomeric Composites. <b>2021</b> ,		
72	Eugenol-Based Siloxane Acrylates for Ultraviolet-Curable Coatings and 3D Printing. <i>ACS Applied Polymer Materials</i> , <b>2022</b> , 4, 929-938	4.3	3
71	Nano Silica Reinforced Phenolic Foams. <i>Gels Horizons: From Science To Smart Materials</i> , <b>2022</b> , 235-251		
70	Spatiotemporal Distribution and Analysis of Organophosphate Flame Retardants in the Environmental Systems: A Review <i>Molecules</i> , <b>2022</b> , 27,	4.8	О
69	Flame spread behaviour of Polydimethylsiloxane (PDMS) membranes in 1½ and ¼g environments. <i>Combustion and Flame</i> , <b>2022</b> , 240, 112009	5.3	1
68	Flammability Properties of the Bionanocomposites Reinforced with Fire Retardant Filler. <i>Composites Science and Technology</i> , <b>2022</b> , 69-86		
67	Cyclometallated Platinum(II) Complexes for Obtaining Phenyl-Containing Silicone Rubbers via Catalytic Hydrosilylation Reaction. <i>Russian Journal of General Chemistry</i> , <b>2022</b> , 92, 79-84	0.7	1
66	A method to essentially increase the compatibility of thermoplastic polyurethane/methyl vinyl silicone rubber based thermoplastic vulcanizate. <i>Journal of Applied Polymer Science</i> , <b>2022</b> , 139, 52219	2.9	О
65	Poly(ethyl methacrylate) Composite Coatings Containing Halogen-Free Inorganic Additives with Flame-Retardant Properties. <i>Journal of Composites Science</i> , <b>2022</b> , 6, 104	3	

64	Preparation and Characterization of Intrinsically Compatibilized Thermoplastic Polyurethane and Silicone Rubber. <i>Macromolecular Chemistry and Physics</i> , 2100420	2.6	O
63	Studying the application of fish-farming net-cleaning waste as fire-retardant for Scots pine (Pinus sylvestris L.) sapwood. <i>EFB Bioeconomy Journal</i> , <b>2022</b> , 2, 100025		O
62	Silicon-Based Flame Retardants. <b>2021</b> , 271-308		
61	Nanotechnology in Fire Protection-Application and Requirements <i>Materials</i> , <b>2021</b> , 14,	3.5	2
60	Multicomponent Flame Retardants. <b>2021</b> , 413-473		
59	Fire Behavior of Wood-Based Composite Materials <i>Polymers</i> , <b>2021</b> , 13,	4.5	1
58	Viability of Fillers in HTV Silicone Rubber in the AC and DC Inclined Plane Tests. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 2144-2151	2.3	4
57	Synthesis of Biobased and Hybrid Polyurethane Xerogels from Bacterial Polyester for Potential Biomedical Applications. <i>Polymers</i> , <b>2021</b> , 13,	4.5	O
56	Inherent Flame-Retardant, Humid Environment Stable and Blue Luminescent Polyamide Elastomer Regulated by Siloxane Moiety <i>Polymers</i> , <b>2022</b> , 14,	4.5	O
55	Recent trends of silicon elastomer-based nanocomposites and their sensing applications. <i>Journal of Polymer Research</i> , <b>2022</b> , 29,	2.7	O
54	Unexpected core-shell char from polycarbonate/polyborosiloxane composites and its application in improving flame retardancy. <i>Chemical Engineering Journal</i> , <b>2022</b> , 446, 136742	14.7	1
53	Role of Liquid-Phase Amount in Ceramization of Silicone Rubber Composites and Its Controlling. <i>Materials</i> , <b>2022</b> , 15, 3675	3.5	O
52	Polyimide Copolymers and Nanocomposites: A Review of the Synergistic Effects of the Constituents on the Fire-Retardancy Behavior. <i>Energies</i> , <b>2022</b> , 15, 4014	3.1	0
51	Influence of the polyester non-wovens production type on their thermal and flammability properties. <i>Journal of Engineering and Applied Science</i> , <b>2022</b> , 69,		1
50	Overhead Lines and Wildfires: Role of Outdoor Insulators: Prepared by a Task Force of the IEEE DEIS Outdoor Insulation Technical Committee. <i>IEEE Electrical Insulation Magazine</i> , <b>2022</b> , 38, 14-25	2.1	0
49	Photocured Simultaneous and Sequential PDMS/PMMA Interpenetrating Polymer Networks. <i>Macromolecules</i> , <b>2022</b> , 55, 5826-5839	5.5	1
48	Electron-beam irradiated ceramizable-silicone-rubber-composites containing allyl-functionalized cyclophosphazene. <i>Journal of Applied Polymer Science</i> ,	2.9	
47	Recent Advances in Halogen-Free Flame Retardants for Polyolefin Cable Sheath Materials. <i>Polymers</i> , <b>2022</b> , 14, 2876	4.5	O

46	Smart fire-warning materials and sensors: Design principle, performances, and applications. <i>Materials Science and Engineering Reports</i> , <b>2022</b> , 150, 100690	30.9	5
45	A state-of-the-art review on potential applications of natural fiber-reinforced polymer composite filled with inorganic nanoparticle. <i>Composites Part C: Open Access</i> , <b>2022</b> , 100298	1.6	О
44	Synthesis and flame retardant behavior of siloxane functionalized polyethylene. <i>Journal of Applied Polymer Science</i> ,	2.9	
43	Catalytic Graphitized Silicone Rubber Coatings with Highly Graphitized Ceramic Layer and Superior Ablation Resistance. <i>Macromolecular Materials and Engineering</i> , 2200355	3.9	
42	Introduction to flame retardants for polymeric materials. 2022, 1-27		2
41	Phosphorus Modified Cardanol: A Greener Route to Reduce VolaTile Organic Compounds and Impart Flame Retardant Properties to Alkyd Resin Coatings. <b>2022</b> , 27, 4880		1
40	Barrier Effects of Cellulosic Fibers with Hybrid Coating Based on Zirconium Metal-Organic Framework. <b>2022</b> , 14, 3071		
39	Thermoresponsive Hybrid Colloidal Capsules as an Inorganic Additive for Fire-Resistant Silicone-Based Coatings.		O
38	The Impact of ERadiation Crosslinking on Flammability Properties of PA6 Modified by Commercially Available Flame-Retardant Additives. <b>2022</b> , 14, 3168		
37	Flame retardancy and smoke suppression of silicone foams with modified Diatomite and Zinc Borate. 1-24		
36	Effects of scCO 2 foaming process and post-vulcanization method on cellular structure, mechanical properties, and thermal stability of PMVQ foams.		
35	Recent Developments and Research Avenues for Polymers in Electric Vehicles.		1
34	Synergistic effect of DOPO and VMDMS for flame retardancy of alkyd resins. <b>2022</b> , 172, 107086		
33	Mechanical properties of thermo-oxidative aged silicone rubber thermally stabilized by titanium oxide based fillers. <b>2022</b> , 115, 107726		O
32	The Viability of the Filler Barrier Effect During the DC Dry-Band Arcing on Silicone Rubber. <b>2022</b> , 29, 18	373-188	11
31	Fire and electrically resistive silicone elastomer/alumina trihydrate composites derived from nanoclay and chopped glass fibres for industrial fire safety. <b>2022</b> , 167, 257-261		O
30	Vegetable oil-based flame-retardant polymeric materials. <b>2022</b> , 391-417		О
29	High-temperature behavior of silicone rubber composite with boron oxide/calcium silicate. <b>2022</b> , 22, 595-606		O

28	Investigation on the Rheological Properties of Polydimethylsiloxane. 2022, 9, C1-C7	1
27	Comparative Study of M(II)Al (M=Co, Ni) Layered Double Hydroxides for Silicone Foam: Characterization, Flame Retardancy, and Smoke Suppression. <b>2022</b> , 23, 11049	1
26	A silicone diphenylsulfonate for improving the flame retardancy of polycarbonate.	О
25	Improving the Heat and Ablation Resistance of Silicone Rubber Composites by Incorporating Hollow Microspheres. <b>2022</b> , 14, 3846	1
24	Effects of Hydride Transfer Ring-Opening Reaction on B(C6F5)3 Catalyzed Polymerization of D4H Cyclosiloxane and Dialkoxysilanes toward Thermally Stable SilsesquioxaneBiloxane Hybrid Materials.	1
23	Photocured Organofunctional Silicon-Based Polymer and Its Y2O3 Nanocomposite as the Luminescence Tracer of Thermal History.	0
22	Bioinspired Composite Hydrogel-Coated Stainless Steel Screen for Efficient and Stable Gravity-Driven OilWater Separation. 2201258	1
21	Recent developments in phosphorous-containing bio-based flame-retardant (FR) materials for coatings: an attentive review.	1
20	Effects of pyromellitidiimide pattern on thermomechanical properties and thermal stability of silicone networks. <b>2022</b> , 206, 110187	О
19	Bioplastics and Biocomposites in Flame-Retardant Applications. <b>2023</b> , 539-573	O
_		
18	Study on the effect of the density and incorporation amount of Coal Fly ash hollow microspheres on the fire performance of epoxy resin. <b>2023</b> , 34, 105213	0
17		0
	on the fire performance of epoxy resin. <b>2023</b> , 34, 105213  Effects of Bio-Based Polyelectrolyte Complex on Thermal Stability, Flammability, and Mechanical	
17	on the fire performance of epoxy resin. 2023, 34, 105213  Effects of Bio-Based Polyelectrolyte Complex on Thermal Stability, Flammability, and Mechanical Properties Performance Utilization in PLA/PBS Composites. 2023, 13, 154  Influence of Phosphorus Structures and Their Oxidation States on Flame-Retardant Properties of	1
17 16	on the fire performance of epoxy resin. 2023, 34, 105213  Effects of Bio-Based Polyelectrolyte Complex on Thermal Stability, Flammability, and Mechanical Properties Performance Utilization in PLA/PBS Composites. 2023, 13, 154  Influence of Phosphorus Structures and Their Oxidation States on Flame-Retardant Properties of Polyhydroxyurethanes. 2023, 28, 611  Insight into pyrolysis behavior of silicone-phenolic hybrid aerogel through thermal kinetic analysis	1
17 16	on the fire performance of epoxy resin. 2023, 34, 105213  Effects of Bio-Based Polyelectrolyte Complex on Thermal Stability, Flammability, and Mechanical Properties Performance Utilization in PLA/PBS Composites. 2023, 13, 154  Influence of Phosphorus Structures and Their Oxidation States on Flame-Retardant Properties of Polyhydroxyurethanes. 2023, 28, 611  Insight into pyrolysis behavior of silicone-phenolic hybrid aerogel through thermal kinetic analysis and ReaxFF MD simulations. 2023, 141480  Study on Scratch Behavior and Application of a Novel Cardanol-Based Additive in Polypropylene.	1 1
17 16 15	effects of Bio-Based Polyelectrolyte Complex on Thermal Stability, Flammability, and Mechanical Properties Performance Utilization in PLA/PBS Composites. 2023, 13, 154  Influence of Phosphorus Structures and Their Oxidation States on Flame-Retardant Properties of Polyhydroxyurethanes. 2023, 28, 611  Insight into pyrolysis behavior of silicone-phenolic hybrid aerogel through thermal kinetic analysis and ReaxFF MD simulations. 2023, 141480  Study on Scratch Behavior and Application of a Novel Cardanol-Based Additive in Polypropylene. 2023, 108243  Effects of Bi2O3 on the microstructure, mechanical strength, and dielectric properties of	1 1 0

## CITATION REPORT

10	Phosphasilazanes as Inhibitors for Respirable Fiber Fragments Formed during Burning of Carbon-Fiber-Reinforced Epoxy Resins. <b>2023</b> , 28, 1804	О
9	Facile Synthesis of Hollow Glass Microsphere Filled PDMS Foam Composites with Exceptional Lightweight, Mechanical Flexibility, and Thermal Insulating Property. <b>2023</b> , 28, 2614	O
8	Investigation of the thermal degradation kinetics of ceramifiable silicone rubber-based composite.	О
7	Reinforcement mechanism of silica surface hydroxyl: The opposite effect. <b>2023</b> , 623, 157000	O
6	Prediction of mass loss and heat release rates measured in cone calorimeter experiments performed on glass fiber reinforced nylon 66 blended with red phosphorus. <b>2023</b> , 190, 108320	O
5	Effect of glass frits on ceramifiable properties of polyethylene composites.	O
4	Ceramifiable Flame-Retarded Silicone Rubber Composites Based on Novel Phosphorus/Nitrogen/Silicon-Containing Flame Retardants.	O
3	An improved plastination method for strengthening bamboo culms, without compromising biodegradability. <b>2023</b> , 13,	O
2	Mica/ silicate glass frit -armored skeleton[In PDMS composite foam for improving fire-proofing performance.	O
1	The technological properties of particleboards manufactured with nano additive melamine-formaldehyde adhesive. 139-147	O