Chemical profiling of Radix Paeoniae evaluated by ultra
chromatography/photo-diode-array/quadrupole time-

Journal of Pharmaceutical and Biomedical Analysis

49, 253-266

DOI: 10.1016/j.jpba.2008.11.007

Citation Report

#	Article	IF	Citations
2	Rapid and Sensitive Analysis of Tannins and Monoterpene Glycosides in Radix Paeoniae Alba Products by HPLC-MS. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 2232-2245.	0.5	8
4	Identification and determination of the major constituents in Traditional Chinese Medicinal formula Danggui-Shaoyao-San by HPLCâ€"DADâ€"ESI-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 127-137.	1.4	126
5	Simultaneous characterization of quaternary alkaloids, 8-oxoprotoberberine alkaloids, and a steroid compound in Coscinium fenestratum by liquid chromatography hybrid ion trap time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 413-425.	1.4	67
6	A novel strategy to rapidly explore potential chemical markers for the discrimination between raw and processed Radix Rehmanniae by UHPLCâ€"TOFMS with multivariate statistical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 812-823.	1.4	107
7	UPLCâ€"PDAâ€"TOFMS based chemical profiling approach to rapidly evaluate chemical consistency between traditional and dispensing granule decoctions of traditional medicine combinatorial formulae. Journal of Pharmaceutical and Biomedical Analysis, 2010, 52, 468-478.	1.4	72
8	Characterization of steroidal saponins in crude extracts from Dioscorea zingiberensis C. H. Wright by ultra-performance liquid chromatography/electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 462-474.	1.4	73
9	Decocting-induced chemical transformations and global quality of Duâ€"Shenâ€"Tang, the decoction of ginseng evaluated by UPLCâ€"Q-TOF-MS/MS based chemical profiling approach. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 946-957.	1.4	118
10	Characterization of protostane triterpenoids in Alisma orientalis by ultraâ€performance liquid chromatography coupled with quadrupole timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2010, 24, 1514-1522.	0.7	52
11	Evaluation and Discrimination of Cortex Magnoliae Officinalis Produced in Zhejiang Province (Wen-Hou-Po) by UPLC-DAD-TOF-MS Fingerprint. Natural Product Communications, 2010, 5, 1934578X1000501.	0.2	3
12	Studies of UPLC fingerprint for the identification ofMagnoliae officinaliscortex processed. Pharmacognosy Magazine, 2010, 6, 83.	0.3	10
13	Recent Developments in Chromatographic Fingerprints from Herbal Products: Set-Up and Data Analysis. Combinatorial Chemistry and High Throughput Screening, 2010, 13, 900-922.	0.6	53
14	Pharmacokinetic properties of paeoniflorin, albiflorin and oxypaeoniflorin after oral gavage of extracts of Radix Paeoniae Rubra and Radix Paeoniae Alba in rats. Journal of Ethnopharmacology, 2010, 130, 407-413.	2.0	63
15	Glycosidic Conjugates of C13 Norisoprenoids, Monoterpenoids, and Cucurbates in Boronia megastigma (Nees). Journal of Agricultural and Food Chemistry, 2011, 59, 2610-2617.	2.4	9
16	A Novel Approach to Characterize Chemical Consistency of Traditional Chinese Medicine Fuzi Lizhong Pills by GC-MS and RRLC-Q-TOFMS. Chinese Journal of Natural Medicines, 2011, 9, 267-273.	0.7	11
17	Paeonia lactiflora Pall inhibits bladder cancer growth involving phosphorylation of Chk2 in vitro and in vivo. Journal of Ethnopharmacology, 2011, 135, 162-172.	2.0	42
18	Metabolic profiling of GuanXin II prescription based on metabolic fingerprinting and chemical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 789-798.	1.4	16
19	Identification of the major constituents in Xuebijing injection by HPLCâ€ESIâ€MS. Phytochemical Analysis, 2011, 22, 330-338.	1.2	73
20	Seasonal variations in metabolite profiling of the fruits of Ligustrum lucidum Ait. Rapid Communications in Mass Spectrometry, 2011, 25, 1701-1714.	0.7	21

#	Article	IF	Citations
21	UHPLCâ€TOFMS coupled with chemometric method as a powerful technique for rapid exploring of differentiating components between two Ziziphus species. Journal of Separation Science, 2011, 34, 659-666.	1.3	26
22	Recent developments in the HPLC separation of phenolic compounds. Journal of Separation Science, 2011, 34, 854-876.	1.3	108
23	Qualitative and quantitative analysis of chemical constituents in traditional Chinese medicinal formula Tong-Xie-Yao-Fang by high-performance liquid chromatography/diode array detection/electrospray ionization tandem mass spectrometry. Analytica Chimica Acta, 2011, 691, 110-118.	2.6	37
24	Paeonia officinalis, paeony. , 2011, , 231-239.		3
25	Quick comparison of Radix Paeonia Alba, Radix Paeonia Rubra, and Cortex Moutan by high performance liquid chromatography coupled with monolithic columns and their chemical pattern recognition. Pharmacognosy Magazine, 2012, 8, 237.	0.3	14
26	Similarity analyses of chromatographic fingerprints as tools for identification and quality control of green tea. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 910, 61-70.	1.2	63
27	Holistic analysis of seven constituents from three medicinal herbs composing Wuji pills in a single run by ultra performance liquid chromatography: application to quality control study. Analytical Methods, 2012, 4, 2989.	1.3	5
28	Meta-analysis of the clinical effectiveness of traditional Chinese medicine formula Chaihu-Shugan-San in depression. Journal of Ethnopharmacology, 2012, 141, 571-577.	2.0	78
29	Influence of sulphur-fumigation on the quality of white ginseng: A quantitative evaluation of major ginsenosides by high performance liquid chromatography. Food Chemistry, 2012, 135, 1141-1147.	4.2	41
30	Global detection and analysis of volatile components from sun-dried and sulfur-fumigated herbal medicine by comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry. Analyst, The, 2012, 137, 3828.	1.7	34
31	Detection of Sulfur-Fumigated Paeoniae Alba Radix in Complex Preparations by High Performance Liquid Chromatography Tandem Mass Spectrometry. Molecules, 2012, 17, 8938-8954.	1.7	23
32	Ultra-high-performance liquid chromatographyâ€"quadrupole/time of flight mass spectrometry based chemical profiling approach to rapidly reveal chemical transformation of sulfur-fumigated medicinal herbs, a case study on white ginseng. Journal of Chromatography A, 2012, 1231, 31-45.	1.8	96
33	Comparative pharmacokinetic study of paeoniflorin and albiflorin after oral administration of Radix Paeoniae Rubra in normal rats and the acute cholestasis hepatitis rats. FÃ¬toterapÃ¬Ã¢, 2012, 83, 415-421.	1.1	47
34	Protective effect of albiflorin against oxidative-stress-mediated toxicity in osteoblast-like MC3T3-E1 cells. FÃ¬toterapÃ¬Ã¢, 2013, 89, 33-41.	1.1	39
35	Sulfur fumigation, a better or worse choice in preservation of Traditional Chinese Medicine?. Phytomedicine, 2013, 20, 97-105.	2.3	76
36	The profiling and identification of the absorbed constituents and metabolites of Paeoniae Radix Rubra decoction in rat plasma and urine by the HPLCâ€"DADâ€"ESI-IT-TOF-MSn technique: A novel strategy for the systematic screening and identification of absorbed constituents and metabolites from traditional Chinese medicines. Journal of Pharmaceutical and Biomedical Analysis, 2013, 83, 108-121.	1.4	127
37	Determination of chemical variability of phenolic and monoterpene glycosides in the seeds of Paeonia species using HPLC and profiling analysis. Food Chemistry, 2013, 138, 2108-2114.	4.2	59
38	Qualitative and quantitative analysis of the major constituents in Chinese medicinal preparation Dan-Lou tablet by ultra high performance liquid chromatography/diode-array detector/quadrupole time-of-flight tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2013, 80, 50-62.	1.4	51

#	Article	IF	Citations
39	HPLC-DAD-Q-TOF-MS/MS analysis and HPLC quantitation of chemical constituents in traditional Chinese medicinal formula Ge-Gen Decoction. Journal of Pharmaceutical and Biomedical Analysis, 2013, 80, 192-202.	1.4	92
40	SIMULTANEOUS DETERMINATION OF TEN STILBENES IN THE SEEDS OF PAEONIA SPECIES USING HPLC-DAD. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 1708-1724.	0.5	10
41	Ultra-performance liquid chromatography fingerprinting for quality control of Phragmitis rhizoma (Lugen) produced in Baiyangdian. Pharmacognosy Magazine, 2013, 9, 285.	0.3	5
42	Aqueous Extract ofPaeonia lactifloraand Paeoniflorin as Aggregation Reducers Targeting Chaperones in Cell Models of Spinocerebellar Ataxia 3. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-11.	0.5	21
43	UPLC-Q-TOF/MS Coupled with Multivariate Statistical Analysis as a Powerful Technique for Rapidly Exploring Potential Chemical Markers to Differentiate between Radix Paeoniae Alba and Radix Paeoniae Rubra. Natural Product Communications, 2013, 8, 1934578X1300800.	0.2	7
44	Chaihu-Shugan-San Administration Ameliorates Perimenopausal Anxiety and Depression in Rats. PLoS ONE, 2013, 8, e72428.	1.1	31
45	A Novel Method HPLC-DAD Analysis of the Contentsof Moutan Cortexand Paeoniae Radix Alba with Similar Constituents-Monoterpene Glycosides in Guizhi Fuling Wan. Molecules, 2014, 19, 17957-17967.	1.7	9
46	Characterization of Steroidal Saponins from Dioscorea villosa and D. cayenensis Using Ultrahigh Performance Liquid Chromatography/Electrospray Ionization Quadrupole Time-of-Flight Mass Spectrometry. Planta Medica, 2014, 80, 321-329.	0.7	20
47	Chemical interaction between Paeonia lactiflora and Glycyrrhiza uralensis , the components of Jakyakgamchoâ€tang, using a validated highâ€performance liquid chromatography method: Herbal combination and chemical interaction in a decoction. Journal of Separation Science, 2014, 37, 2704-2715.	1.3	21
48	Ultra-performance liquid chromatography coupled with electrospray ionization/quadrupole time-of-flight mass spectrometry for the rapid analysis of constituents in the traditional Chinese medical formula Danggui San. Journal of Separation Science, 2014, 37, 53-60.	1.3	28
49	Novel characterization of Radix Angelicae Dahuricae before and after the sulfur-fumigation process by combining high performance liquid chromatographic fingerprint and multi-ingredients determination. Pharmacognosy Magazine, 2014, 10, 338.	0.3	6
50	A novel sample preparation and on-line HPLCâ€"DADâ€"MS/MSâ€"BCD analysis for rapid screening and characterization of specific enzyme inhibitors in herbal extracts: Case study of Î±-glucosidase. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 130-135.	1.4	49
51	Systematic chemical profiling of Citrus grandis â€˜Tomentosaâ€™ by ultra-fast liquid chromatography/diode-array detector/quadrupole time-of-flight tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 90, 167-179.	1.4	58
52	Application of UPLC-QTOF-MS in MSE mode for the rapid and precise identification of alkaloids in goldenseal (Hydrastis canadensis). Analytical and Bioanalytical Chemistry, 2014, 406, 1739-1749.	1.9	24
53	UPLCâ€PDAâ€TOF/MS coupled with multivariate statistical analysis to rapidly analyze and evaluate Ginkgo biloba leaves from different origin. Drug Testing and Analysis, 2014, 6, 288-294.	1.6	20
54	Chemical taxonomy of tree peony species from China based on root cortex metabolic fingerprinting. Phytochemistry, 2014, 107, 69-79.	1.4	53
55	Quantitative evaluation of Radix Paeoniae Alba sulfur-fumigated with different durations and purchased from herbal markets: Simultaneous determination of twelve components belonging to three chemical types by improved high performance liquid chromatographyâ€"diode array detector. Journal of Pharmaceutical and Biomedical Analysis, 2014, 98, 424-433.	1.4	50
56	Recent Advances in Ultra-High Performance Liquid Chromatography for the Analysis of Traditional Chinese Medicine. Analytical Letters, 2014, 47, 1835-1851.	1.0	14

#	Article	IF	Citations
57	The effect of Chaihu-Shugan-San and its components on the expression of ERK5 in the hippocampus of depressed rats. Journal of Ethnopharmacology, 2014, 152, 320-326.	2.0	33
58	Study on the effects of sulfur fumigation on chemical constituents and antioxidant activity of Chrysanthemum morifolium cv. Hang-ju. Phytomedicine, 2014, 21, 773-779.	2.3	42
59	A sensitive LCâ€"MS/MS method for simultaneous determination of amygdalin and paeoniflorin in human plasma and its application. Journal of Pharmaceutical and Biomedical Analysis, 2014, 92, 160-164.	1.4	15
60	Identification of metabolites of Radix Paeoniae Alba extract in rat bile, plasma and urine by ultra-performance liquid chromatographyâ€"quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical Analysis, 2014, 4, 14-25.	2.4	23
61	Fragment ion diagnostic strategies for the comprehensive identification of chemical profile of Gui-Zhi-Tang by integrating high-resolution MS, multiple-stage MS and UV information. Journal of Pharmaceutical and Biomedical Analysis, 2014, 98, 22-35.	1.4	62
62	Identification of chemical constituents in SiWu decoction by UHPLC-DAD-TOF/MS. Acta Chromatographica, 2014, 26, 517-537.	0.7	11
63	Effect of Chaihushugan San on expression of the Raf/mitogen-activated protein kinase/extracellular signal-regulated kinase pathway in the hippocampi of perimenopausal rats induced by immobilization stress. Journal of Traditional Chinese Medicine = Chung I Tsa Chih Ying Wen Pan / Sponsored By All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine, 2015, 35, 445-452.	0.4	2
64	A UPLC-MS/MS method for simultaneous quantitation of three monoterpene glycosides and four alkaloids in rat plasma: application to a comparative pharmacokinetic study of Huo Luo Xiao Ling Dan and single herb extract. Journal of Mass Spectrometry, 2015, 50, 567-577.	0.7	23
65	Evaluation of the influence of sulfur fumigation on the pharmacokinetics of four active ingredients in Si Wu Tang. Journal of Separation Science, 2015, 38, 25-33.	1.3	14
66	Chemical profiling and quantification of Gua-Lou-Gui-Zhi decoction by high performance liquid chromatography/quadrupole-time-of-flight mass spectrometry and ultra-performance liquid chromatography/triple quadrupole mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 986-987, 69-84.	1.2	31
67	Discrimination and chemical characterization of different Paeonia lactifloras (Radix Paeoniae Alba) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Molecular Structure, 2015, 1099, 68-76.	1.8	12
68	Medicinal plants in the treatment of women's disorders: Analytical strategies to assure quality, safety and efficacy. Journal of Pharmaceutical and Biomedical Analysis, 2015, 113, 189-211.	1.4	24
69	Ultra-high-performance liquid chromatography-quadrupole/time of flight mass spectrometry combined with statistical analysis for rapidly revealing the influence of sulfur-fumigated Paeoniae Radix Alba on the chemical constituents of Si Wu Tang. Analytical Methods, 2015, 7, 9442-9451.	1.3	10
70	Evaluation of the Influence of Sulfur-FumigatedPaeoniae Radix Albaon the Quality of Si Wu Tang by Chromatographic and Chemometric Analysis. Journal of Analytical Methods in Chemistry, 2016, 2016, 1-10.	0.7	4
71	Shugan Xiaozhi Decoction Attenuates Nonalcoholic Steatohepatitis by Enhancing PPARÎ±and L-FABP Expressions in High-Fat-Fed Rats. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-11.	0.5	5
72	A Pharmacological Review of Bioactive Constituents ofPaeonia lactifloraPallas andPaeonia veitchiiLynch. Phytotherapy Research, 2016, 30, 1445-1473.	2.8	96
73	Metabolic profiling of Shu-Yu capsule in rat serum based on metabolic fingerprinting analysis using HPLC-ESI-MSn. Molecular Medicine Reports, 2016, 13, 4191-4204.	1.1	20
74	Rapid discovery and identification of anti-inflammatory constituents from traditional Chinese medicine formula by activity index, LC-MS, and NMR. Scientific Reports, 2016, 6, 31000.	1.6	15

#	Article	IF	Citations
75	Anti-tumor effect of Radix Paeoniae Rubra extract on mice bladder tumors using intravesical therapy. Oncology Letters, 2016, 12, 904-910.	0.8	28
76	Characterization and quantification of monoterpenoids in different types of peony root and the related Paeonia species by liquid chromatography coupled with ion trap and time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 581-592.	1.4	57
77	Identification of compounds in an anti-fibrosis Chinese medicine (Fufang Biejia Ruangan Pill) and its absorbed components in rat biofluids and liver by UPLC-MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1026, 145-151.	1.2	28
78	Pharmacokinetics, Safety, and Tolerability of Amygdalin and Paeoniflorin After Single and Multiple Intravenous Infusions of Huoxue-Tongluo Lyophilized Powder for Injection in Healthy Chinese Volunteers. Clinical Therapeutics, 2016, 38, 327-337.	1.1	13
79	Pharmacokinetics and disposition of monoterpene glycosides derived from Paeonia lactiflora roots (Chishao) after intravenous dosing of antiseptic XueBiJing injection in human subjects and rats. Acta Pharmacologica Sinica, 2016, 37, 530-544.	2.8	50
80	Flavonoid profiling of a traditional Chinese medicine formula of Huangqin Tang using high performance liquid chromatography. Acta Pharmaceutica Sinica B, 2016, 6, 148-157.	5.7	24
81	Ultra-high performance liquid chromatography coupled with quadrupole/time of flight mass spectrometry based chemical profiling approach for the holistic quality control of complex Kang-Jing formula preparations. Journal of Pharmaceutical and Biomedical Analysis, 2016, 124, 319-336.	1.4	9
82	UPLC-QTOF-MS based metabolomics coupled with the diagnostic ion exploration strategy for rapidly evaluating sulfur-fumigation caused holistic quality variation in medicinal herbs, Moutan Cortex as an example. Analytical Methods, 2016, 8, 1034-1043.	1.3	15
83	LC-MS-based Metabolomics in Traditional Chinese Medicines Research: Personal Experiences. Chinese Herbal Medicines, 2017, 9, 14-21.	1.2	11
84	Effects of boiling duration in processing of White Paeony Root on its overall quality evaluated by ultra-high performance liquid chromatography quadrupole/time-of-flight mass spectrometry based metabolomics analysis and high performance liquid chromatography quantification. Chinese Journal of Natural Medicines, 2017, 15, 62-70.	0.7	7
85	A study on the identification of habitats and determination of sulfur dioxide residue of Radix Astragali by UV-vis-SWNIR diffuse reflectance spectroscopy. RSC Advances, 2017, 7, 17236-17243.	1.7	2
86	Screening free radical scavengers in Xiexin Tang by HPLCâ€ABTSâ€DADâ€Qâ€TOF/MS. Biomedical Chromatography, 2017, 31, e4002.	0.8	8
87	Simultaneous determination of paeoniflorin and albiflorin in radix paeoniae rubra by HPLCâ€"DADâ€"ELSD. Acta Chromatographica, 2017, 29, 279-289.	0.7	2
88	Analysis of chemical constituents in an herbal formula Jitong Ning Tablet. Journal of Pharmaceutical and Biomedical Analysis, 2017, 140, 301-312.	1.4	27
89	Screening, separation, and evaluation of xanthine oxidase inhibitors from Paeonia lactiflora using chromatography combined with a multiâ€mode microplate reader. Journal of Separation Science, 2017, 40, 4160-4167.	1.3	20
90	Neuroprotective effects of paeoniflorin in neurodegenerative diseases of the central nervous system. Phytochemistry Reviews, 2017, 16, 1173-1181.	3.1	23
91	Chemomics-based marker compounds mining and mimetic processing for exploring chemical mechanisms in traditional processing of herbal medicines, a continuous study on Rehmanniae Radix. Journal of Chromatography A, 2017, 1530, 232-240.	1.8	32
92	Chemical profiling and quantification of XueBiJing injection, a systematic quality control strategy using UHPLC-Q Exactive hybrid quadrupole-orbitrap high-resolution mass spectrometry. Scientific Reports, 2017, 7, 16921.	1.6	35

#	Article	IF	Citations
93	Bioactive Components from Qingwen Baidu Decoction against LPS-Induced Acute Lung Injury in Rats. Molecules, 2017, 22, 692.	1.7	15
94	Nuciferine and paeoniflorin can be quality markers of Tangzhiqing tablet, a Chinese traditional patent medicine, based on the qualitative, quantitative and dose-exposure-response analysis. Phytomedicine, 2018, 44, 155-163.	2.3	19
95	A UPLC-ESI-Q-TOF method for rapid and reliable identification and quantification of major indole alkaloids in Catharanthus roseus. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1080, 27-36.	1.2	28
96	Protective effect ofPaeoniae radix albaroot extract on immune alterations in mice with atopic dermatitis. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2018, 81, 502-511.	1.1	18
97	Simultaneous determination and qualitative analysis of six types of components in Naoxintong capsule by miniaturized matrix solidâ€phase dispersion extraction coupled with ultra highâ€performance liquid chromatography with photodiode array detection and quadrupole timeâ€ofâ€flight mass spectrometry. Journal of Separation Science, 2018, 41, 2064-2084.	1.3	32
98	Effects of sulfur-fumigation on the pharmacokinetics, metabolites and analgesic activity of Radix Paeoniae Alba. Journal of Ethnopharmacology, 2018, 212, 95-105.	2.0	35
99	Profiling and identification of chemical components of Shenshao Tablet and its absorbed components in rats by comprehensive HPLC/DAD/ESI-MSn analysis. Chinese Journal of Natural Medicines, 2018, 16, 791-800.	0.7	5
100	An UPLC-MS/MS method for simultaneous determination of multiple constituents in Guizhi Fuling capsule with ultrafast positive/negative ionization switching. Chinese Journal of Natural Medicines, 2018, 16, 313-320.	0.7	7
101	Formulated Chinese Medicine Shaoyao Gancao Tang Reduces Tau Aggregation and Exerts Neuroprotection through Anti-Oxidation and Anti-Inflammation. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-16.	1.9	26
102	Time segment scanning-based quasi-multiple reaction monitoring mode by ultra-performance liquid chromatography coupled with quadrupole/time-of-flight mass spectrometry for quantitative determination of herbal medicines: Moutan Cortex, a case study. Journal of Chromatography A, 2018, 1581-1582, 33-42.	1.8	17
103	Metabolomics data fusion between near infrared spectroscopy and high-resolution mass spectrometry: A synergetic approach to boost performance or induce confusion. Talanta, 2018, 189, 641-648.	2.9	26
104	Advancement in the chemical analysis of Paeoniae Radix (Shaoyao). Journal of Pharmaceutical and Biomedical Analysis, 2018, 160, 276-288.	1.4	56
105	Quantitative analysis of different batches of raw, wineâ€processed, and vinegarâ€processed Paeoniae Alba Radix using ultraâ€performance convergence chromatography coupled with photo diode array detection. Biomedical Chromatography, 2019, 33, e4485.	0.8	8
106	Investigation on Spectrum-Effect Correlation between Constituents Absorbed into Blood and Bioactivities of Baizhu Shaoyao San before and after Processing on Ulcerative Colitis Rats by UHPLC/Q-TOF-MS/MS Coupled with Gray Correlation Analysis. Molecules, 2019, 24, 940.	1.7	34
107	Comparative chemical profiling of three TCM drugs in the Paeoniaceae family by UPLC-MS/MS combined with chemometric methods. Biochemical Systematics and Ecology, 2019, 83, 121-129.	0.6	18
108	Penta-O-galloyl-Î²-d-glucose, a hydrolysable tannin from Radix Paeoniae Alba, inhibits adipogenesis and TNF-Î±-mediated inflammation in 3T3-L1 cells. Chemico-Biological Interactions, 2019, 302, 156-163.	1.7	27
109	A Comprehensive Review of the Structure Elucidation of Tannins from Terminalia Linn.. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-26.	0.5	24
110	Multiâ€component profiles through the bloodâ€"brain barrier in rat after oral administration of overâ€theâ€counter drug Keke capsule by ultraâ€performance liquid chromatography/quadrupoleâ€• timeâ€ofâ€flight MS^E method. Biomedical Chromatography, 2019, 33, e4380.	0.8	6

#	Article	IF	Citations
111	Paeoniflorin extract reverses dexamethasone-induced testosterone over-secretion through downregulation of cytochrome P450 17A1 expression in primary murine theca cells. Journal of Ethnopharmacology, 2019, 229, 97-103.	2.0	22
112	Chemical profiling by LCâ€"MS/MS and HPLC fingerprint combined with chemometrics and simultaneous determination of 16 characteristic ingredients for the quality consistency evaluation of Shaoyaoâ€Gancao Decoction. Biomedical Chromatography, 2019, 33, e4401.	0.8	13
113	Mineral Elements and Active Ingredients in Root of Wild Paeonia lactiflora Growing at Duolun County, Inner Mongolia. Biological Trace Element Research, 2020, 193, 548-554.	1.9	7
114	Chemical profiling of Honghua Xiaoyao tablet and simultaneous determination of its quality markers by liquid chromatographyâ€"tandem mass spectrometry combined with chemometrics methods. Journal of Separation Science, 2020, 43, 4263-4280.	1.3	12
115	Quantitation of Phenolic Compounds Related to Antioxidant and Antiosteoporosis Activities in Ripe and Unripe Maesil (Prunus mume). Journal of Food Quality, 2020, 2020, 1-13.	1.4	1
116	Efficacy, Chemical Constituents, and Pharmacological Actions of Radix Paeoniae Rubra and Radix Paeoniae Alba. Frontiers in Pharmacology, 2020, 11, 1054.	1.6	80
117	Rapid characterization of chemical constituents of Shaoyao Gancao decoction using UHPLC coupled with Fourier transform ion cyclotron resonance mass spectrometry. RSC Advances, 2020, 10, 29528-29535.	1.7	11
118	Total glucosides of paeony: A review of its phytochemistry, role in autoimmune diseases, and mechanisms of action. Journal of Ethnopharmacology, 2020, 258, 112913.	2.0	95
119	Comparative Analysis of the Chemical Consistency Between the Traditional and Mixed Decoction of Maimendong Decoction by Ultra-Performance Liquid Chromatography Coupled to Quadrupole with Time-of-Flight Mass Spectrometry (UPLCâ€"QTOF-MS)-Based Chemical Profiling Approach. Journal of Chromatographic Science, 2020, 58, 549-561.	0.7	2
120	Comprehensive analysis of the chemical constituents in sulfur-fumigated Lonicerae Japonicae Flos using UHPLC-LTQ-Orbitrap mass spectrometry. Chinese Journal of Natural Medicines, 2020, 18, 148-160.	0.7	4
121	Chemical profiling and marker characterization of Huangqin decoction prepared with three types of peony root by liquid chromatography with electrospray ionization mass spectrometry. Journal of Separation Science, 2020, 43, 2558-2570.	1.3	10
122	Simultaneous quantification of nine components in the plasma of depressed rats after oral administration of Chaihu-Shugan-San by ultra-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry and its application to pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2020, 186, 113310.	1.4	7
123	Identification and characterisation of bioactive compounds from the seed kernels and hulls of Paeonia lactiflora Pall by UPLC-QTOF-MS. Food Research International, 2021, 139, 109916.	2.9	19
124	Cleavage rules of mass spectrometry fragments and rapid identification of chemical components of Radix Paeoniae Alba using UHPLCâ€Qâ€TOFâ€MS. Phytochemical Analysis, 2021, 32, 836-849.	1.2	26
125	Anti-Lung Cancer Targets of Radix Paeoniae Rubra and Biological Molecular Mechanism: Network Pharmacological Analyses and Experimental Validation. OncoTargets and Therapy, 2021, Volume 14, 1925-1936.	1.0	3
126	A strategy for practical authentication of medicinal plants in traditional Chinese medicine prescription, paeony root in ShaoYaoâ€GanCao decoction as a case study. Journal of Separation Science, 2021, 44, 2427-2437.	1.3	7
127	A comprehensive evaluation protocol for sulfur fumigation of ginseng using UPLC-Q-TOF-MS/MS and multivariate statistical analysis. LWT - Food Science and Technology, 2021, 145, 111293.	2.5	9
128	Chemical profiling of Huashi Baidu prescription, an effective anti-COVID-19 TCM formula, by UPLC-Q-TOF/MS. Chinese Journal of Natural Medicines, 2021, 19, 473-480.	0.7	15

#	Article	IF	Citations
129	Identification of the tannins in traditional Chinese medicine Paeoniae Radix Alba by UHPLC-Q-Exactive Orbitrap MS. Arabian Journal of Chemistry, 2021, 14, 103398.	2.3	11
130	A novel high-resolution monophenolase/diphenolase/radical scavenging profiling for the rapid screening of natural whitening candidates from Peaonia lactiflora root and their mechanism study with molecular docking. Journal of Ethnopharmacology, 2022, 282, 114607.	2.0	10
131	UPLC-Q-TOF-MS/MS Analysis for Steaming Times-dependent Profiling of Steamed Panax quinquefolius and Its Ginsenosides Transformations Induced by Repetitious Steaming. Journal of Ginseng Research, 2012, 36, 277-290.	3.0	50
132	RAPID SEPARATION AND IDENTIFICATION OF MULTIPLE CONSTITUENTS IN VINE TEA BY UFLC SYSTEM COUPLED WITH Q-TOF-MS/MS. Journal of Pharmaceutical and Scientific Innovation, 2015, 4, 120-126.	0.1	2
134	Integrated Strategy From In Vitro, In Situ, In Vivo to In Silico for Predicting Active Constituents and Exploring Molecular Mechanisms of Tongfengding Capsule for Treating Gout by Inhibiting Inflammatory Responses. Frontiers in Pharmacology, 2021, 12, 759157.	1.6	4
135	Rapid analysis of components in Qizhiweitong tablets and plasma after oral administration in rats by UPLCâ€"Qâ€TOFâ€"MS/MS based on a selfâ€developed database. Biomedical Chromatography, 0, , .	0.8	0
136	Traditional processing increases biological activities of Dendrobium offificinale Kimura et. Migo in Southeast Yunnan, China. Scientific Reports, 2022, 12, .	1.6	2
137	Illuminating the biosynthesis pathway genes involved in bioactive specific monoterpene glycosides in Paeonia veitchii Lynch by a combination of sequencing platforms. BMC Genomics, 2023, 24, .	1.2	0
139	Qualitative and quantitative analysis of major components of Renshen-Yangrong Pill by UPLC-LTQ/Orbitrap/MS and UPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2023, 227, 115276.	1.4	4
140	Screening and characterization of xenobiotics in rat bio-samples after oral administration of Shen-Wu-Yi-Shen tablet using UPLC-Q-TOF-MS/MS combined with a targeted and non-targeted strategy. Journal of Pharmaceutical and Biomedical Analysis, 2023, 227, 115286.	1.4	4
141	Phytochemical Study on Seeds of Paeonia clusii subsp. rhodiaâ€"Antioxidant and Anti-Tyrosinase Properties. International Journal of Molecular Sciences, 2023, 24, 4935.	1.8	4
142	Identification of geographical origins of Radix Paeoniae Alba using hyperspectral imaging with deep learning-based fusion approaches. Food Chemistry, 2023, 422, 136169.	4.2	10