

Therapeutic drug monitoring of everolimus using the d
combination with liquid chromatographyâ€“mass spec

Journal of Pharmaceutical and Biomedical Analysis

50, 664-670

DOI: [10.1016/j.jpba.2008.11.021](https://doi.org/10.1016/j.jpba.2008.11.021)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Application of dried blood spots combined with high-performance liquid chromatography coupled with electrospray ionisation tandem mass spectrometry for simultaneous quantification of vincristine and actinomycin-D. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 1171-1182.	1.9	51
2	Use of Dried Blood Spots in Drug Development: Pharmacokinetic Considerations. <i>AAPS Journal</i> , 2010, 12, 290-293.	2.2	123
3	Determination of Ciprofloxacin in Dried Blood Spots for Therapeutic Drug Monitoring. <i>Chromatographia</i> , 2010, 71, 999-1005.	0.7	9
4	A Simple Dried Blood Spot Assay for Therapeutic Drug Monitoring of Lamotrigine. <i>Chromatographia</i> , 2010, 71, 1093-1099.	0.7	24
5	Use of the dried blood spot sampling process coupled with fast gas chromatography and negative-ion chemical ionization tandem mass spectrometry: application to fluoxetine, norfluoxetine, reboxetine, and paroxetine analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 2523-2532.	1.9	46
6	Dried blood spot sampling in combination with LC-MS/MS for quantitative analysis of small molecules. <i>Biomedical Chromatography</i> , 2010, 24, 49-65.	0.8	518
7	Development of a validated high-throughput LC-ESI-MS method for determination of sirolimus on dried blood spots. <i>Biomedical Chromatography</i> , 2010, 24, 1356-1364.	0.8	37
8	On-line desorption of dried blood spots coupled to hydrophilic interaction/reversed-phase LC/MS/MS system for the simultaneous analysis of drugs and their polar metabolites. <i>Journal of Separation Science</i> , 2010, 33, 873-879.	1.3	79
10	Impact of various factors on radioactivity distribution in different DBS papers. <i>Bioanalysis</i> , 2010, 2, 1469-1475.	0.6	62
11	Validation of a high-sensitivity assay for zatebradine in dried blood spots of human blood at pg/ml concentrations using HILIC-MS/MS. <i>Bioanalysis</i> , 2010, 2, 1863-1871.	0.6	9
12	Pharmacokinetic considerations as to when to use dried blood spot sampling. <i>Bioanalysis</i> , 2010, 2, 1791-1796.	0.6	126
13	Determination of naproxen using DBS: evaluation & pharmacokinetic comparison of human plasma versus human blood DBS. <i>Bioanalysis</i> , 2010, 2, 1501-1513.	0.6	20
14	Analytical methods used in conjunction with dried blood spots. <i>Analytical Methods</i> , 2011, 3, 1709.	1.3	48
15	Pharmacokinetics in Drug Development. , 2011, , .		26
16	Molecular Chaperones. <i>Methods in Molecular Biology</i> , 2011, , .	0.4	1
17	Microassay of drugs and modern measurement techniques. <i>Paediatric Anaesthesia</i> , 2011, 21, 197-205.	0.6	14
18	Development and validation of a dried blood spot LC-MS/MS assay to quantify ranitidine in paediatric samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 56, 1057-1063.	1.4	22
19	Pre-cut dried blood spot (PCDBS): an alternative to dried blood spot (DBS) technique to overcome hematocrit impact. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 2951-2958.	0.7	103

#	ARTICLE	IF	CITATIONS
20	High-performance liquid chromatographic determination of anti-hypertensive drugs on dried blood spots using a fluorescence detector – method development and validation. <i>Biomedical Chromatography</i> , 2011, 25, 1252-1259.	0.8	20
21	The current role of liquid chromatography-tandem mass spectrometry in therapeutic drug monitoring of immunosuppressant and antiretroviral drugs. <i>Clinical Biochemistry</i> , 2011, 44, 14-20.	0.8	63
22	The analysis of dried blood spot samples using liquid chromatography tandem mass spectrometry. <i>Clinical Biochemistry</i> , 2011, 44, 110-118.	0.8	96
23	Dried Blood Spots: A New Tool for Tuberculosis Treatment Optimization. <i>Current Pharmaceutical Design</i> , 2011, 17, 2931-2939.	0.9	72
24	Principles of Therapeutic Drug Monitoring. <i>Handbook of Experimental Pharmacology</i> , 2011, 205, 77-90.	0.9	29
25	Evaluation of the MassTrak Immunosuppressant XE Kit for the determination of everolimus and cyclosporin A in human whole blood employing isotopically labeled internal standards. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 2021-7.	1.4	14
26	Impact of internal standard addition on dried blood spot analysis in bioanalytical method development. <i>Bioanalysis</i> , 2011, 3, 2357-2364.	0.6	34
27	The Use of Dried Blood Spots for Concentration Assessment in Pharmacokinetic Evaluations. , 2011, , 91-114.		6
28	Rapid LC-MS/MS quantification of the major benzodiazepines and their metabolites on dried blood spots using a simple and cost-effective sample pretreatment. <i>Bioanalysis</i> , 2012, 4, 1337-1350.	0.6	47
29	Simultaneous LC-MS/MS quantitation of acetaminophen and its glucuronide and sulfate metabolites in human dried blood spot samples collected by subjects in a pilot clinical study. <i>Bioanalysis</i> , 2012, 4, 1429-1443.	0.6	26
30	Dried Blood Spot Bioanalysis: An Evaluation of Techniques and Opportunities for Reduction and Refinement in Mouse and Juvenile Rat Toxicokinetic Studies. <i>International Journal of Toxicology</i> , 2012, 31, 4-13.	0.6	45
31	Impact of Sampling Paper/Cards on Bioanalytical Quantitation via Dried Blood Spots by Liquid Chromatography-Mass Spectrometry. , 2012, , 67-80.		0
32	Tracking Multiplex Drugs and Their Dynamics in Living Cells Using the Label-Free Surface-Enhanced Raman Scattering Technique. <i>Molecular Pharmaceutics</i> , 2012, 9, 842-849.	2.3	29
33	Application of DBS sampling in combination with LC-MS/MS for pharmacokinetic evaluation of a compound with species-specific blood-to-plasma partitioning. <i>Bioanalysis</i> , 2012, 4, 2037-2047.	0.6	8
34	Liquid chromatography-mass spectrometric determination of losartan and its active metabolite on dried blood spots. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 902, 47-54.	1.2	19
35	Analysis of cyclosporin A, tacrolimus, sirolimus, and everolimus in dried blood spot samples using liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 1803-1811.	1.9	50
36	An Introduction to Drug Testing: The Expanding Role of Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2012, 902, 1-13.	0.4	2
37	Newborn Screening of Genetic Diseases. , 2012, , 189-210.		0

#	ARTICLE	IF	CITATIONS
38	Direct analysis of dried blood spots coupled with mass spectrometry: concepts and biomedical applications. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2485-2498.	1.9	120
39	Direct tandem mass spectrometry for the simultaneous assay of opioids, cocaine and metabolites in dried urine spots. <i>Analytica Chimica Acta</i> , 2013, 784, 25-32.	2.6	35
40	Determination of ethyl glucuronide and ethyl sulfate from dried blood spots. <i>International Journal of Legal Medicine</i> , 2013, 127, 769-775.	1.2	23
41	Dried blood spots in bioanalysis of antimalarials: relevance and challenges in quantitative assessment of antimalarial drugs. <i>Bioanalysis</i> , 2013, 5, 2171-2186.	0.6	30
42	Simultaneous determination of cocaine and opiates in dried blood spots by electrospray ionization tandem mass spectrometry. <i>Talanta</i> , 2013, 117, 235-241.	2.9	32
43	LC-MS/MS determination of pramipexole on rat dried blood spots: A pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 932, 34-39.	1.2	10
44	State-of-the-art dried blood spot analysis: an overview of recent advances and future trends. <i>Bioanalysis</i> , 2013, 5, 2187-2208.	0.6	105
45	Clinical validation and implementation of a multiplexed immunosuppressant assay in dried blood spots by LC-MS/MS. <i>Clinica Chimica Acta</i> , 2013, 421, 152-156.	0.5	53
46	Quantitative analysis of morphine in dried blood spots by using morphine-d3 pre-impregnated dried blood spot cards. <i>Analytica Chimica Acta</i> , 2013, 774, 26-32.	2.6	19
47	Fast LC-MS/MS analysis of tacrolimus, sirolimus, everolimus and cyclosporin A in dried blood spots and the influence of the hematocrit and immunosuppressant concentration on recovery. <i>Talanta</i> , 2013, 115, 47-54.	2.9	110
51	Role of dried blood spots in health and disease diagnosis in older adults. <i>Bioanalysis</i> , 2014, 6, 3121-3131.	0.6	14
52	Emerging liquid chromatography-mass spectrometry technologies improving dried blood spot analysis. <i>Expert Review of Proteomics</i> , 2014, 11, 425-430.	1.3	13
53	Evaluation of dried blood spot technique for pharmacokinetic study of hydrochlorothiazide and comparison of human plasma versus dried blood spot. <i>Journal of Young Pharmacists</i> , 2014, 6, 44-49.	0.1	1
54	Procedures and practices for the validation of bioanalytical methods using dried blood spots: a review. <i>Bioanalysis</i> , 2014, 6, 2481-2514.	0.6	77
55	Dried blood spots: Concepts, present status, and future perspectives in bioanalysis. <i>Drug Testing and Analysis</i> , 2014, 6, 399-414.	1.6	124
56	Supercritical fluid extraction as a preparation method for mass spectrometry of dried blood spots. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 969, 199-204.	1.2	20
57	Mass spectrometry analysis of blood low-molecular fraction as a method for unification of therapeutic drug monitoring. <i>Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry</i> , 2014, 8, 1-10.	0.2	3
59	What is the right blood hematocrit preparation procedure for standards and quality control samples for dried blood spot analysis?. <i>Bioanalysis</i> , 2015, 7, 345-351.	0.6	59

#	ARTICLE	IF	CITATIONS
60	Evaluation of a LC-MS method for everolimus preclinical determination in brain by using [13C2D4]RAD001 internal standard. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 985, 155-163.	1.2	6
61	Alternative matrices for therapeutic drug monitoring of immunosuppressive agents using LC-MS/MS. <i>Bioanalysis</i> , 2015, 7, 1037-1058.	0.6	38
62	Simultaneous determination of trimethoprim and sulfamethoxazole in dried plasma and urine spots. <i>Bioanalysis</i> , 2015, 7, 1137-1149.	0.6	28
63	A simple dried blood spot method for therapeutic drug monitoring of the tricyclic antidepressants amitriptyline, nortriptyline, imipramine, clomipramine, and their active metabolites using LC-MS/MS. <i>Talanta</i> , 2015, 134, 165-172.	2.9	64
64	Liquid chromatography tandem mass spectrometry in the clinical laboratory. <i>Annals of Clinical Biochemistry</i> , 2015, 52, 18-38.	0.8	81
65	The use of mass spectrometry to analyze dried blood spots. <i>Mass Spectrometry Reviews</i> , 2016, 35, 361-438.	2.8	193
66	Quantification of Warfarin in Dried Rat Plasma Spots by High-Performance Liquid Chromatography with Tandem Mass Spectrometry. <i>Journal of Pharmaceutics</i> , 2016, 2016, 1-6.	4.6	4
67	Alternative Sampling Strategies for Therapeutic Drug Monitoring. , 2016, , 279-336.		12
68	Therapeutic Drug Monitoring of Everolimus. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 143-169.	1.0	102
69	Analysis of ochratoxin A in dried blood spots – Correlation between venous and finger-prick blood, the influence of hematocrit and spotted volume. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1020, 158-164.	1.2	18
70	Application of liquid chromatography combined with mass spectrometry or tandem mass spectrometry for therapeutic drug monitoring of immunosuppressants. , 2016, , 57-81.		5
71	A clinical validation study for application of DBS in therapeutic drug monitoring of antidepressants. <i>Bioanalysis</i> , 2016, 8, 413-424.	0.6	11
72	LC-HRMS determination of piperine on rat dried blood spots: A pharmacokinetic study. <i>Journal of Pharmaceutical Analysis</i> , 2016, 6, 18-23.	2.4	6
73	Antineoplastic drugs and their analysis: a state of the art review. <i>Analyst, The</i> , 2017, 142, 2273-2321.	1.7	41
74	Clinical validation study of dried blood spot for determining everolimus concentration in patients with cancer. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 465-471.	0.8	20
75	Development and validation of an analytical method using UPLC-MS/MS to quantify everolimus in dried blood spots in the oncology setting. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 149, 106-113.	1.4	23
76	The Use of Dried Blood Spots for the Quantification of Antihypertensive Drugs. <i>International Journal of Analytical Chemistry</i> , 2018, 2018, 1-12.	0.4	4
77	Microsampling: considerations for its use in pharmaceutical drug discovery and development. <i>Bioanalysis</i> , 2019, 11, 1015-1038.	0.6	50

#	ARTICLE	IF	CITATIONS
78	Preanalytical considerations in therapeutic drug monitoring of immunosuppressants with dried blood spots. <i>Diagnosis</i> , 2019, 6, 57-68.	1.2	19
79	Simultaneous Determination of Selegiline, Desmethylselegiline, R/S-methamphetamine, and R/S-amphetamine on Dried Urine Spots by LC/MS/MS: Application to a Pharmacokinetic Study in Urine. <i>Frontiers in Chemistry</i> , 2019, 7, 248.	1.8	8
80	Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology Guideline: Development and Validation of Dried Blood Spot-Based Methods for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 409-430.	1.0	188
81	Validation and clinical application of an LC-MS/MS method for the quantification of everolimus using volumetric absorptive microsampling. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1104, 234-239.	1.2	33
82	Quantitative dried blood spot analysis for metallodrugs by laser ablation-inductively coupled plasma-mass spectrometry. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 51, 50-56.	1.5	15
83	Emerging trends in paper spray mass spectrometry: Microsampling, storage, direct analysis, and applications. <i>Mass Spectrometry Reviews</i> , 2020, 39, 336-370.	2.8	61
84	Development of a dried blood spot sampling method towards therapeutic monitoring of radotinib in the treatment of chronic myeloid leukaemia. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020, 45, 1006-1013.	0.7	11
85	The use of dried blood spots for characterizing children's exposure to organic environmental chemicals. <i>Environmental Research</i> , 2021, 195, 110796.	3.7	14
86	Dried Blood Spot Technique Applied in Therapeutic Drug Monitoring of Anticancer Drugs: a Review on Conversion Methods to Correlate Plasma and Dried Blood Spot Concentrations. <i>Pharmaceutical Research</i> , 2021, 38, 759-778.	1.7	19
87	A simplified method for bortezomib determination using dried blood spots in combination with liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1181, 122905.	1.2	6
88	Sample Collection, Biobanking, and Analysis. <i>Handbook of Experimental Pharmacology</i> , 2011, 205, 203-217.	0.9	4
89	The influence of the dried blood spot drying time on the recoveries of six immunosuppressants. <i>Journal of Applied Bioanalysis</i> , 2015, 1, 116-122.	0.2	14
91	Quantification of the Immunosuppressant Tacrolimus on Dried Blood Spots Using LC-MS/MS. <i>Journal of Visualized Experiments</i> , 2015, , e52424.	0.2	15
92	Quantitation of Heat-Shock Proteins in Clinical Samples Using Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2011, 787, 165-188.	0.4	0
93	Extraction Procedure Optimization of Atenolol from Dried Plasma Spots. <i>Journal of Pharmaceutical Research International</i> , 0, , 1-8.	1.0	2
94	Advantages and Challenges of Dried Blood Spot Analysis by Mass Spectrometry Across the Total Testing Process. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016, 27, 288-317.	0.7	85
97	Quantification of immunosuppressants from one 3.2- μ m dried blood spot by a novel cold-induced phase separation based LC-MS/MS method. <i>Analytica Chimica Acta</i> , 2022, 1210, 339889.	2.6	5
98	Volumetric microsampling for simultaneous remote immunosuppressant and kidney function monitoring in outpatient kidney transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 4854-4869.	1.1	20

#	ARTICLE	IF	CITATIONS
99	Rapid diagnosis of malaria by chemometric peak-free LIBS of trace biometals in blood. Scientific Reports, 2022, 12, .	1.6	0
100	DRIED BLOOD MICROSAMPLING-ASSISTED THERAPEUTIC DRUG MONITORING OF IMMUNOSUPPRESSANTS: AN OVERVIEW. Journal of Chromatography A, 2022, , 463724.	1.8	4
101	Dried Blood Spotsâ€™A Platform for Therapeutic Drug Monitoring (TDM) and Drug/Disease Response Monitoring (DRM). European Journal of Drug Metabolism and Pharmacokinetics, 2023, 48, 467-494.	0.6	2