

CITATION REPORT

List of articles citing

Identification and determination of the major constituents in Traditional Chinese Medicinal formula Danggui-Shaoyao-San by HPLC-DAD-ESI-MS/MS

DOI: 10.1016/j.jpba.2009.03.039

Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 127-37.

Source: <https://exaly.com/paper-pdf/46491141/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
116	Current literature in mass spectrometry. 2009 , 44, 1761-1772		
115	Identification of active compounds and their metabolites by high-performance liquid chromatography/electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry from Xiao-xu-ming decoction (XXMD). 2009 , 23, 2724-32		19
114	Determination of Poricoic Acid A in Rat Plasma after Oral and Intravenous Administration by LCMSMS and Its Application to a Pharmacokinetic Study. 2010 , 72, 465-472		1
113	Improved extraction and identification by ultra performance liquid chromatography tandem mass spectrometry of phenolic compounds in burdock leaves. 2010 , 1217, 2441-6		55
112	Current Awareness in Phytochemical Analysis. 2010 , 21, 210-217		
111	Danggui-Shaoyao-San and its active fraction JD-30 improve Abeta-induced spatial recognition deficits in mice. 2010 , 128, 365-72		32
110	Assessment of antibacterial activity of fractions from burdock leaf against food-related bacteria. 2010 , 21, 1272-1278		30
109	Dangguijakyak-san, a medicinal herbal formula, protects dopaminergic neurons from 6-hydroxydopamine-induced neurotoxicity. 2011 , 133, 934-9		26
108	Quality control of a herbal medicinal preparation using high-performance liquid chromatographic and capillary electrophoretic methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 206-215	3.5	11
107	Identification of multiple components in Guanxinling injection using hydrophilic interaction liquid chromatography/time-of-flight mass spectrometry and reversed-phase liquid chromatography/time-of-flight mass spectrometry. 2011 , 25, 1661-74		41
106	Identification of multiple constituents in the traditional Chinese medicine formula Sheng-Mai San and rat plasma after oral administration by HPLC-DAD-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 1110-27	3.5	67
105	Pharmacokinetic properties of albiflorin and paeoniflorin after oral administration of pure compound, Radix Paeoniae alba extract and danggui-shaoyao-san extract to rats. 2011 , 13, 117-27		22
104	A QUALITATIVE AND QUANTITATIVE ASSESSMENT OF EIGHT CONSTITUENTS IN FRUCTUS EVODIAE BY HPLC-DAD-ESI-MS/MS. 2011 , 34, 408-420		7
103	Beneficial effect of traditional chinese medicinal formula danggui-shaoyao-san on advanced glycation end-product-mediated renal injury in streptozotocin-diabetic rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 140103	2.3	21
102	SIMULTANEOUS QUANTIFICATION OF TWO MAJOR ACTIVE COMPONENTS IN RADIX ANGELICA SINENSIS BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY WITH AN INTERNAL STANDARD CORRECTION METHOD. 2012 , 40, 416-428		4
101	Screening out Potential Cardio-Toxic Components of Chinese Herb Radix Aconiti Lateralis in Rat Dosed Plasma by High Performance Liquid Chromatography/Electrospray Ionization Quadrupole Time-Of-Flight Mass Spectrometry. 2012 , 45, 1695-1712		5
100	Structural characterization and identification of major constituents in Jitai tablets by high-performance liquid chromatography/diode-array detection coupled with electrospray ionization tandem mass spectrometry. 2012 , 17, 10470-93		52

99	Detection of sulfur-fumigated <i>Paeoniae Alba Radix</i> in complex preparations by high performance liquid chromatography tandem mass spectrometry. 2012 , 17, 8938-54		22
98	Comparative pharmacokinetics of senkyunolide I in a rat model of migraine versus normal controls. 2012 , 37, 91-7		9
97	Profiling of the charged metabolites of traditional herbal medicines using capillary electrophoresis time-of-flight mass spectrometry. 2012 , 8, 99-108		20
96	Simultaneous determination of five phenolic components and paeoniflorin in rat plasma by liquid chromatography-tandem mass spectrometry and pharmacokinetic study after oral administration of Cerebralcare granule(®). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 86, 82-91	3.5	41
95	Recent developments in qualitative and quantitative analysis of phytochemical constituents and their metabolites using liquid chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 72, 267-91	3.5	130
94	Rapid separation and identification of multiple constituents in traditional Chinese medicine formula Shenqi Fuzheng Injection by ultra-fast liquid chromatography combined with quadrupole-time-of-flight mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 74, 144-55	3.5	84
93	Simultaneous determination of bioactive components in essential oil of Xiang-Fu-Si-Wu Formula in Beagle dog plasma by UPLC-MS/MS and its application to pharmacokinetics. 2013 , 929, 63-9		12
92	HPLC-DAD-Q-TOF-MS/MS analysis and HPLC quantitation of chemical constituents in traditional Chinese medicinal formula Ge-Gen Decoction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 80, 192-202	3.5	79
91	Optimization of Extraction Condition for Alisol B and Alisol B Acetate in <i>Alismatis Rhizoma</i> using Response Surface Methodology. 2013 , 36, 513-524		8
90	Rapid Identification of the Multiple Absorbed Bioactive Components and Metabolites in Rat Serum after Oral Administration of Wu-Jia Sheng-Hua Capsule by UPLC-ESI-MS. 2013 , 2013, 318961		2
89	The selected traditional chinese medicinal formulas for treating diabetic nephropathy: perspective of modern science. 2013 , 3, 152-8		23
88	Genetic Variants of Pregnane X Receptor (PXR) and CYP2B6 Affect the Induction of Bupropion Hydroxylation by Sodium Ferulate. 2013 , 8, e62489		11
87	Sodium ferulate inhibits neointimal hyperplasia in rat balloon injury model. 2014 , 9, e87561		3
86	HPLC-DAD-ESI-MS/MS Identification and Characterization of Major Constituents of <i>Iris crocea</i> , <i>Iris germanica</i> and <i>Iris spuria</i> Growing in Kashmir Himalayas, India. 2014 , 5,		14
85	Simultaneous and sensitive quantification of seven active compounds in Huan-Nao-Yi-Cong-Fang and rat serum by UFLC-ESI/MS. 2014 , 6, 5727		5
84	Evaluation of the Quality of <i>Angelica sinensis</i> by High-Performance Liquid Chromatography. 2014 , 47, 2857-2870		1
83	Deciphering the differentiations of traditional Chinese medicine analogous formulae by parallel liquid chromatography-mass spectrometry coupled with microplate-based assays. 2014 , 6, 9283-9290		2
82	Ultra-performance liquid chromatography coupled with electrospray ionization/quadrupole time-of-flight mass spectrometry for the rapid analysis of constituents in the traditional Chinese medical formula Danggui San. 2014 , 37, 53-60		26

81	Chemical profile of the active fraction of Yi-Gan San by HPLC-DAD-Q-TOF-MS and its neuroprotective effect against glutamate-induced cytotoxicity. 2014 , 12, 869-80		7
80	Determination of Polyphenol Components of Korean Prostrate Spurge (<i>Euphorbia supina</i>) by Using Liquid Chromatography-Tandem Mass Spectrometry: Overall Contribution to Antioxidant Activity. 2014 , 2014, 418690		17
79	Chemical profiling of Wu-tou decoction by UPLC-Q-TOF-MS. 2014 , 118, 21-9		77
78	Screening and identification of multiple components in Tanreqing injection using RP-HPLC combined with DAD and ESI-TOF/MS. 2014 , 12, 535-41		12
77	Effect of ethanol fraction of burdock leaf on biofilm formation and bacteria growth. 2014 , 239, 305-311		7
76	Fragment ion diagnostic strategies for the comprehensive identification of chemical profile of Gui-Zhi-Tang by integrating high-resolution MS, multiple-stage MS and UV information. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 98, 22-35	3.5	51
75	Identification of chemical constituents in SiWu decoction by UHPLC-DAD-TOF/MS. 2014 , 26, 517-537		8
74	Elution-extrusion counter-current chromatography for the separation of two pairs of isomeric monoterpenes from <i>Paeoniae Alba Radix</i> . 2015 , 38, 3110-8		11
73	Quick and selective extraction of Z-ligustilide from <i>Angelica sinensis</i> using magnetic multiwalled carbon nanotubes. 2015 , 38, 4269-75		13
72	Does Infection-Induced Immune Activation Contribute to Dementia?. 2015 , 6, 342-8		25
71	Effects of Danggui-Shaoyao-San on the Influence of Spatial Learning and Memory Induced by Experimental Tooth Movement. 2015 , 128, 1948-55		4
70	Study on Pharmacokinetics of Three Preparations from Levistolide A by LC-MS-MS. 2015 , 53, 1265-73		9
69	Beneficial effect of Danggui-Shaoyao-San, a traditional Chinese medicine, on drowsiness induced by chronic restraint stress. 2015 , 597, 26-31		13
68	Simultaneous determination of 10 components in Bu-Zhong-Yi-Qi Wan by solid phase extraction-high performance liquid chromatography with diode array detection and evaporative light scattering detection. 2015 , 53, 736-41		2
67	Medicinal plants in the treatment of women's disorders: Analytical strategies to assure quality, safety and efficacy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 113, 189-211	3.5	17
66	Qualitative and Quantitative Analysis of Thirteen Marker Components in Traditional Korean Formula, Samryeongbaekchul-san using an Ultra-Performance Liquid Chromatography Equipped with Electrospray Ionization Tandem Mass Spectrometry. 2016 , 22, 93		2
65	Danggui-Shaoyao-San: New Hope for Alzheimer's Disease. 2016 , 7, 502-13		30
64	Neuroprotective effects of Danggui-Jakyak-San on rat stroke model through antioxidant/apoptotic pathway. 2016 , 188, 123-33		8

63	Metabolic profiling of Shu-Yu capsule in rat serum based on metabolic fingerprinting analysis using HPLC-ESI-MSn. 2016 , 13, 4191-204			12
62	LC-MS-Based Quality Assessment of a Traditional Chinese Medicine YANG XIN Formulation. 2016 , 82, 1208-16			3
61	Hydroxycinnamic acid amide profile of Solanum schimperianum Hochst by UPLC-HRMS. 2016 , 408, 42-50			15
60	Rapid discovery and identification of anti-inflammatory constituents from traditional Chinese medicine formula by activity index, LC-MS, and NMR. 2016 , 6, 31000			11
59	Magnetic solid-phase extraction coupled with HPLC-Q-TOF-MS for rapid analysis of tyrosinase binders from San-Bai decoction by BoxBehnken statistical design. 2016 , 6, 109730-109741			14
58	Investigation of the inhibitors of histone-lysine N-methyltransferase SETD2 for acute lymphoblastic leukaemia from traditional Chinese medicine. 2016 , 27, 589-608			2
57	Ultra-high performance liquid chromatography coupled with quadrupole/time of flight mass spectrometry based chemical profiling approach for the holistic quality control of complex Kang-Jing formula preparations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 124, 319-336	3.5		9
56	Analgesic Effects of Danggui-Shaoyao-San on Various "Phenotypes" of Nociception and Inflammation in a Formalin Pain Model. 2016 , 53, 6835-6848			9
55	Pharmacodynamic and pharmacokinetic assessment of pulmonary rehabilitation mixture for the treatment of pulmonary fibrosis. 2017 , 7, 3458			10
54	Chemical profiling and quantification of XueBiJing injection, a systematic quality control strategy using UHPLC-Q Exactive hybrid quadrupole-orbitrap high-resolution mass spectrometry. 2017 , 7, 16921			25
53	UPLC-QTOF-MS Identification of the Chemical Constituents in Rat Plasma and Urine after Oral Administration of Rubia cordifolia L. Extract. 2017 , 22,			6
52	Review: DNA Barcoding and Chromatography Fingerprints for the Authentication of Botanicals in Herbal Medicinal Products. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 1352948	2.3		19
51	Quantitative Analysis of Eleven Bioactive Constituents of a Traditional Herbal Medicine, Yeonggyechulgam-tang using, Liquid Chromatography-Electrospray Ionization Tandem Mass Spectrometry. 2017 , 23, 84			
50	Simultaneous determination and qualitative analysis of six types of components in Naoxintong capsule by miniaturized matrix solid-phase dispersion extraction coupled with ultra high-performance liquid chromatography with photodiode array detection and quadrupole time of flight mass spectrometry. 2018 , 41, 2064-2084			22
49	Pharmacokinetic Profiling of Butylidenephthalide and Alisol B in Danggui-Shaoyao-San in Rats. 2018 , 43, 645-653			1
48	Chemical profiling and quantification of Dan-Deng-Tong-Nao-capsule using ultra high performance liquid chromatography coupled with high resolution hybrid quadruple-orbitrap mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 148, 189-204	3.5		13
47	Radix Paeoniae Rubra stimulates osteoclast differentiation by activation of the NF- κ B and mitogen-activated protein kinase pathways. 2018 , 18, 132			17
46	Advancement in the chemical analysis of Paeoniae Radix (Shaoyao). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 276-288	3.5		28

45	Metabolite analysis of Huangqi Jianzhong Tang using UHPLC-Q-Exactive-MS in rat plasma. 2019 , 42, 593-604	2
44	Guizhi-Shaoyao-Zhimu decoction possesses anti-arthritic effects on type II collagen-induced arthritis in rats via suppression of inflammatory reactions, inhibition of invasion & migration and induction of apoptosis in synovial fibroblasts. 2019 , 118, 109367	44
43	Rapid characterization of the chemical constituents and rat metabolites of the Wen-Jing decoction by ultra high performance liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. 2019 , 42, 1174-1193	7
42	Comprehensive characterization of multiple components and metabolites of Xiaojin Capsule based on ultra high performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry. 2019 , 42, 2748-2761	4
41	Rapid Analysis of the Chemical Compositions in Roots by Ultra High-Performance Liquid Chromatography and Quadrupole Time-of-Flight Tandem Mass Spectrometry. 2019 , 24,	10
40	A Comprehensive Review of the Structure Elucidation of Tannins from Linn. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019 , 2019, 8623909	2.3 10
39	Mucosal immunomodulatory evaluation and chemical profile elucidation of a classical traditional Chinese formula, Bu-Zhong-Yi-Qi-Tang. 2019 , 228, 188-199	12
38	UPLC-QTOF/MS-Based Nontargeted Metabolomic Analysis of Mountain- and Garden-Cultivated Ginseng of Different Ages in Northeast China. 2018 , 24,	30
37	Simultaneous quantification combined with multivariate statistical analysis of multiple chemical markers of Wu Ji Bai Feng Pill by UHPLC-MS/MS. 2019 , 27, 275-283	8
36	A strategy for the discovery and validation of toxicity quality marker of Chinese medicine based on network toxicology. 2019 , 54, 365-370	11
35	Characterization of chemical profile and quantification of representative components of DanLou tablet, a traditional Chinese medicine prescription, by UHPLC-Q/TOF-MS combined with UHPLC-TQ-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 180, 113070	3.5 10
34	Chemical profiling of Honghua Xiaoyao tablet and simultaneous determination of its quality markers by liquid chromatography-tandem mass spectrometry combined with chemometrics methods. 2020 , 43, 4263-4280	3
33	Status of Bioactive Compounds from Bran of Pigmented Traditional Rice Varieties and Their Scope in Production of Medicinal Food with Nutraceutical Importance. 2020 , 10, 1817	10
32	Systems pharmacology-based approach to investigate the mechanisms of Danggui-Shaoyao-san prescription for treatment of Alzheimer's disease. 2020 , 20, 282	6
31	Rapid identification of chemical composition and metabolites of Pingxiao Capsule in vivo using molecular networking and untargeted data-dependent tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2020 , 34, e4882	1.7 5
30	Integrated Profiling of Fatty Acids, Sterols and Phenolic Compounds in Tree and Herbaceous Peony Seed Oils: Marker Screening for New Resources of Vegetable Oil. 2020 , 9,	8
29	Quality transitivity of Danhong Huayu Koufuye: A study on chemical profiles of medicinal herbs, compound preparation and dosed rat plasma using ultra-performance liquid chromatography-quadrupole time-of-flight mass spectrometry. <i>Biomedical Chromatography</i> , 2020 , 34, e4813	1.7 1
28	Simultaneous determination of ferulic acid, paeoniflorin, and albiflorin in rat plasma by ultra-high performance liquid chromatography with tandem mass spectrometry: Application to a pharmacokinetic study of Danggui-Shaoyao-San. 2020 , 43, 2053-2060	5

27	The Neuroprotective Effects of Danggui-Shaoyao San on Vascular Cognitive Impairment: Involvement of the Role of the Low-Density Lipoprotein Receptor-Related Protein. 2020 , 23, 420-433		2
26	Phenolics Profiling by Three-Phase Solvent System Step-Gradient Using High-Performance Countercurrent Chromatography with Off-Line Electrospray Mass-Spectrometry Detection. 2021 , 26,		2
25	Stability and controlled release enhancement of Labisia pumila polyphenols. 2021 , 41, 101025		0
24	Cerebralcare Granule enhances memantine hydrochloride efficacy in APP/PS1 mice by ameliorating amyloid pathology and cognitive functions. 2021 , 16, 47		2
23	Integrated serum pharmacochimistry and network pharmacological analysis used to explore possible anti-rheumatoid arthritis mechanisms of the Shentong-Zhuyu decoction. 2021 , 273, 113988		5
22	Danggui-Shaoyao-San Improves Gut Microbia Dysbiosis and Hepatic Lipid Homeostasis in Fructose-Fed Rats. <i>Frontiers in Pharmacology</i> , 2021 , 12, 671708	5.6	1
21	Effects of Danggui-Shaoyao-San on depression- and anxiety-like behaviors of rats induced by experimental tooth movement. 2021 , 1		0
20	Untargeted metabolomics coupled with chemometric analysis deducing robust markers for discrimination of processing procedures: Wine-processed Angelica sinensis as a case study. 2021 , 44, 4092-4110		0
19	Development and optimisation of an HPLC-DAD-ESI-Q-ToF method for the determination of phenolic acids and derivatives. 2014 , 9, e88762		20
18	Effect of Salinomycin on Expression Pattern of Genes Associated with Apoptosis in Endometrial Cancer Cell Line. 2020 , 21, 1269-1277		1
17	Quality Evaluation of Modified Bo-Yang-Hwan-O-Tang by Capillary Electrophoresis and High-performance Liquid Chromatography. 2011 , 32, 2666-2670		2
16	Qualitative Analysis of the Major Constituents in Traditional Oriental Prescription Bang-poong-tong-sung-san by Liquid Chromatography/Ultraviolet Detector/Ion-Trap Time-of-Flight Mass Spectrometry. <i>Mass Spectrometry Letters</i> , 2014 , 5, 24-29		
15	Effects of Siraitia grosvenorii Fruits Extracts on Physical Fatigue in Mice. <i>Iranian Journal of Pharmaceutical Research</i> , 2013 , 12, 115-21	1.1	3
14	Induction of PI3K/Akt-Mediated Apoptosis in Osteoclasts Is a Key Approach for Pills to Treat Osteonecrosis of the Femoral Head.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 729909	5.6	1
13	Systematic Understanding of Mechanism of Danggui Shaoyao San against Ischemic Stroke Using a Network Pharmacology Approach.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 3747285	2.3	
12	Extraction of Functional Components from Freeze-Dried Leaves Using Supercritical Carbon Dioxide.. <i>ACS Omega</i> , 2022 , 7, 5104-5111	3.9	0
11	Simultaneous determination of adulterants in dietary food supplements using multivariate data analysis after preconcentration with novel nanosorbents and chromatographic measurement.. <i>Journal of AOAC INTERNATIONAL</i> , 2022 ,	1.7	
10	Danggui-Shaoyao-San Attenuates Cognitive Impairment via the Microbiota-Gut-Brain Axis With Regulation of Lipid Metabolism in Scopolamine-Induced Amnesia. <i>Frontiers in Immunology</i> , 2022 , 13,	8.4	1

- 9 High-throughput UPLC-Q-TOF-MS/MS coupled with multivariable data processing approach for the rapid screening and characterization of chemical constituents and potential bioactive compounds from Danggui-Shaoyao San. *Biomedical Chromatography*, 1.7 ○
- 8 Mathematical algorithm-based identification of the functional components and mechanisms in depression treatment: An example of Danggui-Shaoyao-San. 10, ○
- 7 Using network pharmacology to explore the mechanism of Danggui-Shaoyao-San in the treatment of diabetic kidney disease. 13, ○
- 6 Combining multiple acquisition modes and computational data annotation for structural characterization in traditional Chinese medicine: Miao Nationality medicine Qijiao Shengbai Capsule as a case study. **2022**, 12, 27781-27792 ○
- 5 Qualitative Profiling and Quantitative Analysis of Major Constituents in Jinmu-tang by UHPLC-Q-Orbitrap-MS and UPLC-TQ-MS/MS. **2022**, 27, 7887 ○
- 4 Improving natural products identification through molecular features-oriented precursor ion selection and targeted MS/MS analysis: a case study of Zhi-Ke-Yang-Yin capsule. **2022**, 12, 33340-33347 ○
- 3 Established UPLC-MS/MS procedure for multicomponent quantitative analysis of rat plasma: Pharmacokinetics of Taohong Siwu Decoction in normal and acute blood stasis models. **2023**, 305, 116094 ○
- 2 Rapidly and accurately screening histidine decarboxylase inhibitors from *Radix Paeoniae alba* using ultrafiltration-high performance liquid chromatography/mass spectrometry combined with enzyme channel blocking and directional enrichment technique. **2023**, 1693, 463859 ○
- 1 Integrated UPLC-Q-TOF-MS and network pharmacology approach-driven quality marker discovery of Danggui Shaoyao San for primary dysmenorrhea. **2023**, 37, ○