

Degradation of high temperature MEA with PBI-H₃PO₄

Electrochimica Acta

54, 7121-7127

DOI: [10.1016/j.electacta.2009.07.031](https://doi.org/10.1016/j.electacta.2009.07.031)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Adaptive Process Control and In-Situ Diagnostics for High Temperature PEM MEA Manufacturing. , 2010, , .		0
2	CO tolerance and CO oxidation at Pt and Pt-Ru anode catalysts in fuel cell with polybenzimidazole-H ₃ PO ₄ membrane. <i>Electrochimica Acta</i> , 2010, 55, 6073-6080.	5.2	58
3	EIS Characterization of the Poisoning Effects of CO and CO ₂ on a PBI Based HT-PEM Fuel Cell. , 2010, , .		2
4	Durability studies of PBI-based membrane electrode assemblies for high temperature PEMFCs. , 2010, , .		3
5	Phosphoric acid-doped cross-linked porous polybenzimidazole membranes for proton exchange membrane fuel cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 15660.	6.7	99
6	Experimental Investigations into Phosphoric Acid Adsorption on Platinum Catalysts in a High Temperature PEM Fuel Cell. <i>Fuel Cells</i> , 2011, 11, 511-517.	2.4	9
7	A Transient Fuel Cell Model to Simulate HTPEM Fuel Cell Impedance Spectra. , 2011, , .		19
8	High temperature PEM fuel cell performance characterisation with CO and CO ₂ using electrochemical impedance spectroscopy. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 9815-9830.	7.1	131
9	Crosslinking of polybenzimidazole membranes by divinylsulfone post-treatment for high temperature proton exchange membrane fuel cell applications. <i>Polymer International</i> , 2011, 60, 1201-1207.	3.1	52
10	CO electrooxidation study on Pt and Pt-Ru in H ₃ PO ₄ using MEA with PBI-H ₃ PO ₄ membrane. <i>Journal of Power Sources</i> , 2011, 196, 2994-3002.	7.8	12
11	Proton exchange membranes for fuel cells operated at medium temperatures: Materials and experimental techniques. <i>Progress in Materials Science</i> , 2011, 56, 289-327.	32.8	174
13	A Transient Fuel Cell Model to Simulate HTPEM Fuel Cell Impedance Spectra. <i>Journal of Fuel Cell Science and Technology</i> , 2012, 9, .	0.8	25
14	Polymer fuel cells based on polybenzimidazole/H ₃ PO ₄ . <i>Energy and Environmental Science</i> , 2012, 5, 6436.	30.8	155
15	Life study of a PBI-PEM fuel cell by current distribution measurement. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 711-718.	2.9	15
16	Thermal curing of PBI membranes for high temperature PEM fuel cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 5444.	6.7	146
17	Poly(benzimidazole)-epoxide crosslink membranes for high temperature proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 383-392.	7.1	70
18	Experimental study of water transport in a polybenzimidazole-based high temperature PEMFC. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 2462-2469.	7.1	51
19	Performance of high temperature fuel cells with different types of PBI membranes as analysed by impedance spectroscopy. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 2596-2602.	7.1	50

#	ARTICLE	IF	CITATIONS
20	Gas crossover leakage in high temperature polymer electrolyte fuel cells: In situ quantification and effect on performance. Journal of Power Sources, 2012, 205, 350-353.	7.8	15
21	Proton Conducting Membranes Based on Poly(2,2'-bipyridine-5,5'-dicarboxylic acid-benzimidazole). Fuel Cells, 2012, 12, 124-131.	2.4	21
22	Optimization of gas diffusion electrode for polybenzimidazole-based high temperature proton exchange membrane fuel cell: Evaluation of polymer binders in catalyst layer. International Journal of Hydrogen Energy, 2013, 38, 11370-11378.	7.1	90
23	Degradation of high temperature PEM fuel cells and the impact on electrical performance. , 2013, , .		4
24	Degradation in phosphoric acid doped polymer fuel cells: A 6000h parametric investigation. International Journal of Hydrogen Energy, 2013, 38, 6469-6480.	7.1	101
25	Novel partially fluorinated sulfonated poly(aryleneethioether)s and poly(aryleneether)s prepared from octafluorotoluene and pentafluoropyridine, and their blends with PBI-Celazol. European Polymer Journal, 2013, 49, 518-531.	5.4	23
26	Enhanced performance of polybenzimidazole-based high temperature proton exchange membrane fuel cell with gas diffusion electrodes prepared by automatic catalyst spraying under irradiation technique. Journal of Power Sources, 2013, 242, 510-519.	7.8	36
27	Degradation aspects of water formation and transport in Proton Exchange Membrane Fuel Cell: A review. Journal of Power Sources, 2013, 240, 558-582.	7.8	123
28	Crosslinked Hexafluoropropylidene Polybenzimidazole Membranes with Chloromethyl Polysulfone for Fuel Cell Applications. Advanced Energy Materials, 2013, 3, 622-630.	19.5	146
29	Novel composite Zr/PBI-O-PhT membranes for HT-PEFC applications. Beilstein Journal of Nanotechnology, 2013, 4, 481-492.	2.8	31
30	In-Situ Dynamic Characterization of Energy Storage and Conversion Systems. , 2013, , .		2
31	SAXS Analysis of Catalyst Degradation in High Temperature PEM Fuel Cells Subjected to Accelerated Ageing Tests. Fuel Cells, 2014, 14, 938-944.	2.4	16
32	Polysulfonated FluoroxyPBI Membranes for PEMFCs: An Efficient Strategy to Achieve Good Fuel Cell Performances with Low H ₂ PO ₄ Doping Levels. Advanced Energy Materials, 2014, 4, 1301949.	19.5	46
33	Effect of Platinum Distribution in Dual Catalyst Layer Structured Gas Diffusion Electrode on the Performance of High Temperature PEMFC. Journal of the Electrochemical Society, 2014, 161, F506-F512.	2.9	28
34	Performance and endurance of a high temperature PEM fuel cell operated on methanol reformat. International Journal of Hydrogen Energy, 2014, 39, 18343-18350.	7.1	42
35	One-Step Deposition of Catalyst Layers for High Temperature Proton Exchange Membrane Fuel Cells (PEMFC). Journal of the Electrochemical Society, 2014, 161, F622-F627.	2.9	16
36	Binderless electrodes for high-temperature polymer electrolyte membrane fuel cells. Journal of Power Sources, 2014, 272, 559-566.	7.8	36
37	Durability study of HTPEMFC through current distribution measurements and the application of a model. International Journal of Hydrogen Energy, 2014, 39, 21678-21687.	7.1	17

#	ARTICLE	IF	CITATIONS
38	One-dimensional modeling and analysis for performance degradation of high temperature proton exchange membrane fuel cell using PA doped PBI membrane. <i>Solid State Ionics</i> , 2014, 262, 319-323.	2.7	29
39	Degradation modeling and operational optimization for improving the lifetime of high-temperature PEM (proton exchange membrane) fuel cells. <i>Energy</i> , 2014, 66, 41-49.	8.8	76
40	Influence of thermal post-curing on the degradation of a cross-linked polybenzimidazole-based membrane for high temperature polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2014, 267, 323-328.	7.8	31
41	Performance degradation studies on an poly 2,5-benzimidazole high-temperature proton exchange membrane fuel cell using an accelerated degradation technique. <i>Journal of Power Sources</i> , 2014, 247, 354-359.	7.8	15
42	Application of a Coated Film Catalyst Layer Model to a High Temperature Polymer Electrolyte Membrane Fuel Cell with Low Catalyst Loading Produced by Reactive Spray Deposition Technology. <i>Catalysts</i> , 2015, 5, 1673-1691.	3.5	12
43	Numerical modeling of the degradation rate for membrane electrode assemblies in high temperature proton exchange membrane fuel cells and analyzing operational effects of the degradation. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 5444-5455.	7.1	12
44	Enhanced performance and stability of high temperature proton exchange membrane fuel cell by incorporating zirconium hydrogen phosphate in catalyst layer. <i>Journal of Power Sources</i> , 2015, 278, 718-724.	7.8	21
45	Accelerated Degradation of High-Temperature Polymer Electrolyte Fuel Cells: Discussion and Empirical Modeling. <i>Journal of the Electrochemical Society</i> , 2015, 162, F153-F164.	2.9	22
46	Performance Degradation Tests of Phosphoric Acid Doped Polybenzimidazole Membrane Based High Temperature Polymer Electrolyte Membrane Fuel Cells. <i>Journal of Fuel Cell Science and Technology</i> , 2015, 12, .	0.8	21
47	Classification of High-Temperature PEM Fuel Cell Degradation Mechanisms Using Equivalent Circuits. <i>IEEE Transactions on Industrial Electronics</i> , 2015, 62, 5265-5274.	7.9	20
48	Properties and fuel cell applications of polybenzimidazole and ethyl phosphoric acid grafted polybenzimidazole blend membranes. <i>Journal of Membrane Science</i> , 2015, 491, 10-21.	8.2	43
49	Effect of polyvinylidene difluoride in the catalyst layer on high-temperature PEMFCs. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 9400-9409.	7.1	16
50	Effect of H ₂ S on SO ₂ -depolarised water electrolysis. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 4442-4450.	7.1	9
51	Microporous layer based on SiC for high temperature proton exchange membrane fuel cells. <i>Journal of Power Sources</i> , 2015, 288, 288-295.	7.8	27
52	Performance evaluation of an air-breathing high-temperature proton exchange membrane fuel cell. <i>Applied Energy</i> , 2015, 160, 146-152.	10.1	27
53	Methylimidazolium group " Modified polyvinyl chloride (PVC) doped with phosphoric acid for high temperature proton exchange membranes. <i>Materials and Design</i> , 2015, 87, 1047-1055.	7.0	48
54	Facile and green assembly of nanocomposite membranes for fuel cells. <i>Chemical Communications</i> , 2015, 51, 1983-1986.	4.1	10
55	Experimental investigation and numerical simulation of the electrolyte loss in a HT-PEM fuel cell. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 1163-1172.	7.1	38

#	ARTICLE	IF	CITATIONS
56	The Effects of Cathode Parameters on the Performance of Poly(2,5-Benzimidazole)-Based Polymer Electrolyte Membrane Fuel Cell. <i>Electrocatalysis</i> , 2015, 6, 155-162.	3.0	6
57	A comprehensive review of PBI-based high temperature PEM fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 21310-21344.	7.1	320
58	Improved Electrodes for High Temperature Proton Exchange Membrane Fuel Cells using Carbon Nanospheres. <i>ChemSusChem</i> , 2016, 9, 1187-1193.	6.8	23
59	Influence of membrane type and molecular weight distribution on the degradation of PBI-based HTPEM fuel cells. <i>Journal of Membrane Science</i> , 2016, 509, 27-35.	8.2	29
60	Exceptional durability enhancement of PA/PBI based polymer electrolyte membrane fuel cells for high temperature operation at 200 °C. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4019-4024.	10.3	93
61	Synthesis and properties of sulfonated poly(arylene ether ketone sulfone) copolymer. <i>High Performance Polymers</i> , 2016, 28, 315-321.	1.8	17
62	Effect of accelerated ageing tests on PBI HTPEM fuel cells performance degradation. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1875-1883.	7.1	17
63	Synergetic integration of a methanol steam reforming cell with a high temperature polymer electrolyte fuel cell. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 13902-13912.	7.1	38
64	Interplay between structure and properties in acid-base blend PBI-based membranes for HT-PEM fuel cells. <i>Journal of Membrane Science</i> , 2017, 535, 122-131.	8.2	54
65	A rotating rod electrode disk as an alternative to the rotating disk electrode for medium-temperature electrolytes, Part II: An example of the application in an investigation of the oxygen reduction reaction on a Pt/C catalyst by the thin film method in hot concentrated H ₃ PO ₄ . <i>Electrochimica Acta</i> , 2017, 245, 597-606.	5.2	3
66	Modelling of a high-temperature polymer electrolyte membrane fuel cell integrated with a methanol steam reformer cell. <i>Applied Energy</i> , 2017, 202, 6-19.	10.1	46
67	Pore- and macro-scale simulations of high temperature proton exchange fuel cells " HTPEMFC " and possible strategies for enhancing durability. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 26730-26743.	7.1	13
68	In Situ Formed Phosphoric Acid/Phosphosilicate Nanoclusters in the Exceptional Enhancement of Durability of Polybenzimidazole Membrane Fuel Cells at Elevated High Temperatures. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1615-F1625.	2.9	45
69	High Temperature Polymer Electrolyte Membrane Fuel Cells for Integrated Fuel Cell " Methanol Reformer Power Systems: A Critical Review. <i>Advanced Sustainable Systems</i> , 2018, 2, 1700184.	5.3	44
70	Impedance Spectroscopy Study of the Dependence of High Temperature Polymer Electrolyte Membrane Fuel Cell Parameters on Current. <i>Fuel Cells</i> , 2018, 18, 748-754.	2.4	3
71	In-situ diagnosis on performance degradation of high temperature polymer electrolyte membrane fuel cell by examining its electrochemical properties under operation. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 21006-21016.	7.1	33
72	Effects of constant load operations on platinum bands formation and cathode degradation in high-temperature polymer electrolyte fuel cells. <i>Electrochimica Acta</i> , 2018, 289, 354-362.	5.2	13
73	Pd core-shell alloy catalysts for high-temperature polymer electrolyte membrane fuel cells: Effect of the core composition on the activity towards oxygen reduction reactions. <i>Applied Catalysis A: General</i> , 2018, 562, 250-257.	4.3	30

#	ARTICLE	IF	CITATIONS
74	Steady-state modelling of a HT-PEMFC under various operating conditions. , 2019, , .		3
75	Degradation Studies of Single Cell and Short Stack for High Temperature Proton Exchange Membrane Fuel Cells Based on PBI/H 3 PO 4 Membrane. ChemistrySelect, 2019, 4, 12313-12319.	1.5	3
76	Multi-walled carbon nanotubes decorated by platinum catalyst for high temperature PEM fuel cell. International Journal of Hydrogen Energy, 2019, 44, 18951-18966.	7.1	49
77	The Effect of Potential Cycling on High Temperature PEM Fuel Cell with Different Flow Field Designs. Fuel Cells, 2019, 19, 231-243.	2.4	14
78	Degradation kinetics of Pt during high-temperature PEM fuel cell operation part I: Kinetics of Pt surface oxidation and dissolution in concentrated H3PO4 electrolyte at elevated temperatures. Electrochimica Acta, 2019, 313, 352-366.	5.2	14
79	Degradation kinetics of Pt during high-temperature PEM fuel cell operation part II: Dissolution kinetics of Pt incorporated in a catalyst layer of a gas-diffusion electrode. Electrochimica Acta, 2020, 333, 135509.	5.2	18
80	Degradation kinetics of Pt during high-temperature PEM fuel cell operation Part III: Voltage-dependent Pt degradation rate in single-cell experiments. Electrochimica Acta, 2020, 363, 137165.	5.2	17
81	Continuous durability study of a high temperature polymer electrolyte membrane fuel cell stack. Applied Energy, 2020, 277, 115588.	10.1	14
82	Ageing Tests at Constant Currents and Associated Modeling of High Temperature PEMFC MEAs. Fuel Cells, 2020, 20, 272-284.	2.4	9
83	Mechanism of action of polytetrafluoroethylene binder on the performance and durability of high-temperature polymer electrolyte fuel cells. International Journal of Hydrogen Energy, 2021, 46, 14687-14698.	7.1	16
84	A review of membranes in proton exchange membrane fuel cells: Transport phenomena, performance and durability. Renewable and Sustainable Energy Reviews, 2021, 141, 110771.	16.4	134
85	Durability Issues and Status of PBI-Based Fuel Cells. , 2016, , 487-509.		14
86	Performance Investigation of Membrane Electrode Assemblies for High Temperature Proton Exchange Membrane Fuel Cell. Journal of Power and Energy Engineering, 2013, 01, 95-100.	0.6	19
87	Experimental Analysis on the Influence of Operating Profiles on High Temperature Polymer Electrolyte Membrane Fuel Cells. Energies, 2021, 14, 6737.	3.1	2
88	Study on Optimization of Operating Conditions for High Temperature PEM Fuel Cells Using Design of Experiments. Transactions of the Korean Hydrogen and New Energy Society, 2013, 24, 50-60.	0.6	0
89	High-temperature PEM Fuel Cell Characterization: an Experimental Study Focused on Potential Degradation due to the Polarization Curve. E3S Web of Conferences, 2022, 334, 04017.	0.5	0
90	Composite membrane by incorporating sulfonated graphene oxide in polybenzimidazole for high temperature proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2022, 47, 9004-9017.	7.1	37
91	Methodology for readjusting the voltage according to the operating conditions of a high temperature proton exchange membrane fuel cell. , 2021, , .		2

#	ARTICLE	IF	CITATIONS
92	Voltage Readjustment Methodology according to Pressure and Temperature Applied to a High Temperature PEM Fuel Cell. <i>Energies</i> , 2022, 15, 3031.	3.1	3
93	Voltage degradation of high-temperature PEM fuel cells operating at 200°C under constant load and start-stop conditions. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 18820-18830.	7.1	12
94	Modeling the Performance Degradation of a High-Temperature PEM Fuel Cell. <i>Energies</i> , 2022, 15, 5651.	3.1	3