

# Spice: A never ending story?

Forensic Science International

191, 58-63

DOI: [10.1016/j.forsciint.2009.06.008](https://doi.org/10.1016/j.forsciint.2009.06.008)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A Teenager With Agitation. <i>Pediatric Emergency Care</i> , 2010, 26, 462-465.  | 0.5 | 81        |
| 2  | Chemistry, Pharmacology, and Metabolism of Emerging Drugs of Abuse. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 544-549.  | 1.0 | 66        |
| 3  | New Psycho-Active Substances: The Legal Procedure Used in European Union Countries and Turkey. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 334-339.   | 0.9 | 4         |
| 4  | Use of High-Resolution Accurate Mass Spectrometry to Detect Reported and Previously Unreported Cannabinomimetics in "Herbal High" Products. <i>Journal of Analytical Toxicology</i> , 2010, 34, 252-260.   | 1.7 | 117       |
| 6  | In vitro phase I metabolism of the synthetic cannabimimetic JWH-018. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2141-2153.   | 1.9 | 131       |
| 7  | Chemical constituents and DNA sequence analysis of a psychotropic herbal product. <i>Forensic Toxicology</i> , 2010, 28, 77-83.  | 1.4 | 19        |
| 8  | Monitoring of herbal mixtures potentially containing synthetic cannabinoids as psychoactive compounds. <i>Journal of Mass Spectrometry</i> , 2010, 45, 1186-1194.  | 0.7 | 268       |
| 9  | Sensitive and rapid quantification of the cannabinoid receptor agonist naphthalen-1-yl-(1-pentylindol-3-yl)methanone (JWH-018) in human serum by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2659-2663. | 1.2 | 191       |
| 10 | Detection of JWH-018 metabolites in smoking mixture post-administration urine. <i>Forensic Science International</i> , 2010, 200, 141-147.   | 1.3 | 207       |
| 11 | Chemical analysis of synthetic cannabinoids as designer drugs in herbal products. <i>Forensic Science International</i> , 2010, 198, 31-38.  | 1.3 | 223       |
| 12 | How globalization and market innovation challenge how we think about and respond to drug use: "Spice"™ a case study. <i>Addiction</i> , 2010, 105, 951-953.  | 1.7 | 95        |
| 13 | Bioanalysis of new designer drugs. <i>Bioanalysis</i> , 2010, 2, 965-979.  | 0.6 | 71        |
| 15 | Spice drugs as a new trend: Mode of action, identification and legislation. <i>Toxicology Letters</i> , 2010, 197, 157-162.  | 0.4 | 296       |
| 16 | Spice up your life: screening the illegal components of "Spice"™ herbal products. <i>Analytical Methods</i> , 2010, 2, 614.  | 1.3 | 15        |
| 17 | Separation and structural characterization of a synthetic cannabinoid found in a herbal product using off-line LC-DAD-NMR. <i>Analytical Methods</i> , 2011, 3, 2307.  | 1.3 | 6         |
| 18 | Three cases of "spice" exposure. <i>Clinical Toxicology</i> , 2011, 49, 431-433.   | 0.8 | 107       |
| 19 | Synthetic cannabinoid JWH-018 and psychosis: An explorative study. <i>Drug and Alcohol Dependence</i> , 2011, 117, 152-157.  | 1.6 | 263       |
| 20 | The "New" Marijuana. <i>Annals of Pharmacotherapy</i> , 2011, 45, 414-417.   | 0.9 | 97        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 21 | Marijuana-based Drugs: Innovative Therapeutics or Designer Drugs of Abuse?. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2011, 11, 36-51.  | 3.4 | 116       |
| 22 | “Spice”-Girls: Synthetic Cannabinoid Intoxication. <i>Journal of Emergency Medicine</i> , 2011, 40, 296-299.  | 0.3 | 186       |
| 23 | Cytotoxicity of synthetic cannabinoids found in “Spice”-products: The role of cannabinoid receptors and the caspase cascade in the NG 108-15 cell line. <i>Toxicology Letters</i> , 2011, 207, 12-17.   | 0.4 | 34        |
| 24 | Beyond THC: The New Generation of Cannabinoid Designer Drugs. <i>Frontiers in Behavioral Neuroscience</i> , 2011, 5, 60.  | 1.0 | 360       |
| 25 | Quantitative Measurement of JWH-018 and JWH-073 Metabolites Excreted in Human Urine. <i>Analytical Chemistry</i> , 2011, 83, 4228-4236.   | 3.2 | 138       |
| 26 | Detection of synthetic cannabinoids in herbal incense products. <i>Clinical Biochemistry</i> , 2011, 44, 1163-1165.   | 0.8 | 48        |
| 27 | Desorption atmospheric pressure photoionization“mass spectrometry in routine analysis of confiscated drugs. <i>Forensic Science International</i> , 2011, 210, 206-212.   | 1.3 | 49        |
| 28 | Spice: A Legal Marijuana Equivalent. <i>Military Medicine</i> , 2011, 176, 718-720.   | 0.4 | 51        |
| 30 | Toxicology in the ICU. <i>Chest</i> , 2011, 140, 795-806.   | 0.4 | 30        |
| 31 | Identification of a Novel Cannabimimetic Phenylacetylindole, Cannabipiperidiethanone, as a Designer Drug in a Herbal Product and Its Affinity for Cannabinoid CB1 and CB2 Receptors. <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1203-1205. | 0.6 | 58        |
| 32 | The impact of changes in UK classification of the synthetic cannabinoid receptor agonists in “Spice”™. <i>International Journal of Drug Policy</i> , 2011, 22, 274-277.   | 1.6 | 62        |
| 33 | CP47,497-C8 and JWH073, commonly found in “Spice”™ herbal blends, are potent and efficacious CB1 cannabinoid receptor agonists. <i>European Journal of Pharmacology</i> , 2011, 659, 139-145.   | 1.7 | 97        |
| 34 | The emergence and analysis of synthetic cannabinoids. <i>Drug Testing and Analysis</i> , 2011, 3, 466-478.  | 1.6 | 118       |
| 35 | Some new psychoactive substances: Precursor chemicals and synthesis“driven end“products. <i>Drug Testing and Analysis</i> , 2011, 3, 404-416.   | 1.6 | 46        |
| 36 | Analytical Data for Identification of the Cannabimimetic Phenylacetylindole JWH-203. <i>Journal of Analytical Toxicology</i> , 2011, 35, 360-363.   | 1.7 | 22        |
| 37 | <i>Forensic Science. Analytical Chemistry</i> , 2011, 83, 4539-4556.  | 3.2 | 55        |
| 38 | Solid-Phase Extraction and Quantitative Measurement of Omega and Omega-1 Metabolites of JWH-018 and JWH-073 in Human Urine. <i>Analytical Chemistry</i> , 2011, 83, 6381-6388.  | 3.2 | 92        |
| 39 | Synthetic Cannabinoids in Oral Fluid. <i>Journal of Analytical Toxicology</i> , 2011, 35, 424-430.  | 1.7 | 93        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 40 | Liquid Chromatography-Tandem Mass Spectrometry Analysis of Urine Specimens for K2 (JWH-018) Metabolites. <i>Journal of Analytical Toxicology</i> , 2011, 35, 487-495.   | 1.7 | 63        |
| 41 | Determination of the chemical composition of Spice aromatic smoking blends by chromatography-mass spectrometry. <i>Journal of Analytical Chemistry</i> , 2011, 66, 1196-1200.   | 0.4 | 4         |
| 42 | Application of mass spectrometry to the structural identification of the metabolites of the synthetic cannabinoid JWH-018 and the determination of them in human urine. <i>Journal of Analytical Chemistry</i> , 2011, 66, 1314-1323.   | 0.4 | 12        |
| 43 | Comparison of "herbal highs" composition. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 119-126.   | 1.9 | 93        |
| 44 | "Legal highs" on the net" Evaluation of UK-based Websites, products and product information. <i>Forensic Science International</i> , 2011, 206, 92-97.  | 1.3 | 166       |
| 45 | Identification and characterization of JWH-122 used as new ingredient in "Spice-like" herbal incenses. <i>Forensic Science International</i> , 2011, 208, e31-e35.  | 1.3 | 77        |
| 46 | Chromatography-mass spectrometry studies on the metabolism of synthetic cannabinoids JWH-018 and JWH-073, psychoactive components of smoking mixtures. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 1126-1136.                  | 1.2 | 117       |
| 47 | Identification and quantitation of two cannabimimetic phenylacetylindoles JWH-251 and JWH-250, and four cannabimimetic naphthoylindoles JWH-081, JWH-015, JWH-200, and JWH-073 as designer drugs in illegal products. <i>Forensic Toxicology</i> , 2011, 29, 25-37.                             | 1.4 | 116       |
| 48 | College students and use of K2: an emerging drug of abuse in young persons. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2011, 6, 16.   | 1.0 | 110       |
| 49 | Development and validation of a liquid chromatography-tandem mass spectrometry method for the quantitation of synthetic cannabinoids of the aminoalkylindole type and methanandamide in serum and its application to forensic samples. <i>Journal of Mass Spectrometry</i> , 2011, 46, 163-171. | 0.7 | 131       |
| 50 | Survey of current trends in the abuse of psychotropic substances and plants in Japan. <i>Legal Medicine</i> , 2011, 13, 109-115.  | 0.6 | 63        |
| 51 | The Secret "Spice" An Undetectable Toxic Cause of Seizure. <i>Neurohospitalist, The</i> , 2011, 1, 182-186.   | 0.3 | 40        |
| 52 | Synthetic Cannabinoid Exposures Reported to Texas Poison Centers. <i>Journal of Addictive Diseases</i> , 2011, 30, 351-358.   | 0.8 | 86        |
| 53 | 1-Butyl-3-(1-naphthoyl)-1H-indole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1349-o1349.   | 0.2 | 2         |
| 54 | Development and Validation of a Liquid Chromatography-Tandem Mass Spectrometry Method for the Identification and Quantification of JWH-018, JWH-073, JWH-019, and JWH-250 in Human Whole Blood. <i>Journal of Analytical Toxicology</i> , 2011, 35, 386-393.                                    | 1.7 | 101       |
| 55 | Apparent Inverse Relationship between Cannabinoid Agonist Efficacy and Tolerance/Cross-Tolerance Produced by $\Delta^9$ -Tetrahydrocannabinol Treatment in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 342, 843-849.                                   | 1.3 | 47        |
| 56 | JWH-018 and JWH-073: $\Delta^9$ -Tetrahydrocannabinol-Like Discriminative Stimulus Effects in Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 340, 37-45.   | 1.3 | 62        |
| 57 | Identification of 1-butyl-3-(1-(4-methyl)naphthoyl)indole detected for the first time in "herbal high" products on the Italian market. <i>Forensic Science International</i> , 2012, 223, e42-e46.  | 1.3 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 58 | Complication of Spice Use in a Deployed Combat Settingâ€”Seizure while on Duty. <i>American Journal on Addictions</i> , 2012, 21, 496-497.   | 1.3 | 7         |
| 59 | Detection of JWH-018 and JWH-073 by UPLC-MS-MS in Postmortem Whole Blood Casework. <i>Journal of Analytical Toxicology</i> , 2012, 36, 145-152.  | 1.7 | 100       |
| 60 | â€œLegal highsâ€œ”Toxicity in the clinical and medico-legal aspect as exemplified by suicide with bk-MBDB administration. <i>Forensic Science International</i> , 2012, 222, e1-e6.  | 1.3 | 93        |
| 61 | Synthetic Cannabis and Respiratory Depression. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2012, 22, 459-462.  | 0.7 | 40        |
| 62 | Clinical Presentation of Intoxication Due to Synthetic Cannabinoids. <i>Pediatrics</i> , 2012, 129, e1064-e1067.   | 1.0 | 83        |
| 63 | â€œSpiceâ€œ and â€œK2â€œ Herbal Highs: A Case Series and Systematic Review of the Clinical Effects and Biopsychosocial Implications of Synthetic Cannabinoid Use in Humans. <i>American Journal on Addictions</i> , 2012, 21, 320-326.   | 1.3 | 183       |
| 64 | A survey study to characterize use of Spice products (synthetic cannabinoids). <i>Drug and Alcohol Dependence</i> , 2012, 120, 238-241.  | 1.6 | 239       |
| 65 | 1-Pentyl-3-phenylacetylindoles and JWH-018 share in vivo cannabinoid profiles in mice. <i>Drug and Alcohol Dependence</i> , 2012, 123, 148-153.  | 1.6 | 73        |
| 66 | Detection and disposition of JWH-018 and JWH-073 in mice after exposure to â€œMagic Goldâ€œ smoke. <i>Forensic Science International</i> , 2012, 220, 91-96.   | 1.3 | 24        |
| 68 | Determination of 22 synthetic cannabinoids in human hair by liquid chromatographyâ€”tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 903, 95-101.   | 1.2 | 104       |
| 69 | Spice drugs are more than harmless herbal blends: A review of the pharmacology and toxicology of synthetic cannabinoids. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 234-243.  | 2.5 | 393       |
| 70 | Spice: A New â€œLegalâ€œ Herbal Mixture Abused by Young Active Duty Military Personnel. <i>Substance Abuse</i> , 2012, 33, 191-194.  | 1.1 | 52        |
| 71 | Canabinoides sint ticos: drogas de abuso emergentes. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 142-148.  | 0.6 | 8         |
| 72 | Rapid identification of synthetic cannabinoids in herbal samples via direct analysis in real time mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012, 26, 1109-1114.   | 0.7 | 94        |
| 73 | Identification of two new-type synthetic cannabinoids, N-(1-adamantyl)-1-pentyl-1H-indole-3-carboxamide (APICA) and N-(1-adamantyl)-1-pentyl-1H-indazole-3-carboxamide (APINACA), and detection of five synthetic cannabinoids, AM-1220, AM-2233, AM-1241, CB-13 (CRA-13), and AM-1248, as designer drugs in illegal products. <i>Forensic Toxicology</i> , 2012, 30, 114-125. | 1.4 | 117       |
| 74 | Identification of the cannabimimetic AM-1220 and its azepane isomer (N-methylazepan-3-yl)-3-(1-naphthoyl)indole in a research chemical and several herbal mixtures. <i>Forensic Toxicology</i> , 2012, 30, 126-134.  | 1.4 | 46        |
| 75 | Identification of naphthoylindoles acting on cannabinoid receptors based on their fragmentation patterns under ESI QTOFMS. <i>Journal of Mass Spectrometry</i> , 2012, 47, 632-643.  | 0.7 | 20        |
| 76 | Analysis of 30 synthetic cannabinoids in serum by liquid chromatographyâ€”electrospray ionization tandem mass spectrometry after liquidâ€”liquid extraction. <i>Journal of Mass Spectrometry</i> , 2012, 47, 825-835.  | 0.7 | 121       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 77 | Phenazepam and cannabinomimetics sold as herbal highs in New Zealand. <i>Drug Testing and Analysis</i> , 2012, 4, 409-414.  | 1.6 | 18        |
| 78 | The detection of the urinary metabolites of 3-((adamantan-1-yl)carbonyl)-1-pentylindole (AB001), a novel cannabimimetic, by gas chromatography-mass spectrometry. <i>Drug Testing and Analysis</i> , 2012, 4, 519-524.                                | 1.6 | 56        |
| 79 | Identification of ten new designer drugs by GC-MS, UPLC-QTOF-MS, and NMR as part of a police investigation of a Danish Internet company. <i>Drug Testing and Analysis</i> , 2012, 4, 342-354.   | 1.6 | 38        |
| 80 | Analysis of First and Second Generation Legal Highs for Synthetic Cannabinoids and Synthetic Stimulants by Ultra-Performance Liquid Chromatography and Time of Flight Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2012, 36, 360-371. | 1.7 | 110       |
| 81 | Detection and identification of the new potential synthetic cannabinoids 1-pentyl-3-(2-iodobenzoyl)indole and 1-pentyl-3-(1-adamantoyl)indole in seized bulk powders in Hungary. <i>Forensic Science International</i> , 2012, 214, 27-32.            | 1.3 | 72        |
| 82 | Detection and Quantification of New Designer Drugs in Human Blood: Part 1 - Synthetic Cannabinoids. <i>Journal of Analytical Toxicology</i> , 2012, 36, 372-380.  | 1.7 | 86        |
| 83 | Determination of naphthalen-1-yl-(1-pentylindol-3-yl)methanone (JWH018) in mouse blood and tissue after inhalation exposure to "buzz" smoke by HPLC/MS/MS. <i>Biomedical Chromatography</i> , 2012, 26, 1393-1398.                                    | 0.8 | 15        |
| 84 | The Identification of the Urinary Metabolites of 3-(4-Methoxybenzoyl)-1-Pentylindole (RCS-4), a Novel Cannabimimetic, by Gas Chromatography-Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2012, 36, 303-311.                           | 1.7 | 45        |
| 85 | Synthetic cannabinoids in "spice-like" herbal blends: First appearance of JWH-307 and recurrence of JWH-018 on the German market. <i>Forensic Science International</i> , 2012, 222, 216-222.   | 1.3 | 46        |
| 86 | Analysis of synthetic cannabinoids in "spice-like" herbal highs: snapshot of the German market in summer 2011. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 157-171.  | 1.9 | 49        |
| 87 | Identification of 1-butyl-3-(1-(4-methyl)naphthoyl)indole in a herbal mixture. <i>Forensic Science International</i> , 2012, 215, 8-13.   | 1.3 | 41        |
| 88 | Effects of synthetic cannabinoids on electroencephalogram power spectra in rats. <i>Forensic Science International</i> , 2012, 215, 179-183.  | 1.3 | 18        |
| 89 | Identification of Synthetic Cannabinoids in Herbal Incense Blends in the United States. <i>Journal of Forensic Sciences</i> , 2012, 57, 1168-1180.  | 0.9 | 107       |
| 90 | Identification of the major urinary metabolites in man of seven synthetic cannabinoids of the aminoalkylindole type present as adulterants in "herbal mixtures" using LC-MS/MS techniques. <i>Journal of Mass Spectrometry</i> , 2012, 47, 54-65.     | 0.7 | 133       |
| 91 | Direct screening of herbal blends for new synthetic cannabinoids by MALDI-TOF MS. <i>Journal of Mass Spectrometry</i> , 2012, 47, 141-146.  | 0.7 | 41        |
| 92 | Identification and structural characterization of the synthetic cannabinoid 3-(1-adamantoyl)-1-pentylindole as an additive in "herbal incense". <i>Journal of Mass Spectrometry</i> , 2012, 47, 195-200.  | 0.7 | 42        |
| 93 | Here Today, Gone Tomorrow and Back Again? A Review of Herbal Marijuana Alternatives (K2, Spice), Synthetic Cathinones (Bath Salts), Kratom, Salvia divinorum, Methoxetamine, and Piperazines. <i>Journal of Medical Toxicology</i> , 2012, 8, 15-32.  | 0.8 | 299       |
| 94 | The detection of the urinary metabolites of 1-(5-fluoropentyl)-1H-indol-3-yl-(2-iodophenyl)methanone (AM694), a high affinity cannabimimetic, by gas chromatography-mass spectrometry. <i>Drug Testing and Analysis</i> , 2013, 5, 110-115.           | 1.6 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 95  | Spicing things up: synthetic cannabinoids. <i>Psychopharmacology</i> , 2013, 228, 525-540.   | 1.5 | 241       |
| 96  | K2 Toxicity: Fatal Case of Psychiatric Complications Following AM2201 Exposure. <i>Journal of Forensic Sciences</i> , 2013, 58, 1676-1680.   | 0.9 | 83        |
| 97  | Review of detection frequency and type of synthetic cannabinoids in herbal compounds analyzed by Istanbul Narcotic Department of the Council of Forensic Medicine, Turkey. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2013, 20, 667-672. | 0.5 | 52        |
| 98  | Analytical characterization of some synthetic cannabinoids, derivatives of indole-3-carboxylic acid. <i>Forensic Science International</i> , 2013, 232, 1-10.  | 1.3 | 43        |
| 99  | From Kratom to mitragynine and its derivatives: Physiological and behavioural effects related to use, abuse, and addiction. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 138-151.   | 2.9 | 275       |
| 100 | Smart drugs: green shuttle or real drug?. <i>International Journal of Legal Medicine</i> , 2013, 127, 1109-1123.   | 1.2 | 33        |
| 101 | Synthetic Cannabinoid Receptor Agonists. , 2013, , 317-343.  |     | 12        |
| 102 | In vitro and in vivo metabolisms of 1-pentyl-3-(4-methyl-1-naphthoyl)indole (JWH-122). <i>Forensic Toxicology</i> , 2013, 31, 212-222.   | 1.4 | 25        |
| 103 | First Characterization of AKB-48 Metabolism, a Novel Synthetic Cannabinoid, Using Human Hepatocytes and High-Resolution Mass Spectrometry. <i>AAPS Journal</i> , 2013, 15, 1091-1098.  | 2.2 | 75        |
| 104 | Characteristics of the designer drug and synthetic cannabinoid receptor agonist AM2201 regarding its chemistry and metabolism. <i>Journal of Mass Spectrometry</i> , 2013, 48, 885-894.  | 0.7 | 94        |
| 105 | <i>In vivo</i> and <i>in vitro</i> metabolism of the synthetic cannabinoid JWH-200. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 2115-2126.  | 0.7 | 41        |
| 106 | Differential Drug-Drug Interactions of the Synthetic Cannabinoids JWH-018 and JWH-073: Implications for Drug Abuse Liability and Pain Therapy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 346, 350-361.                      | 1.3 | 50        |
| 107 | Simultaneous analysis of synthetic cannabinoids in the materials seized during drug trafficking using GC-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3937-3944.   | 1.9 | 60        |
| 108 | Identification of (1-pentylindol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone and its 5-pentyl fluorinated analog in herbal incense seized for drug trafficking. <i>Forensic Toxicology</i> , 2013, 31, 86-92.                                      | 1.4 | 25        |
| 109 | UR-144 in products sold via the Internet: Identification of related compounds and characterization of pyrolysis products. <i>Drug Testing and Analysis</i> , 2013, 5, 683-692.   | 1.6 | 52        |
| 110 | Kronic hysteria: Exploring the intersection between Australian synthetic cannabis legislation, the media, and drug-related harm. <i>International Journal of Drug Policy</i> , 2013, 24, 231-237.  | 1.6 | 87        |
| 111 | A fast and inexpensive procedure for the isolation of synthetic cannabinoids from Spice™ products using a flash chromatography system. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3929-3935.   | 1.9 | 15        |
| 112 | Identification of a new synthetic cannabinoid in a herbal mixture: 1-butyl-3-(2-methoxybenzoyl)indole. <i>Forensic Toxicology</i> , 2013, 31, 187-196.   | 1.4 | 24        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 113 | Identification and analytical properties of new synthetic cannabimimetics bearing 2,2,3,3-tetramethylcyclopropanecarbonyl moiety. <i>Forensic Science International</i> , 2013, 226, 62-73.                          | 1.3 | 36        |
| 114 | Analysis of 30 synthetic cannabinoids in oral fluid using liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2013, 5, 657-669.                               | 1.6 | 67        |
| 115 | Psychodysleptica. , 2013, , 1-320.   |     | 0         |
| 116 | The Synthesis and Pharmacological Evaluation of Adamantane-Derived Indoles: Cannabimimetic Drugs of Abuse. <i>ACS Chemical Neuroscience</i> , 2013, 4, 1081-1092.  | 1.7 | 80        |
| 117 | Current "Legal Highs". <i>Journal of Emergency Medicine</i> , 2013, 44, 1108-1115.   | 0.3 | 91        |
| 118 | Human metabolites of synthetic cannabinoids JWH-018 and JWH-073 bind with high affinity and act as potent agonists at cannabinoid type-2 receptors. <i>Toxicology and Applied Pharmacology</i> , 2013, 269, 100-108. | 1.3 | 78        |
| 119 | Gas chromatography-mass spectrometry of JWH-018 metabolites in urine samples with direct comparison to analytical standards. <i>Forensic Science International</i> , 2013, 229, 1-6.                                 | 1.3 | 28        |
| 120 | Acute toxicity due to the confirmed consumption of synthetic cannabinoids: clinical and laboratory findings. <i>Addiction</i> , 2013, 108, 534-544.  | 1.7 | 397       |
| 121 | Marijuana, <i>Spice</i> 'herbal high', and early neural development: implications for rescheduling and legalization. <i>Drug Testing and Analysis</i> , 2013, 5, 27-45.  | 1.6 | 31        |
| 122 | Analysis of the prevalence and coexistence of synthetic cannabinoids in "herbal high" products in Poland. <i>Forensic Toxicology</i> , 2013, 31, 21-30.  | 1.4 | 38        |
| 123 | Fascination and Social Togetherness"-Discussions about Spice Smoking on a Swedish Internet Forum. <i>Substance Abuse: Research and Treatment</i> , 2013, 7, SART.S13323.   | 0.5 | 18        |
| 124 | Recent advances in forensic drug analysis by DART-MS. <i>Bioanalysis</i> , 2014, 6, 819-842.   | 0.6 | 44        |
| 125 | Synthetic Cannabinoids. <i>Studies in Natural Products Chemistry</i> , 2014, 43, 291-311.  | 0.8 | 3         |
| 126 | Synthetic Marijuana: A Recent Turmoil in Substance Abuse. <i>Journal of Microbiology and Biotechnology</i> , 2014, 24, 396-404.  | 0.9 | 4         |
| 127 | Cannabis, Cannabinoids, and the Association with Psychosis. , 2014, , 423-474.   |     | 8         |
| 128 | MEKC-MS/MS method using a volatile surfactant for the simultaneous determination of 12 synthetic cannabinoids. <i>Journal of Separation Science</i> , 2014, 37, 304-307.   | 1.3 | 27        |
| 129 | 9-Tetrahydrocannabinol-like discriminative stimulus effects of compounds commonly found in K2/Spice. <i>Behavioural Pharmacology</i> , 2014, 25, 750-757.  | 0.8 | 40        |
| 130 | The K2/Spice Phenomenon: emergence, identification, legislation and metabolic characterization of synthetic cannabinoids in herbal incense products. <i>Drug Metabolism Reviews</i> , 2014, 46, 72-85.               | 1.5 | 102       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 131 | Determination of AM-2201 metabolites in urine and comparison with JWH-018 abuse. <i>International Journal of Legal Medicine</i> , 2014, 128, 285-294.   | 1.2 | 50        |
| 132 | A spicy kind of high: a profile of synthetic cannabinoid users. <i>Journal of Substance Use</i> , 2014, 19, 199-205.  | 0.3 | 36        |
| 133 | A comprehensive library-based, automated screening procedure for 46 synthetic cannabinoids in serum employing liquid chromatography-quadrupole ion trap mass spectrometry with high-temperature electrospray ionization. <i>Journal of Mass Spectrometry</i> , 2014, 49, 117-127.               | 0.7 | 47        |
| 134 | Synthetic Cannabinoids: Pharmacology, Behavioral Effects, and Abuse Potential. <i>Current Addiction Reports</i> , 2014, 1, 129-136.   | 1.6 | 95        |
| 135 | Awareness of Novel Drug Legality in a Young Adult Population. <i>American Journal of Criminal Justice</i> , 2014, 39, 425-435.  | 1.3 | 4         |
| 136 | <sc>DART</sc> as a Preliminary Screening Method for "Herbal Incense" Chemical Analysis of Synthetic Cannabinoids. <i>Journal of Forensic Sciences</i> , 2014, 59, 337-343.  | 0.9 | 46        |
| 137 | Characterization of in vitro metabolites of JWH-018, JWH-073 and their 4-methyl derivatives, markers of the abuse of these synthetic cannabinoids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 957, 68-76.                          | 1.2 | 19        |
| 138 | Moving around the molecule: Relationship between chemical structure and in vivo activity of synthetic cannabinoids. <i>Life Sciences</i> , 2014, 97, 55-63.   | 2.0 | 153       |
| 139 | Cytotoxicity of synthetic cannabinoids on primary neuronal cells of the forebrain: the involvement of cannabinoid CB1 receptors and apoptotic cell death. <i>Toxicology and Applied Pharmacology</i> , 2014, 274, 17-23.  | 1.3 | 70        |
| 140 | Distinct pharmacology and metabolism of K2 synthetic cannabinoids compared to "9-THC: Mechanism underlying greater toxicity?. <i>Life Sciences</i> , 2014, 97, 45-54.   | 2.0 | 236       |
| 141 | Spice/K2 drugs " more than innocent substitutes for marijuana. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 509-525.   | 1.0 | 79        |
| 142 | Evolution of new narcotic substances and methods of their determination. <i>Journal of Analytical Chemistry</i> , 2014, 69, 817-844.  | 0.4 | 8         |
| 143 | Development of a High-Performance Liquid Chromatography-Tandem Mass Spectrometry Method for the Identification and Quantification of CP-47,497, CP-47,497-C8 and JWH-250 in Mouse Brain. <i>Journal of Analytical Toxicology</i> , 2014, 38, 307-314.   | 1.7 | 9         |
| 144 | A structure-reactivity relationship driven approach to the identification of a color test protocol for the presumptive indication of synthetic cannabimimetic drugs of abuse. <i>Forensic Science International</i> , 2014, 242, 135-141.   | 1.3 | 17        |
| 145 | Synthetic cannabinoids as designer drugs: New representatives of indol-3-carboxylates series and indazole-3-carboxylates as novel group of cannabinoids. Identification and analytical data. <i>Forensic Science International</i> , 2014, 244, 263-275.  | 1.3 | 37        |
| 146 | 3-Naphthoylindazoles and 2-naphthoylbenzoimidazoles as novel chemical groups of synthetic cannabinoids: Chemical structure elucidation, analytical characteristics and identification of the first representatives in smoke mixtures. <i>Forensic Science International</i> , 2014, 242, 72-80. | 1.3 | 18        |
| 147 | Use of Synthetic Cannabinoids in Patients With Psychotic Disorders: Case Series. <i>Journal of Dual Diagnosis</i> , 2014, 10, 168-173.  | 0.7 | 45        |
| 148 | A liquid chromatography-mass spectrometry method based on class characteristic fragmentation pathways to detect the class of indole-derivative synthetic cannabinoids in biological samples. <i>Analytica Chimica Acta</i> , 2014, 837, 70-82.  | 2.6 | 36        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 149 | In vivo effects of synthetic cannabinoids JWH-018 and JWH-073 and phytocannabinoid $\delta^9$ -THC in mice: Inhalation versus intraperitoneal injection. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 124, 40-47.   | 1.3 | 81        |
| 150 | Understanding the risks associated with the use of new psychoactive substances (NPS): High variability of active ingredients concentration, mislabelled preparations, multiple psychoactive substances in single products. <i>Toxicology Letters</i> , 2014, 229, 220-228. | 0.4 | 48        |
| 151 | Identification and quantification of synthetic cannabinoids in "spice-like"™ herbal mixtures: A snapshot of the German situation in the autumn of 2012. <i>Drug Testing and Analysis</i> , 2014, 6, 59-71.   | 1.6 | 56        |
| 152 | Driving under the influence of synthetic cannabinoids ("Spice"): a case series. <i>International Journal of Legal Medicine</i> , 2014, 128, 59-64.   | 1.2 | 101       |
| 153 | Analysis of New Synthetic Drugs by Ion Mobility Time-of-Flight Mass Spectrometry. <i>European Journal of Mass Spectrometry</i> , 2014, 20, 185-192.  | 0.5 | 28        |
| 154 | A Reliable Method for the Separation and Detection of Synthetic Cannabinoids by Supercritical Fluid Chromatography with Mass Spectrometry, and Its Application to Plant Products. <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 762-769.                         | 0.6 | 25        |
| 155 | Quantitation of Synthetic Cannabinoids in Plant Materials Using High Performance Liquid Chromatography with UV Detection (Validated Method). <i>Journal of Forensic Sciences</i> , 2015, 60, 1171-1181.  | 0.9 | 18        |
| 156 | Emerging drugs of abuse: current perspectives on synthetic cannabinoids. <i>Substance Abuse and Rehabilitation</i> , 2015, 6, 113.   | 1.6 | 83        |
| 157 | An overview of recent developments in the analytical detection of new psychoactive substances (NPSs). <i>Analyst</i> , The, 2015, 140, 4932-4948.  | 1.7 | 120       |
| 158 | Cannabinoids: structures, effects, and classification. <i>Russian Chemical Bulletin</i> , 2015, 64, 1249-1266.   | 0.4 | 18        |
| 159 | Nontarget screening of the markers of synthetic cannabinoids in urine using HPLC-MS/MS. <i>Journal of Analytical Chemistry</i> , 2015, 70, 1620-1628.  | 0.4 | 3         |
| 160 | The role of ultra high performance liquid chromatography with time of flight detection for the identification of synthetic cannabinoids in seized drugs. <i>Forensic Science International</i> , 2015, 249, 83-91.   | 1.3 | 13        |
| 161 | Legal highs: staying on top of the flood of novel psychoactive substances. <i>Therapeutic Advances in Psychopharmacology</i> , 2015, 5, 97-132.  | 1.2 | 136       |
| 162 | The adverse health effects of synthetic cannabinoids with emphasis on psychosis-like effects. <i>Journal of Psychopharmacology</i> , 2015, 29, 254-263.  | 2.0 | 211       |
| 163 | Validation of JWH-018 and its metabolites in blood and urine by UPLC-MS/MS: Monitoring in forensic cases. <i>Forensic Science International</i> , 2015, 248, 88-93.  | 1.3 | 21        |
| 164 | Positional isomer differentiation of synthetic cannabinoid JWH-081 by GC-MS/MS. <i>Journal of Mass Spectrometry</i> , 2015, 50, 586-591.   | 0.7 | 30        |
| 165 | Forensic Mass Spectrometry. <i>Annual Review of Analytical Chemistry</i> , 2015, 8, 419-440.   | 2.8 | 46        |
| 166 | Designer drugs 2015: assessment and management. <i>Addiction Science &amp; Clinical Practice</i> , 2015, 10, 8.  | 1.2 | 99        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 167 | Synthetic cannabimimetics in Bulgaria 2010–2013. <i>Drug and Alcohol Dependence</i> , 2015, 157, 200-204.  | 1.6 | 8         |
| 168 | Application of a validated LC–MS/MS method for JWH-073 and its metabolites in blood and urine in real forensic cases. <i>Forensic Science International</i> , 2015, 257, 165-171.                                | 1.3 | 16        |
| 169 | Rapid screening and quantification of synthetic cannabinoids in herbal products with NMR spectroscopic methods. <i>Analytical Methods</i> , 2015, 7, 7907-7916.  | 1.3 | 21        |
| 170 | Hair analysis for JWH-018, JWH-122, and JWH-210 after passive in vivo exposure to synthetic cannabinoid smoke. <i>Forensic Toxicology</i> , 2015, 33, 69-76.   | 1.4 | 14        |
| 171 | Bioisosteric Fluorine in the Clandestine Design of Synthetic Cannabinoids. <i>Australian Journal of Chemistry</i> , 2015, 68, 4.   | 0.5 | 27        |
| 172 | Marketing a Panic: Media Coverage of Novel Psychoactive Drugs (NPDs) and its Relationship with Legal Changes. <i>American Journal of Criminal Justice</i> , 2015, 40, 523-541.                                   | 1.3 | 18        |
| 173 | Cannabinoids: Drug or Medication? . , 0 , , .  |     | 0         |
| 174 | Pharmacological and Toxicological Effects of Synthetic Cannabinoids and Their Metabolites. <i>Current Topics in Behavioral Neurosciences</i> , 2016, 32, 249-262.  | 0.8 | 86        |
| 175 | Application of a Combined Approach to Identify New Psychoactive Street Drugs and Decipher Their Mechanisms at Monoamine Transporters. <i>Current Topics in Behavioral Neurosciences</i> , 2016, 32, 333-350.     | 0.8 | 28        |
| 176 | Rapid Identification of Synthetic Cannabinoids in Herbal Incenses with DART–MS and NMR. <i>Journal of Forensic Sciences</i> , 2016, 61, S82-91.  | 0.9 | 27        |
| 177 | Pharmacological characterization of repeated administration of the first generation abused synthetic cannabinoid CP47,497. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2016, 27, 217-228. | 0.7 | 16        |
| 178 | Pharmacological evaluation of synthetic cannabinoids identified as constituents of spice. <i>Forensic Toxicology</i> , 2016, 34, 329-343.  | 1.4 | 96        |
| 179 | Can your heart handle the spice: A case of acute myocardial infarction and left ventricular apical thrombus. <i>International Journal of Cardiology</i> , 2016, 215, 129-131.                                    | 0.8 | 17        |
| 180 | Regioisomeric differentiation of the alkyl-substituted synthetic cannabinoids JWH-122 and JWH-210 by GC-ESI-MS/MS. <i>Forensic Toxicology</i> , 2016, 34, 304-315.   | 1.4 | 12        |
| 181 | The prevalence of new psychoactive substances in biological material – a three-year review of casework in Poland. <i>Drug Testing and Analysis</i> , 2016, 8, 63-70.   | 1.6 | 77        |
| 183 | Identification and quantification of synthetic cannabinoids in ‘spice-like’ herbal mixtures: Update of the German situation for the spring of 2016. <i>Forensic Science International</i> , 2016, 269, 31-41.    | 1.3 | 45        |
| 184 | Cathinones: Isotopic profiling as an aid to linking seizures. <i>Drug Testing and Analysis</i> , 2016, 8, 903-909.   | 1.6 | 11        |
| 185 | Analysis of Parent Synthetic Cannabinoids in Blood and Urinary Metabolites by Liquid Chromatography Tandem Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2016, 40, 173-186.                       | 1.7 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 186 | Identification of the novel synthetic cannabimimetic 8-quinolinyl 4-methyl-3-(1-piperidinylsulfonyl)benzoate (QMPSB) and other designer drugs in herbal incense. <i>Forensic Science International</i> , 2016, 260, 40-53.  | 1.3 | 19        |
| 187 | DART " LTQ ORBITRAP as an expedient tool for the identification of synthetic cannabinoids. <i>Legal Medicine</i> , 2016, 20, 27-31.   | 0.6 | 21        |
| 188 | Non-targeted screening for novel psychoactive substances among agitated emergency department patients. <i>Clinical Toxicology</i> , 2016, 54, 319-323.  | 0.8 | 33        |
| 189 | 1-Adamantylamine a simple urine marker for screening for third generation adamantyl-type synthetic cannabinoids by ultra-performance liquid chromatography tandem mass spectrometry. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 640-646.  | 0.8 | 7         |
| 190 | Identification and quantification of synthetic cannabinoids in "spice-like" herbal mixtures: update of the German situation for the spring of 2015. <i>Forensic Toxicology</i> , 2016, 34, 94-107.  | 1.4 | 29        |
| 191 | User Experiences of Development of Dependence on the Synthetic Cannabinoids, 5f-AKB48 and 5F-PB-22, and Subsequent Withdrawal Syndromes. <i>International Journal of Mental Health and Addiction</i> , 2017, 15, 565-579.   | 4.4 | 31        |
| 192 | Analysis of legal high materials by ultra-performance liquid chromatography with time of flight mass spectrometry as part of a toxicology vigilance system: what are the most popular novel psychoactive substances in the UK?. <i>Annals of Clinical Biochemistry</i> , 2017, 54, 219-229. | 0.8 | 11        |
| 193 | Identification and determination of synthetic cannabinoids in herbal products by dry film attenuated total reflectance-infrared spectroscopy. <i>Talanta</i> , 2017, 167, 344-351.  | 2.9 | 17        |
| 194 | Acute intoxication caused by synthetic cannabinoids 5F-ADB and MMB-2201: A case series. <i>Forensic Science International</i> , 2017, 273, e10-e14.   | 1.3 | 82        |
| 195 | Neuropharmacology of New Psychoactive Substances (NPS). <i>Current Topics in Behavioral Neurosciences</i> , 2017, , .   | 0.8 | 17        |
| 196 | Identification of Eight Synthetic Cannabinoids, Including 5F-AKB48 in Seized Herbal Products Using DART-QTOF-MS and LC-QTOF-MS as Nontargeted Screening Methods. <i>Journal of Forensic Sciences</i> , 2017, 62, 1151-1158.   | 0.9 | 20        |
| 197 | Identification and quantification of synthetic cannabinoids in "spice-like"™ herbal mixtures: Update of the German situation in early 2017. <i>Forensic Science International</i> , 2017, 277, 51-58.   | 1.3 | 25        |
| 198 | Intoxications involving acrylfentanyl and other novel designer fentanyls " results from the Swedish STRIDA project. <i>Clinical Toxicology</i> , 2017, 55, 589-599.   | 0.8 | 88        |
| 199 | Assessment of types of synthetic cannabinoids in narcotic cases assessed by the Council of Forensic Medicine between 2011"2015, Ankara, Turkey. <i>Forensic Science International</i> , 2017, 280, 124-129.   | 1.3 | 11        |
| 200 | Screening of "spice" herbal mixtures: From high-field to low-field proton NMR. <i>Forensic Science International</i> , 2017, 279, 88-95.  | 1.3 | 34        |
| 201 | Three fatalities associated with the synthetic cannabinoids 5F-ADB, 5F-PB-22, and AB-CHMINACA. <i>Forensic Science International</i> , 2017, 281, e9-e15.   | 1.3 | 74        |
| 202 | A High By Any Other Name: Exploring the Motivations for Consumption of "Legal Highs" Deviant Behavior, 2017, 38, 549-560.   | 1.1 | 5         |
| 203 | New Psychoactive Substances (NPS) " the Hydra monster of recreational drugs. <i>Clinical Toxicology</i> , 2017, 55, 1-3.  | 0.8 | 39        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 204 | LGBT Novel Drug Use as Contextualized Through Control, Strain, and Learning Theories*. Social Science Quarterly, 2017, 98, 1711-1730.   | 0.9 | 10        |
| 205 | Quantification of synthetic cannabinoids in herbal smoking blends using NMR. Drug Testing and Analysis, 2017, 9, 734-743.   | 1.6 | 20        |
| 206 | A Profile of Synthetic Cannabinoid Users. , 2017, , 53-60.  |     | 0         |
| 207 | Synthetic Cannabinoid Receptor Agonists (Spice) as New Recreational Psychoactive Substances. , 2017, , 839-847.   |     | 2         |
| 208 | Synthetic Cathinone and Cannabinoid Designer Drugs Pose a Major Risk for Public Health. Frontiers in Psychiatry, 2017, 8, 156.  | 1.3 | 161       |
| 210 | Pharmacological evaluation of new constituents of "Spice" synthetic cannabinoids based on indole, indazole, benzimidazole and carbazole scaffolds. Forensic Toxicology, 2018, 36, 385-403.              | 1.4 | 88        |
| 211 | Identification of the synthetic cannabinoid N-(2-phenyl-propan-2-yl)-1-(4-cyanobutyl)-1H-indazole-3-carboxamide (CUMYL-4CN-BINACA) in a herbal mixture product. Forensic Toxicology, 2018, 36, 192-199. | 1.4 | 7         |
| 212 | Synthetic cannabinoid AM2201 induces seizures: Involvement of cannabinoid CB 1 receptors and glutamatergic transmission. Toxicology and Applied Pharmacology, 2018, 338, 1-8.                           | 1.3 | 41        |
| 213 | Neurocognition and subjective experience following acute doses of the synthetic cannabinoid JWH-018: a phase 1, placebo-controlled, pilot study. British Journal of Pharmacology, 2018, 175, 18-28.     | 2.7 | 34        |
| 214 | Colorimetric Determination of (Aminoalkyl)indole-containing Synthetic Cannabimimetics. Analytical Sciences, 2018, 34, 1419-1425.  | 0.8 | 5         |
| 215 | The ongoing challenge of novel psychoactive drugs of abuse. Part I. Synthetic cannabinoids (IUPAC) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5  | 0.9 | 42        |
| 216 | Retrospective Chart Review of Synthetic Cannabinoid Intoxication with Toxicologic Analysis. Western Journal of Emergency Medicine, 2018, 19, 567-572.   | 0.6 | 7         |
| 217 | Psychodysleptica. , 2018, , 1-392.  |     | 0         |
| 218 | Epidemiology of NPS Based Confirmed Overdose Cases: The STRIDA Project. Handbook of Experimental Pharmacology, 2018, 252, 461-473.  | 0.9 | 12        |
| 219 | Analysis of synthetic cannabinoids on paper before and after processing for latent print using DFO and ninhydrin. Forensic Science International, 2019, 305, 110000.                                    | 1.3 | 12        |
| 220 | Post-transcriptional negative feedback regulation of proteostasis through the Dis3 ribonuclease and its disruption by polyQ-expanded Huntingtin. Nucleic Acids Research, 2019, 47, 10040-10058.         | 6.5 | 3         |
| 221 | Synthetic Cannabinoid Receptor Agonists Detection Using Fluorescence Spectral Fingerprinting. Analytical Chemistry, 2019, 91, 12971-12979.  | 3.2 | 13        |
| 222 | Inhibiting Analyte Theft in Surface-Enhanced Raman Spectroscopy Substrates: Subnanomolar Quantitative Drug Detection. ACS Sensors, 2019, 4, 2988-2996.  | 4.0 | 27        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 223 | Identification of synthetic cannabinoids that were seized, consumed, or associated with deaths in Kuwait in 2018 using GC-MS and LC-MS-MS analysis. <i>Forensic Science International</i> , 2019, 303, 109960.  | 1.3 | 28        |
| 224 | In vitro Phase I metabolism of indazole carboxamide synthetic cannabinoid MDMB-CHMINACA via human liver microsome incubation and high-resolution mass spectrometry. <i>Drug Testing and Analysis</i> , 2019, 11, 1264-1276.   | 1.6 | 12        |
| 225 | Preparation of bivalent agonists for targeting the mu opioid and cannabinoid receptors. <i>European Journal of Medicinal Chemistry</i> , 2019, 178, 571-588.  | 2.6 | 20        |
| 226 | The identification and quantification of synthetic cannabinoids seized in New Zealand in 2017. <i>Forensic Science International</i> , 2019, 300, 19-27.  | 1.3 | 23        |
| 227 | Enzymatic analysis of glucuronidation of synthetic cannabinoid 1-naphthyl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate (FDU-PB-22). <i>Xenobiotica</i> , 2019, 49, 1388-1395.   | 0.5 | 3         |
| 228 | Identification and quantification of synthetic cannabinoids in "spice-like" herbal mixtures: Update of the German situation in summer 2018. <i>Forensic Science International</i> , 2019, 294, 96-102.  | 1.3 | 24        |
| 229 | Suspected synthetic cannabinoid receptor agonist intoxication: Does analysis of samples reflect the presence of suspected agents?. <i>American Journal of Emergency Medicine</i> , 2019, 37, 1846-1849.   | 0.7 | 7         |
| 230 | Synthetic Cannabinoids (SCs) in Metaphors: a Metaphorical Analysis of User Experiences of Synthetic Cannabinoids in Two Countries. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 160-176.   | 4.4 | 2         |
| 231 | In Vitro Metabolic Profile Elucidation of Synthetic Cannabinoid APP-CHMINACA (PX-3). <i>Journal of Analytical Toxicology</i> , 2020, 44, 226-236.   | 1.7 | 9         |
| 232 | Metabolic profiling of synthetic cannabinoid 5F-ADB and identification of metabolites in authentic human blood samples via human liver microsome incubation and ultra-high-performance liquid chromatography/high-resolution mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8908. | 0.7 | 15        |
| 233 | Signalling profiles of a structurally diverse panel of synthetic cannabinoid receptor agonists. <i>Biochemical Pharmacology</i> , 2020, 175, 113871.  | 2.0 | 35        |
| 234 | The identification of synthetic cannabinoids surface coated on herbal substrates using solid-state nuclear magnetic resonance spectroscopy. <i>Analytica Chimica Acta</i> , 2020, 1104, 105-109.  | 2.6 | 11        |
| 235 | Phenotype-Based Screening of Synthetic Cannabinoids in a Dravet Syndrome Zebrafish Model. <i>Frontiers in Pharmacology</i> , 2020, 11, 464.   | 1.6 | 20        |
| 236 | Drug trends and harm related to new psychoactive substances (NPS) in Sweden from 2010 to 2016: Experiences from the STRIDA project. <i>PLoS ONE</i> , 2020, 15, e0232038.   | 1.1 | 24        |
| 237 | <i>In vitro</i> assessment of the cytotoxic, genotoxic and oxidative stress effects of the synthetic cannabinoid JWH-018 in human SH-SY5Y neuronal cells. <i>Toxicology Research</i> , 2021, 9, 734-740.  | 0.9 | 18        |
| 238 | Comprehensive analytical characteristics of N-(adamantan-1-yl)-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide (ACHMINACA). <i>Forensic Toxicology</i> , 2021, 39, 230-239.  | 1.4 | 6         |
| 239 | United Nations Office on Drugs and Crime: Recommended methods for the Identification and Analysis of Synthetic Cannabinoid Receptor Agonists in Seized Materials. <i>Forensic Science International (Online)</i> , 2021, 3, 100129.   | 0.6 | 17        |
| 240 | Identification and Analytical Characterization of a Novel Synthetic Cannabinoid-Type Substance in Herbal Material in Europe. <i>Molecules</i> , 2021, 26, 793.  | 1.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 241 | Determination of AB-FUBINACA and 5F-NPB-22 in rats exposed to "Bonsai" via inhalation and analysis of seized product. <i>Legal Medicine</i> , 2021, 50, 101869.   | 0.6 | 0         |
| 242 | Relation Between Acute Administration of Synthetic Cannabinoids and Induction of Epileptic Seizures. <i>Addictive Disorders and Their Treatment</i> , 2021, 20, 527-534.  | 0.5 | 0         |
| 243 | Pharmacological and Toxicological Effects of Phytocannabinoids and Recreational Synthetic Cannabinoids: Increasing Risk of Public Health. <i>Pharmaceuticals</i> , 2021, 14, 965.   | 1.7 | 17        |
| 244 | Synthetic cannabinoids (SC)., 2022, , 415-446.  |     | 0         |
| 245 | Overview of the major classes of new psychoactive substances, psychoactive effects, analytical determination and conformational analysis of selected illegal drugs. <i>Open Chemistry</i> , 2021, 19, 60-106.                 | 1.0 | 19        |
| 246 | Increases in synthetic cannabinoids-related harms: Results from a longitudinal web-based content analysis. <i>International Journal of Drug Policy</i> , 2017, 44, 121-129.   | 1.6 | 31        |
| 247 | NMR Assignment of N-(1-adamantyl)-1-pentyl-1H-indazole-3-carboxamide Seized as Herbal Incense for the First Time in Italy. <i>Journal of Forensic Science &amp; Criminology</i> , 2014, 1, .                                  | 0.0 | 7         |
| 248 | "Legal Highs" New Players in the Old Drama. <i>Current Drug Abuse Reviews</i> , 2011, 4, 122-130.   | 3.4 | 54        |
| 249 | Novel Drugs of Abuse: A Snapshot of an Evolving Marketplace. <i>Adolescent Psychiatry (Hilversum)</i> , Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 0.1 | 21        |
| 250 | New synthetic cannabinoids are coming to the drug scene. <i>Kontakt</i> , 2012, 14, 369-377.  | 0.1 | 1         |
| 251 | Hijacking of Basic Research: The Case of Synthetic Cannabinoids. , 2011, 2011, .  |     | 45        |
| 252 | Adolescent Exposure of JWH-018 "Spice" Produces Subtle Effects on Learning and Memory Performance in Adulthood. <i>Journal of Behavioral and Brain Science</i> , 2012, 02, 146-155.   | 0.2 | 6         |
| 253 | Fast and simple procedure for preliminary investigation of synthetic cannabinoids in plant matrix using infrared ATR (Attenuated Total Reflectance) spectroscopy. <i>European Journal of Forensic Sciences</i> , 2015, 2, 21. | 0.2 | 4         |
| 254 | Nouvelles drogues. , 2012, , 507-547.   |     | 1         |
| 255 | <i>Forensic Toxicology</i> . , 2014, , 495-542.   |     | 0         |
| 257 | Designer Drugs: A Review of Literature. <i>Arab Journal of Forensic Sciences and Forensic Medicine</i> , 2015, , .  | 0.1 | 0         |
| 258 | European dimension of cannabinoid-like products use. <i>Journal of Medicine and Life</i> , 2012, 5, 79-81.  | 0.4 | 2         |
| 260 | Screening of synthetic cannabinoids in herbal mixtures using 1-dodecanethiol-gold nanoclusters. <i>Sensors and Actuators B: Chemical</i> , 2022, 353, 131151.   | 4.0 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 262 | Synthetic Cannabinoid Usage Characteristics and Perceptions of Addicts in the Treatment Process. Adli T&#228;±p B&#228;¼lteni, 2022, 27, 1-9.  | 0.0 | 0         |
| 263 | Novel Psychoactive Substances: The Razor&#x201c;s Edge between Therapeutical Potential and Psychoactive Recreational Misuse. Medicines (Basel, Switzerland), 2022, 9, 19.  | 0.7 | 6         |
| 264 | Micellar electrokinetic chromatography method for the analysis of synthetic and phytocannabinoids. Journal of Chromatography A, 2022, 1673, 463080.  | 1.8 | 4         |
| 265 | Enzymatic inhibitive determination of AB-Fubinaca and AB-Pinaca on screen printed carbon tetratiofulvalene electrodes modified with nanoparticles and carbon nanotubes. Sensing and Bio-Sensing Research, 2022, 38, 100515.        | 2.2 | 4         |
| 266 | Identification of 5F-Cumyl-PINACA, a Synthetic Cannabinoid, in the Herbal Material Used for Recreational Purposes in the Province of Trieste: Public Health Implications. Current Pharmaceutical Biotechnology, 2023, 24, 758-765. | 0.9 | 0         |
| 267 | Synthetic Cannabinoid Receptor Agonists. , 2022, , 299-328.  |     | 0         |
| 268 | Synthetic cannabinoid JWH-073 alters both acute behavior and in vivo/vitro electrophysiological responses in mice. Frontiers in Psychiatry, 0, 13, .   | 1.3 | 2         |
| 269 | Synthetic cannabinoid receptor agonists: An overview. , 2023, , 493-504.   |     | 0         |