

CITATION REPORT

List of articles citing

Elective clinical target volumes for conformal therapy in anorectal cancer: a radiation therapy oncology group consensus panel contouring atlas

DOI: 10.1016/j.ijrobp.2008.08.070

International Journal of Radiation Oncology Biology Physics, 2009, 74, 824-30.

Source: <https://exaly.com/paper-pdf/46532005/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
385	IMRT, RapidArc [®] and conformal radiotherapy in the treatment of tumours of the anal canal. 2014 , 8, 469		7
384	A fast radiotherapy paradigm for anal cancer with volumetric modulated arc therapy (VMAT). <i>Radiation Oncology</i> , 2009 , 4, 48	4.2	31
383	[Help for delineation: what kind of tools?]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2009 , 13, 600-5	1.3	3
382	Target volume shape variation during irradiation of rectal cancer patients in supine position: comparison with prone position. 2009 , 93, 285-92		36
381	Geographic miss in radiation oncology: have we missed the boat?. 2009 , 53, 506-9		4
380	Combined modality therapy for rectal cancer. 2010 , 16, 253-61		18
379	Radiation therapy advances for treatment of anal cancer. 2010 , 8, 123-9		21
378	Radiation therapy for rectal cancer: current status and future directions. 2010 , 17, 25-34		14
377	Local Pelvic Relapses after Neoadjuvant High-dose Rate Endorectal Brachytherapy for Patients with Operable Rectal Cancer. 2010 , 6, 228-234		1
376	Current and emerging treatment strategies for anal cancer. 2010 , 12, 168-74		9
375	Impact of neoadjuvant chemoradiation on pathologic response and survival of patients with locally advanced rectal cancer. 2010 , 15, 51-9		11
374	Squamous cell carcinoma of the anal canal: patterns and predictors of failure and implications for intensity-modulated radiation treatment planning. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 1064-72	4	58
373	FDG-PET/CT imaging for staging and target volume delineation in conformal radiotherapy of anal carcinoma. <i>Radiation Oncology</i> , 2010 , 5, 10	4.2	60
372	Target volume delineation for preoperative radiotherapy of rectal cancer: inter-observer variability and potential impact of FDG-PET/CT imaging. 2010 , 9, 393-8		29
371	Contrast media use in radiation oncology: a prospective, controlled educational intervention study with retrospective analysis of patient outcomes. 2010 , 7, 967-74		2
370	A consensus-based guideline defining the clinical target volume for pelvic lymph nodes in external beam radiotherapy for uterine cervical cancer. 2010 , 40, 456-63		68
369	Tools for consensus analysis of experts' contours for radiotherapy structure definitions. 2010 , 97, 572-8		77

368	The role of adaptive and functional imaging modalities in radiation therapy: approach and application from a radiation oncology perspective. 2010 , 31, 444-61		6
367	[Rectal cancer]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2010 , 14 Suppl 1, S111-9	1.3	2
366	Chemoradiation for rectal cancer: rationale, approaches, and controversies. 2010 , 19, 803-18		4
365	Adjuvant radiotherapy for rectal cancer: recent results, new questions. 2011 , 35, 17-22		4
364	Comparative analysis of volumetric modulated arc therapy versus intensity modulated radiation therapy for radiotherapy of anal carcinoma. <i>Practical Radiation Oncology</i> , 2011 , 1, 163-72	2.8	7
363	Rectal and bladder deformation and displacement during preoperative radiotherapy for rectal cancer: Are current margin guidelines adequate for conformal therapy?. <i>Practical Radiation Oncology</i> , 2011 , 1, 85-94	2.8	12
362	Progress in the treatment of locally advanced clinically resectable rectal cancer. <i>Clinical Colorectal Cancer</i> , 2011 , 10, 227-37	3.8	10
361	[Rectal cancer: The radiation basis of radiotherapy, target volume]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2011 , 15, 431-5	1.3	1
360	[Intensity-modulated radiation therapy for anal carcinoma]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2011 , 15, 549-54	1.3	1
359	T1-2 anal carcinoma requires elective inguinal radiation treatment--the results of Trans Tasman Radiation Oncology Group study TROG 99.02. 2011 , 98, 93-8		34
358	Cancers of the Colon, Rectum, and Anus. <i>Medical Radiology</i> , 2011 , 777-799	0.2	
357	Normal tissue dose conformity measures to guide radiotherapy fractionation decisions. 2011 , 38, 1799-805		9
356	Unique considerations in the patient with rectal cancer. 2011 , 38, 542-51		16
355	One Size Does Not Fit All: Planning Volumes for Radiotherapy in Rectal Cancer Should We Tailor Radiotherapy Fields to Stage and Risk?. 2011 , 7, 89-96		
354	Update on treatment advances in combined-modality therapy for anal and rectal carcinomas. 2011 , 13, 177-85		8
353	Intensity modulated radiation therapy (IMRT): differences in target volumes and improvement in clinically relevant doses to small bowel in rectal carcinoma. <i>Radiation Oncology</i> , 2011 , 6, 63	4.2	63
352	Prospective randomized double-blind pilot study of site-specific consensus atlas implementation for rectal cancer target volume delineation in the cooperative group setting. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 481-9	4	67
351	Three-dimensional analysis of recurrence patterns in rectal cancer: the cranial border in hypofractionated preoperative radiotherapy can be lowered. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 103-10	4	53

350	Anal cancer: an examination of radiotherapy strategies. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 1290-301	4	15
349	Thymidylate synthase genotype-directed neoadjuvant chemoradiation for patients with rectal adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2011 , 29, 875-83	2.2	52
348	Methylenetetrahydrofolate reductase genetic polymorphisms and toxicity to 5-FU-based chemoradiation in rectal cancer. 2011 , 105, 1654-62		37
347	Intensity-modulated radiation therapy for rectal carcinoma can reduce treatment breaks and emergency department visits. 2012 , 2012, 891067		22
346	Role of radiotherapy for resectable rectal cancer. 2012 , 1, 413-422		
345	What Is the Role of IMRT and IGRT in Rectal Cancer?. 2012 , 129-148		
344	Should We Tailor the Delineation of Pelvic Structures According to Tumor Presentation?. 2012 , 117-127		
343	Dose-painted intensity-modulated radiation therapy for anal cancer: a multi-institutional report of acute toxicity and response to therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 153-8	4	133
342	Australasian Gastrointestinal Trials Group (AGITG) contouring atlas and planning guidelines for intensity-modulated radiotherapy in anal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1455-62	4	120
341	Chemoradiotherapy of anal carcinoma: survival and recurrence in an unselected national cohort. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, e173-80	4	35
340	Target volume delineation variation in radiotherapy for early stage rectal cancer in the Netherlands. 2012 , 102, 14-21		49
339	Performance of an atlas-based autosegmentation software for delineation of target volumes for radiotherapy of breast and anorectal cancer. 2012 , 102, 68-73		65
338	The therapeutic and adverse effects of modified radiation fields for patients with rectal cancer. <i>Clinical Colorectal Cancer</i> , 2012 , 11, 255-62	3.8	2
337	Evaluation of variability in seroma delineation between clinical specialist radiation therapist and radiation oncologist for adjuvant breast irradiation. <i>Practical Radiation Oncology</i> , 2012 , 2, 114-21	2.8	14
336	Contouring inguinal and femoral nodes; how much margin is needed around the vessels?. <i>Practical Radiation Oncology</i> , 2012 , 2, 274-278	2.8	25
335	Clinical target volumes in anal cancer: calculating what dose was likely to have been delivered in the UK ACT II trial protocol. 2012 , 103, 341-6		10
334	Categorizing segmentation quality using a quantitative quality assurance algorithm. 2012 , 56, 668-78		4
333	Squamous-cell carcinoma of the anal canal: room for improvement with targeted therapy. 2012 , 36, 209-13		4

332	Comparison of neoadjuvant oral chemotherapy with UFT plus Folinic acid or Capecitabine concomitant with radiotherapy on locally advanced rectal cancer. 2012 , 17, 376-83			1
331	Radiochemotherapie des Analkarzinoms. 2012 , 18, 672-677			1
330	ACR appropriateness criteria for resectable rectal cancer. <i>Radiation Oncology</i> , 2012 , 7, 161	4.2		20
329	Stereotactic body radiation therapy for abdominal oligometastases: a biological and clinical review. <i>Radiation Oncology</i> , 2012 , 7, 126	4.2		31
328	Outcomes of anal cancer treated with definitive IMRT-based chemoradiation. 2012 , 1, 165-172			8
327	Do We Need Intensity-Modulated Radiation Therapy (IMRT) Routinely in the Preoperative Setting for Rectal Cancer?. 2012 , 8, 99-104			
326	Image-guided radiotherapy for rectal cancer: a systematic review. 2012 , 24, 250-60			20
325	Imaging for target volume delineation in rectal cancer radiotherapy--a systematic review. 2012 , 24, 52-63			31
324	Using kV-kV and CBCT imaging to evaluate rectal cancer patient position when treated prone on a newly available belly board. <i>Medical Dosimetry</i> , 2012 , 37, 117-21	1.3		8
323	Dosimetric impact of inter-observer variability for 3D conformal radiotherapy and volumetric modulated arc therapy: the rectal tumor target definition case. <i>Radiation Oncology</i> , 2013 , 8, 176	4.2		19
322	Anal cancer: are we making progress?. 2013 , 15, 170-81			9
321	Radiochemotherapie des Analkarzinoms. 2013 , 35, 177-181			
320	Target Volume Definition in Rectal Cancer: What Is the Best Imaging Modality?. 2013 , 9, 116-125			
319	[Guidelines for delineation of pelvic lymph nodes in anal cancer treatment]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2013 , 17, 566-70	1.3		1
318	Current treatment of rectal cancer adapted to the individual patient. 2013 , 18, 353-62			10
317	Challenges in the neoadjuvant treatment of rectal cancer: balancing the risk of recurrence and quality of life. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2013 , 17, 675-85	1.3		25
316	Rectal and Anal Cancer. <i>Medical Radiology</i> , 2013 , 167-184	0.2		
315	[Preoperative radiotherapy for rectal cancer: target volumes]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2013 , 17, 477-85	1.3		5

314	Anal Canal Cancer. 2013 , 169-175		
313	Rectal Cancer. 2013 , 161-168		1
312	Neoadjuvant oral vs. infusional chemoradiotherapy on locally advanced rectal cancer: Prognostic factors. 2012 , 18, 67-75		4
311	Intensity-modulated radiotherapy in anal cancer: where do we go from here?. 2013 , 25, 153-4		6
310	The Red Journal's most downloaded articles of 2012. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 218-21	4	2
309	Favorable anal cancer: does it include T2N0 disease? How might the electively irradiated nodal volume be reduced?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 13-5	4	1
308	RTOG 0529: a phase 2 evaluation of dose-painted intensity modulated radiation therapy in combination with 5-fluorouracil and mitomycin-C for the reduction of acute morbidity in carcinoma of the anal canal. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 27-33	4	396
307	RTOG 0529: Intensity modulated radiation therapy and anal cancer, a step in the right direction?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 8-10	4	11
306	Integrated peripheral boost in preoperative radiotherapy for the locally most advanced non-resectable rectal cancer patients. 2013 , 52, 528-37		25
305	Acute effects of pelvic irradiation on the adult uterus revealed by dynamic contrast-enhanced MRI. 2013 , 86, 20130334		9
304	Radiotherapy planning at rectal cancer. 2013 , 28, 91-99		
303	Neoadjuvant short-course hyperfractionated accelerated radiotherapy (SC-HART) combined with S-1 for locally advanced rectal cancer. 2013 , 54, 1118-24		12
302	Quality assurance for radiotherapy: a priority for clinical trials. 2013 , 105, 376-7		16
301	Clinical relevance of positron emission tomography/computed tomography-positive inguinal nodes in rectal cancer after neoadjuvant chemoradiation. 2013 , 15, 674-82		7
300	Sphincter preservation in anal cancer: a brief review. 2013 , 19, 101-7		1
299	Clinical application of multimodality imaging in radiotherapy treatment planning for rectal cancer. 2013 , 13, 495-501		6
298	Is Two-Dimensional Field Definition Sufficient for Pelvic Node Coverage in Rectal Cancer Compared to Technical Three-Dimensional Definition?. 2013 , 99, 191-198		0
297	Chemoradiotherapy for anal cancer: clinical trials past, present and future. 2014 , 3, 289-297		

296	Dosimetric coverage of the external anal sphincter by 3-dimensional conformal fields in rectal cancer patients receiving neoadjuvant chemoradiation: implications for the concept of sphincter-preserving radiation therapy. 2014 , 2014, 578243		1
295	Anal cancer: ESMO-ESSO-ESTRO Clinical Practice Guidelines for diagnosis, treatment and follow-up. 2014 , 25 Suppl 3, iii10-20		112
294	[Sexual functions after treatment for rectal cancer: impact of doses in autonomic pelvic nerves]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2014 , 18, 757-62	1.3	3
293	Rectal Cancer. <i>Medical Radiology</i> , 2014 , 303-314		0.2
292	Anal Canal Cancer. <i>Medical Radiology</i> , 2014 , 315-325		0.2
291	Radiation therapy of anal canal cancer: from conformal therapy to volumetric modulated arc therapy. <i>BMC Cancer</i> , 2014 , 14, 833	4.8	17
290	VMAT planning study in rectal cancer patients. <i>Radiation Oncology</i> , 2014 , 9, 219	4.2	10
289	Interstitial high-dose rate brachytherapy as boost for anal canal cancer. <i>Radiation Oncology</i> , 2014 , 9, 240	4.2	17
288	Is elective inguinal radiotherapy necessary for locally advanced rectal adenocarcinoma invading anal canal?. <i>Radiation Oncology</i> , 2014 , 9, 296	4.2	6
287	Intensity-modulated radiation therapy with concurrent chemotherapy for anal cancer: outcomes and toxicity. 2014 , 37, 461-6		49
286	Five fractions of radiation therapy followed by 4 cycles of FOLFOX chemotherapy as preoperative treatment for rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 829-364		66
285	Decision Tools for Radiation Oncology. <i>Medical Radiology</i> , 2014 ,	0.2	2
284	Therapie des Analkarzinoms. 2014 , 20, 173-182		1
283	Inguinal nodal region radiotherapy for vulvar cancer: are we missing the target again?. 2014 , 135, 583-5		4
282	Nanotechnology in radiation oncology. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2879-85	2.2	41
281	Anal cancer: ESMO-ESSO-ESTRO clinical practice guidelines for diagnosis, treatment and follow-up. 2014 , 40, 1165-76		98
280	Prospective evaluation of acute toxicity and quality of life after IMRT and concurrent chemotherapy for anal canal and perianal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 587-94	4	61
279	Consequences of anorectal cancer atlas implementation in the cooperative group setting: radiobiologic analysis of a prospective randomized in silico target delineation study. 2014 , 112, 418-24		14

278	Neoadjuvant radiation therapy prior to total mesorectal excision for rectal cancer is not associated with postoperative complications using current techniques. 2014 , 21, 2295-302		14
277	The Distribution and Patterns of Practice of Stereotactic Ablative Body Radiotherapy in Canada. 2014 , 45, 8-15		5
276	In vivo quality assurance of volumetric modulated arc therapy for ano-rectal cancer with thermoluminescent dosimetry and image-guidance. 2014 , 111, 406-11		8
275	Anal cancer: ESMO-ESSO-ESTRO clinical practice guidelines for diagnosis, treatment and follow-up. 2014 , 111, 330-9		116
274	Evaluating QUANTEC Small Bowel Dose-Volume Guidelines for Rectal Cancer Patients Treated Using a Couch Top Inclined Belly Board. 2014 , 45, 218-222		1
273	[Impact of dynamic IMRT and tomotherapy in pelvic cancers: a prospective dosimetric study with 51 patients]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2014 , 18, 111-8	1.3	2
272	Intensity-modulated radiation therapy for patients with rectal cancer. 2014 , 3, 235-238		2
271	Trends in incidence and survival for anal cancer in New South Wales, Australia, 1972-2009. 2015 , 39, 842-7		25
270	WITHDRAWN: Irradiation of FDG-PET Defined-Active Bone Marrow Subregions and Acute Hematologic Toxicity in Anal Cancer Patients Undergoing Chemoradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 ,	4	
269	German-Austrian guidelines on anal dysplasia and anal cancer in HIV-positive individuals: prevention, diagnosis, and treatment. 2015 , 13, 1302-19		35
268	Helical tomotherapy for the treatment of anal canal cancer: a dosimetric comparison with 3D conformal radiotherapy. 2015 , 101, 268-72		8
267	Deutsch-Österreichische S2k-Leitlinie: anale Dysplasien und Analkarzinome bei HIV-Infizierten: Prävention, Diagnostik und Therapie. 2015 , 13, e1-e20		5
266	Target Volume Delineation for Conformal and Intensity-Modulated Radiation Therapy. <i>Medical Radiology</i> , 2015 ,	0.2	14
265	The Role of Intensity-Modulated Radiotherapy to Optimize Outcomes in Locally Advanced Rectal Cancer. 2015 , 11, 345-351		
264	Comparison of investigator-delineated gross tumor volumes and quality assurance in pancreatic cancer: Analysis of the pretrial benchmark case for the SCALOP trial. 2015 , 117, 432-7		16
263	Locally advanced gastroesophageal junction tumor: a treatment dilemma. 2015 , 20, 134-42		4
262	The Role of FDG-PET in the Initial Staging and Response Assessment of Anal Cancer: A Systematic Review and Meta-analysis. 2015 , 22, 3574-81		75
261	Proposed genitalia contouring guidelines in anal cancer intensity-modulated radiotherapy. 2015 , 88, 20150032		8

260	Is there any impact of PET/CT on radiotherapy planning in rectal cancer patients undergoing preoperative IMRT?. 2015 , 45, 129-35		7
259	Clinical and treatment factors associated with vaginal stenosis after definitive chemoradiation for anal canal cancer. <i>Practical Radiation Oncology</i> , 2015 , 5, e113-e118	2.8	26
258	[Management of locally advanced anal canal carcinoma with modulated arctherapy and concurrent chemotherapy]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2015 , 19, 127-38	1.3	2
257	CAPIRI-IMRT: a phase II study of concurrent capecitabine and irinotecan with intensity-modulated radiation therapy for the treatment of recurrent rectal cancer. <i>Radiation Oncology</i> , 2015 , 10, 57	4.2	15
256	Target Volume Definition in Radiation Oncology. 2015 ,		4
255	Intensity-Modulated Radiation Therapy. 2015 ,		3
254	Role of Radiotherapy and Newer Techniques in the Treatment of GI Cancers. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1737-44	2.2	30
253	Clinical results and toxicity for short-course preoperative radiotherapy and total mesorectal excision in rectal cancer patients. 2015 , 56, 169-76		8
252	Nonoperative management of squamous-cell carcinoma of the rectum. 2015 , 58, 60-4		22
251	Volumetric intensity-modulated arc therapy vs. 3-dimensional conformal radiotherapy for primary chemoradiotherapy of anal carcinoma: Effects on treatment-related side effects and survival. 2015 , 191, 827-34		12
250	Dosimetric planning study for the prevention of anal complications after post-operative whole pelvic radiotherapy in cervical cancer patients with hemorrhoids. 2015 , 88, 20150223		2
249	NRG Oncology Radiation Therapy Oncology Group 0822: A Phase 2 Study of Preoperative Chemoradiation Therapy Using Intensity Modulated Radiation Therapy in Combination With Capecitabine and Oxaliplatin For Patients With Locally Advanced Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 22-31	4	58
248	Intensity-modulated radiation therapy with simultaneous integrated boost combined with concurrent chemotherapy for the treatment of anal cancer patients: 4-year results of a consecutive case series. 2015 , 33, 259-66		36
247	Pencil-beam scanning proton therapy for anal cancer: a dosimetric comparison with intensity-modulated radiotherapy. 2015 , 54, 1209-17		22
246	[Recommendations for the management of cancers of the anal canal]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2015 , 19, 416-20	1.3	0
245	Comparison of endorectal ultrasound versus pelvic magnetic resonance imaging for radiation treatment planning in locally advanced rectal cancer. <i>Practical Radiation Oncology</i> , 2015 , 5, e451-e455	2.8	3
244	Interstitial pulsed-dose-rate brachytherapy for the treatment of squamous cell anal carcinoma: A retrospective single institution analysis. 2015 , 14, 549-53		6
243	PET-based radiation therapy planning. 2015 , 10, 27-44		13

242	Dosimetric comparison of axilla and groin radiotherapy techniques for high-risk and locally advanced skin cancer. <i>Radiation Oncology Journal</i> , 2016 , 34, 145-55	2.5	7
241	Lapatinib-capecitabine versus capecitabine alone as radiosensitizers in RAS wild-type resectable rectal cancer, an adaptive randomized phase II trial (LaRRC trial): study protocol for a randomized controlled trial. 2016 , 17, 459		2
240	Pathological Assessment of Rectal Cancer after Neoadjuvant Chemoradiotherapy: Distribution of Residual Cancer Cells and Accuracy of Biopsy. 2016 , 6, 34923		8
239	Estimation of second cancer risk after radiotherapy for rectal cancer: comparison of 3D conformal radiotherapy and volumetric modulated arc therapy using different high dose fractionation schemes. <i>Radiation Oncology</i> , 2016 , 11, 149	4.2	8
238	Anal Cancer. 2016 , 357-371		4
237	Irradiation of FDG-PET-Defined Active Bone Marrow Subregions and Acute Hematologic Toxicity in Anal Cancer Patients Undergoing Chemoradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 747-54	4	21
236	Development and Validation of Consensus Contouring Guidelines for Adjuvant Radiation Therapy for Bladder Cancer After Radical Cystectomy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 78-86	4	31
235	Brachytherapy. <i>Medical Radiology</i> , 2016 ,	0.2	4
234	[Clinical to target volume margins determination in radiotherapy for anal cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20, 645-50	1.3	
233	Anal Carcinoma. 2016 , 1019-1034.e4		
232	[Radiotherapy of rectal carcinoma]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S179-82	1.3	2
231	[Radiotherapy for anal canal cancers]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2016 , 20 Suppl, S183-8	1.3	5
230	International consensus guidelines on Clinical Target Volume delineation in rectal cancer. 2016 , 120, 195-201		83
229	Treatment of High Rectal Cancers: Do We Need Radiation?. 2016 , 12, 266-273		1
228	Acute toxicity with intensity modulated radiotherapy versus 3-dimensional conformal radiotherapy during preoperative chemoradiation for locally advanced rectal cancer. 2016 , 121, 252-257		17
227	Correlates and trends of IMRT use in locally advanced rectal cancer. 2016 , 5, 427-435		1
226	Genital invasion or perigenital spread may pose a risk of marginal misses for Intensity Modulated Radiotherapy (IMRT) in anal cancer. <i>Radiation Oncology</i> , 2016 , 11, 53	4.2	10
225	Volumetric modulated arc therapy (VMAT) in the combined modality treatment of anal cancer patients. 2016 , 89, 20150832		31

224	Squamous-cell carcinoma of the anus: progress in radiotherapy treatment. 2016 , 13, 447-59		23
223	Rectal Radiotherapy--Intensity-modulated Radiotherapy Delivery, Delineation and Doses. 2016 , 28, 93-102		14
222	Quantitative assessment of target delineation variability for thymic cancers: Agreement evaluation of a prospective segmentation challenge. 2016 , 5, 55-61		4
221	Long-Term Bone Marrow Suppression During Postoperative Chemotherapy in Rectal Cancer Patients After Preoperative Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 1052-60	4	22
220	Proposed definition of the vaginal cuff and paracolpium clinical target volume in postoperative uterine cervical cancer. <i>Practical Radiation Oncology</i> , 2016 , 6, 5-11	2.8	9
219	Intensity-Modulated and Image-Guided Radiation Therapy. 2016 , 294-324.e5		1
218	Anal cancer FDG-PET standard uptake value: correlation with tumor characteristics, treatment response and survival. 2016 , 121, 54-9		23
217	Rectal Cancer. 2016 , 992-1018.e6		4
216	Predictors of acute toxicities during definitive chemoradiation using intensity-modulated radiotherapy for anal squamous cell carcinoma. 2016 , 55, 208-16		19
215	Small bowel protection in IMRT for rectal cancer : A dosimetric study on supine vs. prone position. 2017 , 193, 578-588		9
214	Predictors of Radiation Therapy-Related Gastrointestinal Toxicity From Anal Cancer Dose-Painted Intensity Modulated Radiation Therapy: Secondary Analysis of NRG Oncology RTOG 0529. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 98, 400-408	4	21
213	Early-stage Favourable Anal Cancer: A Retrospective Analysis of Clinical Outcomes of a Moderately Low Dose Elective Nodal Intensity-modulated Radiotherapy Schedule. 2017 , 29, e105-e109		3
212	Radiotherapy for Anal Cancer: Intensity-Modulated Radiotherapy and Future Directions. 2017 , 26, 467-475		3
211	Standard fractionation external beam radiotherapy with and without intraoperative radiotherapy for locally recurrent rectal cancer: the role of local therapy in patients with a high competing risk of death from distant disease. 2017 , 90, 20170134		8
210	Improved Metastasis- and Disease-Free Survival With Preoperative Sequential Short-Course Radiation Therapy and FOLFOX Chemotherapy for Rectal Cancer Compared With Neoadjuvant Long-Course Chemoradiotherapy: Results of a Matched Pair Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 417-426	4	48
209	Capcitabine With Mitomycin Reduces Acute Hematologic Toxicity and Treatment Delays in Patients Undergoing Definitive Chemoradiation Using Intensity Modulated Radiation Therapy for Anal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 98, 1087-1095	4	31
208	Long-term outcomes and toxicities of a large cohort of anal cancer patients treated with dose-painted IMRT per RTOG 0529. 2017 , 2, 110-117		31
207	Intensity modulated radiation therapy for squamous cell carcinoma of the vulva: Treatment technique and outcomes. 2017 , 2, 148-158		21

206	Irradiation of anatomically defined pelvic subsites and acute hematologic toxicity in anal cancer patients undergoing chemoradiation. <i>Practical Radiation Oncology</i> , 2017 , 7, e291-e297	2.8	8
205	Single Nucleotide Polymorphism TGF β R25P Correlates with Acute Toxicity during Neoadjuvant Chemoradiotherapy in Rectal Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 924-930	4	6
204	Management of early anal cancer: need for guidelines and standardisation. 2017 , 32, 1719-1724		3
203	Association of Coloproctology of Great Britain & Ireland (ACPGBI): Guidelines for the Management of Cancer of the Colon, Rectum and Anus (2017) - Anal Cancer. 2017 , 19 Suppl 1, 82-97		26
202	Concurrent paclitaxel, capecitabine, mitomycin C and pelvic radiation therapy for patients with squamous cell anal carcinoma. 2017 , 80, 623-629		3
201	Treatment of the Primary Tumor in Anal Canal Cancers. 2017 , 26, 73-90		10
200	Evolution and Management of Treatment-Related Toxicity in Anal Cancer. 2017 , 26, 91-113		10
199	Anal adenocarcinoma requires prophylactic inguinal nodal treatment: Results from a single Chinese institution. 2017 , 8, 1097-1102		7
198	Quality assurance of the SCOPE 1 trial in oesophageal radiotherapy. <i>Radiation Oncology</i> , 2017 , 12, 179	4.2	4
197	Clinical Target Volume Definition in Preoperative Radiotherapy of Rectal Carcinoma: a Systematic Review. 2017 , 13, 265-275		
196	Simultaneous integrated boost intensity-modulated radiotherapy versus 3-dimensional conformal radiotherapy in preoperative concurrent chemoradiotherapy for locally advanced rectal cancer. <i>Radiation Oncology Journal</i> , 2017 , 35, 208-216	2.5	9
195	Bone marrow tolerance during postoperative chemotherapy in colorectal carcinomas. <i>Journal of Gastrointestinal Oncology</i> , 2017 , 8, 547-555	2.8	2
194	Neoadjuvant Radiotherapy. 2018 , 65-76		
193	Should We Tailor the Delineation of Pelvic Structures According to Tumor Presentation?. 2018 , 165-179		
192	Which Margin Should Be Added to the GTV?. 2018 , 181-186		
191	Rapid Contour-based Segmentation for F-FDG PET Imaging of Lung Tumors by Using ITK-SNAP: Comparison to Expert-based Segmentation. 2018 , 288, 277-284		14
190	Modern intensity-modulated radiotherapy with image guidance allows low toxicity rates and good local control in chemoradiotherapy for anal cancer patients. 2018 , 144, 781-789		7
189	Lower Gastrointestinal Malignancies. 2018 , 257-269		

188	Dosimetric quantification of the incidental irradiation of the 'true' (deep) ano-inguinal lymphatic drainage of anal cancer patients not described in conventional contouring guidelines. 2018 , 57, 825-830		4
187	Carcinoma of the Anal Canal. 2018 , 335-363		
186	Toxicity, Tolerability, and Compliance of Concurrent Capecitabine or 5-Fluorouracil in Radical Management of Anal Cancer With Single-dose Mitomycin-C and Intensity Modulated Radiation Therapy: Evaluation of a National Cohort. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 1202-1211	4	25
185	Positron emission tomography and computed tomographic (PET/CT) imaging for radiation therapy planning in anal cancer: A systematic review and meta-analysis. 2018 , 126, 6-12		14
184	Intensity-modulated radiotherapy versus three-dimensional conformal radiotherapy in rectal cancer treated with neoadjuvant concurrent chemoradiation: a meta-analysis and pooled-analysis of acute toxicity. 2018 , 48, 458-466		16
183	Prevalence of patient-reported gastrointestinal symptoms and agreement with clinician toxicity assessments in radiation therapy for anal cancer. 2018 , 27, 97-103		9
182	Distribution of metastases in mesorectum is unpredictable: Metastases do not respect tumor localization even in small non-circumferential rectal cancers. 2018 , 44, 87-92		1
181	Neoadjuvant PET and MRI-based intensity modulated radiotherapy leads to less toxicity and improved pathologic response rates in locally advanced rectal cancer. <i>Journal of Gastrointestinal Oncology</i> , 2018 , 9, 641-649	2.8	1
180	Preoperative short course radiotherapy with concurrent and consolidation chemotherapies followed by delayed surgery in locally advanced rectal cancer: preliminary results. <i>Radiation Oncology Journal</i> , 2018 , 36, 17-24	2.5	13
179	Neoadjuvant therapy and subsequent treatment in rectal cancer: balance between oncological and functional outcomes. 2018 , 2, 47-58		2
178	Automatic Delineation of the Clinical Target Volume in Rectal Cancer for Radiation Therapy using Three-dimensional Fully Convolutional Neural Networks. 2018 , 2018, 5898-5901		5
177	A Definitive IMRT-SIB with Concomitant Chemotherapy for Synchronous Locally Advanced Anal Canal Cancer and Prostate Cancer. 2018 , 2018, 6101759		2
176	Dosimetric comparison of different radiation techniques (IMRT vs. 3-dimensional) of the "true" (deep) ano-inguinal lymphatic drainage of anal cancer patients. <i>Radiation Oncology</i> , 2018 , 13, 227	4.2	2
175	Impact of VMAT-IMRT compared to 3D conformal radiotherapy on anal sphincter dose distribution in neoadjuvant chemoradiation of rectal cancer. <i>Radiation Oncology</i> , 2018 , 13, 237	4.2	7
174	Dosimetric analysis and comparison of reduced longitudinal cranial margins of VMAT-IMRT of rectal cancer. <i>Radiation Oncology</i> , 2018 , 13, 169	4.2	2
173	Prognostic markers of recurrence and survival in rectal cancer treated with neoadjuvant chemoradiotherapy and surgery. 2018 , 7, CRC02		3
172	Quality Control of Radiation Delivery for Lower Gastrointestinal Cancers. 2018 , 19, 51		1
171	Prospective study of neoadjuvant chemoradiotherapy using intensity-modulated radiotherapy and 5 fluorouracil for locally advanced rectal cancer - toxicities and response assessment. 2018 , 10, 519-526		5

170	Anal Cancer. 2018 , 515-531		
169	A treatment planning study of prone vs. supine positions for locally advanced rectal carcinoma : Comparison of 3-dimensional conformal radiotherapy, tomotherapy, volumetric modulated arc therapy, and intensity-modulated radiotherapy. 2018 , 194, 975-984		5
168	Conformal Radiotherapy: Simulation and Contouring. 2018 , 109-137		
167	Variability of clinical target volume delineation for rectal cancer patients planned for neoadjuvant radiotherapy with the aid of the platform Anatom-e. 2018 , 11, 33-39		11
166	Definitive chemoradiotherapy for anal canal cancer: single-center experience. 2018 , 23, 1121-1126		3
165	Hybrid Tri-Co-60 MRI radiotherapy for locally advanced rectal cancer: An evaluation. 2018 , 6, 5-10		11
164	Management of locally advanced anal canal carcinoma with intensity-modulated radiotherapy and concurrent chemotherapy. 2018 , 35, 134		2
163	Radiation Therapy in Rectal Cancer. 2018 , 1-21		
162	Excluding the ischiorectal fossa irradiation during neoadjuvant chemoradiotherapy with intensity-modulated radiotherapy followed by abdominoperineal resection decreases perineal complications in patients with lower rectal cancer. <i>Radiation Oncology</i> , 2019 , 14, 138	4.2	1
161	Anal Cancer. 2019 ,		
160	Have we achieved adequate recommendations for target volume definitions in anal cancer? A PET imaging based patterns of failure analysis in the context of established contouring guidelines. <i>BMC Cancer</i> , 2019 , 19, 742	4.8	13
159	High-dose-rate vs. low-dose-rate interstitial brachytherapy boost for anal canal cancers. 2019 , 18, 814-822		1
158	Outcomes after intensity-modulated compared with 3-dimensional conformal radiotherapy with chemotherapy for squamous cell carcinoma of the anal canal. 2019 , 26, e515-e521		2
157	mARC preoperative rectal cancer treatments vs. 3D conformal radiotherapy. A dose distribution comparative study. 2019 , 14, e0221262		1
156	Executive Summary of the American Radium Society Appropriate Use Criteria for Treatment of Anal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 591-605	4	2
155	¹⁸ F-FDG PET Predicts Hematologic Toxicity in Patients with Locally Advanced Anal Cancer Treated With Chemoradiation. 2019 , 4, 613-622		4
154	[Anal channel cancer: customization of dose, volume and breaching]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2019 , 23, 773-777	1.3	
153	A systematic review and meta-analysis of pT2 rectal cancer spread and recurrence pattern: Implications for target design in radiation therapy for organ preservation. 2019 , 133, 20-27		6

152	Intensity-modulated radiotherapy at high-volume centers improves survival in patients with esophageal adenocarcinoma receiving trimodality therapy. 2019 , 32,		3
151	Radiation Oncology. 2019 ,		2
150	Impact of pelvic bone marrow irradiation on the hematological toxicity of subsequent chemotherapy in rectal cancer. 2019 , 66, 276-280		0
149	Anti-epidermal growth factor receptor therapy in combination with chemoradiotherapy for the treatment of locally advanced anal canal carcinoma: Results of a phase I dose-escalation study with panitumumab (FFCD 0904). 2019 , 140, 84-89		5
148	The Management and Prevention of Anal Squamous Cell Carcinoma. 2019 , 39, 216-225		11
147	Neoadjuvant chemoradiotherapy delivered with helical tomotherapy under daily image guidance for rectal cancer patients: efficacy and safety in a large, multi-institutional series. 2019 , 145, 1075-1084		2
146	Positron emission tomography with computed tomography imaging (PET/CT) for the radiotherapy planning definition of the biological target volume: PART 2. 2019 , 139, 117-124		12
145	Radiation-induced injury on surgical margins: a clue to anastomotic leakage after rectal-cancer resection with neoadjuvant chemoradiotherapy?. 2019 , 7, 98-106		13
144	Induction Chemotherapy Reduces Patient-reported Toxicities During Neoadjuvant Chemoradiation with Intensity Modulated Radiotherapy for Rectal Cancer. <i>Clinical Colorectal Cancer</i> , 2019 , 18, 167-174	3.8	2
143	An quality assurance study of contouring target volumes in thoracic tumors within a cooperative group setting. 2019 , 15, 83-92		2
142	Anal Cancer in the Era of Dose Painted Intensity Modulated Radiation Therapy: Implications for Regional Nodal Therapy. <i>Seminars in Radiation Oncology</i> , 2019 , 29, 137-143	5.5	
141	Cancer of the anal region. 2019 , 135, 115-127		21
140	Intensity-modulated radiation therapy of anal squamous cell carcinoma: Relationship between delineation quality and regional recurrence. 2019 , 131, 93-100		6
139	To what extent should the intestinal be resected proximally after radiotherapy: hint from a pathological view. 2020 , 8, 277-285		2
138	The importance of mesorectum motion in determining PTV margins in rectal cancer patients treated with neoadjuvant radiotherapy. 2020 , 61, 335-342		1
137	Long-term follow-up experience in anal canal cancer treated with Intensity-Modulated Radiation Therapy: Clinical outcomes, patterns of relapse and predictors of failure. 2020 , 144, 141-147		11
136	Effect of prone and supine treatment positions for postoperative treatment of rectal cancer on target dose coverage and small bowel sparing using intensity-modulated radiation therapy.. 2020 , 9, 491-499		2
135	Bone Marrow-Sparing IMRT in Anal Cancer Patients Undergoing Concurrent Chemo-Radiation: Results of the First Phase of a Prospective Phase II Trial. <i>Cancers</i> , 2020 , 12,	6.6	10

134	Dose-volume parameters of MRI-based active bone marrow predict hematologic toxicity of chemoradiotherapy for rectal cancer. 2020 , 196, 998-1005		3
133	Evaluation of small bowel motion and feasibility of using the peritoneal space to replace bowel loops for dose constraints during intensity-modulated radiotherapy for rectal cancer. <i>Radiation Oncology</i> , 2020 , 15, 211	4.2	0
132	Oral contrast agents lead to underestimation of dose calculation in volumetric-modulated arc therapy planning for pelvic irradiation. 2020 , 133, 2061-2070		2
131	Patterns of inguinal lymph node metastases in anal canal cancer and recommendations for elective clinical target volume (CTV) delineation. 2020 , 149, 128-133		4
130	Patterns of recurrence in anal cancer: a detailed analysis. <i>Radiation Oncology</i> , 2020 , 15, 125	4.2	10
129	Dosimetric comparison of organs at risk using different contouring guidelines for definition of the clinical target volume in anal cancer. 2020 , 196, 368-375		1
128	Re-irradiation for recurrent rectal cancer - a single-center experience. 2020 , 59, 534-540		0
127	Adding Boost to Standard Neoadjuvant Radiation for Rectal Cancer Improves Likelihood of Complete Response. 2020 , 24, 1655-1662		
126	What is the Best Way to Plan Rectum Three-Dimensional Conformal Radiotherapy in Prone Position-Classic Anatomical Landmark, Three Dimensional Fitting the Planning Target Volume, or Volumetric Modulated Arc?. 2020 , 51, 103-107		
125	Automatic segmentation software in locally advanced rectal cancer: READY (REsearch program in Auto Delineation sYstem)-RECTAL 02: prospective study. <i>Oncotarget</i> , 2016 , 7, 42579-42584	3.3	11
124	Rare Genitourinary Malignancies (Penile, Urethral, Renal Pelvis, and Ureteral Cancers). 2021 , 313-362		
123	The Distribution of Pelvic Nodal Metastases in Prostate Cancer Reveals Potential to Advance and Personalize Pelvic Radiotherapy. <i>Frontiers in Oncology</i> , 2020 , 10, 590722	5.3	2
122	Pulse-dose-rate interstitial brachytherapy in anal squamous cell carcinoma: clinical outcomes and patients' health quality perception. 2021 , 13, 263-272		0
121	[Pelvic irradiation and hematopoietic toxicity: A review of the literature]. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2021 , 25, 77-91	1.3	2
120	Cisplatin/capecitabine with intensity-modulated radiation therapy in anal squamous cell carcinoma: a preliminary study. 2021 , 56, 432-436		3
119	Interobserver variability in clinical target volume delineation in anal squamous cell carcinoma. 2021 , 11, 2785		0
118	Quality indicator selection for the Canadian Partnership against Cancer rectal cancer project: A modified Delphi study. 2021 , 23, 1393-1403		1
117	Evolution of the Role of Radiotherapy for Anal Cancer. <i>Cancers</i> , 2021 , 13,	6.6	5

116	Radiotherapy with Intensity-Modulated (IMRT) Techniques in the Treatment of Anal Carcinoma (RAINSTORM): A Multicenter Study on Behalf of AIRO (Italian Association of Radiotherapy and Clinical Oncology) Gastrointestinal Study Group. <i>Cancers</i> , 2021 , 13,	6.6	0
115	Anorectal function and radiation dose to pelvic floor muscles after primary treatment for anal cancer. 2021 , 157, 141-146		0
114	Patterns of pathologic lymph nodes in anal cancer: a PET-CT-based analysis with implications for radiotherapy treatment volumes. <i>BMC Cancer</i> , 2021 , 21, 447	4.8	
113	Method of computing direction-dependent margins for the development of consensus contouring guidelines. <i>Radiation Oncology</i> , 2021 , 16, 71	4.2	1
112	Sexual organ-sparing with hydrogel spacer injections for rectal cancer radiotherapy: a feasibility pilot study. 2021 , 94, 20200931		1
111	Effect of Pelvic Bone Marrow Sparing Intensity Modulated Radiation Therapy on Acute Hematologic Toxicity in Rectal Cancer Patients Undergoing Chemo-Radiotherapy. <i>Frontiers in Oncology</i> , 2021 , 11, 646211	5.3	1
110	Concurrent Chemoradiation in Anal Cancer Patients Delivered with Bone Marrow-Sparing IMRT: Final Results of a Prospective Phase II Trial. 2021 , 11,		2
109	Intensity modulated radiotherapy for anal canal squamous cell carcinoma: A 16-year single institution experience. 2021 , 28, 17-23		1
108	Mutation in a Patient With Early Rectal Cancer Receiving Definitive Chemoradiation. 2021 , 6, 100717		1
107	Volumetric Modulated Arc Therapy Improves Outcomes in Definitive Radiochemotherapy for Anal Cancer Whilst Reducing Acute Toxicities and Increasing Treatment Compliance. <i>Cancers</i> , 2021 , 13,	6.6	1
106	What is the optimal treatment for T1N0 anal squamous cell carcinoma? Analysis of current practices in the prospective French FFCD ANABASE cohort. 2021 , 53, 776-784		1
105	Value of PET imaging for radiation therapy. 2021 , 60, 326-343		0
104	Value of PET imaging for radiation therapy. 2021 , 197, 1-23		1
103	FDG-PET/CT in the Radiotherapy Treatment Planning of Locally Advanced Anal Cancer: A Monoinstitutional Experience. <i>Frontiers in Oncology</i> , 2021 , 11, 655322	5.3	0
102	Sarcopenia and dosimetric parameters in relation to treatment-related leukopenia and survival in anal cancer. <i>Radiation Oncology</i> , 2021 , 16, 152	4.2	2
101	Effective Organs-at-Risk Dose Sparing in Volumetric Modulated Arc Therapy Using a Half-Beam Technique in Whole Pelvic Irradiation. <i>Frontiers in Oncology</i> , 2021 , 11, 611469	5.3	0
100	Patterns of failure and implications for clinical target volume definition of locally advanced T4b rectal cancer identified with magnetic resonance imaging and treated using neoadjuvant chemoradiotherapy and surgery. 2021 , 161, 132-139		0
99	Long-Term Outcomes of NRG Oncology/RTOG 0529: A Phase 2 Evaluation of Dose-Painted Intensity Modulated Radiation Therapy in Combination With 5-Fluorouracil and Mitomycin-C for the Reduction of Acute Morbidity in Anal Canal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 ,	4	3

98	Dosimetric and Clinical Predictors for Acute and Late Gastrointestinal Toxicity Following Chemoradiotherapy of Locally Advanced Anal Cancer. 2021 ,		0
97	Treatment of Squamous Cell Carcinoma of the Anus, Unresolved Areas and Future Perspectives for Research: Perspectives of Research Needs in Anal Cancer. <i>Clinical Colorectal Cancer</i> , 2021 ,	3.8	2
96	Anal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. 2021 , 32, 1087-1100		13
95	Optimization of Field Design in the Treatment of Rectal Cancer with Intensity Modulated Proton Beam Radiation Therapy: How Many Fields Are Needed to Account for Rectal Distension Uncertainty?. 2021 , 6, 100749		1
94	FIELD: an open-source platform for the assessment of target volume delineation in radiation therapy. 2021 , 94, 20210356		
93	Cancer theranostic platforms based on injectable polymer hydrogels. 2021 , 9, 3543-3575		4
92	Anal Cancer. 2010 , 395-407		2
91	Rectal and Colon Cancer: Radiation Therapy Planning. 2017 , 171-180		1
90	Anal Carcinoma. 2015 , 193-218		2
89	Cancer of the Uterine Cervix. 2010 , 1002-1025		0
88	PET-CT guided SIB-IMRT combined with concurrent 5-FU/MMC for the treatment of anal cancer. 2017 , 56, 1734-1740		12
87	Volumetric modulated arc therapy (VMAT) in the combined modality treatment of anal cancer patients. 2016 , 89, 20160832		6
86	Associations of tumor regression grade with outcomes in patients with locally advanced rectal cancer treated with preoperative two-week course of radiotherapy. <i>Oncotarget</i> , 2017 , 8, 100165-100175 ^{3,3}		1
85	Predictive value of APAF-1 and COX-2 expression in pathologic complete response to neoadjuvant chemoradiotherapy for patients with locally advanced rectal adenocarcinoma. <i>Oncotarget</i> , 2016 , 7, 35233-35240 ^{3,3}		11
84	Dosimetric advantages and clinical outcomes of simultaneous integrated boost intensity-modulated radiotherapy for anal squamous cell carcinoma. <i>Radiation Oncology Journal</i> , 2017 , 35, 368-379	2.5	12
83	Short-course versus long-course neoadjuvant chemoradiotherapy in patients with rectal cancer: preliminary results of a randomized controlled trial. <i>Radiation Oncology Journal</i> , 2020 , 38, 119-128	2.5	6
82	Technical aspects of radiation therapy for anal cancer. <i>Journal of Gastrointestinal Oncology</i> , 2014 , 5, 198-201		13
81	Comparison of bone marrow sparing intensity modulated radiotherapy (IMRT) and three-dimensional conformal radiotherapy (3DCRT) in carcinoma of anal canal: a prospective study. <i>Annals of Translational Medicine</i> , 2016 , 4, 70	3.2	4

80	Five-year outcomes of preoperative chemoradiation for rectal carcinoma in Saudi population: single-institutional experience. <i>Annals of Saudi Medicine</i> , 2015 , 35, 23-30	1.6	1
79	Is elective inguinal or external iliac irradiation during neoadjuvant (chemo)radiotherapy necessary for locally advanced lower rectal cancer with anal sphincter invasion?. <i>Practical Radiation Oncology</i> , 2021 ,	2.8	0
78	Efficacy and safety of sequential neoadjuvant chemotherapy and short-course radiation therapy followed by delayed surgery in locally advanced rectal cancer: a single-arm phase II clinical trial with subgroup analysis between the older and young patients.. <i>Radiation Oncology Journal</i> , 2021 , 39, 270-278	2.5	1
77	Long-term Patterns of Failure and the Value of Blood Prognostic Markers in Anal Cancers Treated With Intensity-Modulated Radiation Therapy. <i>Clinical Colorectal Cancer</i> , 2021 ,	3.8	
76	Three-Dimensional Conformal Radiotherapy and Intensity-Modulated Radiotherapy. 2010 , 170-192		
75	Anal Carcinoma. 2012 , 1017-1031		
74	Rectal Cancer. 2012 , 989-1015		0
73	What Are the Dose-Volume Constraints to Reduce Late Toxicity?. 2012 , 149-154		
72	Conformal Therapy and Intensity-Modulated Radiation Therapy. 2012 , 287-316		0
71	Analkarzinom. 2013 , 689-701		
70	Cancer of the Rectum. 2014 , 1336-1359.e8		
69	Imagerie post-thérapeutique du cancer du rectum. 2014 , 119-135		
68	Thérapie des Analkarzinoms. 2015 , 135-142		
67	Postoperative Chemoradiation for Rectal Cancer. 2015 , 241-257		
66	Radiation Therapy in the Treatment of Rectal Cancer. 2015 , 503-510		
65	Anal Canal Cancer. 2015 , 337-354		
64	Rectal Cancer. 2015 , 169-191		
63	Anal Canal Cancer: Pathophysiology, Diagnosis and Treatment. 2015 , 305-316		

62 Gynecological Cancer. **2015**, 301-322

61 Dosimetric Comparison of Volumetric Modulated Arc Therapy (VMAT), 5F Intensity Modulated Radiotherapy (IMRT) and 3D Conformal Radiotherapy (3DCRT) in Rectal Carcinoma Receiving Neoadjuvant Chemoradiotherapy. *International Journal of Medical Physics, Clinical Engineering and Radiation Oncology*, **2015**, 04, 54-63 0.1 2

60 Anus. 327-332

59 Lower Gastrointestinal Brachytherapy: Anus. *Medical Radiology*, **2016**, 353-364 0.2

58 Anal Cancer: Radiation Therapy Planning. **2017**, 201-215

57 Anal Cancer: Background and Clinical Evidence. **2017**, 181-200

56 Anus. 327-332

55 Pelvic recurrence after definitive surgery for locally advanced rectal cancer: a retrospective investigation of implications for precision radiotherapy field design. *Oncotarget*, **2017**, 8, 95973-95980 3.3

54 Radiation Therapy in Anal Cancer. **2018**, 1-23

53 How Histopathologic Tumor Extent and Patterns of Recurrence Data Inform the Development of Radiation Therapy Treatment Volumes in Solid Malignancies. *Seminars in Radiation Oncology*, **2018**, 28, 218-237 5.5

52 Preserving Fertility in Patients with Gastrointestinal Cancers. **2019**, 633-653

51 Gastrointestinal System Cancers. **2019**, 197-268

50 Radiation Therapy: The North American Approach. **2019**, 365-403 1

49 Treatment of Localized Anal Cancer: Chemoradiotherapy. **2019**, 47-70

48 Intensification of Radiation Therapy with Control of the Amount of Radiation Using MRI in Patients with Squamous Cell Carcinoma of the Anal Canal. *Medical Alphabet*, **2019**, 2, 32-37 0.3

47 Evolving Concepts toward Individualized Treatment of Squamous Cell Carcinoma of the Anus.

46 Radiotherapy of Squamous Cell Carcinoma of the Anal Canal: Search for Optimal Solutions. *Journal of Oncology Diagnostic Radiology and Radiotherapy*, **2020**, 3, 19-30 0.1

45 Radiotherapy in Early-Stage and Local Advanced Rectal Cancer. **2021**, 663-682

44	Impact of IMRT- and VMAT technologies on selection of total dose of radiation therapy in patients with squamous cell carcinoma of anal canal. <i>Medical Alphabet</i> , 2020 , 13-20	0.3	
43	Predictors of acute gastrointestinal toxicity during pelvic chemoradiotherapy in patients with rectal cancer. <i>Gastrointestinal Cancer Research: GCR</i> , 2013 , 6, 129-36		12
42	Acute gastrointestinal toxicity and tumor response with preoperative intensity modulated radiation therapy for rectal cancer. <i>Gastrointestinal Cancer Research: GCR</i> , 2013 , 6, 137-43		24
41	Protons offer reduced bone marrow, small bowel, and urinary bladder exposure for patients receiving neoadjuvant radiotherapy for resectable rectal cancer. <i>Journal of Gastrointestinal Oncology</i> , 2014 , 5, 3-8	2.8	20
40	Dosimetric Comparison between Intensity Modulated Radiotherapy and 3 Dimensional Conformal Radiotherapy in the Treatment of Rectal Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016 , 17, 4935-4937	1.7	2
39	Current treatment and future directions in the management of anal cancer. <i>Ca-A Cancer Journal for Clinicians</i> , 2021 ,	220.7	2
38	A blind randomized validated convolutional neural network for auto-segmentation of clinical target volume in rectal cancer patients receiving neoadjuvant radiotherapy. <i>Cancer Medicine</i> , 2021 ,	4.8	2
37	C-Reactive Protein as Predictive Biomarker for Response to Chemoradiotherapy in Patients with Locally Advanced Rectal Cancer: A Retrospective Study.. <i>Cancers</i> , 2022 , 14,	6.6	1
36	Radiotherapy of anal canal cancer.. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2021 ,	1.3	0
35	Rectal cancer radiotherapy.. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2021 ,	1.3	0
34	Lateral Lymph Nodes in Rectal Cancer: Do we all Think the Same? A Review of Multidisciplinary Obstacles and Treatment Recommendations.. <i>Clinical Colorectal Cancer</i> , 2022 ,	3.8	0
33	Multicenter, Randomized, Phase III Trial of Short-Term Radiotherapy Plus Chemotherapy Versus Long-Term Chemoradiotherapy in Locally Advanced Rectal Cancer (STELLAR).. <i>Journal of Clinical Oncology</i> , 2022 , JCO2101667	2.2	11
32	Characteristics of anal canal cancer in Japan.. <i>Cancer Medicine</i> , 2022 ,	4.8	1
31	Compliance to chemoradiation in squamous cell carcinoma of the anus.. <i>Cancer Treatment Reviews</i> , 2022 , 106, 102381	14.4	
30	Pilot trial of topical MTS-01 application to reduce dermatitis in patients receiving chemoradiotherapy for stage I-III carcinoma of the anal canal.. <i>International Journal of Oncology</i> , 2022 , 60,	1	
29	Analysis of Clinicopathological Factors Associated with Radiation-Induced Cystitis in Patients with Cervical Cancer. <i>Journal of Healthcare Engineering</i> , 2022 , 2022, 1-10	3.7	
28	Evaluation of the ITV-margin and variables affecting bladder and mesorectal deformation during long course neoadjuvant radiotherapy for rectal cancer.. <i>Medical Dosimetry</i> , 2022 ,	1.3	
27	Table_1.docx. 2021 ,		

26 Video_1.mp4. **2021**,

25	Improving the accuracy and consistency of clinical target volume delineation for rectal cancer by an education program. <i>World Journal of Gastrointestinal Oncology</i> , 2022 , 14, 1027-1036	3.4	
24	Protective ileostomy increased the incidence of rectal stenosis after anterior resection for rectal cancer.. <i>Radiation Oncology</i> , 2022 , 17, 93	4.2	
23	Anal Cancer: Emerging Standards in a Rare Rare Disease. <i>Journal of Clinical Oncology</i> ,	2.2	1
22	Correcting rotational error in rectal cancer radiation therapy: Can planning target volume margins be safely reduced?. <i>Journal of Medical Radiation Sciences</i> ,	1.5	
21	Overview of Radiation Treatment Volume Variations in Anal Cancer Contouring Guidelines. <i>Practical Radiation Oncology</i> , 2022 ,	2.8	
20	Necessity of external iliac lymph nodes and inguinal nodes radiation in rectal cancer with anal canal involvement. <i>BMC Cancer</i> , 2022 , 22,	4.8	
19	ECOG-ACRIN Guideline for Contouring and Treatment of Early Stage Anal Cancer Using IMRT/IGRT. <i>Practical Radiation Oncology</i> , 2022 , 12, 335-347	2.8	0
18	Early results from implementation of a watch and wait protocol for complete clinical response following chemoradiotherapy for rectal cancer. <i>ANZ Journal of Surgery</i> ,	1	0
17	CT-Only Radiotherapy: An Exploratory Study for Automatic Dose Prediction on Rectal Cancer Patients Via Deep Adversarial Network. <i>Frontiers in Oncology</i> , 12,	5.3	
16	Histopathological and Haemogram Features Correlate with Prognosis in Rectal Cancer Patients Receiving Neoadjuvant Chemoradiation without Pathological Complete Response. 2022 , 11, 4947		
15	The Kinetics of FMS-Related Tyrosine Kinase 3 Ligand (Flt-3L) during Chemoradiotherapy Suggests a Potential Gain from the Earlier Initiation of Immunotherapy. 2022 , 14, 3844		0
14	Anal Cancer. 2022 , 235-249		0
13	Rectal Cancer. 2022 , 217-234		0
12	Pelvic insufficiency fractures and bone pain after radiotherapy for anal cancer -Relation to pelvic bone dose volume parameters.. 2022 , 101110		0
11	Anal squamous cell carcinoma: Impact of radiochemotherapy evolution over years and an explorative analysis of MRI prediction of tumor response in a mono-institutional series of 131 patients. 12,		0
10	Deep learning empowered volume delineation of whole-body organs-at-risk for accelerated radiotherapy. 2022 , 13,		0
9	Comparaci3n cl3nica de radioterapia de intensidad modulada versus radioterapia 3D en tratamiento neoadyuvante del c3ncer de recto localmente avanzado. 2018 , 23,		0

- 8 Advances in the treatment of anal squamous cell cancer. **2022**, 16, 317-321 ○
- 7 Inguinal nodal clinical target volume delineation based on analysis of anatomical locations of normal and metastatic lymph nodes in pelvic malignant tumors. **2023**, 183, 109634 ○
- 6 Implications of recent neoadjuvant clinical trials on the future practice of radiotherapy in locally advanced rectal cancer. 29, 1011-1025 ○
- 5 Radiation hematologic toxicity prediction for locally advanced rectal cancer using dosimetric and radiomics features. ○
- 4 Impact of dose escalation on colostomy-free survival and treatment outcome in squamous cell anal carcinoma. ○
- 3 Excluding external iliac node irradiation during neoadjuvant radiotherapy decreases lower intestinal toxicity without compromising efficacy in T4b rectal cancer patients with tumours involving the anterior structures. ○
- 2 Neoadjuvant short-course radiotherapy followed by consolidation chemotherapy versus long-course chemoradiotherapy in locally advanced rectal cancer: comparison of overall response rates. ○
- 1 Identification of patients with locally advanced rectal cancer eligible for neoadjuvant chemotherapy alone: Results of a retrospective study. ○