

Ventilation performance prediction for buildings: A meta-analysis

Building and Environment

44, 848-858

DOI: [10.1016/j.buildenv.2008.05.025](https://doi.org/10.1016/j.buildenv.2008.05.025)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Assessment of Various Turbulence Models for Transitional Flows in an Enclosed Environment (RP-1271). HVAC and R Research, 2009, 15, 1099-1119.	0.9	127
2	Effect of Window Characteristics on Indoor Air Quality in Residential Housing. , 2009, , .		0
3	Mathematical models for assessing the role of airflow on the risk of airborne infection in hospital wards. Journal of the Royal Society Interface, 2009, 6, S791-800.	1.5	95
4	A comparative analysis of mathematical models for relating indoor and outdoor toxic gas concentrations in accidental releases. Journal of Loss Prevention in the Process Industries, 2009, 22, 381-391.	1.7	15
5	Evaluation of buoyancy-driven ventilation in atrium buildings using computational fluid dynamics and reduced-scale air model. Building and Environment, 2009, 44, 1970-1979.	3.0	93
6	Application of CFD in Modelling Wind-Induced Natural Ventilation of Buildings - A Review. International Journal of Ventilation, 2010, 9, 131-147.	0.2	36
7	Building Energy Efficiency from Residential Thermal and Moisture Status in the Yangtze River Basin. , 2010, , .		0
8	MEASUREMENT OF NONSTEADY MASS TRANSFER PHENOMENON FROM SHORT-TERM DIFFUSION IN OFFICE BUILDING. AIJ Journal of Technology and Design, 2010, 16, 605-608.	0.1	0
9	Use of CFD in the Analysis of Heat Transfer Related Problems That Arise in Building Energy Studies. , 2010, , .		0
10	Analytical Model of Diurnal Temperature for a Radome Enclosed Antenna. , 2010, , .		1
11	Ventilation performance prediction for buildings: Model assessment. Building and Environment, 2010, 45, 295-303.	3.0	85
12	Natural ventilation potential model considering solution multiplicity, window opening percentage, air velocity and humidity in China. Building and Environment, 2010, 45, 338-344.	3.0	51
13	City breathability and its link to pollutant concentration distribution within urban-like geometries. Atmospheric Environment, 2010, 44, 1894-1903.	1.9	228
14	Evaluating Human Exposure to Fine Particulate Matter Part II: Modeling. Geography Compass, 2010, 4, 731-749.	1.5	6
15	Thermal comfort: A review paper. Renewable and Sustainable Energy Reviews, 2010, 14, 2626-2640.	8.2	494
16	Complexity and uncertainty in the assessment of the Viareggio LPG railway accident. Journal of Loss Prevention in the Process Industries, 2010, 23, 668-679.	1.7	22
17	An experimental study of wind-driven cross ventilation in partitioned buildings. Energy and Buildings, 2010, 42, 667-673.	3.1	45
18	Natural ventilation with traditional Korean opening in contemporary house. Building and Environment, 2010, 45, 51-57.	3.0	20

#	ARTICLE	IF	CITATIONS
19	Effects of ventilation strategies and source locations on indoor particle deposition. Building and Environment, 2010, 45, 655-662.	3.0	43
20	Fast and informative flow simulations in a building by using fast fluid dynamics model on graphics processing unit. Building and Environment, 2010, 45, 747-757.	3.0	82
21	Optimising the ventilation configuration of naturally ventilated livestock buildings for improved indoor environmental homogeneity. Building and Environment, 2010, 45, 983-995.	3.0	95
22	A prototype mesh generation tool for CFD simulations in architecture domain. Building and Environment, 2010, 45, 2253-2262.	3.0	19
23	The loss factors of building openings for wind-driven ventilation. Building and Environment, 2010, 45, 2273-2279.	3.0	28
24	Thermal comfort in naturally ventilated buildings in hot-humid area of China. Building and Environment, 2010, 45, 2562-2570.	3.0	165
25	Evaluation of buoyancy-driven ventilation in respect of exergy utilization. Energy and Buildings, 2010, 42, 221-229.	3.1	15
26	Coupled urban wind flow and indoor natural ventilation modelling on a high-resolution grid: A case study for the Amsterdam ArenA stadium. Environmental Modelling and Software, 2010, 25, 51-65.	1.9	315
27	Application of Computational Fluid Dynamics to the Study of Designed Green Features for Sustainable Buildings. , 0, , .		0
28	Application of Lattice Boltzmann Method in Indoor Airflow Simulation. HVAC and R Research, 2010, 16, 825-841.	0.9	7
29	Floor Heating with Displacement Ventilation: An Experimental and Numerical Analysis. HVAC and R Research, 2010, 16, 139-160.	0.9	18
30	Improvements in FFD Modeling by Using Different Numerical Schemes. Numerical Heat Transfer, Part B: Fundamentals, 2010, 58, 1-16.	0.6	26
31	Occupational Exposure to Hazardous Airborne Pollutants: Effects of Air Mixing and Source Location. Journal of Occupational and Environmental Hygiene, 2010, 7, 683-692.	0.4	39
32	Simulations of Air Distributions in Buildings by FFD on GPU. HVAC and R Research, 2010, 16, 785-798.	0.9	39
33	Experimental and Numerical Study on Effects of Airflow and Aqueous Ammonium Solution Temperature on Ammonia Mass Transfer Coefficient. Journal of the Air and Waste Management Association, 2010, 60, 419-428.	0.9	19
34	Refinement and testing of the drift-flux model for indoor aerosol dispersion and deposition modelling. Journal of Aerosol Science, 2010, 41, 921-934.	1.8	22
35	Overview of natural cross-ventilation studies and the latest simulation design tools used in building ventilation-related research. Advances in Building Energy Research, 2010, 4, 127-166.	1.1	36
36	Application of computational fluid dynamics in building performance simulation for the outdoor environment: an overview. Journal of Building Performance Simulation, 2011, 4, 157-184.	1.0	253

#	ARTICLE	IF	CITATIONS
37	Classification of Natural Ventilation Strategies in Optimizing Energy Consumption in Malaysian Office Buildings. <i>Procedia Engineering</i> , 2011, 20, 363-371.	1.2	26
38	Review of relationship between indoor and outdoor particles: I/O ratio, infiltration factor and penetration factor. <i>Atmospheric Environment</i> , 2011, 45, 275-288.	1.9	710
39	Proper Orthogonal Decomposition of HUSIR's Temperature and Velocity Fields. , 2011, , .		1
40	Investigation of Ventilation Effectiveness for Wind-Driven Single-Sided Ventilated Buildings Located in an Urban Environment. <i>International Journal of Ventilation</i> , 2011, 10, 19-30.	0.2	3
41	CFD and ventilation research. <i>Indoor Air</i> , 2011, 21, 442-453.	2.0	131
42	Assessing effect of wind tunnel sizes on air velocity and concentration boundary layers and on ammonia emission estimation using computational fluid dynamics (CFD). <i>Computers and Electronics in Agriculture</i> , 2011, 78, 49-60.	3.7	28
43	Determination of particle deposition in enclosed spaces by Detached Eddy Simulation with the Lagrangian method. <i>Atmospheric Environment</i> , 2011, 45, 5376-5384.	1.9	31
44	Impact of scaling and body movement on contaminant transport in airliner cabins. <i>Atmospheric Environment</i> , 2011, 45, 6019-6028.	1.9	69
45	Wind tunnel investigation on influence of fluctuating wind direction on cross natural ventilation. <i>Building and Environment</i> , 2011, 46, 2490-2499.	3.0	56
46	The effect of ceiling configurations on indoor air motion and ventilation flow rates. <i>Building and Environment</i> , 2011, 46, 1211-1222.	3.0	31
47	In-situ implementation and validation of a CO ₂ -based adaptive demand-controlled ventilation strategy in a multi-zone office building. <i>Building and Environment</i> , 2011, 46, 124-133.	3.0	119
48	The ventilation of multiple-bed hospital wards in the tropics: A review. <i>Building and Environment</i> , 2011, 46, 1125-1132.	3.0	47
49	A venturi-shaped roof for wind-induced natural ventilation of buildings: Wind tunnel and CFD evaluation of different design configurations. <i>Building and Environment</i> , 2011, 46, 1797-1807.	3.0	102
50	Numerical modelling of industrial indoor environments: A comparison between different turbulence models and supply systems supported by field measurements. <i>Building and Environment</i> , 2011, 46, 2365-2374.	3.0	49
51	Computational analysis of the performance of a venturi-shaped roof for natural ventilation: Venturi-effect versus wind-blocking effect. <i>Computers and Fluids</i> , 2011, 48, 202-213.	1.3	59
52	Passive control methods for a comfortable indoor environment: Comparative investigation of traditional and modern architecture of Kerala in summer. <i>Energy and Buildings</i> , 2011, 43, 653-664.	3.1	43
53	CFD simulations of natural ventilation behaviour in high-rise buildings in regular and staggered arrangements at various spacings. <i>Energy and Buildings</i> , 2011, 43, 1149-1158.	3.1	122
54	Three dimensional study for evaluating of air flow movements and thermal comfort in a model room: Experimental validation. <i>Energy and Buildings</i> , 2011, 43, 2156-2166.	3.1	6

#	ARTICLE	IF	CITATIONS
55	Reduced-scale building model and numerical investigations to buoyancy-driven natural ventilation. <i>Energy and Buildings</i> , 2011, 43, 2404-2413.	3.1	56
56	Effects of Exterior Window on Temperature Distribution and Thermal Comfort of Commercial Buildings with Radiant Floor Heating System. <i>Applied Mechanics and Materials</i> , 0, 55-57, 219-223.	0.2	1
57	The assessment of the performance of balconies using computational fluid dynamics. <i>Building Services Engineering Research and Technology</i> , 2011, 32, 229-243.	0.9	29
58	Investigating thermal conditions in a tropic atrium employing CFD and DTM techniques. <i>International Journal of Low-Carbon Technologies</i> , 2011, 6, 171-186.	1.2	15
59	The Effect of Balconies on Ventilation Performance of Low-rise Buildings. <i>Indoor and Built Environment</i> , 2011, 20, 649-660.	1.5	35
60	Effect of balconies on thermal comfort in wind-induced, naturally ventilated low-rise buildings. <i>Building Services Engineering Research and Technology</i> , 2011, 32, 277-292.	0.9	19
61	Improvements of Fast Fluid Dynamics for Simulating Air Flow in Buildings. <i>Numerical Heat Transfer, Part B: Fundamentals</i> , 2012, 62, 419-438.	0.6	33
62	An Optimization Method of Sensor Layout to Improve Source Identification Accuracy in the Indoor Environment. <i>International Journal of Ventilation</i> , 2012, 11, 155-170.	0.2	5
63	Reduction of Numerical Diffusion in FFD Model. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2012, 6, 234-247.	1.5	25
64	Progress on single-sided ventilation techniques for buildings. <i>Advances in Building Energy Research</i> , 2012, 6, 212-241.	1.1	16
65	Numerical Evaluation of Wind Driven Ventilator for Enhanced Indoor Air Quality. <i>Procedia Engineering</i> , 2012, 49, 124-134.	1.2	8
66	Design and low energy ventilation solutions for atria in the tropics. <i>Sustainable Cities and Society</i> , 2012, 2, 8-28.	5.1	41
67	A novel flow-oriented discretization scheme for reducing false diffusion in three-dimensional (3D) flows: An application in the indoor environment. <i>Atmospheric Environment</i> , 2012, 61, 327-339.	1.9	9
68	CFD simulation of heat transfer at surfaces of bluff bodies in turbulent boundary layers: Evaluation of a forced-convective temperature wall function for mixed convection. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012, 104-106, 439-446.	1.7	33
69	CFD simulation of cross-ventilation flow for different isolated building configurations: Validation with wind tunnel measurements and analysis of physical and numerical diffusion effects. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012, 104-106, 408-418.	1.7	125
70	Full-scale measurements of indoor environmental conditions and natural ventilation in a large semi-enclosed stadium: Possibilities and limitations for CFD validation. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012, 104-106, 330-341.	1.7	61
71	Numerical analysis of the performance of a venturi-shaped roof for natural ventilation: Influence of building width. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012, 104-106, 419-427.	1.7	25
72	Experimental study of the thermal performance of a large institutional building with mixed-mode cooling and hybrid ventilation. <i>Building and Environment</i> , 2012, 57, 313-326.	3.0	53

#	ARTICLE	IF	CITATIONS
73	Cross ventilation with small openings: Measurements in a multi-zone test building. Building and Environment, 2012, 57, 377-386.	3.0	57
74	A model for integrating passive and low energy airflow components into low rise buildings. Energy and Buildings, 2012, 49, 148-157.	3.1	25
75	Urban Physics: Effect of the micro-climate on comfort, health and energy demand. Frontiers of Architectural Research, 2012, 1, 197-228.	1.3	265
76	PIV measurements of a plane wall jet in a confined space at transitional slot Reynolds numbers. Experiments in Fluids, 2012, 53, 499-517.	1.1	27
78	Advances in Computational Fluid Dynamics Applied to the Greenhouse Environment. , 2012, , .		4
79	Modeling Ammonia Mass Transfer Process from a Model Pig House Based on Ventilation Characteristics. Transactions of the ASABE, 2012, 55, 1597-1607.	1.1	5
80	State-of-the-art methods for studying air distributions in commercial airliner cabins. Building and Environment, 2012, 47, 5-12.	3.0	81
81	Enhancing natural ventilation, thermal comfort and energy savings in high-rise residential buildings in Bangkok through the use of ventilation shafts. Building and Environment, 2012, 50, 104-113.	3.0	95
82	Fume transports in a high rise industrial welding hall with displacement ventilation system and individual ventilation units. Building and Environment, 2012, 52, 119-128.	3.0	48
83	CFD simulation of cross-ventilation for a generic isolated building: Impact of computational parameters. Building and Environment, 2012, 53, 34-48.	3.0	414
84	Performance evaluation of natural ventilation strategies for hospital wards “ A case study of Great Ormond Street Hospital. Building and Environment, 2012, 56, 211-222.	3.0	26
85	Development and In-situ validation of a multi-zone demand-controlled ventilation strategy using a limited number of sensors. Building and Environment, 2012, 57, 28-37.	3.0	38
86	PIV measurements and analysis of transitional flow in a reduced-scale model: Ventilation by a free plane jet with Coanda effect. Building and Environment, 2012, 56, 301-313.	3.0	56
87	CFD simulation for pedestrian wind comfort and wind safety in urban areas: General decision framework and case study for the Eindhoven University campus. Environmental Modelling and Software, 2012, 30, 15-34.	1.9	339
88	Ten iterative steps for model development and evaluation applied to Computational Fluid Dynamics for Environmental Fluid Mechanics. Environmental Modelling and Software, 2012, 33, 1-22.	1.9	209
89	Siting Samplers to Minimize Expected Time to Detection. Risk Analysis, 2012, 32, 2032-2042.	1.5	6
90	Object-oriented quasi-3D sub-zonal airflow models for energy-related system-level building simulation. Simulation Modelling Practice and Theory, 2012, 22, 1-12.	2.2	5
91	Improving building facade design using integrated simulation of daylighting, thermal performance and natural ventilation. Building Simulation, 2013, 6, 269-282.	3.0	20

#	ARTICLE	IF	CITATIONS
92	Comparison of coarse grid lattice Boltzmann and Navier Stokes for real time flow simulations in rooms. <i>Building Simulation</i> , 2013, 6, 183-194.	3.0	19
93	Effect of indoor buoyancy flow on wind-driven cross ventilation. <i>Building Simulation</i> , 2013, 6, 69-79.	3.0	16
94	Evaluation of various categories of turbulence models for predicting air distribution in an airliner cabin. <i>Building and Environment</i> , 2013, 65, 118-131.	3.0	85
95	Multi-zone modeling of size-resolved outdoor ultrafine particle entry into a test house. <i>Atmospheric Environment</i> , 2013, 69, 219-230.	1.9	26
97	On the suitability of steady RANS CFD for forced mixing ventilation at transitional slot Reynolds numbers. <i>Indoor Air</i> , 2013, 23, 236-249.	2.0	47
98	Natural ventilation assessment in typical open and semi-open urban environments under various wind directions. <i>Building and Environment</i> , 2013, 70, 318-333.	3.0	89
99	Wind-driven cross ventilation with internal obstacles. <i>Energy and Buildings</i> , 2013, 67, 201-209.	3.1	39
100	Assessing energy and thermal comfort of different low-energy cooling concepts for non-residential buildings. <i>Energy Conversion and Management</i> , 2013, 76, 332-341.	4.4	45
101	CFD simulation of flow and dispersion around an isolated building: Effect of inhomogeneous ABL and near-wall treatment. <i>Atmospheric Environment</i> , 2013, 77, 568-578.	1.9	53
102	Modelling of ammonia emissions from naturally ventilated livestock buildings. Part 3: CFD modelling. <i>Biosystems Engineering</i> , 2013, 116, 259-275.	1.9	67
103	Simulating home cooling load reductions for a novel opaque roof solar chimney configuration. <i>Applied Energy</i> , 2013, 112, 142-151.	5.1	28
104	Intelligent HVAC systems in hospitals. <i>Intelligent Buildings International</i> , 2013, 5, 101-119.	1.3	21
105	Combined wind tunnel and CFD analysis for indoor airflow prediction of wind-driven cross ventilation. <i>Building and Environment</i> , 2013, 60, 12-23.	3.0	45
106	Scaling laws of tracer dispersion in a multi-compartment structure. <i>Experimental Thermal and Fluid Science</i> , 2013, 45, 110-116.	1.5	2
107	Evaluation of turbulence models to predict airflow and ammonia concentrations in a scale model swine building enclosure. <i>Computers and Fluids</i> , 2013, 71, 240-249.	1.3	10
108	The push-type displacement ventilation in two series-connected chambers. <i>Building and Environment</i> , 2013, 62, 89-101.	3.0	11
109	Air velocity measurements using ultrasonic anemometers in the animal zone of a naturally ventilated dairy barn. <i>Biosystems Engineering</i> , 2013, 116, 276-285.	1.9	25
110	CFD evaluation of natural ventilation of indoor environments by the concentration decay method: CO ₂ gas dispersion from a semi-enclosed stadium. <i>Building and Environment</i> , 2013, 61, 1-17.	3.0	121

#	ARTICLE	IF	CITATIONS
111	A stochastic approach to modeling the dynamics of natural ventilation systems. Energy and Buildings, 2013, 63, 87-97.	3.1	13
112	Model-based control of natural ventilation in dairy buildings. Computers and Electronics in Agriculture, 2013, 94, 47-57.	3.7	28
113	CFD simulation of wind-induced pressure coefficients on buildings with and without balconies: Validation and sensitivity analysis. Building and Environment, 2013, 60, 137-149.	3.0	235
115	Development of a new correlation for single-sided natural ventilation adapted to leeward conditions. Energy and Buildings, 2013, 60, 372-382.	3.1	48
116	Assessments of experimental designs in response surface modelling process: Estimating ventilation rate in naturally ventilated livestock buildings. Energy and Buildings, 2013, 62, 570-580.	3.1	48
117	The effect of external wind speed and direction on sampling point concentrations, air change rate and emissions from a naturally ventilated dairy building. Biosystems Engineering, 2013, 114, 267-278.	1.9	42
118	Numerical simulation of turbulent plume spread in ceiling vented enclosure. European Journal of Mechanics, B/Fluids, 2013, 42, 142-158.	1.2	25
119	State of the art in building modelling and energy performances prediction: A review. Renewable and Sustainable Energy Reviews, 2013, 23, 272-288.	8.2	606
120	Radome-enclosed antenna's temperature and velocity fields. Applied Thermal Engineering, 2013, 50, 437-444.	3.0	5
121	Formal calibration methodology for CFD models of naturally ventilated indoor environments. Building and Environment, 2013, 59, 290-302.	3.0	57
122	Influence of turbulent boundary conditions on RANS simulations of pollutant dispersion in mechanically ventilated enclosures with transitional slot Reynolds number. Building and Environment, 2013, 59, 397-407.	3.0	52
123	Effectiveness of CFD simulation for the performance prediction of phase change building boards in the thermal environment control of indoor spaces. Building and Environment, 2013, 59, 612-625.	3.0	65
124	Thermal Performance of Tropical Atrium. Environmental and Climate Technologies, 2013, 12, 34-40.	0.2	5
125	A fast-POD model for simulation and control of indoor thermal environment of buildings. Building and Environment, 2013, 60, 150-157.	3.0	54
126	How to save a theatre: the Orpheum, Vancouver. Structural Survey, 2013, 31, 355-367.	1.0	0
127	The Optimization Problem of the Ventilation System for Metallurgical Plant. Applied Mechanics and Materials, 2013, 379, 167-172.	0.2	3
128	Fast Identification of Multiple Indoor Constant Contaminant Sources by Ideal Sensors: A Theoretical Model and Numerical Validation. Indoor and Built Environment, 2013, 22, 897-909.	1.5	26
129	PIV Measurements of Air Distribution in a Reduced-Scale Model - Ventilation of a Busbar Corridor in a Hydropower Station. International Journal of Ventilation, 2013, 12, 81-98.	0.2	6

#	ARTICLE	IF	CITATIONS
130	Increased Natural Ventilation Flow Rates through Ventilation Shafts. International Journal of Ventilation, 2013, 12, 195-210.	0.2	3
131	Recent advancements in numerical modelling of flow and dispersion in urban areas: a short review. International Journal of Environment and Pollution, 2013, 52, 172.	0.2	76
132	CFD Modeling of Pressure Coefficients for a Natural Ventilation Study in an Experimental Low Rise Building. , 2013, , .		0
133	Coupled Outdoor and Indoor Airflow Prediction for Buildings Using Computational Fluid Dynamics (CFD). Buildings, 2013, 3, 399-421.	1.4	14
134	An Analytical Solution for Steady Temperature Profiles in a Vertically Stratified Environment. Modern Applied Science, 2014, 8, .	0.4	2
135	Hierarchical Sensor Placement Using Joint Entropy and the Effect of Modeling Error. Entropy, 2014, 16, 5078-5101.	1.1	40
136	Effect of balconies and upper lower vents on ventilation and indoor air quality in a wind-induced, naturally ventilated building. Building Services Engineering Research and Technology, 2014, 35, 393-407.	0.9	21
137	Modeling and estimation of the humans' effect on the CO ₂ dynamics inside a conference room. , 2014, , .		3
138	INVESTIGATING SELF-COOLING EFFECTS OF VENTILATED ATTICS UNDER DIFFERENT ROOF AND AMBIENT TEMPERATURES IN SUMMER. Journal of Civil Engineering and Management, 2014, 20, 674-685.	1.9	0
139	Temperature optimization of an electric heater by emissivity variation of heating elements. Case Studies in Thermal Engineering, 2014, 4, 187-192.	2.8	11
140	Numerical investigation of unsteady airflow in subway influenced by piston effect based on dynamic mesh. Tunnelling and Underground Space Technology, 2014, 40, 174-181.	3.0	98
141	Using the central ventilation shaft design within public buildings for natural aeration enhancement. Applied Thermal Engineering, 2014, 70, 219-230.	3.0	41
142	Study on the influence of airflow on the temperature of the surrounding rock in a cold region tunnel and its application to insulation layer design. Applied Thermal Engineering, 2014, 67, 320-334.	3.0	120
143	School building energy performance and classroom air environment implemented with the heat recovery heat pump and displacement ventilation system. Applied Energy, 2014, 114, 58-68.	5.1	42
144	Energy saving potential of night ventilation: Sensitivity to pressure coefficients for different European climates. Applied Energy, 2014, 123, 185-195.	5.1	73
145	Determining the ventilation and aerosol deposition rates from routine indoor-air measurements. Environmental Monitoring and Assessment, 2014, 186, 151-163.	1.3	8
146	Sub-zonal computational fluid dynamics in an object-oriented modelling framework. Building Simulation, 2014, 7, 439-454.	3.0	0
147	Scaling model study of the air distribution in a powerhouse under different ventilation conditions. Building Simulation, 2014, 7, 389-400.	3.0	8

#	ARTICLE	IF	CITATIONS
148	Coupling building energy simulation and computational fluid dynamics: Application to a two-storey house in a temperate climate. <i>Building and Environment</i> , 2014, 75, 30-39.	3.0	45
149	The influence of human walking on the flow and airborne transmission in a six-bed isolation room: Tracer gas simulation. <i>Building and Environment</i> , 2014, 77, 119-134.	3.0	127
150	Classroom energy efficiency and air environment with displacement natural ventilation in a passive public school building. <i>Energy and Buildings</i> , 2014, 70, 258-270.	3.1	72
151	Experimental characterization of full-scale naturally ventilated atrium and validation of CFD simulations. <i>Energy and Buildings</i> , 2014, 69, 285-291.	3.1	52
152	Particle image velocimetry measurement of indoor airflow field: A review of the technologies and applications. <i>Energy and Buildings</i> , 2014, 69, 367-380.	3.1	122
153	Cooling energy efficiency and classroom air environment of a school building operated by the heat recovery air conditioning unit. <i>Energy</i> , 2014, 64, 991-1001.	4.5	35
154	Air heating of passive houses in cold climates: Investigation using detailed dynamic simulations. <i>Building and Environment</i> , 2014, 74, 1-12.	3.0	32
155	Opening window issue of residential buildings in winter in north China: A case study in Shenyang. <i>Energy and Buildings</i> , 2014, 84, 567-574.	3.1	44
156	Experimental study on natural ventilation of a room with a windward window and different windexchangers. <i>Energy and Buildings</i> , 2014, 84, 458-465.	3.1	26
157	Co-simulation strategy of transient CFD and heat transfer in building thermal envelope based on calibrated heat transfer coefficients. <i>International Journal of Thermal Sciences</i> , 2014, 85, 1-11.	2.6	18
158	Indoor air environment and night cooling energy efficiency of a southern German passive public school building operated by the heat recovery air conditioning unit. <i>Energy and Buildings</i> , 2014, 81, 9-17.	3.1	19
159	Tools to improve built environment data collection for indoor microbial ecology investigations. <i>Building and Environment</i> , 2014, 81, 243-257.	3.0	27
160	Building microclimate and summer thermal comfort in free-running buildings with diverse spaces: A Chinese vernacular house case. <i>Building and Environment</i> , 2014, 82, 215-227.	3.0	87
161	The impact of zoning regulations on thermal comfort in non-conditioned housing in hot, humid climates: findings from Dhaka, Bangladesh. <i>Journal of Housing and the Built Environment</i> , 2014, 29, 677-697.	0.9	8
162	A study of interunit dispersion around multistory buildings with single-sided ventilation under different wind directions. <i>Atmospheric Environment</i> , 2014, 88, 1-13.	1.9	66
163	50 years of Computational Wind Engineering: Past, present and future. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2014, 129, 69-102.	1.7	547
164	Counter-gradient diffusion in a slot-ventilated enclosure assessed by LES and RANS. <i>Computers and Fluids</i> , 2014, 96, 63-75.	1.3	22
165	Performance evaluation of air distribution systems in three different China railway high-speed train cabins using numerical simulation. <i>Building Simulation</i> , 2014, 7, 629-638.	3.0	36

#	ARTICLE	IF	CITATIONS
166	Influence of geometric parameters on the eventual buoyancy stratification that develops due to architectural exchange flow. Building and Environment, 2014, 71, 33-46.	3.0	4
167	Implementing state-space methods for multizone contaminant transport. Building and Environment, 2014, 71, 131-139.	3.0	12
168	Experiences from nine passive houses in Sweden – Indoor thermal environment and energy use. Building and Environment, 2014, 71, 176-185.	3.0	98
169	A novel dynamic modeling approach for predicting building energy performance. Applied Energy, 2014, 114, 91-103.	5.1	46
170	Evaluation of airflow pattern in wind-driven naturally ventilated atrium buildings: measurement and simulation. Building Services Engineering Research and Technology, 2014, 35, 139-154.	0.9	9
171	Quantitative ventilation assessments of idealized urban canopy layers with various urban layouts and the same building packing density. Building and Environment, 2014, 79, 152-167.	3.0	131
172	Wind-driven cross ventilation in long buildings. Building and Environment, 2014, 80, 150-158.	3.0	53
173	Numerical and experimental study of a HVAC wall diffuser. Building and Environment, 2014, 80, 1-10.	3.0	12
174	Empirical approach for real-time estimation of air flow rates in a subway station. Tunnelling and Underground Space Technology, 2014, 42, 25-39.	3.0	24
175	Large Eddy Simulation of Single-Sided Ventilated Room With Different Location of Windows. , 2014, , .		0
176	The Simulation of Natural Ventilation of Buildings With Different Location of Windows/Openings. , 2015, , .		0
177	The Design and Simulation of Natural Personalised Ventilation (NPV) System for Multi-Bed Hospital Wards. Buildings, 2015, 5, 381-404.	1.4	6
178	Effects of rib spacing and height on particle deposition in ribbed duct air flows. Building and Environment, 2015, 92, 317-327.	3.0	46
179	Buoyancy-driven exchange flow between two adjacent building zones connected with top and bottom vents. Building and Environment, 2015, 92, 278-291.	3.0	4
180	Applicability Improvement of Demand-Controlled Ventilation under an Occupant-Based Ventilation Standard in China. Journal of Energy Engineering - ASCE, 2015, 141, 04014035.	1.0	1
181	Numerical Investigation of the Ventilation Processes in a Closed Space in the Presence of People and Heat Sources. Journal of Engineering Physics and Thermophysics, 2015, 88, 1191-1197.	0.2	1
182	Partitioning of indoor airspace for multi-zone thermal modelling using hierarchical cluster analysis. , 2015, , .		2
183	Technical feasibility of a stratum-ventilated room for multiple rows of occupants. Building and Environment, 2015, 94, 580-592.	3.0	29

#	ARTICLE	IF	CITATIONS
184	Natural Cross-ventilation of Buildings, An Experimental Study. Energy Procedia, 2015, 78, 2911-2916.	1.8	4
185	Flow Characteristics and Turbulence Simulation for an Aircraft Cabin Environment. Procedia Engineering, 2015, 121, 1266-1273.	1.2	8
186	Convective Heat Transfer Between Rooms in Nordic Passive Houses. Energy Procedia, 2015, 78, 2941-2946.	1.8	1
187	Evaluation of the Influence of Transitional Slot Reynolds Numbers on Ventilation Efficiency in Mechanically Ventilated Enclosures. Procedia Engineering, 2015, 121, 635-644.	1.2	2
188	Numerical simulation of turbulent airflow in a ventilated room: Inlet turbulence parameters and solution multiplicity. Energy and Buildings, 2015, 93, 227-235.	3.1	26
189	Particle Tracking Velocimetry for indoor airflow field: A review. Building and Environment, 2015, 87, 34-44.	3.0	47
190	Wind tunnel experiments on cross-ventilation flow of a generic building with contaminant dispersion in unsheltered and sheltered conditions. Building and Environment, 2015, 92, 452-461.	3.0	110
191	A numerical study of particle deposition in ribbed duct flow with different rib shapes. Building and Environment, 2015, 94, 43-53.	3.0	48
192	Investigation on the thermal comfort and energy efficiency of stratified air distribution systems. Energy for Sustainable Development, 2015, 28, 1-9.	2.0	21
193	Inverse design of the thermal environment in an airliner cabin by use of the CFD-based adjoint method. Energy and Buildings, 2015, 104, 147-155.	3.1	46
194	POD approach to determine in real-time the temperature distribution in a cavity. Building and Environment, 2015, 93, 34-49.	3.0	24
195	Implications of ballast tank geometry and treatment technology on NIS removal. Ocean Engineering, 2015, 103, 211-222.	1.9	7
196	Impact of eaves on cross-ventilation of a generic isolated leeward sawtooth roof building: Windward eaves, leeward eaves and eaves inclination. Building and Environment, 2015, 92, 578-590.	3.0	45
197	State-of-the-art methods for inverse design of an enclosed environment. Building and Environment, 2015, 91, 91-100.	3.0	40
198	Large-eddy Simulation of flow and dispersion around an isolated building: Analysis of influencing factors. Computers and Fluids, 2015, 118, 89-100.	1.3	49
199	Computational analysis of wind interactions for comparing different buildings sites in terms of natural ventilation. Advances in Engineering Software, 2015, 88, 73-82.	1.8	13
200	A review on natural ventilation applications through building facade components and ventilation openings in tropical climates. Energy and Buildings, 2015, 101, 153-162.	3.1	180
201	Development of simple semiempirical models for calculating airflow through hopper, awning, and casement windows for single-sided natural ventilation. Energy and Buildings, 2015, 96, 373-384.	3.1	32

#	ARTICLE	IF	CITATIONS
202	Evaluation of LES and RANS CFD modelling of multiple steady states in natural ventilation. Building and Environment, 2015, 92, 167-181.	3.0	39
203	Modeling and Estimation of the Humans' Effect on the CO ₂ Dynamics Inside a Conference Room. IEEE Transactions on Control Systems Technology, 2015, 23, 1770-1781.	3.2	32
204	CFD simulation of outdoor ventilation of generic urban configurations with different urban densities and equal and unequal street widths. Building and Environment, 2015, 92, 152-166.	3.0	257
205	Fifty years of CFD for room air distribution. Building and Environment, 2015, 91, 78-90.	3.0	180
206	Computational Fluid Dynamics for urban physics: Importance, scales, possibilities, limitations and ten tips and tricks towards accurate and reliable simulations. Building and Environment, 2015, 91, 219-245.	3.0	661
207	Natural ventilation of lower-level floors assisted by the mechanical ventilation of upper-level floors via a stack. Energy and Buildings, 2015, 92, 296-305.	3.1	29
208	AHP Based Thermal Comfort Assessment through Passive Design Allocation in Tropical School Offices. Applied Mechanics and Materials, 2015, 802, 83-88.	0.2	1
209	Dimensionless design approach, applicability and energy performance of stack-based hybrid ventilation for multi-story buildings. Energy, 2015, 93, 128-140.	4.5	38
210	City breathability in medium density urban-like geometries evaluated through the pollutant transport rate and the net escape velocity. Building and Environment, 2015, 94, 166-182.	3.0	113
211	Measuring and containing longitudinal flow: Important for airborne pollutants control in an aircraft cabin. Science and Technology for the Built Environment, 2015, 21, 1126-1133.	0.8	5
212	Numerical evaluation of ventilation performance in children day care centres. Building Simulation, 2015, 8, 189-209.	3.0	4
213	Simulating buoyancy-driven airflow in buildings by coarse-grid fast fluid dynamics. Building and Environment, 2015, 85, 144-152.	3.0	27
214	Numerical investigation on particle deposition enhancement in duct air flow by ribbed wall. Building and Environment, 2015, 85, 61-72.	3.0	50
215	CFD analysis of cross-ventilation of a generic isolated building with asymmetric opening positions: Impact of roof angle and opening location. Building and Environment, 2015, 85, 263-276.	3.0	137
216	Natural ventilation potential of high-rise residential buildings in northern China using coupling thermal and airflow simulations. Building Simulation, 2015, 8, 51-64.	3.0	31
217	Evaporative cooling by water spray systems: CFD simulation, experimental validation and sensitivity analysis. Building and Environment, 2015, 83, 129-141.	3.0	133
218	Effect of calculation zoning on numerical modelling of ventilation airflows. Building Simulation, 2015, 8, 73-79.	3.0	3
219	CFD modeling for natural ventilation in a lightwell connected to outdoor through horizontal voids. Energy and Buildings, 2015, 86, 502-513.	3.1	37

#	ARTICLE	IF	CITATIONS
220	The effect of wind speed and direction and surrounding maize on hybrid ventilation in a dairy cow building in Denmark. <i>Energy and Buildings</i> , 2015, 86, 25-34.	3.1	40
221	Overview of challenges and achievements in the climate adaptation of cities and in the Climate Proof Cities program. <i>Building and Environment</i> , 2015, 83, 1-10.	3.0	55
222	CFD analysis of the impact of physical parameters on evaporative cooling by a mist spray system. <i>Applied Thermal Engineering</i> , 2015, 75, 608-622.	3.0	102
223	CFD simulation and validation of urban microclimate: A case study for Bergpolder Zuid, Rotterdam. <i>Building and Environment</i> , 2015, 83, 79-90.	3.0	220
224	Optimal air distribution design in enclosed spaces using an adjoint method. <i>Inverse Problems in Science and Engineering</i> , 2015, 23, 760-779.	1.2	31
225	IMPROVEMENT OF THERMAL COMFORT INSIDE A MOSQUE BUILDING. <i>Jurnal Teknologi (Sciences and)</i> Tj ETQq1 1 0.784314 rgbT /Over 0.3 16	0.3	16
227	Investigation of Thermal Performance for Atria: a Method Overview. <i>MATEC Web of Conferences</i> , 2016, 66, 00029.	0.1	7
228	Optimization of Natural Ventilation of "Yinzi" Dwellings in Western Hunan Based on Orthogonal Experiment and CFD. <i>Buildings</i> , 2016, 6, 25.	1.4	11
229	Natural Ventilation Building Design Approach in Mediterranean Regions – A Case Study at the Valencian Coastal Regional Scale (Spain). <i>Sustainability</i> , 2016, 8, 855.	1.6	16
230	Coupled Natural Ventilation Modeling for Contextual Parametric Design Decision Support. <i>Procedia Engineering</i> , 2016, 169, 264-271.	1.2	10
231	Visual assessment of contaminant impacts in multizone buildings. <i>Building and Environment</i> , 2016, 102, 39-53.	3.0	7
232	Indoor bioaerosol dynamics. <i>Indoor Air</i> , 2016, 26, 61-78.	2.0	198
233	Numerical simulation of wind-driven natural ventilation: Effects of loggia and facade porosity on air change rate. <i>Building and Environment</i> , 2016, 106, 131-142.	3.0	19
234	Impacts of cross-ventilation on the air quality in street canyons with different building arrangements. <i>Building and Environment</i> , 2016, 104, 1-12.	3.0	39
235	Determination of effective diffusivities and convective coefficients of CO ₂ in gypsum plasters by dynamic single pellet experiments. <i>Building and Environment</i> , 2016, 105, 164-171.	3.0	9
236	Evaluation of a two-sided windcatcher integrated with wing wall (as a new design) and comparison with a conventional windcatcher. <i>Energy and Buildings</i> , 2016, 126, 287-300.	3.1	47
237	How temperature affects the airflow around a single-block isolated building. <i>Energy and Buildings</i> , 2016, 118, 142-151.	3.1	23
238	Anti-short-circuit device: A new solution for short-circuiting in windcatcher and improvement of natural ventilation performance. <i>Building and Environment</i> , 2016, 105, 24-39.	3.0	39

#	ARTICLE	IF	CITATIONS
239	An empirical model to predict the performance of typical solar chimneys considering both room and cavity configurations. <i>Building and Environment</i> , 2016, 103, 250-261.	3.0	57
240	Buoyancy flows and pollutant dispersion through different scale urban areas: CFD simulations and wind-tunnel measurements. <i>Building and Environment</i> , 2016, 104, 76-91.	3.0	56
241	Influence of sidewall openings on air change rate and airflow conditions inside and outside low-rise naturally ventilated buildings. <i>Energy and Buildings</i> , 2016, 130, 453-464.	3.1	19
242	Comparison of measured and simulated performance of natural displacement ventilation systems for classrooms. <i>Energy and Buildings</i> , 2016, 133, 185-196.	3.1	22
243	Developing an empirical model for roof solar chimney based on experimental data from various test rigs. <i>Building and Environment</i> , 2016, 110, 115-128.	3.0	43
244	Numerical investigation of dust pollution on a solar photovoltaic (PV) system mounted on an isolated building. <i>Applied Energy</i> , 2016, 180, 27-36.	5.1	95
245	Probability adjoint identification of airborne pollutant sources depending on one sensor in a ventilated enclosure with conjugate heat and species transports. <i>International Journal of Heat and Mass Transfer</i> , 2016, 102, 919-933.	2.5	11
246	Development of a grow-cell test facility for research into sustainable controlled-environment agriculture. <i>Biosystems Engineering</i> , 2016, 150, 40-53.	1.9	18
247	Numerical simulation of particle deposition in duct air flows with uniform, expanding or contracting cross-section. <i>Energy and Buildings</i> , 2016, 128, 867-875.	3.1	33
248	Defining the Influence Region in neighborhood-scale CFD simulations for natural ventilation design. <i>Applied Energy</i> , 2016, 182, 625-633.	5.1	120
249	Energy saving potential of natural ventilation in China: The impact of ambient air pollution. <i>Applied Energy</i> , 2016, 179, 660-668.	5.1	225
250	Simple modelling procedure for the indoor thermal environment of highly insulated buildings heated by wood stoves. <i>Journal of Building Performance Simulation</i> , 2016, 9, 663-679.	1.0	9
251	Methods of the gas concentration sinusoidal and step changes generation for dynamic properties of gas concentration meters testing. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016, 88, 131-136.	2.5	9
252	Wind tunnel analysis of flow and dispersion in cross-ventilated isolated buildings: Impact of opening positions. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2016, 155, 74-88.	1.7	85
253	Evaluation of intervention measures for respiratory disease transmission on cruise ships. <i>Indoor and Built Environment</i> , 2016, 25, 1267-1278.	1.5	15
254	Advances in building simulation and computational techniques: A review between 1987 and 2014. <i>Energy and Buildings</i> , 2016, 128, 319-335.	3.1	110
255	Improving occupational health by modelling indoor pollutant distribution. <i>Facilities</i> , 2016, 34, 289-301.	0.8	8
256	Wind-tunnel measurements for thermal effects on the air flow and pollutant dispersion through different scale urban areas. <i>Building and Environment</i> , 2016, 97, 137-151.	3.0	82

#	ARTICLE	IF	CITATIONS
257	Influences of the train-wind and air-curtain to reduce the particle concentration inside a subway tunnel. <i>Tunnelling and Underground Space Technology</i> , 2016, 52, 23-29.	3.0	31
258	Predicting thermal and energy performance of mixed-mode ventilation using an integrated simulation approach. <i>Building Simulation</i> , 2016, 9, 335-346.	3.0	31
259	Numerical and experimental comparison of 3D Particle Tracking Velocimetry (PTV) and Particle Image Velocimetry (PIV) accuracy for indoor airflow study. <i>Building and Environment</i> , 2016, 100, 40-49.	3.0	19
260	Possibility of using roof openings for natural ventilation in a shallow urban road tunnel. <i>Tunnelling and Underground Space Technology</i> , 2016, 54, 92-101.	3.0	23
261	Implementation of a fast fluid dynamics model in OpenFOAM for simulating indoor airflow. <i>Numerical Heat Transfer; Part A: Applications</i> , 2016, 69, 748-762.	1.2	44
262	Evaluating predictive performance of sensor configurations in wind studies around buildings. <i>Advanced Engineering Informatics</i> , 2016, 30, 127-142.	4.0	13
263	Control room contaminant inleakage produced by door opening and closing: Dynamic simulation and experiments. <i>Building and Environment</i> , 2016, 98, 11-20.	3.0	33
264	Summary of best guidelines and validation of CFD modeling in livestock buildings to ensure prediction quality. <i>Computers and Electronics in Agriculture</i> , 2016, 121, 180-190.	3.7	82
265	Study on emptying-box problem with different inflow directions. <i>International Journal of Heat and Mass Transfer</i> , 2016, 92, 1009-1017.	2.5	2
266	Optimal Sensor Placement for Time-Dependent Systems: Application to Wind Studies around Buildings. <i>Journal of Computing in Civil Engineering</i> , 2016, 30, .	2.5	33
267	Validation of numerical simulation tools for wind-driven natural ventilation design. <i>Building Simulation</i> , 2016, 9, 75-87.	3.0	39
268	CFD investigation on particle deposition in aligned and staggered ribbed duct air flows. <i>Applied Thermal Engineering</i> , 2016, 93, 697-706.	3.0	44
269	CFD simulation of stratified indoor environment in displacement ventilation: Validation and sensitivity analysis. <i>Building and Environment</i> , 2016, 95, 299-313.	3.0	144
270	Numerical investigation of wind-driven natural ventilation performance in a multi-storey hospital by coupling indoor and outdoor airflow. <i>Indoor and Built Environment</i> , 2016, 25, 1226-1247.	1.5	39
271	The impact of design ventilation rates on the indoor air quality in residential buildings: An Italian case study. <i>Indoor and Built Environment</i> , 2017, 26, 1397-1419.	1.5	10
272	Simulated and measured performance of displacement ventilation systems in large rooms. <i>Building and Environment</i> , 2017, 114, 470-482.	3.0	37
273	Simulation of heavy gas dispersion in a large indoor space using CFD model. <i>Journal of Loss Prevention in the Process Industries</i> , 2017, 46, 1-12.	1.7	58
274	Indoor mould growth prediction using coupled computational fluid dynamics and mould growth model. <i>Building Simulation</i> , 2017, 10, 551-562.	3.0	3

#	ARTICLE	IF	CITATIONS
275	Reflections on the history of indoor air science, focusing on the last 50 years. <i>Indoor Air</i> , 2017, 27, 708-724.	2.0	60
276	CFD results calibration from sparse sensor observations with a case study for indoor thermal map. <i>Building and Environment</i> , 2017, 117, 166-177.	3.0	4
277	Lattice Boltzmann Simulation of Airflow and Heat Transfer in a Model Ward of a Hospital. <i>Journal of Thermal Science and Engineering Applications</i> , 2017, 9, .	0.8	12
278	Natural ventilation in multi-storey buildings: Design process and review of evaluation tools. <i>Building and Environment</i> , 2017, 116, 182-194.	3.0	82
279	A review on experimental research using scale models for buildings: Application and methodologies. <i>Energy and Buildings</i> , 2017, 142, 72-110.	3.1	48
280	Investigating a selection of mixing times for transient pollutants in mechanically ventilated, isothermal rooms using automated computational fluid dynamics analysis. <i>Building and Environment</i> , 2017, 118, 313-322.	3.0	5
281	Effects of injection pressure on diesel sprays in constant injection mass condition. <i>Applied Thermal Engineering</i> , 2017, 121, 234-241.	3.0	29
282	Large-eddy simulations of ventilation for thermal comfort – A parametric study of generic urban configurations with perpendicular approaching winds. <i>Urban Climate</i> , 2017, 20, 202-227.	2.4	38
283	Inverse design of an indoor environment using a CFD-based adjoint method with the adaptive step size for adjusting the design parameters. <i>Numerical Heat Transfer; Part A: Applications</i> , 2017, 71, 707-720.	1.2	17
284	Numerical investigation on the buoyancy-driven infiltration airflow through the opening of the cold store. <i>Applied Thermal Engineering</i> , 2017, 121, 701-711.	3.0	7
285	The comparison of vertical temperature distributions between the reduced-scale model experiments and the prototype on-site tests of a large space building with low-sidewall air inlets and middle air outlets. <i>International Journal of Ventilation</i> , 2017, 16, 230-243.	0.2	1
286	Effect of changing window type and ventilation strategy on indoor thermal environment of existing garment factories in Bangladesh. <i>Architectural Science Review</i> , 2017, 60, 299-315.	1.1	7
287	Smart Energy Control Systems for Sustainable Buildings. <i>Smart Innovation, Systems and Technologies</i> , 2017, , .	0.5	5
288	A review on the CFD analysis of urban microclimate. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 80, 1613-1640.	8.2	398
290	A comparison between tracer gas and aerosol particles distribution indoors: The impact of ventilation rate, interaction of airflows, and presence of objects. <i>Indoor Air</i> , 2017, 27, 1201-1212.	2.0	98
291	A systematic evaluation of accelerating indoor airflow simulations using cross-platform parallel computing. <i>Journal of Building Performance Simulation</i> , 2017, 10, 243-255.	1.0	16
292	Low-Reynolds number mixing ventilation flows: Impact of physical and numerical diffusion on flow and dispersion. <i>Building Simulation</i> , 2017, 10, 589-606.	3.0	7
293	An enthalpy-based energy savings estimation method targeting thermal comfort level in naturally ventilated buildings in hot-humid summer zones. <i>Applied Energy</i> , 2017, 187, 717-731.	5.1	24

#	ARTICLE	IF	CITATIONS
294	A review on windcatcher for passive cooling and natural ventilation in buildings, Part 1: Indoor air quality and thermal comfort assessment. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 70, 736-756.	8.2	151
295	On the accuracy of CFD simulations of cross-ventilation flows for a generic isolated building: Comparison of RANS, LES and experiments. <i>Building and Environment</i> , 2017, 114, 148-165.	3.0	242
296	PIV experiment and evaluation of air flow performance of swirl diffuser mounted on the floor. <i>Energy and Buildings</i> , 2017, 156, 58-69.	3.1	18
297	Effect of natural ventilation mode on thermal comfort and ventilation performance: Full-scale measurement. <i>Energy and Buildings</i> , 2017, 156, 1-16.	3.1	77
298	A state-space method for real-time transient simulation of indoor airflow. <i>Building and Environment</i> , 2017, 126, 184-194.	3.0	10
299	Returning and net escape probabilities of contaminant at a local point in indoor environment. <i>Building and Environment</i> , 2017, 125, 67-76.	3.0	17
300	On the effect of provision of balconies on natural ventilation and thermal comfort in high-rise residential buildings. <i>Building and Environment</i> , 2017, 123, 504-516.	3.0	69
301	Adjoint-based optimization of displacement ventilation flow. <i>Building and Environment</i> , 2017, 124, 342-356.	3.0	10
302	Study of underfloor air distribution using zonal model-based simulation and experimental measurements. <i>Energy and Buildings</i> , 2017, 152, 96-107.	3.1	11
303	Integrated analysis of numerical weather prediction and computational fluid dynamics for estimating cross-ventilation effects on inhaled air quality inside a factory. <i>Atmospheric Environment</i> , 2017, 167, 11-22.	1.9	15
304	Effect of sampling density on the reliability of airflow rate measurements in a naturally ventilated animal mock-up building. <i>Energy and Buildings</i> , 2017, 152, 313-322.	3.1	4
305	Numerical analysis of passive strategies for energy retrofit of existing buildings in Mediterranean climate: thermal mass and natural ventilation combination. <i>Sustainable Buildings</i> , 2017, 2, 4.	0.7	2
306	A porous building approach for modelling flow and heat transfer around and inside an isolated building on night ventilation and thermal mass. <i>Energy</i> , 2017, 141, 1914-1927.	4.5	28
307	Transient three-dimensional CFD modelling of ceiling fans. <i>Building and Environment</i> , 2017, 123, 37-49.	3.0	52
308	Numerical Investigation of the Indoor Air Quality and Thermal Comfort in Large Assembly. , 2017, , .		0
309	Numerical comparison of removal and deposition for fully-distributed particles in central- and split-type air-conditioning rooms. <i>Building and Environment</i> , 2017, 112, 17-28.	3.0	37
310	Investigation of particle deposition efficiency enhancement in turbulent duct air flow by surface ribs with hybrid-size ribs. <i>Indoor and Built Environment</i> , 2017, 26, 608-620.	1.5	6
311	Numerical study of monodispersed particle deposition rates in variable-section ducts with different expanding or contracting ratios. <i>Applied Thermal Engineering</i> , 2017, 110, 150-161.	3.0	34

#	ARTICLE	IF	CITATIONS
312	A field study of wind dominant single sided ventilation through a narrow slotted architectural louvre system. <i>Energy and Buildings</i> , 2017, 138, 733-747.	3.1	29
313	Intelligently controlled naturally ventilated mosque “ a case study of applying design tools throughout the design process. <i>International Journal of Ventilation</i> , 2017, 16, 124-133.	0.2	0
314	Influence of input data on airflow network accuracy in residential buildings with natural wind- and stack-driven ventilation. <i>Building Simulation</i> , 2017, 10, 229-238.	3.0	15
315	Simulations of the impacts of building height layout on air quality in natural-ventilated rooms around street canyons. <i>Environmental Science and Pollution Research</i> , 2017, 24, 23620-23635.	2.7	12
316	Natural Ventilation in Vernacular Architecture of Sistan, Iran; Classification and CFD Study of Compound Rooms. <i>Sustainability</i> , 2017, 9, 1048.	1.6	22
317	The impact of urban open space and “lift-up” building design on building intake fraction and daily pollutant exposure in idealized urban models. <i>Science of the Total Environment</i> , 2018, 633, 1314-1328.	3.9	79
318	CFD investigation on the effects of wind and thermal wall-flow on pollutant transmission in a high-rise building. <i>Building and Environment</i> , 2018, 137, 185-197.	3.0	38
319	Propagation and entrainment of buoyancy-driven flows in a narrow horizontal space and implications for buoyant contaminant transport under natural ventilation. <i>Building and Environment</i> , 2018, 132, 214-224.	3.0	17
320	Building energy simulation coupled with CFD for indoor environment: A critical review and recent applications. <i>Energy and Buildings</i> , 2018, 165, 184-199.	3.1	87
321	Building Evidence for Health: Green Buildings, Current Science, and Future Challenges. <i>Annual Review of Public Health</i> , 2018, 39, 291-308.	7.6	64
322	Analysing urban ventilation in building arrays with the age spectrum and mean age of pollutants. <i>Building and Environment</i> , 2018, 131, 288-305.	3.0	22
323	Multi-zone outdoor air coordination through Wi-Fi probe-based occupancy sensing. <i>Energy and Buildings</i> , 2018, 159, 495-507.	3.1	46
324	On optimization of thermal sensation satisfaction rate and energy efficiency of public rooms: A case study. <i>Journal of Cleaner Production</i> , 2018, 176, 990-998.	4.6	8
325	Development of adaptive coarse grid generation methods for fast fluid dynamics in simulating indoor airflow. <i>Journal of Building Performance Simulation</i> , 2018, 11, 470-484.	1.0	17
326	Parametric study of air curtain door aerodynamics performance based on experiments and numerical simulations. <i>Building and Environment</i> , 2018, 129, 65-73.	3.0	39
327	Sensitivity analysis of wind pressure coefficients on CAARC standard tall buildings in CFD simulations. <i>Journal of Building Engineering</i> , 2018, 16, 146-158.	1.6	82
328	Requirements for modeling airborne microbial contamination in space stations. <i>Acta Astronautica</i> , 2018, 144, 380-387.	1.7	6
329	Optimal design of an indoor environment by the CFD-based adjoint method with area-constrained topology and cluster analysis. <i>Building and Environment</i> , 2018, 138, 171-180.	3.0	27

#	ARTICLE	IF	CITATIONS
330	Airborne spread of expiratory droplet nuclei between the occupants of indoor environments: A review. <i>Indoor Air</i> , 2018, 28, 500-524.	2.0	193
331	Effects of particle sizes and tilt angles on dust deposition characteristics of a ground-mounted solar photovoltaic system. <i>Applied Energy</i> , 2018, 220, 514-526.	5.1	114
332	Effects of room airflow on accurate determination of PUF-PAS sampling rates in the indoor environment. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 757-766.	1.7	10
333	Investigation of multi-level wind flow characteristics and pedestrian comfort in a tropical city. <i>Urban Climate</i> , 2018, 24, 185-204.	2.4	15
334	Multi-stage downscaling procedure to analyse the impact of exposure concentration in a factory on a specific worker through computational fluid dynamics modelling. <i>Indoor and Built Environment</i> , 2018, 27, 486-498.	1.5	13
335	Improving office building energy-efficiency ratings using a smart-engineering computer-simulation approach: an Australian case study. <i>Advances in Building Energy Research</i> , 2018, 12, 217-234.	1.1	3
336	Assessment of turbulence models and air supply opening models for CFD modelling of airflow and gaseous contaminant distributions in aircraft cabins. <i>Indoor and Built Environment</i> , 2018, 27, 606-621.	1.5	24
337	Comparison of STAR-CCM+ and ANSYS Fluent for simulating indoor airflows. <i>Building Simulation</i> , 2018, 11, 165-174.	3.0	33
338	Modelling enhancement of cross-ventilation in sheltered buildings using stochastic optimization. <i>International Journal of Heat and Mass Transfer</i> , 2018, 118, 758-772.	2.5	32
339	Assessing the risk of downwind spread of avian influenza virus via airborne particles from an urban wholesale poultry market. <i>Building and Environment</i> , 2018, 127, 120-126.	3.0	19
340	A study of hybrid ventilation in an institutional building for predictive control. <i>Building and Environment</i> , 2018, 128, 1-11.	3.0	23
341	Building performance assessment of user behaviour as a post occupancy evaluation indicator: Case study on youth housing in Egypt. <i>Building Simulation</i> , 2018, 11, 389-403.	3.0	2
342	CFD simulation of cross-ventilation in buildings using rooftop wind-catchers: Impact of outlet openings. <i>Renewable Energy</i> , 2018, 118, 502-520.	4.3	122
343	Numerical and experimental comparison of complete three-dimensional particle tracking velocimetry algorithms for indoor airflow study. <i>Indoor and Built Environment</i> , 2018, 27, 528-543.	1.5	3
344	CFD simulation of local exhaust ventilation for aviation fire-test lab. <i>International Journal of Engineering and Technology(UAE)</i> , 2018, 7, 188-194.	0.2	0
345	Application of CFD in building performance simulation for airflow analysis and architectural design: a cast study. , 2018, , .		1
346	Numerical prediction of thermal and airflow conditions of a naturally ventilated atrium and validation of CFD models. <i>Journal of Renewable and Sustainable Energy</i> , 2018, 10, .	0.8	13
347	The extensive analysis of building energy performance across the Baltic Sea region. <i>Science and Technology for the Built Environment</i> , 2018, 24, 982-993.	0.8	9

#	ARTICLE	IF	CITATIONS
348	Development of self-label method to distinguish supply air from room air without tracer in numerical simulations. <i>Building and Environment</i> , 2018, 145, 223-233.	3.0	9
349	Cross-flowing displacement ventilation system for conveyor belts in the food industry. <i>Energy and Buildings</i> , 2018, 179, 213-222.	3.1	5
350	Investigation on thermal performance of the wall-mounted attached ventilation for night cooling under hot summer conditions. <i>Building and Environment</i> , 2018, 146, 268-279.	3.0	15
351	Numerical study of dry deposition of monodisperse and polydisperse dust on building-mounted solar photovoltaic panels with different roof inclinations. <i>Solar Energy</i> , 2018, 176, 535-544.	2.9	32
352	A new application model of building ventilation with light shafts: a proposal based on case study assessment. <i>Journal of Zhejiang University: Science A</i> , 2018, 19, 796-810.	1.3	0
353	Natural wind utilization in the vertical shaft of a super-long highway tunnel and its energy saving effect. <i>Building and Environment</i> , 2018, 145, 140-152.	3.0	73
354	Reduced-scale experimental model and numerical investigations to buoyance-driven natural ventilation in a large space building. <i>Building and Environment</i> , 2018, 145, 24-32.	3.0	21
355	Exploration of a long-term measurement approach for air change rate. <i>Building and Environment</i> , 2018, 144, 474-481.	3.0	13
356	Dynamic control of room air temperature for stratum ventilation based on heat removal efficiency: Method and experimental validations. <i>Building and Environment</i> , 2018, 140, 107-118.	3.0	43
357	Numerical study on particle deposition in rough channels with large-scale irregular roughness. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 1517-1524.	1.2	5
358	Experimental investigation and dynamic modeling of a triple-glazed exhaust air window with built-in venetian blinds in the cooling season. <i>Applied Thermal Engineering</i> , 2018, 140, 73-85.	3.0	28
359	Transient evolution and backlayering of buoyancy-driven contaminants in a narrow inclined space. <i>Building and Environment</i> , 2018, 143, 59-70.	3.0	12
360	Ventilation, indoor particle filtration, and energy consumption of an apartment in northern China. <i>Building and Environment</i> , 2018, 143, 280-292.	3.0	31
361	Thermal buoyancy driven flows inside the industrial buildings primarily ventilated by the mechanical fans: Local facilitation and infiltration. <i>Energy and Buildings</i> , 2018, 175, 87-101.	3.1	32
362	Optimisation of Heat Loss through Ventilation for Residential Buildings. <i>Atmosphere</i> , 2018, 9, 95.	1.0	10
363	Computational fluid dynamics predictions of non-isothermal ventilation flow—How can the user factor be minimized?. <i>Indoor Air</i> , 2018, 28, 866-880.	2.0	19
364	Challenges in the low-carbon adaptation of China's apartment towers. <i>Building Research and Information</i> , 2018, 46, 899-930.	2.0	23
365	LES over RANS in building simulation for outdoor and indoor applications: A foregone conclusion?. <i>Building Simulation</i> , 2018, 11, 821-870.	3.0	297

#	ARTICLE	IF	CITATIONS
366	Wind tunnel investigations of sidewall opening effects on indoor airflows of a cross-ventilated dairy building. <i>Energy and Buildings</i> , 2018, 175, 163-172.	3.1	18
367	Experimental and numerical investigation of the wake flow of a human-shaped manikin: Experiments by PIV and simulations by CFD. <i>Building Simulation</i> , 2018, 11, 1189-1205.	3.0	14
368	Numerical study on particle deposition in rough channels with different structure parameters of rough elements. <i>Advanced Powder Technology</i> , 2018, 29, 2895-2903.	2.0	11
369	Ventilation behavior in residential buildings with mechanical ventilation systems across different climate zones in China. <i>Building and Environment</i> , 2018, 143, 679-690.	3.0	50
370	Numerical investigation into the structure of scalar plumes in a simple room. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2018, 175, 252-263.	1.7	12
371	Experimental investigation of the atmospheric boundary layer flow past a building model with openings. <i>Building and Environment</i> , 2018, 141, 166-181.	3.0	9
372	CFD prediction of dust pollution and impact on an isolated ground-mounted solar photovoltaic system. <i>Renewable Energy</i> , 2019, 131, 829-840.	4.3	57
373	A review of advanced air distribution methods - theory, practice, limitations and solutions. <i>Energy and Buildings</i> , 2019, 202, 109359.	3.1	138
374	A Review of CFD Analysis Methods for Personalized Ventilation (PV) in Indoor Built Environments. <i>Sustainability</i> , 2019, 11, 4166.	1.6	51
375	A generalization approach for reduced order modelling of commercial buildings. <i>Journal of Building Performance Simulation</i> , 2019, 12, 729-744.	1.0	7
376	The potential influence of building optimization and passive design strategies on natural ventilation systems in underground buildings: The state of the art. <i>Tunnelling and Underground Space Technology</i> , 2019, 92, 103065.	3.0	40
377	A Grey Box Modeling Method for Fast Predicting Buoyancy-Driven Natural Ventilation Rates through Multi-Opening Atriums. <i>Sustainability</i> , 2019, 11, 3239.	1.6	2
378	Evaluation of a steady-state method to estimate indoor PM2.5 concentration of outdoor origin. <i>Building and Environment</i> , 2019, 161, 106243.	3.0	17
379	Dynamic sequential box modelling of inhalation exposure potential in multi-bed patient ward: Validation and baseline case studies. <i>Building and Environment</i> , 2019, 161, 106241.	3.0	5
380	An optimization platform based on coupled indoor environment and HVAC simulation and its application in optimal thermostat placement. <i>Energy and Buildings</i> , 2019, 199, 342-351.	3.1	22
381	Optimal design of an indoor environment using an adjoint RNG $k-\hat{\mu}$ turbulence model. <i>E3S Web of Conferences</i> , 2019, 111, 04037.	0.2	2
382	Research on the wind pressure coefficient in natural wind calculations for extra-long highway tunnels with shafts. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2019, 195, 104020.	1.7	14
383	Investigation of Ventilation Behaviors in Mechanically Ventilated Residential Buildings in China. <i>E3S Web of Conferences</i> , 2019, 111, 06048.	0.2	1

#	ARTICLE	IF	CITATIONS
384	Impacts of tree-planting pattern and trunk height on the airflow and pollutant dispersion inside a street canyon. <i>Building and Environment</i> , 2019, 165, 106385.	3.0	53
385	CFD studies of pollutant spatial distribution in a large office. <i>International Journal of Environment and Pollution</i> , 2019, 65, 125.	0.2	1
386	Influence of high humidity and salt-rich spray environment on ventilation effect in urban undersea road tunnel. <i>Tunnelling and Underground Space Technology</i> , 2019, 94, 103109.	3.0	13
387	Experimental study on the impact of facade design on indoor thermal environment in tropical residential buildings. <i>Building and Environment</i> , 2019, 166, 106418.	3.0	28
388	The effect of library indoor environments on occupant satisfaction and performance in Chinese universities using SEMs. <i>Building and Environment</i> , 2019, 150, 322-329.	3.0	35
389	Comparison study of contaminant distribution and indoor air quality in large-height spaces between impinging jet and mixing ventilation systems in heating mode. <i>Building and Environment</i> , 2019, 160, 106159.	3.0	47
390	Can the inhalation exposure of a specific worker in a cross-ventilated factory be evaluated by time- and spatial-averaged contaminant concentration?. <i>Environmental Pollution</i> , 2019, 252, 1388-1398.	3.7	11
391	Using spatial indicators to predict ventilation and energy performance-correlation analysis for an apartment building in five Chinese cities. <i>Frontiers of Architectural Research</i> , 2019, 8, 175-190.	1.3	6
392	Determination of a Methodology to Derive Correlations Between Window Opening Mass Flow Rate and Wind Conditions Based on CFD Results. <i>Energies</i> , 2019, 12, 1600.	1.6	5
393	An artificial neural network model using outdoor environmental parameters and residential building characteristics for predicting the nighttime natural ventilation effect. <i>Building and Environment</i> , 2019, 159, 106139.	3.0	24
394	Evaluation of a new system combining wood-burning stove, flue gas heat exchanger and mechanical ventilation with heat recovery in highly-insulated houses. <i>Applied Thermal Engineering</i> , 2019, 157, 113693.	3.0	4
395	The deposition characteristics of micron particles in heat exchange pipelines. <i>Applied Thermal Engineering</i> , 2019, 158, 113732.	3.0	22
396	Numerical investigation on the effects of building configuration on discharge coefficient for a cross-ventilated dairy building model. <i>Biosystems Engineering</i> , 2019, 182, 107-122.	1.9	10
397	Particle deposition in ventilation ducts: A review. <i>Building Simulation</i> , 2019, 12, 723-734.	3.0	17
398	An Investigation of the Quantitative Correlation between Urban Morphology Parameters and Outdoor Ventilation Efficiency Indices. <i>Atmosphere</i> , 2019, 10, 33.	1.0	40
399	Cross-ventilation in a generic isolated building equipped with louvers: Wind-tunnel experiments and CFD simulations. <i>Building and Environment</i> , 2019, 154, 263-280.	3.0	78
400	Simulation of the thermal performance of a geometrically complex Double-Skin Facade for hot climates: EnergyPlus vs. OpenFOAM. <i>Building Simulation</i> , 2019, 12, 781-795.	3.0	17
401	Ventilation in Office Buildings. <i>Design Science and Innovation</i> , 2019, , 341-367.	0.1	1

#	ARTICLE	IF	CITATIONS
402	Three-dimensional delayed detached-eddy simulation of wind flow and particle dispersion in the urban environment. Atmospheric Environment, 2019, 201, 173-189.	1.9	11
403	Multi-criteria performance optimization for operation of stratum ventilation under heating mode. Applied Energy, 2019, 239, 969-980.	5.1	46
404	Natural ventilation of an isolated generic building with a windward window and different windexchangers: CFD validation, sensitivity study and performance analysis. Building Simulation, 2019, 12, 475-488.	3.0	17
405	Building façade integrated solar thermal collectors for air heating: experimentation, modelling and applications. Applied Energy, 2019, 239, 658-679.	5.1	64
406	A network model for natural ventilation simulation in deep buried underground structures. Building and Environment, 2019, 153, 288-301.	3.0	15
407	Analysis of tilted neutral planes for tall space fires with unsymmetrical openings using numerical simulation and Schlieren photography technique. International Journal of Numerical Methods for Heat and Fluid Flow, 2019, 29, 4213-4236.	1.6	2
408	Impact of school traffic on outdoor carbon monoxide levels. City and Environment Interactions, 2019, 4, 100032.	1.8	8
409	Kitchen Pollutants Control and Ventilation. , 2019, , .		1
410	Qualitative and quantitative investigation on concentration of indoor dense gas caused by leakage and diffusion. Environmental Progress and Sustainable Energy, 2019, 38, 424-434.	1.3	9
411	Field measurements of the environmental parameter and pollutant dispersion in urban undersea road tunnel. Building and Environment, 2019, 149, 100-108.	3.0	37
412	A hybrid building thermal modeling approach for predicting temperatures in typical, detached, two-story houses. Applied Energy, 2019, 236, 101-116.	5.1	60
413	Surrogate modeling approach towards coupling computational fluid dynamics and energy simulations for analysis and design of energy efficient attics. Building and Environment, 2019, 149, 196-209.	3.0	3
414	Systematic comparisons of exit air temperature and wall temperature for modelling non-uniform thermal environment of stratum ventilation. Building and Environment, 2019, 149, 120-133.	3.0	8
415	Dual steady flow solutions of heat and pollutant removal from a slot ventilated welding enclosure containing a bottom heating source. International Journal of Heat and Mass Transfer, 2019, 132, 11-24.	2.5	12
416	Inverse design of indoor environment using an adjoint $k-\epsilon$ RNG turbulence model. Indoor Air, 2019, 29, 320-330.	2.0	21
417	Analysis of makeup air in a natural smoke vent system in a tall space using numerical simulation and Schlieren technique. International Journal of Numerical Methods for Heat and Fluid Flow, 2019, 29, 309-333.	1.6	4
418	Enhancement of thermal comfort in a large space building. AEJ - Alexandria Engineering Journal, 2019, 58, 49-65.	3.4	36
419	Application and numerical error analysis of multiscale method for air flow, heat and pollutant transfer through different scale urban areas. Building and Environment, 2019, 149, 349-365.	3.0	10

#	ARTICLE	IF	CITATIONS
420	A numerical investigation on the mixing factor and particle deposition velocity for enclosed spaces under natural ventilation. <i>Building Simulation</i> , 2019, 12, 465-473.	3.0	14
421	Validation of a transient zonal model to predict the detailed indoor thermal environment: Case of electric radiators and wood stoves. <i>Building and Environment</i> , 2019, 149, 169-181.	3.0	17
422	Flow and dispersion in coupled outdoor and indoor environments: Issue of Reynolds number independence. <i>Building and Environment</i> , 2019, 150, 119-134.	3.0	26
423	Effects of vertical farming on natural ventilation of residential buildings. <i>Energy and Buildings</i> , 2019, 185, 316-325.	3.1	23
424	Effectiveness of human-thermal indices: Spatio-temporal trend of human warmth in tropical India. <i>Urban Climate</i> , 2019, 27, 351-371.	2.4	11
425	Preliminary study on heating energy consumption distribution of dwellings in hot summer and cold winter climate region of China. <i>Indoor and Built Environment</i> , 2019, 28, 950-963.	1.5	6
426	Effects of operation parameters on performances of stratum ventilation for heating mode. <i>Building and Environment</i> , 2019, 148, 55-66.	3.0	76
427	Ventilation effect on different position of classrooms in "one-line" type teaching building. <i>Journal of Cleaner Production</i> , 2019, 209, 886-902.	4.6	26
428	Thermal comfort investigation of stratified indoor environment in displacement ventilation: Climate-adaptive building with smart windows. <i>Sustainable Cities and Society</i> , 2019, 46, 101354.	5.1	41
429	Enhancement of heat transfer in office buildings during night cooling "reduced scale experimentation. <i>Building and Environment</i> , 2019, 148, 653-667.	3.0	6
430	Improving the air change rate in high-rise buildings through a transom ventilation panel: A case study. <i>Building and Environment</i> , 2019, 147, 35-49.	3.0	27
431	Computational fluid dynamics simulation of wind-driven inter-unit dispersion around multi-storey buildings: Upstream building effect. <i>Indoor and Built Environment</i> , 2019, 28, 217-234.	1.5	17
432	Computational of the wind velocity effect on infiltration rates in an individual building using multi-zone airflow model. <i>International Journal of Ventilation</i> , 2019, 18, 46-63.	0.2	1
433	Mathematical and experimental analysis of the thermal effectiveness of an oscillating jet with side-to-side swing louvers in a cassette split type air conditioner. <i>Indoor and Built Environment</i> , 2020, 29, 240-254.	1.5	5
434	Effects of different auditorium forms on ventilation in a football stadium. <i>Indoor and Built Environment</i> , 2020, 29, 1070-1086.	1.5	2
435	Experimental study of airflow and pollutant dispersion in cross-ventilated multi-room buildings: Effects of source location and ventilation path. <i>Sustainable Cities and Society</i> , 2020, 52, 101822.	5.1	16
436	Wind tunnel and CFD analysis of wind-induced natural ventilation in sheds roof building: impact of alignment and distance between sheds. <i>International Journal of Ventilation</i> , 2020, 19, 141-162.	0.2	3
437	Multi-zone indoor CFD under limited information: An approach coupling solar analysis and BIM for improved accuracy. <i>Journal of Cleaner Production</i> , 2020, 244, 118912.	4.6	12

#	ARTICLE	IF	CITATIONS
438	Field measurements on thermal stratification and cooling potential of natural ventilation for large space buildings. <i>International Journal of Ventilation</i> , 2020, 19, 49-62.	0.2	4
439	Influences of radiation on the prediction of thermal environment in a transient buoyancy-driven natural ventilation classroom. <i>Science and Technology for the Built Environment</i> , 2020, 26, 334-348.	0.8	3
440	Analytical and computational indoor shelter models for infiltration of carbon dioxide into buildings: Comparison with experimental data. <i>International Journal of Greenhouse Gas Control</i> , 2020, 92, 102849.	2.3	1
441	Integrated assessment of indoor and outdoor ventilation in street canyons with naturally-ventilated buildings by various ventilation indexes. <i>Building and Environment</i> , 2020, 169, 106528.	3.0	29
442	Evaluating single-sided natural ventilation models against full-scale idealised measurements: Impact of wind direction and turbulence. <i>Building and Environment</i> , 2020, 170, 106556.	3.0	24
443	Mixing ventilation driven by two oppositely located supply jets with a time-periodic supply velocity: A numerical analysis using computational fluid dynamics. <i>Indoor and Built Environment</i> , 2020, 29, 603-620.	1.5	28
444	Impacts of façade openings' geometry on natural ventilation and occupants' perception: A review. <i>Building and Environment</i> , 2020, 170, 106613.	3.0	49
445	Construction, validation and testing of a water table for natural ventilation analysis. <i>Energy and Buildings</i> , 2020, 226, 110356.	3.1	2
446	Natural ventilation by windcatcher (Badgir): A review on the impacts of geometry, microclimate and macroclimate. <i>Energy and Buildings</i> , 2020, 226, 110396.	3.1	43
447	A ventilator that responds to outdoor conditions for ventilation and air filtration. <i>Energy and Buildings</i> , 2020, 229, 110498.	3.1	7
448	CFD simulation of natural ventilation of a generic building in various incident wind directions: Comparison of turbulence modelling, evaluation methods, and ventilation mechanisms. <i>Energy and Buildings</i> , 2020, 229, 110516.	3.1	72
449	Zonal modelling for thermal and energy performance of large space buildings: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 133, 110241.	8.2	36
450	Multi-zone field study of rule extraction control to simplify implementation of predictive control to reduce building energy use. <i>Energy and Buildings</i> , 2020, 222, 110056.	3.1	7
451	Optimal sensor placement in a hospital operating room. <i>IJSE Transactions on Healthcare Systems Engineering</i> , 2020, 10, 212-227.	1.2	4
452	Utilization of displacement ventilation and on-site measurement of thermal environment in an ice arena. <i>Building and Environment</i> , 2020, 186, 107391.	3.0	20
453	Windcatchers and their applications in contemporary architecture. <i>Energy and Built Environment</i> , 2022, 3, 56-72.	2.9	24
454	Research on the relationship between urban morphology and air temperature based on mobile measurement: A case study in Wuhan, China. <i>Urban Climate</i> , 2020, 34, 100671.	2.4	29
455	Principles of air and contaminant movement inside and around buildings. , 2020, , 245-370.		7

#	ARTICLE	IF	CITATIONS
456	Computer-aided design of a new cabin supply air nozzle in commercial airplanes for reducing particle deposition. <i>Building and Environment</i> , 2020, 186, 107324.	3.0	5
457	Calibration Methodology for CFD Models of Rooms and Buildings with Mechanical Ventilation from Experimental Results. , 2020, , .		1
458	Solving city and building microclimates by fast fluid dynamics with large timesteps and coarse meshes. <i>Building and Environment</i> , 2020, 179, 106955.	3.0	33
459	On-site measurement and zonal simulation on winter indoor environment and air infiltration in an atrium in a severe cold region. <i>Energy and Buildings</i> , 2020, 223, 110160.	3.1	20
460	Analysis of calculation of fresh-air demand for road tunnel ventilation design in China. <i>Tunnelling and Underground Space Technology</i> , 2020, 103, 103469.	3.0	10
461	Perspectives of naturally ventilated buildings: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 130, 109933.	8.2	41
462	Can indoor sports centers be allowed to re-open during the COVID-19 pandemic based on a certificate of equivalence?. <i>Building and Environment</i> , 2020, 180, 107022.	3.0	66
463	An experimental study on the influence of local loss on ventilation characteristic of dividing flow in urban traffic link tunnel. <i>Building and Environment</i> , 2020, 174, 106793.	3.0	10
464	High-Resolution CFD and In-Situ Monitoring Based Validation of an Industrial Passive Air Conduction System (PACS). <i>Energies</i> , 2020, 13, 3157.	1.6	7
465	Decreasing inhaled contaminant dose of a factory worker through a hybrid Emergency Ventilation System: Performance evaluation in worst-case scenario. <i>Energy and Built Environment</i> , 2020, 1, 319-326.	2.9	22
466	Quantitative effects of supply air and contaminant sources on steady contaminant distribution in ventilated space with air recirculation. <i>Building and Environment</i> , 2020, 171, 106672.	3.0	11
467	Influence of air-conditioning systems on buoyancy driven air infiltration in large space buildings: A case study of a railway station. <i>Energy and Buildings</i> , 2020, 210, 109781.	3.1	34
468	Investigation of the Energy Saving Efficiency of a Natural Ventilation Strategy in a Multistory School Building. <i>Energies</i> , 2020, 13, 1746.	1.6	13
469	Real-Time Reconstruction of Contaminant Dispersion from Sparse Sensor Observations with Gappy POD Method. <i>Energies</i> , 2020, 13, 1956.	1.6	13
470	A numerical investigation of balcony geometry impact on single-sided natural ventilation and thermal comfort. <i>Building and Environment</i> , 2020, 177, 106847.	3.0	32
471	Natural ventilation usability under climate change in Canada and the United States. <i>Building Research and Information</i> , 2021, 49, 367-386.	2.0	14
472	A methodology for quantifying flow patterns in a water-table apparatus for naturally ventilated buildings. <i>Architectural Science Review</i> , 2021, 64, 98-108.	1.1	0
473	Numerical investigation of ventilation efficiency in a Combat Arms training facility using computational fluid dynamics modelling. <i>Building and Environment</i> , 2021, 188, 107404.	3.0	3

#	ARTICLE	IF	CITATIONS
474	Evaluation of stack ventilation in a large space using zonal simulation and a reduced-scale model experiment with particle image velocimetry. <i>Journal of Building Engineering</i> , 2021, 34, 101958.	1.6	9
475	Numerical investigations of Re-independence and influence of wall heating on flow characteristics and ventilation in full-scale 2D street canyons. <i>Building and Environment</i> , 2021, 189, 107510.	3.0	44
476	Numerical investigation of indoor thermal comfort and air quality for a multi-purpose hall with various shading and glazing ratios. <i>Thermal Science and Engineering Progress</i> , 2021, 22, 100812.	1.3	10
477	On-site measurement and numerical investigation of the airflow characteristics in an aquatics center. <i>Journal of Building Engineering</i> , 2021, 35, 101968.	1.6	4
478	Investigation of natural ventilation performance of large space circular coal storage dome. <i>Building Simulation</i> , 2021, 14, 1077-1093.	3.0	5
479	Development of a data-driven model to characterize the heat storage of the building thermal mass in energy planning tools. <i>E3S Web of Conferences</i> , 2021, 246, 10001.	0.2	1
480	Toward a holistic approach for energy efficient buildings. , 2021, , 129-193.		2
481	CFD analysis for airflow distribution of a conventional building plan for different wind directions. <i>Journal of Computational Design and Engineering</i> , 2021, 8, 559-569.	1.5	9
482	Black-Box Optimization: Methods and Applications. <i>Springer Optimization and Its Applications</i> , 2021, , 35-65.	0.6	8
483	Outdoor air supply in winter for large-space airport terminals: Air infiltration vs. mechanical ventilation. <i>Building and Environment</i> , 2021, 190, 107545.	3.0	4
484	Window geometry impact on a room's wind comfort. <i>Engineering, Construction and Architectural Management</i> , 2021, 28, 2381-2410.	1.8	4
485	Modelling the influence of high-rise urban geometry on outdoor thermal comfort in Singapore. <i>Urban Climate</i> , 2021, 36, 100775.	2.4	30
486	Networking human biomarker and hazardous chemical elements from building materials: Systematic literature review and in vivo test. <i>Building and Environment</i> , 2021, 192, 107603.	3.0	10
487	Physics-based, data-driven approach for predicting natural ventilation of residential high-rise buildings. <i>Building Simulation</i> , 2022, 15, 129-148.	3.0	25
488	Zoning strategy of zonal modeling for thermally stratified large spaces. <i>Building Simulation</i> , 2021, 14, 1395-1406.	3.0	8
489	Ventilation and air cleaning to limit aerosol particle concentrations in a gym during the COVID-19 pandemic. <i>Building and Environment</i> , 2021, 193, 107659.	3.0	113
490	Using CFD to Evaluate Natural Ventilation through a 3D Parametric Modeling Approach. <i>Energies</i> , 2021, 14, 2197.	1.6	17
491	Determining optimal parameter ranges of warm supply air for stratum ventilation using Pareto-based MOPSO and cluster analysis. <i>Journal of Building Engineering</i> , 2021, 37, 102145.	1.6	10

#	ARTICLE	IF	CITATIONS
492	A review on available energy saving strategies for heating, ventilation and air conditioning in underground metro stations. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 141, 110788.	8.2	51
493	On the failure of the only vernacular windcatcher in the mountainous region of Western Iran: Opportunities for energy-efficient buildings. <i>Journal of Cleaner Production</i> , 2021, 295, 126383.	4.6	7
494	Solar Chimney Applications in Buildings. <i>Encyclopedia</i> , 2021, 1, 409-422.	2.4	10
495	A critical review of combined natural ventilation techniques in sustainable buildings. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 141, 110795.	8.2	93
496	Computational study of natural ventilation in a sustainable building with complex geometry. <i>Sustainable Energy Technologies and Assessments</i> , 2021, 45, 101153.	1.7	8
497	Wind-driven ventilation of Double Skin Façades with vertical openings: Effects of opening configurations. <i>Building and Environment</i> , 2021, 196, 107804.	3.0	10
498	Numerical study on thermal stratification for impinging jet ventilation system in office buildings. <i>Building and Environment</i> , 2021, 196, 107798.	3.0	14
499	Effects of human walking on the capture efficiency of range hood in residential kitchen. <i>Building and Environment</i> , 2021, 196, 107821.	3.0	22
500	A literature review of building energy simulation and computational fluid dynamics co-simulation strategies and its implications on the accuracy of energy predictions. <i>Building Services Engineering Research and Technology</i> , 0, , 014362442110204.	0.9	11
501	Análise da ventilação natural em uma habitação de interesse social, com diferentes configurações de muro, através de simulações CFD. <i>Risco: Revista De Pesquisa Em Arquitetura E Urbanismo</i> , 0, 19, 1-19.	0.0	2
502	A comparative case study of volcanic-rock vernacular dwelling and modern dwelling in terms of thermal performance and climate responsive design strategies in Hainan Island. <i>Journal of Asian Architecture and Building Engineering</i> , 2022, 21, 1381-1398.	1.2	8
503	The impacts of introducing voids combinations on indoor ventilation performance in high-rise residential buildings. <i>Engineering, Construction and Architectural Management</i> , 2022, 29, 2736-2759.	1.8	1
504	On the effects of urban-like intersections on ventilation and pollutant dispersion. <i>Building Simulation</i> , 2022, 15, 419-433.	3.0	10
505	Assessing the Energy, Indoor Air Quality, and Moisture Performance for a Three-Story Building Using an Integrated Model, Part Two: Integrating the Indoor Air Quality, Moisture, and Thermal Comfort. <i>Energies</i> , 2021, 14, 4915.	1.6	12
506	Ceiling fans as ventilation assisting devices in buildings: A critical review. <i>Building and Environment</i> , 2021, 201, 108010.	3.0	20
507	Airflow visualization and performance assessment for a roof ridge ventilator under wind using Schlieren photography technique. <i>Case Studies in Thermal Engineering</i> , 2021, 26, 101044.	2.8	1
508	Improving the Energy Efficiency of Buildings Based on Fluid Dynamics Models: A Critical Review. <i>Energies</i> , 2021, 14, 5384.	1.6	1
509	The effects of manual airing strategies and architectural factors on the indoor air quality in college classrooms: a case study. <i>Air Quality, Atmosphere and Health</i> , 2022, 15, 1-13.	1.5	3

#	ARTICLE	IF	CITATIONS
510	Ventilation effectiveness of uniform and non-uniform perforated duct diffusers at office room. <i>Building and Environment</i> , 2021, 204, 108118.	3.0	14
511	Effect of an on/off HVAC control on indoor temperature distribution and cycle variability in a single-floor residential building. <i>Energy and Buildings</i> , 2021, 251, 111289.	3.1	9
512	Experimental and numerical analysis of air temperature uniformity in occupied zone under stratum ventilation for heating mode. <i>Journal of Building Engineering</i> , 2021, 43, 103016.	1.6	8
513	Simplified models for predicting thermal stratification in impinging jet ventilation rooms using multiple regression analysis. <i>Building and Environment</i> , 2021, 206, 108311.	3.0	20
514	Natural Ventilation in Built Environment. , 2012, , 6865-6896.		8
515	Natural Ventilation natural ventilation in Built Environment natural ventilation in-built environment. , 2013, , 394-425.		4
516	Natural Ventilation in Built Environment. , 2018, , 1-35.		1
517	Coupling CFD and building energy modelling to optimize the operation of a large open office space for occupant comfort. <i>Sustainable Cities and Society</i> , 2020, 60, 102257.	5.1	51
518	Assessment of users' responses to air change rates in free running office buildings. <i>Sustainable Buildings</i> , 2017, 2, 1.	0.7	4
519	Impact of standard construction specification on thermal comfort in UK dwellings. <i>Advances in Environmental Research</i> , 2014, 3, 253-281.	0.3	13
520	Evaluation of airflow pattern and thermal behavior of the arched greenhouses with designed roof ventilation scenarios using CFD simulation. <i>PLoS ONE</i> , 2020, 15, e0239851.	1.1	12
521	Study using a CFD approach of the efficiency of a roof ventilation closure system in a multi-tunnel greenhouse for nighttime microclimate optimization. <i>Revista Ceres</i> , 2020, 67, 345-356.	0.1	9
522	CFD como ferramenta para simular ventilação natural interna por ação dos ventos: estudos de caso em tipologias verticais do "Programa Minha Casa, Minha Vida". <i>Ambiente Construído</i> , 2017, 17, 223-244.	0.2	11
523	Energy Simulation of Buildings with a Modular Object-Oriented Tool. , 2011, , .		4
525	SPATIAL DISTRIBUTION OF AIR FLOW AND CO2 CONCENTRATION IN A NATURALLY VENTILATED DAIRY BUILDING. <i>Environmental Engineering and Management Journal</i> , 2014, 13, 2193-2200.	0.2	13
526	UNCERTAINTY IN CALCULATING AIR EXCHANGE RATE OF NATURALLY VENTILATED DAIRY BUILDING BASED ON POINT CONCENTRATIONS. <i>Environmental Engineering and Management Journal</i> , 2014, 13, 2349-2355.	0.2	13
527	A Study of the Cooling Effect of an Evaporation-Type Cool Roof Fan. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , 2016, 40, 191-200.	0.0	3
528	THE EFFECTS OF BALCONIES ON THE NATURAL VENTILATION PERFORMANCE OF CROSS-VENTILATED HIGH-RISE BUILDINGS. <i>Journal of Green Building</i> , 2014, 9, 145-160.	0.4	18

#	ARTICLE	IF	CITATIONS
529	EFFECT OF BUILDING PLAN FORM ON HUMAN THERMAL COMFORT IN NATURALLY VENTILATED OPEN-PLAN ENCLOSURES LOCATED IN HOT CLIMATES. <i>Journal of Green Building</i> , 2017, 12, 112-129.	0.4	2
530	FAÇADE DESIGN EFFECT ON CROSS-VENTILATION IN TAIWANESE SCHOOL BUILDINGS. <i>Journal of Green Building</i> , 2013, 8, 90-111.	0.4	2
531	Application of a Diagnostic Urban Wind Model to Indoor Airflow Simulations - Model Evaluation against Flow around a Surface-Mounted Cube in a Plane Channel. <i>Journal of the Japan Institute of Marine Engineering</i> , 2014, 49, 142-150.	0.0	1
532	The Significance of Time Step Size in Simulating the Thermal Performance of Buildings. <i>Advances in Research</i> , 2015, 5, 1-12.	0.3	23
533	Impacts of specific street geometry on airflow and traffic pollutant dispersion inside a street canyon. <i>Air Quality, Atmosphere and Health</i> , 2022, 15, 1133-1152.	1.5	8
534	Basic Principles, Most Common Computational Tools, and Capabilities for Building Energy and Urban Microclimate Simulations. <i>Energies</i> , 2021, 14, 6707.	1.6	18
535	Investigation of inter-zonal heat transfer in large space buildings based on similarity: Comparison of two stratified air-conditioning systems. <i>Energy and Buildings</i> , 2022, 254, 111602.	3.1	11
537	Indoor Air Quality Measurement with the Installation of a Rooftop Turbine Ventilator. <i>Journal of Environmental Protection</i> , 2012, 03, 1498-1508.	0.3	1
538	Air flow prediction and evaluation of ventilation Effectiveness with different zonal configurations. <i>Renewable Energy and Power Quality Journal</i> , 0, 1, 919-924.	0.2	0
540	Application of Multizone Model and CFD Method in Ventilation System Design of Soft Sleeper Car. <i>Lecture Notes in Electrical Engineering</i> , 2014, , 197-202.	0.3	0
541	Statistics of chemical tracer concentration in a multi-compartment structure measured with a sensor network. , 0, , .		0
543	Natural Ventilation by Air Captors and Extractors Sheds in Hospitals in Brazil: Wind Tunnel Measurements. <i>Journal of Civil Engineering and Architecture</i> , 2014, 8, .	0.0	0
546	Some characteristics of the resultant air flow from motions induced by ventilation and heat source in a two-dimensional enclosure. <i>Vietnam Journal of Mechanics</i> , 2015, 37, 177-186.	0.2	0
547	Energy Performance Indices for Hospital Buildings in Nigeria. <i>International Journal of Technology</i> , 2016, 7, 15.	0.4	3
548	Effect of Inlet-Outlet Location on Heat and Mass Removal from a Box Heterogeneously Heated From Below. <i>IOSR Journal of Mechanical and Civil Engineering</i> , 2016, 13, 16-26.	0.1	0
549	Passive Cooling in Mediterranean Area for a Bioclimatic and Zero Energy Architecture. , 2017, , 773-783.		0
550	Renewable Homesâ€™ Feasibility Options for UK Traditional Buildings Through Green Deal. <i>Smart Innovation, Systems and Technologies</i> , 2017, , 117-138.	0.5	0
551	A CFD study for evaluating the effects of natural ventilation on indoor comfort conditions. <i>AIMS Environmental Science</i> , 2017, 4, 289-309.	0.7	0

#	ARTICLE	IF	CITATIONS
552	Natural Ventilation in Built Environment. , 2018, , 431-464.		2
554	Air Exchange Rate in Air Quality Assurance – A Case Study. Journal of Applied Engineering Sciences, 2018, 8, 13-18.	0.2	2
555	Análise da qualidade da simulação do fluxo de ar de chaminés solares com o EnergyPlus. PARC: Pesquisa Em Arquitetura E Construção, 2018, 9, 86-96.	0.3	2
556	Evaluation of Indoor PM Distribution by CONTAM Airflow Model and Real Time Measuring: Model Description and Validation. Avicenna Journal of Environmental Health Engineering, 2018, 5, 42-49.	0.3	3
557	Kitchen Ventilation Requirements. , 2019, , 33-59.		0
558	Field Investigation of Indoor Thermal Performance in Malaysia Air-Welled Terraced House. Jurnal Alam Bina, 2019, 6, 33-41.	0.2	0
559	Optimal control for the natural ventilation in buildings with large depth. IOP Conference Series: Materials Science and Engineering, 0, 609, 052027.	0.3	0
560	Porous Media in the Simulation of Greenhouse Crops Using the Naïves Bayes EM Algorithm. Journal of Advances in Agriculture, 0, 10, 1873-1885.	0.1	0
561	Local and gross parameters of air distribution in a room with a sidewall jet: CFD validation based on benchmark test. Building and Environment, 2021, 207, 108509.	3.0	3
562	Cross-ventilation of a generic building with various configurations of external and internal openings. Building and Environment, 2022, 207, 108447.	3.0	32
563	Transport process of outdoor particulate matter into naturally ventilated buildings. Building and Environment, 2022, 207, 108424.	3.0	8
564	Combining EnergyPlus and CFD to predict and optimize the passive ventilation mode of medium-sized gymnasium in subtropical regions. Building and Environment, 2022, 207, 108420.	3.0	14
565	Optimal temperature sensor placement in buildings with buoyancy-driven natural ventilation using computational fluid dynamics and uncertainty quantification. Building and Environment, 2022, 207, 108496.	3.0	7
566	Fast fluid dynamics simulation of the airflow distributions in urban residential areas. Energy and Buildings, 2022, 255, 111635.	3.1	11
567	New approach to determine the optimal control of fresh air systems in urban China residences. Building and Environment, 2022, 207, 108538.	3.0	7
568	Performance of fast fluid dynamics with a semi-Lagrangian scheme and an implicit upwind scheme in simulating indoor/outdoor airflow. Building and Environment, 2022, 207, 108477.	3.0	9
569	Study on the impact of parallel jet spacing on the performance of multi-jet stratum ventilation. Applied Energy, 2022, 306, 118135.	5.1	19
570	CFD investigation of natural ventilation in a family house in Hungary. Journal of Physics: Conference Series, 2021, 2069, 012095.	0.3	0

#	ARTICLE	IF	CITATIONS
571	A Review of Numerical Simulation as a Precedence Method for Prediction and Evaluation of Building Ventilation Performance. Sustainability, 2021, 13, 12721.	1.6	13
572	A review on coupled building physics analyses. Journal of Physics: Conference Series, 2021, 2069, 012141.	0.3	0
573	Performance evaluation of different pressure-velocity decoupling schemes in built environment simulation. Energy and Buildings, 2022, 257, 111763.	3.1	6
574	Scale modeling study of airflow distribution uniformity in large spaces with high heat flux. Applied Thermal Engineering, 2022, 205, 118027.	3.0	5
575	High-resolution large-eddy simulation of indoor turbulence and its effect on airborne transmission of respiratory pathogens—Model validation and infection probability analysis. Physics of Fluids, 2022, 34, 015124.	1.6	19
576	Dynamic characteristics of convection heat and radiation heat on building surfaces under cyclic heat flow. Science Progress, 2022, 105, 003685042210751.	1.0	2
577	Inverse regulation of the indoor environment: An overview of the adjoint method. Energy and Buildings, 2022, 259, 111907.	3.1	11
578	On the thermal performance of naturally ventilated room with straw insulation retrofitted envelope for different climatic zones of India. Journal of Cleaner Production, 2022, 342, 130665.	4.6	6
581	A multi-zone spatial flow impact factor model for evaluating and layout optimization of infection risk in a Fangcang shelter hospital. Building and Environment, 2022, 214, 108931.	3.0	7
582	Predicting the temperature distribution of a non-enclosed atrium and adjacent zones based on the Block model. Building and Environment, 2022, 214, 108952.	3.0	6
583	Automatic relative humidity optimization in underground heritage sites through ventilation system based on digital twins. Building and Environment, 2022, 216, 108999.	3.0	22
584	Solar-assisted naturally ventilated double skin facade for buildings: Room impacts and indoor air quality. Building and Environment, 2022, 216, 109002.	3.0	7
585	Characteristics of thermal stratification and its effects on HVAC energy consumption for an atrium building in south China. Energy, 2022, 249, 123425.	4.5	21
586	Quantification of the impact of RANS turbulence models on air flow distribution in horizontal planes of a generic building under cross-ventilation for prediction of indoor thermal comfort. Journal of Building Engineering, 2022, 52, 104409.	1.6	2
587	A review of solar chimney for natural ventilation of residential and non-residential buildings. Sustainable Energy Technologies and Assessments, 2022, 52, 102082.	1.7	27
588	Review of calculating models of unsteady natural ventilation rate due to wind fluctuations. Indoor and Built Environment, 2022, 31, 2199-2215.	1.5	4
589	A Study on Computational Analysis for Natural Convection in Tall Building – A Macroscopic Approach. Journal of Nanomaterials, 2022, 2022, 1-12.	1.5	1
590	Investigation of displacement ventilation performance under various room configurations using computational fluid dynamics simulation. Building Services Engineering Research and Technology, 2022, 43, 627-643.	0.9	2

#	ARTICLE	IF	CITATIONS
591	A passive pivoted window for stabilizing the natural ventilation rate. Energy and Buildings, 2022, 267, 112151.	3.1	5
592	Impact of moving traffic on pollutant transport in street canyons under perpendicular winds: A CFD analysis using large-eddy simulations. Sustainable Cities and Society, 2022, 82, 103911.	5.1	16
593	Analysis on the performance of interactive cascade ventilation for space heating based on non-uniform indoor environment demand. Building and Environment, 2022, 219, 109244.	3.0	10
594	Evaluating the Use of Waste Materials in Building Envelopes for Energy Efficiency: A Theoretical and Empirical Study. Key Engineering Materials, 0, 921, 239-246.	0.4	0
595	Improving thermal model predictions for naturally ventilated buildings using large-eddy simulations. Building and Environment, 2022, , 109241.	3.0	9
596	Full-scale validation of CFD simulations of buoyancy-driven ventilation in a three-story office building. Building and Environment, 2022, 221, 109240.	3.0	4
597	Characterization of the density-driven counter-flow through a doorway using Large Eddy Simulation. Building and Environment, 2022, , 109319.	3.0	1
598	CFD Numerical Simulation in Building Drainage Stacks as an Infection Pathway of COVID-19. International Journal of Environmental Research and Public Health, 2022, 19, 7475.	1.2	5
599	Impact of inlet and outlet opening height variation on the air quality and ventilation efficiency in the on-top wind catcher buildings: A CFD simulation. Science and Technology for the Built Environment, 2022, 28, 1420-1438.	0.8	1
600	Study of Effectiveness of Sheltering From Radiation Exposure Due to Accidental Release of Radioactivity. Radiation Protection Dosimetry, 0, , .	0.4	0
601	A numerical Study of the Effect of Façade Opening on Nighttime Ventilation of a Low-Energy Building. , 2022, , .		0
602	Effects of void deck on the airflow and pollutant dispersion in 3D street canyons. Environmental Science and Pollution Research, 2022, 29, 89358-89386.	2.7	4
603	Experimental Evaluation of Thermal and Lighting Performance Using Double Dynamic Insulated Glazing. Buildings, 2022, 12, 1249.	1.4	2
604	Influence of inlet boundary conditions on 3D steady RANS simulations of non-isothermal mechanical ventilation in a generic closure. International Journal of Thermal Sciences, 2022, 182, 107792.	2.6	4
605	Error analysis of human inhalation exposure simulation in industrial workshop. Building and Environment, 2022, 224, 109573.	3.0	4
606	How green building rating systems affect indoor thermal comfort environments design. Building and Environment, 2022, 224, 109514.	3.0	11
607	An Adjoint Method For Optimal Ventilation Design. , 2013, , .		0
608	Review of continuous adjoint method for inverse design of indoor thermal environment. E3S Web of Conferences, 2022, 356, 03026.	0.2	0

#	ARTICLE	IF	CITATIONS
609	Theoretical basis and method of airflow organization design in enclosed or semi-enclosed space. Chinese Science Bulletin, 2023, 68, 671-683.	0.4	3
610	Calibrated dynamic zonal model DOMA ⁺ using the SCE-UA method – application to atrium temperature distribution prediction. Science and Technology for the Built Environment, 0, , 1-17.	0.8	2
611	Enhancement and Homogenization of Indoor Air Quality in a Classroom Using a Vertical Airflow Ventilation Scheme. Toxics, 2022, 10, 545.	1.6	4
612	The relationship between indoor air quality (IAQ) and perceived air quality (PAQ) – a review and case analysis of Chinese residential environment. Energy and Built Environment, 2024, 5, 230-243.	2.9	5
613	Thermal performance and airflow analysis of a new type of Double Skin Façade for warm climates: An experimental study. Journal of Building Engineering, 2022, 62, 105323.	1.6	4
614	Wind Catchers: An Element of Passive Ventilation in Hot, Arid and Humid Regions, a Comparative Analysis of Their Design and Function. Sustainability, 2022, 14, 11088.	1.6	6
615	Computational investigation of natural ventilation induced by solar chimneys: Significance of building space on thermofluid behavior. Physics of Fluids, 0, , .	1.6	2
616	Optimizing the design of courtyard houses for passive cooling in hot, dry regions. Journal of Building Performance Simulation, 2023, 16, 231-247.	1.0	2
617	Virus transport and infection evaluation in a passenger elevator with a COVID-19 patient. Indoor Air, 2022, 32, .	2.0	8
618	CFD Simulation Supported Development of Wind Catcher Shape Topology in a Passive Air Conduction System (PACS). Buildings, 2022, 12, 1583.	1.4	2
619	Effect of magnetic field on particle deposition in a modeled room. Particulate Science and Technology, 2023, 41, 361-370.	1.1	4
620	Natural ventilation in Caribbean homes: a numerical investigation. Proceedings of the Institution of Civil Engineers: Engineering and Computational Mechanics, 0, , 1-18.	0.4	0
621	Modelling of hazardous chemical gas building ingress and consequence analysis during a leak accident. Indoor and Built Environment, 2023, 32, 783-796.	1.5	2
622	Empirical and numerical study of pollutant leakage caused by human arm movement through machine enclosure. Journal of Cleaner Production, 2022, 379, 134726.	4.6	1
623	Numerical investigation of the thermal and ventilation performance of a combined impinging jet ventilation and passive chilled beam system. Building and Environment, 2022, 226, 109726.	3.0	4
624	Cfd Simulation Of Temperature Stratification For A Building Space: Validation And Sensitivity Analysis. , 2013, , .		4
625	Evaluation of Indoor Thermal Environments Using a Novel Predicted Mean Vote Model Based on Artificial Neural Networks. Buildings, 2022, 12, 1880.	1.4	1
627	Urban road network design for alleviating residential exposure to traffic pollutants: Super-block or Mini-block?. Sustainable Cities and Society, 2023, 89, 104327.	5.1	5

#	ARTICLE	IF	CITATIONS
628	Influence of Ventilation on Indoor Air Quality. , 2022, , 1637-1673.		1
629	Reducing Particle Exposure and SARS-CoV-2 Risk in Built Environments through Accurate Virtual Twins and Computational Fluid Dynamics. Atmosphere, 2022, 13, 2032.	1.0	3
630	Effects of operation parameters on the ventilation performance for a floor-standing air conditioner. Applied Thermal Engineering, 2023, 222, 119899.	3.0	4
631	Brine Water Experiments on Transient Flow and Evolution to Multiple States in Inclined Tunnel Fire with Forced Longitudinal Flow. Fire Technology, 2023, 59, 743-765.	1.5	1
632	CFD modeling on the canyon ventilation and pollutant exposure in asymmetric street canyons with continuity/discontinuity balconies. Atmospheric Pollution Research, 2023, 14, 101641.	1.8	4
633	On the fast fluid dynamics and fractional step methods to predict the coupled indoor temperature and velocity fields. Building and Environment, 2023, 229, 109959.	3.0	1
634	Investigation on the indoor environment during a whole cooking process under constant make-up air organization in a Chinese-style residential kitchen. Indoor and Built Environment, 2023, 32, 1170-1186.	1.5	3
635	Large-eddy simulations to define building-specific similarity relationships for natural ventilation flow rates. Flow, 2023, 3, .	1.0	3
636	Characterizing spatial variability in the temperature field to support thermal model validation in a naturally ventilated building. Journal of Building Performance Simulation, 0, , 1-16.	1.0	1
637	Performance evaluation of a single-side windcatcher in the transitional seasons (case study: Khouf) Tj ETQq1 1 0.784314 rgBT /Overbo Adaptation, 2023, ahead-of-print, .	0.7	1
638	Computational wind engineering: 30 years of research progress in building structures and environment. Journal of Wind Engineering and Industrial Aerodynamics, 2023, 234, 105346.	1.7	16
639	Low-parameter linear model to activate the flexibility of the building thermal mass in energy system optimization. Smart Energy, 2023, 9, 100094.	2.6	3
640	Feasibility of Multi-Zone Simulation for Estimating Contributions of Outdoor Particulate Pollution to Indoor Particulate Matter Concentration. Buildings, 2023, 13, 673.	1.4	0
641	Assessing Indoor Air Quality and Ventilation to Limit Aerosol Dispersionâ€”Literature Review. Buildings, 2023, 13, 742.	1.4	3
642	Evaluation of the ventilation and pollutant exposure risk level inside 3D street canyon with void deck under different wind directions. Environmental Science and Pollution Research, 2023, 30, 61808-61828.	2.7	5
643	Effect of Air Inlet Spacing on Air Distribution and Ventilation Performance of Stratum Ventilation Using Multiple Parallel Jets. Applied Sciences (Switzerland), 2023, 13, 4143.	1.3	0
644	New insights on precise regulation of pollutant distribution inside a street canyon by different vegetation planting patterns. Environmental Science and Pollution Research, 2023, 30, 63148-63174.	2.7	1
645	A New Method for Determining Outdoor Humidity Ratio of Natatorium in Transition Season. Energies, 2023, 16, 2990.	1.6	0

#	ARTICLE	IF	CITATIONS
646	Scaling Model Similarity Theory and Its Application in Large Space Building Indoor Thermal Environment Research. , 2022, , .		0
647	Optimization of the Thermal Environment of Large-Scale Open Space with Subzone-Based Temperature Setting Using BEM and CFD Coupling Simulation. Energies, 2023, 16, 3214.	1.6	2
648	Revisiting RANS turbulence modelling used in built-environment CFD simulations. Building and Environment, 2023, 237, 110333.	3.0	5
658	Air Distribution and Indoor Environment Evaluation. , 2023, , 1-20.		0
660	Field Investigation on the Effects of Window Configurations on Thermal Environment, Daylighting and Ventilation Performance in a Naturally Ventilated Residential Building: A Case Study of a Student Dormitory in ITB Jatinangor Campus. Lecture Notes in Civil Engineering, 2023, , 87-97.	0.3	0
673	Fire Smoke Control and Ventilative Cooling of Atrium in High-Rise Buildings. Environmental Science and Engineering, 2023, , 473-481.	0.1	0
682	Assessment of the single and integrated models for indoor air quality, moisture performance and thermal comfort. AIP Conference Proceedings, 2023, , .	0.3	0
685	Solar Chimney Applications in Buildings. Green Energy and Technology, 2024, , 67-80.	0.4	0