

CITATION REPORT

List of articles citing

Hydrogen storage in metal-organic frameworks

DOI: 10.1039/b802256a

Chemical Society Reviews, 2009, 38, 1294-314.

Source: <https://exaly.com/paper-pdf/46573904/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2291	Gas adsorption applications of porous metal-organic frameworks. 2009 , 81, 2235-2251		91
2290	Reticular Chemistry and Metal-Organic Frameworks for Clean Energy. 2009 , 34, 682-690		70
2289	Metal-Organic Frameworks (MOFs) as Heterogeneous Catalysts for the Chemoselective Reduction of Carbon-Carbon Multiple Bonds with Hydrazine. 2009 , 351, 2271-2276		87
2288	ChemInform Abstract: Hydrogen Storage in Metal-Organic Frameworks. 2009 , 40, no		
2287	Facile purification of porous metal terephthalates with ultrasonic treatment in the presence of amides. 2009 , 15, 11730-6		48
2286	Preferred hydrogen adsorption sites in various MOFs--a comparative computational study. 2009 , 10, 2647-57		55
2285	Highly Selective CO ₂ Capture in Flexible 3D Coordination Polymer Networks. 2009 , 121, 6997-7001		53
2284	Engineering a Metal-Organic Framework Catalyst by Using Postsynthetic Modification. 2009 , 121, 7560-7563		66
2283	Systematic Metal Variation and Solvent and Hydrogen-Gas Storage in Supramolecular Nanoballs. 2009 , 121, 9081-9084		51
2282	Targeted Synthesis of a Porous Aromatic Framework with High Stability and Exceptionally High Surface Area. 2009 , 121, 9621-9624		263
2281	Highly selective CO ₂ capture in flexible 3D coordination polymer networks. 2009 , 48, 6865-9		349
2280	Engineering a metal-organic framework catalyst by using postsynthetic modification. 2009 , 48, 7424-7		220
2279	Systematic metal variation and solvent and hydrogen-gas storage in supramolecular nanoballs. 2009 , 48, 8919-22		144
2278	Targeted synthesis of a porous aromatic framework with high stability and exceptionally high surface area. 2009 , 48, 9457-60		1115
2277	Role of the chemical structure of metal-organic framework compounds in the adsorption of hydrogen. 2009 , 45, 277-301		11
2276	A stair-like two-dimensional silver(I) coordination polymer of N'-(3-cyanobenzylidene)nicotinohydrazide. 2009 , 65, m407-10		
2275	Hydrogen storage in Co- and Zn-based metal-organic frameworks at ambient temperature. 2009 , 34, 9754-9759		25

2274	Mixed-ligand coordination polymers constructed from flexible 2,2'-biphenyldicarboxylate and rigid isomeric bipyridines. 2009 , 28, 2997-3004	4
2273	Hydrogen activation on organometallic complexes and H ₂ production, utilization, and storage for future energy. 2009 , 694, 2648-2653	105
2272	Two-dimensional networks of lanthanide cubane-shaped dumbbells. 2009 , 48, 11748-54	62
2271	Variable Lithium Coordination Modes in Two- and Three-Dimensional Lithium Boron Imidazolate Frameworks. 2009 , 21, 3830-3837	50
2270	Multiroute synthesis of porous anionic frameworks and size-tunable extraframework organic cation-controlled gas sorption properties. 2009 , 131, 16027-9	233
2269	Modulating metal-organic frameworks to breathe: a postsynthetic covalent modification approach. 2009 , 131, 16675-7	199
2268	New heterometallic carboxylate frameworks: synthesis, structure, robustness, flexibility, and porosity. 2009 , 48, 7970-6	27
2267	Enhanced Hydrogen Sorption on Carbon and NiO in the Presence of a Piezoelectric Element. 2009 , 23, 6085-6088	5
2266	An Ab Initio Force Field for Predicting Hydrogen Storage in IRMOF Materials. 2009 , 113, 21815-21824	45
2265	Cobalt(II) sheet-like systems based on diacetic ligands: from subtle structural variances to different magnetic behaviors. 2009 , 48, 6086-95	50
2264	Synthesis and hydrogen storage properties of Be ₁₂ (OH) ₁₂ (1,3,5-benzenetribenzoate) ₄ . 2009 , 131, 15120-1	232
2263	Application of metal-organic frameworks with coordinatively unsaturated metal sites in storage and separation of methane and carbon dioxide. 2009 , 19, 7362	581
2262	A pillared-layer coordination polymer with a rotatable pillar acting as a molecular gate for guest molecules. 2009 , 131, 12792-800	274
2261	Relating mechanical properties and chemical bonding in an inorganic-organic framework material: a single-crystal nanoindentation study. 2009 , 131, 14252-4	74
2260	An amine-functionalized metal organic framework for preferential CO ₂ adsorption at low pressures. 2009 , 5230-2	363
2259	Temperature and concentration control over interpenetration in a metal-organic material. 2009 , 131, 17040-1	353
2258	Zeolitic imidazolate framework membrane with molecular sieving properties by microwave-assisted solvothermal synthesis. 2009 , 131, 16000-1	966
2257	HYDROGEN STORAGE ON NANOFULLERENE CAGES. 2009 , 04, 253-263	15

2256	Synthesis and gas sorption properties of a metal-azolium framework (MAF) material. 2009 , 48, 9971-3	76
2255	Hydrogen Storage in Mesoporous Coordination Frameworks: Experiment and Molecular Simulation. 2009 , 113, 15106-15109	50
2254	Synthesis, Properties, and Gas Separation Studies of a Robust Diimide-Based Microporous Organic Polymer. 2009 , 21, 3033-3035	252
2253	Hydrogen, methane and carbon dioxide adsorption in metal-organic framework materials. 2010 , 293, 35-76	104
2252	Calculation of hydrogen storage capacity of metal-organic and covalent-organic frameworks by spillover. 2009 , 131, 174703	43
2251	Homochiral, helical metal-organic framework structures organized by strong, non-covalent pi-pi stacking interactions. 2009 , 6219-21	34
2250	PERSPECTIVES OF STUDY ON LOW NUCLEARITY CARBOXYLATE COMPLEXES. 2009 , 30, 67-88	9
2249	Recent Advances in Molecular Magnetic Materials. 2009 , 62, 1081	74
2248	Interpenetrating polyhedral MOF with a primitive cubic network based on supermolecular building blocks constructed of a semirigid C3-symmetric carboxylate ligand. 2009 , 48, 8057-9	69
2247	Self-assembly of metal-organic coordination polymers constructed from a bent dicarboxylate ligand: diversity of coordination modes, structures, and gas adsorption. 2009 , 48, 11067-78	74
2246	Highly organized structures and unusual magnetic properties of paddlewheel copper(II) carboxylate dimers containing the pi-pi stacking, 1,8-naphthalimide synthon. 2009 , 48, 8911-24	82
2245	A large-surface-area boracite-network-topology porous MOF constructed from a conjugated ligand exhibiting a high hydrogen uptake capacity. 2009 , 48, 7519-21	62
2244	Consecutive irreversible single-crystal to single-crystal and reversible single-crystal to glass transformations and associated magnetism of the coordination polymer, [Mn(II)(rac-pnH)(H ₂ O)Cr(III)(CN) ₆].H ₂ O. 2009 , 48, 10726-36	29
2243	Conductivity, Doping, and Redox Chemistry of a Microporous Dithiolene-Based Metal-Organic Framework. 2010 , 22, 4120-4122	403
2242	High capacity hydrogen storage materials: attributes for automotive applications and techniques for materials discovery. <i>Chemical Society Reviews</i> , 2010 , 39, 656-75	58.5 867
2241	Synthesis, Characterization, and Catalytic Application of a Cationic Metal-Organic Framework: Ag ₂ (4,4'-bipy) ₂ (O ₃ SCH ₂ CH ₂ SO ₃). 2010 , 22, 2027-2032	40
2240	Hydrogen storage and carbon dioxide capture in an iron-based sodalite-type metal-organic framework (Fe-BTT) discovered via high-throughput methods. 2010 , 1, 184	261
2239	Understanding gas separation in metal-organic frameworks using computer modeling. 2010 , 20, 10308	76

- 2238 Synthesis, Structure, and Magnetic Properties of Cobalt(II) Coordination Polymers from a New Tripodal Carboxylate Ligand: Weak Ferromagnetism and Metamagnetism. **2010**, 10, 283-290 119
- 2237 MOFs, MILs and more: concepts, properties and applications for porous coordination networks (PCNs). **2010**, 34, 2366 934
- 2236 Two robust porous metal-organic frameworks sustained by distinct catenation: selective gas sorption and single-crystal-to-single-crystal guest exchange. **2010**, 5, 2358-68 52
- 2235 Hydrosilylation of ketones: from metal-organic frameworks to simple base catalysts. **2010**, 5, 2341-5 36
- 2234 Aerobic Oxidation of Benzyl Amines to Benzyl Imines Catalyzed by Metal-Organic Framework Solids. **2010**, 2, 1438-1443 116
- 2233 Anion-Controlled Assembly of Silver(I) Complexes of Multiring Heterocyclic Ligands: A Structural and Photophysical Study. **2010**, 10, 1269-1282 43
- 2232 Gas Adsorption Study on Mesoporous Metal-Organic Framework UMCM-1. **2010**, 114, 6464-6471 148
- 2231 Reversible anion exchange and catalytic properties of two cationic metal-organic frameworks based on Cu(I) and Ag(I). **2010**, 132, 7202-9 237
- 2230 Water stability of microporous coordination polymers and the adsorption of pharmaceuticals from water. **2010**, 26, 17198-202 364
- 2229 Control over catenation in metal-organic frameworks via rational design of the organic building block. **2010**, 132, 950-2 321
- 2228 Synthesis, crystal structures, luminescent and thermal properties of two new metal-organic coordination polymers based on zinc(II) carboxylates. **2010**, 34, 2445 31
- 2227 Hydrogen Storage on Carbon-Based Adsorbents and Storage at Ambient Temperature by Hydrogen Spillover. **2010**, 52, 411-461 119
- 2226 Synthesis and structure of a zinc(II)-carboxylate trimer containing the π - π stacking, 1,8-naphthalimide synthon: A supramolecular metal-organic framework. **2010**, 364, 10-15 27
- 2225 Synthesis and structural characterization of different topological coordination polymers based on tunable $\text{Cu}_4\text{Br}_4\text{Im}$ secondary building units and macrocyclic azacalixaromatics. **2010**, 183, 3010-3016 13
- 2224 Optimal isosteric heat of adsorption for hydrogen storage and delivery using metal-organic frameworks. **2010**, 132, 300-303 116
- 2223 Molecular simulations of very high pressure hydrogen storage using metal-organic frameworks. **2010**, 135, 178-186 17
- 2222 Hydrogen adsorption in Pt catalyst/MOF-5 materials. **2010**, 135, 201-205 58
- 2221 Three novel supramolecular barium complexes with heterocyclic sulfonate ligands: Effect of ligand structure and auxiliary anions. **2010**, 975, 173-179 4

2220	Synthesis and Crystal Structures of Two New Coordination Polymers Based on Diphenic Acid. 2010 , 20, 118-123	10
2219	2D Cationic Metal-Organic Frameworks of Ag ⁺ with Mixed Ligands (Semi-Rigid Dipyridyl, 3-pmpmd, and Diphosphine, dppe). 2010 , 20, 809-815	3
2218	Heat capacities and thermodynamic properties of one manganese-based MOFs. 2010 , 102, 1161-1166	13
2217	Catalytic Generation of Hydrogen from Formic acid and its Derivatives: Useful Hydrogen Storage Materials. 2010 , 53, 902-914	347
2216	Building MOF bottles around phosphotungstic acid ships: One-pot synthesis of bi-functional polyoxometalate-MIL-101 catalysts. 2010 , 269, 229-241	290
2215	Selective guest docking in metal-organic framework materials. 2010 , 11, 55-7	8
2214	New microporous materials for acetylene storage and C(2)H(2)/CO(2) separation: insights from molecular simulations. 2010 , 11, 2220-9	94
2213	Thermodynamics of hydrogen adsorption on metal-organic frameworks. 2010 , 11, 3237-42	42
2212	Ammonia Borane as a Hydrogen Carrier: Dehydrogenation and Regeneration. 2010 , 2010, 509-521	285
2211	Effect of Water Concentration and Acidity on the Synthesis of Porous Chromium Benzenedicarboxylates. 2010 , 2010, 1043-1048	43
2210	Manganese-Based Metal-Organic Frameworks as Heterogeneous Catalysts for the Cyanosilylation of Acetaldehyde. 2010 , 2010, 3804-3812	58
2209	Metals@MOFs [Loading MOFs with Metal Nanoparticles for Hybrid Functions. 2010 , 2010, 3701-3714	422
2208	Synthesis and Structural Flexibility of a Series of Copper(II) Azolate-Based Metal-Organic Frameworks. 2010 , 2010, 3739-3744	26
2207	Accelerated Syntheses of Porous Isostructural Lanthanide Benzenetricarboxylates (LnBTC) Under Ultrasound at Room Temperature. 2010 , 2010, 4975-4981	56
2206	Flexible and Redox-Active Coordination Polymer: Control of the Network Structure by Pendant Arms of a Macrocyclic Complex. 2010 , 2010, 3795-3803	27
2205	Syntheses, Structures and Properties of a Series of ZnII Complexes Constructed from a Tetrakis(imidazole) Ligand and Various Anions. 2010 , 2010, 5709-5717	23
2204	Three New Polycatenation Networks Based on 4,4'-Oxybis(benzoate) and Bis(imidazole) Ligands: Synthesis, Structure and Photoluminescence. 2010 , 2010, 5478-5483	29
2203	References. 2010 , 321-352	

2202	Thermally stable porous hydrogen-bonded coordination networks displaying dual properties of robustness and dynamics upon guest uptake. 2010 , 16, 1841-8	69
2201	Synthesis of a metal-organic framework material, iron terephthalate, by ultrasound, microwave, and conventional electric heating: a kinetic study. 2010 , 16, 1046-52	245
2200	Hybrid porous materials with high surface area derived from bromophenylethenyl-functionalized cubic siloxane-based building units. 2010 , 16, 6006-14	87
2199	Cu and Au metal-organic frameworks bridge the gap between homogeneous and heterogeneous catalysts for alkene cyclopropanation reactions. 2010 , 16, 9789-95	102
2198	Synthesis, structure and magnetic phase transitions of the manganese succinate hybrid framework, MN(C ₄ H ₄ O ₄). 2010 , 16, 7579-85	35
2197	Post-synthetic reversible incorporation of organic linkers into porous metal-organic frameworks through single-crystal-to-single-crystal transformations and modification of gas-sorption properties. 2010 , 16, 11662-9	132
2196	Synthesis and enhanced H ₂ adsorption properties of a mesoporous nanocrystal of MOF-5: controlling nano-/mesostructures of MOFs to improve their H ₂ heat of adsorption. 2010 , 16, 13049-52	63
2195	High gas sorption and metal-ion exchange of microporous metal-organic frameworks with incorporated imide groups. 2010 , 16, 14043-50	224
2194	Porous lithium imidazolate frameworks constructed with charge-complementary ligands. 2010 , 16, 13035-40	62
2193	Hierarchical Self-Assembly of a Chiral Metal-Organic Framework Displaying Pronounced Porosity. 2010 , 122, 1093-1096	11
2192	Water-Vapor-Induced Reversible Switching of Electronic States in an MMX-Type Chain Complex with Retention of Single Crystallinity. 2010 , 122, 562-565	1
2191	Time-Resolved In Situ Diffraction Study of the Solvothermal Crystallization of Some Prototypical Metal-Organic Frameworks. 2010 , 122, 775-778	39
2190	Metall-organische Membranen: hohes Potenzial, große Zukunft?. 2010 , 122, 1572-1574	33
2189	Metal-Organic Framework MIL-101 for High-Resolution Gas-Chromatographic Separation of Xylene Isomers and Ethylbenzene. 2010 , 122, 1519-1522	39
2188	An Isoreticular Series of Metal-Organic Frameworks with Dendritic Hexacarboxylate Ligands and Exceptionally High Gas-Uptake Capacity. 2010 , 122, 5485-5489	91
2187	A Shape-Persistent Organic Molecular Cage with High Selectivity for the Adsorption of CO ₂ over N ₂ . 2010 , 122, 6492-6495	62
2186	Eine hochporöse Metall-organische Gerüstverbindung mit zugänglichen Nickelzentren. 2010 , 122, 8667-8670	30
2185	Molecular-Sieve Membrane with Hydrogen Permselectivity: ZIF-22 in LTA Topology Prepared with 3-Aminopropyltriethoxysilane as Covalent Linker. 2010 , 122, 5078-5081	98

2184	Metal-Organic Frameworks from Edible Natural Products. 2010 , 122, 8812-8816	55
2183	Cinchona Alkaloid-Metal Complexes: Noncovalent Porous Materials with Unique Gas Separation Properties. 2010 , 122, 7189-7193	8
2182	A Catenated Strut in a Catenated Metal-Organic Framework. 2010 , 122, 6903-6907	26
2181	Urothermal Synthesis of Crystalline Porous Materials. 2010 , 122, 9060-9063	19
2180	A High-Performance Gas-Separation Membrane Containing Submicrometer-Sized Metal-Organic Framework Crystals. 2010 , 122, 10059-10062	79
2179	Hierarchical self-assembly of a chiral metal-organic framework displaying pronounced porosity. 2010 , 49, 1075-8	83
2178	Water-vapor-induced reversible switching of electronic states in an MMX-type chain complex with retention of single crystallinity. 2010 , 49, 552-5	20
2177	Time-resolved in situ diffraction study of the solvothermal crystallization of some prototypical metal-organic frameworks. 2010 , 49, 763-6	172
2176	Metal-organic framework membranes--high potential, bright future?. 2010 , 49, 1530-2	221
2175	Metal-organic framework MIL-101 for high-resolution gas-chromatographic separation of xylene isomers and ethylbenzene. 2010 , 49, 1477-80	368
2174	An isorecticular series of metal-organic frameworks with dendritic hexacarboxylate ligands and exceptionally high gas-uptake capacity. 2010 , 49, 5357-61	622
2173	A shape-persistent organic molecular cage with high selectivity for the adsorption of CO ₂ over N ₂ . 2010 , 49, 6348-51	189
2172	A highly porous metal-organic framework with open nickel sites. 2010 , 49, 8489-92	143
2171	Molecular-sieve membrane with hydrogen permselectivity: ZIF-22 in LTA topology prepared with 3-aminopropyltriethoxysilane as covalent linker. 2010 , 49, 4958-61	318
2170	Metal-organic frameworks from edible natural products. 2010 , 49, 8630-4	426
2169	Cinchona alkaloid-metal complexes: noncovalent porous materials with unique gas separation properties. 2010 , 49, 7035-9	41
2168	A catenated strut in a catenated metal-organic framework. 2010 , 49, 6751-5	96
2167	Urothermal synthesis of crystalline porous materials. 2010 , 49, 8876-9	172

2166	A high-performance gas-separation membrane containing submicrometer-sized metal-organic framework crystals. 2010 , 49, 9863-6	558
2165	Hydrogen adsorption on the faujasite-type zeolite Mg χ : An IR spectroscopic and thermodynamic study. 2010 , 256, 5281-5284	17
2164	Reconnaissance of the specific surface of vapour grown carbon micro and nanofibres as a main controller of the sorption of hydrogen. 2010 , 256, 5797-5802	5
2163	Adsorptive removal of methyl orange from aqueous solution with metal-organic frameworks, porous chromium-benzenedicarboxylates. 2010 , 181, 535-535	476
2162	Synthesis, crystal structure and thermal behavior of two hydrated forms of lanthanide phthalates Ln ₂ (O ₂ +C ₆ H ₄ (CO ₂) ₃ (H ₂ O)) ₃ (Ln=Ce, Nd) and Nd ₂ (O ₂ C ₆ H ₄ (CO ₂) ₃ (H ₂ O)) ₃ . 2010 , 183, 1943-1948	4
2161	Synthetic, structural and spectroscopic studies of complexes derived from the copper(II) perchlorate/fumaric acid/N,N'-chelates tertiary reaction systems. 2010 , 29, 46-53	14
2160	Syntheses, structures, photoluminescences of silver(I) coordination polymers with 2-aminopyrazine and varied dicarboxylate ligands. 2010 , 29, 1243-1250	37
2159	Assembly of silver(I) coordination polymers incorporating pyromellitic acid and N-heterocyclic ligands. 2010 , 29, 1842-1848	29
2158	Structural and magnetic characterization of a novel series of dinuclear Cu(II) complexes bridging by 2,5-pyrazine dicarboxylate. 2010 , 363, 1001-1007	17
2157	Coordinated cations in dipicolinato complexes of divalent metal ions. 2010 , 363, 1479-1487	30
2156	Topological diversity in copper aromatic meta-dicarboxylate coordination polymers with bis(pyridylformyl)piperazine coligands. 2010 , 363, 3865-3873	36
2155	Syntheses and molecular structures of Co ³⁺ /Na ⁺ and Co ³⁺ /K ⁺ coordination polymers constructed using mono- and bis-chelated cobalt(III) complexes of bis(2-pyridylcarbonyl)amide ion. 2010 , 363, 4008-4016	10
2154	Porosity tuning of carborane-based metal-organic frameworks (MOFs) via coordination chemistry and ligand design. 2010 , 364, 266-271	52
2153	The dehydrogenation performance and reaction mechanisms of Li ₃ AlH ₆ with TiF ₃ additive. 2010 , 35, 4554-4561	26
2152	Dehydrogenation of ammonia borane in fluoro alcohols. 2010 , 35, 10819-10825	13
2151	Vapor-phase adsorption of alkylaromatics on aluminum-trimesate MIL-96: An unusual increase of adsorption capacity with temperature. 2010 , 129, 274-277	22
2150	Adsorption of C ₅ -C ₉ hydrocarbons in microporous MOFs MIL-100(Cr) and MIL-101(Cr): A manometric study. 2010 , 134, 134-140	48
2149	Secondary ligand-directed assembly of Zn(II) and Cd(II) coordination architectures: From 1D to 3D compounds based on pyridine carboxylate ligands. 2010 , 983, 93-98	4

2148	Facile preparation of high-capacity hydrogen storage metal-organic frameworks: A combination of microwave-assisted solvothermal synthesis and supercritical activation. 2010 , 65, 3140-3146	69
2147	Molecular simulation of hydrogen adsorption in metal-organic frameworks. 2010 , 357, 35-42	26
2146	Biocompatible Prussian blue nanoparticles: Preparation, stability, cytotoxicity, and potential use as an MRI contrast agent. 2010 , 13, 58-61	103
2145	A 3-D lanthanum-organic framework containing double chains: La ₂ [NC ₅ H ₃ (CO ₂) ₂] ₃ ·3H ₂ O. 2010 , 13, 649-652	6
2144	A new 2D 5-connected coordination polymer based on 3,4-bis(pyridin-4-ylmethoxy)benzoic acid ligand. 2010 , 13, 932-934	3
2143	Poly[[tetraaqua(μ ₇ -pyridine-2,3,5,6-tetracarboxylato)dicadmium(II)] monohydrate]. 2010 , 66, m110-3	1
2142	An unusual polycatenating network self-assembled by the 2D → 2D parallel → 3D parallel interpenetration of coordinative and hydrogen-bonded (6,3) motifs. 2010 , 66, m118-21	1
2141	An unusual three-dimensional chiral threefold polycatenating network self-assembled from inclined two-dimensional (4,4) layer motifs. 2010 , 66, m141-4	2
2140	A novel (4,6)-connected double-layered Ba(II) coordination polymer based on the flexible tricarboxylate ligand 2,2',2''-[1,3,5-triazine-2,4,6-triyltris(sulfanediyl)]triacetic acid. 2010 , 66, m351-4	1
2139	Enhancement of the structure stability of MOF-5 confined to multiwalled carbon nanotubes. 2010 , 247, 2664-2668	26
2138	Induction of chiral porous solids containing only achiral building blocks. 2010 , 2, 353-61	472
2137	Selective sorption of oxygen and nitric oxide by an electron-donating flexible porous coordination polymer. 2010 , 2, 633-7	277
2136	Confined systems: The bright side of MOFs. 2010 , 2, 610-1	5
2135	Ionic self-assembly: Porphyrins pair up. 2010 , 2, 611	2
2134	De novo synthesis of a metal-organic framework material featuring ultrahigh surface area and gas storage capacities. 2010 , 2, 944-8	1350
2133	Flexible two-dimensional square-grid coordination polymers: structures and functions. 2010 , 11, 3803-45	92
2132	Synthesis, structure, and thermal properties of 3-D coordination polymers constructed from asymmetrical carboxylates. 2010 , 63, 3060-3070	8
2131	Metal-Organic Framework Materials. 2010 , 1-67	2

2130	RECENT ADVANCES IN THE STUDY OF MESOPOROUS METAL-ORGANIC FRAMEWORKS. 2010 , 31, 165-195	77
2129	Advances towards synthetic machines at the molecular and nanoscale level. 2010 , 11, 2453-72	15
2128	Hydrogen storage behavior of one-dimensional TiB _x chains. 2010 , 21, 134006	9
2127	Coordination polymers of various architectures built with mixed imidazole/benzimidazole and carboxylate donor ligands and different metal ions: syntheses, structural features and magnetic properties. 2010 , 34, 2502	27
2126	Rational synthesis and characterization of porous Cu(II) coordination polymers. 2010 , 12, 2519-31	37
2125	Metal insertion in a microporous metal-organic framework lined with 2,2'-bipyridine. 2010 , 132, 14382-4	463
2124	Rational design, synthesis, purification, and activation of metal-organic framework materials. 2010 , 43, 1166-75	1127
2123	Atmend und multivariant. 2010 , 58, 634-639	1
2122	Multiscale simulation and modelling of adsorptive processes for energy gas storage and carbon dioxide capture in porous coordination frameworks. 2010 , 3, 1469	130
2121	Functionalized 1,2,3-triazoles as building blocks for photoluminescent POLOs (polymers of oligomers) of copper(I). 2010 , 39, 2631-6	62
2120	Tunable emission from a porous metal-organic framework by employing an excited-state intramolecular proton transfer responsive ligand. 2010 , 46, 7906-8	151
2119	Enhanced Hydrogen Storage on Pt-Doped Carbon by Plasma Reduction. 2010 , 114, 5956-5963	46
2118	Two cationic metal-organic frameworks based on cadmium and β -alkanedisulfonate anions and their photoluminescent properties. 2010 , 39, 11193-200	15
2117	Introduction of cavities up to 4 nm into a hierarchically-assembled metal-organic framework using an angular, tetratopic ligand. 2010 , 46, 5223-5	35
2116	Metal-organic frameworks as sensors: a ZIF-8 based Fabry-Pérot device as a selective sensor for chemical vapors and gases. 2010 , 132, 7832-3	875
2115	Rapid syntheses of a metal-organic framework material Cu ₃ (BTC) ₂ (H ₂ O) ₃ under microwave: a quantitative analysis of accelerated syntheses. 2010 , 12, 2625-31	73
2114	Molecular Simulation Studies of Separation of CO ₂ /N ₂ , CO ₂ /CH ₄ , and CH ₄ /N ₂ by ZIFs. 2010 , 114, 8515-8522	231
2113	A double-walled triangular metal-organic macrocycle based on a [Cu(2)(COO)(4)] square paddle-wheel secondary building unit. 2010 , 39, 6178-80	14

2112	Self-assembly, thermal stability and photoluminescence of two mixed-ligand silver(I) networks via 2D -> 2D and 2D -> 3D parallel interpenetration of (4,4) nets. 2010 , 12, 4161	56
2111	Porous Metal-Organic Frameworks Containing Alkali-Bridged Two-Fold Interpenetration: Synthesis, Gas Adsorption, and Fluorescence Properties. 2010 , 10, 1301-1306	41
2110	A rutile-type porous zinc(II)-phosphonocarboxylate framework: local proton transfer and size-selected catalysis. 2010 , 46, 1100-2	58
2109	Porous coordination polymers of transition metal sulfides with PtS topology built on a semirigid tetrahedral linker. 2010 , 49, 7685-91	45
2108	Synthesis of isostructural porous metal-benzenedicarboxylates: Effect of metal ions on the kinetics of synthesis. 2010 , 12, 2749	41
2107	Pd nanoparticles embedded into a metal-organic framework: synthesis, structural characteristics, and hydrogen sorption properties. 2010 , 132, 2991-7	290
2106	Synthesis, Structure, and Gas Sorption Studies of a Three-Dimensional Metal-Organic Framework with NbO Topology. 2010 , 10, 3405-3409	39
2105	Evolution of catalysts directed by genetic algorithms in a plug-based microfluidic device tested with oxidation of methane by oxygen. 2010 , 132, 3128-32	96
2104	Towards two-dimensional nanoporous networks: crystal engineering at the solid-liquid interface. 2010 , 12, 3369	39
2103	Enhancing the stability of metal-organic frameworks in humid air by incorporating water repellent functional groups. 2010 , 46, 6120-2	177
2102	Moisture-resistant and superhydrophobic metal-organic frameworks obtained via postsynthetic modification. 2010 , 132, 4560-1	420
2101	Catalytic effects of TiF ₃ on hydrogen spillover on Pt/carbon for hydrogen storage. 2010 , 26, 15394-8	29
2100	Metal-organic frameworks as semiconductors. 2010 , 20, 3141	401
2099	Storage and separation applications of nanoporous metal-organic frameworks. 2010 , 12, 1337-1353	139
2098	Synthesis of the long-sought unsubstituted aminodiboranate Na(H ₃ B-NH ₂ -BH ₃) and its N-alkyl analogs. 2010 , 132, 7254-5	41
2097	Lanthanide-Organic Framework of a Rigid Bis-Gd Complex: Composed by Carbonate Ions Spacers. 2010 , 10, 4235-4239	10
2096	Interaction of molecular hydrogen with microporous metal organic framework materials at room temperature. 2010 , 132, 1654-64	83
2095	Microporous La(III) Metal-Organic Framework Using a Semirigid Tricarboxylic Ligand: Synthesis, Single-Crystal to Single-Crystal Sorption Properties, and Gas Adsorption Studies. 2010 , 10, 3410-3417	64

2094	Three Coordination Polymers Based on 1H-Tetrazole (HTz) Generated via in Situ Decarboxylation: Synthesis, Structures, and Selective Gas Adsorption Properties. 2010 , 10, 739-746	83
2093	Magnetic metal-organic framework constructed from a paramagnetic metalloligand exhibiting a significant sorption and reversible magnetic conversions. 2010 , 46, 8779-81	57
2092	Functionalized Porous Silicas with Unsaturated Early Transition Metal Moieties as Hydrogen Storage Materials: Comparison of Metal and Oxidation State. 2010 , 114, 8651-8660	18
2091	Highlighting a variety of unusual characteristics of adsorption and diffusion in microporous materials induced by clustering of guest molecules. 2010 , 26, 8450-63	50
2090	Nonclassical active site for enhanced gas sorption in porous coordination polymer. 2010 , 132, 6654-6	283
2089	Generation of 2D and 3D (PtS, Adamantanoid) Nets with a Flexible Tetrahedral Building Block. 2010 , 10, 3843-3846	16
2088	From metal-organic squares to porous zeolite-like supramolecular assemblies. 2010 , 132, 18038-41	113
2087	Novel functionalized metal-organic framework based on unique hexagonal prismatic clusters. 2010 , 49, 8647-9	29
2086	Coordination Polymers and Networks Constructed from Bidentate Ligands Linked with Sulfonamide and Silver(I) Ions. 2010 , 10, 2291-2297	21
2085	Thermal reaction of a columnar assembled diacetylene macrocycle. 2010 , 132, 5334-5	100
2084	Net adsorption: a thermodynamic framework for supercritical gas adsorption and storage in porous solids. 2010 , 26, 17013-23	68
2083	Highly Connected Three-Dimensional Metal-Organic Frameworks Based on Polynuclear Secondary Building Units. 2010 , 10, 3675-3684	72
2082	Molecular dynamics simulations of stability of metal-organic frameworks against H ₂ O using the ReaxFF reactive force field. 2010 , 46, 5713-5	105
2081	Largest molecular clusters in the supertetrahedral T _n series. 2010 , 132, 10823-31	86
2080	A two-fold interpenetrated (3,6)-connected metal-organic framework with rutile topology showing a large solvent cavity. 2010 , 34, 2396	37
2079	Structural and chemical control in assembly of multicomponent metal-organic coordination networks on a surface. 2010 , 132, 10756-61	87
2078	Origin of the Enhanced Interaction of Molecular Hydrogen with Extraframework Cu ⁺ and FeO ⁺ Cations in Zeolite Hosts. A Periodic DFT Study. 2010 , 114, 13926-13934	19
2077	Syntheses, Characterizations, and Properties of Six Metal-Organic Complexes Based on Flexible Ligand 5-(4-Pyridyl)-methoxyl Isophthalic Acid. 2010 , 10, 4176-4183	83

2076	Metal-organic frameworks with designed chiral recognition sites. 2010 , 46, 4911-3	71
2075	Construction of Metal-Organic Frameworks with Novel {Zn8O13} SBU or Chiral Channels through in Situ Ligand Reaction. 2010 , 10, 3324-3326	50
2074	Metal-Organic Framework Isomers with Diamondoid Networks Constructed of a Semirigid Tetrahedral Linker. 2010 , 10, 5327-5333	31
2073	Synthesis and crystal structures of two new zigzag versus helical coordination polymers based on diphenic acid. 2010 , 63, 1130-1138	11
2072	A series of (6,6)-connected porous lanthanide-organic framework enantiomers with high thermostability and exposed metal sites: scalable syntheses, structures, and sorption properties. 2010 , 49, 10001-6	136
2071	Engineering Three-Dimensional Chains of Porous Nanoballs from a 1,2,4-Triazole-carboxylate Supramolecular Synthone. 2010 , 10, 1798-1807	46
2070	High-Capacity Hydrogen Storage in Porous Aromatic Frameworks with Diamond-like Structure. 2010 , 1, 978-981	89
2069	Oriented growth of the functionalized metal-organic framework CAU-1 on -OH- and -COOH-terminated self-assembled monolayers. 2010 , 12, 4515-20	45
2068	Exceptional thermal stability in a supramolecular organic framework: porosity and gas storage. 2010 , 132, 14457-69	281
2067	Probing the surfaces of heterogeneous catalysts by in situ IR spectroscopy. <i>Chemical Society Reviews</i> , 2010 , 39, 4951-5001	58.5 354
2066	Hierarchically Micro- and Mesoporous Coordination Polymer Nanostructures with High Adsorption Performance. 2010 , 10, 2451-2454	48
2065	Growth of metal-organic frameworks on polymer surfaces. 2010 , 132, 15687-91	133
2064	Two-step adsorption on jungle-gym-type porous coordination polymers: dependence on hydrogen-bonding capability of adsorbates, ligand-substituent effect, and temperature. 2010 , 49, 10133-43	59
2063	Solar energy supply and storage for the legacy and nonlegacy worlds. 2010 , 110, 6474-502	2343
2062	Metal organic gels (MOGs): a new class of sorbents for CO2 separation applications. 2010 , 20, 7623	72
2061	Effect of Produced HCl during the Catalysis on Micro- and Mesoporous MOFs. 2010 , 10, 4118-4122	15
2060	A New Multidentate Hexacarboxylic Acid for the Construction of Porous Metal-Organic Frameworks of Diverse Structures and Porosities. 2010 , 10, 2775-2779	47
2059	Metal-organic polyhedral frameworks: high h(2) adsorption capacities and neutron powder diffraction studies. 2010 , 132, 4092-4	269

2058	New chiral and flexible metal-organic framework with a bifunctional spiro linker and Zn ₄ O-nodes. 2010 , 49, 4440-6	48
2057	A Rare Uninodal 9-Connected Metal-Organic Framework with Permanent Porosity. 2010 , 10, 2372-2375	70
2056	Control over interpenetration in lanthanide-organic frameworks: synthetic strategy and gas-adsorption properties. 2010 , 49, 7605-7	118
2055	A 3D porous metal-organic framework constructed of 1D zigzag and helical chains exhibiting selective anion exchange. 2010 , 12, 1041-1043	53
2054	Stepwise assembly of coordination-based metal-organic networks. 2010 , 132, 14554-61	55
2053	Pore space partition and charge separation in cage-within-cage indium-organic frameworks with high CO ₂ uptake. 2010 , 132, 17062-4	315
2052	Multistep N ₂ breathing in the metal-organic framework co(1,4-benzenedipyrazolate). 2010 , 132, 13782-8	197
2051	First-Principles-Derived Force Field for Copper Paddle-Wheel-Based Metal-Organic Frameworks. 2010 , 114, 14402-14409	78
2050	Nanoporous molecular crystals. 2010 , 20, 10588	220
2049	Construction of Three Metal-Organic Frameworks Based on Multifunctional T-Shaped Tripodal Ligands, H ₃ PyImDC. 2010 , 10, 3489-3495	80
2048	Preparation of Clickable Microporous Hydrocarbon Particles Based on Adamantane. 2010 , 43, 6943-6945	60
2047	Structural Diversity in Metal-Organic Frameworks Built from Rigid Tetrahedral [Si(p-C ₆ H ₄ CO ₂) ₄] ₄₈ struts. 2010 , 10, 4571-4581	64
2046	The roles of the coordination modes of bridging ligands for the formation of two 3D metal-organic coordination networks. 2010 , 12, 3437	9
2045	Hydrogen Storage Properties of Low-Silica Type X Zeolites. 2010 , 49, 3634-3641	33
2044	Phase-Transition and Phase-Selective Synthesis of Porous Chromium-Benzenedicarboxylates. 2010 , 10, 1860-1865	93
2043	Long-range ordering or not: magnetic properties modulated by second ligands in flexible three-dimensional metal-organic frameworks. 2010 , 46, 5349-51	44
2042	In situ 2,5-pyrazinedicarboxylate and oxalate ligands synthesis leading to a microporous europium-organic framework capable of selective sensing of small molecules. 2010 , 12, 4372	117
2041	Zeolitic Imidazolate Frameworks as H ₂ Adsorbents: Ab Initio Based Grand Canonical Monte Carlo Simulation. 2010 , 114, 12039-12047	52

2040	Topologies of metal-organic frameworks based on pyrimidine-5-carboxylate and unexpected gas-sorption selectivity for CO ₂ . 2010 , 49, 10833-9	35
2039	Accurate Prediction of Hydrogen Adsorption in Metal-Organic Frameworks with Unsaturated Metal Sites via a Combined Density-Functional Theory and Molecular Mechanics Approach. 2010 , 114, 19116-19126	42
2038	Enhancement of Hydrogen Adsorption in Metal-Organic Frameworks by Mg ²⁺ Functionalization: A Multiscale Computational Study. 2010 , 114, 16855-16858	28
2037	Evaluation of Energy Heterogeneity in Metal-Organic Frameworks: Absence of Henry's Region in MIL-53 and MIL-68 Materials?. 2010 , 114, 17665-17674	16
2036	Gas storage in porous metal-organic frameworks for clean energy applications. 2010 , 46, 44-53	1102
2035	X-ray absorption spectroscopies: useful tools to understand metallorganic frameworks structure and reactivity. <i>Chemical Society Reviews</i> , 2010 , 39, 4885-927	58.5 112
2034	Iron-catalyzed hydrogen production from formic acid. 2010 , 132, 8924-34	297
2033	Microporous lanthanide-organic frameworks with open metal sites: unexpected sorption propensity and multifunctional properties. 2010 , 49, 4723-5	63
2032	Postsynthetic diazeniumdiolate formation and NO release from MOFs. 2010 , 12, 2335	83
2031	Twisted metal-amino acid nanobelts: chirality transcription from molecules to frameworks. 2010 , 132, 8202-9	100
2030	Explanation of the adsorption of polar vapors in the highly flexible metal organic framework MIL-53(Cr). 2010 , 132, 9488-98	169
2029	Self and transport diffusivity of CO ₂ in the metal-organic framework MIL-47(V) explored by quasi-elastic neutron scattering experiments and molecular dynamics simulations. 2010 , 4, 143-52	98
2028	Steam-stable zeolitic imidazolate framework ZIF-90 membrane with hydrogen selectivity through covalent functionalization. 2010 , 132, 15562-4	437
2027	A metal-organic framework replete with ordered donor-acceptor catenanes. 2010 , 46, 380-2	84
2026	How do substituent groups in the 5-position of 1,3-benzenedicarboxylate affect the construction of supramolecular frameworks?. 2010 , 12, 3708	46
2025	Computational screening of metal-organic frameworks for large-molecule chemical sensing. 2010 , 12, 12621-9	77
2024	Chemical reduction of a diimide based porous polymer for selective uptake of carbon dioxide versus methane. 2010 , 46, 1056-8	134
2023	A 4-connected anionic metal-organic nanotube constructed from indium isophthalate. 2010 , 12, 3385	29

2022	Fe(III)/Fe(II) regular charge order in metal-organic framework. 2010 , 46, 7987-9	28
2021	Systematic exploration of a rutile-type zinc(II)-phosphonocarboxylate open framework: the factors that influence the structure. 2010 , 39, 10712-8	13
2020	A 4-connected 3D porous coordination polymer with a binodal 6284 net built on tetrahedral quadridentate and bidentate linkers. 2010 , 12, 1635	28
2019	Hydrogen storage in water-stable metal-organic frameworks incorporating 1,3- and 1,4-benzenedipyrazolate. 2010 , 3, 117-123	158
2018	Effect of N-donor auxiliary ligands on the engineering of crystalline architectures of a series of lead(II) complexes with 5-amino-2,4,6-triiodoisophthalic acid. 2010 , 12, 1194-1204	48
2017	Azulene based metal-organic frameworks for strong adsorption of H ₂ . 2010 , 46, 7981-3	55
2016	Solvent-free porous framework resulted from 3D entanglement of 1D zigzag coordination polymer. 2010 , 34, 2392	7
2015	Counterion-induced controllable assembly of 2D and 3D metal-organic frameworks: effect of coordination modes of dinuclear Cu(II) paddle-wheel motifs. 2010 , 12, 3815	32
2014	Versatile functionalities in MOFs assembled from the same building units: interplay of structural flexibility, rigidity and regularity. 2010 , 20, 1322-1331	66
2013	Tetracarboxylate-based Co(II), Ni(II) and Cu(II) three-dimensional coordination polymers: syntheses, structures and magnetic properties. 2010 , 39, 9123-30	39
2012	Nanoporous metal-organic framework comprising of 1D cobalt oxalate chains and flexible ligands exhibiting both dynamic gas adsorption and antiferromagnetic chain behaviours. 2010 , 12, 2225	18
2011	Separation of gas mixtures using Co(II) carborane-based porous coordination polymers. 2010 , 46, 3478-80	128
2010	Asymmetric alcoholic kinetic resolution of styrene oxide catalysed by chiral metal-organic framework crystals. 2010 , 34, 2389	37
2009	Isomer dependent self-penetrated topologies and cluster subunits in copper phenylenediacetate coordination polymers with flexible dipyrityl ligands. 2010 , 12, 2374	33
2008	Solvothermal synthesis of two unique metal-organic frameworks: a 3-fold interpenetrating (3,4,5)-connected network and a 2-fold interpenetrating (4,5)-connected network. 2010 , 12, 348-351	34
2007	Solvent effect on the construction of two microporous yttrium-organic frameworks with high thermostability via in situ ligand hydrolysis. 2010 , 39, 5683-7	30
2006	Metal organic frameworks with exceptional gas storage capacity. 2010 ,	
2005	A new Cd ₄ -2,4-pyridinedicarboxylate layered coordination polymer consisting of intralayer cavities and reversible network self-adaptation upon dehydration/moisture-absorption. 2010 , 12, 1779	21

2004	Three-dimensional metal phosphonodicarboxylates with GIS-zeolite topology: syntheses, structures and magnetic studies. 2010 , 39, 10631-6	21
2003	A NbO-type metal-organic framework derived from a polyene-coupled di-isophthalate linker formed in situ. 2010 , 46, 4196-8	126
2002	Novel Zn and Cd coordination polymers of 1,1'-(1,6-hexanediyl)bis-1H-benzimidazole: solvothermal synthesis, crystal structures and photoluminescence properties. 2011 , 13, 5111	34
2001	Two-step synthesis, structure and adsorption property of a dynamic zinc phosphonocarboxylate framework. 2011 , 13, 3378	30
2000	Synthesis, structural characterization and properties of Ag(I)-complexes based on double-armed 1,3,4-oxadiazole bridging ligands. 2011 , 13, 6850	14
1999	A robust near infrared luminescent ytterbium metal-organic framework for sensing of small molecules. 2011 , 47, 5551-3	321
1998	New heterometallic frameworks with flexible sulfonate-carboxylate ligand: syntheses, structures, and properties. 2011 , 13, 6150	9
1997	Two new 1,2,4,5-cyclohexanetetracarboxylate-bridged frameworks with metal hydroxide subunits. Synthesis, structures, magnetism and adsorption. 2011 , 40, 3592-600	25
1996	Dinuclear silver(I) complexes for the design of metal-ligand networks based on triazolopyrimidines. 2011 , 40, 11845-55	40
1995	Metal and ligand binding mode dependent topologies in phthalate coordination polymers with bis(4-pyridylformyl)piperazine co-ligands. 2011 , 13, 1391-1399	60
1994	Cucurbit[7]uril: an amorphous molecular material for highly selective carbon dioxide uptake. 2011 , 47, 7626-8	92
1993	Silver coordination networks and cages based on a semi-rigid bis(isoxazolyl) ligand. 2011 , 40, 5483-93	14
1992	A novel low density metal-organic framework with pcu topology by dendritic ligand. 2011 , 47, 9167-9	61
1991	Tuning the porosity of lanthanide MOFs with 2,5-pyrazinedicarboxylate and the first in situ hydrothermal carboxyl transfer. 2011 , 13, 985-991	39
1990	A three-dimensional microporous metal-organic framework with large hydrogen sorption hysteresis. 2011 , 47, 1204-6	62
1989	Metal-organic frameworks with rare topologies: lonsdaleite-type metal formates and their magnetic properties. 2011 , 13, 2197	15
1988	Temperature dependent selective gas sorption of the microporous metal-imidazolate framework [Cu(L)] [H ₂ L = 1,4-di(1H-imidazol-4-yl)benzene]. 2011 , 47, 752-4	157
1987	Effects of Pt Particle Size on Hydrogen Storage on Pt-Doped Metal-Organic Framework IRMOF-8. 2011 , 115, 4793-4799	80

1986	Two Solvent-Dependent Zinc(II) Supramolecular Isomers: Rare kgd and Lonsdaleite Network Topologies Based on a Tripodal Flexible Ligand. 2011 , 11, 5182-5187	128
1985	Two-dimensional {Co(3+)-Zn2+} and {Co(3+)-Cd2+} networks and their applications in heterogeneous and solvent-free ring opening reactions. 2011 , 40, 12454-61	42
1984	A novel (3,36)-connected and self-interpenetrated metal-organic framework with high thermal stability and gas-sorption capabilities. 2011 , 47, 7722-4	66
1983	Synthesis, structure, surface photovoltage and magnetic properties of a novel 3D homochiral manganese phosphonate with right-handed helical chains. 2011 , 13, 3317	43
1982	Targeted synthesis of an electroactive organic framework. 2011 , 21, 18208	64
1981	Synthesis of a novel isorecticular metal-organic framework by protection and complexation of 2,5-dihydroxyterephthalic acid. 2011 , 23, 315-318	7
1980	Multi-functional metal-organic frameworks based on H4mdip: Crystal structure, photoluminescence, selective ion-exchange and catalysis. 2011 , 13, 7236	21
1979	Ancillary ligand-mediated syntheses and fluorescence properties of zinc(II) complexes based on flexible benzene dicarboxylic acid. 2011 , 13, 3013	59
1978	Two unique self-penetrating metal-organic frameworks based on flexible tripodal ligands, Cu(II) and N-containing bridging ligands. 2011 , 13, 6945	23
1977	Single-crystal-to-single-crystal transformations and selective adsorption of porous copper(II) frameworks. 2011 , 47, 3787-9	96
1976	Hydrothermal syntheses, structures and luminescent properties of Zn(II) coordination polymers assembled with benzene-1,2,3-tricarboxylic acid involving in situ ligand reactions. 2011 , 13, 2764	48
1975	Four new metal-organic frameworks constructed from H2DBTDC-O2 (H2DBTDC-O2 = dibenzothiophene-5,5'-dioxide-3,7-dicarboxylic acid) ligand with guest-responsive photoluminescence. 2011 , 13, 1646-1653	33
1974	In situ growth of continuous thin metal-organic framework film for capacitive humidity sensing. 2011 , 21, 3775	124
1973	Structural variation from 1D chains to 3D networks: a systematic study of coordination number effect on the construction of coordination polymers using the terephthaloylbisglycinate ligand. 2011 , 35, 1060	25
1972	Multiple phase-transitions upon selective CO2 adsorption in an alkyl ether functionalized metal-organic framework in situ X-ray diffraction study. 2011 , 13, 6399	45
1971	Synthesis of catalytically active porous organic polymers from metalloporphyrin building blocks. 2011 , 2, 686	157
1970	Design, synthesis and noncentrosymmetric solid state organization of three novel pyridylphosphonic acids. 2011 , 13, 3474	17
1969	[WS4Cu3I2]- and [WS4Cu4]2+ secondary building units formed a metal-organic framework: large tubes in a highly interpenetrated system. 2011 , 47, 2919-21	70

1968	From 2D -> 3D inclined polycatenation to 2D -> 3D parallel polycatenation: a central metal cationic induce strategy. 2011 , 13, 440-443	57
1967	Analysis of hydrogen storage in nanoporous materials for low carbon energy applications. 2011 , 151, 59-74; discussion 95-115	24
1966	Competition between coordination and hydrogen bonding in networks constructed using dipyridyl-1H-pyrazole ligands. 2011 , 13, 1676-1682	11
1965	Inclusion and dynamics of a polymer-Li salt complex in coordination nanochannels. 2011 , 47, 1722-4	41
1964	Detailed investigations of phase transitions and magnetic structure in Fe(III), Mn(II), Co(II) and Ni(II) 3,4,5-trihydroxybenzoate (gallate) dihydrates by neutron and X-ray diffraction. 2011 , 40, 6401-10	38
1963	A mesoporous metal-organic framework constructed from a nanosized C3-symmetric linker and [Cu ₂₄ (isophthalate) ₂₄] cuboctahedra. 2011 , 47, 9995-7	122
1962	An unprecedented (3,7)-connected microporous solvatochromic coordination polymer built on a semirigid tripod pyridinium-4-olate ligand. 2011 , 13, 6010	17
1961	Laboratory-based separation techniques for insoluble compound mixtures: methods for the purification of metal-organic framework materials. 2011 , 40, 7122-6	14
1960	A zeolitic porous lithium-organic framework constructed from cubane clusters. 2011 , 47, 5536-8	64
1959	Trigonal Rigid Triphenols: Self-Assembly and Multicomponent Lattice Inclusion. 2011 , 11, 3406-3417	10
1958	Highly Porous Cross-Linked Polymers for Catalytic Asymmetric Diethylzinc Addition to Aldehydes. 2011 , 1, 691-697	87
1957	Selective Incorporation of Auxiliary Organic Ligands in Metal-Organic Frameworks Based on Twisted π -Shaped Building Blocks. 2011 , 11, 5167-5170	5
1956	Highly CO ₂ -selective organic molecular cages: what determines the CO ₂ selectivity. 2011 , 133, 6650-8	214
1955	Ionothermal synthesis and magnetic studies of novel two-dimensional metal-formate frameworks. 2011 , 50, 2159-67	14
1954	Environmentally responsive threading, dethreading, and fixation of anion-induced pseudorotaxanes. 2011 , 133, 1526-33	83
1953	Temperature-Driven Assembly of Ln(III) (Ln = Nd, Eu, Yb) Coordination Polymers of a Flexible Azo Calix[4]arene Polycarboxylate Ligand. 2011 , 11, 3479-3488	60
1952	Tether Length Control of Topology in Cadmium 4-Methylphthalate Two-Dimensional Coordination Polymers: An Acentric Buckled Grid and a Rare Self-Catenated Layer. 2011 , 11, 678-683	34
1951	Crystal Engineering Using a "Turtlebug" Algorithm: A de Novo Approach to the Design of Binodal Metal-Organic Frameworks. 2011 , 11, 3686-3693	9

1950	Thiacalix[4]arene-Based Three-Dimensional Coordination Polymers Incorporating Neutral Bridging Coligands. 2011 , 11, 4059-4067	28
1949	Hydrogen storage in a highly interpenetrated and partially fluorinated metal-organic framework. 2011 , 50, 403-5	57
1948	Structure and gas sorption behavior of a new three dimensional porous magnesium formate. 2011 , 50, 1392-401	37
1947	Syntheses of MetalOrganic Frameworks and Aluminophosphates under Microwave Heating: Quantitative Analysis of Accelerations. 2011 , 11, 4413-4421	37
1946	Molecular Insight into the Adsorption and Diffusion of Water in the Versatile Hydrophilic/Hydrophobic Flexible MIL-53(Cr) MOF. 2011 , 115, 10764-10776	119
1945	⁷¹ Ga Slow-CTMAS NMR and Crystal Structures of MOF-Type Gallium Carboxylates with Infinite Edge-Sharing Octahedra Chains (MIL-120 and MIL-124). 2011 , 23, 39-47	47
1944	Toward the self-assembly of metal-organic nanotubes using metal-metal and π -stacking interactions: bis(pyridylethynyl) silver(I) metallo-macrocycles and coordination polymers. 2011 , 50, 1123-34	56
1943	Three New Isostructural Coordination Polymers with Cd(II) Clusters as the SBU: Synthesis, Structural Characterization, and Luminescence Properties. 2011 , 11, 5434-5440	24
1942	Anion-directed assembly of a three-dimensional metal-organic rotaxane framework. 2011 , 47, 5973-5	59
1941	Nonlinear Properties in Coordination Copolymers Derived from Randomly Mixed Ligands. 2011 , 11, 2059-2063	45
1940	Reversible shuttle action upon dehydration and rehydration processes in cationic coordinatively-bonded (4,4) square-grid nets threaded by supramolecular bonded anions, $\{[\text{Cu}(\text{II})(4,4'\text{-bpy})_2(\text{H}_2\text{O})][\text{Cu}(\text{II})(2\text{-pySO}_3)_3](\text{NO}_3)\} \cdot \text{H}_2\text{O}$. 2011 , 50, 2329-33	25
1939	Kinetic separation of propene and propane in metal-organic frameworks: controlling diffusion rates in plate-shaped crystals via tuning of pore apertures and crystallite aspect ratios. 2011 , 133, 5228-31	211
1938	Aggregation of $[\text{Au}(\text{CN})_4]^-$ anions: examination by crystallography and ¹⁵ N CP-MAS NMR and the structural factors influencing intermolecular Au ⁺ ...N interactions. 2011 , 50, 1265-74	9
1937	Chemical Functionalization of the TiO ₂ (110)-(1 \times 1) Surface by Deposition of Terephthalic Acid Molecules. A Density Functional Theory and Scanning Tunneling Microscopy Study. 2011 , 115, 4134-4144	25
1936	Three New Coordination Polymers Based on One Reduced Symmetry Tripodal Linker. 2011 , 11, 3115-3121	64
1935	A series of three-dimensional lanthanide(III) coordination polymers of 2,5-dihydroxy-1,4-benzenedicarboxylic acid based on dinuclear lanthanide units. 2011 , 13, 4981	34
1934	Metal Alkoxide Functionalization in MetalOrganic Frameworks for Enhanced Ambient-Temperature Hydrogen Storage. 2011 , 115, 2066-2075	99
1933	A series of metalorganic coordination polymers containing multiple chiral centers. 2011 , 13, 1570-1579	27

1932	A chiral tetragonal magnesium-carboxylate framework with nanotubular channels. 2011 , 47, 11852-4	113
1931	Gas and liquid phase adsorption in isostructural Cu ₃ [biaryltricarboxylate] ₂ microporous coordination polymers. 2011 , 47, 1452-4	68
1930	Increasing nuclearity of secondary building units in porous cobalt(II) metal-organic frameworks: variation in structure and H ₂ adsorption. 2011 , 40, 12342-9	23
1929	Pore partition effect on gas sorption properties of an anionic metal-organic framework with exposed Cu ²⁺ coordination sites. 2011 , 47, 10647-9	132
1928	Photochemical Response of Commercial MOFs: Al ₂ (BDC) ₃ and Its Use As Active Material in Photovoltaic Devices. 2011 , 115, 22200-22206	81
1927	Effect of time, temperature, and kinetics on the hysteretic adsorption-desorption of H ₂ , Ar, and N ₂ in the metal-organic framework Zn ₂ (bpdca) ₂ (bpee). 2011 , 27, 14169-79	19
1926	New microporous metal-organic framework demonstrating unique selectivity for detection of high explosives and aromatic compounds. 2011 , 133, 4153-5	976
1925	Separation and Purification of Gases by MOFs. 2011 , 69-97	4
1924	Potential Storage Materials. 2011 , 19-59	4
1923	Hydrogen Sorption Properties of Materials. 2011 , 61-115	4
1922	Gas detection by structural variations of fluorescent guest molecules in a flexible porous coordination polymer. 2011 , 10, 787-93	351
1921	Solvatochromic behavior of a nanotubular metal-organic framework for sensing small molecules. 2011 , 133, 4172-4	609
1920	A Zn ₄ O-containing doubly interpenetrated porous metal-organic framework for photocatalytic decomposition of methyl orange. 2011 , 47, 11715-7	289
1919	The diverse structures of Cd(II) coordination polymers with 1,3,5-benzenetricarboxylate tuned by organic bases. 2011 , 13, 5825	24
1918	Pore-size tuning in double-pillared metal-organic frameworks containing cadmium clusters. 2011 , 13, 3321	47
1917	Single-crystal to single-crystal transformation of 1D coordination polymer via photochemical [2+2] cycloaddition reaction. 2011 , 40, 2170-2	48
1916	Solvent-induced deviation in square-grid layers of microporous Cu(II) isophthalates: layer stacking and gas adsorption properties. 2011 , 13, 577-584	19
1915	Synergistic catalysis of Au@Ag core-shell nanoparticles stabilized on metal-organic framework. 2011 , 133, 1304-6	781

1914	Molecular Tectonics of Entangled Metal-Organic Frameworks Based on Different Conformational Carboxylates Mixed with a Flexible N,N'-Type Ligand. 2011 , 11, 569-574	60
1913	Toward understanding reactive adsorption of ammonia on Cu-MOF/graphite oxide nanocomposites. 2011 , 27, 13043-51	117
1912	Neutron Scattering and Spectroscopic Studies of Hydrogen Adsorption in Cr ₃ (BTC) ₂ Metal-Organic Framework with Exposed Cr ²⁺ Sites. 2011 , 115, 8414-8421	43
1911	Temperature-dependent supramolecular isomerism in three zinc coordination polymers with pamoic acid and 1,4-bis(imidazol-1-ylmethyl)-benzene. 2011 , 13, 5313	59
1910	Zinc paddlewheel dimers containing a strong π-π stacking supramolecular synthon: designed single-crystal to single-crystal phase changes and gas/solid guest exchange. 2011 , 50, 11754-64	35
1909	Evaluation of an industrial pilot scale densified MOF-177 adsorbent as an on-board hydrogen storage medium. 2011 , 4, 3527	42
1908	Porous Metal-Organic Frameworks. 2011 , 1-20	3
1907	Solvothermal Synthesis, Structure, and Properties of Metal Organic Framework Isomers Derived from a Partially Fluorinated Link. 2011 , 11, 1215-1222	79
1906	Characterisation of porous hydrogen storage materials: carbons, zeolites, MOFs and PIMs. 2011 , 151, 75-94; discussion 95-115	66
1905	A zinc(II) metal-organic framework based on triazole and dicarboxylate ligands for selective adsorption of hexane isomers. 2011 , 47, 7197-9	44
1904	Effects of Metal Ions and Ligand Functionalization on Hydrogen Storage in Metal-Organic Frameworks by Spillover. 2011 , 115, 13829-13836	29
1903	Remarkable adsorptive performance of a metal-organic framework, vanadium-benzenedicarboxylate (MIL-47), for benzothiophene. 2011 , 47, 1306-8	173
1902	Selective incorporation of functional dicarboxylates into zinc metal-organic frameworks. 2011 , 47, 3380-2	51
1901	Reductive electrosynthesis of crystalline metal-organic frameworks. 2011 , 133, 12926-9	184
1900	Immobilization of MP-11 into a mesoporous metal-organic framework, MP-11@mesoMOF: a new platform for enzymatic catalysis. 2011 , 133, 10382-5	479
1899	Encapsulation, storage and controlled release of sulfur hexafluoride from a metal-organic capsule. 2011 , 47, 457-9	174
1898	Common Structural Features in Calcium Hydroxyphosphonoacetates. A High-Throughput Screening. 2011 , 11, 1713-1722	30
1897	Molecular simulations for energy, environmental and pharmaceutical applications of nanoporous materials: from zeolites, metal-organic frameworks to protein crystals. <i>Chemical Society Reviews</i> , 2011 , 40, 3599-612	58.5 113

1896	Porous metal-organic frameworks as platforms for functional applications. 2011 , 47, 3351-70	743
1895	Stepwise synthesis of metal-organic frameworks: replacement of structural organic linkers. 2011 , 133, 9984-7	275
1894	Synthesis of highly porous borazine-linked polymers and their application to H ₂ , CO ₂ , and CH ₄ storage. 2011 , 2, 2775	68
1893	Wide control of proton conductivity in porous coordination polymers. 2011 , 133, 2034-6	461
1892	Homochiral nickel coordination polymers based on salen(Ni) metalloligands: synthesis, structure, and catalytic alkene epoxidation. 2011 , 50, 2191-8	99
1891	Solvothermal growth of a ruthenium metal-organic framework featuring HKUST-1 structure type as thin films on oxide surfaces. 2011 , 47, 8509-11	99
1890	Hydrogen Adsorption and Storage. 2011 , 157-245	3
1889	Cadmium(II) and zinc(II) metal-organic frameworks with anthracene-based dicarboxylic ligands: solvothermal synthesis, crystal structures, and luminescent properties. 2011 , 13, 5152	69
1888	Exploiting metal-organic coordination polymers as highly efficient immobilization matrixes of enzymes for sensitive electrochemical biosensing. 2011 , 83, 6511-7	67
1887	Lanthanide-based 0D and 2D molecular assemblies with the pyridazine-3,6-dicarboxylate linker. 2011 , 13, 251-258	31
1886	Coordination polymer nanorods of Fe-MIL-88B and their utilization for selective preparation of hematite and magnetite nanorods. 2011 , 47, 4138-40	185
1885	Syntheses, structures and luminescent properties of decorated lanthanide metal-organic frameworks of (E)-4,4'-(ethene-1,2-diyl)dibenzoic acids. 2011 , 13, 1821-1830	20
1884	Tuning the moisture stability of metal-organic frameworks by incorporating hydrophobic functional groups at different positions of ligands. 2011 , 47, 7377-9	202
1883	High heat of hydrogen adsorption and guest-responsive magnetic modulation in a 3D porous pillared-layer coordination framework. 2011 , 47, 538-40	83
1882	Effect of NH ₂ and CF ₃ functionalization on the hydrogen sorption properties of MOFs. 2011 , 40, 4879-81	218
1881	Postsynthetic modification at orthogonal reactive sites on mixed, bifunctional metal-organic frameworks. 2011 , 47, 7629-31	67
1880	Palladium Nanoparticles Confined in the Cages of MIL-101: An Efficient Catalyst for the One-Pot Indole Synthesis in Water. 2011 , 1, 1604-1612	140
1879	Hydrogen storage properties and neutron scattering studies of Mg ₂ (dobdc)--a metal-organic framework with open Mg ²⁺ adsorption sites. 2011 , 47, 1157-9	153

1878	Chemical tuning of CO ₂ sorption in robust nanoporous organic polymers. 2011 , 2, 1173	492
1877	The coordination chemistry of Zn(II), Cd(II) and Hg(II) complexes with 1,2,4-triazole derivatives. 2011 , 40, 8475-90	111
1876	MgII, CaII, and CoII Metal-Organic Framework Materials with [Si(p-C ₆ H ₄ CO ₂) ₃ (p-C ₆ H ₄ CO ₂ H)] ₃ Struts. 2011 , 64, 1239	17
1875	Role of solvents in coordination supramolecular systems. 2011 , 47, 5958-72	565
1874	Light-harvesting metal-organic frameworks (MOFs): efficient strut-to-strut energy transfer in bodipy and porphyrin-based MOFs. 2011 , 133, 15858-61	622
1873	Aerobic Oxidation of Benzylic Alcohols Catalyzed by Metal-Organic Frameworks Assisted by TEMPO. 2011 , 1, 48-53	204
1872	Solvent and temperature influence structural variation from nonporous 2D -> 3D parallel polycatenation to 3D microporous metal-organic framework. 2011 , 13, 3971	38
1871	Screening Metal-Organic Frameworks by Analysis of Transient Breakthrough of Gas Mixtures in a Fixed Bed Adsorber. 2011 , 115, 12941-12950	184
1870	Selective CO ₂ adsorption in a flexible non-interpenetrated metal-organic framework. 2011 , 47, 4258-60	114
1869	Microporous Metal-Organic Framework Based on Supermolecular Building Blocks (SBBs): Structure Analysis and Selective Gas Adsorption Properties. 2011 , 11, 2050-2053	64
1868	A nanoporous metal-organic framework with accessible Cu ²⁺ sites for the catalytic Henry reaction. 2011 , 47, 2928-30	93
1867	Container molecules based on imine type ligands. 2012 , 319, 79-98	5
1866	Adsorbate Selectivity of Isoreticular Microporous Metal-Organic Frameworks with Similar Static Pore Dimensions. 2011 , 11, 5064-5071	16
1865	An Fe-based MOF constructed from paddle-wheel and rod-shaped SBUs involved in situ generated acetate. 2011 , 13, 6002	31
1864	Oriented Zeolitic Imidazolate Framework-8 Membrane with Sharp H ₂ /C ₃ H ₈ Molecular Sieve Separation. 2011 , 23, 2262-2269	388
1863	An unprecedented (4,24)-connected metal-organic framework sustained by nanosized Ag ₁₂ cuboctahedral node. 2011 , 13, 7311	26
1862	Two unusual (4,6)- and 8-connected metal-organic frameworks constructed from flexible 1,4-benzenebis(thioacetic acid) and pyridine-based ligands. 2011 , 13, 684-689	13
1861	Effects of Unsaturated Metal Sites on Radical Vinyl Polymerization in Coordination Nanochannels. 2011 , 44, 2693-2697	36

- 1860 A porous coordination polymer assembled from 8-connected {Co(II)₃(OH)} clusters and isonicotinate: multiple active metal sites, apical ligand substitution, H₂ adsorption, and magnetism. **2011**, 50, 2321-8 96
- 1859 Coordination Polymers in Selective Separation of Cations and Anions: A Series of Rarely Observed All Helical Three-Dimensional Coordination Polymers Derived from Various Chiral Amino Acid Based Bis-pyridyl-bis-amide Ligands. **2011**, 11, 5592-5597 15
- 1858 An Inexpensive, Widely Available Material for 4 wt % Reversible Hydrogen Storage Near Room Temperature. **2011**, 2, 1417-1420 19
- 1857 Synthesis and polymorphism of (4-ClpyH)₂[CuCl₄]: solid-gas and solid-solid reactions. **2011**, 13, 3189-3196 36
- 1856 High and selective CO₂ uptake, H₂ storage and methanol sensing on the amine-decorated 12-connected MOF CAU-1. **2011**, 4, 4522 207
- 1855 Synthesis and characterization of highly porous borazine-linked polymers and their performance in hydrogen storage application. **2011**, 21, 10629 50
- 1854 Controlling the shifting degree of interpenetrated metal-organic frameworks by modulator and temperature and their hydrogen adsorption properties. **2011**, 47, 2556-8 51
- 1853 Syntheses, Structures, Photoluminescence, and Gas Adsorption of Rare Earth-Organic Frameworks Based on a Flexible Tricarboxylate. **2011**, 11, 5469-5474 41
- 1852 Hydrogen Storage Materials. **2011**, 112
- 1851 A new modification of an old framework: Hofmann layers with unusual tetracyanidometallate groups. **2011**, 40, 11621-8 17
- 1850 A microporous hydrogen-bonded organic framework for highly selective C₂H₂/C₂H₄ separation at ambient temperature. **2011**, 133, 14570-3 409
- 1849 Controlling interpenetration in CuCN coordination polymers by size of the pendant substituents of terpyridine ligands. **2011**, 13, 6759 19
- 1848 Zeolitic imidazolate framework-8 as a luminescent material for the sensing of metal ions and small molecules. **2011**, 21, 6649 226
- 1847 Pro-porous coordination polymers of the 1,4-bis((3,5-dimethyl-1H-pyrazol-4-yl)-methyl)benzene ligand with late transition metals. **2011**, 50, 11506-13 28
- 1846 Effect of humidity on the performance of microporous coordination polymers as adsorbents for CO₂ capture. **2011**, 27, 6368-73 368
- 1845 Metal-organic frameworks based on unprecedented trinuclear and pentanuclear metal-tetrazole clusters as secondary building units. **2011**, 50, 12133-40 56
- 1844 Zinc(II) complexes with a versatile multitopic tetrazolate-based ligand showing various structures: impact of reaction conditions on the final product structures. **2011**, 50, 10994-1003 44
- 1843 Isoreticular metal-organic frameworks and their membranes with enhanced crack resistance and moisture stability by surfactant-assisted drying. **2011**, 27, 2652-7 112

1842	1D + 1D -> 1D polyrotaxane, 2D + 2D -> 3D interpenetrated, and 3D self-penetrated divalent metal terephthalate bis(pyridylformyl)piperazine coordination polymers. 2011 , 50, 8997-9003	88
1841	Fluxionality of hydrogen ligands in Fe(H) ₂ (H ₂)(PEtPh ₂) ₃ . 2011 , 50, 10740-7	12
1840	Fluorescent metal-organic framework for selective sensing of nitroaromatic explosives. 2011 , 47, 12137-9	456
1839	A metalloporphyrin functionalized metal-organic framework for selective oxidization of styrene. 2011 , 47, 5521-3	105
1838	Metal-specific interactions of H ₂ adsorbed within isostructural metal-organic frameworks. 2011 , 133, 20310-8	68
1837	Accurate Prediction of Methane Adsorption in a Metal-Organic Framework with Unsaturated Metal Sites by Direct Implementation of an ab Initio Derived Potential Energy Surface in GCMC Simulation. 2011 , 115, 23074-23080	82
1836	Hexametallc manganese clusters with bulky derivatised salicylaloximes. 2011 , 40, 1693-9	17
1835	Unique double-shelled hollow silica microspheres: template-guided self-assembly, tunable pore size, high thermal stability, and their application in removal of neutral red. 2011 , 21, 19124	32
1834	Kubas-type hydrogen storage in V(III) polymers using tri- and tetradentate bridging ligands. 2011 , 133, 4955-64	22
1833	Two-Dimensional Semiconductive Electronic Frameworks. 2011 , 155-174	
1832	Luminescent infinite coordination polymer materials from metal-terpyridine ligation. 2011 , 40, 9189-93	22
1831	Anion-tuned sorption and catalytic properties of a soft metal-organic solid with polycatenated frameworks. 2011 , 21, 7098	64
1830	Tripodal imidazole frameworks: Reversible vapour sorption both with and without significant structural changes. 2011 , 40, 573-82	30
1829	Chemical instability of Cu ₃ (BTC) ₂ by reaction with thiols. 2011 , 12, 1018-1021	44
1828	Structure, characterization and inhibition activity of new metal-organic framework. 2011 , 53, 3657-3665	38
1827	Materials-based hydrogen storage: Attributes for near-term, early market PEM fuel cells. 2011 , 15, 29-38	84
1826	High capacity gas storage by a 4,8-connected metal-organic polyhedral framework. 2011 , 47, 4487-9	203
1825	Mixed-component metal-organic frameworks (MC-MOFs): enhancing functionality through solid solution formation and surface modifications. 2011 , 13, 3623	308

1824	A multiunit catalyst with synergistic stability and reactivity: a polyoxometalate-metal organic framework for aerobic decontamination. 2011 , 133, 16839-46	437
1823	Methyl modified MOF-5: a water stable hydrogen storage material. 2011 , 47, 5244-6	192
1822	Doping metal-organic frameworks for water oxidation, carbon dioxide reduction, and organic photocatalysis. 2011 , 133, 13445-54	1187
1821	Porous Organic Polymers in Catalysis: Opportunities and Challenges. 2011 , 1, 819-835	699
1820	Metal-organic-framework-based tandem molecular sieves as a dual platform for selective microextraction and high-resolution gas chromatographic separation of n-alkanes in complex matrixes. 2011 , 83, 7094-101	249
1819	Metal-organic framework MIL-101(Cr) for high-performance liquid chromatographic separation of substituted aromatics. 2011 , 83, 7144-50	265
1818	Why hybrid porous solids capture greenhouse gases?. <i>Chemical Society Reviews</i> , 2011 , 40, 550-62	58.5 562
1817	Synthesis, structure, and photoluminescent properties of metal-organic coordination polymers assembled with bithiophenedicarboxylic acid. 2011 , 50, 3198-205	63
1816	Hydride-induced amplification of performance and binding enthalpies in chromium hydrazide gels for Kubas-type hydrogen storage. 2011 , 133, 15434-43	30
1815	Porous siloxane-organic hybrid with ultrahigh surface area through simultaneous polymerization-destruction of functionalized cubic siloxane cages. 2011 , 133, 13832-5	105
1814	From molecules to materials: molecular paddle-wheel synthons of macromolecules, cage compounds and metal-organic frameworks. 2011 , 40, 6834-59	141
1813	Polyhedral boron clusters in materials science. 2011 , 35, 1955	135
1812	Construction of Coordination Polymers with a Bifurcating Ligand: Synthesis, Structure, Photoluminescence, and Magnetic Studies. 2011 , 11, 1122-1134	52
1811	End-functionalization of a vinylidene fluoride oligomer in coordination nanochannels. 2011 , 21, 8021	7
1810	Deposition of Thin Films for Sensor Applications. 2011 , 309-335	3
1809	New three-dimensional metal-organic framework with heterometallic [Fe-Ag] building units: synthesis, crystal structure, and functional studies. 2011 , 50, 2714-6	46
1808	Nanoconfined hydrides for energy storage. 2011 , 3, 2086-98	240
1807	Structural Isomerism and Effect of Fluorination on Gas Adsorption in Copper-Tetrazolate Based Metal Organic Frameworks. 2011 , 23, 2908-2916	73

1806	Structural, magnetic, and gas adsorption study of a series of partially fluorinated metal-organic frameworks (HF-MOFs). 2011 , 50, 3855-65	80
1805	First-principles approach to rotational-vibrational frequencies and infrared intensity for H ₂ adsorbed in nanoporous materials. 2011 , 83,	22
1804	Hydrogen reactivity of palladium nanoparticles coated with mixed monolayers of alkyl thiols and alkyl amines for sensing and catalysis applications. 2011 , 133, 4389-97	98
1803	Boronic acid building blocks: tools for self assembly. 2011 , 47, 1124-50	400
1802	ZnAlF ₅ [TAZ]: an Al fluorinated MOF of MIL-53(Al) topology with cationic {Zn(1,2,4 triazole)} ₂₊ linkers. 2011 , 21, 3949	32
1801	Artificial amino acids in nickel(II) and nickel(II)/lanthanide(III) chemistry. 2011 , 50, 5175-85	28
1800	Microporous magnets. <i>Chemical Society Reviews</i> , 2011 , 40, 3249-65	58.5 471
1799	Humidity-Driven Reversible Transformation and Guest Inclusion in a Two-Dimensional Coordination Framework Tailored by Organic Polyamine Cation. 2011 , 11, 3866-3876	23
1798	Evaluating metal-organic frameworks for post-combustion carbon dioxide capture via temperature swing adsorption. 2011 , 4, 3030	782
1797	X-Ray crystal structure of [HSm{V(IV)O(TPPS)}] _n and encapsulation of nitrogen molecules in 1-D channels. 2011 , 40, 12826-31	17
1796	Two Azolium Rings Are Better Than One: A Strategy for Controlling Catenation and Morphology in Zn and Cu Metal-Organic Frameworks. 2011 , 11, 4747-4750	44
1795	Preparation, Characterization, and Postsynthetic Modification of Metal-Organic Frameworks: Synthetic Experiments for an Undergraduate Laboratory Course in Inorganic Chemistry. 2011 , 88, 92-94	24
1794	Computational screening of metal-organic frameworks for xenon/krypton separation. 2011 , 57, 1759-1766	118
1793	A new approach to construct a doubly interpenetrated microporous metal-organic framework of primitive cubic net for highly selective sorption of small hydrocarbon molecules. 2011 , 17, 7817-22	127
1792	Metal-organic frameworks for efficient enrichment of peptides with simultaneous exclusion of proteins from complex biological samples. 2011 , 47, 4787-9	186
1791	Synthesis and structure of homochiral polymeric praseodymium tartrate. 2011 , 60, 2425-2428	4
1790	Lanthanide, Y and Sc MOFs: where amazing crystal structures meet outstanding material properties. 2011 , 13, 5031	34
1789	New functionalized flexible Al-MIL-53-X (X = -Cl, -Br, -CH ₃ , -NO ₂ , -(OH) ₂) solids: syntheses, characterization, sorption, and breathing behavior. 2011 , 50, 9518-26	224

1788	Recent Advances in s-Block Metal Carboxylate Networks. 2011 , 11, 4704-4720	172
1787	Fluorescent nanoparticles based on a microporous organic polymer network: fabrication and efficient energy transfer to surface-bound dyes. 2011 , 47, 9612-4	93
1786	Two new silver(I) coordination polymers with 4,4'-bipyridine and two perfluorophthalonitriles. 2011 , 1006, 136-141	10
1785	PLUXter: rapid discovery of metal-organic framework structures using PCA and HCA of high throughput synchrotron powder diffraction data. 2011 , 14, 28-35	12
1784	Preparation of Porous Cobalt(II) 1,3,5-Benzenetricarboxylates: Product Dependence on the Reaction Solvent and Additive. 2011 , 40, 656-657	5
1783	One-pot Solvothermal Crystallization of Two Three-dimensional Manganese 2,6-Naphthalenedicarboxylates: Secondary Ligand-induced Pseudopolymorphism. 2011 , 40, 886-887	5
1782	Interfacial synthesis of hollow metal-organic framework capsules demonstrating selective permeability. 2011 , 3, 382-7	421
1781	Air-stable magnesium nanocomposites provide rapid and high-capacity hydrogen storage without using heavy-metal catalysts. 2011 , 10, 286-90	488
1780	Synthesis, structures and luminescent properties of Co(II) and Ni(II) metal-organic frameworks with semirigid diphthalic ligands. 2011 , 13, 1948-1953	2
1779	Effect of zeolitic imidazolate frameworks on the gas transport performance of ZIF8-poly(1,4-phenylene ether-ether-sulfone) hybrid membranes. 2011 , 383, 206-213	101
1778	Three novel lanthanide MOFs constructed from 1,3-benzenedicarboxylic acid and 1,10-phenanthroline: Hydrothermal synthesis, crystal structure and thermal properties. 2011 , 1004, 39-44	23
1777	A series of three-dimensional lanthanide MOFs: Observation of reversible structural changes controlled by solvent desorption/adsorption, and magnetic properties. 2011 , 1004, 82-87	21
1776	Supramolecular architectures of Cu(II) with terpyridine and pyridyl-carboxylates. 2011 , 1006, 425-433	7
1775	Molecular architecture based on manganese triangles: Monomer, dimer, and one-dimensional polymer. 2011 , 30, 3265-3271	12
1774	Surfactant-assisted facile synthesis of fluorescent zinc benzenedicarboxylate metal-organic framework nanorods with enhanced nitrobenzene explosives detection. 2011 , 131, 358-361	32
1773	The structural transformation from 2D layers to 3D nets by solvent-mediated cation-exchange reaction. 2011 , 14, 1823-1826	6
1772	Coordination chemistry of the heterotopic 1,2-phenylenebis(thio)diacetic acid ligand: Rhodium(I), palladium(II) and nickel(II) complexes. 2011 , 374, 127-133	1
1771	Zinc and cadmium flexible-arm ortho-dicarboxylate bis(pyridyl)piperazine coordination polymers with rare two- and three-dimensional topologies. 2011 , 375, 280-289	14

1770	Synthesis and characterization of new oligomeric and polymeric complexes based on the [CuII(bpca)] ⁺ unit [Hbpca = bis(2-pyridylcarbonyl)amine]. 2011 , 376, 538-548	13
1769	Simple layered or complex self-penetrated networks in cadmium homophthalate coordination polymers containing 1,3-bis(4-pyridyl)propane. 2011 , 376, 590-597	
1768	A systematic study on the thermal decomposition reactions of coordination polymers based on metal(II) selenocyanates and 4,4'-bipyridine: Directed synthesis of a π 1,3 bridging selenocyanate. 2011 , 377, 129-137	4
1767	Rhodium paddlewheel dimers containing the π 4 stacking, 1,8-naphthalimide supramolecular synthon. 2011 , 378, 42-48	12
1766	New pyridine-monoacylhydrazidate-coordinated transition-metal complexes. 2011 , 378, 72-80	19
1765	Interaction of H ₂ with fragments of MOF-5 and its implications for the design and development of new MOFs: A computational study. 2011 , 36, 10737-10747	15
1764	Effect of Zn/Co ratio in MOF-74 type materials containing exposed metal sites on their hydrogen adsorption behaviour and on their band gap energy. 2011 , 36, 10834-10844	98
1763	Hydrogenation properties of the TiB _x structures. 2011 , 36, 12268-12278	5
1762	On the application of standard isotherms to hydrogen adsorption in microporous materials. 2011 , 36, 14464-14476	7
1761	Synthesis of isostructural metal-organic frameworks, CPO-27s, with ultrasound, microwave, and conventional heating: Effect of synthesis methods and metal ions. 2011 , 173, 866-872	74
1760	Synthesis and application of a macroporous boronate affinity monolithic column using a metal-organic gel as a porogenic template for the specific capture of glycoproteins. 2011 , 1218, 9194-201	84
1759	Hydroxyl group recognition by hydrogen-bonding donor and acceptor sites embedded in a layered metal-organic framework. 2011 , 133, 11050-3	79
1758	Influence of the Oxidation State of the Metal Center on the Flexibility and Adsorption Properties of a Porous Metal Organic Framework: MIL-47(V). 2011 , 115, 19828-19840	72
1757	Two Novel Zinc(II) Metal-Organic Frameworks Based on Triazole-Carboxylate Shared Paddle-Wheel Units: Synthesis, Structure, and Gas Adsorption. 2011 , 11, 2811-2816	37
1756	Different structural destinations: comparing reactions of [CuBr ₂ (3-Brpy) ₂] crystals with HBr and HCl gas. 2011 , 13, 4400	21
1755	Mechanical properties of hybrid inorganic-organic framework materials: establishing fundamental structure-property relationships. <i>Chemical Society Reviews</i> , 2011 , 40, 1059-80	58.5 533
1754	Reconciling the discrepancies between crystallographic porosity and guest access as exemplified by Zn-HKUST-1. 2011 , 133, 18257-63	167
1753	Understanding the preferential adsorption of CO ₂ over N ₂ in a flexible metal-organic framework. 2011 , 133, 12849-57	86

1752	High thermal and chemical stability in pyrazolate-bridged metal-organic frameworks with exposed metal sites. 2011 , 2, 1311	420
1751	Three-dimensional porous Cd(II) coordination polymer with large one-dimensional hexagonal channels: high pressure CH ₄ and H ₂ adsorption studies. 2011 , 50, 539-44	69
1750	A sixfold interpenetrated microporous MOF constructed from heterometallic tetranuclear cluster exhibiting selective gas adsorption. 2011 , 40, 10319-21	27
1749	Dehydrogenation and related reactions catalyzed by iridium pincer complexes. 2011 , 111, 1761-79	828
1748	Soft porous crystal meets TCNQ: charge transfer-type porous coordination polymers. 2011 , 21, 5537	53
1747	The current status of hydrogen storage in metal-organic frameworks—updated. 2011 , 4, 2721	391
1746	Microporous sensor: gas sorption, guest exchange and guest-dependant luminescence of metal-organic framework. 2011 , 40, 2196-203	57
1745	Triazine functionalized ordered mesoporous polymer: a novel solid support for Pd-mediated C-C cross-coupling reactions in water. 2011 , 13, 1317	157
1744	Dynamic microporous indium(III)-4,4'-oxybis(benzoate) framework with high selectivity for the adsorption of CO ₂ over N ₂ . 2011 , 47, 770-2	85
1743	Syntheses, structural characterization and properties of transition metal complexes of 5,5'-(1,4-phenylene)bis(1H-tetrazole) (H(2)bdt), 5,5''-(1,1'-biphenyl)-4,4'-diylbis(1H-tetrazole) (H(2)dbdt) and 5,5',5''-(1,3,5-phenylene)tris(1H-tetrazole) (H(3)btt). 2011 , 40, 12288-300	39
1742	Solid state coordination chemistry of metal-1,2,4-triazolates and the related metal-4-pyridyltetrazolates. 2011 , 13, 4457	110
1741	Postsynthetic modification of metal-organic frameworks—a progress report. <i>Chemical Society Reviews</i> , 2011 , 40, 498-519	58.5 936
1740	Silver(I)-glutathione biocoordination polymer hydrogel: effective antibacterial activity and improved cytocompatibility. 2011 , 21, 19214	66
1739	Nitrogen-rich azoles as ligand spacers in coordination polymers. 2011 , 6, 292-304	63
1738	Influence of MIL-101 doping by ionic clusters on hydrogen storage performance up to 1900 bar. 2011 , 6, 1854-9	19
1737	Dihydrogen bonding vs metal-π interaction in complexes between H ₂ and metal hydride. 2011 , 115, 201-10	26
1736	Soft secondary building unit: dynamic bond rearrangement on multinuclear core of porous coordination polymers in gas media. 2011 , 133, 9005-13	160
1735	Layered and pillar-layered metal-organic frameworks based on pinwheel trinuclear zinc-carboxylate clusters. 2011 , 13, 2721	28

1734	Selective binding of O ₂ over N ₂ in a redox-active metal-organic framework with open iron(II) coordination sites. 2011 , 133, 14814-22	404
1733	Two metal-organic frameworks based on a double azolium derivative: post-modification and catalytic activity. 2011 , 47, 11005-7	65
1732	Coordination polymer with the framework structure [Zn ₂ (DMA)(Atc)] ⁴ ·DMA: Synthesis, structure, and properties. 2011 , 37, 100-106	1
1731	Synthesis of a New Copper-Azobenzene Dicarboxylate Framework in the Form of Hierarchical Bulk Solids and Thin Films without and with Patterning. 2011 , 23, 5366-5374	31
1730	Post-synthesis modification of a metal-organic framework to form metallosalen-containing MOF materials. 2011 , 133, 13252-5	219
1729	Porous Interpenetrating Metal-Organic Frameworks with Hierarchical Nodes. 2011 , 11, 1798-1806	35
1728	Disclosing the Complex Structure of UiO-66 Metal Organic Framework: A Synergic Combination of Experiment and Theory. 2011 , 23, 1700-1718	1079
1727	Complete Series of Monohalogenated Isoreticular Metal-Organic Frameworks: Synthesis and the Importance of Activation Method. 2011 , 11, 4309-4312	47
1726	Active-site-accessible, porphyrinic metal-organic framework materials. 2011 , 133, 5652-5	378
1725	Selective surface and near-surface modification of a noncatenated, catalytically active metal-organic framework material based on Mn(salen) struts. 2011 , 50, 3174-6	105
1724	Metal-Organic frameworks as heterogeneous catalysts for oxidation reactions. 2011 , 1, 856	257
1723	New metal organic frameworks incorporating the ditopic macrocyclic ligand dipyridyldibenzotetraaza[14]annulene. 2011 , 71, 455-462	6
1722	Structural diversity in coordination polymers constructed from a naphthalene-spaced dipyriddy ligand and iron(II) thiocyanate. 2011 , 71, 381-388	5
1721	Syntheses and Crystal Structures of Two New Cadmium(II) and Nickel(II) Complexes with 1,4-Phenylenediacetate and 2,2'-Bipyridyl-Like Ligands. 2011 , 41, 664-669	2
1720	Synthesis and Crystal Structure of an Expanded Square Grid Metal Organic Material, [Cu(L1)(DMF)] _n ·(2.64 DMF). 2011 , 41, 1834-1838	1
1719	Synthesis, Crystal Structure and Thermal Property of a Novel Mn(II) Coordination Polymer Bridged by Imazapyr. 2011 , 41, 1839-1843	4
1718	A Ladder-like Coordination Polymer [Sr(H ₂ O) ₄ (CuL) ₂] ⁴ ·(CuL)·2.25H ₂ O Constructed From Metallo-Ligand Na[CuL] and Sr(NO ₃) ₂ : Crystal Structure and ESR Study. 2011 , 21, 165-170	4
1717	Heat capacities and thermodynamic properties of MgNDC. 2011 , 103, 365-372	13

1716	Investigation on specific adsorption of hydrogen on lithium-doped mesoporous silica. 2011 , 17, 211-218	8
1715	Liquid-phase adsorption on metal-organic frameworks. 2011 , 17, 219-226	33
1714	Binding energy of gas molecule with two pyrazine molecules as organic linker in metal-organic framework: its theoretical evaluation and understanding of determining factors. 2011 , 130, 475-482	9
1713	Adsorptive removal of methyl orange and methylene blue from aqueous solution with a metal-organic framework material, iron terephthalate (MOF-235). 2011 , 185, 507-11	788
1712	pH- and metal-dependent structural diversity from mononuclear to two-dimensional polymers based on a flexible tricarboxylate ligand. 2011 , 184, 1581-1590	17
1711	Structural diversity in two dimensional chiral coordination polymers involving 4,4'-bipyridine and L-cysteate as bridging ligands with Zn and Cd metal centres: Synthesis, characterization and X-ray crystallographic studies. 2011 , 365, 363-370	29
1710	Synthesis, structures, and luminescence properties of mixed ligand Cd(II) and Zn(II) coordination compounds mediated by 1,2-bis(4-pyridyl)ethane. 2011 , 370, 411-419	23
1709	Diverse coordination of polynuclear copper(II) complexes constructed from benzene tetracarboxylates. 2011 , 370, 435-443	19
1708	Molecular simulation studies of separation of CH ₄ /H ₂ mixture in metal-organic frameworks with interpenetration and mixed-ligand. 2011 , 66, 3012-3019	26
1707	Porous zinc(II)-organic framework with potential open metal sites: Synthesis, structure and property. 2011 , 54, 1436-1440	13
1706	Recent advance in porous coordination polymers from the viewpoint of crystalline-state transformation. 2011 , 54, 1371-1394	31
1705	Synthesis, structure and photoluminescence of two porous metal-organoboron frameworks with rtl topology. 2011 , 54, 1430-1435	1
1704	Challenges in hydrogen adsorptions: from physisorption to chemisorption. 2011 , 6, 142-150	42
1703	Substitution effects on the hydrogen storage behavior of AB ₂ alloys by first principles. 2011 , 6, 214-219	4
1702	Two Novel Isostructural 3D LnBr (Ln = Eu; Gd) Coordination Polymers Based on Oxalate Ligands with Unusual Topology: Synthesis, Crystal Structures, and Luminescence. 2011 , 637, 578-582	2
1701	Silver(I) Complexes with Dithioether Ligands: Syntheses, Crystal Structures, and Fluorescence Properties. 2011 , 637, 1383-1387	5
1700	Synthesis, Crystal Structures, and Spectral Properties of Three Complexes with a Tetrazole-based Ligand. 2011 , 637, 2265-2272	5
1699	Poly[di-aqua-di-β-oxalato-β-oxalato-chromium(III)rubidium(I)]: a new supramolecular isomer. 2011 , 67, m85-9	3

- 1698 Poly[(β -adamantane-1,3-dicarboxylato- β O1:O1':O3,O3':O3')(β -adamantane-1,3-dicarboxylato- β O1,O1':O3,O3':O3')]dimag
a layered coordination polymer. **2011**, 67, m335-7 4
- 1697 Separation of chemical reaction intermediates by metal-organic frameworks. **2011**, 7, 2356-64 40
- 1696 MOF Processing by Electrospinning for Functional Textiles. **2011**, 13, 356-360 96
- 1695 A Systematic Approach to Building Highly Porous, Noninterpenetrating Metal-Organic Frameworks
with a Large Capacity for Adsorbing H₂ and CH₄. **2011**, 21, 993-998 64
- 1694 Rapid Room-Temperature Synthesis of Metal-Organic Framework HKUST-1 Crystals in Bulk and as
Oriented and Patterned Thin Films. **2011**, 21, 1442-1447 190
- 1693 The Effect of Methyl Functionalization on Microporous Metal-Organic Frameworks' Capacity and
Binding Energy for Carbon Dioxide Adsorption. **2011**, 21, 4754-4762 98
- 1692 Metal-organic frameworks: a rapidly growing class of versatile nanoporous materials. **2011**, 23, 249-67 1104
- 1691 Fabrication of metal-organic framework-containing silica-colloidal crystals for vapor sensing. **2011**,
23, 4449-52 148
- 1690 Iron(III)-Pivalate-Based Complexes with Tetranuclear {Fe₄(β -O)₂}⁸⁺ Cores and N-Donor Ligands:
Formation of Cluster and Polymeric Architectures. **2011**, 2011, 356-367 19
- 1689 Enthalpy-Entropy Correlation for Hydrogen Adsorption on MOFs: Variable-Temperature FTIR Study
of Hydrogen Adsorption on MIL-100(Cr) and MIL-101(Cr). **2011**, 2011, 1703-1708 24
- 1688 Mixed-Metal d-f Phosphonate Frameworks [Photoluminescence and Magnetic Properties. **2011**,
2011, 2035-2044 23
- 1687 Water Adsorption Characteristics of MIL-101 for Heat-Transformation Applications of MOFs. **2011**,
2011, 471-474 240
- 1686 Synthesis, Structures, and Adsorption Properties of Two New La(III)/Mg(II) Heterometallic Polymers.
2011, 2011, 5299-5304 9
- 1685 1D Co(II) and Ni(II) Chiral Polymers That Exhibit Ferromagnetic Interactions. **2011**, 2011, 4869-4877 15
- 1684 A New Metal Carboxylate Framework Based on Porphyrin with Extended π -Conjugation. **2011**,
2011, 4550-4557 30
- 1683 Direct Carboxylation of Zinocene Cp*₂Zn. **2011**, 2011, 4157-4160 18
- 1682 Structural Flexibility and Sorption Properties of 2D Porous Coordination Polymers Constructed
from Trinuclear Heterometallic Pivalates and 4,4'-Bipyridine. **2011**, 2011, 4985-4992 25
- 1681 Thermodynamic methods and models to study flexible metal-organic frameworks. **2011**, 12, 247-58 100

1680	The hydrogen issue. 2011 , 4, 21-36	594
1679	Oberflächenchemie Metall-organischer Gerüste an der Flüssig-fest-Grenzfläche. 2011 , 123, 184-208	43
1678	Eine Salicylbisimin-Käfigverbindung mit großer spezifischer Oberfläche und selektiver CO ₂ /CH ₄ -Adsorption. 2011 , 123, 1078-1083	114
1677	Hybrid Zeolitic Imidazolate Frameworks with Catalytically Active TO ₄ Building Blocks. 2011 , 123, 470-473	17
1676	Kovalente postsynthetische Funktionalisierung einer ZIF-90-MOF-Membran zur Erhöhung ihrer Wasserstoffselektivität. 2011 , 123, 5083-5086	27
1675	Variant Luminescence from an Organic-Inorganic Hybrid Structure with an Isolated 4-Ring Zinc Phosphate Tecton. 2011 , 123, 5431-5434	8
1674	Phosphorescent Nanoscale Coordination Polymers as Contrast Agents for Optical Imaging. 2011 , 123, 3780-3784	27
1673	Double Switching of a Magnetic Coordination Framework through Intraskelatal Molecular Rearrangement. 2011 , 123, 4059-4063	10
1672	Funktionelle Gemischtmetall-organische Gerüste mit Metalloliganden. 2011 , 123, 10696-10707	71
1671	Kinetic Control of Metal-Organic Framework Crystallization Investigated by Time-Resolved In Situ X-Ray Scattering. 2011 , 123, 9798-9802	34
1670	Poröse Materialien zur CO ₂ -Abtrennung und -Abscheidung Entwicklung und Bewertung. 2011 , 123, 11790-11801	88
1669	Kohlenstoffdioxid-neutrale Wasserstoffspeicherung basierend auf Bicarbonaten und Formiaten. 2011 , 123, 6535-6538	71
1668	A Microporous Copper Metal-Organic Framework with High H ₂ and CO ₂ Adsorption Capacity at Ambient Pressure. 2011 , 123, 10528-10532	13
1667	Confinement of Mobile Histamine in Coordination Nanochannels for Fast Proton Transfer. 2011 , 123, 11910-11913	51
1666	Metal-Organic Framework Regioisomers Based on Bifunctional Ligands. 2011 , 123, 12401-12404	6
1665	Surface chemistry of metal-organic frameworks at the liquid-solid interface. 2011 , 50, 176-99	276
1664	A salicylbisimine cage compound with high surface area and selective CO ₂ /CH ₄ adsorption. 2011 , 50, 1046-51	330
1663	Hybrid zeolitic imidazolate frameworks with catalytically active TO ₄ building blocks. 2011 , 50, 450-3	320

- 1662 Covalent post-functionalization of zeolitic imidazolate framework ZIF-90 membrane for enhanced hydrogen selectivity. **2011**, 50, 4979-82 223
- 1661 Variant luminescence from an organic-inorganic hybrid structure with an isolated 4-ring zinc phosphate tecton. **2011**, 50, 5319-22 39
- 1660 Phosphorescent nanoscale coordination polymers as contrast agents for optical imaging. **2011**, 50, 3696-700 210
- 1659 Double switching of a magnetic coordination framework through intraskeletal molecular rearrangement. **2011**, 50, 3973-7 71
- 1658 Functional mixed metal-organic frameworks with metalloligands. **2011**, 50, 10510-20 351
- 1657 Kinetic control of metal-organic framework crystallization investigated by time-resolved in situ X-ray scattering. **2011**, 50, 9624-8 159
- 1656 Development and evaluation of porous materials for carbon dioxide separation and capture. **2011**, 50, 11586-96 907
- 1655 CO₂-"neutral" hydrogen storage based on bicarbonates and formates. **2011**, 50, 6411-4 246
- 1654 A microporous copper metal-organic framework with high H₂ and CO₂ adsorption capacity at ambient pressure. **2011**, 50, 10344-8 102
- 1653 Confinement of mobile histamine in coordination nanochannels for fast proton transfer. **2011**, 50, 11706-9 211
- 1652 Metal-organic framework regioisomers based on bifunctional ligands. **2011**, 50, 12193-6 52
- 1651 Elucidating gating effects for hydrogen sorption in MFU-4-type triazolate-based metal-organic frameworks featuring different pore sizes. **2011**, 17, 1837-48 183
- 1650 Cobalt imidazolate framework as precursor for oxygen reduction reaction electrocatalysts. **2011**, 17, 2063-7 342
- 1649 Pyrazolate-based cobalt(II)-containing metal-organic frameworks in heterogeneous catalytic oxidation reactions: elucidating the role of entatic states for biomimetic oxidation processes. **2011**, 17, 8671-95 127
- 1648 Spin canting and metamagnetism in the first hybrid cobalt-hypoxanthine open framework with umr topology. **2011**, 17, 5588-94 40
- 1647 The route to a feasible hydrogen-storage material: MOFs versus ammonia borane. **2011**, 17, 10184-207 53
- 1646 A highly porous metal-organic framework: structural transformations of a guest-free MOF depending on activation method and temperature. **2011**, 17, 7251-60 117
- 1645 Probing the dynamics of CO₂ and CH₄ within the porous zirconium terephthalate UiO-66(Zr): a synergic combination of neutron scattering measurements and molecular simulations. **2011**, 17, 8882-9 118

1644	Uptake of liquid alcohols by the flexible Fe(III) metal-organic framework MIL-53 observed by time-resolved in situ X-ray diffraction. 2011 , 17, 7069-79	38
1643	Selective CO ₂ adsorption by a triazacyclononane-bridged microporous metal-organic framework. 2011 , 17, 6689-95	37
1642	Relationship between channel and sorption properties in coordination polymers with interdigitated structures. 2011 , 17, 5138-44	71
1641	Rational design of zinc-organic coordination polymers directed by N-donor co-ligands. 2011 , 17, 8630-42	56
1640	Chemical and thermal stability of isotopic metal-organic frameworks: effect of metal ions. 2011 , 17, 6437-42	214
1639	B-N Chemistry@ZIF-8: dehydrocoupling of dimethylamine borane at room temperature by size-confinement effects. 2011 , 17, 6594-7	31
1638	Selective palladium-loaded MIL-101 catalysts. 2011 , 17, 8071-7	109
1637	Synthesis of isorecticular zinc(II)-phosphonocarboxylate frameworks and their application in the Friedel-Crafts benzylation reaction. 2011 , 17, 10323-8	34
1636	Modifying cage structures in metal-organic polyhedral frameworks for H ₂ storage. 2011 , 17, 11162-70	68
1635	Palladium nanoparticles encapsulated in a metal-organic framework as efficient heterogeneous catalysts for direct C ₂ arylation of indoles. 2011 , 17, 12706-12	170
1634	Co ₃ (HCOO) ₆ microporous metal-organic framework membrane for separation of CO ₂ /CH ₄ mixtures. 2011 , 17, 12076-83	50
1633	Two new interpenetrating networks assembled from 5-methylisophthalic acid and bipyridyl ligand with copper(II) salts. 2011 , 14, 493-496	12
1632	An unusual 3D metal-organic framework with multiform helical chains. 2011 , 14, 519-521	32
1631	Synthesis and characterization of porous Al(III) metal-organic framework nanoparticles as a new precursor for preparation of Al ₂ O ₃ Nanoparticles. 2011 , 14, 645-648	29
1630	A unique unit cell containing simultaneous doubly and triply copper(II) complexes bridging by 2,4-pyridine dicarboxylate. 2011 , 14, 702-705	9
1629	A magnesium-thium heterometallic coordination network. 2011 , 14, 741-744	8
1628	Templated synthesis of a layered erbium-organic framework based on 4,6-dimethyl-5-nitroisophthalic acid (H ₂ dna). 2011 , 14, 948-951	5
1627	A new lanthanide metal-organic framework with (3,6)-connected topology based on novel tricarboxylate ligand. 2011 , 14, 978-981	29

1626	Synthesis, characterization, and crystal structure of a new three-dimensional phosphate with large cavities and polynuclear vanadium. 2011 , 14, 1271-1273	4
1625	Fluoride molecular scissors—A rational construction of new Mo(VI) oxofluorido/1,2,4-triazole MOFs. 2011 , 14, 1365-1368	12
1624	Three novel microporous 3D heterometallic 3d ⁰ f coordination polymers: Synthesis, crystal structures and photoluminescence properties. 2011 , 14, 1396-1399	26
1623	Catalytic hydrolysis of ammonia borane for chemical hydrogen storage. 2011 , 170, 56-63	260
1622	Hydrogen adsorption in metal organic frameworks by hydrogen spillover. 2011 , 164, 23-27	16
1621	Carbon dioxide capture-related gas adsorption and separation in metal-organic frameworks. 2011 , 255, 1791-1823	1614
1620	Facile synthesis of nano-sized metal-organic frameworks, chromium-benzenedicarboxylate, MIL-101. 2011 , 166, 1152-1157	124
1619	One-dimensional zinc(II) polymers with 4,6-dimethyl-1,2,3-triazolo[4,5-d]pyrimidin-5,7-dionato built by bipyridyl-based ligands acting as spacers both in the first and in the second sphere. 2011 , 365, 371-376	3
1618	Hydrogen physisorption in high SSA microporous materials —A comparison between AX-21_33 and MOF-177 at cryogenic conditions. 2011 , 36, 586-591	33
1617	Hydrogen binding in alkali-decorated iso-reticular metal organic framework-16 based on Zn, Mg, and Ca. 2011 , 36, 555-562	9
1616	Hydrogen storage on pyrolyzed chicken feather fibers. 2011 , 36, 7122-7127	23
1615	High pressure adsorption of hydrogen, nitrogen, carbon dioxide and methane on the metal-organic framework HKUST-1. 2011 , 138, 140-148	189
1614	Enhancement of CO ₂ /CH ₄ selectivity in metal-organic frameworks containing lithium cations. 2011 , 141, 231-235	117
1613	Hydrogen storage properties of two pillared-layer Ni(II) metal-organic frameworks. 2011 , 142, 208-213	39
1612	Structural diversity of Cu(II) compounds of Schiff bases derived from 2-hydroxy-1-naphthaldehyde and a series of aminobenzoic acid. 2011 , 996, 101-109	13
1611	Structural diversity of silver (I) azine complexes —Effect of substituents and counter anions. 2011 , 1000, 29-34	6
1610	Syntheses, structures and luminescent properties of a series of 3D lanthanide coordination polymers with tripodal semirigid ligand. 2011 , 184, 373-378	22
1609	New 4,5-dichlorophthalhydrazidate-bridged chained coordination polymers. 2011 , 184, 667-674	30

1608	Synthesis, crystal structures and characterization of four coordination polymers based on 5-amino-2,4,6-triiodoisophthalic acid. 2011 , 184, 1263-1272	6
1607	New photocatalysts based on MIL-53 metal-organic frameworks for the decolorization of methylene blue dye. 2011 , 190, 945-51	336
1606	Microwave synthesis and crystal structures of two cobalt-4,4'-bipyridine-sulfate frameworks constructed from 1-D coordination polymers linked by hydrogen bonding. 2011 , 30, 259-268	11
1605	A comparison of the coordination preference of Cd, Zn, Cu(II) with flexible homophthalic acid and rigid bipyridine ligands. 2011 , 30, 1487-1493	23
1604	Perspective on the Storage of Hydrogen: Past and Future. 2011 , 169-201	16
1603	First-principles study of organic-inorganic hybrid framework compound Mn(C ₄ H ₄ O ₄). 2011 , 84,	1
1602	Structures and photoluminescence of zinc(II) coordination polymers based on in situ generated 1H-tetrazolate-5-propionic acid ligands. 2011 , 13, 6386	49
1601	Coordination Polymers and Metal Organic Frameworks Derived from 1,2,4-Triazole Amino Acid Linkers. 2011 , 3, 1750-1775	51
1600	Ni(II) and Cu(II) Complexes of Pyridyl-Pyrazole Ligands: Syntheses, Crystal Structures and Influence of Metal Ion. 2012 , 36, 680-682	3
1599	Hydrogen storage and selective carbon dioxide capture in a new chromium(III)-based infinite coordination polymer. 2012 , 2, 2939	6
1598	Progress in Magnesium-Based Hydrogen Storage Materials. 2012 , 174-177, 1339-1343	1
1597	Bioinspired Self-Assembly I: Self-Assembled Structures. 2012 , 17-46	
1596	Synthesis, crystal structures, and infrared spectroscopy of a series of lanthanide phosphonoacetate coordination polymers. 2012 , 65, 3274-3286	8
1595	Syntheses, structures, and photoluminescence of three cadmium(II) coordination polymers with flexible bis(benzimidazole) ligands. 2012 , 65, 2852-2861	26
1594	The structure of cubic MOF $[\{Ca(H_2O)_6\}\{CaGd(oxydiacetate)_3\}_2] \cdot 4H_2O$. A comparison between structural models obtained from Rietveld refinement of conventional and synchrotron X-ray powder diffraction data and standard refinement of single-crystal X-ray diffraction data. 2012 , 27, 232-242	5
1593	Zeolitic imidazolate framework-7 as an ultra-selective nanofilter for H ₂ purification: atomistic simulation study. 2012 , 38, 830-837	3
1592	catena-Poly $[\{(\text{triaqua-zinc})-\{\text{Furan-2,5-dicarboxyl-ato-}\mu(2)\text{O}(2):O(2),O(2')\}\}]$. 2012 , 68, m500	3
1591	A Metal-Organic Framework Constructed of 1,2-Di(pyridin-4-yl)ethyne, Terephthalic Acid, and Zinc(II) Nitrate. 2012 , 67, 103-106	1

1590	catena-Poly[[[triaquacopper(II)]-(2)-furan-2,5-dicarboxyl-ato-(4)O(1),O(2):O(2),O(2')]. 2012 , 68, m445	4
1589	catena-Poly[(aqua-dimethano-lzinc)-furan-2,5-dicarboxyl-ato-(3)O(2):O(2),O(2')]. 2012 , 68, m595	0
1588	Crystal structure of aqua-[(2,2'-bipyridine)]-[(2,4-dihydroxypyrimidine-5-carboxylato)] perchloratocopper(II), Cu(H ₂ O)(C ₁₀ H ₈ N ₂)(C ₅ H ₃ N ₂ O ₄)(ClO ₄), C ₁₅ H ₁₃ ClCuN ₄ O ₉ . 2012 , 227, 365-366	
1587	Hydrogen adsorbed in a metal organic framework-5: coupled translation-rotation eigenstates from quantum five-dimensional calculations. 2012 , 137, 014701	40
1586	Hetero Bi-Paddle-Wheel Coordination Networks: A New Synthetic Route to Rh-Containing Metal-Organic Frameworks. 2012 , 85, 433-438	15
1585	Highly Selective Sorption of Small Polar Molecules by a Nonporous Ionic Crystal of a Lacunary Keggin-type Heteropoly Anion and Alkali Metal Cations. 2012 , 41, 331-333	4
1584	Synthesis, Crystal Structures, and Properties of a Series of Coordination Polymers Employing R ₄ -Terephthalate (R = H, F, Cl, Br) and 4,4'-Bipyridine as Bridging Ligands. 2012 , 85, 1102-1111	3
1583	Enantioselective Ring-Opening Reaction of Epoxides with MeOH Catalyzed by Homochiral Metal-Organic Framework. 2012 , 85, 709-714	17
1582	Performance of Cu-coated vanadium cans for in situ neutron powder diffraction experiments on hydrogen storage materials. 2012 , 45, 902-905	5
1581	Counter-cation modulation of hydrogen and methane storage in a sodalite-type porous metal-organic framework. 2012 , 48, 12002-4	58
1580	Homoleptic lanthanide 1,2,3-triazolates ([2B][Ln(Tz*) ₃] and their diversified photoluminescence properties. 2012 , 51, 13204-13	47
1579	Advances in materials for room temperature hydrogen sensors. 2012 , 137, 2743-56	59
1578	Assembly and post-modification of a metal-organic nanotube for highly efficient catalysis. 2012 , 134, 19851-7	214
1577	A heterobimetallic metal-organic framework with tunable reactive metal sites: synthesis, characterization, and reactivity. 2012 , 41, 7855-8	26
1576	Thermodynamics of Pore Filling Metal Clusters in Metal Organic Frameworks: Pd in UiO-66. 2012 , 3, 3702-6	25
1575	Lanthanide homometallic and d-f heterometallic MOFs from the same tripodal ligand: structural comparison, one photon (OP) vs. two photon (TP) luminescence and selective guest adsorption behavior. 2012 , 22, 9846	60
1574	Synthesis, characterization and sorption properties of NH ₂ -MIL-47. 2012 , 14, 15562-70	25
1573	Autonomous motors of a metal-organic framework powered by reorganization of self-assembled peptides at interfaces. 2012 , 11, 1081-5	169

1572	High proton conductivity by a metal-organic framework incorporating Zn ₈ O clusters with aligned imidazolium groups decorating the channels. 2012 , 134, 19432-7	246
1571	Novel (3,4,6)-connected metal-organic framework with high stability and gas-uptake capability. 2012 , 51, 8402-8	47
1570	Dynamic porous metal-organic frameworks: synthesis, structure and sorption property. 2012 , 14, 8569	31
1569	Fine-tuning the balance between crystallization and gelation and enhancement of CO ₂ uptake on functionalized calcium based MOFs and metallogels. 2012 , 22, 14951	68
1568	Uncoordinated carbonyl groups of MOFs as anchoring sites for the preparation of highly active Pd nano-catalysts. 2012 , 22, 10834	63
1567	A luminescent nanoscale metal-organic framework with controllable morphologies for spore detection. 2012 , 48, 7377-9	133
1566	Highly efficient chromatographic resolution of sulfoxides using a new homochiral MOF-silica composite. 2012 , 48, 8577-9	99
1565	Behavior of Binary Guests in a Porous Coordination Polymer. 2012 , 24, 4744-4749	26
1564	Luminescent microporous metal-metallosalen frameworks with the primitive cubic net. 2012 , 41, 3928-32	13
1563	Influence of sterically non-hindering methyl groups on adsorption properties of two classical zinc and copper MOF types. 2012 , 15, 866-877	14
1562	2-Aminobenzothiazole-based Cd(II) complexes incorporating carboxylate-containing coligand: synthesis, crystal structure, and fluorescences. 2012 , 65, 2353-2364	1
1561	Structures and magnetic properties of Mn and Co inorganic-organic frameworks with mixed linear dicarboxylate ligands. 2012 , 14, 2711	20
1560	Dimensionality transformation through paddlewheel reconfiguration in a flexible and porous Zn-based metal-organic framework. 2012 , 134, 20466-78	73
1559	Structure Modulation in Zn(II)-4-Bis(imidazol-1-yl)benzene Frameworks by Varying Dicarboxylate Anions. 2012 , 12, 189-196	157
1558	Two Zn(II) metal-organic frameworks with coordinatively unsaturated metal sites: structures, adsorption, and catalysis. 2012 , 7, 2796-804	93
1557	Interaction of a bispyrazole-based ligand with metal cations in ethanol. 2012 , 85, 940-944	3
1556	Reversible phase transformation and luminescence of cadmium(II)-dipyridylamide-based coordination frameworks. 2012 , 18, 16443-9	13
1555	Trypsin-Immobilized Metal-Organic Framework as a Biocatalyst In Proteomics Analysis. 2012 , 77, 982-986	124

1554	Two d10 Coordination Polymers Based on the Substitutional Aromatic Multicarboxylate and N-donor Co-ligands: Syntheses, Structures and Luminescent Properties. 2012 , 22, 1028-1033	4
1553	Hydrothermal Synthesis, Crystal Structures and Fluorescent Properties of Two Complexes Based on 1,2-Phenylenedioxydiacetic Acid and Polypyridyl Ligands. 2012 , 22, 1308-1313	2
1552	Hydrothermal syntheses, crystal structures and properties of three new zinc(II) coordination polymers with in situ formed 5-(3-pyridyl)tetrazolate. 2012 , 24, 241-246	5
1551	Lewis base-directed assembly of two cobalt-based metal-organic frameworks. 2012 , 25, 83-85	2
1550	Structural diversity through tuning pillar: Porous robust $[Zn_3(FDA)_3\cdot bpp\cdot 2H_2O]\cdot 2H_2O$ and 3-/3-D dual interpenetrating $[Zn_2(FDA)\cdot bipy]\cdot 2H_2O$. 2012 , 25, 86-88	9
1549	Solid state coordination chemistry of copper with pyridyltetrazoles: Structural consequences of incorporation of coordinating anions. 2012 , 392, 52-60	12
1548	Coordination Polymers. 2012 ,	2
1547	Gas Storage and Separation in Supramolecular Materials. 2012 ,	
1546	Porous metal-organic framework based on a macrocyclic tetracarboxylate ligand exhibiting selective CO ₂ uptake. 2012 , 14, 6115	43
1545	Two novel entangled metal-organic networks constructed from 4,4'-bis(2-methylimidazol-1-ylmethyl)biphenyl and dicarboxylates: From polycatenated 2D + 2D -> 3D framework to polyrotaxane-like 2D + 2D -> 2D layer. 2012 , 14, 7856	42
1544	Solid state coordination chemistry of cobalt(II) with carboxyphenyltetrazoles. 2012 , 391, 36-43	5
1543	Tailored construction of novel Nickel (II) and Manganese (II) coordination polymers based on tris(p-carboxylphenyl)phosphine oxide. 2012 , 392, 396-403	10
1542	Window effect on CO ₂ /N ₂ selectivity in metal organic framework materials. 2012 , 552, 136-140	4
1541	Controlling growth of self-propagating molecular assemblies. 2012 , 3, 66-71	17
1540	Rare-earth cation effects on three-dimensional metal-organic rotaxane framework (MORF) self assembly. 2012 , 48, 10186-8	31
1539	Exploration of a coordination polymer as a novel sorbent for the solid-phase extraction of benzo[a]pyrene in edible oils. 2012 , 4, 647	15
1538	Combined IR absorption and modeling study of nanoporous zeolite imidazolate frameworks (ZIFs) filled with hydrogen. 2012 , 2, 9839	4
1537	Challenging fabrication of hollow ceramic fiber supported Cu ₃ (BTC) ₂ membrane for hydrogen separation. 2012 , 22, 10322	63

1536	Syntheses and magnetic properties of three Mn(II) coordination polymers based on a tripodal flexible ligand. 2012 , 14, 1568-1574	34
1535	Selective formation of five coordination polymer particles (CPPs) and their gas sorption properties. 2012 , 14, 2837	5
1534	Auxiliary ligand-directed structural variation from 2D->3D polythreaded net to 3-fold interpenetrating 3D pillar-layered framework: syntheses, crystal structures and magnetic properties. 2012 , 41, 2560-3	110
1533	Control over multifarious entangled Co(II) metal-organic frameworks: role of steric bulk and molar ratio of organic ligands. 2012 , 14, 2906	57
1532	CuN6 Jahn-Teller centers in coordination frameworks comprising fully condensed Kuratowski-type secondary building units: phase transitions and magneto-structural correlations. 2012 , 41, 4239-48	15
1531	Spectroscopic and adsorptive studies of a thermally robust pyrazolato-based PCP. 2012 , 41, 4012-9	24
1530	Improving the performance of a poorly adsorbing porous material: template mediated addition of microporosity to a crystalline submicroporous MOF. 2012 , 48, 907-9	21
1529	In situ formation of new organic ligands to construct two novel self-charge-transfer Pb(II)-based frameworks. 2012 , 14, 75-78	22
1528	A microporous indium-organic framework with high capacity and selectivity for CO ₂ or organosulfurs. 2012 , 41, 2873-6	20
1527	New monoacylhydrazidate-coordinated Mn ²⁺ and Pb ²⁺ compounds. 2012 , 41, 6137-47	25
1526	One-dimensional confinement of a nanosized metal organic framework in carbon nanofibers for improved gas adsorption. 2012 , 48, 2009-11	79
1525	New metal complexes with di(mono)acylhydrazidate molecules. 2012 , 41, 10267-75	18
1524	A porous metal-organic framework (MOF) with unusual 2D->3D polycatenation based on honeycomb layers. 2012 , 41, 1928-30	54
1523	Thermodynamics and kinetics of NaAlH ₄ nanocluster decomposition. 2012 , 14, 8160-9	34
1522	Facile fabrication and adsorption property of a nano/microporous coordination polymer with controllable size and morphology. 2012 , 48, 8814-6	102
1521	Phase transfer catalyst supported, room-temperature biphasic synthesis: a facile approach to the synthesis of coordination polymers. 2012 , 41, 4320-3	7
1520	Divalent metal coordination polymers assembled from dual linkers 4-meririgid carboxyphenylpropionate and dipyriddy type molecule. 2012 , 14, 951-960	40
1519	Novel iso-reticular Zn(II) metal-organic frameworks constructed by trinuclear-triangular and paddle-wheel units: synthesis, structure and gas adsorption. 2012 , 41, 4007-11	24

1518	Charge effect of foreign metal ions and the crystal growth process in hybridized metal-organic frameworks. 2012 , 48, 10847-9	27
1517	Synthesis, structural characterization and photoluminescence property of four di(mono)acylhydrazidate-coordinated Cd ²⁺ and Zn ²⁺ compounds. 2012 , 14, 8162	19
1516	Hydrogen thermal desorption spectra: insights from molecular simulation. 2012 , 41, 3974-84	7
1515	Exploring Ag ⁺ /HB interactions in coordination polymers: silver-alkanedinitrile networks with cobalt carbaborane anions. 2012 , 14, 3367	12
1514	Temperature and auxiliary ligand-controlled supramolecular assembly in a series of Zn(II)-organic frameworks: syntheses, structures and properties. 2012 , 14, 590-600	64
1513	Dynamic porous coordination polymer based on 2D stacked layers exhibiting high sorption selectivity for CO ₂ . 2012 , 41, 3209-13	24
1512	Systematic mechanochemical preparation of a series of coordination pillared layer frameworks. 2012 , 41, 3956-61	69
1511	New photoluminescence acylhydrazidate-coordinated complexes. 2012 , 41, 2382-92	35
1510	Controllable synthesis of microporous, nanotubular and mesocage-like metal-organic frameworks by adjusting the reactant ratio and modulated luminescence properties of Alq ₃ @MOF composites. 2012 , 22, 17947	37
1509	Cu(II)-azide polymers with various molar equivalents of blocking diamine ligands: synthesis, structures, magnetic properties with DFT studies. 2012 , 41, 54-64	37
1508	The cosolvent-dependent assembly of a family of three blue fluorescent lead(II)-coordination polymers with 5-amino-2,4,6-tribromoisophthalic acid. 2012 , 14, 2926	22
1507	A novel kind of coordination polymers employing 2,5-diamino-1,4-benzenedithiol as a bridging ligand: synthesis, structure, optical and magnetic properties. 2012 , 2, 6570	13
1506	Hierarchical modeling of ammonia adsorption in functionalized metal-organic frameworks. 2012 , 41, 3962-73	36
1505	Organic vapor sorption in a high surface area dysprosium(III)-phosphine oxide coordination material. 2012 , 51, 12242-7	31
1504	Solvothermal Synthesis of Oxamate-Based Helicate: Temperature Dependence of the Hydrogen Bond Structuring in the Solid. 2012 , 12, 4955-4962	25
1503	Effect of cationic surfactants on structure and morphology of mesostructured MOFs. 2012 , 2, 5424	21
1502	Employing Zinc Clusters as SBUs To Construct (3,8) and (3,14)-Connected Coordination Networks: Structures, Topologies, and Luminescence. 2012 , 12, 2730-2735	75
1501	Liquid-Phase Adsorption and Separation of Xylene Isomers by the Flexible Porous Metal-Organic Framework MIL-53(Fe). 2012 , 24, 2781-2791	136

1500	Lipid-Coated Nanoscale Coordination Polymers for Targeted Delivery of Antifolates to Cancer Cells. 2012 , 3,	136
1499	Synthesis, characterization, and antibacterial and anticancer screening of $\{M(2+)-Co(3+)-M(2+)\}$ and $\{Co(3+)-M(2+)\}$ (M is Zn, Cd, Hg) heterometallic complexes. 2012 , 17, 1217-30	26
1498	Assembly of Two Porous Cadmium(II) Frameworks: Selective Adsorption and Luminescent Property. 2012 , 12, 4083-4089	54
1497	Construction of Ba(II) Coordination Polymers Based on Imidazole-Based Dicarboxylate Ligands: Structural Diversity Tuned by Alcohol Solvents. 2012 , 12, 3575-3582	58
1496	Solvent- and Vapor-Mediated Solid-State Transformations in 1,3,5-Benzenetricarboxylate Metal-Organic Frameworks. 2012 , 12, 1999-2003	24
1495	Heptanuclear heterometallic $[Cu_6Ln]$ clusters: trapping lanthanides into copper cages with artificial amino acids. 2012 , 51, 5911-8	43
1494	Evaluation of the Thermodynamic Properties of H_2 Binding in Solid State Dihydrogen Complexes $[M(H_2)-H(2)](CO)_2dppe(2)[BArF(24)]$ (M = Mn, Tc, Re): an Experimental and First Principles Study. 2012 , 116, 22245-22252	13
1493	Structural Diversity for a Series of Metal(II) Complexes Based on Flexible 1,2-Phenylenediacetate and Dipyridyl-type Coligand. 2012 , 12, 147-157	85
1492	Solvent-Driven Structural Diversities in ZnII Coordination Polymers and Complexes Derived from Bis-pyridyl Ligands Equipped with a Hydrogen-Bond-Capable Urea Backbone. 2012 , 12, 6061-6067	29
1491	Synthesis and Metalation of Catechol-Functionalized Porous Organic Polymers. 2012 , 24, 1292-1296	89
1490	Hydrogen Storage in High Surface Area Carbons with Identical Surface Areas but Different Pore Sizes: Direct Demonstration of the Effects of Pore Size. 2012 , 116, 25734-25740	61
1489	Ionic liquid-in-ionic liquid nanoemulsions. 2012 , 48, 10562-4	23
1488	Isomer-directed structural diversity and its effect on the nanosheet exfoliation and magnetic properties of 2,3-dimethylsuccinate hybrid frameworks. 2012 , 51, 11198-209	44
1487	Copper(II) carboxylate dimers prepared from ligands designed to form a robust π - π stacking synthon: supramolecular structures and molecular properties. 2012 , 51, 1068-83	85
1486	A homochiral luminescent 2D porous coordination polymer with collagen-type triple helices showing selective guest inclusion. 2012 , 51, 4644-9	28
1485	A Calcium Coordination Framework Having Permanent Porosity and High CO_2/N_2 Selectivity. 2012 , 12, 2162-2165	116
1484	Role of Temperature on Framework Dimensionality: Supramolecular Isomers of $Zn_3(RCOO)_8$ Based Metal Organic Frameworks. 2012 , 12, 572-576	74
1483	A novel pentanuclear zinc coordination polymer with one-dimensional chain: synthesis, structure and luminescent property. 2012 , 97, 853-7	2

- 1482 Synthesis, structure, and photoluminescence of ZnII and CdII coordination complexes constructed by structurally related 5,6-substituted pyrazine-2,3-dicarboxylate ligands. **2012**, 14, 1117-1125 15
- 1481 Metal-organic framework materials with ultrahigh surface areas: is the sky the limit?. **2012**, 134, 15016-21 1210
- 1480 Opportunities and challenges for a sustainable energy future. **2012**, 488, 294-303 5810
- 1479 Robust Metal-Organic Framework with An Octatopic Ligand for Gas Adsorption and Separation: Combined Characterization by Experiments and Molecular Simulation. **2012**, 24, 18-25 74
- 1478 Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. **2012**, 22, 19732 16
- 1477 Zinc(II) coordination polymers of tetrakis(4-pyridyl)cyclobutane and various dicarboxylates: Syntheses, structures and luminescent properties. **2012**, 14, 6230 21
- 1476 Stepwise pillar insertion into metal-organic frameworks: a sequential self-assembly approach. **2012**, 14, 6129 47
- 1475 Step-by-step fabrication of a highly oriented crystalline three-dimensional pillared-layer-type metal-organic framework thin film confirmed by synchrotron X-ray diffraction. **2012**, 134, 9605-8 127
- 1474 Diverse Topologies in Chiral Divalent Metal Camphorate Coordination Polymers Containing 4,4'-Dipyridylamine. **2012**, 12, 5125-5137 24
- 1473 Progress in adsorption-based CO₂ capture by metal-organic frameworks. *Chemical Society Reviews*, **2012**, 41, 2308-22 58,5 1080
- 1472 In situ formed white-light-emitting lanthanide-zinc-organic frameworks. **2012**, 51, 1201-3 113
- 1471 Calix[4]arene-based metal-organic frameworks: towards hierarchically porous materials. **2012**, 48, 4824-6 37
- 1470 Syntheses, crystal structures, and photoluminescence of two new coordination polymers derived from dicarboxylate and N-donor ligands. **2012**, 65, 3019-3027 9
- 1469 High performance metal-organic-framework coatings obtained via thermal gradient synthesis. **2012**, 48, 9708-10 42
- 1468 Near-critical water, a cleaner solvent for the synthesis of a metal-organic framework. **2012**, 14, 117-122 43
- 1467 Single-walled polytetrazolate metal-organic channels with high density of open nitrogen-donor sites and gas uptake. **2012**, 134, 784-7 165
- 1466 Discovery, development, and functionalization of Zr(IV)-based metal-organic frameworks. **2012**, 14, 4096-4104 253
- 1465 Employment of a new tripodal ligand for the synthesis of cobalt(II/III), nickel(II), and copper(II) clusters: magnetic, optical, and thermal properties. **2012**, 51, 10461-70 30

1464	Investigations of new barium dicarboxylates. 2012 , 227, 629-634	6
1463	Patterned conductive nanostructures from reversible self-assembly of 1D coordination polymer. 2012 , 3, 2047	27
1462	Synthesis, Crystal Structure, and Properties of a Novel Coordination Complex: $[\text{Cd}(\text{C}_{10}\text{H}_8\text{O}_4)(\text{H}_2\text{O})_2]$. 2012 , 42, 1001-1006	1
1461	Synthesis, characterisation and adsorption properties of a porous copper(II) 3D coordination polymer exhibiting strong binding enthalpy and adsorption capacity for carbon dioxide. 2012 , 41, 13364-9	2
1460	Microporous metal-organic frameworks for storage and separation of small hydrocarbons. 2012 , 48, 11813-31	278
1459	Catalysis by a Zinc-Porphyrin-Based Metal-Organic Framework: From Theory to Computational Design. 2012 , 116, 23494-23502	29
1458	Comparison of the effect of functional groups on gas-uptake capacities by fixing the volumes of cages A and B and modifying the inner wall of cage C in rht-type MOFs. 2012 , 51, 10350-5	88
1457	Diverse Structures of Metal-Organic Frameworks Based on a New Star-Like Tri(4-pyridylphenyl)amine Ligand. 2012 , 12, 3957-3963	50
1456	Tuning Cobalt Coordination Architectures by Bis(1,2,4-triazol-1-ylmethyl)benzene Position Isomers and 5-Nitroisophthalate. 2012 , 12, 3992-3997	70
1455	A highly porous metal-organic framework, constructed from a cuboctahedral super-molecular building block, with exceptionally high methane uptake. 2012 , 48, 10841-3	170
1454	Facile "modular assembly" for fast construction of a highly oriented crystalline MOF nanofilm. 2012 , 134, 16524-7	233
1453	Inclusion and dielectric properties of a vinylidene fluoride oligomer in coordination nanochannels. 2012 , 41, 4195-8	16
1452	Significant gas uptake enhancement by post-exchange of zinc(II) with copper(II) within a metal-organic framework. 2012 , 48, 10286-8	102
1451	Two distinct Dy-isophthalates induced by different solvents. 2012 , 1024, 146-150	26
1450	Cobalt 5-bromoisophthalate coordination polymers containing bis(pyridyl)piperazine-type long spanning ligands and water molecule aggregations. 2012 , 1028, 126-133	9
1449	Synthesis of 2D metal-organic coordination polymers with large internal cavities and their magnetic properties. 2012 , 21, 137-141	3
1448	A hybrid compound based on porous metal-organic frameworks and polyoxometalates: NO adsorption and decomposition. 2012 , 22, 174-177	18
1447	Enhanced hydrogen sorption on modified MIL-101 with Pt/CMK-3 by hydrogen spillover effect. 2012 , 532, 61-67	31

1446	In situ NMR study of hydrogenation/dehydrogenation of ZrCr ₂ and physisorbed hydrogen. 2012 , 540, 222-227	8
1445	Incorporation of an A1/A2-difunctionalized pillar[5]arene into a metal-organic framework. 2012 , 134, 17436-9	209
1444	H ₂ storage in isostructural UiO-67 and UiO-66 MOFs. 2012 , 14, 1614-26	339
1443	Hydrogen adsorption in the metal-organic frameworks Fe ₂ (dobdc) and Fe ₂ (O ₂)(dobdc). 2012 , 41, 4180-7	73
1442	Enhanced Hydrogen Storage in Graphene Oxide-MWCNTs Composite at Room Temperature. 2012 , 2, 1439-1446	81
1441	Organosilica-Functionalized Zeolitic Imidazolate Framework ZIF-90 Membrane with High Gas-Separation Performance. 2012 , 124, 10703-10707	22
1440	Nano- and Microsized Cubic Gel Particles from Cyclodextrin Metal-Organic Frameworks. 2012 , 124, 10718-10721	14
1439	Automated Diffraction Tomography for the Structure Elucidation of Twinned, Sub-micrometer Crystals of a Highly Porous, Catalytically Active Bismuth Metal-Organic Framework. 2012 , 124, 10519-10522	23
1438	Crystal Engineering of a Microporous, Catalytically Active fcu Topology MOF Using a Custom-Designed Metalloporphyrin Linker. 2012 , 124, 10229-10232	27
1437	Magnesium Nanocrystals Embedded in a Metal-Organic Framework: Hybrid Hydrogen Storage with Synergistic Effect on Physi- and Chemisorption. 2012 , 124, 9952-9955	30
1436	Organosilica-functionalized zeolitic imidazolate framework ZIF-90 membrane with high gas-separation performance. 2012 , 51, 10551-5	155
1435	Nano- and microsized cubic gel particles from cyclodextrin metal-organic frameworks. 2012 , 51, 10566-9	150
1434	Automated diffraction tomography for the structure elucidation of twinned, sub-micrometer crystals of a highly porous, catalytically active bismuth metal-organic framework. 2012 , 51, 10373-6	122
1433	Crystal engineering of a microporous, catalytically active fcu topology MOF using a custom-designed metalloporphyrin linker. 2012 , 51, 10082-5	141
1432	Magnesium nanocrystals embedded in a metal-organic framework: hybrid hydrogen storage with synergistic effect on physi- and chemisorption. 2012 , 51, 9814-7	113
1431	Discovering the active sites for C ₃ separation in MIL-100(Fe) by using operando IR spectroscopy. 2012 , 18, 11959-67	77
1430	On the mechanism behind the instability of isorecticular metal-organic frameworks (IRMOFs) in humid environments. 2012 , 18, 12260-6	55
1429	Supramolecular approach by using Jahn-Teller sites to construct a {Mn ₁₃ }-based coordination polymer and modify its magnetic properties. 2012 , 18, 13984-8	28

1428	Microporous Porphyrin-Based Metal Carboxylate Frameworks with Various Accessible Metal Sites: [Cu ₂ (MDDCPP)] [M = Zn ²⁺ , Ni ²⁺ , Pd ²⁺ , Mn ³⁺ (NO ₃), Ru ²⁺ (CO)]. 2012 , 2012, 4885-4897	24
1427	Metal-organic framework ZIF-8 nanocrystals as pseudostationary phase for capillary electrokinetic chromatography. 2012 , 33, 2896-902	41
1426	Synthesis, crystal structure, and luminescence properties of the tetranuclear complex of cadmium(II) acetate with 4,4'-(1,4-phenylenediisopropylidene)bis-aniline. 2012 , 57, 1553-1558	1
1425	Cooperative effect of temperature and linker functionality on CO ₂ capture from industrial gas mixtures in metal-organic frameworks: a combined experimental and molecular simulation study. 2012 , 14, 2317-25	68
1424	Spectroscopic characterization of van der Waals interactions in a metal organic framework with unsaturated metal centers: MOF-74-Mg. 2012 , 24, 424203	28
1423	Functional porphyrinic metal-organic frameworks: crystal engineering and applications. 2012 , 41, 3879-88	104
1422	Storage Capacity of Metal-Organic and Covalent-Organic Frameworks by Hydrogen Spillover. 2012 , 116, 3661-3666	33
1421	Two pillared-layer metal-organic frameworks constructed with Co(II), 1,2,4,5-benzenetetracarboxylate, and 4,4'-bipyridine: syntheses, crystal structures, and gas adsorption properties. 2012 , 14, 2296	21
1420	Exceptional surface area from coordination copolymers derived from two linear linkers of differing lengths. 2012 , 3, 2429	59
1419	A crystal engineering rationale in designing a CdII coordination polymer based metallogel derived from a C ₃ symmetric tris-amide-tris-carboxylate ligand. 2012 , 8, 7623	40
1418	Modeling adsorption in metal-organic frameworks with open metal sites: propane/propylene separations. 2012 , 28, 8537-49	64
1417	Guest-to-host transmission of structural changes for stimuli-responsive adsorption property. 2012 , 134, 4501-4	276
1416	{[Co ₂ (ndc) ₂ (bpee) ₂](bpee)}: a 3D multifunctional MOF. 2012 , 14, 4980	18
1415	Adsorption of Hydrocarbons in Metal-Organic Frameworks: A Force Field Benchmark on the Example of Benzene in Metal-Organic Framework 5. 2012 , 116, 15369-15377	12
1414	Metal-organic frameworks in mixed-matrix membranes for gas separation. 2012 , 41, 14003-27	391
1413	Methane storage in advanced porous materials. <i>Chemical Society Reviews</i> , 2012 , 41, 7761-79	58.5 643
1412	Feasibility of zeolitic imidazolate framework membranes for clean energy applications. 2012 , 5, 7637	137
1411	Visible-Light-Driven Photocatalysts of Metal-Organic Frameworks Derived from Multi-Carboxylic Acid and Imidazole-Based Spacer. 2012 , 12, 1603-1612	200

1410	Iron complex-catalyzed ammonia-borane dehydrogenation. A potential route toward B-N-containing polymer motifs using earth-abundant metal catalysts. 2012 , 134, 5598-609	182
1409	Practical Approach to Zeolitic Membranes and Coatings: State of the Art, Opportunities, Barriers, and Future Perspectives. 2012 , 24, 2829-2844	296
1408	Systematic investigations on magneto-structural correlations of copper(II) coordination polymers based on organic ligands with mixed carboxylic and nitrogen-based moieties. 2012 , 41, 4207-16	32
1407	Enhanced hydrostability in Ni-doped MOF-5. 2012 , 51, 9200-7	177
1406	Metal-adeninate vertices for the construction of an exceptionally porous metal-organic framework. 2012 , 3, 604	312
1405	Homochiral porous metal-organic frameworks containing only achiral building blocks for enantioselective separation. 2012 , 22, 16288	48
1404	Fuel purification, Lewis acid and aerobic oxidation catalysis performed by a microporous Co-BTT (BTT3 \equiv 1,3,5-benzenetristetrazolate) framework having coordinatively unsaturated sites. 2012 , 22, 10200	53
1403	Designing higher surface area metal-organic frameworks: are triple bonds better than phenyls?. 2012 , 134, 9860-3	170
1402	Selective CO ₂ adsorption in a robust and water-stable porous coordination polymer with new network topology. 2012 , 51, 572-6	91
1401	Anion Modulated Structural Diversification in the Assembly of Cd(II) Complexes Based on a Balance-like Dipodal Ligand. 2012 , 12, 2389-2396	23
1400	From stimuli-responsive polymorphic organic dye crystals to photoluminescent cationic open-framework metal phosphate. 2012 , 134, 9848-51	74
1399	Accurate Computation of Gas Uptake in Microporous Organic Molecular Crystals. 2012 , 116, 8865-8871	38
1398	Metal complexes as templates: syntheses, structures, and luminescent properties of two zinc phosphonocarboxylates with ABW-zeolite topology. 2012 , 41, 4079-83	22
1397	Adsorption of selected gases on metal-organic frameworks and covalent organic frameworks: A comparative grand canonical Monte Carlo simulation. 2012 , 111, 112628	18
1396	Preparation and hydrogen storage capacity of templated and activated carbons nanocast from commercially available zeolitic imidazolate framework. 2012 , 22, 146-152	143
1395	Selective separation of water, methanol, and ethanol by a porous coordination polymer built with a flexible tetrahedral ligand. 2012 , 134, 13145-7	127
1394	Synthesis and Characterization of Porous Benzimidazole-Linked Polymers and Their Performance in Small Gas Storage and Selective Uptake. 2012 , 24, 1511-1517	390
1393	Urea metal-organic frameworks as effective and size-selective hydrogen-bond catalysts. 2012 , 134, 3334-7	260

1392	Nanosponges for hydrogen storage. 2012 , 22, 10134	56
1391	A comparative study of various microporous materials to store hydrogen by physical adsorption. 2012 , 37, 14870-14880	28
1390	Synthesis and characterization of porous HKUST-1 metal organic frameworks for hydrogen storage. 2012 , 37, 13865-13871	236
1389	Improving the hydrogen storage capacity of metal organic framework by chemical functionalization. 2012 , 37, 16070-16077	25
1388	CsHSO ₄ Proton conduction in a crystalline metal organic framework. 2012 , 225, 420-423	35
1387	Pervaporation studies of n-hexane, benzene, mesitylene and their mixtures on zeolitic imidazolate framework-8 membranes. 2012 , 164, 288-293	90
1386	Synthesis, structure and oxygen-sensing properties of iridium(III)-containing coordination polymers with different cations. 2012 , 41, 2592-600	49
1385	A porous metal-organic framework with helical chain building units exhibiting facile transition from micro- to meso-porosity. 2012 , 48, 883-5	45
1384	Spectroscopic Identification of Hydrogen Spillover Species in Ruthenium-Modified High Surface Area Carbons by Diffuse Reflectance Infrared Fourier Transform Spectroscopy. 2012 , 116, 26744-26755	28
1383	Covalent-organic polymers for carbon dioxide capture. 2012 , 22, 22663	136
1382	Doping copper into ZIF-67 for enhancing gas uptake capacity and visible-light-driven photocatalytic degradation of organic dye. 2012 , 22, 21849	243
1381	The effect of carboxylate and N,N'-ditopic ligand lengths on the structures of copper and zinc coordination polymers. 2012 , 14, 3658	36
1380	Nanocrystalline hybrid inorganic organic one-dimensional chain systems tailored with 2- and 3-phenyl ring monocarboxylic acids. 2012 , 22, 10255	5
1379	Assessment of hydrogen storage by physisorption in porous materials. 2012 , 5, 8294	59
1378	Stepwise adsorption in a mesoporous metal-organic framework: experimental and computational analysis. 2012 , 48, 3297-9	50
1377	Oxygen sensing via phosphorescence quenching of doped metal organic frameworks. 2012 , 22, 10329	79
1376	Helium Recovery by a Cu-BTC Metal Organic-Framework Membrane. 2012 , 51, 11274-11278	51
1375	Zeolitic Imidazolate framework-8 as efficient pH-sensitive drug delivery vehicle. 2012 , 41, 6906-9	408

- 1374 Porous double-walled metal triazolate framework based upon a bifunctional ligand and a pentanuclear zinc cluster exhibiting selective CO₂ uptake. **2012**, 51, 4423-5 47
- 1373 Syntheses, Structures, and Photoluminescent Properties of Coordination Polymers Based on 1,4-Bis(imidazol-1-yl-methyl)benzene and Various Aromatic Dicarboxylic Acids. **2012**, 12, 253-263 83
- 1372 Synthesis, structures and luminescent properties of new Pb(II)/M(I) (M = K, Rb and Cs) frameworks based on dicarboxylic acids: a novel icosahedral Pb₆-M₆ SBU. **2012**, 14, 936-944 27
- 1371 Single-Layer [Cu₂Br(IN)₂]_n Coordination Polymer (CP): Electronic and Magnetic Properties, and Implication for Molecular Sensors. **2012**, 116, 4119-4125 26
- 1370 Gas sorption and luminescence properties of a terbium(III)-phosphine oxide coordination material with two-dimensional pore topology. **2012**, 41, 8003-9 36
- 1369 Syntheses, crystal structures and properties of lanthanide complexes featuring infinite molecular rectangle strands constructed from a new macrocyclic metalloligand. **2012**, 391, 20-27 7
- 1368 Post-synthesis functionalization of MIL-101 using diethylenetriamine: a study on adsorption and catalysis. **2012**, 14, 4142 83
- 1367 Rational Design and Synthesis of a New Organometallic Ligand, 1-Ferrocenyl-3-(5-bromopyridyl)-prop-3-enol-1-one and Its Heteronuclear Coordination Polymer, {Cu[1-ferrocenyl-3-(5-bromopyridyl)prop-1,3-dionate]₂]_n. **2012**, 12, 49-53 12
- 1366 A three-dimensional highly stable cobalt(II) metal-organic framework based on terephthalic acid: synthesis, crystal structure, thermal and physical properties. **2012**, 37, 679-685 16
- 1365 Facile and rapid fabrication of nanostructured lanthanide coordination polymers as selective luminescent probes in aqueous solution. **2012**, 22, 6819 137
- 1364 Recent research progress in developing metal-doped porous matrices for hydrogen storage. **2012**, 61, 2025-2035 0
- 1363 Selective CO₂ Capture from Flue Gas Using Metal-Organic Frameworks: A Fixed Bed Study. **2012**, 116, 9575-9581 161
- 1362 Zeolite imidazolate frameworks 8 as sorbent and its application to sonication-assisted emulsification microextraction combined with vortex-assisted porous membrane-protected micro-solid-phase extraction for fast analysis of acidic drugs in environmental water samples. **2012**, 1257, 19-24 85
- 1361 Aqueous Molecular Sieving and Strong Gas Adsorption in Highly Porous MOFs with a Facile Synthesis. **2012**, 24, 4647-4652 42
- 1360 Effects of Polarizability on the Adsorption of Noble Gases at Low Pressures in Monohalogenated Isoreticular Metal-Organic Frameworks. **2012**, 116, 19765-19772 77
- 1359 Insights into Adsorption of NH₃ on HKUST-1 Metal-Organic Framework: A Multitechnique Approach. **2012**, 116, 19839-19850 149
- 1358 Triple framework interpenetration and immobilization of open metal sites within a microporous mixed metal-organic framework for highly selective gas adsorption. **2012**, 51, 4947-53 74
- 1357 Substituted groups-directed assembly of Cd(II) coordination polymers based on 5-R-1,3-benzenedicarboxylate and 4,4'-bis(1-imidazolyl)biphenylene: syntheses, structures and photoluminescent properties. **2012**, 14, 6064 39

1356	New metalloligands suitable for the construction of polynuclear complexes and coordination polymers with exposed metal sites. 2012 , 14, 366-369	21
1355	Exploring reverse shape selectivity and molecular sieving effect of metal-organic framework UiO-66 coated capillary column for gas chromatographic separation. 2012 , 1257, 116-24	114
1354	High-performance liquid chromatographic separation of position isomers using metal-organic framework MIL-53(Al) as the stationary phase. 2012 , 137, 133-9	106
1353	Systematic morphology and phase control of Mg-ptcda coordination polymers by Ostwald ripening and self-templating. 2012 , 22, 8470	17
1352	Understanding Gas-Induced Structural Deformation of ZIF-8. 2012 , 3, 1159-64	117
1351	Effect of Ligand Structural Isomerism in Formation of Calcium Coordination Networks. 2012 , 12, 2460-2467	54
1350	1-D and 2-D coordination polymers of cerium(III) with pyridine-2,4,6-tricarboxylic acid: synthesis and structural, spectroscopic, and thermal properties. 2012 , 65, 1892-1904	15
1349	Activation and amplification of the third-order NLO and luminescent responses of a precursor cluster by a supramolecular approach. 2012 , 48, 4480-2	62
1348	Nanomaterials for renewable hydrogen production, storage and utilization. 2012 , 22, 522-534	82
1347	Functional tolerance in an isorecticular series of highly porous metal-organic frameworks. 2012 , 41, 6277-82	17
1346	Two Large-Pore Metal-Organic Frameworks Derived from a Single Polytopic Strut. 2012 , 12, 1075-1080	31
1345	Tuning Fluorescent Molecules by Inclusion in a Metal-Organic Framework: An Experimental and Computational Study. 2012 , 77, 1112-1118	64
1344	Structural determination of a highly stable metal-organic framework with possible application to interim radioactive waste scavenging: Hf-UiO-66. 2012 , 86,	165
1343	Enclosure of Sodium Tetrahydroborate (NaBH ₄) in Solidified Aluminosilicate Gels and Microporous Crystalline Solids for Fuel Processing. 2012 ,	3
1342	The oriented and patterned growth of fluorescent metal-organic frameworks onto functionalized surfaces. 2012 , 3, 570-8	35
1341	Ionothermal Synthesis of a NaCl-type Topological Network Based on Trinuclear Cobalt(II) Clusters as Nodes. 2012 , 638, 423-426	7
1340	A rational self-sacrificing template route to metal-organic framework nanotubes and reversible vapor-phase detection of nitroaromatic explosives. 2012 , 8, 225-30	89
1339	Synthesis, Structure, and Magnetic Properties of a 3D Cobalt(II) Coordination Polymer with Tris(2-carboxyethyl)isocyanurate and 1, 2-Bis(4-pyridyl)ethylene. 2012 , 638, 675-678	4

1338	Synthesis, Crystal Structure, and Properties of a Cadmium(II) Complex with the Flexible Ligand (1 <i>H</i> -[2, 2']Biimidazolyl-1-yl)-acetic Acid. 2012 , 638, 1261-1264	10
1337	Three Nickel(II) and Zinc(II) Complexes with Two Novel Nitronyl Nitroxide Ligands: Syntheses, Crystal Structures, and Luminescent Properties. 2012 , 638, 1849-1854	5
1336	New Coordination Polymers and Porous Supramolecular Metal Organic Network Based on the Trinuclear Triangular Secondary Building Unit [Cu ₃ (β-OH)(Epz) ₃] ²⁺ and 4,4'-Bypiridine. 1°. 2012 , 12, 2890-2901	37
1335	Review and analysis of molecular simulations of methane, hydrogen, and acetylene storage in metal-organic frameworks. 2012 , 112, 703-23	983
1334	Postsynthetic methods for the functionalization of metal-organic frameworks. 2012 , 112, 970-1000	1744
1333	Metal-ligand ratio-controlled assembly of two pairs of Co(II) complexes: syntheses, structures and magnetic properties. 2012 , 14, 4478	44
1332	Cavity-induced enantioselectivity reversal in a chiral metal-organic framework Brønsted acid catalyst. 2012 , 3, 2623	104
1331	Hydrogen spillover. Facts and fiction. 2012 , 112, 2714-38	638
1330	Chromium(III) Terephthalate Metal Organic Framework (MIL-101): HF-Free Synthesis, Structure, Polyoxometalate Composites, and Catalytic Properties. 2012 , 24, 1664-1675	308
1329	Highly porous 4,8-connected metal-organic frameworks: synthesis, characterization, and hydrogen uptake. 2012 , 51, 2503-8	23
1328	Emerging concepts in solid-state hydrogen storage: the role of nanomaterials design. 2012 , 5, 5951	113
1327	Bifunctional Metal Organic Framework Catalysts for Multistep Reactions: MOF-Cu(BTC)-[Pd] Catalyst for One-Pot Heteroannulation of Acetylenic Compounds. 2012 , 354, 1347-1355	88
1326	Single-atom ligand changes affect breathing in an extended metal-organic framework. 2012 , 51, 5671-6	54
1325	Recent advances in porphyrinic metal-organic frameworks: materials design, synthetic strategies, and emerging applications. 2012 , 14, 3839	113
1324	Two Unique Entangling Cd(II)-Coordination Frameworks Constructed by Square Cd ₄ -Building Blocks and Auxiliary N,N'-Donor Ligands. 2012 , 12, 1697-1702	94
1323	Current Status of Metal-Organic Framework Membranes for Gas Separations: Promises and Challenges. 2012 , 51, 2179-2199	405
1322	Novel coordination frameworks incorporating the 4,4'-bipyrazolyl ditopic ligand. 2012 , 51, 5235-45	55
1321	Metal-organic frameworks for separations. 2012 , 112, 869-932	5033

1320	Carbon dioxide capture in metal-organic frameworks. 2012 , 112, 724-81	5017
1319	Hydrogen storage in metal-organic frameworks. 2012 , 112, 782-835	2988
1318	Luminescent functional metal-organic frameworks. 2012 , 112, 1126-62	4620
1317	Sequential self-assembly in metal-organic frameworks. 2012 , 41, 3889-94	45
1316	Polyrotaxane metal-organic frameworks (PMOFs). 2012 , 48, 7899-912	163
1315	Growth of preferential orientation of MIL-53(Al) film as nano-assembler. 2012 , 14, 5487	24
1314	Structure and mobility of metal clusters in MOFs: Au, Pd, and AuPd clusters in MOF-74. 2012 , 134, 12807-16	109
1313	Selective CO ₂ uptake and inverse CO ₂ /C ₂ H ₂ selectivity in a dynamic bifunctional metal-organic framework. 2012 , 3, 2993	104
1312	Hydrocarbon separations in a metal-organic framework with open iron(II) coordination sites. 2012 , 335, 1606-10	1349
1311	Post-modification of a MOF through a fluorescent-labeling technology for the selective sensing and adsorption of Ag ⁺ in aqueous solution. 2012 , 41, 10153-5	41
1310	Orbital directing effects in copper and zinc based paddle-wheel metal organic frameworks: the origin of flexibility. 2012 , 22, 10249	50
1309	Highly monodisperse M(III)-based soc-MOFs (M = In and Ga) with cubic and truncated cubic morphologies. 2012 , 134, 13176-9	122
1308	Tunability of band gaps in metal-organic frameworks. 2012 , 51, 9039-44	123
1307	Mixed-motif interpenetration and cross-linking of high-connectivity networks led to robust and porous metal-organic frameworks with high gas uptake capacities. 2012 , 3, 2288	51
1306	Two- and Three-Dimensional Divalent Metal Coordination Polymers Constructed from a New Tricarboxylate Linker and Dipyriddy Ligands. 2012 , 12, 4649-4657	33
1305	Structure and Dynamics of the Functionalized MOF Type UiO-66(Zr): NMR and Dielectric Relaxation Spectroscopies Coupled with DFT Calculations. 2012 , 24, 2168-2177	163
1304	Electrochemical Synthesis of Some Archetypical Zn ²⁺ , Cu ²⁺ , and Al ³⁺ -Metal Organic Frameworks. 2012 , 12, 3489-3498	309
1303	Structural Diversity of Four Metal-Organic Frameworks Based on Linear Homo/Heterotrinnuclear Nodes with Furan-2,5-dicarboxylic Acid: Crystal Structures and Luminescent and Magnetic Properties. 2012 , 12, 2602-2612	56

1302	New Heterometallic Hybrid Polymers Constructed with Aromatic Sulfonate-Carboxylate Ligands: Synthesis, Layered Structures, and Properties. 2012 , 12, 2613-2624	38
1301	Methane storage in metal organic frameworks. 2012 , 22, 16698	138
1300	Coordination-chemistry control of proton conductivity in the iconic metal-organic framework material HKUST-1. 2012 , 134, 51-4	328
1299	A Series of Cd(II) and Zn(II) Coordination Polymers with Helical Subunits Assembled from a Versatile 3-(4-hydroxypyridinium-1-yl) Phthalic Acid and N-Donor Ancillary Coligands. 2012 , 12, 4431-4440	52
1298	Facile fabrication of Y ₄ (1,2-BDC) ₆ (H ₂ O) ₂ ·5H ₂ O:Eu ³⁺ ,Tb ³⁺ ultralong nanobelts and tunable luminescence properties. 2012 , 14, 5830	14
1297	MOFs for Use in Adsorption Heat Pump Processes. 2012 , 2012, 2625-2634	243
1296	One-Dimensional 3d ³ f Trimetallic Assemblies Consisting of CuII2LnIII Trinuclear Complexes and Hexacyanometallate. 2012 , 2012, 2784-2791	21
1295	Vanadium Analogues of Nonfunctionalized and Amino-Functionalized MOFs with MIL-101 Topology Synthesis, Characterization, and Gas Sorption Properties. 2012 , 2012, 2481-2486	41
1294	A Porous Metal-Organic Framework Based on Triazoledicarboxylate Ligands Synthesis, Structure, and Gas-Sorption Studies. 2012 , 2012, 3562-3568	16
1293	Recent advances in carbon dioxide capture with metal-organic frameworks. 2012 , 2, 239-259	268
1292	Metal-Organic Frameworks as Single-Site Solid Catalysts for Asymmetric Reactions. 2012 , 52, 591-603	37
1291	Mn(II)-based porous metal-organic framework showing metamagnetic properties and high hydrogen adsorption at low pressure. 2012 , 51, 674-9	72
1290	A robust microporous metal-organic framework constructed from a flexible organic linker for acetylene storage at ambient temperature. 2012 , 22, 10195	52
1289	A robust microporous metal-organic framework constructed from a flexible organic linker for highly selective sorption of methanol over ethanol and water. 2012 , 22, 10352	18
1288	Building blocks for coordination polymers: self-assembled cleft-like and planar discrete metallo-macrocyclic complexes. 2012 , 41, 4497-505	7
1287	Solvent-induced single-crystal to single-crystal transformation of a 2D coordination network to a 3D metal-organic framework greatly enhances porosity and hydrogen uptake. 2012 , 48, 2846-8	94
1286	Conversion of primary amines into secondary amines on a metal-organic framework using a tandem post-synthetic modification. 2012 , 14, 4112	24
1285	A catalytically active vanadyl(catecholate)-decorated metal organic framework via post-synthesis modifications. 2012 , 14, 4115	53

1284	Syntheses of metal-organic frameworks with protected phosphonate ligands. 2012 , 14, 4148	16
1283	Highly rigid and stable porous Cu(I) metal-organic framework with reversible single-crystal-to-single-crystal structural transformation. 2012 , 14, 4153	15
1282	2-Aminoisobutyric acid in Co(II) and Co(II)/Ln(III) chemistry: homometallic and heterometallic clusters. 2012 , 51, 1170-9	65
1281	Zinc, cobalt and copper coordination polymers with different structural motifs from picolyl-triazole hybrid ligands. 2012 , 14, 961-971	33
1280	Highly photoconducting π -stacked polymer accommodated in coordination nanochannels. 2012 , 134, 8360-3	92
1279	Directing the breathing behavior of pillared-layered metal-organic frameworks via a systematic library of functionalized linkers bearing flexible substituents. 2012 , 134, 9464-74	362
1278	Commensurate adsorption of hydrocarbons and alcohols in microporous metal organic frameworks. 2012 , 112, 836-68	929
1277	Novel Metal-Organic Framework Based on Cubic and Trisectahedral Supermolecular Building Blocks: Topological Analysis and Photoluminescent Property. 2012 , 12, 2736-2739	90
1276	Postsynthetic ligand exchange as a route to functionalization of inert metal-organic frameworks. 2012 , 3, 126-130	357
1275	Tuning the Formations of Metal-Organic Frameworks by Modification of Ratio of Reactant, Acidity of Reaction System, and Use of a Secondary Ligand. 2012 , 12, 281-288	72
1274	Well-studied Cu-BTC still serves surprises: evidence for facile Cu ²⁺ /Cu ⁺ interchange. 2012 , 14, 4383-90	71
1273	N-Heterocyclic Carbene-Like Catalysis by a Metal-Organic Framework Material. 2012 , 2, 1550-1554	100
1272	Porous organic molecular materials. 2012 , 14, 1909	188
1271	Solvent-induced controllable synthesis, single-crystal to single-crystal transformation and encapsulation of Alq ₃ for modulated luminescence in (4,8)-connected metal-organic frameworks. 2012 , 51, 7484-91	121
1270	Hydrogen Selective NH ₂ -MIL-53(Al) MOF Membranes with High Permeability. 2012 , 22, 3583-3590	201
1269	Templated nanocarbons for energy storage. 2012 , 24, 4473-98	588
1268	Engineering ZIF-8 thin films for hybrid MOF-based devices. 2012 , 24, 3970-4	185
1267	Large-scale computational screening of metal-organic frameworks for CH ₄ /H ₂ separation. 2012 , 58, 2078-2084	73

1266	Remarkable Adsorption Capacity of CuCl ₂ -Loaded Porous Vanadium Benzenedicarboxylate for Benzothiophene. 2012 , 124, 1224-1227	41
1265	Highly Active Nanoreactors: Nanomaterial Encapsulation Based on Confined Catalysis. 2012 , 124, 3943-3948	7
1264	Enhanced Binding Affinity, Remarkable Selectivity, and High Capacity of CO ₂ by Dual Functionalization of a rht-Type Metal-Organic Framework. 2012 , 124, 1441-1444	38
1263	A Highly Porous and Robust (3,3,4)-Connected Metal-Organic Framework Assembled with a 90° Bridging-Angle Embedded Octacarboxylate Ligand. 2012 , 124, 1612-1616	17
1262	Calixarene-Based Nanoscale Coordination Cages. 2012 , 124, 1617-1620	22
1261	Three-Dimensional Ordered Arrays of 585858 B Hollow Frameworks in Ionic Crystals of M ₂ Zn ₂ -Substituted Polyoxometalates. 2012 , 124, 1629-1633	18
1260	High Propene/Propane Selectivity in Isostructural Metal-Organic Frameworks with High Densities of Open Metal Sites. 2012 , 124, 1893-1896	59
1259	Directional Self-Assembly of a Colloidal Metal-Organic Framework. 2012 , 124, 5736-5739	27
1258	Lithiated Porous Aromatic Frameworks with Exceptional Gas Storage Capacity. 2012 , 124, 6743-6746	20
1257	Nanoparticle Core/Shell Architectures within MOF Crystals Synthesized by Reaction Diffusion. 2012 , 124, 7553-7557	14
1256	Highly active nanoreactors: nanomaterial encapsulation based on confined catalysis. 2012 , 51, 3877-82	95
1255	Directional self-assembly of a colloidal metal-organic framework. 2012 , 51, 5638-41	105
1254	Lithiated porous aromatic frameworks with exceptional gas storage capacity. 2012 , 51, 6639-42	95
1253	Nanoparticle core/shell architectures within MOF crystals synthesized by reaction diffusion. 2012 , 51, 7435-9	122
1252	Direct observation of activated hydrogen binding to a supported organometallic compound at room temperature. 2012 , 18, 4170-3	7
1251	Reversible phase transformation and mechanochromic luminescence of Zn(II)-dipyridylamide-based coordination frameworks. 2012 , 18, 5105-12	38
1250	A robust porous metal-organic framework with a new topology that demonstrates pronounced porosity and high-efficiency sorption/selectivity properties of small molecules. 2012 , 18, 5715-23	43
1249	A guest-dependent approach to retain permanent pores in flexible metal-organic frameworks by cation exchange. 2012 , 18, 7896-902	64

1248	Control of interpenetration and gas-sorption properties of metal-organic frameworks by a simple change in ligand design. 2012 , 18, 8673-80	124
1247	Fluorescent microporous organic polymers: potential testbed for optical applications. 2012 , 18, 10074-80	84
1246	Palladium Nanoparticles Supported on Mixed-Linker Metal-Organic Frameworks as Highly Active Catalysts for Heck Reactions. 2012 , 77, 106-112	83
1245	Temperature-/pressure-dependent selective separation of CO ₂ or benzene in a chiral metal-organic framework material. 2012 , 5, 1597-601	25
1244	A method for screening the potential of MOFs as CO ₂ adsorbents in pressure swing adsorption processes. 2012 , 5, 762-76	91
1243	Porous metalloporphyrinic frameworks constructed from metal 5,10,15,20-tetrakis(3,5-biscarboxylphenyl)porphyrin for highly efficient and selective catalytic oxidation of alkylbenzenes. 2012 , 134, 10638-45	244
1242	Hydrogen Storage in New Metal-Organic Frameworks. 2012 , 116, 13143-13151	154
1241	Investigation of the synthesis, activation, and isosteric heats of CO ₂ adsorption of the isostructural series of metal-organic frameworks M ₃ (BTC) ₂ (M = Cr, Fe, Ni, Cu, Mo, Ru). 2012 , 41, 7931-8	165
1240	Sequestering aromatic molecules with a spin-crossover Fe(II) microporous coordination polymer. 2012 , 18, 8013-8	66
1239	Homochiral metal-organic frameworks for asymmetric heterogeneous catalysis. 2012 , 112, 1196-231	2556
1238	A 12-connected metal-organic framework constructed from an unprecedented cyclic dodecanuclear copper cluster. 2012 , 48, 7295-7	25
1237	Imparting functionality to a metal-organic framework material by controlled nanoparticle encapsulation. 2012 , 4, 310-6	1549
1236	The synthesis, structures and reactions of zinc and cobalt metal-organic frameworks incorporating an alkyne-based dicarboxylate linker. 2012 , 14, 188-192	18
1235	Large-scale screening of hypothetical metal-organic frameworks. 2011 , 4, 83-9	882
1234	Benzene-1,3,5-tricarboxamide: a versatile ordering moiety for supramolecular chemistry. <i>Chemical Society Reviews</i> , 2012 , 41, 6125-37	58.5 288
1233	Synthesis and Adsorption/Catalytic Properties of the Metal Organic Framework CuBTC. 2012 , 16, 106-119	46
1232	Solvothermal synthesis and characterization of coordination polymers of cobalt(II) and zinc(II) with succinic acid. 2012 , 37, 257-263	24
1231	Structure-activity relationships of simple molecules adsorbed on CPO-27-Ni metal-organic framework: In situ experiments vs. theory. 2012 , 182, 67-79	65

1230	Generation of covalently functionalized hierarchical IRMOF-3 by post-synthetic modification. 2012 , 181-182, 740-745	30
1229	Kinetic and thermodynamic studies on the adsorption of xylenol orange onto MIL-101(Cr). 2012 , 183, 60-67	173
1228	Zinc and cadmium coordination polymers assembled with 2,2'-bipyridine and bithiophenedicarboxylic acid: Effect of metal ions on the conformation of ligand. 2012 , 383, 185-189	16
1227	Two new 3-D photoluminescence metal-organic frameworks based on cubane Cu ₄ I ₄ clusters as tetrahedral nodes. 2012 , 384, 287-292	13
1226	Cadmium(II) and lanthanum(III) coordination architectures with anthracene-9,10-dicarboxylate: Crystal structures and photoluminescent properties. 2012 , 385, 58-64	7
1225	A novel 2D non-interpenetrated copper(I) iodide coordination polymer with trans-1,4-diaminocyclohexane. 2012 , 382, 162-166	8
1224	Novel building units in the construction of materials of the oxomolybdate-organodiphosphate/copper(II)-dipodal-organonitrogen ligand system: Structural influences of dipodal ligand tether length and flexibility. 2012 , 389, 90-98	9
1223	Synthesis and structure of a Cu ₄ O ₄ cubane core complex from a carboxylate ligand containing a strong π -stacking supramolecular synthon. 2012 , 386, 102-108	7
1222	Amino-acid based coordination polymers. 2012 , 389, 183-190	30
1221	Effect of aliphatic dicarboxylate tether on topology in luminescent cadmium coordination polymers containing bis(4-pyridylformyl)piperazine. 2012 , 389, 191-201	13
1220	Lithium doping on metal-organic frameworks for enhancing H ₂ Storage. 2012 , 37, 946-950	59
1219	Sorption of hydrogen onto titanate nanotubes decorated with a nanostructured Cd ₃ [Fe(CN) ₆] ₂ Prussian Blue analogue. 2012 , 37, 318-326	16
1218	Ammonia and related chemicals as potential indirect hydrogen storage materials. 2012 , 37, 1482-1494	613
1217	Density functional study of hydrogen spillover on direct Pd-doped metal-organic frameworks IRMOF-1. 2012 , 37, 5081-5089	17
1216	MOF-5 composites exhibiting improved thermal conductivity. 2012 , 37, 6109-6117	109
1215	Infrared spectroscopic and thermodynamic study on hydrogen adsorption on the metal organic framework MIL-100(Sc). 2012 , 521, 104-106	15
1214	Density functional studies on the hydrogen storage capacity of boranes and alanes based cages. 2012 , 37, 9730-9741	16
1213	Syntheses, structures and magnetic properties of two new complexes constructed from mixed rigid ligands. 2012 , 16, 55-60	12

1212	Two novel 3D microporous heterometallic 3d ^{4f} coordination frameworks with unique (7, 8)-connected topology: Synthesis, crystal structure and magnetic properties. 2012 , 16, 95-99	13
1211	A 3D photoluminescent Cd(II) polymer based on mixed 3,5-bis-oxyacetate-benzoic acid and rigid bis(imidazole) ligands with an unusual (4,8)-connected topology. 2012 , 17, 180-183	21
1210	Construction of lanthanide/zinc coordination polymers: In situ ligand reactions and templated synthesis. 2012 , 19, 15-18	13
1209	The coordinatively saturated vanadium MIL-47 as a low leaching heterogeneous catalyst in the oxidation of cyclohexene. 2012 , 285, 196-207	87
1208	DFT investigation of hydroperoxide decomposition over copper and cobalt sites within metal-organic frameworks. 2012 , 286, 95-102	20
1207	Epitaxially grown metal-organic frameworks. 2012 , 15, 110-116	106
1206	Two coordination polymers of manganese(II) isophthalate and their preparation, structures, and magnetic properties. 2012 , 185, 37-41	7
1205	A quantitative structure activity relationship approach to probe the influence of the functionalization on the drug encapsulation of porous metal-organic frameworks. 2012 , 157, 124-130	68
1204	Effect of pore structures on selective gas sorption behavior of ultramicroporous MOFs. 2012 , 150, 32-37	11
1203	Theoretical study of hydrogen adsorption in oxygen functionalized carbon slit pores. 2012 , 154, 38-44	29
1202	Phase-selective synthesis and phase-conversion of porous aluminum-benzenetricarboxylates with microwave irradiation. 2012 , 152, 235-239	44
1201	The iron member of the CPO-27 coordination polymer series: Synthesis, characterization, and intriguing redox properties. 2012 , 157, 62-74	51
1200	Formation mechanism of metal-organic framework membranes derived from reactive seeding approach. 2012 , 155, 90-98	40
1199	Effect of functional groups in MIL-101 on water sorption behavior. 2012 , 157, 89-93	210
1198	Structural assemblies of four Cd(II) coordination polymers based on 5-methylisophthalic acid. 2012 , 14, 335-340	6
1197	Zn(II) and Cd(II) metal-organic frameworks (MOFs) constructed from a symmetric triangular semirigid multicarboxylate ligand: Synthesis, structures and luminescent properties. 2012 , 14, 317-323	13
1196	Nanoporous organic polymer networks. 2012 , 37, 530-563	941
1195	Filling the gap: Chemistry of 3,5-bis(trifluoromethyl)-1H-pyrazoles. 2012 , 139, 53-57	20

1194	Adsorptive removal of naproxen and clofibrac acid from water using metal-organic frameworks. 2012 , 209-210, 151-7	324
1193	Poromechanics of microporous media. 2012 , 60, 606-622	115
1192	Structure of a framework coordination polymer $Zn_2(dmf)(H_2O)(atc)] \cdot 0.75DMF \cdot 0.5H_2O$. 2012 , 53, 408-412	1
1191	Nanoscale biocoordination polymers: novel materials from an old topic. 2012 , 18, 1030-7	56
1190	Metal-organic frameworks constructed from versatile $[WS_4Cu(x)](x-2)$ units: micropores in highly interpenetrated systems. 2012 , 18, 2812-24	53
1189	Fluorinated metal-organic frameworks: advantageous for higher H_2 and CO_2 adsorption or not?. 2012 , 18, 688-94	86
1188	A microporous metal-organic framework for highly selective separation of acetylene, ethylene, and ethane from methane at room temperature. 2012 , 18, 613-9	188
1187	Formaldehyde encapsulated in lithium-decorated metal-organic frameworks: a density functional theory study. 2012 , 13, 245-9	19
1186	Nanocatalysis and prospects of green chemistry. 2012 , 5, 65-75	165
1185	Homochiral, Supramolecular Frameworks Built from a Zinc(II) Tetramer or Cadmium(II) Dimer Containing Enantiopure Carboxylate Ligands Functionalized with a Strong π -Stacking Synthon. 2012 , 2012, 712-719	17
1184	Energy-efficient dehumidification over hierachically porous metal-organic frameworks as advanced water adsorbents. 2012 , 24, 806-10	237
1183	Remarkable adsorption capacity of $CuCl_2$ -loaded porous vanadium benzenedicarboxylate for benzothiophene. 2012 , 51, 1198-201	162
1182	Enhanced binding affinity, remarkable selectivity, and high capacity of CO_2 by dual functionalization of a rht-type metal-organic framework. 2012 , 51, 1412-5	398
1181	A highly porous and robust (3,3,4)-connected metal-organic framework assembled with a 90° bridging-angle embedded octacarboxylate ligand. 2012 , 51, 1580-4	101
1180	Calixarene-based nanoscale coordination cages. 2012 , 51, 1585-8	164
1179	Three-dimensional ordered arrays of hollow frameworks in ionic crystals of M_2Zn_2 -substituted polyoxometalates. 2012 , 51, 1597-601	62
1178	High propene/propane selectivity in isostructural metal-organic frameworks with high densities of open metal sites. 2012 , 51, 1857-60	348
1177	Functionalization of silicon nanowire surfaces with metal-organic frameworks. 2012 , 5, 109-116	55

1176	Solvents influence on sizes of channels in three fry topological Mn(II)-MOFs based on metal-carboxylate chains: syntheses, structures and magnetic properties. 2013 , 15, 8125	63
1175	Synthesis of a New Interpenetrated Mixed Ligand Ni(II) Metal-Organic Framework: Structural, Thermal and Fluorescence Studies and its Thermal Decomposition to NiO Nanoparticles. 2013 , 23, 808-815	4
1174	pH controlled supramolecular structures of new silver(I) complexes based on 2-sulfoterephthalic acid and 4,4'-bipyridine. 2013 , 407, 216-222	6
1173	Atom-Economic Synthesis of Optically Active Warfarin Anticoagulant over a Chiral MOF Organocatalyst. 2013 , 355, 2538-2543	28
1172	Designer coordination polymers: dimensional crossover architectures and proton conduction. <i>Chemical Society Reviews</i> , 2013 , 42, 6655-69	58.5 418
1171	A series of metal-organic frameworks with high methane uptake and an empirical equation for predicting methane storage capacity. 2013 , 6, 2735	177
1170	Synthesis of carboranyl amides catalyzed by recyclable Pd (0) nanoparticles supported on carbon nanotubes (CNTs). 2013 , 747, 184-188	11
1169	A robust molecular porous material with high CO ₂ uptake and selectivity. 2013 , 135, 10950-3	192
1168	Reversible ligand exchange in a metal-organic framework (MOF): toward MOF-based dynamic combinatorial chemical systems. 2013 , 117, 3771-6	60
1167	Energy storage on ultrahigh surface area activated carbon fibers derived from PMIA. 2013 , 6, 1406-13	16
1166	Two new metal-organic frameworks based on cyclic dodecanuclear copper units. 2013 , 33, 29-32	13
1165	One-Pot Multifunctional Catalysis with NNN-Pincer Zr-MOF: Zr Base Catalyzed Condensation with Rh-Catalyzed Hydrogenation. 2013 , 5, 3092-3100	50
1164	Rationally Clicked Post-modification of a highly stable metal-organic framework and its high improvement on CO ₂ -selective capture. 2013 , 3, 15566	27
1163	Chiral microporous Ti(salan)-based metal-organic frameworks for asymmetric sulfoxidation. 2013 , 49, 7120-2	39
1162	Morphological study and potential applications of nano metal-organic coordination polymers. 2013 , 3, 19191	104
1161	Incorporating different secondary building units of {Bi ₂ }, {Bi ₈ } and {Bi ₁₀ } to construct diversity of luminescent bismuth-organic frameworks. 2013 , 42, 1088-93	19
1160	Tris(2-pyridylborate) (Tpyb) metal complexes: synthesis, characterization, and formation of extrinsically porous materials with large cylindrical channels. 2013 , 52, 9440-8	20
1159	ZIF-8 crystal coatings on a polyimide substrate and their catalytic behaviours for the Knoevenagel reaction. 2013 , 42, 3936-40	77

1158	Layer-by-layer aqueous rapid synthesis of ZIF-8 films on a reactive surface. 2013 , 42, 11128-35	47
1157	Preparation, structural diversity and characterization of a family of Cd(II)-organic frameworks. 2013 , 42, 12468-80	12
1156	Tuning structural topologies of four Ni(II) coordination polymers through modifying the substitute group of organic ligand. 2013 , 15, 6191	61
1155	Construction of three-dimensional metal-organic frameworks in the presence of a tetrahedral ligand and a secondary bidentate linker. 2013 , 15, 6199	9
1154	Adsorption/catalytic properties of MIL-125 and NH ₂ -MIL-125. 2013 , 204, 85-93	301
1153	A flexible Eu(III)-based metal-organic framework: turn-off luminescent sensor for the detection of Fe(III) and picric acid. 2013 , 42, 12403-9	291
1152	Synthesis and characterization of expected and unexpected topologies of homochiral porous metal(II) malate frameworks. 2013 , 394, 367-372	16
1151	Chemical reactions catalyzed by metalloporphyrin-based metal-organic frameworks. 2013 , 18, 7279-308	79
1150	Sorption of benzene vapors to flexible metal-organic framework [Zn ₂ (bdc) ₂ (dabco)]. 2013 , 77, 205-211	6
1149	Hierarchical bicontinuous porosity in metal-organic frameworks templated from functional block co-oligomer micelles. 2013 , 4, 3573	113
1148	Single- and Double-Layer Structures and Sorption Properties of Two Microporous Metal-Organic Frameworks with Flexible Tritopic Ligand. 2013 , 13, 1458-1463	38
1147	From (3,6)-Connected kgd, chiral anh to (3,8)-connected tfz-d Nets in Low Nuclear Metal Cluster-Based Networks with Triangular Pyridinedicarboxylate Ligand. 2013 , 13, 1618-1625	33
1146	Hemin@metal-organic framework with peroxidase-like activity and its application to glucose detection. 2013 , 3, 2761	159
1145	Influence of Counteranions on the Structural Modulation of Silver-Di(3-pyridylmethyl)amine Coordination Polymers. 2013 , 13, 2953-2964	42
1144	Theoretical Limits of Hydrogen Storage in Metal-Organic Frameworks: Opportunities and Trade-Offs. 2013 , 25, 3373-3382	177
1143	A calixarene based metal organic material, calixMOM, that binds potassium cations. 2013 , 49, 8353-5	27
1142	Controlled Synthesis of Anisotropic Polymer Particles Templated by Porous Coordination Polymers. 2013 , 25, 3772-3776	48
1141	Bifunctional pyrazolate-carboxylate ligands for isorecticular cobalt and zinc MOF-5 analogs with magnetic analysis of the {Co ₄ (μ ₃ -O)} node. 2013 , 15, 9757	82

1140	Crystal structure, thermal decomposition, photoluminescence and magnetic studies of a new two dimensional metal-organic framework constructed from infinite chains of edge-sharing CeO ₆ (H ₂ O) ₂ (NO ₃) polyhedron with bullet shaped channels. 2013 , 35, 140-143	10
1139	Neutrons and Neutron Spectroscopy. 2013 , 173-224	1
1138	Conformational Supramolecular Isomerism in Two-Dimensional Fluorescent Coordination Polymers Based on Flexible Tetracarboxylate Ligand. 2013 , 13, 4092-4099	45
1137	Lithium-functionalized metal-organic frameworks that show >10 wt% H ₂ uptake at ambient temperature. 2013 , 14, 2698-703	5
1136	1D, 2D and 3D coordination polymers of 5,5'-methylenebis(oxy)nicotinic acid with Co(II), Mn(II), Cu(II) and Cd(II) ions. 2013 , 15, 7257	9
1135	Two photoluminescent metal-organic frameworks based on a BODIPY-derived bipyridine ligand. 2013 , 15, 7315	34
1134	H ₂ in solid C ₆₀ : coupled translation-rotation eigenstates in the octahedral interstitial site from quantum five-dimensional calculations. 2013 , 138, 244707	6
1133	Zinc(II) coordination compounds based on in situ generated 3-(5H-tetrazol)benzaldehyde with diverse modes: hydrothermal syntheses, crystal structures and photoluminescent properties. 2013 , 15, 7038	16
1132	Formation of 0D M ₅ L ₂ helicate cage and 1D loop-and-chain complexes: stepwise assembly and catalytic activity. 2013 , 15, 7106	21
1131	Syntheses, structures, fluorescence and magnetism of six lanthanide metal-organic frameworks based on silicon-centered tetrahedral ligand. 2013 , 29, 196-200	6
1130	Effect of catenation and basicity of pillared ligands on the water stability of MOFs. 2013 , 42, 15421-6	96
1129	A porous metal-organic framework constructed from carboxylate-pyrazolate shared heptanuclear zinc clusters: synthesis, gas adsorption, and guest-dependent luminescent properties. 2013 , 52, 10368-74	75
1128	Supramolecular organization in lead(II) halides of 4,4'-dimethoxy-2,2'-bipyridine ligand. 2013 , 1049, 205-211	6
1127	Fundamentals, Principles, and Concepts of Molecular Magnetism and Spintronics. 2013 , 131-189	6
1126	Near-infrared emitters based on post-synthetic modified Ln(3+)-IRMOF-3. 2013 , 49, 5019-21	48
1125	Formation of Calix[4]arene-Based Supramolecular Gels Triggered by K ⁺ and Rb ⁺ : Exemplification of a Structure-Property Relationship. 2013 , 13, 4177-4180	19
1124	Syntheses, structures and properties of cadmium(II) carboxylates containing polyamine/Schiff base: Variation of coordination numbers, and molecular and crystalline architectures by changing ligands. 2013 , 1051, 41-48	6
1123	Mesoporous silica supported cobalt catalysts for hydrogen generation in hydrolysis of ammonia borane. 2013 , 38, 7280-7290	44

1122	Multipoint interactions enhanced H ₂ storage and organosulfur removal in a microporous metal-organic framework. 2013 , 1, 11111	20
1121	Production of Formic Acid via Hydrogenation of CO ₂ over a Copper-Alkoxide-Functionalized MOF: A Mechanistic Study. 2013 , 117, 17650-17658	82
1120	High-resolution inelastic neutron scattering and neutron powder diffraction study of the adsorption of dihydrogen by the Cu(II) metal-organic framework material HKUST-1. 2013 , 427, 9-17	11
1119	Parallel chain polyrotaxane, layer, and diamondoid divalent metal coordination polymers containing para aromatic dicarboxylate and bis(4-pyridylmethyl)piperazine ligands. 2013 , 406, 65-72	10
1118	Coexistence of planar tetramer and cyclic octamer water clusters in a polymer: Synthesis, DFT study and magnetism. 2013 , 402, 20-24	6
1117	Facile synthesis of hydroxy-modified MOF-5 for improving the adsorption capacity of hydrogen by lithium doping. 2013 , 8, 2801-6	10
1116	A zinc-organic coordination polymer of glycine-functionalized naphthalenediimide ligand. 2013 , 34, 47-50	18
1115	Two d10 coordination polymers based on the new-developed tetrazolate ligand: Syntheses, crystal structures and luminescence properties. 2013 , 37, 12-16	5
1114	Different effects of temperature on supramolecular protein and non-protein materials in hydrogen storage. 2013 , 38, 991-998	2
1113	Metal ion-driven assembly of 3D coordination polymers with 5-oxyacetate isophthalic acid and 4,4'-bis(1-imidazolyl)biphenylene. 2013 , 31, 13-17	19
1112	Application of Metal-Organic Frameworks in Sample Pretreatment. 2013 , 41, 1297-1300	33
1111	Heptanuclear zinc carboxylate complex: New supramolecular building unit and unique supramolecular architecture. 2013 , 52, 1317-1322	8
1110	Dipyridylamide isomer influenced dimensionality in luminescent cadmium phthalate coordination polymers with similar tetranuclear clusters and ribbon motifs. 2013 , 404, 97-104	13
1109	Molecular Mechanisms of Water-Mediated Proton Transport in MIL-53 Metal-Organic Frameworks. 2013 , 117, 19508-19516	41
1108	Microwave synthesis and characterization of MOF-74 (M=Ni, Mg) for gas separation. 2013 , 180, 114-122	164
1107	A 3D iron(II)-based MOF with squashed cuboctahedral nanoscopic cages showing spin-canted long-range antiferromagnetic ordering. 2013 , 52, 12064-9	42
1106	Liquid-Like Hydrogen Stored in Nanoporous Materials at 50 K Observed by in Situ Neutron Diffraction Experiments. 2013 , 117, 3177-3184	7
1105	Post-synthetic cation exchange in the robust metal-organic framework MIL-101(Cr). 2013 , 15, 10175	37

1104	A microporous nickel-organic framework with an unusual 10-connected bct net and high capacity for CO ₂ , H ₂ and hydrocarbons. 2013 , 15, 9499	12
1103	Grafting of hydrophilic ethylene glycols or ethylenediamine on coordinatively unsaturated metal sites in MIL-100(Cr) for improved water adsorption characteristics. 2013 , 407, 145-152	58
1102	MOF-76: from a luminescent probe to highly efficient U(VI) sorption material. 2013 , 49, 10415-7	214
1101	Nanostructured adsorbents for hydrogen storage at ambient temperature: high-pressure measurements and factors influencing hydrogen spillover. 2013 , 3, 23935	33
1100	Activation of metal-organic framework materials. 2013 , 15, 9258	185
1099	Vapor phase detection of nitroaromatic and nitroaliphatic explosives by fluorescence active metal-organic frameworks. 2013 , 15, 9745	87
1098	Efficient and tunable white-light emission of metal-organic frameworks by iridium-complex encapsulation. 2013 , 4, 2717	454
1097	Ancillary ligands assisted self-assembly of metal organic frameworks: Synthesis, crystal structures and photophysical properties of two Zn(II) complexes containing in-situ formed tetrazole ligands. 2013 , 31, 23-28	20
1096	A systematic study of fluorescence-based detection of nitroexplosives and other aromatics in the vapor phase by microporous metal-organic frameworks. 2013 , 19, 15964-71	179
1095	New Structural Topologies in a Series of 3d Metal Complexes with Isomeric Phenylenediacetates and 1,3,5-Tris(1-imidazolyl)benzene Ligand: Syntheses, Structures, and Magnetic and Luminescence Properties. 2013 , 13, 5335-5343	61
1094	Insight in the activity and diastereoselectivity of various Lewis acid catalysts for the citronellal cyclization. 2013 , 305, 118-129	45
1093	Four coordination polymers based on identical eight-connected heptanuclear clusters: spin canting, spin glass, antiferromagnetism, and gas adsorption. 2013 , 52, 11573-9	38
1092	Metal-organic frameworks in fuel cell technologies. 2013 , 8, 577-597	122
1091	A new porous 2D copper(II) metal-organic framework for selective adsorption of CO ₂ over N ₂ . 2013 , 38, 104-107	9
1090	Auxiliary ligand-directed synthesis of a series of Cd(II)/Co(II) coordination polymers with methylenebis(3,5-dimethylpyrazole): syntheses, crystal structures, and properties. 2013 , 42, 15106-12	17
1089	Amine-Functionalized MIL-125 with Imbedded Palladium Nanoparticles as an Efficient Catalyst for Dehydrogenation of Formic Acid at Ambient Temperature. 2013 , 117, 22805-22810	160
1088	Metal-organic frameworks: new matrices for surface-assisted laser desorption-ionization mass spectrometry. 2013 , 49, 4929-31	69
1087	Molecularly designed architectures--the metalloligand way. <i>Chemical Society Reviews</i> , 2013 , 42, 9403-53 58.5	189

1086	A Highly Symmetric MetalOrganic Framework Based on a Propeller-Like Ru-Organic Metalloligand for Photocatalysis and Explosives Detection. 2013 , 13, 5466-5472	97
1085	CHAPTER 1:Introduction. 1-5	1
1084	MetalOrganic frameworks constructed from flexible ditopic ligands: conformational diversity of an aliphatic ligand. 2013 , 37, 4130	15
1083	Hydrothermal syntheses and structural chemistry of Mn(II), Co(II) and Ni(II) coordination polymers with xylyl-diphosphonate ligands. 2013 , 402, 46-59	12
1082	CO ₂ /N ₂ separations with mixed-matrix membranes containing Mg ₂ (dobdc) nanocrystals. 2013 , 6, 3565	164
1081	Bio-inspired polydopamine: a versatile and powerful platform for covalent synthesis of molecular sieve membranes. 2013 , 135, 17679-82	359
1080	Three multifunctional three-dimensional metalOrganic frameworks based on a flexible N,N'-bis(3-pyridinecarboxamide)-1,6-hexane and 3-nitrophthalate: Syntheses, structures and properties. 2013 , 408, 139-144	16
1079	Two Sets of Metal Organic Frameworks along the Lanthanide Series Constructed by 2,3-Dimethylsuccinate: Structures, Topologies, and Strong Emission without Ligand Sensitization. 2013 , 13, 5249-5260	23
1078	New Ce(III) sulfateBartrate-based MOFs: an insight into the controllable self-assembly of acentric metalOrganic complexes. 2013 , 15, 10618	5
1077	Tuning omniphobicity via morphological control of metal-organic framework functionalized surfaces. 2013 , 135, 16272-5	27
1076	Quantum effects and anharmonicity in the H ₂ -Li(+)-benzene complex: a model for hydrogen storage materials. 2013 , 139, 234305	8
1075	Role of nanoconfinement on hydrogen sorption properties of metal nanoparticles hybrids. 2013 , 439, 117-130	72
1074	Construction of lanthanide multi-functional metalOrganic frameworks via mixed ligand approach: Syntheses, structures, magnetic and luminescent properties. 2013 , 37, 30-33	5
1073	Construction of Cu(II) coordination polymers based on semi-rigid tetrahedral pyridine ligands. 2013 , 3, 25065	12
1072	High CO ₂ /CH ₄ and C ₂ Hydrocarbons/CH ₄ Selectivity in a Chemically Robust Porous Coordination Polymer. 2013 , 23, 3525-3530	157
1071	Effect of pillar modules and their stoichiometry in 3D porous frameworks of Zn(II) with [Fe(CN) ₆] ³⁻ : high CO ₂ /N ₂ and CO ₂ /CH ₄ selectivity. 2013 , 52, 11385-97	22
1070	Tuning the Moisture and Thermal Stability of MetalOrganic Frameworks through Incorporation of Pendant Hydrophobic Groups. 2013 , 13, 4760-4768	83
1069	Modulating the packing of [Cu ₂₄ (isophthalate) ₂₄] cuboctahedra in a triazole-containing metalOrganic polyhedral framework. 2013 , 4, 1731	117

1068	Synthesis of Structured Porous Polymers with Acid and Basic Sites and Their Catalytic Application in Cascade-Type Reactions. 2013 , 25, 981-988	125
1067	Lanthanide coordination polymers with hexa-carboxylate ligands derived from cyclotriphosphazene as bridging linkers: synthesis, thermal and luminescent properties. 2013 , 15, 7732	20
1066	A series of coordination complexes based on unsymmetrical multicarboxylate ligands: syntheses, structures and properties. 2013 , 15, 6769	10
1065	Construction of an interpenetrated MOF-5 with high mesoporosity for hydrogen storage at low pressure. 2013 , 249, 38-42	21
1064	New highly ordered hydrophobic siloxane-based coordination polymers. 2013 , 54, 6096-6104	18
1063	MOF@MOF core-shell vs. Janus particles and the effect of strain: potential for guest sorption, separation and sequestration. 2013 , 15, 6003	36
1062	Clay-supported graphene materials: application to hydrogen storage. 2013 , 15, 18635-41	53
1061	A novel magnetic recyclable photocatalyst based on a core-shell metal-organic framework Fe ₃ O ₄ @MIL-100(Fe) for the decolorization of methylene blue dye. 2013 , 1, 14329	307
1060	Fabrication of homochiral metal-organic framework membrane for enantioseparation of racemic diols. 2013 , 59, 4364-4372	58
1059	Wings waving: coordinating solvent-induced structural diversity of new Cu(II) flexible MOFs with crystal to crystal transformation and gas sorption capability. 2013 , 15, 9513	16
1058	Inorganic nanotube composites based on polyaniline: Potential room-temperature hydrogen storage materials. 2013 , 38, 9251-9262	38
1057	Realization of both high hydrogen selectivity and capacity in a guest responsive metal-organic framework. 2013 , 1, 13502	7
1056	A facile synthesis of UiO-66, UiO-67 and their derivatives. 2013 , 49, 9449-51	1013
1055	A highly porous 4,4-paddlewheel-connected NbO-type metal-organic framework with a large gas-uptake capacity. 2013 , 42, 11304-11	31
1054	Sorption and breathing properties of difluorinated MIL-47 and Al-MIL-53 frameworks. 2013 , 181, 175-181	28
1053	Highly dispersed Au nanoparticles immobilized on Zr-based metal-organic frameworks as heterostructured catalyst for CO oxidation. 2013 , 1, 14294	75
1052	Tuning the formation of MOFs by pH influence: X-ray structural variations and Hirshfeld surface analyses of 2-amino-5-nitropyridine with cadmium chloride. 2013 , 15, 1772	172
1051	Hydrothermal synthesis, crystal structure of three novel complexes based on thiabendazole and 1,4-benzenedicarboxylate ligands. 2013 , 39, 641-649	1

1050	A Cationic Metal-Organic Framework Consisting of Nanoscale Cages: Capture, Separation, and Luminescent Probing of Cr ²⁺ through a Single-Crystal to Single-Crystal Process. 2013 , 125, 14014-14018	49
1049	Extending the supramolecular synthon concept in flexible polyaminocarboxylate based coordination polymers. 2013 , 15, 9787	16
1048	Synthesis, topology and energy analysis of crystalline resorcinol-based oligophenylene molecules with various symmetries. 2013 , 15, 6845	5
1047	Three pillared-layer 3d ^{mf} heterometallic frameworks based on tetranuclear lanthanide clusters. 2013 , 15, 9504	13
1046	One-dimensional channel-structured Eu-MOF for sensing small organic molecules and Cu ²⁺ ion. 2013 , 1, 11043	304
1045	A 2D coordination polymer based on Co ³⁺ -SBU showing spin-canting ferromagnetic behaviour. 2013 , 3, 25237	25
1044	Two rare indium-based porous metal-metalloporphyrin frameworks exhibiting interesting CO ₂ uptake. 2013 , 15, 9320	43
1043	Tuning the Zn(II) coordination assembly by adjusting the spacers of 2-pyridylthiomethyl functionalized 1,2,3-triazoles. 2013 , 15, 10451	16
1042	Host-guest key-lock hydrogen-bonding interactions: a rare case in the design of a V-shaped polycarboxylate Ni(II)-based chiral coordination polymer. 2013 , 15, 9798	16
1041	Fe ²⁺ -based layered porous coordination polymers and soft encapsulation of guests via redox activity. 2013 , 1, 3675	29
1040	Dye encapsulation and release by a zinc-porphyrin pincer system through morphological transformations. 2013 , 3, 3815	7
1039	Thermal stability and crystallochemical analysis for Co(II)-based coordination polymers with TPP and TPPS porphyrins. 2013 , 15, 4181	30
1038	Hydrogen storage in hierarchical nanoporous silicon-carbon nanotube architectures. 2013 , 37, 754-760	19
1037	Luminescent Properties and Applications of Metal-Organic Frameworks. 2013 , 27-88	16
1036	A (3,14)-connected three-dimensional metal-organic framework based on the unprecedented enneanuclear copper(II) cluster [Cu ₉ (β-OH) ₄ (α-OH) ₂]. 2013 , 15, 9154	39
1035	An electron rich porous extended framework as a heterogeneous catalyst for Diels-Alder reactions. 2013 , 49, 7439-41	76
1034	Guest responsivity of a two-dimensional coordination polymer incorporating a cholesterol-based co-ligand. 2013 , 42, 15893-7	4
1033	Directed formation of tri-connected Cu(I) coordination polymers. 2013 , 15, 9372	13

1032	A mixed dicarboxylate strut approach to enhancing catalytic activity of a de novo urea derivative of metal-organic framework UiO-67. 2013 , 49, 10920-2	81
1031	Oxalate-extended Cd ²⁺ -acylhydrazidate coordination polymers: synthesis, structure and fluorescence property. 2013 , 15, 5919	19
1030	"Single nickel source" in situ fabrication of a stable homochiral MOF membrane with chiral resolution properties. 2013 , 49, 10569-71	84
1029	A photoluminescent microporous metal organic anionic framework for nitroaromatic explosive sensing. 2013 , 1, 4525	113
1028	Monitoring the Activation of a Flexible Metal-Organic Framework Using Structurally Sensitive Spectroscopy Techniques. 2013 , 117, 20068-20077	15
1027	Structural and magnetic investigation of CoII/MnII-based MIL-53 analogues with mixed ligands of neutral N-oxides and organic carboxylates. 2013 , 15, 10611	7
1026	H ₂ interaction with divalent cations in isostructural MOFs: a key study for variable temperature infrared spectroscopy. 2013 , 42, 12586-95	28
1025	Siloxane D4 capture by hydrophobic microporous materials. 2013 , 1, 7885	23
1024	Metal dependent dimensionality in sulfate coordination polymers containing 3-pyridylisonicotinamide. 2013 , 15, 860-866	11
1023	New Cd ²⁺ , Pb ²⁺ complexes with acylhydrazidate molecules from in situ acylation reactions. 2013 , 42, 8771-80	23
1022	Synthesis and crystal structure of trinuclear zinc coordination polymer based on a triangle flexible carboxylic ligand. 2013 , 27, 88-91	6
1021	Bifunctional iridium-(2-aminoterephthalate)Zr-MOF chemoselective catalyst for the synthesis of secondary amines by one-pot three-step cascade reaction. 2013 , 299, 137-145	136
1020	Adsorption and Diffusion of Small Alcohols in Zeolitic Imidazolate Frameworks ZIF-8 and ZIF-90. 2013 , 117, 3169-3176	111
1019	Synthesis and self-assembly of monodispersed metal-organic framework microcrystals. 2013 , 8, 69-72	98
1018	Synthesis, Structures, and Properties of New Discrete Hetero-tetranuclear Metallocycle Complexes Based on Macrocyclic Oxamide Metalloligands. 2013 , 639, 592-599	6
1017	Auxiliary ligand-directed and counter anion-templated effects on coordination networks based on semirigid 2-aminodiacetic terephthalic acid ligand. 2013 , 15, 911-921	29
1016	Thermally Enhancing the Surface Areas of Yamamoto-Derived Porous Organic Polymers. 2013 , 25, 12-16	49
1015	Four 3D Cd(II)-Based Metal Organic Hybrids with Different N,N'-Donor Spacers: Syntheses, Characterizations, and Selective Gas Adsorption Properties. 2013 , 13, 731-739	51

1014	A luminescent metal-organic framework as a turn-on sensor for DMF vapor. 2013 , 52, 710-3	313
1013	Metal-organic framework (MOF): a novel sensing platform for biomolecules. 2013 , 49, 1276-8	292
1012	Mixed linker strategies for organic framework functionalization. 2013 , 19, 818-27	90
1011	A straight forward route for the development of metal-organic frameworks functionalized with aromatic -OH groups: synthesis, characterization, and gas (N ₂ , Ar, H ₂ , CO ₂ , CH ₄ , NH ₃) sorption properties. 2013 , 52, 855-62	93
1010	Impact of metal and anion substitutions on the hydrogen storage properties of M-BTT metal-organic frameworks. 2013 , 135, 1083-91	128
1009	Altered reaction pathways of eutectic LiBH ₄ Mg(BH ₄) ₂ by nanoconfinement. 2013 , 1, 3379	46
1008	Mechanochemical synthesis of a fluorenone-based metal organic framework with polarized fluorescence: an experimental and computational study. 2013 , 1, 997-1004	52
1007	Energy transfer from quantum dots to metal-organic frameworks for enhanced light harvesting. 2013 , 135, 955-8	294
1006	Efficient electrosynthesis of highly active Cu ₃ (BTC) ₂ -MOF and its catalytic application to chemical reduction. 2013 , 168, 57-64	151
1005	Diffusion of small molecules in metal organic framework materials. 2013 , 110, 026102	89
1004	Applications of Nanomaterial-Based Membranes in Pollution Control. 2013 , 43, 2389-2438	18
1003	Enhanced selectivity of CO ₂ over CH ₄ in sulphonate-, carboxylate- and iodo-functionalized UiO-66 frameworks. 2013 , 42, 4730-7	143
1002	Partially fluorinated MIL-47 and Al-MIL-53 frameworks: influence of functionalization on sorption and breathing properties. 2013 , 15, 3552-61	56
1001	Coordination Polymers Based on the Trinuclear Triangular Secondary Building Unit [Cu ₃ (β-OH)(Epz) ₃] ²⁺ (pz = pyrazolate) and Succinate Anion. 2013 , 13, 126-135	21
1000	A novel electrochemical sensor based on metal-organic framework for electro-catalytic oxidation of L-cysteine. 2013 , 42, 426-9	208
999	A rare alb-4,8-Cmce metal coordination network based on tetrazolate and phosphonate functionalized 1,3,5,7-tetraphenyladamantane. 2013 , 15, 1235	37
998	Modulating the structures of copper(I) cyanide coordination polymers by rigid bis(imidazole) ligands and solvents: An experimental and theoretical study. 2013 , 1036, 235-243	21
997	Chiral 3D/3D hetero-interpenetrating framework with six kinds of helices, 3D polyrotaxane and 2D network via one-pot reaction. 2013 , 15, 227-230	28

996	Wet-lithographic processing of coordination compounds. 2013 , 257, 2456-2467	17
995	Hydrothermal syntheses and crystal structures of Pb(II) coordination polymers based on a N,O-donor ligand. 2013 , 27, 69-75	10
994	Porous Metal-Organic Frameworks with Multiple Cages Based on Tetrazolate Ligands: Synthesis, Structures, Photoluminescence, and Gas Adsorption Properties. 2013 , 13, 510-517	53
993	Tuning zinc(II) coordination polymers based on bis(1,2,4-triazol-1-yl)ethane and 5-substituted 1,3-benzenedicarboxylates: syntheses, structures and properties. 2013 , 15, 471-481	50
992	Structural diversity and luminescent properties of lanthanide 2,2- and 2,3-dimethylsuccinate frameworks. 2013 , 15, 100-110	23
991	Synthesis, Structures and Photoluminescence Properties of a Series of Alkaline Earth Metal-Based Coordination Networks Synthesized Using Thiophene-Based Linkers. 2013 , 13, 326-332	43
990	A New 6-Connected Ni(II) Complex With 5-methylisophthalic Acid: Synthesis, Crystal Structure, and Properties. 2013 , 43, 279-282	
989	Oxidation and Reduction of Various Substrates Over a Pd(II) Containing Post-Synthesis Metal Organic Framework. 2013 , 143, 122-125	6
988	Mechanism of Alcohol/Water Separation in Metal-Organic Frameworks. 2013 , 117, 4124-4130	28
987	Synthesis and photoluminescence properties of Eu ³⁺ -doped silica@coordination polymer core-shell structures and their calcinated silica@Gd ₂ O ₃ :Eu and hollow Gd ₂ O ₃ :Eu microsphere products. 2013 , 9, 561-9	32
986	Two three-dimensional metal-organic frameworks constructed by thiazole-spaced pyridinecarboxylates exhibiting selective gas sorption or antiferromagnetic coupling. 2013 , 37, 425-430	10
985	A Luminescent Metal-Organic Framework as a Turn-On Sensor for DMF Vapor. 2013 , 125, 738-741	99
984	From Zero-dimensional to One-dimensional: Use of Metal-Ligand Affinity in Supramolecular Assembly. 2013 , 639, 125-128	1
983	Effect of microsolvation on hydrogen trapping potential of metal ions. 2013 , 415, 256-268	2
982	Four cadmium coordination polymers modulated by bis(triazol-1-yl)propane and inorganic anions: Syntheses, structures and properties. 2013 , 52, 1009-1015	9
981	Synthesis and characterizations of two bis(benzimidazole)-based cobaltous coordination polymers with high adsorption capacity for congo red dye. 2013 , 37, 54-58	35
980	Self-assembly of tetrabromoterephthalic acid with different metal system: Diversity in dimensionalities, structures and gas adsorption. 2013 , 52, 553-559	4
979	Control formation of rigid linear and flexible zig-zig complexes based on Zn(II) and hydroxyquinoline carboxylate ligand system. 2013 , 30, 111-114	7

- 978 Cadmium and zinc chain and cluster-based layered coordination polymers prepared from flexible-arm aromatic ortho-dicarboxylic acids and 4-pyridylnicotinamide. **2013**, 1038, 86-94 7
- 977 Synthesis, crystal structures and photoluminescence properties of two silver(I) coordination polymers with nano size channels based on 2-sulfoterephthalic acid ligand. **2013**, 394, 466-471 8
- 976 Unique (3,8)-connected lanthanide arenesulfonate metal-organic frameworks containing benzimidazole-5,6-dicarboxylic acid co-ligand: Syntheses, structures and luminescence. **2013**, 206, 85-90 9
- 975 A new 8-connected self-penetrating metal-organic framework based on dinuclear cadmium clusters as secondary building units. **2013**, 24, 691-694 5
- 974 Metal- and ligand-dependent topologies and chirality in luminescent cadmium and zinc trans-aconitate coordination polymers with bis(pyridylmethyl)piperazine ligands. **2013**, 407, 231-238 2
- 973 Synthesis, structure and properties of zinc(II) coordination polymers with 9H-carbazole-2,7-dicarboxylic acid. **2013**, 206, 293-299 12
- 972 Evaluation of metal-organic framework 5 as a new SPE material for the determination of polycyclic aromatic hydrocarbons in environmental waters. **2013**, 36, 1283-90 42
- 971 Structure and spectroscopy of hydrogen adsorbed in a nickel metal-organic framework. **2013**, 427, 3-8 19
- 970 Solvent- and temperature-driven synthesis of three Cd(II) coordination polymers based on 3,3'-azodibenzoic acid ligand: Crystal structures and luminescent properties. **2013**, 397, 75-82 14
- 969 Synthesis, crystal structure and magnetic properties of manganese(II) coordination polymer from isonicotinate and amino-tetrazole mixed-ligands. **2013**, 36, 174-178 8
- 968 Cadmium carboxycinnamate coordination polymers with dimensionality differences depending on dipyriddy ligand. **2013**, 407, 167-174 8
- 967 Adsorption of H₂ and H₂O inside and outside of (M@Si₁₆F)₆ tubelike aggregates and wires (M = V, Ta). A first principles study. **2013**, 139, 247-255 3
- 966 Synthesis, structure and magnetic investigations of polycarboxylato-copper(II) complexes. **2013**, 54, 158-163 17
- 965 Employment of 2-pyrrole aldoxime in iron cluster chemistry: Trinuclear and hexanuclear clusters. **2013**, 52, 1411-1415 7
- 964 Copper glutarate coordination polymers with dipyriddyamide ligands: Effect of donor disposition and steric bulk on structure. **2013**, 405, 31-42 9
- 963 Employment of a naphthalene-based tetraol ligand in Mn chemistry: Mononuclear and linear trinuclear clusters. **2013**, 64, 52-58 1
- 962 Divalent metal homophthalate coordination polymers with long-spanning dipyriddy ligands containing piperazine moieties. **2013**, 403, 78-84 7
- 961 Chain, layer, and self-penetrated copper dipyriddyamine coordination polymers with conformationally flexible ring-based dicarboxylate ligands. **2013**, 407, 297-305 8

- 960 Supramolecular assemblies and magnetic behaviors of the M(II)/p-aminopyridine/malonate (M = Ni, Mn, Cu, Co) systems. **2013**, 57, 112-117 5
- 959 Syntheses, structures and properties of three cobalt coordination polymers based on flexible bis(triazole) and 5-nitroisophthalate coligands. **2013**, 1038, 194-199 9
- 958 Two stacked 2Dchiral/2Dchiral->2Dachiral sheets based on V-shaped imidazolyl ligand and flexible aliphatic acids. **2013**, 33, 15-18 4
- 957 A porous 4-fold-interpenetrated chiral framework exhibiting vapochromism, single-crystal-to-single-crystal solvent exchange, gas sorption, and a poisoning effect. **2013**, 52, 2353-60 105
- 956 Highly selective sorption and luminescent sensing of small molecules demonstrated in a multifunctional lanthanide microporous metal-organic framework containing 1D honeycomb-type channels. **2013**, 19, 3358-65 151
- 955 Zipping and unzipping of a paddlewheel metal-organic framework to enable two-step synthetic and structural transformation. **2013**, 19, 3552-7 24
- 954 The hydrogen storage capacity of mono-substituted MOF-5 derivatives: An experimental and computational approach. **2013**, 171, 65-71 19
- 953 Dynamic Photo-Switching in Metal-Organic Frameworks as a Route to Low-Energy Carbon Dioxide Capture and Release. **2013**, 125, 3783-3786 38
- 952 A novel (3,3,6)-connected luminescent metal-organic framework for sensing of nitroaromatic explosives. **2013**, 42, 5508-13 105
- 951 Coordination polymers of flexible polycarboxylic acids with metal ions. V. polymeric frameworks of 5-(3,5-dicarboxybenzyloxy)-3-pyridine carboxylic acid with Cd(II), Cu(II), Co(II), Mn(II) and Ni(II) ions; synthesis, structure, and magnetic properties. **2013**, 15, 2863 25
- 950 Rationalization of the entrapping of bioactive molecules into a series of functionalized porous zirconium terephthalate MOFs. **2013**, 1, 1101-1108 104
- 949 Control over Catenation in Pillared Paddlewheel Metal-Organic Framework Materials via Solvent-Assisted Linker Exchange. **2013**, 25, 739-744 120
- 948 1D coordination polymer with octahedral and square-planar nickel(II) centers. **2013**, 29, 82-84 8
- 947 Highly ordered alignment of a vinyl polymer by host-guest cross-polymerization. **2013**, 5, 335-41 152
- 946 Reversible switching from antiferro- to ferromagnetic behavior by solvent-mediated, thermally-induced phase transitions in a trimorphic MOF-based magnetic sponge system. **2013**, 135, 4040-50 196
- 945 Ligand functionalization and its effect on CO₂ adsorption in microporous metal-organic frameworks. **2013**, 8, 778-85 37
- 944 Protonenleitung in Metall-organischen Gerüsten und verwandten modularen porösen Festkörpern. **2013**, 125, 2752-2764 102
- 943 Recent development of hypercrosslinked microporous organic polymers. **2013**, 34, 471-84 305

942	Synthesis, structures and adsorption properties of two new magnesium coordination polymers. 2013 , 16, 29-33	6
941	A CdSO ₄ -Type 3D Metal-Organic Framework Showing Coordination Dynamics on Cu ²⁺ Axial Sites: Vapochromic Response and Guest Sorption Selectivity. 2013 , 13, 1518-1525	24
940	Iron-Based Metal-Organic Frameworks MIL-88B and NH ₂ -MIL-88B: High Quality Microwave Synthesis and Solvent-Induced Lattice Breathing 2013 , 13, 2286-2291	145
939	Dynamic photo-switching in metal-organic frameworks as a route to low-energy carbon dioxide capture and release. 2013 , 52, 3695-8	248
938	Unusual endo/exocyclic silver(I) coordination polymers of an NS ₄ -macrocyclic exhibiting solvent-induced single-crystal to single-crystal transformation. 2013 , 15, 1814	10
937	Four metalloporphyrinic frameworks as heterogeneous catalysts for selective oxidation and aldol reaction. 2013 , 52, 3620-6	70
936	From metal-organic framework (MOF) to MOF/polymer composite membrane: enhancement of low-humidity proton conductivity. 2013 , 4, 983-992	277
935	Proton conduction in metal-organic frameworks and related modularly built porous solids. 2013 , 52, 2688-700	608
934	Energetic performances of the metal-organic framework ZIF-8 obtained using high pressure water intrusion-extrusion experiments. 2013 , 15, 4888-91	65
933	Five discrete multinuclear metal-organic assemblies from one ligand: deciphering the effects of different templates. 2013 , 135, 2723-33	133
932	Exceptional Mechanical Stability of Highly Porous Zirconium Metal-Organic Framework UiO-66 and Its Important Implications. 2013 , 4, 925-30	283
931	Series of 2D heterometallic coordination polymers based on ruthenium(III) oxalate building units: synthesis, structure, and catalytic and magnetic properties. 2013 , 52, 3933-41	21
930	Modulation of the Interlayer Structures and Magnetic Behavior of 2D Spin-Crossover Coordination Polymers [FeII(L)2PtII(CN)4]. 2013 , 2013, 738-744	31
929	Single-Crystal-to-Single-Crystal Transformation of a Novel 2-Fold Interpenetrated Cadmium-Organic Framework with Trimesate and 1,2-Bis(4-pyridyl)ethane into the Thermally Desolvated Form Which Exhibits Liquid and Gas Sorption Properties. 2013 , 13, 1526-1534	28
928	Water Sorption Cycle Measurements on Functionalized MIL-101Cr for Heat Transformation Application. 2013 , 25, 790-798	187
927	Reactivity of surface species in heterogeneous catalysts probed by in situ X-ray absorption techniques. 2013 , 113, 1736-850	481
926	Metal-organic coordination polymers with a new 3,5-(4-carboxybenzyloxy) benzoic acid linker. 2013 , 37, 1494	17
925	Synthesis and engineering porosity of a mixed metal Fe ₂ Ni MIL-88B metal-organic framework. 2013 , 42, 550-7	106

924	Facile synthesis of novel Ni(II)-based metal-organic coordination polymer nanoparticle/reduced graphene oxide nanocomposites and their application for highly sensitive and selective nonenzymatic glucose sensing. 2013 , 138, 429-33	64
923	Efficient growth of sub-micrometric MOF crystals inside the channels of AAO membranes. 2013 , 1, 3688	13
922	A rationally designed nitrogen-rich metal-organic framework and its exceptionally high CO(2) and H(2) uptake capability. 2013 , 3, 1149	117
921	Syntheses, crystal structures and luminescent properties of four Zn(II) coordination polymers with pyrazolone derivatives and 4,4'-bipyridine. 2013 , 15, 2873	34
920	Exploring frontiers of high surface area metal-organic frameworks. 2013 , 4, 1781	48
919	Coordination polymers of flexible poly-carboxylic acids with metal ions. IV. Syntheses, structures, and magnetic properties of polymeric networks of 5-(3,5)-(dicarboxybenzyloxy)isophthalic acid with Cd(II), Cu(II), Co(II) and Mn(II) ions. 2013 , 15, 2853	27
918	Investigation on the prime factors influencing the formation of entangled metal-organic frameworks. 2013 , 15, 2561	119
917	Microporous organic polymers for gas storage and separation applications. 2013 , 15, 5430-42	158
916	Absorption of CO ₂ and CS ₂ into the Hofmann-type porous coordination polymer: electrostatic versus dispersion interactions. 2013 , 135, 4840-9	63
915	Preparation of a MOF membrane with 3-aminopropyltriethoxysilane as covalent linker for xylene isomers separation. 2013 , 30, 74-78	23
914	Complexes between dihydrogen and amine, phosphine, and arsine derivatives. Hydrogen bond versus pnictogen interaction. 2013 , 117, 3243-51	44
913	A microporous luminescent europium metal-organic framework for nitro explosive sensing. 2013 , 42, 5718-23	204
912	Investigation on Hydrogenation of Metal-Organic Frameworks HKUST-1, MIL-53, and ZIF-8 by Hydrogen Spillover. 2013 , 117, 7565-7576	106
911	Transformation of metal-organic framework to polymer gel by cross-linking the organic ligands preorganized in metal-organic framework. 2013 , 135, 5427-32	170
910	Selective adsorption of ethylene over ethane and propylene over propane in the metal-organic frameworks M ₂ (dobdc) (M = Mg, Mn, Fe, Co, Ni, Zn). 2013 , 4, 2054	327
909	Novel Co-based metal-organic frameworks and their magnetic properties using asymmetrically binding 4-(4'-carboxyphenyl)-1,2,4-triazole. 2013 , 42, 7795-802	31
908	Characterization, adsorption properties, metal ion-exchange and crystal-to-crystal transformation of Cd ₃ [(Cd ₄ Cl) ₃ (BTT) ₈ (H ₂ O) ₁₂] ₂ framework, where BTT ³⁻ = 1,3,5-benzenetristetrazolate. 2013 , 15, 3377	30
907	Iron oxide functionalised MIL-101 materials in aqueous phase selective oxidations. 2013 , 455, 261-266	35

906	Spectroscopic Studies of Structural Dynamics Induced by Heating and Hydration: A Case of Calcium-Terephthalate MetalOrganic Framework. 2013 , 117, 7552-7564	43
905	Nitric Oxide Adsorption and Delivery in Flexible MIL-88(Fe) MetalOrganic Frameworks. 2013 , 25, 1592-1599	199
904	A General Strategy for the Synthesis of Functionalised UiO-66 Frameworks: Characterisation, Stability and CO ₂ Adsorption Properties. 2013 , 2013, 2154-2160	161
903	When metal organic frameworks turn into linear magnets. 2013 , 87,	55
902	Grand canonical monte carlo modeling of hydrogen adsorption on phosphorus-doped open carbon framework. 2013 , 19, 869-877	6
901	Electronic structures and binding properties of chalcogenolate-bridged molecular wheels of ruthenium and osmium. 2013 , 37, 1811	4
900	Porous NbO-type metalorganic framework with inserted acylamide groups exhibiting highly selective CO ₂ capture. 2013 , 15, 3517	91
899	Understanding Adsorption of Highly Polar Vapors on Mesoporous MIL-100(Cr) and MIL-101(Cr): Experiments and Molecular Simulations. 2013 , 117, 7613-7622	60
898	Syntheses, structures and luminescence properties of novel metalorganic frameworks based on zinc(II), cadmium(II) or lead(II) and a 2,2'-dimethoxy-functionalised biphenyl linker. 2013 , 15, 3874	25
897	Series of MetalOrganic Frameworks Including Novel Architectural Features Based on a Star-like Tri(4-pyridylphenyl)amine Ligand. 2013 , 13, 1961-1969	66
896	Two-dimensional charge-separated metal-organic framework for hysteretic and modulated sorption. 2013 , 52, 4198-204	34
895	Zinc(II) and Cadmium(II) Complexes with 1,3,5-Benzenetricarboxylate and Imidazole-Containing Ligands: Structural Variation via Reaction Temperature and Solvent. 2013 , 13, 2312-2321	114
894	CFA-2 and CFA-3 (Coordination Framework Augsburg University-2 and -3); novel MOFs assembled from trinuclear Cu(I)/Ag(I) secondary building units and 3,3',5,5'-tetraphenyl-bipyrazolate ligands. 2013 , 42, 6909-21	28
893	Structural and fluorescent regulation of Cd(II) coordination polymers with homoterephthalate by N-donor second ligands. 2013 , 15, 2428	44
892	Metalorganic frameworks as platforms for clean energy. 2013 , 6, 1656	768
891	Adsorbent density impact on gas storage capacities. 2013 , 173, 47-52	17
890	Hybrid nanocomposites of ZIF-8 with graphene oxide exhibiting tunable morphology, significant CO ₂ uptake and other novel properties. 2013 , 49, 4947-9	229
889	Control of Self-Penetration and Dimensionality in Luminescent Cadmium Succinate Coordination Polymers via Isomeric Dipyridylamide Ligands. 2013 , 13, 2220-2232	52

- 888 Hydrogen adsorption properties of platinum decorated hierarchically structured templated carbons. **2013**, 177, 66-74 23
- 887 Metal-Organic Framework with Functional Amide Groups for Highly Selective Gas Separation. **2013**, 13, 2670-2674 61
- 886 Metal-organic framework luminescence in the yellow gap by codoping of the homoleptic imidazolate [B][Ba(Im)₂] with divalent europium. **2013**, 135, 6896-902 66
- 885 Layer-by-Layer Growth and Photocurrent Generation in Metal-Organic Coordination Films. **2013**, 117, 12502-12509 31
- 884 Post-synthetic structural processing in a metal-organic framework material as a mechanism for exceptional CO₂/N₂ selectivity. **2013**, 135, 10441-8 172
- 883 Cadmium adipate coordination polymers prepared with isomeric pyridylamide precursors: pH-dependent in situ reaction chemistry and divergent dimensionalities. **2013**, 15, 5218 32
- 882 A New Two-Dimensional Manganese(II) Coordination Polymer Constructed from Trinuclear Molecular Building Block: Syntheses, Structure and Magnetic Property. **2013**, 639, 994-998 3
- 881 Gas storage in a partially fluorinated highly stable three-dimensional porous metal-organic framework. **2013**, 52, 7358-66 57
- 880 Interpenetration control in metal-organic frameworks for functional applications. **2013**, 257, 2232-2249 415
- 879 Methoxy-Modified MOF-5: A MOF-5 Framework Prepared by a Mixed Ligand Approach. **2013**, 2013, 2336-2341 11
- 878 Solvent-modified dynamic porosity in chiral 3D kagome frameworks. **2013**, 42, 7871-9 32
- 877 Development of hydrogen-selective CAU-1 MOF membranes for hydrogen purification by dual-metal-source approach. **2013**, 38, 5338-5347 55
- 876 Diffusion of Binary CO₂/CH₄ Mixtures in the MIL-47(V) and MIL-53(Cr) Metal-Organic Framework Type Solids: A Combination of Neutron Scattering Measurements and Molecular Dynamics Simulations. **2013**, 117, 11275-11284 42
- 875 Kinetic and thermodynamic studies of hydrogen adsorption on titanate nanotubes decorated with a Prussian blue analogue. **2013**, 38, 6406-6416 7
- 874 Formation of high crystalline ZIF-8 in an aqueous solution. **2013**, 15, 1794 301
- 873 Screening metal-organic frameworks for selective noble gas adsorption in air: effect of pore size and framework topology. **2013**, 15, 9093-106 76
- 872 Porous Lanthanide-Organic Frameworks: Control over Interpenetration, Gas Adsorption, and Catalyst Properties. **2013**, 13, 3154-3161 71
- 871 Enlarging an Isoreticular Family: 3,3',5,5'-Tetramethyl-4,4'-bipyrazolato-Based Porous Coordination Polymers. **2013**, 13, 3087-3097 35

870	Adsorption on Fe-MOF-74 for C10 Hydrocarbon Separation. 2013 , 117, 12648-12660	94
869	Nanoporous metal oxides with tunable and nanocrystalline frameworks via conversion of metal-organic frameworks. 2013 , 135, 8940-6	216
868	Highly selective quantum sieving of D2 from H2 by a metal-organic framework as determined by gas manometry and infrared spectroscopy. 2013 , 135, 9458-64	91
867	Tuning the Subunits and Topologies in Cluster-Based Cobalt Organic Frameworks by Varying the Reaction Conditions. 2013 , 13, 2858-2865	34
866	Cation-exchange-induced single-crystal-to-single-crystal transformations of a nanoporous coordination complex. 2013 , 32, 68-73	11
865	Room temperature solution-phase synthesis of flower-like nanostructures of [Ni3(BTC)2·12H2O] and their conversion to porous NiO. 2013 , 24, 663-667	24
864	Seven structural versatile coordination polymers based on a flexible bis(triazole) and polycarboxylate co-ligands: syntheses, structures and properties. 2013 , 15, 3630	24
863	Volumetric hydrogen sorption measurements: Uncertainty error analysis and the importance of thermal equilibration time. 2013 , 38, 1469-1477	24
862	Fast Syntheses of MOFs Using Nanosized Zeolite Crystal Seeds In Situ Generated from Microsized Zeolites. 2013 , 13, 2697-2702	18
861	A family of rare earth porous coordination polymers with different flexibility for CO2/C2H4 and CO2/C2H6 separation. 2013 , 52, 8244-9	59
860	A cobalt-based 3D porous framework with excellent catalytic ability for the selective oxidation of cis-cyclooctene. 2013 , 42, 9423-7	16
859	Copper(I) Cyanide Frameworks through Thermal or Photodecomposition of the Free Radical Diazo Initiator AIBN. 2013 , 2013, 3297-3301	3
858	Interaction of Small Gases with the Unsaturated Metal Centers of the HKUST-1 Metal Organic Framework. 2013 , 117, 14570-14578	119
857	Gas adsorption by nanoporous materials: Future applications and experimental challenges. 2013 , 38, 412-421	55
856	Structure Versatility of Coordination Polymers Constructed from a Semirigid Tetracarboxylate Ligand: Syntheses, Structures, and Photoluminescent Properties. 2013 , 13, 255-263	63
855	Syntheses, structures, and magnetic properties of terephthalato bridged dinuclear copper(II) and manganese(II) complexes with a tetradentate N-donor Schiff base. 2013 , 55, 1-9	25
854	Medical Applications of Solid Nitrosyl Complexes. 2013 , 225-256	3
853	Patterned deposition of metal-organic frameworks onto plastic, paper, and textile substrates by inkjet printing of a precursor solution. 2013 , 25, 4631-5	137

852	Construction of homo- and heterometallic-pyridine-2,3-dicarboxylate metallocsupramolecular networks with structural diversity: 1D T5(2) water tape and unexpected coordination mode of pyridine-2,3-dicarboxylate. 2013 , 15, 1244	16
851	Manganese(II)-promoted ligand oxidation during the formation of a coordination polymer. 2013 , 33, 129-132	4
850	Donor disposition and aliphatic conformation effects on structure in luminescent zinc dicarboxylate coordination polymers with isomeric dipyridylamide coligands. 2013 , 15, 1586	36
849	Unusual and highly tunable missing-linker defects in zirconium metal-organic framework UiO-66 and their important effects on gas adsorption. 2013 , 135, 10525-32	902
848	Heterometallic Supramolecular Architecture Based on a Trinuclear [Mn(H ₂ O) ₄ (NiL) ₂] Unit: Crystal Structure and Magnetic Properties. 2013 , 23, 989-995	1
847	CHAPTER 7:Strategies for Creating Active Sites in MOFs. 237-267	2
846	Different Metal Aggregation in Copper Acetate Chain Coordination Polymers with Dipyridyl Tethers Bearing Hydrogen Bonding Capable Functional Groups. 2013 , 639, 1740-1745	2
845	Optimization-Based Design of Metal-Organic Framework Materials. 2013 , 9, 2816-25	26
844	A zwitterionic metal-organic framework with free carboxylic acid sites that exhibits enhanced hydrogen adsorption energies. 2013 , 15, 9408	19
843	Construction of Six Coordination Polymers Based on a 5,5'-(1,2-Ethynyl)bis-1,3-benzenedicarboxylic Ligand: Synthesis, Structure, Gas Sorption, and Magnetic Properties. 2013 , 13, 1033-1044	57
842	Superprotonic conductivity in a highly oriented crystalline metal-organic framework nanofilm. 2013 , 135, 7438-41	246
841	Chemisorption of cyanogen chloride by spinel ferrite magnetic nanoparticles. 2013 , 29, 5500-7	13
840	Control of nucleation and crystal growth kinetics of MOF-5 on functionalized gold surfaces. 2013 , 175, 107-115	17
839	Iron metal-organic frameworks MIL-88B and NH ₂ -MIL-88B for the loading and delivery of the gas transmitter carbon monoxide. 2013 , 19, 6785-90	106
838	Copper MOF: scope and limitation in catalytic hydroxylation and nitration of aryl halides. 2013 , 69, 6409-6414	18
837	MOF-FF: A flexible first-principles derived force field for metal-organic frameworks. 2013 , 250, 1128-1141	129
836	Six New 2D or 3D Metal-Organic Frameworks Based on Bithiophene-Containing Ligand and Dicarboxylates: Syntheses, Structures, and Properties. 2013 , 13, 3078-3086	50
835	A Series of Metal-Organic Frameworks Constructed From a V-shaped Tripodal Carboxylate Ligand: Syntheses, Structures, Photoluminescent, and Magnetic Properties. 2013 , 13, 2756-2765	52

834	Towards a practical setup for hydrogen production from formic acid. 2013 , 6, 1172-6	102
833	Polyaniline as a material for hydrogen storage applications. 2013 , 34, 1043-55	34
832	A polythreading array formed by a (3,5)-connected 3D anionic network and 1D cationic chains: synthesis, structure, and catalytic properties. 2013 , 42, 9771-6	38
831	Influences of lithium doping and fullerene impregnation on hydrogen storage in metal organic frameworks. 2013 , 39, 968-974	10
830	Metal-organic frameworks displaying single crystal-to-single crystal transformation through postsynthetic uptake of metal clusters. 2013 , 4, 3232	63
829	MOFomics: Computational pore characterization of metal-organic frameworks. 2013 , 165, 32-39	101
828	Syntheses, structures and properties of Mn(II), Zn(II) and Ag(I) coordination polymers with 2-(1,2,4-triazol-1-yl)acetate. 2013 , 1031, 175-179	6
827	Two sodium and lanthanide(III) MOFs based on oxalate and V-shaped 4,4'-oxybis(benzoate) ligands: Hydrothermal synthesis, crystal structure, and luminescence properties. 2013 , 1032, 93-99	19
826	Gas Adsorption and Magnetic Properties in Isostructural Ni(II), Mn(II), and Co(II) Coordination Polymers. 2013 , 13, 1238-1245	31
825	Robust monolithic multiscale nanoporous polyimides and conversion to isomorphic carbons. 2013 , 3, 26459	31
824	Studies on photocatalytic CO ₂ reduction over NH ₂ -Uio-66(Zr) and its derivatives: towards a better understanding of photocatalysis on metal-organic frameworks. 2013 , 19, 14279-85	442
823	Nanoarchitectures based on layered titanosilicates supported on glass fibers: application to hydrogen storage. 2013 , 29, 7449-55	22
822	A porous metal-organic framework based on Zn ₆ O ₂ clusters: chemical stability, gas adsorption properties and solvatochromic behavior. 2013 , 49, 555-7	106
821	MXene: a new family of promising hydrogen storage medium. 2013 , 117, 14253-60	298
820	Ultrahigh gas storage both at low and high pressures in KOH-activated carbonized porous aromatic frameworks. 2013 , 3, 2420	108
819	Theoretical calculations of stability constants and pK _a values of metal complexes in solution: application to pyridoxamine-copper(II) complexes and their biological implications in AGE inhibition. 2013 , 15, 16303-13	26
818	Solid-gas sorption behavior of a new polymorph of azacalix[5]arene pentamethyl ether as controlled by crystal architecture. 2013 , 15, 1536-1544	10
817	Magnetic investigations of a two-dimensional coordination polymer with a three-dimensional supramolecular framework: poly[[bis[2-(1,4-bis(1,2,4-triazol-1-yl)butane]bis(thiocyanato- μ)cobalt(II)] dihydrate]. 2013 , 69, 597-600	2

816	Strategies toward enhanced low-pressure volumetric hydrogen storage in nanoporous cryoadsorbents. 2013 , 29, 15689-97	11
815	Mail-Order Metal-Organic Frameworks (MOFs): Designing Isoreticular MOF-5 Analogues Comprising Commercially Available Organic Molecules. 2013 , 117, 12159-12167	60
814	pH-Dependent Assembly of Two Zinc(II) Complexes With 3,4,7,8-Tetramethyl-1,10-Phenanthroline and 4,4'-Oxydiphthalic Acid: Synthesis, Characterization, and Crystal Structures. 2013 , 43, 456-460	2
813	Formic acid dehydrogenation catalysed by ruthenium complexes bearing the tripodal ligands triphos and NP3. 2013 , 42, 2495-501	79
812	Synthesis, structure and properties of a 3-D Yb(III) metal-organic framework constructed from rod-shaped molecular building blocks. 2013 , 32, 51-54	5
811	Metal-Organic Frameworks for Photocatalysis. 2013 , 89-104	9
810	Inner- versus Outer-Sphere Ru-Catalyzed Formic Acid Dehydrogenation: A Computational Study. 2013 , 32, 7053-7064	30
809	Asymmetric Catalytic Sulfoxidation with H ₂ O ₂ using Chiral Copper Metal-Organic Framework Crystals. 2013 , 2, 1055-1060	19
808	Preparation of modified γ -alumina as stationary phase in gas-solid chromatography and its separation performance for hydrogen isotopes. 2013 , 19, 919-927	13
807	Helical silver(I)-glutathione biocoordination polymer nanofibres. 2013 , 371, 20120307	7
806	Synthesis and properties of four coordination polymers built from a semi-rigid tripod carboxylic acid. 2013 , 15, 8989	25
805	Synthesis and Small Molecule Exchange Studies of a Magnesium Bisformate Metal-Organic Framework: An Experiment in Host-Guest Chemistry for the Undergraduate Laboratory. 2013 , 90, 379-382	15
804	Highly porous metal-organic framework sustained with 12-connected nanoscopic octahedra. 2013 , 42, 1708-14	54
803	Quantum simulations of the hydrogen molecule on ammonia clusters. 2013 , 139, 124319	11
802	Correlation of Gas Permeability in a Metal-Organic Framework MIL-101(Cr)-Polysulfone Mixed-Matrix Membrane with Free Volume Measurements by Positron Annihilation Lifetime Spectroscopy (PALS). 2013 , 3, 331-53	57
801	Combined study of structural properties on metal-organic frameworks with same topology but different linkers or metal. 2013 , 430, 012134	5
800	Hydrogen Storage Investigation of Fixed Bed of Nanocrystalline Mg-Ni-Cr Mixed Oxides. 2013 , 701, 179-183	0
799	Computational screening study towards redox-active metal-organic frameworks. 2013 , 15, 115004	12

798	Synthesis and Crystal Structure of a Novel Ho(III) Coordination Polymer with Oxalic Acid. 2013 , 873, 697-700	1
797	Hydrogen Storage in Metal-Organic Frameworks. 2013 , 316-317, 946-949	3
796	Metal-organic frameworks capable of healing at low temperatures. 2013 , 25, 6106-11	7
795	One-dimensional Cu(I) and Ag(I) ladder-like coordination polymers supported by 2-ethyl-1-(pyridin-3-ylmethyl)-1H-benzimidazole. 2013 , 69, 1017-21	
794	NMR study of small molecule adsorption in MOF-74-Mg. 2013 , 138, 154704	27
793	Conjugated Porous Networks Based on Cyclotrimeratrylene Building Block for Hydrogen Adsorption. 2013 , 31, 617-623	6
792	3D Organization of Dysprosium Cubanes. 2013 , 2013, 5879-5885	26
791	Hydrogen generation via the catalytic hydrolysis of morpholine-borane: A new, efficient and cost-effective hydrogen storage medium. 2019 , 44, 25642-25651	10
790	Recent progress in the synthesis, structural diversity and emerging applications of cyclodextrin-based metal-organic frameworks. 2019 , 7, 5602-5619	27
789	Two- and Three-Dimensional Heterometallic Ln[Ru- μ -Ammonium Diphosphonate] Nets: Structures, Porosity, Magnetism, and Proton Conductivity. 2019 , 58, 14034-14045	10
788	Bibliometrical analysis of hydrogen storage. 2019 , 44, 28206-28226	19
787	A novel tetranuclear Pb ²⁺ compound based on ethylenediaminetetraacetate and azide mixed-ligands: Synthesis, structure and properties. 2019 , 279, 120952	3
786	Magnesium based coordination polymers: Syntheses, structures, properties and applications. 2019 , 399, 213025	10
785	Dichotomy between frustrated local spins and conjugated electrons in a two-dimensional metal-organic framework. 2019 , 11, 955-961	21
784	Diverse layered topology and magnetic subunits in cobalt cyclohexyldicarboxylate coordination polymers with 3-pyridylnicotinamide coligands. 2019 , 157, 276-283	2
783	Rare metal-ion metathesis of a tetrahedral Zn(ii) core of a noncentrosymmetric (3,4)-connected 3D MOF. 2019 , 48, 1950-1954	5
782	Zinc(II) organic framework as a multi-responsive photoluminescence sensor for efficient and recyclable detection of pesticide 2,6-dichloro-4-nitroaniline, Fe(III) and Cr(VI). 2019 , 43, 2353-2361	76
781	Ni(II) 1D-coordination polymer/C60-modified glassy carbon electrode as a highly sensitive non-enzymatic glucose electrochemical sensor. 2019 , 478, 361-372	29

780	Our journey of developing multifunctional metal-organic frameworks. 2019 , 384, 21-36	86
779	Quenching of photoluminescence in a Zn-MOF sensor by nitroaromatic molecules. 2019 , 7, 2625-2632	33
778	Prussian blue analogue derived magnetic Cu-Fe oxide as a recyclable photo-Fenton catalyst for the efficient removal of sulfamethazine at near neutral pH values. 2019 , 362, 865-876	126
777	Structural diversity and dye degradation capability of copper 1,2-phenylenediacetate coordination polymers with flexible dipyridylamide ligands. 2019 , 161, 161-168	5
776	Computational study of the carbonyl-ene reaction between formaldehyde and propylene encapsulated in coordinatively unsaturated metal-organic frameworks M(btc) (M = Fe, Co, Ni, Cu and Zn). 2019 , 21, 2783-2789	15
775	Hydrogen storage mechanism and diffusion in metal-organic frameworks. 2019 , 21, 7756-7764	18
774	A new 3D luminescent Zn(ii)-organic framework containing a quinoline-2,6-dicarboxylate linker for the highly selective sensing of Fe(iii) ions. 2019 , 48, 1766-1773	36
773	Construction of a 3D porous Co(II) metal-organic framework (MOF) with Lewis acidic metal sites exhibiting selective CO ₂ capture and conversion under mild conditions. 2019 , 43, 2163-2170	22
772	A novel homochiral metal-organic framework with an expanded open cage based on (R)-3,3'-bis(6-carboxy-2-naphthyl)-2,2'-dihydroxy-1,1'-binaphthyl: synthesis, X-ray structure and efficient HPLC enantiomer separation. 2019 , 21, 487-493	17
771	An Organic Zeolite With 10 Å Diameter Pores Assembles From a Soluble and Flexible Building Block by Non-Covalent Interactions. 2019 , 8, 457-463	2
770	Metal-organic framework MIL-53(Cr) as a superior adsorbent: Highly efficient separation of xylene isomers in liquid phase. 2019 , 77, 262-272	12
769	Energy storage properties of a two-dimensional TiB monolayer. 2019 , 21, 13151-13156	7
768	Highly Selective Capture of Monophosphopeptides by Two-Dimensional Metal-Organic Framework Nanosheets. 2019 , 91, 9093-9101	22
767	Ultrasonic-Assisted Linker Exchange (USALE): A Novel Post-Synthesis Method for Controlling the Functionality, Porosity, and Morphology of MOFs. 2019 , 25, 10876-10885	18
766	Crystal Transformation of H ₂ CD-MOF Facilitates Loading of Dimercaptosuccinic Acid. 2019 , 20, 224	8
765	Metal-Organic Frameworks Toward Electrocatalytic Applications. 2019 , 9, 2427	36
764	Investigation of rare earth upconversion fluorescent nanoparticles in biomedical field. 2019 , 8, 1-17	36
763	Coordinated Molecule-Modulated Magnetic Phase with Metamagnetism in Metal-Organic Frameworks. 2019 , 58, 8895-8899	10

762	Toward Metal-Organic-Framework-Based Supercapacitors: Room-Temperature Synthesis of Electrically Conducting MOF-Based Nanocomposites Decorated with Redox-Active Manganese. 2019 , 2019, 3036-3044	23
761	Households' willingness to pay for developing marine bio-hydrogen technology: The case of South Korea. 2019 , 44, 12907-12917	10
760	UiO-66-supported Fe catalyst: a vapour deposition preparation method and its superior catalytic performance for removal of organic pollutants in water. 2019 , 6, 182047	11
759	Metal-Organic Framework Crystal-Assembled Optical Sensors for Chemical Vapors: Effects of Crystal Sizes and Missing-Linker Defects on Sensing Performances. 2019 , 11, 21010-21017	30
758	Metallo(salen) complexes as versatile building blocks for the fabrication of molecular materials and devices with tuned properties. 2019 , 394, 104-134	49
757	A novel multi-purpose Zn-MOF fluorescent sensor for 2,4-dinitrophenylhydrazine, picric acid, La and Ca: Synthesis, structure, selectivity, sensitivity and recyclability. 2019 , 222, 117207	14
756	Porphyrin-based metal-organic frameworks: protonation induced Q band absorption. 2019 , 11, 12250-12258	26
755	Preparation and Dielectric Characterization of P(VDF/TrFE) Copolymer-Based Composites Containing Metal-Formate Frameworks. 2019 , 123, 16380-16387	2
754	Photofunctional MOF-based hybrid materials for the chemical sensing of biomarkers. 2019 , 7, 8155-8175	58
753	Degradation of Metal-Organic Framework Materials as Controlled-Release Fertilizers in Crop Fields. 2019 , 11,	8
752	Fabrication and orientation of Ni-LAB membranes by linker salt approach. 2019 , 287, 135-143	1
751	Zirconium Metal-Organic Frameworks for Organic Pollutant Adsorption. 2019 , 1, 304-317	86
750	Trace benzene removal from vinyl acetate with ZIFs: A computational study. 2019 , 1158, 41-46	3
749	A systematic evaluation of UiO-66 metal organic framework for CO ₂ /N ₂ separation. 2019 , 224, 85-94	29
748	Polar Molecule Confinement Effects on Dielectric Modulations of Sr-Based Metal-Organic Frameworks. 2019 , 1, 836-844	6
747	Nickel metal-organic framework nanosheet/hemin composite as biomimetic peroxidase for electrocatalytic reduction of H ₂ O ₂ . 2019 , 845, 137-143	26
746	Metal-organic frameworks and their derivatives for metal-air batteries. 2019 , 23, 757-771	60
745	MOF-SMO hybrids as a H ₂ S sensor with superior sensitivity and selectivity. 2019 , 292, 32-39	32

744	Metal-Organic Framework Nanoparticle-Assisted Cryopreservation of Red Blood Cells. 2019 , 141, 7789-7796	44
743	Spillover effect on Pd-embedded metal-organic frameworks based on zirconium(IV) and benzene 1,3,5-tricarboxylate as hydrogen storage materials. 2019 , 6, 084001	4
742	ZIF-8 membrane synthesized via covalent-assisted seeding on polyimide substrate for pervaporation dehydration. 2019 , 65, e16620	15
741	Three Co(II) Metal-Organic Frameworks with Diverse Architectures for Selective Gas Sorption and Magnetic Studies. 2019 , 58, 6246-6256	24
740	Cobalt(II) Coordination Polymers Assembled from Unexplored Pyridine-Carboxylic Acids: Structural Diversity and Catalytic Oxidation of Alcohols. 2019 , 58, 5875-5885	95
739	Estimation of system-level hydrogen storage for metal-organic frameworks with high volumetric storage density. 2019 , 44, 15135-15145	28
738	Mixed-Metal Imidazolates Containing Alkali and Alkaline Earth Metals: Mechanochemical Synthesis and Crystal Structure of AMgIm (A = Na or K). 2019 , 58, 6927-6933	1
737	. 2019 ,	5
736	SupraCells: Living Mammalian Cells Protected within Functional Modular Nanoparticle-Based Exoskeletons. 2019 , 31, e1900545	56
735	Promising application of MOF as composite solid electrolytes via clathrates of ionic liquid. 2019 , 491, 128-131	4
734	Harnessing MOF materials in photovoltaic devices: recent advances, challenges, and perspectives. 2019 , 7, 17079-17095	182
733	Field effect transistor based on proton conductive metal organic framework (CuBTC). 2019 , 52, 335105	18
732	A hydrolytically stable europium-organic framework for the selective detection of radioactive Th ⁴⁺ in aqueous solution. 2019 , 21, 3471-3477	9
731	Insights into the water adsorption mechanism in the chemically stable zirconium-based MOF DUT-67 as prospective material for adsorption-driven heat transformations. 2019 , 7, 12681-12690	26
730	Energy storage analysis of R125 in UiO-66 and MOF-5 nanoparticles: A molecular simulation study. 2019 , 17, 229-234	1
729	Nanoporous Materials for Gas Storage. 2019 ,	9
728	Storage of Hydrogen on Nanoporous Adsorbents. 2019 , 255-286	0
727	Density Functional Theory Studies of Catalytic Sites in Metal-Organic Frameworks. 2019 ,	2

726	Cobalt based metal-organic frameworks and their derivatives for electrochemical energy conversion and storage. 2019 , 370, 37-59	63
725	In situ formation of zeolitic-imidazolate framework thin films and composites using modified polymer substrates. 2019 , 7, 9680-9689	28
724	Multi- and instabilities in gas partitioning between nanoporous materials and rubber balloons. 2019 , 475, 20180703	4
723	An acetylenedicarboxylato-bridged Mn(II)-based 1D coordination polymer: electrochemical CO ₂ reduction and magnetic properties. 2019 , 43, 5167-5172	16
722	A Pillar-Layered Zn-LMOF with Uncoordinated Carboxylic Acid Sites: High Performance for Luminescence Sensing Fe and TNP. 2019 , 58, 4026-4032	77
721	Construction of bifunctional 2-fold interpenetrated Zn(II) MOFs exhibiting selective CO ₂ adsorption and aqueous-phase sensing of 2,4,6-trinitrophenol. 2019 , 6, 1058-1067	32
720	Metal-Organic Framework Breathing in the Electric Field: A Theoretical Study. 2019 , 123, 10333-10338	10
719	Flexible and Transferable ab Initio Force Field for Zeolitic Imidazolate Frameworks: ZIF-FF. 2019 , 123, 3000-3012	12
718	Nanomaterials for photochemical vapor generation-analytical atomic spectrometry. 2019 , 114, 242-250	42
717	Molecular Dynamics Simulation of Hydrogen Adsorption on Silica. 2019 , 478, 012034	4
716	Synthesis and Crystal Structure of 2D Coordination Polymer {[Cu(dps)2(DMSO)2](ClO4)2} _n Based on 4,4'-Dipyridyl Sulfide. 2019 , 89, 82-86	0
715	A 2D Pb(II) coordination polymer based on 5-fluoronicotinic acid: Syntheses, structure and luminescence property. 2019 , 1190, 160-164	6
714	Balancing Noncovalent Interactions in the Self-Assembly of Nonplanar Aromatic Carboxylic Acid MOF Linkers at the Solution/Solid Interface: HOPG vs Au(111). 2019 , 35, 5271-5280	7
713	The effect of co-adsorbed solvent molecules on H binding to metal alkoxides. 2019 , 21, 9218-9224	0
712	From thermoelectricity to phonoelectricity. 2019 , 6, 021305	9
711	Interpenetrated structures appeared in supramolecular cages, MOFs, COFs. 2019 , 389, 119-140	66
710	Functionalization of MOFs. 2019 , 145-176	
709	Novel Synthesis of Cu-Schiff Base Complex@Metal-Organic Framework MIL-101 via a Mild Method: A Comparative Study for Rapid Catalytic Effects. 2019 , 8, 333-338	7

- 708 Theoretical studies of the adamantane-like [Ag₂₄(trz)₁₈]_n nanocages with n = 0, +2, +4 and +6. **2019**, 720, 32-35
- 707 In Situ Tracking of Dynamic NO Capture through a Crystal-to-Crystal Transformation from a Gate-Open-Type Chain Porous Coordination Polymer to a NO-Adducted Discrete Isomer. **2019**, 25, 3020-3031 8
- 706 Size-Control and Surface Modification of Flexible Metal-Organic Framework MIL-53(Fe) by Polyethyleneglycol for 5-Fluorouracil Anticancer Drug Delivery. **2019**, 4, 2333-2338 17
- 705 Synthesis, structures and selective adsorption properties of two novel zinc(II) metal-organic frameworks based on a tetrazolate ligand. **2019**, 102, 256-261 6
- 704 A Mn(II)-porphyrin based metal-organic framework (MOF) for visible-light-assisted cycloaddition of carbon dioxide with epoxides. **2019**, 280, 372-378 46
- 703 Boost-up electrochemical performance of MOFs via confined synthesis within nanoporous carbon matrices for supercapacitor and oxygen reduction reaction applications. **2019**, 7, 5561-5574 26
- 702 Ru/La₂O₃ catalyst for ammonia decomposition to hydrogen. **2019**, 476, 928-936 38
- 701 Understanding the modifications and applications of highly stable porous frameworks via UiO-66. **2019**, 12, 139-165 40
- 700 Heterofullerene-linked metal-organic framework with lithium decoration for storing hydrogen and methane gases. **2019**, 44, 6702-6708 5
- 699 Catalytic ammonia decomposition for hydrogen production on Ni, Ru and Ni Ru supported on CeO₂. **2019**, 44, 12693-12707 57
- 698 Modeling Gas Adsorption in Flexible Metal-Organic Frameworks via Hybrid Monte Carlo/Molecular Dynamics Schemes. **2019**, 2, 1800177 24
- 697 Incorporation of a Ru complex into an amine-functionalized metal-organic framework for enhanced activity in photocatalytic aerobic benzyl alcohol oxidation. **2019**, 9, 1511-1517 26
- 696 Integration of Metal Nanoparticles into Metal-Organic Frameworks for Composite Catalysts: Design and Synthetic Strategy. **2019**, 15, e1804849 46
- 695 Ultrasonic assisted solvothermal synthesis of CaCO₃-Ni-MOF and its application in removing heavy metal ions. **2019**, 677, 022031
- 694 A Recyclable Heterogeneous Palladium Catalyst Anchored to Modified Metal-Organic Framework for Hydrogenation of Styrene Oxide. **2019**, 55, 1946-1950 1
- 693 Detection of mercuric ion in water environment based on luminescent metal-organic frameworks. **2019**, 358, 022041 1
- 692 The Coordination Structure and Activity of Hollow Silica-alumina Composite Spheres for Hydrogen Evolution from Aqueous Ammonia Borane Solution. **2019**, 98, 312-317
- 691 Computational screening of metal-organic frameworks for biogas purification. **2019**, 4, 1125-1135 10

- 690 Intrinsic and Extrinsic Responses of ZIF-8 under High Pressure: A Combined Raman and X-ray Diffraction Investigation. **2019**, 123, 29693-29707 10
- 689 Polymer-Based Shaping Strategy for Zeolite Templated Carbons (ZTC) and Their Metal Organic Framework (MOF) Composites for Improved Hydrogen Storage Properties. **2019**, 7, 864 10
- 688 Pd nanoparticles anchored on amino-functionalized hierarchically porous carbon for efficient dehydrogenation of formic acid under ambient conditions. **2019**, 7, 25791-25795 27
- 687 A highly sensitive and selective "turn-on" fluorescent probe for detection of fleroxacin in human serum and urine based on a lanthanide functionalized metal-organic framework. **2019**, 48, 17945-17952 28
- 686 On-demand guest release from MOF-5 sealed with nitrophenylacetic acid photocapping groups. **2019**, 18, 2849-2853 1
- 685 A stable pillared metal-organic framework constructed by H4TCPP ligand as luminescent sensor for selective detection of TNP and Fe³⁺ ions. **2019**, 33, e5243 9
- 684 A Three-Dimensional Cadmium(II) Coordination Network Based on 1,3-Di-(1,2,4-triazole-4-yl)benzene: Synthesis, Structure, and Luminescence Properties. **2019**, 9, 592
- 683 Electronically conductive metal-organic framework-based materials. **2019**, 7, 110902 43
- 682 Electrocatalytic activity and chemical sensor application of Mn-MOF: synthesis, crystal structure and photo luminescent properties. **2019**, 6, 125544 2
- 681 Sequential Co-immobilization of Enzymes in Metal-Organic Frameworks for Efficient Biocatalytic Conversion of Adsorbed CO to Formate. **2019**, 7, 394 38
- 680 Waste PET as a Reactant for Lanthanide MOF Synthesis and Application in Sensing of Picric Acid. **2019**, 11, 12
- 679 Optimization of metal-organic (citric acid) frameworks for controlled release of nutrients.. **2019**, 9, 32270-32278 7
- 678 Synthesis, structure and properties of a multifunctional inorganic-organic hybrid mercury(II) coordination polymer: [Hg₂Cl₂(mtz)₂(H₂O)]_n. **2019**, 16, 163-168
- 677 Palladium nanoparticles supported on UiO-66-NH₂ as heterogeneous catalyst for epoxidation of styrene. **2019**, 100, 51-55 18
- 676 New Copper(II) Coordination Compounds Assembled from Multifunctional Pyridine-Carboxylate Blocks: Synthesis, Structures, and Catalytic Activity in Cycloalkane Oxidation. **2018**, 24, 13
- 675 BH₄ dissociation on various metal (1 1 1) surfaces: A DFT study. **2019**, 473, 681-692 6
- 674 Catalytic applications of enzymes encapsulated in metal-organic frameworks. **2019**, 381, 151-160 146
- 673 Pt nanoparticles embedded metal-organic framework nanosheets: A synergistic strategy towards bifunctional oxygen electrocatalysis. **2019**, 245, 389-398 48

672	Cu ₂ O/Au@HKUST-1 hollow nanostructures: One-pot synthesis and catalysis evaluation. 2019 , 279, 228-233	4
671	Linker Competition within a Metal-Organic Framework for Topological Insights. 2019 , 58, 1513-1517	20
670	Silica rich MIL-101(Cr) for enhanced hydrogen uptake. 2019 , 26, 1137-1147	7
669	Metal-Organic Frameworks Constructed from Group 1 Metals (Li, Na) and Silicon-Centered Linkers. 2019 , 19, 487-497	10
668	A GO-Induced Assembly Strategy To Repair MOF Nanosheet-Based Membrane for Efficient H ₂ /CO Separation. 2019 , 11, 990-997	29
667	CO ₂ capture using amine-functionalized bimetallic MIL-101 MOFs and their stability on exposure to humid air and acid gases. 2019 , 277, 253-260	35
666	Quantitative structural determination of active sites from in situ and operando XANES spectra: From standard ab initio simulations to chemometric and machine learning approaches. 2019 , 336, 3-21	44
665	Syntheses and characterization of layered phenyl- and benzylphosphonates of tetravalent vanadium, Ca[(VO)(O ₃ PPh) ₂ ·2H ₂ O], Cd[(VO)(O ₃ PPh) ₂ ·2H ₂ O], Ba[(VO)(O ₃ PCH ₂ Ph) ₂ ·2H ₂ O], Sr[(VO) ₃ (O ₃ PPh) ₄ ·5H ₂ O] and Ba[V ₄ O ₄ (OH) ₂ (O ₃ PPh) ₄ ·5H ₂ O. 2019 , 270, 35-44	
664	High-Pressure Evaporation-Based Nanoporous Black Sn for Enhanced Performance of Lithium-Ion Battery Anodes. 2019 , 36, 1800331	3
663	Green Synthesis of Self Assembled Nanospherical Dysprosium MOFs: Selective and Efficient Detection of Picric Acid in Aqueous and Gas Phase. 2019 , 7, 819-830	28
662	Photoluminescence of metal-imidazolate complexes with Cd(II), Zn(II), Co(II) and Ni(II) cation nodes and 2-methylimidazole organic linker. 2019 , 207, 454-459	18
661	Oxygen-Assisted Cathodic Deposition of Zeolitic Imidazolate Frameworks with Controlled Thickness. 2019 , 58, 1123-1128	20
660	Oxygen-Assisted Cathodic Deposition of Zeolitic Imidazolate Frameworks with Controlled Thickness. 2019 , 131, 1135-1140	1
659	Hydrogen storage in MIL-88 series. 2019 , 54, 3994-4010	11
658	Rapid screening detection of fluoroquinolone residues in milk based on turn-on fluorescence of terbium coordination polymer nanosheets. 2019 , 30, 549-552	10
657	Zeolitic imidazolate framework ZIF-8 films by ZnO to ZIF-8 conversion and their usage as seed layers for propylene-selective ZIF-8 membranes. 2019 , 72, 374-379	21
656	Fast Ion Transport Pathway Provided by Polyethylene Glycol Confined in Covalent Organic Frameworks. 2019 , 141, 1923-1927	138
655	Synthesis, Characterization, and Heterogeneous Catalytic Activity of Sulfamic Acid Functionalized Magnetic IRMOF-3. 2019 , 2019, 787-793	6

- 654 Interactions of Hydrogen with Pd@MOF Composites. **2019**, 20, 1282-1295 9
- 653 Flexible and breathing metal-organic framework with high and selective carbon dioxide storage versus nitrogen. **2019**, 161, 56-62 11
- 652 Microwave-Mediated Site-Selective Heating of Spherical-Carbon-Bead-Supported Platinum for the Continuous, Efficient Catalytic Dehydrogenative Aromatization of Saturated Cyclic Hydrocarbons. **2019**, 7, 3052-3061 13
- 651 Structural characterization and electrochemical hydrogen sorption performances of the polycrystalline Ba₂Co₉O₁₄ nanostructures. **2019**, 777, 252-258 30
- 650 Attainable Volumetric Targets for Adsorption-Based Hydrogen Storage in Porous Crystals: Molecular Simulation and Machine Learning. **2019**, 123, 120-130 37
- 649 An In-Situ Neutron Diffraction and DFT Study of Hydrogen Adsorption in a Sodalite-Type Metal-Organic Framework, Cu-BTtri. **2019**, 2019, 1147-1154 13
- 648 Nitrobenzene-detection cadmium thiophenedicarboxylate coordination polymers with flexible dipyrindylamide ligands and diverse topologies. **2019**, 486, 314-323 11
- 647 Covalently-terminated germanane GeH and GeCH₃ for hydrogen generation from catalytic hydrolysis of ammonia borane under visible light irradiation. **2019**, 118, 46-50 20
- 646 Nanoscale Metal-Organic Frameworks for Phototherapy of Cancer. **2019**, 379, 65-81 214
- 645 Assessment of the long-term stability of the polymer of intrinsic microporosity PIM-1 for hydrogen storage applications. **2019**, 44, 332-337 9
- 644 Li-Crown ether complex inclusion in MOF materials for enhanced H₂ volumetric storage capacity at room temperature. **2019**, 44, 19285-19293 19
- 643 Characteristics of MOF, MWCNT and graphene containing materials for hydrogen storage: A review. **2019**, 30, 132-144 77
- 642 Syntheses, Structural Characterization and Properties of Nickel(II) Coordination Polymer with 1,3,5-Tris(1H-pyrazol-3-yl)benzene and Succinic Acid. **2020**, 50, 28-34
- 641 Metal-Organic Framework Materials for the Separation and Purification of Light Hydrocarbons. **2020**, 32, e1806445 223
- 640 Construction of mixed carboxylate and pyrogallate building units for luminescent metal-organic frameworks. **2020**, 31, 813-817 4
- 639 One-step formation of hydrogen clusters in clathrate hydrates stabilized via natural gas blending. **2020**, 24, 655-661 23
- 638 Adsorption of hydrogen in defective carbon nanotube: modelling and consequent investigations using statistical physics formalism. **2020**, 118, e1606460 4
- 637 Hexagonal boron nitride adsorbent: Synthesis, performance tailoring and applications. **2020**, 40, 99-111 30

- 636 Superatomic properties of transition-metal-doped tetrahedral lithium clusters: TM@Li₁₄. **2020**, 118, e1592256 6
- 635 MW synthesis of ZIF-65 with a hierarchical porous structure. **2020**, 293, 109685 13
- 634 Recent Advances in Facile Liquid Phase Epoxidation of Light Olefins over Heterogeneous Molybdenum Catalysts. **2020**, 20, 230-251 4
- 633 Crystal structure evolution of complex metal aluminum hydrides upon hydrogen release. **2020**, 42, 133-143 13
- 632 A scientometric review of research in hydrogen storage materials. **2020**, 45, 5356-5366 26
- 631 A study on electrochemical hydrogen storage performance of copper phthalocyanine rectangular nanocuboids. **2020**, 146, 497-503 17
- 630 Dyes encapsulated in a novel flexible metal-organic framework show tunable and stimuli-responsive phosphorescence. **2020**, 174, 108017 8
- 629 Direct synthesis of Zn(II) and Cu(II) coordination polymers based on 4,4'-bipyridine and 1,10-phenanthroline and evaluating their effects as catalyst on ammonium perchlorate thermal decomposition. **2020**, 140, 1779-1789 6
- 628 Structure, microwave dielectric performance, and infrared reflectivity spectrum of olivine-type Mg₂Ge_{0.98}O₄ ceramic. **2020**, 103, 1789-1797 9
- 627 Development of an SBU-Based Mechanochemical Approach for Drug-Loaded MOFs. **2020**, 2020, 796-800 5
- 626 Zirconium-Based Metal-Organic Framework Nanocomposites Containing Dimensionally Distinct Nanocarbons for Pseudocapacitors. **2020**, 3, 1448-1456 10
- 625 One-pot synthesis of bimetallic metal-organic frameworks (MOFs) as acid-base bifunctional catalysts for tandem reaction. **2020**, 10, 315-322 29
- 624 Luminescent metal-organic framework-based phosphor for the detection of toxic oxoanions in an aqueous medium. **2020**, 49, 829-840 19
- 623 Predicting adsorption selectivities from pure gas isotherms for gas mixtures in metal-organic frameworks. **2019**, 11, 643-655 9
- 622 Application of computational chemistry for adsorption studies on metal-organic frameworks used for carbon capture. **2020**, 5, 2 2
- 621 Nature-mimic fabricated polydopamine/MIL-53(Fe): efficient visible-light responsive photocatalysts for the selective oxidation of alcohols. **2020**, 44, 2102-2110 2
- 620 Understanding the role of linker flexibility in soft porous coordination polymers. **2020**, 5, 284-293 5
- 619 Recent developments in luminescent coordination polymers: Designing strategies, sensing application and theoretical evidences. **2020**, 406, 213145 210

618	A cationic metal-organic framework for dye adsorption and separation based on column-chromatography. 2020 , 300, 112311	24
617	Sustainable Green Route to Synthesize Functional Nano-MOFs as Selective Sensing Probes for CrVI Oxoanions and as Specific Sequestering Agents for Cr2O7 ²⁻ 2020 , 8, 1195-1206	18
616	Metal-Organic Frameworks as Metal Ion Precursors for the Synthesis of Nanocomposites for Lithium-Ion Batteries. 2020 , 132, 4793-4799	2
615	Metal-Organic Frameworks as Metal Ion Precursors for the Synthesis of Nanocomposites for Lithium-Ion Batteries. 2020 , 59, 4763-4769	24
614	Structure and Thermodynamic Stability of Zeolitic Imidazolate Framework Surfaces. 2020 , 124, 1458-1468	0
613	Defect Creation in Surface-Mounted Metal-Organic Framework Thin Films. 2020 , 12, 2655-2661	8
612	Hydrogen storage nanomaterials. 2020 , 1-34	
611	Polycatenation and self-penetration in nitrobenzene-detecting zinc and cadmium 4-carboxylatomethylbenzoate coordination polymers with dipyridylurea coligands. 2020 , 175, 114245	5
610	Recyclable Printed Circuit Boards and Alkali Reduction Wastewater: Approach to a Sustainable Copper-Based Metal-Organic Framework. 2020 , 8, 1371-1379	7
609	Solvent- and HF-Free Synthesis of Flexible Chromium-Based MIL-53 and MIL-88B. 2020 , 6, 204-207	5
608	Metal-Organic Framework-Membranized Bicomponent Core-Shell Catalyst /Pd for CO ₂ Selective Conversion. 2020 , 8, 1087-1094	26
607	Insights into high pressure gas adsorption properties of ZIF-67: Experimental and theoretical studies. 2020 , 294, 109867	18
606	Combining Ionic Liquids and Sodium Salts into Metal-Organic Framework for High-Performance Ionic Conduction. 2020 , 7, 183-190	8
605	A review on production of metal organic frameworks (MOF) for CO adsorption. 2020 , 707, 135090	157
604	Molecular dynamics simulations of the removal of lead(II) from water using the UiO-66 metal-organic framework. 2020 , 214, 115396	13
603	Engineering MIL-88B crystallites for enhanced H ₂ uptake capacity: The role of ultramicropores. 2020 , 44, 2875-2888	3
602	A critical review on recent developments in MOF adsorbents for the elimination of toxic heavy metals from aqueous solutions. 2020 , 27, 44771-44796	24
601	Exciton Coupling and Conformational Changes Impacting the Excited State Properties of Metal Organic Frameworks. 2020 , 25,	4

600	Bismuth-based metal-organic framework prepared by pulsed laser ablation method in liquid. 2020 , 14, 1-8	2
599	Renewable hydrogen for the chemical industry. 2020 , 7, 1	8
598	Study on the hydrogen storage performance of graphene(N)Bc-graphene(N) structure. 2020 , 45, 33789-33797	2
597	"Orthogonal-Twisted-Arm" Ligands for The Construction of Metal-Organic Frameworks (MOFs): New Topology and Catalytic Reactivity. 2020 , 26, 16272-16276	4
596	Understanding the Role of Metal-Organic Frameworks in Surface-Enhanced Raman Scattering Application. 2020 , 16, e2004802	32
595	Modified nanoscale metal organic framework-based nanoplatfoms in photodynamic therapy and further applications. 2020 , 32, 102026	2
594	Joining of Trinuclear Heterometallic Cu-M (M = Mn, Cd) Nodes by Nicotinate to Form 1D Chains: Magnetic Properties and Catalytic Activities. 2020 , 59, 14989-15003	15
593	Coordination polymers as heterogeneous catalysts in hydrogen evolution and oxygen evolution reactions. 2020 , 56, 10824-10842	26
592	A Reversible Liquid-to-Liquid Organic Hydrogen Carrier System Based on Ethylene Glycol and Ethanol. 2020 , 26, 15487-15490	6
591	An electrochemiluminescence biosensor for p53 antibody based on Zn-MOF/GO nanocomposite and Ag-DNA amplification. 2020 , 187, 455	7
590	Rare-earth metal-organic frameworks: from structure to applications. <i>Chemical Society Reviews</i> , 2020 , 49, 7949-7977	58.5 107
589	Expanded Analogs of Three-Dimensional Lead-Halide Hybrid Perovskites. 2020 , 132, 19249-19256	1
588	Bimetallic and trimetallic Cd(II) and Hg(II) mixed-ligand complexes with 1,1-dicyanoethylene-2,2-dithiolate and polyamines: Synthesis, crystal structure, Hirshfeld surface analysis, and antimicrobial study. 2020 , 512, 119877	14
587	Cooperative Effects of Heterodinuclear Ir-M Complexes on Catalytic H Evolution from Formic Acid Dehydrogenation in Water. 2020 , 59, 11976-11985	9
586	A new porous coordination polymer reveals selective sensing of Fe ³⁺ , Cr ₂ O ₇ ²⁻ □CrO ₄ ²⁻ □MnO ₄ ⁻ and nitrobenzene, and stimuli-responsive luminescence color conversions. 2020 , 8, 11786-11795	24
585	Thermodynamic and transport properties of hydrogen containing streams. 2020 , 7, 222	19
584	Tuning the Adsorption Selectivity of ZIF-8 by Amorphization. 2020 , 26, 13137-13141	6
583	Advances in Organic Crystal Chemistry. 2020 ,	1

582	On Topological Descriptors of Certain Metal-Organic Frameworks. 2020 , 2020, 1-12	2
581	The effect of halogen bonding on protonated hexacyanoferrate networks in hexacyanoferrates of halogenopyridines. 2020 , 22, 8142-8150	9
580	Quantum-confinement-induced periodic surface states in two-dimensional metal-organic frameworks. 2020 , 117, 191601	0
579	Unexpected "Spontaneous" Evolution of Catalytic, MOF-Supported Single Cu(II) Cations to Catalytic, MOF-Supported Cu(0) Nanoparticles. 2020 , 142, 21169-21177	28
578	Metal-organic frameworks containing xanthene dyes for photocatalytic applications. 2020 , 49, 17520-17526	3
577	Nanoscale Hierarchically Micro- and Mesoporous Metal-Organic Frameworks for High-Resolution and High-Efficiency Capillary Electrochromatographic Separation. 2020 , 92, 15655-15662	7
576	Frontiers in hybrid and interfacial materials chemistry research. 2020 , 45, 951-964	2
575	Ambient CO/N Switchable Pickering Emulsion Emulsified by TETA-Functionalized Metal-Organic Frameworks. 2020 , 12, 53385-53393	13
574	Ultra-sensitive Electrochemiluminescence Platform Based on Magnetic Metal-Organic Framework for the Highly Efficient Enrichment. 2020 , 324, 128700	4
573	Hydrogen and methane storage in nanoporous materials. 2020 , 327-350	1
572	Ab-initio investigation of hydrogen sorption in Ti functionalized modified calix[4]pyrrole-benzene. 2020 , 45, 27443-27451	2
571	A microporous, amino acid functionalized Zn(II)-organic framework nanoflower for selective CO ₂ capture and solvent encapsulation. 2020 , 1, 1455-1463	4
570	Modeling of Hydrogen Storage Utilizing Silsesquioxane Cages: Adsorption and Quasi-Dynamic Simulations of Encapsulation of H Molecule into Silsesquioxane Cages. 2020 , 124, 6344-6351	1
569	The role of photoinduced charge transfer for photocatalysis, photoelectrocatalysis and luminescence sensing in metal-organic frameworks. 2020 , 49, 12892-12917	9
568	Guest-Responsive Reversal in Structural Transformation after a [2 + 2] Topochemical Reaction in a 3D Pillared Layer MOF: Uncovering the Role of C-H...O Interaction. 2020 , 59, 12793-12801	2
567	Biogas-based fuels as renewable energy in the transport sector: an overview of the potential of using CBG, LBG and other vehicle fuels produced from biogas. 2020 , 1-13	12
566	Carbon-free sustainable energy technology: Direct ammonia fuel cells. 2020 , 476, 228454	20
565	Diatomite-Metal-Organic Framework Composite with Hierarchical Pore Structures for Adsorption/Desorption of Hydrogen, Carbon Dioxide and Water Vapor. 2020 , 13,	6

- 564 Azulene-Based Molecules, Polymers, and Frameworks for Optoelectronic and Energy Applications. **2020**, 4, 2000628 21
- 563 Porous Ti-MOF-74 Framework as a Strong-Binding Nitric Oxide Scavenger. **2020**, 142, 16562-16568 12
- 562 Progressive Increasing of Pt Nanoparticles with Multiple-Layered Manner inside Metal-Organic Frameworks for Enhanced Catalytic Activity. **2020**, 59, 13184-13189 2
- 561 Gold-Nanoparticle-Decorated Metal-Organic Frameworks for Anticancer Therapy. **2020**, 15, 2236-2256 7
- 560 Fiber Composites of Metal-Organic Frameworks. **2020**, 32, 7120-7140 28
- 559 Redox-Hopping and Electrochemical Behaviors of Metal-Organic Framework Thin Films Fabricated by Various Approaches. **2020**, 124, 20854-20863 7
- 558 Structural Isomerism of Two Ce-BTC for Fabricating Pt/CeO Nanorods toward Low-Temperature CO Oxidation. **2020**, 16, e2003597 21
- 557 Computational Material Screening Using Artificial Neural Networks for Adsorption Gas Separation. **2020**, 124, 21446-21460 9
- 556 Formation and Antibacterial Performance of Metal-Organic Framework Films via Dopamine-Mediated Fast Assembly under Visible Light. **2020**, 8, 15834-15842 9
- 555 Highly efficient visible-light-driven reduction of Cr(VI) from water by porphyrin-based metal-organic frameworks: effect of band gap engineering on the photocatalytic activity. **2020**, 10, 7724-7733 19
- 554 Immobilization of a Polar Sulfone Moiety onto the Pore Surface of a Humid-Stable MOF for Highly Efficient CO Separation under Dry and Wet Environments through Direct CO-Sulfone Interactions. **2020**, 12, 41177-41184 7
- 553 Aqueous Stability and Ligand Substitution of a Layered Cu(I)/Isocyanide-Based Organometallic Network Material with a Well-Defined Channel Structure. **2020**, 59, 11868-11878 2
- 552 Near-infrared fluorescent organic porous crystal that responds to solvent vapors. **2020**, 8, 12437-12444 2
- 551 Strategies for Controlling Through-Space Charge Transport in Metal-Organic Frameworks via Structural Modifications. **2020**, 10, 3
- 550 Electrostatic Design of Polar Metal-Organic Framework Thin Films. **2020**, 10, 1
- 549 Warm hydrogen direct adsorptive separation and purification with highly CO/H₂S-tolerant rare earth alloys. **2020**, 1-4, 100004 1
- 548 The Interaction of Hydrogen with Iron Benzene-1,3,5-Tricarboxylate (Fe-BTC). **2020**, 10, 1255 0
- 547 A robust and multifunctional calcium coordination polymer as a selective fluorescent sensor for acetone and iron (+3) and as a tunable proton conductor. **2020**, 8, 16784-16789 11

546	Oxygen-assisted Cathodic Deposition of Copper-Carboxylate Metal-Organic Framework Films. 2020 , 20, 3997-4004	9
545	Boosting catalytic degradation efficiency by incorporation of MIL-53(Fe) with Ti ₃ C ₂ T _x nanosheets. 2020 , 311, 113201	19
544	Microscopic and Mesoscopic Dual Postsynthetic Modifications of Metal-Organic Frameworks. 2020 , 132, 13897-13903	3
543	Controlled Transdermal Release of Antioxidant Ferulate by a Porous Sc(III) MOF. 2020 , 23, 101156	7
542	Charge Transport in Zirconium-Based Metal-Organic Frameworks. 2020 , 53, 1187-1195	47
541	Formation of Local Defects and Mesopores in a Structure of UiO-66-NDC Metal-Organic Framework. 2020 , 14, 318-323	0
540	From a 1D Sb Coordination Polymer to a 3D Sb Framework with Pyrazine: Switching off the Stereochemically Active Lone-Pair. 2020 , 646, 507-513	4
539	Electronic Structure Calculations of Reversible Hydrogen Storage in Nanoporous Ti Cluster Frameworks. 2020 , 3, 5575-5582	4
538	Ultrafast scale-up synthesis of calcium rod/layer MOFs and luminescence detection of water in organic solvents. 2020 , 1, 689-697	1
537	Enabling efficient exploration of metal-organic frameworks in the Cambridge Structural Database. 2020 , 22, 7152-7161	23
536	In situ Growth of a Cobalt-based Metal-organic Framework on Multi-walled Carbon Nanotubes for Simultaneously Detection of Hydroquinone and Catechol.. 2020 , 32, 2010-2017	4
535	Determination of the enthalpy of adsorption of hydrogen in activated carbon at room temperature. 2020 , 45, 15541-15552	5
534	A remarkable increase in the adsorbed H ₂ amount: Influence of pore size distribution on the H ₂ adsorption capacity of Fe-BTC. 2020 , 45, 12394-12407	3
533	Secondary Alcohols as Rechargeable Electrofuels: Electrooxidation of Isopropyl Alcohol at Pt Electrodes. 2020 , 10, 6831-6842	13
532	Colloidal crystal engineering with metal-organic framework nanoparticles and DNA. 2020 , 11, 2495	45
531	Co(II) coordination polymers derived from trisubstituted analogues of zoledronic acid and 4,4'-bipyridine: Synthesis, structures and characterization. 2020 , 185, 114594	1
530	Self-adjusting binding pockets enhance H and CH adsorption in a uranium-based metal-organic framework. 2020 , 11, 6709-6716	14
529	Metal-organic frameworks for solid-state electrolytes. 2020 , 13, 2386-2403	71

528	Pore engineering of metal-organic frameworks with coordinating functionalities. 2020 , 420, 213377	27
527	Two new Zn (II) bdc Metal-Organic Frameworks based on benzene 1, 4-dicarboxylic acid: Synthesis, Crystal structures, Luminescent properties and Electrochemical studies. 2020 , 22, 2179-2190	1
526	Metal dithiolene complexes in olefin addition and purification, small molecule adsorption, H ₂ evolution and CO ₂ reduction. 2020 , 420, 213398	9
525	Trimetallic conductive metal-organic frameworks as precatalysts for the oxygen evolution reaction with enhanced activity. 2020 , 4, 4589-4597	9
524	Gas hydrates in sustainable chemistry. <i>Chemical Society Reviews</i> , 2020 , 49, 5225-5309	58.5 186
523	Molecular Insights into the Ligand-Based Six-Proton- and Six-Electron-Transfer Processes Between Tris-ortho-Phenylenediamines and Tris-ortho-Benzoquinodiiimines. 2020 , 26, 9609-9619	1
522	Targeted classification of metal-organic frameworks in the Cambridge structural database (CSD). 2020 , 11, 8373-8387	61
521	A "Thermodynamically Stable" 2D Nickel Metal-Organic Framework over a Wide pH Range with Scalable Preparation for Efficient C _s over C Hydrocarbon Separations. 2020 , 26, 12624-12631	7
520	Metal-Organic Frameworks toward Electrochemical Sensors: Challenges and Opportunities. 2020 , 32, 1885-1895	47
519	Nickel phosphide catalysts for hydrogen generation through water reduction, ammonia-borane and borohydride hydrolysis. 2020 , 20, 100693	4
518	Eu(III)-organic framework as a multi-responsive photoluminescence sensor for efficient detection of 1-naphthol, Fe ³⁺ and MnO ₄ ⁻ in water. 2020 , 511, 119843	9
517	Recent advances in the shaping of metal-organic frameworks. 2020 , 7, 2840-2866	36
516	Transition metal complexes constructed by pyridine-amino acid: fluorescence sensing and catalytic properties. 2020 , 45, 423-433	7
515	Impact of the Preparation Procedure on the Performance of the Microporous HKUST-1 Metal-Organic Framework in the Liquid-Phase Separation of Aromatic Compounds. 2020 , 25,	2
514	Structural diversity and applications of Ce(III)-based coordination polymers. 2020 , 419, 213392	5
513	Large negative linear compressibility of a porous molecular co-crystal. 2020 , 56, 4324-4327	7
512	Robust Bimetallic Ultramicroporous Metal-Organic Framework for Separation and Purification of Noble Gases. 2020 , 59, 4868-4873	20
511	Hydrogen storage in two-dimensional and three-dimensional materials. 2020 , 227-243	1

510	Two-dimensional hydrogen hydrates: structure and stability. 2020 , 22, 5774-5784	5
509	Macromolecular Superstructures: A Future Beyond Single Chain Nanoparticles. 2020 , 60, 86-99	33
508	Metal-organic framework@polyaniline nanoarchitecture for improved fire safety and mechanical performance of epoxy resin. 2020 , 247, 122875	25
507	Ultra-high capacity hydrogen storage of B6Be2 and B8Be2 clusters. 2020 , 45, 12932-12939	14
506	Influence of the substitution pattern of four naphthalenedicarboxylic acids on the structures and properties of group 13 metal-organic frameworks and coordination polymers. 2020 , 49, 4861-4868	8
505	Metal-Organic Framework Thin Films: Fabrication, Modification, and Patterning. 2020 , 8, 377	13
504	Strongly visible light-absorbing metal-organic frameworks functionalized by cyclometalated ruthenium(ii) complexes.. 2020 , 10, 9052-9062	3
503	Organic-based thermoelectrics. 2020 , 8, 7495-7507	40
502	An Exceptionally Stable Metal-Organic Framework Constructed from Chelate-Based Metal-Organic Polyhedra. 2020 , 142, 6907-6912	27
501	Preparation and characterization of metal-organic frameworks and their composite Eu2O3@[Zn2(bdc)2dabco] (ZBDh) via pulsed laser ablation in a flowing liquid. 2020 , 22, 3188-3197	2
500	Metal Organic Frameworks as Tunable Linear Magnets. 2020 , 217, 1901000	4
499	Experimental, Structural, and Computational Investigation of Mixed Metal-Organic Frameworks from Regioisomeric Ligands for Porosity Control. 2020 , 20, 5338-5345	1
498	Postsynthetic Modification: An Enabling Technology for the Advancement of Metal-Organic Frameworks. 2020 , 6, 1046-1057	99
497	Carbonization temperature effects on adsorption performance of metal-organic framework derived nanoporous carbon for removal of methylene blue from wastewater; experimental and spectrometry study. 2020 , 108, 107999	17
496	Metal Organic Frameworks-Based Optical Thin Films. 2020 ,	1
495	Electronic structures and magnetism of Zr-, Th-, and U-based metal-organic frameworks (MOFs) by density functional theory. 2020 , 184, 109903	7
494	Construction of highly water-stable fluorinated 2D coordination polymers with various N, NEdonors: Syntheses, crystal structures and photoluminescence properties. 2020 , 290, 121560	2
493	Controlling crystal growth of MIL-100(Fe) on Ag nanowire surface for optimizing catalytic performance.. 2020 , 10, 25260-25265	4

- 492 Expanded Analogs of Three-Dimensional Lead-Halide Hybrid Perovskites. **2020**, 59, 19087-19094 12
- 491 Interactions of CO with cluster models of metal-organic frameworks. **2020**, 41, 2066-2083
- 490 Evaluation of Metal-Organic Frameworks as Potential Adsorbents for Solar Cooling Applications. **2020**, 3, 26 6
- 489 Investigating greenhouse gas adsorption in MOFs SIFSIX-2-Cu, SIFSIX-2-Cu-i, and SIFSIX-3-Cu through computational studies. **2020**, 26, 188 1
- 488 Designing AgFeO₂-graphene/Cu₂(BTC)₃ MOF heterojunction photocatalysts for enhanced treatment of pharmaceutical wastewater under sunlight. **2020**, 401, 112746 29
- 487 Polysaccharide templated biomimetic growth of hierarchically porous metal-organic frameworks. **2020**, 306, 110429 13
- 486 The Electric-dipole Effect of PtNi for enhanced catalytic dehydrogenation of ammonia borane. **2020**, 844, 156253 3
- 485 Highly Active Heterogeneous PdCl₂/MOF Catalyst for Suzuki-Miyaura Cross-Coupling Reactions of Aryl Chloride. **2020**, 646, 1336-1341 5
- 484 Novel Elastically Stretchable Metal-Organic Framework Laden Hydrogel with Pearl-Net Microstructure and Freezing Resistance through Post-Synthetic Polymerization. **2020**, 41, e1900573 2
- 483 Imaging Beam-Sensitive Materials by Electron Microscopy. **2020**, 32, e1907619 42
- 482 A silver nanoparticle-assisted signal amplification electrochemiluminescence biosensor for highly sensitive detection of mucin 1. **2020**, 8, 2471-2475 11
- 481 Comparative analysis of calculation method of adsorption isosteric heat: Case study of CO₂ capture using MOFs. **2020**, 298, 110053 11
- 480 Dithiocarbamatecarboxylate (DTCC) Ligands-Building Blocks for Hard/Soft-Heterobimetallic Coordination Polymers. **2020**, 59, 2825-2832 8
- 479 Ultrasonication treatment enhances MOF surface area and gas uptake capacity. **2020**, 181, 114463 11
- 478 Hydrogen storage capacity of low-lying isomer of C₂₄ functionalized with Ti. **2020**, 45, 9936-9945 24
- 477 High styrene/ethylbenzene selectivity in a metal-organic framework with coordinatively unsaturated cobalt(II) sites. **2020**, 242, 116758 9
- 476 Crafting Porous Carbon for Immobilizing Pd Nanoparticles with Enhanced Catalytic Activity for Formic Acid Dehydrogenation. **2020**, 6, 533-537 5
- 475 Core-shell metal-organic framework (MMF): spatially selective dye inclusion through core-to-shell anisotropic transport along crystalline 1D-channels connected by epitaxial growth. **2020**, 22, 1306-1309 2

474	Zinc-coordination Polymers Based on a Donor-acceptor Mix-ligand System: Syntheses, Crystal Structures and Photophysical Properties. 2020 , 36, 74-80	5
473	Multifunctional electrocatalytic activity of coronene-based two-dimensional metal-organic frameworks: TM-PTC. 2020 , 511, 145393	10
472	Assembly of Three Lanthanide Coordination Polymers from 2-(4-Carboxybenzyloxy) Benzoic Acid Ligand: Synthesis, Structure, and Fluorescent Properties. 2020 , 73, 16	1
471	Pyrene-appended bipyridine hydrazone ligand as a turn-on sensor for Cu and its bioimaging application.. 2020 , 10, 3646-3658	14
470	Hydrophobic Metal-Organic Frameworks: Assessment, Construction, and Diverse Applications. 2020 , 7, 1901758	70
469	Co/Cu bimetallic ZIF as New heterogeneous catalyst for reduction of nitroarenes and dyes. 2020 , 34, e5522	10
468	Theoretical study of hydrogen storage by spillover on porous carbon materials. 2020 , 45, 25900-25911	14
467	Metal-organic frameworks: opportunities and challenges for surface-enhanced Raman scattering □ a review. 2020 , 8, 2952-2963	55
466	Highly efficient hydrogen production from hydrolysis of ammonia borane over nanostructured Cu@CuCoO supported on graphene oxide. 2020 , 391, 122199	34
465	Exploring the reactivity of □Acetamidocinnamic acid and 4-Phenylpyridine with Zn(II) and Cd(II). 2020 , 509, 119695	3
464	Construction of 3D lanthanide based MOFs with pores decorated with basic imidazole groups for selective capture and chemical fixation of CO ₂ . 2020 , 44, 9090-9096	8
463	Predicting hydrogen storage capacity of metal-organic frameworks using group method of data handling. 2020 , 32, 14851-14864	1
462	Supercritical methane adsorption and storage in pores in shales and isolated kerogens. 2020 , 2, 1	11
461	BioMOFs. 2020 , 321-345	0
460	Aperiodic chemical sequence in a rod-spacer metal-organic framework from linear tetrazole-benzene-carboxylate linker. 2020 , 116, 107925	2
459	Electrically Conductive Metal-Organic Frameworks. 2020 , 120, 8536-8580	450
458	Extraordinarily Persistent Zero Linear Compressibility in Metal-Organic Framework MIL-122(In). 2020 , 2, 519-523	6
457	Dielectric Spectroscopy of Water Dynamics in Functionalized UiO-66 Metal-Organic Frameworks. 2020 , 25,	6

456	2D Porous Polymers with sp ² -Carbon Connections and Sole sp ² -Carbon Skeletons. 2020 , 30, 2000857	21
455	Microscopic and Mesoscopic Dual Postsynthetic Modifications of Metal-Organic Frameworks. 2020 , 59, 13793-13799	14
454	A magnetic metal organic framework material as a highly efficient and recyclable catalyst for synthesis of cyclohexenone derivatives. 2020 , 387, 39-46	36
453	Two Closely Related Zn(II)-MOFs for Their Large Difference in CO Uptake Capacities and Selective CO Sorption. 2020 , 59, 7056-7066	19
452	Evaluating the impact of pellet densification and graphite addition for design of on-board hydrogen storage in a fixed bed of MOF-5 pellets. 2020 , 45, 25875-25889	1
451	Metal-organic frameworks for photocatalytic degradation of pollutants. 2020 , 91-126	3
450	Practical MOF Nanoarchitectonics: New Strategies for Enhancing the Processability of MOFs for Practical Applications. 2020 , 36, 4231-4249	39
449	Flexible Luminescent MOF: Trapping of Less Stable Conformation of Rotational Isomers, In Situ Guest-Responsive Turn-Off and Turn-On Luminescence and Mechanistic Study. 2020 , 12, 22335-22346	27
448	Synthesis of Metal-Organic Framework ZnO -MOF@MnO Composites for Selective Removal of Strontium Ions from Aqueous Solutions. 2020 , 5, 8721-8729	12
447	Unraveling the effects of linker substitution on structural, electronic and optical properties of amorphous zeolitic imidazolate frameworks-62 (a-ZIF-62) glasses: a DFT study.. 2020 , 10, 14013-14024	4
446	In-MOF-derived ultrathin heteroatom-doped carbon nanosheets for improving oxygen reduction. 2020 , 12, 10019-10025	23
445	Zeolitic imidazolate framework-8 (ZIF-8) for drug delivery: A critical review. 2021 , 15, 221-237	22
444	Development of nitrogen doped carbon dot (N-CDs) encapsulated zeolitic imidazolate Framework-8 (N-CDs@ZIF-8). 2021 , 41, 564-569	
443	Metal-Organic Frameworks for Photodynamic Therapy: Emerging Synergistic Cancer Therapy. 2021 , 16, e1900382	20
442	Metal Halide Perovskite Nanocrystals in Metal-Organic Framework Host: Not Merely Enhanced Stability. 2021 , 133, 7564-7577	3
441	Metal Halide Perovskite Nanocrystals in Metal-Organic Framework Host: Not Merely Enhanced Stability. 2021 , 60, 7488-7501	34
440	Silicon Fuel: A hydrogen storage material. 2021 , 46, 1627-1633	1
439	Recent advances in naphthalenediimide-based metal-organic frameworks: Structures and applications. 2021 , 430, 213665	25

438	Selective Formation of Polyaniline Confined in the Nanopores of a Metal-Organic Framework for Supercapacitors. 2021 , 27, 3560-3567	10
437	Metal-organic frameworks as a versatile platform for radionuclide management. 2021 , 427, 213473	25
436	Hydrogen storage in porous polymer derived SiliconOxycarbide ceramics: Outcomes and perspectives. 2021 , 47, 2591-2599	4
435	Hydrogen Storage in Carbon and Oxygen Co-Doped Porous Boron Nitrides. 2021 , 31, 2007381	16
434	Formate-Bicarbonate Cycle as a Vehicle for Hydrogen and Energy Storage. 2021 , 14, 1258-1283	9
433	Identifying the Bottleneck for Heat Transport in MetalOrganic Frameworks. 2021 , 4, 2000211	4
432	Data-driven parameter optimization for the synthesis of high-quality zeolitic imidazolate frameworks via a microdroplet route. 2021 , 32, 266-271	2
431	Light metal functionalized two-dimensional siligene for high capacity hydrogen storage: DFT study. 2021 , 46, 29348-29360	8
430	Low-cost inkjet printing of metalOrganic frameworks patterns on different substrates and their applications in ammonia sensing. 2021 , 329, 129157	9
429	Tuning novel Cd(II) topology networks through choosing three neutral and zwitterionic N/O-donor ligands: Synthesis, structures, and fluorescence. 2021 , 34, e4150	
428	Phenolic nitroaromatics detection by fluorinated metal-organic frameworks: Barrier elimination for selective sensing of specific group of nitroaromatics. 2021 , 406, 124501	27
427	Multi-stimulus linear negative expansion of a breathing M(OCR)-node MOF. 2021 , 225, 133-151	2
426	The application of Ni and Cu-MOFs as highly efficient catalysts for visible light-driven tetracycline degradation and hydrogen production. 2021 , 9, 238-248	7
425	Iron(iii)-bipyridine incorporated metal-organic frameworks for photocatalytic reduction of CO with improved performance. 2021 , 50, 384-390	15
424	A Physical Entangling Strategy for Simultaneous Interior and Exterior Modification of Metal-Organic Framework with Polymers. 2021 , 60, 7389-7396	11
423	Power of Infrared and Raman Spectroscopies to Characterize Metal-Organic Frameworks and Investigate Their Interaction with Guest Molecules. 2021 , 121, 1286-1424	109
422	Etching of cubic Pd@Pt in UiO-66 to obtain nanocages for enhancing CO2 hydrogenation. 2021 , 19, 100585	5
421	Ultrasound-assisted efficient synthesis of a novel NdMOF polymer as a new candidate for electrocatalytic activity in hydrogen storage. 2021 , 51, 399-410	0

420	Evaluating the purification and activation of metal-organic frameworks from a technical and circular economy perspective. 2021 , 428, 213578	9
419	Barium cobaltite nanoparticles: Sol-gel synthesis and characterization and their electrochemical hydrogen storage properties. 2021 , 46, 886-895	3
418	Gas Storage in Porous Molecular Materials. 2021 , 27, 4531-4547	10
417	Cerium-based UiO-66 metal-organic framework for synergistic dye adsorption and photodegradation: A discussion of the mechanism. 2021 , 185, 108957	33
416	IRMOF-8: Theoretical evaluation of aluminum doping on hydrogen, methane, and hydrogen sulfide adsorption. 2021 , 121, e26510	3
415	Metal-organic frameworks and their derivatives for electrically-transduced gas sensors. 2021 , 426, 213479	45
414	Hydrothermal syntheses of a series of copper (II), cadmium (II), and silver (I) coordination polymers with the new 3,5-bis-(triazol-1-yl)-pyridine ligand: structural diversity, anion pollutant absorption, and fluorescent properties. 2021 , 51, 814-822	0
413	Recent advances in process engineering and upcoming applications of metal-organic frameworks. 2021 , 426, 213544	100
412	Methods and Diversity in the Synthesis of Metal-Organic Frameworks. 2021 , 976-1020	1
411	Single molecule fluorescence imaging of nanoconfinement in porous materials. <i>Chemical Society Reviews</i> , 2021 , 50, 6483-6506	58,5 10
410	Solid-state hydrogen storage as a future renewable energy technology. 2021 , 263-287	
409	Thermal hysteresis induced by external pressure in a 3D Hofmann-type SCO-MOF. 2021 , 50, 1384-1389	1
408	Neutron scattering studies of materials for hydrogen storage. 2021 ,	3
407	Breaching Kasha's rule for dual emission: mechanisms, materials and applications. 2021 , 9, 10154-10172	9
406	A luminescent metal-organic framework with mixed-linker strategy for white-light-emitting by iridium-complex encapsulation. 2021 , 123, 108359	5
405	Amino and triazole-containing metal-organic frameworks for highly efficient CO fixation. 2021 , 57, 10803-10806	
404	Fine-tuning the pore structure of metal-organic frameworks by linker substitution for enhanced hydrogen storage and gas separation. 2021 , 23, 3026-3032	3
403	Water-Stable Europium(III) and Terbium(III) Metal Organic Frameworks as Fluorescent Sensors to Detect Inorganic Ions, Antibiotics and Pesticides in Aqueous Solutions.	1

402	Challenges in the use of hydrogen for maritime applications. 2021 , 14, 815-843	37
401	General Introduction. 2021 , 1-19	
400	Synthesis of a metal-organic framework by plasma in liquid to increase reduced metal ions and enhance water stability.. 2021 , 11, 22756-22760	1
399	A family of luminescent metal-organic frameworks: synthesis, structure, and sensing studies. 2021 , 2, 2667-2675	0
398	Review of Advances in Engineering Nanomaterial Adsorbents for Metal Removal and Recovery from Water: Synthesis and Microstructure Impacts. 2021 , 1, 623-661	27
397	Metal-organic framework nanocomposite based adsorbents. 2021 , 483-512	1
396	Crystalline Cu(II) metal-organic frameworks based on a carboxamide pincer ligand and an NCONCONPd(II) pincer complex.	0
395	Irregular topological indices of certain metal organic frameworks. 2021 , 44, 73-81	4
394	Polyhedral metal-organic framework monolayer colloidal crystals with sharpened and crystal facet-dependent selectivity for organic vapor sensing. 2021 , 9, 5379-5386	1
393	Permeable metal-organic frameworks for fuel (gas) storage applications. 2021 , 111-126	
392	Adsorption properties of acetylene, ethylene and ethane in UiO-66 with linker defects and NO ₂ functionalization. 2021 , 2, 426-433	1
391	Metal-Organic Frameworks for Catalytic Applications. 2021 , 228-259	0
390	Advancement in functionalized luminescent frameworks and their prospective applications as inkjet-printed sensors and anti-counterfeit materials. 2021 , 50, 8657-8670	4
389	Backbonding contributions to small molecule chemisorption in a metal-organic framework with open copper(i) centers. 2020 , 12, 2156-2164	9
388	Spiers Memorial Lecture: Coordination networks that switch between nonporous and porous structures: an emerging class of soft porous crystals. 2021 , 231, 9-50	2
387	Encapsulating NHBr in a metal organic framework: achieving remarkable proton conduction in a wide relative humidity range. 2021 , 50, 15321-15326	
386	Negative linear compressibility in nanoporous metal-organic frameworks rationalized by the empty channel structural mechanism. 2021 , 23, 8508-8524	2
385	A post-synthetically modified metal-organic framework for copper catalyzed denitrative C-N coupling of nitroarenes under heterogeneous conditions. 2021 , 45, 5568-5575	2

- 384 Highly selective fluorescent turn-on-off sensing of OH, Al and Fe ions by tuning ESIPT in metal organic frameworks and mitochondria targeted bio-imaging.. **2021**, 11, 27787-27800 5
- 383 Cathodic synthesis of a Cu-catecholate metal-organic framework. **2021**, 23, 1828-1835 1
- 382 Metal-organic framework. **2021**, 279-387 2
- 381 Improving Computational Assessment of Porous Materials for Water Adsorption Applications via Flat Histogram Methods. **2021**, 125, 4253-4266 5
- 380 Molecular cannibalism: Sacrificial materials as precursors for hollow and multidomain single crystals. **2021**, 12, 957 5
- 379 Design Strategies for Enhanced Conductivity in Metal-Organic Frameworks. **2021**, 7, 445-453 10
- 378 Rational design, synthesis, and applications of carbon dots@metal-organic frameworks (CD@MOF) based sensors. **2021**, 135, 116163 20
- 377 Metal-Organic-Framework-Based Materials for Antimicrobial Applications. **2021**, 15, 3808-3848 54
- 376 Inverted metal-organic frameworks: isoreticular decoration with organic anions using principles of supramolecular chemistry. **2021**, 74, 169-177 1
- 375 Self-Assembly Mechanism in Nucleation Processes of Molecular Crystalline Materials. **2021**, 94, 463-472 11
- 374 A Physical Entangling Strategy for Simultaneous Interior and Exterior Modification of Metal-Organic Framework with Polymers. **2021**, 133, 7465-7472 3
- 373 Synopsis of Factors Affecting Hydrogen Storage in Biomass-Derived Activated Carbons. **2021**, 13, 1947 4
- 372 Preparation of value-added metal-organic frameworks for high-performance liquid chromatography. Towards green chromatographic columns. **2021**, 1638, 461857 6
- 371 Rapid synthesis of a novel nano-crystalline mesoporous faujasite type metal-organic framework, ZIF-8 catalyst, its detailed characterization, and NaBH₄ assisted, enhanced catalytic Rhodamine B degradation. **2021**, 26, 101993 4
- 370 Density Functional Theory Study of Li-Functionalized Nanoporous R-Graphyne/Metal-Organic Frameworks for Reversible Hydrogen Storage. **2021**, 4, 3949-3957 2
- 369 Recent Progress on Conductive Metal-Organic Framework Films. **2021**, 8, 2002151 14
- 368 Supramolecular Polymers, Based on Metal-to-Ligand Interactions*. **2021**, 117-194
- 367 First-principles study of hydrogen storage on Ca-decorated defective boron nitride nanosheets. **2021**, 128, 114588 6

366	Synthesis and Applications of Stable Iron-Based Metal-Organic Framework Materials. 2021 , 21, 3100-3122	9
365	Determination of Chemical Structure of Bis(dithiolato)iron Nanosheet. 2021 , 50, 576-579	5
364	Loading of the Model Amino Acid Leucine in UiO-66 and UiO-66-NH: Optimization of Metal-Organic Framework Carriers and Evaluation of Host-Guest Interactions. 2021 , 60, 5694-5703	2
363	Effect of Water Content on Thermodynamic Properties of Compressed Hydrogen. 2021 , 66, 2071-2087	4
362	Inclusion of Amine Isomers with Open-Chain Hosts Having a Partial Structure of Butylthiacalixarene. 2021 , 86, 7046-7058	0
361	Detailed total scattering analysis of disorder in ZIF-8. 2021 , 54, 759-767	2
360	Unique MIL-53(Fe)/PDI Supermolecule Composites: Z-Scheme Heterojunction and Covalent Bonds for Upgrading Photocatalytic Performance. 2021 , 13, 16364-16373	9
359	Cerium-Based Metal-Organic Framework Nanocrystals Interconnected by Carbon Nanotubes for Boosting Electrochemical Capacitor Performance. 2021 , 13, 16418-16426	14
358	A Monte Carlo simulation study of hydrogen adsorption in slit-shaped pores. 2021 , 317, 110970	2
357	Physical properties of porphyrin-based crystalline metal-organic frameworks. 2021 , 4,	15
356	Using a simple method to prepare UiO-66-NH ₂ /chitosan composite membranes for oil/water separation. 2021 , 138, 50765	5
355	Metal-organic frameworks as functional materials for implantable flexible biochemical sensors. 2021 , 14, 2981-3009	8
354	Review of the Decomposition of Ammonia to Generate Hydrogen.	16
353	Two W/S/Cu-Cluster-Containing Metal-Organic Frameworks Fabricated by Multidentate Organic Ligands: New Topologies, Strong NLO Properties, and Efficient Luminescent Detection. 2021 , 21, 3225-3233	6
352	Supramolecular control of MOF pore properties for the tailored guest adsorption/separation applications. 2021 , 434, 213709	39
351	Hydrogen adsorption on Ge ₅₂ [Ge ₉₂] and Sn ₉₂ [Zintl] clusters: A DFT study. 2021 , 1199, 113191	4
350	Isorecticular Crystallization of Highly Porous Cubic Covalent Organic Cage Compounds*. 2021 , 60, 17455-17463	9
349	Assessment of Performance of Density Functionals for Predicting Potential Energy Curves in Hydrogen Storage Applications. 2021 , 125, 4245-4257	0

348	Metal-organic frameworks and their derivatives-modified photoelectrodes for photoelectrochemical applications. 2021 , 434, 213780	14
347	Isoretikuläre Kristallisation von hochporösen kubischen kovalentorganischen Käfigverbindungen**. 2021 , 133, 17595-17604	1
346	Theoretical study on hydrogen storage of pristine bilayer hexagonal boron nitride. 2021 , 140, 1	2
345	Copper(II)-Doped ZIF-8 as a Reusable and Size Selective Heterogeneous Catalyst for the Hydrogenation of Alkenes using Hydrazine Hydrate. 2021 , 2021, 2108-2119	5
344	Engineering Ru atomic structures toward enhanced kinetics of hydrogen generation. 2021 , 235, 116507	3
343	[Cu{SC(O)OPr}]: A Giant Self-Assembled Copper(I) Supramolecular Wheel Exhibiting Photoluminescence Tuning and Correlations with Dynamic Solvation and Solventless Synthesis. 2021 , 60, 8973-8983	3
342	Core-Shell MOF-in-MOF Nanopore Bifunctional Host of Electrolyte for High-Performance Solid-State Lithium Batteries.. 2021 , 5, e2100508	8
341	Processable UiO-66 Metal-Organic Framework Fluid Gel and Electrical Conductivity of Its Nanofilm with Sub-100 nm Thickness. 2021 , 13, 30844-30852	5
340	Integrating Conductive Metal-Organic Framework with Graphene Oxide to Highly Sensitive Platform for Electrochemical Sensing. 2021 , 8, 2100586	3
339	Hydrogen and deuterium separation on metal organic frameworks based on Cu- and Zn-BTC: an experimental and theoretical study. 2021 , 27, 925-935	5
338	Factors Affecting Hydrogen Adsorption in Metal-Organic Frameworks: A Short Review. 2021 , 11,	7
337	Formic Acid Dehydrogenation for Hydrogen Production Promoted by Grubbs and Hoveyda-Grubbs Catalysts[] 2021 , 39, 2201-2206	1
336	Facile preparation of antibacterial MOF-fabric systems for functional protective wearables.	7
335	Screening Metal-Organic Frameworks for Separation of Binary Solvent Mixtures by Compact NMR Relaxometry. 2021 , 26,	0
334	An Azobenzene-Modified Photoresponsive Thorium-Organic Framework: Monitoring and Quantitative Analysis of Reversible Photoisomerization. 2021 , 60, 8519-8529	4
333	Tunable dielectric performance of porphyrin based metal-organic frameworks with polar molecule confinement. 2021 , 25, 100734	0
332	Enhanced reduction of aqueous bromate by catalytic hydrogenation using the Ni-based Metal-organic framework Ni(4,4'-bipy)(1,3,5-BTC) with NaBH ₄ . 2021 , 414, 128860	4
331	Determination of sorption and diffusion for ethanol through superhydrophobic ZIF/PDMS mixed matrix membrane. 2021 , 320, 111086	5

330	Recent Advances in Design and Fabrication of Nanocomposites for Electromagnetic Wave Shielding and Absorbing. 2021 , 14,	8
329	Synthesis of high-performance conjugated microporous polymer/TiO photocatalytic antibacterial nanocomposites. 2021 , 126, 112121	5
328	Reactivity of Coinage Metal Hydrides for the Production of H Molecules. 2021 , 10, 724-730	1
327	Industrializing metal-organic frameworks: Scalable synthetic means and their transformation into functional materials. 2021 , 47, 170-186	21
326	Adsorptive removal of different pollutants using metal-organic framework adsorbents. 2021 , 333, 115593	25
325	Dual-stimuli responsive color-changing nanofibrous membranes as effective media for anti-counterfeiting and erasable writing. 2021 , 621, 126626	1
324	Maximizing the Carrier Mobilities of Metal-Organic Frameworks Comprising Stacked Pentacene Units. 2021 , 12, 7002-7009	0
323	Seawater desalination by reverse osmosis: Current development and future challenges in membrane fabrication A review. 2021 , 629, 119292	58
322	Pd nanoparticles on zeolite imidazolate framework-8: Preparation, characterization, and evaluation of fixed-bed hydrogenation activity toward isomeric nitrophenols. 2021 , 43, 100446	0
321	Bismuth-based metal-organic frameworks and their derivatives: Opportunities and challenges. 2021 , 439, 213902	15
320	Fingerprinting diverse nanoporous materials for optimal hydrogen storage conditions using meta-learning. 2021 , 7,	8
319	Synthesis of value-added MIL-53(Cr) from waste polyethylene terephthalate bottles for the high-performance liquid chromatographic determination of methylxanthines in tea. 2021 , 167, 106294	1
318	Facile preparation of Metal/Metal-organic frameworks decorated phase change composite materials for thermal energy storage. 2021 , 40, 102711	1
317	Mechanistic Consideration for the Selective Inclusion of Disubstituted Benzene Isomers with p-tert-Butylcalix[4]arene Crystals. 2021 , 21, 5006-5016	0
316	High-performance chemical information database towards accelerating discovery of metal-organic frameworks for gas adsorption with machine learning. 2021 , 34, 436-442	1
315	Bimetallic Co _{0.4} Ni _{1.6} P derived from cobalt functionalized a new nickel metal-organic-framework as an advanced electrode for high-performance supercapacitors. 2021 , 130, 108733	2
314	Boosting Catalytic Efficiency of Metal-Organic Frameworks with Electron-Withdrawing Effect for Lewis-Acid Catalysis. 2021 , 6, 7732-7735	1
313	Unraveling the New Role of Metal-Organic Frameworks in Designing Silicon Hollow Nanocages for High-Energy Lithium-Ion Batteries. 2021 , 13, 40471-40480	3

312	A porous 2D cobalt-sulfonylcalix[4]arene coordination polymer for gas adsorption. 2021 , 1237, 130392	0
311	Recent advances in catalytic systems in the prism of physicochemical properties to remediate toxic CO pollutants: A state-of-the-art review. 2021 , 277, 130285	5
310	Limitation of model-based estimations of the hydrogen adsorption capacities in nanoporous materials: A molecular simulation study.	0
309	Reversible Hydrogen Storage in Metal-Decorated Honeycomb Borophene Oxide. 2021 , 13, 43233-43240	6
308	First-Principles Study of Hydrogen Storage of Sc-Modified Semiconductor Covalent Organic Framework-1. 2021 , 6, 21985-21993	2
307	Electrochemical Detection of Sarcosine and Supercapacitor Based on a New Ni-Metal Organic Framework Electrode Material. 2021 , 11, 1036	1
306	A study on hydrogen, the clean energy of the future: Hydrogen storage methods. 2021 , 40, 102676	50
305	Hydrogen Economy and Role of Hythane as a Bridging Solution: A Perspective Review.	7
304	Integration of mixed ligand into a multivariate metal-organic framework for enhanced UV-light photocatalytic degradation of Rhodamine B. 2021 ,	3
303	Vapor Deposition-Prepared MIL-100(Cr)- and MIL-101(Cr)-Supported Iron Catalysts for Effectively Removing Organic Pollutants from Water. 2021 , 6, 25311-25322	1
302	High-hydrophobic ZIF-8@PLA composite aerogel and application for oil-water separation. 2021 , 270, 118794	23
301	Progress of graphene and loaded transition metals on Mg-based hydrogen storage alloys. 2021 , 46, 33468-33485	5
300	Catching the Reversible Formation and Reactivity of Surface Defective Sites in Metal-Organic Frameworks: An Operando Ambient Pressure-NEXAFS Investigation. 2021 , 12, 9182-9187	4
299	Potential application of metal-organic frameworks (MOFs) for hydrogen storage: Simulation by artificial intelligent techniques. 2021 ,	1
298	The activation of B-H bonds in borohydride on Cu(1 0 0) and Cu(1 1 0) surfaces. 2021 , 1203, 113376	1
297	Porous metal-organic framework (MOF)-based and MOF-derived electrocatalytic materials for energy conversion. 2021 , 21, 100816	10
296	Fluorescent Hybrid Porous Polymers as Sustainable Heterogeneous Photocatalysts for Cross-Dehydrogenative Coupling Reactions. 2021 , 13, 42889-42897	1
295	Cu-BTC Metal-Organic Frameworks as Catalytic Modifier for Ultrasensitive Electrochemical Determination of Methocarbamol in the Presence of Methadone. 2021 , 168, 097507	6

294	Synthesis and Investigation of Magnetic Properties of Rod Shaped Micron Sized Ni ₄ and Co ₂ Ni ₂ Cluster based MOFs. 2021 , 647, 1939	
293	Simultaneous improvement to solubility and bioavailability of active natural compound isosteviol using cyclodextrin metal-organic frameworks. 2021 , 11, 2914-2923	2
292	Fabrication of transition-metal (Zn, Mn, Cu)-based MOFs as efficient sensor materials for detection of H ₂ gas by clad modified fiber optic gas sensor technique. 2021 , 65, 102614	2
291	Monte Carlo simulations for water adsorption in porous materials: Best practices and new insights. 2021 , 67, e17447	5
290	Computational Screening of Metal-Catecholate-Functionalized Metal-Organic Frameworks for Room-Temperature Hydrogen Storage.	0
289	Metal organic framework based fluorescence sensor for detection of antibiotics. 2021 , 116, 1002-1028	7
288	Functionalized Zr-UiO-67 metal-organic frameworks: Structural landscape and application. 2021 , 445, 214050	14
287	Hydrogen storage technologies for stationary and mobile applications: Review, analysis and perspectives. 2021 , 149, 111311	50
286	Synthesis, structures and properties of lead coordination polymers based on pyridinedicarboxylate ligand. 2021 , 303, 122540	1
285	Self-crosslinked MXene hollow fiber membranes for H ₂ /CO ₂ separation. 2021 , 638, 119669	5
284	Cellulose-zeolitic imidazolate frameworks (CelloZIFs) for multifunctional environmental remediation: Adsorption and catalytic degradation. 2021 , 426, 131733	38
283	Cu(I)-incorporation strategy for developing styrene selective adsorbents. 2021 , 425, 130601	1
282	Silver(I) complexes based on diorganoselenium(II) ligands with amino or hydroxo functionalities. 2021 , 1246, 131243	1
281	Adsorptive removal of dyes from wastewater using a metal-organic framework: A review. 2021 , 284, 131314	48
280	Machine learning and in-silico screening of metal-organic frameworks for O ₂ /N ₂ dynamic adsorption and separation. 2022 , 427, 131604	9
279	Two three-dimensional mixed-ligated cobalt phosphonate coordination polymers: Syntheses, crystal structures and magnetic properties. 2022 , 1248, 131456	1
278	Selective oxidation of bio-based platform molecules and their conversion products over metal nanoparticle catalysts: a review. 2021 , 6, 418-440	1
277	Atmosphere-Pressure Methane Oxidation to Methyl Trifluoroacetate Enabled by a Porous Organic Polymer-Supported Single-Site Palladium Catalyst. 2021 , 11, 1008-1013	12

276	Strategic design and synthesis of star-shaped organic linkers for mesoporous MOFs. 2021 , 231, 97-111		
275	Zero-valent metals in metal-organic frameworks: fac-M(CO)(pyrazine). 2021 , 57, 3861-3864		1
274	Etching and polymerization reactions of alkoxythiophenes in HKUST-1: choosing between filled and core-shell MOF/polymer composite structures. 2021 , 23, 4938-4945		1
273	Synthesis of tricarboxylic acid based metal organic frameworks: Structural and gas adsorption studies. 2021 , 1224, 129161		
272	Photocatalytic Performance of the MOF-Coating Layer on SPR-Excited Ag Nanowires. 2021 , 6, 2882-2889		4
271	Synthesis of metal-organic frameworks (MOFs) MIL-100(Fe) functionalized with thioglycolic acid and ethylenediamine for removal of eosin B dye from aqueous solution. 2021 , 3, 1		3
270	Two-dimensional conjugated metal-organic frameworks (2D -MOFs): chemistry and function for MOFtronics. <i>Chemical Society Reviews</i> , 2021 , 50, 2764-2793	58.5	75
269	Covalent organic frameworks (COFs) for electrochemical applications. <i>Chemical Society Reviews</i> , 2021 , 50, 6871-6913	58.5	104
268	Enhancing the Regeneration Process of Consumed NaBH ₄ for Hydrogen Storage. 2017 , 7, 1700299		223
267	Hydrogen Storage in Metal-Organic Frameworks. 2017 , 143-170		9
266	Strategies for Hydrogen Storage in Porous Organic Polymers. 2017 , 203-223		1
265	H ₂ gas sensing of Co-incorporated metal-organic frameworks. 2020 , 523, 146487		15
264	Scalable continuous production of high quality HKUST-1 via conventional and microwave heating. 2017 , 326, 570-577		41
263	Remarkable isosteric heat of hydrogen adsorption on Cu(I)-exchanged SSZ-39. 2020 , 45, 34972-34982		7
262	Antiparasitic, anti-inflammatory and cytotoxic activities of 2D coordination polymers based on 1H-indazole-5-carboxylic acid. 2020 , 208, 111098		6
261	UiO-66 type MOFs with mixed-linkers - 1,4-Benzenedicarboxylate and 1,4-naphthalenedicarboxylate: Effect of the modulator and post-synthetic exchange. 2020 , 305, 110324		14
260	1D helical cadmium coordination polymers containing hydrazide ligand: The role of solvent and molar ratio. 2018 , 1156, 534-543		7
259	Hydrothermal synthesis of high surface area ZIF-8 with minimal use of TEA. 2017 , 69, 13-21		40

258	Uncovering the Role of Metal-Organic Framework Topology on the Capture and Reactivity of Chemical Warfare Agents. 2020 , 32, 4609-4617	36
257	Defect-Engineered Metal-Organic Frameworks: A Thorough Characterization of Active Sites Using CO as a Probe Molecule. 2021 , 125, 593-601	5
256	Microporous polymeric membranes inspired by adsorbent for gas separation. 2017 , 5, 13294-13319	61
255	Recent advances of hollow-structured sulfur cathodes for lithium-sulfur batteries. 2020 , 4, 2517-2547	7
254	Understanding phonon properties in isorecticular metal-organic frameworks from first principles. 2019 , 3,	11
253	Powder sample-positioning system for neutron scattering allowing gas delivery in top-loading cryofurnaces. 2016 , 49, 705-711	10
252	Large-Scale Screening and Machine Learning to Predict the Computation-Ready, Experimental Metal-Organic Frameworks for CO ₂ Capture from Air. 2020 , 10, 569	23
251	Adsorption Enthalpy Calculations of Hydrogen Adsorption at Ambient Temperature and Pressures Exceeding 300 bar. 2013 , 04, 8-16	11
250	Facile Syntheses of Metal-organic Framework Cu ₃ (BTC) ₂ (H ₂ O) ₃ under Ultrasound. 2009 , 30, 2921-2926	69
249	Non-framework Coordination Polymers With Tunable Bimodal Porosities Based on Inter-connected Metal-organic Polyhedra. 2011 , 32, 2489-2492	16
248	A Novel Coordination Polymer Based on 4,4'-(Hexafluoroisopropylidene)diphthalic Acid: Synthesis, Structure and Physical Properties. 2012 , 33, 3827-3830	5
247	Synthesis and Structure of a 3-D Metal-Organic Framework, [Cd ₂ (1,4-cyclohexanedicarboxylate) ₂ ·DMF], Comprising Unusual Two Different Ligand Conformations. 2012 , 33, 3111-3114	9
246	Preparation and Characterization of Palladium Nanoparticles Supported on Nickel Hexacyanoferrate for Fuel Cell Application. 2013 , 34, 1195-1198	13
245	A CdSO ₄ -like 3D Framework Constructed from Benzophenone-2,4'-dicarboxylic Acid and 1,4-Bis(1,2,4-triazol-1-ylmethyl)-benzene: Synthesis, Structure and Physical Properties. 2013 , 34, 2191-2194	8
244	A Series of Transition-metal Coordination Complexes Assembled from 3-Nitrophthalic Acid and Thiabendazole: Synthesis, Structure and Properties. 2014 , 35, 218-224	2
243	Construction of a 2D Co(II) Coordination Polymer with (4,4)-Connected Topology: Synthesis, Crystal Structure, and Surface Photo-electric Property. 2014 , 35, 1177-1181	2
242	Synthesis, Structure and Physical Properties of A Novel 2D Cd(II) Coordination Polymer Involving 4-Thiopyridine Based on in situ Formation from 4,4'-Dithiodipyridine. 2014 , 35, 2839-2842	1
241	Counter Anion Directing Structure Control: An Anionic 3D Open Framework with a Diamond Network Structure Comprising of 1,4-Cyclohexanedicarboxylic Acid. 2014 , 35, 2847-2850	2

240	Controlled Polymer Synthesis in Coordination Nanochannels. 2012 , 70, 324-330	1
239	A review: methane capture by nanoporous carbon materials for automobiles. 2016 , 17, 18-28	34
238	Bayesian optimization of nanoporous materials.	6
237	Two Zr-based heterometal-organic frameworks for efficient CO ₂ reduction under visible light.	
236	Continuous Porous Aromatic Framework Membranes with Modifiable Sites for Optimized Gas Separation.	1
235	Freestanding Metal Organic Framework-Based Multifunctional Membranes Fabricated via Pseudomorphic Replication toward Liquid- and Gas-Hazards Abatement. 2021 , 8, 2101178	1
234	Understanding the Anisotropic Elastic Properties of Metal-Organic Frameworks at the Nanoscale: The Instructive Example of MOF-74.	3
233	Co-Electrodeposition of Nanostructured Ce-NiOx on Stainless-Steel Substrates for the Oxygen Evolution Reaction under Alkaline Conditions. 2100705	0
232	Computation of Vertex-Based Topological Descriptors of Organometallic Monolayers of TM 3 C 12. 2021 , 2021, 1-7	
231	Design and Synthesis of Noble Metal-based Electrocatalysts Using Metal-Organic Frameworks and Derivatives. 2021 , 100144	3
230	Adsorption desalination: Advances in porous adsorbents. 2021 ,	1
229	Multi-component ppm level adsorption of VOCs on the ZIF-8 and UiO-66 MOFs: Breakthrough analysis with selected ion flow tube mass spectrometry. 2021 , 9, 106568	4
228	POP-Type MMX-Chain Compounds with Binary Counteranions and Vapochromism. 2013 , 207-230	
227	Hexaaqua-cobalt(II) 2,2'-[naphthalene-1,8-diylbis(-oxy)]diacetate dihydrate. 2013 , 69, m103-4	
226	CO ₂ Adsorption in Metal-organic Frameworks. 2013 , 51, 171-180	1
225	Formation of Metal Organic Frameworks. 2013 , 111-128	
224	Structural Diversity of Five New Lanthanide Coordination Polymers Tuned by Different Salt Anions. 2014 , 35, 1417-1421	
223	Synthesis and Hydrogen Adsorption Properties of Porous Polymer with Tri-4,4'-Diphenylmethane Diisocyanate. 2016 , 26, 332-336	

- 222 Hydrogen-driven Economy and Utilization. **2017**, 291-339 0
- 221 Characterization of H₂ Adsorption Sites: Where Are the Hydrogens Stored in the Materials?. **2017**, 257-290
- 220 Nitrogen Ligand-Based Molecular Building Blocks. **2017**, 207-242
- 219 Conjugated Polycarbazole Network for Gas Storage and Separation. **2017**, 07, 315-324
- 218 Thermal stability of optical fiber metal organic framework based on graphene oxide and nickel and its hydrogen adsorption application. **2018**, 26, 31648-31656 4
- 217 MOFzyme: FJU-21 with Intrinsic High Protease-Like Activity for Hydrolysis of Proteins. **2019**, 07, 222-230 0
- 216 MOFzyme: Enzyme Mimics of Fe/Fe-MIL-101. **2019**, 07, 213-221
- 215 Inorganic Polymers for Potential Medicinal Applications. 243-276
- 214 Introduction of Microporous Membranes. 1-52
- 213 Methods for Synthesis of Molecular Materials with Unique Physical Properties. **2019**, 82-100
- 212 Group 4 Metal-Based Metal-Organic Frameworks for Chemical Sensors. **2021**, 9, 306 5
- 211 Manganese(II), cobalt(II) and nickel(II) complexes constructed from a pyridyloxy-functionalized hexapodal cyclophosphazene ligand: Structural and magnetic studies. **2021**, 211, 115557
- 210 Accelerate Synthesis of Metal-Organic Frameworks by a Robotic Platform and Bayesian Optimization. **2021**, 13, 53485-53491 1
- 209 Nanostructured advanced materials for hydrogen storage. **2020**, 97-163 1
- 208 Solid-State Hydrogen Storage Materials. **2020**, 41-67
- 207 Introduction to Functional Metal-Organic Frameworks. **2020**, 1-14 0
- 206 Click Chemistry to Metal-Organic Frameworks as a Synthetic Tool for MOF and Applications for Functional Materials. **2020**, 523-538 2
- 205 Continuous Porous Aromatic Framework Membranes with Modifiable Sites for Optimized Gas Separation. **2021**, 2

204	Applications of copper based metal organic frameworks. 2021 , 50, 1906-1906	1
203	Efficient Helium Separation with Two-Dimensional Metal-Organic Framework Fe/Ni-PTC: A Theoretical Study.. 2021 , 11,	
202	Effect of Activation Process on the Performance of ZIF-8 Membrane for Propylene/Propane Separation . 2022 , 94, 166	1
201	Proton-Conductive Cerium-Based Metal-Organic Frameworks. 2021 , 13, 55358-55366	1
200	Development of zeolite-based catalyst for enhancement hydrogen production from ammonia decomposition. 2021 ,	0
199	Metal Organic Frameworks as Heterogeneous Catalysts in Olefin Epoxidation and Carbon Dioxide Cycloaddition. 2021 , 9, 81	3
198	High-Efficiency Air Filter Media with a Three-Dimensional Network Composed of Core-Shell Zeolitic Imidazolate Framework-8@Tunicate Nanocellulose for PM0.3 Removal. 2021 , 13, 57921-57929	3
197	Hierarchical Porous Zeolitic Imidazolate Frameworks: Microporous to Macroporous Regime. 2022 , 431-447	1
196	Molecular simulation of energy storage properties of R32, R134A and R1234YF in MOF-5 AND MOF-177.	
195	Self-supported 2D Fe-doped Ni-MOF nanosheets as highly efficient and stable electrocatalysts for benzylamine oxidation. 2021 , 578, 152065	2
194	Water-Stable Europium(III) and Terbium(III) Metal Organic Frameworks as Fluorescent Sensors to Detect Ions, Antibiotics and Pesticides in Aqueous Solutions. 2021 , 132009	3
193	Alkali metals decorated silicon clusters (Si _n M _n , n = 6, 10; M = Li, Na) as potential hydrogen storage materials: A DFT study. 2021 , 47, 1775-1775	1
192	Ultrathin Metal Organic Framework Nanosheets as Nano-Floating-Gate for High Performance Transistor Memory Device. 2110784	3
191	Two-Dimensional Polymers and Polymerizations. 2021 ,	24
190	Synthesis methods of microporous organic polymeric adsorbents: a review. 2021 , 12, 6962-6997	0
189	Structural resolution and mechanistic insight into hydrogen adsorption in flexible ZIF-7.. 2021 , 12, 15620-15631	4
188	Molecule in Soft-Crystal at Ground and Excited States: Theoretical Approach. 2022 , 51, 100482	1
187	On Reverse Valency Based Topological Indices of Metal Organic Framework. 1-14	

186	Porous SB-Cu1 two-dimensional metal-organic framework: The green catalyst towards C N bond-forming reactions. 2022 , 637, 128202	0
185	Hydrogen strategy as an energy transition and economic transformation avenue for natural gas exporting countries: Qatar as a case study. 2022 , 47, 4977-5009	2
184	Rapid Cs Capture via Multiple Supramolecular Interactions in Anionic Metal-Organic Framework Isomers.. 2022 ,	0
183	Metal organic frameworks for biocatalysis. 2022 , 267-300	1
182	Metal-Organic Frameworks for NO Adsorption and Their Applications in Separation, Sensing, Catalysis, and Biology.. 2022 , e2105484	3
181	Supported metals on porous solids as heterogeneous catalysts for the synthesis of propargylamines. 2022 , 46, 1469-1482	0
180	Nonthermal plasma catalysis enhances simultaneous removal of toluene and ozone over TiO ₂ @ZIF-8. 2022 , 332, 130107	0
179	A Preinstalled Protic Cation as a Switch for Superprotonic Conduction in a Metal-Organic Framework.. 2022 , 2, 109-115	2
178	Phase equilibrium and dissociation enthalpies of CO ₂ /cyclopentane hydrates in presence of salts for water treatment and CO ₂ capture: New experimental data and modeling. 2022 , 556, 113410	1
177	Intrinsic Hole Mobility in Luminescent Metal-organic Framework and Its Application in Organic Light-Emitting Diodes.	0
176	Intrinsic Hole Mobility in Luminescent Metal-organic Framework and Its Application in Organic Light-Emitting Diodes.. 2022 ,	1
175	Porous materials for hydrogen storage. 2022 ,	8
174	Topochemical [2 + 2] Cycloaddition in a Two-Dimensional Metal-Organic Framework via SCSC Transformation Impacts Halogen-Halogen Interactions.. 2022 ,	3
173	Understanding the ZIF-L to ZIF-8 transformation from fundamentals to fully costed kilogram-scale production. 2022 , 5,	4
172	A fluorescence zinc metal-organic framework for the effective detection of Fe ³⁺ and Fe ²⁺ in water. 2022 , 138, 109282	1
171	Electrocatalytic water oxidation from a mixed linker MOF based on NU-1000 with an integrated ruthenium-based metallo-linker.	
170	Structure, magnetic properties and spin density of two alternative Mn(II) coordination polymers based on 1,4-bis(2'-carboxyphenoxy)benzene.. 2022 ,	0
169	Two bis-ligand-coordinated Zn(II)-MOFs for luminescent sensing of ions, antibiotics and pesticides in aqueous solutions.. 2022 , 12, 7780-7788	1

- 168 The solvothermal synthesis of a 3D rod-like Fe₂Al bimetallic metal-organic-framework for efficient fluoride adsorption and photodegradation of water-soluble carcinogenic dyes. 0
- 167 The origin of anomalous hydrogen occupation in high entropy alloys. **2022**, 10, 7228-7237 1
- 166 Probing the electronic and ionic transport in topologically distinct redox-active metal-organic frameworks in aqueous electrolytes.. **2022**, 0
- 165 Does the Mode of Metal-Organic Framework/Electrode Adhesion Determine Rates for Redox-Hopping-Based Charge Transport within Thin-Film Metal-Organic Frameworks?. **2022**, 126, 4601-4611 0
- 164 Potassium Storage Performance of UiO-66 Derivatives from First Principles Calculations. **2022**, 126, 4286-4295 1
- 163 Functional Groups Assisted Tunable Dielectric Permittivity of Guest-Free Zn-Based Coordination Polymers for Gate Dielectrics.. **2022**, 0
- 162 Hydrogen storage in scandium decorated triazine based g-C₃N₄: Insights from DFT simulations. **2022**, 0
- 161 Enhancing Capacity and Stability of Anionic MOFs as Electrode Material by Cation Exchange.. **2022**, 10, 836325 1
- 160 Colossal Linear NTE and PTE in Two-Fold Interpenetrated Network of a MOF Induced by Hinge-like Motion. 2
- 159 Teaching Metal-Organic Frameworks to Conduct: Ion and Electron Transport in Metal-Organic Frameworks. **2022**, 52, 0
- 158 Understanding the Origin of the Particularly Small and Anisotropic Thermal Expansion of MOF-74. 2200031
- 157 The Influence of UiO-66 Metal-Organic Framework Structural Defects on Adsorption and Separation of Hexane Isomers.. **2022**, 0
- 156 Molecular simulation of copper based metal-organic framework (Cu-MOF) for hydrogen adsorption. **2022**, 0
- 155 A facile metal ion pre-anchored strategy for fabrication of defect-free MOF membranes on polymeric substrates. **2022**, 650, 120419 1
- 154 Bisligand-coordinated cadmium organic frameworks as fluorescent sensors to detect Ions, antibiotics and pesticides in aqueous solutions. **2022**, 217, 115759 1
- 153 A molecular dynamic simulation study of anticancer agents and UiO-66 as a carrier in drug delivery systems.. **2022**, 113, 108147 1
- 152 Radical PolyMOFs: A Role for Ligand Dispersity in Enabling Crystallinity. **2021**, 33, 9508-9514 0
- 151 Metal-organic frameworks in pursuit of size: the development of macroscopic single crystals.. **2022**, 0

- 150 Application of a chemical clock in material design: chemically programmed synthesis of zeolitic imidazole framework-8.. **2022**, 1
- 149 A Conceptual DFT Approach Toward Analyzing Hydrogen Storage Potential. **2022**, 533-553 0
- 148 Transition towards carbon-neutral districts based on storage techniques and spatiotemporal energy sharing with electrification and hydrogenation. **2022**, 162, 112444 4
- 147 CHAPTER 8. Photocatalysis: Past Achievements and Future Trends. 227-269
- 146 Table_1.DOCX. **2019**,
- 145 [Research progress in application of metal-organic framework-derived materials to sample pretreatment]. **2021**, 39, 941-949
- 144 The pioneering role of metal-organic framework-5 in ever-growing contemporary applications: a review. **2022**, 12, 14282-14298 0
- 143 Recent Advances in Bimetallic Catalysts for Hydrogen Production from Ammonia.. **2022**, e202200030 0
- 142 The fabrication strategies and enhanced performances of metal-organic frameworks and carbon dots composites: State of the art review. **2022**, 2
- 141 Zr (IV) metal-organic framework based cadmium sulfide for enhanced photocatalytic water splitting. **2022**, 10, 107820 0
- 140 Synthesis, structures and properties of two lead halide coordination polymers based on pyridinedicarboxylate ligand. **2022**, 312, 123161
- 139 H₂ storage capacity of Li-doped five member aromatic heterocyclic superalkali complexes; an in silico study. **2022**, 52, 102235 0
- 138 3D Printing of Metal-Organic Framework-Based Ionogels: Wearable Sensors with Colorimetric and Mechanical Responses. 4
- 137 Facile membrane preparation from colloidal stable metal-organic framework-polymer nanoparticles. **2022**, 657, 120669 0
- 136 Exploring the Photophysical Properties of UiO-67 MOF Doped with Rhenium Carbonyl Complexes. **2022**, 100127 1
- 135 Insights into the luminescent properties of poly(phenylene sulfide)-grafted metal-organic framework (Tb-MOF@PPS) via copolymerization. 095400832211052
- 134 Two-Dimensional Negative Thermal Expansion in a Facile and Low-Cost Oxalate-Based Metal-Organic Framework. 0
- 133 Effect of H₂O/DMF mixed solvents on formation of MIL-100(Fe) and dye adsorption. **2022**, 312, 123248 0

- 132 Postsynthetic Modification (PSM) in Metal-Organic Frameworks (MOFs): Icing on the Cake. 83-115 0
- 131 Environmental Applications of Metal-Organic Frameworks and Derivatives: Recent Advances and Challenges. 257-298
- 130 From computational high-throughput screenings to the lab: taking metal-organic frameworks out of the computer. 1
- 129 Progress in the Application of MOFs in the Field of Atmospheric Environment. 922, 237-247
- 128 The Power of Multifunctional Metal Hydrides: A Key Enabler Beyond Hydrogen Storage. **2022**, 165936 0
- 127 Programmable assembly of multiple donor-acceptor systems in metal-organic framework for heterogeneity manipulation and functions integration. **2022**, 2
- 126 Exploring the Impact of the Linker Length on Heat Transport in Metal-Organic Frameworks. **2022**, 12, 2142 2
- 125 An overview of the role of supramolecular interactions in gas storage using MOFs. **2022**, 115995 3
- 124 Recent Development in Coordination Compounds as a Sensor for Cyanide Ions in Biological and Environmental Segments. 1-21 2
- 123 Pd and Ni NPs@Eu-MOF, an economically advantageous nanocatalyst for C(sp²)-C(sp²) cross-coupling reactions. Key role of Ni and of the metal nanoparticles. **2022**, 223, 115950 1
- 122 Metal-organic frameworks marry carbon: Booster for electrochemical energy storage. **2022**, 53, 105104 1
- 121 Metal-Organic Frameworks for Hydrogen Storage. **2022**, 1-35
- 120 Pore-confined cobalt sulphide nanoparticles in a metal-organic framework as a catalyst for the colorimetric detection of hydrogen peroxide.
- 119 Metal-organic frameworks (MOFs), rare earth MOFs, and rare earth functionalized MOF hybrid materials. **2022**, 3-40
- 118 Acetylenedicarboxylate as linker in the engineering of coordination polymers and metal-organic frameworks: challenges and potential. 0
- 117 A Coordination Network Featuring Two Distinct Copper(II) Coordination Environments for Highly Selective Acetylene Adsorption. 0
- 116 Tailored Inorganic-Organic Architectures via Metalloligands. 0
- 115 Lead(II)-Azido Metal-Organic Coordination Polymers: Synthesis, Structure and Application in PbO Nanomaterials Preparation. **2022**, 12, 2257

- 114 Cost-Effective 2D Ultrathin Metal-Organic Layers with Bis-Metallic Catalytic Sites for Visible Light-Driven Photocatalytic CO₂ Reduction. 1
- 113 Unusual CO₂ Adsorption in ZIF-7: Insight from Raman Spectroscopy and Computational Studies. 1
- 112 Synthesis, spectral, structural characterization and Hirshfeld surface analysis of bis(4-hydroxypyridinium) hexachlorostannate(IV) hybrid. 1-15
- 111 Molecular fluorescence significantly enhanced by gold nanoparticles@zeolitic imidazolate framework-8.
- 110 Enhanced hydrogen adsorption in alkali metal based copper hexacyanoferrate Prussian blue analogue nanocubes. **2022**, 542, 231816 0
- 109 Tricopper(II)bis(2-((hydrogen phosphonato)methyl)benzylphosphonate) as a layered oxo-bridged copper(II) coordination polymer: Synthesis, structure, magnetic property, and catalytic activity. **2022**, 225, 116038 0
- 108 Adsorption and diffusion of the H₂/CO₂/CO/MeOH/EtOH mixture into the ZIF-7 using molecular simulation. **2022**, 116, 108275 0
- 107 Synergistic effect of Co/Ni bimetallic metal-organic nanostructures for enhanced electrochemical energy storage. **2022**, 3
- 106 Fundamentals of hydrogen storage in nanoporous materials. 2
- 105 On Reverse Valency Based Topological Characterization of a Chemical Compound. **2022**, 2022, 1-17
- 104 Thermal-induced structural distortion and charge transfer of Prussian blue analogues K_{0.4}Co_{1.3}[Fe(CN)₆] · nH₂O. 1-7
- 103 Advances in Metal-Organic Frameworks MIL-101(Cr). **2022**, 23, 9396 1
- 102 Reversible hydrogen storage capacity of Sc and Y functionalized [1,1]paracyclophane: Insights from density functional study. **2022**, 0
- 101 A comparative study of the toxic effect of ZIF-8 and ZIF-L on the colonization and decomposition of shaded outdoor mice carrions by arthropods. **2022**, 12, 2
- 100 Selectively Confined Poly(3,4-Ethylenedioxythiophene) in the Nanopores of a Metal-Organic Framework for Electrochemical Nitrite Detection with Reduced Limit of Detection.
- 99 Reversible hydrogen storage capacity of Li and Sc doped novel C₈N₈ cage: Insights from density functional theory. 1
- 98 Recent advances in nanoarchitectures of monocrystalline coordination polymers through confined assembly. 13, 763-777 0
- 97 Plasmonic coated spindle-shaped MIL-88A(Fe) ternary composites heterojunction for photocatalytic degradation of tetracycline: Mechanism studies and theoretical calculation. **2022**, 603, 154429

- 96 Formic acid-to-hydrogen on Pd/AC catalysts: Kinetic study with catalytic deactivation. **2022**, 317, 121802 1
- 95 New mixed ligand complexes of alkaline earth metal cations containing nicotinamide and diphenic acid. Synthesis and structural properties. **2022**, 1270, 133893
- 94 Luminescence properties of europium (III)-based metal-organic frameworks: Influence of varied organic linkers. **2022**, 1269, 133767
- 93 Metal-organic frameworks derived from chalcone dicarboxylic acid: New topological characters and initial catalytic properties. **2022**, 543, 121166 0
- 92 Self-healing Mixed Matrix Membranes Containing Metal-Organic Frameworks. 0
- 91 Porous metal-organic frameworks for hydrogen storage. **2022**, 58, 11059-11078 6
- 90 MOF and its application in electrochemistry. **2022**, 219-253 0
- 89 Multivariate zeolitic imidazolate frameworks with an inverting trend in flexibility. 1
- 88 Metal-organic frameworks for detection and adsorptive removal of pesticides. **2022**, 329-340 0
- 87 Rational synthesis of a pyridyl-imidazoquinazoline based multifunctional 3D Zn(ii)-MOF: structure, luminescence, selective and sensitive detection of Al³⁺ and TNP, and its semiconducting device application. **2022**, 51, 13749-13761 1
- 86 Pervaporation Polyvinyl Alcohol Membranes Modified with Zr-Based Metal Organic Frameworks for Isopropanol Dehydration. **2022**, 12, 908 1
- 85 Reversible hydrogen storage capacity of vanadium decorated small boron clusters (B_nV₂, n=6-10): A dispersion corrected density functional study. **2022**, 113899 0
- 84 Challenges to developing materials for the transport and storage of hydrogen. **2022**, 14, 1214-1223 5
- 83 Crystallographic Mapping and Tuning of Water Adsorption in Metal-Organic Frameworks Featuring Distinct Open Metal Sites. **2022**, 144, 19567-19575 1
- 82 Quantum chemical simulation of hydrogen adsorption in pores: A study by DFT, SAPT0 and IGM methods. **2022**, 12, 363-372 0
- 81 A Review on Cyanide Gas Elimination Methods and Materials. **2022**, 27, 7125 1
- 80 Impact of Loading-Dependent Intrinsic Framework Flexibility on Adsorption in UiO-66. **2022**, 126, 17699-17711 0
- 79 SYNTHESIS OF COBALT AND NICKEL COORDINATION POLYMERS COMPOSED OF 1,3-ADAMANTANEDICARBOXYLATE AND BIS(4-(1H-IMIDAZOL-1-YL)PHENYL) METHANONE LIGANDS. **2022**, 63, 1610-1615 0

78	Polymorphism and Perfection in Crystallization of Hard Sphere Polymers. 2022 , 14, 4435	0
77	A review of formic acid decomposition routes on transition metals for its potential use as a liquid H ₂ carrier.	0
76	Computational Characterization of Adsorptive Desulfurization Using Metal-Organic Frameworks.	0
75	Scalable Mechanochemical Synthesis of β -Ketoenamine-linked Covalent Organic Frameworks for Methane Storage.	0
74	Graphene-Based Metal-Organic Framework Hybrids for Applications in Catalysis, Environmental, and Energy Technologies.	5
73	Prediction of Multiple Hydrogen Ligation at a Vanadium(II) Site in a Metal-Organic Framework. 10471-10478	2
72	Solution Atomic Layer Deposition of Smooth, Continuous, Crystalline Metal-Organic Framework Thin Films.	0
71	Hydrogen storage in graphene nanoplatelet incorporated silicon oxycarbides.	0
70	High performance proton exchange membranes with double proton conduction pathways by introducing MOF impregnated with protic ionic liquid into SPEEK. 2022 , 346, 112314	1
69	Quantitative evaluation of human carboxylesterase 1 by SERS-ELISA using a synergistic enhancement strategy based on gold nanoparticles and metal-organic framework. 2022 , 183, 108114	0
68	Metal-organic frameworks-based broad-spectrum sensor for total tetracycline antibiotics assay. 2022 , 208, 110887	0
67	Hydrogen trapping potential of a few novel molecular clusters and ions. 2023 , 297-312	0
66	Ultra High Reversible Hydrogen Storage Capacity of Li ₄ B ₂ Cluster: A Quantum Chemical Study.	0
65	Hydrogen Storage in Porous Cages.	0
64	Superdense state of the monolayer hydrogen on adsorbent under liquefied temperature. 2022 ,	0
63	Design and Synthesis of Urazole Derivatives via Ring Closing Metathesis. 2022 , 7,	0
62	The role of storage systems in hydrogen economy: A review. 2022 , 108, 104843	3
61	Climate change adaptation with energy resilience in energy districts—state-of-the-art review. 2022 , 112649	1

- 60 Folic acid grafted aminated zeolitic imidazolate framework (ZIF-8) as pH responsive drug carrier for targeted delivery of curcumin. **2023**, 79, 104098 ○
- 59 Advances in metal-organic framework-based hydrogel materials: preparation, properties and applications. ○
- 58 Rapid synthesis of bismuth-organic frameworks as selective antimicrobial materials against microbial biofilms. **2023**, 18, 100507 ○
- 57 Fabrication of a parallel interpenetrating 2D hydrogen-bonded zig-zag Zn(II) coordination polymer: Characterization and band gap study. **2023**, 1276, 134682 ○
- 56 Innovative Electrochemical Strategies for Hydrogen Production: From Electricity Input to Electricity Output. ○
- 55 Selective Separation of Hazardous Chemicals from Vapor phase by an Easily Accessible Breathing Coordination Polymer Derived from Terpyridyl/terephthalate Mixed Ligands. ○
- 54 Innovative Electrochemical Strategies for Hydrogen Production: From Electricity Input to Electricity Output. ○
- 53 TiO₂ nanoparticle-supported Ni catalyst for the dehydrogenation of hydrazine hydrate. **2022**, 137608 ○
- 52 Controversy on the ferroelectricity in metal formate frameworks. **2022**, 62, ○
- 51 Selective Low-Level Detection of a Perilous Nitroaromatic Compound Using Tailor-Made Cd(II)-Based Coordination Polymers: Study of Photophysical Properties and Effect of Functional Groups. 1
- 50 Hydrogen storage in liquid hydrogen carriers: recent activities and new trends. ○
- 49 Optimizing iodine capture performance by metal-organic framework containing with bipyridine units. 1
- 48 A review of research and application of polylactic acid composites. 1
- 47 Review on Metal-Organic Framework Classification, Synthetic Approaches, and Influencing Factors: Applications in Energy, Drug Delivery, and Wastewater Treatment. **2022**, 7, 44507-44531 2
- 46 Charge transfer in metal-organic frameworks. ○
- 45 Enhanced reversibility of fluorine substituted bis-BN cyclohexane for hydrogen storage: A first-principles approach. **2023**, ○
- 44 Effects of MOF linker rotation and functionalization on methane uptake and diffusion. ○
- 43 Prediction of hydrogen uptake of metal organic frameworks using explainable machine learning. **2023**, 100230 ○

- 42 Recent advances in membrane-based materials for desalination and gas separation. **2023**, 387, 135845 1
- 41 Revisiting Competitive Adsorption of Small Molecules in the Metal-Organic Framework Ni-MOF-74. **2023**, 62, 950-956 0
- 40 Biomedically-relevant Metal Organic Framework-Hydrogel Composites. 0
- 39 MOFs Containing Solid-State Electrolytes for Batteries. 2206887 0
- 38 Designing a New Method for Growing of Metal-Organic Framework (MOF) on MOF: Synthesis, Characterization and Catalytic Application. 0
- 37 An imidazole based luminescent Zn (II) metal-organic framework for sensing of nitroaromatic explosives. **2023**, 549, 121409 0
- 36 Progress on nano-scaled alloys and mixed metal oxides in solid-state hydrogen storage; an overview. **2023**, 61, 106722 0
- 35 Extracting Metal-Organic Frameworks Data from the Cambridge Structural Database. **2023**, 201-232 0
- 34 Industrialization of MOFs. **2023**, 307-325 0
- 33 Local eutectic combined with surface functional treatment: An efficient strategy to lower desorption temperature of bulk magnesium-based hydride. **2023**, 465, 142836 0
- 32 Transition from chemisorption to physisorption of H₂ on Ti functionalized [2,2,2]paracyclophane: A computational search for hydrogen storage. **2023**, 63, 106951 0
- 31 Progress on fundamentals of adsorption transport of metal-organic frameworks materials and sustainable applications for water harvesting and carbon capture. **2023**, 393, 136253 0
- 30 A rapid self-healing glassy polymer/metal-organic-framework hybrid membrane at room temperature. **2023**, 52, 3148-3157 0
- 29 Polar Acylamide Functionalized Porous Cu-MOFs for Sustainable and Selective Carbon Dioxide Sorption and Separation at Ambient and High Pressure. **2023**, 23, 1860-1867 0
- 28 A Simple, Transition Metal Catalyst-Free Method for the Design of Complex Organic Building Blocks Used to Construct Porous Metal-Organic Frameworks. **2023**, 135, 0
- 27 A Simple, Transition Metal Catalyst-Free Method for the Design of Complex Organic Building Blocks Used to Construct Porous Metal-Organic Frameworks. **2023**, 62, 0
- 26 Research on Improved MOF Materials Modified by Functional Groups for Purification of Water. **2023**, 28, 2141 0
- 25 N-Containing Carbons Derived from Microporous Coordination Polymers for Use in Post-Combustion Flue Gas Capture. 2212283 0

- 24 Bismuth Coordination Polymers with Fluorinated Linkers: Aqueous Stability, Bivolatility, and Adsorptive Behavior. **2023**, 8, 10476-10486 1
- 23 High-efficiency catalysis of nitrogen-rich metal-organic frameworks and their derivatives for the thermal decomposition of ammonium perchlorate. **2023**, 4, 37-43 0
- 22 Switching of Guest Selectivity for the Inclusion of Regioisomers of Monosubstituted Phenols with Crystals of p-tert-Butylcalix[4]arene. 0
- 21 Machine learning accelerates the investigation of targeted MOFs: Performance prediction, rational design and intelligent synthesis. **2023**, 49, 101802 0
- 20 Impact of Ligands on the Properties of Lanthanide Metal-Organic Frameworks. **2023**, 649, 0
- 19 Doping and Structure-Promoted Destabilization of NaBH₄ Nanocubes for Hydrogen Storage. **2023**, 6, 4178-4189 0
- 18 Formation of Gold Nanoclusters from Goldcarbonyl Chloride inside the Metal-Organic Framework HKUST-1. **2023**, 28, 2716 0
- 17 AgBTC MOF-Mediated Approach to Synthesize Silver Nanoparticles Decorated on Reduced Graphene Oxide (rGO@Ag) for Energy Storage Applications. 0
- 16 Cd(II) complexes derived from thiazoline, hydrazide and carbodithioate ligands: synthesis, crystal structures and electrochemical sensing of uric acid. **2023**, 37, 0
- 15 Metal-organic frameworks: Synthetic methods for industrial production. 0
- 14 Supramolecular Coordination Chemistry. **2023**, 121-138 0
- 13 Pyrene based Schiff base ligand: A highly selective fluorescence chemosensor for the detection of Cu²⁺ ions. **2023**, 100, 100985 0
- 12 Aluminum-based metal-organic framework support metal(II)-hydride as catalyst for the hydrogenation of carbon dioxide to formic acid: A computational study. **2023**, 541, 113116 0
- 11 Reversible hydrogen storage in Li-functionalized [2,2,2]paracyclophane at cryogenic to room temperatures: A computational quest. 0
- 10 Interaction of Atomic Deuterium with Rutile TiO₂(011)-(211). **2023**, 127, 6723-6732 0
- 9 Post-Synthetic Cyano-ferrate(II) Functionalization of a Metal-Organic Framework, NU-1000. **2023**, 39, 4936-4942 0
- 8 Establishing gas transport highways in MOF-based mixed matrix membranes. **2023**, 9, 0
- 7 UV-blocking and light-responsive poly(ϵ -caprolactone)/ZIF-8 multifunctional composite films for efficient antibacterial activities. 0

- 6 Fluorescent metal-organic frameworks for analytical applications. **2023**, 339-374 ○
- 5 Ortho Effects of Tricarboxylate Linkers in Regulating Topologies of Rare-Earth Metal-Organic Frameworks. **2023**, 3, 1337-1347 ○
- 4 Synthetic, spectral, structural and catalytic activities of 3-D metal formate/acetate framework materials for CO₂ conversion. ○
- 3 Polymers for Reversible Hydrogen Storage Inspired by Electrode-active Materials in Organic Batteries. **2022**, 25, 1-9 ○
- 2 UiO-66-NH₂: a recyclable and efficient sorbent for dispersive solid-phase extraction of fluorinated aromatic carboxylic acids from aqueous matrices. ○
- 1 ANALYSIS OF TiFe INTERMETALLIC COMPOUND BY DFT. ○