Supercritical Processing as a Route to High Internal Sur Microporosity in Metalâ^'Organic Framework Materials

Journal of the American Chemical Society 131, 458-460 DOI: 10.1021/ja808853q

Citation Report

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 7 | Freeze Drying Significantly Increases Permanent Porosity and Hydrogen Uptake in 4,4 onnected Metal–Organic Frameworks. Angewandte Chemie - International Edition, 2009, 48, 9905-9908. | 13.8 | 203 |
| 8 | Potential applications of metal-organic frameworks. Coordination Chemistry Reviews, 2009, 253, 3042-3066. | 18.8 | 1,422 |
| 9 | Improving pore performance. Nature Chemistry, 2009, 1, 26-27. | 13.6 | 68 |
| 10 | Adsorption of CO2 on Coll3[CollI(CN)6]2 using DRIFTS. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2009, 74, 629-634. | 3.9 | 13 |
| 11 | Strategies for Characterization of Large-Pore Metal-Organic Frameworks by Combined Experimental and Computational Methods. Chemistry of Materials, 2009, 21, 4768-4777. | 6.7 | 68 |
| 12 | Metal–organic framework (MOF) aerogels with high micro- and macroporosity. Chemical Communications, 2009, , 6056. | 4.1 | 248 |
| 13 | New Prototype Isoreticular Metalâ^'Organic Framework Zn ₄ O(FMA) ₃ for Gas Storage. Inorganic Chemistry, 2009, 48, 4649-4651. | 4.0 | 72 |
| 14 | Stabilization of Metalâ``Organic Frameworks with High Surface Areas by the Incorporation of Mesocavities with Microwindows. Journal of the American Chemical Society, 2009, 131, 9186-9188. | 13.7 | 316 |
| 15 | Highly Porous Metal-Organic Framework Containing a Novel Organosilicon Linker â^' A Promising Material for Hydrogen Storage. Inorganic Chemistry, 2009, 48, 6559-6565. | 4.0 | 60 |
| 16 | Predicting microporous crystalline polyimides. CrystEngComm, 2009, 11, 1819. | 2.6 | 32 |
| 17 | A Framework for Predicting Surface Areas in Microporous Coordination Polymers. Langmuir, 2010, 26, 5808-5814. | 3.5 | 63 |
| 18 | Functionalized graphene and graphene oxide solution via polyacrylate coating. Nanoscale, 2010, 2, 2777. | 5.6 | 71 |
| 19 | Control over Catenation in Metalâ~'Organic Frameworks via Rational Design of the Organic Building Block. Journal of the American Chemical Society, 2010, 132, 950-952. | 13.7 | 344 |
| 20 | Hydrogen Storage on Carbon-Based Adsorbents and Storage at Ambient Temperature by Hydrogen Spillover. Catalysis Reviews - Science and Engineering, 2010, 52, 411-461. | 12.9 | 139 |
| 21 | [Cu4OCl6(DABCO)2]·0.5DABCO·4CH3OH ("MFU-5â€): Modular synthesis of a zeolite-like metal-organic framework constructed from tetrahedral {Cu4OCl6} secondary building units and linear organic linkers. Journal of Solid State Chemistry, 2010, 183, 208-217. | 2.9 | 17 |
| 22 | Designing Heterogeneous Catalysts by Incorporating Enzyme-Like Functionalities into MOFs. Topics in Catalysis, 2010, 53, 859-868. | 2.8 | 73 |
| 23 | Synthesis, Structure, Characterization, and Redox Properties of the Porous MILâ€68(Fe) Solid. European Journal of Inorganic Chemistry, 2010, 2010, 3789-3794. | 2.0 | 191 |
| 24 | Flexibility and Sorption Selectivity in Rigid Metal–Organic Frameworks: The Impact of Etherâ€Functionalised Linkers. Chemistry - A European Journal, 2010, 16, 14296-14306. | 3.3 | 128 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 27 | An Isoreticular Series of Metal–Organic Frameworks with Dendritic Hexacarboxylate Ligands and Exceptionally High Gasâ€Uptake Capacity. Angewandte Chemie - International Edition, 2010, 49, 5357-5361. | 13.8 | 677 |
| 28 | A Highly Porous Metal–Organic Framework with Open Nickel Sites. Angewandte Chemie - International Edition, 2010, 49, 8489-8492. | 13.8 | 149 |
| 29 | Porosity tuning of carborane-based metal–organic frameworks (MOFs) via coordination chemistry and ligand design. Inorganica Chimica Acta, 2010, 364, 266-271. | 2.4 | 64 |
| 30 | Synthesis of COF-5 using microwave irradiation and conventional solvothermal routes. Microporous and Mesoporous Materials, 2010, 132, 132-136. | 4.4 | 93 |
| 31 | Facile preparation of high-capacity hydrogen storage metal-organic frameworks: A combination of microwave-assisted solvothermal synthesis and supercritical activation. Chemical Engineering Science, 2010, 65, 3140-3146. | 3.8 | 81 |
| 32 | A series of isoreticular chiral metal–organic frameworks as a tunable platform for asymmetric catalysis. Nature Chemistry, 2010, 2, 838-846. | 13.6 | 813 |
| 33 | De novo synthesis of a metal–organic framework material featuring ultrahigh surface area and gas storage capacities. Nature Chemistry, 2010, 2, 944-948. | 13.6 | 1,535 |
| 35 | Methane adsorption in several series of newly synthesised metal-organic frameworks: a molecular simulation study. Molecular Simulation, 2010, 36, 682-692. | 2.0 | 12 |
| 36 | Rational Design, Synthesis, Purification, and Activation of Metalâ^'Organic Framework Materials. Accounts of Chemical Research, 2010, 43, 1166-1175. | 15.6 | 1,259 |
| 37 | Concentration-Driven Evolution of Crystal Structure, Pore Characteristics, and Hydrogen Storage Capacity of Metal Organic Framework-5s: Experimental and Computational Studies. Chemistry of Materials, 2010, 22, 6138-6145. | 6.7 | 18 |
| 38 | Structural Analysis and Thermal Behavior of Pore Networks in High-Surface-Area Metalâ`'Organic Framework. Journal of Physical Chemistry C, 2010, 114, 7014-7020. | 3.1 | 21 |
| 39 | Multiscale simulation and modelling of adsorptive processes for energy gas storage and carbon dioxide capture in porous coordination frameworks. Energy and Environmental Science, 2010, 3, 1469. | 30.8 | 138 |
| 40 | Functionalization of UiO-66 Metalâ^'Organic Framework and Highly Cross-Linked Polystyrene with Cr(CO) ₃ : In Situ Formation, Stability, and Photoreactivity. Chemistry of Materials, 2010, 22, 4602-4611. | 6.7 | 120 |
| 41 | Introduction of cavities up to 4 nm into a hierarchically-assembled metal–organic framework using an angular, tetratopic ligand. Chemical Communications, 2010, 46, 5223. | 4.1 | 39 |
| 42 | Adsorption Mechanism and Uptake of Methane in Covalent Organic Frameworks: Theory and Experiment. Journal of Physical Chemistry A, 2010, 114, 10824-10833. | 2.5 | 177 |
| 43 | Porous Coordination Polymers of Transition Metal Sulfides with PtS Topology Built on a Semirigid Tetrahedral Linker. Inorganic Chemistry, 2010, 49, 7685-7691. | 4.0 | 48 |
| 44 | Grand-Canonical Monte Carlo and Molecular-Dynamics Simulations of Carbon-Dioxide and Carbon-Monoxide Adsorption in Zeolitic Imidazolate Framework Materials. Journal of Physical Chemistry C, 2010, 114, 2171-2178. | 3.1 | 83 |
| 45 | Ultrahigh Porosity in Metal-Organic Frameworks. Science, 2010, 329, 424-428. | 12.6 | 3,306 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 46 | Rational synthesis of a microporous metal–organic framework with PtS topology using a semi-rigid tetrahedral linker. CrystEngComm, 2010, 12, 2008. | 2.6 | 38 |
| 47 | Interaction of Molecular Hydrogen with Microporous Metal Organic Framework Materials at Room Temperature. Journal of the American Chemical Society, 2010, 132, 1654-1664. | 13.7 | 88 |
| 48 | Microporous La(III) Metalâ^'Organic Framework Using a Semirigid Tricarboxylic Ligand: Synthesis, Single-Crystal to Single-Crystal Sorption Properties, and Gas Adsorption Studies. Crystal Growth and Design, 2010, 10, 3410-3417. | 3.0 | 68 |
| 49 | Metal–organic frameworks with designed chiral recognition sites. Chemical Communications, 2010, 46, 4911. | 4.1 | 82 |
| 50 | A Porous Metalâ^'Organic Replica of α-PbO ₂ for Capture of Nerve Agent Surrogate. Journal of the American Chemical Society, 2010, 132, 17996-17999. | 13.7 | 66 |
| 51 | Predicting crystalline polyamic acids as precursors to porous polyimides. CrystEngComm, 2010, 12, 2315. | 2.6 | 9 |
| 52 | Synthesis and Stability of Tagged UiO-66 Zr-MOFs. Chemistry of Materials, 2010, 22, 6632-6640. | 6.7 | 1,547 |
| 53 | Mechanochemical Synthesis of Metalâ~'Organic Frameworks: A Fast and Facile Approach toward Quantitative Yields and High Specific Surface Areas. Chemistry of Materials, 2010, 22, 5216-5221. | 6.7 | 445 |
| 54 | Metal organic gels (MOGs): a new class of sorbents for CO2 separation applications. Journal of Materials Chemistry, 2010, 20, 7623. | 6.7 | 80 |
| 55 | Gas-Induced Expansion and Contraction of a Fluorinated Metalâ^'Organic Framework. Crystal Growth and Design, 2010, 10, 1037-1039. | 3.0 | 152 |
| 56 | Topologies of Metalâ^'Organic Frameworks Based on Pyrimidine-5-carboxylate and Unexpected Gas-Sorption Selectivity for CO ₂ . Inorganic Chemistry, 2010, 49, 10833-10839. | 4.0 | 35 |
| 57 | X-ray absorption spectroscopies: useful tools to understand metallorganic frameworks structure and reactivity. Chemical Society Reviews, 2010, 39, 4885. | 38.1 | 130 |
| 58 | Architecture of europium complexes with sulfobenzenedicarboxylates. CrystEngComm, 2010, 12, 3145. | 2.6 | 30 |
| 59 | Monitoring the Activation Process of the Giant Pore MIL-100(Al) by Solid State NMR. Journal of Physical Chemistry C, 2011, 115, 17934-17944. | 3.1 | 70 |
| 60 | High-Pressure in Situ ¹²⁹ Xe NMR Spectroscopy and Computer Simulations of Breathing Transitions in the Metal–Organic Framework Ni ₂ (2,6-ndc) ₂ (dabco) (DUT-8(Ni)). Journal of the American Chemical Society, 2011, 133, 8681-8690. | 13.7 | 113 |
| 61 | A General Thermolabile Protecting Group Strategy for Organocatalytic Metalâ^'Organic Frameworks. Journal of the American Chemical Society, 2011, 133, 5806-5809. | 13.7 | 307 |
| 62 | Characterisation of porous hydrogen storage materials: carbons, zeolites, MOFs and PIMs. Faraday Discussions, 2011, 151, 75. | 3.2 | 75 |
| 63 | Porous metal–organic frameworks as platforms for functional applications. Chemical Communications, 2011, 47, 3351. | 4.1 | 798 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 64 | Aromatic, microporous polymer networks with high surface area generated in Friedel–Crafts-type polycondensations. Polymer Chemistry, 2011, 2, 2186. | 3.9 | 46 |
| 65 | Control of catenation in CuTATB-n metal–organic frameworks by sonochemical synthesis and its effect on CO2 adsorption. Journal of Materials Chemistry, 2011, 21, 3070. | 6.7 | 225 |
| 66 | Selective CO2 adsorption in a flexible non-interpenetrated metal–organic framework. Chemical Communications, 2011, 47, 4258. | 4.1 | 129 |
| 67 | Pore with gate: modulating hydrogen storage in metal-organic framework materials via cation exchange. Faraday Discussions, 2011, 151, 19. | 3.2 | 48 |
| 68 | Porous organic molecular solids by dynamic covalent scrambling. Nature Communications, 2011, 2, 207. | 12.8 | 155 |
| 69 | Asymmetric Catalysis with Chiral Porous Metal–Organic Frameworks: Critical Issues. Journal of Physical Chemistry Letters, 2011, 2, 1701-1709. | 4.6 | 125 |
| 70 | A non-interpenetrated porous metal–organic framework with high gas-uptake capacity. Chemical Communications, 2011, 47, 9861. | 4.1 | 106 |
| 71 | Reconciling the Discrepancies between Crystallographic Porosity and Guest Access As Exemplified by Zn-HKUST-1. Journal of the American Chemical Society, 2011, 133, 18257-18263. | 13.7 | 195 |
| 72 | The current status of hydrogen storage in metal–organic frameworks—updated. Energy and Environmental Science, 2011, 4, 2721. | 30.8 | 429 |
| 73 | Hydrogen Uptake by {H[Mg(HCOO) ₃]âŠfNHMe ₂ } _{â^ž} and Determination of Its H ₂ Adsorption Sites through Monte Carlo Simulations. Langmuir, 2011, 27, 10124-10131. | 3.5 | 21 |
| 74 | Post-Synthesis Modification of a Metal–Organic Framework To Form Metallosalen-Containing MOF Materials. Journal of the American Chemical Society, 2011, 133, 13252-13255. | 13.7 | 243 |
| 75 | Disclosing the Complex Structure of UiO-66 Metal Organic Framework: A Synergic Combination of Experiment and Theory. Chemistry of Materials, 2011, 23, 1700-1718. | 6.7 | 1,420 |
| 76 | Complete Series of Monohalogenated Isoreticular Metal–Organic Frameworks: Synthesis and the Importance of Activation Method. Crystal Growth and Design, 2011, 11, 4309-4312. | 3.0 | 53 |
| 77 | Active-Site-Accessible, Porphyrinic Metalâ^'Organic Framework Materials. Journal of the American Chemical Society, 2011, 133, 5652-5655. | 13.7 | 415 |
| 78 | Selective Surface and Near-Surface Modification of a Noncatenated, Catalytically Active Metal-Organic Framework Material Based on Mn(salen) Struts. Inorganic Chemistry, 2011, 50, 3174-3176. | 4.0 | 111 |
| 79 | A highly porous flexible Metal–Organic Framework with corundum topology. Chemical Communications, 2011, 47, 490-492. | 4.1 | 57 |
| 80 | Synthesis of MOF having functional side group. Inorganica Chimica Acta, 2011, 370, 76-81. | 2.4 | 14 |
| 82 | Coordination Chemistry of Thiazole-Based Ligands: New Complexes Generating 3D Hydrogen-Bonded Architectures. European Journal of Inorganic Chemistry, 2011, 2011, 539-548. | 2.0 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 84 | Metal–Organic Framework Nanospheres with Wellâ€Ordered Mesopores Synthesized in an Ionic Liquid/CO ₂ /Surfactant System. Angewandte Chemie - International Edition, 2011, 50, 636-639. | 13.8 | 280 |
| 85 | A Highly Porous Metal–Organic Framework: Structural Transformations of a Guestâ€Free MOF Depending on Activation Method and Temperature. Chemistry - A European Journal, 2011, 17, 7251-7260. | 3.3 | 145 |
| 86 | Flexible Metal–Organic Framework with Hydrophobic Pores. Chemistry - A European Journal, 2011, 17, 13653-13656. | 3.3 | 56 |
| 87 | Synthesis, structure and properties of microporous metal–organic frameworks constructed from Ni(II)/Cd(II), Tpt and H4bpta. Inorganic Chemistry Communication, 2011, 14, 1082-1085. | 3.9 | 18 |
| 88 | Reverse shape selectivity in the adsorption of hexane and xylene isomers in MOF UiO-66. Microporous and Mesoporous Materials, 2011, 139, 67-73. | 4.4 | 257 |
| 89 | Solid-State NMR Spectroscopy of Metal–Organic Framework Compounds (MOFs). Materials, 2012, 5, 2537-2572. | 2.9 | 130 |
| 90 | Fine-tuning the balance between crystallization and gelation and enhancement of CO2 uptake on functionalized calcium based MOFs and metallogels. Journal of Materials Chemistry, 2012, 22, 14951. | 6.7 | 75 |
| 91 | Giant metal–organic frameworks with bulky scaffolds: from microporous to mesoporous functional materials. Dalton Transactions, 2012, 41, 5437. | 3.3 | 42 |
| 92 | Improving comparability of hydrogen storage capacities ofÂnanoporous materials. International Journal of Hydrogen Energy, 2012, 37, 2728-2736. | 7.1 | 22 |
| 93 | Oxozinc carboxylates: a predesigned platform for modelling prototypical Zn-MOFs' reactivity toward water and donor solvents. Chemical Communications, 2012, 48, 7362. | 4.1 | 28 |
| 94 | Structural diversity and properties of coordination polymers built from a semi-rigid tetradentenate carboxylic acid. CrystEngComm, 2012, 14, 824-831. | 2.6 | 22 |
| 95 | Metal–Organic Framework Materials with Ultrahigh Surface Areas: Is the Sky the Limit?. Journal of the American Chemical Society, 2012, 134, 15016-15021. | 13.7 | 1,497 |
| 96 | Tuning MOF Stability and Porosity via Adding Rigid Pillars. Inorganic Chemistry, 2012, 51, 9649-9654. | 4.0 | 79 |
| 97 | Porosity in metal–organic frameworks following thermolytic postsynthetic deprotection: gas sorption, dye uptake and covalent derivatisation. CrystEngComm, 2012, 14, 5701. | 2.6 | 32 |
| 98 | Robust Metal–Organic Framework with An Octatopic Ligand for Gas Adsorption and Separation: Combined Characterization by Experiments and Molecular Simulation. Chemistry of Materials, 2012, 24, 18-25. | 6.7 | 88 |
| 99 | Progress in adsorption-based CO ₂ capture by metal–organic frameworks. Chemical Society Reviews, 2012, 41, 2308-2322. | 38.1 | 1,205 |
| 100 | Cytotoxicity and slow release of the anti-cancer drug doxorubicin from ZIF-8. RSC Advances, 2012, 2, 9437. | 3.6 | 247 |
| 101 | Comparative Study of Activation Methods on Tuning Gas Sorption Properties of a Metal–Organic Framework with Nanosized Ligands, Inorganic Chemistry, 2012, 51, 11232-11234 | 4.0 | 51 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 103 | Magnesium Nanocrystals Embedded in a Metal–Organic Framework: Hybrid Hydrogen Storage with Synergistic Effect on Physi―and Chemisorption. Angewandte Chemie - International Edition, 2012, 51, 9814-9817. | 13.8 | 141 |
| 104 | Exceptional surface area from coordination copolymers derived from two linear linkers of differing lengths. Chemical Science, 2012, 3, 2429. | 7.4 | 63 |
| 105 | Metal-adeninate vertices for the construction of an exceptionally porous metal-organic framework. Nature Communications, 2012, 3, 604. | 12.8 | 356 |
| 106 | Photolabile protecting groups in metal–organic frameworks: preventing interpenetration and masking functional groups. Chemical Communications, 2012, 48, 1574-1576. | 4.1 | 77 |
| 107 | Designing Higher Surface Area Metal–Organic Frameworks: Are Triple Bonds Better Than Phenyls?. Journal of the American Chemical Society, 2012, 134, 9860-9863. | 13.7 | 198 |
| 108 | The effect of carboxylate and N,N′-ditopic ligand lengths on the structures of copper and zinc coordination polymers. CrystEngComm, 2012, 14, 3658. | 2.6 | 46 |
| 109 | Non-interpenetrated IRMOF-8: synthesis, activation, and gas sorption. Chemical Communications, 2012, 48, 9828. | 4.1 | 49 |
| 110 | High H ₂ Uptake in Li-, Na-, K-Metalated Covalent Organic Frameworks and Metal Organic Frameworks at 298 K. Journal of Physical Chemistry A, 2012, 116, 1621-1631. | 2.5 | 72 |
| 111 | Systematic morphology and phase control of Mg-ptcda coordination polymers by Ostwald ripening and self-templating. Journal of Materials Chemistry, 2012, 22, 8470. | 6.7 | 23 |
| 112 | Postsynthetic Methods for the Functionalization of Metal–Organic Frameworks. Chemical Reviews, 2012, 112, 970-1000. | 47.7 | 1,986 |
| 113 | Hydrogen Storage in Metal–Organic Frameworks. Chemical Reviews, 2012, 112, 782-835. | 47.7 | 3,283 |
| 114 | Post-Synthetic Modifications of Framework Metal Ions in Isostructural Metal–Organic Frameworks: Core–Shell Heterostructures via Selective Transmetalations. Chemistry of Materials, 2012, 24, 3065-3073. | 6.7 | 192 |
| 115 | Mesoporous metal–organic framework materials. Chemical Society Reviews, 2012, 41, 1677-1695. | 38.1 | 830 |
| 116 | Permanent Porous Materials from Discrete Organic Molecules—Towards Ultraâ€High Surface Areas. Chemistry - A European Journal, 2012, 18, 10082-10091. | 3.3 | 201 |
| 117 | A robust microporous metal–organic framework constructed from a flexible organic linker for acetylene storage at ambient temperature. Journal of Materials Chemistry, 2012, 22, 10195. | 6.7 | 55 |
| 119 | Molecular Organic Crystals: From Barely Porous to Really Porous. Angewandte Chemie - International Edition, 2012, 51, 7892-7894. | 13.8 | 81 |
| 120 | A Guestâ€Dependent Approach to Retain Permanent Pores in Flexible Metal–Organic Frameworks by Cation Exchange. Chemistry - A European Journal, 2012, 18, 7896-7902. | 3.3 | 66 |
| 121 | Vertex-directed self-assembly of a high symmetry supermolecular building block using a custom-designed porphyrin. Chemical Science, 2012, 3, 2823. | 7.4 | 92 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 122 | Homochiral Metal–Organic Frameworks for Asymmetric Heterogeneous Catalysis. Chemical Reviews, 2012, 112, 1196-1231. | 47.7 | 2,699 |
| 123 | Structure–activity relationships of simple molecules adsorbed on CPO-27-Ni metal–organic framework: In situ experiments vs. theory. Catalysis Today, 2012, 182, 67-79. | 4.4 | 67 |
| 124 | Lithium doping on metal-organic frameworks for enhancing H2 Storage. International Journal of Hydrogen Energy, 2012, 37, 946-950. | 7.1 | 64 |
| 125 | Amino-modified MIL-68(In) with enhanced hydrogen and carbon dioxide sorption enthalpy. Microporous and Mesoporous Materials, 2012, 157, 75-81. | 4.4 | 88 |
| 126 | A porous layered metal-organic framework from π–π-stacking of layers based on a Co6 building unit. Microporous and Mesoporous Materials, 2012, 157, 24-32. | 4.4 | 9 |
| 127 | Large scale fluorine-free synthesis of hierarchically porous iron(III) trimesate MIL-100(Fe) with a zeolite MTN topology. Microporous and Mesoporous Materials, 2012, 157, 137-145. | 4.4 | 305 |
| 128 | Supercritical fluids in fuel cell research and development. Journal of Supercritical Fluids, 2012, 62, 1-31. | 3.2 | 45 |
| 129 | Synthesis of nanostructured materials using supercritical CO2: Part I. Physical transformations. Journal of Materials Science, 2012, 47, 2995-3025. | 3.7 | 115 |
| 130 | Hydrogen Storage in Metal-Organic Frameworks. Journal of Inorganic and Organometallic Polymers and Materials, 2013, 23, 270-285. | 3.7 | 65 |
| 131 | High CO ₂ apture Ability of a Porous Organic Polymer Bifunctionalized with Carboxy and Triazole Groups. Chemistry - A European Journal, 2013, 19, 11590-11597. | 3.3 | 130 |
| 132 | Carborane-Based Metal–Organic Framework with High Methane and Hydrogen Storage Capacities. Chemistry of Materials, 2013, 25, 3539-3543. | 6.7 | 115 |
| 133 | Nanostructured Adsorbents for Hydrogen Storage. , 2013, , 137-164. | | 6 |
| 134 | Opening Metal–Organic Frameworks Vol. 2: Inserting Longer Pillars into Pillared-Paddlewheel Structures through Solvent-Assisted Linker Exchange. Chemistry of Materials, 2013, 25, 3499-3503. | 6.7 | 109 |
| 135 | Organosilicon linkers in metal organic frameworks: the tetrahedral tetrakis(4-tetrazolylphenyl)silane ligand. Dalton Transactions, 2013, 42, 13806. | 3.3 | 16 |
| 136 | Metal–Organic Frameworks as A Tunable Platform for Designing Functional Molecular Materials. Journal of the American Chemical Society, 2013, 135, 13222-13234. | 13.7 | 801 |
| 137 | Using hinged ligands to target structurally flexible copper(ii) MOFs. CrystEngComm, 2013, 15, 9663. | 2.6 | 27 |
| 138 | A Porous Metal–Organic Framework Constructed from Carboxylate–Pyrazolate Shared Heptanuclear Zinc Clusters: Synthesis, Gas Adsorption, and Guest-Dependent Luminescent Properties. Inorganic Chemistry, 2013, 52, 10368-10374. | 4.0 | 82 |
| 139 | An rht type metal–organic framework based on small cubicuboctahedron supermolecular building blocks and its gas adsorption properties. New Journal of Chemistry, 2013, 37, 3662. | 2.8 | 21 |

| | | CITATION REPORT | | |
|-----|---|----------------------------------|-----------------|-----------|
| # | ARTICLE | 85 | IF 12.6 | CITATIONS |
| 140 | Mapping of Functional Gloups in Metal-Organic Hameworks. Science, 2013, 341, 882-6 | | 12.0 | 411 |
| 141 | Hydrogen and methane storage in ultrahigh surface area Metal–Organic Frameworks. and Mesoporous Materials, 2013, 182, 185-190. | Microporous | 4.4 | 36 |
| 142 | Nanostructured adsorbents for hydrogen storage at ambient temperature: high-pressure measurements and factors influencing hydrogen spillover. RSC Advances, 2013, 3, 2393 | 5. | 3.6 | 35 |
| 143 | Activation of metal–organic framework materials. CrystEngComm, 2013, 15, 9258. | | 2.6 | 239 |
| 144 | Carbothermal Reduction of Ti-Modified IRMOF-3: An Adaptable Synthetic Method to Sup Nanoparticles on Carbon. ACS Applied Materials & Interfaces, 2013, 5, 11479-1148 | port Catalytic 7. | 8.0 | 63 |
| 145 | Enhanced Catalytic Activity through the Tuning of Micropore Environment and Supercrit CO ₂ Processing: Al(Porphyrin)-Based Porous Organic Polymers for the Degr Nerve Agent Simulant. Journal of the American Chemical Society, 2013, 135, 11720-117 | ical adation of a 23. | 13.7 | 147 |
| 146 | Hybrid Bimetallic Metal–Organic Frameworks: Modulation of the Framework Stability a CO ₂ Uptake Capacity. Inorganic Chemistry, 2013, 52, 10869-10876. | and Ultralarge | 4.0 | 77 |
| 147 | Inclined 1D→2D polycatenation of chiral chains with large π-surfaces. CrystEngComm, | 2013, 15, 8234. | 2.6 | 29 |
| 148 | Wings waving: coordinating solvent-induced structural diversity of new Cu(ii) flexible MC crystal to crystal transformation and gas sorption capability. CrystEngComm, 2013, 15, | DFs with 9513. | 2.6 | 20 |
| 149 | Significant improvement of surface area and CO2 adsorption of Cu–BTC via solvent ex activation. RSC Advances, 2013, 3, 17065. | tchange | 3.6 | 88 |
| 150 | Post-synthetic incorporation of nickel into CPO-27(Mg) to give materials with enhanced porosity. CrystEngComm, 2013, 15, 9779. | permanent | 2.6 | 33 |
| 151 | Synthesis of MOF having hydroxyl functional side groups and optimization of activation the maximization of its BET surface area. Journal of Solid State Chemistry, 2013, 197, 26 | process for 1-265. | 2.9 | 26 |
| 152 | Rapid and enhanced activation of microporous coordination polymers by flowing superce Chemical Communications, 2013, 49, 1419. | ritical CO2. | 4.1 | 63 |
| 153 | A Straight Forward Route for the Development of Metal–Organic Frameworks Function Aromatic â ⁻ 'OH Groups: Synthesis, Characterization, and Gas (N ₂ , Ar, H <su 855-862</su | halized with b>2,) Tj ETQq1 1 | 0.784314 4.0 | rgBT/Over |
| 154 | Metal–Organic Frameworks and Self-Assembled Supramolecular Coordination Comple and Contrasting the Design, Synthesis, and Functionality of Metal–Organic Materials. Reviews, 2013, 113, 734-777. | xes: Comparing Chemical | 47.7 | 2,588 |
| 155 | Gram-scale, high-yield synthesis of a robust metal–organic framework for storing meth gases. Energy and Environmental Science, 2013, 6, 1158. | ane and other | 30.8 | 219 |
| 156 | A novel photochromic calcium-based metal–organic framework derived from a naphth chromophore. Chemical Communications, 2013, 49, 406-408. | alene diimide | 4.1 | 173 |
| 157 | Single-Crystal-to-Single-Crystal Transformation of a Novel 2-Fold Interpenetrated Cadmiu Framework with Trimesate and 1,2-Bis(4-pyridyl)ethane into the Thermally Desolvated Fo Exhibits Liquid and Gas Sorption Properties. Crystal Growth and Design, 2013, 13, 1526- | m-Organic frm Which 1534. | 3.0 | 30 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 158 | Reactivity of Surface Species in Heterogeneous Catalysts Probed by In Situ X-ray Absorption Techniques. Chemical Reviews, 2013, 113, 1736-1850. | 47.7 | 553 |
| 159 | Zn7O2(RCOO)10 Clusters and Nitro Aromatic Linkers in a Porous Metal–Organic Framework. Inorganic Chemistry, 2013, 52, 4124-4126. | 4.0 | 24 |
| 160 | Tailored crystalline microporous materials by post-synthesis modification. Chemical Society Reviews, 2013, 42, 263-290. | 38.1 | 388 |
| 161 | Stepwise Transformation of the Molecular Building Blocks in a Porphyrin-Encapsulating Metal–Organic Material. Journal of the American Chemical Society, 2013, 135, 5982-5985. | 13.7 | 94 |
| 162 | Threeâ€Dimensional Architectures Incorporating Stereoregular Donor–Acceptor Stacks. Chemistry - A European Journal, 2013, 19, 8457-8465. | 3.3 | 28 |
| 163 | Selective isolation of gold facilitated by second-sphere coordination with $\hat{l}\pm$ -cyclodextrin. Nature Communications, 2013, 4, 1855. | 12.8 | 156 |
| 164 | Exploiting High Pressures to Generate Porosity, Polymorphism, And Lattice Expansion in the Nonporous Molecular Framework Zn(CN) ₂ . Journal of the American Chemical Society, 2013, 135, 7621-7628. | 13.7 | 74 |
| 165 | Stepwise Ligand Exchange for the Preparation of a Family of Mesoporous MOFs. Journal of the American Chemical Society, 2013, 135, 11688-11691. | 13.7 | 310 |
| 166 | Porous Lanthanide–Organic Frameworks: Control over Interpenetration, Gas Adsorption, and Catalyst Properties. Crystal Growth and Design, 2013, 13, 3154-3161. | 3.0 | 80 |
| 167 | Thermochemistry of Paddle Wheel MOFs: Cu-HKUST-1 and Zn-HKUST-1. Langmuir, 2013, 29, 8140-8145. | 3.5 | 101 |
| 168 | From discrete molecules to one-dimensional coordination polymers containing Mn(II), Zn(II) or Cd(II) pyridine-2-aldoxime building unit. Polyhedron, 2013, 60, 140-150. | 2.2 | 26 |
| 169 | Synthesis of MOFs. RSC Catalysis Series, 2013, , 9-30. | 0.1 | 7 |
| 170 | Catalysis at the Organic Ligands. RSC Catalysis Series, 2013, , 289-309. | 0.1 | 8 |
| 171 | Improved synthesis and crystal structure of the flexible pillared layer porous coordination polymer: Ni(1,2-bis(4-pyridyl)ethylene)[Ni(CN)4]. CrystEngComm, 2013, 15, 4684. | 2.6 | 22 |
| 172 | Highly porous metal–organic framework sustained with 12-connected nanoscopic octahedra. Dalton Transactions, 2013, 42, 1708-1714. | 3.3 | 61 |
| 173 | NMR study of small molecule adsorption in MOF-74-Mg. Journal of Chemical Physics, 2013, 138, 154704. | 3.0 | 31 |
| 174 | Polyoxometalate anion–i̇́€ interaction-directed assembly of a three-dimensional hydrogen-bonded supramolecular framework with nanoscale porosity. CrystEngComm, 2014, 16, 10530-10533. | 2.6 | 36 |
| 175 | CMP Aerogels: Ultrahigh‧urfaceâ€Area Carbonâ€Based Monolithic Materials with Superb Sorption Performance. Advanced Materials, 2014, 26, 8053-8058. | 21.0 | 125 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 176 | Evolution of an Adenine–Copper Cluster to a Highly Porous Cuboidal Framework: Solutionâ€Phase Ripening and Gasâ€Adsorption Properties. Chemistry - A European Journal, 2014, 20, 12262-12268. | 3.3 | 29 |
| 177 | Framework-solvent interactional mechanism and effect of NMP/DMF on solvothermal synthesis of [Zn4O(BDC)3]8. Transactions of Nonferrous Metals Society of China, 2014, 24, 3722-3731. | 4.2 | 13 |
| 179 | Water Adsorption in Porous Metal–Organic Frameworks and Related Materials. Journal of the American Chemical Society, 2014, 136, 4369-4381. | 13.7 | 2,002 |
| 180 | Metal–organic frameworks based on flexible ligands (FL-MOFs): structures and applications. Chemical Society Reviews, 2014, 43, 5867-5895. | 38.1 | 739 |
| 181 | Synthesis and Characterization of Phosphine-Functionalized Metal–Organic Frameworks Based on MOF-5 and MIL-101 Topologies. Industrial & Engineering Chemistry Research, 2014, 53, 9120-9127. | 3.7 | 35 |
| 182 | Solvothermal synthesis, structures, and gas adsorption properties of two cadmium-organic frameworks. Inorganic Chemistry Communication, 2014, 39, 131-134. | 3.9 | 12 |
| 183 | Thermophysical properties of MOF-5 powders. Microporous and Mesoporous Materials, 2014, 185, 235-244. | 4.4 | 67 |
| 184 | What can pK _a and NBO charges of the ligands tell us about the water and thermal stability of metal organic frameworks?. Journal of Materials Chemistry A, 2014, 2, 16250-16267. | 10.3 | 63 |
| 185 | Supercritical carbon dioxide-assisted drug loading and release from biocompatible porous metal–organic frameworks. Journal of Materials Chemistry B, 2014, 2, 7551-7558. | 5.8 | 45 |
| 186 | A dual approach to tuning the porosity of porous organic polymers: controlling the porogen size and supercritical CO ₂ processing. Chemical Science, 2014, 5, 782-787. | 7.4 | 28 |
| 187 | Computational Design of Metal–Organic Frameworks Based on Stable Zirconium Building Units for Storage and Delivery of Methane. Chemistry of Materials, 2014, 26, 5632-5639. | 6.7 | 191 |
| 188 | Supercritical N ₂ Processing as a Route to the Clean Dehydrogenation of Porous Mg(BH ₄) ₂ . Journal of the American Chemical Society, 2014, 136, 8181-8184. | 13.7 | 24 |
| 189 | Beyond post-synthesis modification: evolution of metal–organic frameworks via building block replacement. Chemical Society Reviews, 2014, 43, 5896-5912. | 38.1 | 721 |
| 190 | Methane storage in metal–organic frameworks. Chemical Society Reviews, 2014, 43, 5657-5678. | 38.1 | 1,449 |
| 191 | Ultramicroporous MOF with High Concentration of Vacant Cu ^{II} Sites. Chemistry of Materials, 2014, 26, 4640-4646. | 6.7 | 29 |
| 192 | Are Zr ₆ -based MOFs water stable? Linker hydrolysis vs. capillary-force-driven channel collapse. Chemical Communications, 2014, 50, 8944. | 4.1 | 277 |
| 193 | Hydrogen storage in nanoporous materials. , 2014, , 410-450. | | 2 |
| 194 | Enhanced Gas Sorption Properties and Unique Behavior toward Liquid Water in a Pillared-Paddlewheel Metal–Organic Framework Transmetalated with Ni(II). Inorganic Chemistry, 2014, 53, 10432-10436. | 4.0 | 24 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 195 | Tuning the structure and function of metal–organic frameworks via linker design. Chemical Society Reviews, 2014, 43, 5561-5593. | 38.1 | 1,792 |
| 196 | Synthesis and Characterization of Functionalized Metal-organic Frameworks. Journal of Visualized Experiments, 2014, , e52094. | 0.3 | 3 |
| 197 | Supercritical Nitrogen Processing for the Purification of Reactive Porous Materials. Journal of Visualized Experiments, 2015, , e52817. | 0.3 | 3 |
| 198 | Metal″on Metathesis and Properties of Triarylboronâ€Functionalized Metal–Organic Frameworks. Chemistry - an Asian Journal, 2015, 10, 1535-1540. | 3.3 | 10 |
| 199 | Microwave-assisted large scale synthesis of lanthanide metal–organic frameworks (Ln-MOFs), having a preferred conformation and photoluminescence properties. Dalton Transactions, 2015, 44, 11954-11962. | 3.3 | 70 |
| 200 | Electrosynthesis of Metal–Organic Frameworks: Challenges and Opportunities. ChemElectroChem, 2015, 2, 462-474. | 3.4 | 199 |
| 201 | Using neutron powder diffraction and first-principles calculations to understand the working mechanisms of porous coordination polymer sorbents. Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials, 2015, 71, 648-660. | 1.1 | 7 |
| 202 | Extreme Carbon Dioxide Sorption Hysteresis in Openâ€Channel Rigid Metal–Organic Frameworks. Angewandte Chemie - International Edition, 2015, 54, 2079-2083. | 13.8 | 48 |
| 203 | Introduction of Functionality, Selection of Topology, and Enhancement of Gas Adsorption in Multivariate Metal–Organic Framework-177. Journal of the American Chemical Society, 2015, 137, 2641-2650. | 13.7 | 339 |
| 204 | Rapidly assessing the activation conditions and porosity of metal–organic frameworks using thermogravimetric analysis. Chemical Communications, 2015, 51, 4985-4988. | 4.1 | 11 |
| 205 | Hysteretic Gas and Vapor Sorption in Flexible Interpenetrated Lanthanide-Based Metal–Organic Frameworks with Coordinated Molecular Gating via Reversible Single-Crystal-to-Single-Crystal Transformation for Enhanced Selectivity. Chemistry of Materials, 2015, 27, 1502-1516. | 6.7 | 76 |
| 206 | Functionalized Defects through Solvent-Assisted Linker Exchange: Synthesis, Characterization, and Partial Postsynthesis Elaboration of a Metal–Organic Framework Containing Free Carboxylic Acid Moieties. Inorganic Chemistry, 2015, 54, 1785-1790. | 4.0 | 58 |
| 207 | Trapping virtual pores by crystal retro-engineering. Nature Chemistry, 2015, 7, 153-159. | 13.6 | 52 |
| 208 | Filling Pore Space in a Microporous Coordination Polymer to Improve Methane Storage Performance. Langmuir, 2015, 31, 2211-2217. | 3.5 | 39 |
| 210 | Iron and Porphyrin Metal–Organic Frameworks: Insight into Structural Diversity, Stability, and Porosity. Crystal Growth and Design, 2015, 15, 1819-1826. | 3.0 | 55 |
| 211 | Ultrahigh Surface Area Zirconium MOFs and Insights into the Applicability of the BET Theory. Journal of the American Chemical Society, 2015, 137, 3585-3591. | 13.7 | 329 |
| 212 | Synthesis of Zn-MOF incorporating titanium-hydrides as active sites binding H2 molecules. Journal of Solid State Chemistry, 2015, 230, 110-117. | 2.9 | 5 |
| 213 | Dual template effect of supercritical CO ₂ in ionic liquid to fabricate a highly mesoporous cobalt metal–organic framework. Chemical Communications, 2015, 51, 13197-13200. | 4.1 | 60 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 214 | Gas–liquid segmented flow microwave-assisted synthesis of MOF-74(Ni) under moderate pressures. CrystEngComm, 2015, 17, 5502-5510. | 2.6 | 68 |
| 215 | Hierarchically porous organic polymers: highly enhanced gas uptake and transport through templated synthesis. Chemical Science, 2015, 6, 384-389. | 7.4 | 68 |
| 216 | A porous metal–organic framework formed by a V-shaped ligand and Zn(<scp>ii</scp>) ion with highly selective sensing for nitroaromatic explosives. Journal of Materials Chemistry A, 2015, 3, 16598-16603. | 10.3 | 158 |
| 217 | A Chemical Route to Activation of Open Metal Sites in the Copper-Based Metal–Organic Framework Materials HKUST-1 and Cu-MOF-2. Journal of the American Chemical Society, 2015, 137, 10009-10015. | 13.7 | 199 |
| 218 | Hydrogen adsorption in lithium doped MIL-101 and MIL-53(Al) at 77 and 298ÂK up to 100Âbar: effect of lithium concentration. Journal of Porous Materials, 2015, 22, 1073-1081. | 2.6 | 11 |
| 219 | Enhanced CO ₂ capture capacities and efficiencies with N-doped nanoporous carbons synthesized from solvent-modulated, pyridinedicarboxylate-containing Zn-MOFs. CrystEngComm, 2015, 17, 8015-8020. | 2.6 | 13 |
| 220 | The Role of Modulators in Controlling Layer Spacings in a Tritopic Linker Based Zirconium 2D Microporous Coordination Polymer. Inorganic Chemistry, 2015, 54, 4591-4593. | 4.0 | 62 |
| 221 | Exploring a novel preparation method of 1D metal organic frameworks based on supercritical CO ₂ . Dalton Transactions, 2015, 44, 7548-7553. | 3.3 | 34 |
| 222 | Carbothermal synthesis of metal-functionalized nanostructures for energy and environmental applications. Journal of Materials Chemistry A, 2015, 3, 13114-13188. | 10.3 | 206 |
| 223 | Stabilization of a highly porous metal–organic framework utilizing a carborane-based linker. Chemical Communications, 2015, 51, 6521-6523. | 4.1 | 47 |
| 224 | A Zr metal–organic framework based on tetrakis(4-carboxyphenyl) silane and factors affecting the hydrothermal stability of Zr-MOFs. Dalton Transactions, 2015, 44, 8049-8061. | 3.3 | 77 |
| 225 | Multifunctional Radical-Doped Polyoxometalate-Based Host–Guest Material: Photochromism and Photocatalytic Activity. Inorganic Chemistry, 2015, 54, 4345-4350. | 4.0 | 133 |
| 226 | Effective, Facile, and Selective Hydrolysis of the Chemical Warfare Agent VX Using Zr ₆ -Based Metal–Organic Frameworks. Inorganic Chemistry, 2015, 54, 10829-10833. | 4.0 | 132 |
| 227 | Porous Materials to Store Clear EnergyÂGasesâ^—. , 2015, , 297-327. | | 2 |
| 228 | MOF Crystal Chemistry Paving the Way to Gas Storage Needs: Aluminum-Based soc -MOF for CH ₄ , O ₂ , and CO ₂ Storage. Journal of the American Chemical Society, 2015, 137, 13308-13318. | 13.7 | 632 |
| 229 | Room temperature hydrogen uptake in single walled carbon nanotubes incorporated MIL-101 doped with lithium: effect of lithium doping. Journal of Porous Materials, 2015, 22, 1635-1642. | 2.6 | 13 |
| 230 | Ultraporous, Water Stable, and Breathing Zirconium-Based Metal–Organic Frameworks with ftw Topology. Journal of the American Chemical Society, 2015, 137, 13183-13190. | 13.7 | 149 |
| 231 | A sensitive and selective sensor for biothiols based on the turn-on fluorescence of the Fe-MIL-88 metal–organic frameworks–hydrogen peroxide system. Analyst, The, 2015, 140, 8201-8208. | 3.5 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 234 | Chemical and Structural Stability of Zirconiumâ€based Metal–Organic Frameworks with Large Threeâ€Đimensional Pores by Linker Engineering. Angewandte Chemie - International Edition, 2015, 54, 221-226. | 13.8 | 141 |
| 235 | Turnâ€On Luminescence Sensing and Realâ€Time Detection of Traces of Water in Organic Solvents by a Flexible Metal–Organic Framework. Angewandte Chemie - International Edition, 2015, 54, 1651-1656. | 13.8 | 277 |
| 236 | Tuning the sorption properties via activation treatments of a metastable Zn-1,3,5-benzenetricarboxylate framework with dodecahedral and cubic cages. CrystEngComm, 2015, 17, 1001-1004. | 2.6 | 4 |
| 237 | Enhanced gas-sorption properties of a high surface area, ultramicroporous magnesium formate. CrystEngComm, 2015, 17, 532-539. | 2.6 | 32 |
| 238 | Direct Evidence of CO ₂ Capture under Low Partial Pressure on a Pillared Metal–Organic Framework with Improved Stabilization through Intramolecular Hydrogen Bonding. ChemPlusChem, 2016, 81, 850-856. | 2.8 | 21 |
| 239 | Extended Linkers for Ultrahigh Surface Area Metal-Organic Frameworks. , 2016, , 271-307. | | 1 |
| 240 | Defectâ€Controlled Preparation of UiOâ€66 Metal–Organic Framework Thin Films with Molecular Sieving Capability. Chemistry - an Asian Journal, 2016, 11, 207-210. | 3.3 | 19 |
| 241 | Assembling Metal–Organic Frameworks in Ionic Liquids and Supercritical CO ₂ . Chemistry - an Asian Journal, 2016, 11, 2610-2619. | 3.3 | 49 |
| 242 | Study of the Discrepancies between Crystallographic Porosity and Guest Access into Cadmium–Imidazolate Frameworks and Tunable Luminescence Properties by Incorporation of Lanthanides. Chemistry - A European Journal, 2016, 22, 6905-6913. | 3.3 | 26 |
| 243 | Selective Sorption of Light Hydrocarbons on a Family of Metal–Organic Frameworks with Different Imidazolate Pillars. Inorganic Chemistry, 2016, 55, 3928-3932. | 4.0 | 29 |
| 244 | Direct Synthesis of Hierarchically Porous Metal–Organic Frameworks with High Stability and Strong BrÃ,nsted Acidity: The Decisive Role of Hafnium in Efficient and Selective Fructose Dehydration. Chemistry of Materials, 2016, 28, 2659-2667. | 6.7 | 160 |
| 245 | Cuboctahedron-based indium–organic frameworks for gas sorption and selective cation exchange. Chemical Communications, 2016, 52, 7978-7981. | 4.1 | 41 |
| 246 | Synthetic Methodology for the Fabrication of Porous Porphyrin Materials with Metal–Organic–Polymer Aerogels. Inorganic Chemistry, 2016, 55, 5287-5296. | 4.0 | 30 |
| 247 | Coordination polymers: Challenges and future scenarios for capture and degradation of volatile organic compounds. Nano Research, 2016, 9, 3181-3208. | 10.4 | 56 |
| 248 | Evaluating topologically diverse metal–organic frameworks for cryo-adsorbed hydrogen storage. Energy and Environmental Science, 2016, 9, 3279-3289. | 30.8 | 231 |
| 249 | Binary supercritical CO 2 solvent mixtures for the synthesis of 3D metal-organic frameworks. Microporous and Mesoporous Materials, 2016, 234, 155-161. | 4.4 | 24 |
| 250 | Reticular Synthesis of a Series of HKUST-like MOFs with Carbon Dioxide Capture and Separation. Inorganic Chemistry, 2016, 55, 9071-9076. | 4.0 | 58 |
| 251 | A bifunctional metal–organic framework featuring the combination of open metal sites and Lewis basic sites for selective gas adsorption and heterogeneous cascade catalysis. Journal of Materials Chemistry A, 2016, 4, 15240-15246. | 10.3 | 120 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 252 | Layer-by-Layer Assembled Films of Perylene Diimide- and Squaraine-Containing Metal–Organic Framework-like Materials: Solar Energy Capture and Directional Energy Transfer. ACS Applied Materials & Interfaces, 2016, 8, 24983-24988. | 8.0 | 44 |
| 253 | Porous organic cages: soluble, modular and molecular pores. Nature Reviews Materials, 2016, 1, . | 48.7 | 603 |
| 254 | Toward Metal–Organic Framework-Based Solar Cells: Enhancing Directional Exciton Transport by Collapsing Three-Dimensional Film Structures. ACS Applied Materials & Interfaces, 2016, 8, 30863-30870. | 8.0 | 88 |
| 255 | Adsorption Methodology. , 0, , 575-605. | | 1 |
| 256 | A Peryleneâ€Based Microporous Coordination Polymer Interacts Selectively with Electronâ€Poor Aromatics. Chemistry - A European Journal, 2016, 22, 5509-5513. | 3.3 | 22 |
| 257 | Highly Porous Zirconium Metal–Organic Frameworks with β-UH ₃ -like Topology Based on Elongated Tetrahedral Linkers. Journal of the American Chemical Society, 2016, 138, 8380-8383. | 13.7 | 76 |
| 258 | Molybdenum Polysulfide Anchored on Porous Zr-Metal Organic Framework To Enhance the Performance of Hydrogen Evolution Reaction. Journal of Physical Chemistry C, 2016, 120, 12539-12548. | 3.1 | 80 |
| 259 | A comparative study on conversion of porous and non-porous metal–organic frameworks (MOFs) into carbon-based composites for carbon dioxide capture. Polyhedron, 2016, 120, 30-35. | 2.2 | 21 |
| 260 | Bis(carboxyphenyl)-1,2,4-triazole Based Metal–Organic Frameworks: Impact of Metal Ion Substitution on Adsorption Performance. Inorganic Chemistry, 2016, 55, 6938-6948. | 4.0 | 16 |
| 261 | Controlling the Pyrolysis Conditions of Microporous/Mesoporous MIL-125 To Synthesize Porous, Carbon-Supported Ti Catalysts with Targeted Ti Phases for the Oxidation of Dibenzothiophene. Energy & Fuels, 2016, 30, 594-602. | 5.1 | 44 |
| 262 | Microporous Metal–Organic Framework Stabilized by Balanced Multiple Host–Couteranion Hydrogen-Bonding Interactions for High-Density CO ₂ Capture at Ambient Conditions. Inorganic Chemistry, 2016, 55, 292-299. | 4.0 | 82 |
| 263 | Amine-functionalized metal–organic frameworks: structure, synthesis and applications. RSC Advances, 2016, 6, 32598-32614. | 3.6 | 169 |
| 264 | Metal–organic frameworks with a large breathing effect to host hydroxyl compounds for high anhydrous proton conductivity over a wide temperature range from subzero to 125 °C. Journal of Materials Chemistry A, 2016, 4, 4062-4070. | 10.3 | 109 |
| 265 | Zr-based metal–organic frameworks: design, synthesis, structure, and applications. Chemical Society Reviews, 2016, 45, 2327-2367. | 38.1 | 1,905 |
| 266 | Covalent Chemistry beyond Molecules. Journal of the American Chemical Society, 2016, 138, 3255-3265. | 13.7 | 328 |
| 267 | 10-Vertex closo-carborane: a unique ligand platform for porous coordination polymers. CrystEngComm, 2016, 18, 2036-2040. | 2.6 | 20 |
| 268 | Organized Aggregation Makes Insoluble Perylene Diimide Efficient for the Reduction of Aryl Halides via Consecutive Visible Light-Induced Electron-Transfer Processes. Journal of the American Chemical Society, 2016, 138, 3958-3961. | 13.7 | 235 |
| 269 | Catalytically active Pt nanoparticles immobilized inside the pores of metal organic framework using supercritical CO2 solutions. Microporous and Mesoporous Materials, 2016, 225, 26-32. | 4.4 | 39 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 270 | Perylene Bisimide Dye Assemblies as Archetype Functional Supramolecular Materials. Chemical Reviews, 2016, 116, 962-1052. | 47.7 | 1,303 |
| 271 | Facile Synthesis and Direct Activation of Zirconium Based Metal–Organic Frameworks from Acetone. Industrial & Engineering Chemistry Research, 2017, 56, 1478-1484. | 3.7 | 31 |
| 272 | Comparative Stability and Sorption Study of Two <i>the</i> -type Metal–Organic Frameworks with Different Multiplicate Metal–Ligand Interactions in Secondary Building Units. Crystal Growth and Design, 2017, 17, 418-422. | 3.0 | 7 |
| 273 | Conjugated Covalent Organic Frameworks via Michael Addition–Elimination. Journal of the American Chemical Society, 2017, 139, 2421-2427. | 13.7 | 286 |
| 274 | Supercritical CO 2 for the synthesis of nanometric ZIF-8 and loading with hyperbranched aminopolymers. Applications in CO 2 capture. Journal of CO2 Utilization, 2017, 18, 147-155. | 6.8 | 36 |
| 275 | Metal–Organic Frameworks Precipitated by Reactive Crystallization in Supercritical CO ₂ . Crystal Growth and Design, 2017, 17, 2864-2872. | 3.0 | 30 |
| 276 | Activationâ€Dependent Breathing in a Flexible Metal–Organic Framework and the Effects of Repeated Sorption/Desorption Cycling. Angewandte Chemie - International Edition, 2017, 56, 8874-8878. | 13.8 | 53 |
| 277 | Solvent-dependent selective cation exchange in anionic frameworks based on cobalt(<scp>ii</scp>) and triphenylamine linkers: reactor-dependent synthesis and sorption properties. Dalton Transactions, 2017, 46, 8037-8050. | 3.3 | 16 |
| 278 | Activationâ€Dependent Breathing in a Flexible Metal–Organic Framework and the Effects of Repeated Sorption/Desorption Cycling. Angewandte Chemie, 2017, 129, 9000-9004. | 2.0 | 6 |
| 279 | A robust anionic pillared-layer framework with triphenylamine-based linkers: ion exchange and counterion-dependent sorption properties. CrystEngComm, 2017, 19, 2723-2732. | 2.6 | 23 |
| 280 | Understanding Volumetric and Gravimetric Hydrogen Adsorption Trade-off in Metal–Organic Frameworks. ACS Applied Materials & Interfaces, 2017, 9, 33419-33428. | 8.0 | 104 |
| 281 | A robust metallomacrocyclic motif for the formation interpenetrated coordination polymers. CrystEngComm, 2017, 19, 2402-2412. | 2.6 | 19 |
| 282 | Solvent- and Pressure-Induced Phase Changes in Two 3D Copper Glutarate-Based Metal–Organic Frameworks via Glutarate (+ <i>gauche</i> â‡,, â°' <i>gauche</i>) Conformational Isomerism. Journal of the American Chemical Society, 2017, 139, 5923-5929. | 13.7 | 38 |
| 283 | Omarâ€K. Farha. Angewandte Chemie, 2017, 129, 3470-3470. | 2.0 | 0 |
| 284 | Fullymeta-Substituted 4,4′-Biphenyldicarboxylate-Based Metal-Organic Frameworks: Synthesis, Structures, and Catalytic Activities. European Journal of Inorganic Chemistry, 2017, 2017, 1478-1487. | 2.0 | 10 |
| 285 | Synthesis of a Zr-Based Metal–Organic Framework with Spirobifluorenetetrabenzoic Acid for the Effective Removal of Nerve Agent Simulants. Inorganic Chemistry, 2017, 56, 12098-12101. | 4.0 | 44 |
| 286 | Rapid Guest Exchange and Ultra‣ow Surface Tension Solvents Optimize Metal–Organic Framework Activation. Angewandte Chemie, 2017, 129, 14810-14813. | 2.0 | 26 |
| 287 | Rapid Guest Exchange and Ultra‣ow Surface Tension Solvents Optimize Metal–Organic Framework Activation. Angewandte Chemie - International Edition, 2017, 56, 14618-14621. | 13.8 | 93 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 288 | Effect of Molecular Guest Binding on the d–d Transitions of Ni ²⁺ of CPO-27-Ni: A Combined UV–Vis, Resonant-Valence-to-Core X-ray Emission Spectroscopy, and Theoretical Study. Inorganic Chemistry, 2017, 56, 14408-14425. | 4.0 | 22 |
| 289 | Reversible structural switching of a metal–organic framework by photoirradiation. Chemical Communications, 2017, 53, 11142-11145. | 4.1 | 41 |
| 290 | Metal–organic frameworks meet scalable and sustainable synthesis. Green Chemistry, 2017, 19, 2729-2747. | 9.0 | 327 |
| 291 | Multiple Coordination Exchanges for Room-Temperature Activation of Open-Metal Sites in Metal–Organic Frameworks. ACS Applied Materials & Interfaces, 2017, 9, 24743-24752. | 8.0 | 69 |
| 292 | CO2 sorption behavior of imidazole, benzimidazole and benzoic acid based coordination polymers. Coordination Chemistry Reviews, 2017, 332, 100-121. | 18.8 | 55 |
| 293 | Omarâ€K. Farha. Angewandte Chemie - International Edition, 2017, 56, 3420-3420. | 13.8 | 4 |
| 294 | Best Practices for the Synthesis, Activation, and Characterization of Metal–Organic Frameworks. Chemistry of Materials, 2017, 29, 26-39. | 6.7 | 518 |
| 295 | Thermal Activation of CuBTC MOF for CO Oxidation: The Effect of Activation Atmosphere. Catalysts, 2017, 7, 106. | 3.5 | 24 |
| 297 | Solvates and Hydrates—Supramolecular Compounds â~†. , 2017, , 89-108. | | 1 |
| 298 | Photothermal Activation of Metal–Organic Frameworks Using a UV–Vis Light Source. ACS Applied Materials & Interfaces, 2018, 10, 9555-9562. | 8.0 | 82 |
| 299 | Thermally induced migration of a polyoxometalate within a metal–organic framework and its catalytic effects. Journal of Materials Chemistry A, 2018, 6, 7389-7394. | 10.3 | 71 |
| 300 | A Chemical Role for Trichloromethane: Room-Temperature Removal of Coordinated Solvents from Open Metal Sites in the Copper-Based Metal–Organic Frameworks. Inorganic Chemistry, 2018, 57, 5225-5231. | 4.0 | 33 |
| 301 | Photoexcited Naphthalene Diimide Radical Anion Linking the Nodes of a Metal–Organic Framework: A Heterogeneous Super-reductant. Chemistry of Materials, 2018, 30, 2488-2492. | 6.7 | 37 |
| 302 | Modulatorâ€Controlled Synthesis of Microporous STAâ€26, an Interpenetrated 8,3â€Connected Zirconium MOF with the <i>theâ€i</i> Topology, and its Reversible Lattice Shift. Chemistry - A European Journal, 2018, 24, 6115-6126. | 3.3 | 23 |
| 303 | Coordination Polymers Containing Metal Chelate Units. Springer Series in Materials Science, 2018, , 633-759. | 0.6 | 2 |
| 304 | Photocatalytic hydrogen generation from a visible-light responsive metal–organic framework system: the impact of nickel phosphide nanoparticles. Journal of Materials Chemistry A, 2018, 6, 2476-2481. | 10.3 | 94 |
| 305 | Metal coordination and metal activation abilities of commonly unreactive chloromethanes toward metal–organic frameworks. Chemical Communications, 2018, 54, 6458-6471. | 4.1 | 42 |
| 306 | Supercritical CO2 utilization for the crystallization of 2D metal-organic frameworks using tert-butylpyridine additive. Journal of CO2 Utilization, 2018, 24, 444-453. | 6.8 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | Overcoming double-step CO ₂ adsorption and minimizing water co-adsorption in bulky diamine-appended variants of Mg ₂ (dobpdc). Chemical Science, 2018, 9, 160-174. | 7.4 | 88 |
| 308 | Features of supercritical CO2 in the delicate world of the nanopores. Journal of Supercritical Fluids, 2018, 134, 204-213. | 3.2 | 14 |
| 309 | Supercritical fluid processing for metal–organic frameworks, porous coordination polymers, and covalent organic frameworks. Journal of Supercritical Fluids, 2018, 134, 197-203. | 3.2 | 33 |
| 310 | Synthesis, crystal structures, adsorption and fluorescence properties of coordination polymers based on a semirigid octadentate ligand. Transition Metal Chemistry, 2018, 43, 9-19. | 1.4 | 4 |
| 311 | Recent Hydrophobic Metal-Organic Frameworks and Their Applications. Materials, 2018, 11, 2250. | 2.9 | 45 |
| 312 | The Metal–Organic Framework Collapse Continuum: Insights from Two-Dimensional Powder X-ray Diffraction. Chemistry of Materials, 2018, 30, 6559-6565. | 6.7 | 64 |
| 313 | A Bifunctional Anionic Metal–Organic Framework: Reversible Photochromism and Selective Adsorption of Methylene Blue. Crystal Growth and Design, 2018, 18, 5738-5744. | 3.0 | 68 |
| 314 | Molecular Modeling of Carbon Dioxide Adsorption in Metal-Organic Frameworks. , 2018, , 99-149. | | 6 |
| 315 | Topology-Guided Stepwise Insertion of Three Secondary Linkers in Zirconium Metal–Organic Frameworks. Journal of the American Chemical Society, 2018, 140, 7710-7715. | 13.7 | 81 |
| 316 | Porous Silsesquioxane–Imine Frameworks as Highly Efficient Adsorbents for Cooperative Iodine Capture. ACS Applied Materials & Interfaces, 2018, 10, 19964-19973. | 8.0 | 78 |
| 317 | Insight Studies on Metal-Organic Framework Nanofibrous Membrane Adsorption and Activation for Heavy Metal Ions Removal from Aqueous Solution. ACS Applied Materials & Interfaces, 2018, 10, 18619-18629. | 8.0 | 347 |
| 318 | On the temperature dependence of the α function in the cubic equation of state. Chemical Engineering Science, 2018, 192, 565-575. | 3.8 | 28 |
| 319 | Crystalline Curcumin bioMOF Obtained by Precipitation in Supercritical CO ₂ and Structural Determination by Electron Diffraction Tomography. ACS Sustainable Chemistry and Engineering, 2018, 6, 12309-12319. | 6.7 | 36 |
| 320 | Recent advancement in metal–organic framework: Synthesis, activation, functionalisation, and bulk production. Materials Science and Technology, 2018, 34, 1025-1045. | 1.6 | 47 |
| 321 | An assessment of strategies for the development of solid-state adsorbents for vehicular hydrogen storage. Energy and Environmental Science, 2018, 11, 2784-2812. | 30.8 | 162 |
| 322 | Heterometallic In(III)–Pd(II) Porous Metal–Organic Framework with Square-Octahedron Topology Displaying High CO ₂ Uptake and Selectivity toward CH ₄ and N ₂ . Inorganic Chemistry, 2018, 57, 7244-7251. | 4.0 | 37 |
| 323 | Development of combined microstructure and structure characterization facility for <i>in situ</i> and <i>operando</i> studies at the Advanced Photon Source. Journal of Applied Crystallography, 2018, 51, 867-882. | 4.5 | 129 |
| 324 | Activation strategies of metal-organic frameworks for the sorption of reduced sulfur compounds. Chemical Engineering Journal, 2018, 350, 747-756. | 12.7 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 325 | An entrapped metal-organic framework system for controlled release of ethylene. Journal of Colloid and Interface Science, 2019, 533, 207-215. | 9.4 | 25 |
| 326 | Diverse π–π stacking motifs modulate electrical conductivity in tetrathiafulvalene-based metal–organic frameworks. Chemical Science, 2019, 10, 8558-8565. | 7.4 | 128 |
| 327 | Preserving Porosity of Mesoporous Metal–Organic Frameworks through the Introduction of Polymer Guests. Journal of the American Chemical Society, 2019, 141, 12397-12405. | 13.7 | 68 |
| 328 | Hierarchical Metal–Organic Frameworks with Macroporosity: Synthesis, Achievements, and Challenges. Nano-Micro Letters, 2019, 11, 54. | 27.0 | 87 |
| 329 | A semiconducting layered metal-organic framework magnet. Nature Communications, 2019, 10, 3260. | 12.8 | 119 |
| 330 | Switching on and off Interlayer Correlations and Porosity in 2D Covalent Organic Frameworks. Journal of the American Chemical Society, 2019, 141, 12570-12581. | 13.7 | 130 |
| 331 | Molybdenum (VI)â€functionalized UiOâ€66 provides an efficient heterogeneous nanocatalyst in oxidation reactions. Applied Organometallic Chemistry, 2019, 33, e5225. | 3.5 | 12 |
| 332 | Three-Dimensional Printing of Hierarchical Porous Architectures. Chemistry of Materials, 2019, 31, 10017-10022. | 6.7 | 18 |
| 333 | Restricting Polyoxometalate Movement Within Metal-Organic Frameworks to Assess the Role of Residual Water in Catalytic Thioether Oxidation Using These Dynamic Composites. Frontiers in Materials, 2019, 6, . | 2.4 | 11 |
| 334 | Porous Coordination Polymers. Polymers and Polymeric Composites, 2019, , 181-223. | 0.6 | 1 |
| 335 | Cross-linked porous polyurethane materials featuring dodecaborate clusters as inorganic polyol equivalents. Chemical Communications, 2019, 55, 8852-8855. | 4.1 | 11 |
| 336 | A novel 3D AgI cationic metal–organic framework based on 1,2,4,5-tetra(4-pyridyl) benzene with selective adsorption of CO2 over CH4, H2O over C2H5OH, and trapping Cr2O72–. Journal of Molecular Structure, 2019, 1194, 73-77. | 3.6 | 10 |
| 337 | A novel 3D Ag-based metal–organic framework: Synthesis, structure and property. Inorganic Chemistry Communication, 2019, 105, 158-162. | 3.9 | 2 |
| 338 | Unidirectional rotary motion in a metal–organic framework. Nature Nanotechnology, 2019, 14, 488-494. | 31.5 | 162 |
| 339 | Construction of bifunctional 2-fold interpenetrated Zn(<scp>ii</scp>) MOFs exhibiting selective CO ₂ adsorption and aqueous-phase sensing of 2,4,6-trinitrophenol. Inorganic Chemistry Frontiers, 2019, 6, 1058-1067. | 6.0 | 48 |
| 341 | Supramolecular interactions induced distortion of BTB ligands: breaking convention to reproduce an unusual (3,4,4)-connected MOF topology. Dalton Transactions, 2019, 48, 5511-5514. | 3.3 | 4 |
| 342 | MOF-Derived FeS/C Nanosheets for High Performance Lithium Ion Batteries. Nanomaterials, 2019, 9, 492. | 4.1 | 23 |
| 343 | A Bismuth Metal–Organic Framework as a Contrast Agent for X-ray Computed Tomography. ACS Applied Bio Materials, 2019, 2, 1197-1203. | 4.6 | 68 |

| # | | IC | CITATIONS |
|-----|--|------|-----------|
| # | Stable radical anions generated from a porous pervlenediimide metal-organic framework for boosting | IF | CITATIONS |
| 344 | near-infrared photothermal conversion. Nature Communications, 2019, 10, 767. | 12.8 | 247 |
| 345 | A stable pillared metal–organic framework constructed by H 4 TCPP ligand as luminescent sensor for selective detection of TNP and Fe 3+ ions. Applied Organometallic Chemistry, 2019, 33, e5243. | 3.5 | 15 |
| 346 | Guest-Dependent Single-Crystal-to-Single-Crystal Phase Transitions in a Two-Dimensional Uranyl-Based Metal–Organic Framework. Crystal Growth and Design, 2019, 19, 506-512. | 3.0 | 29 |
| 347 | Fineâ€Tuning Aromatic Stacking and Singleâ€Crystal Photoluminescence Through Coordination Chemistry. European Journal of Organic Chemistry, 2019, 2019, 1778-1783. | 2.4 | 4 |
| 348 | Supercritical CO2 encapsulation of bioactive molecules in carboxylate based MOFs. Journal of CO2 Utilization, 2019, 30, 38-47. | 6.8 | 26 |
| 349 | A Review on the Synthesis and Characterization of Metal Organic Frameworks for Photocatalytic Water Purification. Catalysts, 2019, 9, 52. | 3.5 | 215 |
| 350 | Porous Coordination Polymers. Polymers and Polymeric Composites, 2019, , 1-44. | 0.6 | 2 |
| 351 | Interpenetration Isomerism in Triptyceneâ€Based Hydrogenâ€Bonded Organic Frameworks. Angewandte Chemie - International Edition, 2019, 58, 1664-1669. | 13.8 | 93 |
| 352 | Interpenetration Isomerism in Triptyceneâ€Based Hydrogenâ€Bonded Organic Frameworks. Angewandte Chemie, 2019, 131, 1678-1683. | 2.0 | 29 |
| 353 | Design of a Highly-Stable Pillar-Layer Zinc(II) Porous Framework for Rapid, Reversible, and Multi-Responsive Luminescent Sensor in Water. Crystal Growth and Design, 2019, 19, 694-703. | 3.0 | 142 |
| 354 | Sustainable Approaches for Materials Engineering With Supercritical Carbon Dioxide. , 2020, , 395-414. | | 3 |
| 355 | Recent Advances of Supercritical CO2 in Green Synthesis and Activation of Metal–Organic Frameworks. Journal of Inorganic and Organometallic Polymers and Materials, 2020, 30, 581-595. | 3.7 | 11 |
| 356 | Using Supercritical CO2 in the Preparation of Metal-Organic Frameworks: Investigating Effects on Crystallisation. Crystals, 2020, 10, 17. | 2.2 | 9 |
| 357 | Does repeat synthesis in materials chemistry obey a power law?. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 877-882. | 7.1 | 38 |
| 358 | Rapid Synthesis of High Surface Area Imineâ€Linked 2D Covalent Organic Frameworks by Avoiding Pore Collapse During Isolation. Advanced Materials, 2020, 32, e1905776. | 21.0 | 125 |
| 359 | Beyond Solution-Based Protocols: MOF Membrane Synthesis in Supercritical Environments for an Elegant Sustainability Performance Balance. , 2020, 2, 1142-1147. | | 16 |
| 360 | Facile directions for synthesis, modification and activation of MOFs. Materials Today Chemistry, 2020, 17, 100343. | 3.5 | 53 |
| 361 | A historical overview of the activation and porosity of metal–organic frameworks. Chemical Society Reviews, 2020, 49, 7406-7427. | 38.1 | 367 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 362 | Supramolecular Porous Assemblies of Atomically Precise Catalytically Active Cerium-Based Clusters. Chemistry of Materials, 2020, 32, 8522-8529. | 6.7 | 23 |
| 363 | Air-thermal processing of hierarchically porous metal–organic frameworks. Nanoscale, 2020, 12, 14171-14179. | 5.6 | 7 |
| 364 | Hierarchically porous monolithic MOFs: An ongoing challenge for industrial-scale effluent treatment. Chemical Engineering Journal, 2020, 393, 124765. | 12.7 | 75 |
| 365 | Ultralow Surface Tension Solvents Enable Facile COF Activation with Reduced Pore Collapse. ACS Applied Materials & amp; Interfaces, 2020, 12, 33121-33127. | 8.0 | 61 |
| 366 | Standard Practices of Reticular Chemistry. ACS Central Science, 2020, 6, 1255-1273. | 11.3 | 142 |
| 367 | Expeditious synthesis of covalent organic frameworks: a review. Journal of Materials Chemistry A, 2020, 8, 16045-16060. | 10.3 | 97 |
| 368 | Activation of a gamma–cyclodextrin–based metal–organic framework using supercritical carbon dioxide for high–efficient delivery of honokiol. Carbohydrate Polymers, 2020, 235, 115935. | 10.2 | 43 |
| 369 | Phase dependent encapsulation and release profile of ZIF-based biocomposites. Chemical Science, 2020, 11, 3397-3404. | 7.4 | 70 |
| 370 | Influence of different activation strategies on the activity and stability of MIL-53(Fe) as a dark-Fenton heterogeneous catalyst. Microporous and Mesoporous Materials, 2020, 303, 110267. | 4.4 | 8 |
| 371 | Kinetics and Mechanisms of ZnO to ZIFâ€8 Transformations in Supercritical CO 2 Revealed by Inâ€Situ Xâ€ray Diffraction. ChemSusChem, 2020, 13, 2602-2612. | 6.8 | 11 |
| 372 | Physical Supercritical Fluid Deposition: Patterning Solution Processable Materials on Curved and Flexible Surfaces. ACS Applied Materials & Interfaces, 2020, 12, 17949-17956. | 8.0 | 5 |
| 373 | Balancing volumetric and gravimetric uptake in highly porous materials for clean energy. Science, 2020, 368, 297-303. | 12.6 | 429 |
| 374 | Recent advances in naphthalenediimide-based metal-organic frameworks: Structures and applications. Coordination Chemistry Reviews, 2021, 430, 213665. | 18.8 | 65 |
| 375 | The state of the field: from inception to commercialization of metal–organic frameworks. Faraday Discussions, 2021, 225, 9-69. | 3.2 | 70 |
| 376 | Tailoring adsorption induced switchability of a pillared layer MOF by crystal size engineering. CrystEngComm, 2021, 23, 538-549. | 2.6 | 23 |
| 377 | Porous flexible frameworks: origins of flexibility and applications. Materials Horizons, 2021, 8, 700-727. | 12.2 | 48 |
| 378 | Applications of reticular diversity in metal–organic frameworks: An ever-evolving state of the art. Coordination Chemistry Reviews, 2021, 430, 213655. | 18.8 | 56 |
| 379 | Physical supercritical fluid deposition of polymer films: controlling the crystallinity with pressure. Materials Chemistry Frontiers, 2021, 5, 1428-1437. | 5.9 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 380 | Single-Crystal Syntheses and Properties of Indium–Organic Frameworks Based on 1,1′-Ferrocenedicarboxylic Acid. Inorganic Chemistry, 2021, 60, 239-245. | 4.0 | 9 |
| 381 | Evaluating the purification and activation of metal-organic frameworks from a technical and circular economy perspective. Coordination Chemistry Reviews, 2021, 428, 213578. | 18.8 | 28 |
| 382 | Breaking the upper bound of siloxane uptake: metal–organic frameworks as an adsorbent platform. Journal of Materials Chemistry A, 2021, 9, 12711-12720. | 10.3 | 10 |
| 383 | Synthesis of Metal Organic Frameworks (MOF) and Covalent Organic Frameworks (COF). Indian Institute of Metals Series, 2021, , 503-556. | 0.3 | 0 |
| 384 | The role of solvent additive in polymer crystallinity during physical supercritical fluid deposition. New Journal of Chemistry, 2021, 45, 11786-11796. | 2.8 | 3 |
| 385 | The key role of metal nanoparticle in metal organic frameworks of UiO family (MOFs) for the application of CO2 capture and heterogeneous catalysis. , 2021, , 369-404. | | 1 |
| 386 | MOFâ€Based Hybrids for Solar Fuel Production. Advanced Energy Materials, 2021, 11, 2003052. | 19.5 | 58 |
| 387 | Metal–organic framework. Interface Science and Technology, 2021, , 279-387. | 3.3 | 13 |
| 388 | Crystal Flexibility Design through Local and Global Motility Cooperation. Angewandte Chemie, 2021, 133, 7106-7111. | 2.0 | 0 |
| 389 | Crystal Flexibility Design through Local and Global Motility Cooperation. Angewandte Chemie - International Edition, 2021, 60, 7030-7035. | 13.8 | 23 |
| 391 | Metal–organic frameworks for biogas upgrading: Recent advancements, challenges, and future recommendations. Applied Materials Today, 2021, 22, 100925. | 4.3 | 16 |
| 392 | Manipulating solvent and solubility in the synthesis, activation, and modification of permanently porous coordination cages. Coordination Chemistry Reviews, 2021, 430, 213679. | 18.8 | 20 |
| 393 | Metal Organic Framework Functionalized Textiles as Protective Clothing for the Detection and Detoxification of Chemical Warfare Agents—A Review. Industrial & Engineering Chemistry Research, 2021, 60, 4218-4239. | 3.7 | 36 |
| 394 | CO ₂ â€Induced 2D Niâ€BDC Metal–Organic Frameworks with Enhanced Photocatalytic CO ₂ Reduction Activity. Advanced Materials Interfaces, 2021, 8, 2100205. | 3.7 | 36 |
| 395 | A Two Step Postsynthetic Modification Strategy: Appending Short Chain Polyamines to Zn-NH ₂ -BDC MOF for Enhanced CO ₂ Adsorption. Inorganic Chemistry, 2021, 60, 11720-11729. | 4.0 | 21 |
| 396 | Oxalamide-Functionalized Metal Organic Frameworks for CO ₂ Adsorption. ACS Applied Materials & amp; Interfaces, 2021, 13, 33188-33198. | 8.0 | 35 |
| 397 | An Overview of Metal–Organic Frameworks for Green Chemical Engineering. Engineering, 2021, 7, 1115-1139. | 6.7 | 94 |
| 398 | A comprehensive review on water stable metal-organic frameworks for large-scale preparation and applications in water quality management based on surveys made since 2015. Critical Reviews in Environmental Science and Technology, 2022, 52, 4038-4071. | 12.8 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 399 | Role of supercritical carbon dioxide (scCO ₂) in fabrication of inorganic-based materials: a green and unique route. Science and Technology of Advanced Materials, 2021, 22, 695-717. | 6.1 | 12 |
| 400 | Utilizing Zirconium MOFâ€functionalized Fiber Substrates Prepared by Molecular Layer Deposition for Toxic Gas Capture and Chemical Warfare Agent Degradation. Global Challenges, 2021, 5, 2100001. | 3.6 | 10 |
| 401 | Site-directed reduction engineering within bimetal-organic frameworks for efficient size-selective catalysis. Matter, 2021, 4, 2919-2935. | 10.0 | 36 |
| 402 | Strongly co-ordinated MOF-PSF matrix for selective adsorption, separation and photodegradation of dyes. Chemical Engineering Journal, 2022, 428, 132561. | 12.7 | 61 |
| 403 | Metal organic framework (MOF)-based micro/nanoscaled materials for heavy metal ions removal: The cutting-edge study on designs, synthesis, and applications. Coordination Chemistry Reviews, 2021, 427, 213554. | 18.8 | 197 |
| 404 | The chemistry and applications of hafnium and cerium(<scp>iv</scp>) metal–organic frameworks. Chemical Society Reviews, 2021, 50, 4629-4683. | 38.1 | 135 |
| 405 | Revisiting the MIL-101 metal–organic framework: design, synthesis, modifications, advances, and recent applications. Journal of Materials Chemistry A, 2021, 9, 22159-22217. | 10.3 | 100 |
| 406 | Supercritical Carbon Dioxide (CO2) as Green Solvent. , 2019, , 173-197. | | 3 |
| 407 | The Role of Solvents in Confined Organic and Organometallic Reactions. , 2013, , 179-187. | | 0 |
| 408 | Supercritical Carbon Dioxide (CO2) as Green Solvent. , 2019, , 1-25. | | 1 |
| 409 | Two mesoporous anionic metal–organic frameworks for selective and efficient adsorption of a cationic organic dye. Dalton Transactions, 2021, 50, 17603-17610. | 3.3 | 7 |
| 410 | Bis-isonicotinoyl linkers containing polyaromatic scaffolds: synthesis, structure and spectroscopic properties. Physical Chemistry Chemical Physics, 2022, 24, 1191-1201. | 2.8 | 1 |
| 411 | Discovery of spontaneous de-interpenetration through charged point-point repulsions. CheM, 2022, 8, 225-242. | 11.7 | 11 |
| 412 | Water Sorption Evolution Enabled by Reticular Construction of Zirconium Metal–Organic Frameworks Based on a Unique [2.2]Paracyclophane Scaffold. Journal of the American Chemical Society, 2022, 144, 1826-1834. | 13.7 | 42 |
| 413 | A Novel Electrically Conductive Perylene Diimideâ€Based MOFâ€74 Series Featuring Luminescence and Redox Activity. Small Structures, 2022, 3, . | 12.0 | 12 |
| 414 | Supramolecular Reinforcement of a Large-Pore 2D Covalent Organic Framework. Journal of the American Chemical Society, 2022, 144, 2468-2473. | 13.7 | 24 |
| 415 | Synthesis of MOF-5 using terephthalic acid as a ligand obtained from polyethylene terephthalate (PET) waste and its test in CO2 adsorption. Brazilian Journal of Chemical Engineering, 2022, 39, 949-959. | 1.3 | 5 |
| 416 | Influence of Metal Identity on Light-Induced Switchable Adsorption in Azobenzene-Based Metal–Organic Frameworks. ACS Applied Materials & Interfaces, 2022, 14, 11192-11199. | 8.0 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 417 | Macroscale Conjugated Microporous Polymers: Controlling Versatile Functionalities Over Several Dimensions. Advanced Materials, 2022, 34, e2104952. | 21.0 | 65 |
| 418 | A Perylenediimide-Based Zinc-Coordination Polymer for Photosensitized Singlet-Oxygen Generation. Energies, 2022, 15, 2437. | 3.1 | 1 |
| 420 | Recent advancement in bimetallic metal organic frameworks (M′MOFs): synthetic challenges and applications. Inorganic Chemistry Frontiers, 2022, 9, 3003-3033. | 6.0 | 18 |
| 421 | Effect of lipids complexes on controlling ethylene gas release from V-type starch. Carbohydrate Polymers, 2022, 291, 119556. | 10.2 | 4 |
| 422 | Combined Deep Learning and Classical Potential Approach for Modeling Diffusion in UiO-66. Journal of Chemical Theory and Computation, 2022, 18, 3593-3606. | 5.3 | 19 |
| 423 | Molecular Sieving of Propylene from Propane in Metal–Organic Framework-Derived Ultramicroporous Carbon Adsorbents. ACS Applied Materials & Interfaces, 2022, 14, 30443-30453. | 8.0 | 18 |
| 424 | A Review on Metal- Organic Frameworks (MOFS), Synthesis, Activation, Characterisation, and Application. Oriental Journal of Chemistry, 2022, 38, 490-516. | 0.3 | 3 |
| 425 | Synthesis of metal-organic framework HKUST-1 via tunable continuous flow supercritical carbon dioxide reactor. Chemical Engineering Journal, 2022, 450, 138053. | 12.7 | 3 |
| 426 | Processable Conjugated Microporous Polymer Gels and Monoliths: Fundamentals and Versatile Applications. ACS Applied Materials & amp; Interfaces, 2022, 14, 39701-39726. | 8.0 | 11 |
| 427 | Regulating the dimensionality of diphosphaperylenediimide-based polymers by coordinating the out-of-plane anisotropic ï€-framework toward Ag+. Science China Chemistry, 2022, 65, 1741-1748. | 8.2 | 3 |
| 428 | Singleâ€layer 2D Niâ€BDC MOF Obtained in Supercritical CO2â€assisted Aqueous Solution. Chemistry - A European Journal, 0, , . | 3.3 | 4 |
| 429 | Efficient adsorption separation of xylene isomers on Cu-BTC@Fe3O4 by appropriate activation methods. Journal of Solid State Chemistry, 2022, 315, 123466. | 2.9 | 2 |
| 430 | Redox-induced control of microporosity of zeolitic transition metal oxides based on ε-Keggin iron molybdate at an ultra-fine level. Inorganic Chemistry Frontiers, 2022, 9, 5305-5316. | 6.0 | 1 |
| 431 | Understanding fragility and engineering activation stability in two-dimensional covalent organic frameworks. Chemical Science, 2022, 13, 9655-9667. | 7.4 | 15 |
| 432 | Multi-topic Carboxylates as Versatile Building Blocks for the Design and Synthesis of Multifunctional MOFs Based on Alkaline Earth, Main Group and Transition Metals. Comments on Inorganic Chemistry, 2023, 43, 257-304. | 5.2 | 1 |
| 433 | Photoinduced reversible phase transition in a phenothiazine-based metal-organic framework. Cell Reports Physical Science, 2022, 3, 101074. | 5.6 | 5 |
| 434 | Sulfated Zirconium Metal–Organic Frameworks as Well-Defined Supports for Enhancing Organometallic Catalysis. Journal of the American Chemical Society, 2022, 144, 16883-16897. | 13.7 | 10 |
| 435 | Toward Ideal Metal–Organic Framework Thin-Film Growth via Automated Layer-by-Layer Deposition: Examples Based on Perylene Diimide Linkers. Chemistry of Materials, 2022, 34, 9446-9454. | 6.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 436 | Solvent-Induced Incremental Pore Collapse in Two-Dimensional Covalent Organic Frameworks. , 2022, 4, 2368-2374. | | 4 |
| 437 | Ordered Macro–Microporous ZIF-8 with Different Macropore Sizes and Their Stable Derivatives for Lipase Immobilization in Biodiesel Production. ACS Sustainable Chemistry and Engineering, 2022, 10, 14503-14514. | 6.7 | 11 |
| 438 | Superior Metalâ€Organic Framework Activation with Dimethyl Ether. Angewandte Chemie - International Edition, 2022, 61, . | 13.8 | 3 |
| 439 | Superior Metalâ€Organic Framework Activation with Dimethyl Ether. Angewandte Chemie, 0, , . | 2.0 | 0 |
| 440 | Enhancing Interfacial and Electromagnetic Interference Shielding Properties of Carbon Fiber Composites via the Hierarchical Assembly of the MWNT/MOF Interphase. Langmuir, 2022, 38, 14277-14289. | 3.5 | 4 |
| 441 | Design of metal-organic frameworks for improving pseudo-solid-state magnesium-ion electrolytes: Open metal sites, isoreticular expansion, and framework topology. Journal of Materials Science and Technology, 2023, 144, 15-27. | 10.7 | 9 |
| 442 | Green Synthesis of Robust Imine-Linked Two-Dimensional Covalent Organic Frameworks in Supercritical Carbon Dioxide. Chemistry of Materials, 2022, 34, 10584-10593. | 6.7 | 5 |
| 443 | The synthesis, activation, and adsorption capacity of metal-organic frameworks for hydrogen storage. , 0, 21, 34-41. | | 0 |
| 444 | Back to the Basics: Developing Advanced Metal–Organic Frameworks Using Fundamental Chemistry Concepts. ACS Nanoscience Au, 2023, 3, 37-45. | 4.8 | 18 |
| 445 | Mixing ligands to enhance gas uptake in polyMOFs. Molecular Systems Design and Engineering, 0, , . | 3.4 | 2 |
| 446 | Experimental Confirmation of a Predicted Porous Hydrogenâ€Bonded Organic Framework. Angewandte Chemie - International Edition, 2023, 62, . | 13.8 | 4 |
| 447 | A Simple, Transition Metal Catalystâ€Free Method for the Design of Complex Organic Building Blocks Used to Construct Porous Metal–Organic Frameworks. Angewandte Chemie, 2023, 135, . | 2.0 | 0 |
| 448 | A Simple, Transition Metal Catalystâ€Free Method for the Design of Complex Organic Building Blocks Used to Construct Porous Metal–Organic Frameworks. Angewandte Chemie - International Edition, 2023, 62, . | 13.8 | 2 |
| 449 | Synthesis, characterization, and activation of metal organic frameworks (MOFs) for the removal of emerging organic contaminants through the adsorption-oriented process: A review. Results in Chemistry, 2023, 5, 100866. | 2.0 | 9 |
| 450 | Metal-organic frameworks for fast electrochemical energy storage: Mechanisms and opportunities. CheM, 2023, 9, 798-822. | 11.7 | 11 |
| 451 | Experimental Confirmation of a Predicted Porous Hydrogenâ€bonded Organic Framework. Angewandte Chemie, 0, , . | 2.0 | 0 |
| 452 | Fluorinated linkers enable the synthesis of flexible MOFs with 1D alkaline earth SBUs and a temperature-induced phase transition. Dalton Transactions, 0, , . | 3.3 | 0 |
| 453 | Supercritical CO ₂ Directionalâ€Assisted Synthesis of Lowâ€Dimensional Materials for Functional Applications. Small, 2023, 19, . | 10.0 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 454 | Metal–Carbodithioate-Based 3D Semiconducting Metal–Organic Framework: Porous Optoelectronic Material for Energy Conversion. ACS Applied Materials & Interfaces, 2023, 15, 28228-28239. | 8.0 | 2 |
| 455 | Stepwise Assembly of Quinary Multivariate Metal–Organic Frameworks via Diversified Linker Exchange and Installation. Journal of the American Chemical Society, 2023, 145, 13929-13937. | 13.7 | 3 |
| 456 | MOFganic Chemistry: Challenges and Opportunities for Metal–Organic Frameworks in Synthetic Organic Chemistry. Chemistry of Materials, 2023, 35, 4883-4896. | 6.7 | 4 |
| 457 | Toward Controlled Partial Desolvation of Guest-Responsive Metal–Organic Frameworks for Precise Porosity Control. Chemistry of Materials, 2023, 35, 4192-4200. | 6.7 | 0 |
| 458 | Supercritical <scp>CO₂</scp> â€assisted formation of metal–organic frameworkâ€loaded porous polystyrene membranes for dye removal. Journal of Applied Polymer Science, 2023, 140, . | 2.6 | 2 |
| 459 | In Situ Observation of Solvent Exchange Kinetics in a MOF with Coordinatively Unsaturated Sites. Journal of the American Chemical Society, 2023, 145, 18634-18641. | 13.7 | 2 |
| 460 | Greatly Intensified Guest Exchange Strategy for Highlyâ€Efficient Activation of Metal–Organic Frameworks. Small, 2023, 19, . | 10.0 | 1 |
| 461 | Stable Dicationic Covalent Organic Frameworks Manifesting Notable Structure-Enhanced CO ₂ Capture and Conversion. ACS Catalysis, 2023, 13, 13021-13033. | 11.2 | 2 |
| 462 | Balancing chemical warfare agent degradation and permeability in a zirconium-based metal-organic framework fiber composite. Cell Reports Physical Science, 2023, 4, 101608. | 5.6 | 1 |
| 463 | γ-Cyclodextrin Metal-Organic Frameworks: Do Solvents Make a Difference?. Molecules, 2023, 28, 6876. | 3.8 | 0 |
| 464 | Guest Molecules Play Tug of War in a Breathing MOF: The Stepwise Monitoring of an Elastic Framework Deformation via SC-SC Transformations. Crystal Growth and Design, 0, , . | 3.0 | 0 |
| 465 | MOF-Based Nanoarchitectonics for Lithium-Ion Batteries: A Comprehensive Review. Journal of Inorganic and Organometallic Polymers and Materials, 0, , . | 3.7 | 0 |
| 466 | Identifying pathways to metal–organic framework collapse during solvent activation with molecular simulations. Journal of Materials Chemistry A, 2023, 11, 25929-25937. | 10.3 | 1 |
| 467 | Enhanced Gas Adsorption in HKUST-1@Chitosan Aerogels, Cryogels, and Xerogels: An Evaluation Study. ACS Applied Materials & Interfaces, 2023, 15, 53395-53404. | 8.0 | 0 |
| 468 | Supercritical Processing of a Highly C ₃ H ₆ -Permselective ZIF-8 Membrane on a Tubular Porous α-Al ₂ O ₃ Substrate. Industrial & Engineering Chemistry Research, 0, , . | 3.7 | 0 |
| 469 | Metal Organic Frameworks: Current State and Analysis of Their Use as Modifiers of the Vulcanization Process and Properties of Rubber. Materials, 2023, 16, 7631. | 2.9 | 0 |
| 470 | Unlocking High Porosity: Postâ€Synthetic Solvothermal Treatment of Cuâ€Paddlewheel Based Metal–Organic Cages. Small, 0, , . | 10.0 | 0 |
| 471 | Conductive MOFs: Synthesis and Applications in Supercapacitors and Batteries. Batteries and | 4.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 472 | Approaches toward the synthesis and mechanical properties of porous coordination polymers. , 2024, , 11-38. | | 0 |
| 473 | Analysis of metal–organic framework-based photosynthetic CO2 reduction. , 2024, 3, 307-318. | | 0 |
| 474 | The Dynamic View: Multiscale Characterisation Techniques for Flexible Frameworks. , 2024, , 145-230. | | 0 |