Improving gas sensing properties of graphene by introducing dopants and defects: a first-principles study

#	Paper	IF	Citations
823	Local density of states and scanning tunneling currents in graphene. **2009**, 11, 095007		26
822	Gas adsorption on graphene doped with B, N, Al, and S: A theoretical study. **2009**, 95, 232105		561
821	Electronic transport calculation of adsorbate NO2 and NO molecules on graphene using Maximally Localized Wannier functions. **2010**, 74, 135-138		6
820	Properties of graphene: a theoretical perspective. **2010**, 59, 261-482		827
819	Toward ubiquitous environmental gas sensors-capitalizing on the promise of graphene. **2010**, 44, 1167-76		242
818	Synthesis of Graphene and Its Applications: A Review. **2010**, 35, 52-71		1196
817	Adsorption of molecular oxygen on doped graphene: Atomic, electronic, and magnetic properties. **2010**, 81,		215
816	Graphene-based nitrogen dioxide gas sensors. **2010**, 10, 1002-1004		252
815	Rapid microwave-assisted synthesis of graphene nanosheet/Co3O4 composite for supercapacitors. **2010**, 55, 6973-6978		423
814	Production of graphene from graphite oxide using urea as expansion-reduction agent. **2010**, 48, 3463-3470		153
813	Effects of dopant and defect on the adsorption of carbon monoxide on graphitic boron nitride sheet: A first-principles study. **2010**, 484, 266-270		77
812	Formation, structure, and bonding of boron-vacancy pairs in graphene: A first-principles study. **2010**, 82,		7
811	Detection of CO2 absorption in graphene using surface acoustic waves. **2010**,		2
810	Flexible Chemical Sensors. **2010**, 247-273		2
809	Doping graphene by adsorption of polar molecules at the oxidized zigzag edges. **2010**, 81,		25
808	Graphene versus carbon nanotubes for chemical sensor and fuel cell applications. **2010**, 135, 2790-7		138
807	Tuning the electronic structure and transport properties of graphene by noncovalent functionalization: effects of organic donor, acceptor and metal atoms. *Nanotechnology*, **2010**, 21, 065201	3.4	104

806   DNA-decorated graphene chemical sensors. **2010**, 97, 083107   183

805   Effect of N/B doping on the electronic and field emission properties for carbon nanotubes, carbon nanocones, and graphene nanoribbons. **2010**, 2, 1069-82   132

804   Modeling of gas adsorption on graphene nanoribbons. **2010**, 107, 114309   53

803   The evolution of graphene-based electronic devices. **2010**, 1, 201-223   29

802   Synthesis of highly nitrogen-doped hollow carbon nanoparticles and their excellent electrocatalytic properties in dye-sensitized solar cells. **2010**, 20, 10829   114

801   Density Functional Theory Study of O2 and NO Adsorption on Heteroatom-Doped Graphenes Including the van der Waals Interaction. **2011**, 115, 10971-10978   32

800   Healing of a Vacancy Defect in a Single-Walled Carbon Nanotube by Carbon Monoxide Disproportionation. **2011**, 115, 4649-4655   22

799   Controllable healing of defects and nitrogen doping of graphene by CO and NO molecules. **2011**, 83,   62

798   Adsorption of gas molecules on transition metal embedded graphene: a search for high-performance graphene-based catalysts and gas sensors. *Nanotechnology*, **2011**, 22, 385502   3.4   235

797   Structural, magnetic, and transport properties of substitutionally doped graphene nanoribbons from first principles. **2011**, 83,   117

796   Tuning the magnetic behavior and transport property of graphene by introducing dopant and defect: A first-principles study. **2011**, 972, 63-67   7

795   Graphene and graphene-based nanomaterials: the promising materials for bright future of electroanalytical chemistry. **2011**, 136, 4631-40   121

794   Preparation of Fe2O3/graphene composite and its electrochemical performance as an anode material for lithium ion batteries. **2011**, 509, L216-L220   101

793   Reduced graphene oxide electrically contacted graphene sensor for highly sensitive nitric oxide detection. **2011**, 5, 6955-61   321

792   Recent advances in graphene-based biosensors. **2011**, 26, 4637-48   1025

791   An ab initio study on gas sensing properties of graphene and Si-doped graphene. **2011**, 81, 475-479   117

790   Materials and transducers toward selective wireless gas sensing. **2011**, 111, 7315-54   219

789   CVD growth and processing of graphene for electronic applications. **2011**, 248, 2604-2608   23

| 788 | Can the transition from tunneling to hopping in molecular junctions be predicted by theoretical calculation?. **2011**, 32, 1687-93 | 9 |

| 787 | Adsorption of NH3 and NO2 molecules on C48B6N6 heterofullerene: A DFT study on electronic properties. **2011**, 406, 3704-3709 | 21 |

| 786 | Improved sorption characteristics of NH3 molecules on the solution-processed graphene sheets. **2011**, 326, 208-211 | 15 |

| 785 | Carbon dioxide gas sensor using a graphene sheet. **2011**, 157, 310-313 | 511 |

| 784 | Abnormal electronic transport and negative differential resistance of graphene nanoribbons with defects. **2011**, 99, 192102 | 63 |

| 783 | Irradiation caused graphene defects and increased carrier density. **2011**, 20, 086102 | 19 |

| 782 | Electronic Structure Calculation of Adsorbate Gas Molecules on an Armchair Graphene Nanoribbon. **2012**, 2012, 1-5 | 2 |

| 781 | Ab initio study of the interactions between boron and nitrogen dopants in graphene. **2012**, 112, 034304 | 40 |

| 780 | Negative differential spin conductance in doped zigzag graphene nanoribbons. **2012**, 100, 052112 | 46 |

| 779 | Experimental Review of Graphene. **2012**, 2012, 1-56 | 303 |

| 778 | Graphenes in chemical sensors and biosensors. **2012**, 39, 87-113 | 170 |

| 777 | UV Lithography On Graphene Flakes Produced By Highly Oriented Pyrolitic Graphite Exfoliation Through Polydimethylsiloxane Rubbing. **2012**, 187-193 | 1 |

| 776 | Synthesis, characterization, electronic and gas-sensing properties towards H2 and CO of transparent, large-area, low-layer graphene. **2012**, 18, 14996-5003 | 18 |

| 775 | Z-like Conducting Pathways in Zigzag Graphene Nanoribbons with Edge Protrusions. **2012**, 116, 5915-5919 | 21 |

| 774 | Tunable band gaps and p-type transport properties of boron-doped graphenes by controllable ion doping using reactive microwave plasma. **2012**, 6, 1970-8 | 206 |

| 773 | Electronic properties of graphene nanoribbon doped by boron/nitrogen pair: a first-principles study. **2012**, 21, 027102 | 11 |

| 772 | The mechanism of spontaneous doping of boron atoms into graphene. **2012**, 44, 2016-2020 | 4 |

| 771 | Electrocatalytic oxidation of kojic acid at a reduced graphene sheet modified glassy carbon electrode. **2012**, 664, 111-116 | 22 |

770   Tuning the magnetic and transport property of graphene with Ti atom and cluster. **2012**, 56, 95-99   4

769   Correlated conductivity and work function changes in epitaxial graphene. **2012**, 100, 092113   26

768   Polymer Nanocomposites for Sensor Applications. **2012**, 351-379   2

767   Synthesis of graphene nanosheets by the electrolytic exfoliation of graphite and their direct assembly for lithium ion battery anodes. **2012**, 135, 309-316   14

766   Stability and magnetism of tetracyanoethylene adsorbed on substitutionally doped graphene. **2012**, 111, 083713   7

765   Electric Field Effects on the Adsorption of CO on a Graphene Nanodot and the Healing Mechanism of a Vacancy in a Graphene Nanodot. **2012**, 116, 3034-3041   60

764   Graphene-based electronic sensors. **2012**, 3, 1764   582

763   Scanning tunneling spectroscopy and Dirac point resonances due to a single Co adatom on gated graphene. **2012**, 85,   18

762   Tuning the magnetic and transport properties of metal adsorbed graphene by co-adsorption with 1,2-dichlorobenzene. **2012**, 14, 11626-32   20

761   Si-doped graphene: an ideal sensor for NO- or NO2-detection and metal-free catalyst for N2O-reduction. **2012**, 18, 2043-54   108

760   Highly responsive hydrogen gas sensing by partially reduced graphite oxide thin films at room temperature. **2012**, 50, 4061-4067   65

759   Highly sensitive NO2 gas sensor based on ozone treated graphene. **2012**, 166-167, 172-176   251

758   Graphene-based flexible NO2 chemical sensors. **2012**, 520, 5459-5462   63

757   A density functional theory study of the adsorption of bimetallic Fe n Pt m clusters on defective graphene: structural, electronic, and magnetic properties. **2013**, 15, 1   11

756   Graphene-based gas sensors. **2013**, 1, 10078   778

755   The interactions of nitrogen dioxide with graphene-stabilized Rh clusters: a DFT study. **2013**, 15, 15896-904   13

754   Understanding dopant and defect effect on H2S sensing performances of graphene: A first-principles study. **2013**, 69, 222-228   119

753   Adsorption of Molecules on Graphene. **2013**, 209-231   1

752   Lithium-Mediated Benzene Adsorption on Graphene and Graphene Nanoribbons. **2013**, 130916143804002   5

751   DFT studies of Si- and Al-doping effects on the acetone sensing properties of BC3 graphene. **2013**, 111, 3320-3326   66

750   Sensing behavior of SnO2/reduced graphene oxide nanocomposites toward NO2. **2013**, 179, 61-68   147

749   Enhanced response to molecular adsorption of structurally defective graphene. **2013**, 31, 030602   5

748   Electron Transport Properties through Graphene Oxide⊡obalt Phthalocyanine Complexes. **2013**, 117, 23664-23675   21

747   Adsorption of gas molecules on monolayer MoS2 and effect of applied electric field. **2013**, 8, 425   457

746   Edge Effects on the pH Response of Graphene Nanoribbon Field Effect Transistors. **2013**, 117, 27155-27160   44

745   Three-Dimensional Graphene Network-Based Chemical Sensors on Paper Substrate. **2013**, 160, B160-B163   22

744   Adsorption of CH4 on nitrogen- and boron-containing carbon models of coal predicted by density-functional theory. **2013**, 285, 190-197   55

743   Adsorption of atmospheric oxidants at divacancy sites of graphene: A DFT study. **2013**, 1016, 22-27   21

742   Flexible graphene-based chemical sensors on paper substrates. **2013**, 15, 1798-801   109

741   Global and local reactivity indexes applied to understand the chemistry of graphene oxide and doped graphene. **2013**, 19, 919-30   19

740   On the intercalation of CO molecules in ultra-high vacuum conditions underneath graphene epitaxially grown on metal substrates. **2013**, 62, 263-269   6

739   Sensing behavior of Al and Si doped BC3 graphenes to formaldehyde. **2013**, 181, 829-834   158

738   Removal of 4-chlorophenol using graphene, graphene oxide, and a-doped graphene (A = N, B): A computational study. **2013**, 113, 1931-1939   27

737   NOx sensing one- and two-dimensional carbon nanostructures and nanohybrids: Progress and perspectives. **2013**, 181, 9-21   32

736   Theoretical study on the interaction between graphene divacancies and C2H2. **2013**, 567, 43-47   3

735   Chemically modulated graphene diodes. **2013**, 13, 2182-8   132

716   Influence of reactant concentration on optical properties of ZnO nanoparticles. **2014**, 29, 76-82   5

715   . **2014**,   1

714   Production of heavily n- and p-doped CVD graphene with solution-processed redox-active metal organic species. **2014**, 1, 111-115   59

713   Chlorine molecule adsorbed on graphene and doped graphene: A first-principle study. **2014**, 436, 54-58   18

712   Formaldehyde molecule adsorbed on doped graphene: A first-principles study. **2014**, 293, 216-219   45

711   Influence of antisite defect upon decomposition of nitrous oxide over graphene-analogue SiC. **2014**, 552, 111-115   24

710   The effect of concentration on gas sensor model based on graphene nanoribbon. **2014**, 24, 143-146   10

709   The electronic transport behavior of hybridized zigzag graphene and boron nitride nanoribbons. **2014**, 115, 114313   15

708   First principles calculations of phenol adsorption on pristine and group III (B, Al, Ga) doped graphene layers. **2014**, 20, 2112   8

707   A DFT investigation of CO adsorption on VIIIB transition metal-doped graphene sheets. **2014**, 67, 110-117   111

706   Nanocarbon-based gas sensors: progress and challenges. **2014**, 2, 5573   180

705   Silicene as a highly sensitive molecule sensor for NH3, NO and NO2. **2014**, 16, 6957-62   173

704   Sulfur dioxide molecule sensors based on zigzag graphene nanoribbons with and without Cr dopant. **2014**, 378, 667-671   33

703   Graphene/MoS(2) heterostructures for ultrasensitive detection of DNA hybridisation. **2014**, 26, 4838-44   251

702   Enriching physisorption of H2S and NH3 gases on a graphane sheet by doping with Li adatoms. **2014**, 16, 8100-5   44

701   First principles analysis of graphene and its ability to maintain long-ranged interaction with H2S. **2014**, 621, 168-174   28

700   Negative differential resistance behavior in phosphorus-doped armchair graphene nanoribbon junctions. **2014**, 115, 073703   20

699   Reduced graphene oxide and graphene composite materials for improved gas sensing at low temperature. **2014**, 173, 403-14   22

| 680 | Wrinkled reduced graphene oxide nanosheets for highly sensitive and easy recoverable NH3 gas detector. **2014**, 4, 46930-46933 | 23 |

| 679 | Influence of topological defects on the nitrogen monoxide-sensing characteristics of graphene-analogue BN. **2014**, 197, 274-279 | 15 |

| 678 | Graphene-based gas sensor: metal decoration effect and application to a flexible device. **2014**, 2, 5280-5285 | 164 |

| 677 | Gas adsorption on silicene: A theoretical study. **2014**, 87, 218-226 | 104 |

| 676 | Adjusting the electronic properties and gas reactivity of epitaxial graphene by thin surface metallization. **2014**, 439, 105-108 | 18 |

| 675 | Edge-functionalized graphene nanoflakes as selective gas sensors. **2014**, 202, 622-630 | 38 |

| 674 | Effects of nitrogen-doping configurations with vacancies on conductivity in graphene. **2014**, 378, 2270-2274 | 38 |

| 673 | Point defects in twisted bilayer graphene: A density functional theory study. **2014**, 89, | 18 |

| 672 | Improving SO2 gas sensing properties of graphene by introducing dopant and defect: A first-principles study. **2014**, 313, 405-410 | 78 |

| 671 | Highly NO2 sensitive caesium doped graphene oxide conductometric sensors. **2014**, 5, 1073-81 | 33 |

| 670 | Controlled synthesis of few layer graphene films for gas sensor applications. **2015**, 1786, 65-70 | 1 |

| 669 | NH3 Adsorption on Arsenene: A First Principle Study. **2015**, | 4 |

| 668 | Highly Sensitive CO Gas Sensor from Defective Graphene: Role of van der Waals Interactions. **2015**, 2015, 1-7 | 10 |

| 667 | Sensing Characteristics of a Graphene-like Boron Carbide Monolayer towards Selected Toxic Gases. **2015**, 16, 3511-7 | 19 |

| 666 | Two-Dimensional Materials for Sensing: Graphene and Beyond. **2015**, 4, 651-687 | 232 |

| 665 | Unique Reactivity of Transition Metal Atoms Embedded in Graphene to CO, NO, O2 and O Adsorption: A First-Principles Investigation. **2015**, 20, 19540-53 | 11 |

| 664 | Metal Decoration Effects on the Gas-Sensing Properties of 2D Hybrid-Structures on Flexible Substrates. **2015**, 15, 24903-13 | 31 |

| 663 | Growth and Characterization of Al2O3 Atomic Layer Deposition Films on sp(2)-Graphitic Carbon Substrates Using NO2/Trimethylaluminum Pretreatment. **2015**, 7, 12030-7 | 23 |

626   B: Highly Sensitive and Selective Gas Sensor. **2015**, 119, 24827-24836   87

625   Molecular dynamics investigation of separation of hydrogen sulfide from acidic gas mixtures inside metal-doped graphite micropores. **2015**, 17, 22686-98   21

624   Improved Selectivity and Sensitivity of Gas Sensing Using a 3D Reduced Graphene Oxide Hydrogel with an Integrated Microheater. **2015**, 7, 27502-10   108

623   Electrically Tunable van der Waals Interaction in Graphene-Molecule Complex. **2015**, 15, 8176-80   43

622   A backside fluorine-functionalized graphene layer for ammonia detection. **2015**, 17, 444-50   35

621   Synthesis, decoration and properties of three-dimensional graphene-based macrostructures: A review. **2015**, 264, 753-771   199

620   Environmental applications of three-dimensional graphene-based macrostructures: adsorption, transformation, and detection. **2015**, 49, 67-84   416

619   Hydrothermal synthesis and tribological properties of FeS2 (pyrite)/reduced graphene oxide heterojunction. **2015**, 5, 1417-1423   23

618   First-principle analysis of the electronic and optical properties of boron and nitrogen doped carbon mono-layer graphenes. **2015**, 81, 179-192   44

617   Energetic Stabilities, Structural and Electronic Properties of Monolayer Graphene Doped with Boron and Nitrogen Atoms. **2016**, 5, 91   10

616   Partially Hydrogenated Graphene Materials Exhibit High Electrocatalytic Activities Related to Unintentional Doping with Metallic Impurities. **2016**, 22, 8627-34   11

615   Chemical and biological sensors based on defect-engineered graphene mesh field-effect transistors. **2016**, 3, 14   13

614   CO2 adsorption on Fe-doped graphene nanoribbons: First principles electronic transport calculations. **2016**, 6, 125102   18

613   Enhanced sensitivity of graphene ammonia gas sensors using molecular doping. **2016**, 108, 033106   48

612   Adsorption behavior of B-doped/N-doped graphene sheets toward NO2, NO and NH3 molecules: A first-principles study. **2016**, 14, 1600110   7

611   Highly sensitive NO2 sensors by pulsed laser deposition on graphene. **2016**, 109, 113108   17

610   A study of gas sensing behavior of metal-graphene contact with transfer length method. **2016**, 108, 221604   16

609   Adsorption of CO molecules on doped graphene: A first-principles study. **2016**, 6, 025317   44

| 608 | Adsorption of sugars on Al- and Ga-doped boron nitride surfaces: A computational study. **2016**, 377, 9-16 | 21 |

| 607 | Detecting CO, NO and NO2 gases by Boron-doped graphene nanoribbon molecular devices. **2016**, 657, 18-25 | 20 |

| 606 | Amperometric enzyme-free glucose sensor based on the use of a reduced graphene oxide paste electrode modified with electrodeposited cobalt oxide nanoparticles. **2016**, 183, 2259-2266 | 33 |

| 605 | Formaldehyde molecule adsorption on the doped monolayer MoS2: A first-principles study. **2016**, 371, 180-188 | 99 |

| 604 | Doping graphene with boron: a review of synthesis methods, physicochemical characterization, and emerging applications. **2016**, 4, 5002-5025 | 296 |

| 603 | A transfer-free wafer-scale CVD graphene fabrication process for MEMS/NEMS sensors. **2016**, | 5 |

| 602 | Synthesis of single layer graphene on Cu(111) by C60 supersonic molecular beam epitaxy. **2016**, 6, 37982-37993 | 20 |

| 601 | First-Principles Study of Sulfur Dioxide Sensor Based on Phosphorenes. **2016**, 37, 660-662 | 90 |

| 600 | Hierarchical 3D nanostructure of GdInO3 and reduced-graphene-decorated GdInO3 nanocomposite for CO sensing applications. **2016**, 234, 155-166 | 22 |

| 599 | The adsorption of CO and NO on the MoS2 monolayer doped with Au, Pt, Pd, or Ni: A first-principles study. **2016**, 383, 98-105 | 223 |

| 598 | Selective detection of carbon monoxide (CO) gas by reduced graphene oxide (rGO) at room temperature. **2016**, 6, 47337-47348 | 58 |

| 597 | Understanding the ammonia sensing behavior of filter coffee powder derived N-doped carbon nanoparticles using the Freundlich-like isotherm. **2016**, 4, 8860-8865 | 17 |

| 596 | A comparative study of structural and electronic properties of formaldehyde molecule on monolayer honeycomb structures based on vdW-DF prospective. **2016**, 384, 175-181 | 18 |

| 595 | MXenes: Reusable materials for NH3 sensor or capturer by controlling the charge injection. **2016**, 235, 103-109 | 159 |

| 594 | Adsorption of CO2 and CO gas on impurity-decorated phosphorenes: A first-principles study. **2016**, | 1 |

| 593 | Ab initio study on gas sensing properties of group III (B, Al and Ga) doped graphene. **2016**, 9, 40-55 | 30 |

| 592 | A theoretical study of gas adsorption on silicene nanoribbons and its application in a highly sensitive molecule sensor. **2016**, 6, 94417-94428 | 70 |

| 591 | CO chemisorption at vacancies of supported graphene films: a candidate for a sensor?. **2016**, 18, 18692-6 | 13 |

590 | In Situ High Temperature Atomic Level Studies of Large Closed Grain Boundary Loops in Graphene. **2016**, 10, 9165-9173 | 18

589 | Adsorption of N2, O2, CO, and CO2 on open ends and surface of single wall carbon nano-tubes: A computational nuclear magnetic resonance and nuclear quadrupole resonance study. **2016**, 222, 717-732 | 6

588 | Electronic properties and nonlinear optical responses of boron/nitrogen-doped zigzag graphene nanoribbons. **2016**, 94, 620-625 | 6

587 | Recent progress in 2D or 3D N-doped graphene synthesis and the characterizations, properties, and modulations of N species. **2016**, 51, 10323-10349 | 62

586 | Designed formation through a metal organic framework route of ZnO/ZnCoO hollow core-shell nanocages with enhanced gas sensing properties. **2016**, 8, 16349-16356 | 122

585 | Gold nanoparticle included graphene oxide modified electrode: Picomole detection of metal ions in seawater by stripping voltammetry. **2016**, 71, 685-695 | 10

584 | Interaction of Rhodamine 6G molecules with graphene: a combined computational-experimental study. **2016**, 18, 28418-28427 | 11

583 | Surface study of gallium- and aluminum- doped graphenes upon adsorption of cytosine: DFT calculations. **2016**, 390, 444-451 | 36

582 | Studies on QCM-type NO2 gas sensor based on graphene composites at room temperature. **2016**, 32, 924-928 | 10

581 | Facile Synthesis of 3D Graphene Flowers for Ultrasensitive and Highly Reversible Gas Sensing. **2016** , 26, 7462-7469 | 116

580 | Surface study of platinum decorated graphene towards adsorption of NH 3 and CH 4. **2016**, 182, 32-38 | 32

579 | Computational electrochemistry of doped graphene as electrocatalytic material in fuel cells. **2016**, 116, 1623-1640 | 18

578 | Electronic properties of a pristine and NH3/NO2 adsorbed buckled arsenene monolayer. **2016**, 6, 72634-72642 | 23

577 | Changes in work function due to NO2 adsorption on monolayer and bilayer epitaxial graphene on SiC(0001). **2016**, 94, | 14

576 | Thermally exfoliated fluorinated graphite for NO2 gas sensing. **2016**, 253, 2492-2498 | 13

575 | First-Principles Computational Design of Graphene for Gas Detection. **2016**, 155-177 |

574 | . **2016**, |

573 | Graphene synthesized on porous silicon for active electrode material of supercapacitors. **2016**, 773, 012057 |

572	Hybrid Modeling of Molecular Sensing and Catalysis in Low-dimensional Nanomaterials. **2016**, 3, 396-410	
571	Change of the short-range scattering in the graphene covered with Bi 2 O 3 clusters. **2016**, 78, 79-84	1
570	Gas sensing properties of defect-induced single-walled carbon nanotubes. **2016**, 228, 688-692	40
569	Quantum valley Hall state in gas molecule-adsorbed bilayer graphene. **2016**, 16, 160-164	2
568	Adsorption of sodium diclofenac on graphene: a combined experimental and theoretical study. **2016**, 18, 1526-36	119
567	First Principle Analysis of (10-Boranylanthracene-9-yl)borane-Based Molecular Single-Electron Transistor for High-Speed Low-Power Electronics. **2016**, 63, 1232-1238	11
566	Augmenting the sensing aptitude of hydrogenated graphene by crafting with defects and dopants. **2016**, 228, 317-321	34
565	Enhanced band gap opening in germanene by organic molecule adsorption. **2016**, 173, 379-384	28
564	Lewis AcidBase Adducts for Improving the Selectivity and Sensitivity of Graphene Based Gas Sensors. **2016**, 1, 451-459	23
563	3D porous graphene hydrogel for improved gas sensing performance at elevated temperature. **2016**,	0
562	The formation of H2S on metal-modified graphene under hydrogen environments. **2016**, 23, 423-432	2
561	First-principles study of SF6 decomposed gas adsorbed on Au-decorated graphene. **2016**, 367, 259-269	90
560	Spectroscopic Investigation of Plasma-Fluorinated Monolayer Graphene and Application for Gas Sensing. **2016**, 8, 8652-61	52
559	Defect-engineered graphene chemical sensors with ultrahigh sensitivity. **2016**, 18, 14198-204	82
558	Chemisorption of NO on Pt-decorated graphene as modified nanostructure media: A first principles study. **2016**, 360, 1041-1046	126
557	Reversible and Irreversible Responses of Defect-Engineered Graphene-Based Electrolyte-Gated pH Sensors. **2016**, 8, 834-9	39
556	Effects of hydrogen adsorption on the properties of double wall BN and (BN)xCy nanotubes. **2016**, 233, 352-362	1
555	Interaction of nucleobases with silicon doped and defective silicon doped graphene and optical properties. **2016**, 18, 295-309	27

554 — DFT study on interaction of NO2 with the vacancy-defected WO3 nanowires for gas-sensing. **2016**, 222, 499-507 — 59

553 — Dispersion-corrected DFT study on the carbon monoxide sensing by B2C nanotubes: effects of dopant and interferences. **2016**, 27, 535-542 — 4

552 — Certain doping concentrations caused half-metallic graphene. **2017**, 21, 111-117 — 18

551 — On the mechanism of gas adsorption for pristine, defective and functionalized graphene. **2017**, 19, 6051-6056 — 51

550 — Al-doped graphene as an effective adsorber for some toxic derivatives of aromatic hydrocarbons. **2017**, 16, 1750004 — 4

549 — First-principles approach to design and evaluation of graphene as methane sensors. **2017**, 119, 397-405 — 23

548 — Adsorption of gas molecules on graphene-like InN monolayer: A first-principle study. **2017**, 404, 291-299 — 94

547 — Highly sensitive and selective room-temperature NO2 gas sensor based on bilayer transferred chemical vapor deposited graphene. **2017**, 404, 357-363 — 72

546 — Arsenene as a promising candidate for NO and NO 2 sensor: A first-principles study. **2017**, 381, 1092-1096 — 62

545 — Influence of NO and (NO) adsorption on the properties of Fe-N4 porphyrin-like graphene sheets. **2017**, 19, 3201-3213 — 20

544 — Doping and vacancy effects of graphyne on SO adsorption. **2017**, 493, 123-129 — 25

543 — Surface functionalization of epitaxial graphene on SiC by ion irradiation for gas sensing application. **2017**, 403, 707-716 — 19

542 — Adsorption and decomposition of dimethyl methylphosphonate on pristine and mono-vacancy defected graphene: A first principles study. **2017**, 418, 318-327 — 5

541 — Mechanistic insights into biomimetic carbonic anhydrase action catalyzed by doped carbon nanotubes and graphene. **2017**, 19, 8757-8767 — 7

540 — The necessity of structural irregularities for the chemical applications of graphene. **2017**, 4, 1-16 — 79

539 — DFT study of NO adsorption on pristine graphene. **2017**, 7, 13082-13091 — 38

538 — A grand canonical Monte Carlo study of SO capture using functionalized bilayer graphene nanoribbons. **2017**, 146, 044704 — 10

537 — NO 2 sensing properties of a borazine doped nanographene: A DFT study. **2017**, 1106, 36-42 — 40

| 536 | Significant band-gap opening in graphene and Pd-doped graphene via the adsorption of ionized methane. **2017**, 104, 341-348 | 3 |

| 535 | Detection of NO 2 by hexa- peri -hexabenzocoronene nanographene: A DFT study. **2017**, 20, 758-764 | 13 |

| 534 | Tuning CO sensing properties and magnetism of MoS2 monolayer through anchoring transition metal dopants. **2017**, 1104, 12-17 | 17 |

| 533 | Adsorption behavior of SO 2 on vacancy-defected graphene: A DFT study. **2017**, 109, 40-45 | 36 |

| 532 | Noncovalent Interactions between Dopamine and Regular and Defective Graphene. **2017**, 18, 2065-2080 | 22 |

| 531 | Suspended black phosphorus nanosheet gas sensors. **2017**, 250, 569-573 | 80 |

| 530 | Adsorption/desorption process of formaldehyde onto iron doped graphene: a theoretical exploration from density functional theory calculations. **2017**, 19, 4179-4189 | 39 |

| 529 | Trapping of gaseous pollutants on defective N-doped graphene. **2016**, 19, 636-643 | 10 |

| 528 | BHb?️Interaction in borane️graphene complexes: coronene as a case study. **2017**, 41, 5040-5054 | 12 |

| 527 | Gas sensing in 2D materials. **2017**, 4, 021304 | 381 |

| 526 | Adsorption of gases on monolayer GeSe: A first principle study. **2017**, | 1 |

| 525 | A DFT analysis of the adsorption of nitrogen oxides on Fe-doped graphene, and the electric field induced desorption. **2017**, 420, 446-455 | 47 |

| 524 | Adsorption of H2S on graphane decorated with Fe, Co and Cu: a DFT study. **2017**, 7, 31457-31465 | 35 |

| 523 | Gas adsorption effect on the graphene nanoribbon band structure and quantum capacitance. **2017**, 23, 767-777 | 12 |

| 522 | Ultrafast nonlinear optical response in solution dispersions of black phosphorus. **2017**, 7, 3352 | 19 |

| 521 | Nanoporous carbon-composites as gas sensors: Importance of the specific adsorption forces for ammonia sensing mechanism. **2017**, 121, 114-126 | 23 |

| 520 | Highly responsive chemical sensing on NO 2 at room temperature based on reduced porous graphene. **2017**, 204, 27-30 | 12 |

| 519 | Adsorption of gas molecules on Ga-doped graphene and effect of applied electric field: A DFT study. **2017**, 411, 11-17 | 94 |

518   Micro-orientation control of silicon polymer thin films on graphite surfaces modified by heteroatom doping. **2017**, 405, 255-266   1

517   Effects of graphene defects on gas sensing properties towards NO detection. **2017**, 9, 6085-6093   54

516   Hydrogen sulfide gas sensor based on graphene-coated tapered photonic crystal fiber interferometer. **2017**, 247, 540-545   48

515   Highly enhanced H2S gas sensing and magnetic performances of metal doped hexagonal ZnO monolayer. **2017**, 141, 109-115   24

514   CO and NO monitoring using pristine germanene nanosheets: DFT study. **2017**, 234, 355-363   27

513   Anisotropic Electronic Structure and Transport Properties of the H-0 Hyperhoneycomb Lattice. **2017**, 121, 1928-1933   1

512   Covalent three-dimensional networks of graphene and carbon nanotubes: synthesis and environmental applications. **2017**, 12, 116-135   79

511   DFT study on the adsorption of diethyl, ethyl methyl, and dimethyl ethers on the surface of gallium doped graphene. **2017**, 401, 156-161   38

510   Computational design of two-dimensional nanomaterials for charge modulated CO2/H2 capture and/or storage. **2017**, 8, 169-183   21

509   Warped C 80 H 30 nanographene as a chemical sensor for CO gas: DFT studies. **2017**, 381, 646-651   25

508   Sensitivity investigation for the dependence of monolayer and stacking graphene NH 3 gas sensor. **2017**, 73, 56-61   14

507   First Principles Investigation of Small Molecules Adsorption on Antimonene. **2017**, 38, 134-137   80

506   Effects of chemical and physical defects on the humidity sensitivity of graphene surface. **2017**, 689, 206-211   2

505   Adsorption of small gas molecules on pure and Al-doped graphene sheet: a quantum mechanical study. **2017**, 40, 1263-1271   16

504   Hierarchical structured, nitrogen-incorporated graphene aerogel for high performance supercapacitor. **2017**, 25, 1043-1048   9

503   Enhanced gas sensing by 3D water steamed graphene hydrogel. **2017**, 138, 101-107   4

502   Synthesis of carbon nanofibers by thermal conversion of the molecular precursor 5,6;11,12-di-o-phenylenetetracene and its application in a chemiresistive gas sensor. **2017**, 7, 45185-45194   3

501   Investigation of carbon monoxide adsorption onto sumanene (C 21 H 12) decorated with Li + ions toward its elimination. **2017**, 17, 1382-1395   7

| 500 | DFT-based investigation on adsorption of methane on pristine and defected graphene. **2017**, 28, 1935-1952 | 28 |

| 499 | Adsorption energy of oxygen molecules on graphene and two-dimensional tungsten disulfide. **2017**, 7, 1774 | 42 |

| 498 | Adsorption of Gas Molecules on Graphene-Like ZnO Nanosheets: The Roles of Gas Concentration, Layer Number, and Heterolayer. **2017**, 4, 1700647 | 25 |

| 497 | A first-principles study of gas molecule adsorption on borophene. **2017**, 7, 125007 | 45 |

| 496 | NO2 gas sensor based on hydrogenated graphene. **2017**, 111, 213102 | 21 |

| 495 | Tailoring pseudocapacitive materials from a mechanistic perspective. **2017**, 6, 211-229 | 86 |

| 494 | Toward the Realization of 2D Borophene Based Gas Sensor. **2017**, 121, 26869-26876 | 98 |

| 493 | Gas adsorption efficacy of graphene sheets functionalised with carboxyl, hydroxyl and epoxy groups in conjunction with Stone-Thrower-Wales (STW) and inverse Stone-Thrower-Wales (ISTW) defects. **2017**, 19, 30895-30913 | 11 |

| 492 | Oxygen Plasma-Treated Graphene Oxide Surface Functionalization for Sensitivity Enhancement of Thin-Film Piezoelectric Acoustic Gas Sensors. **2017**, 9, 40774-40781 | 21 |

| 491 | Stanene based gas sensors: effect of spin-orbit coupling. **2017**, 19, 31325-31334 | 37 |

| 490 | Hierarchical NiO Cube/Nitrogen-Doped Reduced Graphene Oxide Composite with Enhanced HS Sensing Properties at Low Temperature. **2017**, 9, 26293-26303 | 80 |

| 489 | Graphene and Graphene Analogs toward Optical, Electronic, Spintronic, Green-Chemical, Energy-Material, Sensing, and Medical Applications. **2017**, 9, 24393-24406 | 45 |

| 488 | Influence of adsorption on the work function and conductivity of carbon nanostructures: Inconsistency of experimental data. **2017**, 62, 656-659 | 5 |

| 487 | A comparative computational study on the BN ring doped nanographenes. **2017**, 396, 740-745 | 33 |

| 486 | Adsorption of formaldehyde molecule on the pristine and transition metal doped graphene: First-principles study. **2017**, 396, 1020-1025 | 48 |

| 485 | Ab-initio investigation of adsorption of CO and CO 2 molecules on graphene: Role of intrinsic defects on gas sensing. **2017**, 394, 219-230 | 60 |

| 484 | Theoretical investigations on novel SiC5 siligraphene as gas sensor for air pollutants. **2017**, 113, 114-121 | 48 |

| 483 | High-performance reduced graphene oxide-based room-temperature NO2 sensors: A combined surface modification of SnO2 nanoparticles and nitrogen doping approach. **2017**, 242, 269-279 | 79 |

482 | Silicon nanowires as potential gas sensors: A density functional study. **2017**, 242, 1246-1250 | 29

481 | Adsorption sensitivity of metal atom decorated bilayer graphene toward toxic gas molecules (CO, NO, SO2 and HCN). **2017**, 238, 182-195 | 80

480 | WITHDRAWN: Mechanical and electronic properties of armchair graphene nanoribons with symmetrically double-lines-doped BN under uniaxial tensile strain: Ab initio study. **2017**,

479 | Superior gas detection by nanoporous graphene structures. **2017**,

478 | A First-Principles Investigation of Boron Nitride Nanotube (BNNT) in Gas Sensing Application. **2017**, | 0

477 | Smart Sensor Systems for Wearable Electronic Devices. **2017**, 9, | 123

476 | Graphene functionalised by laser-ablated VO for a highly sensitive NH sensor. **2017**, 8, 571-578 | 16

475 | Enhanced Sensitivity of MoTe2 Chemical Sensor through Light Illumination. **2017**, 8, 155 | 22

474 | CVD transfer-free graphene for sensing applications. **2017**, 8, 1015-1022 | 6

473 | Study of the correlation between sensing performance and surface morphology of inkjet-printed aqueous graphene-based chemiresistors for NO detection. **2017**, 8, 1023-1031 | 11

472 | Gas sensing and capturing based on two-dimensional layered materials: Overview from theoretical perspective. **2018**, 8, e1361 | 67

471 | A Novel Interconnected Structure of Graphene-Carbon Nanotubes for the Application of Methane Adsorption. **2018**, 18, 1555-1561 | 5

470 | Defect-Induced Gas Adsorption on Graphene Transistors. **2018**, 5, 1701640 | 20

469 | First-principles study on the structure and electronic property of gas molecules adsorption on Ge2Li2 monolayer. **2018**, 442, 390-397 | 3

468 | Highly Sensitive Sensing of NO and NO2 Gases by Monolayer C3N. **2018**, 1, 1700008 | 37

467 | Adsorption sensitivity of defected graphene towards NO molecule: a DFT study. **2018**, 15, 1755-1763 | 3

466 | Photoactivated Mixed In-Plane and Edge-Enriched p-Type MoS Flake-Based NO Sensor Working at Room Temperature. **2018**, 3, 998-1004 | 110

465 | Adsorption and dissociation of sulfur-based toxic gas molecules on silicene nanoribbons: a quest for high-performance gas sensors and catalysts. **2018**, 24, 94 | 22

| 464 | Catalysts in metal-air batteries. **2018**, 8, 372-386 | 6 |

| 463 | A short review of nanographenes: structures, properties and applications. **2018**, 116, 987-1002 | 8 |

| 462 | Synthesis of novel amperometric urea-sensor using hybrid synthesized NiO-NPs/GO modified GCE in aqueous solution of cetrimonium bromide. **2018**, 44, 120-128 | 37 |

| 461 | Adsorption of Small Molecules on Niobium Doped Graphene: A Study Based on Density Functional Theory. **2018**, 39, 296-299 | 15 |

| 460 | The electronic transport properties of defected bilayer sliding armchair graphene nanoribbons. **2018**, 382, 1040-1046 | 13 |

| 459 | Noble metal (Pt or Au)-doped monolayer MoS2 as a promising adsorbent and gas-sensing material to SO2, SOF2 and SO2F2: a DFT study. **2018**, 124, 1 | 62 |

| 458 | Potential application of doped hexa-peri-hexabenzocoronene as NH3 gas sensor: a computational investigation. **2018**, 29, 929-935 | 2 |

| 457 | Controlled Pore Sizes in Monolayer C2N Act as Ultrasensitive Probes for Detection of Gaseous Pollutants (HF, HCN, and H2S). **2018**, 122, 2248-2258 | 33 |

| 456 | Modeling the Interaction of Carbon Monoxide with Flexible Graphene: From Coupled Cluster Calculations to Molecular-Dynamics Simulations. **2018**, 19, 774-783 | 15 |

| 455 | The effect of adsorbates on the electrical stability of graphene studied by transient photocurrent spectroscopy. **2018**, 112, 013103 | 8 |

| 454 | Adsorption and dissociation mechanism of SO2 and H2S on Pt decorated graphene: a DFT-D3 study. **2018**, 124, 1 | 19 |

| 453 | Nitrogen doped high quality CVD grown graphene as a fast responding NO2 gas sensor. **2018**, 42, 9550-9556 | 13 |

| 452 | The adsorption properties of CHx species on metal modified graphene. **2018**, 32, 1850153 | |

| 451 | Defected and Functionalized Germanene-based Nanosensors under Sulfur Comprising Gas Exposure. **2018**, 3, 867-874 | 33 |

| 450 | A simple and disposable carbon adhesive tape-based NO2 gas sensor. **2018**, 266, 485-492 | 18 |

| 449 | C3N monolayers as promising candidates for NO2 sensors. **2018**, 266, 664-673 | 126 |

| 448 | BN-C Hybrid Nanoribbons as Gas Sensors. **2018**, 47, 1009-1021 | 4 |

| 447 | The role of the intrinsic Se and In vacancies in the interaction of O2 and H2O molecules with the InSe monolayer. **2018**, 434, 215-227 | 20 |

446   DFT study of the adsorption of 2, 3, 7, 8-tetrachlorodibenzofuran (TCDF) on vacancy-defected graphene doped with Mn and Fe. **2018**, 18, 61-67   14

445   Graphene-Based Sensors. **2018**, 157-174   10

444   Highly sensitive chemiresistive H2S gas sensor based on graphene decorated with Ag nanoparticles and charged impurities. **2018**, 257, 278-285   73

443   Decoration of vertical graphene with tin dioxide nanoparticles for highly sensitive room temperature formaldehyde sensing. **2018**, 256, 1011-1020   69

442   Chemisorption of CO on N-doped graphene on Ni(111). **2018**, 428, 775-780   10

441   Effective Tuning of Silver Decorated Graphene Sensing Properties by Adjusting the Ag NPs Coverage Density. **2018**, 82-89   0

440   Recent advances in carbon material-based NO2 gas sensors. **2018**, 255, 1788-1804   144

439   Modulating the gas sensing properties of nitrogen coordinated dopants in graphene sheets: A first-principles study. **2018**, 427, 376-386   14

438   Electronic and transport properties of silicene-based ammonia nanosensors: an ab initio study. **2018**, 29, 257-265   16

437   Boosted sensitivity of graphene gas sensor via nanoporous thin film structures. **2018**, 255, 1805-1813   41

436   Selective gas adsorption and IV response of monolayer boron phosphide introduced by dopants: A first-principle study. **2018**, 427, 176-188   29

435   Theoretical approach into potential possibility of efficient NO2 detection via B40 and Li@B40 fullerenes. **2018**, 691, 360-365   23

434   3D superhydrophobic reduced graphene oxide for activated NO2 sensing with enhanced immunity to humidity. **2018**, 6, 478-488   84

433   Co-doped phosphorene: Enhanced sensitivity of CO gas sensing. **2018**, 32, 1850068   9

432   Analytical modelling and simulation of gas adsorption effects on graphene nanoribbon electrical properties. **2018**, 44, 551-557   5

431   Humidity and CO2 gas sensing properties of double-layer graphene. **2018**, 127, 576-587   43

430   DFT study of adsorption behavior of NO, CO, NO2, and NH3 molecules on graphene-like BC3: A search for highly sensitive molecular sensor. **2018**, 427, 326-333   130

429   Structural and electronic properties of sublimated graphene on silicon carbide: A First Principle study. **2018**,

| 428 | First-principles investigation of adsorption behaviors of small molecules on penta-graphene. **2018**, 13, 264 | 39 |

| 427 | Phenol and Methanol Detector Based on Pristine Graphene Nano-sheet: A First Principles Study. **2018**, | |

| 426 | Mono- and Bi-Molecular Adsorption of SF6 Decomposition Products on Pt Doped Graphene: A First-Principles Investigation. **2018**, 8, 2010 | 3 |

| 425 | Interaction of CO and CH Adsorption with Noble Metal (Rh, Pd, and Pt)-Decorated N-CNTs: A First-Principles Study. **2018**, 3, 16892-16898 | 11 |

| 424 | Self-Powered Chemical Sensing Driven by Graphene-Based Photovoltaic Heterojunctions with Chemically Tunable Built-In Potentials. **2019**, 15, e1804303 | 11 |

| 423 | Two-Dimensional Nanomaterials for Gas Sensing Applications: The Role of Theoretical Calculations. **2018**, 8, | 48 |

| 422 | Selective Reduction of Oxygen Functional Groups to Improve the Response Characteristics of Graphene Oxide-Based Formaldehyde Sensor Device: A First Principle Study. **2018**, 1-8 | 8 |

| 421 | A Self-Sacrificing Dual-Template Strategy to Heteroatom-Enriched Porous Carbon Nanosheets with High Pyridinic-N and Pyrrolic-N Content for Oxygen Reduction Reaction and Sodium Storage. **2018**, 5, 1801149 | 11 |

| 420 | Individual Gas Molecules Detection Using Zinc Oxide Graphene Hybrid Nanosensor: A DFT Study. **2018**, 4, 44 | 11 |

| 419 | Adsorption Site-Dependent Mobility Behavior in Graphene Exposed to Gas Oxygen. **2018**, 122, 21493-21499 | 6 |

| 418 | Coherence in defect evolution data for the ion beam irradiated graphene. **2018**, 8, 13973 | 3 |

| 417 | Structural, electronic, and magnetic properties of gas molecules on Mo-, Si-, and Pt-doped BC3 sheets. **2018**, 121, 247-255 | 7 |

| 416 | Effect of side chain edge functionalization in pristine and defected graphene-DFT study. **2018**, 1135, 34-47 | 6 |

| 415 | Electron transport in ethanol & methanol absorbed defected graphene. **2018**, | 6 |

| 414 | A theoretical study on metal atom-modified BC3 sheets for effects of gas molecule adsorptions. **2018**, 124, 1 | 15 |

| 413 | Field-induced structural control of COx molecules adsorbed on graphene. **2018**, 123, 174302 | 0 |

| 412 | Toxic gases molecules (NH3, SO2 and NO2) adsorption on GeSe monolayer with point defects engineering. **2018**, 706, 501-508 | 32 |

| 411 | Effect of external electric field on the adsorption of ethylene oxide on pristine and Al-doped coronenes: A DFT study. **2018**, 17, 1850032 | 4 |

410   Gas-sensing properties of armchair silicene nanoribbons towards carbon-based gases with single-molecule resolution. **2018**, 29, 1893-1902   13

409   Adsorption of CO and O2 molecules on Li metal adsorbed graphene: Search for graphene based gas sensors. **2018**,   1

408   Research Progress of Gas Sensor Based on Graphene and Its Derivatives: A Review. **2018**, 8, 1118   86

407   Detection of Ultralow Concentration NO in Complex Environment Using Epitaxial Graphene Sensors. **2018**, 3, 1666-1674   34

406   Sulfur dioxide adsorbed on pristine and Au dimer decorated ☐graphyne: A density functional theory study. **2018**, 458, 781-789   16

405   Effects of area, aspect ratio and orientation of rectangular nanohole on the tensile strength of defective graphene - a molecular dynamics study.. **2018**, 8, 17034-17043   11

404   Ultrasensitive and Fully Reversible NO Gas Sensing Based on p-Type MoTe under Ultraviolet Illumination. **2018**, 3, 1719-1726   78

403   Highly sensitive and selective room-temperature nitrogen dioxide sensors based on porous graphene. **2018**, 275, 78-85   24

402   Effect of defects on adsorption characteristics of AlN monolayer towards SO2 and NO2: Ab initio exposure. **2018**, 462, 615-622   22

401   Boron Doping and Defect Engineering of Graphene Aerogels for Ultrasensitive NO2 Detection. **2018**, 122, 20358-20365   31

400   Adsorption sensitivity of Fe decorated different graphene supports toward toxic gas molecules (CO and NO). **2018**, 456, 351-359   39

399   Ambient Condition Production of High Quality Reduced Graphene Oxide. **2018**, 5, 1800737   9

398   Improvement of SO2 adsorption capacity of fiber web surface produced from continous graphene oxide fiber. **2019**, 110, 358-367   3

397   Functionalized conjugated polymers for sensing and molecular imprinting applications. **2019**, 88, 1-129   124

396   A first-principles insight into Pd-doped MoSe2 monolayer: A toxic gas scavenger. **2019**, 383, 125868   27

395   Mosaic-Like Micropatterned Monolayer RGO/AgNPs Film Gas Sensor With Enhanced Room-Temperature NO2 Response/Recovery Properties. **2019**, 28, 833-840   4

394   CrI-WTe: A Novel Two-Dimensional Heterostructure as Multisensor for BrF and COCL Toxic Gases. **2019**, 9, 11194   6

393   Adsorption behavior of Pd-doped SnS2 monolayer upon H2 and C2H2 for dissolved gas analysis in transformer oil. **2019**, 25, 1587-1594   9

392	Integration of Fullerenes as Electron Acceptors in 3D Graphene Networks: Enhanced Charge Transfer and Stability through Molecular Design. **2019**, 11, 28818-28822	8
391	Structural and electronic properties of CO and NO gas molecules on Pd-doped vacancy graphene: A first principles study. **2019**, 494, 817-828	25
390	Interaction of DNA nucleobases with boron, nitrogen, and sulfur doped graphene nano-ribbon for sequencing: An Ab initio study. **2019**, 492, 634-643	9
389	Synthesis, Properties, and Applications of Graphene. **2019**, 25-90	7
388	Gas Sensors Based on Two-Dimensional Materials and Its Mechanisms. **2019**, 205-258	7
387	Three-Dimensional-Structured Boron- and Nitrogen-Doped Graphene Hydrogel Enabling High-Sensitivity NO Detection at Room Temperature. **2019**, 4, 1889-1898	40
386	Improvement of NO2 Detection: Graphene Decorated With ZnO Nanoparticles. **2019**, 19, 8751-8757	5
385	Electronic and structural properties of black phosphorene doped with Si, B and N. **2019**, 383, 125945	4
384	Nitrogenated holey graphene (C2N) surface as highly selective electrochemical sensor for ammonia. **2019**, 296, 111929	39
383	Tailoring of graphene quantum dots for toxic heavy metals detection. **2019**, 125, 1	7
382	Adsorption of diatomic molecules on graphene, h-BN and their BNC heterostructures: DFT study. **2019**, 100, 107575	14
381	Using Pd-Doped ɛGraphyne to Detect Dissolved Gases in Transformer Oil: A Density Functional Theory Investigation. **2019**, 9,	18
380	Conformational switching of CO on graphene: the role of electric fields. **2019**, 25, 343	1
379	Two-dimensional delafossite cobalt oxyhydroxide as a toxic gas sensor. **2019**, 476, 198-204	22
378	An effective approach for tuning catalytic activity of CN nanosheets: Chemical-doping with the Si atom. **2019**, 92, 320-328	4
377	Synthesis and characterization of graphene like nano flakes(GNF) using chemical vapor deposition. **2019**,	0
376	Graphene-based sensors of NO2, H2, acetone, and other gases/vapors: State of the art and realistic outlook. **2019**,	
375	Adsorption behavior of graphene-like ZnO monolayer with oxygen vacancy defects for NO2: A DFT study. **2019**, 134, 106223	15

374 | Reduced Graphene Oxide/Mesoporous ZnO NSs Hybrid Fibers for Flexible, Stretchable, Twisted, and Wearable NO E-Textile Gas Sensor. **2019**, 4, 2809-2818 | 64

373 | Rh-doped MoSe2 as a toxic gas scavenger: a first-principles study. **2019**, 1, 772-780 | 171

372 | Nanocarbons: Preparation, assessments, and applications in structural engineering, spintronics, gas sensing, EMI shielding, and cloaking in X-band. **2019**, 171-285 | 9

371 | . **2019**, 19, 3726-3732 | 7

370 | Understanding Semiconducting Metal Oxide Gas Sensors. **2019**, 1-22

369 | High selectivity n-type InSe monolayer toward decomposition products of sulfur hexafluoride: A density functional theory study. **2019**, 479, 852-862 | 12

368 | Functionalized Graphene Nanocomposite in Gas Sensing. **2019**, 295-322 | 4

367 | Adsorption characteristic of Rh-doped MoSe2 monolayer towards H2 and C2H2 for DGA in transformer oil based on DFT method. **2019**, 487, 930-937 | 27

366 | A novel highly selective and sensitive NH3 gas sensor based on monolayer Hf2CO2. **2019**, 492, 116-124 | 28

365 | . **2019**, 7, 72012-72019 | 42

364 | Folded graphene nanoribbon as a sensitive and selective gas sensor: first principles study. **2019**, 94, 115801

363 | Adsorption of phosgene on Si-embedded MoS2 sheet and electric field-assisted desorption: insights from DFT calculations. **2019**, 54, 11497-11508 | 8

362 | Graphene Grown from Flat and Bowl Shaped Polycyclic Aromatic Hydrocarbons on Cu(111). **2019**, 20, 2354-2359 | 2

361 | First-principles study of molecule adsorption on Ni-decorated monolayer MoS2. **2019**, 18, 826-835 | 7

360 | A First-Principles Study of the SF6 Decomposed Products Adsorbed Over Defective WS2 Monolayer as Promising Gas Sensing Device. **2019**, 19, 473-483 | 56

359 | Tuning the structural and electronic properties and chemical activities of stanene monolayers by embedding 4d Pd: a DFT study.. **2019**, 9, 16069-16082 | 15

358 | New Paradigm for Gas Sensing by Two-Dimensional Materials. **2019**, | 13

357 | A novel two-dimensional InP3 monolayer with high stability, tunable bandgap, high carrier mobility, and gas sensing of NO2. **2019**, 7, 7352-7359 | 27

356	Density functional theory evaluation of pristine and BN-doped biphenylene nanosheets to detect HCN. **2019**, 25, 163	5
355	Hierarchical nanohybrids of B- and N-codoped graphene/mesoporous NiO nanodisks: an exciting new material for selective sensing of H2S at near ambient temperature. **2019**, 7, 9263-9278	27
354	Hybrid 2D nanodevices (graphene/h-BN): selecting NOx gas through the device interface. **2019**, 7, 8905-8911	16
353	DFT study of small gas molecules adsorbed on undoped and N-, Si-, B-, and Al-doped graphene quantum dots. **2019**, 138, 1	21
352	DFT study of CO adsorption on nitrogen/boron doped-graphene for sensor applications. **2019**, 25, 91	15
351	A Gas Sensing Channel Composited with Pristine and Oxygen Plasma-Treated Graphene. **2019**, 19,	11
350	Gas identification with graphene plasmons. **2019**, 10, 1131	91
349	Platinum Nanoparticles Decorated Graphene Oxide Based Resistive Device for Enhanced Formaldehyde Sensing: First-Principle Study and its Experimental Correlation. **2019**, 66, 1942-1949	9
348	Electrical Properties of Two-Dimensional Materials Used in Gas Sensors. **2019**, 19,	45
347	Ru-InN Monolayer as a Gas Scavenger to Guard the Operation Status of SF6 Insulation Devices: A First-Principles Theory. **2019**, 19, 5249-5255	111
346	Different doping of penta-graphene as adsorbent and gas sensing material for scavenging and detecting SF6 decomposed species. **2019**, 21, e00100	3
345	Sensing response enhancement of graphene gas sensors by ion beam bombardment. **2019**, 677, 73-76	6
344	Sc2CO2 and Mn-doped Sc2CO2 as gas sensor materials to NO and CO: A first-principles study. **2019**, 111, 84-90	21
343	A first-principles study of doped black phosphorus carbide monolayers as NO2 and NH3 sensors. **2019**, 125, 074501	11
342	Dissolved gas analysis in transformer oil using Pd catalyst decorated MoSe2 monolayer: A first-principles theory. **2019**, 20, e00094	76
341	Enhanced Lewis acid-base adducts in doped stanene: Sensing and photocatalysis. **2019**, 478, 946-958	8
340	Fluoro-functionalized graphene as a promising nanosensor in detection of fish spoilage: A theoretical study. **2019**, 719, 91-102	17
339	Graphene-Based Ammonia Sensors Functionalised with Sub-Monolayer V₂O₅: A Comparative Study of Chemical Vapour Deposited and Epitaxial Graphene. **2019**, 19,	18

| 320 | Pristine and Cu decorated hexagonal InN monolayer, a promising candidate to detect and scavenge SF decompositions based on first-principle study. **2019**, 363, 346-357 | 92 |

| 319 | Adsorption behaviour of SO2 and SOF2 gas on Rh-doped BNNT: a DFT study. **2020**, 118, e1580394 | 22 |

| 318 | Small gas adsorption on CoN4 porphyrin-like CNT for sensor exploitation: a first-principles study. **2020**, 30, 177-187 | 1 |

| 317 | MXene and MXene-based composites: synthesis, properties and environment-related applications. **2020**, 5, 235-258 | 240 |

| 316 | Semi-empirical simulations of interactions between edge-functionalized graphene oxide and bisphenol A. **2020**, 23, 85-90 | |

| 315 | Surface functionalization of epitaxial graphene using ion implantation for sensing and optical applications. **2020**, 157, 169-184 | 8 |

| 314 | Co-modulation of graphene by N hetero-doping &vacancy defects and the effect on NO2 adsorption and sensing: First-principles study. **2020**, 116, 113737 | 11 |

| 313 | Effects of gas adsorption on electronic and optical properties of palladium-doped graphene: First-principles study. **2020**, 118, 113879 | 7 |

| 312 | Recent advances in two-dimensional-material-based sensing technology toward health and environmental monitoring applications. **2020**, 12, 3535-3559 | 155 |

| 311 | Boron-doped few-layer graphene nanosheet gas sensor for enhanced ammonia sensing at room temperature.. **2020**, 10, 1007-1014 | 19 |

| 310 | Mechanistic insight into high response of carbon monoxide gas sensor developed by nickel manganate nanorod decorated reduced graphene oxide. **2020**, 589, 124449 | 5 |

| 309 | Three-Dimensional Graphene Hydrogel Decorated with SnO for High-Performance NO Sensing with Enhanced Immunity to Humidity. **2020**, 12, 2634-2643 | 41 |

| 308 | Electronic and optical properties of doped graphene. **2020**, 118, 113894 | 11 |

| 307 | Adsorption of small molecules on a Pmma CO monolayer. **2020**, 139, 109300 | |

| 306 | Ultrahigh Sensitivity and Selectivity of Pentagonal SiC2 Monolayer Gas Sensors: The Synergistic Effect of Composition and Structural Topology. **2020**, 257, 1900445 | 3 |

| 305 | Structural and electronic properties of adsorbed nucleobases on pristine and Al-doped coronene in absence and presence of external electric fields: a computational study. **2020**, 31, 795-807 | 1 |

| 304 | Effects of strain on defect-graphene superlattices. **2020**, 10, 105115 | 2 |

| 303 | A Review of Inkjet Printed Graphene and Carbon Nanotubes Based Gas Sensors. **2020**, 20, | 21 |

302   Coal-Based Fluorescent Zero-Dimensional Carbon Nanomaterials: A Short Review. **2020**, 34, 13291-13306   7

301   Adsorption and sensing of SO2 and SOF2 molecule by Pt-doped HfSe2 monolayer: A first-principles study. **2020**, 530, 147242   24

300   Research on Environmental Protection Treatment for Ex-Service SF6 Adsorbent. **2020**, 8, 93840-93849   2

299   Small molecule gas adsorption onto blue phosphorene oxide layers. **2020**, 530, 147039   4

298   Density functional study on hybrid h-BN/graphene atomic chains. **2020**, 124, 114316   4

297   Enhanced thermoelectric properties in anthracene molecular device with graphene electrodes: the role of phononic thermal conductance. **2020**, 10, 10922   5

296   Stone-Wales Defect and Vacancy-Assisted Enhanced Atomic Orbital Interactions Between Graphene and Ambient Gases: A First-Principles Insight. **2020**, 5, 31281-31288   7

295   Graphene-based chemiresistive gas sensors. **2020**, 149-173   4

294   Monitoring Food Spoilage Based on a Defect-Induced Multiwall Carbon Nanotube Sensor at Room Temperature: Preventing Food Waste. **2020**, 5, 30531-30537   7

293   LoRa Sensor Network Development for Air Quality Monitoring or Detecting Gas Leakage Events. **2020**, 20,   12

292   Rh-doped MoTe Monolayer as a Promising Candidate for Sensing and Scavenging SF Decomposed Species: a DFT Study. **2020**, 15, 129   15

291   Treatment of adsorption of dioxane by using SiCNT toward efficient remediation of refractory organic contaminants from wastewater: DFT and DFTB-MD simulations. **2020**, 316, 113869   1

290   Enhancing the Sensing Performance of Zigzag Graphene Nanoribbon to Detect NO, NO, and NH Gases. **2020**, 20,   18

289   Interaction properties of phenol and styrene from plastic fumes on ⁉Arsenene sheets: A first-principles study. **2020**, 597, 412405   13

288   A study on the adsorptions of SO2 on pristine and phosphorus-doped silicon carbide nanotubes as potential gas sensors. **2020**, 46, 25171-25188   8

287   Adsorption and optical properties of H2S, CH4, NO, and SO2 gas molecules on arsenene: a DFT study. **2020**, 19, 1373-1379   2

286   First-principle insights of CO and NO detection via antimonene nanoribbons. **2020**, 126, 1   4

285   Novel green phosphorene sheets to detect tear gas molecules - A DFT insight. **2020**, 100, 107706   21

284	Nanomechanical Gas Sensing with Laser Treated 2D Nanomaterials. **2020**, 5, 2000704		4
283	Detection of NOx and COx (x = 1, 2) molecules with T4,4,4-graphyne: a density functional theory study. **2020**, 46, 1383-1389		4
282	Role of interfacial 2D graphene in high performance 3D graphene/germanium Schottky junction humidity sensors. **2020**, 8, 14196-14202		4
281	Computational Study of Borophene with Line Defects as Sensors for Nitrogen-Containing Gas Molecules. **2020**, 3, 9961-9968		7
280	Electronic and transport properties of graphene nanoflakes with the protrusion of different widths. **2020**, 26, 229		1
279	Interaction of modified nucleic bases with graphene and doped graphenes: a DFT study. **2020**, 43, 1		0
278	Highly Aligned Carbon Nanowire Array by E-Field Directed Assembly of PAN-Containing Block Copolymers. **2020**, 12, 58113-58121		3
277	Multilayer Structure of Reduced Graphene Oxide and Copper Oxide as a Gas Sensor. **2020**, 10, 1015		4
276	Adsorption of SF Decomposed Products on ZnO-Modified CN: A Theoretical Study. **2020**, 15, 186		2
275	Effects of Phase Selection on Gas-Sensing Performance of MoS and WS Substrates. **2020**, 5, 28823-28830		5
274	Defect engineering of graphene using electron-beam chemistry with radiolyzed water. **2020**, 166, 446-455		4
273	First-principle study on monolayer and bilayer SnP sheets as the potential sensors for NO, NO, and NH detection. *Nanotechnology*, **2020**, 31, 325504	3.4	12
272	Ag-Modified 3D Reduced Graphene Oxide Aerogel-Based Sensor with an Embedded Microheater for a Fast Response and High-Sensitive Detection of NO. **2020**, 12, 25243-25252		22
271	Zero-dimensional heterostructures: N-doped graphene dots/SnO2 for ultrasensitive and selective NO2 gas sensing at low temperatures. **2020**, 8, 11734-11742		21
270	Response Surface Optimization of Multilayer Graphene Growth on Alumina-Supported Bimetallic CobaltÑNickel Substrate. **2020**, 45, 7455-7465		0
269	First-Principles Investigation of the 1T-HfTe2 Nanosheet for Selective Gas Sensing. **2020**, 3, 5160-5171		13
268	The potential application of borazine (BN)-doped nanographene decorated with halides as anode materials for Li-ion batteries: a first-principles study. **2020**, 26, 157		6
267	Effect of S vacancy or non-metallic atom (C, N and F) doping on the adsorption behaviors of molecules (H2S, BF4) on monolayer MoS2. **2020**, 124, 114292		1

266   Low-Humidity Sensing Properties of Multi-Layered Graphene Grown by Chemical Vapor Deposition. **2020**, 20,   3

265   Gas nanosensors. **2020**, 267-283

264   Electrical properties and applications. **2020**, 173-249   1

263   Epitaxial graphene gas sensors on SiC substrate with high sensitivity. **2020**, 41, 032101   13

262   The influence of S vacancy on the adsorption of toxic gas molecules on SnS monolayer: A DFT study. **2020**, 120, 114054   7

261   Sensing Behavior of Hexagonal-Aluminum Nitride to Phosgene Molecule Based on Van der Waals Density Functional Theory and Molecular Dynamic Simulation. **2020**, 94, 581-589   3

260   Gas Sensing Performance of Pristine and Monovacant C6BN Monolayers Evaluated by Density Functional Theory and the Nonequilibrium Green Function Formalism. **2020**, 124, 5853-5860   10

259   Reversible gas capture using a ferroelectric switch and 2D molecule multiferroics on the In2Se3 monolayer. **2020**, 8, 7331-7338   29

258   Analytical Approach to Study Sensing Properties of Graphene Based Gas Sensor. **2020**, 20,   8

257   First-Principles Study for Gas Sensing of Defective SnSe2 Monolayers. **2020**, 10, 1623   6

256   A Deep Blue B,N-Doped Heptacene Emitter That Shows Both Thermally Activated Delayed Fluorescence and Delayed Fluorescence by Triplet-Triplet Annihilation. **2020**, 142, 6588-6599   71

255   Interaction investigation of single and multiple carbon monoxide molecules with Fe-, Ru-, and Os-doped single-walled carbon nanotubes by DFT study: applications to gas adsorption and detection nanomaterials. **2020**, 26, 186   2

254   Promoting sensitivity and selectivity of NO2 gas sensor based on metal (Pt, Re, Ta)-doped monolayer WSe2: A DFT study. **2020**, 755, 137737   6

253   Structural, morphological and temperature-dependent electrical properties of BN/NiO nanocomposites. **2020**, 31, 13158-13166   5

252   Adsorption behavior of Rh-doped MoS2 monolayer towards SO2, SOF2, SO2F2 based on DFT study. **2020**, 122, 114224   17

251   Black arsenene as a promising anisotropic sensor with high sensitivity and selectivity: insights from a first-principles investigation. **2020**, 8, 4073-4080   9

250   Editors Choice Critical Review A Critical Review of Solid State Gas Sensors. **2020**, 167, 037570   63

249   Adsorption of SO2 and NO2 molecule on intrinsic and Pd-doped HfSe2 monolayer: A first-principles study. **2020**, 513, 145863   128

248	Analysis of uric acid adsorption on armchair silicene nanoribbons: a DFT study. **2020**, 26, 63	2
247	Adsorption of small gas molecules on strained monolayer WSe2 doped with Pd, Ag, Au, and Pt: A computational investigation. **2020**, 514, 145911	42
246	Nanosensors for gas sensing applications. **2020**, 107-130	4
245	Efficient hydrogen production from ethanol steam reforming over layer-controlled graphene-encapsulated Ni catalysts. **2020**, 252, 119907	17
244	Density functional calculations of organic pollutants adsorbed on Hittorf's violet phosphorene. **2020**, 120, 113963	4
243	Adsorption of C2H2, CH4 and CO on Mn-doped graphene: Atomic, electronic, and gas-sensing properties. **2020**, 119, 113959	48
242	Plasmonic Gas Sensing with Graphene Nanoribbons. **2020**, 13,	17
241	Superior sensitivity of metal functionalized boron carbide (BC3) monolayer towards carbonaceous pollutants. **2020**, 512, 145637	9
240	First-Principles Insight into a Ru-Doped SnS Monolayer as a Promising Biosensor for Exhale Gas Analysis. **2020**, 5, 8919-8926	23
239	Graphene based plasma-wave devices for terahertz applications. **2020**, 116, 140501	21
238	Ga and Ge-doped graphene structures: A DFT study of sensor applications for methanol. **2020**, 1180, 112828	22
237	Green Synthesis of 3D Chemically Functionalized Graphene Hydrogel for High-Performance NH and NO Detection at Room Temperature. **2020**, 12, 20623-20632	38
236	Theoretical study of NO2 adsorption on SiCNT and P-doped SiCNT. **2021**, 127, 114519	1
235	Centimeter-Scale Ge-Assisted Grown Graphene Directly on SiO2/Si for NO2 Gas Sensors. **2021**, 21, 5164-5172	1
234	Graphene-like BC6N nanosheets are potential candidates for detection of volatile organic compounds (VOCs) in human breath: A DFT study. **2021**, 536, 147756	24
233	Pt-doped armchair graphene nanoribbon as a promising gas sensor for CO and CO2: DFT study. **2021**, 125, 114418	28
232	Pd-doped C3N monolayer: A promising low-temperature and high-activity single-atom catalyst for CO oxidation. **2021**, 537, 147881	22
231	Reduced graphene oxide based hybrid functionalized films for hydrogen detection: Theoretical and experimental studies. **2021**, 2, 100072	15

230 — Relevance of metal (Ca versus Mn) embedded C2N for energy-storage applications: Atomic-scale study. **2021**, 46, 2445-2463 — 2

229 — Adsorption of C6H6 and C7H8 onto pristine and metal (Pd, Pt)-mediated ZnO monolayers: Electronic and gas sensing properties. **2021**, 542, 148767 — 6

228 — Highly anisotropic gas sensing of atom-thin borophene: a first-principles study. **2021**, 9, 1069-1076 — 12

227 — Sensing Applications of Atomically Thin Group IV Carbon Siblings Xenes: Progress, Challenges, and Prospects. **2021**, 31, 2005957 — 21

226 — First principle study on gas sensing mechanism of black-AsP monolayer. **2021**, 0-0

225 — A review on two-dimensional materials for chemiresistive- and FET-type gas sensors. **2021**, 23, 15420-15439 — 10

224 — Tuning the electronic and optical properties of silicon-germanium nanosheet through doping with boron and phosphorus: a first principle study. **2021**, 32, 1133-1140

223 — Gas sensing performance of 2D nanomaterials/metal oxide nanocomposites: a review. — 19

222 — Density Functional Theory and Voltammetric Study of Niclosamide Adsorption Behavior On Carbon Nanotubes. **2021**, 50, 1260-1266 — 3

221 — Carbon-dioxide gas sensor using co-doped graphene nanoribbon: A first principle DFT study. **2021**, 45, 5023-5028 — 0

220 — Graphene-Fiber Biochemical Sensors: Principles, Implementations, and Advances. **2021**, 11, 123-139 — 3

219 — High-performance electrically transduced hazardous gas sensors based on low-dimensional nanomaterials. — 3

218 — Strategy and Future Prospects to Develop Room-Temperature-Recoverable NO Gas Sensor Based on Two-Dimensional Molybdenum Disulfide. **2021**, 13, 38 — 39

217 — Fluorinated porous silicon as sensor material for environmentally toxic gases: a first-principles study. **2021**, 2, 1072-1082

216 — Adsorption of HOOO. radical on pristine and doped graphene⊡ first-principles study. **2021**, 32, 1171-1179

215 — Graphene-based gas sensors, working principles and sensing parameters. **2021**, 459-486 — 0

214 — Gas-sensing performance of BC3 nanotubes for detecting poisonous cyanogen gas: a periodic DFT approach. **2021**, 45, 11574-11584 — 4

213 — Recent Advances in Ammonia Gas Sensors Based on Carbon Nanomaterials. **2021**, 12, — 17

212	Structural, Electronic and Optical properties of (P3HT)n in context of Organic Solar Cells: DFT Based Approach. **2021**,	0
211	Enhanced Sensitivity of CO on Two-Dimensional, Strained, and Defective GaSe. **2021**, 26,	0
210	Sensing behaviors of transition metal decorated InN monolayer upon (hbox {SO}_{2}) and NO molecules: a first-principles study. **2021**, 94, 1	
209	Highly Fast Response of Pd/TaO/SiC and Pd/TaO/Si Schottky Diode-Based Hydrogen Sensors. **2021**, 21,	1
208	A Review on Functionalized Graphene Sensors for Detection of Ammonia. **2021**, 21,	14
207	On the electronic properties of defective graphene buffer layer on 6H-SiC(0001). **2021**, 26, e00538	1
206	First-Principles Calculations of SiBi Nanosheets as Sensors for Oxygen-Containing Gases. **2021**, 4, 2440-2451	7
205	Covalent functionalization in graphene nanoribbon: Theoretical modeling and sensitivity analysis. **2021**, 129, 114301	2
204	Recent Developments in Graphene-Based Toxic Gas Sensors: A Theoretical Overview. **2021**, 21,	23
203	Sensing and sensitivity: Computational chemistry of graphene-based sensors. **2021**, 11, e1526	4
202	Stereodynamic Effects of CO Molecules Scattered from a Graphite Surface. **2021**, 125, 9074-9084	0
201	Effect of transition metal (Cu and Pt) doping/ co-doping on hydrogen gas sensing capability of graphene: A DFT study. **2021**, 46, 16188-16201	11
200	A DFT study of NO2 and SO2 gas-sensing properties of InX (X = Cl, Br and I) monolayers. **2021**, 56, 11828-11837	2
199	Impact of N2O Gas Adsorption Upon Electronic Properties of 2D MoSe2 Monolayer: A DFT Approach. **2021**, 21, 9756-9762	6
198	SOF2 sensing by Rh-doped PtS2 monolayer for early diagnosis of partial discharge in the SF6 insulation device. e1919774	60
197	Laser-assisted doping of graphene for transparent conducting electrodes. **2021**, 263, 124348	1
196	Improving Ammonia Detecting Performance of Polyaniline Decorated rGO Composite Membrane with GO Doping. **2021**, 14,	2
195	Chemical sensing with graphene: A quantum field theory perspective. **2021**, 103,	

194	A critical review on multifunctional smart materials 'nanographene' emerging avenue: nano-imaging and biosensor applications. 1-17		17
193	Adsorption properties of InP3 monolayer toward SF6 decomposed gases: A DFT study. **2021**, 130, 114689		8
192	Growth of Defect-Induced Carbon Nanotubes for Low-Temperature Fruit Monitoring Sensor. **2021**, 9, 131		5
191	Sc doped arsenene as adsorbent for the detection and removal of SF6 decomposition gases: A DFT study. **2021**, 552, 149449		2
190	First-Principles Study of Au-Doped InN Monolayer as Adsorbent and Gas Sensing Material for SF Decomposed Species. **2021**, 11,		3
189	SnC monolayer with transition metal adatom for gas sensing: a density functional theory studies. *Nanotechnology*, **2021**, 32,	3.4	3
188	Two-Dimensional Gallium Oxide Monolayer for Gas-Sensing Application. **2021**, 12, 5813-5820		8
187	Adsorption of nitrogen-based gases on different layers of blue phosphorene oxides. **2021**, 56, 15824-15843		1
186	Substituted 2D Janus WSSe monolayers as efficient nanosensor toward toxic gases. **2021**, 130, 014501		4
185	First-principles Insights into Cu-Decorated GaN Monolayers for Sensing CO and HCHO in Dry-Type Transformers. **2021**, 6, 19127-19133		3
184	Influence of Magnetic Moment on Single Atom Catalytic Activation Energy Barriers. 1		0
183	Boron- and phosphorous-doped graphene nanosheets and quantum dots as sensors and catalysts in environmental applications: a review. **2021**, 19, 4375		6
182	Enhanced SOx sensing performance of BC3 nanosheets functionalized with Na atoms: A first-principles study. **2021**, 132, 114762		1
181	The effect of Cl- and N-doped MoS2 and WS2 coated on epitaxial graphene in gas-sensing applications. **2021**, 25, 101200		4
180	Adsorption of dissolved gas molecules in the transformer oil on silver-modified (002) planes of molybdenum diselenide monolayer: a DFT study. **2021**, 33,		1
179	Theoretical study of dissolved gas molecules in transformer oil adsorbed on intrinsic and Cr-doped InP3 monolayer. **2021**, 561, 149816		5
178	Nitrogen-Containing Gas Sensing Properties of 2-D TiN and Its Derivative Nanosheets: Electronic Structures Insight. **2021**, 11,		0
177	Pd and Pt decorated GeSe monolayers as promising materials for SOF2 and SO2F2 sensing. **2021**, 560, 150028		8

176	High uptake and fixation ability of BC monolayer for CO and NO toxic gases: a computational analysis. **2021**, 56, 18566	
175	Electron-transport and gas sensing in armchair graphene nanoribbons by density functional method. **2021**, 132, 105881	
174	Monolayer PtTe2: A promising candidate for NO2 sensor with ultrahigh sensitivity and selectivity. **2021**, 134, 114925	2
173	Defect-engineered two-dimensional layered gallium sulphide molecular gas sensors with ultrahigh selectivity and sensitivity. **2021**, 562, 150188	3
172	Induced magnetization in armchair and Zig-zag CNTs on adsorbing transition metals. **2021**, 538, 168287	
171	Sensing ability of 2D Al2C monolayer toward toxic pnictogen hydrides: A first-principles perspective. **2021**, 331, 113000	1
170	2D Tellurene: Increase sensitivity toward toxic cyanide molecules. **2021**, 194, 110619	1
169	Study of Adsorption of H2, CO and NO Gas Molecules on Molybdenum Sulfide and Tungsten Sulfide Monolayers from First-Principles Calculations. **2021**, 714, 121910	0
168	DNA nucleobase interaction driven electronic and optical fingerprints in gallium selenide monolayer for DNA sequencing devices. **2022**, 571, 151380	1
167	First-principles study of pristine and metal decorated blue phosphorene for sensing toxic H2S, SO2 and NO2 molecules. **2021**, 127, 1	0
166	Adsorption of atmospheric gas molecules (NH3, H2S, CO, H2, CH4, NO, NO2, C6H6 and C3H6O) on two-dimensional polyimide with hydrogen bonding: a first-principles study. **2021**, 45, 5240-5251	5
165	Electrical detection of ppb region NO2 using Mg-porphyrin-modified graphene field-effect transistors.	6
164	First-principles prediction of strain-induced gas-sensing tuning in tin sulfide. **2021**, 23, 18712-18723	1
163	Three-dimensional graphene and its composite for gas sensors. **2021**, 40, 1494-1514	9
162	Graphene for Future High-Performance Gas Sensing. **2017**, 347-363	1
161	Morphing Graphene-Based Systems for Applications: Perspectives from Simulations. **2017**, 87-111	4
160	Functionalization of Graphene and Its Derivatives for Developing Efficient Solid-State Gas Sensors: Trends and Challenges. **2020**, 245-284	2
159	Adsorption Site of Gas Molecules on Defective Armchair Graphene Nanoribbon Formed Through Ion Bombardment. **2018**, 47, 1208-1217	2

158	Effect of doping and vacancy defects on the adsorption of CO on graphene. **2020**, 249, 123114		9
157	Recent Advances in Gas and Humidity Sensors Based on 3D Structured and Porous Graphene and Its Derivatives. **2020**, 2, 1381-1411		19
156	Al-Doped MoSe Monolayer as a Promising Biosensor for Exhaled Breath Analysis: A DFT Study. **2021**, 6, 988-995		12
155	First-principles investigation of carbon dioxide adsorption on MN4 doped graphene. **2020**, 10, 125013		2
154	Ultrafast humidity sensor based on liquid phase exfoliated graphene. *Nanotechnology*, **2021**, 32, 025505	3.4	2
153	Strain-engineered black arsenene as a promising gas sensor for detecting SO among SF decompositions. *Nanotechnology*, **2021**, 32, 065501	3.4	4
152	Graphene-Based Gas Sensor Theoretical Framework. **2017**, 117-149		1
151	Graphene-based Chemiresistive Gas Sensors. **2021**,		
150	Adsorption and gas-sensing properties of Pdn-GaNNTs to C2H2 and H2 gases. **2021**, 136, 115004		1
149	First-principles investigation upon H2 and C2H2 adsorptions on the Ag-decorated InN monolayer for gas sensor development. **2021**, 1206, 113479		1
148	InP Monolayer as a Promising 2D Sensing Material in SF Insulation Devices. **2021**, 6, 29752-29758		0
147	High-energy Proton Irradiated Few Layer Graphene Devices. **2011**, 49, 297-300		1
146	Plasma-Enhanced Chemical Vapor Deposition of Graphene Nanostructures. **2012**,		
145	Surface Functionalizing of Carbon-Based Gas-Sensing Materials. **2014**, 359-372		
144	Effect of reduction temperature on structure and hydrogen sensitivity of graphene oxides at room temperature. **2017**, 66, 080701		2
143	Development of Gas Sensor Model for Detection of NO2 Molecules Adsorbed on Defect-Free and Defective Graphene. **2017**, 208-223		
142	Simulation of Adsorption of Gas Molecules on Carbon Nanosensors. **2019**, 881-887		
141	Reduced Graphene Oxide (rGO)-Based Nanohybrids as Gas Sensors: State of the Art. **2020**, 189-217		1

140	Simulation and fabrication of an ammonia gas sensor based on PEDOT:PSS. **2021**, ahead-of-print,	0
139	Graphene-based Room Temperature Gas Sensing Materials. **2020**, 1, 98-114	2
138	Graphene. **2020**, 1171-1198	0
137	Kha nắg su dung ộng vat noi trong quan trac sinh hoc trễ sặg Hau. **2020**, 56(Aquaculture), 149	0
136	Computational studies of adsorption of dinitrogen over the group 8 metal-borazine complexes. **2022**, 76, 1539	
135	Scalably Nanomanufactured Atomically Thin Materials-Based Wearable Health Sensors. 2100120	3
134	Adsorption of acetic acid and benzoic acid on pristine and defect containing graphene: A DFT study. **2021**, 1207, 113504	
133	Sensing properties of NO2 gas sensor based on nonmetal doped ⟨AsP monolayer: A first-principles study. **2021**, 106319	2
132	Density Functional Theory Investigation of Graphene Functionalization with Activated Carbenes and Its Application in the Sensing of Heavy Metallic Cations.	2
131	Inorganic gas sensing performance of ß-borophene and the van der Waals heterostructure. **2021**, 581, 151906	1
130	Magnetic transitions in CO adsorption on graphene-based surfaces. **2021**, 425, 127883	0
129	Influence of doping with selected organic molecules on the magnetic and electronic properties of bare, surface terminated and defect patterned TiC MXene monolayers.. **2022**,	1
128	Nanocomposite of graphene and WO3 nanowires for carbon monoxide sensors. **2021**, 7, 225-236	0
127	First-Principles Study on Metal-Modified N2P6 Nanoscale Layers for Adsorption Performance and Sensing Capability.	1
126	First-principles screening upon Pd-doped HfSe2 monolayer as an outstanding gas sensor for DGA in transformers. **2022**, 1208, 113553	0
125	Adsorption of toxic gases on metal doped C3N monolayer: A theoretical study. **2022**, 1208, 113559	1
124	Formation and role in gas sensing properties of spherical and hollow silver nanoparticles deposited on the surface of electrochemically exfoliated graphite. **2022**, 580, 152316	0
123	Adsorption and sensing performances of transition metal (Ag, Pd, Pt, Rh, and Ru) modified WSe2 monolayer upon SF6 decomposition gases (SOF2 and SO2F2). **2022**, 581, 152365	10

104	Influence of Defects and Heteroatoms on the Chemical Properties of Supported Graphene Layers. **2022**, 12, 397	1
103	Ab initio studies of the electronic structure induced by the CO and N2 adsorptions on graphene and on graphite slab. **2022**,	
102	Effect of changing electronic states of molecules on frequency domain of graphene FETs. **2022**, 15, 045001	1
101	Spatially controlled graphene- MoSe2 lateral heterostructure for sensing applications: Insights from first-principles calculations. **2022**, 105,	1
100	Strain facilitated small gas molecules sensing properties on Au doped SnSe2 monolayer. **2022**,	0
99	DNA Nucleobase Interaction with Silicon Carbide Nanosheet. 1	0
98	Adsorption Behavior of Pd-Doped PtSⅡMonolayer Upon SFⅡDecomposed Species and the Effect of Applied Electric Field. **2022**, 22, 6764-6771	1
97	DFT Electronic Structure Simulation and Adsorption of Germanium in Ordered Graphene with a Vacancy. **2022**, 51, 83-96	0
96	Ca2C MXene monolayer as a superior material for detection of toxic pnictogen hydrides. **2022**, 281, 125869	0
95	NO2 Gas Sensor Using Iodine Doped Graphene at Room Temperature With Electric Field Enhanced Recovery. **2022**, 22, 6303-6310	1
94	Pd-doped PtSe2 monolayer with strain-modulated effect for sensing SF6 decomposed species: a first-principles study. **2022**, 18, 629-636	0
93	Theoretical analysis of the uptake of CO, CO2, and NO2 on pristine and BN-doped carbon nanocones. **2022**, 795, 139531	1
92	DFT outcome for comparative analysis of Be12O12, Mg12O12 and Ca12O12 nanocages toward sensing of N2O, NO2, NO, H2S, SO2 and SO3 gases. **2022**, 1211, 113694	2
91	Functionalized graphene-based Quantum Dots: Promising adsorbents for CO, NO2, SO2, and NH3 Pollutant Gases. **2022**, 31, 103426	0
90	First-principles study of CO gas adsorption on pristine and Fe-doped H4,4,4-graphyne. **2022**, 586, 152749	
89	Ag-modified hexagonal GaN monolayer as an innovative gas detector toward SF6 decomposed species: Insights from the first-principles computations. **2022**, 589, 153000	4
88	Gas sensing and capturing based on the C7N6 monolayer with and without metal decoration: A first-principles investigation. **2022**, 591, 153129	2
87	First principle insight into co-doped MoS2 for sensing NH3 and CH4. **2022**, 35, 43-59	0

| 86 | In-silico design of graphene plasmonic hot-spots. | 1 |

85 Adsorption and Sensing Properties of Formaldehyde on Chemically Modified Graphene Surfaces. **2022**, 12, 553 — 2

| 84 | Structures, properties, and applications of nitrogen-doped graphene. **2022**, 211-248 | |

83 Enhancing the sensitivity and selectivity of pyrene-based sensors for detection of small gaseous molecules via destructive quantum interference. **2022**, 105,

| 82 | Calculated characterisation of a sensitive gas sensor based on PEDOT:PSS. | |

81 Doubly doped graphene as gas sensing materials for oxygen-containing gas molecules: A first-principles investigation. **2022**, 153603 — 1

80 Gas Sensing Mechanism and Adsorption Properties of C2H4 and CO Molecules on the Ag3HfSe2 Monolayer: A First-Principle Study. **2022**, 10, — 0

79 Significant enhancement in sensitivity of graphene gas detectors induced by highly charged ion irradiation. **2022**, 522, 14-20

78 Adsorption and sensing behaviors of SF6 decomposed species on pristine and Ru/Ti-modified stanene monolayer: A first-principles study. **2022**, 115307

77 First-principles study of CH4 adsorption on transition metal doped phosphorene with Stone-Wales defects. **2022**, 115313 — 1

76 Ni-Doped Janus HfSSe Monolayer as a Promising HCHO and C2H3Cl Sensors in Dry-Type Reactor: A First-Principles Theory. **2022**, 113744 — 0

75 A DFT study of electronic and thermoelectric properties of arsenic doped graphene. **2022**,

74 Recent Trends in Synthesis and Applicability of GO-Based Nanomaterials in Environmental Remediation. **2022**, 151-170

73 First-principles study of gas adsorption and sensing based on noble metal (Ag, Au and Pt) - Decorated AsP monolayer. **2022**, 108236

72 Recent Progress in Gas Sensor Based on Nanomaterials. **2022**, 13, 919 — 2

71 Unique Interaction between Layered Black Phosphorus and Nitrogen Dioxide. **2022**, 12, 2011 — 0

70 Predicting selective sensing capability of armchair graphene nanoribbon towards hydrogen halide gases: A density of states analysis. — 0

69 Low-Temperature Ethanol Sensor via Defective Multiwalled Carbon Nanotubes. **2022**, 15, 4439 — 1

68	Adsorption properties of radionuclides on BC3: the first principles study.	
67	Enhanced hydrogen gas adsorption properties of B, N, and Au co-doped graphene in o-, m-, and p-configurations: DFT study. **2022**, 127, 109173	0
66	Nb-doped PtS2 monolayer for detection of C2H2 and C2H4 in on-load tap-changer of the oil-immersed transformers: A first-principles study. **2022**, 802, 139755	1
65	Enhancement of gas sensing by doping of transition metal in two-dimensional As2C3 nanosheet: A density functional theory investigation. **2022**, 599, 153941	1
64	Study of Adsorption Behaviour of Nucleobases on Si and P doped WSe2: DFT Approach. **2022**,	0
63	Recent Developments and Future Perspective on Electrochemical Glucose Sensors Based on 2D Materials. **2022**, 12, 467	3
62	A computational DFT insight into adsorption properties of urea and creatinine molecules on pristine B24O24 nanocluster.	0
61	CO2 gas sensor based on Pt, Ag, Au and Pd doped InSe monolayer: the first-principles study.	
60	Favourable adsorption and sensing properties of Pd-doped SnSSe monolayer towards H2 and C2H2 in the oil-immersed transformers.	
59	Acetophenone and Benzophenone adsorption studies on Ephosphorene nanosheets ⊡ DFT investigation. **2022**, 113808	0
58	Favorable sensing property of Pt-doped Janus HfSSe monolayer upon H2S and SO2: A first-principles theory. **2022**,	1
57	Potential of B24O24 nanocluster for sensing and delivering chlormethine anticancer drug: a DFT study. **2022**, 28,	0
56	Simulation calculation of the influence of interstitial atoms on the desorption behavior of tritium in nuclear graphite. **2022**, 111683	
55	Optical Graphene for Biosensor Application: A Review. 908, 51-68	0
54	Ni-Decorated ZnO Monolayer for Sensing CO and HCHO in Dry-Type Transformers: A First-Principles Theory. **2022**, 10, 307	0
53	Role of Graphene and Graphene Oxide Applications as Optical Biosensors in Pandemic. 908, 29-49	
52	Enhanced Ammonia Gas Adsorption through Site-Selective Fluorination of Graphene. **2022**, 12, 1117	1
51	Sensing applications of GeBi nanosheet for environmentally toxic/non-toxic gases: Insights from density functional theory calculations. **2022**, 606, 154741	0

50   Gas-sensing detection in the carbon phosphide monolayer: improving COx sensitivity through B doping. **2022**, 24, 22067-22072   0

49   Various defects in graphene: a review. **2022**, 12, 21520-21547   5

48   High gas sensing performance of inorganic and organic molecule sensing devices based on the BC3N2 monolayer. **2022**, 24, 23769-23778   0

47   A Cr2O3-doped graphene sensor for early diagnosis of liver cirrhosis: a first-principles study. **2022**, 24, 21372-21380   0

46   Adsorption of CO and H2S on pristine and metal (Ni, Pd, Pt, Cu, Ag, and Au)-mediated SnS monolayers: a first-principles study. **2022**, 24, 19895-19910   0

45   Effective Air Purification via Pt-Decorated N3-CNT Adsorbent. 10,   0

44   Adsorption mechanisms of different toxic molecular gases on intrinsic C2N and Ti-C2N-V monolayer: a DFT study. **2022**, 28,   0

43   Adsorption Behavior of Toxic Carbon Dichalcogenides (CX2; X = O, S, or Se) on 12 Borophene and Pristine Graphene Sheets: A DFT Study. **2022**, 12, 3411   0

42   Sugarcane waste based synthesized graphene like nanocarbon (GNC) for shock absorption application.   0

41   2D Be2C as multi-time reversible environmental oxygen and nitrogen containing gases sensor material under first principle investigations. **2022**, 1-1   0

40   Environmental gas sensors based on electroactive hybrid organic-inorganic nanocomposites.   0

39   Density functional theory investigation of Cs, Co and Ag separation by functionalised graphene membrane.   0

38   Intercalation and reactions of CO under single layer Graphene/Ni(111): the role of vacancies..   0

37   Adsorption behavior of transition metal (Pd, Pt, Ag and Au) doped SnS monolayers on SF6 decomposed species and the effects of applied electric field and biaxial strain. **2022**, 36, 100438   0

36   Gas Sensors Based on Exfoliated g-C3N4 for CO2 Detection. **2022**, 10, 470   0

35   Adsorption Properties of NF3 and N2O on Al- and Ga-Doped Graphene Surface: A Density Functional Theory Study. **2022**, 2022, 1-15   0

34   Multifunctional 2D g-C4N3/MoS2 vdW Heterostructure-Based Nanodevices: Spin Filtering and Gas Sensing Properties.   0

33   A first-principles study of the adsorption mechanism of NO2 on monolayer antimonide phosphide: a highly sensitive and selective gas sensor.   0

| 32 | Graphene based Nano Gas Sensors: Mechanistic Study. **2022**, 13, 043002 | 0 |

| 31 | Influence of lasing parameters on the morphology and electrical resistance of polyimide-based laser-induced graphene (LIG). | 0 |

| 30 | First-Principles Investigation of Adsorption Behaviors and Electronic, Optical, and Gas-Sensing Properties of Pure and Pd-Decorated GeS2 Monolayers. **2022**, 7, 46440-46451 | 0 |

| 29 | Room-Temperature NO2 Gas Sensors Based on Granulated Carbon Nanofiber Material. **2022**, 10, 525 | 1 |

| 28 | CuO-Modified PtSe2 Monolayer as a Promising Sensing Candidate toward C2H2 and C2H4 in Oil-Immersed Transformers: A Density Functional Theory Study. **2022**, 7, 45590-45597 | 1 |

| 27 | Pristine and Transition Metal Decorated Holey Graphyne Monolayer as an Ammonia sensor: Insights from DFT Simulations. | 0 |

| 26 | Fe-doped SnSe monolayer: a promising 2D material for reusable SO2 gas sensor with high sensitivity. **2023**, 168919 | 0 |

| 25 | Adsorptions of C5F10O decomposed compounds on the Cu-decorated NiS2 monolayer: a first-principles theory. | 5 |

| 24 | First-Principles Studies of Ethylene Oxide Adsorption on Pristine and Doped Graphenes. **2022**, 96, 2982-2991 | 0 |

| 23 | A density functional study of the coronene-pyrrole system in relation to its possible application as NO2 and NH3 sensors. **2022**, 13, 371-380 | 0 |

| 22 | Metal clusters/modified graphene composites with enhanced CO adsorption: a density functional theory approach. **2023**, 25, | 0 |

| 21 | Quantum Capacitance and Fermi Level Change in Graphene nanoribbons due to Gas Sensing. **2023**, 1-9 | 0 |

| 20 | Applications of Graphene in Five Senses, Nervous System, and Artificial Muscles. | 0 |

| 19 | Wearable chemical sensors based on 2D materials for healthcare applications. | 0 |

| 18 | Polymer composites for biosensors. **2023**, 323-342 | 0 |

| 17 | Pd-Decorated WTe2 Monolayer as a Favorable Sensing Material toward SF6 Decomposed Species: A DFT Study. **2023**, 8, 4244-4250 | 0 |

| 16 | Covalent Triazine Framework C6N6 as an Electrochemical Sensor for Hydrogen-Containing Industrial Pollutants. A DFT Study. **2023**, 13, 1121 | 0 |

| 15 | Ir-decorated MoS2 monolayer as a promising candidate to detect dissolved gas in transformer oil: A DFT study. **2023**, 818, 140410 | 0 |

14	First-principles insight into adsorption behavior of a Pd-doped PtTe2 monolayer for CO and C2H2 and the effect of an applied electric field. **2023**, 177, 111289	0
13	Electronic properties and photon scattering of buckled and planar few-layer 2D GaN. **2023**, 210, 111861	1
12	Quantum Capacitance and Fermi Level Change in Graphene nanoribbons due to Gas Sensing. **2022**, 1-9	0
11	Hydrogen Cyanide Gas Sensor using Doped/Undoped Graphene Nanoribbon. **2022**,	0
10	Ni-Decorated PtS2 Monolayer as a Strain-Modulated and Outstanding Sensor upon Dissolved Gases in Transformer Oil: A First-Principles Study. **2023**, 8, 6090-6098	0
9	Solution-Processed Functionalized Graphene Film Prepared by Vacuum Filtration for Flexible NO2 Sensors. **2023**, 23, 1831	0
8	NO2 Physical-to-Chemical Adsorption Transition on Janus WSSe Monolayers Realized by Defect Introduction. **2023**, 28, 1644	1
7	Different Doping of VSe2 Monolayers as Adsorbent and Gas Sensing Material for Scavenging and Detecting SF6 Decomposed Species. **2023**, 39, 2618-2630	1
6	A DFT Based Approach for NO2 Sensing Using Vander Wall Hetero Monolayer. 1-12	0
5	Adsorption Behaviors of Small Molecules on Two-Dimensional Penta-NiN2 Layers: Implications for NO and NO2 Gas Sensors. **2023**, 6, 6151-6160	0
4	Simulation of NO x and CO x Gas Sensor based on Pristine Armchair Stanene Nanoribbon.	0
3	Defect engineering of CVD graphene and real-time Raman study of NO2 adsorption toward enhanced sensing sensitivity. **2023**, 39, 100505	0
2	Janus PdSTe Nanosheet as Promising Contender for Detection of Volatile Organic Compounds (VOCs) in human breath: a first principles investigation. **2023**, 143101	0
1	Analysis of the NH3 Adsorption on Boron-Arsenic Co-doped Monolayer Graphene: A First Principle Study. **2023**, 19-31	0