

CITATION REPORT

List of articles citing

Strengthening materials by engineering coherent internal boundaries at the nanoscale

DOI: 10.1126/science.1159610
Science, 2009, 324, 349-52.

Source: <https://exaly.com/paper-pdf/46579131/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1711	Fivefold annealing twin in nanocrystalline Cu. 2009 , 95, 203101		29
1710	Stress relaxation and the structure size-dependence of plastic deformation in nanotwinned copper. 2009 , 57, 5165-5173		127
1709	Are some nanotwinned fcc metals optimal for strength, ductility and grain stability?. 2009 , 57, 4835-4844		78
1708	Near-ideal strength in gold nanowires achieved through microstructural design. 2009 , 3, 3001-8		105
1707	Strong strain hardening in nanocrystalline nickel. 2009 , 103, 205504		133
1706	Microstructure and Compressive Properties of In-Situ Martensite CuZr Phase Reinforced ZrCuNiAl Metallic Glass Matrix Composite. 2010 , 51, 1033-1037		15
1705	Improved Interconnect Properties For Nano-Twinned Copper: Microstructure And Stability. 2010 ,		2
1704	Effect of substrate temperature on the structure of Ag ₂ condensation. 2010 , 204, 1774-1778		5
1703	A novel CuNiZnAl alloy with high strength through precipitation hardening. 2010 , 527, 5153-5156		17
1702	Microstructure and Mechanical Properties of an Ultrahigh-Strength 40SiMnNiCr Steel during the One-Step Quenching and Partitioning Process. 2010 , 41, 1284-1300		121
1701	Temperature effect on rolling behavior of nano-twinned copper. 2010 , 62, 415-418		33
1700	Quasicontinuum study on formation of fivefold deformation twin in nanocrystalline aluminum. 2010 , 62, 419-422		19
1699	Phase stability in pulse electrodeposited nanograined Co and FeNi. 2010 , 62, 496-499		12
1698	Nanocrystalline Electroplated CuNi: Metallic Thin Films with Enhanced Mechanical Properties and Tunable Magnetic Behavior. 2010 , 20, 983-991		73
1697	Materials Research in China: Current Activities Related to Inorganic and Nonmetallic Materials. 2010 , 20, 3630-3633		
1696	Introduction. 2010 , 1-14		
1695	Characterization of plastically graded nanostructured material: Part II. The experimental validation in surface nanostructured material. 2010 , 42, 698-708		14

1694	The origin of the ultrahigh strength and good ductility in nanotwinned copper. 2010 , 527, 4270-4274	19
1693	Ultra-strength materials. 2010 , 55, 710-757	595
1692	Characterization of local deformation behavior of FeNi lenticular martensite by nanoindentation. 2010 , 527, 1869-1874	22
1691	Effect of phytic acid on the microstructure and corrosion resistance of Ni coating. 2010 , 55, 5990-5995	22
1690	On intrinsic brittleness and ductility of intergranular fracture along symmetrical tilt grain boundaries in copper. 2010 , 58, 2293-2299	59
1689	Fabrication of Nanostructured Electroforming Copper Layer by Means of an Ultrasonic-assisted Mechanical Treatment. 2010 , 23, 599-603	9
1688	Dual-phase nanocrystalline NiCo alloy with high strength and enhanced ductility. 2010 , 25, 401-405	5
1687	Toughening by nano-scaled twin boundaries in nanocrystals. 2010 , 18, 065002	53
1686	Nanotwinned fcc metals: Strengthening versus softening mechanisms. 2010 , 82,	108
1685	Origin of plasticity length-scale effects in fracture. 2010 , 105, 115502	23
1684	Mechanical Properties and Microstructure of a Duplex Nanostructure. 2010 , 667-669, 973-978	
1683	The effect of nanoscale twin boundaries on fracture toughness in nanocrystalline Ni. 2010 , 21, 035706	53
1682	Bending nanowire growth in solution by mechanical disturbance. 2010 , 10, 2121-5	38
1681	Coherent interfaces between crystals in nanocrystal composites. 2010 , 4, 6219-27	43
1680	316L Austenite Stainless Steels Strengthened by Means of Nano-scale Twins. 2010 , 26, 289-292	65
1679	Materials science. The future of metals. <i>Science</i> , 2010 , 328, 319-20	33-3 433
1678	Scaling of maximum strength with grain size in nanotwinned fcc metals. 2011 , 83,	57
1677	Microstructures and Mechanical Properties of Fcc Pure Metals with Different Stacking Fault Energies by Equal Channel Angular Pressing. 2011 , 682, 193-203	4

1676	Linear instability signals the initiation of motion of a twin plane under load. 2011 , 91, 264-271	7
1675	Theoretical Design of Nanomaterials and Nanodevices: Nanolensing, Supermagnetoresistance, and Ultrafast DNA Sequencing. 2011 , 115, 16247-16257	18
1674	An Atomic-Level Mechanism of Annealing Twinning in Copper Observed by Molecular Dynamics Simulation. 2011 , 11, 2928-2934	11
1673	Vacancies, twins, and the thermal stability of ultrafine-grained copper. 2011 , 99, 231911	17
1672	Effect of grain size on the competition between twinning and detwinning in nanocrystalline metals. 2011 , 84,	50
1671	Mechanical Behaviors of Electrodeposited Bulk Nanocrystalline Metals and Alloys. 2011 , 683, 113-126	
1670	Anomalous deformation twinning in fcc metals at high temperatures. 2011 , 109, 114315	23
1669	Can nanoscale twin boundaries serve as dislocation sources in single crystals?. 2011 , 50, 1567-1570	12
1668	Surface effects on stacking fault and twin formation in fcc nanofilms: A first-principles study. 2011 , 50, 3342-3345	18
1667	Thermally activated deformation of two- and three-variant nanotwinned L10 AuCuPt. 2011 , 19, 988-996	3
1666	Grain boundary segregation and interdiffusion effects in nickel-copper alloys: an effective means to improve the thermal stability of nanocrystalline nickel. 2011 , 3, 2265-74	52
1665	Deformation Twin Induced by Multi-strain in Nanocrystalline Copper: Molecular Dynamic Simulation. 2011 , 171-176	
1664	A comparison between fine-grained and nanocrystalline electrodeposited CuNi films. Insights on mechanical and corrosion performance. 2011 , 205, 5285-5293	43
1663	Influence of stacking fault energy on the mechanical properties in cold-rolling Cu and CuFe alloys. 2011 , 528, 7867-7870	25
1662	Extended twinning phenomena in Al ₃ Mg alloys/B ₄ C nanocomposite. 2011 , 64, 133-136	18
1661	Formation of fivefold deformation twins in an ultrafine-grained copper alloy processed by high-pressure torsion. 2011 , 64, 249-252	39
1660	Deformation twinning in a nanocrystalline hcp Mg alloy. 2011 , 64, 213-216	100
1659	Strength-ductility combination of nanostructured CuZn alloy with nanotwin bundles. 2011 , 65, 119-122	39

1658	Atomistic mechanisms of microstructure evolution in nanotwinned polycrystals. 2011 , 65, 265-268	8
1657	Direct observation of dislocations originating from perfect twin boundaries. 2011 , 65, 501-504	21
1656	Higher fatigue cracking resistance of twin boundaries than grain boundaries in Cu bicrystals. 2011 , 65, 505-508	31
1655	High-pressure torsion of copper samples containing columns of highly aligned nanotwins. 2011 , 65, 899-902	9
1654	Shear band formation and ductility in nanotwinned Cu. 2011 , 65, 1006-1009	30
1653	Advance in orientation microscopy: quantitative analysis of nanocrystalline structures. 2011 , 5, 2580-6	33
1652	Plasticity and strength of FCC metals with a nanotwinned submicrograined structure. 2011 , 53, 763-767	6
1651	The dislocation density and twin-boundary frequency determined by X-ray peak profile analysis in cold rolled magnetron-sputter deposited nanotwinned copper. 2011 , 110, 043502	17
1650	Modeling grain size dependent optimal twin spacing for achieving ultimate high strength and related high ductility in nanotwinned metals. 2011 , 59, 5544-5557	159
1649	Crystal plasticity of nanotwinned microstructures: A discrete twin approach for copper. 2011 , 59, 5603-5617	23
1648	Effects of stacking fault energy, strain rate and temperature on microstructure and strength of nanostructured CuAl alloys subjected to plastic deformation. 2011 , 59, 6048-6058	102
1647	A unified mechanistic model for size-dependent deformation in nanocrystalline and nanotwinned metals. 2011 , 59, 6861-6868	63
1646	Deformation mechanisms, length scales and optimizing the mechanical properties of nanotwinned metals. 2011 , 59, 6890-6900	70
1645	Tensile behavior of columnar grained Cu with preferentially oriented nanoscale twins. 2011 , 59, 6927-6937	138
1644	Superior fatigue crack growth resistance, irreversibility, and fatigue crack growth-microstructure relationship of nanocrystalline alloys. 2011 , 59, 7340-7355	53
1643	Enhanced fatigue properties of nanostructured austenitic SUS 316L stainless steel. 2011 , 59, 7060-7069	133
1642	Bimodal nanocrystallization of NiTi shape memory alloy by laser shock peening and post-deformation annealing. 2011 , 59, 7219-7227	97
1641	Deformation, structural changes and damage evolution in nanotwinned copper under repeated frictional contact sliding. 2011 , 59, 7311-7324	35

1640	Influence of Fe-additives on the microstructure and mechanical properties of vacuum copper condensates. 2011 , 528, 1030-1036	
1639	Microstructure optimization of austenitic Alloy 800H (Fe ₂₁ Cr ₁₂ Ni). 2011 , 528, 2755-2761	35
1638	Preparation and properties of Mg _{0.5} Cu _{0.5} Mn _{0.5} Zn _{0.5} damping magnesium alloy. 2011 , 528, 6484-6488	17
1637	Fracture toughness and fatigue crack growth characteristics of nanotwinned copper. 2011 , 59, 2437-2446	143
1636	Physical properties of elongated inorganic nanoparticles. 2011 , 501, 75-221	118
1635	Probing structures of nanomaterials using advanced electron microscopy methods, including aberration-corrected electron microscopy at the Angstrom scale. 2011 , 74, 664-70	7
1634	A Novel Strategy for the Design of Advanced Engineering Alloys Strengthening Turbine Disk Superalloys via Twinning Structures. 2011 , 13, 296-300	53
1633	Ultrahigh strain hardening in thin palladium films with nanoscale twins. 2011 , 23, 2119-22	70
1632	Dislocation Twin interactions in nanocrystalline fcc metals. 2011 , 59, 812-821	265
1631	The influence of interface shear strength on the glide dislocation interface interactions. 2011 , 59, 3164-3173	104
1630	The influence of strain rate on the microstructure transition of 304 stainless steel. 2011 , 59, 3697-3709	197
1629	Detwinning, damage and crack initiation during cyclic loading of Cu samples containing aligned nanotwins. 2011 , 59, 4569-4577	92
1628	Enhancing strength and ductility of Mg ₁₂ Gd ₃ Y _{0.5} Zr alloy by forming a bi-ultrafine microstructure. 2011 , 528, 4300-4311	24
1627	Chemically produced nanostructured ODS Lanthanum oxide Tungsten composites sintered by spark plasma. 2011 , 408, 129-135	122
1626	The workability evaluation of wrought AZ80 magnesium alloy in hot compression. 2011 , 32, 2462-2468	59
1625	The kinetics and energetics of dislocation mediated de-twinning in nano-twinned face-centered cubic metals. 2011 , 528, 1558-1566	57
1624	Low-cycle fatigue-cracking mechanisms in fcc crystalline materials. 2011 , 91, 229-249	22
1623	Mechanical Property of Duplex Stainless Steel with Nanostructured Layer by Surface Mechanical Attrition Treatment. 2011 , 682, 123-130	1

1622	Study on the Preparation of TiN Nano-Particles in a Solidified Low Alloy Steel. 2011 , 295-297, 742-746	1
1621	Enhanced ductility and its mechanisms in nanocrystalline metallic materials. 2011 , 430-458	7
1620	Microstructure and mechanical properties of copper subjected to cryogenic laser shock peening. 2011 , 110, 083504	28
1619	Effect of Heat Treatment on Microstructure and Mechanical Properties of 800MPa Grade Ultra Low Carbon Bainite Steel. 2011 , 415-417, 943-946	3
1618	Tensile deformation of electroplated copper nanopillars. 2011 , 91, 1108-1120	58
1617	Preparation of Nanocrystalline Cu Films by Brush-Plating. 2012 , 137, 52-60	2
1616	Direction-tunable nanotwins in copper nanowires by laser-assisted electrochemical deposition. 2012 , 23, 125602	8
1615	Fatigue cracking at twin boundary: Effect of dislocation reactions. 2012 , 101, 011907	10
1614	Elastic and plastic anisotropy after straining of nanocrystalline palladium. 2012 , 85,	9
1613	The role of confinement on stress-driven grain boundary motion in nanocrystalline aluminum thin films. 2012 , 112, 124313	22
1612	Ductilizing bulk metallic glass composite by tailoring stacking fault energy. 2012 , 109, 245506	73
1611	Brittle-ductile behavior of a nanocrack in nanocrystalline Ni: A quasicontinuum study. 2012 , 21, 093104	5
1610	Multi-Objective Optimization of a Wrought Magnesium Alloy for High Strength and Ductility. 2012 , 1524, 101	
1609	Encyclopedia of Nanotechnology. 2012 , 1644-1644	
1608	A statistical model for predicting the mechanical properties of nanostructured metals with bimodal grain size distribution. 2012 , 60, 5762-5772	42
1607	Effect of stacking fault energy on mechanical properties of ultrafine-grain Cu and CuAl alloy processed by cold-rolling. 2012 , 22, 819-824	16
1606	Annealing-induced Grain Refinement in a Nanostructured Ferritic Steel. 2012 , 28, 41-45	10
1605	Design of stable nanocrystalline alloys. <i>Science</i> , 2012 , 337, 951-4	33-3 571

1604	Advanced TEM investigation of the plasticity mechanisms in nanocrystalline freestanding palladium films with nanoscale twins. 2012 , 37, 140-156	50
1603	Modeling of the plastic deformation of nanostructured materials with grain size gradient. 2012 , 39, 88-102	105
1602	Properties, microstructure and texture evolution of cold rolled Cu strips under electropulsing treatment. 2012 , 544, 203-208	33
1601	Electron localization morphology of the stacking faults in Mg: A first-principles study. 2012 , 551, 121-125	29
1600	Formation of ultrafine twinned austenite on a cold rolled 316L stainless steel induced by pulsed electron beam treatment under heating mode. 2012 , 526, 28-33	8
1599	In situ TEM study of mechanical behaviour of twinned nanoparticles. 2012 , 92, 4437-4453	22
1598	A formation mechanism for ultra-thin nanotwins in highly textured Cu/Ni multilayers. 2012 , 111, 073526	32
1597	Ex situ and in situ measurements of the shear strength of interfaces in metallic multilayers. 2012 , 67, 479-482	42
1596	Development of ultrahigh strength and high ductility in nanostructured iron alloys with lattice softening and nanotwins. 2012 , 67, 511-514	23
1595	Mechanical properties and nanostructures in a duplex stainless steel subjected to equal channel angular pressing. 2012 , 551, 154-159	33
1594	Concurrent high strength and high ductility in isotropic bulk CuAl alloy with three-dimensional nano-twinned structure. 2012 , 514, 214-219	17
1593	Effect of long period stacking ordered (LPSO) structure on the damping capacities of MgCuMnZn alloys. 2012 , 537, 1-5	34
1592	Temperature effect on critical shear stress for twin boundary migration. 2012 , 60, 231-233	6
1591	Interface controlled plastic flow modelled by strain gradient plasticity theory. 2012 , 340, 247-260	20
1590	The study of grain boundary density effect on multi-grain thin film under tension. 2012 , 53, 175-186	6
1589	Investigation on the mechanical behavior of fivefold twinned silver nanowires. 2012 , 55, 322-328	28
1588	Plastic Deformation of a Nano-Precipitate Strengthened Ni-Base Alloy Investigated by Complementary In Situ Neutron Diffraction Measurements and Molecular-Dynamics Simulations. 2012 , 14, 902-908	13
1587	Blocking effect of twin boundaries on partial dislocation emission from void surfaces. 2012 , 7, 164	5

1586	Super-Strong, Super-Modulus Materials. 2012 , 467-505	3
1585	Mechanics of Nanotwinned Hierarchical Metals. 2012 , 129-162	
1584	The nanostructured origin of deformation twinning. 2012 , 12, 887-92	189
1583	Improved representations of misorientation information for grain boundary science and engineering. 2012 , 57, 1383-1425	65
1582	Encyclopedia of Nanotechnology. 2012 ,	55
1581	Encyclopedia of Nanotechnology. 2012 , 1790-1803	
1580	Enhanced ductility of surface nano-crystallized materials by modulating grain size gradient. 2012 , 20, 085002	27
1579	Annealing improved ductility and fracture toughness of nanocrystalline Cu films on flexible substrates. 2012 , 45, 375305	10
1578	Thermal stability of highly nanotwinned copper: The role of grain boundaries and texture. 2012 , 27, 3049-3057	47
1577	Microstructure and strengthening mechanisms in Cu/Fe multilayers. 2012 , 60, 6312-6321	89
1576	Phase-field simulation of twin boundary fractions in fully lamellar TiAl alloys. 2012 , 60, 6372-6381	25
1575	Deformation twins in nanocrystalline body-centered cubic Mo as predicted by molecular dynamics simulations. 2012 , 60, 6421-6428	26
1574	Ultrahigh strength and high plasticity in TiAl intermetallics with bimodal grain structure and nanotwins. 2012 , 67, 814-817	83
1573	Optimizing strength and ductility of Cu ₃ Zn alloys through severe plastic deformation. 2012 , 67, 871-874	58
1572	Nanoscale Deformation Behavior of Phase-Reversion Induced Austenitic Stainless Steels: The Interplay Between Grain Size from Nano-Grain Regime to Coarse-Grain Regime. 2012 , 43, 5286-5297	35
1571	The Effect of Size on the Deformation Twinning Behavior in Hexagonal Close-Packed Ti and Mg. 2012 , 64, 1235-1240	40
1570	Size effects on elasticity, yielding, and fracture of silver nanowires: In situ experiments. 2012 , 85,	224
1569	Encyclopedia of Nanotechnology. 2012 , 1543-1543	

1568	Achieving high strength and high ductility in nanostructured metals: Experiment and modelling. 2012 , 2, 021001		1
1567	Explosion Deformation and Hardening Behaviours of Hadfield Steel Crossing. 2012 , 52, 2093-2095		10
1566	Nucleation-controlled distributed plasticity in penta-twinned silver nanowires. 2012 , 8, 2986-93		83
1565	Twin boundary: Stronger or weaker interface to resist fatigue cracking?. 2012 , 66, 854-859		61
1564	Mechanical properties of Bi(x)Sb(2-x)Te ₃ nanostructured thermoelectric material. 2012 , 23, 065703		28
1563	Unidirectional growth of microbumps on (111)-oriented and nanotwinned copper. <i>Science</i> , 2012 , 336, 1007-10	33.3	204
1562	Microstructures for Two-Phase Gamma Titanium Aluminide Fabricated by Electron Beam Melting. 2012 , 1, 14-27		16
1561	Strength and ductility of 316L austenitic stainless steel strengthened by nano-scale twin bundles. 2012 , 60, 1059-1071		260
1560	Ballistic performance of nanocrystalline and nanotwinned ultrafine crystal steel. 2012 , 60, 1353-1367		51
1559	Correlation between elastic structural behavior and yield strength of metallic glasses. 2012 , 60, 3074-3083		42
1558	Fatigue cracking at twin boundaries: Effects of crystallographic orientation and stacking fault energy. 2012 , 60, 3113-3127		99
1557	The effect of dislocation density on the interactions between dislocations and twin boundaries in nanocrystalline materials. 2012 , 60, 3181-3189		101
1556	Strengthening an austenitic FeMn steel using nanotwinned austenitic grains. 2012 , 60, 4027-4040		107
1555	Size-dependent deformation mechanisms and strain-rate sensitivity in nanostructured Cu/X (X = Cr, Zr) multilayer films. 2012 , 60, 3677-3689		74
1554	Thermal stability and strength of deformation microstructures in pure copper. 2012 , 60, 4107-4116		36
1553	Strong strain hardening ability in an as-cast Mg ₃ Al ₂ Sn alloy. 2012 , 132, 248-252		36
1552	Bulk eutectic Cu ₃ Ag alloys with abundant twin boundaries. 2012 , 66, 65-68		31
1551	Enhanced strength-ductility synergy in nanostructured Cu and CuAl alloys processed by high-pressure torsion and subsequent annealing. 2012 , 66, 227-230		109

1550	Strengthening austenitic steels by using nanotwinned austenitic grains. 2012 , 66, 878-883	97
1549	Work hardening of polycrystalline Cu with nanoscale twins. 2012 , 66, 837-842	111
1548	A new method to strengthen turbine disc superalloys at service temperatures. 2012 , 66, 884-889	48
1547	Twin stability in highly nanotwinned Cu under compression, torsion and tension. 2012 , 66, 872-877	57
1546	Plastic deformation mechanism in nanotwinned metals: An insight from molecular dynamics and mechanistic modeling. 2012 , 66, 843-848	165
1545	Texture-dependent twin formation in nanocrystalline thin Pd films. 2012 , 66, 866-871	23
1544	Repeated frictional sliding properties of copper containing nanoscale twins. 2012 , 66, 849-853	15
1543	Preface to the viewpoint set on the strengthening effect of nanoscale twins. 2012 , 66, 835-836	8
1542	Molecular dynamics study of the nanoimprint process on bi-crystal Al thin films with twin boundaries. 2012 , 95, 116-120	7
1541	High tensile ductility via enhanced strain hardening in ultrafine-grained Cu. 2012 , 532, 106-110	61
1540	Effect of Ce addition on microstructure of Al ₂₀ Cu ₂ Mn ₃ twin phase in an AlCuMn casting alloy. 2012 , 532, 606-609	44
1539	Formation of multiple twins and their strengthening effect in nanocrystalline Cu/Zr multilayer films. 2012 , 539, 68-73	13
1538	Microstructure evolution and mechanical properties of nanocrystalline Ni ₃ 0Fe alloy. 2012 , 538, 302-305	3
1537	Interaction between a screw dislocation and stacking faults in FCC metals. 2012 , 541, 38-44	22
1536	Twinning in nanocrystalline materials. 2012 , 376, 1058-1061	2
1535	Elastic fields of dislocation loops in three-dimensional anisotropic bimaternal. 2012 , 60, 418-431	33
1534	Mechanical properties and dry-sliding tribological behavior of partially twinned Fe ₇₀ Ni ₃₀ alloy. 2012 , 274-275, 395-400	8
1533	Deformation twinning in nanocrystalline materials. 2012 , 57, 1-62	817

1532	Mechanical Properties of Nanorods and Melting Studies. 2013 , 241-269	
1531	Great enhancements in the thermoelectric power factor of BiSbTe nanostructured films with well-ordered interfaces. 2013 , 5, 7017-25	44
1530	Thermoelectric characteristics of Sb ₂ Te ₃ thin films formed via surfactant-assisted electrodeposition. 2013 , 1, 5430	47
1529	Physical Properties of Nanorods. 2013 ,	14
1528	Nanotwinned metals: It's all about imperfections. 2013 , 12, 689-90	44
1527	Valleytronics: Electrons dance in diamond. 2013 , 12, 690-1	47
1526	Grain boundary character distribution of nanocrystalline Cu thin films using stereological analysis of transmission electron microscope orientation maps. 2013 , 19, 111-9	36
1525	Size effects of primary/secondary twins on the atomistic deformation mechanisms in hierarchically nanotwinned metals. 2013 , 113, 203516	34
1524	Atomic-scale dynamic process of deformation-induced stacking fault tetrahedra in gold nanocrystals. 2013 , 4, 2340	80
1523	MD simulations of loading rate dependence of detwinning deformation in nanocrystalline Ni. 2013 , 56, 491-497	4
1522	Detwinning-induced reduction in ductility of twinned copper nanowires. 2013 , 58, 684-688	13
1521	Influence of Nanotwin Boundary on the Bauschinger Effect in Cu: A Molecular Dynamics Simulation Study. 2013 , 44, 4207-4217	9
1520	Properties of cryo-drawn copper with severely twinned microstructure. 2013 , 588, 132-141	17
1519	Room-temperature deformation micro-mechanisms of polycrystalline nickel processed by spark plasma sintering. 2013 , 79, 76-83	17
1518	In situ studies of irradiation-induced twin boundary migration in nanotwinned Ag. 2013 , 69, 385-388	63
1517	In-situ microcompression study of nanostructured Mg alloy micropillars. 2013 , 108, 320-323	11
1516	Enhanced strength and ductility of friction stir processed CuAl alloys with abundant twin boundaries. 2013 , 68, 751-754	46
1515	Reducing deformation anisotropy to achieve ultrahigh strength and ductility in Mg at the nanoscale. 2013 , 110, 13289-93	87

1514	Mechanically driven annealing twinning induced by cyclic deformation in nanocrystalline Cu. 2013 , 68, 988-991	20
1513	Strain rate effects on the mechanical response in multi- and single-crystalline Cu micropillars: Grain boundary effects. 2013 , 50, 1-17	69
1512	Ultrastrong Mg Alloy via Nano-spaced Stacking Faults. 2013 , 1, 61-66	204
1511	In situ formation of various intermetallic particles in AlTiX(Cu, Mg) systems during friction stir processing. 2013 , 40, 36-44	17
1510	Thermal stability of twins and strengthening mechanisms in differently oriented epitaxial nanotwinned Ag films. 2013 , 28, 1729-1739	44
1509	Solid-solution copper alloys with high strength and high electrical conductivity. 2013 , 68, 777-780	93
1508	Plasticity Induced by Twin Lamellar Structure in Magnesium Alloy. 2013 , 29, 1123-1128	10
1507	Coherent Ni ₂ (Cr, Mo) precipitates in Ni ₂₁ Cr ₇ Mo superalloy. 2013 , 559, 81-86	25
1506	Fatigue behavior of columnar-grained Cu with preferentially oriented nanoscale twins. 2013 , 61, 1383-1393	72
1505	Grain size effect on twin density in as-deposited nanocrystalline Cu film. 2013 , 93, 4355-4363	12
1504	High Strength and High Ductility in Nanostructured Aluminium-Based Intermetallics Produced by High-Pressure Torsion. 2013 , 765, 558-562	2
1503	Design of radiation tolerant materials via interface engineering. 2013 , 25, 6975-9	248
1502	Research Progress of Surface Nanocrystallization on Metallic Materials by Surface Mechanical Attrition Treatment. 2013 , 456, 406-410	1
1501	Microstructures and strengthening mechanisms of Cu/Ni/W nanolayered composites. 2013 , 93, 434-448	15
1500	Fabrication and microstructure evolution of preferred oriented nanotwinned copper by pulse electroplating for RDL in WLP. 2013 ,	
1499	Tribological behavior of Fe ₇₀ Ni ₃₀ alloy with nanoscale twins under liquid paraffin lubrication. 2013 , 227, 60-66	2
1498	The use of nanotechnology to improve the bulk and surface properties of steel for structural applications. 2013 , 75-107	1
1497	Extreme grain refinement by severe plastic deformation: A wealth of challenging science. 2013 , 61, 782-817	1230

1496	Giant stretchability of thin gold films on rough elastomeric substrates. 2013 , 61, 540-547	70
1495	Effect of crystallographic orientation and grain boundary character on fatigue cracking behaviors of coaxial copper bicrystals. 2013 , 61, 425-438	32
1494	Plastic anisotropy and associated deformation mechanisms in nanotwinned metals. 2013 , 61, 217-227	206
1493	The defect structures and mechanical properties of Cu and CuAl alloys processed by split Hopkinson pressure bar. 2013 , 580, 406-409	7
1492	Twin intersection mechanisms in nanocrystalline fcc metals. 2013 , 585, 292-296	17
1491	Optimizing the strength and ductility of AZ91 Mg alloy by ECAP and subsequent aging. 2013 , 588, 329-334	57
1490	Mapping dislocation nucleation behavior from bimetal interfaces. 2013 , 61, 7488-7499	79
1489	Stability of interfaces in a multilayered AgCu composite during cold rolling. 2013 , 68, 542-545	21
1488	Ultrahigh hardness and improved ductility for nanotwinned mercury cadmium telluride. 2013 , 69, 231-234	15
1487	Effect of twin boundaries on nanovoid growth based on dislocation emission. 2013 , 582, 29-35	14
1486	Microcompression and cyclic deformation behaviors of coaxial copper bicrystals with a single twin boundary. 2013 , 69, 199-202	28
1485	Strengthening mechanisms in a high-strength bulk nanostructured CuZnAl alloy processed via cryomilling and spark plasma sintering. 2013 , 61, 2769-2782	279
1484	De-twinning via secondary twinning in face-centered cubic alloys. 2013 , 578, 110-114	28
1483	Deformation twinning and detwinning in the lamella copper observed by in-situ TEM. 2013 , 106, 225-228	7
1482	Strain-induced martensitic transformation near twin boundaries in a biomedical CoCrMo alloy with negative stacking fault energy. 2013 , 61, 1648-1661	113
1481	Nanostructure and surface effects on yield in Cu nanowires. 2013 , 61, 1831-1842	60
1480	Evolution of lattice defects, disordered/ordered phase transformations and mechanical properties in NiAlTi intermetallics by high-pressure torsion. 2013 , 563, 221-228	18
1479	Mechanism of fatigue performance enhancement in a laser sintered superhard nanoparticles reinforced nanocomposite followed by laser shock peening. 2013 , 113, 133509	25

1478	Removal of stacking-fault tetrahedra by twin boundaries in nanotwinned metals. 2013 , 4, 1377	136
1477	The complementary use of electron backscatter diffraction and ion channelling imaging for the characterization of nanotwins. 2013 , 249, 111-8	6
1476	Defective twin boundaries in nanotwinned metals. 2013 , 12, 697-702	210
1475	The interactions of self-interstitials with twin boundaries. 2013 , 93, 1268-1278	43
1474	Effect of deposition rate on the microstructure of electron beam evaporated nanocrystalline palladium thin films. 2013 , 539, 145-150	19
1473	A nanoscale co-precipitation approach for property enhancement of Fe-base alloys. 2013 , 3, 1327	62
1472	Competing regimes of rate dependent plastic flow in ultrafine grained metals. 2013 , 560, 315-320	11
1471	Hydrogen-induced cracking behavior of twin boundary in α phase strengthened FeNi based austenitic alloys. 2013 , 561, 7-12	18
1470	Architected surface layer with a gradient nanotwinned structure in a FeMn austenitic steel. 2013 , 68, 22-27	73
1469	Eliminate Kirkendall voids in solder reactions on nanotwinned copper. 2013 , 68, 241-244	58
1468	Effect of thiourea on grain refinement and defect structure of the pulsed electrodeposited nanocrystalline copper. 2013 , 214, 8-18	30
1467	Effect of nano/ultrafine grain with orientation obtained by reversion transformation on tensile behaviour of austenitic stainless steel. 2013 , 29, 456-459	4
1466	Periodic segregation of solute atoms in fully coherent twin boundaries. <i>Science</i> , 2013 , 340, 957-60	33.3 524
1465	Nanoindentation behavior of nanotwinned Cu: Influence of indenter angle on hardness, strain rate sensitivity and activation volume. 2013 , 61, 7313-7323	62
1464	Modeling fatigue crack growth resistance of nanocrystalline alloys. 2013 , 61, 2531-2547	61
1463	Deformation twins induced by multi-mode deformation in nanocrystalline copper. 2013 , 93, 490-497	1
1462	Basic criteria for formation of growth twins in high stacking fault energy metals. 2013 , 103, 181903	20
1461	Influence of point defects on grain boundary mobility in bcc tungsten. 2013 , 25, 035402	14

1460	Deformation behaviour of hot extruded Mg alloy AZ31 during compressive deformation. 2013 , 29, 177-183	17
1459	Electropulsing strengthened 2GPa boron steel with good ductility. 2013 , 43, 195-199	34
1458	Microstructural changes in grain interior and grain boundary by formation of metastable and stable phases related to age-hardening in an Au-Cu-Ag-Pd alloy. 2013 , 28, 1211-1217	2
1457	Effect of the $\Sigma(310)/[001]$ grain boundary on the incipient yield of bicrystal copper: A quasicontinuum simulation and nanoindentation experiment. 2013 , 28, 766-773	6
1456	Modeling the strength and ductility of magnesium alloys containing nanotwins. 2013 , 1513, 1	
1455	Temperature-dependent strain localization and texture evolution of highly nanotwinned Cu. 2013 , 103, 011904	4
1454	Physics and model of strengthening by parallel stacking faults. 2013 , 103, 133108	63
1453	Synthesis and mechanical behavior of nanoporous nanotwinned copper. 2013 , 103, 241907	10
1452	Sn and Nb modified ultrafine Ti-based bulk alloys with high-strength and enhanced ductility. 2013 , 102, 061908	18
1451	Nanotwins in nanocrystalline MgAl alloys: an insight from high-resolution TEM and molecular dynamics simulation. 2013 , 93, 640-647	13
1450	Formation Mechanisms of High-density Growth Twins in Aluminum with High Stacking-Fault Energy. 2013 , 1, 51-60	67
1449	Cyclic Response of SUS316L Stainless Steel Processed by ECAP. 2013 , 54, 1612-1618	5
1448	Mechanism of Fatigue Performance Enhancement in a Superhard Nanoparticles Integrated Nanocomposites by a Hybrid Manufacturing Technique. 2013 ,	2
1447	Grain Refinement and High-Performance of Equal-Channel Angular Pressed Cu-Mg Alloy for Electrical Contact Wire. 2014 , 4, 586-596	11
1446	Macroscopic Twinning Strain in Nanocrystalline Cu. 2014 , 2, 63-69	24
1445	Atomistic investigations of tensile and shear mechanical properties of nanotwinned copper with embedded defects. 2014 , 03, 1450012	
1444	Role of stacking fault energy and strain rate in strengthening of Cu and CuAl alloys. 2014 , 29, 1747-1754	5
1443	Segregation of alloying atoms at a tilt symmetric grain boundary in tungsten and their strengthening and embrittling effects. 2014 , 23, 106107	15

1442	Surface Stress Effects on the Yield Strength in Nanotwinned Polycrystal Face-Centered-Cubic Metallic Nanowires. 2014 , 81,	5
1441	Alternating brittle and ductile response of coherent twin boundaries in nanotwinned metals. 2014 , 116, 183505	11
1440	Atomic simulation of mechanical behavior of Mg in a super-lattice of nanocrystalline Mg and amorphous Mg-Al alloy. 2014 , 116, 214305	12
1439	Cryogenic ultrahigh strain rate deformation induced hybrid nanotwinned microstructure for high strength and high ductility. 2014 , 115, 213519	24
1438	Surface and grain boundary scattering in nanometric Cu thin films: A quantitative analysis including twin boundaries. 2014 , 32, 061503	50
1437	First-principles study of the structure of Mg/Nb multilayers. 2014 , 105, 071602	21
1436	Plasticity and ultra-low stress induced twin boundary migration in nanotwinned Cu by in situ nanoindentation studies. 2014 , 104, 231910	42
1435	Extraordinary stability of nano-twinned structure formed during phase transformation coupled with grain growth in electrodeposited Co/Ni alloys. 2014 , 148, 1202-1211	9
1434	Size effects in twinned nanopillars. 2014 , 116, 033512	17
1433	Microstructures and tensile properties of 304 steel with dual nanocrystalline and microcrystalline austenite content prepared by aluminothermic reaction casting. 2014 , 94, 478-486	9
1432	Microstructural Barriers against Fatigue Crack Growth. 2014 , 783-786, 2339-2346	
1431	The Effect of Copper Dissolution in Acidic Electrolyte on the Formation of Nanotwin in Pulse Electrodeposited Copper. 2014 , 161, D425-D428	4
1430	Cracking in a Fe-0.5Mn-0.5Si-0.5Al Steel. 2014 , 2, 204-208	7
1429	Calculating the Resistance of a Grain Boundary against Fatigue Crack Growth. 2014 , 891-892, 929-935	3
1428	ATOMISTIC SIMULATION OF TORSIONAL VIBRATION AND PLASTIC DEFORMATION OF FIVE-FOLD TWINNED COPPER NANOWIRES. 2014 , 11, 1344010	3
1427	Crystal orientation effect on local adhesion strength of the interface between a damascene copper line and the insulation layer. 2014 , 120, 71-76	3
1426	Molecular dynamics investigation of plastic deformation mechanism in bulk nanotwinned copper with embedded cracks. 2014 , 378, 736-740	15
1425	Mechanical properties of ground state structures in substitutional ordered alloys: High strength, high ductility and high thermal stability. 2014 , 603, 121-128	22

1424	Strain localization and fatigue cracking behaviors of Cu bicrystal with an inclined twin boundary. 2014 , 73, 167-176	31
1423	Tensile deformation properties of single crystal copper with nanotwins. 2014 , 83, 269-276	6
1422	Motion of $1/3\langle 111 \rangle$ dislocations on $\{112\}$ twin boundaries in nanotwinned copper. 2014 , 115, 024310	16
1421	Analysis of size-dependent slip transfer and inter-twin flow stress in a nanotwinned fcc metal. 2014 , 67, 409-417	22
1420	Effect of Grain Boundary Stresses on Sink Strength. 2014 , 2, 100-106	40
1419	Pervasive nanoscale deformation twinning as a catalyst for efficient energy dissipation in a bioceramic armour. 2014 , 13, 501-7	107
1418	Review on TEM analysis of growth twins in nanocrystalline palladium thin films: Toward better understanding of twin-related mechanisms in high stacking fault energy metals. 2014 , 251, 1111-1124	10
1417	Microstructure and physical properties of laser Zn modified amorphous/nanocrystalline coating on a titanium alloy. 2014 , 56, 296-300	7
1416	Evading the strength-ductility trade-off dilemma in steel through gradient hierarchical nanotwins. 2014 , 5, 3580	540
1415	Tensile ductility of nanotwinned austenitic grains in an austenitic steel. 2014 , 84-85, 31-34	35
1414	Twin-boundary segregation energies and solute-diffusion activation enthalpies in Mg-based binary systems: A first-principles study. 2014 , 80, 17-20	70
1413	Size and rate dependent necking in thin metallic films. 2014 , 62, 81-98	15
1412	A maximum in the hardness of nanotwinned cadmium telluride. 2014 , 72-73, 39-42	9
1411	Deformation mechanisms in ultrahigh-strength and high-ductility nanostructured FeMnAlC alloy. 2014 , 586, 616-620	36
1410	Extraordinary strain hardening by gradient structure. 2014 , 111, 7197-201	644
1409	Irradiation-enhanced twin boundary migration in BCC Fe. 2014 , 94, 361-369	12
1408	Preparation and characterization of nickel-cobalt alloy nanostructures array fabricated by electrodeposition. 2014 , 16, 6937	37
1407	High-strength and high-ductility nanostructured and amorphous metallic materials. 2014 , 26, 5518-24	170

1406	Effect of strain rate on tensile properties of electric brush-plated nanocrystalline copper. 2014 , 618, 621-628	20
1405	Strengthening at nanoscaled coherent twin boundary in f.c.c. metals. 2014 , 94, 1249-1262	15
1404	Simultaneous improvement of tensile strength and ductility in micro-duplex structure consisting of austenite and ferrite. 2014 , 618, 563-571	17
1403	Coincidence-Site-Lattice Twist Boundaries in Bicrystalline α -Fe ₂ O ₃ Nanoblades. 2014 , 118, 5796-5801	7
1402	A fracture-resistant high-entropy alloy for cryogenic applications. <i>Science</i> , 2014 , 345, 1153-8	33.3 2700
1401	Strain-controlled cyclic stability and properties of Cu with highly oriented nanoscale twins. 2014 , 81, 248-257	41
1400	Microstructures and mechanical properties evolution of an AlBeCu alloy processed by repetitive continuous extrusion forming. 2014 , 612, 131-139	19
1399	Improved strength and ductility of magnesium alloy below micro-twin lamellar structure. 2014 , 614, 1-5	17
1398	Effects of solutes on the thermal stability of nanotwinned materials. 2014 , 94, 2875-2885	4
1397	Direct observation of electron-beam-induced densification and hardening of silica nanoballs by in situ transmission electron microscopy and finite element method simulations. 2014 , 79, 363-373	34
1396	Predicting fatigue resistance of nano-twinned materials: Part II [Effective threshold stress intensity factor range. 2014 , 68, 292-301	28
1395	A novel and rapid route for synthesizing nanocrystalline aluminum. 2014 , 615, 320-323	5
1394	Theoretical studies of structures and energies of Pd, AuPd, and AuPdPt clusters. 2014 , 38, 4893-4900	25
1393	Controllable fatigue cracking mechanisms of copper bicrystals with a coherent twin boundary. 2014 , 5, 3536	51
1392	A jogged dislocation governed strengthening mechanism in nanotwinned metals. 2014 , 14, 5075-80	74
1391	Applying the texture analysis for optimizing thermomechanical treatment of high manganese twinning-induced plasticity steel. 2014 , 80, 327-340	83
1390	In situ nanoindentation study on plasticity and work hardening in aluminium with incoherent twin boundaries. 2014 , 5, 4864	81
1389	Gradient nanostructure and residual stresses induced by Ultrasonic Nano-crystal Surface Modification in 304 austenitic stainless steel for high strength and high ductility. 2014 , 613, 274-288	192

1388	Growth Twins and Deformation Twins in Metals. 2014 , 44, 329-363	250
1387	Large recovery strain in Fe-Mn-Si-based shape memory steels obtained by engineering annealing twin boundaries. 2014 , 5, 4964	79
1386	Effect of Post-annealing on Grain Boundary of Nano-crystalline Cu Processed by Powder High-Pressure Torsion. 2014 , 45, 4748-4752	3
1385	Deformation mechanisms in an austenitic single-phase duplex microstructured steel with nanotwinned grains. 2014 , 81, 487-500	74
1384	Effects of Alloying Elements on Stacking Fault Energies and Electronic Structures of Binary Mg Alloys: A First-Principles Study. 2014 , 2, 29-36	85
1383	The Microstructural Design of Trimodal Aluminum Composites. 2014 , 66, 898-908	37
1382	Synergetic Strengthening by Gradient Structure. 2014 , 2, 185-191	309
1381	In situ TEM imaging of CaCO ₃ nucleation reveals coexistence of direct and indirect pathways. <i>Science</i> , 2014 , 345, 1158-62	333 461
1380	Effect of sintering temperature on microstructures and mechanical properties of spark plasma sintered nanocrystalline aluminum. 2014 , 64, 625-630	57
1379	Intrinsic and extrinsic size effects in the deformation of amorphous CuZr/nanocrystalline Cu nanolaminates. 2014 , 80, 94-106	114
1378	Computer simulation of strength and ductility of nanotwin-strengthened coarse-grained metals. 2014 , 22, 075014	18
1377	Nanoscale cracks at deformation twins stopped by grain boundaries in bulk and thin-film materials with nanocrystalline and ultrafine-grained structures. 2014 , 47, 015307	9
1376	In situ electron microscopy four-point electromechanical characterization of freestanding metallic and semiconducting nanowires. 2014 , 10, 725-33	31
1375	Plastic Flow of a Cu ₅₀ Zr ₄₅ Ti ₅ Bulk Metallic Glass Composite. 2014 , 30, 609-615	23
1374	Structural stability and electronic structures of (111) twin boundaries in the rock-salt MnS. 2014 , 582, 181-185	12
1373	Improving the tensile ductility and uniform elongation of high-strength ultrafine-grained Al alloys by lowering the grain boundary misorientation angle. 2014 , 78-79, 25-28	61
1372	Mechanical properties and deformation kinetics of bulk Cu ₄₀ Al ₂₀ Zn alloy subjected to rolling and annealing. 2014 , 609, 217-221	5
1371	Ultrahigh dense and gradient nano-precipitates generated by warm laser shock peening for combination of high strength and ductility. 2014 , 609, 195-203	64

1370	Varying tensile fracture mechanisms of Cu and CuZn alloys with reduced grain size: From necking to shearing instability. 2014 , 594, 309-320	34
1369	Nanomechanics of Graphene and Nanocrystals. 2014 , 10, 273-284	3
1368	Nanotwinned diamond with unprecedented hardness and stability. 2014 , 510, 250-3	440
1367	Enhanced cyclic deformation responses of ultrafine-grained Cu and nanocrystalline CuAl alloys. 2014 , 74, 200-214	86
1366	Microstructure and mechanical behavior of an as-drawn MP35N alloy wire. 2014 , 610, 326-337	17
1365	Influence of W-phase on mechanical properties and damping capacity of MgZnNiZr alloys. 2014 , 609, 7-15	25
1364	Enhanced mechanical properties of 70/30 brass joint by rapid cooling friction stir welding. 2014 , 610, 132-138	55
1363	Microstructure and mechanical properties of bulk highly faulted fcc/hcp nanostructured cobalt microstructures. 2014 , 91, 26-33	19
1362	60 Years of Hall-Petch: Past to Present Nano-Scale Connections. 2014 , 55, 2-12	135
1361	Effect of Plastic Deformation on the Proof Strength and Electrical Conductivity of Copper-Magnesium Supersaturated Solid-Solution Alloys. 2014 , 55, 1738-1741	7
1360	Strengthening of biomedical Ni-free Co-Cr-Mo alloy by multipass "low-strain-per-pass" thermomechanical processing. 2015 , 28, 215-224	10
1359	Structure and properties of ϵ -carbides in duplex lightweight steels. 2015 , 42, 626-631	11
1358	New horizon for high performance Mg-based biomaterial with uniform degradation behavior: Formation of stacking faults. 2015 , 5, 13933	37
1357	Nanodomained Nickel Unite Nanocrystal Strength with Coarse-Grain Ductility. 2015 , 5, 11728	74
1356	Significant contribution of stacking faults to the strain hardening behavior of Cu-15%Al alloy with different grain sizes. 2015 , 5, 16707	94
1355	Inherent structure length in metallic glasses: simplicity behind complexity. 2015 , 5, 12137	18
1354	Formation of incoherent deformation twin boundaries in a coarse-grained Al-7Mg alloy. 2015 , 107, 091901	13
1353	Strain Softening Induced by High Pressure Torsion in Copper Alloys. 2015 , 56, 1658-1663	4

1352	Synthesis of Hierarchical Nanoporous Microstructures via the Kirkendall Effect in Chemical Reduction Process. 2015 , 5, 16061	14
1351	Orientation dependent fracture behavior of nanotwinned copper. 2015 , 106, 261902	20
1350	Extraordinary high ductility/strength of the interface designed bulk W-ZrC alloy plate at relatively low temperature. 2015 , 5, 16014	119
1349	Atomistic tensile deformation mechanisms of Fe with gradient nano-grained structure. 2015 , 5, 087120	8
1348	Recovery of strain-hardening rate in Ni-Si alloys. 2015 , 5, 15532	28
1347	Dislocation characterization in fatigued Cu with nanoscale twins. 2015 , 58, 915-920	5
1346	Effect of Strain Rate on Tensile Ductility and Fracture Behavior of Bulk Nanotwinned Copper. 2015 , 17, 1754-1759	8
1345	Structure fragmentation of a surface layer of commercial purity titanium during ultrasonic impact treatment. 2015 ,	
1344	Alternative transmission mode and long stacking fault formation during a dissociated screw dislocation across a coherent sliding interface. 2015 , 48, 395301	1
1343	Ultrafine-Grained Austenitic Stainless Steels X4CrNi18-12 and X8CrMnNi19-6-3 Produced by Accumulative Roll Bonding. 2015 , 5, 730-742	5
1342	Effect of Post Heat Treatment on the Microstructure and Microhardness of Friction Stir Processed NiAl Bronze (NAB) Alloy. 2015 , 5, 1695-1703	17
1341	Modeling of Stacking Fault Energy in Hexagonal-Close-Packed Metals. 2015 , 2015, 1-8	3
1340	In situ atomic-scale observation of twinning-dominated deformation in nanoscale body-centred cubic tungsten. 2015 , 14, 594-600	189
1339	Phase field modeling of a glide dislocation transmission across a coherent sliding interface. 2015 , 23, 035002	8
1338	Effect of stacking fault energy on mechanism of plastic deformation in nanotwinned FCC metals. 2015 , 23, 055003	37
1337	A study on the effects of twin boundaries and surface morphology on deformation behaviours of silver nanowires. 2015 , 41, 1245-1253	1
1336	Deformation behavior and mechanical properties of composite twin structures under different loading paths. 2015 , 640, 118-128	22
1335	Microstructure, mechanical and damping properties of Mg ₉₇ Er ₂ Zn alloy reinforced with stacking faults. 2015 , 79, 53-59	39

1334	Effects of rolling temperature and subsequent annealing on mechanical properties of ultrafine-grained CuZnBi alloy. 2015 , 106, 100-107	14
1333	High Strength and High Uniform Ductility in a Severely Deformed Iron Alloy by Lattice Softening and Multimodal-structure Formation. 2015 , 3, 197-202	24
1332	Materials can be strengthened by nanoscale stacking faults. 2015 , 110, 36002	8
1331	A Simple Physically Based Phenomenological Model for the Strengthening/Softening Behavior of Nanotwinned Copper. 2015 , 82,	12
1330	Micromechanics of plastic deformation of nanotwinned metals due to twin widening. 2015 , 60, 507-510	3
1329	Nanoscale origins of the damage tolerance of the high-entropy alloy CrMnFeCoNi. 2015 , 6, 10143	451
1328	The effects of strain rate and grain size on nanocrystalline materials: A theoretical prediction. 2015 , 87, 49-52	11
1327	Mechanical behaviour of nanoparticles: Elasticity and plastic deformation mechanisms. 2015 , 84, 1041-1048	5
1326	Hardening Palladium Using Hydrogen as a Catalytic Alloying Element. 2015 , 365, 262-265	1
1325	Simulation of ballistic performance of coarse-grained metals strengthened by nanotwinned regions. 2015 , 23, 085009	18
1324	Anneal hardening of a nanostructured CuAl alloy processed by high-pressure torsion and rolling. 2015 , 628, 207-215	21
1323	Unexpected grain size reduction by heating in bulk nanocrystalline FeAl. 2015 , 633, 384-389	9
1322	Brittle versus ductile behaviour of nanotwinned copper: A molecular dynamics study. 2015 , 89, 1-13	38
1321	Molecular dynamic simulations of the mechanical properties of crystalline/crystalline and crystalline/amorphous nanolayered pillars. 2015 , 101, 194-200	18
1320	Twinning/detwinning-mediated grain growth and mechanical properties of free-standing nanotwinned Ni foils: Grain size and strain rate effects. 2015 , 628, 62-74	28
1319	Defect-interface interactions. 2015 , 74, 125-210	351
1318	Alloying effect on grain-size dependent deformation twinning in nanocrystalline CuZn alloys. 2015 , 95, 301-310	18
1317	Effect of grain orientations of Cu seed layers on the growth of γ -oriented nanotwinned Cu. 2014 , 4, 6123	14

1316	Metastability of the atomic structures of size-selected gold nanoparticles. 2015 , 7, 6498-503	73
1315	Twin boundary spacing-dependent deformation behaviours of twinned silver nanowires. 2015 , 41, 1546-1552	3
1314	Superhard materials: recent research progress and prospects. 2015 , 58, 132-142	42
1313	Hierarchical structural design for fracture resistance in the shell of the pteropod <i>Clio pyramidata</i> . 2015 , 6, 6216	39
1312	Combined effect of texture and nanotwins on mechanical properties of the nanostructured Cu and CuAl films prepared by magnetron sputtering. 2015 , 50, 1901-1907	8
1311	High resolution energy dispersive spectroscopy mapping of planar defects in L12-containing Co-base superalloys. 2015 , 89, 423-437	95
1310	Dislocation-twin boundary interactions induced nanocrystalline via SPD processing in bulk metals. 2015 , 5, 8981	19
1309	A model for <c+a> dislocation transmission across nano-spaced parallel basal stacking faults in a HCP alloy. 2015 , 95, 58-66	6
1308	Plastic deformation due to interfacial sliding in amorphous/crystalline nanolaminates. 2015 , 109, 266-276	12
1307	Electronic Origins of Anomalous Twin Boundary Energies in Hexagonal Close Packed Transition Metals. 2015 , 115, 065501	22
1306	Fracture in a thin film of nanotwinned copper. 2015 , 98, 313-317	47
1305	First-principles calculations of the twin boundary energies and adhesion energies of interfaces for cubic face-centered transition-metal nitrides and carbides. 2015 , 355, 1132-1135	20
1304	Stress-induced formation mechanism of stacking fault tetrahedra in nano-cutting of single crystal copper. 2015 , 355, 1153-1160	33
1303	Grain-size dependent mechanical behavior of nanocrystalline metals. 2015 , 646, 101-134	129
1302	Torsional Detwinning Domino in Nanotwinned One-Dimensional Nanostructures. 2015 , 15, 6082-7	15
1301	The different effects of solute segregation at twin boundaries on mechanical behaviors of twinning and detwinning. 2015 , 644, 365-373	22
1300	Anomalous scaling law of strength and toughness of cellulose nanopaper. 2015 , 112, 8971-6	203
1299	Ultrastrong ductile and stable high-entropy alloys at small scales. 2015 , 6, 7748	306

1298	Entropic interaction between fluctuating twin boundaries. 2015 , 84, 59-71	22
1297	Effect of Temperature on the Nano/Microstructure and Mechanical Behavior of Nanotwinned Ag Films. 2015 , 46, 4078-4085	15
1296	Strengthening high-stacking-fault-energy metals via parallelogram nanotwins. 2015 , 108, 35-39	17
1295	Mechanical behaviors of irradiated FCC polycrystals with nanotwins. 2015 , 74, 110-126	17
1294	Toughening Graphene With Topological Defects: A Perspective. 2015 , 82,	41
1293	Atomistic Study of the Thermal Stress due to Twin Boundaries. 2015 , 82,	4
1292	The fracture behavior of twinned Cu nanowires: A molecular dynamics simulation. 2015 , 634, 86-90	23
1291	Effect of coherent twin boundary and stacking fault on deformation behaviors of copper nanowires. 2015 , 104, 46-51	17
1290	Crack nucleation due to dislocation pile-ups at twin boundary-grain boundary intersections. 2015 , 632, 78-81	19
1289	A Plastic Deformation Mechanism by Necklace Dislocations Near Crack-like Defects in Nanotwinned Metals. 2015 , 82,	13
1288	Intrinsically higher fatigue cracking resistance of the penetrable and movable incoherent twin boundary. 2014 , 4, 3744	15
1287	Brittle versus ductile fracture behaviour in nanotwinned FCC crystals. 2015 , 152, 65-67	12
1286	Yield strength and yield strain of metallic glasses and their correlations with glass transition temperature. 2015 , 637, 44-54	28
1285	Rapid synthesis of an extra hard metal matrix nanocomposite at ambient temperature. 2015 , 635, 109-117	56
1284	The role of dislocations in strain hardening of an extension twinning predominant deformation. 2015 , 636, 389-395	21
1283	Strengthening mechanisms of Fe nanoparticles for single crystal Cu ₃ Fe alloy. 2015 , 636, 43-47	30
1282	Microscopic mechanisms contributing to the synchronous improvement of strength and plasticity (SISP) for TWIP copper alloys. 2015 , 5, 9550	73
1281	Bimodal sintered silver nanoparticle paste with ultrahigh thermal conductivity and shear strength for high temperature thermal interface material applications. 2015 , 7, 9157-68	83

1280	Strong Hall-Petch Type Behavior in the Elastic Strain Limit of Nanotwinned Gold Nanowires. 2015 , 15, 3865-70	33
1279	Improved Fatigue Strengths of Nanocrystalline Cu and CuAl Alloys. 2015 , 3, 135-141	39
1278	An Ideal Ultrafine-Grained Structure for High Strength and High Ductility. 2015 , 3, 88-94	79
1277	Nanotwinned silver nanowires: Structure and mechanical properties. 2015 , 92, 299-308	29
1276	High thermoelectric power factor in CuNi alloy originate from potential barrier scattering of twin boundaries. 2015 , 17, 279-289	56
1275	Microstructure and mechanical properties of an ultrafine TiBiNb alloy. 2015 , 163, 512-517	5
1274	Anelasticity of twinned CuO nanowires. 2015 , 8, 3687-3693	22
1273	Size effect and boundary type on the strengthening of nanoscale domains in pure nickel. 2015 , 648, 243-251	11
1272	High Strength-Ductility Nb-microalloyed Low Martensitic Carbon Steel: Novel Process and Mechanism. 2015 , 28, 1264-1271	9
1271	Effects of Schmid factor and slip nucleation on deformation mechanism in columnar-grained nanotwinned Ag and Cu. 2015 , 117, 085302	16
1270	Morphological changes in polycrystalline Fe after compression and release. 2015 , 117, 085901	20
1269	Controllable Crystallographic Texture in Copper Foils Exhibiting Enhanced Mechanical and Electrical Properties by Pulse Reverse Electrodeposition. 2015 , 15, 4448-4458	28
1268	Thermomechanical behavior of nanotwinned copper interconnection line in wafer level packaging and the influence on wafer warpage. 2015 ,	1
1267	Effect of current density on microstructure and mechanical property of Cu micro-cylinders electrodeposited in through silicon vias. 2015 , 109, 164-172	5
1266	Observation of annealing twin nucleation at triple lines in nickel during grain growth. 2015 , 99, 63-68	58
1265	Fracture of graphene: a review. 2015 , 196, 1-31	108
1264	Mechanisms of surface roughening of commercial purity titanium during ultrasonic impact treatment. 2015 , 647, 43-50	30
1263	The 1.85 GPa AlSc Bulk Alloy with Abundant Nanoscale Growth Twins. 2015 , 32, 076401	1

1262	Comparison of strength-ductility combinations between nanotwinned austenite and martensite-austenite stainless steels. 2015 , 647, 152-156	21
1261	Enhanced mechanical properties of 70/30 brass joint by multi-pass friction stir welding with rapid cooling. 2015 , 20, 91-99	22
1260	First-principles study of energy and atomic solubility of twinning-associated boundaries in hexagonal metals. 2015 , 85, 144-154	75
1259	Twin boundary-assisted lithium ion transport. 2015 , 15, 610-5	63
1258	Comparison of twinning evolution with work hardening ability in twinning-induced plasticity steel under different strain rates. 2015 , 622, 184-188	30
1257	Intrinsic Bauschinger effect and recoverable plasticity in pentatwinned silver nanowires tested in tension. 2015 , 15, 139-46	67
1256	Abnormal drop in electrical resistivity with impurity doping of single-crystal Ag. 2014 , 4, 5450	23
1255	Strengthening and toughening strategies for tin bronze alloy through fabricating in-situ nanostructured grains. 2015 , 66, 60-66	44
1254	Grain boundary segregation in FeMn twinning-induced plasticity steels studied by correlative electron backscatter diffraction and atom probe tomography. 2015 , 83, 37-47	65
1253	Mechanisms for enhanced plasticity in magnesium alloys. 2015 , 82, 344-355	101
1252	A physical model revealing strong strain hardening in nano-grained metals induced by grain size gradient structure. 2015 , 620, 16-21	38
1251	Quantifying the influence of twin boundaries on the deformation of nanocrystalline copper using atomistic simulations. 2015 , 65, 191-205	58
1250	Deformation Twinning in Nanocrystalline Metals. 2016 ,	
1249	Microstructures and Mechanical Properties of Co-Cr Dental Alloys Fabricated by Three CAD/CAM-Based Processing Techniques. 2016 , 9,	75
1248	Influences of Thermomechanical Processing on The Microstructure and Mechanical Properties of a HSLA Steel. 2016 , 61-68	
1247	Investigation of mechanical and tribological properties of tribo-layer of Ni3Al matrix composites. 2016 , 28, 407-422	4
1246	Effect of twin boundaries on indentation behavior of magnesium alloys. 2016 , 685, 1016-1023	14
1245	Significance of grain refinement on microstructure and mechanical properties of an Al-3% Mg alloy processed by high-pressure torsion. 2016 , 686, 998-1007	46

1244	Six decades of the Hall-Petch effect: A survey of grain-size strengthening studies on pure metals. 2016 , 61, 495-512	334
1243	Encyclopedia of Nanotechnology. 2016 , 2659-2666	
1242	Encyclopedia of Nanotechnology. 2016 , 2369-2379	
1241	Simulating Size and Volume Fraction-Dependent Strength and Ductility of Nanotwinned Composite Copper. 2016 , 83,	9
1240	Exceptional high fatigue strength in Cu-15at.%Al alloy with moderate grain size. 2016 , 6, 27433	19
1239	Cyclic softening behaviors of ultra-fine grained Cu-Zn alloys. 2016 , 121, 331-342	21
1238	The impacts of surface polarity on the solubility of nanoparticle. 2016 , 145, 044504	7
1237	EPD Congress 2016. 2016 ,	
1236	A high-throughput technique for determining grain boundary character non-destructively in microstructures with through-thickness grains. 2016 , 2,	15
1235	Solute segregation and deviation from bulk thermodynamics at nanoscale crystalline defects. 2016 , 2, e1601796	41
1234	Structure and energetics of nanotwins in cubic boron nitrides. 2016 , 109, 081901	17
1233	Dislocation Strengthening without Ductility Trade-off in Metastable Austenitic Steels. 2016 , 6, 35345	18
1232	Twin Boundaries merely as Intrinsically Kinematic Barriers for Screw Dislocation Motion in FCC Metals. 2016 , 6, 22893	12
1231	Evolution of dislocations and twins in a strong and ductile nanotwinned steel. 2016 , 111, 96-107	77
1230	Influence of Shot Peening on the Surface Hardness of TC11 Titanium Alloy after High Cycle Fatigue Test. 2016 , 849, 302-308	2
1229	Prediction of mechanical properties in bimodal nanotwinned metals with a composite structure. 2016 , 123, 222-231	15
1228	The direct and indirect effects of nanotwin volume fraction on the strength and ductility of coarse-grained metals. 2016 , 657, 234-243	18
1227	Metastable high-entropy dual-phase alloys overcome the strength-ductility trade-off. 2016 , 534, 227-30	1718

1226	Role of minor additions on metallic glasses and composites. 2016 , 31, 76-87	10
1225	The crystallography of C-centred monoclinic to body-centred tetragonal polymorphic phase transformation in mixed-phase TiO ₂ (B) and anatase nanocomposite. 2016 , 119, 27-32	10
1224	Synthesis and microstructure of electrodeposited and sputtered nanotwinned face-centered-cubic metals. 2016 , 41, 286-291	44
1223	Strengthening and plasticity in nanotwinned metals. 2016 , 41, 292-297	43
1222	Fracture, fatigue, and creep of nanotwinned metals. 2016 , 41, 298-304	42
1221	In situ nanomechanical testing of twinned metals in a transmission electron microscope. 2016 , 41, 305-313	12
1220	Effect of stacking fault energy on mechanical properties and annealing behavior of brasses. 2016 , 679, 400-407	13
1219	Enhancing fracture toughness of nanotwinned austenitic steel by thermal annealing. 2016 , 119, 55-59	22
1218	Characterizing the nano-structure and defect structure of nano-scaled non-ferrous structural alloys. 2016 , 113, 222-231	6
1217	Experimental investigation of grain boundaries misorientations and nano twinning induced strengthening on addition of silicon carbide in pulse electrodeposited nickel tungsten composite coating. 2016 , 116, 1-7	24
1216	Impurity effect of Mg on the generalized planar fault energy of Al. 2016 , 51, 6552-6568	31
1215	Gradient twinned 304 stainless steels for high strength and high ductility. 2016 , 667, 179-188	61
1214	Twinning effects on strength and plasticity of metallic materials. 2016 , 41, 274-281	57
1213	Deformation induced face-centered cubic titanium and its twinning behavior in Ti ₃ Al ₂ V. 2016 , 119, 5-8	36
1212	Ultrahigh Tensile Strength Nanowires with a Ni/Ni-Au Multilayer Nanocrystalline Structure. 2016 , 16, 3500-6	18
1211	Microstructural stability and mechanical behavior of FeNiMnCr high entropy alloy under ion irradiation. 2016 , 113, 230-244	305
1210	Strain-controlled fatigue behavior of cold-drawn type 316 austenitic stainless steel at room temperature. 2016 , 120, 195-202	17
1209	Origin of reduced anisotropic deformation in hexagonal close packed Ti-Al alloy. 2016 , 111, 119-125	10

1208	Investigating the influence of epitaxial modulation on the evolution of superhardness of the VN/TiB ₂ multilayers. 2016 , 390, 406-411	9
1207	Gradient driven anomalous reversible plasticity in conventional magnesium alloys. 2016 , 9, 158-164	7
1206	Microstructure evolution during the precipitation and growth of fully coherent DO ₂₂ superlattice in an Ni-Cr-W alloy. 2016 , 118, 244-251	4
1205	Comparison of size dependent strengthening mechanisms in Ag/Fe and Ag/Ni multilayers. 2016 , 114, 154-163	42
1204	Electrochemical Determination of Physicochemical and Mechanical Properties in ZrCr _{1-x} NiMoxHydrides. 2016 , 163, A2579-A2585	5
1203	Investigation of the size effect for photonic crystals. 2016 , 27, 405703	7
1202	Exploring the concurrence of phase transition and grain growth in nanostructured alloy. 2016 , 118, 306-316	21
1201	Spotlight on ultrasonic fracture behaviour of nanowires: their size-dependent effect and prospect for controllable functional modification. 2016 , 6, 72080-72085	7
1200	Interactions between prismatic dislocation loop and coherent twin boundary under nanoindentation investigated by molecular dynamics. 2016 , 676, 182-190	19
1199	Effect of annealing on mechanical properties of a nanocrystalline CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. 2016 , 676, 294-303	167
1198	Improving the ductility of nanostructured Al alloy using strongly textured nano-laminated structure combined with nano-precipitates. 2016 , 675, 323-337	12
1197	Initial texture effects on the thermal stability and grain growth behavior of nanocrystalline Ni thin films. 2016 , 675, 110-119	13
1196	Deformation behaviour of nano-twinned single crystals of an Fe ₁₉ Cr ₁₆ Ni austenitic alloy. 2016 , 675, 181-191	9
1195	Orientation-dependent mechanical behaviour of electrodeposited copper with nanoscale twins. 2016 , 8, 15999-6004	18
1194	Effect of WC/Co coherency phase boundaries on Fracture toughness of the nanocrystalline cemented carbides. 2016 , 6, 31047	22
1193	3D microstructure-based simulations of strength and ductility of bimodal nanostructured metals. 2016 , 677, 76-88	15
1192	High strength and high ductility copper obtained by topologically controlled planar heterogeneous structures. 2016 , 124, 103-107	26
1191	Creep deformation and rupture mechanism of an advanced wrought Ni Fe-based superalloy for 700°C class A-USC steam turbine rotor application. 2016 , 687, 389-401	31

1190	Stabilizing nanostructures in metals using grain and twin boundary architectures. 2016 , 1,	455
1189	Superstrength through Nanotwinning. 2016 , 16, 7573-7579	44
1188	Nanotwinned Surface on a Ternary Titanium Alloy with Increased Hardness Induced under Nanoindentations. 2016 , 874, 323-327	
1187	Microstructure and properties of electroformed nickel under different waveform conditions. 2016 , 1	
1186	Nucleation of amorphous shear bands at nanotwins in boron suboxide. 2016 , 7, 11001	30
1185	Atomically ordered solute segregation behaviour in an oxide grain boundary. 2016 , 7, 11079	70
1184	Increasing strength and conductivity of Cu alloy through abnormal plastic deformation of an intermetallic compound. 2016 , 6, 30907	28
1183	On twin density and resistivity of nanometric Cu thin films. 2016 , 120, 065106	9
1182	Ordering Transformation and Age Hardening in a Ni-Cr-W Superalloy. 2016 , 47, 5907-5917	2
1181	Interface-Driven Phenomena in Solids: Thermodynamics, Kinetics and Chemistry. 2016 , 68, 1594-1595	1
1180	Nanotwinned Boron Suboxide (B ₆ O): New Ground State of B ₆ O. 2016 , 16, 4236-42	35
1179	Polysynthetic twinned TiAl single crystals for high-temperature applications. 2016 , 15, 876-81	310
1178	Enhanced fracture toughness of TiBw/Ti ₃ Al composites with a layered reinforcement distribution. 2016 , 670, 233-239	9
1177	Twin boundary activated $\beta \rightarrow \beta'$ phase transformation in titanium under shock compression. 2016 , 115, 1-9	18
1176	Influence of β -carbide interface structure on the formability of lightweight steels. 2016 , 104, 211-216	27
1175	Strength and ductility of gradient structured copper obtained by surface mechanical attrition treatment. 2016 , 105, 89-95	74
1174	Simultaneous Grain Growth and Grain Refinement in Bulk Ultrafine-Grained Copper under Tensile Deformation at Room Temperature. 2016 , 47, 3785-3789	13
1173	Twin-induced template effect on the inelastic deformation of hierarchically nanotwinned copper under indentation and scratch. 2016 , 25, 56-68	6

1172	Dislocation Loop in Isotropic Bimaterial With Linear Springlike Imperfect Interface. 2016 , 83,	4
1171	Optimization of the nanotwin-induced zigzag surface of copper by electromigration. 2016 , 8, 2584-8	9
1170	Elastic fields of a core-spreading dislocation in anisotropic bimaterials. 2016 , 81, 231-248	7
1169	Study by DSC and HRTEM of the aging strengthening of CuNiZnAl alloys. 2016 , 92, 184-188	11
1168	Effect of dislocation-twin boundary interaction on deformation by twin boundary migration. 2016 , 662, 95-99	41
1167	Structure versus properties in Fe ₂ O ₃ nanowires and nanoblades. 2016 , 27, 035702	11
1166	Recent advances in modeling fatigue cracks at microscale in the presence of high density coherent twin interfaces. 2016 , 20, 140-150	23
1165	Atomistic perspective on in situ nanomechanics. 2016 , 8, 127-139	26
1164	Contribution of van der Waals forces to the plasticity of magnesium. 2016 , 107, 127-132	18
1163	Combustion synthesis of bulk nanocrystalline iron alloys. 2016 , 26, 13-23	3
1162	Formation mechanism of in-situ nanostructured grain in cast Cu ₁₀ Sn ₂ Zn _{1.5} Fe _{0.5} Co (wt.%) alloy. 2016 , 94, 338-344	16
1161	In situ nanostructure design leading to a high figure of merit in an eco-friendly stable Mg ₂ Si _{0.30} Sn _{0.70} solid solution. 2016 , 6, 16824-16831	12
1160	Exceptional damage-tolerance of a medium-entropy alloy CrCoNi at cryogenic temperatures. 2016 , 7, 10602	711
1159	Evolution of free volume and shear band intersections and its effect on hardness of deformed Zr _{64.13} Cu _{15.75} Ni _{10.12} Al ₁₀ bulk metallic glass. 2016 , 669, 167-176	27
1158	Strategies for improving ductility of ordered intermetallics. 2016 , 26, 1-12	45
1157	Strain hardening behaviors and strain rate sensitivity of gradient-grained Fe under compression over a wide range of strain rates. 2016 , 95, 71-82	15
1156	Plastic deformation behaviors and hardening mechanism of M ₇ C ₃ carbide. 2016 , 662, 88-94	18
1155	Recent Advances in Superhard Materials. 2016 , 46, 383-406	80

1154	Characterisation of nanoscale carbide precipitation in as-cast Co-Cr-W-based dental alloys. 2016 , 4, 1778-1786	7
1153	A polynomial chaos expansion based molecular dynamics study for probabilistic strength analysis of nano-twinned copper. 2016 , 3, 036501	39
1152	Manufacturing of high-strength Ni-free Co-Cr-Mo alloy rods via cold swaging. 2016 , 60, 38-47	11
1151	Work hardening behavior of nanotwinned austenitic grains in a metastable austenitic stainless steel. 2016 , 114, 133-136	33
1150	High-entropy alloy: challenges and prospects. 2016 , 19, 349-362	979
1149	Friction and wear behavior of nanoeutectic Fe _{1.87} Co _{0.13} under air and vacuum conditions. 2016 , 230, 481-487	
1148	Fabrication and mechanical properties of TiBw/Ti-Ti(Al) laminated composites. 2016 , 89, 697-702	26
1147	Nanomaterials in Extreme Environments. 2016 ,	26
1146	Mechanical Actions Effect upon Nanomaterials. 2016 , 55-78	1
1145	The ultra-high enhancement of hardness and elastic modulus in Ag/Nb multilayers. 2016 , 651, 155-159	21
1144	Topological defects in liquid crystals as templates for molecular self-assembly. 2016 , 15, 106-12	165
1143	Nanoindentation characterization of nano-twinned grains in an austenitic stainless steel. 2016 , 112, 19-22	19
1142	High strength and high ductility behavior of 6061-T6 alloy after laser shock processing. 2016 , 77, 183-190	25
1141	In Situ Nanoindentation Studies on Detwinning and Work Hardening in Nanotwinned Monolithic Metals. 2016 , 68, 127-135	10
1140	High strengthHigh conductivity nanostructured copper wires prepared by spark plasma sintering and room-temperature severe plastic deformation. 2016 , 649, 209-213	18
1139	Microstructure and mechanical properties of AZ91 alloy reinforced by carbon nanotubes coated with MgO. 2016 , 96, 843-855	86
1138	Formation of a new incoherent twin boundary in a Mg ₃ Gd alloy. 2016 , 112, 136-139	10
1137	When is 6 less than 5? Penta- to hexa-graphene transition. 2016 , 96, 421-428	58

1136	Fundamentals of Superior Properties in Bulk NanoSPD Materials. 2016 , 4, 1-21	230
1135	Elastic field due to dislocation loops in isotropic bimaterial with dislocation-like and force-like interface models. 2017 , 22, 1190-1204	4
1134	Strengthening effects of various grain boundaries with nano-spacing as barriers of dislocation motion from molecular dynamics simulations. 2017 , 60, 1	2
1133	Interstitial atoms enable joint twinning and transformation induced plasticity in strong and ductile high-entropy alloys. 2017 , 7, 40704	207
1132	Limitations on the hardness increase in 316L stainless steel under dynamic plastic deformation. 2017 , 687, 306-312	15
1131	Achieving good strength-ductility synergy of friction stir welded Cu joint by using large load with extremely low welding speed and rotation rate. 2017 , 687, 73-81	12
1130	Dependence of dislocation structure on orientation and slip systems in highly oriented nanotwinned Cu. 2017 , 127, 85-97	56
1129	Ultrahigh Thermoelectric Figure of Merit and Enhanced Mechanical Stability of p-type AgSb _{1-x} Zn _x Te ₂ . 2017 , 2, 349-356	49
1128	The effects of inhomogeneous microstructure and loading waveform on creep-fatigue behaviour in a forged and precipitation hardened nickel-based superalloy. 2017 , 97, 190-201	37
1127	A review on mechanics and mechanical properties of 2D materials Graphene and beyond. 2017 , 13, 42-77	581
1126	Nanocrystalline High-Entropy Alloys: A New Paradigm in High-Temperature Strength and Stability. 2017 , 17, 1569-1574	105
1125	Dislocation mechanisms and 3D twin architectures generate exceptional strength-ductility-toughness combination in CrCoNi medium-entropy alloy. 2017 , 8, 14390	231
1124	Effect of pre-deformation on microstructure and mechanical properties of WE43 magnesium alloy. 2017 , 689, 435-445	39
1123	Overview of ultrasonic shot peening. 2017 , 33, 651-666	20
1122	Atomistic simulation study of deformation twinning of nanocrystalline body-centered cubic Mo. 2017 , 690, 277-282	4
1121	Dislocation-twin boundary interaction in small scale Cu bi-crystals loaded in different crystallographic directions. 2017 , 129, 91-97	39
1120	Amorphization at twin-twin intersected region in FeCoCrNi high-entropy alloy subjected to high-pressure torsion. 2017 , 127, 111-115	33
1119	Enhancement of fracture toughness of graphene via crack bridging with stone-thrower-wales defects. 2017 , 74, 90-99	24

1118	Mechanics of Crystalline Nanowires: An Experimental Perspective. 2017 , 69,	34
1117	Mutual interaction of shear bands in metallic glasses. 2017 , 85, 48-53	18
1116	Energy Materials 2017. 2017 ,	1
1115	Twinning-induced mechanical properties modification of CP-Ti by friction stir welding associated with simultaneous backward cooling. 2017 , 22, 610-616	8
1114	Ultrastrong steel via minimal lattice misfit and high-density nanoprecipitation. 2017 , 544, 460-464	512
1113	Enhanced fatigue damage resistance of nanotwinned austenitic grains in a nanotwinned stainless steel. 2017 , 136, 59-63	14
1112	Dual mechanisms of grain refinement in a FeCoCrNi high-entropy alloy processed by high-pressure torsion. 2017 , 7, 46720	46
1111	An atomic-scale modeling and experimental study of $c+a$ dislocations in Mg. 2017 , 695, 270-278	27
1110	The competitive nucleation of misfit dislocation dipole and misfit extended dislocation dipole in nanocomposites. 2017 , 228, 2541-2554	5
1109	The coupling effect of size and damage in micro-scale metallic materials. 2017 , 95, 251-263	15
1108	Phase transformation behaviors and properties of a high strength Cu-Ni-Si alloy. 2017 , 697, 37-47	92
1107	Ti-Sb-Te Phase Change Materials: Component Optimisation, Mechanism and Applications. 2017 ,	7
1106	Size-dependent plastic deformation of twinned nanopillars in body-centered cubic tungsten. 2017 , 121, 175101	23
1105	Phase Change Mechanism of TiSbTe Alloy. 2017 , 87-101	
1104	Strong, ductile, and thermally stable Cu-based metal-intermetallic nanostructured composites. 2017 , 7, 40409	4
1103	Synthesis, microstructure, and physical properties of metallic barcode nanowires. 2017 , 23, 413-425	15
1102	Molecular dynamics simulation of BCC Ta with coherent twin boundaries under nanoindentation. 2017 , 700, 609-616	43
1101	In Situ Study of Deformation Twinning and Detwinning in Helium Irradiated Small-Volume Copper. 2017 , 19, 1700357	8

1100	Insight into the impact of nanovoids on the electrical and mechanical properties of nanotwinned copper films. 2017 , 137, 41-45	4
1099	Effect of ultrafine grain refinement on hydrogen embrittlement of metastable austenitic stainless steel. 2017 , 42, 15415-15425	38
1098	Grain boundary sliding, triple junction disclinations and strain hardening in ultrafine-grained and nanocrystalline metals. 2017 , 96, 227-241	26
1097	Effects of the evolution of electronic properties on twin-boundary segregation energies of zirconium from first-principles calculations. 2017 , 204, 112-114	3
1096	Enhanced tensile ductility and strength of electrodeposited ultrafine-grained nickel with a desired bimodal microstructure. 2017 , 701, 196-202	12
1095	Submicron binderless polycrystalline diamond sintering under ultra-high pressure. 2017 , 77, 41-45	11
1094	The effect of Ti on precipitation of fully coherent DO 22 superlattice in an Ni-Cr-W-based superalloy. 2017 , 134, 15-19	12
1093	Deformation and fracture mechanisms of nanotwinned metals. 2017 , 4, 519-521	11
1092	Defect structure and hardness in nanocrystalline CoCrFeMnNi High-Entropy Alloy processed by High-Pressure Torsion. 2017 , 711, 143-154	73
1091	Effect of coherent twin boundary in nanotwinned materials on fatigue crack growth based on dislocation emission. 2017 , 108, 87-92	4
1090	Eco-friendly high-performance silicide thermoelectric materials. 2017 , 4, 611-626	49
1089	Preparation of superhard cubic boron nitride sintered from commercially available submicron powders. 2017 , 121, 125902	13
1088	Effects of annealing and thermo-mechanical treatment on the microstructures and mechanical properties of a carbon-doped FeNiMnAl multi-component alloy. 2017 , 693, 101-110	27
1087	A Novel Method for Achieving Gradient Microstructure in a CuAl Alloy: Surface Spinning Strengthening (3S). 2017 , 30, 212-217	11
1086	Towards strength-ductility synergy through the design of heterogeneous nanostructures in metals. 2017 , 20, 323-331	425
1085	Ultrahigh-Vacuum Tip-Enhanced Raman Spectroscopy. 2017 , 117, 4961-4982	104
1084	Large recovery of six-fold twinned nanowires of β -Fe. 2017 , 125, 296-302	7
1083	Deformation mechanisms in nanotwinned copper by molecular dynamics simulation. 2017 , 687, 343-351	42

1082	Sliding of coherent twin boundaries. 2017 , 8, 1108	29
1081	History-independent cyclic response of nanotwinned metals. 2017 , 551, 214-217	136
1080	In Situ Studies on the Irradiation-Induced Twin Boundary-Defect Interactions in Cu. 2017 , 48, 5172-5180	15
1079	Review Article: Case studies in future trends of computational and experimental nanomechanics. 2017 , 35, 060801	9
1078	Forecasting Low-Cycle Fatigue Performance of Twinning-Induced Plasticity Steels: Difficulty and Attempt. 2017 , 48, 5833-5848	6
1077	Effect of Y/Ti atomic ratio on microstructure of oxide dispersion strengthened alloys. 2017 , 134, 35-40	14
1076	High dislocation density-induced large ductility in deformed and partitioned steels. <i>Science</i> , 2017 , 357, 1029-1032	33-3 454
1075	Superstrengthening Bi ₂ Te ₃ through Nanotwinning. 2017 , 119, 085501	39
1074	Revealing interfacial diffusion kinetics in ultra-fine-laminated Ni with low-angle grain boundaries. 2017 , 5, 577-583	10
1073	Thickness effect on fracture behavior of columnar-grained Cu with preferentially oriented nanoscale twins. 2017 , 32, 4554-4562	7
1072	Effects of nano-twinning on the deformation and mechanical behaviours of TiAl alloys with distinct microstructure at elevated loading temperatures. 2017 , 705, 210-218	21
1071	Achieving High Strength and Ductility in Magnesium Alloys via Densely Hierarchical Double Contraction Nanotwins. 2017 , 17, 6117-6124	73
1070	Molecular dynamics simulations for responses of nanotwinned diamond films under nanoindentation. 2017 , 43, 16888-16894	30
1069	Excellent ductility and strong work hardening effect of as-cast Mg-Zn-Zr-Yb alloy at room temperature. 2017 , 728, 404-412	38
1068	Microstructure, mechanical and tribological properties of nickel-aluminium bronze alloys developed via gas-atomization and spark plasma sintering. 2017 , 707, 325-336	37
1067	On deformation behavior of Fe-Mn based structural alloys. 2017 , 122, 1-28	70
1066	Atomistic simulations of nanoscale crack-vacancy interaction in graphene. 2017 , 125, 113-131	21
1065	Simultaneous increase in strength and ductility by decreasing interface energy between Zn and Al phases in cast Al-Zn-Cu alloy. 2017 , 7, 12195	6

1064	The synchronous improvement of strength and plasticity (SISP) in new Ni-Co based disc superalloys by controlling stacking fault energy. 2017 , 7, 8046	17
1063	Stacking-fault strengthening of biomedical Co-Cr-Mo alloy via multipass thermomechanical processing. 2017 , 7, 10808	30
1062	Size effects of lamellar twins on the strength and deformation mechanisms of nanocrystalline hcp cobalt. 2017 , 7, 9550	11
1061	Effects of twin orientation and spacing on the mechanical properties of Cu nanowires. 2017 , 7, 10056	9
1060	Effects of twin boundaries in vanadium nitride films subjected to tensile/compressive deformations. 2017 , 426, 262-270	18
1059	Micromechanical modeling for mechanical properties of gradient-nanotwinned metals with a composite microstructure. 2017 , 703, 180-186	9
1058	Variations of microstructure and tensile property of TiAl alloys with 0.5 at% C additives. 2017 , 700, 198-208	39
1057	Nonuniqueness of the fatigue threshold. 2017 , 104, 309-321	8
1056	Effects of solute concentration on the stacking fault energy in copper alloys at finite temperatures. 2017 , 726, 601-607	23
1055	Curved nanotwinned structure in Ni induced by dynamic compression. 2017 , 52, 13261-13270	2
1054	Phase stability, physical properties and strengthening mechanisms of concentrated solid solution alloys. 2017 , 21, 267-284	48
1053	Nanocrystalline high-entropy alloy (CoCrFeNiAl _{0.3}) thin-film coating by magnetron sputtering. 2017 , 638, 383-388	78
1052	Surface strengthening behaviors of four structural steels processed by surface spinning strengthening. 2017 , 704, 262-273	16
1051	Remarkable strength of CoCrFeNi high-entropy alloy wires at cryogenic and elevated temperatures. 2017 , 141, 125-128	48
1050	Mechanical responses and dynamic failure of nanostructure CuAl alloys under uniaxial compression. 2017 , 114, 147-160	6
1049	Enhanced Strength Through Nanotwinning in the Thermoelectric Semiconductor InSb. 2017 , 119, 215503	31
1048	In situ observations of crack propagation in as-cast Cu-1.5Fe-0.5Co (wt%) alloy. 2017 , 706, 211-216	14
1047	Influences of nanotwin volume fraction on the ballistic performance of coarse-grained metals. 2017 , 7, 265-268	3

1046	Tailoring the Properties of a Ni-Based Superalloy via Modification of the Forging Process: an ICME Approach to Fatigue Performance. 2017 , 6, 265-278	10
1045	The Evolution of Strain Gradient and Anisotropy in Gradient-Structured Metal. 2017 , 48, 3951-3960	7
1044	Twinnability of AlMg alloys: A first-principles interpretation. 2017 , 27, 1313-1318	2
1043	Twinning-induced plasticity (TWIP) and work hardening in Ti-based metallic glass matrix composites. 2017 , 7, 1877	17
1042	Playing with defects in metals. 2017 , 16, 700-701	140
1041	Nanotwinned metal MEMS films with unprecedented strength and stability. 2017 , 3, e1700685	47
1040	Strengthening Mg by self-dispersed nano-lamellar faults. 2017 , 5, 415-425	15
1039	Nano- and Micro-Mechanical Properties of Ultrafine-Grained Materials Processed by Severe Plastic Deformation Techniques . 2017 , 19, 1600578	33
1038	A high strength and high electrical conductivity bulk Cu-Ag alloy strengthened with nanotwins. 2017 , 129, 39-43	42
1037	Engineering the grain boundary network of thin films via ion-irradiation: Towards improved electromigration resistance. 2017 , 123, 272-284	10
1036	The synchronous improvement of the strength and plasticity of Ni alloys assisted by vacancies. 2017 , 680, 405-410	5
1035	Deformation behavior of brittle/ductile multilayered composites under interface constraint effect. 2017 , 89, 96-109	91
1034	The Gaussian distribution of lattice size and atomic level heterogeneity in high entropy alloys. 2017 , 11, 84-88	24
1033	On the Electrochemical and Quasi In Situ Corrosion Response of the Q-Phase (Al _x Cu _y Mg _z Si _w) Intermetallic Particle in 6xxx Series Aluminum Alloys. 2017 , 73, 87-99	36
1032	Microstructural, mechanical and tribological properties of Al matrix composites reinforced with Cu coated Ti ₃ AlC ₂ . 2017 , 690, 612-620	31
1031	Co-precipitation of nanoscale particles in steels with ultra-high strength for a new era. 2017 , 20, 142-154	103
1030	Fracture behavior of an austenitic stainless steel with nanoscale deformation twins. 2017 , 127, 173-177	28
1029	The influence of modulation periods on the evolution of microstructure and mechanical properties of nanoscale HfN/HfB ₂ multilayers. 2017 , 326, 368-374	11

1028	Enhanced human osteoblast cell functions by β -like nanostructured cell-substrate interface in orthopedic applications. 2017 , 189, 275-278	8
1027	Mechanical and tribological behaviors of the tribo-layer with nanocrystalline structure during sliding contact: Experiments and model assessment. 2017 , 108, 354-363	17
1026	A Phenomenological Model of Twinning Kinetics . 2017 , 19, 1600092	8
1025	Strengthening face centered cubic crystals by annealing induced nano-twins. 2017 , 7, 17512	15
1024	Anomalous Tensile Detwinning in Twinned Nanowires. 2017 , 119, 256101	38
1023	Characterization of Cu Distribution in an Al-0.3%Cu Alloy Cold Rolled to 98%. 2017 , 219, 012038	1
1022	Size Effect and Deformation Mechanism in Twinned Copper Nanowires. 2017 , 7, 438	6
1021	Hierarchical Nanostructure, Microstrain and Mechanical Properties in Cr-doped Magnetocaloric Ni ₅₀ Mn ₃₇ -Cr ₁₃ , β 2.0, Alloys. 2017 , 2,	1
1020	On the Intergranular Corrosion and Hardness Evolution of 6xxx Series Al Alloys as a Function of Si:Mg Ratio, Cu Content, and Aging Condition. 2017 , 73, 1280-1295	32
1019	Using Severe Plastic Deformation to Fabricate Strong Metal Matrix Composites. 2017 , 20, 46-52	15
1018	Simultaneous Strength-Ductility Enhancement of a Nano-Lamellar AlCoCrFeNi Eutectic High Entropy Alloy by Cryo-Rolling and Annealing. 2018 , 8, 3276	126
1017	Effect of Equal Channel Angular Pressing on Microstructure and Mechanical Properties of ZL205A Alloy. 2018 , 913, 77-82	2
1016	Rapid sintering of nano-Ag paste at low current to bond large area (>100 mm ²) power chips for electronics packaging. 2018 , 255, 644-649	26
1015	Interfacial design and strengthening mechanisms of AZ91 alloy reinforced with in-situ reduced graphene oxide. 2018 , 138, 215-228	36
1014	Mechanical properties modification of large load friction stir welded AZ31B Mg alloy joint. 2018 , 219, 93-96	14
1013	Fracture behavior of heterogeneous nanostructured 316L austenitic stainless steel with nanotwin bundles. 2018 , 150, 130-138	37
1012	Mechanical Properties and Deformation Behavior of Nano/ultrafine Fe ₁₈ Cr ₈ Ni Austenitic Steel Processed by Low Temperature Rolling and Annealing Treatment. 2018 , 89, 1700496	7
1011	Surface nanocrystallization of 17-4 precipitation-hardening stainless steel subjected to ultrasonic surface rolling process. 2018 , 726, 69-81	68

1010	Investigation of impurity induced twinning in MgO from first principles calculations. 2018 , 150, 390-396	3
1009	Intragranular Dispersion of Carbon Nanotubes Comprehensively Improves Aluminum Alloys. 2018 , 5, 1800115	12
1008	Extreme twinning and hardening of 316L from a scalable impact process. 2018 , 225, 50-53	4
1007	The β phase precipitation during processing and the influence on grain boundary character distribution and mechanical properties of superalloy 718. 2018 , 726, 187-193	9
1006	Investigation on microstructure development and mechanical properties of large-load and low-speed friction stir welded Cu-30Zn brass joint. 2018 , 726, 169-178	13
1005	Grain boundary network evolution in Inconel 718 from selective laser melting to heat treatment. 2018 , 725, 406-418	38
1004	Asymmetric twins in boron rich boron carbide. 2018 , 20, 13340-13347	3
1003	Grain boundary phases in bcc metals. 2018 , 10, 8253-8268	37
1002	Mechanical Enhancement of Core-Shell Microlattices through High-Entropy Alloy Coating. 2018 , 8, 5442	23
1001	Combined strengthening from nanotwins and nanoprecipitates in an iron-based superalloy. 2018 , 151, 310-320	44
1000	Nanograined surface fabricated on the pure copper by ultrasonic shot peening and an energy-density based criterion for peening intensity quantification. 2018 , 32, 656-663	14
999	Simultaneously enhanced strength and ductility for 3D-printed stainless steel 316L by selective laser melting. 2018 , 10, 127-136	228
998	Magnetically-driven phase transformation strengthening in high entropy alloys. 2018 , 9, 1363	174
997	Dynamic shear deformation of a CrCoNi medium-entropy alloy with heterogeneous grain structures. 2018 , 148, 407-418	130
996	Ultrahigh hardness and high electrical resistivity in nano-twinned, nanocrystalline high-entropy alloy films. 2018 , 439, 222-225	35
995	Electrodeposition and growth mechanism of preferentially orientated nanotwinned Cu on silicon wafer substrate. 2018 , 34, 1885-1890	12
994	Progress of in situ synchrotron X-ray diffraction studies on the mechanical behavior of materials at small scales. 2018 , 94, 384-434	38
993	Microstructure and mechanical behavior of nanotwinned AlTi alloys with 9R phase. 2018 , 148, 5-9	31

992	Deformation mechanisms and slip-twin interactions in nanotwinned body-centered cubic iron by molecular dynamics simulations. 2018 , 147, 34-48	11
991	Analytical and numerical approaches to modelling severe plastic deformation. 2018 , 95, 172-242	81
990	Nanotwinning and amorphization of boron suboxide. 2018 , 147, 195-202	15
989	Review on superior strength and enhanced ductility of metallic nanomaterials. 2018 , 94, 462-540	404
988	Microstructure evolution and mechanical properties of the compressively deformed AgInCd alloy during annealing treatment. 2018 , 138, 165-173	3
987	Hardness and thermal stability enhancement of polycrystalline diamond compact through additive hexagonal boron nitride. 2018 , 149, 1-5	20
986	Enhanced repeated frictional sliding properties in 304 stainless steel with a gradient nanostructured surface. 2018 , 339, 14-19	9
985	Large load friction stir welding of Mg ₉₅ Al _{0.4} Mn ₂ Ca magnesium alloy. 2018 , 34, 1118-1130	2
984	Ultra-High Vacuum Tip-Enhanced Raman Spectroscopy. 2018 , 231-253	1
983	Deformation Mechanisms in Nanotwinned Tungsten Nanopillars: Effects of Coherent Twin Boundary Spacing. 2018 , 12, 1700399	11
982	Size effects of nano-spaced basal stacking faults on the strength and deformation mechanisms of nanocrystalline pure hcp metals. 2018 , 98, 1186-1203	5
981	Effect of Ca on the Microstructure and Mechanical Properties in Mg Alloys. 2018 , 63-69	
980	The Tensile Response and Fracture Behavior of a Copper-Niobium Microcomposite: Role of Surface Modification. 2018 , 203-220	
979	Studying Hydrogen Embrittlement in Nano-twinned Polycrystalline Fe-12.5Mn-1.2C Austenitic Steel. 2018 , 113-121	
978	Superstrong micro-grained polycrystalline diamond compact through work hardening under high pressure. 2018 , 112, 061901	16
977	Nanotwinned and hierarchical nanotwinned metals: a review of experimental, computational and theoretical efforts. 2018 , 4,	74
976	High-order hierarchical nanotwins with superior strength and ductility. 2018 , 149, 397-406	45
975	Interactions between twins and dislocations during dynamic microstructure evolution for hot shear-compression deformation of Fe-38Mn austenitic steel. 2018 , 735, 2395-2400	9

974	Pattern selection of twinned growth in aluminum alloys during Bridgman solidification. 2018 , 741, 131-140	4
973	Rise of correlated dislocations in nanotwinned metals against fatigue. 2018 , 61, 127-128	2
972	Localized Pulsed Electrodeposition Process for Three-Dimensional Printing of Nanotwinned Metallic Nanostructures. 2018 , 18, 208-214	46
971	Simultaneous improvement of strength and plasticity: Additional work-hardening from gradient microstructure. 2018 , 145, 413-428	93
970	Enhancement of the strength and ductility of martensitic steels by carbon. 2018 , 716, 87-91	15
969	Weak fatigue notch sensitivity in a biomedical titanium alloy exhibiting nonlinear elasticity. 2018 , 61, 537-544	6
968	Hardening and softening mechanisms in a nano-lamellar austenitic steel induced by electropulsing treatment. 2018 , 713, 146-150	22
967	Ultrafine-Grained Microstructure and Improved Mechanical Behaviors of Friction Stir Welded Cu and Cu ₃ Zn Joints. 2018 , 31, 878-886	19
966	Evaluation and Control of Mechanical Degradation of Austenitic Stainless 310S Steel Substrate During Coated Superconductor Processing. 2018 , 24, 448-454	
965	Role of layered structure in ductility improvement of layered Ti-Al metal composite. 2018 , 153, 235-249	118
964	Kinematic and isotropic strain hardening in copper with highly aligned nanoscale twins. 2018 , 6, 333-338	25
963	Optimal microstructural design for high thermal stability of pure FCC metals based on studying effect of twin boundaries character and network of grain boundaries. 2018 , 151, 60-73	2
962	Nanotwins induced by pulsed laser and their hardening effect in a Zr alloy. 2018 , 748, 163-170	37
961	Interface affected zone for optimal strength and ductility in heterogeneous laminate. 2018 , 21, 713-719	173
960	Fabrication, interfacial characteristics and strengthening mechanisms of ZrB ₂ microparticles reinforced Cu composites prepared by hot-pressed sintering. 2018 , 748, 546-552	26
959	Effect of magnetic field on crystallographic orientation for stainless steel 316L laser-MIG hybrid welds and its strengthening mechanism on fatigue resistance. 2018 , 112, 308-317	11
958	Detwinning through migration of twin boundaries in nanotwinned Cu films under ion irradiation. 2018 , 19, 212-220	9
957	Toward Controlled Morphology of FeCu Nanoparticles: Cu Concentration and Size Effects. 2018 , 122, 8528-8534	8

956	Interfacial segregation and locally periodic clusters in an as-cast Mg-Co-Y alloy. 2018 , 749, 972-977	2
955	Enhanced Mechanical and Biological Performance of an Extremely Fine Nanograined 316L Stainless Steel Cell-Substrate Interface Fabricated by Ultrasonic Shot Peening. 2018 , 4, 1609-1621	11
954	Thiol-stabilized atomically precise, superatomic silver nanoparticles for catalysing cycloisomerization of alkynyl amines. 2018 , 5, 694-702	42
953	Mechanisms for nucleation and propagation of incoherent twins in a CoCrFeNiMo 0.15 high-entropy alloy subject to cold rolling and annealing. 2018 , 96, 104-110	13
952	Effects of loading conditions on twin characteristics in an extruded Mg-Zr alloy. 2018 , 724, 239-248	5
951	Discrete shear band plasticity through dislocation activities in body-centered cubic tungsten nanowires. 2018 , 8, 4574	12
950	Increasing yield strength of medium Mn steel by engineering multiple strengthening defects. 2018 , 724, 11-16	41
949	Microstructural evolution of a nanotwinned steel under extremely high-strain-rate deformation. 2018 , 149, 407-415	8
948	Effect of Solution Treatment on the Microstructure and Mechanical Properties of Sand-Cast Mg92Gd4Y0.5Zr Alloy. 2018 , 31, 189-198	18
947	The effect of grain boundary character distribution on the mechanical properties at different strain rates of a 316L stainless steel. 2018 , 53, 2844-2858	19
946	Unraveling the origin of twin related domains and grain boundary evolution during grain boundary engineering. 2018 , 144, 281-291	49
945	Tailoring fracture strength of graphene. 2018 , 141, 114-121	24
944	High-Entropy Alloy (HEA)-Coated Nanolattice Structures and Their Mechanical Properties. 2018 , 20, 1700625	40
943	Gradient in microstructure and mechanical property of selective laser melted AlSi10Mg. 2018 , 735, 1414-1421	187
942	Microscale 3D Printing of Nanotwinned Copper. 2018 , 30, 1705107	38
941	Medium entropy alloy CoCrNi coatings: Enhancing hardness and damage-tolerance through a nanotwinned structuring. 2018 , 335, 257-264	30
940	Revealing the formation mechanism of ultrahard nanotwinned diamond from onion carbon. 2018 , 129, 159-167	24
939	Stabilizing Nanocrystalline Oxide Nanofibers at Elevated Temperatures by Coating Nanoscale Surface Amorphous Films. 2018 , 18, 130-136	16

938	Dislocation network in additive manufactured steel breaks strength-ductility trade-off. 2018 , 21, 354-361	365
937	Nano-twinned Fe-Mn alloy prepared by reverse martensitic phase transformation. 2018 , 145, 109-112	7
936	Unzipping of twin lamella in nanotwinned nickel nanowires under flexural bending. 2018 , 6, 13-21	6
935	Texture-directed twin formation propensity in Al with high stacking fault energy. 2018 , 144, 226-234	22
934	Improving hydrogen embrittlement resistance of Hadfield steel by thermo-mechanical flash-treatment. 2018 , 712, 133-139	13
933	Tailoring the mechanical properties of sputter deposited nanotwinned nickel-molybdenum-tungsten films. 2018 , 144, 216-225	15
932	Exploring the fatigue strength improvement of Cu-Al alloys. 2018 , 144, 613-626	38
931	Effects of caliber rolling on microstructure and mechanical properties in twinning-induced plasticity (TWIP) steel. 2018 , 711, 156-164	22
930	Mechanism of Stress-Driven Grain Boundary Migration in Nanotwinned Materials. 2018 , 55, 21-25	2
929	Improvement of Strength and Impact Toughness for Cold-Worked Austenitic Stainless Steels Using a Surface-Cracking Technique. 2018 , 8, 932	2
928	Texture and mechanical properties of single crystal copper during equal channel angular pressing by route C. 2018 , 49, 1170-1180	0
927	Controllable synthesis of single-crystal SnO ₂ nanowires and tri-crystal SnO ₂ nanobelts. 2018 , 20, 7114-7119	4
926	New nanoscale toughening mechanisms mitigate embrittlement in binary nanocrystalline alloys. 2018 , 10, 21231-21243	15
925	Phase-field simulation of the coupled evolutions of grain and twin boundaries in nanotwinned polycrystals. 2018 , 39, 1789-1804	4
924	Higher Strength and Ductility than Diamond: Nanotwinned Diamond/Cubic Boron Nitride Multilayer. 2018 , 10, 42804-42811	16
923	Microstructural origins for a strong and ductile Al _{0.1} CoCrFeNi high-entropy alloy with ultrafine grains. 2018 , 4, 395-405	24
922	Printing of Microscale Nanotwinned Copper Interconnections Using Localized Pulsed Electrodeposition (L-PED). 2018 ,	0
921	Mechanical Properties of Nanostructured Metals: Molecular Dynamics Studies. 2018 , 1-23	1

920	Correlation between the Microstructures of Bonding Interfaces and the Shear Strength of Cu-to-Cu Joints Using (111)-Oriented and Nanotwinned Cu. 2018 , 11,	14
919	Dislocation plasticity reigns in a traditional twinning-induced plasticity steel by in situ observation. 2018 , 3, 48-53	16
918	In-Situ Nanoparticles: A New Strengthening Method for Metallic Structural Material. 2018 , 8, 2479	3
917	Ductility and plasticity of nanostructured metals: differences and issues. 2018 , 2, 15-20	62
916	Microstructure and Deformation Mechanism of AZ31 Magnesium Alloy Under Dynamic Strain Rate. 2018 , 27, 6189-6195	10
915	Additive Manufacturing of Metals at Micro/Nanoscale by Localized Pulsed Electrodeposition: Nanotwinned Copper Nanowires. 2018 ,	
914	Effect of temperature and strain-rate on mechanical properties of defected graphene sheet: A molecular dynamics study. 2018 , 402, 012020	1
913	High-content ductile coherent nanoprecipitates achieve ultrastrong high-entropy alloys. 2018 , 9, 4063	218
912	The Exceptional Strong Face-centered Cubic Phase and Semi-coherent Phase Boundary in a Eutectic Dual-phase High Entropy Alloy AlCoCrFeNi. 2018 , 8, 14910	26
911	Atomistic insights toward strengthening of GeTe phase change material by impurity doping and grain boundary engineering. 2018 , 124, 165304	3
910	Ultrastrong Translucent Glass Ceramic with Nanocrystalline, Biomimetic Structure. 2018 , 18, 7146-7154	15
909	Extra strengthening and work hardening in gradient nanotwinned metals. <i>Science</i> , 2018 , 362,	33-3 237
908	Bidirectional Transformation Enables Hierarchical Nanolaminate Dual-Phase High-Entropy Alloys. 2018 , 30, e1804727	110
907	Flow strength limit of nanocrystalline tantalum predicted with molecular dynamics simulations. 2018 , 738, 1-9	6
906	Three-dimensional X-ray diffraction imaging of dislocations in polycrystalline metals under tensile loading. 2018 , 9, 3776	25
905	Face-centered titanium induced by ultrasonic surface rolling process in Ti-6Al-4V alloy and its tensile behavior. 2018 , 145, 527-533	39
904	Regain Strain-Hardening in High-Strength Metals by Nanofiller Incorporation at Grain Boundaries. 2018 , 18, 6255-6264	46
903	Exceptional combination of ultra-high strength and excellent ductility by inevitably generated Mn-segregation in austenitic steel. 2018 , 737, 69-76	6

902	Improving the strength and retaining the ductility of microstructural graded coarse-grained materials with low stacking fault energy. 2018 , 160, 21-33	13
901	Nanoscale coherent interface strengthening of Mg alloys. 2018 , 10, 18028-18035	5
900	Tensile Failure Modes in Nanograined Metals with Nanotwinned Regions. 2018 , 49, 5001-5014	5
899	Effect of carbon content and annealing on structure and hardness of CrFe ₂ NiMnV _{0.25} high-entropy alloys processed by high-pressure torsion. 2018 , 53, 11813-11822	12
898	The effect of Ni ₃ (Cr _{0.2} W _{0.4} Ti _{0.4}) particles with DO ₂₂ structure on the deformation mode and mechanical properties of the aged Ni-Cr-W-Ti alloy. 2018 , 153, 44-48	5
897	Effects of carbon nanotubes on twin and texture evolution of magnesium matrix composite during compression process. 2018 , 141, 398-405	6
896	New role of screw dislocation in twin lamella during deformation: An in situ TEM study at the atomic scale. 2018 , 729, 125-129	5
895	Effects of twins and precipitates at twin boundaries on Hall-Petch relation in high nitrogen stainless steel. 2018 , 33, 1764-1772	2
894	Polycrystalline cubic boron nitride prepared with cubic-hexagonal boron nitride under high pressure and high temperature. 2018 , 27, 056105	2
893	Strain hardening and nanocrystallization behaviors in Hadfield steel subjected to surface severe plastic deformation. 2018 , 729, 178-184	17
892	The significance of deformation mechanisms on the fracture behavior of phase reversion-induced nanostructured austenitic stainless steel. 2018 , 8, 7908	7
891	High-density deformation nanotwin induced significant improvement in the plasticity of polycrystalline TiAl-based intermetallic alloys. 2018 , 10, 11365-11374	25
890	Influence of loading directions on dislocation slip mechanism of nanotwinned Ni with void defect at the twin boundary. 2018 , 152, 1-11	15
889	Defect engineering, a path to make ultra-high strength low-dimensional nanostructures. 2018 , 151, 307-316	10
888	Fracture resistance of high entropy alloys: A review. 2018 , 99, 69-83	95
887	Optimization of deformation properties in as-cast copper by microstructural engineering. Part I. microstructure. 2018 , 763, 592-605	11
886	Formation of $\{110\}$ incoherent twin boundaries through geometrically necessary boundaries in an Al-8Zn alloy subjected to one pass of equal channel angular pressing. 2018 , 762, 190-195	7
885	Effect of bath additives on the microstructure, lattice defect density and hardness of electrodeposited nanocrystalline Ni films. 2018 , 349, 611-621	19

884	High Throughput Discovery and Design of Strong Multicomponent Metallic Solid Solutions. 2018 , 8, 8600	36
883	Microstructure and mechanical properties of a multilayered CoCrNi/Ti coating with varying crystal structure. 2018 , 350, 596-602	15
882	Enhancing the mechanical properties of low-carbon steel by a graded dislocation microstructure. 2018 , 34, 1854-1860	3
881	Investigation on mechanical properties and microstructural evolution of TC6 titanium alloy subjected to laser peening at cryogenic temperature. 2018 , 734, 291-298	25
880	Microstructure and properties of twinned dendrites in directionally solidified A356 alloy. 2018 , 734, 7-19	6
879	Carbon-Based Materials for Thermoelectrics. 2018 , 2018, 1-29	26
878	Irradiation-based design of mechanically resistant microstructures tuned via multiscale phase-field modeling. 2018 , 8, 10237	3
877	Strengthening versus Softening of Nanotwinned Copper Depending on Prestress and Twin Spacing. 2018 , 8, 344	4
876	Ag Nanotwin-Assisted Grain Growth-Induced by Stress in SiO ₂ /Ag/SiO ₂ Nanocap Arrays. 2018 , 8,	3
875	Grain-boundary kinetics: A unified approach. 2018 , 98, 386-476	154
874	Bottom-Up Electrodeposition of Large-Scale Nanotwinned Copper within 3D Through Silicon Via. 2018 , 11,	13
873	Processing and mechanical properties of nonstoichiometric TiC _x (0.3 ≤ x ≤ 0.5). 2018 , 44, 18996-19001	11
872	On the nature of twin boundary-associated strengthening in Fe-Mn-C steel. 2018 , 156, 27-31	20
871	Anomalous strength characteristics of Stone-Thrower-Wales defects in graphene sheets - a molecular dynamics study. 2018 , 20, 15203-15215	10
870	The limit velocity and limit displacement of nanotwin-strengthened metals under ballistic impact. 2018 , 229, 1741-1757	4
869	In-situ Indentation and Correlated Precession Electron Diffraction Analysis of a Polycrystalline Cu Thin Film. 2018 , 70, 1081-1087	4
868	Effect of processing temperature on the microstructural characteristics of Cu-Ag nanocomposites: From supersaturation to complete phase decomposition. 2018 , 154, 33-44	11
867	TEM characterization on microstructure of Ti ₃ Al ₂ V/Ag nanocomposite formed by friction stir processing. 2018 , 3, 139-144	19

866	Hierarchical nanostructure of CrCoNi film underlying its remarkable mechanical strength. 2018 , 113, 081905	10
865	Structural evolutions of metallic materials processed by severe plastic deformation. 2018 , 133, 1-59	231
864	Molecular Dynamics Studies on the Lithium Ion Conduction Behaviors Depending on Tilted Grain Boundaries with Various Symmetries in Garnet-Type Li ₇ La ₃ Zr ₂ O ₁₂ . 2018 , 122, 21755-21762	19
863	Nanosized precipitates and dislocation networks reinforced C-containing CoCrFeNi high-entropy alloy fabricated by selective laser melting. 2018 , 144, 605-610	65
862	Mechanical Properties of Nanostructured CoCrFeNiMn High-Entropy Alloy (HEA) Coating. 2018 , 5,	29
861	Recent progress on the R&D of W-ZrC alloys for plasma facing components in fusion devices. 2018 , 16, 191-206	29
860	Orientation domains in a monoclinic MgAlO phase. 2018 , 51, 802-808	4
859	Structure-properties-modification of 70/30 brass by large-load and low-speed friction stir processing. 2018 , 34, 1768-1772	6
858	Efficient fabrication of gradient nanostructure layer on surface of commercial pure copper by coupling electric pulse and ultrasonics treatment. 2018 , 764, 51-61	13
857	A novel way to enhance the strength of twinning induced plasticity (TWIP) steels. 2018 , 154, 207-211	35
856	Influence of Ultrasonic Nanocrystal Surface Modification on the Corrosion and Stress Corrosion Cracking Behavior of Low Carbon Steel (ASTM A139) Welded Joint in the Simulated District Heating Environment. 2018 , 74, 112-122	2
855	Sliding wear behavior of fully nanotwinned Cu alloys. 2019 , 7, 260-267	12
854	Microstructure and mechanical properties-modification of friction stir welded Invar 36 alloy joint. 2019 , 24, 79-82	1
853	Enhancing tensile properties of Cu and Cu-Al alloys cryogenically processed by high pressure torsion. 2019 , 771, 317-321	4
852	High temperature fatigue and creep-fatigue behaviors in a Ni-based superalloy: Damage mechanisms and life assessment. 2019 , 118, 8-21	48
851	Fracture toughness evaluation of nanostructured metals via a contactless crack opening displacement gauge. 2019 , 7, 100430	8
850	Detwinning Mechanism for Nanotwinned Cubic Boron Nitride with Unprecedented Strength: A First-Principles Study. 2019 , 9,	4
849	Nanotwinned Cu and In-Situ Fe ₂ p Reinforced Bulk Cu-Fe Immiscible Alloy by Selective Laser Melting: Enhanced Strength and Plasticity. 2019 ,	

848	Influence of short heat-treatment on microstructural and mechanical inhomogeneity of constrained groove pressed Cu-Zn alloy. 2019 , 238, 121912	5
847	Effective design space exploration of gradient nanostructured materials using active learning based surrogate models. 2019 , 183, 108085	10
846	In Situ Nano-thermomechanical Experiment Reveals Brittle to Ductile Transition in Silicon Nanowires. 2019 , 19, 5327-5334	17
845	Transition of deformation mechanisms in nanotwinned single crystalline SiC. 2019 , 99, 2636-2660	1
844	Helium irradiation induced ultra-high strength nanotwinned Cu with nanovoids. 2019 , 177, 107-120	18
843	Understanding of strengthening and toughening mechanisms for Sc-modified Al-Si-(Mg) series casting alloys designed by computational thermodynamics. 2019 , 805, 415-425	12
842	High impact toughness of CrCoNi medium-entropy alloy at liquid-helium temperature. 2019 , 172, 66-71	45
841	Hierarchical 3D Nanolayered Duplex-Phase Zr with High Strength, Strain Hardening, and Ductility. 2019 , 122, 255501	20
840	Unusual 4H-phase twinned noble metal nanokites. 2019 , 10, 2881	15
839	Effect of V Addition on Microstructure and Properties of Cu-1.6Ni-1.2Co-0.65Si Alloys. 2019 , 9, 679	2
838	Effects of twin boundary orientation on plasticity of bicrystalline copper micropillars: A discrete dislocation dynamics simulation study. 2019 , 176, 289-296	24
837	Microstructure and Mechanical Behavior of ODS Stainless Steel Fabricated Using Cryomilling. 2019 , 50, 5767-5781	2
836	A Comparative Study of Hardness in Nanostructured CuZn, CuBi and CuNi Solid-Solution Alloys Processed by Severe Plastic Deformation. 2019 , 60, 1484-1488	7
835	Topological Design of Graphene. 2019 , 1-44	2
834	Low-temperature epitaxy of transferable high-quality Pd(111) films on hybrid graphene/Cu(111) substrate. 2019 , 12, 2712-2717	4
833	Twinning and sequential kinking in lamellar Ti-6Al-4V alloy. 2019 , 181, 479-490	37
832	Phase transformation assisted twinning in a face-centered-cubic FeCrNiCoAl _{0.36} high entropy alloy. 2019 , 181, 491-500	20
831	Gold Palladium Thin Films: Multi-twinned Nanoparticles to Five-fold Annealing Twins. 2019 , 25, 2344-2345	

830	Crack propagation behavior of inhomogeneous laminated TiNb metal-metal composite. 2019 , 29, 1882-1888	4
829	Formation mechanism of nanoscale transformation twinning in ultra-low-carbon high-strength pipeline steels. 2019 , 54, 14950-14960	3
828	Post-bond heat treatment effects on the wide gap transient liquid phase bonding of Inconel 718 with BNi-2 paste filler metal. 2019 , 766, 138267	8
827	Hierarchical nanostructured aluminum alloy with ultrahigh strength and large plasticity. 2019 , 10, 5099	45
826	Ultra-strong nickel aluminum bronze alloys with ultrafine microstructures by continuous heavy hot rolling. 2019 , 158, 109986	3
825	Fetuin-A Inhibits Placental Cell Growth and Ciliogenesis in Gestational Diabetes Mellitus. 2019 , 20,	2
824	Effect of cryogenic rolling process on microstructure and mechanical properties of Mg-14Li-1Al alloy. 2019 , 157, 109903	8
823	Electronic structure and generalized stacking fault energy of CuZr-X (X=Al, Fe, Ni and Zn) intermetallic compounds by first-principles calculations. 2019 , 303-304, 113736	4
822	The effects of ultra-fine-grained structure and cryogenic temperature on adiabatic shear localization in titanium. 2019 , 181, 408-422	18
821	Current status of global warming potential reduction by cleaner composting. 2019 , 0958305X1988241	1
820	Hierarchical-microstructure based modeling for plastic deformation of partial recrystallized copper. 2019 , 139, 103207	3
819	Microstructure and mechanical properties modification of low-temperature friction stir welded non-combustive Mg-9Al-1Zn-1Ca alloy joint. 2019 , 8, 4448-4456	13
818	Mechanical Properties of White Etching Areas in Carburized Bearing Steel Using Spherical Nanoindentation. 2019 , 50, 4949-4954	4
817	Effects of pre-strain on twinning behaviors in an extruded Mg-Zr alloy. 2019 , 766, 138335	10
816	High strength and electrical conductivity of copper matrix composites reinforced by carbon nanotube-graphene oxide hybrids with hierarchical structure and nanoscale twins. 2019 , 99, 107537	20
815	Exceptional cryogenic strength-ductility synergy in Al _{0.3} CoCrNi medium-entropy alloy through heterogeneous grain structure and nano-scale precipitates. 2019 , 766, 138372	23
814	Lattice Defects and Their Influence on the Mechanical Properties of Bulk Materials Processed by Severe Plastic Deformation. 2019 , 60, 1230-1242	17
813	Extraordinary ductility and strain hardening of Cr ₂₆ Mn ₂₀ Fe ₂₀ Co ₂₀ Ni ₁₄ TWIP high-entropy alloy by cooperative planar slipping and twinning. 2019 , 8, 100485	27

812	Kinetics of annealing-induced detwinning in chemical vapor deposited nickel. 2019 , 178, 263-274	6
811	Effect of Surface Mechanical Treatments on the Microstructure-Property-Performance of Engineering Alloys. 2019 , 12,	41
810	Selective growth of SiC nanowires in interlaminar matrix for improving in-plane strengths of laminated Carbon/Carbon composites. 2019 , 35, 2799-2808	9
809	Mechanical property enhancement of one-dimensional nanostructures through defect-mediated strain engineering. 2019 , 27, 66-75	12
808	{100} twinning assisted microstructure and mechanical properties modification of high-force friction stir processed AZ31B Mg alloy. 2019 , 745, 400-403	12
807	Deformation-driven bidirectional transformation promotes bulk nanostructure formation in a metastable interstitial high entropy alloy. 2019 , 167, 23-39	46
806	Magic high-pressure strengthening in tungsten carbide system. 2019 , 45, 8721-8726	13
805	High-throughput solid solution strengthening characterization in high entropy alloys. 2019 , 167, 1-11	50
804	Size effect on mechanical properties in high-order hierarchically nanotwinned metals. 2019 , 34, 2177-2193	3
803	Nitriding and martensitic phase transformation of the copper and boron doped iron nitride magnet. 2019 , 167, 80-88	7
802	Mechanisms of Localized Pulsed Electrodeposition (L-PED) for Microscale 3D Printing of Nanotwinned Metals. 2019 , 166, D354-D358	7
801	Strong and Ductile Electroplated Heterogeneous Bulk Nanostructured Nickel. 2019 , 12,	0
800	High strength Cu foil without self-annealing prepared by 2M5S-PEG-SPS. 2019 , 36, 981-987	5
799	Influence of severe plastic deformation on the microstructure and hardness of a CoCrFeNi high-entropy alloy: A comparison with CoCrFeNiMn. 2019 , 154, 304-314	30
798	Size-dependent dislocation-twin interactions. 2019 , 11, 12672-12679	19
797	Investigation on microstructure and mechanical properties of cold source assistant friction stir processed AZ31B magnesium alloy. 2019 , 761, 138027	13
796	Dynamic relaxations and relaxation-property relationships in metallic glasses. 2019 , 106, 100561	131
795	Asymmetric cyclic response of tensile pre-deformed Cu with highly oriented nanoscale twins. 2019 , 175, 477-486	8

794	Additive manufacturing of fine-grained and dislocation-populated CrMnFeCoNi high entropy alloy by laser engineered net shaping. 2019 , 761, 138056	50
793	Mechanical Properties and Microstructural Evolution of CuZn Alloys via Pre-Torsional Deformation. 2019 , 22,	3
792	Unusual plastic deformation behavior of nanotwinned Cu/high entropy alloy FeCoCrNi nanolaminates. 2019 , 11, 11340-11350	14
791	Low-energy grain boundaries in WC-Co cemented carbides. 2019 , 175, 171-181	20
790	Microstructure and mechanical properties of Cu ₂ Al ₃ Ni alloy prepared using powder metallurgy. 2019 , 759, 241-251	11
789	Heterophase interface-mediated formation of nanotwins and 9R phase in aluminum: Underlying mechanisms and strengthening effect. 2019 , 174, 279-288	13
788	Effect of Micro-Steps on Twinning and Interfacial Segregation in Mg-Ag Alloy. 2019 , 12,	9
787	Effect of nonmetallic solutes on the stability of {10 $\bar{1}$ 2} tension twin boundary of zirconium: a first-principles study. 2019 , 92, 1	0
786	A Review on Heterogeneous Nanostructures: A Strategy for Superior Mechanical Properties in Metals. 2019 , 9, 598	24
785	Alloys for Aeronautic Applications: State of the Art and Perspectives. 2019 , 9, 662	58
784	Mechanical behavior and deformation mechanism of 7075 aluminum alloy under solution induced dynamic strain aging. 2019 , 759, 498-505	35
783	In-situ observation of dislocation dynamics near heterostructured interfaces. 2019 , 7, 376-382	45
782	Sialon tailoring copper-based composite to achieve high strength, high strain integrated with excellent wear resistance. 2019 , 137, 127-138	2
781	A printed, recyclable, ultra-strong, and ultra-tough graphite structural material. 2019 , 30, 17-25	51
780	Dislocation emission from a cylindrical circular void separating two disclination dipoles in a high-angle grain boundary. 2019 , 230, 2645-2654	
779	Co effects on Cu-Ni-Si alloys microstructure and physical properties. 2019 , 797, 1327-1337	37
778	Formation and disintegration investigation of fivefold annealing twins in copper nanoparticles. 2019 , 169, 42-45	5
777	Graphene-Nickel interaction in layered metal-matrix composites. 2019 , 688, 1-6	12

776	Gradient plastic strain accommodation and nanotwinning in multi-pass laser shock peened 321 steel. 2019 , 487, 426-432	20
775	Two-step rolling and annealing makes nanoscale 316L austenite stainless steel with high ductility. 2019 , 759, 391-395	1
774	Texture evolution and strengthening mechanism of single crystal copper during ECAP. 2019 , 759, 97-104	11
773	In-Situ Observation of Fracture Behavior of Ti-Aluminide Multi-Layered Composites Produced by a Hybrid Sintering Process. 2019 , 12,	2
772	Tribological performance of functionally gradient structure of graphene nanoplatelets reinforced Ni3Al metal matrix composites prepared by laser melting deposition. 2019 , 428-429, 417-429	15
771	The microstructure and mechanical properties of novel Al-Cr-Fe-Mn-Ni high-entropy alloys with trimodal distributions of coherent B2 precipitates. 2019 , 757, 160-171	25
770	The roles of Hf element in optimizing strength, ductility and electrical conductivity of copper alloys. 2019 , 758, 130-138	23
769	Strengthening and toughening by partial slip in nanotwinned diamond. 2019 , 150, 1-7	14
768	Nano-scale twinned Cu with ultrahigh strength prepared by direct current electrodeposition. 2019 , 758, 1-6	16
767	Microstructural evolution and mechanical properties of accumulative back extruded duplex (α+β) brass. 2019 , 152, 101-114	3
766	Material design at nano and atomic scale for electrocatalytic CO2 reduction. 2019 , 1, 60-69	41
765	A nanotwinned austenite stainless steel with high hydrogen embrittlement resistance. 2019 , 788, 1066-1075	18
764	Stress Corrosion Cracking Behavior of Tungsten Inert Gas Welded Age-Hardenable AA6061 Alloy. 2019 , 141,	1
763	Formation, stability and ultrahigh strength of novel nanostructured alloys by partial crystallization of high-entropy (Fe _{0.25} Co _{0.25} Ni _{0.25} Cr _{0.125} Mo _{0.125}) ₈₆₋₈₉ B ₁₁₋₁₄ amorphous phase. 2019 , 170, 50-61	25
762	Effect of a Vertical Twin Boundary on the Mechanical Property of Bicrystalline Copper Micropillars. 2019 , 1305-1310	
761	Wild boar's tusk enamel: Structure and mechanical behavior. 2019 , 100, 354-362	2
760	Improved cyclic softening behavior of ultrafine-grained Cu with high microstructural stability. 2019 , 166, 10-14	9
759	Powder Diffraction and Dilatometric Study of SrFe ₁₂ O ₁₉ . 2019 , 946, 336-340	

758	Shape-preserving machining produces gradient nanolaminate medium entropy alloys with high strain hardening capability. 2019 , 170, 176-186	27
757	Significantly enhancing the strength + ductility combination of Mg-9Al alloy using multi-walled carbon nanotubes. 2019 , 790, 974-982	19
756	Real-time nanoscale observation of deformation mechanisms in CrCoNi-based medium- to high-entropy alloys at cryogenic temperatures. 2019 , 25, 21-27	81
755	Microstructural characteristics and strengthening mechanisms in a polycrystalline Ni-based superalloy under deep cold rolling. 2019 , 753, 285-299	11
754	Temperature and crystal orientation dependence of dislocation slip and twin nucleation in bilayer Ni/Ni ₃ Al interface. 2019 , 162, 162-170	5
753	Mechanical responses of boron-doped monolayer graphene. 2019 , 147, 594-601	17
752	Remarkable strain-rate sensitivity of nanotwinned CoCrFeNi alloys. 2019 , 114, 101904	10
751	Deformation behavior of Cu nanowire with axial stacking fault. 2019 , 6, 075056	2
750	Strengthening of a CrMnFeCoNi high-entropy alloy by carbide precipitation. 2019 , 792, 1028-1035	42
749	Regulating the strength and ductility of a cold rolled FeCrCoMnNi high-entropy alloy via annealing treatment. 2019 , 755, 289-294	29
748	Scale law of complex deformation transitions of nanotwins in stainless steel. 2019 , 10, 1403	15
747	Transformation-induced plasticity and high strength in beta titanium alloy manufactured by selective laser melting. 2019 , 6, 100299	60
746	Titanium Alloys: From Properties Prediction to Performance Optimization. 2019 , 1-39	
745	Mechanism of hardening and damage initiation in oxygen embrittlement of body-centred-cubic niobium. 2019 , 168, 331-342	32
744	Grain refinement and FCC phase formation in AlCoCrFeNi high entropy alloys by the addition of carbon. 2019 , 6, 100259	12
743	Radiation stability of nanocrystalline single-phase multicomponent alloys. 2019 , 34, 854-866	5
742	Effect of Ce Addition on Modifying the Microstructure and Achieving a High Elongation with a Relatively High Strength of As-Extruded AZ80 Magnesium Alloy. 2018 , 12,	13
741	Bandgap prediction by deep learning in configurationally hybridized graphene and boron nitride. 2019 , 5,	50

740	FCC to BCC transformation-induced plasticity based on thermodynamic phase stability in novel VCrFeCoNi medium-entropy alloys. 2019 , 9, 2948	38
739	Effect of Machining-Induced Subsurface Defects on Dislocation Evolution and Mechanical Properties of Materials via Nano-indentation. 2019 , 14, 372	4
738	A review on the mechanical properties for thin film and block structure characterised by using nanoscratch test. 2019 , 8, 628-644	17
737	Analysis of mechanical behaviour of single-phase austenitic stainless steels based on microstructure deformation mechanism. 2019 , 14, 1024-1028	
736	Pronounced transition of crack initiation and propagation modes in the hydrogen-related failure of a Ni-based superalloy 718 under internal and external hydrogen conditions. 2019 , 161, 108186	24
735	Quantification of microstructure in a eutectic high entropy alloy AlCoCrFeNi _{2.1} . 2019 , 580, 012039	4
734	Vertically twinned aluminum nano-pillars under tensile loading: a molecular dynamics study. 2019 , 6, 1250b4	
733	Dislocation mechanism based size-dependent crystal plasticity modeling and simulation of gradient nano-grained copper. 2019 , 113, 52-73	69
732	Fatigue behavior of ultrafine grained triplex Al _{0.3} CoCrFeNi high entropy alloy. 2019 , 158, 116-120	60
731	The influence of varied modulation ratios on crystallization and mechanical properties of nanoscale TiB ₂ /Al ₂ O ₃ multilayers. 2019 , 365, 65-69	10
730	Revealing abnormal {112̄} twins in commercial purity Ti subjected to split Hopkinson pressure bar. 2019 , 783, 513-523	4
729	Improved fatigue resistance of gradient nanograined Cu. 2019 , 166, 56-66	51
728	Characterizing the interactions of edge dislocation dipole in hexagonal close packed Ti-Al alloys. 2019 , 164, 107559	4
727	Atomic structure and mechanical response of coincident stacking faults in boron suboxide. 2019 , 7, 75-81	5
726	Ultrastrong Medium-Entropy Single-Phase Alloys Designed via Severe Lattice Distortion. 2019 , 31, e1807142	132
725	Experimental and numerical studies on strength and ductility of gradient-structured iron plate obtained by surface mechanical-attrition treatment. 2019 , 744, 471-480	4
724	Quantifying the role of interface atomic structure in the compressive response of Ti ₂ AlN/TiAl composite using MD simulations. 2019 , 54, 5536-5550	10
723	Strengthening-softening transition in yield strength of nanotwinned Cu. 2019 , 162, 372-376	12

722	Enhancement of strength-ductility trade-off in a high-entropy alloy through a heterogeneous structure. 2019 , 165, 444-458	162
721	Oxygen-mediated deformation and grain refinement in Cu-Fe nanocrystalline alloys. 2019 , 166, 281-293	27
720	Coupling effect of twin boundary and void on the mechanical properties of bulk nanotwinned copper: an atomistic simulation. 2019 , 52, 055303	2
719	Deformation compatibility between nanotwinned and recrystallized grains enhances resistance to interface cracking in cyclic loaded stainless steel. 2019 , 165, 87-98	18
718	The effect of pre-twinning on the mechanical behavior of free-end torsion for an extruded AZ31 magnesium alloy. 2019 , 743, 391-396	11
717	Tensile mechanical properties of nano-twinned copper containing silver inclusions. 2019 , 554, 97-101	3
716	Significance of stacking fault energy in bulk nanostructured materials: Insights from Cu and its binary alloys as model systems. 2019 , 101, 1-45	104
715	Optimizing mechanical properties of gradient-structured low-carbon steel by manipulating grain size distribution. 2019 , 743, 309-313	7
714	Electrodeposition of Nano-Twinned Cu in Void-Free Filling for Blind Microvia of High Density Interconnect. 2019 , 166, D3097-D3099	5
713	Microstructure evolution, densification behavior and mechanical properties of nano-HfB ₂ sintered under high pressure. 2019 , 45, 7885-7893	13
712	Transition from source- to stress-controlled plasticity in nanotwinned materials below a softening temperature. 2019 , 5,	11
711	Quantitative Correlation between Electrical Resistivity and Microhardness of Cu-Ni-Mo Alloys via a Short-Range Order Cluster Model. 2019 , 48, 312-320	2
710	Enhancement of Strength by Multiple Rolling at Room Temperature in the 1045 Steel Prepared by Aluminothemic Reaction. 2019 , 90, 1800556	1
709	Evolution of Fracture Mode in Nano-twinned Fe-1.1C-12.5Mn Steel. 2019 , 71, 1338-1348	5
708	Fabrication and characterization of nanocrystalline ODS-W via a dissolution-precipitation process. 2019 , 80, 104-113	20
707	Deformation mechanisms based constitutive modelling and strength-ductility mapping of gradient nano-grained materials. 2019 , 742, 400-408	24
706	Probing the phase transformation and dislocation evolution in dual-phase high-entropy alloys. 2019 , 114, 161-173	104
705	Microstructure and mechanical properties of SUS304/Q235 multilayer steels fabricated by roll bonding and annealing. 2019 , 740-741, 92-107	24

704	Microstructure-mechanical property correlation in shot peened and vibro-peened Ni-based superalloy. 2019 , 267, 215-229	18
703	Enhancing strength without compromising ductility in copper by combining extrusion machining and heat treatment. 2019 , 267, 52-60	13
702	An outstanding synergy of high strength and ductility in gradient structured low-carbon steel. 2019 , 5, 100181	5
701	Using transmission Kikuchi diffraction in a scanning electron microscope to quantify geometrically necessary dislocation density at the nanoscale. 2019 , 197, 39-45	25
700	Fatigue resistance of nanotwinned high-entropy alloy films. 2019 , 739, 26-30	22
699	Size effect of layer thickness on stress fields due to interface core-spreading dislocation arrays in multilayers. 2020 , 63, 277-288	1
698	Annealing-Induced Hardening in Ultrafine-Grained and Nanocrystalline Materials. 2020 , 22, 1900507	19
697	Simultaneous enhancement of strength and ductility in a NiCoCrFe high-entropy alloy upon dynamic tension: Micromechanism and constitutive modeling. 2020 , 124, 226-246	69
696	Nanotechnology-based biomaterials for orthopaedic applications: Recent advances and future prospects. 2020 , 106, 110154	69
695	On the formation of hierarchical microstructure in a Mo-doped NiCoCr medium-entropy alloy with enhanced strength-ductility synergy. 2020 , 175, 1-6	37
694	First-principles calculations on interface stability and migration of H and He in W-ZrC interfaces. 2020 , 499, 143995	14
693	Optimisation of deformation properties in as-cast copper by microstructural engineering. Part II. Mechanical properties. 2020 , 812, 151910	7
692	Combined effect of nanoparticle and grain refinement on yield stress of nanocomposite. 2020 , 100, 267-311	4
691	High-performance integrated additive manufacturing with laser shock peening induced microstructural evolution and improvement in mechanical properties of Ti6Al4V alloy components. 2020 , 148, 103475	104
690	Effect of Zener-Hollomon Parameter on Microstructure and Mechanical Properties of Copper Subjected to Friction Stir Welding. 2020 , 33, 319-326	5
689	Effect of High-Pressure Torsion on Hardness and Electrical Resistivity of Commercially Pure Cu. 2020 , 22, 1900547	4
688	Plastic deformation mechanisms of tension-compression asymmetry of nano-polycrystalline TiAl: Twin boundary spacing and temperature effect. 2020 , 171, 109218	10
687	Electrochemical properties of pre-lithiated nanorod-like $\text{Li}_x\text{V}_6\text{O}_{13}$ lithium ion battery cathode materials prepared by solvothermal method. 2020 , 857, 113612	6

686	Multiple strengthening mechanisms in high strength ultrafine-grained AlMg alloys. 2020 , 771, 138613	13
685	Strengthening boron carbide through lithium dopant. 2020 , 103, 2012-2023	5
684	Microstructural evolution and strain-hardening in TWIP Ti alloys. 2020 , 183, 155-164	56
683	A novel alternating current-assisted sintering method for rapid densification of Al ₂ O ₃ ceramics with ultrahigh flexural strength. 2020 , 46, 5484-5488	10
682	Effect of thickness for nanotwins on the mechanical properties of a Hastelloy. 2020 , 10, 1475-1480	0
681	Size-dependent mechanical properties and deformation mechanisms in Cu/NbMoTaW nanolaminates. 2020 , 63, 444-452	4
680	An investigation of fretting fatigue behavior and mechanism in 17-4PH stainless steel with gradient structure produced by an ultrasonic surface rolling process. 2020 , 131, 105340	10
679	In situ observation of twin-assisted grain growth in nanometer-scaled metal. 2020 , 131, 102825	1
678	Dislocation <-> twin transmutations during interaction between prismatic slip and {101̄1} twin in magnesium. 2020 , 186, 291-307	7
677	Extremely hard, B ₂ Mn type high entropy alloy coatings. 2020 , 178, 477-482	7
676	The Deformation Characteristics, Fracture Behavior and Strengthening-Toughening Mechanisms of Laminated Metal Composites: A Review. 2020 , 10, 4	8
675	Effect of Copper Grain Size on the Interfacial Microstructure of a Sn/Cu Joint. 2020 , 2, 464-472	6
674	Enhancing impurities removal from Si by controlling crystal growth in directional solidification refining with AlSi alloy. 2020 , 820, 153300	12
673	Bshaped trend of stress relaxation stability of Inconel718 superalloy with initial stress increasing. 2020 , 9, 100570	3
672	Modeling the strain rate-dependent constitutive behavior in nanotwinned polycrystalline metals. 2020 , 384, 126206	
671	Deformation nanotwins suppress shear banding during impact test of CrCoNi medium-entropy alloy. 2020 , 178, 452-456	22
670	Enhancement of strength and ductility by interfacial nano-decoration in carbon nanotube/aluminum matrix composites. 2020 , 159, 201-212	33
669	Theoretical prediction for mechanical properties in nanotwinned and hierarchically nanotwinned metals with different twin orders. 2020 , 23, 100887	2

668	Micro-sized polycrystalline cubic boron nitride with properties comparable to nanocrystalline counterparts. 2020 , 46, 8806-8810	4
667	Interfacial nanophases stabilize nanotwins in high-entropy alloys. 2020 , 185, 218-232	27
666	Microstructure Formation and Tailoring of the Intermetallic TiAl Alloy Produced by Direct Laser Deposition. 2020 , 51, 82-87	3
665	A simple route to fabricate strong boride hierarchical composites for use at ultra-high temperature. 2020 , 183, 107618	16
664	Advanced Nanomaterials for Nuclear Energy and Nanotechnology. 2020 , 8, 1901070	10
663	Creep and Superplasticity: Evolution and Rationalization. 2020 , 22, 1900532	7
662	Size dependent strength, slip transfer and slip compatibility in nanotwinned silver. 2020 , 184, 120-131	10
661	Growth-twins in CrN/AlN multilayers induced by hetero-phase interfaces. 2020 , 185, 157-170	2
660	Helicoidally Arranged Polyacrylonitrile Fiber-Reinforced Strong and Impact-Resistant Thin Polyvinyl Alcohol Film Enabled by Electrospinning-Based Additive Manufacturing. 2020 , 12,	7
659	Strain localisation and failure at twin-boundary complexions in nickel-based superalloys. 2020 , 11, 4890	13
658	Carbon Nanotubes Enabled Laser 3D Printing of High-Performance Titanium with Highly Concentrated Reinforcement. 2020 , 23, 101498	20
657	Interface effects on the properties of Cu ₃ Ni ₂ nanolayered composites. 2020 , 35, 2684-2700	3
656	Hydrogen, as an alloying element, enables a greater strength-ductility balance in an Fe-Cr-Ni-based, stable austenitic stainless steel. 2020 , 199, 181-192	12
655	Dislocation-grain boundary interaction in metallic materials: Competition between dislocation transmission and dislocation source activation. 2020 , 145, 104158	12
654	Development and characterization of novel Ni-rich high-entropy alloys. 2020 , 846, 156342	9
653	Anomalous detwinning in constrained Cu nanoparticles. 2020 , 12, 14831-14837	1
652	Effect of Hot Forging Process Parameters and Ce Addition on the Microstructure and Mechanical Properties of an As-Forged AZ80 Alloy. 2020 , 22, 2000446	
651	Effect of cyclic rapid thermal loadings on the microstructural evolution of a CrMnFeCoNi high-entropy alloy manufactured by selective laser melting. 2020 , 196, 609-625	42

650	Influence of grain boundary activities on elastic and plastic deformation of nanocrystalline Cu as studied by phase field and atomistic simulation. 2020 , 187, 105911	3
649	Size-dependent formation and thermal stability of high-order twins in hierarchical nanotwinned metals. 2020 , 128, 102685	12
648	Theoretical study of the effects of alloying elements on Cu nanotwins. 2020 , 63, 1	7
647	Plain fatigue and fretting fatigue behaviors of 17-4PH steel subjected to ultrasonic surface rolling process: A comparative study. 2020 , 399, 126196	14
646	Pile-up transmission and reflection of topological defects at grain boundaries in colloidal crystals. 2020 , 11, 3079	2
645	Effect of Stone-Wales defects on the mechanical behavior of boron nitride nanotubes. 2020 , 231, 4003-4018	4
644	Electron localization governed plasticity in nanotwinned metals beyond the Hall-Petch type limit. 2020 , 797, 140251	2
643	Quantifying the effect of twin boundaries on grain boundary activities in nanotwinned copper: A molecular dynamics simulation. 2020 , 150, 103585	2
642	Stress-strain partitioning behavior and mechanical properties of dual-phase steel using finite element analysis. 2020 , 25, 101658	6
641	Twin boundary-dislocation interactions in nanocrystalline Cu-30% Zn alloys prepared by high pressure torsion. 2020 , 9, 11958-11967	4
640	Low temperature joining of NiTi shape memory alloy with Au-Si isothermal solidification. 2020 , 58, 1034-1038	0
639	Balancing the strength and ductility of graphene oxide-carbon nanotube hybrid reinforced aluminum matrix composites with bimodal grain distribution. 2020 , 796, 140067	7
638	Grain boundaries dependence of plastic deformation in nanocrystalline Cu film investigated by phase field and molecular dynamics methods. 2020 , 254, 123506	4
637	The ϵ -Carbides in Low-Density Fe-Mn-Al-C Steels: A Review on Their Structure, Precipitation and Deformation Mechanism. 2020 , 10, 1021	8
636	Kinetic study of grain growth in highly (111)-preferred nanotwinned copper films. 2020 , 168, 110545	8
635	Gradient layer of ultrafine equiaxed grains produced by ultrasonic energy accelerated dynamic recrystallization. 2020 , 795, 139958	2
634	Role of intersecting grain boundary on the deformation of twin-twin intersection. 2020 , 188, 184-189	6
633	Mechanics Design in Cellulose-Enabled High-Performance Functional Materials. 2021 , 33, e2002504	25

632	Effect of rare metal element interfacial modulation in graphene/Cu composite with high strength, high ductility and good electrical conductivity. 2020 , 533, 147489	8
631	Quantifying the influence of grain boundary activities on Hall-Petch relation in nanocrystalline Cu by using phase field and atomistic simulations. 2020 , 135, 102846	4
630	Lattice-Distortion-Enhanced Yield Strength in a Refractory High-Entropy Alloy. 2020 , 32, e2004029	40
629	The intrinsic nature of materials failure and the global non-equilibrium energy criterion. 2020 , 63, 1	6
628	In situ indentation and high cycle tapping deformation responses in a nanolaminate crystalline/amorphous metal composite. 2020 , 798, 140074	3
627	Plastic Deformation and Hardening Mechanisms of a Nano-twinned Cubic Boron Nitride Ceramic. 2020 , 12, 50161-50175	10
626	Lithium Cluster Segregation in Coherent Contraction Twin Boundaries of Magnesium Alloys. 2020 , 201, 477-487	6
625	On the Factors Governing Austenite Stability: Intrinsic versus Extrinsic. 2020 , 13,	14
624	Cyclic deformation behavior of steels with a nanolamellar microstructure and tensile strength of 1500MPa. 2020 , 798, 140134	4
623	A new route to fabricate multilayer steel with multiscale hierarchical structure. 2020 , 169, 110606	1
622	A Novel β -Strengthened Nickel-Based Superalloy for Laser Powder Bed Fusion. 2020 , 13,	6
621	He-ion irradiation effects on the microstructure stability and size-dependent mechanical behavior of high entropy alloy/Cu nanotwinned nanolaminates. 2020 , 133, 102839	6
620	Towards stronger high-entropy alloy by nanoprecipitation-hardened ultrafine-/nano-grains. 2020 , 787, 139474	3
619	Plasticity through De-Twinning in Twinned BCC Nanowires. 2020 , 10, 366	2
618	Unstable twin in body-centered cubic tungsten nanocrystals. 2020 , 11, 2497	9
617	Making ultrastrong steel tough by grain-boundary delamination. <i>Science</i> , 2020 , 368, 1347-1352	33-3 73
616	Common Mechanical Properties of Diffusion Bonded Joints and Their Corresponding Microstructure Features. 2020 , 29, 3277-3286	8
615	Plastic deformation mechanisms of nanotwinned Mg with different twin boundary orientations: molecular dynamics simulations. 2020 , 46, 757-765	0

614	Toughening magnesium with gradient twin meshes. 2020 , 195, 468-481	6
613	The influence of solute atom ordering on the deformation behavior of hexagonal close packed Ti-Al alloys. 2020 , 52, 235-242	4
612	Deformation Behavior and Strengthening Mechanisms of Multilayer SUS304/Cr17 Steels with Laminate/Network Interface. 2020 , 51, 3658-3673	2
611	Metastability driven hierarchical microstructural engineering: Overview of mechanical properties of metastable complex concentrated alloys. 2020 , 842, 155625	13
610	Improving sulfur corrosion resistance of transformer windings by grain boundary engineering technology. 2020 , 27, 1022-1028	4
609	In-situ Fe ₂ P reinforced bulk CuBe immiscible alloy with nanotwinned Cu produced by selective laser melting. 2020 , 838, 155592	9
608	Extraordinary room temperature tensile ductility of laminated Ti/Al composite: Roles of anisotropy and strain rate sensitivity. 2020 , 133, 102806	13
607	Effects of direct aging on near-alpha Ti ₆ Al ₄ Sn ₂ Zr ₂ Mo (Ti-6242) titanium alloy fabricated by selective laser melting (SLM). 2020 , 788, 139533	25
606	Effects of solute content on microstructure of nano precipitate-fine grain synergistically reinforced copper alloys. 2020 , 36, 1065-1075	
605	Prediction of Generation of High- and Low-Angle Grain Boundaries (HAGB and LAGB) During Severe Plastic Deformation. 2020 , 51, 4674-4684	6
604	Hydrogen-assisted fatigue crack-propagation in a Ni-based superalloy 718, revealed via crack-path crystallography and deformation microstructures. 2020 , 174, 108814	11
603	Fracture toughness anisotropy of ultrafine-grained pure copper processed by equal channel angular pressing. 2020 , 782, 139260	4
602	Molecular dynamics simulation on the deformation mechanism of monocrystalline and nano-twinned TiN under nanoindentation. 2020 , 252, 123263	5
601	Thermally stable ultrafine grained copper induced by CrB/CrB ₂ microparticles with surface nanostructures via regular casting. 2020 , 58, 55-62	4
600	Hardening in Au-Ag nanoboxes from stacking fault-dislocation interactions. 2020 , 11, 2923	11
599	Oxygen solutes induced anomalous hardening, toughening and embrittlement in body-centered cubic vanadium. 2020 , 196, 122-132	9
598	Tailoring phase transformation strengthening and plasticity of nanostructured high entropy alloys. 2020 , 12, 14135-14149	6
597	A possibility to synchronously improve the high-temperature strength and ductility in face-centered cubic metals through grain boundary engineering. 2020 , 187, 216-220	14

596	On the real-time atomistic deformation of nano twinned CrCoFeNi high entropy alloy. 2020 , 31, 385705	8
595	Microstructure Evolution and Mechanical Stability of Supersaturated Solid Solution Co-Rich Nanocrystalline Co-Cu Produced by Pulsed Electrodeposition. 2020 , 13,	1
594	Recent progresses on designing and manufacturing of bulk refractory alloys with high performances based on controlling interfaces. 2020 , 52, 29-62	37
593	Effect of a compound modification process on the microstructure and mechanical properties of ZK60 magnesium alloys. 2020 , 778, 139117	8
592	High hardness and fatigue resistance of CoCrFeMnNi high entropy alloy films with ultrahigh-density nanotwins. 2020 , 131, 102726	39
591	The relationship between fracture mechanism and substructures of primary M7C3 under the hot compression process of self-healing hypereutectic high chromium cast iron. 2020 , 779, 139150	7
590	Atomic structure and elemental segregation behavior of creep defects in a Co-Al-W-based single crystal superalloys under high temperature and low stress. 2020 , 190, 16-28	24
589	Microstructure-Property Relations in the Tensile Behavior of Bimodal Nanostructured Metals. 2020 , 22, 2000097	4
588	The effects of yttrium on the {10-12} twinning behaviour in magnesium alloys: a molecular dynamics study. 2020 , 100, 224-234	1
587	Micropillar Compression Study on the Deformation Behavior of Electrodeposited NiMo Films. 2020 , 10, 205	
586	A phenomenological model of twinning-mediated strain hardening. 2020 , 780, 139194	8
585	Evolution of Annealing Twins and Recrystallization Texture in Thin-Walled Copper Tube During Heat Treatment. 2020 , 33, 1618-1626	3
584	Role of Cu/graphene interface in suppressing fatigue damage of submicron Cu films for flexible electronics. 2020 , 792, 139786	3
583	Unraveling and Mapping the Mechanisms for Near-Surface Microstructure Evolution in CuNi Alloys under Sliding. 2020 , 12, 32197-32208	18
582	Ultrahigh hardness with exceptional thermal stability of a nanocrystalline CoCrFeNiMn high-entropy alloy prepared by inert gas condensation. 2020 , 187, 335-339	28
581	Advanced Thermoelectric Design: From Materials and Structures to Devices. 2020 , 120, 7399-7515	482
580	Impact-Resistant and Tough Helicoidally Aligned Ribbon Reinforced Composites with Tunable Mechanical Properties via Integrated Additive Manufacturing Methodologies. 2020 , 2, 3491-3504	6
579	Origins of strengthening and failure in twinned Au nanowires: Insights from in situ experiments and atomistic simulations. 2020 , 187, 166-175	9

578	Preparation of single phase 2H-MoTe ₂ films by molecular beam epitaxy. 2020 , 523, 146428	2
577	Balancing strength and ductility by controllable heat-treatment twinning in a near β Ti alloy. 2020 , 9, 6962-6968	5
576	High-entropy alloys with heterogeneous microstructure: Processing and mechanical properties. 2020 , 100709	78
575	In-situ TEM study of dislocation interaction with twin boundary and retraction in twinned metallic nanowires. 2020 , 196, 304-312	15
574	Enhanced energy absorption performance of hexagonal tubes by local surface nano-crystallization technique. 2020 , 148, 103508	3
573	Nanotwin formation in NiMoW alloys deposited by dc magnetron sputtering. 2020 , 186, 247-252	5
572	Growth, microstructure and mechanical properties of CoCrFeMnNi high entropy alloy films. 2020 , 179, 109553	16
571	Combinatorial study of thermal stability in ternary nanocrystalline alloys. 2020 , 188, 40-48	21
570	Ultrahard and stable nanostructured cubic boron nitride from hexagonal boron nitride. 2020 , 46, 12788-12794	4
569	Superior strength-ductility CoCrNi medium-entropy alloy wire. 2020 , 181, 19-24	34
568	Achieving exceptional wear resistance in a compositionally complex alloy via tuning the interfacial structure and chemistry. 2020 , 188, 697-710	16
567	On the competition between nucleation and thickening in deformation twinning of face-centered cubic metals. 2020 , 130, 102702	4
566	Improving strength-ductility synergy in 301 stainless steel by combining gradient structure and TRIP effect. 2020 , 780, 139146	6
565	High entropy alloy FeMnNiCoCr coatings: Enhanced hardness and damage-tolerance through a dual-phase structure and nanotwins. 2020 , 385, 125435	9
564	Synthesis of twin-structured nanodiamond particles. 2020 , 10, 015240	3
563	The activation of deformation mechanisms for improved tensile properties in nanocrystalline aluminum. 2020 , 777, 139069	13
562	Nonadditive strengthening functions for cold-worked cubic metals: Experiments and constitutive modeling. 2020 , 129, 102700	16
561	Microstructural characterization and mechanical behavior of ultrasonic impact peened and laser shock peened AISI 316L stainless steel. 2020 , 385, 125403	22

560	Effect of torsional rate on the gradient microstructure, texture evolutions and microhardness of pure copper. 2020 , 161, 110141	1
559	The synergistic effects of energy barriers and shear directions on twinning in face centered cubic metals. 2020 , 177, 109547	0
558	Atomistic Study of Interactions between Intrinsic Kink Defects and Dislocations in Twin Boundaries of Nanotwinned Copper during Nanoindentation. 2020 , 10,	5
557	Microstructure and mechanical properties of the In ₈ Sn ₉₂ Ag low-temperature alloy. 2020 , 55, 10824-10832	2
556	Enhanced lithium storage for MoS ₂ -based composites via a vacancy-assisted method. 2020 , 515, 146103	6
555	Structural characteristics of {101 $\bar{1}$ } contraction twin-twin interaction in magnesium. 2020 , 192, 60-66	12
554	Understanding the macroscopical flexibility/fragility of nanoporous Ag: Depending on network connectivity and micro-defects. 2020 , 53, 91-101	4
553	Influences of Multicenter Bonding and Interstitial Elements on Twinned TiAl Crystal. 2020 , 13,	2
552	The simultaneous improvement of strength and plasticity of a novel alloying steel by precipitation recovery annealing. 2020 , 270, 127710	2
551	Intrinsic-to-extrinsic transition in fracture toughness through structural design: A lesson from nature. 2020 , 37, 100685	2
550	Interplay between mechanical wear and electrochemical corrosion during tribocorrosion of oxygen diffusion layer on TiAl ₄ V in PBS solution. 2020 , 518, 146048	4
549	Microstructural characterization of cold-drawn Cu ₃ Ni ₂ Si alloy having high strength and high conductivity. 2020 , 832, 155059	20
548	An overview of tailoring strain delocalization for strength-ductility synergy. 2020 , 113, 100675	93
547	Simultaneously enhanced strength and ductility in a metastable Ti alloy by stress-induced hierarchical twin structure. 2020 , 184, 6-11	29
546	Atomic simulation of interaction mechanism between dislocation and amorphous phase in dual-phase crystalline/amorphous Mg/MgAl alloys. 2020 , 127, 135105	2
545	Atomic-scale study of precipitates (NbC and Cu-rich phase) at the twin boundary in the long time ageing austenitic stainless steel. 2020 , 100, 1880-1888	
544	Light Tailoring of Internal Atomic Structure of Gold Nanorods. 2020 , 16, e2001101	12
543	Multiphase Strengthening of Nanosized Precipitates in a Cost-Effective Austenitic Heat-Resistant Steel. 2020 , 91, 2000122	1

542	Grain Refinement in Surficial Cryogenic Grinding. 2020 , 51, 3349-3353	3
541	Correlated necklace dislocations in highly oriented nanotwinned metals. 2020 , 21, 294-303	3
540	Characterization of the microstructure and deformation substructure evolution in a hierarchal high-entropy alloy by correlative EBSD and ECCI. 2020 , 121, 106788	9
539	Nanotwinning: Generation, properties, and application. 2020 , 192, 108752	9
538	Improvement of microstructure and mechanical properties of C44300 tin brass subjected to double-pass rapid cooling friction stir welding. 2020 , 834, 155052	4
537	Revealing foundations of the intergranular corrosion of 5XXX and 6XXX Al alloys. 2020 , 271, 127767	7
536	Incoherent tilt grain boundaries stabilized by stacking faults and solute-cluster segregation: a case-study of an Mg-Gd alloy. 2020 , 8, 268-274	6
535	Strength of Graphene-Coated Ni Bi-Crystals: A Molecular Dynamics Nano-Indentation Study. 2020 , 13,	3
534	Synergistic strengthening effect of in-situ synthesized WC1-x nanoparticles and graphene nanosheets in copper matrix composites. 2020 , 133, 105891	18
533	In situ observation of transmission and reflection of dislocations at twin boundary in CoCrNi alloys. 2021 , 64, 407-413	4
532	Size effect of deformation nanotwin bundles on their strengthening and toughening in heterogeneous nanostructured Cu. 2021 , 64, 23-31	3
531	Preparation of highly (111) textured nanotwinned copper by medium-frequency pulsed electrodeposition in an additive-free electrolyte. 2021 , 365, 137391	9
530	Size-dependent deformation behavior of dual-phase, nanostructured CrCoNi medium-entropy alloy. 2021 , 64, 209-222	8
529	Contribution of ultrasonic surface rolling process to the fatigue properties of TB8 alloy with body-centered cubic structure. 2021 , 61, 63-74	14
528	Twin Boundary and Fivefold Twins in Nickel Oxide. 2021 , 258, 2000377	1
527	First-principles study of de-twinning in a FCC alloy. 2021 , 293, 121765	2
526	Gradient recrystallization to improve strength and ductility of medium-entropy alloy. 2021 , 853, 157388	5
525	Influence of cementite spheroidization on relieving the micro-galvanic effect of ferrite-pearlite steel in acidic chloride environment. 2021 , 61, 234-246	4

524	Molecular dynamics study of dislocation-twin boundary interaction in titanium subjected to scratching. 2021 , 800, 140327	7
523	Annealing hardening in cryo-rolled high-entropy alloys by belated deformation twinning. 2021 , 801, 140403	4
522	Tailoring the formation of twins in Al by introducing epitaxial layer interfaces. 2021 , 192, 1-6	3
521	Mechanical properties and microstructure evolution of a CrCoNi medium entropy alloy subjected to asymmetric cryorolling and subsequent annealing. 2021 , 26, 101776	5
520	Investigating the compressive strength and strain localization of nanotwinned nickel alloys. 2021 , 204, 116507	4
519	Ultrahigh transverse rupture strength in tungsten-based nanocomposites with minimal lattice misfit and dual microstructure. 2021 , 95, 105454	0
518	Achieving high strength and high ductility in a high-entropy alloy by a combination of a heterogeneous grain structure and oxide-dispersion strengthening. 2021 , 805, 140544	7
517	Unprecedented combination of strength and ductility in laser welded NiCoCr medium entropy alloy joints. 2021 , 803, 140501	8
516	Influences of residual stress and micro-deformation on microstructures and mechanical properties for Ti-6.5Al-3.5Mo-1.5Zr-0.3Si alloy produced by laser powder bed fusion. 2021 , 75, 174-183	5
515	Size-dependence of zirconia-based ceramics via deformation twinning. 2021 , 42, 101124	1
514	Introducing transformation twins in titanium alloys: an evolution of β variants during additive manufacturing. 2021 , 9, 119-126	8
513	Influence of oxygen on microstructures and tensile properties of hot-rolled Ti-4Zr-xO alloys. 2021 , 171, 110681	1
512	Structure characterization of special boundaries in Fe ₄₇ Mn ₃₀ Co ₁₀ Cr ₁₀ B ₃ dual-phase high-entropy alloy. 2021 , 858, 157642	2
511	Effect of gradient microstructure on the strength and ductility of medium-entropy alloy processed by severe torsion deformation. 2021 , 801, 140429	6
510	Enhanced high-cycle fatigue resistance of 304 austenitic stainless steel with nanotwinned grains. 2021 , 143, 105994	5
509	Mechanical properties and strengthening mechanisms of shock-modified titanium alloy. 2021 , 283, 128744	2
508	Nano-in-situ-composite ultrafine-grained W ₂ O ₃ materials: Microstructure, mechanical properties and high heat load performances. 2021 , 855, 157366	4
507	Fabrication and joining mechanism of Nano-Cu/Si ₃ N ₄ ceramic substrates. 2021 , 47, 3411-3420	1

506	Supermodulus effect by grain-boundary wetting in nanostructured multilayers. 2021 , 65, 202-209	6
505	Self-toughened high entropy alloy with a body-centred cubic structure. 2021 , 13, 3602-3612	3
504	WITHDRAWN: Improvement in Tensile Strength and Ductility of Carbon Nanotube Reinforced Aluminium Nanocomposites by Modification of Interfacial Properties. 2021 , 140765	
503	A phenomenological model of deformation twinning kinetics. 2021 , 803, 140700	3
502	The effects of prior creep fatigue on the strain rate sensitivity of a P92 welded joint. 2021 , 56, 7111-7128	7
501	Novel optimization perspectives for thermoelectric properties based on Rashba spin splitting: a mini review. 2021 , 13, 18032-18043	4
500	Effect of twin boundary on mechanical behavior of Cr ₂₆ Mn ₂₀ Fe ₂₀ Co ₂₀ Ni ₁₄ high-entropy alloy by molecular dynamics simulation. 2021 , 70, 186201-186201	0
499	Low-temperature densification and microstructure of W/Cu composites with Sn additives. 2021 , 10, 121-131	4
498	Microstructure evolution and stress rupture properties of A286 superalloy in the 600 to 750 °C temperature range. 2021 , 8, 026521	1
497	Bulk Grain-Boundary Materials from Nanocrystals. 2021 , 7, 509-525	4
496	Can experiment determine the stacking fault energy of metastable alloys?. 2021 , 199, 109396	22
495	Effect of Processing Parameters on Mechanical Properties of Deformed and Partitioned (D&P) Medium Mn Steels. 2021 , 11, 356	1
494	Effects of Nb on deformation-induced transformation and mechanical properties of HfNb _x Ta _{0.2} TiZr high entropy alloys. 2021 , 805, 140798	5
493	Constitutive modeling of size-dependent deformation behavior in nano-dual-phase glass-crystal alloys. 2021 , 137, 102918	3
492	Electro-mechanical coupling in FCC metal rhodium from first-principles simulations. 2021 , 36, 2662-2673	
491	Thermal stable hierarchical 3D nanolayered Zr-2.5Nb. 2021 , 36, 2630-2638	2
490	Corrosion Mechanisms of High-Mn Twinning-Induced Plasticity (TWIP) Steels: A Critical Review. 2021 , 11, 287	4
489	Broadband optical absorption enhancement in hybrid organic/inorganic perovskite metasurfaces. 2021 , 11, 025107	4

488	Loading Direction-Dependent Mechanical Properties of Columnar Polycrystal: A Molecular Dynamics Study. 2021 , 30, 1970-1980	1
487	Low-carbon advanced nanostructured steels: Microstructure, mechanical properties, and applications. 2021 , 64, 1580-1597	0
486	Mitigating the Hall-Petch breakdown in nanotwinned Cu by amorphous intergranular films. 2021 , 194, 113682	2
485	Microstructure and high-temperature tensile property of TiAl alloy produced by selective electron beam melting. 2021 , 40, 3635-3644	5
484	Stability of nanocrystalline metals: The role of grain-boundary chemistry and structure. 2021 , 46, 225-235	10
483	Influence of heterogeneous microstructures on the mechanical properties of low-temperature friction stir processed AZ91D Mg alloy. 2021 , 809, 141004	7
482	Inclination-governed deformation of dislocation-type grain boundaries. 2021 , 36, 1306-1315	0
481	Dual-phase nanostructuring as a route to flexible nanoporous metals with outstanding comprehensive mechanical properties. 2021 , 64, 2289-2304	5
480	How the interface type manipulates the thermomechanical response of nanostructured metals: A case study on nickel. 2021 , 15, 101020	1
479	Electrodeposition of (111)-oriented and nanotwin-doped nanocrystalline Cu with ultrahigh strength for 3D IC application. 2021 ,	3
478	Cryogenic toughness in a low-cost austenitic steel. 2021 , 2,	7
477	Twinning-mediated anomalous alignment of rutile films revealed by synchrotron X-ray nanodiffraction. 2021 , 24, 102278	1
476	Tensile strain induced texture evolution in a NiMo alloy with extremely fine nanotwinned columnar grains. 2021 , 812, 141108	1
475	The influence of the processing route on the fragmentation of (Nb,Ti)C stringers and its role on mechanical properties and hydrogen embrittlement of nickel based alloy 718. 2021 , 46, 16164-16178	1
474	Versatile Vanadium Doping Induces High Thermoelectric Performance in GeTe via Band Alignment and Structural Modulation. 2021 , 11, 2100544	18
473	An automated and unbiased grain segmentation method based on directional reflectance microscopy. 2021 , 174, 110978	5
472	High mass-specific reactivity of a defect-enriched Ru electrocatalyst for hydrogen evolution in harsh alkaline and acidic media. 2021 , 64, 2467-2476	3
471	Strain rate-dependent hardness and deformation behavior in the nanocrystalline/amorphous Ti ₂ AlNb film. 2021 , 412, 127040	4

470	High-Temperature Approaches to Synthesize Fe ₁₆ N ₂ through the Heat Treatment of As-Nitride Fe-Cu-B Ribbon.	
469	Large scale synthesis of copper nickel alloy nanoparticles with reduced compressibility using arc thermal plasma process. 2021 , 11, 7629	6
468	Real-time atomic-resolution observation of coherent twin boundary migration in CrN. 2021 , 208, 116732	4
467	Tensile Deformation Behavior of High-Strength Nanostructured Cu ₃ Bi Solid-Solution Alloys Processed by Severe Plastic Deformation. 2021 , 62, 479-483	
466	Grain Boundaries and Their Impact on Li Kinetics in Layered-Oxide Cathodes for Li-Ion Batteries. 2021 , 125, 10284-10294	5
465	Superior Mechanical Properties of GaAs Driven by Lattice Nanotwinning. 2021 , 38, 046201	0
464	The microstructure and mechanical properties of twinned copper-bismuth films obtained by DC electrodeposition. 2021 , 862, 158007	1
463	Molecular dynamics simulation on mechanisms of plastic anisotropy in nanotwinned polycrystalline copper with {111} texture during tensile deformation. 2021 , 31, 1381-1396	1
462	Anisotropic strengthening of nanotwin bundles in heterogeneous nanostructured Cu: Effect of deformation compatibility. 2021 , 210, 116830	6
461	Comparison in Deformation Behavior, Microstructure, and Failure Mechanism of Nickel Base Alloy 625 under Two Strain Rates. 2021 , 14,	0
460	TiB ₂ - and Fe ₂ P with nanotwins-reinforced Cu-based immiscible composites fabricated by selective laser melting: Formation mechanism and wear behavior. 2021 , 864, 158716	6
459	Mechanism of twinning induced plasticity in austenitic lightweight steel driven by compositional complexity. 2021 , 210, 116814	10
458	Molecular dynamics simulation of microstructure evolution during the fracture process of nano-twinned Ag. 2021 , 248, 107743	0
457	A molecular dynamics study of dislocation ejection and shear coupling associated with incoherent twin boundary migration. 2021 , 16, 101111	1
456	A novel nano Cu/TiBi ₃ N ₄ ceramic substrates fabricated by spark plasma sintering and its bonding mechanism. 2021 , 187, 110093	1
455	Phase Transition and Twinning Induced High Strength and Large Ductility of a Near β Ti Alloy Processed by Double Aging. 2021 , 30, 5914-5920	0
454	Inhibiting the detrimental Cu protrusion in Cu through-silicon-via by highly (111)-oriented nanotwinned Cu. 2021 , 197, 113782	3
453	Stretch-flangeability of CoCrFeMnNi high-entropy alloy. 2021 , 814, 141241	2

452	Zr addition-dependent twin morphology evolution and strengthening response in nanostructured Al thin films. 2021 , 16, 101076	0
451	Exceptional Deformability of Wurtzite Zinc Oxide Nanowires with Growth Axial Stacking Faults. 2021 , 21, 4327-4334	0
450	Diffusive crack-grain interplay in freestanding nanocrystalline silver thin film. 2021 , 17, 101116	1
449	Contrasting Cu Roles Lead to High Ranged Thermoelectric Performance of PbS. 2021 , 31, 2102185	14
448	Ultrahigh specific strength in a magnesium alloy strengthened by spinodal decomposition. 2021 , 7,	49
447	Grain boundaries contribute to highly efficient lithium-ion transport in advanced LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ secondary sphere with compact structure. 2021 , 1, 255-265	3
446	Oxidation behavior, thermal stability, and the coating/substrate interface evolution of CrN-coated Zircaloy under high-temperature steam. 2021 , 185, 109416	16
445	Ultrastrong nanotwinned pure nickel with extremely fine twin thickness. 2021 , 7,	10
444	Olivine Crystal Structure-Directed Twinning in Iron Germanium Sulfide (FeGeS) Nanoparticles. 2021 ,	0
443	Heterogeneous Structure Design to Strengthen Carbon-Containing CoCrFeNi High Entropy Alloy. 2021 , 34, 1503	1
442	Dislocations across interphase enable plain steel with high strength-ductility. 2021 , 66, 1058-1062	1
441	Strain gradient induced grain refinement far below the size limit in a low carbon hypoeutectoid steel (0.19 wt% C) via pipe inner surface grinding treatment. 2021 , 78, 155-169	0
440	Bifunctional nanoprecipitates strengthen and ductilize a medium-entropy alloy. 2021 , 595, 245-249	32
439	Shear induced deformation twinning evolution in thermoelectric InSb. 2021 , 7,	4
438	Anomalous size effect in micron-scale CoCrNi medium-entropy alloy wire. 2021 , 199, 113897	4
437	Microstructural evolution and surface integrity of ultrasonic surface rolling in Ti6Al4V alloy. 2021 , 13, 1586-1598	6
436	High-pressure work hardening of alumina. 2021 , 47, 19989-19994	1
435	Evading strength-corrosion tradeoff in Mg alloys via dense ultrafine twins. 2021 , 12, 4616	12

434	Nucleation and growth mechanisms of β phase with single-unit-cell height in Mg-RE-Zn(Ag) series alloys: a first-principles study. 2021 , 79, 133-140	1
433	Improving mechanical properties and tribological performance of Al _{0.2} Co _{1.5} CrFeNi _{1.5} Ti _{0.5} high entropy alloys via doping Si. 2021 , 869, 159122	12
432	Enhancing strength-ductility of the aluminum bronze alloy by generating high-density ultrafine annealing twins. 2021 , 177, 111057	4
431	Effect of aging treatment on evolution of S ₂ phase in rapid cold punched Al _{0.2} CuMg alloy. 2021 , 31, 1930-1938	5
430	Severe plastic deformation-produced gradient nanostructured copper with a strengthening-softening transition. 2021 , 819, 141495	2
429	Polymorphism of Segmented Grain Boundaries in Two-Dimensional Transition Metal Dichalcogenides. 2021 , 21, 6014-6021	2
428	Twin-boundary assisted crack tip plasticity and toughening in lamellar β -TiAl. 2021 , 213, 116924	10
427	Elastic recovery induced strengthening effect in copper/ multilayer-graphene interface regions revealed by instrumental nanoindentation. 2021 , 216, 108832	5
426	The defining role of ultrasonic on the relaxed GBs and superior thermal stability of copper coatings. 2021 , 178, 111191	1
425	CommunicationFabrication of Vertical Nanotwinned Copper with (220) Texture by Direct Current Electrodeposition. 2021 , 168, 082506	0
424	Effect of grain refinement and twin structure on the strength and ductility of Inconel 625 alloy. 2021 , 823, 141739	7
423	Tailoring the metastable reversed austenite from metastable Mn-rich carbides. 2021 , 214, 116986	5
422	Creep feed grinding induced gradient microstructures in the superficial layer of turbine blade root of single crystal nickel-based superalloy. 2021 , 3, 045102	12
421	Plastic and low-cost axial zero thermal expansion alloy by a natural dual-phase composite. 2021 , 12, 4701	4
420	Formation of Fe ₅ Si ₃ precipitate in the Fe ₂ Al ₅ intermetallic layer of the Al/steel dissimilar arc welding joint: A transmission electron microscopy (TEM) study. 2021 , 178, 111236	7
419	Multi-stage dwell fatigue crack growth behaviors in a nickel-based superalloy at elevated temperature. 2021 , 253, 107859	4
418	Enhanced resistance to fatigue crack propagation in metastable austenitic stainless steel by nanotwin bundles. 2021 , 201, 113976	3
417	Structural hierarchy defeats alloy cracking. <i>Science</i> , 2021 , 373, 857-858	33-3 6

416	Microstructure and Mechanical Properties of a MP159 Superalloy after Pre-tensile Deformation and Subsequent Annealing. 2100920	1
415	Tailoring uniform and ordered grain boundaries in the solid electrolyte interphase for dendrite-free lithium metal batteries. 2021 , 22, 100858	7
414	Structure and energy of the (101) twin boundary in hot-deformed Nd-Fe-B magnets. 2021 , 179, 111380	0
413	Ultra-strong and thermally stable nanocrystalline CrCoNi alloy. 2021 , 106, 1-1	6
412	Precipitation and micromechanical behavior of the coherent ordered nanoprecipitation strengthened Al-Cr-Fe-Ni-V high entropy alloy. 2021 , 216, 117121	5
411	Hard and tough CrN coatings strengthened by high-density distorted coherent grain boundaries. 2021 , 894, 162139	1
410	In situ atomistic mechanisms of detwinning in nanocrystalline AuAg alloy. 1	1
409	Microstructural evolution and mechanical properties of V-containing medium-Mn steel manufactured via cold rolling and intercritical annealing. 2021 , 14, 1504-1517	1
408	Microstructure evolution and corresponding tensile properties of Ti ₅ Al ₅ Mo ₅ V ₁ Cr ₁ Fe alloy controlling by multi-heat treatments. 2021 , 31, 731-731	1
407	Surface integrity and wear behavior of 300M steel subjected to ultrasonic surface rolling process. 2021 , 421, 127380	7
406	Superior strength-ductility synergy achieved by synergistic strengthening and strain delocalization in a gradient-structured high-manganese steel. 2021 , 825, 141853	5
405	Simultaneously enhanced strength and plasticity of Ag ₂ Se-based thermoelectric materials endowed by nano-twinned CuAgSe secondary phase. 2021 , 117335	5
404	A solid state process to obtain high mechanical strength in Cu-to-Cu joints by surface creep on (111)-oriented nanotwins Cu. 2021 , 14, 719-730	2
403	Revealing extreme twin-boundary shear deformability in metallic nanocrystals. 2021 , 7, eabe4758	14
402	Reactive wear protection through strong and deformable oxide nanocomposite surfaces. 2021 , 12, 5518	8
401	Yield strength-ductility trade-off breakthrough in Co-free Fe ₄₀ Mn ₁₀ Cr ₂₅ Ni ₂₅ high-entropy alloys with partial recrystallization. 2021 , 28, 102718	6
400	Cryoforged nanotwinned titanium with ultrahigh strength and ductility. <i>Science</i> , 2021 , 373, 1363-1368	33.3 28
399	Gradient cell-structured high-entropy alloy with exceptional strength and ductility. <i>Science</i> , 2021 , 374, 984-989	33.3 49

398	Introduction of low strain energy GdAlO ₃ grain boundaries into directionally solidified Al ₂ O ₃ /GdAlO ₃ eutectics. 2021 , 221, 117355	3
397	Gradient nanotwinned CrCoNi medium-entropy alloy with strength-ductility synergy. 2021 , 203, 114117	8
396	Twin boundary-assisted precipitation of sigma phase in a high-entropy alloy. 2021 , 300, 130198	0
395	Characterization of the recasting-affected zone in the nickel-based superalloy upon single-pulse laser treatment. 2021 , 826, 141897	3
394	Atomic-Scale Investigation of Electromigration with Different Directions of Electron Flow into High-Density Nanotwinned Copper through In Situ HRTEM. 2021 , 219, 117250	3
393	Achieving excellent strength-ductility synergy in twinned NiCoCr medium-entropy alloy via Al/Ta co-doping. 2021 , 87, 184-195	14
392	Biomimetic layered fiber-reinforced TiAl composites: Effects of various parameters on their strength and ductility through finite element analysis. 2021 , 209, 109989	1
391	High-yield, high-conductive graphene/nanocellulose hybrids prepared by Co-exfoliation of low-oxidized expanded graphite and microfibrillated cellulose. 2021 , 225, 109250	1
390	Superior strength-ductility synergy and strain hardenability of Al/Ta co-doped NiCoCr twinned medium entropy alloy for cryogenic applications. 2021 , 220, 117288	13
389	A general phase-field framework for predicting the structures and micromechanical properties of crystalline defects. 2021 , 209, 109959	
388	Unprecedented enhancement in strength-plasticity synergy of (TiC+Al ₆ MoTi+Mo)/Al cermet by multiple length-scale microstructure stimulated synergistic deformation. 2021 , 225, 109265	11
387	Grain-size dependent elastic-plastic deformation behaviour of Inconel 625 alloy studied by in-situ neutron diffraction. 2021 , 138, 107340	2
386	Composition-dependent slip planarity in mechanically-stable face centered cubic complex concentrated alloys and its mechanical effects. 2021 , 220, 117314	3
385	Wear-resistance enhancement of nanostructured W-Cu-Cr composites. 2021 , 101, 105673	1
384	Study on microstructure characterization, electrical conductivity and mechanical property improvement mechanisms of a novel Al-Si-Mg-Fe-Cu alloy. 2021 , 885, 160959	2
383	Microstructure evolution and mechanical properties of in-situ multi-component carbides reinforced FeCoNi alloy. 2021 , 886, 161215	1
382	Investigation of the fatigue damage mechanism of Inconel 617 at elevated temperatures obtained by in situ SEM fatigue tests. 2021 , 153, 106518	3
381	Properties and precipitates of the high strength and electrical conductivity Cu-Ni-Co-Si-Cr alloy. 2021 , 93, 1-6	6

380	A molecular dynamics study of path-dependent grain boundary properties in nanocrystals prepared using different methods. 2021 , 205, 114183	0
379	Dynamic behavior of CrMnFeCoNi high-entropy alloy in impact tension. 2021 , 158, 104008	7
378	Fabrication of hypoeutectic Al-4Si alloy with high electrical conductivity, high plasticity and medium strength by the dual treatment of Al matrix and eutectic Si microstructure. 2021 , 885, 161117	3
377	Evolution of dislocation and twin structures in Ti3Al during solidification. 2021 , 194, 110525	3
376	Synergetic deformation mechanism in hierarchical twinned high-entropy alloys. 2022 , 102, 80-88	1
375	Enhanced strength and ductility in Ti46Al4Nb1Mo alloys via boron addition. 2022 , 102, 16-23	2
374	Effect of microstructure evolution of Ti6Al4V alloy on its cavitation erosion and corrosion resistance in artificial seawater. 2022 , 100, 169-181	5
373	Implementation of Massive Nanoindentation Coupled With Statistical Analysis to Evaluate Complex Heterogeneous Microstructures in Materials Manufactured Following Powder Metallurgy Processing Routes. 2022 , 465-470	
372	Selective laser melting of bulk immiscible alloy with enhanced strength: Heterogeneous microstructure and deformation mechanisms. 2022 , 104, 81-87	3
371	Dislocation Source and Pile-up in a Twinning-induced Plasticity Steel at High-Cycle Fatigue. 2021 , 34, 169-173	3
370	Defect-driven selective metal oxidation at atomic scale. 2021 , 12, 558	11
369	Deformation Twinning in Nanocrystalline Metals. 2021 ,	
368	Simulations of Wear-Induced Microstructural Evolution in Nanocrystalline Aluminum. 2021 , 132-139	
367	Epitaxial nanotwinned metals and alloys: synthesis-twin structure-property relations.	1
366	Basal-Plane Stacking-Fault Energies of Mg: A First-Principles Study of Li- and Al-Alloying Effects. 121-128	1
365	Electrons to Phases of Magnesium. 237-281	1
364	Damage Behaviors at Twin and Grain Boundary in Alloy 690 Material in Very High Cycle Fatigue Regime. 989-998	2
363	Assessment of Mechanical and Metallurgical Features of Inconel 680 Weld Metal. 2020 , 431-438	1

362	Titanium Alloys: From Properties Prediction to Performance Optimization. 2020 , 113-151	1
361	Mechanical Properties of Nanostructured Metals: Molecular Dynamics Studies. 2019 , 591-613	1
360	A ductile high entropy alloy strengthened by nano sigma phase. 2020 , 122, 106813	18
359	A novel non-stoichiometric medium-entropy carbide stabilized by anion vacancies. 2020 , 51, 161-166	11
358	An SEM-based approach to characterize the microstructural evolution in a gradient CoCrFeNiMo _{0.15} high-entropy alloy. 2020 , 161, 110169	8
357	Deformation mechanisms of the subgranular cellular structures in selective laser melted 316L stainless steel. 2020 , 148, 103478	8
356	The mechanism of shear-band blocking in monolithic metallic glasses. 2017 , 703, 162-166	5
355	Microstructure and tensile properties of rapid-cooling friction-stir-welded AZ31B Mg alloy along thickness direction. 2020 , 30, 3254-3262	9
354	Twin engineering of photocatalysts: a minireview. 2020 , 10, 4164-4178	8
353	Achieving an excellent strength-ductility synergy in Zircaloy-4 by FSW with rapid cooling. 2018 , 34, 20-28	12
352	Molecular dynamics simulations for nanoindentation response of nanotwinned FeNiCrCoCu high entropy alloy. 2020 , 31, 465701	28
351	Mechanisms of near-surface structural evolution in nanocrystalline materials during sliding contact. 2017 , 1,	6
350	Tetragonal fcc-Fe induced by ϵ -carbide precipitates: Atomic scale insights from correlative electron microscopy, atom probe tomography, and density functional theory. 2018 , 2,	13
349	Competition between shear localization and tensile detwinning in twinned nanowires. 2020 , 4,	2
348	A New Elastic Theory of Nanocomposites With Incoherent Interface Effect Based on Interface Energy Density. 2020 , 87,	1
347	On the Cutting of Metals: A Mechanics Viewpoint. 2020 , 142,	10
346	Influence of Strain Rate on Mechanical Behaviours of Gradient-Structured Copper. 2020 , 61, 708-717	3
345	Strength and plasticity of nanocrystalline materials and nanosized crystals. 2011 , 181, 1129	5

344	High-melting point compounds: new approaches and new results. 2017 , 187, 296-310	4
343	METALLIC MATERIALS WITH NANO--SCALE TWINS. 2011 , 46, 1422-1427	10
342	High pressure synthesis of nanotwinned ultrahard materials. 2017 , 66, 036201	9
341	Deformation Mechanisms of FCC-Structured Metallic Nanocrystal with Incoherent Twin Boundary. 2021 , 11, 1672	1
340	Nanoprecipitate-Strengthened High-Entropy Alloys. 2021 , 8, e2100870	8
339	Ultrastrong tough zirconia ceramics by defects-engineering.	2
338	Fabrication of Ultra-Fine-Grained W-TiC Alloys by a Simple Ball-Milling and Hydrogen Reduction Method. 2021 , 14,	0
337	Six new transformation pathways connecting simple crystal structures and common intermetallic crystal structures. 2021 , 221, 117429	1
336	Effect of twin and grain size strengthening on tensile properties of a multi-directionally impact forged Mg ₉₂ Zn ₈ alloy. 2021 , 15, 4502-4515	2
335	Strengthening mechanism of Ni-modified graphene nanosheets reinforced SnAgCuRE composite solder/Cu joints. 2021 , 32, 28695	
334	Grain boundary velocity and curvature are not correlated in Ni polycrystals. <i>Science</i> , 2021 , 374, 189-193	33.3 13
333	Degradation mechanisms of perovskite solar cells under vacuum and one atmosphere of nitrogen. 2021 , 6, 977-986	17
332	Deformation-Induced Large Ductility of Super Saturated Solid Solution Fe-Cu Alloy. 2011 , 02, 1627-1630	
331	Mapping the Local Structure of Nanowires. 2013 , 50, 391-409	
330	Multi-Objective Optimization of Microstructure in Wrought Magnesium Alloys. 129-134	
329	Influence Factors for Brittle-to-Ductile Transition in Twinned Copper. 487-494	
328	Influence Factors for Brittle-to-Ductile Transition in Twinned Copper. 2014 , 487-494	
327	Damage Behaviors at Twin and Grain Boundary in Alloy 690 Material in Very High Cycle Fatigue Regime. 2015 , 991-998	

- 326 Concurrent interface shearing and dislocation core change on the glide dislocation-interface interactions: a phase field approach. **2015**, 2, 260-278
- 325 Influences of Thermomechanical Processing on the Microstructure and Mechanical Properties of a HSLA Steel. **2016**, 61-68
- 324 Encyclopedia of Nanotechnology. **2016**, 2704-2712
- 323 Enhancing the High-Cycle Fatigue Property of 316 Austenitic Stainless Steels Through Introduction of Mechanical Twins by Cold-Drawing. **2017**, 305-313
- 322 Effect of treatment time on mechanical properties of pure copper processed by surface mechanical attrition treatment at cryogenic temperature. **2019**, 9, 534-540 ○
- 321 Correlation between electrical resistivity and strength of copper alloy and material classification. **2019**, 68, 016101 ○
- 320 Comparative Study of Cyclic Softening Modelling and Proposition of a Modification to MARQUIS Approach. **2019**, 129-170
- 319 Structural-Phase State of Surface Layers of Cu₃₉Zn₁Pb Brass After High-Frequency Impact Treatment in Liquid Nitrogen. **2019**, 41, 1611-1629 3
- 318 Modification of Surface Layers of Cu₃₉Zn₁Pb Brass at High-Frequency Impact Deformation in the Air and Argon Inert Environments. **2020**, 42, 381-400 3
- 317 Peculiarities of Structural-Phase State of Surface Layers of Cu₃₉Zn₁Pb Brass after High-Frequency Impact Treatment in Different Environments. **2020**, 42, 781-796
- 316 A taxonomy of grain boundary migration mechanisms via displacement texture characterization. **2021**, 222, 117425 ○
- 315 Artifact-free bulk nanocrystalline Al-Li alloys with multiple deformation mechanisms and improved tensile properties. **2020**, 25, 101607 ○
- 314 Stainless Steels. **2021**, 459-566
- 313 Martensitic transformation within nanotwins enhances fatigue damage resistance of a nanotwinned austenitic stainless steel. **2022**, 207, 114313 1
- 312 Evolution of annealing twins in Inconel 625 alloy during tensile loading. **2022**, 831, 142188 3
- 311 Influence of twin boundaries and sample dimensions on the mechanical behavior of Ag nanowires. **2022**, 829, 142150 ○
- 310 Growth twinning and morphology of Al₄₅Cr₇ and Al₁₃Fe₄. **2022**, 893, 162318 ○
- 309 Microstructure and Defect Study in Thin Film Heterostructure Materials. **2020**, 10, 109-116

- 308 Atomistic observation of in situ fractured surfaces at a V-doped WC-Co interface. **2021**, 110, 103-103 0
- 307 Effect of Annealing Temperature and Strain Rate on Mechanical Property of a Selective Laser Melted 316L Stainless Steel. 1 0
- 306 Dislocation transmission across $\Sigma\{112\}$ incoherent twin boundary: a combined atomistic and phase-field study. **2021**, 223, 117447 2
- 305 In Situ Atomic-scale Observation of Thermal-induced Detwinning in Face-centered Cubic Metals. **2020**, 26, 2036-2037
- 304 Nanostructural characteristics-mediated plastic behavior of Cu/Ag polycrystalline multilayered materials. **2021**, 96, 015701 1
- 303 Influence of load orientations with respect to twin boundaries on the deformation behaviors of high-entropy alloy nanocrystals. 1-12
- 302 Atomic Scale Kinetics of TSV Protrusion. **2021**, 131-155
- 301 Extraordinary fracture toughness in nickel induced by heterogeneous grain structure. **2022**, 830, 142313 0
- 300 Spark plasma sintering of WC-VC0.5 composites with exceptional mechanical properties and high-temperature performance. **2022**, 831, 142360 0
- 299 Tuning the strength-ductility synergy of nanograined Cu through nanotwin volume fraction. **2022**, 203, 111073 0
- 298 Strengthening Superhard Materials by Nanostructure Engineering. **2021**, 43, 307-329 0
- 297 Recent Progress in Understanding the Nano/Micro-Mechanical Behavior of Austenite in Advanced High Strength Steels. **2021**, 11, 1927
- 296 Effects of Twin Boundary on Tensile Properties and Deformation Mechanism of NiCo Alloy Nanopillars. 2100458
- 295 Outstanding Energy Storage Performance in High-Hardness (Bi0.5K0.5)TiO3-Based Lead-Free Relaxors via Multi-Scale Synergistic Design. 2110478 12
- 294 The microstructure and corrosion resistance of SiC reinforced magnesium matrix composites with laminated gradient structure.
- 293 Ultrafine-Grained Materials. **2022**, 597-616 0
- 292 Twinning-assisted dynamic adjustment of grain boundary mobility. **2021**, 12, 6695 2
- 291 Ternary relation among stacking fault energy, grain size and twin nucleation size in nanocrystalline and ultrafine grained CuAl alloys. **2021**, 896, 162953

290	Effects of orientation and twin boundary spacing on the mechanical behaviour of β TiAl alloy. 1-16	0
289	Superior strength-ductility combination achieved via double heterogeneities of microstructure and composition: An example of medium manganese steel. 2021 , 834, 142443	
288	Achieving High-Performance Ge Bi Te Thermoelectrics via LaB -Alloying-Induced Band Engineering and Multi-Scale Structure Manipulation. 2021 , e2105923	2
287	Machine Learning and Data Analytics for Design and Manufacturing of High-Entropy Materials Exhibiting Mechanical or Fatigue Properties of Interest. 2021 , 115-238	2
286	Nanoscale Origin of the Crystalline-to-Amorphous Phase Transformation and Damage Tolerance of Cantor Alloys at Cryogenic Temperatures.	
285	Effect of pre-strain on hydrogen embrittlement of high manganese steel. 2022 , 834, 142596	0
284	Evading the strength-ductility trade-off at room temperature and achieving ultrahigh plasticity at 800? in a TiAl alloy. 2022 , 225, 117585	4
283	A novel work hardening mechanism of nanoscale materials by grain boundary transformation. 2022 , 224, 117536	1
282	The effects of atomic arrangements on mechanical properties of 2H, 3C, 4H and 6H-SiC. 2022 , 203, 111114	2
281	Tuning the ceria interfaces inside the dual phase oxygen transport membranes. 2022 , 226, 117603	2
280	Twinning-related enhancement in strength and ductility of Cu-37Zn alloy by the cryogenic ultrasonic impact treatment supplemented with ECAP. 2022 , 310, 131512	0
279	Simultaneous enhancement of strength and ductility in selective laser melting manufactured 316L alloy by employing Y2O3 coated spherical powder as precursor. 2022 , 899, 163262	5
278	High-temperature oxidation behaviour of nanostructure surface layered austenitic stainless steel. 2022 , 581, 152437	0
277	Unravelling the lamellar size-dependent fracture behavior of fully lamellar intermetallic β TiAl. 2022 , 227, 117698	2
276	Effect of Deformation Mechanisms on the Strength-Ductility Trade-Off of Cu and CuAl Alloy.	
275	Strong, Ductile, and Tough Nanocrystal-Assembled Freestanding Gold Nanosheets.. 2022 ,	3
274	Mechanical and Conductive Properties of Cu Matrix Composites Reinforced by Oriented Carbon Nanotubes with Different Coatings.. 2022 , 12,	2
273	Effects of loading rate and peak load on nanoindentation creep behavior of DD407Ni-base single crystal superalloy. 2022 , 32, 206-216	1

272	Nanotwin orientation on history-dependent stress decay in Cu nanopillar under constant strain.. 2021 ,	0
271	Deformation induced nanoscale twinning improves strength and ductility in additively manufactured titanium alloys. 2022 , 833, 142568	1
270	Mechanical properties and microstructure evolution of aluminum alloy tubes with normal gradient grains under biaxial stress. 2022 , 119, 4803	
269	A comparative study of additive manufactured and wrought SS316L: Pre-existing dislocations and grain boundary characteristics. 2022 , 833, 142546	1
268	Mechanical Properties and Deformation Mechanisms of Heterostructured High-Entropy and Medium-Entropy Alloys: A Review. 2022 , 8,	2
267	Dislocation re-emission induced staged work hardening in graphene-nanotwin reinforced Cu: A molecular dynamics simulation study. 146442072110681	0
266	Delay of inverse Hall-Petch relationship of nanocrystalline Cu by modifying grain boundaries with coherent twins. 2022 , 105,	1
265	Nanoscale origin of the crystalline-to-amorphous phase transformation and damage tolerance of Cantor alloys at cryogenic temperatures. 2022 , 226, 117639	3
264	Microstructural modulation of TiAl alloys for controlling ultra-precision machinability. 2022 , 174, 103851	1
263	Circumventing the strength-ductility trade-off of β -type titanium alloys by defect engineering during laser powder bed fusion. 2022 , 51, 102640	1
262	Synergistically enhanced interface stability by graphene assisted copper surface reconstruction. 2022 , 226, 117638	1
261	Preparation of CuCrZr alloy by selective laser melting: Role of scanning parameters on densification, microstructure and mechanical properties. 2022 , 836, 142740	3
260	Dislocation pile-up polarization model for mechanical properties of polycrystalline metals based on grain boundary resistance variability. 2022 , 160, 104793	0
259	Chemical composition dependence of the strength and ductility enhancement by solute hydrogen in FeCrNi-based austenitic alloys. 2022 , 836, 142681	2
258	Effect of deformation mechanisms on the strength-ductility trade-off of Cu and CuAl alloy. 2022 , 212, 114559	1
257	Plastic deformation induced formation of supersaturated solid solution nanostructure in a dual-phase Cu-Ag alloy. 2022 , 903, 163903	0
256	Impact of precipitated phases on the microstructure and mechanical properties of eutectic Sn58Bi alloy. 2022 , 903, 163882	1
255	A novel Co-free Al _{0.75} CrFeNi eutectic high entropy alloy with superior mechanical properties. 2022 , 902, 163814	4

254	Processing and mechanical properties of B4C-SiCw ceramics densified by spark plasma sintering. 2022 , 42, 2004-2014	0
253	Ultrahard BCC-AlCoCrFeNi bulk nanocrystalline high-entropy alloy formed by nanoscale diffusion-induced phase transition. 2022 , 115, 29-39	2
252	Excellent combination of strength and ductility in CoNiCr-based MP159 alloys at cryogenic temperature. 2022 , 164144	1
251	Excellent high-temperature strength and ductility of the ZrC nanoparticles dispersed molybdenum. 2022 , 117725	0
250	Nanotwinned medium entropy alloy CoCrFeNi thin films with ultra-high hardness: Modifying residual stress without scarifying hardness through tuning substrate bias. 2022 , 434, 128191	1
249	Effects of cold-rolling and subsequent annealing on the nano-mechanical and creep behaviors of CrCoNi medium-entropy alloy. 2022 , 142802	0
248	Achieving Superior High-Temperature Strength and Oxidation Resistance of TiAl Nanocomposite through In Situ Semicoherent MAX Phase Precipitation.. 2022 ,	1
247	The mechanisms of γ (fcc) \rightarrow ϵ (hcp) \rightarrow δ (bcc) and direct γ (fcc) \rightarrow δ (bcc) martensitic transformation in a gradient austenitic stainless steel. 2022 , 57, 5230	0
246	Tailoring of interface microstructure and bonding property in 1Cr17 / 8Cr13MoV / 1Cr17 stainless steel clad plate with Ni interlayer. 2022 , 838, 142778	
245	An investigation on the microstructure and mechanical properties of Al _{0.3} CoCrFeNi high entropy alloy with a heterogeneous microstructure. 2022 , 838, 142759	0
244	Simultaneous High-Strength and Deformable Nanolaminates With Thick Biphasic Interfaces.. 2022 ,	0
243	Obtaining Ultrastrong and Ductile Steel with Hierarchical Lamellar Duplex Phase Microstructure by Two-Stage Martensitic Transformation Mechanism. 2022 , 53, 1613-1629	
242	Effect of Twin Boundary Density on Mechanical Behavior of Al _{0.1} CoCrFeNi High-Entropy Alloy by Molecular Dynamics Simulation. 2022 , 9,	
241	In-situ observation of twinning and detwinning in AZ31 alloy. 2022 ,	1
240	Biomaterialized Materials as Model Systems for Structural Composites: Intracrystalline Structural Features and Their Strengthening and Toughening Mechanisms.. 2022 , e2103524	2
239	Effect of Microstructures on the Tribological Performance of Medium Carbon Steel. 2022 , 12, 546	
238	Homogeneously introducing more and thinner nanotwins by engineering annealing twin boundaries: A TWIP steel as an example. 2022 , 840, 142908	0
237	Nanotwin-induced ductile mechanism in thermoelectric semiconductor PbTe. 2022 ,	2

236	Effect of Electroplating Current Density on Tensile Properties of Nanotwinned Copper Foils. 2022 , 169, 042503	0
235	Anisotropic toughening of nanotwin bundles in the heterogeneous nanostructured Cu. 2022 , 228, 117748	1
234	Martensitic twinning transformation mechanism in a metastable IVB element-based body-centered cubic high-entropy alloy with high strength and high work hardening rate. 2022 ,	0
233	Formation of the orientation relationship-dependent interfacial carbide in Al matrix composite affected by architected carbon nanotube. 2022 , 228, 117758	1
232	A novel crack-free Ti-modified Mo alloy designed for laser powder bed fusion. 2022 , 164802	0
231	High strength and ductility in a heterostructured nanotwinned Ni film. 2022 , 213, 114594	0
230	Nanotwin assisted reversible formation of low angle grain boundary upon reciprocating shear load. 2022 , 230, 117850	0
229	Combining synergetic effects of gradient nanotwins and nanoprecipitates in heterogeneous bronze alloy. 2022 , 229, 117831	0
228	The self-healing of Kirkendall voids on the interface between Sn and (1 1 1) oriented nanotwinned Cu under thermal aging. 2022 , 588, 152900	0
227	Enhancement of mechanical properties of InSb through twin boundary engineering. 2022 , 215, 114734	1
226	Microstructure evolution and strengthening mechanisms of MP159 superalloy during room temperature rolling and cryorolling. 2022 , 908, 164667	1
225	Twin evolution in cast Mg-Gd-Y alloys and its dependence on aging heat treatment. 2021 ,	0
224	Heterogeneous structure-induced strength and ductility synergy of β brass subjected to rapid cooling friction stir welding. 2021 , 31, 3785-3799	3
223	Randomly-Oriented and (111) Uni-directionally-Oriented Nanotwin Copper. 2021 , 61-90	
222	Coherent-interface-induced second hardening deformation of Al-Mg-Al nanolayers by molecular dynamics simulations.. 2022 ,	0
221	Deformation twinning in octahedron-based face-centered cubic metallic structures: localized shear-force dipoles drive atomic displacements. 2022 ,	1
220	Investigation on the effect of the thermo-mechanical processing of additively manufactured CoCrFeNiAl 0.4 high-entropy alloy.	2
219	Synergetic strengthening of coherent and incoherent interface on a mixed-phase high-entropy alloy revealed by micro-pillar compression. 2022 ,	0

218	In-situ observation of deformation twin associated sub-grain boundary formation in copper single crystal under bending. 2022 , 10, 488-495	1
217	Deformation-activated recrystallization twin: New twinning path in pure aluminum enabled by cryogenic and rapid compression.. 2022 , 25, 104248	
216	Systematic investigations on the coating degradation mechanism during the steam oxidation of Cr-coated Zry-4 at 1200°C. 2022 , 202, 110310	0
215	Developing a Novel High-Strength Al-Mg-Zn-Si Alloy for Laser Powder Bed Fusion.	
214	Dynamic mechanisms of strengthening and softening of coherent twin boundary via dislocation pile-up and cross-slip. 2022 , 10, 539-546	2
213	A review on the science of plastic deformation in laser-based additively manufactured steel.	1
212	Scaling Effects on Microstructure of Cu and Co Nanointerconnects. 2022 , 203-250	
211	Roles of Mn content and nanovoid defects in the plastic deformation mechanism of FeMn twin crystals from molecular dynamics simulations.	1
210	Effect of thermomechanical processing on microstructure characteristics of TiAl-based alloy. 1-10	
209	High strength and ductility in a novel Ni-based superalloy with γ and nanotwins / stacking faults architectures. 2022 , 143293	0
208	Bioinspired Construction of Micronano Lignocellulose into an Impact Resistance "Wooden Armor" With Bouligand Structure.. 2022 ,	1
207	Dynamic compressive properties and microstructural evolution of Al _{1.19} Co ₂ CrFeNi _{1.81} eutectic high entropy alloy at room and cryogenic temperatures. 2022 , 110724	0
206	Role of thermally-stable deformation twins on the high-temperature mechanical response of an austenitic stainless steel. 2022 , 845, 143199	1
205	Enhancing the hardness and damage-tolerance of CoCrNiAlTi coatings through dual-phase and nanotwinned structures. 2022 , 440, 128479	
204	Effects of various second phase ratios and contents on microstructure and mechanical properties of eutectic Sn58Bi alloy. 2022 , 218, 110698	1
203	High-strength titanium alloys for aerospace engineering applications: A review on melting-forging process. 2022 , 845, 143260	5
202	The B2 phase-driven microstructural heterogeneities and twinning enable ultrahigh cryogenic strength and large ductility in NiCoCr-based medium-entropy alloy. 2022 , 233, 117981	2
201	Towards ultrastrong and ductile medium-entropy alloy through dual-phase ultrafine-grained architecture. 2022 , 126, 228-236	0

200	Enhancing yield stress and uniform elongation in an ultrathin packaging steel via controlling dislocation density. 2022 , 155, 103334	0
199	Using Severe Plastic Deformation to Produce Nanostructured Materials with Superior Properties. 2022 , 52,	3
198	Interstitial carbon content effect on the microstructure and mechanical properties of additively manufactured NiCoCr medium-entropy alloy. 2022 , 165601	0
197	Deformation faulting and dislocation-cell refinement in a selective laser melted 316L stainless steel. 2022 , 103346	0
196	Hierarchical twinning governed by defective twin boundary in metallic materials. 2022 , 8,	2
195	Suppression of twin formation by bimodal-sized particles and brittle grain boundary fracture in selective laser melted Inconel 625. 2022 , 847, 143315	
194	On the micromechanics of voids in nanotwinned materials. 2022 , 165, 104887	1
193	Achieving Strength-Ductility Synergy in Nanotwinned Femsic Twip Steels Prepared by Cryogenic Deformation at the Optimum Temperature.	
192	Distribution of Dislocation-Twin Interaction in Twip Steel Under Different Loading Modes.	
191	Heterogeneous Diamond-cBN Composites with Superb Toughness and Hardness.	0
190	Giant energy-storage density with ultrahigh efficiency in lead-free relaxors via high-entropy design. 2022 , 13,	19
189	Review of recent progress on in situ TEM shear deformation: a retrospective and perspective view.	0
188	Effects of heat treatments on microstructure and mechanical properties of laser melting multi-layer materials. 2022 , 143380	0
187	Allotropy in ultra high strength materials. 2022 , 13,	
186	Defect Character Distribution Regulation of Alloy Foil Anode for High Volumetric Energy Density Lithium Ion Battery. 2022 , 118113	0
185	Manipulating the microstructure of Cu from direct current electrodeposition without additives to overcome the strength-ductility trade-off. 2022 , 143499	0
184	Effect of scanning strategy on the anisotropy in microstructure and properties of Cu-Cr-Zr alloy manufactured by laser powder bed fusion. 2022 , 165957	0
183	Mechanical properties of unidirectional nanoporous gold under compression. 2022 , 235, 118078	1

- 182 Distribution of dislocation-twin interaction in TWIP steel under different loading modes. **2022**, 32, 103820 ○
- 181 Dislocation induced FCC twinning at the HCP/FCC interfaces in a deformed Ti-5at.%Al alloy: Experiments and simulations. **2022**, 169, 110835 1
- 180 Temperature Effects on the Deformation Mechanisms in a Ni-Co Based Ni-Co Based Superalloys.
- 179 Tunable Band Gap of Diamond Twin Boundaries by Strain Engineering.
- 178 Constitutive modeling of mechanical behaviors in gradient nanostructured alloys with hierarchical dual-phased microstructures. ○
- 177 High Entropy Alloy Strengthening Modelling.
- 176 Precipitation and heterogeneous strengthened CoCrNi-based medium entropy alloy with excellent strength-ductility combination from room to cryogenic temperatures.
- 175 Effect of hot compression on the microstructure evolution of aluminium bronze alloy. **2022**, 19, 3760-3776 ○
- 174 Investigation of on-site repair of 18Ni300 by underwater laser direct metal deposition technique. **2022**, 80, 909-919 1
- 173 Enhancement in fatigue property of Ti-6Al-4V alloy remanufactured by combined laser cladding and laser shock peening processes. **2022**, 444, 128671 ○
- 172 Intrinsic stacking fault energy and mechanism for deformation twin formation of solid solution matrix in Ni-based superalloys. **2022**, 203, 111322 ○
- 171 Effects of Zn addition on microstructure and tensile properties of Mg-Y-Co alloy. **2022**, ○
- 170 Developing a novel high-strength AlMgZnBi alloy for laser powder bed fusion. **2022**, 143636 2
- 169 Effect of Mn content and strain rate on mechanical properties of high-C high-Mn austenitic steel. **2022**, 851, 143653 ○
- 168 In situ study on radiation response of a nanotwinned steel. **2022**, 220, 114920 ○
- 167 Medium Mn Dual-Phase Nanotwinned Steel. **2022**, 53, 3456-3464
- 166 Nanocrystalline (AlTiVCr)N Multi-Component Nitride Thin Films with Superior Mechanical Performance. **2022**, 12, 2722
- 165 Microstructure and Formation Mechanisms of Nanotwins in the Shear Band in a FeCoNiCrMo0.2 High-entropy Alloy. **2022**, ○

- 164 Severe embrittlement of copper pillar bumps electrodeposited using JGB as leveler. **2022**, 33, 19026-19035 ○
- 163 The Competition Between Deformation Twinning and Dislocation Slip in Deformed Face-Centered Cubic Metals. 1
- 162 High-strength AlCoCrFeNi_{2.1} eutectic high entropy alloy with ultrafine lamella structure via additive manufacturing. **2022**, 854, 143816 2
- 161 Multiple strengthening mechanisms induced by nanotwins and stacking faults in CoNiCr-superalloy MP159. **2022**, 853, 143793 1
- 160 Influence of solution temperature on microstructure and creep behaviors of a NiTiCo base superalloy for turbine disc. **2022**, 853, 143741 1
- 159 Grain boundary extraction method based on pixel relationship. **2022**, 202, 111796
- 158 Alleviating the strength-ductility trade-off dilemma in high manganese steels after hydrogen charging by adjusting the gradient distribution of twins. **2022**, 207, 110579
- 157 An atomistic study of the thermal and anti-thermal behavior of incoherent twin step migration under an elastic energy driving force. **2022**, 214, 111748
- 156 Mechanically robust high magnetic-performance Sm-Co sintered magnets through microstructure engineering. **2022**, 926, 166869 ○
- 155 Effect of cell wall on hydrogen response in CoCrFeMnNi high-entropy alloy additively manufactured by selective laser melting. **2022**, 925, 166735 1
- 154 Effects of twin orientation and twin boundary spacing on the plastic deformation behaviors in Ni nanowires. **2023**, 135, 231-240 1
- 153 Ultrastrong and ductile (CoCrNi)₉₄Ti₃Al₃ medium-entropy alloys via introducing multi-scale heterogeneous structures. **2023**, 135, 241-249
- 152 Atomistic simulations of the enhanced creep resistance and underlying mechanisms of nanograined-nanotwinned copper. **2022**, 855, 143912 ○
- 151 Tunable band gap of diamond twin boundaries by strain engineering. **2022**, 200, 483-490 ○
- 150 Towards enhanced strength-ductility in pure copper by fabricating hetero grain composite laminates. **2022**, 928, 167192 ○
- 149 Micro/nanostructure high strength and high conductivity CuCrZr alloy prepared through equal channel angular pressing and aging treatment. **2022**, 33, 104381 ○
- 148 Ultra-high strength ZrTiAl alloy fabricated by laser metal deposition and subsequent heat treatment. **2022**, 928, 167144 ○
- 147 Laser powder bed fusion of nano-TiB₂ reinforced FeCoNiCr high-entropy alloy with enhanced strength and firm corrosion resistance. **2022**, 927, 167110 ○

146	A review on the fatigue cracking of twin boundaries: Crystallographic orientation and stacking fault energy. 2023 , 131, 101011	2
145	Regulating microstructure of Al matrix composites with nanocarbon architecture design towards prominent strength-ductility combination. 2023 , 222, 115037	1
144	Excellent energy storage and mechanical performance in hetero-structure BaTiO ₃ -based relaxors. 2023 , 452, 139222	1
143	Heterostructured materials. 2023 , 131, 101019	6
142	Mechanical Behavior of Bulk Nanostructured and Heterostructured Metals. 2022 ,	0
141	Quantitative Characterization of Mechanical Twins Based on New Digital Image Processing Method.	0
140	Interfacial Mechanics: From Advanced 2D to 3D Crystalline Materials. 2022 ,	0
139	Heterogeneous segregation behavior of Nb at the stepped migrating interface during phase transformation. 2023 , 222, 115038	0
138	In-Situ Fabrication, Microstructure and Mechanical Performance of Nano Iron-Rich Precipitate Reinforced Cu and Cu Alloys. 2022 , 12, 1453	0
137	Ultrastrong nanotwinned titanium alloys through additive manufacturing.	1
136	Fracture at the two-dimensional limit.	0
135	Nanostructured Metals with an Excellent Synergy of Strength and Ductility: A Review. 2022 , 15, 6617	1
134	Advances of machining techniques for gradient structures in multi-principal-element alloys.	0
133	Microstructure and enhanced mechanical properties of Mg-3Sn alloy with Mn addition. 2022 , 9, 096514	0
132	Phase engineering of metal nanocatalysts for electrochemical CO ₂ reduction. 2022 ,	1
131	In-Situ Observation of Fracture along Twin Boundary in Boron Carbide. 2204375	0
130	Microstructural evolution and superelastic properties of ultrafine-grained NiTi-based shape memory alloy via sintering of amorphous ribbon precursor. 2022 ,	0
129	Fracture and toughening mechanisms in nanotwinned and nanolayered materials.	0

- 128 Microstructural and Mechanical Characteristics of Pure-Cu/brass Dissimilar Joints Welded by Friction Stir Welding Using Various Process Parameters. **2022**, 2022, 1-10 ○
- 127 Strain-induced strengthening in superconducting EMo₂C through high pressure and high temperature. **2022**, ○
- 126 Modeling of extra strengthening in gradient nanotwinned metals based on molecular dynamics. 9, ○
- 125 Significantly lowered coefficient of friction in copper alloy with a gradient nanograined-nanotwinned surface layer. **2022**, 204517 1
- 124 Tailoring small-scale plasticity of nanotwinned-copper micropillars via microstructures. **2022**, 132, 135102 ○
- 123 Nano-fiber-structured Cantor alloy films prepared by sputtering. **2022**, ○
- 122 Achieving ultrahigh strength in binary Al-10Mg alloy through heavy cryogenic rolling. **2022**, 929, 166931 ○
- 121 Temperature Effects on the Deformation Mechanisms in a Ni-Co-Based Superalloys. **2022**, 12, 1409 ○
- 120 Enhanced mechanical properties of CrN coatings by plasma immersion ion implantation and deposition. **2022**, ○
- 119 Sintering and mechanical properties of carbon bulks from ordered mesoporous carbon and nano diamond. ○
- 118 Surface Roughness-induced Plasticity (SRIP) in a Biodegradable Zn Alloy. 2207570 ○
- 117 Electrodeposition of Nano-Twinned Cu and their Applications in Electronics. ○
- 116 Twin-boundary-spacing-dependent Strength in Gradient Nano-grained Copper. **2022**, 104836 1
- 115 High-ductility aluminium alloys including small sub-grains with wide low angle boundary. **2022**, 167868 1
- 114 Chemical bond formed between electrodeposits and substrate at room temperature with a novel in situ electrochemical treatment. **2022**, 33, 104728 ○
- 113 Grain boundary relaxation induced ultrastrong-and-ductile bulk pure Ni. **2022**, 29, 101653 ○
- 112 Rational design and multi-stage formation mechanisms of FeCrNiAl medium-entropy alloy strengthened by multi-scaled dual phases. **2022**, 194, 112430 ○
- 111 Shear-band blunting governs superior mechanical properties of shape memory metallic glass composites. **2022**, 241, 118422 ○

110	Critical length scales for chemical heterogeneity at Cu/Nb 3D interfaces by atom probe tomography. 2023 , 223, 115078	0
109	Refinement of Al-containing particles and improvement in performance of W-Al-Y2O3 alloy fabricated by a two-step sintering process. 2023 , 110, 106028	1
108	Effect of Hf and Ta on the tensile properties of PM Ni-based superalloys. 2023 , 932, 167653	0
107	High-Entropy Nanomaterials for Electrochemical Energy Conversion and Storage. 1,	0
106	Solid-solution and precipitation softening effects in defect-free faceted Nickel-Iron nanoparticles. 2022 , 118527	1
105	Strain-Rate Effects and Dynamic Behavior of High Entropy Alloys. 2022 ,	1
104	Effect of Annealing Temperature on Microstructure and Properties of a Heavy Warm Rolled Nickel Aluminum Bronze Alloy.	0
103	Quantitative characterization of mechanical twins based on new digital image processing method. 2022 , 112492	0
102	Maximum strength and dislocation patterning in multi-principal element alloys. 2022 , 8,	2
101	Hall-Petch relationship in Ti3Al nano-polycrystalline alloys by molecular dynamics simulation.	0
100	Microstructure and properties of gradient nitrided layer on Ti6Al4V alloys.	0
99	Effect of η phase and microtwins on the microstructural evolution and mechanical properties of a novel NiTi base superalloy. 2022 , 144323	0
98	Determination of β phase transformation kinetics in laser-powder bed fused Ti ₆ Al ₄ Sn ₂ Zr ₂ Mo-0.08Si and Ti ₆ Al ₄ V alloys. 2022 , 860, 144294	0
97	Plastic deformation behavior of Pd-based binary alloys: A first-principles study. 2022 , 33, 104877	0
96	Effects of recast layer on fatigue performance of laser-drilled holes in nickel-base superalloy. 2022 , 117821	0
95	Extreme hardness at high temperature with a lightweight additively manufactured multi-principal element superalloy. 2022 , 29, 101669	0
94	Deformation-induced concurrent formation of η phase and twins in a nanograined aluminum alloy. 2022 , 118540	0
93	On the characteristic of ultrafine/nano precipitates and serration behavior in an Al-doped Fe ₃ Cr ₂ Ni multi-principle-element alloy. 2022 , 144367	0

- 92 Enhanced fatigue endurance limit of Cu through low-angle dislocation boundary. **2022**, 118542 ○
- 91 Enhancement of the strength-toughness balance in a quenched laser-additively-manufactured low alloy mild steel: Effect of grain refinement and nanotwin bundle formation. **2023**, 862, 144488 ○
- 90 Solute synergy induced thermal stability of high-strength nanotwinned Al-Co-Zr alloys. **2023**, 862, 144477 1
- 89 A synergistic two-step optimization design enables high capacitive energy storage in lead-free Sr0.7Bi0.2TiO3-based relaxor ferroelectric ceramics. ○
- 88 Significant improvement in creep resistance of Ti₆₀Al₁₈Nb₁₂Cr-1.5V alloy via introducing high-density nanotwins. **2023**, 862, 144485 ○
- 87 Achieving strength-ductility synergy in nanotwinned steels prepared by cryogenic deformation. **2023**, 195, 112512 ○
- 86 Nanotwinning-induced pseudoplastic deformation in boron carbide under low temperature. **2023**, 242, 107998 ○
- 85 Kinematical barriers enhanced dislocation strengthening mechanisms in cold-worked austenitic steels. **2023**, 226, 115237 1
- 84 Strong size effect on deformation twin-mediated plasticity in body-centered-cubic iron. **2023**, 144, 235-242 ○
- 83 Ceramic composites toughened by vat photopolymerization 3D printing technology. **2023**, 146, 42-48 1
- 82 Rotary bending fatigue behavior of a rare earth addition bearing steel: The effects of a gradient nanostructured surface layer formed by surface mechanical rolling treatment. **2023**, 168, 107425 ○
- 81 Enhanced Mechanical Properties and Thermal Stability of Accumulative Roll-Bonded Cu/Nb Multilayer Composites via Cryorolling. **2023**, 54, 16-22 ○
- 80 A Simple, Low-Cost, and Green Method for Preparing Strong, Tough, and Ductile Poly(lactic acid) Materials with Good Transparency and Heat Resistance. **2022**, 10, 16389-16398 2
- 79 Strength of nano-twinned gradient nano-grained copper: Molecular dynamic simulation. **2022**, 1270, 012069 ○
- 78 Overcoming Strength-Ductility Trade-off by Annealing Induced Lattice Defects Reorganization in a Shock-Loaded CrCoNi-based Medium-Entropy Alloy. ○
- 77 Programming material properties by tuning intermolecular bonding. **2022**, 132, 210703 ○
- 76 Revealing the nano-grained microstructure and mechanical properties of electrochemical boronized AlCoCrFeNi_{2.1} eutectic high entropy alloy. **2022**, 168515 ○
- 75 Theory of transformation-mediated twinning. ○

- 74 Simultaneously improving strength and ductility of NiAl-based composites through two-scale network structures and a core-shell-like structure. **2022**, 861, 144384 ○
- 73 Strengthening layer with nano-twins in titanium alloy induced by laser surface re-melting: Mechanism of high strength and ductility. **2022**, 112632 ○
- 72 Effect of Grain Size on the Plastic Deformation Behaviors of a Fe-18Mn-1.3Al-0.6C Austenitic Steel. **2022**, 15, 8717 ○
- 71 A strategy for enhancing ceramic densification in ultra-low temperature sintering: Shape-tailored nanostructure for crystal synthesis. **2022**, ○
- 70 Synthesis mechanism of NiTi alloy uniting ultrahigh strength with tensile ductility via abrasive-assisted electroforming. **2022**, 861, 144375 ○
- 69 Hydrogen-enhanced deformation twinning in Fe-Cr-Ni-based austenitic steel characterized by in-situ EBSD observation. **2023**, 105433 ○
- 68 Supersaturated W-Cu nanocomposites with outstanding strength-ductility synergy. **2023**, 144578 ○
- 67 Significant HallPetch effect in micro-nanocrystalline electroplated copper controlled by SPS concentration. **2023**, 13, ○
- 66 Theoretical determination of superior high-temperature thermoelectricity in the n-type doped 2H-ZrI₂ monolayer. ○
- 65 In Situ Study of Twin Boundary Stability in Nanotwinned Copper Pillars under Different Strain Rates. **2023**, 13, 190 1
- 64 Microstructural modeling by anisotropy Cosserat theory for nanotwinned copper. **2023**, 864, 144581 ○
- 63 3D grain growth in nanocrystalline Al via molecular dynamics: Influence of size, topology and integral mean curvature on grain kinetics. **2023**, 219, 112009 ○
- 62 Emergent failure transition of pearlitic steel at extremely high strain rates. **2023**, 219, 112005 ○
- 61 Progress on improving strength-toughness of ultra-high strength martensitic steels for aerospace applications: a review. **2023**, 23, 172-190 ○
- 60 Overcoming strengthductility trade-off of nanocrystalline metals by engineering grain boundary, texture, and gradient microstructure. **2023**, 173, 105200 ○
- 59 Materials design by generalized stability. **2023**, 147, 153-164 ○
- 58 Surface amorphization and nanocrystallization of the gradient-structured copper by explosive impact treatment. **2022**, 12, 1225-1230 ○
- 57 Enhancing Compressive StressStrain of Ti55531 Alloy via La-Rich Nanoscale Structure at Grain Boundaries. ○

- 56 Novel carbonaceous nanomaterial reinforced Ti- and Al-based nanocomposites by laser additive manufacturing. **2023**, 71-105 ○
- 55 Excellent Strengthening of Low-Carbon Steel by Severe Free-End Torsion. ○
- 54 Atomic-scale insight into interaction mechanism between screw dislocation and HCP phase in high-entropy alloy. **2023**, 133, 034302 ○
- 53 Solvent Mediated Nanoscale Quasi-Periodic Chirality Reversal in Self-Assembled Molecular Networks Featuring Mirror Twin Boundaries. 2207209 ○
- 52 The effect of kink-like defects on the twin boundaries of nanotwinned Ta under nanoindentation. **2023**, 618, 156659 ○
- 51 Assessing the thermal stability of laser powder bed fused AlSi10Mg by short-period thermal exposure. **2023**, 18, ○
- 50 Activating Mobile Dislocation in Boron Carbide at Room Temperature via Al Doping. **2023**, 130, ○
- 49 Microstructure evolution and strength-toughness synergy mechanism in as-cast Ti-7Mo-4Al-3Nb-2Cr-2Zr-xTa alloy. **2023**, 112919 ○
- 48 Adjusting microstructure and improving mechanical property of additive manufacturing 316L based on process optimization. **2023**, 870, 144824 ○
- 47 Enhanced strength and ductility in friction stir processed CuMn alloys. **2023**, 24, 2458-2468 ○
- 46 The mechanism of twin thickening and the elastic strain state of TWIP steel nanotwins. **2023**, 873, 145005 ○
- 45 Microstructure evolution and deformation mechanism of coherent L12-strengthened high-entropy alloy during sliding wear. **2023**, 256, 110651 ○
- 44 A sunflower-like eutectic microstructure in the AlCrFeMnNi₂ high-entropy alloy with excellent compressive mechanical properties. **2023**, 339, 134107 ○
- 43 Influence of HCP/BCC interface orientation on the tribological behavior of Zr/Nb multilayer during nanoscratch: A combined experimental and atomistic study. **2023**, 249, 118832 1
- 42 Effect of manganese on mechanical properties and deformation mechanism of CoCrFeNi high entropy alloys. **2023**, 35, 105844 ○
- 41 Dislocation-twin interaction in medium entropy alloy containing a high density of oxygen interstitials. **2023**, 947, 169522 ○
- 40 Twinning-induced dislocation and coordinated deformation behavior of a high-Nb TiAl alloy during high-cycle fatigue. **2023**, 171, 107597 ○
- 39 Effects of transition metal segregation on the thermodynamic stability and strength of Ni Σ 1 [110](113) symmetrical tilt grain boundary. **2023**, 212, 112036 ○

- 38 Nucleation/growth design by thermo-kinetic partition. **2023**, 155, 72-81 ○
- 37 Introduction of nanotwins into nanoprecipitations strengthened CoCrNiMo0.2 alloy to achieve strength and ductility trade-off: A comparative research. **2023**, 156, 172-182 ○
- 36 Multiscale-phase-driven strength-ductility synergy in Fe₃Cr₂CoNiAl_x high entropy alloys. **2023**, 156, 107865 ○
- 35 The ordered nanoporous CrFe alloy with rapid strain hardening ability. **2023**, 24, 1679-1691 ○
- 34 Advancing strength and counteracting embrittlement by displacive transformation in heterogeneous high-entropy alloys containing sigma phase. **2023**, 246, 118717 ○
- 33 Toughening SmCo sintered magnets via microstructure modification with additives. **2023**, 568, 170434 ○
- 32 Enhanced strengthening effect via nano-twinning in cryo-rolled FeCoCrNiMo0.2 high-entropy alloys. **2023**, 866, 144676 ○
- 31 Achievement of grain boundary engineering by transforming residual stress in selective laser-melted Inconel 718 superalloy. **2023**, 866, 144683 ○
- 30 Effect of twins on scratching behavior of nanotwinned diamond: A molecular dynamics simulation. **2023**, 616, 156545 ○
- 29 Twenty years of the CoCrFeNiMn high-entropy alloy: achieving exceptional mechanical properties through microstructure engineering. **2023**, 23, 3362-3423 ○
- 28 Dislocation structures formation induced by thermal stress in additive manufacturing: Multiscale crystal plasticity modeling of dislocation transport. **2023**, 173, 105235 ○
- 27 Strong charge carrier scattering at grain boundaries of PbTe caused by the collapse of metavalent bonding. **2023**, 14, 1 ○
- 26 Strengthening the Mechanical Properties of Inconel 625 Superalloy with Gradient Nanotwinned Structure. ○
- 25 Effect of defect strengthening on the mechanical properties of a novel Cu₁₅Ni₈Sn alloy. **2023**, 868, 144777 ○
- 24 Significance of Melt Pool Structure on the Hydrogen Embrittlement Behavior of a Selective Laser-Melted 316L Austenitic Stainless Steel. **2023**, 16, 1741 ○
- 23 Body-thorough ultrahigh strength and ductility of austenitic 316L stainless steel by industry-applicable 3-axis stress-released impact. **2023**, 870, 144822 ○
- 22 Super Strengthening Nano-Polycrystalline Diamond through Grain Boundary Thinning. 2214696 ○
- 21 Hetero-Boundary-Affected Regions in Heterostructured Materials. **2023**, 75, 1405-1422 ○

- 20 New precision electroforming process for the simultaneous improvement of thickness uniformity and microstructure homogeneity of wafer-scale nanotwinned copper arrays. **2023**, 187, 104006 ○
- 19 High strength and high ductility of a severely deformed high-entropy alloy in the presence of hydrogen. **2023**, 216, 111097 ○
- 18 Laser powder bed fusion (L-PBF) of Ti₆Al₄V/Ti₆Al₂Sn₂Zr₂Mo and Ti₆Al₄V/ETiAl bimetals: Processability, interface and mechanical properties. **2023**, 871, 144907 ○
- 17 Outstanding strength-ductility synergy in Inconel 718 superalloy via laser powder bed fusion and thermomechanical treatment. **2023**, 67, 103491 ○
- 16 Abnormally high work hardening ability and excellent comprehensive properties of copper alloys due to multiple twins and precipitates. **2023**, 228, 111819 ○
- 15 Trifunctional nanoprecipitates ductilize and toughen a strong laminated metastable titanium alloy. **2023**, 14, ○
- 14 Improvement of interfacial interaction and mechanical properties in aluminum matrix composites reinforced with Cu-coated carbon nanotubes. **2023**, 870, 144918 ○
- 13 Chemical Inhomogeneity from the Atomic to the Macroscale in Multi-Principal Element Alloys: A Review of Mechanical Properties and Deformation Mechanisms. **2023**, 13, 594 ○
- 12 Deformation mechanism of L12-type multicomponent intermetallics: The generalized stacking fault energy and chemical bonds. **2023**, 228, 111824 ○
- 11 Advances in Ag₂Se-based thermoelectrics from materials to applications. ○
- 10 Achieving well-balanced mechanical and tribological properties of copper matrix self-lubricating composites by adding pre-metallized B₄C particles with core-shell microstructure. **2023**, ○
- 9 Laser shock peening rounds influencing microstructural and mechanical properties of 300M steel. 1-13 ○
- 8 Texture Engineering Modulating Electromechanical Breakdown in Multilayer Ceramic Capacitors. ○
- 7 Effect of cold working on mechanical properties of pure-304L stainless steel with variable temperature - an experimental study. 1-21 ○
- 6 Hierarchical precipitates facilitate the excellent strength-ductility synergy in a CoCrNi-based medium-entropy alloy. **2023**, 873, 145036 ○
- 5 Resistance to Abrasive Wear with Regards to Mechanical Properties Using Low-Alloy Cast Steels Examined with the Use of a Dry Sand/Rubber Wheel Tester. **2023**, 16, 3052 ○
- 4 Effect of Annealing Process on Interface Behavior of Al/Zn Laminated Composites. **2023**, 13, 748 ○
- 3 Microstructural evolution of a new Ni-Fe-based superalloy deformed by creep. **2023**, 112917 ○

- 2 Enhancing cryogenic yield strength and ductility of the Al_{0.1}CoCrFeNi high-entropy alloy by synergistic effect of nanotwins and dislocations. **2023**, 232, 115495 ○
- 1 Ridge-twin boundaries as prolific dislocation sources in low stacking-fault energy metals and alloys. ○