

Psychotic-Like Experiences in a Community Sample of Continuum Model of Psychosis and Prediction of Schizo

Australian and New Zealand Journal of Psychiatry

43, 118-128

DOI: [10.1080/00048670802607188](https://doi.org/10.1080/00048670802607188)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Neuroanatomical, Neurochemical, and Neurodevelopmental Basis of Obsessive-Compulsive Symptoms in Schizophrenia. <i>Indian Journal of Psychological Medicine</i> , 2009, 31, 3-10. | 0.6 | 15 |
| 2 | The association between early cannabis use and psychotic-like experiences in a community adolescent sample. <i>Schizophrenia Research</i> , 2009, 112, 130-135. | 1.1 | 59 |
| 3 | Psychotic symptoms in the general population – an evolutionary perspective. <i>British Journal of Psychiatry</i> , 2010, 197, 167-169. | 1.7 | 69 |
| 4 | Adoption, family relations and psychotic symptoms among Palauan adolescents who are genetically at risk for developing schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1105-1114. | 1.6 | 11 |
| 5 | Clinical Staging in the Pathophysiology of Psychotic and Affective Disorders: Facilitation of Prognosis and Treatment. <i>Neurotoxicity Research</i> , 2010, 18, 211-228. | 1.3 | 12 |
| 6 | Cluster A Personality Disorders: Schizotypal, Schizoid and Paranoid Personality Disorders in Childhood and Adolescence. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 515-528. | 0.7 | 52 |
| 7 | Antipsychotic treatment of UHR (–prodromal–™) individuals. <i>Microbial Biotechnology</i> , 2010, 4, 197-199. | 0.9 | 16 |
| 8 | Mindfulness-Based Intervention on Distressing Hallucination-Like Experiences in a Nonclinical Sample. <i>Behaviour Change</i> , 2010, 27, 176-183. | 0.6 | 15 |
| 9 | Early intervention in psychosis: keeping faith with evidence-based health care. <i>Psychological Medicine</i> , 2010, 40, 399-404. | 2.7 | 74 |
| 10 | Etiological and Clinical Features of Childhood Psychotic Symptoms. <i>Archives of General Psychiatry</i> , 2010, 67, 328. | 13.8 | 214 |
| 11 | Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. <i>Schizophrenia Research</i> , 2010, 119, 1-10. | 1.1 | 97 |
| 12 | Psychotic-like experiences and correlation with distress and depressive symptoms in a community sample of adolescents and young adults. <i>Schizophrenia Research</i> , 2010, 119, 258-265. | 1.1 | 235 |
| 13 | The psychosis threshold in Ultra High Risk (prodromal) research: Is it valid?. <i>Schizophrenia Research</i> , 2010, 120, 1-6. | 1.1 | 138 |
| 14 | Should a –Risk Syndrome for Psychosis– be included in the DSM-V?. <i>Schizophrenia Research</i> , 2010, 120, 7-15. | 1.1 | 78 |
| 15 | The psychosis risk syndrome and its proposed inclusion in the DSM-V: A risk–benefit analysis. <i>Schizophrenia Research</i> , 2010, 120, 16-22. | 1.1 | 118 |
| 16 | The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2010, 123, 77-85. | 1.1 | 52 |
| 17 | Psychotic symptoms with sexual content in the –ultra high risk– for psychosis population: Frequency and association with sexual trauma. <i>Psychiatry Research</i> , 2010, 177, 84-91. | 1.7 | 57 |
| 18 | Analysis of the multidimensionality of hallucination-like experiences in clinical and nonclinical Spanish samples and their relation to clinical symptoms: Implications for the model of continuity. <i>International Journal of Psychology</i> , 2011, 46, 46-54. | 1.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Diagnostic markers for schizophrenia: do we actually know what we're looking for?. World Psychiatry, 2011, 10, 33-34. | 4.8 | 0 |
| 20 | The relationship between coping and subclinical psychotic experiences in adolescents from the general population – a longitudinal study. Psychological Medicine, 2011, 41, 2535-2546. | 2.7 | 63 |
| 22 | Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. Schizophrenia Research, 2011, 130, 277-281. | 1.1 | 41 |
| 23 | Antibodies to infectious agents and the positive symptom dimension of subclinical psychosis: The TRAILS study. Schizophrenia Research, 2011, 129, 47-51. | 1.1 | 25 |
| 24 | Improving cognitive treatments for delusions. Schizophrenia Research, 2011, 132, 135-139. | 1.1 | 63 |
| 25 | Différencier les expériences psychotiques non pathologiques de prodromes psychotiques schizophréniques. Un enjeu clinique et thérapeutique. Annales Medico-Psychologiques, 2011, 169, 564-569. | 0.2 | 1 |
| 26 | Schizotypal traits and depressive symptoms in nonclinical adolescents. Comprehensive Psychiatry, 2011, 52, 293-300. | 1.5 | 35 |
| 27 | –Theory of Mind™, psychotic-like experiences and psychometric schizotypy in adolescents from the general population. Psychiatry Research, 2011, 186, 225-231. | 1.7 | 44 |
| 28 | Validity of the 12-item General Health Questionnaire (GHQ-12) in detecting depressive and anxiety disorders among high school students. Psychiatry Research, 2011, 187, 291-296. | 1.7 | 77 |
| 29 | Measurement invariance of the Schizotypal Personality Questionnaire-Brief across gender and age. Psychiatry Research, 2011, 190, 309-315. | 1.7 | 49 |
| 30 | Schizotypy, emotional –behavioural problems and personality disorder traits in a non-clinical adolescent population. Psychiatry Research, 2011, 190, 316-321. | 1.7 | 28 |
| 31 | Psychotic-like experiences and depressive symptoms in a community sample of adolescents. European Psychiatry, 2011, 26, 396-401. | 0.1 | 87 |
| 32 | Young people at ultra high risk for psychosis: research from the PACE clinic. Revista Brasileira De Psiquiatria, 2011, 33, s143-s160. | 0.9 | 15 |
| 34 | Young people at ultra high risk for psychosis: a research update. Microbial Biotechnology, 2011, 5, 52-57. | 0.9 | 50 |
| 35 | Differential results between self-report and interview-based ratings of risk symptoms of psychosis. Microbial Biotechnology, 2011, 5, 309-314. | 0.9 | 20 |
| 36 | Symptoms associated with psychosis risk in an adolescent birth cohort: improving questionnaire utility with a multidimensional approach. Microbial Biotechnology, 2011, 5, 343-348. | 0.9 | 8 |
| 37 | The association between family history of mental disorder and delusional –like experiences: A general population study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 478-483. | 1.1 | 15 |
| 38 | The Structure of The Extended Psychosis Phenotype in Early Adolescence –A Cross-sample Replication. Schizophrenia Bulletin, 2011, 37, 850-860. | 2.3 | 168 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 39 | Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011, 41, 2317-2329. | 2.7 | 93 |
| 40 | Cannabis use at a young age is associated with psychotic experiences. <i>Psychological Medicine</i> , 2011, 41, 1301-1310. | 2.7 | 67 |
| 41 | Risk, Disorder and Diagnosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 915-919. | 1.3 | 11 |
| 42 | Basic Self-Disturbance Predicts Psychosis Onset in the Ultra High Risk for Psychosis "Prodromal" Population. <i>Schizophrenia Bulletin</i> , 2012, 38, 1277-1287. | 2.3 | 236 |
| 43 | Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. <i>Clinical Practice (London, England)</i> , 2012, 9, 669-682. | 0.1 | 3 |
| 44 | Psychotic Symptoms in Adolescence Index Risk for Suicidal Behavior. <i>Archives of General Psychiatry</i> , 2012, 69, 1277. | 13.8 | 146 |
| 45 | Facial emotion recognition in adolescents with psychotic-like experiences: a school-based sample from the general population. <i>Psychological Medicine</i> , 2012, 42, 2157-2166. | 2.7 | 22 |
| 46 | Prevalence of psychotic symptoms in childhood and adolescence: a systematic review and meta-analysis of population-based studies. <i>Psychological Medicine</i> , 2012, 42, 1857-1863. | 2.7 | 499 |
| 47 | The Vulnerability to Schizophrenia Mainstream Research Paradigms and Phenomenological Directions. <i>Current Pharmaceutical Design</i> , 2012, 18, 338-345. | 0.9 | 11 |
| 48 | Can We Detect Psychotic-like Experiences in the General Population?. <i>Current Pharmaceutical Design</i> , 2012, 18, 376-385. | 0.9 | 44 |
| 49 | Reliability and Sources of Validity Evidence of the Oviedo Schizotypy Assessment Questionnaire-Abbreviated (ESQUIZO-Q-A). <i>Spanish Journal of Psychology</i> , 2012, 15, 840-849. | 1.1 | 6 |
| 50 | Replication of the five-dimensional structure of positive psychotic experiences in young adulthood. <i>Psychiatry Research</i> , 2012, 197, 353-355. | 1.7 | 29 |
| 51 | Prevalence and clinical features of Thoughtâ€“Perceptionâ€“Sensitivity Symptoms: Results from a community survey of Korean high school students. <i>Psychiatry Research</i> , 2012, 198, 501-508. | 1.7 | 11 |
| 52 | Identification of young people in the early stages of psychosis: Validation of a checklist for use in primary care. <i>Psychiatry Research</i> , 2012, 200, 911-916. | 1.7 | 23 |
| 53 | Identification and Characterization of Prodromal Risk Syndromes in Young Adolescents in the Community: A Population-Based Clinical Interview Study. <i>Schizophrenia Bulletin</i> , 2012, 38, 239-246. | 2.3 | 123 |
| 54 | Prevalence and characteristics of psychotic-like experiences in Kenyan youth. <i>Psychiatry Research</i> , 2012, 196, 235-242. | 1.7 | 42 |
| 55 | Etiopathogenic perspectives on chronic psycho traumatic and chronic psychotic symptoms: The hypothesis of a hyperdopaminergic endophenotype of PTSD. <i>Medical Hypotheses</i> , 2012, 79, 667-672. | 0.8 | 6 |
| 56 | Psychotic experience subtypes, poor mental health status and helpâ€“seeking behaviour in a community sample of young adults. <i>Microbial Biotechnology</i> , 2012, 6, 300-308. | 0.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 57 | Distress, defiance or adaptation? A review paper of atâ€risk mental health states in young offenders. <i>Microbial Biotechnology</i> , 2012, 6, 219-228. | 0.9 | 13 |
| 58 | Classes of Psychotic Experiences in Kenyan Children and Adolescents. <i>Child Psychiatry and Human Development</i> , 2013, 44, 452-459. | 1.1 | 28 |
| 59 | Persisting psychotic-like experiences are associated with both externalising and internalising psychopathology in a longitudinal general population child cohort. <i>Schizophrenia Research</i> , 2013, 144, 99-104. | 1.1 | 77 |
| 60 | The relationship between psychotic symptoms and social functioning in a non-clinical population of 12year olds. <i>Schizophrenia Research</i> , 2013, 150, 404-409. | 1.1 | 22 |
| 61 | Psychometric properties of Peters et al. Delusions Inventory-21 in adolescence. <i>Psychiatry Research</i> , 2013, 207, 189-194. | 1.7 | 9 |
| 62 | Brief screening for psychosis-like experiences. <i>Schizophrenia Research</i> , 2013, 149, 104-107. | 1.1 | 87 |
| 63 | Psychotic-like symptoms and positive schizotypy are associated with mixed and ambiguous handedness in an adolescent community sample. <i>Psychiatry Research</i> , 2013, 206, 188-194. | 1.7 | 20 |
| 64 | Positive symptoms in atâ€risk mental state: the importance of differentiating within the scope. <i>Microbial Biotechnology</i> , 2013, 7, 100-101. | 0.9 | 0 |
| 65 | Cannabis use and vulnerability for psychosis in early adolescenceâ€”a <scp>TRAILS</scp> study. <i>Addiction</i> , 2013, 108, 733-740. | 1.7 | 60 |
| 66 | Long-term Follow-up of a Group at Ultra High Risk (â€œProdromalâ€) for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 793. | 6.0 | 373 |
| 67 | Early Intervention and the Treatment of Prodrome in Schizophrenia. <i>Journal of Psychiatric Practice</i> , 2013, 19, 375-385. | 0.3 | 12 |
| 68 | An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: on the pathway from proneness to persistence to dimensional expression across mental disorders. <i>Psychological Medicine</i> , 2013, 43, 1133-1149. | 2.7 | 929 |
| 69 | Psychotic Symptoms and Population Risk for Suicide Attempt. <i>JAMA Psychiatry</i> , 2013, 70, 940. | 6.0 | 211 |
| 70 | Does specific psychopathology predict development of psychosis in ultra high-risk (UHR) patients?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 380-390. | 1.3 | 22 |
| 71 | Neurocognition in the Extended Psychosis Phenotype: Performance of a Community Sample of Adolescents With Psychotic Symptoms on the MATRICS Neurocognitive Battery. <i>Schizophrenia Bulletin</i> , 2013, 39, 1018-1026. | 2.3 | 86 |
| 72 | Knowledge of psychiatric terms and concepts among Kenyan youth: Analysis of focus group discussions. <i>Transcultural Psychiatry</i> , 2013, 50, 515-531. | 0.9 | 14 |
| 73 | Depressive symptoms are associated with (sub)clinical psychotic symptoms in patients with non-affective psychotic disorder, siblings and healthy controls. <i>Psychological Medicine</i> , 2013, 43, 747-756. | 2.7 | 16 |
| 74 | Dynamic Association Between Interpersonal Functioning and Positive Symptom Dimensions of Psychosis Over Time: A Longitudinal Study of Healthy Adolescents. <i>Schizophrenia Bulletin</i> , 2013, 39, 179-185. | 2.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 75 | The Ultra-High Risk Concept – A Review. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 5-12. | 0.9 | 75 |
| 76 | Working Memory Capacity and Psychotic-Like Experiences in a General Population Sample of Adolescents and Young Adults. <i>Frontiers in Psychiatry</i> , 2013, 4, 161. | 1.3 | 40 |
| 77 | Self-Reported Psychotic-Like Experiences Are a Poor Estimate of Clinician-Rated Attenuated and Frank Delusions and Hallucinations. <i>Psychopathology</i> , 2014, 47, 194-201. | 1.1 | 65 |
| 78 | Declining transition rates to psychosis: The role of diagnostic spectra and symptom overlaps in individuals with attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2014, 159, 292-298. | 1.1 | 43 |
| 79 | Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014, 44, 17-24. | 2.7 | 174 |
| 80 | Integrating oddity traits in a dimensional model for personality pathology precursors.. <i>Journal of Abnormal Psychology</i> , 2014, 123, 598-612. | 2.0 | 25 |
| 81 | Characterization of Psychotic Experiences in Adolescence Using the Specific Psychotic Experiences Questionnaire: Findings From a Study of 5000 16-Year-Old Twins. <i>Schizophrenia Bulletin</i> , 2014, 40, 868-877. | 2.3 | 175 |
| 82 | Treatment Seeking and Unmet Need for Care Among Persons Reporting Psychosis-Like Experiences. <i>Psychiatric Services</i> , 2014, 65, 774-780. | 1.1 | 67 |
| 83 | Dimensions of psychotic experiences among women in the general population. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 62-68. | 1.1 | 15 |
| 85 | Self-reported attenuated psychotic-like experiences in help-seeking adolescents and their association with age, functioning and psychopathology. <i>Schizophrenia Research</i> , 2014, 160, 110-117. | 1.1 | 48 |
| 86 | Cross-cultural invariance of the factor structure of the Schizotypal Personality Questionnaire across Spanish and American college students. <i>Psychiatry Research</i> , 2014, 220, 1071-1076. | 1.7 | 17 |
| 87 | Modelling psychosocial influences on the distress and impairment caused by psychotic-like experiences in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 715-722. | 2.8 | 27 |
| 88 | What drives poor functioning in the at-risk mental state? A systematic review. <i>Schizophrenia Research</i> , 2014, 159, 267-277. | 1.1 | 99 |
| 89 | Comorbid Depressive and Anxiety Disorders in 509 Individuals With an At-Risk Mental State: Impact on Psychopathology and Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 120-131. | 2.3 | 499 |
| 90 | Predicting psychosis in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2014, 158, 1-6. | 1.1 | 30 |
| 91 | The WERCAP Screen and the WERC Stress Screen: psychometrics of self-rated instruments for assessing bipolar and psychotic disorder risk and perceived stress burden. <i>Comprehensive Psychiatry</i> , 2014, 55, 1757-1771. | 1.5 | 25 |
| 92 | Neurocognitive function as a possible marker for remission from clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 153, 48-53. | 1.1 | 31 |
| 93 | Identification and characterization of college students with Attenuated Psychosis Syndrome in China. <i>Psychiatry Research</i> , 2014, 216, 346-350. | 1.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 94 | Psychotic-like experiences and their relationship to suicidal ideation in adolescents. <i>Psychiatry Research</i> , 2014, 215, 641-645. | 1.7 | 33 |
| 95 | Change in cannabis use in the general population: A longitudinal study on the impact on psychotic experiences. <i>Schizophrenia Research</i> , 2014, 157, 266-270. | 1.1 | 27 |
| 96 | White Matter Differences Among Adolescents Reporting Psychotic Experiences. <i>JAMA Psychiatry</i> , 2015, 72, 668. | 6.0 | 54 |
| 97 | First-Rank Symptoms and Premorbid Adjustment in Young Individuals at Increased Risk of Developing Psychosis. <i>Psychopathology</i> , 2015, 48, 120-126. | 1.1 | 20 |
| 98 | Measurement of the psychosis continuum: Modelling the frequency and distress of subclinical psychotic experiences. <i>Psychosis</i> , 2015, 7, 108-118. | 0.4 | 9 |
| 99 | Prevalence of auditory hallucinations in Norwegian adolescents: Results from a population-based study. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 391-396. | 0.8 | 19 |
| 100 | The Community Assessment of Psychic Experiences measures nine clusters of psychosis-like experiences: A validation of the German version of the CAPE. <i>Schizophrenia Research</i> , 2015, 169, 274-279. | 1.1 | 66 |
| 101 | Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. <i>Microbial Biotechnology</i> , 2015, 9, 487-497. | 0.9 | 55 |
| 102 | Which psychotic experiences are associated with a need for clinical care?. <i>European Psychiatry</i> , 2015, 30, 648-654. | 0.1 | 17 |
| 103 | Aberrant Salience, Self-Concept Clarity, and Interview-Rated Psychotic-Like Experiences. <i>Journal of Personality Disorders</i> , 2015, 29, 79-99. | 0.8 | 33 |
| 104 | Psychotic experiences in the population: Association with functioning and mental distress. <i>Schizophrenia Research</i> , 2015, 165, 9-14. | 1.1 | 107 |
| 105 | Psychometric Properties of the Community Assessment of Psychic Experiences: Review and Meta-analyses. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv088. | 2.3 | 82 |
| 106 | Declining transition rates to psychosis: the contribution of potential changes in referral pathways to an ultra-high risk service. <i>Microbial Biotechnology</i> , 2015, 9, 200-206. | 0.9 | 63 |
| 107 | Internal structure of the Community Assessment of Psychic Experiences' Positive (CAPE-P15) scale: Evidence for a general factor. <i>Schizophrenia Research</i> , 2015, 165, 236-242. | 1.1 | 33 |
| 108 | Subtypes of psychotic-like experiences are differentially associated with suicidal ideation, plans and attempts in young adults. <i>Psychiatry Research</i> , 2015, 228, 894-898. | 1.7 | 40 |
| 109 | Outcomes of Nontransitioned Cases in a Sample at Ultra-High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2015, 172, 249-258. | 4.0 | 235 |
| 110 | To Treat or Not to Treat: Responding to Psychotic Experiences. <i>British Journal of Social Work</i> , 2015, 45, 2003-2019. | 0.9 | 24 |
| 111 | The relationship between personality traits and psychotic like experiences in a large non-clinical adolescent sample. <i>Personality and Individual Differences</i> , 2015, 73, 92-97. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 112 | The Reliability and Validity of Liu's Self-Report Questionnaire for Screening Putative Pre-Psychotic States (BQSPS) in Adolescents. PLoS ONE, 2016, 11, e0167982. | 1.1 | 5 |
| 113 | Utility of Washington Early Recognition Center Self-Report Screening Questionnaires in the Assessment of Patients with Schizophrenia and Bipolar Disorder. Frontiers in Psychiatry, 2016, 7, 149. | 1.3 | 14 |
| 114 | Psychotic experiences and their significance. World Psychiatry, 2016, 15, 130-131. | 4.8 | 29 |
| 115 | Psychotic-like experiences in a conflict-affected population: a cross-sectional study in South Sudan. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 971-979. | 1.6 | 11 |
| 116 | Prevalence and correlates of psychotic experiences amongst children of depressed parents. Psychiatry Research, 2016, 243, 81-86. | 1.7 | 3 |
| 117 | Theory of Mind Impairments in Youth at Clinical High Risk of Psychosis. Psychiatry (New York), 2016, 79, 40-55. | 0.3 | 15 |
| 118 | Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. Schizophrenia Research, 2016, 174, 43-49. | 1.1 | 47 |
| 119 | Applicability of the Chinese version of the 16-item Prodromal Questionnaire (CPQ-16) for identifying attenuated psychosis syndrome in a college population. Microbial Biotechnology, 2016, 10, 308-315. | 0.9 | 25 |
| 120 | A systematic review on definitions and assessments of psychotic-like experiences. Microbial Biotechnology, 2016, 10, 3-16. | 0.9 | 78 |
| 121 | Are UHR patients who present with hallucinations alone at lower risk of transition to psychosis?. Psychiatry Research, 2016, 235, 177-196. | 1.7 | 12 |
| 122 | Exposure to conflict and disaster: A national survey on the prevalence of psychotic experiences in Sri Lanka. Schizophrenia Research, 2016, 171, 79-85. | 1.1 | 11 |
| 123 | Confirmatory factor analysis of psychotic-like experiences in a general population sample. Psychiatry Research, 2016, 235, 197-199. | 1.7 | 12 |
| 124 | Variation in psychosocial influences according to the dimensions and content of children's unusual experiences: potential routes for the development of targeted interventions. European Child and Adolescent Psychiatry, 2016, 25, 311-319. | 2.8 | 12 |
| 125 | Interpersonal sensitivity and functioning impairment in youth at ultra-high risk for psychosis. European Child and Adolescent Psychiatry, 2016, 25, 7-16. | 2.8 | 24 |
| 126 | Screening for sub-threshold psychotic experiences and perceived need for psychological services. Microbial Biotechnology, 2017, 11, 139-146. | 0.9 | 11 |
| 127 | Convergent and concurrent validity of the Frankfurt Complaint Questionnaire as a screener for psychosis risk. Journal of Risk Research, 2017, 20, 1480-1496. | 1.4 | 9 |
| 128 | Autism and psychosis expressions diametrically modulate the right temporoparietal junction. Social Neuroscience, 2017, 12, 506-518. | 0.7 | 35 |
| 129 | Paranoia in the general population: A revised version of the General Paranoia Scale for adults. Clinical Psychologist, 2017, 21, 125-134. | 0.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 130 | Borderline personality pathology in young people at ultra high risk of developing a psychotic disorder. <i>Microbial Biotechnology</i> , 2017, 11, 208-214. | 0.9 | 24 |
| 131 | Current CAPE-15: a measure of recent psychotic-like experiences and associated distress. <i>Microbial Biotechnology</i> , 2017, 11, 411-417. | 0.9 | 45 |
| 132 | Dimensional and discrete variations on the psychosis continuum in a Dutch crowd-sourcing population sample. <i>European Psychiatry</i> , 2017, 42, 55-62. | 0.1 | 10 |
| 133 | Persistence of psychosis spectrum symptoms in the Philadelphia Neurodevelopmental Cohort: a prospective two-year follow-up. <i>World Psychiatry</i> , 2017, 16, 62-76. | 4.8 | 97 |
| 134 | Prediction of vocational participation and global role functioning in help-seeking young adults, from neurocognitive, demographic and clinical variables. <i>Journal of Affective Disorders</i> , 2017, 221, 158-164. | 2.0 | 3 |
| 135 | Schizophrenia and Psychosis. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2017, 26, 341-366. | 1.0 | 33 |
| 136 | The association between sleep dysfunction and psychosis-like experiences among college students. <i>Psychiatry Research</i> , 2017, 248, 6-12. | 1.7 | 38 |
| 137 | Psychotic-like experiences in help-seeking adolescents: Dimensional exploration and association with different forms of bullying victimization – A developmental social psychiatry perspective. <i>International Journal of Social Psychiatry</i> , 2017, 63, 752-762. | 1.6 | 16 |
| 138 | Attachment and dissociation as mediators of the link between childhood trauma and psychotic experiences. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 1304-1312. | 1.4 | 51 |
| 139 | Children seeking help for auditory verbal hallucinations; who are they?. <i>Schizophrenia Research</i> , 2017, 183, 31-35. | 1.1 | 27 |
| 140 | Psychosis risk screening: Validation of the youth psychosis at-risk questionnaire – brief in a community-derived sample of adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, . | 1.1 | 11 |
| 141 | Psychotic-Like Experiences at the Healthy End of the Psychosis Continuum. <i>Frontiers in Psychology</i> , 2017, 8, 775. | 1.1 | 44 |
| 142 | On “Hearing” Voices and “Seeing” Things: Probing Hallucination Predisposition in a Portuguese Nonclinical Sample with the Launay-Slade Hallucination Scale-Revised. <i>Frontiers in Psychology</i> , 2017, 8, 1138. | 1.1 | 14 |
| 143 | The Intricate Relationship between Psychotic-Like Experiences and Associated Subclinical Symptoms in Healthy Individuals. <i>Frontiers in Psychology</i> , 2017, 8, 1537. | 1.1 | 21 |
| 144 | The Occurrence of Positive Psychotic Experiences in an Outpatient Clinic in Flanders. <i>Journal of Child and Adolescent Behavior</i> , 2017, 05, . | 0.2 | 1 |
| 145 | Smoking – hot: adolescent smoking and the risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 5-14. | 2.2 | 49 |
| 146 | Adolescent cannabis use, baseline prodromal symptoms and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2018, 212, 227-233. | 1.7 | 72 |
| 147 | Association between sleep, childhood trauma and psychosis-like experiences. <i>Schizophrenia Research</i> , 2018, 199, 333-340. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 148 | Adverse life outcomes associated with adolescent psychotic experiences and depressive symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 497-507. | 1.6 | 56 |
| 149 | Are sleep disturbances causally linked to the presence and severity of psychotic-like, dissociative and hypomanic experiences in non-clinical populations? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 119-131. | 2.9 | 32 |
| 150 | Screening for psychosis risk among adolescents in Child and Adolescent Mental Health Services: a description of the first step with the 16-item version of the Prodromal Questionnaire (PQ-16). <i>Microbial Biotechnology</i> , 2018, 12, 669-676. | 0.9 | 26 |
| 151 | Sleeping Paranoia Away? An Actigraphy and Experience-Sampling Study with Adolescents. <i>Child Psychiatry and Human Development</i> , 2018, 49, 63-72. | 1.1 | 30 |
| 152 | Auditory hallucinations across the lifespan: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 879-888. | 2.7 | 110 |
| 153 | Clinical high risk for psychosis in children and adolescents: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 683-700. | 2.8 | 44 |
| 154 | Affective reactivity to daily life stress: Relationship to positive psychotic and depressive symptoms in a general population sample. <i>Journal of Affective Disorders</i> , 2018, 225, 474-481. | 2.0 | 28 |
| 155 | Fever and infections during pregnancy and psychosis-like experiences in the offspring at age 11. A prospective study within the Danish National Birth Cohort. <i>Psychological Medicine</i> , 2018, 48, 426-436. | 2.7 | 17 |
| 156 | Interpersonal sensitivity and persistent attenuated psychotic symptoms in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 309-318. | 2.8 | 7 |
| 157 | Subtypes of Psychotic-Like Experiences and Their Significance for Mental Health. , 0, , . | | 8 |
| 158 | Prevalence of psychotic-like experiences and associated distress in adolescent community, sexual-trauma and clinical samples. <i>Psychosis</i> , 2018, 10, 251-262. | 0.4 | 4 |
| 159 | Understanding the Blind Spots of Psychosis: A Wittgensteinian and First-Person Approach. <i>Psychopathology</i> , 2018, 51, 276-284. | 1.1 | 11 |
| 160 | Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , 2018, 44, 1185-1194. | 2.3 | 54 |
| 161 | Cannabis Use, Psychotic Like Experiences and Aberrant Salienc in a Sample of Belgian Students. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 493-500. | 0.5 | 13 |
| 162 | Prevalence and correlates of psychotic experiences in a nationally representative sample of Australian adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 768-781. | 1.3 | 21 |
| 163 | Childhood psychotic experiences are associated with poorer global functioning throughout adolescence and into early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 26-34. | 2.2 | 41 |
| 164 | The role of coping in the association between subclinical psychotic experiences and functioning: A within study replication in two independent adolescent samples. <i>Schizophrenia Research</i> , 2018, 201, 91-97. | 1.1 | 11 |
| 165 | The link between self-compassion and psychotic-like experiences: A matter of distress?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 92, 523-538. | 1.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 166 | The specificity of schizotypal scales and some implications for clinical high-risk research. <i>Personality and Individual Differences</i> , 2019, 151, 109450. | 1.6 | 4 |
| 167 | Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. <i>BMC Psychiatry</i> , 2019, 19, 244. | 1.1 | 27 |
| 168 | Comprehensive review on virtual reality for the treatment of violence: implications for youth with schizophrenia. <i>NPJ Schizophrenia</i> , 2019, 5, 11. | 2.0 | 15 |
| 169 | Shame triggers paranoid symptoms in adolescents with elevated psychosis proneness. <i>Psychosis</i> , 2019, 11, 331-341. | 0.4 | 0 |
| 170 | Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. <i>NeuroImage: Clinical</i> , 2019, 23, 101931. | 1.4 | 2 |
| 171 | Evidence for distinct clusters of diverse anomalous experiences and their selective association with signs of elevated cortical hyperexcitability. <i>Consciousness and Cognition</i> , 2019, 71, 1-17. | 0.8 | 11 |
| 173 | Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 782. | 1.3 | 18 |
| 174 | Vulnerability to Psychosis, Ideas of Reference and Evaluation with an Implicit Test. <i>Journal of Clinical Medicine</i> , 2019, 8, 1956. | 1.0 | 3 |
| 175 | Associations between Race, Discrimination, Community Violence, Traumatic Life Events, and Psychosis-Like Experiences in a Sample of College Students. <i>Journal of Clinical Medicine</i> , 2019, 8, 1573. | 1.0 | 8 |
| 176 | The mediating role of borderline personality features in the relationship between childhood trauma and psychotic-like experiences in a sample of help-seeking non-psychotic adolescents and young adults. <i>European Psychiatry</i> , 2019, 56, 84-90. | 0.1 | 21 |
| 177 | Adolescent psychosis risk symptoms predicting persistent psychiatric service use: A 7-year follow-up study. <i>European Psychiatry</i> , 2019, 55, 102-108. | 0.1 | 5 |
| 178 | A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019, 273, 394-401. | 1.7 | 13 |
| 179 | Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607. | 2.7 | 10 |
| 180 | Validation of the "early detection Primary Care Checklist" in an Italian community help-seeking sample: The "checklist per la Valutazione dell'Esordio Psicotico". <i>Microbial Biotechnology</i> , 2019, 13, 86-94. | 0.9 | 21 |
| 181 | Concordance of child self-reported psychotic experiences with interviewer- and observer-based psychotic experiences. <i>Microbial Biotechnology</i> , 2019, 13, 619-626. | 0.9 | 21 |
| 182 | Measurement Invariance of the Prodromal Questionnaire-Brief Among White, Asian, Hispanic, and Multiracial Populations. <i>Assessment</i> , 2019, 26, 294-304. | 1.9 | 28 |
| 183 | Increased amygdala-visual cortex connectivity in youth with persecutory ideation. <i>Psychological Medicine</i> , 2020, 50, 273-283. | 2.7 | 12 |
| 184 | Lifetime prevalence and potential determinants of psychotic experiences in the general population of Qatar. <i>Psychological Medicine</i> , 2020, 50, 1110-1120. | 2.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 185 | Form and content of attenuated psychotic symptoms in psychometrically assessed positive and negative schizotypy. <i>Microbial Biotechnology</i> , 2020, 14, 321-329. | 0.9 | 2 |
| 186 | Ontological insecurity I: Psychometric development of a new measure and relationship to subclinical psychotic-like experiences. <i>Journal of Clinical Psychology</i> , 2020, 76, 423-439. | 1.0 | 8 |
| 187 | Prevalence, dimensionality and clinical relevance of self-disturbances and psychotic-like experiences in Polish young adults: a latent class analysis approach.. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1809. | 1.1 | 9 |
| 188 | Ontological insecurity II: Relationship to attachment, childhood trauma, and subclinical psychotic-like experiences. <i>Journal of Clinical Psychology</i> , 2020, 76, 440-460. | 1.0 | 5 |
| 189 | The Brief 10-item Community Assessment of Psychic Experiences-Positive Scale (Brief CAPE-P10): Initial psychometric properties, gender measurement invariance and mean differences among Nigerian adolescents. <i>Microbial Biotechnology</i> , 2020, 14, 723-733. | 0.9 | 2 |
| 190 | Dopamine-Induced Dysconnectivity Between Salience Network and Auditory Cortex in Subjects With Psychotic-like Experiences: A Randomized Double-Blind Placebo-Controlled Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 732-740. | 2.3 | 10 |
| 191 | Prevalence and Correlates of Psychotic Like Experiences in a Large Community Sample of Young Adults in Tunisia. <i>Community Mental Health Journal</i> , 2020, 56, 991-1003. | 1.1 | 23 |
| 192 | Terminology and assessment tools of psychosis: A systematic narrative review. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 226-246. | 1.0 | 27 |
| 193 | The revised Psychosis Attachment Measure: Measuring disorganized attachment. <i>British Journal of Clinical Psychology</i> , 2020, 59, 335-353. | 1.7 | 17 |
| 194 | Psychotic like experiences among Nigerian school adolescents: Findings from the Lagos Schools Emotional and Behavioral Health Survey. <i>Microbial Biotechnology</i> , 2021, 15, 906-913. | 0.9 | 8 |
| 195 | Validation of the Dutch version of the Multidimensional Adolescent Functioning Scale (MAFS). <i>Health and Quality of Life Outcomes</i> , 2020, 18, 306. | 1.0 | 3 |
| 196 | Association between genetic and socioenvironmental risk for schizophrenia during upbringing in a UK longitudinal cohort. <i>Psychological Medicine</i> , 2022, 52, 1527-1537. | 2.7 | 21 |
| 197 | Cognitive biases in individuals with psychotic-like experiences: A systematic review and a meta-analysis. <i>Schizophrenia Research</i> , 2020, 222, 10-22. | 1.1 | 42 |
| 198 | The prevalence of confirmed childhood trauma and its™ impact on psychotic-like experiences in a sample of Chinese adolescents. <i>Psychiatry Research</i> , 2020, 287, 112897. | 1.7 | 15 |
| 199 | Distress Related to Attenuated Psychotic Symptoms: Static and Dynamic Association With Transition to Psychosis, Nonremission, and Transdiagnostic Symptomatology in Clinical High-Risk Patients in an International Intervention Trial. <i>Schizophrenia Bulletin Open</i> , 2022, 3, . | 0.9 | 6 |
| 200 | A Public Health Perspective on Screening for Psychosis Within General Practice Clinics. <i>Frontiers in Psychiatry</i> , 2019, 10, 1025. | 1.3 | 11 |
| 201 | At-risk mental states. , 2020, , 47-57. | | 5 |
| 202 | Psychotic-like experiences in the general population. , 2020, , 119-141. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 203 | Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334. | 2.3 | 5 |
| 204 | Markers of Psychosis Risk in the General Population. <i>Biological Psychiatry</i> , 2020, 88, 337-348. | 0.7 | 25 |
| 205 | Advice weighting as a novel measure for belief flexibility in people with psychotic-like experiences. <i>Schizophrenia Research</i> , 2020, 216, 129-137. | 1.1 | 9 |
| 206 | Three types of psychotic-like experiences in youth at clinical high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 733-744. | 1.8 | 15 |
| 207 | Network structure of psychotic-like experiences in adolescents: Links with risk and protective factors. <i>Microbial Biotechnology</i> , 2021, 15, 595-605. | 0.9 | 13 |
| 208 | Prevalence of self-reported subthreshold phenotypes of major mental disorders and their association with functional impairment, treatment and full-threshold syndromes in a community-residing cohort of young adults. <i>Microbial Biotechnology</i> , 2021, 15, 306-313. | 0.9 | 12 |
| 209 | Reconfiguration of β -amplitude driven dominant coupling modes (DoCM) mediated by β -band in adolescents with schizophrenia spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110073. | 2.5 | 12 |
| 210 | High schizotypy traits are associated with reduced hippocampal resting state functional connectivity. <i>Psychiatry Research - Neuroimaging</i> , 2021, 307, 111215. | 0.9 | 5 |
| 211 | Psychotic-Like Experiences in Adolescence Occurring in Combination or Isolation: Associations with Schizophrenia Risk Factors. <i>Psychiatric Research and Clinical Practice</i> , 2021, 3, 67-75. | 1.3 | 3 |
| 212 | Distress severity in perceptual anomalies moderates the relationship between prefrontal brain structure and psychosis proneness in nonclinical individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1111-1122. | 1.8 | 3 |
| 213 | Gender differences in the experience of psychotic-like experiences and their associated factors: A study of adolescents from the general population. <i>Schizophrenia Research</i> , 2021, 228, 410-416. | 1.1 | 22 |
| 214 | Can network analysis of self-reported psychopathology shed light on the core phenomenology of bipolar disorders in adolescents and young adults?. <i>Bipolar Disorders</i> , 2021, 23, 584-594. | 1.1 | 16 |
| 215 | Psychotic-Like Experiences: A Challenge in Definition and Assessment. <i>Frontiers in Psychiatry</i> , 2021, 12, 582392. | 1.3 | 25 |
| 216 | The association between sibling bullying and psychotic-like experiences among children age 11-16 years in China. <i>Journal of Affective Disorders</i> , 2021, 284, 31-37. | 2.0 | 9 |
| 217 | The Impact of the FKBP5 Gene Polymorphisms on the Relationship between Traumatic Life Events and Psychotic-Like Experiences in Non-Clinical Adults. <i>Brain Sciences</i> , 2021, 11, 561. | 1.1 | 3 |
| 218 | Efficacy of a Web-Enabled, School-Based, Preventative Intervention to Reduce Bullying and Improve Mental Health in Children and Adolescents: Study Protocol for a Cluster Randomized Controlled Trial. <i>Frontiers in Pediatrics</i> , 2021, 9, 628984. | 0.9 | 6 |
| 219 | Comorbid early psychosis and borderline personality disorder: Conceptualizing clinical overlap, etiology, and treatment. <i>Personality and Mental Health</i> , 2021, 15, 208-222. | 0.6 | 7 |
| 220 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684. | 2.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 221 | Days out of role and somatic, anxious-depressive, hypo-manic, and psychotic-like symptom dimensions in a community sample of young adults. <i>Translational Psychiatry</i> , 2021, 11, 285. | 2.4 | 2 |
| 222 | Early expressions of psychopathology and risk associated with trans-diagnostic transition to mood and psychotic disorders in adolescents and young adults. <i>PLoS ONE</i> , 2021, 16, e0252550. | 1.1 | 5 |
| 223 | Psychotic-like Experiences and Common Mental Disorders in Childhood and Adolescence: Bidirectional and Transdiagnostic Associations in a Longitudinal Community-based Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, . | 0.9 | 10 |
| 224 | The cross-lagged relationship between loneliness, social support, and psychotic-like experiences in young adults. <i>Cognitive Neuropsychiatry</i> , 2021, 26, 379-393. | 0.7 | 10 |
| 225 | Psychosis in adolescents in Africa: A scoping review for current understanding and future directions. <i>Cogent Psychology</i> , 2021, 8, . | 0.6 | 7 |
| 226 | The Community Assessment of Psychic Experiences: Optimal cut-off scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893. | 1.1 | 9 |
| 227 | Psychotic-like experiences (PLEs) and trauma in adolescents: the role of PLEs' persistence and distress in overall psychological burden. <i>Psychosis</i> , 2022, 14, 270-280. | 0.4 | 2 |
| 228 | Latent structure of psychotic-like experiences in adolescents: Evidence from a multi-method taxometric study of a school-based sample in Ghana. <i>Psychiatry Research</i> , 2021, 302, 113991. | 1.7 | 3 |
| 229 | The Community Assessment of Psychic Experiences-Positive scale (CAPE-P15) accurately classifies and differentiates psychotic experience levels in adolescents from the general population. <i>PLoS ONE</i> , 2021, 16, e0256686. | 1.1 | 6 |
| 230 | Associations between childhood victimization, inflammatory biomarkers and psychotic phenomena in adolescence: A longitudinal cohort study. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 74-85. | 2.0 | 15 |
| 231 | Family functioning as a moderator in the relation between perceived stress and psychotic-like experiences among adolescents during COVID-19. <i>Comprehensive Psychiatry</i> , 2021, 111, 152274. | 1.5 | 18 |
| 232 | Anomalous self-experiences (ASE) in relation to clinical high risk for psychosis (CHR P), childhood trauma and general psychopathology among adolescent and young adult help seekers. <i>Schizophrenia Research</i> , 2021, 237, 182-189. | 1.1 | 4 |
| 233 | Psychotogenesis. , 2021, , 13-31. | | 0 |
| 234 | Reliability, Validity, Epidemiology, and Cultural Variation of the Structured Interview for Psychosis-Risk Syndromes (SIPS) and the Scale of Psychosis-Risk Symptoms (SOPS). , 2019, , 85-113. | | 21 |
| 235 | Measuring Anhedonia in Schizophrenia-Spectrum Disorders: A Selective Update. , 2014, , 19-54. | | 6 |
| 236 | Theory of mind and schizotypy: A meta-analysis. <i>Schizophrenia Research</i> , 2020, 222, 97-103. | 1.1 | 25 |
| 237 | 16Up: Outline of a Study Investigating Wellbeing and Information and Communication Technology Use in Adolescent Twins. <i>Twin Research and Human Genetics</i> , 2020, 23, 345-357. | 0.3 | 4 |
| 238 | The role of ethnic identity, self-concept, and aberrant salience in psychotic-like experiences.. <i>Cultural Diversity and Ethnic Minority Psychology</i> , 2018, 24, 101-111. | 1.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 239 | Perceived stress and psychosis: The effect of perceived stress on psychotic-like experiences in a community sample of adolescents. <i>Microbial Biotechnology</i> , 2019, 13, 1465-1469. | 0.9 | 25 |
| 240 | Clinical significance of psychotic-like experiences in children and adolescents.. <i>Psychiatria Polska</i> , 2017, 51, 271-282. | 0.2 | 12 |
| 241 | Longitudinal Associations between Adolescent Psychotic Experiences and Depressive Symptoms. <i>PLoS ONE</i> , 2014, 9, e105758. | 1.1 | 30 |
| 242 | The Assessment of Attenuated Psychotic Symptoms in Adolescents: Concepts, Practical Approaches and Prediction of Risk. <i>Adolescent Psychiatry (Hilversum, Netherlands)</i> , 2012, 2, 153-162. | 0.1 | 4 |
| 243 | Psychotic Disorders in Children and Adolescents: A Primer on Contemporary Evaluation and Management. <i>primary care companion for CNS disorders, The</i> , 2014, 16, . | 0.2 | 22 |
| 244 | Schizotypal traits and psychotic-like experiences during adolescence: An update. <i>Psicothema</i> , 2017, 29, 5-17. | 0.7 | 78 |
| 246 | Psychotic-Like Experiences. , 2016, , 1-18. | | 0 |
| 247 | Psychotic-Like Experiences. , 2018, , 2950-2967. | | 0 |
| 248 | Efficacy of Group Transdiagnostic Cognitive-Behavioral Therapy on Subclinical Paranoia. <i>Iranian Journal of Psychiatry and Behavioral Sciences</i> , 2018, In Press, . | 0.1 | 1 |
| 249 | The Bidirectional Associations Between Insomnia and Psychotic-Like Experiences Before and During the COVID-19 Pandemic. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 2029-2037. | 1.4 | 9 |
| 251 | Persistent and distressing psychotic-like experiences using adolescent brain cognitive developmentâ, study data. <i>Molecular Psychiatry</i> , 2022, 27, 1490-1501. | 4.1 | 19 |
| 252 | Testing extra-linearity across a psychosis continuum. <i>BMC Psychiatry</i> , 2021, 21, 574. | 1.1 | 1 |
| 253 | Identifying adolescents in the early stage of psychosis: A screening checklist for referrers. <i>Journal of Clinical Psychology</i> , 2021, , . | 1.0 | 4 |
| 254 | Psychotic experiences predict subsequent loneliness among adolescents: A population-based birth cohort study. <i>Schizophrenia Research</i> , 2022, 239, 123-127. | 1.1 | 6 |
| 255 | Flashback phenomena after administration of LSD and psilocybin in controlled studies with healthy participants. <i>Psychopharmacology</i> , 2022, 239, 1933-1943. | 1.5 | 22 |
| 256 | Childhood interpersonal trauma and paranoia in psychosis: The role of disorganised attachment and negative schema. <i>Schizophrenia Research</i> , 2022, 241, 142-148. | 1.1 | 9 |
| 257 | Correlates of psychotic like experiences (PLEs) during Pandemic: An online study investigating a possible link between the SARS-CoV-2 infection and PLEs among adolescents. <i>Schizophrenia Research</i> , 2022, 241, 36-43. | 1.1 | 6 |
| 258 | Psychosis risk among pregnant women in Ghana. <i>PLoS ONE</i> , 2022, 17, e0263011. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 259 | Reply to Evans et al.: Towards informed choice in cannabis use. <i>Schizophrenia Research</i> , 2022, 243, 481-481. | 1.1 | 0 |
| 260 | Development of the French version of the Davos Assessment of Cognitive Biases Scale in a non-clinical sample of young adults. <i>Microbial Biotechnology</i> , 2022, , . | 0.9 | 2 |
| 261 | Association Between Wisdom and Psychotic-Like Experiences in the General Population: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 814242. | 1.3 | 2 |
| 267 | Age-related changes in self-reported psychotic experiences in clinical help-seeking population: From 15 to 45 years. <i>Microbial Biotechnology</i> , 2022, 16, 1359-1367. | 0.9 | 1 |
| 268 | Interpretation, emotional reactions and daily life implications of hallucination-like experiences in clinical and nonclinical populations. <i>Psicothema</i> , 2015, 27, 19-25. | 0.7 | 5 |
| 269 | Epidemiology of psychotic-like experiences by subtypes and their relationship with emotional regulation and affective lability among Chinese college students. <i>Schizophrenia Research</i> , 2022, 244, 39-45. | 1.1 | 2 |
| 270 | Trajectories of adolescent psychotic-like experiences and early cannabis exposure: Results from a Finnish Birth Cohort Study. <i>Schizophrenia Research</i> , 2022, 246, 95-102. | 1.1 | 3 |
| 271 | Prevalence and risk factors of self-reported psychotic experiences among high school and college students: A systematic review, meta-analysis, and meta-regression. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 492-514. | 2.2 | 12 |
| 272 | Psychotic-like experiences among university female students in Qatar: A qualitative-phenomenological study. <i>Frontiers in Psychiatry</i> , 0, 13, . | 1.3 | 2 |
| 273 | Psychotic-like experiences and associated socio-demographic factors among pregnant women in each trimester in China. <i>Frontiers in Psychiatry</i> , 0, 13, . | 1.3 | 1 |
| 274 | Psychotic experiences and negative symptoms from adolescence to emerging adulthood: developmental trajectories and associations with polygenic scores and childhood characteristics. <i>Psychological Medicine</i> , 2023, 53, 5685-5697. | 2.7 | 3 |
| 275 | Mediating role of impaired wisdom in the relation between childhood trauma and psychotic-like experiences in Chinese college students: a nationwide cross-sectional study. <i>BMC Psychiatry</i> , 2022, 22, . | 1.1 | 3 |
| 276 | Psychotic Like Experiences in Healthy Adolescents are Underpinned by Lower Fronto-Temporal Cortical Gyrfication: a Study from the IMAGEN Consortium. <i>Schizophrenia Bulletin</i> , 2023, 49, 309-318. | 2.3 | 0 |
| 277 | Cannabis and Psychosis. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2022, , . | 1.0 | 2 |
| 278 | Substance use and psychotic-like experiences in young people: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 0, , 1-15. | 2.7 | 5 |
| 279 | Effect of stressful life events on subclinical psychotic symptoms in first-degree relatives and healthy controls. <i>Schizophrenia Research</i> , 2022, 250, 92-99. | 1.1 | 0 |
| 280 | Psychotic-like experiences as a co-occurring psychopathological indicator of multi-dimensional affective symptoms: Findings from a cross-sectional survey among college students. <i>Journal of Affective Disorders</i> , 2023, 323, 33-39. | 2.0 | 5 |
| 281 | Schizophrenia among young people first admitted to psychiatric inpatient care during early and middle adolescence. <i>Schizophrenia Research</i> , 2023, 252, 103-109. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 282 | Validation of the Arabic Version of the Community Assessment of Psychic Experiences (CAPE-42) in a Large Sample of Young Adults from the General Population. <i>International Journal of Mental Health and Addiction</i> , 0, , . | 4.4 | 10 |
| 283 | Magical thinking in normal and pathological conditions: literature review. <i>Neurology Bulletin</i> , 2023, LIV, 32-44. | 0.0 | 0 |
| 284 | Comparing two measures of schizotypy and their relationship with psychological distress in British university students. <i>Microbial Biotechnology</i> , 0, , . | 0.9 | 0 |
| 285 | Visual illusions in young people reporting psychotic-like experiences. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2023, 79, 101839. | 0.6 | 2 |
| 286 | Longitudinal invariance of psychotic experiences in children and adolescents: What do the data tell us?. <i>Schizophrenia Research</i> , 2023, 255, 33-40. | 1.1 | 0 |
| 288 | The Arabic Questionnaire for Psychotic Experiences in patients with psychotic disorders: a clinical validation. <i>BMC Psychiatry</i> , 2023, 23, . | 1.1 | 0 |
| 289 | Aberrant uncertainty processing is linked to psychotic-like experiences, autistic traits, and is reflected in pupil dilation during probabilistic learning. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2023, 23, 905-919. | 1.0 | 4 |