Allometric equations for tree species and carbon stocks Mexico

Forest Ecology and Management 257, 427-434 DOI: 10.1016/j.foreco.2008.09.028

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Projections of Carbon Stocks in Sites Reforested with Pinyon Pine Species in Northeastern Mexico. Arid Land Research and Management, 2009, 23, 342-358. | 1.6 | 1 |
| 2 | Biomass component equations for Latin American species and groups of species. Annals of Forest Science, 2009, 66, 208-208. | 2.0 | 74 |
| 3 | Allometric prediction of above-ground biomass of eleven woody tree species in the Sudanian savanna-woodland of West Africa. Journal of Forestry Research, 2010, 21, 475-481. | 3.6 | 54 |
| 4 | Methods od Assessment of Aboveground Tree Biomass. , 2010, , . | | 5 |
| 5 | Allometric equations for biomass estimations in Cameroon and pan moist tropical equations including biomass data from Africa. Forest Ecology and Management, 2010, 260, 1873-1885. | 3.2 | 189 |
| 6 | Using the dummy variable model approach to construct compatible single-tree biomass equations at different scales — a case study for Masson pine (<i>Pinus massoniana</i>) in southern China. Canadian Journal of Forest Research, 2011, 41, 1547-1554. | 1.7 | 38 |
| 7 | Ontogeny partly explains the apparent heterogeneity of published biomass equations for Fagus sylvatica in central Europe. Forest Ecology and Management, 2011, 261, 1188-1202. | 3.2 | 71 |
| 8 | Above- and belowground biomass in a Brazilian Cerrado. Forest Ecology and Management, 2011, 262, 491-499. | 3.2 | 86 |
| 9 | Carbon density and accumulation in woody species of tropical dry forest in India. Forest Ecology and Management, 2011, 262, 1576-1588. | 3.2 | 111 |
| 10 | A New General Allometric Biomass Model. Nature Precedings, 2011, , . | 0.1 | 2 |
| 11 | A New General Allometric Biomass Model. Nature Precedings, 2011, , . | 0.1 | 11 |
| 12 | Fire regime in a Mexican forest under indigenous resource management. , 2011, 21, 764-775. | | 50 |
| 13 | Allometric models for predicting above- and belowground biomass of Leucaena-KX2 in a shaded coffee agroecosystem in Hawaii. Agroforestry Systems, 2011, 83, 331-345. | 2.0 | 15 |
| 14 | Oleoresin yield and carbon stocks in tapped subtropical Pinus elliottii forests. BMC Proceedings, 2011, 5, P100. | 1.6 | 0 |
| 15 | A fine-scale model for area-based predictions of tree-size-related attributes derived from LiDAR canopy heights. Scandinavian Journal of Forest Research, 2012, 27, 312-322. | 1.4 | 28 |
| 16 | Pine oleoresin: tapping green chemicals, biofuels, food protection, and carbon sequestration from multipurpose trees. Food and Energy Security, 2012, 1, 81-93. | 4.3 | 72 |
| 17 | A universal approach to estimate biomass and carbon stock in tropical forests using generic allometric models. Ecological Applications, 2012, 22, 572-583. | 3.8 | 167 |
| 18 | Using linear mixed model and dummy variable model approaches to construct compatible single-tree biomass equations at different scales - A case study for Masson pine in Southern China. Journal of Forest Science, 2012, 58, 101-115. | 1.1 | 34 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Biomass Estimation of Dry Tropical Woody Species at Juvenile Stage. Scientific World Journal, The, 2012, 2012, 1-5. | 2.1 | 40 |
| 20 | Assessing nutrient uptake by field-grown orange trees. European Journal of Agronomy, 2012, 41, 73-80. | 4.1 | 48 |
| 21 | Sprouting productivity and allometric relationships of two oak species managed for traditional charcoal making in central Mexico. Biomass and Bioenergy, 2012, 36, 192-207. | 5.7 | 29 |
| 22 | Spatial variation and prediction of forest biomass in a heterogeneous landscape. Journal of Forestry Research, 2012, 23, 13-22. | 3.6 | 7 |
| 23 | Carbon accumulation in aboveground and belowground biomass and soil of different age native forest plantations in the humid tropical lowlands of Costa Rica. New Forests, 2012, 43, 197-211. | 1.7 | 64 |
| 24 | Aboveground biomass estimation of small diameter woody species of tropical dry forest. New Forests, 2013, 44, 509-519. | 1.7 | 47 |
| 25 | Allometric equations for estimating aboveground biomass of Coffea arabica L. grown in the Rift Valley escarpment of Ethiopia. Agroforestry Systems, 2013, 87, 953-966. | 2.0 | 46 |
| 26 | Regional aboveground biomass equations for North American arid and semi-arid forests. Journal of Arid Environments, 2013, 97, 127-135. | 2.4 | 18 |
| 27 | Variability of Soil Organic Carbon stocks under different land uses: A study in an afro-montane landscape in southwestern Uganda. Geoderma, 2013, 193-194, 282-289. | 5.1 | 39 |
| 29 | Changes in forest biomass carbon stock in Northern Turkey between 1973 and 2006. Environmental Monitoring and Assessment, 2013, 185, 8343-8354. | 2.7 | 1 |
| 30 | Using basal area to estimate aboveground carbon stocks in forests: La Primavera Biosphere's Reserve, Mexico. Forestry, 2013, 86, 267-281. | 2.3 | 40 |
| 31 | Allometry for Biomass Estimation in Jatropha Trees Planted as Boundary Hedge in Farmers' Fields. Forests, 2013, 4, 218-233. | 2.1 | 22 |
| 32 | Allometries for Widely Spaced Populus ssp. and Betula ssp. in Nurse Crop Systems. Forests, 2013, 4, 1003-1031. | 2.1 | 13 |
| 33 | Potential for Climate Change Mitigation in Degraded Forests: A Study from La Primavera, México. Forests, 2013, 4, 1032-1054. | 2.1 | 7 |
| 34 | Allometric Models for Estimating Carbon Fixation in Citrus Trees. Agronomy Journal, 2013, 105, 1355-1366. | 1.8 | 4 |
| 35 | Allometric equations for predicting aboveground biomass of beech-hornbeam standsin the Hyrcanian forests of Iran. Journal of Forest Science, 2014, 60, 236-247. | 1.1 | 31 |
| 36 | Biomass Equations for Tropical Forest Tree Species in Mozambique. Forests, 2014, 5, 535-556. | 2.1 | 42 |
| 37 | Cuantificación del Contenido de Carbono en una Plantación de Pino Insigne (Pinus radiata) y en Estrato de Páramo de Ozogoche Bajo, Parque Nacional Sangay, Ecuador. Informacion Tecnologica (discontinued), 2014, 25, 83-92. | 0.3 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 38 | Firewood extraction affects carbon pools and nutrients in remnant fragments of temperate forests at the Mexican Transvolcanic Belt. Bosque, 2014, 35, 311-324. | 0.3 | 9 |
| 39 | Generic linear mixed-effects individual-tree biomass models for <i>Pinus massoniana</i> in southern China. Southern Forests, 2014, 76, 47-56. | 0.7 | 19 |
| 40 | Updated generalized biomass equations for North American tree species. Forestry, 2014, 87, 129-151. | 2.3 | 230 |
| 41 | Error propagation in stock-difference and gain–loss estimates of a forest biomass carbon balance. European Journal of Forest Research, 2014, 133, 1137-1155. | 2.5 | 19 |
| 42 | Development of monitoring and assessment of forest biomass and carbon storage in China. Forest Ecosystems, 2014, 1, . | 3.1 | 18 |
| 43 | Root and shoot biomasses in the tropical dry forest of semi-arid Northeast Brazil. Plant and Soil, 2014, 378, 113-123. | 3.7 | 37 |
| 44 | Intra-specific differences in allometric equations for aboveground biomass of eastern Mediterranean Pinus brutia. Annals of Forest Science, 2014, 71, 101-112. | 2.0 | 33 |
| 45 | The Right Tree for the Job? Perceptions of Species Suitability for the Provision of Ecosystem Services. Environmental Management, 2014, 53, 783-799. | 2.7 | 13 |
| 46 | Modeling above-ground biomass for three tropical tree species at their juvenile stage. Forest Science and Technology, 2014, 10, 51-60. | 0.8 | 14 |
| 47 | Carbon stock in influenced forest of Srinagar hydroelectric project, Uttarakhand, India. Forest Science and Technology, 2014, 10, 125-129. | 0.8 | 1 |
| 48 | Modelling available crown fuel for Pinus pinaster Ait. stands in the "Cazorla, Segura and Las Villas Natural Park―(Spain). Journal of Environmental Management, 2014, 144, 26-33. | 7.8 | 9 |
| 49 | Effects of Uncertainty in Model Predictions of Individual Tree Volume on Large Area Volume Estimates. Forest Science, 2014, 60, 34-42. | 1.0 | 114 |
| 50 | Model errors in tree biomass estimates computed with an approximation to a missing covariance matrix. Carbon Balance and Management, 2015, 10, 21. | 3.2 | 13 |
| 51 | Allometric Models for Accurate Estimation of Aboveground Biomass of Teak in Tropical Dry Forests of India. Forest Science, 2015, 61, 938-949. | 1.0 | 22 |
| 52 | A Three-Step Proportional Weighting System of Nonlinear Biomass Equations. Forest Science, 2015, 61, 35-45. | 1.0 | 42 |
| 53 | Evaluation of Four Methods for Predicting Carbon Stocks of Korean Pine Plantations in Heilongjiang Province, China. PLoS ONE, 2015, 10, e0145017. | 2.5 | 7 |
| 54 | Individual-based fine root biomass and its functional relationship with leaf for Pinus tabuliformis in northern China. European Journal of Forest Research, 2015, 134, 705-714. | 2.5 | 13 |
| 55 | Interactions of fuel treatments, wildfire severity, and carbon dynamics in dry conifer forests. Forest Ecology and Management, 2015, 349, 66-72. | 3.2 | 22 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Database of 478 allometric equations to estimate biomass for Mexican trees and forests. Annals of Forest Science, 2015, 72, 835-864. | 2.0 | 55 |
| 57 | A general method for assessing the effects of uncertainty in individual-tree volume model predictions on large-area volume estimates with a subtropical forest illustration. Canadian Journal of Forest Research, 2015, 45, 44-51. | 1.7 | 36 |
| 58 | Using nonlinear mixed model and dummy variable model approaches to develop origin-based individual tree biomass equations. Trees - Structure and Function, 2015, 29, 275-283. | 1.9 | 33 |
| 59 | Erosion rates as a potential bottomâ€up control of forest structural characteristics in the Sierra Nevada Mountains. Ecology, 2015, 96, 31-38. | 3.2 | 40 |
| 60 | Aboveground biomass and leaf area equations for three common tree species of Hyrcanian temperate forests in northern Iran. Botany, 2015, 93, 663-670. | 1.0 | 7 |
| 61 | Efficacy of generic allometric equations for estimating biomass: a test in Japanese natural forests. Ecological Applications, 2015, 25, 1433-1446. | 3.8 | 56 |
| 62 | A single-tree additive biomass model of Quercus variabilis Blume forests in North China. Trees - Structure and Function, 2015, 29, 705-716. | 1.9 | 21 |
| 63 | Integrated individual tree biomass simultaneous equations for two larch species in northeastern and northern China. Scandinavian Journal of Forest Research, 2015, 30, 594-604. | 1.4 | 27 |
| 64 | Root stock biomass and productivity assessments of reforested pine stands in northern Mexico. Forest Ecology and Management, 2015, 338, 139-147. | 3.2 | 5 |
| 65 | Temporal Variation of Wood Density and Carbon in Two Elevational Sites of Pinus cooperi in Relation to Climate Response in Northern Mexico. PLoS ONE, 2016, 11, e0156782. | 2.5 | 22 |
| 66 | Tree allometry for estimation of carbon stocks in African tropical forests. Forestry, 2016, 89, 446-455. | 2.3 | 38 |
| 67 | Bayesian and Classical Models to Predict Aboveground Tree Biomass Allometry. Forest Science, 2016, 62, 247-259. | 1.0 | 8 |
| 68 | Estimating Forest and Woodland Aboveground Biomass Using Active and Passive Remote Sensing. Photogrammetric Engineering and Remote Sensing, 2016, 82, 271-281. | 0.6 | 12 |
| 69 | Aboveground biomass equations for sustainable production of fuelwood in a native dry tropical afro-montane forest of Ethiopia. Annals of Forest Science, 2016, 73, 411-423. | 2.0 | 24 |
| 70 | Species-specific and general allometric equations for estimating tree biomass components of subtropical forests in southern China. European Journal of Forest Research, 2016, 135, 963-979. | 2.5 | 66 |
| 71 | Aboveground carbon stock, allocation and sequestration potential during vegetation recovery in the karst region of southwestern China: A case study at a watershed scale. Agriculture, Ecosystems and Environment, 2016, 235, 91-100. | 5.3 | 63 |
| 72 | A predictive nondestructive model for the covariation of tree height, diameter and stem volume scaling relationships. Scientific Reports, 2016, 6, 31008. | 3.3 | 10 |
| 73 | Allometric exponents as a tool to study the influence of climate on the trade-off between primary and secondary growth in major north-eastern American tree species. Annals of Botany, 2016, 117, 551-563. | 2.9 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | Incorporating topographic factors in nonlinear mixed-effects models for aboveground biomass of natural Simao pine in Yunnan, China. Journal of Forestry Research, 2016, 27, 119-131. | 3.6 | 15 |
| 75 | Allometric biomass, nutrient and carbon stock models for Kandelia candel of the Sundarbans, Bangladesh. Trees - Structure and Function, 2016, 30, 709-717. | 1.9 | 21 |
| 76 | Carbon stock in agroforestry coffee plantations with different shade trees in Villa Rica, Peru. Agroforestry Systems, 2016, 90, 433-445. | 2.0 | 36 |
| 77 | Methods for estimating root biomass and production in forest and woodland ecosystem carbon studies: A review. Forest Ecology and Management, 2016, 359, 332-351. | 3.2 | 101 |
| 78 | Additive biomass equations for small diameter trees of temperate mixed deciduous forests. Scandinavian Journal of Forest Research, 2016, 31, 394-398. | 1.4 | 12 |
| 79 | Individual tree biomass equations and growth models sensitive to climate variables for Larix spp. in China. European Journal of Forest Research, 2017, 136, 233-249. | 2.5 | 65 |
| 80 | Changes in ecosystem carbon pool and soil CO 2 flux following post-mine reclamation in dry tropical environment, India. Science of the Total Environment, 2017, 583, 153-162. | 8.0 | 79 |
| 81 | Simultaneous estimation of above- and below-ground biomass in tropical forests of Viet Nam. Forest Ecology and Management, 2017, 390, 147-156. | 3.2 | 33 |
| 82 | Construction of compatible and additive individual-tree biomass models for <i>Pinustabulaeformis</i> in China. Canadian Journal of Forest Research, 2017, 47, 467-475. | 1.7 | 32 |
| 83 | Individual Tree Biomass Models to Estimate Forest Biomass for Large Spatial Regions Developed Using Four Pine Species in China. Forest Science, 2017, 63, 241-249. | 1.0 | 16 |
| 84 | The Anatomy and Functioning of the Xylem in Oaks. Tree Physiology, 2017, , 261-302. | 2.5 | 15 |
| 85 | Estimating Aboveground Tree Biomass for Beetle-Killed Lodgepole Pine in the Rocky Mountains of Northern Colorado. Forest Science, 2017, 63, 413-419. | 1.0 | 6 |
| 86 | Allometric Equations for Estimating Biomass and Carbon Stocks in the Temperate Forests of North-Western Mexico. Forests, 2017, 8, 269. | 2.1 | 53 |
| 87 | Remote Sensing of Above-Ground Biomass. Remote Sensing, 2017, 9, 935. | 4.0 | 153 |
| 88 | Biomass Modeling of Larch (Larix spp.) Plantations in China Based on the Mixed Model, Dummy Variable Model, and Bayesian Hierarchical Model. Forests, 2017, 8, 268. | 2.1 | 21 |
| 89 | Mapping Changes in Carbon Storage and Productivity Services Provided by Riparian Ecosystems of Semi-Arid Environments in Northwestern Mexico. ISPRS International Journal of Geo-Information, 2017, 6, 298. | 2.9 | 14 |
| 90 | Predicting of biomass in Brazilian tropical dry forest: a statistical evaluation of generic equations. Anais Da Academia Brasileira De Ciencias, 2017, 89, 1815-1828. | 0.8 | 8 |
| 91 | Aboveground biomass estimation at different scales for subtropical forests in China. , 2017, 58, 45. | | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 92 | Uso y disponibilidad de leña en la región de La Montaña en el estado de Guerrero y sus implicaciones en la unidad ambiental. Madera Bosques, 2017, 23, 121-135. | 0.2 | 10 |
| 93 | Spatial patterns and environmental factors influencing leaf carbon content in the forests and shrublands of China. Journal of Chinese Geography, 2018, 28, 791-801. | 3.9 | 13 |
| 94 | Developing individual tree-based models for estimating aboveground biomass of five key coniferous species in China. Journal of Forestry Research, 2018, 29, 1251-1261. | 3.6 | 14 |
| 95 | Individual tree aboveground biomass for Castanopsis indica in the mid-hills of Nepal. Agroforestry Systems, 2018, 92, 1611-1623. | 2.0 | 8 |
| 96 | Allometric relationships and reforestation guidelines for Maclura tinctoria, an important multi-purpose timber tree of Latin America. New Forests, 2018, 49, 249-263. | 1.7 | 2 |
| 97 | Using aerial photography to estimate wood suitable for charcoal in managed oak forests. Environmental Research Letters, 2018, 13, 025006. | 5.2 | 2 |
| 98 | Using nonparametric modeling approaches and remote sensing imagery to estimate ecological welfare forest biomass. Journal of Forestry Research, 2018, 29, 151-161. | 3.6 | 15 |
| 99 | MODELLING OF ALLOMETRIC EQUATIONS FOR BIOMASS ESTIMATE IN DECIDUOUS FOREST. Floresta, 2018, 49, 143. | 0.2 | 2 |
| 100 | Estimating aboveground carbon density across forest landscapes of Hawaii: Combining FIA plot-derived estimates and airborne LiDAR. Forest Ecology and Management, 2018, 424, 323-337. | 3.2 | 17 |
| 101 | A systematic review on the aboveground biomass and carbon stocks of Indian forest ecosystems. Ecological Processes, 2018, 7, . | 3.9 | 41 |
| 102 | Evaluating the Multi-Functionality of Forest Ecosystems in Northern Mexico. Forests, 2018, 9, 178. | 2.1 | 8 |
| 103 | Dendroecological Approach to Assessing Carbon Accumulation Dynamics in Two <i>Pinus</i> Species from Northern Mexico. Tree-Ring Research, 2018, 74, 196-209. | 0.6 | 8 |
| 104 | Variables Selection for Aboveground Biomass Estimations Using Satellite Data: A Comparison between Relative Importance Approach and Stepwise Akaike's Information Criterion. ISPRS International Journal of Geo-Information, 2019, 8, 245. | 2.9 | 8 |
| 105 | Biomass estimation of individual trees for coppice-originated oak forests. European Journal of Forest Research, 2019, 138, 623-637. | 2.5 | 13 |
| 106 | A Spatial Forestry Productivity Potential Model for Pinus arizonica Engelm, a Key Timber Species from Northwest Mexico. Sustainability, 2019, 11, 829. | 3.2 | 2 |
| 107 | Allometric equations for aboveground biomass estimation of <i>Diospyros abyssinica</i> (Hiern) F. White tree species. Ecosystem Health and Sustainability, 2019, 5, 86-97. | 3.1 | 16 |
| 108 | Wildfire-induced reduction in the carbon storage of Mediterranean ecosystems: An application to brush and forest fires impacts assessment. Environmental Impact Assessment Review, 2019, 76, 88-97. | 9.2 | 12 |
| 109 | A technical and socioeconomic approach to estimate forest residues as a feedstock for bioenergy in northern Mexico. Forest Ecosystems, 2019, 6, | 3.1 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|---------------|
| 112 | Clues to wood quality and production from analyzing ring width and density variabilities of fertilized Pinus taeda trees. New Forests, 2019, 50, 821-843. | 1.7 | 9 |
| 113 | Optimal harvest cycle on Nothofagus forests including carbon storage in Southern America: An application to Chilean subsidies in temperate forests. Land Use Policy, 2019, 81, 705-713. | 5.6 | 5 |
| 114 | Biomass, carbon density and diversity of tree species in tropical dry deciduous forests in Central India. Acta Ecologica Sinica, 2019, 39, 289-299. | 1.9 | 34 |
| 115 | Bayesian and classical biomass allometries for open grown valonian oaks (Q. ithaburensis subs.) Tj ETQq1 10.78 | 4314 rgB1 2.0 | - /Overlock 1 |
| 116 | Modeling biomass of white birch (<i>Betula platyphylla</i>) in the Lesser Khingan Range of China based on terrestrial 3D laser scanning system. Natural Resource Modelling, 2020, 33, . | 2.0 | 3 |
| 117 | Biomass and carbon projection models in <i>Hardwickia binata</i> Roxb. <i>vis a vis</i> estimation of its carbon sequestration potential under arid environment. Archives of Agronomy and Soil Science, 2020, 66, 1925-1935. | 2.6 | 2 |
| 118 | Organic Carbon Stocks of Mexican Montane Habitats: Variation Among Vegetation Types and Land-Use. Frontiers in Environmental Science, 2020, 8, . | 3.3 | 7 |
| 119 | Carbon estimation in the undershrub layer and the soil of a dry deciduous forest of West Bengal (eastern India). Tropical Ecology, 2020, 61, 487-496. | 1.2 | 2 |
| 120 | Allometric models for estimating aboveground biomass of selected homestead tree species in the plain land Narsingdi district of Bangladesh. Trees, Forests and People, 2020, 2, 100035. | 1.9 | 6 |
| 121 | Improving the accuracy of aboveground biomass estimations in secondary tropical dry forests. Forest Ecology and Management, 2020, 474, 118384. | 3.2 | 10 |
| 122 | Influence of Climate on Carbon Sequestration in Conifers Growing under Contrasting Hydro-Climatic Conditions. Forests, 2020, 11, 1134. | 2.1 | 5 |
| 123 | Biomass, carbon and nitrogen in single tree components of grey poplar (Populus × canescens) in an uncultivated habitat in Van, Turkey. Environmental Monitoring and Assessment, 2020, 192, 363. | 2.7 | 2 |
| 124 | High-Resolution Mapping of Forest Carbon Stock Using Object-Based Image Analysis (OBIA) Technique. Journal of the Indian Society of Remote Sensing, 2020, 48, 865-875. | 2.4 | 2 |
| 125 | Forest productivity and carbon stock analysis from vegetation phenological indices using satellite remote sensing in Indonesia. Asia-Pacific Journal of Regional Science, 2020, 4, 657-690. | 2.1 | 6 |
| 126 | Estimating carbon fixation in fruit crops. , 2020, , 67-76. | | 1 |
| 127 | Pol-InSAR sensitivity to hemi-boreal forest structure at L- and P-bands. International Journal of Applied Earth Observation and Geoinformation, 2021, 94, 102213. | 2.8 | 2 |
| 128 | Developing national and regional individual tree biomass models and analyzing impact of climatic factors on biomass estimation for poplar plantations in China. Trees - Structure and Function, 2021, 35, 93-102. | 1.9 | 9 |
| 129 | Soil organic carbon pool under selected tree plantations in the Southern Western Ghats of Kerala, India. Tropical Ecology, 2021, 62, 126-138. | 1.2 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 130 | Analysing species site-specific tree growth, mortality and in-growth for miombo woodlands in Tanzania. Southern Forests, 2021, 83, 43-55. | 0.7 | 1 |
| 131 | Stem and Total Above-Ground Biomass Models for the Tree Species of Freshwater Wetlands Forest, Coastal Areas and Dry Areas of Bangladesh: Using a Non-Destructive Approach. Open Journal of Forestry, 2021, 11, 73-82. | 0.3 | 1 |
| 132 | Allometric equations to estimate aboveground biomass of Dalbergia cearensis species in the Brazilian seasonally dry tropical forest. Forest Ecology and Management, 2021, 484, 118920. | 3.2 | 2 |
| 133 | Allometric biomass models for the most abundant fruit tree species of Bangladesh: A Non-destructive approach. Environmental Challenges, 2021, 3, 100047. | 4.2 | 6 |
| 134 | Assessment of Above-Ground Biomass in Pakistan Forest Ecosystem's Carbon Pool: A Review. Forests, 2021, 12, 586. | 2.1 | 14 |
| 135 | Models to estimate the above and below ground carbon stocks from a subtropical scrub forest of Pakistan. Global Ecology and Conservation, 2021, 27, e01539. | 2.1 | 8 |
| 136 | Allometric equations for estimating stem biomass of Artocarpus chaplasha Roxb. in Sylhet hill forest of Bangladesh. Trees, Forests and People, 2021, 4, 100084. | 1.9 | 7 |
| 137 | Carbon stocks of above- and belowground tree biomass in Kibate Forest around Wonchi Crater Lake, Central Highland of Ethiopia. PLoS ONE, 2021, 16, e0254231. | 2.5 | 7 |
| 138 | Assessing vertical structure of an endemic forest in succession using terrestrial laser scanning (TLS). Case study: Guadalupe Island. Remote Sensing of Environment, 2021, 263, 112563. | 11.0 | 3 |
| 139 | Temporal dynamics of above ground biomass of Kaimoor Wildlife Sanctuary, Uttar Pradesh, India: conjunctive use of field and Landsat data. Proceedings of the Indian National Science Academy, 2021, 87, 499. | 1.4 | 1 |
| 140 | Multipurpose benefits and scaling-up strategies for Bauhinia thonningii Schumacher: a review. Agroforestry Systems, 0, , 1. | 2.0 | 1 |
| 141 | Assessing relationship of forest biophysical factors with NDVI for carbon management in key coniferous strata of temperate Himalayas. Mitigation and Adaptation Strategies for Global Change, 2021, 26, 1. | 2.1 | 13 |
| 142 | Carbon Sequestration Potential of Trees in Kuvempu University Campus Forest Area, Western Ghats, Karnataka. Environmental Science and Engineering, 2020, , 303-312. | 0.2 | 3 |
| 143 | Carbon Per cent in Different Components of Tree Species and Soil Organic Carbon Pool Under these Tree Species in Kashmir Valley. Current World Environment Journal, 2014, 9, 174-181. | 0.5 | 13 |
| 144 | Organic Carbon Storage in Four Ecosystem Types in the Karst Region of Southwestern China. PLoS ONE, 2013, 8, e56443. | 2.5 | 29 |
| 145 | The Allometry of Coarse Root Biomass: Log-Transformed Linear Regression or Nonlinear Regression?. PLoS ONE, 2013, 8, e77007. | 2.5 | 40 |
| 146 | Compatible Models of Carbon Content of Individual Trees on a Cunninghamia lanceolata Plantation in Fujian Province, China. PLoS ONE, 2016, 11, e0151527. | 2.5 | 2 |
| 147 | Tree Morphologic Plasticity Explains Deviation from Metabolic Scaling Theory in Semi-Arid Conifer Forests, Southwestern USA. PLoS ONE, 2016, 11, e0157582. | 2.5 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|------------|
| 148 | A GENERALIZED ABOVEGROUND BIOMASS MODEL FOR JUVENILE INDIVIDUALS OF Rhododendron arboreum (SM.) IN NEPAL. Cerne, 2019, 25, 119-130. | 0.9 | 6 |
| 150 | Los bosques templados del estado de Nuevo LeÃ ³ n: el manejo sustentable para bienes y servicios ambientales. Madera Bosques, 2010, 16, 51-69. | 0.2 | 7 |
| 151 | Estimación de la densidad de madera en árboles de comunidades forestales templadas del norte del estado de Durango, México. Madera Bosques, 2012, 18, 77-88. | 0.2 | 7 |
| 152 | Ecuaciones de biomasa aérea para Quercus laurina y Q. crassifolia en Oaxaca. Madera Bosques, 2014, 20, 33-48. | 0.2 | 14 |
| 153 | Ecuaciones alométricas para estimar biomasa en especies de encino en Guanajuato, México. Madera Bosques, 2019, 25, . | 0.2 | 3 |
| 154 | Ajuste de ecuaciones alométricas para estimar biomasa aérea en Pinus oocarpa y Quercus resinosa en Guerrero, México. Madera Bosques, 2020, 26, . | 0.2 | 3 |
| 155 | Perspectivas de los anillos de crecimiento para estimación potencial de carbono en México. Madera Bosques, 2020, 26, . | 0.2 | 3 |
| 156 | Tree biomass and carbon density estimation in the tropical dry forest of Southern Western Ghats, India. IForest, 2018, 11, 534-541. | 1.4 | 19 |
| 157 | Tissue carbon concentration of 175 Mexican forest species. IForest, 2017, 10, 754-758. | 1.4 | 17 |
| 158 | Methods to Estimate Above-Ground Biomass and Carbon Stock in Natural Forests - A Review. Journal of Ecosystem & Ecography, 2012, 02, . | 0.2 | 170 |
| 159 | Disponibilidad y costos de producción de biomasa forestal como materia prima para la producción de bioetanol. Forest Systems, 2012, 21, 526. | 0.3 | 6 |
| 160 | Estimation of Total Carbon Stocks in Soil and Vegetation of Tropical Peat Forest in Indonesia. Jurnal Manajemen Hutan Tropika, 2012, 18, 118-128. | 0.4 | 3 |
| 161 | Modeling tree diversity, stand structure and productivity of northern temperate coniferous forests of Mexico. PeerJ, 2019, 7, e7051. | 2.0 | 5 |
| 162 | Hydroclimatic variations reveal differences in carbon capture in two sympatric conifers in northern Mexico. PeerJ, 2019, 7, e7085. | 2.0 | 7 |
| 163 | Tree biomass and carbon stock assessment of subtropical and temperate forests in the Central Himalaya, India. Trees, Forests and People, 2021, 6, 100147. | 1.9 | 16 |
| 164 | Estimation above ground biomass by using a diameter and density parameters (case study: district one) Tj ETQq1 | 1.0,78431 0.1 | 14 rgBT /O |
| 165 | Ecuaciones alométricas para árboles tropicales: aplicación al inventario forestal de Sinaloa, México Agronomy Mesoamerican, 2013, 24, 347. | 0.2 | 5 |
| 166 | Compartimentos de biomasa aérea en rodales de Pinus oaxacana bajo tratamientos silvÃcolas. Madera Bosques, 2017, 23, 147-161. | 0.2 | 5 |
| | | | |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 167 | Developing Site-Specific Allometric Equations for Above-Ground Biomass Estimation in Peat Swamp Forests of Rokan Hilir District, Riau Province, Indonesia. Indonesian Journal of Forestry Research, 2014, 1, 47-65. | 0.3 | 1 |
| 168 | Biomass Modeling of Alnus nepalensis D. Don at Juvenile Stage. Nepal Journal of Environmental Science, 2014, 2, 47-60. | 0.3 | 0 |
| 169 | Biomass. , 2015, , 53-70. | | 0 |
| 171 | The Relationship between Stand Mean DBH and Temperature at a Watershed Scale: The Case of Andong-dam Basin. Korean Journal of Agricultural and Forest Meteorology, 2016, 18, 287-297. | 0.2 | 0 |
| 172 | Assessment of Ecological Capability and Estimation of Aboveground Biomass in Plantations Darabkola Forest. Bul,,m/shinal,,sil,,-i Jangal/hal,,-yi Il,,ral,,n, 2017, 5, 11-21. | 0.2 | 1 |
| 173 | Ecuaciones de biomasa aérea y volumen para Pinus halepensis Mill., en Coahuila, México. Madera Bosques, 0, 24, . | 0.2 | 1 |
| 174 | Estructura y carbono especÃfico en una cronosecuencia de sistemas agroforestales de Teobroma cacao L. en Tabasco, México. Madera Bosques, 2020, 26, . | 0.2 | 2 |
| 175 | Sentinel SAR Data and In-Situ-Based High-Resolution Above-Ground Carbon Stocks Estimation Within the Open Forests of Ramgarh District. Advances in Environmental Engineering and Green Technologies Book Series, 2020, , 180-205. | 0.4 | 0 |
| 176 | Role of Tropical Floodplain Wetlands in Carbon Sequestration: A Case Study from Barak River Basin of Assam, Northeast India. Disaster Resilience and Green Growth, 2020, , 365-390. | 0.2 | 1 |
| 177 | Allometric models for estimating aboveground biomass in the tropical woodlands of Ghana, West Africa. Forest Ecosystems, 2020, 7, . | 3.1 | 11 |
| 178 | TreeTool: A tool for detecting trees and estimating their DBH using forest point clouds. SoftwareX, 2021, 16, 100889. | 2.6 | 3 |
| 179 | Estimation and Mapping of Asabot Monastery Dry Afromontane Forest Carbon Stock Under Diverse Land-Use Scenarios. , 2022, , 91-110. | | 2 |
| 180 | Assessment of the Carbon Budget of Local Governments in South Korea. Atmosphere, 2022, 13, 342. | 2.3 | 4 |
| 181 | Estimation of above-ground biomass in tropical afro-montane forest using Sentinel-2 derived indices. Environmental Systems Research, 2022, 11, . | 3.7 | 6 |
| 182 | Allometric model of biomass of white bolaina (Guazuma crinitaMart.) trees in forest plantations of Ucayali, Peru. Scientia Agropecuaria, 2021, 12, 579-587. | 1.0 | 3 |
| 183 | AlometrÃa generalizada para la estimación de la biomasa aérea total de plantas leñosas: marco teórico general y aplicaciones. Madera Bosques, 2021, 27, . | 0.2 | 1 |
| 184 | Allometric relationships to estimate aboveground biomass of species in a tropical dry forest of Central Mexico. Madera Bosques, 2021, 27, . | 0.2 | 0 |
| 185 | A Review of General Methods for Quantifying and Estimating Urban Trees and Biomass. Forests, 2022, 13, 616. | 2.1 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 190 | Sentinel SAR Data and In-Situ-Based High-Resolution Above-Ground Carbon Stocks Estimation Within the Open Forests of Ramgarh District. , 2022, , 402-422. | | 0 |
| 191 | Semi-Empirical Models and Revision of Predicting Approaches of Tree Aboveground Biomass Assessments. Forests, 2022, 13, 999. | 2.1 | 0 |
| 192 | Recently absorbed nitrogen incorporates into new and old tissues: evidence from a 15ÂN-labelling experiment in deciduous oaks. Plant and Soil, 0, , . | 3.7 | 0 |
| 193 | Modeling Litter Stocks in Planted Forests of Northern Mexico. Forests, 2022, 13, 1049. | 2.1 | 0 |
| 194 | Caracterización estructural y carbono almacenado en un bosque templado frÃo censado en el noroeste de México. Revista Mexicana De Ciencias Forestales, 2022, 13, . | 0.3 | 0 |
| 195 | Multi-Platform LiDAR for Non-Destructive Individual Aboveground Biomass Estimation for Changbai Larch (Larix olgensis Henry) Using a Hierarchical Bayesian Approach. Remote Sensing, 2022, 14, 4361. | 4.0 | 6 |
| 196 | Forest composition regulates above-ground biomass in Sal forests of Ranchi, Eastern India. Environmental Sustainability, 2022, 5, 355-373. | 2.8 | 0 |
| 197 | Biomass and Carbon Capture in Trees at Amelia Earhart Park, Miami Dade County, Florida, US. European Journal of Environment and Earth Sciences, 2022, 3, 18-22. | 0.3 | 1 |
| 198 | Stand-level biomass estimation for Korean pine plantations based on four additive methods in Heilongjiang province, northeast China. Cerne, 0, 28, . | 0.9 | 3 |
| 199 | Simple Allometry To Estimate The Aboveground Tree Biomass For Five Cool-Broadleaved Species Of Bhutan Himalaya. International Journal of Progressive Sciences and Technologies, 2021, 29, 58. | 0.1 | 0 |
| 200 | Sensitivity of Stand-Level Biomass to Climate for Three Conifer Plantations in Northeast China. Forests, 2022, 13, 2022. | 2.1 | 3 |
| 201 | Recent Advances in UAV-Based Structure-from-Motion Photogrammetry for Aboveground Biomass and Carbon Storage Estimations in Forestry. , 2022, , 395-409. | | 1 |
| 202 | Biomass allometric models for Larix rupprechtii based on Kosak's taper curve equations and nonlinear seemingly unrelated regression. Frontiers in Plant Science, 0, 13, . | 3.6 | 1 |
| 203 | Allometric equations for estimating biomass of natural shrubs and young trees of subtropical forests. New Forests, 2024, 55, 15-46. | 1.7 | 1 |
| 204 | Allometric Equations of Beech (Fagus orientalis L.) Biomass in Managed and Unmanaged Stands in Safarood's Forest, Mazandaran Province. BuÌ"m/shinaÌ"siÌ"-i Jangal/hal"-yi IÌ"raÌ"n, 2020, 8, 103-114. | 0.2 | 0 |
| 205 | Carbon Sequestration in Resin-Tapped Slash Pine (Pinus elliottii Engelm.) Subtropical Plantations. Biology, 2023, 12, 324. | 2.8 | 3 |
| 206 | Allometric Models and Biomass Conversion and Expansion Factors to Predict Total Tree-level Aboveground Biomass for Three Conifers Species in Iran. Forest Science, 0, , . | 1.0 | 0 |
| 208 | An Alternative Method for Estimation of Stand-Level Biomass for Three Conifer Species in Northeast China. Forests, 2023, 14, 1274. | 2.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 209 | Developing a Model for Curve-Fitting a Tree Stem's Cross-Sectional Shape and Sapwood–Heartwood Transition in a Polar Diagram System Using Nonlinear Regression. Forests, 2023, 14, 1102. | 2.1 | 2 |
| 210 | Rates of Stemwood Carbon Accumulation Are Linked to Hydroclimate Variability in Mexican Conifers. Forests, 2023, 14, 1381. | 2.1 | 1 |
| 211 | Generic above-ground biomass estimator for urban forests using machine learning. Arboricultural Journal, 0, , 1-17. | 0.8 | 1 |
| 212 | Modeling Biometric Attributes from Tree Height Using Unmanned Aerial Vehicles (UAV) in Natural Forest Stands. Ingenieria E Investigacion, 2023, 43, e98945. | 0.4 | 0 |
| 213 | Growth characteristics and biomass model of Cupressus gigantea sapling. Trees - Structure and Function, 2024, 38, 27-35. | 1.9 | 0 |
| 214 | Species-specific and generalized allometric equations for improving aboveground biomass estimations of 33 understory woody species in northeastern China forest ecosystems. Canadian Journal of Forest Research, 0, , . | 1.7 | 0 |
| 215 | Improving Volume and Biomass Equations for Pinus oocarpa in Nicaragua. Forests, 2024, 15, 309. | 2.1 | 0 |
| 216 | Exploring nutrient-sensitive landscape configurations for rural communities in southern Mexico. Landscape and Urban Planning, 2024, 246, 105041. | 7.5 | 0 |
| 217 | Forest carbon stock-based bioeconomy: Mixed models improve accuracy of tree biomass estimates. Biomass and Bioenergy, 2024, 183, 107142. | 5.7 | 0 |
| 218 | Aboveground Biomass and Carbon Storage in Mangrove Forests in Southeastern Mexico. Resources, 2024, 13, 41. | 3.5 | 0 |