

Variability in spatiotemporal step characteristics and its performance post-stroke

Gait and Posture

29, 408-414

DOI: [10.1016/j.gaitpost.2008.10.061](https://doi.org/10.1016/j.gaitpost.2008.10.061)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | SHIMMER: A new tool for temporal gait analysis. , 2009, 2009, 3826-9. | | 41 |
| 2 | Foot placement in a body reference frame during walking and its relationship to hemiparetic walking performance. Clinical Biomechanics, 2010, 25, 483-490. | 0.5 | 50 |
| 3 | Task-Oriented Circuit Class Training Program with Motor Imagery for Gait Rehabilitation in Poststroke Patients: A Randomized Controlled Trial. Topics in Stroke Rehabilitation, 2011, 18, 620-632. | 1.0 | 60 |
| 4 | Effects of Treadmill Inclination on the Gait of Individuals With Chronic Hemiparesis. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1675-1680. | 0.5 | 14 |
| 5 | Repeatability and variability of baropodometric and spatio-temporal gait parameters â€”Results in healthy subjects and in stroke patients. Neurophysiologie Clinique, 2011, 41, 181-189. | 1.0 | 22 |
| 6 | Comparison of Motor Control Deficits During Treadmill and Overground Walking Poststroke. Neurorehabilitation and Neural Repair, 2011, 25, 756-765. | 1.4 | 69 |
| 7 | Test-retest reliability of the GAITRite system in people with stroke undergoing rehabilitation. Disability and Rehabilitation, 2011, 33, 1848-1853. | 0.9 | 70 |
| 8 | Effect of Peroneal Electrical Stimulation Versus an Ankle-Foot Orthosis on Obstacle Avoidance Ability in People With Stroke-Related Foot Drop. Physical Therapy, 2012, 92, 398-406. | 1.1 | 50 |
| 9 | Walking Speed in Stroke Survivors. Topics in Geriatric Rehabilitation, 2012, 28, 113-121. | 0.2 | 15 |
| 10 | Relationship of Variation of TUG Test Times with Gait Independence of Stroke Patients. Rigakuryoho Kagaku, 2012, 27, 427-432. | 0.0 | 0 |
| 11 | Maximum walking speeds obtained using treadmill and overground robot system in persons with post-stroke hemiplegia. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 80. | 2.4 | 33 |
| 12 | Trunk orientation estimate during walking using gyroscope sensors. , 2012, , . | | 6 |
| 15 | A method of walking parameters estimation via 3-axis accelerometer. , 2013, , . | | 0 |
| 16 | The Gait Variability Index: A new way to quantify fluctuation magnitude of spatiotemporal parameters during gait. Gait and Posture, 2013, 38, 461-465. | 0.6 | 83 |
| 17 | Exploration of measurement variation of gait variables for early lameness detection in cattle using the GAITWISE. Livestock Science, 2013, 156, 88-95. | 0.6 | 36 |
| 18 | Effects of repeated treadmill testing and electrical stimulation on post-stroke gait kinematics. Gait and Posture, 2013, 37, 67-71. | 0.6 | 5 |
| 19 | Use of weighted Fourier linear combiner filters to estimate lower trunk 3D orientation from gyroscope sensors data. Journal of NeuroEngineering and Rehabilitation, 2013, 10, 29. | 2.4 | 28 |
| 20 | Training to walk amid uncertainty with Re-Step: measurements and changes with perturbation training for hemiparesis and cerebral palsy. Disability and Rehabilitation: Assistive Technology, 2013, 8, 417-425. | 1.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 21 | Metronome-Cued Stepping in Place after Hemiparetic Stroke: Comparison of a One- and Two-Tone Beat. <i>ISRN Rehabilitation</i> , 2013, 2013, 1-5. | 0.6 | 20 |
| 22 | Reduced gait stability in high-functioning poststroke individuals. <i>Journal of Neurophysiology</i> , 2013, 109, 77-88. | 0.9 | 36 |
| 23 | Simple Method to Reduce the Effect of Patient Positioning Variation on Three-Dimensional Motion Analysis during Treadmill Gait. <i>Clinics and Practice</i> , 2013, 3, 84-86. | 0.6 | 1 |
| 24 | Understanding Spatial and Temporal Gait Asymmetries in Individuals Post Stroke. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2014, 02, . | 0.5 | 36 |
| 25 | Plantarflexion moment is a contributor to step length after-effect following walking on a split-belt treadmill in individuals with stroke and healthy individuals. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 849-857. | 0.8 | 22 |
| 26 | Tele-rehabilitation to Promote Exercise in Veterans Post-Stroke: An Observational Pilot Study. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2014, 02, . | 0.5 | 2 |
| 27 | Estimation of step-by-step spatio-temporal parameters of normal and impaired gait using shank-mounted magneto-inertial sensors: application to elderly, hemiparetic, parkinsonian and choreic gait. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 152. | 2.4 | 183 |
| 28 | Perception Threshold of Locomotor Symmetry While Walking on a Split-Belt Treadmill in Healthy Elderly Individuals. <i>Perceptual and Motor Skills</i> , 2014, 118, 475-490. | 0.6 | 17 |
| 29 | Examination of spatiotemporal gait parameters during the 6-min walk in individuals with multiple sclerosis. <i>International Journal of Rehabilitation Research</i> , 2014, 37, 311-316. | 0.7 | 32 |
| 30 | Inter- and intra-rater reliability of the GAITRite system among individuals with sub-acute stroke. <i>Gait and Posture</i> , 2014, 40, 259-261. | 0.6 | 44 |
| 31 | Spatial-Temporal Gait Variability Poststroke: Variations in Measurement and Implications for Measuring Change. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1335-1341. | 0.5 | 27 |
| 32 | Dynamic instability during post-stroke hemiparetic walking. <i>Gait and Posture</i> , 2014, 40, 457-463. | 0.6 | 96 |
| 33 | Exploration of the Physical Functions Related to the Gait Ability of Subacute Stroke Patients using Canonical Correlation Analysis. <i>Rigakuryoho Kagaku</i> , 2014, 29, 627-631. | 0.0 | 0 |
| 34 | A blended user centred design study for wearable haptic gait rehabilitation following hemiparetic stroke. , 2015, , . | | 13 |
| 35 | A Pilot Study Using Tactile Cueing for Gait Rehabilitation Following Stroke. <i>Communications in Computer and Information Science</i> , 2015, , 222-233. | 0.4 | 4 |
| 36 | Foot placement control and gait instability among people with stroke. <i>Journal of Rehabilitation Research and Development</i> , 2015, 52, 577-590. | 1.6 | 72 |
| 37 | Use of Accelerometer-Based Feedback of Walking Activity for Appraising Progress With Walking-Related Goals in Inpatient Stroke Rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 847-857. | 1.4 | 67 |
| 38 | Immediate-term effects of use of an ankle-foot orthosis with an oil damper on the gait of stroke patients when walking without the device. <i>Prosthetics and Orthotics International</i> , 2015, 39, 140-149. | 0.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 39 | Hidden Markov model-based strategy for gait segmentation using inertial sensors: Application to elderly, hemiparetic patients and Huntington's disease patients. , 2015, 2015, 5179-82. | | 25 |
| 40 | Accelerometry-Based Gait Characteristics Evaluated Using a Smartphone and Their Association with Fall Risk in People with Chronic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1305-1311. | 0.7 | 45 |
| 41 | Do measures of reactive balance control predict falls in people with stroke returning to the community?. Physiotherapy, 2015, 101, 373-380. | 0.2 | 100 |
| 42 | Does long-distance walking improve or deteriorate walking stability of transtibial amputees?. Clinical Biomechanics, 2015, 30, 867-873. | 0.5 | 19 |
| 43 | Gait patterns of chronic ambulatory hemiplegic elderly compared with normal Age-Matched elderly. International Journal of Precision Engineering and Manufacturing, 2015, 16, 385-392. | 1.1 | 34 |
| 44 | The Community Balance and Mobility Scale Alleviates the Ceiling Effects Observed in the Currently Used Gait and Balance Assessments for the Community-Dwelling Older Adults. Journal of Geriatric Physical Therapy, 2015, 38, 78-89. | 0.6 | 63 |
| 45 | Plantarflexor weakness is a determinant of kinetic asymmetry during gait in post-stroke individuals walking with high levels of effort. Clinical Biomechanics, 2015, 30, 946-952. | 0.5 | 24 |
| 46 | A functional tracking task to assess frontal plane motor control in post stroke gait. Journal of Biomechanics, 2015, 48, 1782-1788. | 0.9 | 10 |
| 47 | ICTs for Improving Patients Rehabilitation Research Techniques. Communications in Computer and Information Science, 2015, , . | 0.4 | 3 |
| 48 | Objective Evaluation of the Quality of Movement in Daily Life after Stroke. Frontiers in Bioengineering and Biotechnology, 2015, 3, 210. | 2.0 | 43 |
| 49 | Assessment of a Smart Sensing Shoe for Gait Phase Detection in Level Walking. Electronics (Switzerland), 2016, 5, 78. | 1.8 | 30 |
| 50 | A Machine Learning Framework for Gait Classification Using Inertial Sensors: Application to Elderly, Post-Stroke and Huntington's Disease Patients. Sensors, 2016, 16, 134. | 2.1 | 190 |
| 51 | Wearable haptic devices for post-stroke gait rehabilitation. , 2016, , . | | 5 |
| 52 | A novel bilateral lower extremity mirror therapy intervention for individuals with stroke. Heliyon, 2016, 2, e00208. | 1.4 | 6 |
| 53 | Online learning of gait models for calculation of gait parameters. , 2016, 2016, 6146-6149. | | 1 |
| 54 | A novel accelerometry-based algorithm for the detection of step durations over short episodes of gait in healthy elderly. Journal of NeuroEngineering and Rehabilitation, 2016, 13, 38. | 2.4 | 33 |
| 55 | The Use of Cuff Weights for Aquatic Gait Training in People Post-Stroke with Hemiparesis. Physiotherapy Research International, 2016, 21, 47-53. | 0.7 | 9 |
| 56 | Coordination of muscles to control the footpath during over-ground walking in neurologically intact individuals and stroke survivors. Experimental Brain Research, 2016, 234, 1903-1914. | 0.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 57 | Long-term donor-site morbidity after vascularized free fibula flap harvesting: Clinical and gait analysis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 262-269. | 0.5 | 48 |
| 58 | Stride variability measures derived from wrist- and hip-worn accelerometers. <i>Gait and Posture</i> , 2017, 52, 217-223. | 0.6 | 19 |
| 59 | Mixture-Model Clustering of Pathological Gait Patterns. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 1297-1305. | 3.9 | 17 |
| 61 | Walking on uneven terrain in healthy adults and the implications for people after stroke. <i>NeuroRehabilitation</i> , 2017, 41, 765-774. | 0.5 | 22 |
| 62 | A soft robotic exosuit improves walking in patients after stroke. <i>Science Translational Medicine</i> , 2017, 9, . | 5.8 | 439 |
| 63 | Locomotor circumvention strategies are altered by stroke: I. Obstacle clearance. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2017, 14, 56. | 2.4 | 10 |
| 64 | Gait Speed and Gait Variability Are Associated with Different Functional Brain Networks. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 390. | 1.7 | 77 |
| 65 | Validity of gait asymmetry estimation by using an accelerometer in individuals with hemiparetic stroke. <i>Journal of Physical Therapy Science</i> , 2017, 29, 307-311. | 0.2 | 10 |
| 66 | Do clinical assessments, steady-state or daily-life gait characteristics predict falls in ambulatory chronic stroke survivors?. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 402-409. | 0.8 | 34 |
| 67 | Dynamic structure of lower limb joint angles during walking post-stroke. <i>Journal of Biomechanics</i> , 2018, 68, 1-5. | 0.9 | 9 |
| 68 | Variability of Leg Kinematics during Overground Walking in Persons with Chronic Incomplete Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2519-2529. | 1.7 | 13 |
| 69 | A sensor fusion approach for inertial sensors based 3D kinematics and pathological gait assessments: toward an adaptive control of stimulation in post-stroke subjects*. , 2018, 2018, 3497-3500. | | 6 |
| 70 | Mediolateral footpath stabilization during walking in people following stroke. <i>PLoS ONE</i> , 2018, 13, e0208120. | 1.1 | 12 |
| 71 | An Automatic Gait Feature Extraction Method for Identifying Gait Asymmetry Using Wearable Sensors. <i>Sensors</i> , 2018, 18, 676. | 2.1 | 73 |
| 72 | Recovery and compensation after robotic assisted gait training in chronic stroke survivors. <i>Disability and Rehabilitation: Assistive Technology</i> , 2019, 14, 826-838. | 1.3 | 14 |
| 73 | Muscle contributions to mediolateral and anteroposterior foot placement during walking. <i>Journal of Biomechanics</i> , 2019, 95, 109310. | 0.9 | 12 |
| 74 | User-driven walking assistance: first experimental results using the MyoSuit. , 2019, 2019, 944-949. | | 29 |
| 75 | Validity and Reproducibility of Inertial Physilog Sensors for Spatiotemporal Gait Analysis in Patients With Stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 1865-1874. | 2.7 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 76 | Quantitative Gait Analysis and Cerebrospinal Fluid Tap Test for Idiopathic Normal-pressure Hydrocephalus. <i>Scientific Reports</i> , 2019, 9, 16255. | 1.6 | 18 |
| 77 | The relationship between trunk acceleration parameters and kinematic characteristics during walking in patients with stroke. <i>Journal of Physical Therapy Science</i> , 2019, 31, 638-644. | 0.2 | 6 |
| 78 | Movement variability emerges in gait as adaptation to task constraints in dynamic environments. <i>Gait and Posture</i> , 2019, 70, 1-5. | 0.6 | 25 |
| 79 | Validity of the Walked Distance Estimated by Wearable Devices in Stroke Individuals. <i>Sensors</i> , 2019, 19, 2497. | 2.1 | 18 |
| 80 | Center of mass in analysis of dynamic stability during gait following stroke: A systematic review. <i>Gait and Posture</i> , 2019, 72, 154-166. | 0.6 | 21 |
| 81 | Motor module generalization across balance and walking is impaired after stroke. <i>Journal of Neurophysiology</i> , 2019, 122, 277-289. | 0.9 | 33 |
| 82 | Stroke survivors exhibit stronger lower extremity synergies in more challenging walking conditions. <i>Experimental Brain Research</i> , 2019, 237, 1919-1930. | 0.7 | 7 |
| 83 | Spatiotemporal gait characteristic changes with gait training using the hybrid assistive limb for chronic stroke patients. <i>Gait and Posture</i> , 2019, 71, 205-210. | 0.6 | 24 |
| 84 | Endpoint accuracy of goal-directed ankle movements correlates to over-ground walking in stroke. <i>Clinical Neurophysiology</i> , 2019, 130, 1008-1016. | 0.7 | 4 |
| 85 | Post-stroke deficits in the step-by-step control of paretic step width. <i>Gait and Posture</i> , 2019, 70, 136-140. | 0.6 | 29 |
| 86 | Online Learning of Gait Models From Older Adult Data. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 733-742. | 2.7 | 6 |
| 87 | Gait Evaluation Using Procrustes and Euclidean Distance Matrix Analysis. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 2021-2029. | 3.9 | 18 |
| 88 | Validity of the gait variability index for individuals after a stroke in a chronic stage of recovery. <i>Gait and Posture</i> , 2019, 68, 63-67. | 0.6 | 10 |
| 89 | Merged plantarflexor muscle activity is predictive of poor walking performance in post-stroke hemiparetic subjects. <i>Journal of Biomechanics</i> , 2019, 82, 361-367. | 0.9 | 19 |
| 90 | A MULTIdimensional Compliant Decoupled Actuator (MUCDA) for Pelvic Support During Gait. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019, 24, 164-174. | 3.7 | 8 |
| 91 | Investigating the Relationship of the Functional Gait Assessment to Spatiotemporal Parameters of Gait and Quality of Life in Individuals With Stroke. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, 256-264. | 0.6 | 33 |
| 92 | Lokomat guided gait in hemiparetic stroke patients: the effects of training parameters on muscle activity and temporal symmetry. <i>Disability and Rehabilitation</i> , 2020, 42, 2977-2985. | 0.9 | 38 |
| 93 | Validity of wearable actimeter computation of total energy expenditure during walking in post-stroke individuals. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 209-215. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 94 | Characterizing intersection variability of butterfly diagram in post-stroke gait using Kernel Density Estimation. <i>Gait and Posture</i> , 2020, 76, 157-161. | 0.6 | 9 |
| 95 | Modularity underlying the performance of unusual locomotor tasks inspired by developmental milestones. <i>Journal of Neurophysiology</i> , 2020, 123, 496-510. | 0.9 | 6 |
| 96 | A Music-Based Digital Therapeutic: Proof-of-Concept Automation of a Progressive and Individualized Rhythm-Based Walking Training Program After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 986-996. | 1.4 | 20 |
| 97 | Discrete wavelet transform based data representation in deep neural network for gait abnormality detection. <i>Biomedical Signal Processing and Control</i> , 2020, 62, 102076. | 3.5 | 26 |
| 98 | Estimating wearable motion sensor performance from personal biomechanical models and sensor data synthesis. <i>Scientific Reports</i> , 2020, 10, 11450. | 1.6 | 15 |
| 99 | Functional Status Is Associated With Prefrontal Cortex Activation in Gait in Subacute Stroke Patients: A Functional Near-Infrared Spectroscopy Study. <i>Frontiers in Neurology</i> , 2020, 11, 559227. | 1.1 | 8 |
| 100 | Gait-Combined transcranial alternating current stimulation modulates cortical control of muscle activities during gait. <i>European Journal of Neuroscience</i> , 2020, 52, 4791-4802. | 1.2 | 12 |
| 101 | Self-selected step length asymmetry is not explained by energy cost minimization in individuals with chronic stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 119. | 2.4 | 10 |
| 102 | Portable Gait Lab: Tracking Relative Distances of Feet and CoM Using Three IMUs. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020, 28, 2255-2264. | 2.7 | 10 |
| 103 | Post-Stroke Cognitive Impairments and Responsiveness to Motor Rehabilitation: A Review. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2020, 8, 461-468. | 0.3 | 30 |
| 104 | Cerebellar Transcranial Direct Current Stimulation for Motor Learning in People with Chronic Stroke: A Pilot Randomized Controlled Trial. <i>Brain Sciences</i> , 2020, 10, 982. | 1.1 | 4 |
| 105 | A preliminary study on a new lightweight and flexible sensing sock for gait analysis. , 2020, , . | | 3 |
| 106 | Feasibility of Using Foot-Ground Clearance Biofeedback Training in Treadmill Walking for Post-Stroke Gait Rehabilitation. <i>Brain Sciences</i> , 2020, 10, 978. | 1.1 | 14 |
| 107 | Walking Speed Affects Gait Coordination and Variability Among Older Adults With and Without Mobility Limitations. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1377-1382. | 0.5 | 13 |
| 108 | Investigating the relationship between spatiotemporal gait variability and falls self-efficacy in individuals with chronic stroke. <i>Physiotherapy Theory and Practice</i> , 2020, , 1-9. | 0.6 | 5 |
| 109 | Gait asymmetry pattern following stroke determines acute response to locomotor task. <i>Gait and Posture</i> , 2020, 77, 300-307. | 0.6 | 21 |
| 110 | Comparison of the Immediate Effects of Audio, Visual, or Audiovisual Gait Biofeedback on Propulsive Force Generation in Able-Bodied and Post-stroke Individuals. <i>Applied Psychophysiology Biofeedback</i> , 2020, 45, 211-220. | 1.0 | 15 |
| 111 | A randomized controlled trial of motor imagery combined with structured progressive circuit class therapy on gait in stroke survivors. <i>Scientific Reports</i> , 2020, 10, 6945. | 1.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 112 | Asymmetry and Variability Should Be Included in the Assessment of Gait Function in Poststroke Hemiplegia With Independent Ambulation During Early Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2021, 102, 611-618. | 0.5 | 12 |
| 113 | Effects of Targeted Assistance and Perturbations on the Relationship Between Pelvis Motion and Step Width in People With Chronic Stroke. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 134-143. | 2.7 | 4 |
| 114 | Improving gait efficiency to increase movement and physical activity – The impact of abnormal gait patterns and strategies to correct. Progress in Cardiovascular Diseases, 2021, 64, 83-87. | 1.6 | 6 |
| 115 | Online Censoring Based Weighted-Frequency Fourier Linear Combiner for Estimation of Pathological Hand Tremors. IEEE Signal Processing Letters, 2021, 28, 1460-1464. | 2.1 | 10 |
| 116 | Variability and coordination patterns of walking with different speeds in active and non-active children with Down syndrome: A cross-sectional case-control study. International Journal of Developmental Disabilities, 2022, 68, 723-731. | 1.3 | 2 |
| 117 | Targeting post-stroke walking automaticity with a propulsion-augmenting soft robotic exosuit: toward a biomechanical and neurophysiological approach to assistance prescription. , 2021, , . | | 1 |
| 118 | Effects of gait rehabilitation on motor coordination in stroke survivors: an UCM-based approach. Experimental Brain Research, 2021, 239, 2107-2118. | 0.7 | 8 |
| 119 | Does increased gait variability improve stability when faced with an expected balance perturbation during treadmill walking?. Gait and Posture, 2021, 86, 94-100. | 0.6 | 10 |
| 120 | An Optimal Procedure for Stride Length Estimation Using Foot-Mounted Magneto-Inertial Measurement Units. , 2021, , . | | 8 |
| 121 | Quantitative gait analysis of idiopathic normal pressure hydrocephalus using deep learning algorithms on monocular videos. Scientific Reports, 2021, 11, 12368. | 1.6 | 9 |
| 122 | Adapting Footfall Rhythmicity to Auditory Perturbations Affects Resilience of Locomotor Behavior: A Proof-of-Concept Study. Frontiers in Neuroscience, 2021, 15, 678965. | 1.4 | 0 |
| 123 | Force-Control vs. Strength Training: The Effect on Gait Variability in Stroke Survivors. Frontiers in Neurology, 2021, 12, 667340. | 1.1 | 9 |
| 124 | A principal component analysis (PCA) based assessment of the gait performance. Biomedizinische Technik, 2021, 66, 449-457. | 0.9 | 6 |
| 125 | Temporal But Not Spatial Gait Parameters Associated With Lower Balance Capacity in Moderate-High Functioning Persons With Stroke. Journal of Neurologic Physical Therapy, 2021, 45, 301-309. | 0.7 | 6 |
| 126 | Perceptions of an over-ground induced temporal gait asymmetry by healthy young adults. Human Movement Science, 2021, 78, 102806. | 0.6 | 6 |
| 127 | Changes to foot pressure pattern in post-stroke individuals who have started to walk independently during the convalescent phase. Gait and Posture, 2021, 90, 307-312. | 0.6 | 3 |
| 128 | Acute responses to locomotor tasks differ according to gait-asymmetry patterns in children with hemiplegic cerebral palsy: An exploratory analysis. Human Movement Science, 2021, 79, 102860. | 0.6 | 5 |
| 129 | Gait Variability and Fall Risk in Older Adults: The Role of Cognitive Function. , 2020, , 107-138. | | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 130 | A Gait Rehabilitation pilot study using tactile cueing following Hemiparetic Stroke. , 2014, , . | | 14 |
| 131 | Estimation of Walking Speed and Its Spatiotemporal Determinants Using a Single Inertial Sensor Worn on the Thigh: From Healthy to Hemiparetic Walking. Sensors, 2021, 21, 6976. | 2.1 | 8 |
| 132 | Does regional anesthesia increase the risk of falling in elderly patients?. Gait and Posture, 2021, 90, 306-307. | 0.6 | 0 |
| 133 | Rhythmic Haptic Cueing for Entrainment: Assisting Post-stroke Gait Rehabilitation. , 2016, , 55-64. | | 1 |
| 134 | Rhythmic haptic cueing for gait rehabilitation of neurological conditions. , 0, , . | | 0 |
| 135 | Questioning Classic Patient Classification Techniques in Gait Rehabilitation: Insights from Wearable Haptic Technology. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2017, , 327-339. | 0.2 | 0 |
| 138 | Effectiveness of Vestibular Rehabilitation on Improving the Gait in patients with Chronic Unilateral Vestibular Disorder. Equilibrium Research, 2019, 78, 581-589. | 0.2 | 1 |
| 141 | Assessments of balance-gait/fall risk and effects of vestibular rehabilitation by physiotherapist intervention in patients with unilateral peripheral vestibular hypofunction. Equilibrium Research, 2020, 79, 171-181. | 0.2 | 0 |
| 142 | Stability boots for the treatment of Achilles tendon injuries: Gait analysis of healthy participants. Gait and Posture, 2022, 91, 131-136. | 0.6 | 0 |
| 144 | Gait improvement after treadmill training in ischemic stroke survivors: A critical review of functional MRI studies. Neural Regeneration Research, 2012, 7, 2457-64. | 1.6 | 2 |
| 145 | Analysis of Gait Characteristics Using Hip-Knee Cyclograms in Patients with Hemiplegic Stroke. Sensors, 2021, 21, 7685. | 2.1 | 9 |
| 146 | Video-Based Pose Estimation for Gait Analysis in Stroke Survivors during Clinical Assessments: A Proof-of-Concept Study. Digital Biomarkers, 2022, 6, 9-18. | 2.2 | 33 |
| 147 | A Co-creation Centre for Accessible Rehabilitation Technology. Frontiers in Rehabilitation Sciences, 2022, 2, . | 0.5 | 6 |
| 148 | Improvement of Gait in Patients with Stroke Using Rhythmic Sensory Stimulation: A Case-Control Study. Journal of Clinical Medicine, 2022, 11, 425. | 1.0 | 2 |
| 149 | Exploiting Resistive Matrix Technology to Build a Stretchable Sensorised Sock for Gait Analysis in Daily Life. Sensors, 2022, 22, 1761. | 2.1 | 3 |
| 150 | Biomechanical Correlates of Falls Risk in Gait Impaired Stroke Survivors. Frontiers in Physiology, 2022, 13, 833417. | 1.3 | 2 |
| 151 | The reliability test of a smart insole for gait analysis in stroke patients. Journal of Korean Physical Therapy Science, 2022, 29, 30-40. | 0.3 | 0 |
| 152 | How to Decide the Number of Gait Cycles in Different Low-Pass Filters to Extract Motor Modules by Non-negative Matrix Factorization During Walking in Chronic Post-stroke Patients. Frontiers in Human Neuroscience, 2022, 16, 803542. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 153 | A Feasibility Study of Gait Change Detection Using LSTM Based on Inertial Sensor Measurements under Fixed Step Widths. , 2021, , . | | 1 |
| 155 | The Best Choice of Oxygen Cost Prediction Equation for Computing Post-Stroke Walking Energy Expenditure Using an Accelerometer. <i>Neurorehabilitation and Neural Repair</i> , 2022, 36, 298-305. | 1.4 | 2 |
| 156 | The Effect of Inclines on Joint Angles in Stroke Survivors During Treadmill Walking. <i>Frontiers in Neurology</i> , 2022, 13, 850682. | 1.1 | 0 |
| 157 | Effects of Transcranial Direct Current Stimulation over the Supplementary Motor Area Combined with Walking on the Intramuscular Coherence of the Tibialis Anterior in a Subacute Post-Stroke Patient: A Single-Case Study. <i>Brain Sciences</i> , 2022, 12, 540. | 1.1 | 1 |
| 159 | Portable gait analysis sensor model for Parkinsonâ€™s disease. <i>Materials Today: Proceedings</i> , 2022, 63, 653-662. | 0.9 | 1 |
| 160 | Validation of Body-Worn Sensors for Gait Analysis During a 2-min Walk Test in Children. <i>Journal for the Measurement of Physical Behaviour</i> , 2022, , 1-9. | 0.5 | 0 |
| 161 | Detection of gait variations by using artificial neural networks. <i>Biomedical Engineering Letters</i> , 0, , . | 2.1 | 2 |
| 162 | Phase-dependent Brain Activation of the Frontal and Parietal Regions During Walking After Stroke - An fNIRS Study. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 4 |
| 163 | Validity and Repeatability of Inertial Measurement Unit for Measuring Walking Gait Parameter of Patients with Non-specific Low Back Pain. , 0, , 45-51. | | 1 |
| 164 | Increased temporal stride variability contributes to impaired gait coordination after stroke. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 8 |
| 165 | Normalizing step-to-step variability to age in children and adolescents with hemiplegia. <i>Gait and Posture</i> , 2022, 98, 6-8. | 0.6 | 0 |
| 166 | Effects of rhythmic auditory cueing on gait variability and voluntary control of walking -a cross-sectional study-. <i>Human Movement Science</i> , 2022, 85, 102995. | 0.6 | 1 |
| 167 | Accuracy of gait and posture classification using movement sensors in individuals with mobility impairment after stroke. <i>Frontiers in Physiology</i> , 0, 13, . | 1.3 | 4 |
| 168 | Predictors of ambulatory recovery and walking proficiency in community-dwelling stroke survivors: a cross-sectional study. <i>Bulletin of Faculty of Physical Therapy</i> , 2022, 27, . | 0.2 | 0 |
| 169 | Functional connectivity of proximal and distal lower limb muscles and impact on gait variability in stroke. <i>Gait and Posture</i> , 2023, 99, 20-23. | 0.6 | 0 |
| 170 | <sc><i>CCR5</i></sc> polymorphismâ€™a possible protective factor from gait impairment amongst postâ€™stroke patients. <i>European Journal of Neurology</i> , 2023, 30, 692-701. | 1.7 | 2 |
| 171 | Osseointegrated prostheses improve balance and balance confidence in individuals with unilateral transfemoral limb loss. <i>Gait and Posture</i> , 2023, 100, 132-138. | 0.6 | 5 |
| 172 | Short-term effects of pedaling exercise combined with integrated volitional control electrical stimulation in an older patient hospitalized for subacute stroke: ABA single-case design. <i>Journal of Physical Therapy Science</i> , 2023, 35, 82-87. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 173 | The contribution of walking speed versus recent stroke to temporospatial gait variability. <i>Gait and Posture</i> , 2023, 100, 216-221. | 0.6 | 6 |
| 175 | A "one-size-fits-most" walking recognition method for smartphones, smartwatches, and wearable accelerometers. <i>Npj Digital Medicine</i> , 2023, 6, . | 5.7 | 9 |
| 176 | The Interplay Between Walking Speed, Economy, and Stability After Stroke. <i>Journal of Neurologic Physical Therapy</i> , 2023, 47, 75-83. | 0.7 | 0 |
| 177 | Co-simulation of human digital twins and wearable inertial sensors to analyse gait event estimation. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 11, . | 2.0 | 1 |
| 192 | Novel analytics in the management of movement disorders. , 2024, , 67-88. | | 0 |