

Ambulatory care sensitive conditions: terminology and specific to aid policy makers and clinicians

Public Health

123, 169-173

DOI: [10.1016/j.puhe.2008.11.001](https://doi.org/10.1016/j.puhe.2008.11.001)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Income level and chronic ambulatory care sensitive conditions in adults: a multicity population-based study in Italy. <i>BMC Public Health</i> , 2009, 9, 457.	1.2	67
2	Development of a primary care-based complex care management intervention for chronically ill patients at high risk for hospitalization: a study protocol. <i>Implementation Science</i> , 2010, 5, 70.	2.5	30
3	Prioritizing ambulatory care sensitive hospital admissions in England for research and intervention: a Delphi exercise. <i>Primary Health Care Research and Development</i> , 2010, 11, 41.	0.5	23
4	Does better disease management in primary care reduce hospital costs? Evidence from English primary care. <i>Journal of Health Economics</i> , 2011, 30, 919-932.	1.3	64
5	Emergency admissions for coronary heart disease: A cross-sectional study of general practice, population and hospital factors in England. <i>Public Health</i> , 2011, 125, 46-54.	1.4	42
6	Hospitalizations for Ambulatory Care Sensitive Conditions and Quality of Primary Care. <i>Medical Care</i> , 2011, 49, 17-23.	1.1	58
7	Does Higher Quality of Diabetes Management in Family Practice Reduce Unplanned Hospital Admissions?. <i>Health Services Research</i> , 2011, 46, 27-46.	1.0	76
8	Ambulatory Care Sensitive Conditions in Persons with an Intellectual Disability - Development of a Consensus. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2011, 24, 150-158.	1.3	14
9	Features and outcomes of unplanned hospital admissions of older people due to ill-defined (R-coded) conditions: Retrospective analysis of hospital admissions data in England. <i>BMC Geriatrics</i> , 2011, 11, 62.	1.1	25
10	Primary care practice-based care management for chronically ill patients (PraCMan): study protocol for a cluster randomized controlled trial [ISRCTN56104508]. <i>Trials</i> , 2011, 12, 163.	0.7	45
11	Understanding preventable hospital readmissions: Masqueraders, markers, and true causal factors. <i>Journal of Hospital Medicine</i> , 2011, 6, 51-53.	0.7	21
12	Defining primary care sensitive conditions: a necessity for effective primary care delivery?. <i>Journal of the Royal Society of Medicine</i> , 2012, 105, 422-428.	1.1	26
13	Assessing Preventable Hospitalisation Indicators (APHID): protocol for a data-linkage study using cohort study and administrative data. <i>BMJ Open</i> , 2012, 2, e002344.	0.8	12
14	Secondary Surge Capacity: A Framework for Understanding Long-Term Access to Primary Care for Medically Vulnerable Populations in Disaster Recovery. <i>American Journal of Public Health</i> , 2012, 102, e24-e32.	1.5	85
15	Hospitalisations and costs relating to ambulatory care sensitive conditions in Ireland. <i>Irish Journal of Medical Science</i> , 2012, 181, 527-533.	0.8	17
16	Patterns of Multimorbidity in Primary Care Patients at High Risk of Future Hospitalization. <i>Population Health Management</i> , 2012, 15, 119-124.	0.8	53
17	Patient characteristics associated with hospitalisations for ambulatory care sensitive conditions in Victoria, Australia. <i>BMC Health Services Research</i> , 2012, 12, 475.	0.9	62
18	The relationship between avoidable hospitalization and accessibility to primary care: a systematic review. <i>European Journal of Public Health</i> , 2013, 23, 356-360.	0.1	229

#	ARTICLE	IF	CITATIONS
20	Preventable hospitalization and the role of primary care: a comparison between Italy and Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2013, 21, 445-454.	0.8	12
21	Hospitalizations for primary care-sensitive conditions in a Southern Brazilian municipality. <i>Revista Da AssociaçãO MÃ©dica Brasileira (English Edition)</i> , 2013, 59, 120-127.	0.1	7
22	Reducing avoidable hospital admission in older people: Health status, frailty and predicting risk of ill-defined conditions diagnoses in older people admitted with collapse. <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 172-176.	1.4	9
23	Rurality and avoidable hospitalization in a Spanish region with high population dispersion. <i>European Journal of Public Health</i> , 2013, 23, 946-951.	0.1	15
24	Increase in emergency admissions to hospital for children aged under 15 in England, 1999-2010: national database analysis. <i>Archives of Disease in Childhood</i> , 2013, 98, 328-334.	1.0	129
25	Strategies for Reducing Potentially Avoidable Hospitalizations for Ambulatory Care-Sensitive Conditions. <i>Annals of Family Medicine</i> , 2013, 11, 363-370.	0.9	139
26	Access to primary care in Hong Kong, Greater London and New York City. <i>Health Economics, Policy and Law</i> , 2013, 8, 95-109.	1.1	12
27	Is secondary preventive care improving? Observational study of 10-year trends in emergency admissions for conditions amenable to ambulatory care. <i>BMJ Open</i> , 2013, 3, e002007.	0.8	110
28	A preliminary study of the relationship between general practice care and hospitalisation using a diabetes register, CARDIAB. <i>Australian Health Review</i> , 2013, 37, 210.	0.5	9
29	Predicting and preventing avoidable hospital admissions: a review. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2013, 43, 340-344.	0.2	67
30	Weak Association. <i>Deutsches A&#x0308;rztblatt International</i> , 2014, 111, 600.	0.6	0
31	Potentially Avoidable Hospital Admissions in Germany. <i>Deutsches A&#x0308;rztblatt International</i> , 2014, 111, 215-23.	0.6	45
32	Effect of a national primary care pay for performance scheme on emergency hospital admissions for ambulatory care sensitive conditions: controlled longitudinal study. <i>BMJ, The</i> , 2014, 349, g6423-g6423.	3.0	106
33	Emergency hospital admissions via accident and emergency departments in England: time trend, conceptual framework and policy implications. <i>Journal of the Royal Society of Medicine</i> , 2014, 107, 432-438.	1.1	41
34	â€œNo Other Choiceâ€: Reasons for Emergency Department Utilization Among Urban Adults With Acute Asthma. <i>Academic Emergency Medicine</i> , 2014, 21, 1-8.	0.8	23
35	Preventable hospital admissions among the homeless in California: A retrospective analysis of care for ambulatory care sensitive conditions. <i>BMC Health Services Research</i> , 2014, 14, 511.	0.9	22
36	Inequities in Ambulatory Care and the Relationship Between Socioeconomic Status and Respiratory Hospitalizations: A Population-Based Study of a Canadian City. <i>Annals of Family Medicine</i> , 2014, 12, 402-407.	0.9	61
37	The role of GP's compensation schemes in diabetes care: Evidence from panel data. <i>Journal of Health Economics</i> , 2014, 34, 104-120.	1.3	37

#	ARTICLE	IF	CITATIONS
38	Comparing potentially avoidable hospitalization rates related to ambulatory care sensitive conditions in Switzerland: the need to refine the definition of health conditions and to adjust for population health status. <i>BMC Health Services Research</i> , 2014, 14, 25.	0.9	38
40	Organizational aspects of primary care related to avoidable hospitalization: a systematic review. <i>Family Practice</i> , 2014, 31, 502-516.	0.8	128
41	Social Vulnerability Index for the Older People—Hong Kong and New York City as Examples. <i>Journal of Urban Health</i> , 2014, 91, 1048-1064.	1.8	44
44	Potentially avoidable hospitalisation for constipation in Victoria, Australia in 2010—11. <i>BMC Gastroenterology</i> , 2014, 14, 125.	0.8	12
45	Selecting long-term care facilities with high use of acute hospitalisations: issues and options. <i>BMC Medical Research Methodology</i> , 2014, 14, 93.	1.4	2
46	Diagnoses, problems and healthcare interventions amongst older people with an unscheduled hospital admission who have concurrent mental health problems: a prevalence study. <i>BMC Geriatrics</i> , 2014, 14, 43.	1.1	20
47	Understanding the gap between need and utilization in outpatient care—The effect of supply-side determinants on regional inequities. <i>Health Policy</i> , 2014, 114, 54-63.	1.4	39
48	Disparities in access to health care in three French regions. <i>Health Policy</i> , 2014, 114, 31-40.	1.4	48
50	Are primary care factors associated with hospital episodes for adverse drug reactions? A national observational study. <i>BMJ Open</i> , 2015, 5, e008130.	0.8	5
51	Professional perspectives on systemic barriers to admission avoidance: learning from a system dynamics study of older people's admission pathways. <i>International Journal of Older People Nursing</i> , 2015, 10, 105-114.	0.6	6
52	Sociodemographic and Health Characteristics, Rather Than Primary Care Supply, are Major Drivers of Geographic Variation in Preventable Hospitalizations in Australia. <i>Medical Care</i> , 2015, 53, 436-445.	1.1	74
53	The Influence of Primary Care Quality on Hospital Admissions for People with Dementia in England: A Regression Analysis. <i>PLoS ONE</i> , 2015, 10, e0121506.	1.1	16
54	Dementia in older people admitted to hospital: a regional multi-hospital observational study of prevalence, associations and case recognition. <i>Age and Ageing</i> , 2015, 44, 993-999.	0.7	124
55	Preventable hospital admissions: are they?. <i>Family Practice</i> , 2015, 32, 245-246.	0.8	9
56	Which hospitalisations are ambulatory care-sensitive, to what degree, and how could the rates be reduced? Results of a group consensus study in Germany. <i>Health Policy</i> , 2015, 119, 1415-1423.	1.4	134
57	Variability in potentially preventable hospitalisations: an observational study of clinical practice patterns of general practitioners and care outcomes in the Basque Country (Spain). <i>BMJ Open</i> , 2015, 5, e007360-e007360.	0.8	9
58	Impact of an integrated model of care on potentially preventable hospitalizations for people with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2015, 32, 872-880.	1.2	35
60	Living In A Country With A Strong Primary Care System Is Beneficial To People With Chronic Conditions. <i>Health Affairs</i> , 2015, 34, 1531-1537.	2.5	58

#	ARTICLE	IF	CITATIONS
62	A systematic review of the magnitude and cause of geographic variation in unplanned hospital admission rates and length of stay for ambulatory care sensitive conditions. <i>BMC Health Services Research</i> , 2015, 15, 324.	0.9	76
64	Biomedical ontologiesâ€”A review. <i>Biocybernetics and Biomedical Engineering</i> , 2015, 35, 75-86.	3.3	19
65	The impact of office-based care on hospitalizations for ambulatory care sensitive conditions. <i>European Journal of Health Economics</i> , 2015, 16, 365-375.	1.4	17
66	Shifting chronic disease management from hospitals to primary care in Estonian health system: analysis of national panel data. <i>Journal of Global Health</i> , 2016, 6, 020701.	1.2	13
67	Assessing Impacts on Unplanned Hospitalisations of Care Quality and Access Using a Structural Equation Method: With a Case Study of Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 870.	1.2	0
68	Pathways to potentially preventable hospitalizations for diabetes and heart failure: a qualitative analysis of patient perspectives. <i>BMC Health Services Research</i> , 2016, 16, 300.	0.9	28
69	Regional trends in avoidable hospitalisations due to complications among population with diabetes in Finland in 1996â€”2011: a register-based cohort study. <i>BMJ Open</i> , 2016, 6, e011620.	0.8	8
70	How a universal health system reduces inequalities: lessons from England. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 637-643.	2.0	80
71	Potentially avoidable and ambulatory care sensitive hospitalisations among forced migrants: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e012216.	0.8	8
72	Incidence and Risk Factors Associated With Hospitalization for Variant Angina in Korea. <i>Medicine (United States)</i> , 2016, 95, e3237.	0.4	10
74	Should all acutely ill children in primary care be tested with point-of-care CRP: a cluster randomised trial. <i>BMC Medicine</i> , 2016, 14, 131.	2.3	48
75	Reducing emergency admissions through community based interventions. <i>BMJ, The</i> , 2016, 352, h6817.	3.0	45
76	The barriers to accessing primary care resulting in hospital presentation for exacerbation of asthma or chronic obstructive pulmonary disease in a large teaching hospital in London. <i>Respiratory Medicine</i> , 2016, 117, 162-165.	1.3	5
77	Continuity of care in the ambulatory sector and hospital admissions among patients with heart failure in Germany. <i>European Journal of Public Health</i> , 2016, 26, 555-561.	0.1	13
78	Safer Prescribing â€” A Trial of Education, Informatics, and Financial Incentives. <i>New England Journal of Medicine</i> , 2016, 374, 1053-1064.	13.9	138
79	Medical Practice Variations in Acute Care Hospitalization. , 2016, , 41-52.		0
80	Medical Practice Variations in Emergency Services. , 2016, , 79-112.		0
81	Effect of telehealth on hospital utilisation and mortality in routine clinical practice: a matched control cohort study in an early adopter site. <i>BMJ Open</i> , 2016, 6, e009221.	0.8	26

#	ARTICLE	IF	CITATIONS
84	Opportunities for primary care to reduce hospital admissions: a cross-sectional study of geographical variation. <i>British Journal of General Practice</i> , 2017, 67, e20-e28.	0.7	20
85	Impact of the Affordable Care Act Medicaid expansion on emergency department high utilizers with ambulatory care sensitive conditions: A cross-sectional study. <i>American Journal of Emergency Medicine</i> , 2017, 35, 737-742.	0.7	17
86	Evaluation of Ambulatory Geriatric Rehabilitation (EAGER): study protocol of a matched cohort study based on claims data. <i>BMC Geriatrics</i> , 2017, 17, 63.	1.1	3
87	Using geographic variation in unplanned ambulatory care sensitive condition admission rates to identify commissioning priorities: an analysis of routine data from England. <i>Journal of Health Services Research and Policy</i> , 2017, 22, 20-27.	0.8	7
88	The role of general practice in reducing unplanned hospital admissions. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2017, 78, 186-187.	0.2	2
89	Calculating hospital length of stay using the Hospital Episode Statistics; a comparison of methodologies. <i>BMC Health Services Research</i> , 2017, 17, 347.	0.9	10
90	Impact of a general practitioner-led integrated model of care on the cost of potentially preventable diabetes-related hospitalisations. <i>Primary Care Diabetes</i> , 2017, 11, 344-347.	0.9	9
91	Are some areas more equal than others? Socioeconomic inequality in potentially avoidable emergency hospital admissions within English local authority areas. <i>Journal of Health Services Research and Policy</i> , 2017, 22, 83-90.	0.8	19
92	Racial and Ethnic Disparities in Preventable Hospitalizations for Chronic Disease: Prevalence and Risk Factors. <i>Journal of Racial and Ethnic Health Disparities</i> , 2017, 4, 1100-1106.	1.8	35
93	Factors associated with hospitalisations in chronic conditions deemed avoidable: ecological study in the Spanish healthcare system. <i>BMJ Open</i> , 2017, 7, e011844.	0.8	10
94	Avoidable hospitalization among migrants and ethnic minority groups: a systematic review. <i>European Journal of Public Health</i> , 2017, 27, 861-868.	0.1	27
95	Increasing primary health-care services are associated with acute short-term hospitalization of Danes aged 70 years and older. <i>European Geriatric Medicine</i> , 2017, 8, 435-439.	1.2	7
96	Do hospitalisations for ambulatory care sensitive conditions reflect low access to primary care? An observational cohort study of primary care usage prior to hospitalisation. <i>BMJ Open</i> , 2017, 7, e015704.	0.8	32
97	Does increased duration of consultant presence affect length of hospital stay for unplanned admissions in acute paediatrics?: an observational before-and-after analysis using administrative healthcare data. <i>Archives of Disease in Childhood</i> , 2017, 102, 516-521.	1.0	3
98	Description of OPRA: A Danish database designed for the analyses of risk factors associated with 30-day hospital readmission of people aged 65+ years. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 595-604.	1.2	2
99	Preventable Emergency Hospital Admissions Among Adults With Intellectual Disability in England. <i>Annals of Family Medicine</i> , 2017, 15, 462-470.	0.9	33
100	How do population, general practice and hospital factors influence ambulatory care sensitive admissions: a cross sectional study. <i>BMC Family Practice</i> , 2017, 18, 67.	2.9	35
101	Hospital readmission within 10 years post stroke: frequency, type and timing. <i>BMC Neurology</i> , 2017, 17, 116.	0.8	14

#	ARTICLE	IF	CITATIONS
102	Does Quality Affect Patients's Choice of Doctor? Evidence from England. <i>Economic Journal</i> , 2017, 127, 445-494.	1.9	67
103	Association between hospitalisation for ambulatory care-sensitive conditions and primary health care physician specialisation: a cross-sectional ecological study in Curitiba (Brazil). <i>BMJ Open</i> , 2017, 7, e015322.	0.8	12
104	Chronic Respiratory Disorders and Their Treatment among Older People with Intellectual Disability and/or Autism Spectrum Disorder in Comparison with the General Population. <i>Healthcare (Switzerland)</i> , 2017, 5, 40.	1.0	11
105	Effect of reducing cost sharing for outpatient care on children's inpatient services in Japan. <i>Health Economics Review</i> , 2017, 7, 28.	0.8	10
106	Reasons for Accident and Emergency department attendance by people with chronic obstructive pulmonary disease or heart failure: recipients and providers' perspectives. An exploratory study. <i>BMJ Open Respiratory Research</i> , 2018, 5, e000244.	1.2	2
107	Use of health services in the last year of life and cause of death in people with intellectual disability: a retrospective matched cohort study. <i>BMJ Open</i> , 2018, 8, e020268.	0.8	30
108	Health equity monitoring for healthcare quality assurance. <i>Social Science and Medicine</i> , 2018, 198, 148-156.	1.8	28
109	Changing characteristics of hospital admissions but not the children admitted—a whole population study between 2000 and 2013. <i>European Journal of Pediatrics</i> , 2018, 177, 381-388.	1.3	32
110	Point-of-care C reactive protein to identify serious infection in acutely ill children presenting to hospital: prospective cohort study. <i>Archives of Disease in Childhood</i> , 2018, 103, 420-426.	1.0	23
111	Short-stay admissions at an inner city hospital: a cross-sectional analysis. <i>Emergency Medicine Journal</i> , 2018, 35, 238-246.	0.4	4
112	The "6W" multidimensional model of care trajectories for patients with chronic ambulatory care sensitive conditions and hospital readmissions. <i>Public Health</i> , 2018, 157, 53-61.	1.4	16
113	Impact of Disease Prevalence Adjustment on Hospitalization Rates for Chronic Ambulatory Care Sensitive Conditions in Germany. <i>Health Services Research</i> , 2018, 53, 1180-1202.	1.0	17
114	Hospital admissions for physical health conditions for people with intellectual disabilities: Systematic review. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2018, 31, 1-10.	1.3	84
115	Mandatory Statewide Medicaid Managed Care in Florida and Hospitalizations for Ambulatory Care Sensitive Conditions. <i>Health Services Research</i> , 2018, 53, 293-311.	1.0	9
116	Family involvement in timely detection of changes in health of nursing homes residents: A qualitative exploratory study. <i>Journal of Clinical Nursing</i> , 2018, 27, 317-327.	1.4	37
117	Applying sequence clustering techniques to explore practice-based ambulatory care pathways in insurance claims data. <i>European Journal of Public Health</i> , 2018, 28, 214-219.	0.1	20
118	Impact of abolishing prescription fees in Scotland on hospital admissions and prescribed medicines: an interrupted time series evaluation. <i>BMJ Open</i> , 2018, 8, e021318.	0.8	8
119	Do care plans and annual reviews of physical health influence unplanned hospital utilisation for people with serious mental illness? Analysis of linked longitudinal primary and secondary healthcare records in England. <i>BMJ Open</i> , 2018, 8, e023135.	0.8	8

#	ARTICLE	IF	CITATIONS
120	Does practice analysis agree with the ambulatory care sensitive conditions™ list of avoidable unplanned admissions?: a cross-sectional study in the East of England. <i>BMJ Open</i> , 2018, 8, e020756.	0.8	10
121	A 3-State Analysis of Black–White Disparities in Diabetes Hospitalizations Among Medicaid Beneficiaries. <i>Health Services Research and Managerial Epidemiology</i> , 2018, 5, 233339281878351.	0.5	2
122	Changing patterns of adult asthma incidence: results from the National Health Insurance Service–National Sample Cohort (NHIS-NSC) database in Korea. <i>Scientific Reports</i> , 2018, 8, 15052.	1.6	17
123	Preventable hospitalizations, barriers to care, and disability. <i>Medicine (United States)</i> , 2018, 97, e0691.	0.4	15
124	Did the Family Health Strategy have an impact on indicators of hospitalizations for stroke and heart failure? Longitudinal study in Brazil: 1998-2013. <i>PLoS ONE</i> , 2018, 13, e0198428.	1.1	15
125	Potentially Preventable Hospital and Emergency Department Events: Lessons from a Large Innovation Project. , 2018, 22, 17-102.		12
127	Using national electronic health care registries for comparing the risk of psychiatric re-hospitalisation in six European countries: Opportunities and limitations. <i>Health Policy</i> , 2019, 123, 1028-1035.	1.4	14
128	Optimising pacemaker therapy and medical therapy in pacemaker patients for heart failure: protocol for the OPT-PACE randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e028613.	0.8	2
129	Avoidable hospitalizations in Brazil and Portugal: Identifying and comparing critical areas through spatial analysis. <i>PLoS ONE</i> , 2019, 14, e0219262.	1.1	8
130	Ambulatory care-sensitive conditions: their potential uses and limitations. <i>BMJ Quality and Safety</i> , 2019, 28, 429-433.	1.8	53
131	A Spatial Analysis of Preventable Hospitalization for Ambulatory Care Sensitive Conditions and Regional Characteristics in South Korea. <i>Asia-Pacific Journal of Public Health</i> , 2019, 31, 422-432.	0.4	6
132	Trajectory modelling of ambulatory care sensitive conditions in Finland in 1996–2013: assessing the development of equity in primary health care through clustering of geographic areas – an observational retrospective study. <i>BMC Health Services Research</i> , 2019, 19, 629.	0.9	9
133	The burden of preventable hospitalizations before and after implementation of the health transformation plan in a hospital in west of Iran. <i>Primary Health Care Research and Development</i> , 2019, 20, e87.	0.5	1
134	Preventable hospitalizations from ambulatory care sensitive conditions in nursing homes: evidence from Switzerland. <i>International Journal of Public Health</i> , 2019, 64, 1273-1281.	1.0	25
135	One-year rehospitalisations for congestive heart failure in Portuguese NHS hospitals: a multilevel approach on patterns of use and contributing factors. <i>BMJ Open</i> , 2019, 9, e031346.	0.8	5
137	Predictors of hospitalizations for diabetes in Germany: an ecological study on a small-area scale. <i>Public Health</i> , 2019, 177, 112-119.	1.4	2
139	Underutilized and undertheorized: the use of hospitalization for ambulatory care sensitive conditions for assessing the extent to which primary healthcare services are meeting needs in British Columbia First Nation communities. <i>BMC Health Services Research</i> , 2019, 19, 50.	0.9	14
140	Did government spending cuts to social care for older people lead to an increase in emergency hospital admissions? An ecological study, England 2005–2016. <i>BMJ Open</i> , 2019, 9, e024577.	0.8	10

#	ARTICLE	IF	CITATIONS
141	Potentially avoidable hospitalisations of German nursing home patients? A cross-sectional study on utilisation patterns and potential consequences for healthcare. <i>BMJ Open</i> , 2019, 9, e025269.	0.8	28
142	Emergency Department Visits and Disease Burden Attributable to Ambulatory Care Sensitive Conditions in Elderly Adults. <i>Scientific Reports</i> , 2019, 9, 3811.	1.6	27
143	The closer the better: does better access to outpatient care prevent hospitalization?. <i>European Journal of Health Economics</i> , 2019, 20, 801-817.	1.4	13
144	Trends in Diabetes-Related Potentially Preventable Hospitalizations in Adult Population in Spain, 1997â€“2015: A Nation-Wide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 492.	1.0	3
145	Temporal Comorbidity-Adjusted Risk of Emergency Readmission (T-CARER): A tool for comorbidity risk assessment. <i>Applied Soft Computing Journal</i> , 2019, 79, 163-185.	4.1	3
146	Co-ordination of health care: the case of hospital emergency admissions. <i>European Journal of Health Economics</i> , 2019, 20, 525-541.	1.4	7
147	Microscopic modelling of international (re-)hospitalisation effects in the CEPHOS-LINK setting. <i>International Journal of Simulation and Process Modelling</i> , 2019, 14, 261.	0.1	0
148	Evidence-based intervention to reduce avoidable hospital admissions in care home residents (the Tj ETQq1 1 0.784314 rgBT /Overload trial. <i>BMJ Open</i> , 2019, 9, e026510.	0.8	12
149	Regional variation of avoidable hospitalisations in a universal health care system: a register-based cohort study from Finland 1996â€“2013. <i>BMJ Open</i> , 2019, 9, e029592.	0.8	11
150	Community paramedicine: A patch, or a real system improvement?. <i>Canadian Journal of Emergency Medicine</i> , 2019, 21, 691-693.	0.5	5
151	Identifying priorities for primary care investment in Ireland through a population-based analysis of avoidable hospital admissions for ambulatory care sensitive conditions (ACSC). <i>BMJ Open</i> , 2019, 9, e028744.	0.8	11
152	Mental well-being, job satisfaction and self-rated workability in general practitioners and hospitalisations for ambulatory care sensitive conditions among listed patients: a cohort study combining survey data on GPs and register data on patients. <i>BMJ Quality and Safety</i> , 2019, 28, bmjqs-2018-009039.	1.8	11
153	Understanding variation in unplanned admissions of people aged 85 and over: a systems-based approach. <i>BMJ Open</i> , 2019, 9, e026405.	0.8	1
154	Congestive heart failure-related hospital deaths across the urban-rural continuum in the United States. <i>Preventive Medicine Reports</i> , 2019, 16, 101007.	0.8	11
155	Financial Burdens and Barriers to Care Among Nonelderly Adults With Heart Disease: 2010â€“2015. <i>Journal of the American Heart Association</i> , 2019, 8, e008831.	1.6	12
156	Dose Titration of Ambulatory Care for Heart Failure. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019, 12, e005952.	0.9	0
157	Admissions for ambulatory care sensitive conditions: a national observational study in the general and COPD population. <i>European Journal of Public Health</i> , 2019, 29, 213-219.	0.1	10
158	Risk Assessment of Acute, All-Cause 30-Day Readmission in Patients Aged 65+: a Nationwide, Register-Based Cohort Study. <i>Journal of General Internal Medicine</i> , 2019, 34, 226-234.	1.3	6

#	ARTICLE	IF	CITATIONS
159	Data-Driven Policy Impact Evaluation. , 2019, , .		10
160	Inefficiencies in a healthcare system with a regulatory split of power: a spatial panel data analysis of avoidable hospitalisations in Austria. <i>European Journal of Health Economics</i> , 2020, 21, 85-104.	1.4	8
161	Association between Adherence to Recommended Care and Outcomes for Adult Survivors of Sepsis. <i>Annals of the American Thoracic Society</i> , 2020, 17, 89-97.	1.5	40
162	Mortality related to ambulatory care sensitive hospitalisations in Finland. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 839-846.	1.2	5
163	Cumulative social disadvantage and hospitalisations due to ambulatory care-sensitive conditions in Finland in 2011â€”2013: a register study. <i>BMJ Open</i> , 2020, 10, e038338.	0.8	7
164	Comparison and Impact of Four Different Methodologies for Identification of Ambulatory Care Sensitive Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8121.	1.2	7
165	Evaluation of comprehensive annual care plans by pharmacists in Alberta for patients with complex conditions. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2020, 60, 1029-1036.e1.	0.7	3
166	Prevalence of COPD by age, sex, socioeconomic position and smoking status; a cross-sectional study. <i>Health Education</i> , 2020, 120, 275-288.	0.4	2
167	Effect of Ambient Air Pollution on Hospital Readmissions among the Pediatric Asthma Patient Population in South Texas: A Case-Crossover Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4846.	1.2	9
168	Increasing emergency hospital activity in Denmark, 2005â€”2016: a nationwide descriptive study. <i>BMJ Open</i> , 2020, 10, e031409.	0.8	24
169	Emergency admissions of ambulatory care sensitive conditions at a Japanese local hospital: An observational study. <i>Journal of General and Family Medicine</i> , 2020, 21, 235-241.	0.3	2
170	Defining ambulatory care sensitive conditions for adults in Portugal. <i>BMC Health Services Research</i> , 2020, 20, 754.	0.9	22
171	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. <i>BMJ Open</i> , 2020, 10, e036046.	0.8	5
172	Health TAPESTRY Ontario: protocol for a randomized controlled trial to test reproducibility and implementation. <i>Trials</i> , 2020, 21, 714.	0.7	10
173	Pilot cluster randomised trial of an evidence-based intervention to reduce avoidable hospital admissions in nursing home residents (Better Health in Residents of Care Homes with) <i>Tj ETQq0 0 0 rgBT /Overlocko18 Tf 50 477 Td (Nu</i>		
174	Impact of Brazil's More Doctors Program on hospitalizations for primary care sensitive cardiovascular conditions. <i>SSM - Population Health</i> , 2020, 12, 100695.	1.3	3
175	How sensitive are avoidable emergency department attendances to primary care quality? Retrospective observational study. <i>BMJ Quality and Safety</i> , 2021, 30, 884-892.	1.8	7
176	Socioeconomic inequalities in hospitalizations for chronic ambulatory care sensitive conditions: a systematic review of peer-reviewed literature, 1990â€”2018. <i>International Journal for Equity in Health</i> , 2020, 19, 60.	1.5	25

#	ARTICLE	IF	CITATIONS
177	Risk factors for avoidable hospitalizations in Canada using national linked data: A retrospective cohort study. PLoS ONE, 2020, 15, e0229465.	1.1	17
178	An observational cohort study of numbers and causes of preventable general hospital admissions in people with and without intellectual disabilities in England. Journal of Intellectual Disability Research, 2020, 64, 331-344.	1.2	12
179	Risk of Frequent Emergency Department Use Among an Ambulatory Care Sensitive Condition Population. Medical Care, 2020, 58, 248-256.	1.1	6
180	Patient choice, entry, and the quality of primary care: Evidence from Swedish reforms. Health Economics (United Kingdom), 2020, 29, 716-730.	0.8	17
181	Direct and lost productivity costs associated with avoidable hospital admissions. BMC Health Services Research, 2020, 20, 210.	0.9	12
182	Avoidable hospitalisation for diabetes mellitus among immigrants and natives: Results from the Italian Network for Longitudinal Metropolitan Studies. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1535-1543.	1.1	7
183	Investigating the effectiveness of care delivery at an acute geriatric community hospital for older adults in the Netherlands: a protocol for a prospective controlled observational study. BMJ Open, 2020, 10, e033802.	0.8	11
184	Effect Modification of Multimorbidity on the Association Between Regularity of General Practitioner Contacts and Potentially Avoidable Hospitalisations. Journal of General Internal Medicine, 2020, 35, 1504-1515.	1.3	6
185	Capsule Commentary on Agana et al., a Novel Approach to Characterizing Readmission Patterns Following Hospitalization for Ambulatory Care-Sensitive Conditions. Journal of General Internal Medicine, 2020, 35, 1358-1358.	1.3	0
186	How Does The Type of Remuneration Affect Physician Behavior?. American Journal of Health Economics, 2020, 6, 104-138.	1.4	8
187	Clarifying the concept of avoidable emergency department attendance. Journal of Health Services Research and Policy, 2021, 26, 68-73.	0.8	21
188	Space-time clustering and temporal trends of hospitalizations due to pulmonary tuberculosis: potential strategy for assessing health care policies. European Journal of Public Health, 2021, 31, 57-62.	0.1	4
189	Improved strategies to counter the COVID-19 pandemic: Lockdowns vs. primary and community healthcare. Toxicology Reports, 2021, 8, 1-9.	1.6	80
190	Non-financial social determinants of diabetes among public assistance recipients in Japan: A cohort study. Journal of Diabetes Investigation, 2021, 12, 1104-1111.	1.1	9
191	Development of the PriCARE classification for potentially preventable emergency department visits by ambulance: a RAND/UCLA modified Delphi study protocol. BMJ Open, 2021, 11, e045351.	0.8	7
192	Potentially preventable hospitalisations for physical health conditions in community mental health service users: a population-wide linkage study. Epidemiology and Psychiatric Sciences, 2021, 30, e22.	1.8	8
193	Performance improvement of machine learning techniques predicting the association of exacerbation of peak expiratory flow ratio with short term exposure level to indoor air quality using adult asthmatics clustered data. PLoS ONE, 2021, 16, e0244233.	1.1	8
194	A complex intervention to reduce avoidable hospital admissions in nursing homes: a research programme including the BHIRCH-NH pilot cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-200.	0.4	3

#	ARTICLE	IF	CITATIONS
196	Associations between attainment of incentivised primary care indicators and emergency hospital admissions among type 2 diabetes patients: a population-based historical cohort study. <i>Journal of the Royal Society of Medicine</i> , 2021, 114, 299-312.	1.1	9
197	INDEED – Utilization and Cross-Sectoral Patterns of Care for Patients Admitted to Emergency Departments in Germany: Rationale and Study Design. <i>Frontiers in Public Health</i> , 2021, 9, 616857.	1.3	4
198	Who cares when you close down? The effects of primary care practice closures on patients. <i>Health Economics (United Kingdom)</i> , 2021, 30, 2004-2025.	0.8	7
199	The impact of the dependent care provision on individuals with spina bifida transitioning to adulthood. <i>Journal of Pediatric Urology</i> , 2021, 17, 289.e1-289.e9.	0.6	3
200	Associations of GP practice characteristics with the rate of ambulatory care sensitive conditions in people living with dementia in England: an ecological analysis of routine data. <i>BMC Health Services Research</i> , 2021, 21, 613.	0.9	3
201	Measuring the impact of a Chronic Obstructive Pulmonary Disease Community Respiratory Programme on emergency admissions to hospital: a controlled interrupted time series analysis. <i>Age and Ageing</i> , 2021, 50, 1728-1735.	0.7	2
202	Avoidable Hospitalization for Heart Failure Among a Cohort of 18- to 64-Year-Old Italian Citizens and Immigrants: Results From the Italian Network for Longitudinal Metropolitan Studies. <i>Circulation: Heart Failure</i> , 2021, 14, e008022.	1.6	0
203	Effects of establishing a financing scheme for outpatient care on inpatient services: empirical evidence from a quasi-experiment in China. <i>European Journal of Health Economics</i> , 2022, 23, 7-22.	1.4	6
204	Portuguese Primary Healthcare and Prevention Quality Indicators for Diabetes Mellitus – A Data Envelopment Analysis. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.5	2
205	Regional variation of potentially avoidable hospitalisations in Switzerland: an observational study. <i>BMC Health Services Research</i> , 2021, 21, 849.	0.9	6
206	Condições sensíveis à Atenção Primária. <i>JMPHC Journal of Management & Primary Health Care ISSN 2179-6750</i> , 0, 13, e010.	0.0	0
207	Predicting Individual Risk of Emergency Hospital Admissions – A Retrospective Validation Study. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 3865-3872.	1.2	7
208	Strategies for the prevention, diagnosis and treatment of COPD in low- and middle- income countries: the importance of primary care. <i>Expert Review of Respiratory Medicine</i> , 2021, 15, 1563-1577.	1.0	17
209	Hospitalization for ambulatory care sensitive conditions: What conditions make inter-country comparisons possible?. <i>Health Policy OPEN</i> , 2021, 2, 100030.	0.5	12
210	Medical Practice Variations in Emergency Services. , 2014, , 1-35.		1
211	Pay for Performance in Primary Care: The Use of Administrative Data by Health Economists. , 2019, , 313-332.		2
212	Qualitätsmessung mit Routinedaten in deutschen Pflegeheimen: Eine erste Standortbestimmung. , 2018, , 97-125.		13
213	Suitability of current definitions of ambulatory care sensitive conditions for research in emergency department patients: a secondary health data analysis. <i>BMJ Open</i> , 2017, 7, e016109.	0.8	16

#	ARTICLE	IF	CITATIONS
214	Cohort profile: CROSS-TRACKS: a population-based open cohort across healthcare sectors in Denmark. <i>BMJ Open</i> , 2020, 10, e039996.	0.8	10
215	Preventable emergency admissions of older adults: an observational mixed-method study of rates, associative factors and underlying causes in two Dutch hospitals. <i>BMJ Open</i> , 2020, 10, e040431.	0.8	11
216	Excess Readmission vs Excess Penalties: Maximum Readmission Penalties as a Function of Socioeconomics and Geography. <i>Journal of Hospital Medicine</i> , 2017, 12, 610-617.	0.7	14
217	Association between expansion of primary healthcare and racial inequalities in mortality amenable to primary care in Brazil: A national longitudinal analysis. <i>PLoS Medicine</i> , 2017, 14, e1002306.	3.9	92
218	The impact of rural health insurance and the family physician program on hospitalizations, a before-after study at the county level conducted in Tehran province, Iran. <i>Medical Journal of the Islamic Republic of Iran</i> , 2018, 32, 191-195.	0.9	7
219	Comparative research aspects on hospitalizations for ambulatory care sensitive conditions: the case of Brazil and Portugal. <i>Ciencia E Saude Coletiva</i> , 2020, 25, 1375-1388.	0.1	8
220	Principais causas de internação por condições sensíveis à atenção primária no Brasil: uma análise por faixa etária e região. <i>Revista Brasileira De Saude Materno Infantil</i> , 2010, 10, s83-s91.	0.2	34
221	Explaining variation in emergency admissions: a mixed-methods study of emergency and urgent care systems. <i>Health Services and Delivery Research</i> , 2014, 2, 1-126.	1.4	19
222	Establishing and implementing best practice to reduce unplanned admissions in those aged 85 years and over through system change [Establishing System Change for Admissions of People 85+ (ESCAPE) Tj ETQq0 0.4gBT /Overlock 10 T	0.4	10
223	Health Equity Indicators for the English NHS: a longitudinal whole-population study at the small-area level. <i>Health Services and Delivery Research</i> , 2016, 4, 1-224.	1.4	16
224	An evaluation of the effectiveness of annual health checks and quality of health care for adults with intellectual disability: an observational study using a primary care database. <i>Health Services and Delivery Research</i> , 2017, 5, 1-170.	1.4	18
225	Supporting good quality, community-based end-of-life care for people living with dementia: the SEED research programme including feasibility RCT. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-254.	0.4	4
226	Risk Factors for Acute Exacerbations in Elderly Asthma: What Makes Asthma in Older Adults Distinctive?. <i>Allergy, Asthma and Immunology Research</i> , 2020, 12, 443.	1.1	10
227	Evaluation of UK Integrated Care Pilots: research protocol. <i>International Journal of Integrated Care</i> , 2010, 10, .	0.1	19
228	Case management for at-risk elderly patients in the English integrated care pilots: observational study of staff and patient experience and secondary care utilisation. <i>International Journal of Integrated Care</i> , 2012, 12, e130.	0.1	53
229	Analysis of Emergency Department Utilization in Medicaid Expansion and Non-expansion States. <i>Cureus</i> , 2021, 13, e18561.	0.2	1
230	American and Canadian Health System Overview. <i>Addaiyan Journal of Arts Humanities and Social Sciences</i> , 0, , 32-37.	0.0	0
231	Gesetz zur Strukturreform des Versorgungsausgleichs. <i>DjbZ - Zeitschrift Des Deutschen Juristinnenbundes</i> , 2008, 11, 180-182.	0.0	0

#	ARTICLE	IF	CITATIONS
253	The impact of ambulatory care spending, continuity and processes of care on ambulatory care sensitive hospitalizations. <i>European Journal of Health Economics</i> , 2022, 23, 1329-1340.	1.4	3
254	Patients' experiences of attending emergency departments where primary care services are located: qualitative findings from patient and clinician interviews from a realist evaluation. <i>BMC Emergency Medicine</i> , 2022, 22, 12.	0.7	4
255	Unseen patterns of preventable emergency care: Emergency department visits for ambulatory care sensitive conditions. <i>Journal of Health Services Research and Policy</i> , 2022, 27, 232-241.	0.8	4
256	Measuring medically unjustified hospitalizations in Switzerland. <i>BMC Health Services Research</i> , 2022, 22, 158.	0.9	1
257	Characterizing Potentially Preventable Hospitalizations of High-Cost Patients in Rural China. <i>Frontiers in Public Health</i> , 2022, 10, 804734.	1.3	3
258	Avoidable hospitalization after family physician and rural health insurance: interrupted time series and regression analyses, Tehran province, Iran. <i>Primary Health Care Research and Development</i> , 2022, 23, e7.	0.5	0
259	Nursing home-sensitive conditions: analysis of routine health insurance data and modified Delphi analysis of potentially avoidable hospitalizations. <i>F1000Research</i> , 0, 10, 1223.	0.8	11
260	Predicting hospitalisations related to ambulatory care sensitive conditions with machine learning for population health planning: derivation and validation cohort study. <i>BMJ Open</i> , 2022, 12, e051403.	0.8	2
261	Avoidable hospitalizations and access to primary care: comparisons among Italians, resident immigrants and undocumented immigrants in administrative hospital discharge records. <i>EClinicalMedicine</i> , 2022, 46, 101345.	3.2	4
262	Identifying patient characteristics associated with potentially redirectable paramedic transported emergency department visits in Ontario, Canada: a population-based cohort study. <i>BMJ Open</i> , 2021, 11, e054625.	0.8	5
263	Emergency Departments as Care Providers for Patients with Cardiac Ambulatory Care Sensitive and Mental Health Conditions: Qualitative Interview and Focus Group Study with Patients and Physicians. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6098.	1.2	2
264	Does integrated care mean fewer hospitalizations? An evaluation of a French field experiment. <i>Health Policy</i> , 2022, 126, 786-794.	1.4	2
266	Hospitalizations for Ambulatory Care Sensitive Conditions in a Large City of Japan: a Descriptive Analysis Using Claims Data. <i>Journal of General Internal Medicine</i> , 2022, 37, 3917-3924.	1.3	2
267	Trends in avoidable hospitalizations in a developed City in eastern China: 2015 to 2018. <i>BMC Health Services Research</i> , 2022, 22, .	0.9	4
268	Interventions to Prevent Potentially Avoidable Hospitalizations: A Mixed Methods Systematic Review. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	4
269	The effects of multi-disciplinary integrated care on healthcare utilization: Evidence from a natural experiment in the UK. <i>Health Economics (United Kingdom)</i> , 2022, 31, 2142-2169.	0.8	2
270	Characteristics associated with frequent health system use by Australian adults with intellectual disability: A cohort study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 0, , .	1.3	1
271	Towards new definitions of avoidable hospital admissions. <i>British Journal of General Practice</i> , 2022, 72, 464-465.	0.7	0

#	ARTICLE	IF	CITATIONS
272	The incidence rate of planned and emergency physical health hospital admissions in people diagnosed with severe mental illness: a cohort study. <i>Psychological Medicine</i> , 0, , 1-12.	2.7	0
273	Realist analysis of whether emergency departments with primary care services generate "provider-induced demand". <i>BMC Emergency Medicine</i> , 2022, 22, .	0.7	2
274	Proactive Health Support: a randomised controlled trial of telephone-based self-management support for persons at risk of hospital admission. <i>Age and Ageing</i> , 2022, 51, .	0.7	6
275	Complex community health and social care interventions "Which features lead to reductions in hospitalizations for ambulatory care sensitive conditions? A systematic literature review. <i>Health Policy</i> , 2022, 126, 1206-1225.	1.4	6
276	Predicting Health Risks of Adult Asthmatics Susceptible to Indoor Air Quality Using Improved Logistic and Quantile Regression Models. <i>Life</i> , 2022, 12, 1631.	1.1	1
277	Income, education, and hospitalization in Canada: results from linked census and administrative data. <i>Discover Social Science and Health</i> , 2022, 2, .	0.3	0
278	Examining the "Potentially Preventable Emergency Department Transfer" Indicator Among Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2023, 24, 100-104.e2.	1.2	1
279	Potentially avoidable hospitalizations for older patients transferred from long-term care hospitals: a nationwide cross-sectional analysis of potential healthcare consequences. <i>Internal and Emergency Medicine</i> , 2023, 18, 169-176.	1.0	1
280	Validation of a classification to identify emergency department visits suitable for subacute and virtual care models: a randomised single-blinded agreement study protocol. <i>BMJ Open</i> , 2022, 12, e068488.	0.8	1
282	Inclusion of patient-level emergency department characteristics to classify potentially redirectable visits to subacute care: a modified Delphi consensus study. <i>CMAJ Open</i> , 2023, 11, E70-E76.	1.1	1
283	<scp>Hospital-associated</scp> disability due to avoidable hospitalizations among older adults. <i>Journal of the American Geriatrics Society</i> , 0, , .	1.3	1
284	Interrupted time series evaluation of the impact of a dementia wellbeing service on avoidable hospital admissions for people with dementia in Bristol, England. <i>Journal of Health Services Research and Policy</i> , 0, , 135581962311643.	0.8	0
285	Primary and secondary data in emergency medicine health services research "a comparative analysis in a regional research network on multimorbid patients. <i>BMC Medical Research Methodology</i> , 2023, 23, .	1.4	1
286	Emergency Department and Hospital Utilization Among Older Adults Before and After Identification of Elder Mistreatment. <i>JAMA Network Open</i> , 2023, 6, e2255853.	2.8	5
287	Association between types of home healthcare and emergency house calls, hospitalization, and end-of-life care in Japan. <i>Journal of the American Geriatrics Society</i> , 2023, 71, 1795-1805.	1.3	1
288	Who are the most vulnerable populations for primary care? Avoidable hospitalizations across individuals with different types of disabilities in South Korea. <i>Public Health</i> , 2023, 217, 138-145.	1.4	1
289	Using Explainable Artificial Intelligence to Predict Potentially Preventable Hospitalizations. <i>Medical Care</i> , 2023, 61, 226-236.	1.1	2
290	Evaluating emergency department transfers from urgent care centres: insights for paramedic integration with subacute healthcare. <i>BMJ Open Quality</i> , 2023, 12, e002160.	0.4	1

#	ARTICLE	IF	CITATIONS
291	National Norms for Hospitalizations Due to Ambulatory Care Sensitive Conditions among Adults in the US. Journal of General Internal Medicine, 2023, 38, 2953-2959.	1.3	4
292	Trends in avoidable hospitalization rates in Italy, 2001-2008. , 2022, 10, .		2