

Non-invasive assessment and quantification of liver steatosis by computed tomography and magnetic resonance

Journal of Hepatology

51, 433-445

DOI: [10.1016/j.jhep.2009.05.023](https://doi.org/10.1016/j.jhep.2009.05.023)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Non-alcoholic fatty liver disease in women with polycystic ovary syndrome: assessment of non-invasive indices predicting hepatic steatosis and fibrosis. <i>Hormones</i> , 2002, 13, 519-31.	0.9	21
2	Hepatic Toxicities Associated with the Use of Preoperative Systemic Therapy in Patients with Metastatic Colorectal Adenocarcinoma to the Liver. <i>Oncologist</i> , 2009, 14, 1095-1105.	1.9	65
3	Heparinâ€Coated Gold Nanoparticles for Liverâ€Specific CT Imaging. <i>Chemistry - A European Journal</i> , 2009, 15, 13341-13347.	1.7	146
4	Nonalcoholic fatty liver disease in children. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 397-402.	1.3	34
5	Non-alcoholic fatty liver disease: the hepatic consequence of obesity and the metabolic syndrome. <i>Proceedings of the Nutrition Society</i> , 2010, 69, 211-220.	0.4	178
6	The importance of fatty liver disease in clinical practice. <i>Proceedings of the Nutrition Society</i> , 2010, 69, 518-527.	0.4	14
7	Nonalcoholic Fatty Liver Disease in HIV-Infected Persons: Epidemiology and the Role of Nucleoside Reverse Transcriptase Inhibitors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 278.	0.9	6
8	Reply to â€œNonalcoholic Fatty Liver Disease Among HIV-Infected Personsâ€œ. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 278-281.	0.9	1
9	HIV Infection: An Independent Risk Factor of Peripheral Arterial Disease. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 276-278.	0.9	23
11	Quantitative Assessment of Intrahepatic Lipids Using Fat-Selective Imaging With Spectral-Spatial Excitation and In-/Opposed-Phase Gradient Echo Imaging Techniques Within a Study Population of Extremely Obese Patients. <i>Investigative Radiology</i> , 2010, 45, 484-490.	3.5	14
12	Assessment of liver steatosis in chicken by using acoustic radiation force impulse imaging: preliminary results. <i>European Radiology</i> , 2010, 20, 2367-2371.	2.3	13
14	Controlled Attenuation Parameter (CAP): A Novel VCTEâ„¢ Guided Ultrasonic Attenuation Measurement for the Evaluation of Hepatic Steatosis: Preliminary Study and Validation in a Cohort of Patients with Chronic Liver Disease from Various Causes. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1825-1835.	0.7	683
15	Nonalcoholic fatty liver disease: a challenge for pediatricians. <i>International Journal of Obesity</i> , 2010, 34, 1451-1467.	1.6	55
16	Nonalcoholic fatty liver disease in children. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 14, 1.	1.3	72
18	Paediatric non-alcoholic fatty liver disease. <i>Gut</i> , 2010, 59, 561-564.	6.1	19
19	Increased Visceral Adipocyte Lipolysisâ€”A Pathogenic Role in Nonalcoholic Fatty Liver Disease?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E209-E213.	1.8	20
20	Environmental and Genetic Determinants of Fatty Liver in Humans. <i>Digestive Diseases</i> , 2010, 28, 169-178.	0.8	32
21	Investigating mildly abnormal serum aminotransferase values. <i>BMJ: British Medical Journal</i> , 2010, 341, c4039-c4039.	2.4	24

#	ARTICLE	IF	CITATIONS
24	Crucial role of impaired Kupffer cell phagocytosis on the decreased Sonazoid-enhanced echogenicity in a liver of a nonalcoholic steatohepatitis rat model. <i>Hepatology Research</i> , 2010, 40, 823-831.	1.8	21
25	Insulin Resistance Is Independently Associated with Liver Aminotransferases in Diabetic Patients Without Ultrasound Signs of Nonalcoholic Fatty Liver Disease. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 111-117.	0.5	20
26	Large-Scale Synthesis of Bioinert Tantalum Oxide Nanoparticles for X-ray Computed Tomography Imaging and Bimodal Image-Guided Sentinel Lymph Node Mapping. <i>Journal of the American Chemical Society</i> , 2011, 133, 5508-5515.	6.6	316
27	A prospective evaluation of fatty pancreas by using EUS. <i>Gastrointestinal Endoscopy</i> , 2011, 73, 987-993.	0.5	127
28	The Possibility of Differentiation between Nonalcoholic Steatohepatitis and Fatty Liver in Rabbits on Gd-EOB-DTPA-enhanced Open-type MRI Scans. <i>Academic Radiology</i> , 2011, 18, 525-529.	1.3	12
29	Advances in Pediatric Nonalcoholic Fatty Liver Disease. <i>Pediatric Clinics of North America</i> , 2011, 58, 1375-1392.	0.9	46
30	Normal liver stiffness and its determinants in healthy blood donors. <i>Digestive and Liver Disease</i> , 2011, 43, 231-236.	0.4	61
31	Pro-inflammatory and atherogenic circulating factors in non-alcoholic fatty liver disease associated to metabolic syndrome. <i>Clinica Chimica Acta</i> , 2011, 412, 143-147.	0.5	31
33	Comparing morphometric, biochemical, and visual measurements of macrovesicular steatosis of liver. <i>Human Pathology</i> , 2011, 42, 356-360.	1.1	31
34	Reliability of transient elastography for the detection of fibrosis in Non-Alcoholic Fatty Liver Disease and chronic viral hepatitis. <i>Journal of Hepatology</i> , 2011, 54, 64-71.	1.8	230
35	Orlistat 60 mg Reduces Visceral Adipose Tissue: A 24-Week Randomized, Placebo-Controlled, Multicenter Trial. <i>Obesity</i> , 2011, 19, 1796-1803.	1.5	34
36	Comparison of 1H MR Spectroscopy, 3-point DIXON, and Multi-echo Gradient Echo for Measuring Hepatic Fat Fraction. <i>Magnetic Resonance in Medical Sciences</i> , 2011, 10, 41-48.	1.1	20
37	Noninvasive Quantification of Hepatic Fat Content Using Three-Echo Dixon Magnetic Resonance Imaging With Correction for T2* Relaxation Effects. <i>Investigative Radiology</i> , 2011, 46, 783-789.	3.5	43
38	Magnetic resonance techniques for mapping fat deposits and directing therapy. <i>Clinical Lipidology</i> , 2011, 6, 93-107.	0.4	1
39	Keratin 18, Apoptosis, and Liver Disease in Children. <i>Current Pediatric Reviews</i> , 2011, 7, 310-315.	0.4	4
40	Association between Serum Vitamin B12 Levels and the Degree of Steatosis in Patients with Nonalcoholic Fatty Liver Disease. <i>Journal of Investigative Medicine</i> , 2011, 59, 1137-1140.	0.7	44
41	Elevated Peripheral Blood Monocyte Fraction in Nonalcoholic Fatty Liver Disease. <i>Tohoku Journal of Experimental Medicine</i> , 2011, 223, 227-233.	0.5	15
42	T1-weighted dual-echo MRI for fat quantification in pediatric nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2011, 17, 3012.	1.4	65

#	ARTICLE	IF	CITATIONS
43	Potential of Electron Beam Computed Tomography for Coronary Artery Calcium Screening to Evaluate Fatty Liver: Comparison with 1H Magnetic Resonance Spectroscopy in the Dallas Heart Study. <i>Journal of Investigative Medicine</i> , 2011, 59, 780-786.	0.7	4
44	Systematic review: the diagnosis and staging of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 525-540.	1.9	254
45	Serum fetuin-A concentrations are elevated in subjects with impaired glucose tolerance and newly diagnosed type 2 diabetes. <i>Clinical Endocrinology</i> , 2011, 75, 450-455.	1.2	54
46	Increased coagulation factor VIII, IX, XI and XII activities in non-alcoholic fatty liver disease. <i>Liver International</i> , 2011, 31, 176-183.	1.9	95
47	Serum total adiponectin in nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 313-326.	1.5	272
48	Recent advances in biomarkers for noninvasive diagnosis of nonalcoholic steatohepatitis: the role of lipid analysis/profiling. <i>Clinical Lipidology</i> , 2011, 6, 427-436.	0.4	1
49	Assessment of relevant hepatic steatosis in obese adolescents by rapid fat-selective GRE imaging with spatial-spectral excitation: a quantitative comparison with spectroscopic findings. <i>European Radiology</i> , 2011, 21, 816-822.	2.3	9
50	Chemotherapy-Associated Liver Injury: Impact on Surgical Management of Colorectal Cancer Liver Metastases. <i>Annals of Surgical Oncology</i> , 2011, 18, 181-190.	0.7	54
51	Non-contrasted Computed Tomography for the Accurate Measurement of Liver Steatosis in Obese Patients. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2145-2151.	1.1	34
52	MR spectroscopy as a tool for in vivo determination of steatosis in liver transplant recipients. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2011, 24, 297-304.	1.1	27
53	Imaging Evaluation in Colorectal Cancer Liver Metastases. <i>Current Colorectal Cancer Reports</i> , 2011, 7, 175-179.	1.0	0
55	Quantification of liver fat in mice: comparing dual-echo Dixon imaging, chemical shift imaging, and 1H-MR spectroscopy. <i>Journal of Lipid Research</i> , 2011, 52, 1847-1855.	2.0	30
56	Insulin sensitizers in the treatment of non-alcoholic fatty liver disease: a systematic review.. <i>Health Technology Assessment</i> , 2011, 15, 1-110.	1.3	60
57	Prevalence of NAFLD in Healthy and Young Male Individuals. <i>ISRN Gastroenterology</i> , 2011, 2011, 1-4.	1.5	19
58	Recent advances in imaging hepatic fibrosis and steatosis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2011, 5, 91-104.	1.4	15
60	Cholesterol Synthesis Is Associated with Hepatic Lipid Content and Dependent on Fructose/Glucose Intake in Healthy Humans. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	25
61	A prospective evaluation of the role of transient elastography for the detection of hepatic fibrosis in type 2 diabetes without overt liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 836-841.	0.6	35
62	Nonalcoholic fatty liver disease and vascular risk. <i>Current Opinion in Cardiology</i> , 2012, 27, 420-428.	0.8	53

#	ARTICLE	IF	CITATIONS
63	Nonalcoholic Fatty Liver Disease Is Associated With Left Ventricular Diastolic Dysfunction in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 389-395.	4.3	159
64	Evaluating Childhood Obesity: Magnetic Resonance-Based Quantification of Abdominal Adipose Tissue and Liver Fat in Children. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2012, 184, 324-332.	0.7	7
65	Nonalcoholic Fatty Liver Disease and HIV Infection. <i>Seminars in Liver Disease</i> , 2012, 32, 158-166.	1.8	49
66	Increased Fetuin-A Concentrations in Impaired Glucose Tolerance with or without Nonalcoholic Fatty Liver Disease, But Not Impaired Fasting Glucose. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4717-4723.	1.8	58
67	Visceral obesity modulates the impact of apolipoprotein C3 gene variants on liver fat content. <i>International Journal of Obesity</i> , 2012, 36, 774-782.	1.6	31
68	Possible Patient Early Diagnosis by Ultrasonic Noninvasive Estimation of Thermal Gradients into Tissues Based on Spectral Changes Modeling. <i>Computational and Mathematical Methods in Medicine</i> , 2012, 2012, 1-14.	0.7	8
69	Mathematical Modeling of Patient Care. <i>Computational and Mathematical Methods in Medicine</i> , 2012, 2012, 1-2.	0.7	0
70	Diagnosis and Evaluation of Nonalcoholic Fatty Liver Disease. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-12.	3.8	182
71	Management of Nonalcoholic Fatty Liver Disease. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 608-16.	3.8	18
72	MRI: the new reference standard in quantifying hepatic steatosis?. <i>Gut</i> , 2012, 61, 117-127.	6.1	104
73	Association between Nonalcoholic Liver Disease and Chronic Kidney Disease: An Ultrasound Analysis from NHANES 1988-1994. <i>American Journal of Nephrology</i> , 2012, 36, 466-471.	1.4	69
74	Magnetic Resonance for Quantitative Assessment of Liver Steatosis: A New Potential Tool to Monitor Antiretroviral-Drug-Related Toxicities. <i>Antiviral Therapy</i> , 2012, 17, 965-971.	0.6	11
75	Normal Liver Tissue Density Dose Response in Patients Treated With Stereotactic Body Radiation Therapy for Liver Metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e441-e446.	0.4	21
76	Serum parameters predict the severity of ultrasonographic findings in non-alcoholic fatty liver disease. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012, 11, 513-520.	0.6	32
77	Assessment tools in obesity - Psychological measures, diet, activity, and body composition. <i>Physiology and Behavior</i> , 2012, 107, 154-171.	1.0	70
78	Fatty liver disease. , 2012, , 293-359.		16
79	Controlled Attenuation Parameter (CAP): a noninvasive method for the detection of hepatic steatosis based on transient elastography. <i>Liver International</i> , 2012, 32, 902-910.	1.9	283
80	Noninvasive diagnosis of liver steatosis using controlled attenuation parameter (CAP) and transient elastography. <i>Liver International</i> , 2012, 32, 911-918.	1.9	303

#	ARTICLE	IF	CITATIONS
81	Heritability of non-alcoholic fatty liver disease and association with abnormal vascular parameters: A twin study. <i>Liver International</i> , 2012, 32, 1287-1293.	1.9	47
82	Controlled attenuation parameter (CAP): a new device for fast evaluation of liver fat?. <i>Liver International</i> , 2012, 32, 875-877.	1.9	24
83	Lifestyle interventions for the treatment of non-alcoholic fatty liver disease in adults: A systematic review. <i>Journal of Hepatology</i> , 2012, 56, 255-266.	1.8	443
84	Translocator protein (18 kDa), a potential molecular imaging biomarker for non-invasively distinguishing non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2012, 57, 1076-1082.	1.8	51
85	Imaging patterns of hepatic steatosis on multidetector CT: Pearls and pitfalls. <i>Clinical Radiology</i> , 2012, 67, 366-371.	0.5	4
86	Acoustic radiation force impulse-imaging and transient elastography for non-invasive assessment of liver fibrosis and steatosis in NAFLD. <i>European Journal of Radiology</i> , 2012, 81, e325-e331.	1.2	168
87	Increased risk of cardiovascular disease and chronic kidney disease in NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012, 9, 372-381.	8.2	113
88	Nanoparticulate X-ray Computed Tomography Contrast Agents: From Design Validation to in Vivo Applications. <i>Accounts of Chemical Research</i> , 2012, 45, 1817-1827.	7.6	297
89	Cellular and molecular techniques. , 2012, , 79-99.		1
90	The controlled attenuation parameter (CAP): A novel tool for the non-invasive evaluation of steatosis using Fibroscan®. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012, 36, 13-20.	0.7	232
91	Non-alcoholic fatty liver disease: An emerging liver disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 527-535.	0.8	33
92	Features, Diagnosis, and Treatment of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 837-858.	2.4	229
93	Hepatorenal Index as an Accurate, Simple, and Effective Tool in Screening for Steatosis. <i>American Journal of Roentgenology</i> , 2012, 199, 997-1002.	1.0	95
94	Development of poly(vinyl acetate-methylacrylic acid)/chitosan/Fe ₃ O ₄ nanoparticles for the diagnosis of non-alcoholic steatohepatitis with magnetic resonance imaging. <i>Journal of Materials Science: Materials in Medicine</i> , 2012, 23, 3075-3082.	1.7	7
95	Transient elastography in non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2012, 11, 172-178.	0.6	48
96	Comparison of Visceral Fat and Liver Fat as Risk Factors of Metabolic Syndrome. <i>Journal of Korean Medical Science</i> , 2012, 27, 184.	1.1	20
97	Hybrid BaYbF ₅ Nanoparticles: Novel Binary Contrast Agent for High-Resolution in Vivo X-ray Computed Tomography Angiography. <i>Advanced Healthcare Materials</i> , 2012, 1, 461-466.	3.9	87
99	Prediction for steatosis in type-2 diabetes: clinico-biological markers versus 1H-MR spectroscopy. <i>European Radiology</i> , 2012, 22, 855-863.	2.3	29

#	ARTICLE	IF	CITATIONS
100	Liver fat content investigated by magnetic resonance spectroscopy in obese children and youths included in multidisciplinary treatment. <i>Clinical Obesity</i> , 2012, 2, 41-49.	1.1	13
101	Novel controlled attenuation parameter for noninvasive assessment of steatosis using Fibroscan [®] : validation in chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2012, 19, 244-253.	1.0	182
102	Assessment of inflammation and fibrosis in nonalcoholic fatty liver disease by imaging-based techniques. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1281-1292.	1.4	30
103	A High-Performance Ytterbium-Based Nanoparticulate Contrast Agent for In Vivo X-Ray Computed Tomography Imaging. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1437-1442.	7.2	317
104	Advanced nuclear analytical and related techniques for the growing challenges in nanotoxicology. <i>Chemical Society Reviews</i> , 2013, 42, 8266.	18.7	104
105	Other Diffuse Liver Diseases: Steatosis, Hemochromatosis, etc.. , 2013, , 1027-1044.		2
106	Ultrasonographic Quantification of Hepatic Renal Echogenicity Difference in Hepatic Steatosis Diagnosis. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2993-3000.	1.1	20
107	Diagnosis and management of nonalcoholic fatty liver disease and related metabolic disorders: Consensus statement from the Study Group of Liver and Metabolism, Chinese Society of Endocrinology (éžé... ç²¼æ€šè,æ€šè,æ€šè,æ€šè... äžé... <i>Journal of Diabetes</i> , 2013, 5, 406-415.	0.8	97
108	Hepatic Notch Signaling Correlates With Insulin Resistance and Nonalcoholic Fatty Liver Disease. <i>Diabetes</i> , 2013, 62, 4052-4062.	0.3	78
109	Non-alcoholic fatty liver disease and cardiovascular risk. <i>International Journal of Cardiology</i> , 2013, 167, 1109-1117.	0.8	84
110	Both resistance training and aerobic training reduce hepatic fat content in type 2 diabetic subjects with nonalcoholic fatty liver disease (the RAED2 randomized trial). <i>Hepatology</i> , 2013, 58, 1287-1295.	3.6	275
112	Noninvasive evaluation of NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013, 10, 666-675.	8.2	238
113	A 360-degree overview of paediatric NAFLD: Recent insights. <i>Journal of Hepatology</i> , 2013, 58, 1218-1229.	1.8	154
114	Utility of controlled attenuation parameter measurement for assessing liver steatosis in Japanese patients with chronic liver diseases. <i>Hepatology Research</i> , 2013, 43, 1182-1189.	1.8	55
115	Tocotrienols for normalisation of hepatic echogenic response in nonalcoholic fatty liver: a randomised placebo-controlled clinical trial. <i>Nutrition Journal</i> , 2013, 12, 166.	1.5	58
116	Post-Liver Transplant Leptin Results in Resolution of Severe Recurrence of Lipodystrophy-Associated Nonalcoholic Steatohepatitis. <i>American Journal of Transplantation</i> , 2013, 13, 3031-3034.	2.6	7
117	Controlled attenuation parameter for noninvasive assessment of hepatic steatosis: Does etiology affect performance?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1194-1201.	1.4	87
118	Classification of nonalcoholic fatty liver ultrasonography by significant image features. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
119	The ERLIN1-CHUK-CWF19L1 gene cluster influences liver fat deposition and hepatic inflammation in the NHLBI Family Heart Study. <i>Atherosclerosis</i> , 2013, 228, 175-180.	0.4	50
120	Diagnostic imaging in obesity. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013, 27, 261-277.	2.2	35
121	Carotid atherosclerosis or nonalcoholic fatty liver disease: Which comes first?. <i>Atherosclerosis</i> , 2013, 231, 187-188.	0.4	3
122	The role of Hepassocin in the development of non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2013, 59, 1065-1072.	1.8	69
123	Investigation of 1H MRS for quantification of hepatic triglyceride in lean and obese cats. <i>Research in Veterinary Science</i> , 2013, 95, 678-680.	0.9	13
124	Evaluation of hepatic metabolic activity in non-alcoholic fatty livers on 18FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013, 32, 156-161.	0.1	0
125	Evaluation of hepatic metabolic activity in non-alcoholic fatty livers on 18FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013, 32, 156-161.	0.0	10
126	Review article: the diagnosis of non-alcoholic fatty liver disease – availability and accuracy of non-invasive methods. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 37, 392-400.	1.9	156
127	Progression of NAFLD to diabetes mellitus, cardiovascular disease or cirrhosis. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013, 10, 330-344.	8.2	1,381
128	Nonalcoholic Fatty Liver Disease: Current Issues and Novel Treatment Approaches. <i>Drugs</i> , 2013, 73, 1-14.	4.9	139
129	Assessment of hepatic steatosis by transplant surgeon and expert pathologist: A prospective, double-blind evaluation of 201 donor livers. <i>Liver Transplantation</i> , 2013, 19, 437-449.	1.3	93
130	Non-invasive diagnosis of non-alcoholic fatty liver disease. A critical appraisal. <i>Journal of Hepatology</i> , 2013, 58, 1007-1019.	1.8	332
131	Modern Imaging Evaluation of the Liver. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2013, 21, 337-363.	0.6	6
132	Gastrointestinal complications of obesity: Non-alcoholic fatty liver disease (NAFLD) and its sequelae. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013, 27, 195-208.	2.2	61
133	Obesity and Diabetes: Newer Concepts in Imaging. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 351-361.	2.4	6
134	Statins for non-alcoholic fatty liver disease and non-alcoholic steatohepatitis. <i>The Cochrane Library</i> , 2013, , CD008623.	1.5	71
135	Whole body fat: Content and distribution. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2013, 73, 56-80.	3.9	109
136	The genetics of NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013, 10, 645-655.	8.2	297

#	ARTICLE	IF	CITATIONS
137	Independent association between low serum amylase and non-alcoholic fatty liver disease in asymptomatic adults: a cross-sectional observational study. <i>BMJ Open</i> , 2013, 3, e002235.	0.8	17
138	Determinants of Second-Order Bile Duct Visualization at CT Cholangiography in Potential Living Liver Donors. <i>American Journal of Roentgenology</i> , 2013, 200, 1028-1033.	1.0	5
139	Exercise for Hepatic Fat Accumulation in Type 2 Diabetic Subjects. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-5.	0.6	6
140	Noninvasive detection of hepatic steatosis in patients without ultrasonographic evidence of fatty liver using the controlled attenuation parameter evaluated with transient elastography. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 1330-1334.	0.8	32
141	Hepatic Steatosis: Quantification by Proton Density Fat Fraction with MR Imaging versus Liver Biopsy. <i>Radiology</i> , 2013, 267, 767-775.	3.6	314
142	Non-alcoholic fatty liver disease: non-invasive investigation and risk stratification. <i>Journal of Clinical Pathology</i> , 2013, 66, 1033-1045.	1.0	70
143	Current management of patients with nonalcoholic fatty liver disease. <i>Expert Review of Endocrinology and Metabolism</i> , 2013, 8, 549-558.	1.2	2
144	Assessment of Hepatic Fatty Infiltration Using Spectral Computed Tomography Imaging. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 134-141.	0.5	26
145	The role of ultrasonography in the measurement of subcutaneous and visceral fat and its correlation with hepatic steatosis. <i>Radiologia Brasileira</i> , 2013, 46, 273-278.	0.3	11
146	The Assessment and Management of Chemotherapy Associated Liver Injury. , 2013, , .		1
147	Measurement of liver fat fraction and iron with MRI and MR spectroscopy techniques. <i>Diagnostic and Interventional Radiology</i> , 2013, 20, 17-26.	0.7	30
148	Non-alcoholic fatty liver disease and diabetes: From physiopathological interplay to diagnosis and treatment. <i>World Journal of Gastroenterology</i> , 2014, 20, 8377.	1.4	76
149	Non-Invasive Assessment of Hepatic Steatosis in Patients with NAFLD Using Controlled Attenuation Parameter and 1H-MR Spectroscopy. <i>PLoS ONE</i> , 2014, 9, e91987.	1.1	130
150	Is MR Spectroscopy Really the Best MR-Based Method for the Evaluation of Fatty Liver in Diabetic Patients in Clinical Practice?. <i>PLoS ONE</i> , 2014, 9, e112574.	1.1	23
151	Relationship of Liver Stiffness and Controlled Attenuation Parameter Measured by Transient Elastography with Diabetes Mellitus in Patients with Chronic Liver Disease. <i>Journal of Korean Medical Science</i> , 2014, 29, 1113.	1.1	4
152	Histogram Analysis of Hepatobiliary Phase MR Imaging as a Quantitative Value for Liver Cirrhosis: Preliminary Observations. <i>Yonsei Medical Journal</i> , 2014, 55, 651.	0.9	11
153	Investigation of Fat Metabolism during Antiobesity Interventions by Magnetic Resonance Imaging and Spectroscopy. <i>Magnetic Resonance Insights</i> , 2014, 7, MRI.S19362.	2.5	3
154	The Metabolic Syndrome and Chronic Liver Disease. <i>Current Pharmaceutical Design</i> , 2014, 20, 5010-5024.	0.9	35

#	ARTICLE	IF	CITATIONS
155	Controlled attenuation parameter for non-invasive assessment of hepatic steatosis in Chinese patients. <i>World Journal of Gastroenterology</i> , 2014, 20, 4702.	1.4	92
156	Serum hepassocin concentrations in diabetic patients with or without nonalcoholic fatty liver disease. <i>Diabetes Management</i> , 2014, 4, 255-261.	0.5	9
157	Chemerin as a novel non-invasive serum marker of intrahepatic lipid content in obese children. <i>Italian Journal of Pediatrics</i> , 2014, 40, 84.	1.0	32
158	Liver Biopsy at the Time of Bariatric Surgery: A Benefit for Patients and the Medical Community. <i>Seminars in Liver Disease</i> , 2014, 34, 001-006.	1.8	12
159	From NAFLD to cardiovascular disease. Is it (still) the metabolic syndrome?. <i>Medicine and Pharmacy Reports</i> , 2014, 87, 80-86.	0.2	3
160	Non-alcoholic fatty liver disease: a practical approach to diagnosis and staging. <i>Frontline Gastroenterology</i> , 2014, 5, 211-218.	0.9	254
161	Non-alcoholic fatty liver disease in patients with diabetes mellitus. <i>Expert Review of Endocrinology and Metabolism</i> , 2014, 9, 503-514.	1.2	0
162	Clinical implications of preoperative and intraoperative liver biopsies for evaluating donor steatosis in living related liver transplantation. <i>Liver Transplantation</i> , 2014, 20, 437-445.	1.3	32
163	Navigator based respiratory gating during acquisition and preparation phases for proton liver spectroscopy at 3 T. <i>NMR in Biomedicine</i> , 2014, 27, 348-355.	1.6	9
164	Nonalcoholic Fatty Liver Disease: Intravoxel Incoherent Motion Diffusion-weighted MR Imaging—An Experimental Study in a Rabbit Model. <i>Radiology</i> , 2014, 270, 131-140.	3.6	57
165	Recent advances in ytterbium-based contrast agents for <i>in vivo</i> X-ray computed tomography imaging: promises and prospects. <i>Contrast Media and Molecular Imaging</i> , 2014, 9, 26-36.	0.4	42
166	Fatty liver and serum cholinesterase are independently correlated with HbA1c levels: Cross-sectional analysis of 5384 people. <i>Journal of International Medical Research</i> , 2014, 42, 542-553.	0.4	11
167	Avaliaço ultrassonogrfica da gordura visceral e subcutnea em crianas obesas. <i>Radiologia Brasileira</i> , 2014, 47, 149-153.	0.3	23
168	Transient elastography, APRI, and ultrasound have minimal utility in chronic low-replicative hepatitis B infection. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 1010-1014.	0.8	4
169	Pediatric Non-Alcoholic Fatty Liver Disease/Oboljenje Ne-Alkoholne Masne Jetre U Pedijatriji. <i>Journal of Medical Biochemistry</i> , 2014, 34, 3-12.	0.7	3
170	Noninvasive assessment of liver steatosis using ultrasound methods. <i>Medical Ultrasonography</i> , 2014, 16, 236-45.	0.4	43
171	Noninvasive assessment of liver steatosis in nonalcoholic fatty liver disease. <i>Hepatology Research</i> , 2014, 44, E420-7.	1.8	21
172	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014, 34, 102-109.	1.9	143

#	ARTICLE	IF	CITATIONS
173	Usefulness of T1 mapping on Gd-EOB-DTPA-enhanced MR imaging in assessment of non-alcoholic fatty liver disease. <i>European Radiology</i> , 2014, 24, 959-966.	2.3	51
174	Synthesis of nanostructured barium phosphate and its application in micro-computed tomography of mouse brain vessels in ex vivo. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	0.8	5
175	New and Improved Imaging Modalities for NAFLD. <i>Current Hepatology Reports</i> , 2014, 13, 88-96.	0.4	1
176	X-RAY ATTENUATION OF THE LIVER AND KIDNEY IN CATS CONSIDERED AT VARYING RISK OF HEPATIC LIPIDOSIS. <i>Veterinary Radiology and Ultrasound</i> , 2014, 55, 141-146.	0.4	13
177	How good is controlled attenuation parameter and fatty liver index for assessing liver steatosis in general population: correlation with ultrasound. <i>Liver International</i> , 2014, 34, e111-7.	1.9	70
178	Republished: Non-alcoholic fatty liver disease: non-invasive investigation and risk stratification. <i>Postgraduate Medical Journal</i> , 2014, 90, 254-266.	0.9	12
179	Necessity for timely noninvasive diagnosis of nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 161-167.	1.5	69
180	Detecting hepatic steatosis using ultrasound-induced thermal strain imaging: an ex vivo animal study. <i>Physics in Medicine and Biology</i> , 2014, 59, 881-895.	1.6	16
181	Encapsulating tantalum oxide into polypyrrole nanoparticles for X-ray CT/photoacoustic bimodal imaging-guided photothermal ablation of cancer. <i>Biomaterials</i> , 2014, 35, 5795-5804.	5.7	129
183	A Flexible Method for Multi-Material Decomposition of Dual-Energy CT Images. <i>IEEE Transactions on Medical Imaging</i> , 2014, 33, 99-116.	5.4	154
184	Noninvasive Differentiation of Simple Steatosis and Steatohepatitis by Using Gadoteric Acid-enhanced MR Imaging in Patients with Nonalcoholic Fatty Liver Disease: A Proof-of-Concept Study. <i>Radiology</i> , 2014, 271, 739-747.	3.6	70
185	A New Method for Measuring the Speed of Sound in Rat Liver ex Vivo Using an Ultrasound System: Correlation of Sound Speed with Fat Deposition. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2499-2507.	0.7	21
186	Latest developments in the imaging of fibrotic liver disease. <i>Acta Radiologica</i> , 2014, 55, 802-813.	0.5	6
187	Effect of carnitine-rotate complex on glucose metabolism and fatty liver: A double-blind, placebo-controlled study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 1449-1457.	1.4	32
188	Controlled attenuation parameter for the detection of steatosis severity in chronic liver disease: A meta-analysis of diagnostic accuracy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 1149-1158.	1.4	132
189	Ultrasonic integrated backscatter in assessing liver steatosis before and after liver transplantation. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2014, 13, 402-408.	0.6	4
190	Mouse Liver Dispersion for the Diagnosis of Early-Stage Fatty Liver Disease: A 70-Sample Study. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 704-713.	0.7	65
191	Detection of hepatic steatosis using the controlled attenuation parameter: a comparative study with liver biopsy. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 611-616.	0.6	31

#	ARTICLE	IF	CITATIONS
192	Long-term influence of chemotherapy on steatosis-associated advanced hepatic fibrosis. <i>Medical Oncology</i> , 2014, 31, 971.	1.2	6
193	Synthesis and Characterization of PEGylated Polyethylenimine-Entrapped Gold Nanoparticles for Blood Pool and Tumor CT Imaging. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 17190-17199.	4.0	106
194	Moderate to severe, but not mild, nonalcoholic fatty liver disease associated with increased risk of gallstone disease. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 1001-1006.	0.6	22
195	Review article: the management of paediatric nonalcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1155-1170.	1.9	39
196	Systematic review with meta-analysis: non-invasive assessment of non-alcoholic fatty liver disease – the role of transient elastography and plasma cytokeratin-18 fragments. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 254-269.	1.9	320
197	Review of Treatment Options for Nonalcoholic Fatty Liver Disease. <i>Medical Clinics of North America</i> , 2014, 98, 55-72.	1.1	31
198	MRI evaluation of fatty liver in day to day practice: Quantitative and qualitative methods. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2014, 45, 619-626.	0.3	6
199	Radio-opaque Micelles for X-ray Imaging. <i>Australian Journal of Chemistry</i> , 2014, 67, 78.	0.5	8
200	Diffuse reflectance spectroscopy accurately quantifies various degrees of liver steatosis in murine models of fatty liver disease. <i>Journal of Translational Medicine</i> , 2015, 13, 309.	1.8	14
201	Controlled Attenuation Parameter and Liver Stiffness Measurements for Steatosis Assessment in the Liver Transplant of Brain Dead Donors. <i>Transplantation</i> , 2015, 99, 1619-1624.	0.5	24
202	Greater serum carotenoid levels associated with lower prevalence of nonalcoholic fatty liver disease in Chinese adults. <i>Scientific Reports</i> , 2015, 5, 12951.	1.6	40
203	Hepatic steatosis in individuals living with HIV measured by controlled attenuation parameter. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 679-685.	0.8	22
204	Utility of texture analysis for quantifying hepatic fibrosis on proton density MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1259-1265.	1.9	38
205	Nonalcoholic fatty liver disease and carotid artery atherosclerosis in children and adults. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 1237-1248.	0.8	63
206	Multidisciplinary care of obese children and adolescents for one year reduces ectopic fat content in liver and skeletal muscle. <i>BMC Pediatrics</i> , 2015, 15, 196.	0.7	27
207	<sc>HCV</sc> genotype 3 and squamous cell carcinoma antigen (<sc>SCCA</sc>) IgM are independently associated with histological features of <sc>NASH</sc> in <sc>HCV</sc>-infected patients. <i>Journal of Viral Hepatitis</i> , 2015, 22, 800-808.	1.0	12
208	Paediatric non-alcoholic fatty liver disease: an overview. <i>Obesity Reviews</i> , 2015, 16, 393-405.	3.1	43
209	Type 1 diabetes is not associated with an increased prevalence of hepatic steatosis. <i>Diabetic Medicine</i> , 2015, 32, 1648-1651.	1.2	36

#	ARTICLE	IF	CITATIONS
210	Validation of the Fatty Liver Index for Nonalcoholic Fatty Liver Disease in Middle-Aged and Elderly Chinese. <i>Medicine (United States)</i> , 2015, 94, e1682.	0.4	132
211	rs1148 variant in PNPLA3 reduces central adiposity and metabolic disease risks while increasing nonalcoholic fatty liver disease. <i>Liver International</i> , 2015, 35, 2537-2546.	1.9	27
212	Estimating steatosis and fibrosis: Comparison of acoustic structure quantification with established techniques. <i>World Journal of Gastroenterology</i> , 2015, 21, 4894.	1.4	37
213	Accuracy of computer-aided ultrasound as compared with magnetic resonance imaging in the evaluation of nonalcoholic fatty liver disease in obese and eutrophic adolescents. <i>Radiologia Brasileira</i> , 2015, 48, 225-232.	0.3	4
214	Badanie ultrasonograficzne w...troby i dróg żółciowych – oczekiwania klinicysty. , 2015, 15, 292-306.		12
215	Non-Alcoholic Fatty Liver Disease in Patients with Diabetes Mellitus: A Clinician’s Perspective. <i>International Journal of Digestive Diseases</i> , 2015, 01, .	0.2	5
216	Diagnostic performance of controlled attenuation parameter for predicting steatosis grade in chronic hepatitis B. <i>Annals of Hepatology</i> , 2015, 14, 826-836.	0.6	18
217	Role of diet on non-alcoholic fatty liver disease: An updated narrative review. <i>World Journal of Hepatology</i> , 2015, 7, 575.	0.8	52
218	Diffuse reflectance spectroscopy: toward real-time quantification of steatosis in liver. <i>Transplant International</i> , 2015, 28, 465-474.	0.8	24
219	Improved Method for Calculating Hepatic Steatosis Using the Hepatorenal Index. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1051-1059.	0.8	38
220	Non-invasive diagnostic approach to non-alcoholic fatty liver disease: current evidence and future perspectives. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1039-1053.	1.4	13
221	Rectus femoris (RF) ultrasound for the assessment of muscle mass in older people. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 33-38.	1.4	83
223	Role of ultrasound in the diagnosis and treatment of nonalcoholic fatty liver disease and its complications. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 603-627.	1.4	102
224	Pattern and profile of chronic liver disease in acute on chronic liver failure. <i>Hepatology International</i> , 2015, 9, 366-372.	1.9	21
225	Nonalcoholic fatty liver disease: Noninvasive methods of diagnosing hepatic steatosis. <i>Saudi Journal of Gastroenterology</i> , 2015, 21, 64.	0.5	26
226	Steatosis and hepatitis C. <i>Gastroenterology Report</i> , 2016, 4, gov040.	0.6	28
227	Ultrasound-based tissue characterization and classification of fatty liver disease: A screening and diagnostic paradigm. <i>Knowledge-Based Systems</i> , 2015, 75, 66-77.	4.0	62
228	Stratification of Patients With Liver Fibrosis Using Dual-Energy CT. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 807-815.	5.4	57

#	ARTICLE	IF	CITATIONS
229	Consumption of a whey protein-enriched diet may prevent hepatic steatosis associated with weight gain in elderly women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 388-395.	1.1	12
230	Non-alcoholic fatty liver disease in 2015. <i>World Journal of Hepatology</i> , 2015, 7, 1450.	0.8	160
231	Advanced fibrosis associates with atherosclerosis in subjects with nonalcoholic fatty liver disease. <i>Atherosclerosis</i> , 2015, 241, 145-150.	0.4	60
232	Nonalcoholic Fatty Liver Disease Review: Diagnosis, Treatment, and Outcomes. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 2062-2070.	2.4	267
233	Management and diagnosis of fatty liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 671-683.	1.4	11
234	Nonalcoholic fatty liver disease: Update on pathogenesis, diagnosis, treatment and the role of S-adenosylmethionine. <i>Experimental Biology and Medicine</i> , 2015, 240, 809-820.	1.1	98
235	Combined Use of MR Fat Quantification and MR Elastography in Living Liver Donors: Can It Reduce the Need for Preoperative Liver Biopsy?. <i>Radiology</i> , 2015, 276, 453-464.	3.6	44
236	Nanocluster of superparamagnetic iron oxide nanoparticles coated with poly (dopamine) for magnetic field-targeting, highly sensitive MRI and photothermal cancer therapy. <i>Nanotechnology</i> , 2015, 26, 115102.	1.3	136
237	A high-risk phenotype associates with reduced improvement in glycaemia during a lifestyle intervention in prediabetes. <i>Diabetologia</i> , 2015, 58, 2877-2884.	2.9	56
238	Hepatitis <sc>B</sc> virus infection and metabolic syndrome: Fact or fiction?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 14-20.	1.4	68
240	Nonalcoholic fatty liver disease – current status and future directions. <i>Journal of Digestive Diseases</i> , 2015, 16, 541-557.	0.7	80
241	Magnetic resonance imaging reveals altered distribution of hepatic fat in children with type 1 diabetes compared to controls. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 872-878.	1.5	30
242	PEG-phospholipid-encapsulated bismuth sulfide and CdSe/ZnS quantum dot core-shell nanoparticle and its computed tomography/fluorescence performance. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	1
243	Noninvasive Diagnosis of Nonalcoholic Fatty Liver Disease and Quantification of Liver Fat Using a New Quantitative Ultrasound Technique. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1337-1345.e6.	2.4	200
245	Nonalcoholic fatty liver disease is associated with significant coronary artery disease in type 2 diabetic patients: A computed tomography angiography study	0.8	31
246	Non-alcoholic fatty liver disease – From the cardiologist perspective. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 534-41.	0.5	15
248	Non alcoholic fatty liver disease in Nigerian population with type II diabetes mellitus. <i>Pan African Medical Journal</i> , 2016, 24, 20.	0.3	17
249	Effects of Fatty Infiltration of the Liver on the Shannon Entropy of Ultrasound Backscattered Signals. <i>Entropy</i> , 2016, 18, 341.	1.1	32

#	ARTICLE	IF	CITATIONS
250	Definitions of Normal Liver Fat and the Association of Insulin Sensitivity with Acquired and Genetic NAFLD—A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2016, 17, 633.	1.8	114
251	Predicting Hepatic Steatosis in Living Liver Donors via Noninvasive Methods. <i>Medicine (United States)</i> , 2016, 95, e2718.	0.4	19
252	Liver Disease in Pediatric Patients With Ataxia Telangiectasia. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016, 62, 550-555.	0.9	28
253	Association of noninvasive quantitative decline in liver fat content on MRI with histologic response in nonalcoholic steatohepatitis. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 692-701.	1.4	123
255	Molecular mechanism of hepatic steatosis: pathophysiological role of autophagy. <i>Expert Reviews in Molecular Medicine</i> , 2016, 18, e14.	1.6	11
259	Diagnostic accuracy and clinical utility of a new noninvasive index for hepatic steatosis in patients with hepatitis B virus infection. <i>Scientific Reports</i> , 2016, 6, 32875.	1.6	17
260	Factors that predict the occurrence of and recovery from non-alcoholic fatty liver disease after pancreatoduodenectomy. <i>Surgery</i> , 2016, 160, 318-330.	1.0	33
261	Nonalcoholic Fatty Liver Disease: Pathogenesis and Disease Spectrum. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2016, 11, 451-496.	9.6	449
262	Recognition of diffuse liver cirrhosis based on image analysis. <i>Imaging Science Journal</i> , 2016, 64, 152-159.	0.2	4
263	Liver Fat Assessed With CT Relates to MRI Markers of Incipient Brain Injury in Middle-Aged to Elderly Overweight Persons. <i>American Journal of Roentgenology</i> , 2016, 206, 1087-1092.	1.0	7
264	Noninvasive Markers of Fibrosis and Inflammation in Nonalcoholic Fatty Liver Disease. <i>Current Hepatology Reports</i> , 2016, 15, 86-95.	0.4	23
265	The chloroform extract of <i>Cyclocarya paliurus</i> attenuates high-fat diet induced non-alcoholic hepatic steatosis in Sprague Dawley rats. <i>Phytomedicine</i> , 2016, 23, 1475-1483.	2.3	43
266	Investigation of computed tomography findings of portal hypertension at non-alcoholic fatty liver disease. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2016, 47, 707-710.	0.3	0
268	Association of recently described adipokines with liver histology in biopsy-proven non-alcoholic fatty liver disease: a systematic review. <i>Obesity Reviews</i> , 2016, 17, 68-80.	3.1	50
270	The Effect of Lifestyle Interventions on Excess Ectopic Fat Deposition Measured by Noninvasive Techniques in Overweight and Obese Adults: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2016, 13, 671-694.	1.0	21
271	Fractal Dimension of Tc-99m DTPA GSA Estimates Pathologic Liver Injury due to Chemotherapy in Liver Cancer Patients. <i>Annals of Surgical Oncology</i> , 2016, 23, 4384-4391.	0.7	2
272	Short- and Long-Term Reproducibility of Intrahepatic Lipid Quantification by 1H-MR Spectroscopy and CT in Obesity. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 678-682.	0.5	4
273	Imaging biomarkers for steatohepatitis and fibrosis detection in non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2016, 6, 31421.	1.6	33

#	ARTICLE	IF	CITATIONS
274	Multifeature analysis of an ultrasound quantitative diagnostic index for classifying nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2016, 6, 35083.	1.6	30
275	Modeling approaches for hepatic spatial heterogeneity in pharmacokinetic simulations. <i>Drug Discovery Today: Disease Models</i> , 2016, 22, 35-43.	1.2	6
276	Prevalence of hepatic steatosis in apparently healthy medical students: a transient elastography study on the basis of a controlled attenuation parameter. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 1264-1267.	0.8	18
277	Controlled attenuation parameter for the detection of hepatic steatosis in patients with chronic hepatitis B. <i>Infectious Diseases</i> , 2016, 48, 670-675.	1.4	7
278	Zonated quantification of steatosis in an entire mouse liver. <i>Computers in Biology and Medicine</i> , 2016, 73, 108-118.	3.9	39
279	Nomogram for hepatic steatosis: A simple and economical diagnostic tool for massive screening. <i>Digestive and Liver Disease</i> , 2016, 48, 914-920.	0.4	4
280	Improving Quality: When Surgeons Take the Bit Between the Teeth, Patients Win!. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2016, 28, 170-171.	0.4	0
281	Nonalcoholic Fatty Liver Disease and Coronary Artery Calcification. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1345-1346.	2.4	2
282	Phenotypes of prediabetes and stratification of cardiometabolic risk. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 789-798.	5.5	164
283	PEGylated polyethylenimine-entrapped gold nanoparticles modified with folic acid for targeted tumor CT imaging. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 140, 489-496.	2.5	87
284	Relationship between visceral obesity and plasma fibrinogen in obese children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2016, 29, 289-96.	0.4	7
285	Liver Steatosis and Fibrosis in OSA patients After Long-term CPAP Treatment: A Preliminary Ultrasound Study. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 104-109.	0.7	22
286	Quantification of liver fat: A comprehensive review. <i>Computers in Biology and Medicine</i> , 2016, 71, 174-189.	3.9	58
287	A "ecosystems medicine" approach to the study of non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2016, 48, 333-342.	0.4	56
288	Comparison of mechanical vibration and acoustic noise in the open-air MRI. <i>Applied Acoustics</i> , 2016, 105, 13-23.	1.7	6
289	Doppler Tissue Evaluation of Atrial Conduction Properties in Patients With Non-alcoholic Fatty-liver Disease. <i>Ultrasonic Imaging</i> , 2016, 38, 225-235.	1.4	27
290	Liver Steatosis Assessed by Controlled Attenuation Parameter (CAP) Measured with the XL Probe of the FibroScan: A Pilot Study Assessing Diagnostic Accuracy. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 92-103.	0.7	115
291	Feasibility of a three-step magnetic resonance imaging approach for the assessment of hepatic steatosis in an asymptomatic study population. <i>European Radiology</i> , 2016, 26, 1895-1904.	2.3	43

#	ARTICLE	IF	CITATIONS
292	Hepatic Steatosis: Assessment with Acoustic Structure Quantification of US Imaging. <i>Radiology</i> , 2016, 278, 257-264.	3.6	60
293	Association between tamoxifen treatment and the development of different stages of nonalcoholic fatty liver disease among breast cancer patients. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 411-417.	0.8	39
294	A comparison of liver fat content as determined by magnetic resonance imaging-proton density fat fraction and MRS versus liver histology in non-alcoholic fatty liver disease. <i>Acta Radiologica</i> , 2016, 57, 271-278.	0.5	123
295	NASH: The Ethical Dilemma. , 2017, , 213-227.		0
296	Race/ethnic and sex disparities in the non-alcoholic fatty liver disease-abdominal aortic calcification association: The Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 2017, 258, 89-96.	0.4	17
297	High-Performance Hybrid Bismuth-Carbon Nanotube Based Contrast Agent for X-ray CT Imaging. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 5709-5716.	4.0	56
298	Effects of Bariatric Surgery on Non-alcoholic Fatty Liver Disease: Magnetic Resonance Imaging Is an Effective, Non-invasive Method to Evaluate Changes in the Liver Fat Fraction. <i>Obesity Surgery</i> , 2017, 27, 1755-1762.	1.1	19
299	Design and Synthesis of New Sulfur-Containing Hyperbranched Polymer and Theranostic Nanomaterials for Bimodal Imaging and Treatment of Cancer. <i>ACS Macro Letters</i> , 2017, 6, 235-240.	2.3	25
300	Magnetic resonance imaging and transient elastography in the management of Nonalcoholic Fatty Liver Disease (NAFLD). <i>Expert Review of Clinical Pharmacology</i> , 2017, 10, 379-390.	1.3	30
301	Assessment of treatment response in non-alcoholic steatohepatitis using advanced magnetic resonance imaging. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 844-854.	1.9	21
302	Multimaterial Decomposition Algorithm for the Quantification of Liver Fat Content by Using Fast-Kilovolt-Peak Switching Dual-Energy CT: Clinical Evaluation. <i>Radiology</i> , 2017, 283, 108-118.	3.6	78
303	Cardiorespiratory Fitness and Risk of Fatty Liver. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1834-1841.	0.2	20
304	Diagnostic accuracy of serum alanine aminotransferase as biomarker for nonalcoholic fatty liver disease and insulin resistance in healthy subjects, using 3T MR spectroscopy. <i>Medicine (United States)</i> , 2017, 96, e6770.	0.4	41
305	Association between MRI-derived hepatic fat fraction and blood pressure in participants without history of cardiovascular disease. <i>Journal of Hypertension</i> , 2017, 35, 737-744.	0.3	44
306	Accuracy of computed tomography for detecting hepatic steatosis in donors for liver transplantation: A meta-analysis. <i>Clinical Transplantation</i> , 2017, 31, e13013.	0.8	16
307	Evaluation of Hepatic Steatosis by Using Acoustic Structure Quantification US in a Rat Model: Comparison with Pathologic Examination and MR Spectroscopy. <i>Radiology</i> , 2017, 285, 445-453.	3.6	24
308	A comparison of hepatic steatosis index, controlled attenuation parameter and ultrasound as noninvasive diagnostic tools for steatosis in chronic hepatitis B. <i>Digestive and Liver Disease</i> , 2017, 49, 910-917.	0.4	45
309	Psoriasis e hígado graso no alcohólico. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 506-514.	0.2	34

#	ARTICLE	IF	CITATIONS
310	Clinical usefulness of controlled attenuation parameter to screen hepatic steatosis for potential donor of living donor liver transplant. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 805-810.	0.8	26
311	Activatable near infrared dye conjugated hyaluronic acid based nanoparticles as a targeted theranostic agent for enhanced fluorescence/CT/photoacoustic imaging guided photothermal therapy. <i>Biomaterials</i> , 2017, 132, 72-84.	5.7	105
312	Severity of nonalcoholic fatty liver disease on sonography and risk of coronary heart disease. <i>Journal of Clinical Ultrasound</i> , 2017, 45, 391-399.	0.4	15
313	Molecular MR Imaging of Myeloperoxidase Distinguishes Steatosis from Steatohepatitis in Nonalcoholic Fatty Liver Disease. <i>Radiology</i> , 2017, 284, 390-400.	3.6	29
314	Imaging patterns and focal lesions in fatty liver: a pictorial review. <i>Abdominal Radiology</i> , 2017, 42, 1374-1392.	1.0	32
315	Individual patient data meta-analysis of controlled attenuation parameter (CAP) technology for assessing steatosis. <i>Journal of Hepatology</i> , 2017, 66, 1022-1030.	1.8	734
316	Noninvasive photothermal cancer therapy nanoplatfoms via integrating nanomaterials and functional polymers. <i>Biomaterials Science</i> , 2017, 5, 190-210.	2.6	150
317	Comparison of correlations between lipid profile and different computed tomography fatty liver criteria in the setting of incidentally noted fatty liver on computed tomography examinations. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 1389-1396.	0.8	12
318	High value of controlled attenuation parameter predicts a poor antiviral response in patients with chronic hepatitis B. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2017, 16, 370-374.	0.6	12
319	Quantitative Imaging in Diffuse Liver Diseases. <i>Seminars in Liver Disease</i> , 2017, 37, 243-258.	1.8	11
320	Evaluation of Non-alcoholic Fatty Liver Disease Using Acoustic Radiation Force Impulse Imaging Elastography in Rat Models. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2619-2628.	0.7	8
321	The role of bariatric surgery in nonalcoholic fatty liver disease and nonalcoholic steatohepatitis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017, 11, 797-811.	1.4	24
322	In vivo redox metabolic imaging of mitochondria assesses disease progression in non-alcoholic steatohepatitis. <i>Scientific Reports</i> , 2017, 7, 17170.	1.6	18
323	Early Detection and Assessment of Liver Fibrosis by using Ultrasound RF Time Series. <i>Journal of Medical and Biological Engineering</i> , 2017, 37, 717-729.	1.0	10
324	Psoriasis and Nonalcoholic Fatty Liver Disease. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 506-514.	0.2	17
325	Enhanced Lwax textures: A potential MRI surrogate marker of hepatic fibrosis in a murine model. <i>Magnetic Resonance Imaging</i> , 2017, 37, 33-40.	1.0	8
326	Ex vivo study of acoustic radiation force impulse imaging elastography for evaluation of rat liver with steatosis. <i>Ultrasonics</i> , 2017, 74, 161-166.	2.1	9
327	Non-invasive diagnosis of hepatic steatosis. <i>Hepatology International</i> , 2017, 11, 70-78.	1.9	101

#	ARTICLE	IF	CITATIONS
328	Imaging Biomarkers. , 2017, , .		7
329	Accuracy of MR Imaging and MR Spectroscopy for Detection and Quantification of Hepatic Steatosis in Living Liver Donors: A Meta-Analysis. <i>Radiology</i> , 2017, 282, 92-102.	3.6	33
330	Multiple gut-liver axis abnormalities in children with obesity with and without hepatic involvement. <i>Pediatric Obesity</i> , 2017, 12, 446-452.	1.4	39
331	Multimaterial Decomposition Algorithm for the Quantification of Liver Fat Content by Using Fast-Kilovolt-Peak Switching Dual-Energy CT: Experimental Validation. <i>Radiology</i> , 2017, 282, 381-389.	3.6	39
332	Metabolic biomarkers for non-alcoholic fatty liver disease induced by high-fat diet: In vivo magnetic resonance spectroscopy of hyperpolarized [1-13C] pyruvate. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 112-119.	1.0	29
333	Short sleep duration and longer daytime napping are associated with non-alcoholic fatty liver disease in Chinese adults. <i>Journal of Diabetes</i> , 2017, 9, 827-836.	0.8	40
334	In Vivo Micro-CT Imaging of Human Mesenchymal Stem Cells Labeled with Gold-Poly-Lysine Nanocomplexes. <i>Advanced Functional Materials</i> , 2017, 27, 1604213.	7.8	95
335	Non-alcoholic fatty liver diseases and risk of colorectal neoplasia. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 345-353.	1.9	54
336	Diagnostic Accuracy of Controlled Attenuation Parameter for Detecting Hepatic Steatosis in Patients with Chronic Liver Disease. <i>GE Portuguese Journal of Gastroenterology</i> , 2017, 24, 161-168.	0.3	15
337	Using Nanoparticles in Medicine for Liver Cancer Imaging. <i>Oman Medical Journal</i> , 2017, 32, 269-274.	0.3	11
338	Nutritional Profile and Dietary Patterns of Lebanese Non-Alcoholic Fatty Liver Disease Patients: A Case-Control Study. <i>Nutrients</i> , 2017, 9, 1245.	1.7	37
339	Comparative Study of Ultrasonography, Computed Tomography, Magnetic Resonance Imaging, and Magnetic Resonance Spectroscopy for the Diagnosis of Fatty Liver in a Rat Model. <i>Journal of the Korean Society of Radiology</i> , 2017, 76, 14.	0.1	5
340	Urinary Metabolomics in Pediatric Obesity and NAFLD Identifies Metabolic Pathways/Metabolites Related to Dietary Habits and Gut-Liver Axis Perturbations. <i>Nutrients</i> , 2017, 9, 485.	1.7	57
341	Clinical epidemiology and disease burden of nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2017, 23, 8263-8276.	1.4	514
342	Imaging evaluation of non-alcoholic fatty liver disease: focused on quantification. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 290-301.	4.5	105
343	Evaluating feasibility and accuracy of non-invasive tests for nonalcoholic fatty liver disease in severe and morbid obesity. <i>International Journal of Obesity</i> , 2018, 42, 1900-1911.	1.6	22
344	Persistently altered liver test results in hepatitis C patients after sustained virological response with direct-acting antivirals. <i>Journal of Viral Hepatitis</i> , 2018, 25, 818-824.	1.0	10
345	Novel quantitative assessment system of liver steatosis using a newly developed attenuation measurement method. <i>Hepatology Research</i> , 2018, 48, 821-828.	1.8	74

#	ARTICLE	IF	CITATIONS
346	NAFLD risk alleles in PNPLA3, TM6SF2, GCKR and LYPLAL1 show divergent metabolic effects. <i>Human Molecular Genetics</i> , 2018, 27, 2214-2223.	1.4	95
347	Ultrasound parametric imaging of hepatic steatosis using the homodyned-K distribution: An animal study. <i>Ultrasonics</i> , 2018, 87, 91-102.	2.1	15
348	Estimation of hepatic fat fraction using modified Dixon magnetic resonance imaging techniques: effect of liver cirrhosis. <i>Clinical Imaging</i> , 2018, 51, 50-58.	0.8	6
349	Multifunctional Nanoflowers for Simultaneous Multimodal Imaging and High-Sensitivity Chemo-Photothermal Treatment. <i>Bioconjugate Chemistry</i> , 2018, 29, 559-570.	1.8	36
350	The impact of liver steatosis on the ability of serum ferritin levels to be predictive of liver iron concentration in non-transfusion-dependent thalassaemia patients. <i>British Journal of Haematology</i> , 2018, 180, 721-726.	1.2	14
351	European Association for the Study of the Liver (<sc>EASL</sc>), European Association for the Study of Diabetes (<sc>EASD</sc>) and European Association for the Study of Obesity (<sc>EASO</sc>) clinical practice recommendations for the management of non-alcoholic fatty liver disease: evaluation of their application in people with Type 2 diabetes. <i>Diabetic Medicine</i> , 2018, 35, 368-375.	1.2	101
352	Evaluation of size, morphology, concentration, and surface effect of gold nanoparticles on X-ray attenuation in computed tomography. <i>Physica Medica</i> , 2018, 45, 127-133.	0.4	49
353	Blood-based novel biomarkers for nonalcoholic steatohepatitis. <i>Biomarkers in Medicine</i> , 2018, 12, 501-515.	0.6	2
354	Steato-Score: Non-Invasive Quantitative Assessment of Liver Fat by Ultrasound Imaging. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1585-1596.	0.7	16
355	Hepatic Steatosis Assessment with Ultrasound Small-Window Entropy Imaging. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1327-1340.	0.7	50
356	Role of imaging-based biomarkers in NAFLD: Recent advances in clinical application and future research directions. <i>Journal of Hepatology</i> , 2018, 68, 296-304.	1.8	92
357	Diffuse Liver Diseases: Role of imaging. <i>Seminars in Ultrasound, CT and MRI</i> , 2018, 39, 193-205.	0.7	5
358	Inverse relationship between hepatic steatosis and hepatitis B viremia: Results of a large case-control study. <i>Journal of Viral Hepatitis</i> , 2018, 25, 97-104.	1.0	84
359	Sensitive and early detection of mitochondrial dysfunction in the liver of NASH model mice by PET imaging with 18F-BCPP-BF. <i>EJNMMI Research</i> , 2018, 8, 61.	1.1	5
360	Cellular and Molecular Techniques. , 2018, , 88-110.		2
361	Predicting Hepatic Steatosis in Living Liver Donors Via Controlled Attenuation Parameter. <i>Transplantation Proceedings</i> , 2018, 50, 3533-3538.	0.3	18
362	Validity of ultrasonography to assess hepatic steatosis compared to magnetic resonance spectroscopy as a criterion method in older adults. <i>PLoS ONE</i> , 2018, 13, e0207923.	1.1	17
364	Cracking pattern of tissue slices induced by external extension provides useful diagnostic information. <i>Scientific Reports</i> , 2018, 8, 12167.	1.6	1

#	ARTICLE	IF	CITATIONS
365	Serological biomarkers associate ultrasound characteristics of steatohepatitis in mice with liver cancer. <i>Nutrition and Metabolism</i> , 2018, 15, 71.	1.3	7
366	Non-alcoholic fatty liver disease: controlling an emerging epidemic, challenges, and future directions. <i>Annals of Gastroenterology</i> , 2018, 31, 288-295.	0.4	54
367	Non-invasive quantification of hepatic fat content in healthy dogs by using proton magnetic resonance spectroscopy and dual gradient echo magnetic resonance imaging. <i>Journal of Veterinary Science</i> , 2018, 19, 570.	0.5	2
368	Nonalcoholic fatty liver disease: current concepts, epidemiology and management strategies. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 1103-1115.	0.8	56
369	Diagnosis and Characterization of Non-Alcoholic Fatty Liver Disease. , 0, , .		4
370	NAFLD and cardiovascular disease. <i>Porto Biomedical Journal</i> , 2018, 3, e2.	0.4	7
371	Prevalence and predictive factors of moderate/severe liver steatosis in chronic hepatitis C (<scp>CHC</scp>) infected patients evaluated with controlled attenuation parameter (<scp>CAP</scp>). <i>Journal of Viral Hepatitis</i> , 2018, 25, 1244-1250.	1.0	5
372	The Upper Abdomen. , 2018, , 131-145.		0
373	Chest CT for Non-Radiologists. , 2018, , .		1
374	Predictive Role of Interleukin-18 in Liver Steatosis in Obese Children. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018, 2018, 1-9.	0.8	29
375	Performance Evaluations on Using Entropy of Ultrasound Log-Compressed Envelope Images for Hepatic Steatosis Assessment: An In Vivo Animal Study. <i>Entropy</i> , 2018, 20, 120.	1.1	11
376	Fatty Liver Disease. , 2018, , 308-371.		14
377	Tests for diagnosing and monitoring non-alcoholic fatty liver disease in adults. <i>BMJ: British Medical Journal</i> , 2018, 362, k2734.	2.4	81
378	MEASUREMENT OF CONTROLLED ATTENUATION PARAMETER: A SURROGATE MARKER OF HEPATIC STEATOSIS IN PATIENTS OF NONALCOHOLIC FATTY LIVER DISEASE ON LIFESTYLE MODIFICATION - A PROSPECTIVE FOLLOW-UP STUDY. <i>Arquivos De Gastroenterologia</i> , 2018, 55, 7-13.	0.3	10
379	Comparison of CT and magnetic resonance mDIXON-Quant sequence in the diagnosis of mild hepatic steatosis. <i>British Journal of Radiology</i> , 2018, 91, 20170587.	1.0	25
380	Fluorescence spectroscopy as an efficient tool for staging the degree of liver fibrosis: an in vivo comparison with MRI. <i>Scientific Reports</i> , 2018, 8, 10967.	1.6	24
382	Alcohol consumption, but not smoking is associated with higher MR-derived liver fat in an asymptomatic study population. <i>PLoS ONE</i> , 2018, 13, e0192448.	1.1	7
383	Elevated serum cytokeratin-18 concentration in patients with type 2 diabetes mellitus and non-alcoholic fatty liver disease. <i>Annals of Clinical Biochemistry</i> , 2019, 56, 141-147.	0.8	12

#	ARTICLE	IF	CITATIONS
384	Accuracy of proton magnetic resonance for diagnosing non-alcoholic steatohepatitis: a meta-analysis. <i>Scientific Reports</i> , 2019, 9, 15002.	1.6	9
385	Diagnosis of Non-alcoholic Fatty Liver Disease (NAFLD): Current Concepts. <i>Current Pharmaceutical Design</i> , 2019, 24, 4574-4586.	0.9	108
386	The Utility of Noninvasive Scoring Systems for Prediction of Hepatic Steatosis in Liver Transplantation Donor Candidates. <i>Transplantation Proceedings</i> , 2019, 51, 2383-2386.	0.3	2
387	Metabolomic Salivary Signature of Pediatric Obesity Related Liver Disease and Metabolic Syndrome. <i>Nutrients</i> , 2019, 11, 274.	1.7	37
388	B-mode ultrasound for the assessment of hepatic fibrosis: a quantitative multiparametric analysis for a radiomics approach. <i>Scientific Reports</i> , 2019, 9, 8708.	1.6	17
389	Quantification of Liver, Subcutaneous, and Visceral Adipose Tissues by MRI Before and After Bariatric Surgery. <i>Obesity Surgery</i> , 2019, 29, 2795-2805.	1.1	14
390	Diagnosis and management of non-alcoholic fatty liver disease. <i>Postgraduate Medical Journal</i> , 2019, 95, 314-322.	0.9	70
391	Non-invasive Quantitative Magnetic Resonance Imaging and Spectroscopic Biomarkers in Nonalcoholic Fatty Liver Disease and Other Cardiometabolic Diseases Associated with Ectopic Fat Deposition. , 2019, , 141-160.		0
392	Effect of Meal Ingestion on Liver Stiffness and Controlled Attenuation Parameter. <i>GE Portuguese Journal of Gastroenterology</i> , 2019, 26, 99-104.	0.3	16
393	The Epidemiology, Risk Profiling and Diagnostic Challenges of Nonalcoholic Fatty Liver Disease. <i>Medicines (Basel, Switzerland)</i> , 2019, 6, 41.	0.7	80
394	Prediction of nonalcoholic fatty liver disease (NAFLD) activity score (NAS) with multiparametric hepatic magnetic resonance imaging and elastography. <i>European Radiology</i> , 2019, 29, 5823-5831.	2.3	40
395	Clinical Implementation of a Focused MRI Protocol for Hepatic Fat and Iron Quantification. <i>American Journal of Roentgenology</i> , 2019, 213, 90-95.	1.0	13
396	Diagnostic accuracy of controlled attenuation parameter (CAP) as a non-invasive test for steatosis in suspected non-alcoholic fatty liver disease: a systematic review and meta-analysis. <i>BMC Gastroenterology</i> , 2019, 19, 51.	0.8	125
397	From sugar to liver fat and public health: systems biology driven studies in understanding non-alcoholic fatty liver disease pathogenesis. <i>Proceedings of the Nutrition Society</i> , 2019, 78, 290-304.	0.4	36
398	Noninvasive evaluation of nonalcoholic fatty liver disease: Current evidence and practice. <i>World Journal of Gastroenterology</i> , 2019, 25, 1307-1326.	1.4	146
399	Nonalcoholic Fatty Liver Disease in Diabetes. Part I: Epidemiology and Diagnosis. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 31.	1.8	109
400	Liver Ultrasound Abnormalities in Alcohol Use Disorder. , 2019, , .		0
401	Prediabetes Is Associated With Increased Liver Stiffness Identified by Noninvasive Liver Fibrosis Assessment. <i>Ultrasound Quarterly</i> , 2019, 35, 330-338.	0.3	8

#	ARTICLE	IF	CITATIONS
402	Imaging-based Biomarkers for Predicting and Evaluating Cancer Immunotherapy Response. <i>Radiology Imaging Cancer</i> , 2019, 1, e190031.	0.7	22
403	The Rise in the Prevalence of Nonalcoholic Fatty Liver Disease and Hepatocellular Carcinoma. , 0, , .		9
404	Association of leukocyte telomere length with non-alcoholic fatty liver disease in patients with type 2 diabetes. <i>Chinese Medical Journal</i> , 2019, 132, 2927-2933.	0.9	6
405	The Liver Fat Fraction and Abdominal Subcutaneous and Visceral Fat Volume Distribution in Normal-Weight, Overweight, and Obese Children Using a New Magnetic Resonance Imaging Technique. <i>Journal of Computer Assisted Tomography</i> , 2019, 43, 194-199.	0.5	7
406	Diagnostic Accuracy of Noninvasive Markers of Steatosis, NASH, and Liver Fibrosis in HIV-Monoinfected Individuals at Risk of Nonalcoholic Fatty Liver Disease (NAFLD): Results From the ECHAM Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 80, e86-e94.	0.9	53
408	Impact of Childhood Obesity in Fatty Liver Disease. , 2019, , 47-64.		0
409	Prevalence of hepatic steatosis and its relation to liver function tests and lipid profile in patients at medical check-up. <i>Revista De GastroenterologÃa De MÃ©xico (English Edition)</i> , 2019, 84, 290-295.	0.1	4
410	Non-invasive diagnosis and biomarkers in alcohol-related liver disease. <i>Journal of Hepatology</i> , 2019, 70, 273-283.	1.8	111
411	Increased Risk for Cardiovascular Events in Patients with Diabetic Kidney Disease and Non-Alcoholic Fatty Liver Disease. <i>Nephron</i> , 2019, 141, 24-30.	0.9	8
412	Evaluation of a micro-spectrometer for the real-time assessment of liver graft with mild-to-moderate macrosteatosis: A proof of concept study. <i>Journal of Hepatology</i> , 2019, 70, 423-430.	1.8	16
413	Assessment of Liver Graft Steatosis: Where Do We Stand?. <i>Liver Transplantation</i> , 2019, 25, 500-509.	1.3	23
414	Salivary markers of hepato-metabolic comorbidities in pediatric obesity. <i>Digestive and Liver Disease</i> , 2019, 51, 516-523.	0.4	15
415	Prevalence and associations of non-alcoholic fatty liver disease (NAFLD) in Sri Lankan patients with type 2 diabetes: A single center study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 246-250.	1.8	27
416	Prevalencia y relaciÃ³n de esteatosis hepÃ¡tica con perfil lipÃadico y hepÃ¡tico en pacientes de chequeo mÃ©dico. <i>Revista De GastroenterologÃa De MÃ©xico</i> , 2019, 84, 290-295.	0.4	7
417	Higher serum carotenoids associated with improvement of non-alcoholic fatty liver disease in adults: a prospective study. <i>European Journal of Nutrition</i> , 2019, 58, 721-730.	1.8	30
418	Graphene Quantum Dots-Coated Bismuth Nanoparticles for Improved CT Imaging and Photothermal Performance. <i>International Journal of Nanoscience</i> , 2020, 19, 1850043.	0.4	20
419	Novel predictive models using serum ceruloplasmin levels for hepatic steatosis in patients with chronic hepatitis B infection. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 57-65.	0.7	4
420	Childhood Socioeconomic Disadvantage and Risk of Fatty Liver in Adulthood: The Cardiovascular Risk in Young Finns Study. <i>Hepatology</i> , 2020, 71, 67-75.	3.6	9

#	ARTICLE	IF	CITATIONS
421	A community-based study on the application of fatty liver index in screening subjects with nonalcoholic fatty liver disease. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 173-181.	0.8	26
422	Chinese tree shrews as a primate experimental animal eligible for the study of alcoholic liver disease: characterization and confirmation by MRI. <i>Experimental Animals</i> , 2020, 69, 110-118.	0.7	1
423	Value of homodyned K distribution in ultrasound parametric imaging of hepatic steatosis: An animal study. <i>Ultrasonics</i> , 2020, 101, 106001.	2.1	23
424	Incorporation of AuNP-PLL nanocomplexes in DPSC: a new tool for 3D analysis in pulp regeneration. <i>Clinical Oral Investigations</i> , 2020, 24, 1761-1767.	1.4	7
425	Liver steatosis in adult patients on home parenteral nutrition. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 255-260.	1.3	7
426	Correlation between incidental fat deposition in the liver and pancreas in asymptomatic individuals. <i>Abdominal Radiology</i> , 2020, 45, 203-210.	1.0	9
427	Role of Magnetic Resonance Imaging in the Monitoring of Patients with Nonalcoholic Fatty Liver Disease: Comparison with Ultrasonography, Lipid Profile, and Body Mass Index. <i>Journal of Clinical and Experimental Hepatology</i> , 2020, 10, 139-149.	0.4	3
428	Liver Fat Content Measurement with Quantitative CT Validated against MRI Proton Density Fat Fraction: A Prospective Study of 400 Healthy Volunteers. <i>Radiology</i> , 2020, 294, 89-97.	3.6	56
429	Association Between Visceral Abdominal Fat Accumulation and Severity of Liver Fibrosis in Nondiabetic Individuals Coinfected by Human Immunodeficiency Virus and Hepatitis C Virus. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 205-213.	0.5	2
430	Comparison of computed tomography hepatic steatosis criteria for identification of abnormal liver function and clinical risk factors, in incidentally noted fatty liver. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 216-221.	0.8	6
431	A Model to Predict Significant Macrosteatosis in Hepatic Grafts. <i>World Journal of Surgery</i> , 2020, 44, 1270-1276.	0.8	3
432	Metabolic syndrome and hepatic surgery. <i>Journal of Visceral Surgery</i> , 2020, 157, 231-238.	0.4	7
433	Systematic review: chronic viral hepatitis and metabolic derangement. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 216-230.	1.9	73
434	Development of a novel molecular probe for the detection of liver mitochondrial redox metabolism. <i>Scientific Reports</i> , 2020, 10, 16489.	1.6	0
435	Magnetic resonance-based biomarkers in nonalcoholic fatty liver disease and nonalcoholic steatohepatitis. <i>Endocrinology, Diabetes and Metabolism</i> , 2020, 3, e00134.	1.0	11
436	Ultrasound Assessment of Hepatic Steatosis by Using the Double Nakagami Distribution: A Feasibility Study. <i>Diagnostics</i> , 2020, 10, 557.	1.3	15
437	A Nomogram Model Based on Noninvasive Bioindicators to Predict 3-Year Risk of Nonalcoholic Fatty Liver in Nonobese Mainland Chinese: A Prospective Cohort Study. <i>BioMed Research International</i> , 2020, 1-12.	0.9	14
438	Effects of <i>Prunus cerasus</i> L. Seeds and Juice on Liver Steatosis in an Animal Model of Diet-Induced Obesity. <i>Nutrients</i> , 2020, 12, 1308.	1.7	15

#	ARTICLE	IF	CITATIONS
439	Transient elastography: a novel, non-invasive method for the evaluation of liver stiffness and controlled attenuation parameter in cows. <i>Journal of Veterinary Medical Science</i> , 2020, 82, 559-565.	0.3	1
440	Recommendations for the Management of Incidental Hepatobiliary Findings in Adults: Endorsement and Adaptation of the 2017 and 2013 ACR Incidental Findings Committee White Papers by the Canadian Association of Radiologists Incidental Findings Working Group. <i>Canadian Association of Radiologists Journal</i> . 2020. 71. 437-447.	1.1	22
441	Liver stiffness measured by MR elastography is a predictor of early HCC recurrence after treatment. <i>European Radiology</i> , 2020, 30, 4182-4192.	2.3	35
442	Risk Prediction for Non-alcoholic Fatty Liver Disease Based on Biochemical and Dietary Variables in a Chinese Han Population. <i>Frontiers in Public Health</i> , 2020, 8, 220.	1.3	11
443	The amount of liver fat predicts mortality and development of type 2 diabetes in non-alcoholic fatty liver disease. <i>Liver International</i> , 2020, 40, 1069-1078.	1.9	31
444	A statistical analysis of the correlations among various types of clinical indexes for patients with chronic hepatitis B. <i>Medicine (United States)</i> , 2020, 99, e19201.	0.4	1
445	Alterations in the Liver Fat Fraction Features Examined by Magnetic Resonance Imaging Following Bariatric Surgery: a Self-Controlled Observational Study. <i>Obesity Surgery</i> , 2020, 30, 1917-1928.	1.1	7
446	Diagnosis of hepatic lipidosis in a tiger salamander (<i>Ambystoma tigrinum</i>) by computed tomography. <i>Journal of Exotic Pet Medicine</i> , 2020, 33, 18-22.	0.2	2
447	The Association Between Cholecystectomy, Metabolic Syndrome, and Nonalcoholic Fatty Liver Disease: A Population-Based Study. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00170.	1.3	12
448	Association of bedtime with the risk of non-alcoholic fatty liver disease among middle-aged and elderly Chinese adults with pre-diabetes and diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3322.	1.7	11
449	Radiomics based on artificial intelligence in liver diseases: where are we?. <i>Gastroenterology Report</i> , 2020, 8, 90-97.	0.6	31
450	Association between liver fibrosis scores and the risk of mortality among patients with coronary artery disease. <i>Atherosclerosis</i> , 2020, 299, 45-52.	0.4	40
451	CAP: a Novel Era to Better Quantitate Fatty Liver?. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 24, 11-13.	0.5	4
452	Diagnostic Accuracy of Controlled Attenuation Parameter Measured by Transient Elastography for the Non-invasive Assessment of Liver Steatosis: a Prospective Study. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 24, 35-42.	0.5	42
453	A novel model for predicting fatty liver disease by means of an artificial neural network. <i>Gastroenterology Report</i> , 2021, 9, 31-37.	0.6	6
454	Effects of dietary macronutrients on liver fat content in adults: a systematic review and meta-analysis of randomized controlled trials. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 588-601.	1.3	16
455	Evaluation of hepatic steatosis before liver transplantation in ex vivo by volumetric quantitative PDFF-MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2805-2814.	1.9	2
456	(13C)-Methacetin breath test provides evidence of subclinical liver dysfunction linked to fat storage but not lifestyle. <i>JHEP Reports</i> , 2021, 3, 100203.	2.6	9

#	ARTICLE	IF	CITATIONS
457	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , 2021, 15, 117-127.	1.4	22
458	Relationship between Quantitative Sonographic Measurements and Serum Biochemical Parameters in Childhood Obesity. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2021, 24, 470.	0.4	0
459	In vivo liver thermoacoustic imaging and demonstration based on localization wire. <i>Medical Physics</i> , 2021, 48, 1608-1615.	1.6	3
460	Performance of Serum-Based Scores for Identification of Mild Hepatic Steatosis in HBV Mono-infected and HBV+HIV Co-infected Adults. <i>Digestive Diseases and Sciences</i> , 2022, 67, 676-688.	1.1	4
461	BiVO ₄ /Fe ₃ O ₄ @polydopamine superparticles for tumor multimodal imaging and synergistic therapy. <i>Journal of Nanobiotechnology</i> , 2021, 19, 90.	4.2	16
462	Liver fibrosis scores and coronary atherosclerosis: novel findings in patients with stable coronary artery disease. <i>Hepatology International</i> , 2021, 15, 413-423.	1.9	27
463	Liver Fat Assessment in Multiview Sonography Using Transfer Learning With Convolutional Neural Networks. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 175-184.	0.8	22
464	Analysis of steatosis biomarkers and inflammatory profile after adding on PCSK9 inhibitor treatment in familial hypercholesterolemia subjects with nonalcoholic fatty liver disease: A single lipid center real-world experience. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 869-879.	1.1	26
465	Liver fat scores do not reflect interventional changes in liver fat content induced by high-protein diets. <i>Scientific Reports</i> , 2021, 11, 8843.	1.6	3
466	Multimaterial decomposition algorithm for quantification of fat in hepatocellular carcinoma using rapid kilovoltage-switching dual-energy CT. <i>Medicine (United States)</i> , 2021, 100, e26109.	0.4	0
467	Simultaneous hepatic iron and fat quantification with dual-energy CT in a rabbit model of coexisting iron and fat. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 2001-2012.	1.1	8
468	Reliability of Performing Multiparametric Ultrasound in Adult Livers. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 699-711.	0.8	10
469	Is there a role for neuregulin 4 in human nonalcoholic fatty liver disease?. <i>PLoS ONE</i> , 2021, 16, e0251822.	1.1	4
470	Prevalence and factors associated with NAFLD detected by vibration controlled transient elastography among US adults: Results from NHANES 2017-2018. <i>PLoS ONE</i> , 2021, 16, e0252164.	1.1	64
471	Assessment of liver disease in patients with chronic hepatitis C and unhealthy alcohol use. <i>World Journal of Gastroenterology</i> , 2021, 27, 3223-3237.	1.4	2
472	Conventional ultrasound for diagnosis of hepatic steatosis is better than believed. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, 1235-1248.	0.2	12
473	Effects of Tamoxifen vs. Toremifene on fatty liver development and lipid profiles in breast Cancer. <i>BMC Cancer</i> , 2021, 21, 798.	1.1	5
474	Adiponectin involved in portal flow hepatic extraction of ¹³ C-methacetin in obesity and non-alcoholic fatty liver. <i>European Journal of Internal Medicine</i> , 2021, 89, 56-64.	1.0	11

#	ARTICLE	IF	CITATIONS
475	Comparison of Body Mass Index and Fat Indices in Predicting the Severity of Nonalcoholic Fatty Liver Disease Among Children Who Are Overweight and Obese. <i>Frontiers in Pediatrics</i> , 2021, 9, 724426.	0.9	3
476	Ultrasound Stratification of Hepatic Steatosis Using Hepatorenal Index. <i>Diagnostics</i> , 2021, 11, 1443.	1.3	9
477	Nonalcoholic fatty liver disease: use of diagnostic biomarkers and modalities in clinical practice. <i>Expert Review of Molecular Diagnostics</i> , 2021, 21, 1065-1078.	1.5	6
478	Hepatocellular carcinoma risk in hepatitis C stage 3 fibrosis after sustained virological response with direct-acting antivirals. <i>Liver International</i> , 2021, 41, 2885-2891.	1.9	9
479	Usefulness of US attenuation imaging for the detection and severity grading of hepatic steatosis in routine abdominal ultrasonography. <i>Clinical Imaging</i> , 2021, 76, 53-59.	0.8	18
480	Diet and Liver Adiposity in Older Adults: The Multiethnic Cohort Adiposity Phenotype Study. <i>Journal of Nutrition</i> , 2021, 151, 3579-3587.	1.3	2
481	Different Effects of Lifestyle Intervention in High- and Low-Risk Prediabetes: Results of the Randomized Controlled Prediabetes Lifestyle Intervention Study (PLIS). <i>Diabetes</i> , 2021, 70, 2785-2795.	0.3	35
482	Lipid Profile and Hepatic Fat Content Measured by 1H MR Spectroscopy in Patients before and after Liver Transplantation. <i>Metabolites</i> , 2021, 11, 625.	1.3	2
483	Role of hepatosteatosis in HBsAg seroconversion in HBeAg-negative chronic hepatitis B patients. <i>International Journal of Clinical Practice</i> , 2021, 75, e14899.	0.8	2
484	Folic Acid-Conjugated CuFeSe2 Nanoparticles for Targeted T2-Weighted Magnetic Resonance Imaging and Computed Tomography of Tumors In Vivo. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 6429-6440.	3.3	5
485	Non-Invasive Photothermal Strain Imaging of Non-Alcoholic Fatty Liver Disease in Live Animals. <i>IEEE Transactions on Medical Imaging</i> , 2021, 40, 2487-2495.	5.4	5
486	Association of MAFLD With Diabetes, Chronic Kidney Disease, and Cardiovascular Disease: A 4.6-Year Cohort Study in China. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 88-97.	1.8	82
487	Non-alcoholic fatty liver disease: A patient guideline. <i>JHEP Reports</i> , 2021, 3, 100322.	2.6	109
488	The Ability of the Framingham Steatosis Index (FSI) to Predict Non-alcoholic Fatty Liver Disease (NAFLD): A Cohort Study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101567.	0.7	5
489	Reliability of performing ultrasound derived SWE and fat fraction in adult livers. <i>Clinical Imaging</i> , 2021, 80, 424-429.	0.8	13
490	Imaging Techniques for the Assessment of Ectopic Fat in Liver and Skeletal Muscle. , 2015, , 99-119.		2
492	Fatty Liver Disease. , 2010, , 201-222.		1
493	Contrast-Independent Liver-Fat Quantification from Spectral CT Exams. <i>Lecture Notes in Computer Science</i> , 2013, 16, 324-331.	1.0	8

#	ARTICLE	IF	CITATIONS
494	Optimal thresholds for ultrasound attenuation parameter in the evaluation of hepatic steatosis severity: evidence from a cohort of patients with biopsy-proven fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 430-435.	0.8	12
495	Multiphase CT-based prediction of Child-Pugh classification: a machine learning approach. <i>European Radiology Experimental</i> , 2020, 4, 20.	1.7	10
496	Association of Liver Enzymes and Computed Tomography Markers of Liver Steatosis with Familial Longevity. <i>PLoS ONE</i> , 2014, 9, e91085.	1.1	8
497	Factors Affecting the Accuracy of Controlled Attenuation Parameter (CAP) in Assessing Hepatic Steatosis in Patients with Chronic Liver Disease. <i>PLoS ONE</i> , 2014, 9, e98689.	1.1	33
498	Association between the Fatty Liver Index and Risk of Type 2 Diabetes in the EPIC-Potsdam Study. <i>PLoS ONE</i> , 2015, 10, e0124749.	1.1	54
499	Adipose Tissue Dysfunction and Altered Systemic Amino Acid Metabolism Are Associated with Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2015, 10, e0138889.	1.1	66
500	Influence of Ethnicity on the Accuracy of Non-Invasive Scores Predicting Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016, 11, e0160526.	1.1	26
501	Stereological Analysis of Liver Biopsy Histology Sections as a Reference Standard for Validating Non-Invasive Liver Fat Fraction Measurements by MRI. <i>PLoS ONE</i> , 2016, 11, e0160789.	1.1	20
502	A prospective comparative assessment of the accuracy of the FibroScan in evaluating liver steatosis. <i>PLoS ONE</i> , 2017, 12, e0182784.	1.1	36
503	Perspectives on Nonalcoholic Fatty Liver Disease: An Overview of Present and Future Therapies. <i>Journal of Clinical and Translational Hepatology</i> , 2017, 5, 67-75.	0.7	18
505	Non-invasive monitoring of hepatic steatosis via acoustic structure quantification of ultrasonography with MR spectroscopy as the reference standard. <i>Ultrasonography</i> , 2020, 39, 70-78.	1.0	12
506	Severity of Nonalcoholic Fatty Liver Disease is Associated with Development of Metabolic Syndrome: Results of a 5-Year Cohort Study. <i>Journal of Liver Research, Disorders & Therapy</i> , 2015, 1, .	0.1	1
507	Non-invasive imaging techniques in assessing non-alcoholic fatty liver disease: a current status of available methods. <i>Journal of Medicine and Life</i> , 2017, 10, 19-26.	0.4	32
508	Clinical significance of serum alanine aminotransferase and lifestyle intervention in children with nonalcoholic fatty liver disease. <i>Korean Journal of Pediatrics</i> , 2016, 59, 362.	1.9	5
509	Quantitative Evaluation of Hepatic Steatosis Using Normalized Local Variance in a Rat Model: Comparison with Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2019, 20, 1399.	1.5	8
510	Biochemical determination of lipid content in hepatic steatosis by the Soxtec method. <i>World Journal of Gastroenterology</i> , 2010, 16, 1495.	1.4	16
511	Liver fat content determined by magnetic resonance imaging and spectroscopy. <i>World Journal of Gastroenterology</i> , 2010, 16, 1560.	1.4	107
512	NAFLD prevalence differs among hispanic subgroups: The multi-ethnic study of atherosclerosis. <i>World Journal of Gastroenterology</i> , 2014, 20, 4987.	1.4	99

#	ARTICLE	IF	CITATIONS
513	Diagnostic value of controlled attenuation parameter for liver steatosis in patients with chronic hepatitis B. <i>World Journal of Gastroenterology</i> , 2014, 20, 10585.	1.4	17
514	Nonalcoholic fatty liver disease: A comprehensive review of a growing epidemic. <i>World Journal of Gastroenterology</i> , 2014, 20, 12082.	1.4	155
515	Non-invasive diagnosis of alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014, 20, 14626.	1.4	112
516	Noninvasive imaging assessment of non-alcoholic fatty liver disease: Focus on liver scintigraphy. <i>World Journal of Gastroenterology</i> , 2015, 21, 4432-4439.	1.4	7
517	Duodenal Niemann-Pick C1-like 1 expression was negatively correlated with liver X receptor expression in nonalcoholic fatty liver disease. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 777-784.	0.7	6
518	Quantitative analysis of non-alcoholic fatty liver in rats via combining multiple ultrasound parameters. <i>Mathematical Biosciences and Engineering</i> , 2019, 16, 4546-4558.	1.0	7
519	MR quantitative biomarkers of non-alcoholic fatty liver disease: technical evolutions and future trends. <i>Quantitative Imaging in Medicine and Surgery</i> , 2013, 3, 192-5.	1.1	28
520	Comparative accuracy of CT, dual-echo MRI and MR spectroscopy for preoperative liver fat quantification in living related liver donors. <i>Indian Journal of Radiology and Imaging</i> , 2016, 26, 5-14.	0.3	15
521	Association of nonalcoholic fatty liver and chronic kidney disease: An analysis of 37,825 cases from health checkup center in Taiwan. <i>Tzu Chi Medical Journal</i> , 2020, 32, 65.	0.4	5
522	Insulin resistance with impaired fasting glucose increases the risk of NAFLD. <i>Open Journal of Gastroenterology</i> , 2013, 03, 170-176.	0.1	5
523	Importance of imaging and recent developments in diagnosis of nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2015, 7, 769.	0.8	49
524	Relationship between Controlled Attenuation Parameter and Hepatic Steatosis as Assessed by Ultrasound in Alcoholic or Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2016, 10, 295.	1.4	14
525	Genetic Polymorphisms of PNPLA3 and SAMM50 Are Associated with Nonalcoholic Fatty Liver Disease in a Korean Population. <i>Gut and Liver</i> , 2018, 12, 316-323.	1.4	45
526	Transient Elastography in Methotrexate Administered Patients. <i>Hepatitis Monthly</i> , 2017, 17, .	0.1	2
527	Non-Alcoholic Fatty Liver Disease: Diagnosis and Evaluation of Disease Severity. <i>Thrita Journal of Medical Sciences</i> , 2013, 2, 43-51.	0.2	6
528	Nonalcoholic fatty liver disease prevalence in urban school-aged children and adolescents from the Yangtze River delta region: a cross-sectional study. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24, 281-8.	0.3	16
529	Non-alcoholic Fatty Liver Disease (NAFLD) and Significant Hepatic Fibrosis Defined by Non-invasive Assessment in Patients with Type 2 Diabetes. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 1789-1794.	0.5	19
530	Lipoprotein metabolism in nonalcoholic fatty liver disease. <i>Journal of Biomedical Research</i> , 2013, 27, 1.	0.7	77

#	ARTICLE	IF	CITATIONS
531	Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease. <i>Journal of Obesity and Metabolic Syndrome</i> , 2019, 28, 129-138.	1.5	36
532	Non-invasive real-time assessment of hepatic macrovesicular steatosis in liver donors: Hypothesis, design and proof-of-concept study. <i>World Journal of Hepatology</i> , 2021, 13, 1208-1214.	0.8	5
533	Development and validation of a neural network for NAFLD diagnosis. <i>Scientific Reports</i> , 2021, 11, 20240.	1.6	15
534	Early Prediction of Acute Biliary Pancreatitis Using Clinical and Abdominal CT Features. <i>Radiology</i> , 2022, 302, 118-126.	3.6	11
535	A ultrasonografia ainda é um bom método para avaliar esteatose hepática não alcoólica? [Is ultrasound still a good method for evaluating non-alcoholic steatosis?]. <i>Experts in Ultrasound Reviews and Perspectives</i> , 2011, 3, 74-77.	0.0	0
536	Ultrasound in the diagnostics of fatty liver in obesity. <i>Orvosi Hetilap</i> , 2011, 5, 119-125.	0.2	0
537	Transient Elastography for Assessment of Non-Alcoholic Fatty Liver Disease. , 0, , .		0
538	Nealkogol'naya zhirovaya bolezni' pechenipri ozhireonii. <i>Obesity and Metabolism</i> , 2011, 8, 3-11.	0.4	1
539	Assessing the Progression of Chronic HCV to Cirrhosis. , 2012, , 21-33.		0
540	Cardiometabolic risk factors in different clinicomorphological stages of non-alcoholic fatty liver disease in patients with abdominal obesity. <i>Obesity and Metabolism</i> , 2012, 9, 20-25.	0.4	0
541	Elastography as a New Screening Tool for Metastatic Lymph Nodes in Melanoma Patients. <i>Journal of Clinical & Experimental Oncology</i> , 2013, 02, .	0.1	2
542	Role of adipokines in the pathogenesis of nonalcoholic fatty liver disease. <i>The Journal of Clinical and Scientific Research</i> , 2015, 4, 31.	0.1	1
543	NASH, The Ethical Dilemma. , 2015, , 1-16.		0
544	Current Approaches to the Diagnosis and Screening for Metabolic Disorders in Patients with Nonalcoholic Fatty Liver Disease. <i>Mã-¼narodnij Endokrinologã-¼nij Å½urnal</i> , 2016, .	0.1	0
545	Computerized ultrasound image analysis for noninvasive evaluation of hepatic steatosis. <i>Medical Ultrasonography</i> , 2015, 17, 431-6.	0.4	3
546	The Recognition of Cirrhotic Liver Ultrasonic Images of Multi-feature Fusion Based on BP_Adaboost Neural Network. <i>Communications in Computer and Information Science</i> , 2016, , 106-114.	0.4	1
547	The prevalence of non-alcoholic fatty liver disease in healthy young persons. <i>Å°stanbul Kuzey Klinikleri</i> , 2016, 3, 111-117.	0.1	7
548	NASH, The Ethical Dilemma. , 2016, , 1-16.		0

#	ARTICLE	IF	CITATIONS
549	Use Case VI: Imaging Biomarkers in Diffuse Liver Disease. Quantification of Fat and Iron. , 2017, , 279-294.		1
552	Fatty Liver Disease. , 2018, , 223-241.		0
553	Noninvasive quantification of liver fat content by different gradient echo magnetic resonance imaging sequences in patients with nonalcoholic fatty liver disease. Journal of Medical Signals and Sensors, 2018, 8, 244.	0.5	0
554	Non-Alcoholic Fatty Liver Disease. The Egyptian Journal of Hospital Medicine, 2018, 70, 570-576.	0.0	0
555	Epidemiology, Natural History, and Evaluation of Nonalcoholic Fatty Liver Disease. , 2018, , 391-405.e3.		1
556	Hepatic steatosis and fibrosis: evaluation with CT imaging. Acta Hepatologica Japonica, 2018, 59, 393-406.	0.0	1
557	Prevalence of fatty liver disease in patients with inflammatory bowel disease: a transient elastography study on the basis of a controlled attenuation parameter. Marmara Medical Journal, 2019, 32, 68-70.	0.2	4
558	Analysis of correlation between liver fat fraction and AST and ALT levels in overweight and obese children by using new magnetic resonance imaging technique. Turkish Journal of Gastroenterology, 2020, 31, 156-162.	0.4	7
559	Syndrom mÃ©tabolique et chirurgie hÃ©patique. Journal De Chirurgie ViscÃ©rale, 2020, 157, 235-243.	0.0	0
560	Non-drug treatment of non-alcoholic fatty liver disease: evaluation of effectiveness with ultrasound steatometry. Medical Alphabet, 2020, , 38-42.	0.0	0
561	Effect of genetic and environmental influences on hepatic steatosis: A classical twin study based on computed tomography. Imaging, 2020, 12, 15-20.	0.3	0
562	Liver Stiffness Is Increased in Polycystic Ovary Syndrome and Related With Complement C1q/Tumor Necrosis Factor-Related Protein 3 Levels. Ultrasound Quarterly, 2021, 37, 133-137.	0.3	2
563	Ultrasound Sample Entropy Imaging: A New Approach for Evaluating Hepatic Steatosis and Fibrosis. IEEE Journal of Translational Engineering in Health and Medicine, 2021, 9, 1-12.	2.2	5
564	Machine Learning Technology for Evaluation of Liver Fibrosis, Inflammation Activity and Steatosis (LIVERFAST<sup>TM</sup>). Journal of Intelligent Learning Systems and Applications, 2020, 12, 31-49.	0.4	5
565	Steatosis Assessment by Controlled Attenuation Parameter (CAPâ„ƒ). , 2020, , 413-439.		0
566	Non-alcoholic Fatty Liver Disease: A Global Public Health Issue. , 2020, , 321-333.		2
567	Genetic Confounders of Liver Stiffness and Controlled Attenuation Parameter. , 2020, , 277-295.		1
568	Relationship Between Body Mass Index, Fatty Liver, Lipids Profile, Carotid Intima-Media Thickness and Subcutaneous and Visceral Fat Determined by Ultrasound. Iranian Journal of Pediatrics, 2020, 30, .	0.1	2

#	ARTICLE	IF	CITATIONS
569	Ultrasound quantitative liver steatometry in overweight patients: the possibilities of improved technique. <i>Diagnostic Radiology and Radiotherapy</i> , 2020, 11, 64-69.	0.0	2
570	Ultrasound Image Computerized Analysis for Non-invasive Quantitative Evaluation of Hepatic Fibrosis. , 2021, 32, 888-895.		1
571	Nonalcoholic Fatty Liver Disease: Intravoxel Incoherent Motion Diffusion-weighted MR Imaging—An Experimental Study in a Rabbit Model. <i>Radiology</i> , 2013, , 122506.	3.6	0
572	Quantification of Hepatic Fat Fraction in Patients With Nonalcoholic Fatty Liver Disease: Comparison of Multimaterial Decomposition Algorithm and Fat (Water)-Based Material Decomposition Algorithm Using Single-Source Dual-Energy Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2021, 45, 12-17.	0.5	8
573	Controversies in the Diagnosis and Management of NAFLD and NASH. <i>Gastroenterology and Hepatology</i> , 2014, 10, 219-27.	0.2	26
574	Controlled attenuation parameter for assessment of hepatic steatosis grades: a diagnostic meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 17654-63.	1.3	40
575	Non-invasive imaging techniques in assessing non-alcoholic fatty liver disease: a current status of available methods. <i>Journal of Medicine and Life</i> , 2017, 10, 19-26.	0.4	12
576	Pediatric Obesity and Cardiometabolic Disorders: Risk Factors and Biomarkers. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2017, 28, 6-24.	0.7	17
577	Association of Hepatic Steatosis Index with Nonalcoholic Fatty Liver Disease Diagnosed by Non-Enhanced CT in a Screening Population. <i>Diagnostics</i> , 2021, 11, 2168.	1.3	11
578	Development of the Eurotransplant Discard Risk Index to Predict Acceptance of Livers for Transplantation: A Retrospective Database Analysis. <i>Experimental and Clinical Transplantation</i> , 2021, 19, 1163-1172.	0.2	4
579	Hepatic manifestations of systemic disease: an imaging-based review. <i>Pediatric Radiology</i> , 2022, 52, 852-864.	1.1	2
580	Serum Metabolome Alterations in Patients With Nonalcoholic Fatty Liver Disease. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
581	Quantitative Ultrasound Assessment of Hepatic Steatosis. <i>Journal of Clinical and Experimental Hepatology</i> , 2022, 12, 1091-1101.	0.4	3
582	Serum ferritin level as a noninvasive marker for detection and staging of hepatocellular injury, liver fibrosis, and steatosis in children and adolescents with nonalcoholic fatty liver disease. <i>Alexandria Journal of Pediatrics</i> , 2021, 34, 253.	0.0	1
584	Small-Molecule Bi-DOTA Complex for High-Performance CT and Spectral CT Bioimaging. <i>Frontiers in Oncology</i> , 2022, 12, 813955.	1.3	2
585	Effects of Different Scan Projections on the Quantitative Ultrasound-Based Evaluation of Hepatic Steatosis. <i>Healthcare (Switzerland)</i> , 2022, 10, 374.	1.0	0
586	Non-alcoholic fatty liver disease (NAFLD): a review of pathophysiology, clinical management and effects of weight loss. <i>BMC Endocrine Disorders</i> , 2022, 22, 63.	0.9	199
587	The Coexistence of Nonalcoholic Fatty Liver Disease and Type 2 Diabetes Mellitus. <i>Journal of Clinical Medicine</i> , 2022, 11, 1375.	1.0	20

#	ARTICLE	IF	CITATIONS
588	Liver Stiffness Is Markedly Decreased After Chronic Hepatitis C Treatment. <i>Ultrasound Quarterly</i> , 2022, Publish Ahead of Print, .	0.3	0
589	Liver Ultrasound Attenuation. <i>Ultrasound Quarterly</i> , 2022, Publish Ahead of Print, .	0.3	4
590	Cardiometabolic-based chronic disease: adiposity and dysglycemia drivers of heart failure. <i>Heart Failure Reviews</i> , 2023, 28, 47-61.	1.7	9
591	The Prevalence of Liver Steatosis and Fibrosis Assessed by Vibration-Controlled Transient Elastography and Controlled Attenuation Parameter in Apparently Healthy Romanian Medical Students. <i>Diagnostics</i> , 2021, 11, 2341.	1.3	6
592	Current techniques and future trends in the diagnosis of hepatic steatosis in liver donors: A review. <i>Journal of Liver Transplantation</i> , 2022, 7, 100091.	0.2	6
597	Imaging diffuse liver disease. , 0, , 13-20.		1
598	PET Imaging of Bromodomain and Extra-Terminal Domain Inhibitors for the Noninvasive Assessment of Metabolic Changes in the Liver and Brain of Early-Stage Alcoholic Liver Disease. <i>Molecular Pharmaceutics</i> , 0, , .	2.3	2
599	Vitamin E for people with non-alcoholic fatty liver disease. <i>The Cochrane Library</i> , 2022, 2022, .	1.5	0
600	Relation of Dietary Patterns and Nutritional Profile to Hepatic Fibrosis in a Sample of Lebanese Non-Alcoholic Fatty Liver Disease Patients. <i>Nutrients</i> , 2022, 14, 2554.	1.7	1
601	Fatty Liver Index is a valid predictor of non-alcoholic fatty liver disease (NAFLD) in pregnancy. <i>BMJ Open Gastroenterology</i> , 2022, 9, e000913.	1.1	4
602	Morphological investigation of liver and spleen under the influence of static magnetic field: In vivo. , 2022, , .		0
603	The Place of Liver Elastography in Diagnosis of Alcohol-Related Liver Disease. , 0, , .		0
604	Comparison of the diagnostic value between triglyceride-glucose index and triglyceride to high-density lipoprotein cholesterol ratio in metabolic-associated fatty liver disease patients: a retrospective cross-sectional study. <i>Lipids in Health and Disease</i> , 2022, 21, .	1.2	12
605	Assessment of Predictive Factors of Hepatic Steatosis Diagnosed by Vibration Controlled Transient Elastography (VCTE) in Chronic Hepatitis C Virus-Infected Patients. <i>Journal of Community Hospital Internal Medicine Perspectives</i> , 2022, 12, 59-66.	0.4	3
606	Quantitative Prediction of Steatosis in Patients with Non-Alcoholic Fatty Liver by Means of Hepatic MicroRNAs Present in Serum and Correlating with Hepatic Fat. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9298.	1.8	2
607	Fatty Liver Change in Korean Adults in a Systematic Social Distancing System Amid the COVID-19 Pandemic: A Multicenter Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 10444.	1.2	3
608	Metabolic-associated fatty liver disease is associated with low muscle mass and strength in patients with chronic hepatitis B. <i>World Journal of Hepatology</i> , 2022, 14, 1652-1666.	0.8	5
609	Clinical Application of Quantitative CT Technique in Assessing Liver Fat Content in Patients with Schizophrenia. <i>Contrast Media and Molecular Imaging</i> , 2022, 2022, 1-7.	0.4	1

#	ARTICLE	IF	CITATIONS
610	The spectrum of magnetic resonance imaging proton density fat fraction (MRI-PDFF), magnetic resonance spectroscopy (MRS), and two different histopathologic methods (artificial intelligence vs.) Tj ETQq0 0 0 19 BT /Overlock 10 Tf 5251-5262.	1.1	3
611	Fluid Mechanics Approach to Perfusion Quantification: Vasculature Computational Fluid Dynamics Simulation, Quantitative Transport Mapping (QTM) Analysis of Dynamics Contrast Enhanced MRI, and Application in Nonalcoholic Fatty Liver Disease Classification. IEEE Transactions on Biomedical Engineering, 2023, 70, 980-990.	2.5	2
612	Leberresektion. , 2022, , 291-299.		0
613	NAFLD in Cardiovascular Diseases: A Contributor or Comorbidity?. Seminars in Liver Disease, 2022, 42, 465-474.	1.8	8
614	New anti-cancer explorations based on metal ions. Journal of Nanobiotechnology, 2022, 20, .	4.2	27
616	Non-Invasive Imaging Modalities in Nonalcoholic Fatty Liver Disease: Where Do We Stand?. European Medical Journal Hepatology, 0, , 80-85.	1.0	0
617	Noninvasive Imaging Modalities in Nonalcoholic Fatty Liver Disease: Where Do We Stand?. European Medical Journal (Chelmsford, England), 0, , 57-62.	3.0	2
618	Knowledge Distillation for Mobile Quantitative Ultrasound Imaging. , 2022, , .		0
619	Medical infrared thermal image based fatty liver classification using machine and deep learning. Quantitative InfraRed Thermography Journal, 2024, 21, 102-119.	2.1	5
620	Demonstration of Fat Properties in Diagnostic Ultrasound Images through the Development of a Modular Phantom. Applied Sciences (Switzerland), 2023, 13, 432.	1.3	1
621	Relationship between cardiometabolic risk factors and 25(OH)D levels in young men with non-alcoholic fatty liver disease. Eksperimental'naya I Klinicheskaya Gastroenterologiya, 2023, , 50-57.	0.1	0
622	A Joint-Parameter Estimation and Bayesian Reconstruction Approach to Low-Dose CT. Sensors, 2023, 23, 1374.	2.1	2
623	Understanding NAFLD: From Case Identification to Interventions, Outcomes, and Future Perspectives. Nutrients, 2023, 15, 687.	1.7	12
624	Diagnostic accuracy of magnetic resonance elastography and point-shear wave elastography for significant hepatic fibrosis screening: Systematic review and meta-analysis. PLoS ONE, 2023, 18, e0271572.	1.1	5
625	Imaging Methods Applicable in the Diagnostics of Alzheimer's Disease, Considering the Involvement of Insulin Resistance. International Journal of Molecular Sciences, 2023, 24, 3325.	1.8	2
626	A greater ratio of thigh subcutaneous fat to abdominal fat is associated with protection against non-alcoholic fatty liver disease. JHEP Reports, 2023, 5, 100730.	2.6	0
627	Fatty liver disease in children (MAFLD/PeFLD Type 2): unique classification considerations and challenges. Therapeutic Advances in Endocrinology and Metabolism, 2023, 14, 204201882311603.	1.4	3
628	Comparison of the prognostic value of a comprehensive set of predictors in identifying risk of metabolic-associated fatty liver disease among employed adults. BMC Public Health, 2023, 23, .	1.2	0

#	ARTICLE	IF	CITATIONS
629	Transient elastography with controlled attenuation parameter versus two-dimensional shear wave elastography with attenuation imaging for the evaluation of hepatic steatosis and fibrosis in NAFLD. Ultrasonography, 2023, 42, 421-431.	1.0	2
630	Development and validation of a novel non-invasive test for diagnosing nonalcoholic fatty liver disease in Chinese children. World Journal of Pediatrics, 0, , .	0.8	2
631	Serum Cardiotrophin-1 Concentration Is Negatively Associated with Controlled Attenuation Parameters in Subjects with Non-Alcoholic Fatty Liver Disease. Journal of Clinical Medicine, 2023, 12, 2741.	1.0	0
632	Cellular and Molecular Techniques. , 2024, , 96-121.		0
633	Fatty Liver Disease. , 2024, , 330-401.		1
634	A Novel Portable Unilateral Magnetic Resonance Magnet for Noninvasive Quantification of Human Liver Fat. IEEE Transactions on Instrumentation and Measurement, 2023, , 1-1.	2.4	0
640	Endocrine. , 2023, , 107-203.		0
643	On the Diagnosis of Nonalcoholic Steatohepatitis Using Dielectric Properties: Feasibility in Mouse Model. , 2023, , .		0
644	Learning High-dimensional Associations for Nonalcoholic Fatty Liver Disease Diagnosis Prediction. , 2022, , .		0
648	Effect of curcumin and zingiberone on non alcoholic fatty liver disease (NAFLD). AIP Conference Proceedings, 2023, , .	0.3	0