

CITATION REPORT

List of articles citing

Matrix effect elimination during LC-MS/MS bioanalytical method development

DOI: 10.4155/bio.09.117
Bioanalysis, 2009, 1, 1243-57.

Source: <https://exaly.com/paper-pdf/46791153/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
114	Criteria for selecting pharmacokinetic repeat study samples. <i>Bioanalysis</i> , 2009 , 1, 1415-8	2.1	2
113	Chromatography with higher pressure, smaller particles and higher temperature: a bioanalytical perspective. <i>Bioanalysis</i> , 2010 , 2, 2019-34	2.1	16
112	Bioanalysis: Young Investigator 2010. <i>Bioanalysis</i> , 2010 , 2, 1547-52	2.1	1
111	Bioanalysis: the best of 2009. <i>Bioanalysis</i> , 2010 , 2, 1345-7	2.1	
110	Elimination of LC-MS/MS matrix effect due to phospholipids using specific solid-phase extraction elution conditions. <i>Bioanalysis</i> , 2010 , 2, 1011-21	2.1	40
109	Determination of naproxen using DBS: evaluation & pharmacokinetic comparison of human plasma versus human blood DBS. <i>Bioanalysis</i> , 2010 , 2, 1501-13	2.1	18
108	Extraction methods for the removal of phospholipids and other endogenous material from a biological fluid. <i>Bioanalysis</i> , 2011 , 3, 2747-55	2.1	11
107	Comparative studies of HPLC-fluorometry and LC/MS method for the determination of N-acetylneuraminic acid as a marker of deteriorated ophthalmic solutions. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2866-70	3.2	2
106	Phospholipid-based matrix effects in LC-MS bioanalysis. <i>Bioanalysis</i> , 2011 , 3, 349-52	2.1	36
105	Quantification of total and unbound concentrations of lorazepam, oxazepam and temazepam in human plasma by ultrafiltration and LC-MS/MS. <i>Bioanalysis</i> , 2011 , 3, 843-52	2.1	12
104	Development of methods to monitor ionization modification from dosing vehicles and phospholipids in study samples. <i>Bioanalysis</i> , 2011 , 3, 1719-39	2.1	9
103	Minimizing matrix effects while preserving throughput in LC-MS/MS bioanalysis. <i>Bioanalysis</i> , 2011 , 3, 1587-601	2.1	23
102	How to manage having no incurred sample reanalysis evaluation failures. <i>Bioanalysis</i> , 2011 , 3, 935-8	2.1	7
101	Implication of free cholesterol in LC-MS response enhancement. <i>Bioanalysis</i> , 2012 , 4, 1163-73	2.1	6
100	Silica hydride-based chromatography of LC-MS response-altering compounds native to human plasma. <i>Bioanalysis</i> , 2012 , 4, 2877-86	2.1	8
99	Confirmation of no impact from different anticoagulant counter ions on bioanalytical method. <i>Bioanalysis</i> , 2012 , 4, 897-908	2.1	4
98	Utilization of hydrophilic-interaction LC to minimize matrix effects caused by phospholipids. <i>Bioanalysis</i> , 2012 , 4, 2049-58	2.1	20

97	Reduction of matrix effects in liquid chromatography-electrospray ionization-mass spectrometry by dilution of the sample extracts: how much dilution is needed?. 2012 , 84, 1474-82		237
96	LC-MS/MS method for simultaneous estimation of candesartan and hydrochlorothiazide in human plasma and its use in clinical pharmacokinetics. <i>Bioanalysis</i> , 2012 , 4, 1195-204	2.1	26
95	Profiling phospholipid elution in reversed-phase LC-MS/MS bioanalytical methods in order to avoid matrix effects. <i>Bioanalysis</i> , 2012 , 4, 879-95	2.1	19
94	A liquid chromatography-tandem mass spectrometry (LC-MS/MS) method for monitoring drug exposure in hematopoietic stem cell transplant recipients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 885-886, 131-7	3.2	12
93	Comparison of extraction procedures for assessment of matrix effect for selective and reliable determination of atazanavir in human plasma by LC-ESI-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 885-886, 138-49	3.2	27
92	Systematic evaluation of supported liquid extraction in reducing matrix effect and improving extraction efficiency in LC-MS/MS based bioanalysis for 10 model pharmaceutical compounds. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 884-888, 74-88	3.2	68
91	Determination of dimethyltryptamine and Ecabolines (ayahuasca alkaloids) in plasma samples by LC-MS/MS. <i>Bioanalysis</i> , 2012 , 4, 1731-8	2.1	25
90	The influence of electrospray ion source design on matrix effects. 2012 , 47, 875-84		54
89	Overcoming non-specific adsorption issues for AZD9164 in human urine samples: consideration of bioanalytical and metabolite identification procedures. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 893-894, 134-43	3.2	19
88	Simultaneous determination of three phenylethanoid glycosides from <i>Callicarpae Caulis et Folium</i> in rat plasma by LC-MS/MS and its application to PK study. <i>Bioanalysis</i> , 2013 , 5, 1883-95	2.1	10
87	Evaluation and Elimination of Matrix Effects in LC-MS Bioanalysis. 2013 , 249-258		2
86	LC-MS Bioanalysis of Drugs in Hemolyzed and Lipemic Samples. 2013 , 369-377		3
85	Challenges of atypical matrix effects in tissue. <i>Bioanalysis</i> , 2013 , 5, 2333-5	2.1	3
84	Importance of matrix effects in LC-MS/MS bioanalysis. <i>Bioanalysis</i> , 2013 , 5, 2331-2	2.1	10
83	Aging of biological matrices and its effect on bioanalytical method performance. <i>Bioanalysis</i> , 2013 , 5, 2393-407	2.1	8
82	Case studies: the impact of nonanalyte components on LC-MS/MS-based bioanalysis: strategies for identifying and overcoming matrix effects. <i>Bioanalysis</i> , 2013 , 5, 2409-41	2.1	22
81	Impact of organic solvent additive on the integrity of plasma samples in bioanalysis by LC-MS/MS. <i>Bioanalysis</i> , 2013 , 5, 2359-70	2.1	4
80	HILIC UHPLC-MS/MS for fast and sensitive bioanalysis: accounting for matrix effects in method development. <i>Bioanalysis</i> , 2013 , 5, 2345-57	2.1	17

79	Tracing and separating plasma components causing matrix effects in hydrophilic interaction chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 923-924, 83-91	3.2	21
78	Quantitative mapping of glycoprotein micro-heterogeneity and macro-heterogeneity: an evaluation of mass spectrometry signal strengths using synthetic peptides and glycopeptides. 2013 , 48, 627-39		104
77	Mobile phase pH and organic modifier in reversed-phase LC-ESI-MS bioanalytical methods: assessment of sensitivity, chromatography and correlation of retention time with in silico logD predictions. <i>Bioanalysis</i> , 2013 , 5, 2753-70	2.1	6
76	Controlling bioanalytical variability: a perennial quest. <i>Bioanalysis</i> , 2013 , 5, 1827-30	2.1	1
75	Surface-activated chemical ionization-electrospray mass spectrometry in the analysis of urinary thiodiglycolic acid. 2013 , 27, 476-80		2
74	. 2014 ,		1
73	Systematic evaluation of plasma phospholipids for reliable and precise determination of dronedarone and desbutyldronedarone by LC-MS/MS. <i>Bioanalysis</i> , 2014 , 6, 2635-50	2.1	1
72	Impact of electrospray ion source platforms on matrix effect due to plasma phospholipids in the determination of rivastigmine by LC-MS/MS. <i>Bioanalysis</i> , 2014 , 6, 2301-16	2.1	3
71	Challenges of analyzing different classes of metabolites by a single analytical method. <i>Bioanalysis</i> , 2014 , 6, 3393-416	2.1	14
70	Simultaneous determination of ornidazole and its main metabolites in human plasma by LC-MS/MS: application to a pharmacokinetic study. <i>Bioanalysis</i> , 2014 , 6, 2343-56	2.1	18
69	Introduction of solid-phase microextraction as a high-throughput sample preparation tool in laboratory analysis of prohibited substances. 2014 , 809, 69-81		71
68	Recent advances in sample preparation techniques to overcome difficulties encountered during quantitative analysis of small molecules from biofluids using LC-MS/MS. 2014 , 139, 2265-76		172
67	Simultaneous determination of eight antibiotics from distinct classes in surface and wastewater samples by solid-phase extraction and high-performance liquid chromatography-electrospray ionisation mass spectrometry. 2014 , 94, 1013-1037		35
66	Biological sample preparation: attempts on productivity increasing in bioanalysis. <i>Bioanalysis</i> , 2014 , 6, 1691-710	2.1	30
65	LC-MS for Pharmaceutical Analysis. 2014 , 315-334		
64	Phospholipids-based matrix effect elimination techniques. 2015 , 40-51		
63	High-throughput methods for LC-MS bioanalysis. 2015 , 22-38		
62	Quantification of co-trimoxazole in serum and plasma using MS/MS. <i>Bioanalysis</i> , 2015 , 7, 2741-9	2.1	2

61	Quantitative hydrophilic interaction chromatography-mass spectrometry analysis of N-acetylneuraminic acid and N-acetylmannosamine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1000, 105-11	3.2	16
60	Development and analytical comparison of microflow and nanoflow liquid chromatography/mass spectrometry procedures for quantification of cardiac troponin T in mouse hearts. 2015 , 131, 510-20		10
59	Message from the editors. <i>Bioanalysis</i> , 2015 , 7, 1-4	2.1	
58	Drug confirmation by mass spectrometry: Identification criteria and complicating factors. 2015 , 438, 119-25		21
57	Analytical quality assurance in veterinary drug residue analysis methods: matrix effects determination and monitoring for sulfonamides analysis. 2015 , 132, 443-50		55
56	Methods of Detection, Identification, and Quantitation. 2016 , 161-181		1
55	Development and validation of a sensitive liquid chromatographic-tandem mass spectrometric method for the simultaneous analysis of granisetron and 7-hydroxy granisetron in human plasma and urine samples: application in a clinical pharmacokinetic study in pregnant subject. 2016 , 30, 149-54		7
54	Correction function for biased results due to matrix effects in residue analysis of beta-agonists in porcine tissues and urine with LC-MS/MS. 2016 , 6, 26967-26976		3
53	Development and validation of a UPLC-MS/MS method for the simultaneous determination of paritaprevir and ritonavir in rat liver. <i>Bioanalysis</i> , 2016 , 8, 1353-63	2.1	11
52	Multivariate data analysis and metabolic profiling of artemisinin and related compounds in high yielding varieties of <i>Artemisia annua</i> field-grown in Madagascar. 2016 , 117, 522-31		16
51	LC-MS/MS determination of tranexamic acid in human plasma after phospholipid clean-up. 2017 , 141, 149-156		13
50	An atmospheric pressure ionization source using a high voltage target compared to electrospray ionization for the LC/MS analysis of pharmaceutical compounds. 2017 , 142, 225-231		12
49	Solid-phase extraction of the alcohol abuse biomarker phosphatidylethanol using newly synthesized polymeric sorbent materials containing quaternary heterocyclic groups. 2017 , 1519, 1-8		4
48	Matrix effect management in liquid chromatography mass spectrometry: the internal standard normalized matrix effect. <i>Bioanalysis</i> , 2017 , 9, 1093-1105	2.1	45
47	Standardized Procedure for the Simultaneous Determination of the Matrix Effect, Recovery, Process Efficiency, and Internal Standard Association. 2017 , 89, 7560-7568		28
46	Sample preparation techniques for mass spectrometry in the clinical laboratory. 2017 , 37-62		1
45	Systematic evaluation of matrix effects in supercritical fluid chromatography versus liquid chromatography coupled to mass spectrometry for biological samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1079, 51-61	3.2	31
44	Nano-flow vs standard-flow: Which is the more suitable LC/MS method for quantifying hepcidin-25 in human serum in routine clinical settings?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1086, 110-117	3.2	3

43	Sample Preparation for Mass Spectrometry Applications. 2018 , 67-91		2
42	Clinical Mass Spectrometry in the Bioinformatics Era: A Hitchhiker's Guide. 2018 , 16, 316-334		14
41	Strategies and analytical workflows to extend the dynamic range in quantitative LC-MS/MS analysis. <i>Bioanalysis</i> , 2019 , 11, 1189-1206	2.1	2
40	Validation of a liquid chromatography-tandem mass spectrometry method for analyzing cannabinoids in oral fluid. 2019 , 491, 30-38		18
39	Evaluation of polysaccharide-based chiral stationary phases in modern SFC-MS/MS for enantioselective bioanalysis. <i>Bioanalysis</i> , 2019 ,	2.1	9
38	Fast and Sensitive Quantification of Δ^9 -Tetrahydrocannabinol and Its Main Oxidative Metabolites by Liquid Chromatography/Tandem Mass Spectrometry. 2019 , 4, 110-123		10
37	Paradigm Shift in the Arena of Sample Preparation and Bioanalytical Approaches Involving Liquid Chromatography Mass Spectroscopic Technique. 2019 , 35, 1069-1082		5
36	High sensitivity methods to quantify chloroquine and its metabolite in human blood samples using LC-MS/MS. <i>Bioanalysis</i> , 2019 , 11, 333-347	2.1	18
35	Liquid chromatography-tandem mass spectrometry based method development and validation of S016-1271 (LR8P), a novel cationic antimicrobial peptide for its application to pharmacokinetic studies. 2019 , 169, 116-126		2
34	Mass Spectrometry as a Workhorse for Preclinical Drug Discovery: Special Emphasis on Drug Metabolism and Pharmacokinetics. 2019 ,		
33	Low-cost and green dispersive solid phase extraction of hydrophilic compounds using titanium dioxide nanoparticles. 2019 , 145, 784-790		4
32	Simultaneous determination of amino acids, purines and derivatives in serum by ultrahigh-performance liquid chromatography/tandem mass spectrometry. 2019 , 33, 81-88		3
31	On the performance of multivariate curve resolution to resolve highly complex liquid chromatography full scan mass spectrometry data for quantification of selected immunosuppressants in blood and water samples. 2020 , 152, 104298		7
30	Pitfalls in drug testing by hyphenated low- and high-resolution mass spectrometry. 2020 , 12, 172-179		3
29	Optimization of chromatography to overcome matrix effect for reliable estimation of four small molecular drugs from biological fluids using LC-MS/MS. 2020 , 34, e4777		2
28	Analysis of valsartan, clindamycin and mesalamine in human plasma by LCMS/MS using different extraction methodologies to overcome matrix effect. 2020 , 74, 4365-4378		1
27	Three-dimensional aspects of formulation excipients in drug discovery: a critical assessment on orphan excipients, matrix effects and drug interactions. 2020 , 10, 522-531		10
26	Simultaneous determination of gallic acid, methyl gallate, and 1,3,6-tri-O-galloyl- β -D-glucose from Turkish galls in rat plasma using liquid chromatography-tandem mass spectrometry and its application to pharmacokinetics study. 2020 , 34, e4916		2

25	Enhancement in MS-based peptide detection by microfluidic free-flow zone electrophoresis. 2020 , 41, 545-553		2
24	Technologies to improve the sensitivity of existing chromatographic methods used for bioanalytical studies. 2020 , 34, e4798		8
23	Suspect and non-targeted screening of chemicals of emerging concern for human biomonitoring, environmental health studies and support to risk assessment: From promises to challenges and harmonisation issues. 2020 , 139, 105545		66
22	Quantitative determination of primaquine-5,6-ortho-quinone and carboxyprimaquine-5,6-ortho-quinone in human erythrocytes by UHPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1163, 122510	3.2	5
21	Overview, consequences, and strategies for overcoming matrix effects in LC-MS analysis: a critical review. 2021 , 146, 6049-6063		5
20	Effects of putrefaction on the quantitative analyses of diphenhydramine in blood and tissues: model experiments by the routine matrix-matched calibration method and standard addition method with different internal standards. 2021 , 39, 437-450		
19	Simultaneous determination of forsythine and its major metabolites in human plasma via liquid chromatography-tandem mass spectrometry. 2021 , 198, 113992		1
18	Determination of acyclovir and its metabolite 9-carboxymethoxymethylguanidine in human serum by ultra-high-performance liquid chromatography-tandem mass spectrometry. 2021 , 44, 3080-3088		2
17	High-throughput quantitation method for amodiaquine and desethylamodiaquine in plasma using supported liquid extraction technology. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1179, 122887	3.2	0
16	Sample preparation techniques for suspect and non-target screening of emerging contaminants. 2022 , 287, 132306		8
15	Matrix Effects in Liquid Chromatography-Electrospray Ionization-Mass Spectrometry. 161-186		4
14	Simultaneous Determination of Atorvastatin and Glimepiride by LC-MS/MS in Human Plasma and Its Application to a Pharmacokinetic Study. <i>American Journal of Analytical Chemistry</i> , 2012 , 03, 559-569	0.7	7
13	Validated UPLC/Q-TOF-MS Method for Determination of Poliumoside in Rat Plasma and Its Application to Pharmacokinetic Study. <i>American Journal of Analytical Chemistry</i> , 2016 , 07, 266-274	0.7	3
12	Simultaneous Determination of Veterinary Drugs in Pig Muscle and Kidney Using Liquid Chromatography/Mass Spectrometry with Ultrafiltration. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2015 , 68, 311-315	0.1	
11	A technical overview of supercritical fluid chromatography-mass spectrometry (SFC-MS) and its recent applications in pharmaceutical research and development.. <i>Drug Discovery Today: Technologies</i> , 2021 , 40, 69-75	7.1	1
10	Methods of Detection, Identification, and Quantitation. 2022 , 245-275		
9	Development and Validation of a Reliable UHPLC-MS/MS Method for Simultaneous Quantification of Macrocyclic Lactones in Bovine Plasma.. <i>Molecules</i> , 2022 , 27,	4.8	
8	A tandem liquid chromatography and tandem mass spectrometry (LC/LC-MS/MS) technique to separate and quantify steroid isomers 11-methyl-19-nortestosterone and testosterone.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022 , 1193, 123165	3.2	0

7	Alternative Strategies for the Calibration and Elimination of Matrix Effects in LC-MS/MS Multiresidue Analysis of Tea Matrix. <i>Journal of Analytical Chemistry</i> , 2022 , 77, 224-234	1.1	○
6	Determination of IQZ23 in rat plasma using LC-MS/MS: consideration for matrix effect and internal standard interference.. <i>Bioanalysis</i> , 2022 ,	2.1	○
5	Simultaneous and enantiospecific quantification of primaquine and carboxyprimaquine in human plasma using liquid chromatography-tandem mass spectrometry. <i>Malaria Journal</i> , 2022 , 21,	3.6	○
4	Determination of valproic acid and its six metabolites in human serum by LCMS/MS and application to interaction with carbapenems in epileptic patients.		○
3	Bioanalytical LCMS/MS method for simultaneous estimation of atorvastatin, its major active metabolites and ezetimibe.		○
2	A simple and sensitive LC-MS/MS method for therapeutic drug monitoring of digoxin in children. 2023 , 1221, 123681		○
1	Determination of caffeine, paraxanthine, theophylline and theobromine in premature infants by HILIC-MS/MS. 2022 , 14, 1497-1508		○