

An Improvement of the Performance of Multiple-Aperture

IEEE Transactions on Geoscience and Remote Sensing
47, 2859-2869

DOI: [10.1109/tgrs.2009.2016554](https://doi.org/10.1109/tgrs.2009.2016554)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Advances in interferometric synthetic aperture radar (InSAR) in earth system science. Progress in Physical Geography, 2009, 33, 769-791.	1.4	65
2	Ground surface deformation patterns, magma supply, and magma storage at Okmok volcano, Alaska, from InSAR analysis: 2. Coeruptive deflation, July–August 2008. Journal of Geophysical Research, 2010, 115, .	3.3	63
3	New Advances of the Extended Minimum Cost Flow Phase Unwrapping Algorithm for SBAS-DInSAR Analysis at Full Spatial Resolution. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 4062-4079.	2.7	40
4	Mapping Three-Dimensional Surface Deformation by Combining Multiple-Aperture Interferometry and Conventional Interferometry: Application to the June 2007 Eruption of Kilauea Volcano, Hawaii. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 34-38.	1.4	143
5	Coherent Shift Estimation for Stacks of SAR Images. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 1095-1099.	1.4	16
6	Tensile rock mass strength estimated using InSAR. Geophysical Research Letters, 2012, 39, .	1.5	36
7	Mapping ice-shelf flow with interferometric synthetic aperture radar stacking. Journal of Glaciology, 2012, 58, 265-277.	1.1	19
8	Correcting ionospheric effects and monitoring two-dimensional displacement fields with multiple-aperture InSAR technology with application to the Yushu earthquake. Science China Earth Sciences, 2012, 55, 1961-1971.	2.3	26
9	3D coseismic Displacement of 2010 Darfield, New Zealand earthquake estimated from multi-aperture InSAR and D-InSAR measurements. Journal of Geodesy, 2012, 86, 1029-1041.	1.6	95
10	Ionospheric Correction of SAR Interferograms by Multiple-Aperture Interferometry. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 3191-3199.	2.7	76
11	Time-series deformation monitoring over mining regions with SAR intensity-based offset measurements. Remote Sensing Letters, 2013, 4, 436-445.	0.6	68
12	Kalman-Filter-Based Approach for Multisensor, Multitrack, and Multitemporal InSAR. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 4226-4239.	2.7	53
13	Feasibility of Along-Track Displacement Measurement From Sentinel-1 Interferometric Wide-Swath Mode. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 573-578.	2.7	50
14	The 2011 MW 6.8 Burma earthquake: fault constraints provided by multiple SAR techniques. Geophysical Journal International, 2013, 195, 650-660.	1.0	71
15	Recent Trend and Advance of Synthetic Aperture Radar with Selected Topics. Remote Sensing, 2013, 5, 716-807.	1.8	213
16	Theoretical Accuracy of Along-Track Displacement Measurements from Multiple-Aperture Interferometry (MAI). Sensors, 2014, 14, 17703-17724.	2.1	32
17	Deformation of the western Indian Plate boundary: insights from differential and multi-aperture InSAR data inversion for the 2008 Baluchistan (Western Pakistan) seismic sequence. Geophysical Journal International, 2014, 198, 25-39.	1.0	11
18	Measurement of three-dimensional surface deformation of the March 2011 Kamoamoia fissure eruption, Kilauea Volcano, Hawai'i. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
19	Resolving three-dimensional surface displacements from InSAR measurements: A review. <i>Earth-Science Reviews</i> , 2014, 133, 1-17.	4.0	361
20	Volcanology: Lessons learned from Synthetic Aperture Radar imagery. <i>Journal of Volcanology and Geothermal Research</i> , 2014, 289, 81-113.	0.8	116
21	Joint Correction of Ionosphere Noise and Orbital Error in L-Band SAR Interferometry of Interseismic Deformation in Southern California. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 3421-3427.	2.7	49
22	3D coseismic deformations and source parameters of the 2010 Yushu earthquake (China) inferred from DInSAR and multiple-aperture InSAR measurements. <i>Remote Sensing of Environment</i> , 2014, 152, 174-189.	4.6	38
23	Retrieving three-dimensional coseismic displacements of the 2008 Gaize, Tibet earthquake from multi-path interferometric phase analysis. <i>Natural Hazards</i> , 2014, 73, 1311-1322.	1.6	12
24	3-D movement mapping of the alpine glacier in Qinghai-Tibetan Plateau by integrating D-InSAR, MAI and Offset-Tracking: Case study of the Dongkemadi Glacier. <i>Global and Planetary Change</i> , 2014, 118, 62-68.	1.6	48
25	Error Propagation Analysis in Three-Dimensional Coseismic Displacement Inversion. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 1971-1975.	1.4	7
26	Patterns and mechanisms of coseismic and postseismic slips of the 2011 M W 7.1 Van (Turkey) earthquake revealed by multi-platform synthetic aperture radar interferometry. <i>Tectonophysics</i> , 2014, 632, 188-198.	0.9	32
27	Mapping Two-Dimensional Deformation Field Time-Series of Large Slope by Coupling DInSAR-SBAS with MAI-SBAS. <i>Remote Sensing</i> , 2015, 7, 12440-12458.	1.8	37
28	Detecting the Source Location of Recent Summit Inflation via Three-Dimensional InSAR Observation of K�lauea Volcano. <i>Remote Sensing</i> , 2015, 7, 14386-14402.	1.8	26
29	An empirical model for measurement accuracy of along-track deformation by advanced multiple-aperture SAR interferometry from COSMO-SkyMed dataset. , 2015, , .		0
30	The February 2014 Cephalonia Earthquake (Greece): 3D Deformation Field and Source Modeling from Multiple SAR Techniques. <i>Seismological Research Letters</i> , 2015, 86, 124-137.	0.8	41
31	An Improvement of Ionospheric Phase Correction by Multiple-Aperture Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 4952-4960.	2.7	31
32	Interferometric Synthetic Aperture Radar Geodesy. , 2015, , 339-385.		29
33	Measurement of slow-moving along-track displacement from an efficient multiple-aperture SAR interferometry (MAI) stacking. <i>Journal of Geodesy</i> , 2015, 89, 411-425.	1.6	37
34	Measurement of three-dimensional surface deformation by Cosmo-SkyMed X-band radar interferometry: Application to the March 2011 Kamoamoia fissure eruption, K�lauea Volcano, Hawai'i. <i>Remote Sensing of Environment</i> , 2015, 169, 176-191.	4.6	20
35	An integrated method based on DInSAR, MAI and displacement gradient tensor for mapping the 3D coseismic deformation field related to the 2011 Tarlay earthquake (Myanmar). <i>Remote Sensing of Environment</i> , 2015, 170, 388-404.	4.6	28
36	Measuring the north-south coseismic displacement component with high-resolution multi-aperture InSAR. <i>Terra Nova</i> , 2015, 27, 28-35.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Speckle Tracking and Interferometric Processing of TerraSAR-X TOPS Data for Mapping Nonstationary Scenarios. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2015, 8, 1709-1720.	2.3	36
38	An Improvement of Multiple-Aperture SAR Interferometry Performance in the Presence of Complex and Large Line-of-Sight Deformation. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2015, 8, 1743-1752.	2.3	23
39	Simulation of the SuperSAR Multi-Azimuth Synthetic Aperture Radar Imaging System for Precise Measurement of Three-Dimensional Earth Surface Displacement. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 6196-6206.	2.7	30
40	Deriving Ice Motion Patterns in Mountainous Regions by Integrating the Intensity-Based Pixel-Tracking and Phase-Based D-InSAR and MAI Approaches: A Case Study of the Chongce Glacier. Remote Sensing, 2016, 8, 611.	1.8	15
41	Impacts of Temporal-Spatial Variant Background Ionosphere on Repeat-Track GEO D-InSAR System. Remote Sensing, 2016, 8, 916.	1.8	22
42	Accurate three dimensional deformation retrieval in geosynchronous SAR by multi-aperture interferometry processing. , 2016, , .		0
43	Three-dimensional displacement field of the 2015 Mw8.3 Illapel earthquake (Chile) from across- and along-track Sentinel-1 TOPS interferometry. Geophysical Research Letters, 2016, 43, 2552-2561.	1.5	109
44	A Minimum Acceleration Approach for the Retrieval of Multiplatform InSAR Deformation Time Series. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 3883-3898.	2.3	52
45	Mitigating Ionospheric Artifacts in Coseismic Interferogram Based on Offset Field Derived From ALOS-PALSAR Data. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 3050-3059.	2.3	15
46	Investigation of ionospheric effects on SAR Interferometry (InSAR): A case study of Hong Kong. Advances in Space Research, 2016, 58, 564-576.	1.2	7
47	The 3-D surface deformation, coseismic fault slip and after-slip of the 2010 Mw6.9 Yushu earthquake, Tibet, China. Journal of Asian Earth Sciences, 2016, 124, 260-268.	1.0	11
48	Three-dimensional deformation mapping of a dike intrusion event in Sakurajima in 2015 by exploiting the right- and left-looking ALOS-2 InSAR. Geophysical Research Letters, 2016, 43, 4197-4204.	1.5	53
49	Two-Dimensional Deformation Measurement Based on Multiple Aperture Interferometry in GB-SAR. IEEE Geoscience and Remote Sensing Letters, 2017, 14, 208-212.	1.4	13
50	Toward full exploitation of coherent and incoherent information in Sentinel-1 TOPS data for retrieving surface displacement: Application to the 2016 Kumamoto (Japan) earthquake. Geophysical Research Letters, 2017, 44, 1758-1767.	1.5	68
51	Ionospheric Correction of L-Band SAR Offset Measurements for the Precise Observation of Glacier Velocity Variations on Novaya Zemlya. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, 10, 3591-3603.	2.3	26
52	Assessing the reliability and consistency of InSAR and GNSS data for retrieving 3D-displacement rapid changes, the example of the 2015 Piton de la Fournaise eruptions. Journal of Volcanology and Geothermal Research, 2017, 344, 106-120.	0.8	24
53	Measurement of precise three-dimensional volcanic deformations via TerraSAR-X synthetic aperture radar interferometry. Remote Sensing of Environment, 2017, 192, 228-237.	4.6	22
54	Estimation of 3-D Surface Displacement Based on InSAR and Deformation Modeling. IEEE Transactions on Geoscience and Remote Sensing, 2017, 55, 2007-2016.	2.7	20

#	ARTICLE	IF	CITATIONS
55	Retrieving Precise Three-Dimensional Deformation on the 2014 M6.0 South Napa Earthquake by Joint Inversion of Multi-Sensor SAR. <i>Scientific Reports</i> , 2017, 7, 5485.	1.6	20
56	Three-Dimensional Deformation Retrieval in Geosynchronous SAR by Multiple-Aperture Interferometry Processing: Theory and Performance Analysis. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 6150-6169.	2.7	22
57	Earthquake rupture properties of the 2016 Kumamoto earthquake foreshocks (M j 6.5 and M j 6.4) revealed by conventional and multiple-aperture InSAR. <i>Earth, Planets and Space</i> , 2017, 69, .	0.9	31
58	Landslide Displacement Monitoring with Split-Bandwidth Interferometry: A Case Study of the Shuping Landslide in the Three Gorges Area. <i>Remote Sensing</i> , 2017, 9, 937.	1.8	14
59	Three-dimensional surface deformation mapping from multi-directional SAR interferograms. , 2017, , .		0
60	A Review of Interferometric Synthetic Aperture RADAR (InSAR) Multi-Track Approaches for the Retrieval of Earth's Surface Displacements. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 1264.	1.3	199
61	A Method for Measuring 3-D Surface Deformations With InSAR Based on Strain Model and Variance Component Estimation. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 239-250.	2.7	48
62	Performance of 3-D Surface Deformation Estimation for Simultaneous Squinted SAR Acquisitions. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 2147-2158.	2.7	21
63	Bistatic InSAR. , 2018, , 235-275.		1
64	SAR-revealed slip partitioning on a bending fault plane for the 2014 Northern Nagano earthquake at the northern Itoigawa-Shizuoka tectonic line. <i>Tectonophysics</i> , 2018, 733, 85-99.	0.9	18
65	Multi-track extraction of two-dimensional surface velocity by the combined use of differential and multiple-aperture InSAR in the Amery Ice Shelf, East Antarctica. <i>Remote Sensing of Environment</i> , 2018, 204, 122-137.	4.6	24
66	Deriving time-series three-dimensional displacements of mining areas from a single-geometry InSAR dataset. <i>Journal of Geodesy</i> , 2018, 92, 529-544.	1.6	31
67	Feasibility of ALOS2 PALSAR2 Offset-Based Phase Unwrapping of SAR Interferogram in Large and Complex Surface Deformations. <i>IEEE Access</i> , 2018, 6, 45951-45960.	2.6	8
68	Surface deformation and source modeling of Ayaz-Akhtarma mud volcano, Azerbaijan, as detected by ALOS/ALOS-2 InSAR. <i>Progress in Earth and Planetary Science</i> , 2018, 5, .	1.1	2
69	Analysis of Mining Waste Dump Site Stability Based on Multiple Remote Sensing Technologies. <i>Remote Sensing</i> , 2018, 10, 2025.	1.8	20
70	Advances in three-dimensional deformation mapping from satellite radar observations: application to the 2003 Bam earthquake. <i>Geomatics, Natural Hazards and Risk</i> , 2018, 9, 678-690.	2.0	8
71	Integration of PSI, MAI, and Intensity-Based Sub-Pixel Offset Tracking Results for Landslide Monitoring with X-Band Corner Reflectors in Italian Alps (Corvara). <i>Remote Sensing</i> , 2018, 10, 409.	1.8	20
72	Retrieving Three-Dimensional Co-Seismic Deformation of the 2017 Mw7.3 Iraq Earthquake by Multi-Sensor SAR Images. <i>Remote Sensing</i> , 2018, 10, 857.	1.8	16

#	ARTICLE	IF	CITATIONS
73	Intercomparison and Validation of SAR-Based Ice Velocity Measurement Techniques within the Greenland Ice Sheet CCI Project. <i>Remote Sensing</i> , 2018, 10, 929.	1.8	18
74	Mapping three-dimensional co-seismic surface deformations associated with the 2015 MW7.2 Murghab earthquake based on InSAR and characteristics of crustal strain. <i>Science China Earth Sciences</i> , 2018, 61, 1451-1466.	2.3	8
75	Three Dimensional Deformation Retrieval in GEO D-InSAR. , 2018, , 273-290.		1
76	Monitoring and analysis of mining 3D deformation by multi-platform SAR images with the probability integral method. <i>Frontiers of Earth Science</i> , 2019, 13, 169-179.	0.9	17
77	Ground subsidence observation of solid waste landfill park using multi-temporal radar interferometry. <i>International Journal of Urban Sciences</i> , 2019, 23, 406-421.	1.3	16
78	Complete three-dimensional near-field surface displacements from imaging geodesy techniques applied to the 2016 Kumamoto earthquake. <i>Remote Sensing of Environment</i> , 2019, 232, 111321.	4.6	32
79	Complete Three-dimensional Coseismic Deformation Field of the 2016 Central Tottori Earthquake by Integrating Left- and Right-Looking InSAR Observations With the Improved SM-VCE Method. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 12099-12115.	1.4	27
80	3D Coseismic Deformation Field and Source Parameters of the 2017 Iran-Iraq Mw7.3 Earthquake Inferred from DInSAR and MAI Measurements. <i>Remote Sensing</i> , 2019, 11, 2248.	1.8	5
81	An Improvement of the Performance of SAR Offset Tracking Approach to Measure Optimal Surface Displacements. <i>IEEE Access</i> , 2019, 7, 131627-131637.	2.6	5
82	Generation of long-term InSAR ground displacement time-series through a novel multi-sensor data merging technique: The case study of the Shanghai coastal area. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 154, 10-27.	4.9	40
83	Influence of Orbit and System Parameters on Geosynchronous SAR Multiple-Aperture Interferometry Processing: Analysis and Validation. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019, 12, 1798-1811.	2.3	4
84	Measuring Coseismic Deformation With Spaceborne Synthetic Aperture Radar: A Review. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	10
85	Measurement of Along-Track Surface Displacements by SAR: Multi- Aperture Interferometry vs. Amplitude Pixel Offset. , 2019, , .		0
86	High-quality three-dimensional displacement fields from new-generation SAR imagery: application to the 2017 Ezgeleh, Iran, earthquake. <i>Journal of Geodesy</i> , 2019, 93, 573-591.	1.6	27
87	Remarks on correcting ionospheric distortions in L-band radar interferometry. <i>Geocarto International</i> , 2019, 34, 227-242.	1.7	1
88	Heifangtai loess landslide type and failure mode analysis with ascending and descending Spot-mode TerraSAR-X datasets. <i>Landslides</i> , 2020, 17, 205-215.	2.7	35
89	Resolving rupture processes of great earthquakes: Reviews and perspective from fast response to joint inversion. <i>Science China Earth Sciences</i> , 2020, 63, 492-511.	2.3	29
90	Satellite interferometry for mapping surface deformation time series in one, two and three dimensions: A new method illustrated on a slow-moving landslide. <i>Engineering Geology</i> , 2020, 266, 105471.	2.9	66

#	ARTICLE	IF	CITATIONS
91	Precise Three-Dimensional Deformation Retrieval in Large and Complex Deformation Areas via Integration of Offset-Based Unwrapping and Improved Multiple-Aperture SAR Interferometry: Application to the 2016 Kumamoto Earthquake. <i>Engineering</i> , 2020, 6, 927-935.	3.2	8
92	Kinematic Coregistration of Sentinel-1 TOPSAR Images Based on Sequential Least Squares Adjustment. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 3083-3093.	2.3	12
93	Satellite radar observation of large surface collapses induced by the 2017 North Korea nuclear test. <i>Scientific Reports</i> , 2020, 10, 17833.	1.6	1
94	Accuracy and Error Analysis of Vector Measurement of Ocean Surface Current by Multi-Aperture Along-Track Interferometric SAR. <i>IEEE Access</i> , 2020, 8, 207551-207562.	2.6	2
95	Use of SAR/InSAR in Mining Deformation Monitoring, Parameter Inversion, and Forward Predictions: A Review. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2020, 8, 71-90.	4.9	72
96	Retrieval and Prediction of Three-Dimensional Displacements by Combining the DInSAR and Probability Integral Method in a Mining Area. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 1206-1217.	2.3	12
97	The Multiple Aperture SAR Interferometry (MAI) Technique for the Detection of Large Ground Displacement Dynamics: An Overview. <i>Remote Sensing</i> , 2020, 12, 1189.	1.8	27
98	A New Model for three-dimensional Deformation Extraction with Single-track InSAR Based on Mining Subsidence Characteristics. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 94, 102223.	1.4	28
99	Prediction of 3D deformation due to large gradient mining subsidence based on InSAR and constraints of IDPIM model. <i>International Journal of Remote Sensing</i> , 2021, 42, 208-239.	1.3	13
100	Estimation and Compensation of Ionospheric Phase Delay for Multi-Aperture InSAR: An Azimuth Split-Spectrum Interferometry Approach. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-14.	2.7	5
101	Research of the Triggering Relation, Faulting Mechanism and Two-Dimension Coseismic Displacement of the 2018 Mw 6.4 Hualien Earthquake. <i>Advances in Geosciences</i> , 2021, 11, 193-206.	0.0	0
102	Mapping Complete Three-Dimensional Ice Velocities by Integrating Multi-Baseline and Multi-Aperture InSAR Measurements: A Case Study of the Grove Mountains Area, East Antarctic. <i>Remote Sensing</i> , 2021, 13, 643.	1.8	8
103	Estimating three-dimensional coseismic deformations with the SM-VCE method based on heterogeneous SAR observations: Selection of homogeneous points and analysis of observation combinations. <i>Remote Sensing of Environment</i> , 2021, 255, 112298.	4.6	31
104	Research on Surface Deformation of Ordos Coal Mining Area by Integrating Multitemporal D-InSAR and Offset Tracking Technology. <i>Journal of Sensors</i> , 2021, 2021, 1-14.	0.6	13
105	The Extraction and Analysis of Deformation Features of Hualien Earthquake Based on Sentinel-1A/B SAR Data. <i>Journal of the Indian Society of Remote Sensing</i> , 2021, 49, 2069-2077.	1.2	1
107	2-D Beam Steering Method for Squinted High-Orbit SAR Imaging. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2021, 59, 4827-4840.	2.7	5
108	Recent advancements in multi-temporal methods applied to new generation SAR systems and applications in South America. <i>Journal of South American Earth Sciences</i> , 2021, 111, 103410.	0.6	10
109	InSAR Imaging of Aleutian Volcanoes. , 2014, , 87-345.		35

#	ARTICLE	IF	CITATIONS
110	Mapping three-dimensional surface deformation caused by the 2010 Haiti earthquake using advanced satellite radar interferometry. PLoS ONE, 2017, 12, e0188286.	1.1	12
111	MEASUREMENT OF SEAWARD GROUND DISPLACEMENTS ON COASTAL LANDFILL AREA USING RADAR INTERFEROMETRY. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3, 57-60.	0.2	3
112	Enhancement of Ionospheric Correction Method Based on Multiple Aperture Interferometry. Korean Journal of Remote Sensing, 2015, 31, 101-110.	0.4	3
113	Sentinel-1 Azimuth Subbanding for Multiple Aperture Interferometry - Test Case Over the Roi Baudouin Ice Shelf, East Antarctica. , 2021, , .		0
114	Impact of ionosphere on InSAR observation and coseismic slip inversion: Improved slip model for the 2010 Maule, Chile, earthquake. Remote Sensing of Environment, 2021, 267, 112733.	4.6	5
115	Topographic Phase Correction of MAI (Multiple Aperture SAR Interferometry) Interferogram. Korean Journal of Remote Sensing, 2011, 27, 171-180.	0.4	0
116	Practical Issues in InSAR Analysis. , 2014, , 25-34.		0
117	MEASURING THE COSEISMIC DISPLACEMENTS OF 2010 Ms7.1 Yushu EARTHQUAKE BY USING SAR AND HIGH RESOLUTION OPTICAL SATELLITE IMAGES. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-2/W7, 665-670.	0.2	2
119	An Integrated Approach for Mapping Three-Dimensional CoSeismic Displacement Fields from Sentinel-1 TOPS Data Based on DInSAR, POT, MAI and BOI Techniques: Application to the 2021 Mw 7.4 Maduo Earthquake. Remote Sensing, 2021, 13, 4847.	1.8	5
120	Three-dimensional deformation and its uncertainty derived by integrating multiple SAR data analysis methods. Earth, Planets and Space, 2022, 74, .	0.9	7
121	Complete three-dimensional coseismic displacements due to the 2021 Maduo earthquake in Qinghai Province, China from Sentinel-1 and ALOS-2 SAR images. Science China Earth Sciences, 2022, 65, 687-697.	2.3	27
122	Refining slip distribution in moderate earthquakes using Sentinel-1 burst overlap interferometry: a case study over 2020 May 15 <i>M</i> _w 6.5 Monte Cristo Range Earthquake. Geophysical Journal International, 2022, 229, 472-486.	1.0	3
124	An Improved Multi-Baseline Phase Unwrapping Method for GB-InSAR. Remote Sensing, 2022, 14, 2543.	1.8	4
125	Three-Dimensional Flow Velocity Estimation of Mountain Glacier Based on SAR Interferometry and Offset-Tracking Technology: A Case of the Urumqi Glacier No.1. Water (Switzerland), 2022, 14, 1779.	1.2	4
126	A Tsunami Generated by a Strike-slip Event: Constraints From GPS and SAR Data on the 2018 Palu Earthquake. Journal of Geophysical Research: Solid Earth, 2022, 127, .	1.4	3
127	Source Model and Triggered Aseismic Faulting of the 2021 Mw 7.3 Maduo Earthquake Revealed by the UAV-Lidar/Photogrammetry, InSAR, and Field Investigation. Remote Sensing, 2022, 14, 5859.	1.8	4
129	Along-Track Displacement Retrieval Using Sentinel-1 Images. , 2023, , .		0