CITATION REPORT List of articles citing

Clinical practice parameters for hemodynamic support of pediatric and neonatal septic shock: 2007 update from the American College of Critical Care Medicine

DOI: 10.1097/ccm.0b013e31819323c6 Critical Care Medicine, 2009, 37, 666-88.

Source: https://exaly.com/paper-pdf/46821293/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
955	Lack of alphavbeta5 integrin receptor or its ligand MFG-E8: distinct effects on retinal function. 2008 , 40, 120-3		15
954	Update in critical care 2008. 2009 , 179, 743-58		5
953	Increased inflammation, impaired bacterial clearance, and metabolic disruption after gram-negative sepsis in Mkp-1-deficient mice. 2009 , 183, 7411-9		77
952	Pediatric sepsis: actions to decrease sepsis in children. 2009 , 7, 941-4		0
951	Treatment of septic shock and use of drotrecogin alfa (activated) in children. 2009, 7, 769-72		3
950	Vasopressin in pediatric vasodilatory shock: a multicenter randomized controlled trial. 2009 , 180, 632-9		111
949	Adrenal Insufficiency in the Pediatric Emergency Department. 2009 , 10, 260-271		3
948	Neue Techniken und Entwicklungen fEdie Notfallversorgung von Kindern. 2009 , 12, 600-606		2
947	Brain oxidative stress after traumatic brain injury cool it?. <i>Critical Care Medicine</i> , 2009 , 37, 787-8	1.4	4
946	Cardiocerebral resuscitation: few answers, more questions. <i>Critical Care Medicine</i> , 2009 , 37, 747-8	1.4	1
945	Peroxisome proliferator-activated receptor-gamma agonists, control of bacterial outgrowth, and inflammation. <i>Critical Care Medicine</i> , 2009 , 37, 773-4	1.4	1
944	Hemodynamic support of shock state: are we asking the right questions?. <i>Critical Care Medicine</i> , 2009 , 37, 736-40	1.4	0
943	Vasopressin and its copilot copeptin in sepsis and septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 749-50	1.4	10
942	How possibly are we to choose albumin or hydroxyethyl starch?. Critical Care Medicine, 2009, 37, 788-9	1.4	1
941	Diuresis in renal failure: treat the patient, not the urine output. Critical Care Medicine, 2009, 37, 761-2	1.4	1
940	New biomarkers of acute kidney injury: promise for the future but beware the lure of novelty. <i>Critical Care Medicine</i> , 2009 , 37, 766-7	1.4	3
939	Refractory shock in the intensive care unitdon't fail to spot obstruction of the left ventricular outflow tract!. <i>Critical Care Medicine</i> , 2009 , 37, 793-4	1.4	

938	Ill effects of sodium chloride. <i>Critical Care Medicine</i> , 2009 , 37, 2140	1.4	
937	The intensive care unit diary and posttraumatic stress disorder. <i>Critical Care Medicine</i> , 2009 , 37, 2145-2	1464	
936	Argatroban for anticoagulation in continuous renal replacement therapy. <i>Critical Care Medicine</i> , 2009 , 37, 2139-2140	1.4	2
935	ERRATA. Critical Care Medicine, 2009 , 37, 1536	1.4	
934	Current world literature. 2009 , 15, 597-608		
933	Extracorporeal membrane oxygenation for refractory septic shock in children: One institution experience. <i>Pediatric Critical Care Medicine</i> , 2009 , 10, 535	3	1
932	Optimizing intensive care management in paediatric sepsis. 2009 , 22, 264-71		6
931	Improving function following cardiopulmonary bypass in children: digging deeper than steroids. <i>Critical Care Medicine</i> , 2009 , 37, 767-9	1.4	1
930	Hemorrhagic shock and reperfusion injury: the critical interplay of fibrin fragments, leukocytes, and vascular endothelial-cadherin. <i>Critical Care Medicine</i> , 2009 , 37, 771-2	1.4	3
929	The ethics of quality improvement research. <i>Critical Care Medicine</i> , 2009 , 37, 791-2	1.4	6
928	The role of angiotensin-converting enzyme inhibition in endotoxin-induced lung injury in rats. <i>Critical Care Medicine</i> , 2009 , 37, 776-7	1.4	4
927	Video instruction for dispatch-assisted cardiopulmonary resuscitation: two steps forward and one step back!. <i>Critical Care Medicine</i> , 2009 , 37, 753-4	1.4	3
926	Is responsiveness to family wishes an expression of professional transcendence?. <i>Critical Care Medicine</i> , 2009 , 37, 760	1.4	2
925	Pediatric septic shock: let's talk about blood pressure. <i>Critical Care Medicine</i> , 2009 , 37, 3190; author reply 3190-1	1.4	
924	Treatment of septic renal injury by alkaline phosphatase: an emperor with new clothes. <i>Critical Care Medicine</i> , 2009 , 37, 740-1	1.4	1
923	"Pas de DEux" for phosphodiesterase-2 in acute lung injury. <i>Critical Care Medicine</i> , 2009 , 37, 769-70	1.4	
922	Functional hemodynamics and increased intra-abdominal pressure: same thresholds for different conditions?. <i>Critical Care Medicine</i> , 2009 , 37, 781-3	1.4	35
921	The intensive care unit diary and posttraumatic stress disorder. <i>Critical Care Medicine</i> , 2009 , 37, 2145; author reply 2145-6	1.4	7

920	Pediatric septic shock guidelines and extracorporeal membrane oxygenation management. <i>Critical Care Medicine</i> , 2009 , 37, 2143-4; author reply 2144-5	1.4	3
919	Recombinant activated protein C and risk of bleeding. <i>Critical Care Medicine</i> , 2009 , 37, 2140-1; author reply 2142	1.4	
918	A new approach to step on the vagal anti-inflammatory gas pedal. Critical Care Medicine, 2009, 37, 778-	91.4	2
917	Antioxidant therapy: reducing malaria severity?. <i>Critical Care Medicine</i> , 2009 , 37, 758-60	1.4	9
916	Intensive care treatment of aneurysmal subarachnoid hemorrhage. <i>Critical Care Medicine</i> , 2009 , 37, 2142-3; author reply 2143	1.4	1
915	Serum cardiac troponin I levels in pediatric sepsis/septic shock. <i>Pediatric Critical Care Medicine</i> , 2009 , 10, 534	3	
914	Look on the "air side" in pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 774-5	1.4	4
913	Norepinephrine in fluid-refractory catecholamine-resistant cold shock: are we sure?. <i>Critical Care Medicine</i> , 2009 , 37, 2322-3; author reply 2323	1.4	
912	Comment on the 2007 American College of Critical Care Medicine clinical guidelines for management of pediatric and neonatal septic shock. <i>Critical Care Medicine</i> , 2009 , 37, 2324-5; author reply 2325	1.4	11
911	Meaning of pulse pressure variation during cardiac surgery: everything is open. <i>Critical Care Medicine</i> , 2009 , 37, 757-8	1.4	5
910	The Nina, the Pinta, and heart rate variability: the search for prognostic indicators after cardiac arrest. <i>Critical Care Medicine</i> , 2009 , 37, 735-6	1.4	1
909	Intensive insulin therapy: the swinging pendulum of evidence. <i>Critical Care Medicine</i> , 2009 , 37, 746-7	1.4	17
908	Arginine pharmacokinetics: not a new paradigm but the old pharmacology. <i>Critical Care Medicine</i> , 2009 , 37, 756-7	1.4	
907	Prediction of fluid responsiveness in acute respiratory distress syndrome patients ventilated with low tidal volume and high positive end-expiratory pressure. <i>Critical Care Medicine</i> , 2009 , 37, 2146	1.4	
906	Recombinant activated protein C and risk of bleeding. <i>Critical Care Medicine</i> , 2009 , 37, 2141-2; author reply 2142	1.4	О
905	Pediatric septic shock guidelines and extracorporeal membrane oxygenation management. <i>Critical Care Medicine</i> , 2009 , 37, 2144-2145	1.4	1
904	Ill effects of sodium chloride. <i>Critical Care Medicine</i> , 2009 , 37, 2140; author reply 2140	1.4	
903	Role for bacteriophages in the preparedness for fighting against pneumonia in the postantibiotic era. <i>Critical Care Medicine</i> , 2009 , 37, 779-80	1.4	1

(2010-2009)

902	And the winner is: regional citrate anticoagulation. <i>Critical Care Medicine</i> , 2009 , 37, 764-5	1.4	8
901	Intensive care treatment of aneurysmal subarachnoid hemorrhage. Critical Care Medicine, 2009, 37, 21	43 _{1.4}	3
900	Making catheter-related bloodstream infections history: from the slogan to the serious strategy. <i>Critical Care Medicine</i> , 2009 , 37, 789-91	1.4	1
899	Prevention of pulmonary dysfunction after cardiac surgery by a vital capacity maneuver: is it so simple?. <i>Critical Care Medicine</i> , 2009 , 37, 762-3	1.4	
898	Is target population more important than patient location when evaluating tight glycemic control?. <i>Critical Care Medicine</i> , 2009 , 37, 741-2	1.4	16
897	Myocardial depression/injury in sepsis: two sides of the same coin?. <i>Critical Care Medicine</i> , 2009 , 37, 74.	3- 4 .4	8
896	Pediatric sepsis: time is of the essence. <i>Critical Care Medicine</i> , 2009 , 37, 785-6	1.4	2
895	Argatroban for anticoagulation in continuous renal replacement therapy. <i>Critical Care Medicine</i> , 2009 , 37, 2139; author reply 2139-40	1.4	3
894	Recombinant activated protein C and risk of bleeding. Critical Care Medicine, 2009, 37, 2142	1.4	
893	How long does it take to demonstrate the value of an idea?. Critical Care Medicine, 2009, 37, 744-5	1.4	1
892	Routine nursing procedurestake care of the patient and the splanchnic circulation!. <i>Critical Care Medicine</i> , 2009 , 37, 751-2	1.4	
891	Continuous renal replacement therapy circuit contamination: new tale of an old problem?. <i>Critical Care Medicine</i> , 2009 , 37, 754-5	1.4	2
890	Designing clinical trials to improve neurobehavioral outcome after traumatic brain injury: from bench to bedside. <i>Critical Care Medicine</i> , 2009 , 37, 784-5	1.4	5
889	Extracorporeal membrane oxygenation for refractory septic shock in children: One institution's experience. <i>Pediatric Critical Care Medicine</i> , 2009 , 10, 534-5; author reply 535	3	2
888	Regarding critical care of the burn patient: the first 48 hours. <i>Critical Care Medicine</i> , 2010 , 38, 1225; author reply 1225-6	1.4	10
887	Is hypotension a real predictive outcome factor after cardiac arrest? A response to significance of arterial hypotension after resuscitation from cardiac arrest. <i>Critical Care Medicine</i> , 2010 , 38, 1234-5; author reply 1235	1.4	
886	Mandatory checklists at discharge may have the potential to prevent readmissions. <i>Critical Care Medicine</i> , 2010 , 38, 1227	1.4	
885	Not everything labeled "low-dose" vasopressin is a low dose. 2010 , 181, 1012; author reply 1012-3		_

884	Nonexcitable muscle membrane predicts intensive care unit-acquired paresis in mechanically ventilated, sedated patients. <i>Critical Care Medicine</i> , 2010 , 38, 1233-4; author reply 1234	1.4	2
883	Phase II trial on the use of Dextran 70 or starch for supportive therapy in Kenyan children with severe malaria. <i>Critical Care Medicine</i> , 2010 , 38, 1630-6	1.4	16
882	Organ dysfunction in patients with cancer admitted to the intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, 1233	1.4	28
881	Transcranial Doppler ultrasound in therapeutic hypothermia for cardiac arrest survivors. <i>Critical Care Medicine</i> , 2010 , 38, 1229-30; author reply 1230	1.4	2
880	Organ dysfunction in patients with cancer admitted to the intensive care unit. <i>Critical Care Medicine</i> , 2010 , 38, 1232-3; author reply 1233	1.4	3
879	Cardiac function index by transpulmonary thermodilution and left ventricular systolic function. <i>Critical Care Medicine</i> , 2010 , 38, 1226	1.4	
878	The normal ranges of cardiovascular parameters in children measured using the Ultrasonic Cardiac Output Monitor. <i>Critical Care Medicine</i> , 2010 , 38, 1875-81	1.4	51
877	Immortal time bias in critical care. <i>Critical Care Medicine</i> , 2010 , 38, 1229	1.4	1
876	Of course the emperor has no clothes. <i>Critical Care Medicine</i> , 2010 , 38, 1228-9	1.4	
875	Heterogeneity in microcirculatory blood flow and heterogeneity in observations. <i>Critical Care Medicine</i> , 2010 , 38, 1227-8	1.4	2
874	Mandatory checklists at discharge may have the potential to prevent readmissions. <i>Critical Care Medicine</i> , 2010 , 38, 1226-7; author reply 1227	1.4	3
873	Nonexcitable muscle membrane predicts intensive care unit-acquired paresis in mechanically ventilated, sedated patients. <i>Critical Care Medicine</i> , 2010 , 38, 1234	1.4	
872	Immortal time bias in critical care research. Critical Care Medicine, 2010, 38, 1237	1.4	
871	Transcranial Doppler ultrasound in therapeutic hypothermia for cardiac arrest survivors. <i>Critical Care Medicine</i> , 2010 , 38, 1230-1231	1.4	O
870	Drug-induced cortisol deficiency as a cause of intensive care unit weakness. <i>Critical Care Medicine</i> , 2010 , 38, 1232	1.4	1
869	Critical care of the burn patient. <i>Critical Care Medicine</i> , 2010 , 38, 1225-1226	1.4	
868	PIRO score for community-acquired pneumonia: a new prediction rule for assessment of severity in intensive care unit patients with community-acquired pneumonia. <i>Critical Care Medicine</i> , 2010 , 38, 1236; author reply 1236-7	1.4	5
867	PIRO score for community-acquired pneumonia: A new prediction rule for assessment of severity in intensive care unit patients with community-acquired pneumonia. <i>Critical Care Medicine</i> , 2010 , 38, 1236.	- 12 37	2

(2010-2010)

866	Drug-induced cortisol deficiency as a cause of intensive care unit weakness. <i>Critical Care Medicine</i> , 2010 , 38, 1231-2; author reply 1232	1.4	1
865	Cardiac function index by transpulmonary thermodilution and left ventricular systolic function. <i>Critical Care Medicine</i> , 2010 , 38, 1226; author reply 1226	1.4	1
864	Is hypotension a real predictive outcome factor after cardiac arrest? A response to significance of arterial hypotension after resuscitation from cardiac arrest. <i>Critical Care Medicine</i> , 2010 , 38, 1235	1.4	
863	Epinephrine in pediatric septic shock: Does the algorithm speak what the recommendations say?. <i>Critical Care Medicine</i> , 2010 , 38, 1238	1.4	
862	Current Opinion in Nephrology and Hypertension. Current world literature. 2010, 19, 315-32		1
861	Updated American College of Critical Care Medicinepediatric advanced life support guidelines for management of pediatric and neonatal septic shock: relevance to the emergency care clinician. <i>Pediatric Emergency Care</i> , 2010 , 26, 867-9	1.4	28
860	Critical care of the burn patient. Critical Care Medicine, 2010, 38, 1225; author reply 1225-6	1.4	1
859	Cholinesterase inhibitors and delirium after cardiac surgery. Critical Care Medicine, 2010, 38, 1231	1.4	26
858	Epinephrine in pediatric septic shock: does the algorithm speak what the recommendations say?. <i>Critical Care Medicine</i> , 2010 , 38, 1237-8; author reply 1238	1.4	26
857	Continuous renal replacement therapy results in respiratory and hemodynamic beneficial effects in pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40	3	9
857 856	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system	3	9
	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40 Pediatric infectious diseases: 2009 update for the Rogers' Textbook of Pediatric Intensive Care.		
856	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40 Pediatric infectious diseases: 2009 update for the Rogers' Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 117-23		4
856 855	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40 Pediatric infectious diseases: 2009 update for the Rogers' Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 117-23 Pathophysiology and treatment of septic shock in neonates. 2010 , 37, 439-79 Severe cutaneous adverse reactions: emergency approach to non-burn epidermolytic syndromes.		135
856 855 854	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40 Pediatric infectious diseases: 2009 update for the Rogers' Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 117-23 Pathophysiology and treatment of septic shock in neonates. 2010 , 37, 439-79 Severe cutaneous adverse reactions: emergency approach to non-burn epidermolytic syndromes. 2010 , 36, 22-32 Fluid overload and mortality in children receiving continuous renal replacement therapy: the		4 135 41
856 855 854 853	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40 Pediatric infectious diseases: 2009 update for the Rogers' Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 117-23 Pathophysiology and treatment of septic shock in neonates. 2010 , 37, 439-79 Severe cutaneous adverse reactions: emergency approach to non-burn epidermolytic syndromes. 2010 , 36, 22-32 Fluid overload and mortality in children receiving continuous renal replacement therapy: the prospective pediatric continuous renal replacement therapy registry. 2010 , 55, 316-25		4 135 41 449
856 855 854 853 852	pediatric patients with severe systemic inflammatory response syndrome and multiorgan system dysfunction. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 737-40 Pediatric infectious diseases: 2009 update for the Rogers' Textbook of Pediatric Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2010 , 11, 117-23 Pathophysiology and treatment of septic shock in neonates. 2010 , 37, 439-79 Severe cutaneous adverse reactions: emergency approach to non-burn epidermolytic syndromes. 2010 , 36, 22-32 Fluid overload and mortality in children receiving continuous renal replacement therapy: the prospective pediatric continuous renal replacement therapy registry. 2010 , 55, 316-25 Hemodynamics in preterm infants with late-onset sepsis. 2010 , 156, 918-922.e1		4 135 41 449 46

848	Cardiac output monitoring in newborns. 2010 , 86, 143-8		38
847	Neonatal fluid management. 2010 , 24, 365-74		14
846	Hydroxocobalamin and sodium thiosulfate versus sodium nitrite and sodium thiosulfate in the treatment of acute cyanide toxicity in a swine (Sus scrofa) model. 2010 , 55, 345-51		56
845	Correction Notice. 2010 , 55, 351		
844	Optimizing clinical care for infants, children and young people with bacterial meningitis and meningococcal septicaemia: 'NICE' guidance plus an insight into its development. 2010 , 15, 276-80		1
843	Tissue Doppler measurements correlate with central venous pressure in pediatric patients after cardiac surgery. 2010 , 56, 377-82		6
842	Uso Racional de Corticoides en el Paciente con Shock Sptico. 2010 , 81,		
841	Shock. <i>Pediatrics in Review</i> , 2010 , 31, 311-8; quiz 319	1.1	9
840	A prospective multicenter study of adrenal function in critically ill children. 2010 , 182, 246-51		79
839	Early goal-directed therapy in treatment of pediatric septic shock. 2010 , 34 Suppl 1, 44-7		22
838	Choice of fluids for resuscitation in children with severe infection and shock. 2010 , 341, c4546		1
837	Continuous terlipressin infusion as rescue treatment in a case series of children with refractory septic shock. 2010 , 44, 1545-53		20
836	Treating the causes of paediatric hypertension using non-invasive physiological parameters. 2010 , 75, 439-41		5
835	Totem and taboo: fluids in sepsis. 2011 , 15, 164		28
834	Pediatric sepsis and multiorgan dysfunction syndrome: progress and continued challenges. 2011 , 23, 323-37		3
833	Management of meningococcal disease. 2011 , 21, 153-158		1
832	Acid-Base Balance and Disorders. 2011 , 963-997		1
831	What's new in the treatment of neonatal shock. 2011 , 24 Suppl 1, 17-9		4

(2011-2011)

830	Acute kidney injury in congenital diaphragmatic hernia requiring extracorporeal life support: an insidious problem. 2011 , 46, 630-635		100
829	Biomarkers for pediatric sepsis and septic shock. 2011 , 9, 71-9		115
828	Safety and Quality Assessment in the Pediatric Intensive Care Unit. 2011 , 67-74		
827	Management and Treatment Guidelines for Sepsis in Pediatric Patients. 2011 , 4, 101-109		8
826	Pediatric Neurocritical Care. 2011 , 741-745		
825	Pediatric Transport. 2011 , 132-138		O
824	Common Endocrinopathies in the Pediatric Intensive Care Unit. 2011 , 1105-1123		1
823	Sepsis. 2011 , 1413-1429		4
822	Are we there yet? Improved patient survival with mock codes. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 105-6	3	
821	Adjunctive corticosteroid therapy in pediatric severe sepsis: observations from the RESOLVE study. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 2-8	3	68
820	Route of exchange transfusion in neonates with hyperbilirubinemia. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 110-1	3	
819	Measure for measure. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 103-4	3	4
818	Central extracorporeal membrane oxygenation for refractory pediatric septic shock. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 133-6	3	133
817	The need for more evidence in the treatment of dengue hemorrhagic fever and shock syndromes. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 116-7	3	15
816	Pediatric sepsis: a new challenge for a global quality improvement action. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 589-90	3	
815	Persistent low microcirculatory vessel density in nonsurvivors of sepsis in pediatric intensive care. <i>Critical Care Medicine</i> , 2011 , 39, 8-13	1.4	105
814	Adjunctive corticosteroid therapy in pediatric severe sepsis: many unsolved questions. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 101-2	3	6
813	World Federation of Pediatric Intensive Care and Critical Care Societies: Global Sepsis Initiative. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 494-503	3	104

812	Central extracorporeal membrane oxygenation for refractory pediatric septic shock. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 606-607	3	3
811	Yes, SIRSI think we have come full circle. <i>Critical Care Medicine</i> , 2011 , 39, 1232-3	1.4	1
810	Continuous renal replacement therapy: mechanism of clearance, fluid removal, indications and outcomes. 2011 , 23, 181-5		32
809	Bibliography. Neonatology and perinatology. Current world literature. 2011 , 23, 253-7		
808	Pediatric rapid fluid resuscitation. 2011 , 23, 286-92		12
80 7	Near-infrared spectroscopy in the critical setting. <i>Pediatric Emergency Care</i> , 2011 , 27, 432-9; quiz 440-2	1.4	33
806	Current world literature. 2011, 23, 356-63		
805	Classic Norwood versus Sano modification versus hybrid approach: necrotizing enterocolitis or no necrotizing enterocolitis?. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 109-10	3	5
804	Three-percent saline administration during pediatric critical care transport. <i>Pediatric Emergency Care</i> , 2011 , 27, 1113-7	1.4	19
803	Red cell transfusion to cardiac patients: facts and fallacies. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 107	7-38	9
802	Improving prehospital airway management and care of children with severe traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 112-3	3	1
801	Brain injuries and neurological system failure are the most common proximate causes of death in children admitted to a pediatric intensive care unit. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 566-71	3	47
800	Intensive care for infants and children in Haiti in April 2010. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 393-7	3	4
799	Pulmonary artery catheters. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, S12-20	3	26
798	Lactate and acid base as a hemodynamic monitor and markers of cellular perfusion. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, S43-9	3	52
797	If the tube fits?. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 117-8	3	
796	Incidence of adrenal insufficiency and impact of corticosteroid supplementation in critically ill children with systemic inflammatory syndrome and vasopressor-dependent shock. <i>Critical Care Medicine</i> , 2011 , 39, 1145-50	1.4	56
795	Role of intensive care in countries with a high child mortality rate. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 114-5	3	8

794	Defibrillation in children. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 104-5	3	
793	Monitoring of standard hemodynamic parameters: heart rate, systemic blood pressure, atrial pressure, pulse oximetry, and end-tidal CO2. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, S2-S11	3	37
792	Shock States. 2011 , 364-378		2
791	Intra- and inter-observer reliability using a noninvasive ultrasound cardiac output monitor in healthy anesthetized children. 2011 , 21, 858-64		22
790	Prevention for pediatric low cardiac output syndrome: results from the European survey EuLoCOS-Paed. 2011 , 21, 1176-84		32
789	Detrimental effect of fluid resuscitation in the initial management of severely ill children in Africa. 2011 , 21, 289-90		3
788	Advances in pediatric renal replacement therapy for acute kidney injury. 2011 , 24, 187-91		43
787	Oxidative stress as a novel target in pediatric sepsis management. 2011 , 26, 103.e1-7		38
786	A normal capillary refill time of IP seconds is associated with superior vena cava oxygen saturations of IP0%. 2011 , 158, 968-72		30
7 ⁸ 5	Gastrointestinal Hemorrhage. 2011 , 146-153.e3		1
784	Non-invasive cardiac output and oxygen delivery measurement in an infant with critical anemia. 2011 , 25, 113-9		8
783	Pediatric stroke: clinical characteristics, acute care utilization patterns, and mortality. 2011 , 27, 565-73		20
782	Der lebensbedrohliche Kindernotfall im Notarztdienst. 2011 , 14, 151-166		7
781	Invasive Kreislaufuntersttzungssysteme bei intra- und interhospitalen Transporten. 2011 , 14, 630-634		4
780	The role of milrinone in children with cardiovascular compromise: review of the literature. 2011 , 161, 184-91		18
779	Clinical effects of adding fludrocortisone to a hydrocortisone-based shock protocol in hypotensive critically ill children. 2011 , 37, 518-24		14
778	Weight-based determination of fluid overload status and mortality in pediatric intensive care unit patients requiring continuous renal replacement therapy. 2011 , 37, 1166-73		133
777	Fontan operation, vasopressin and septic shock: a case report on the usual treatment in a peculiar setting. 2011 , 32, 1273-4		

776	Correlations between hemodynamic, oxygenation and tissue perfusion parameters during asphyxial cardiac arrest and resuscitation in a pediatric animal model. 2011 , 82, 755-9		12
775	Actualitষ্ট dans la prise en charge du choc septique en r\u00e4nimation \u00dbcampagne \u00ed Survivre au Sepsis \u00e8: qu\u00e4n est-il en 2011 ?. 2011 , 20, 471-476		3
774	Nouvelles techniques de monitorage en r\u00e4nimation p\u00e4iatrique (La ScvO2. 2011, 20, 655-661		
773	Antibiotic therapy in neonatal and pediatric septic shock. 2011 , 13, 433-41		9
77 ²	Myocardial response in preterm fetal sheep exposed to systemic endotoxinaemia. <i>Pediatric Research</i> , 2011 , 70, 242-6	3.2	22
771	Mortality after fluid bolus in African children with sepsis. 2011 , 365, 1348; author reply 1351-3		12
77°	Renal replacement therapy review: past, present and future. 2011 , 7, 2-12		51
769	Which inotrope and when in neonatal and paediatric intensive care?. 2011 , 96, 216-22		5
768	Nursing considerations to complement the Surviving Sepsis Campaign guidelines. <i>Critical Care Medicine</i> , 2011 , 39, 1800-18	1.4	47
767	Sepsis in the pediatric cardiac intensive care unit. 2011 , 2, 393-9		22
766	Treating the wrong children with fluids will cause harm: response to 'mortality after fluid bolus in African children with severe infection'. 2011 , 96, 905-6		18
765	Invasive pneumococcal disease. 2011 , 96, 183-90		30
764	Advanced hemodynamic monitoring in critically ill children. <i>Pediatrics</i> , 2011 , 128, 560-71	7.4	34
763	Dengue hemorrhagic fever and shock syndromes. <i>Pediatric Critical Care Medicine</i> , 2011 , 12, 90-100	3	132
762	Treatment for paediatric low cardiac output syndrome: results from the European EuLoCOS-Paed survey. 2011 , 96, 1180-6		20
761	Infectious Syndromes in the Pediatric Intensive Care Unit. 2011 , 1336-1348		
760	The evolution of patient selection criteria and indications for extracorporeal life support in pediatric cardiopulmonary failure: next time, let's not eat the bones. 2011 , 7, 13-22		14
759	Mortality after fluid bolus in African children with severe infection. 2011 , 364, 2483-95		1505

758 Urgences platriques. **2011**, 795-883

757	An emergency department septic shock protocol and care guideline for children initiated at triage. <i>Pediatrics</i> , 2011 , 127, e1585-92	7.4	158
756	Implementation of goal-directed therapy for children with suspected sepsis in the emergency department. <i>Pediatrics</i> , 2011 , 127, e758-66	7.4	163
755	[Levosimendan treatment of severe acute congestive heart failure refractory to dobutamine/milrinone in children]. 2011 , 68, 979-84		2
754	Critical Care Medicine. 2011 , 1250-1272		
753	Pediatric Intensive Care Unit admission criteria for haemato-oncological patients: a basis for clinical guidelines implementation. 2011 , 3, e13		23
75 ²	Severe pediatric sepsis. 2012 , 10, 111-4		4
751	Pharmacological management of pediatric patients with sepsis. 2012 , 23, 437-48; quiz 449-50		6
750	Vasoactive compounds in the neonatal period. 2012 , 19, 4633-9		5
749	Inotropic and vasoactive drugs in pediatric ICU. 2012 , 13, 900-5		O
748	Adherence to PALS Sepsis Guidelines and Hospital Length of Stay. <i>Pediatrics</i> , 2012 , 130, e273-80	7.4	131
747	Bradycardia during critical care intubation: mechanisms, significance and atropine. 2012 , 97, 139-44		37
746	Sepsis and Related Considerations. 2012 , 141-163		
745	An International Delphi Survey on the use of Atropine for Critical Care Intubation. 2012 , 13, 115-121		1
744	Fluid overload at initiation of renal replacement therapy is associated with lack of renal recovery in patients with acute kidney injury. 2012 , 27, 956-61		145
743	Two-dimensional speckle tracking imaging detects impaired myocardial performance in children with septic shock, not recognized by conventional echocardiography. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, 259-64	3	68
742	On balance, are fluids a marker or a target?. Critical Care Medicine, 2012, 40, 2918-20	1.4	О
741	International comparisons of intensive care: informing outcomes and improving standards. 2012 , 18, 700-6		121

740	One is not zero. Pediatric Critical Care Medicine, 2012, 13, 609-10	3	
739	No representation without taxation: declaration of (load) independence in septic cardiomyopathy. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, 349-50	3	3
738	Capillary refill time is a very useful clinical sign in early recognition and treatment of very sick children. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, 210-2	3	12
737	Defining pediatric sepsis by different criteria: discrepancies in populations and implications for clinical practice. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, e219-26	3	75
736	What is the evidence for the use of adrenaline in the treatment of neonatal hypotension?. 2012 , 10, 50)-98	6
735	Etiologies of septic shock in a pediatric emergency department population. 2012 , 31, 1203-5		14
734	Test characteristics of an automated age- and temperature-adjusted tachycardia alert in pediatric septic shock. <i>Pediatric Emergency Care</i> , 2012 , 28, 889-94	1.4	39
733	Fluid overload is associated with impaired oxygenation and morbidity in critically ill children. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, 253-8	3	286
732	Is salt water drowning therapeutic in pediatric respiratory failure?. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, 348-9	3	1
731	Beneficial effects of levosimendan in infants with sepsis-associated cardiac dysfunction: report of 2 cases. <i>Pediatric Emergency Care</i> , 2012 , 28, 1062-5	1.4	6
730	Extracorporeal membrane oxygenation support of a severe metabolic crisis in a child with methylmalonic acidemia. 2012 , 58, 438-9		1
729	Instructions for Authors. <i>Pediatric Critical Care Medicine</i> , 2012 , 13, A17	3	
728	Choc septique de lenfant. 2012 , 7, 1-10		1
727	Fluid resuscitation for children with severe febrile illness and septic shock in resource-limited settings. 2012 ,		
726	A critique of fluid bolus resuscitation in severe sepsis. 2012 , 16, 302		68
725	Fluid overload is associated with an increased risk for 90-day mortality in critically ill patients with renal replacement therapy: data from the prospective FINNAKI study. 2012 , 16, R197		232
724	Ausr\textstung f\textstart\texts\textstart\texts\textstart\texts\textstart\texts\textstart\texts\texts\texts\textstart\texts\t		5
723	High-frequency oscillatory ventilation in pediatric acute hypoxemic respiratory failure: disease-specific morbidity survival analysis. 2012 , 190, 685-90		11

(2012-2012)

722	Cardiovascular dysfunction in infants with neonatal encephalopathy. 2012 , 97, 372-5	45
721	Contrast enhanced ultrasound imaging of the optic nerve sheath diameter what are we really measuring?. 2012 , 4,	2
720	Current advances in intraosseous infusion - a systematic review. 2012 , 83, 20-6	44
719	Cardiac function in Ghanaian children with severe malaria. 2012 , 38, 2032-41	11
718	Daily endogenous cortisol production and hydrocortisone pharmacokinetics in adult horses and neonatal foals. 2012 , 73, 68-75	11
717	Improved survival in venovenous vs venoarterial extracorporeal membrane oxygenation for pediatric noncardiac sepsis patients: a study of the Extracorporeal Life Support Organization registry. 2012 , 47, 63-7	50
716	Oxygen Delivery and Oxygen Consumption in Pediatric Critical Care. 2012 , 19-38	8
7 ¹ 5	Hemodynamics. 2012 , 39-64	
714	Cardiovascular Drug Therapy. 2012 , 352-381	
713	Circulatory Failure/Shock. 2012 , 535-551	
713 712	Circulatory Failure/Shock. 2012 , 535-551 Sepsis. 2012 , 552-570	
		50
712	Sepsis. 2012, 552-570 The utility of early lactate testing in undifferentiated pediatric systemic inflammatory response	50
712 711	Sepsis. 2012, 552-570 The utility of early lactate testing in undifferentiated pediatric systemic inflammatory response syndrome. 2012, 19, 1276-80	
712 711 710	Sepsis. 2012, 552-570 The utility of early lactate testing in undifferentiated pediatric systemic inflammatory response syndrome. 2012, 19, 1276-80 Severe Sepsis and Septic Shock. 2012, 703-707 Hypophosphatemia and its clinical implications in critically ill children: a retrospective study. 2012,	1
712 711 710 709	Sepsis. 2012, 552-570 The utility of early lactate testing in undifferentiated pediatric systemic inflammatory response syndrome. 2012, 19, 1276-80 Severe Sepsis and Septic Shock. 2012, 703-707 Hypophosphatemia and its clinical implications in critically ill children: a retrospective study. 2012, 27, 474-9 Adrenal insufficiency and response to corticosteroids in hypotensive critically ill children with	1
712 711 710 709 708	Sepsis. 2012, 552-570 The utility of early lactate testing in undifferentiated pediatric systemic inflammatory response syndrome. 2012, 19, 1276-80 Severe Sepsis and Septic Shock. 2012, 703-707 Hypophosphatemia and its clinical implications in critically ill children: a retrospective study. 2012, 27, 474-9 Adrenal insufficiency and response to corticosteroids in hypotensive critically ill children with cancer. 2012, 27, 480-7	1

704 Encyclopedia of Intensive Care Medicine. **2012**, 505-505

702	Encyclopedia of Intensive Care Medicine. 2012 , 2446-2446	
7°3 7°2	Inotropic support in the NICU: ever more compounds in search of guidance? Commentary on J. Esch et al.: differential hemodynamic effects of levosimendan in a porcine model of neonatal hypoxia-reoxygenation (Neonatology 2012;101:192000) and M.P. De Carolis et al.: levosimendan	
701	in two neonates with ischemic heart failure and pulmonary hypertension (Neonatology 2012:101:2010.5). 2012, 101, 206-9 Barriers to credentialing emergency physicians in ultrasound use. 2012, 4,	1
700	Is training in basic echocardiography feasible in junior doctors?. 2012 , 4,	1
699	Point of-care ultrasound diagnosis in seizures 🖟 case report. 2012 , 4,	78
698	What are the baseline measurements for physeal plate widths in healthy, uninjured children?. 2012 , 4,	78
697	Accuracy of point-of-care ultrasound for diagnosis of elbow fractures in children. 2012, 4,	78
696	Mediastinic perforation by hemodialysys catheter during the procedure. A case report 2012, 4,	78
695	Ultrasound detection of septic jugular vein thrombosis. 2012 , 4,	78
694	Test characteristics of thoracic point of care ultrasonography for the diagnosis of acute congestive heart failure in the emergency department. 2012 , 4,	78
693	Ultrassonography at Bedside in Emergency ICU: a powerful diagnostic tool. 2012 , 4,	78
692	Acute appendicitis: echographic diagnosis at Emergency Departament. 2012, 4,	78
691	Inferior vena cava diameters and collapsibility index changes reveal early volume depletion in a healthy donor model. 2012 , 4,	1
690	Utility of a transabdominal ultrasound-guided method with digital rectal examination for difficult urethral catheterization. 2012 , 4,	78
689	Formation of ecocardiografia in critics' area with malingerer VIMEDIX. 2012 , 4,	78
688	Small retained foreign bodies: what is the limit of detection using current emergency ultrasound equipment?. 2012 , 4,	78
687	Point-of-care ultrasound in patients with aortic dissection (Itwo year experience at Ljubljana Emergency Medical Unit. 2012, 4,	3

(2012-2012)

686	Ultrasound guidance for bedside placement of peripherally inserted central catheter in pediatric patients. 2012 , 4,	78
685	Usefulness of bedside ultrasound in the detection of body packers in the Emergency Department. 2012 , 4,	78
684	Human or animal? Finding the best ultrasound soft tissue model for foreign body evaluation. 2012 , 4,	1
683	The pericardium horror show. 2012 , 4,	78
682	A complication of port-a-cath: disconnection and migration of central venous catheter to pulmonary artery. A case report 2012 , 4,	78
681	Accuracy of point-of-care ultrasound by pediatric emergency sonologists for the diagnosis of skull fractures. 2012 , 4,	78
680	Ecography guided puncture vs traditional puncture lancing: benefits for patients at risk in number of attempts to giving comfortable area. 2012 , 4,	78
679	The comparison of airway ultrasonography and continuous waveform capnography to confirm endotracheal tube placement in cardiac arrest patients: prospective observational study. 2012 , 4,	17
678	Complicated renal colic: usefulness of untrasonography in Emergency Department. 2012, 4,	O
677	Intestinal Anisakiasis presenting as a small bowel obstruction - Pitfalls in the application of ultrasound. 2012 , 4,	78
676	Evaluation of formal training in clinical ultrasonography and its utility in identifying treatable causes of PEA. 2012 , 4,	78
675	8th WINFOCUS World Congress on Ultrasound in Emergency and Critical Care Barcelona, Spain. 20-23 October 2012. Abstracts. 2012 , 4 Suppl 1, A1-A30	1
674	Does bedside sonographic measurement of the IVC diameter correlate with central venous pressure (CVP) in the assessment of intravascular volume in children?. 2012 , 4,	1
673	Low cost ocular ultrasound phantom for the training in the diagnosis of the emergency eye pathology. 2012 , 4,	5
672	MAPK signaling drives inflammation in LPS-stimulated cardiomyocytes: the route of crosstalk to G-protein-coupled receptors. 2012 , 7, e50071	37
671	Cardiovascular Compromise in the Newborn Infant. 2012 , 714-731	2
670	An Introduction to Clinical Emergency Medicine. 73-86	
669	Cardiac output measurement with transpulmonary ultrasound dilution is feasible in the presence of a left-to-right shunt: a validation study in lambs. 2012 , 108, 409-16	20

668	Therapeutic applications of vasopressin in pediatric patients. <i>Indian Pediatrics</i> , 2012 , 49, 297-305 1.2	13
667	[Hemorrhagic skin lesions associated with infections]. 2012 , 160, 545-555	2
666	Pulse oximeter plethysmograph variation and its relationship to the arterial waveform in mechanically ventilated children. 2012 , 26, 145-51	20
665	Recommendations for sepsis management in resource-limited settings. 2012 , 38, 557-74	116
664	Implications of different fluid overload definitions in pediatric stem cell transplant patients requiring continuous renal replacement therapy. 2012 , 38, 663-9	25
663	Incidence and risk factors for mortality in paediatric severe sepsis: results from the national paediatric intensive care registry in Japan. 2012 , 38, 1191-7	38
662	Comparison of transpulmonary thermodilution and ultrasound dilution technique: novel insights into volumetric parameters from an animal model. 2012 , 33, 625-32	12
661	Transfer of evidence-based medical guidelines to low- and middle-income countries. 2012 , 17, 144-6	8
660	Inotropes in preterm infantsevidence for and against. 2012 , 101, 17-23	15
659	Noradrenaline use for septic shock in children: doses, routes of administration and complications. 2012 , 101, e426-30	29
658	Vasopressin improves systemic hemodynamics without compromising mesenteric perfusion in the resuscitation of asphyxiated newborn piglets: a dose-response study. 2012 , 38, 491-8	15
657	Activated protein C in patients with septic shock: a consecutive case series. 2012 , 34, 23-6	3
656	When enough is enough: how the decision was made to stop the FEAST trial: data and safety monitoring in an African trial of Fluid Expansion As Supportive Therapy (FEAST) for critically ill children. 2013 , 14, 85	5
655	Early blood lactate area as a prognostic marker in pediatric septic shock. 2013 , 39, 1818-23	48
654	Evolution of haemodynamics and outcome of fluid-refractory septic shock in children. 2013 , 39, 1602-9	52
653	Vasopressin and copeptin levels in children with sepsis and septic shock. 2013 , 39, 747-53	21
652	Dermohypodermites bactEiennes nEirosantes et fasciites nEirosantes : chez lEinfant aussi !. 2013 , 22, 427-438	0
651	Monitoring hthodynamique non invasif chez lanfant. 2013 , 22, 164-172	

(2013-2013)

650	Management of children with sepsis and septic shock: a survey among pediatric intensivists of the RBeau MBe-Enfant de la Francophonie. 2013 , 3, 7	14
649	Practical management of the shocked neonate. 2013 , 25, 83-6	2
648	Perioperative management of pheochromocytoma and catecholamine-induced dilated cardiomyopathy in a pediatric patient. 2013 , 34, 2013-6	9
647	Pediatric sepsis: challenges and adjunctive therapies. 2013 , 29, 203-22	30
646	Sepsis and septic shock. 2013 , 31, 583-600	18
645	After the FEASTfluid resuscitation in pediatric sepsis. 2013 , 80, 151-4	1
644	Paediatric community-acquired septic shock: results from the REPEM network study. 2013, 172, 667-74	9
643	Kidney-lung cross-talk and acute kidney injury. 2013 , 28, 2239-48	59
642	Use of insulin to decrease septic shock-induced myocardial depression in a porcine model. 2013 , 36, 1494-502	2 7
641	What New in the Recognition and Management of Septic Shock in Children: Dos and Don'ts. 2013 , 1, 17-26	
640	The management of sepsis. 2013 , 43, 285-91	1
639	[Use of laser Doppler to assess peripheral tissue perfusion in critically ill children]. 2013, 78, 361-6	
638	Fluid Management in Pediatric Patients. 2013 , 165-173	
637	Exploring mechanisms of excess mortality with early fluid resuscitation: insights from the FEAST trial. 2013 , 11, 68	154
636	Quality improvement in pediatric emergency medicine. 2013 , 13, S61-8	14
635	Factors affecting pediatric isotonic fluid resuscitation efficiency: a randomized controlled trial evaluating the impact of syringe size. 2013 , 13, 14	10
634	Which inotrope?. 2013 , 23, 220-225	
633	Understanding shock. 2013 , 23, 187-193	4

632	Impact of severe sepsis on serum and urinary biomarkers of acute kidney injury in critically ill children: an observational study. 2013 , 35, 172-6	33
631	Effect of rapid fluid resuscitation using crystalloids or colloids on hemostasis in piglets. 2013 , 23, 258-64	17
630	Predictors of severe H1N1 infection in children presenting within Pediatric Emergency Research Networks (PERN): retrospective case-control study. 2013 , 347, f4836	22
629	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. 2013 , 39, 165-228	2975
628	Rare presentation of shock and acute mesenteric ischaemia secondary to acute adrenal insufficiency in an 11-year-old male. 2013 , 49, 498-500	8
627	Diagnostic decision-making and strategies to improve diagnosis. 2013 , 43, 232-41	33
626	Cardiac arrest following ketamine administration for rapid sequence intubation. 2013, 28, 375-9	50
625	A case series of the successful use of ECMO, continuous renal replacement therapy, and plasma exchange for thrombocytopenia-associated multiple organ failure. 2013 , 48, 1114-7	17
624	Survival of septic adults compared with nonseptic adults receiving extracorporeal membrane oxygenation for cardiopulmonary failure: a propensity-matched analysis. 2013 , 28, 532.e1-10	34
623	Common endocrine issues in the pediatric intensive care unit. 2013 , 29, 335-58	11
622	The critical care literature 2011. 2013 , 31, 593-6	
621	Paediatric emergency care in resource-limited settings. 2013 , 381, 1357	3
620	Paediatric emergencies. 2013, 68 Suppl 1, 61-71	11
619	Age and risk factors influence the microbial aetiology of bloodstream infection in children. 2013 , 102, 182-6	9
618	Metabolomics as a novel approach for early diagnosis of pediatric septic shock and its mortality. 2013 , 187, 967-76	125
617	Advances in monitoring and management of shock. 2013 , 60, 641-54	6
616	Extracorporeal membrane oxygenation resuscitation in adult patients with refractory septic shock. 2013 , 146, 1041-6	88
615	Study protocol for a randomised controlled trial comparing the efficiency of two provider-endorsed manual paediatric fluid resuscitation techniques. 2013 , 3,	5

614	Early recognition of septic shock in children. 2013 , 225, 201-5		5
613	Sodium bicarbonate use in shock and cardiac arrest: attitudes of pediatric acute care physicians. <i>Critical Care Medicine</i> , 2013 , 41, 2188-95	1.4	13
612	Comparison of central venous saturation by standard ABG machine versus co-oximeter: Is 18 carat as good as the 24 carat gold standard?. 2013 , 17, 82-6		5
611	Bedside echocardiography is useful in assessing children with fluid and inotrope resistant septic shock. 2013 , 17, 224-30		19
610	Venoarterial extracorporeal membrane oxygenation support for refractory cardiovascular dysfunction during severe bacterial septic shock. <i>Critical Care Medicine</i> , 2013 , 41, 1616-26	1.4	182
609	Sodium bicarbonatethe swings and roundabouts will not stop without randomized evidence. <i>Critical Care Medicine</i> , 2013 , 41, 2242-3	1.4	4
608	Prognostic value of shock index in children with septic shock. <i>Pediatric Emergency Care</i> , 2013 , 29, 1055-	91.4	26
607	A survey of stated physician practices and beliefs on the use of steroids in pediatric fluid and/or vasoactive infusion-dependent shock. <i>Pediatric Critical Care Medicine</i> , 2013 , 14, 462-6	3	29
606	Pediatric sepsis: a case study. 2013 , 35, 303-13		1
605	The effect of atropine on rhythm and conduction disturbances during 322 critical care intubations. <i>Pediatric Critical Care Medicine</i> , 2013 , 14, e289-97	3	27
604	Emergency department presentation of the pediatric systemic inflammatory response syndrome. <i>Pediatric Emergency Care</i> , 2013 , 29, 1153-8	1.4	10
603	Pediatric sepsis-light at the end of the tunnel?*. Pediatric Critical Care Medicine, 2013, 14, 721-2	3	
602	A systematic review and meta-analysis on the effect of steroids in pediatric shock. <i>Pediatric Critical Care Medicine</i> , 2013 , 14, 474-80	3	42
601	Broken barriers, biomarkers, and blocking antibodies-endothelial activation in sepsis*: no snowflake in an avalanche ever feels responsibleVoltaire/FranBis-Marie Arouet (1694-1778). <i>Pediatric Critical Care Medicine</i> , 2013 , 14, 720-1	3	1
600	Diagnosis of infection in paediatric veno-arterial cardiac extracorporeal membrane oxygenation: role of procalcitonin and C-reactive protein. 2013 , 43, 1043-9		24
599	Critical illness-related corticosteroid insufficiency in children. 2013 , 80, 309-17		16
598	Resuscitation of children. 2013 , 6, 371-378		
597	Preventing intensive care admissions for sepsis in tropical Africa (PICASTA): an extension of the international pediatric global sepsis initiative: an African perspective. <i>Pediatric Critical Care Medicine</i> , 2013 , 14, 561-70	3	12

596	Sepsis management in the deployed field hospital. 2013 , 159, 175-80		2
595	Diagnosis and management of hypotension in neonates. 2013 , 9, 669-79		5
594	Children's Discomfort during Noninvasive Cardiac Output Monitoring by Suprasternal Ultrasonographic Transducer. 2013 , 20, 3-8		2
593	Does bedside sonographic measurement of the inferior vena cava diameter correlate with central venous pressure in the assessment of intravascular volume in children?. <i>Pediatric Emergency Care</i> , 2013 , 29, 337-41	1.4	44
592	Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. <i>Critical Care Medicine</i> , 2013 , 41, 580-637	1.4	4914
591	Expanding the conversation regarding adjunctive corticosteroid therapy for pediatric septic shock. <i>Pediatric Critical Care Medicine</i> , 2013 , 14, 541-3	3	3
590	Shock sptico en pediatra I: Enfoque actual en el diagnatico y tratamiento. 2013, 84, 484-498		0
589	Mortality in a pediatric secondary-care hospital in post-conflict Liberia in 2009. 2013 , 11, 413-20		2
588	[Pharmacokinetics of vancomycin in children hospitalized in a critical care unit]. 2013, 30, 585-90		4
587	Artificial placentalung assist devices for term and preterm newborns with respiratory failure. 2013 , 36, 377-91		21
586	'The words will pass with the blowing wind': staff and parent views of the deferred consent process, with prior assent, used in an emergency fluids trial in two African hospitals. 2013 , 8, e54894		35
585	Atropine for critical care intubation in a cohort of 264 children and reduced mortality unrelated to effects on bradycardia. 2013 , 8, e57478		24
584	Translating resuscitation guidelines into practice: health care provider attitudes, preferences and beliefs regarding pediatric fluid resuscitation performance. 2013 , 8, e58282		7
583	Urgent ultrasound guided hemodynamic assessments by a pediatric medical emergency team: a pilot study. 2013 , 8, e66951		3
582	Pathology influences blood pressure change following vagal stimulation in an animal intubation model. 2013 , 8, e69957		5
581	Shock sptico en pediatra II: Enfoque actual en el diagnatico y tratamiento. 2013 , 84, 606-615		1
580	Extracorporeal membrane oxygenation. 2013 , 5, 55		13
579	Norepinephrine infusion increases urine output in children under sedative and analgesic infusion. 2014 , 60, 208-15		6

578	Corticosteroids and pediatric septic shock outcomes: a risk stratified analysis. 2014, 9, e112702	41
577	Designing a pediatric severe sepsis screening tool. <i>Frontiers in Pediatrics</i> , 2014 , 2, 56 3.4	30
576	[Septic shock in ICU: advanced therapeutics, immunoparalysis and genomics. State of the art]. 2014 , 112, 358-65	
575	Doen Invasiva Meningoc ica em Cuidados Intensivos Pedi Ericos. 2014 , 27, 291	1
574	Pediatric sepsis: important considerations for diagnosing and managing severe infections in infants, children, and adolescents. 2014 , 5, 179-89	72
573	Pediatric airway management in the emergency department: in urgent need of CPR. 2014 , 24, 1199-203	3
572	Effectiveness of physical exam signs for early detection of critical illness in pediatric systemic inflammatory response syndrome. 2014 , 14, 24	9
571	[Venoarterial extracorporeal membrane oxygenation: be-all and end-all of cardiopulmonary support]. 2014 , 63, 623-4	
570	Fluid overload in a South African pediatric intensive care unit. 2014 , 60, 428-33	11
569	Working toward "just right": fluid balance in pediatric septic shock. <i>Critical Care Medicine</i> , 2014 , 42, 470-1.4	1
569 568	Working toward "just right": fluid balance in pediatric septic shock. <i>Critical Care Medicine</i> , 2014 , 42, 470-1.4 Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference ranges in elderly Chinese adults. 2014 , 2, 48-55	3
	Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference	
568	Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference ranges in elderly Chinese adults. 2014 , 2, 48-55 Incidence, management, and outcomes of cardiovascular insufficiency in critically ill term and late	3
568	Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference ranges in elderly Chinese adults. 2014 , 2, 48-55 Incidence, management, and outcomes of cardiovascular insufficiency in critically ill term and late preterm newborn infants. 2014 , 31, 947-56 Clinical outcomes after utilizing surviving sepsis campaign in children with septic shock and	3
568 567 566	Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference ranges in elderly Chinese adults. 2014, 2, 48-55 Incidence, management, and outcomes of cardiovascular insufficiency in critically ill term and late preterm newborn infants. 2014, 31, 947-56 Clinical outcomes after utilizing surviving sepsis campaign in children with septic shock and prognostic value of initial plasma NT-proBNP. 2014, 18, 70-6 Immediate fluid management of children with severe febrile illness and signs of impaired	3 5 26
568 567 566 565	Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference ranges in elderly Chinese adults. 2014, 2, 48-55 Incidence, management, and outcomes of cardiovascular insufficiency in critically ill term and late preterm newborn infants. 2014, 31, 947-56 Clinical outcomes after utilizing surviving sepsis campaign in children with septic shock and prognostic value of initial plasma NT-proBNP. 2014, 18, 70-6 Immediate fluid management of children with severe febrile illness and signs of impaired circulation in low-income settings: a contextualised systematic review. 2014, 4, e004934 Fluid management of shock in severe malnutrition: what is the evidence for current guidelines and what lessons have been learned from clinical studies and trials in other pediatric populations?. 2014	3 5 26
568 567 566 565	Age-specific non-invasive transcutaneous Doppler ultrasound derived haemodynamic reference ranges in elderly Chinese adults. 2014, 2, 48-55 Incidence, management, and outcomes of cardiovascular insufficiency in critically ill term and late preterm newborn infants. 2014, 31, 947-56 Clinical outcomes after utilizing surviving sepsis campaign in children with septic shock and prognostic value of initial plasma NT-proBNP. 2014, 18, 70-6 Immediate fluid management of children with severe febrile illness and signs of impaired circulation in low-income settings: a contextualised systematic review. 2014, 4, e004934 Fluid management of shock in severe malnutrition: what is the evidence for current guidelines and what lessons have been learned from clinical studies and trials in other pediatric populations?. 2014, 35, S71-8	3 5 26 15

560	Evaluating the test re-test reliability and inter-subject variability of Health Care Provider manual fluid resuscitation performance. 2014 , 7, 724		2
559	Post-ICU admission fluid balance and pediatric septic shock outcomes: a risk-stratified analysis. <i>Critical Care Medicine</i> , 2014 , 42, 397-403	1.4	43
558	Pediatric severe sepsis in U.S. children's hospitals. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 798-805	3	197
557	Increasing mean arterial blood pressure and heart rate with catecholaminergic drugs does not improve the microcirculation in children with congenital diaphragmatic hernia: a prospective cohort study. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 343-54	3	13
556	Surviving sepsis. 2014 , 9, 41-46		
555	Pediatric severe sepsis: current trends and outcomes from the Pediatric Health Information Systems database. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 828-38	3	197
554	Hemodynamic changes in preterm neonates with septic shock: a prospective observational study*. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 443-50	3	35
553	Hypoglycemia. 2014 , 103-107		
552	WHO guidelines on fluid resuscitation in children: missing the FEAST data. 2014 , 348, f7003		17
551	Patient Safety. 2014 ,		2
550	Peripheral blood flow monitoring in an infant with septic shock. 2014 , 56, 787-9		4
549	Time for a neonatal-specific consensus definition for sepsis. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 523-8	3	157
548	Assessment of global tissue perfusion and oxygenation in neonates and infants after open-heart surgery. 2014 , 18, 426-31		1
547	Case of early childhood-onset narcolepsy with cataplexy: comparison with a monozygotic co-twin. 2014 , 56, 789-93		2
546	A synopsis of 2007 ACCM clinical practice parameters for hemodynamic support of term newborn and infant septic shock. 2014 , 90 Suppl 1, S45-7		6
545	Management of Pediatric Septic Shock in the Emergency Department. 2014 , 15, 131-139		2
544	All this monitoring what's necessary, what's not?. 2014 , 17, 81-90		8
543	Fluid management in the critically ill child. 2014 , 29, 23-34		8

(2014-2014)

542	Evaluation and optimisation of current milrinone prescribing for the treatment and prevention of low cardiac output syndrome in paediatric patients after open heart surgery using a physiology-based pharmacokinetic drug-disease model. 2014 , 53, 51-72	18
541	Biology of sepsis: its relevance to pediatric nephrology. 2014 , 29, 2273-87	18
540	Inflammation, myocardial dysfunction, and mortality in children with septic shock: an observational study. 2014 , 35, 463-70	7
539	Sepsis und septischer Schock in der Pdiatrie. 2014 , 162, 156-162	2
538	The utility of stroke volume variability as a predictor of fluid responsiveness in critically ill children: a pilot study. 2014 , 40, 288-9	5
537	Pediatric Critical Care Medicine. 2014 ,	
536	Systemic capillary leak syndrome due to systemic inflammatory response syndrome in infants: a report on 31 patients. 2014 , 9, 477-480	
535	Evaluation of adrenal function in critically ill children. 2014 , 81, 559-65	10
534	Pediatric critical care. 2014 , 32, 939-54	3
533	[Veno-arterial extracorporeal membrane oxygenation. Indications, limitations and practical implementation]. 2014 , 63, 625-35	12
532	Hydrocortisone for the treatment of refractory hypotension: a randomised controlled trial. 2014 , 80, 387-393	
531	Refractory Septic Shock in a 17 Year Old Female With Fever, Neutropenia, and Severe Abdominal Pain: The First 24 Hours. 2014 , 15, 158-162	
530	Adjunctive Therapies in Sepsis. 2014 , 15, 204-213	
529	Sepsis Guidelines: The Work of the Society of Critical Care Medicine. 2014 , 15, 120-122	
528	A Review of Biomarkers and Physiomarkers in Pediatric Sepsis. 2014 , 15, 177-184	10
527	Neue Behandlungskonzepte in der p@iatrischen Notfallversorgung. 2014 , 162, 701-710	3
526	The prospective pediatric continuous renal replacement therapy (ppCRRT) registry: a critical appraisal. 2014 , 29, 2069-76	42
525	Fluid management in acute kidney injury. 2014 , 29, 183-9	47

524	Update and outcomes in extracorporeal life support. 2014 , 38, 65-70	135
523	Pulmonary Hypertension. 2014 , 263-281	
522	Myocardial dysfunction in pediatric septic shock. 2014 , 164, 72-77.e2	59
521	[Hydrocortisone for the treatment of refractory hypotension: a randomized controlled trial]. 2014 , 80, 387-93	3
520	Acute Kidney Injury in Pediatric Sepsis. 2014 , 15, 185-192	3
519	Update on the management of neonatal sepsis in horses. 2014 , 30, 317-36, vii	12
518	Pathophysiology and management of septic acute kidney injury. 2014 , 29, 1-12	23
517	Rapid paediatric fluid resuscitation: a randomised controlled trial comparing the efficiency of two provider-endorsed manual paediatric fluid resuscitation techniques in a simulated setting. 2014 , 4, e005028	11
516	Neonatal cardiovascular emergencies after hospital discharge. 2014 , 40,	78
515	Evaluating the Pediatric Early Warning Score (PEWS) system for admitted patients in the pediatric emergency department. 2014 , 21, 1249-56	55
514	Prevalence and outcome of diastolic dysfunction in children with fluid refractory septic shocka prospective observational study. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, e370-8	27
513	Procalcitonin use in a pediatric intensive care unit. 2014 , 33, 984-6	15
512	Profile of hemodynamic changes in preterm neonates: the light in the end of tunnel. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 688-9	2
511	The authors reply. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 689	
510	Multimodal monitoring for hemodynamic categorization and management of pediatric septic shock: a pilot observational study*. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, e17-26	70
509	Sepsis pediErica. 2015 , 32, 32-37	
508	Relative Adrenal Insufficiency in Pediatric Septic Shock. <i>Journal of Pediatric Intensive Care</i> , 2015 , 4, 129-1 <u>3</u> 7	2
507	Transforming PICU Culture to Facilitate Early Rehabilitation. <i>Journal of Pediatric Intensive Care</i> , 2015 , 4, 204-211	46

506 Management of bacterial severe sepsis and septic shock. *Journal of Pediatric Intensive Care*, **2014**, 3, 227-242

505	Colloids for the Initial Management of Severe Sepsis and Septic Shock in Pediatric Patients: A Systematic Review. <i>Pediatric Emergency Care</i> , 2015 , 31, e11-6	1.4	16
504	Goal-Directed Resuscitative Interventions During Pediatric Interfacility Transport. <i>Critical Care Medicine</i> , 2015 , 43, 1692-8	1.4	10
503	Discordant identification of pediatric severe sepsis by research and clinical definitions in the SPROUT international point prevalence study. 2015 , 19, 325		62
502	Extracorporeal therapies in pediatric severe sepsis: findings from the pediatric health-care information system. 2015 , 19, 397		37
501	A Survey of Attitudes and Practices Regarding the Use of Steroid Supplementation in Pediatric Sepsis. <i>Pediatric Emergency Care</i> , 2015 , 31, 694-8	1.4	10
500	Sepsis Is SEPSIS! It's High Time to Globalize Pediatric Sepsis. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 390-1	3	3
499	Fluid Resuscitation in Pediatric Sepsis: Lack of Data Versus Lack of Equipoise. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 789-90	3	3
498	Double-Blind Prospective Randomized Controlled Trial of Dopamine Versus Epinephrine as First-Line Vasoactive Drugs in Pediatric Septic Shock. <i>Critical Care Medicine</i> , 2015 , 43, 2292-302	1.4	103
497	Characteristics of Children Who Undergo Intraosseous Needle Placement. 2015 , 37, 301-7		7
496	Fluid Bolus Therapy-Based Resuscitation for Severe Sepsis in Hospitalized Children: A Systematic Review. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, e297-307	3	20
495	Comparison of Two Sepsis Recognition Methods in a Pediatric Emergency Department. 2015 , 22, 1298-	306	42
494	Quality improvement in pediatric sepsis. 2015 , 27, 298-302		12
493	The authors reply. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 391-2	3	
492	Milrinone attenuates arteriolar vasoconstriction and capillary perfusion deficits on endotoxemic hamsters. 2015 , 10, e0117004		11
491	The Diagnostic Value of Capillary Refill Time for Detecting Serious Illness in Children: A Systematic Review and Meta-Analysis. 2015 , 10, e0138155		36
490	Outcomes of Pediatric Patients with Abdominal Sepsis Requiring Surgery and Extracorporeal Membrane Oxygenation Using the Extracorporeal Life Support Organization Database. <i>American Surgeon</i> , 2015 , 81, 245-251	0.8	6
489	Current medication practice and tracheal intubation safety outcomes from a prospective multicenter observational cohort study. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 210-8	3	33

488	Management of Shock in Neonates. 2015 , 82, 923-9		8
487	Monitoring of children with pediatric acute respiratory distress syndrome: proceedings from the Pediatric Acute Lung Injury Consensus Conference. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, S86-101	3	14
486	Critical appraisal of clinical practice guidelines in pediatric infectious diseases. 2015 , 37, 799-807		8
485	Association between vasoactive-inotropic score and mortality in pediatric septic shock. <i>Indian Pediatrics</i> , 2015 , 52, 311-3	1.2	39
484	Anti-inflammatory Drugs in Equine Neonatal Medicine. Part II: Corticosteroids. 2015, 35, 547-554		1
483	Successful use of extracorporeal membrane oxygenation in an adult patient with toxic shock-induced heart failure. 2015 , 30, 115-8		12
482	The baseline diameter of the inferior vena cava measured by sonography increases with age in normovolemic children. 2015 , 34, 1091-6		18
481	Sepsis in children. 2015 , 350, h3017		40
480	Staphylococcus aureus bacteraemia in children: a formidable foe. 2015 , 21, 158-162		
479	Mortality and Other Outcomes in Relation to First Hour Fluid Resuscitation Rate: A Systematic Review. <i>Indian Pediatrics</i> , 2015 , 52, 965-72	1.2	2
478	Adjunctive and novel therapies for sepsis. <i>Journal of Pediatric Intensive Care</i> , 2014 , 3, 255-267	1	
477	Extracorporeal membrane oxygenation for refractory septic shock in adults. 2015 , 47, e68-74		68
476	A 12-year-old child with fever, headache, shock, and coma. 2015 , 385, 576		
475	Indications for Invasive Conventional Mechanical Ventilation. 2015, 535-557		
474	Management of meningococcal disease. 2015 , 25, 203-209		1
473	Acute Kidney Injury (AKI): Current Thoughts and Controversies in Pediatrics. 2015, 3, 91-100		
472	Trending ability and limitations of transpulmonary thermodilution and pulse contour cardiac output measurement in cats as a model for pediatric patients. 2015 , 29, 377-83		5
471	Global epidemiology of pediatric severe sepsis: the sepsis prevalence, outcomes, and therapies study. 2015 , 191, 1147-57		496

470	New Methods of Monitoring Shock in Children. 2015 , 1, 15-24		2
469	Prehospital care and transportation of pediatric trauma patients. 2015 , 197, 240-6		10
468	Campagne « survivre au sepsis chez l∄nfant ». 2015 , 5, 176-186		2
467	Neonatal Acute Kidney Injury. <i>Pediatrics</i> , 2015 , 136, e463-73	7.4	267
466	Fluid resuscitation of shock in children: what, whence and whither?. 2015 , 41, 1457-9		9
465	Steroid therapy attenuates acute phase reactant response among children on ventricular assist device support. 2015 , 99, 1392-8		25
464	Pediatric shock. 2015 , 41, 113-8		2
463	SekundEverfallendes Neugeborenes. 2015 , 163, 352-360		1
462	The prevalence and diagnostic utility of systemic inflammatory response syndrome vital signs in a pediatric emergency department. 2015 , 22, 381-9		58
461	Helping children survive sepsis. 2015 , 45, 34-40; quiz 40-1		
460	Predictive monitoring for sepsis and necrotizing enterocolitis to prevent shock. 2015 , 20, 255-61		40
459	Fluid overload at 48 hours is associated with respiratory morbidity but not mortality in a general PICU: retrospective cohort study. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 205-9	3	76
458	Physiology of the Developing Kidney: Fluid and Electrolyte Homeostasis and Therapy of Basic Disorders (Na/H2O/K/Acid Base). 2015 , 1-67		
457	Fluid resuscitation for paediatric sepsis: A survey of senior emergency physicians in Australia and New Zealand. 2015 , 27, 245-50		10
456	Resuscitation Bundle in Pediatric Shock Decreases Acute Kidney Injury and Improves Outcomes. 2015 , 167, 1301-5.e1		53
455	Septic shock in children in an urban area in Western Germanyoutcome, risk factors for mortality and infection epidemiology. 2015 , 227, 61-5		3
454	Recognition and Management of Sepsis in Children: Practice Patterns in the Emergency Department. 2015 , 49, 391-9		21
453	Heart rate variability analysis is more sensitive at identifying neonatal sepsis than conventional vital signs. 2015 , 210, 661-7		43

452	Timing of antibiotics, volume, and vasoactive infusions in children with sepsis admitted to intensive care. 2015 , 19, 293	48
451	[Septic shock in intensive care units. Current focus on treatment]. 2015 , 86, 224-35	O
450	Validity and reliability of measurement of capillary refill time in children: a systematic review. 2015 , 100, 239-49	31
449	Barriers to the implementation of sepsis guideline in a Canadian pediatric tertiary care centre. 2016 , 6,	
448	Special Populations. 193-215	
447	Metabolic resuscitation in sepsis: a necessary step beyond the hemodynamic?. 2016 , 8, E552-7	36
446	The authors reply. Critical Care Medicine, 2016, 44, e233-4	
445	Pediatric Acute Respiratory Distress Syndrome: Fluid Management in the PICU. <i>Frontiers in Pediatrics</i> , 2016 , 4, 21	22
444	Circulating histones for predicting prognosis after cardiac surgery: a prospective study. 2016 , 23, 681-687	12
443	Impact of Different Initial Epinephrine Treatment Time Points on the Early Postresuscitative Hemodynamic Status of Children With Traumatic Out-of-hospital Cardiac Arrest. 2016 , 95, e3195	9
442	Shock Index Values and Trends in Pediatric Sepsis: Predictors or Therapeutic Targets? A Retrospective Observational Study. 2016 , 46, 279-86	11
441	Defining neonatal sepsis. 2016 , 28, 135-40	129
440	Fluid resuscitation therapy for paediatric sepsis. 2016 , 52, 141-6	5
439	Hypophosphatemia in Critically Ill Children: Risk Factors, Outcome and Mechanism. 2016, 83, 1379-1385	6
438	Research as a Standard of Care in the PICU. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, e13-21	16
437	Dopamine in Sepsis-Beginning of the End?. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 1099-1100	1
436	A prospective quality improvement study in the emergency department targeting paediatric sepsis. 2016 , 101, 945-50	17
435	Pediatric Septic Shock in the Emergency Department: Can We Set the Alarm Clock a Little Forward?. Pediatric Critical Care Medicine, 2016 , 17, 1011-1012	2

434	Implementation of Guidelines to Treat Pediatric Sepsis: Cookbook Medicine or the Force Awakens!. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 884-5	3	1
433	Effects of volume resuscitation on the microcirculation in animal models of lipopolysaccharide sepsis: a systematic review. 2016 , 4, 38		8
432	A trial to determine whether septic shock-reversal is quicker in pediatric patients randomized to an early goal-directed fluid-sparing strategy versus usual care (SQUEEZE): study protocol for a pilot randomized controlled trial. 2016 , 17, 556		19
431	Vitamin D Deficiency and Parathyroid Response in Critically-ill Children: Association with Illness Severity and Clinical Outcomes. <i>Indian Pediatrics</i> , 2016 , 53, 479-84	1.2	13
430	Sepsis in Pediatric Cardiac Intensive Care. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, S266-71	3	9
429	The Role of Continuous Renal Replacement Therapy and Therapeutic Plasma Exchange in Sepsis. 2016 , 11, 65-71		
428	Treatment of Pediatric Septic Shock With the Surviving Sepsis Campaign Guidelines and PICU Patient Outcomes. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, e451-e458	3	42
427	Double-Blind Randomized Clinical Trial Comparing Dopamine and Epinephrine in Pediatric Fluid-Refractory Hypotensive Septic Shock. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, e502-e512	3	55
426	Refreshing your knowledge. 47-48		
425	Paediatrics. 137-150		
424	An observational study using ultrasound to assess physiological changes following fluid bolus administration in paediatric sepsis in the emergency department. 2016 , 16, 93		4
423	Neonatal Sepsis. 2016 , 17, 129-133		5
422	Standardized Postnatal Management of Infants with Congenital Diaphragmatic Hernia in Europe: The CDH EURO Consortium Consensus - 2015 Update. 2016 , 110, 66-74		289
421	Fluid as a Drug: Balancing Resuscitation and Fluid Overload in the Intensive Care Setting. 2016 , 23, 15	2-9	11
420	Steroids in fluid and/or vasoactive infusion dependent pediatric shock: study protocol for a randomized controlled trial. 2016 , 17, 238		7
419	Central Extracorporeal Membrane Oxygenation Support for Blastomycosis-Induced Septic Shock. Journal of Pediatric Intensive Care, 2016 , 5, 32-36	1	
418	Getting Burned by Lactic Acid. 2016 , 6, 558-9		
417	Medication Therapy for Early-Onset Neonatal Sepsis. 2016 , 27, 253-258		

416	High Reliability Pediatric Septic Shock Quality Improvement Initiative and Decreasing Mortality. <i>Pediatrics</i> , 2016 , 138,	7.4	58
415	Current Concepts in the Medical Management of the Pediatric Burn Patient. 2016 , 2, 202-209		2
414	Neonatal Septic Shock. 2016 , 1-12		
413	Predictors of survival in adults undergoing extracorporeal membrane oxygenation with severe infections. 2016 , 152, 1526-1536.e1		32
412	Refractory septic shock in children: a European Society of Paediatric and Neonatal Intensive Care definition. 2016 , 42, 1948-1957		48
411	Adjunctive Corticosteroids for Contemporary Pediatric Shock: Ongoing Analysis of the Risk-Benefit Ratio. 2016 , 177, 9-11		
410	Hemodynamic coherence in critically ill pediatric patients. 2016 , 30, 499-510		10
409	Exploring the experiences of substitute decision-makers with an exception to consent in a paediatric resuscitation randomised controlled trial: study protocol for a qualitative research study. 2016 , 6, e012931		1
408	Systematic Bias in Meta-Analyses of Time to Antimicrobial in Sepsis Studies. <i>Critical Care Medicine</i> , 2016 , 44, e234-5	1.4	22
407	Prevalence, aetiology, treatment and outcomes of shock in children admitted to Kenyan hospitals. 2016 , 14, 184		10
406	Fluid resuscitation for children with severe febrile illness and septic shock in resource-limited settings. 2016 ,		
405	Analgosedation in PICUs: One Size Fits All or Beyond. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 885-6	3	1
404	Recognition, management, and prevention of burn sepsis in pediatric patients. 2016 , 11, 24-30		
403	Trial Recruitment in the Pediatric Intensive Care: Ask Consent Before You Start?!. <i>Critical Care Medicine</i> , 2016 , 44, e309-10	1.4	4
402	The author replies. <i>Critical Care Medicine</i> , 2016 , 44, e308-9	1.4	
401	Improving Outcomes of Critically Ill Children With Simulation-Based Education: Where Are We Now in the Year 2016?. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 695-6	3	
400	Multisite Tissue Oxygenation Monitoring Indicates Organ-Specific Flow Distribution and Oxygen Delivery Related to Low Cardiac Output in Preterm Infants With Clinical Sepsis. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 764-71	3	9
399	Fluid Overload Is Associated With Higher Mortality and Morbidity in Pediatric Patients Undergoing Cardiac Surgery. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 307-14	3	55

398 Critically ill pediatric hemato-oncology patient: What we do is what we should do?. **2016**, 85, 61-69

397	Therapeutic Options for Neonatal Acute Kidney Injury (AKI). 2016 , 2, 69-81	4
396	[Critically ill pediatric hemato-oncology patient: What we do is what we should do?]. 2016, 85, 61-69	1
395	Does Simulation Improve Recognition and Management of Pediatric Septic Shock, and If One Simulation Is Good, Is More Simulation Better?. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 605-14	8
394	The therapeutic value of atropine for critical care intubation. 2016 , 101, 77-80	6
393	Oncologic Emergencies. 2016,	1
392	What's New in Paediatric Sepsis. 2016 , 4, 1-5	2
391	Diagnosis and Treatment of Acute Kidney Injury in Pediatrics. 2016 , 2, 56-68	6
390	Purpura fulminans māingococcique. 2016 , 6, 124-128	1
389	Fluid Status Assessment and Management During the Perioperative Phase in Pediatric Cardiac Surgery Patients. 2016 , 30, 1085-93	8
388	Dermal Abrasion Experienced as an Adverse Effect of the EZ-IO([]). 2016 , 50, e7-10	3
387	Infectious Etiologies and Patient Outcomes in Pediatric Septic Shock. 2017 , 6, 80-86	5
386	Implementation of an Inpatient Pediatric Sepsis Identification Pathway. <i>Pediatrics</i> , 2016 , 137, e20144082 _{7.4}	19
385	Disparities in Adherence to Pediatric Sepsis Guidelines across a Spectrum of Emergency Departments: A Multicenter, Cross-Sectional Observational In Situ Simulation Study. 2016 , 50, 403-15.e1-3	49
384	Venovenous extracorporeal membrane oxygenation for patients with single-ventricle anatomy: A registry report. 2016 , 151, 1730-6	12
383	Vasoactive Drugs and Hemodynamic Monitoring in Pediatric Cardiac Intensive Care: An Italian Survey. 2016 , 7, 25-31	12
382	Lactate Clearance and Normalization and Prolonged Organ Dysfunction in Pediatric Sepsis. 2016 , 170, 149-55.e1-4	36
381	Physiology of the Developing Kidney: Fluid and Electrolyte Homeostasis and Therapy of Basic Disorders (Na/H2O/K/Acid Base). 2016 , 361-422	1

380	Factors influencing antimicrobial resistance and outcome of Gram-negative bloodstream infections in children. 2016 , 44, 309-21		24
379	A Survey of the First-Hour Basic Care Tasks of Severe Sepsis and Septic Shock in Pediatric Patients and an Evaluation of Medical Simulation on Improving the Compliance of the Tasks. 2016 , 50, 239-45		12
378	"Beat the Shock Clock": An Interprofessional Team Improves Pediatric Septic Shock Care. 2016 , 55, 626	5-38	8
377	Crystalloid Fluid Choice and Clinical Outcomes in Pediatric Sepsis: A Matched Retrospective Cohort Study. 2017 , 182, 304-310.e10		36
376	Role of vasopressin and terlipressin in refractory shock compared to conventional therapy in the neonatal and pediatric population: a systematic review, meta-analysis, and trial sequential analysis. 2017 , 21, 1		69
375	Association Between Early Lactate Levels and 30-Day Mortality in Clinically Suspected Sepsis in Children. 2017 , 171, 249-255		58
374	Cardiac dysfunction and ferritin as early markers of severity in pediatric sepsis. 2017 , 93, 301-307		15
373	Prediction of pediatric sepsis mortality within 1 h of intensive care admission. 2017 , 43, 1085-1096		73
372	Nutrition Deficiencies in Children With Intestinal Failure Receiving Chronic Parenteral Nutrition. 2018 , 42, 427-435		8
371	Management of Neonatal Hypotension. 2017 , 36, 40-47		1
370	Suspecting and spotting paediatric sepsis. 2017 , 29, 132-135		
369	Precision Medicine With Point-of-Care Ultrasound: The Future of Personalized Pediatric Emergency Care. <i>Pediatric Emergency Care</i> , 2017 , 33, 206-209	1.4	14
369 368		1.4	14
	Care. Pediatric Emergency Care, 2017, 33, 206-209 An In Vitro Assessment of the Efficacy of Various IV Cannulas for the Rapid IV Fluid Administration.		
368	Care. Pediatric Emergency Care, 2017, 33, 206-209 An In Vitro Assessment of the Efficacy of Various IV Cannulas for the Rapid IV Fluid Administration. Pediatric Critical Care Medicine, 2017, 18, e224-e228 Primary Outcome Measures in Pediatric Septic Shock Trials: A Systematic Review. Pediatric Critical	3	4
368 367	Care. Pediatric Emergency Care, 2017, 33, 206-209 An In Vitro Assessment of the Efficacy of Various IV Cannulas for the Rapid IV Fluid Administration. Pediatric Critical Care Medicine, 2017, 18, e224-e228 Primary Outcome Measures in Pediatric Septic Shock Trials: A Systematic Review. Pediatric Critical Care Medicine, 2017, 18, e146-e154 Does Respiratory Variation in Inferior Vena Cava Diameter Predict Fluid Responsiveness: A	3	12
368 367 366	An In Vitro Assessment of the Efficacy of Various IV Cannulas for the Rapid IV Fluid Administration. Pediatric Critical Care Medicine, 2017, 18, e224-e228 Primary Outcome Measures in Pediatric Septic Shock Trials: A Systematic Review. Pediatric Critical Care Medicine, 2017, 18, e146-e154 Does Respiratory Variation in Inferior Vena Cava Diameter Predict Fluid Responsiveness: A Systematic Review and Meta-Analysis. 2017, 47, 550-559 Validation of the Vasoactive-Inotropic Score in Pediatric Sepsis. Pediatric Critical Care Medicine,	3	4 12 89

362	Lung Rest During Extracorporeal Membrane Oxygenation for Neonatal Respiratory Failure-Practice Variations and Outcomes. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 667-674	3	10
361	Differentiating Delirium From Sedative/Hypnotic-Related latrogenic Withdrawal Syndrome: Lack of Specificity in Pediatric Critical Care Assessment Tools. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 580-588	33	27
360	A Novel Weaning Protocol for High-Flow Nasal Cannula in the PICU. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, e274-e280	3	18
359	An International Survey of Corticosteroid Use for the Management of Low Cardiac Output Syndrome. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 630-637	3	7
358	Association Between Initial Emergency Department Lactate and Use of Vasoactive Medication in Children With Septic Shock. <i>Pediatric Emergency Care</i> , 2019 , 35, 455-460	1.4	4
357	Protocolized Early Sepsis Care Is Not Only Helpful for Patients: It Prevents Medical Errors. <i>Critical Care Medicine</i> , 2017 , 45, 464-472	1.4	8
356	Resuscitation With Balanced Fluids Is Associated With Improved Survival in Pediatric Severe Sepsis. <i>Critical Care Medicine</i> , 2017 , 45, 1177-1183	1.4	55
355	Pediatric Sepsis. 2017 , 35, 123-138		16
354	American College of Critical Care Medicine Clinical Practice Parameters for Hemodynamic Support of Pediatric and Neonatal Septic Shock. <i>Critical Care Medicine</i> , 2017 , 45, 1061-1093	1.4	297
353	Risk of over-diagnosis of hypotension in children: a comparative analysis of over 50,000 blood pressure measurements. 2017 , 43, 1540-1541		8
352	Can the Pediatric Logistic Organ Dysfunction-2 Score on Day 1 Be Used in Clinical Criteria for Sepsis in Children?. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 758-763	3	31
351	Managing the Acutely Ill Child Prior to Transfer. 309-315		
350	Emerging Biomarkers of Illness Severity: Urinary Metabolites Associated with Sepsis and Necrotizing Methicillin-Resistant Staphylococcus aureus Pneumonia. 2017 , 37, 1033-1042		15
349	The Epidemiology of Sepsis in Childhood. 2017 , 47, 2-5		17
348	Pediatric In-Hospital Acute Respiratory Compromise: A Report From the American Heart Association's Get With the Guidelines-Resuscitation Registry. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 838-849	3	6
347	An Airway Risk Assessment Score for Unplanned Extubation in Intensive Care Pediatric Patients. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 661-666	3	5
346	Pilot Study Comparing Closed Versus Open Tracheal Suctioning in Postoperative Neonates and Infants With Complex Congenital Heart Disease. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 647-654	3	5
345	The Epidemiology of Hospital Death Following Pediatric Severe Sepsis: When, Why, and How Children With Sepsis Die. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 823-830	3	60

344	Cardiac dysfunction and ferritin as early markers of severity in pediatric sepsis. 2017, 93, 301-307		1
343	Associations Between Fluid Balance and Outcomes in Critically Ill Children: A Protocol for a Systematic Review and Meta-analysis. 2017 , 4, 2054358117692560		9
342	Pediatric Multiple Organ Dysfunction Syndrome: Promising Therapies. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, S67-S82	3	10
341	The normal ranges of cardiovascular parameters measured using the ultrasonic cardiac output monitor. 2017 , 5, e13195		46
340	Cytokine Release Syndrome After Chimeric Antigen Receptor T Cell Therapy for Acute Lymphoblastic Leukemia. <i>Critical Care Medicine</i> , 2017 , 45, e124-e131	1.4	261
339	Cardiac output and systemic vascular resistance: Clinical assessment compared with a noninvasive objective measurement in children with shock. 2017 , 39, 6-10		7
338	Should Extracorporeal Membrane Oxygenation Be Offered? An International Survey. 2017 , 182, 107-11	3	15
337	Ten concerns about blood pressure measurement and targets in paediatric sepsis. 2017 , 43, 433-435		14
336	Does Timing, Duration, Dose, and Route of Corticosteroids Matter in Prevention of Postextubation Stridor?. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 1005-1006	3	3
335	The Relationship Between Remoteness and Outcomes in Critically Ill Children. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, e514-e520	3	6
334	Effectiveness of provider strategies for the early recognition of clinical deterioration due to sepsis in pediatric patients: a systematic review protocol. 2017 , 15, 76-85		1
333	Adjunctive Steroid Therapy for Treatment of Pediatric Septic Shock. 2017 , 64, 1133-1146		5
332	A qualitative feasibility study to inform a randomised controlled trial of fluid bolus therapy in septic shock. 2018 , 103, 28-32		20
331	Intubation and extubation of the ICU patient. 2017 , 36, 327-341		39
330	High Levels of Morbidity and Mortality Among Pediatric Hematopoietic Cell Transplant Recipients With Severe Sepsis: Insights From the Sepsis PRevalence, OUtcomes, and Therapies International Point Prevalence Study. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 1114-1125	3	17
329	The Impact of Fluid Overload on Outcomes in Children Treated With Extracorporeal Membrane Oxygenation: A Multicenter Retrospective Cohort Study. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 1126	- 1 135	49
328	Interfacility Transport Shock Index Is Associated With Decreased Survival in Children. <i>Pediatric Emergency Care</i> , 2019 , 35, 675-679	1.4	1
327	In-Hospital Quality-of-Care Measures for Pediatric Sepsis Syndrome. <i>Pediatrics</i> , 2017 , 140,	7.4	10

326	Risk factors for candidemia mortality in hospitalized children. 2017 , 93, 165-171	2
325	Pediatric Sepsis: Clinical Considerations. 2017 , 07, e60-e75	
324	Pediatric Sepsis: Clinical Markers. 2017 , 07, e42-e53	
323	Massive transfusion in pediatric trauma: We need to focus more on "how". 2017 , 82, 211-215	6
322	Workload of Team Leaders and Team Members During a Simulated Sepsis Scenario. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, e423-e427	12
321	Basic Hemodynamic Monitoring Using Ultrasound or Electrical Cardiometry During Transportation of Neonates and Infants. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, e488-e493	6
320	Review of supplemental oxygen and respiratory support for paediatric emergency care in sub-Saharan Africa. 2017 , 7, S10-S19	9
319	The authors reply. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 1003-1005	
318	Oxidative stress biomarkers in pediatric sepsis: a prospective observational pilot study. 2017 , 22, 330-337	8
317	Shock. 2017 , 59-62	
316	Clinical Pharmacology Studies in Critically Ill Children. 2017 , 34, 7-24	25
315	Risk factors for candidemia mortality in hospitalized children. 2017 , 93, 165-171	8
314	Resuscitation. 3-41	
313	Filter Size Not the Anticoagulation Method is the Decisive Factor in Continuous Renal Replacement Therapy Circuit Survival. 2017 , 42, 327-337	9
312	Effect of measuring vital signs on recognition and treatment of septic children. 2017 , 22, 13-16	5
312	Effect of measuring vital signs on recognition and treatment of septic children. 2017 , 22, 13-16 Perspectives on aetiology, pathophysiology and management of shock in African children. 2017 , 7, S20-S26	

308	Rolipram Improves Outcome in a Rat Model of Infant Sepsis-Induced Cardiorenal Syndrome. 2017 , 8, 237		8
307	Pathophysiology of Neonatal Sepsis. 2017 , 1536-1552.e10		2
306	Extracorporeal membrane oxygenation support for refractory septic shock in liver transplantation recipients. 2017 , 93, 152-158		15
305	Sepsis in Children. 2017 ,		
304	Clinical outcomes and mortality before and after implementation of a pediatric sepsis protocol in a limited resource setting: A retrospective cohort study in Bangladesh. 2017 , 12, e0181160		13
303	Perioperative management of paraganglioma and catecholamine-induced cardiomyopathy in childa case report and review of the literature. 2017 , 17, 142		6
302	Update on pediatric sepsis: a review. 2017 , 5, 47		42
301	Kinderan Bthesie. 2017 , 649-698		
300	Mortality rates in pediatric septic shock. 2017 , 56, 304		7
299	Survival from Septic Shock Secondary to Disseminated Group A Streptococcal Infection after Central Extracorporeal Membrane Oxygenation. 2017 , 07, e130-e135		
298	Coming full circle: thirty years of paediatric fluid resuscitation. 2017 , 45, 308-319		2
297	Hospital Variation in Risk-Adjusted Pediatric Sepsis Mortality. <i>Pediatric Critical Care Medicine</i> , 2018 , 19, 390-396	3	26
296	A Retrospective Evaluation of Echocardiograms to Establish Normative Inferior Vena Cava and Aortic Measurements for Children Younger Than 6 Years. 2018 , 37, 2225-2233		4
295	Does respiratory variation of inferior vena cava diameter predict fluid responsiveness in spontaneously ventilating children with sepsis. 2018 , 30, 556-563		15
294	Anesthesia of thoracic surgery in children. 2018 , 28, 326-331		13
293	Evolution of Acute Kidney Injury and Its Association With Systemic Hemodynamics in Children With Fluid-Refractory Septic Shock. <i>Critical Care Medicine</i> , 2018 , 46, e677-e683	1.4	5
292	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 5, 3-89		50
291	Inotropic Therapy for Sepsis. <i>Pediatric Emergency Care</i> , 2018 , 34, 132-135	1.4	2

290 Sepsis bei Kindern. **2018**, 166, 41-47

289	Successful use of extracorporeal membrane oxygenation support in severe septic shock with associated acute cardiomyopathy. 2018 , 33, 50-52		10
288	Advances in the Management of Pediatric Septic Shock: Old Questions, New Answers. <i>Indian Pediatrics</i> , 2018 , 55, 319-325	1.2	3
287	Implications for paediatric shock management in resource-limited settings: a perspective from the FEAST trial. 2018 , 22, 119		13
286	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). 2018 , 6, 7		55
285	Extracorporeal life support for adults with refractory septic shock. 2018 , 156, 1104-1109.e1		20
284	Update in Pediatric Critical Care. 2018 , 117-131		
283	Update in Pediatric Emergency Medicine: Pediatric Resuscitation, Pediatric Sepsis, Interfacility Transport of the Pediatric Patient, Pain and sedation in the Emergency Department, Pediatric Trauma. 2018 , 223-249		
282	Effect of a Sepsis Educational Intervention on Hospital Stay. <i>Pediatric Critical Care Medicine</i> , 2018 , 19, e321-e328	3	13
281	Role of echocardiography in reducing shock reversal time in pediatric septic shock: a randomized controlled trial. 2018 , 94, 31-39		
280	Cardiac Index Changes With Fluid Bolus Therapy in Children With Sepsis-An Observational Study. <i>Pediatric Critical Care Medicine</i> , 2018 , 19, 513-518	3	10
279	The role of fluid overload in the prediction of outcome in acute kidney injury. 2018 , 33, 13-24		38
278	Reflectance spectroscopy: to shed new light on the capillary refill test. 2018 , 11, e201700043		6
277	Norepinephrine infusion improves haemodynamics in the preterm infants during septic shock. 2018 , 107, 408-413		15
276	Consensus Report by the Pediatric Acute Lung Injury and Sepsis Investigators and Pediatric Blood and Marrow Transplantation Consortium Joint Working Committees on Supportive Care Guidelines for Management of Veno-Occlusive Disease in Children and Adolescents, Part 3: Focus on		8
275	Cardiorespiratory Dysfunction, Infections, Liver Dysfunction, and Delirium. 2018 , 24, 207-218 Role of echocardiography in reducing shock reversal time in pediatric septic shock: a randomized controlled trial. 2018 , 94, 31-39		18
274	Corticosteroid Therapy in Neonatal Septic Shock-Do We Prevent Death?. 2018 , 35, 146-151		4
273	Pathogens and outcomes in pediatric septic shock patients supported by extracorporeal membrane oxygenation. 2018 , 51, 385-391		15

272	A Simulation-Based Quality Improvement Initiative Improves Pediatric Readiness in Community Hospitals. <i>Pediatric Emergency Care</i> , 2018 , 34, 431-435	1.4	31
271	The use of bedside echocardiography for measuring cardiac index and systemic vascular resistance in pediatric patients with septic shock. 2018 , 30, 460-470		4
270	Early changes in coagulation profiles and lactate levels in patients with septic shock undergoing extracorporeal membrane oxygenation. 2018 , 10, 1418-1430		11
269	Characteristics, course and outcomes of children admitted to a paediatric intensive care unit after cardiac arrest. 2018 , 34, 58		2
268	Point-of-care lung ultrasound in paediatric critical and emergency care. 2018, 54, 945-952		8
267	A Quality Improvement Collaborative for Pediatric Sepsis: Lessons Learned. 2018 , 3, e051		19
266	Adherence to Guidelines in the Treatment of Diabetic Ketoacidosis in Children: An Austrian Survey. <i>Pediatric Emergency Care</i> , 2021 , 37, 245-249	1.4	1
265	Confidence level of pediatric trainees in management of shock states. 2018 , 7, 31-38		1
264	Continuum of care in pediatric sepsis: a prototypical acute care delivery model. 2018, 7, 253-261		
263	Adherence to Daily Weights and Total Fluid Orders in the Pediatric Intensive Care Unit. 2018, 3, e110		2
262	Recognition, Diagnostics, and Management of Pediatric Severe Sepsis and Septic Shock in the Emergency Department. 2018 , 65, 1107-1118		5
261	The On-going Challenge of Pediatric Septic Shock: Optimizing Early Identification and Accurate Resuscitation. 2018 , 04,		
260	Noninvasive hemodynamic monitoring of septic shock in children. 2018 , 8, 1-8		7
259	Salivary biomarkers may measure stress responses in critically ill children. 2018 , 6, 2050312118802452		4
258	Translating Sepsis-3 Criteria in Children: Prognostic Accuracy of Age-Adjusted Quick SOFA Score in Children Visiting the Emergency Department With Suspected Bacterial Infection. <i>Frontiers in Pediatrics</i> , 2018 , 6, 266	3.4	15
257	Fluid Bolus Therapy in Pediatric Sepsis: Current Knowledge and Future Direction. <i>Frontiers in Pediatrics</i> , 2018 , 6, 308	3.4	6
256	Blickdiagnose Hautkolorit. 2018 , 166, 856-866		
255	Rapid fluid administration: an evaluation of two techniques. 2018 , 11, 331-336		

254	Interhospital Transfer of Children in Septic Shock: A Clinician Interview Qualitative Study. 2018, 33, 671-67	9	1
253	Venoarterial Extracorporeal Membrane Oxygenation Versus Conventional Therapy in Severe Pediatric Septic Shock. <i>Pediatric Critical Care Medicine</i> , 2018 , 19, 965-972		26
252	Oxygen Delivery and Oxygen Consumption in Pediatric Fluid Refractory Septic Shock During the First 42 h of Therapy and Their Relationship to 28-Day Outcome. <i>Frontiers in Pediatrics</i> , 2018 , 6, 314	ļ	6
251	Creating Consensus Educational Goals for Pediatric Sepsis via Multicenter Modified Delphi. 2018 , 2, 254-25	8	3
250	Intubation et extubation du patient de ranimation. 2018 , 4, 523-547		3
249	Functional Echocardiography in the Neonatal Intensive Care Unit. <i>Indian Pediatrics</i> , 2018 , 55, 417-424 1.2	:	6
248	Life-threatening infections in children in Europe (the EUCLIDS Project): a prospective cohort study. 2018 , 2, 404-414		40
247	An artificial placenta type microfluidic blood oxygenator with double-sided gas transfer microchannels and its integration as a neonatal lung assist device. 2018 , 12, 044101		24
246	The Failing Myocardium in Sepsis. 2018 , 445-456		0
245	From the International Pediatric Sepsis Conference 2005 to the Sepsis-3 Consensus. 2018 , 30, 1-5		5
245 244	From the International Pediatric Sepsis Conference 2005 to the Sepsis-3 Consensus. 2018, 30, 1-5 Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database. Frontiers in Pediatrics, 2018, 6, 66	ļ	5
	Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database.		
244	Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database. Frontiers in Pediatrics, 2018, 6, 66 Echocardiographic Evaluation of Ventricular Function-For the Neonatologist and Pediatric	ļ	12
244	Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database. Frontiers in Pediatrics, 2018, 6, 66 Echocardiographic Evaluation of Ventricular Function-For the Neonatologist and Pediatric Intensivist. Frontiers in Pediatrics, 2018, 6, 79 Fluid Overload and Renal Angina Index at Admission Are Associated With Worse Outcomes in	ļ	12 49
244 243 242	Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database. Frontiers in Pediatrics, 2018, 6, 66 Echocardiographic Evaluation of Ventricular Function-For the Neonatologist and Pediatric Intensivist. Frontiers in Pediatrics, 2018, 6, 79 Fluid Overload and Renal Angina Index at Admission Are Associated With Worse Outcomes in Critically Ill Children. Frontiers in Pediatrics, 2018, 6, 118 Association Between the New York Sepsis Care Mandate and In-Hospital Mortality for Pediatric	ļ.	12 49 22
244 243 242 241	Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database. Frontiers in Pediatrics, 2018, 6, 66 Echocardiographic Evaluation of Ventricular Function-For the Neonatologist and Pediatric Intensivist. Frontiers in Pediatrics, 2018, 6, 79 Fluid Overload and Renal Angina Index at Admission Are Associated With Worse Outcomes in Critically Ill Children. Frontiers in Pediatrics, 2018, 6, 118 Association Between the New York Sepsis Care Mandate and In-Hospital Mortality for Pediatric Sepsis. 2018, 320, 358-367	9	12 49 22 128
244 243 242 241 240	Pediatric Vital Sign Distribution Derived From a Multi-Centered Emergency Department Database. Frontiers in Pediatrics, 2018, 6, 66 Echocardiographic Evaluation of Ventricular Function-For the Neonatologist and Pediatric Intensivist. Frontiers in Pediatrics, 2018, 6, 79 Fluid Overload and Renal Angina Index at Admission Are Associated With Worse Outcomes in Critically Ill Children. Frontiers in Pediatrics, 2018, 6, 118 Association Between the New York Sepsis Care Mandate and In-Hospital Mortality for Pediatric Sepsis. 2018, 320, 358-367 Illness Severity of Children Admitted to the PICU From Referring Emergency Departments. 2018, 8, 404-40 Advances in Diagnosis and Management of Hemodynamic Instability in Neonatal Shock. Frontiers in	9	12 49 22 128

236	Appropriate and timely antibiotic administration for neonatal sepsis in MesoamEica. 2018, 3, e000650		5
235	Extracorporeal membrane oxygenation for septic shock: Heroic futility?. 2018 , 156, 1110-1111		4
234	Risk factors and inpatient outcomes associated with acute kidney injury at pediatric severe sepsis presentation. 2018 , 33, 1781-1790		15
233	Cardiovascular Compromise in the Newborn. 2018 , 741-767.e6		
232	Noninvasive monitoring of physiologic compromise in acute appendicitis: New insight into an old disease. 2018 , 53, 241-246		9
231	Cardiac Physiology and Pharmacology. 2019 , 424-457.e17		1
230	Restricted fluid bolus volume in early septic shock: results of the Fluids in Shock pilot trial. 2019 , 104, 426-431		36
229	Lactate clearance prognosticates outcome in pediatric septic shock during first 24 h of intensive care unit admission. 2019 , 20, 290-298		4
228	Development of a computerized paediatric intensive care unit septic shock pathway: improving user experience. 2019 , 8, 155-161		1
227	Sepsis. 2019 , 995-1012		
226	Translational gap in pediatric septic shock management: an ESPNIC perspective. 2019 , 9, 73		8
225	Fluid balance in pediatric patients in prone position: a pragmatic study. 2019 , 65, 839-844		
224	Pediatric Severe Sepsis Prediction Using Machine Learning. Frontiers in Pediatrics, 2019, 7, 413	3.4	34
223	Multiple Organ Dysfunction in the Pediatric Intensive Care Unit. 2019 , 1215-1218.e1		O
222	Early Total Enteral Feeding versus Conventional Enteral Feeding in Stable Very-Low-Birth-Weight Infants: A Randomised Controlled Trial. 2019 , 115, 256-262		16
221	Critical Care of the Pediatric Immunocompromised Hematology/Oncology Patient. 2019,		O
220	Sepsis: Changing Definitions, Unchanging Treatment. Frontiers in Pediatrics, 2018, 6, 425	3.4	5
219	Extracorporeal Membrane Oxygenation for Adults With Refractory Septic Shock. 2019 , 65, 760-768		10

218	Risk Factors for Mortality in Pediatric Postsurgical versus Medical Severe Sepsis. 2019 , 242, 100-110		4
217	Time to positivity of blood culture is a risk factor for clinical outcomes in Staphylococcus aureus bacteremia children: a retrospective study. 2019 , 19, 437		9
216	Use of extracorporeal membrane oxygenation and associated outcomes in children hospitalized for sepsis in the United States: A large population-based study. 2019 , 14, e0215730		4
215	Critical Care Management: Sepsis and Disseminated and Local Infections. 2019 , 253-274		1
214	Mortality of Critically Ill Children Requiring Continuous Renal Replacement Therapy: Effect of Fluid Overload, Underlying Disease, and Timing of Initiation. <i>Pediatric Critical Care Medicine</i> , 2019 , 20, 314-322 ³		13
213	Management of meningococcal disease. 2019 , 29, 197-204		
212	Pediatric Sepsis and Septic Shock Management in Resource-Limited Settings. 2019, 197-216		4
211	Sepsis Management in Resource-limited Settings. 2019,		2
210	Hyperoxygenated Hydrogen-Rich Solution Suppresses Lung Injury Induced by Hemorrhagic Shock in Rats. 2019 , 239, 103-114		
209	Man versus machine: comparison of naked-eye estimation and quantified capillary refill. 2019 , 36, 465-471	1	5
208	Outcomes of Day 1 Multiple Organ Dysfunction Syndrome in the PICU. <i>Pediatric Critical Care Medicine</i> , 2019 , 20, 914-922		15
207	Using an eLearning Module to Facilitate Sepsis Knowledge Acquisition Across Multiple Institutions and Learner Disciplines. <i>Pediatric Emergency Care</i> , 2019 , 37,	4	4
206	Fluid Overload in Children With Bronchiolitis. <i>Pediatric Critical Care Medicine</i> , 2019 , 20, 301-302		
205	Extracorporeal Membrane Oxygenation for Septic Shock. <i>Critical Care Medicine</i> , 2019 , 47, 1097-1105 1.	4	34
204	Fluid and Electrolyte Balance. 2019 , 115-133		
203	Assessment and Management of Septic Shock and Hypovolemia. 2019 , 489-501		
202	The Neonate With Relative Adrenal Insufficiency and Vasopressor Resistance. 2019 , 535-552		
201	Epidemiology of Pediatric Septic Shock. <i>Journal of Pediatric Intensive Care</i> , 2019 , 8, 3-10		13

200	Congenital Heart Disease. 2019 ,	5
199	Emergency fluid bolus therapy studies: first do no harm. 2019 , 104, 409-410	O
198	Efficacy of Rapid Fluid Administration Using Various Setups and Devices. <i>Pediatric Emergency Care</i> , 2019 , 35, 539-543	2
197	Cytokine profile as diagnostic and prognostic factor in neonatal sepsis. 2019 , 32, 2830-2836	9
196	Correlation between Perfusion Index and CRIB Score in Sick Neonates Admitted to a Tertiary Center. 2019 , 65, 84-89	3
195	Characterization of Myocardial Dysfunction in Fluid- and Catecholamine-Refractory Pediatric Septic Shock and Its Clinical Significance. 2019 , 34, 17-25	15
194	Is Systemic Inflammatory Response Syndrome Relevant to Pulmonary Complications and Mortality in Multiply Injured Children?. 2020 , 40, 1-7	2
193	Association between hypotension and serious illness in the emergency department: an observational study. 2020 , 105, 545-551	7
192	Clinical Outcomes Associated with Fluid Overload in Critically Ill Pediatric Patients. 2020, 66, 152-162	2
191	Clinical Update in Pediatric Sepsis: Focus on Children With Pre-Existing Heart Disease. 2020 , 34, 1324-1332	2
190	Medical reversals in low- and middle-income countries. 2020 , 35, 631-638	1
189	Fluid Overload in Pediatric Severe Traumatic Brain Injury. <i>Pediatric Critical Care Medicine</i> , 2020 , 21, 164-1 <u>6</u> 9	3
188	Septic shock in pediatrics: the state-of-the-art. 2020 , 96 Suppl 1, 87-98	5
187	A Systematic Review of Preexisting Sepsis and Extracorporeal Membrane Oxygenation. 2020 , 66, 1-7	5
186	Association of Antibiotics Administration Timing With Mortality in Children With Sepsis in a Tertiary Care Hospital of a Developing Country. <i>Frontiers in Pediatrics</i> , 2020 , 8, 566	6
185	Accuracy of a Modified qSOFA Score for Predicting Critical Care Admission in Febrile Children. Pediatrics, 2020 , 146, 7-4	9
184	Comparison of Predictive Powers for Mortality between Systemic Vascular Resistance Index and Serum Lactate in Children with Persistent Catecholamine-Resistant Shock. 2020 , 2020, 1341326	0
183	Updates on pediatric sepsis. 2020 , 1, 981-993	10

(2021-2020)

182	Role of extracorporeal membrane oxygenation in children with sepsis: a systematic review and meta-analysis. 2020 , 24, 684		7
181	Venoarterial Extracorporeal Membranous Oxygenation: Treatment Option for Sepsis-Induced Cardiogenic Shock? A Systematic Review. <i>Critical Care Medicine</i> , 2020 , 48, e722-e729	1.4	3
180	Sepsis: an Update on Current Improvement Efforts. 2020 , 6, 366-376		0
179	Diagnostic accuracy of time to first positivity of blood cultures for predicting severe clinical outcomes in children with pneumonia-related bacteremia. 2020 , 68, 1241-1249		4
178	Evaluation of the causal effects between dopamine infusion changeover and fluctuations in mean arterial pressure in neonates. 2020 , 105, 390-394		
177	Risk of Mortality in Immunocompromised Children With Severe Sepsis and Septic Shock. <i>Critical Care Medicine</i> , 2020 , 48, 1026-1033	1.4	5
176	The Metabolic Basis of Immune Dysfunction Following Sepsis and Trauma. 2020, 11, 1043		26
175	Neonatal functional echocardiography. 2020 , 32, 235-244		4
174	Antibiotic Timing in Pediatric Septic Shock. 2020 , 10, 311-317		5
173	High-Dose Vasopressor Therapy for Pediatric Septic Shock: When Is Too Much?. <i>Journal of Pediatric Intensive Care</i> , 2020 , 9, 172-180	1	1
172	What Inotrope and Why?. 2020 , 47, 529-547		1
171	Outcomes of Adult Patients With Septic Shock Undergoing Extracorporeal Membrane Oxygenation Therapy. 2020 , 110, 871-877		6
170	Point-of-Care Ultrasound Assessment of the Inferior Vena Cava in Mechanically Ventilated Critically Ill Children. 2020 , 39, 1573-1579		6
169	Interpretable artificial intelligence: Closing the adoption gap in healthcare. 2020, 3-29		O
168	Septic shock in pediatrics: the state-of-the-art. 2020 , 96, 87-98		
167	Early lactate area scores and serial blood lactate levels as prognostic markers for patients with septic shock: a systematic review. 2020 , 52, 451-463		5
166	Intensity of Vasopressor Therapy and In-Hospital Mortality for Infants and Children: An Opportunity for Counseling Families. 2021 , 61, 763-769		1
165	Development of a Quality Improvement Learning Collaborative to Improve Pediatric Sepsis Outcomes. <i>Pediatrics</i> , 2021 , 147,	7.4	11

Airway Management Outside of the Operating Room: the Emergency Department. **2021**, 177-184

163	Hemodynamics. 2021 , 333-366		
162	Sepsis. 2021 , 1035-1058		
161	Hemodynamic effects of high frequency oscillatory ventilation with volume guarantee in a piglet model of respiratory distress syndrome. 2021 , 16, e0246996		
160	Bacterial profile and multi-drug resistance pattern of bacterial isolates among septicemia suspected cases: a meta-analysis report in Ethiopia. 2021 , 45, 167-178		3
159	Central venoarterial extracorporeal life support in pediatric refractory septic shock: a single center experience. 2021 , 2676591211001782		1
158	Challenges in the recognition and management of paediatric sepsis - The journey. 2021 , 25, 23-23		1
157	A simulation study of high-flow versus normal-flow three-way stopcock for rapid fluid administration in emergency situations: A randomised crossover design. 2021 ,		
156	CPD article: Sedation and general anaesthesia of the portosystemic shunt patient. 2021 , 26, 1-9		
155	Early Resuscitation in Paediatric Sepsis Using Inotropes - A Randomised Controlled Pilot Study in the Emergency Department (RESPOND ED): Study Protocol and Analysis Plan. <i>Frontiers in Pediatrics</i> , 2021, 9, 663028	3.4	Ο
154	Assessment of Tissue Perfusion Using the Peripheral Perfusion Index and Lactate Clearance in Shock in Pediatric Patients. 2021 , 56, 933-938		2
153	Comparison of vena cava distensibility index and pulse pressure variation for the evaluation of intravascular volume in critically ill children. 2021 , 98, 99-99		
152	Paediatrics: how to manage septic shock. 2021 , 10,		1
151	Point-of-care ultrasound assessment of the inferior vena cava distensibility index in mechanically ventilated children in the operating room. 2021 , 51, 1071-1079		
150	Troponin I as an Independent Biomarker of Outcome in Children with Systemic Inflammatory Response. <i>Journal of Pediatric Intensive Care</i> ,	1	
149	Ensuring administration of first dose of antibiotics within the golden hour of management in neonates with sepsis. 2021 , 10,		Ο
148	Practices of Initiation of Vasoactive Drugs in Relation to Resuscitation Fluids in Children with Septic Shock: A Prospective Observational Study. 2021 , 25, 928-933		
147	Best practices in pediatric sepsis: building and sustaining an evidence-based pediatric sepsis quality improvement program. 2021 , 1-9		

(2010-2021)

146	Role of Inferior Vena Cava Parameters as Predictors of Fluid Responsiveness in Pediatric Septic Shock: A Prospective Study. 2021 , 11, e49-e54		О
145	The Physiology of Brain Death and Organ Donor Management. 2014 , 497-518		1
144	Encyclopedia of Malaria. 2014 , 1-11		1
143	Assistance circulatoire percutan par ECMO et choc septique. 2010 , 147-151		1
142	The Acutely III Child. 2015 , 57-63		1
141	Fluid is a Drug that can be Overdosed in the ICU. 2011 , 307-312		1
140	Efficacy assessment in paediatric studies. 2011 , 205, 149-68		2
139	Acute Kidney Injury: Prevention and Diagnosis. 2016 , 1223-1250		2
138	Newer Indications for ECMO: Pulmonary Embolism, Pulmonary Hypertension, Septic Shock and Trauma. 2014 , 179-192		2
137	Current Challenges in Neonatal Resuscitation: What is the Role of Adrenaline?. <i>Paediatric Drugs</i> , 2018 , 20, 417-428	4.2	1
137		4.2	3
	2018 , 20, 417-428	4.2	
136	2018, 20, 417-428 Shock. 2011, 305-314.e1 Pediatric Severe Sepsis Prediction Using Machine Learning. Successful treatment of fulminant neonatal enteroviral myocarditis in monochorionic diamniotic twins with cardiopulmonary support, intravenous immunoglobulin and pocapavir. 2018, 2018,	4.2	3
136	2018, 20, 417-428 Shock. 2011, 305-314.e1 Pediatric Severe Sepsis Prediction Using Machine Learning. Successful treatment of fulminant neonatal enteroviral myocarditis in monochorionic diamniotic	4.2	3
136 135	2018, 20, 417-428 Shock. 2011, 305-314.e1 Pediatric Severe Sepsis Prediction Using Machine Learning. Successful treatment of fulminant neonatal enteroviral myocarditis in monochorionic diamniotic twins with cardiopulmonary support, intravenous immunoglobulin and pocapavir. 2018, 2018, Pilot study of the association of the DDAH2 -449G polymorphism with asymmetric dimethylarginine	4.2	3 1 9
136 135 134	Shock. 2011, 305-314.e1 Pediatric Severe Sepsis Prediction Using Machine Learning. Successful treatment of fulminant neonatal enteroviral myocarditis in monochorionic diamniotic twins with cardiopulmonary support, intravenous immunoglobulin and pocapavir. 2018, 2018, Pilot study of the association of the DDAH2 -449G polymorphism with asymmetric dimethylarginine and hemodynamic shock in pediatric sepsis. 2012, 7, e333355 Impact of body characteristics on ultrasound-measured inferior vena cava parameters in Chinese	4.2	3 1 9
136 135 134 133	Shock. 2011, 305-314.e1 Pediatric Severe Sepsis Prediction Using Machine Learning. Successful treatment of fulminant neonatal enteroviral myocarditis in monochorionic diamniotic twins with cardiopulmonary support, intravenous immunoglobulin and pocapavir. 2018, 2018, Pilot study of the association of the DDAH2 -449G polymorphism with asymmetric dimethylarginine and hemodynamic shock in pediatric sepsis. 2012, 7, e33355 Impact of body characteristics on ultrasound-measured inferior vena cava parameters in Chinese children. 2019, 52, e8122	4.2	3 1 9 7

128	Restricted fluid bolus versus current practice in children with septic shock: the FiSh feasibility study and pilot RCT. 2018 , 22, 1-106	7
127	Consensus statement for the management of pediatric severe sepsis. 2014 , 21, 67-88	3
126	Pediatric Sepsis: A Primer for the Pediatrician. 2018 , 47, e292-e299	4
125	Venoarterial extracorporeal membrane oxygenation support for neonatal and pediatric refractory septic shock. 2015 , 19, 600-5	10
124	Early norepinephrine decreases fluid and ventilatory requirements in pediatric vasodilatory septic shock. 2016 , 20, 561-569	17
123	Pediatric Sepsis Guidelines: Summary for resource-limited countries. 2010 , 14, 41-52	36
122	Etomidate in pediatric anesthesiology: Where are we now?. 2015 , 9, 451-6	2
121	A Comparison between the Bedside Sonographic Measurements of the Inferior Vena Cava Indices and the Central Venous Pressure While Assessing the Decreased Intravascular Volume in Children. 2018 , 7, 97	10
120	Predictors of Meningitis in Under-Fifteen Children Attending an Intensive Care Unit of an Urban Large Diarrheal Disease Hospital in Bangladesh. 2014 , 05, 169-176	1
119	Refractory Septic Shock Treated with Nephrectomy under the Support of Extracorporeal Membrane Oxygenation. 2015 , 30, 176-179	1
118	Pro-con debate: etomidate or ketamine for rapid sequence intubation in pediatric patients. 2012 , 17, 142-9	16
117	Time to first antimicrobial administration after onset of sepsis in critically ill children. 2015 , 20, 37-44	3
116	Association between early fluid overload and mortality in critically-ill mechanically ventilated children: a single-center retrospective cohort study. 2021 , 21, 474	О
115	Design and reporting characteristics of clinical trials investigating sedation practices in the paediatric intensive care unit: a scoping review by SCEPTER (Sedation Consortium on Endpoints and Procedures for Treatment, Education and Research). 2021 , 11, e053519	O
114	Fluid and Electrolyte Therapy in Children. 2009 , 325-353	2
113	Shock. 2011 , 49-55	
112	Endocrine and Metabolic Crises in the Pediatric Intensive Care Unit. 2011 , 1237-1250	
111	Shock. 2011 , 11-16	

(2013-2011)

110	Adrenocortical Insufficiency. 2011 , 1924-1930.e2	
109	Transport Medicine. 2011 , 1627-1632	
108	Shock. 2011 , 32-35	
107	Kinderintensivmedizin. 2011 , 1159-1180	
106	Children with Intestinal Failure and Complications from Visceral Transplant. 251-270	
105	Meningoencefaliti. 2012 , 397-409	
104	Infezione, sepsi e shock settico. 2012 , 101-117	
103	Infections in the PICU. 2012 , 2537-2563	
102	Adjunctive Management of Neonatal Sepsis and Septic Shock. 2012 , 19, 65	
101	Shock Syndrome. 2012 , 2497-2509	
100	The Systemic Inflammatory Response Syndrome (SIRS), Sepsis, and Septic Shock. 2012 , 97-103.e4	
99	The Preterm Neonate with Cardiovascular and Adrenal Insufficiency. 2012 , 293-309	
98	Bacterial Sepsis and Shock. 2012 , 783-789	
97	Neonatal Septic Shock. 2012 , 931-939	
96	Resuscitation of children.	
95	Monitorage hthodynamique en ranimation paiatrique. 2013 , 109-141	
94	Clinical factors affecting the reliability of a pharmacokinetic simulation model for vancomycin in critically ill children. 2013 , 20, 595-600	
93	Choc septique. 2013 , 51-75	

92	A case of Precocious Puberty in a 4 Year Old Boy: Differential Diagnosis and Treatment Goals. 2013 , 10,
91	Patient Safety in Pediatrics. 2014 , 249-262
90	Sepsis and the Cardiac Patient: Diagnosis and Management. 2014 , 3321-3336
89	Pharmacology of Inhalational and Intravenous Anesthetic Agents. 2014 , 11-29
88	Sedation and Analgesia. 2014 , 31-61
87	Akute Herz-Kreislauf-Insuffizienz und Schock. 2014 , 981-985
86	Shock and cardiac disease. 2014 , 1109-1120.e2
85	The Adrenal Glands in Critical Illness and Injury. 2014 , 109-118
84	Extracorporeal Life Support. 2014 , 215-236
83	Acute Kidney Injury. 2014 , 191-212
82	Sepsis. 2014 , 453-479
81	Risque infectieux et hygifie en ranimation paliatrique. 2014 , 35, 18-19
80	Kinderintensivmedizin. 2015 , 1369-1390
79	Kinderintensivmedizin. 2015 , 1-39
78	Akute Herz-Kreislauf-Insuffizienz und Schock bei Kindern und Jugendlichen. 2015 , 1-8
77	Traitements symptomatiques des dEresses vitales dBrigine infectieuse: Infectious life-threatening distresses in neonates. Symptomatic approach. 2015 , 197-202
76	Study of Vasoactive Infusions through Peripheral Line. 2015 , 12,
75	HEhodynamisches Monitoring in der Sepsis. 2016 , 101-116

(2020-2016)

74	Pediatrics. 2016 , 313-326	
73	The Pediatric Patient Cared for in the Adult ICU. 2016 , 431-441	
72	Sepsis. 2016 , 1-16	
71	CRITICAL ILLNESS-RELATED CORTICOSTEROID INSUFFICIENCY IN CHILDREN: A SINGLE CENTER, PROSPECTIVE, COHORT STUDY. 2016 , 03, 87-92	1
70	Randomized Clinical Trials of Corticosteroids in Septic Shock: Possibly Feasible, But Will They or Should They Change My Practice?. <i>Pediatric Critical Care Medicine</i> , 2017 , 18, 589-590	
69	Neonatal Septic Shock. 2018, 1773-1784	
68	Actualit sur le sepsis et le choc septique de lanfant. 2019 , 28, 239-248	
67	The management of septic shock in children: controversies and certainties. 2019 , 1, 26	
66	Oncologic Emergencies in Pediatric Critical Care. 2019 , 1-20	
65	Learning to Beat the Shock Clock: A Low-Fidelity Simulation Board Game for Pediatric and Emergency Medicine Residents. 2019 , 15, 10804	5
64	Risk factors for refractory septic shock treated with VA ECMO. 2019 , 7, 476	6
63	Resuscitation. 2020 , 1-14	
62	Sepsis. 2020 , 461-476	
61	Vomiting and Cardiac Arrest in a 10-Year-Old Girl. <i>Pediatric Emergency Care</i> , 2020 , 1.4	
60	Neonatal sepsis in dogs: Incidence, clinical aspects and mortality. 2022 , 177, 103-115	1
59	Clinical outcome of children with fluid-refractory septic shock treated with dopamine or epinephrine. A retrospective study at a pediatric emergency department in Argentina. 2020 , 32, 551-556	O
58	Oncologic Emergencies in Pediatric Critical Care. 2020 , 1985-2004	
57	Intensive Care. 2020 , 123-135	

56	Age-adjusted quick Sequential Organ Failure Assessment score for predicting mortality and disease severity in children with infection: a systematic review and meta-analysis. 2021 , 11, 21699		О
55	Anesthetic Considerations in Pediatric Patients With Acute Decompensated Heart Failure. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2021 , 10892532211044977	1.4	О
54	Ultrasound cardiac output monitoring in mechanically ventilated children. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2021 , 165, 428-434	1.7	
53	Initial resuscitation and management of pediatric septic shock. <i>Minerva Pediatrica</i> , 2015 , 67, 141-58	1.6	6
52	Outcomes of pediatric patients with abdominal sepsis requiring surgery and extracorporeal membrane oxygenation using the Extracorporeal Life Support Organization database. <i>American Surgeon</i> , 2015 , 81, 245-51	0.8	1
51	[Diagnosis and treatment of neonatal septic shock]. <i>Chinese Journal of Contemporary Pediatrics</i> , 2017 , 19, 129-136	0.8	
50	[Value of arterial blood lactic acid in the evaluation of disease severity and prognosis in neonatal shock]. <i>Chinese Journal of Contemporary Pediatrics</i> , 2018 , 20, 17-20	0.8	1
49	Sepsis-Induced Myocardial Dysfunction in Pediatric Septic Shock: Prevalence, Predictors, and Outcome Prospective Observational Study. <i>Journal of Pediatric Intensive Care</i> ,	1	
48	Association of selenium status with endothelial activation during acute systemic inflammation in children <i>Clinical Nutrition ESPEN</i> , 2022 , 47, 367-374	1.3	
47	The Superior Mesenteric Artery Angle and Abdominal Main Vessel Diameters in Normovolemic Children: For Practical Sonographic Evaluation. <i>Ultrasound Quarterly</i> , 2021 , 37, 343-348	1.4	
	emidren. For Fractical Somographic Evaluation. Oldrasouna Quarterly, EDET, 51, 545-540		
46	Shock. 2018,	<u> </u>	
46 45		1.1	2
	Shock. 2018 ,		2
45	Shock. 2018 , Shock. <i>Pediatrics in Review</i> , 2010 , 31, 311-319 Role of Extracorporeal Membrane Oxygenation in Adults and Children With Refractory Septic	1.1	
45	Shock. 2018, Shock. Pediatrics in Review, 2010, 31, 311-319 Role of Extracorporeal Membrane Oxygenation in Adults and Children With Refractory Septic Shock: A Systematic Review and Meta-Analysis Frontiers in Pediatrics, 2021, 9, 791781	1.1 3.4	
45 44 43	Shock. 2018, Shock. Pediatrics in Review, 2010, 31, 311-319 Role of Extracorporeal Membrane Oxygenation in Adults and Children With Refractory Septic Shock: A Systematic Review and Meta-Analysis Frontiers in Pediatrics, 2021, 9, 791781 Cutoff Values of Hemodynamic Parameters in Pediatric Refractory Septic Shock Children, 2022, 9, Safety of Vasopressor Medications through Peripheral Line in Pediatric Patients in PICU in a	1.1 3.4 2.8	0
45 44 43 42	Shock. 2018, Shock. Pediatrics in Review, 2010, 31, 311-319 Role of Extracorporeal Membrane Oxygenation in Adults and Children With Refractory Septic Shock: A Systematic Review and Meta-Analysis Frontiers in Pediatrics, 2021, 9, 791781 Cutoff Values of Hemodynamic Parameters in Pediatric Refractory Septic Shock Children, 2022, 9, Safety of Vasopressor Medications through Peripheral Line in Pediatric Patients in PICU in a Resource-Limited Setting Critical Care Research and Practice, 2022, 2022, 6160563	1.1 3.4 2.8 1.5	0 1 0

38	The child with sepsis. 33-47		
37	Table_1.DOCX. 2020 ,		
36	Data_Sheet_1.xlsx. 2018 ,		
35	Data_Sheet_2.docx. 2018 ,		
34	Data_Sheet_3.docx. 2018,		
33	Data_Sheet_4.docx. 2018 ,		
32	Data_Sheet_5.docx. 2018 ,		
31	Data_Sheet_6.xlsx. 2018 ,		
30	Data_Sheet_7.xlsx. 2018 ,		
29	Table_1.DOCX. 2018 ,		
28	Data_Sheet_1.PDF. 2018 ,		
27	Data_Sheet_1.docx. 2019 ,		
26	Veno-venous extracorporeal membrane oxygenation for septic shock patients with pulmonary infection: A propensity score matching-based retrospective study <i>Artificial Organs</i> , 2022 ,	2.6	
25	??????????????VA ECMO?????????(VenoErterial extracorporeal membrane oxygenation for severe sepsis and septic shock in adults: a retrospective study). <i>Nihon Kyukyu Igakukai Zasshi</i> , 2017 , 28, 904-909	O	3
24	Outpatient administration of naxitamab in combination with granulocyte-macrophage colony-stimulating factor in patients with refractory and/or relapsed high-risk neuroblastoma: Management of adverse events <i>Cancer Reports</i> , 2022 , e1627	1.5	
23	Clinical Benefits of New Echocardiographic Methods.		
22	The Current and Future State of Pediatric Sepsis Definitions: An International Survey. <i>Pediatrics</i> , 2022 , 149,	7.4	О
21	Monocyte Distribution Width in Children With Systemic Inflammatory Response: Retrospective Cohort Examining Association With Early Sepsis. <i>Pediatric Critical Care Medicine</i> , Publish Ahead of Print,	3	1

20	Adherence to Pediatric Sepsis Treatment Recommendations at Emergency Departments. <i>Pediatric Emergency Care</i> , Publish Ahead of Print,	1.4	
19	Prognostic accuracy of SOFA and qSOFA for mortality among children with infection: a meta-analysis. <i>Pediatric Research</i> ,	3.2	О
18	Intravenous Fluid Bolus Rates Associated with Outcomes in Pediatric Sepsis: A Multi-Center Analysis. Volume 14, 375-384		
17	Erythrocyte and plasma selenium in children with acute inflammatory response. 2022, 74, 127068		O
16	Die Big Five der Volumentherapie im Kindesalter. 2022 , 17, 307-327		O
15	Clinical approach to vasoplegia in the transplant patient from the Pediatric Heart Transplant Society. 2022 , 26,		О
14	Effect of a standardized fluid management algorithm on acute kidney injury and mortality in pediatric patients on extracorporeal support.		O
13	Vasoactive inotropic score as a predictor of mortality in neonatal septic shock. 2022 , 68,		О
12	External validation and updating of clinical severity scores to guide referral of young children with acute respiratory infections in resource-limited primary care settings.		O
11	The Association of Corticosteroid Therapy With Mortality and Length of Stay Among Children With Septic Shock: A Retrospective Cohort Study. 2023 ,		O
10	Risk Factors for Pediatric Sepsis in the Emergency Department. Publish Ahead of Print,		O
9	Hemodynamic effects of noradrenaline in neonatal septic shock: a prospective cohort study.		O
8	A Study to Compare Ultrasound-guided and Clinically-guided Fluid Management in Children with Septic Shock. 2023 , 27, 139-146		O
7	Efficacy of dopamine, epinephrine and blood transfusion for treatment of fluid refractory shock in children with severe acute malnutrition or severe underweight and cholera or other dehydrating diarrhoeas: protocol for a randomised controlled clinical trial. 2023 , 13, e068660		O
6	Recognizing Sepsis in Children in Low-Resourced Settings: Guidelines for Frontline Clinicians.		O
5	Impact of the Magnitude and Timing of Fluid Overload on Outcomes in Critically Ill Children: A Report From the Multicenter International Assessment of Worldwide Acute Kidney Injury, Renal Angina, and Epidemiology (AWARE) Study. 2023 , 51, 606-618		O
4	Critical Care Medicine. 2017 , 1282-1300.e5		O
3	Fluid Management. 2013 , 1351-1356.e1		O

2 Fluid Overload in Pediatric Univentricular Patients Undergoing Fontan Completion. **2023**, 10, 156

О

Use of norepinephrine in preterm neonates with dopamine-resistant shock: a retrospective single-centre cross-sectional study. **2023**, 7, e001804

О