

CITATION REPORT

List of articles citing

Fractional flow reserve versus angiography for guiding percutaneous coronary intervention

DOI: 10.1056/nejmoa0807611

New England Journal of Medicine, 2009, 360, 213-24.

Source: <https://exaly.com/paper-pdf/46863928/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2314	The N-terminus of HIV-1 Tat protein is essential for Tat-TAR RNA interaction. 2005 , 62, 355-61		20
2313	A case against low-volume percutaneous coronary intervention centers. 2009 , 120, 546-8		17
2312	Role of fractional and coronary flow reserve in clinical decision making in intermediate coronary lesions. 2009 , 1, 237-255		21
2311	2009 Focused Updates: ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction (updating the 2004 Guideline and 2007 Focused Update) and ACC/AHA/SCAI Guidelines on Percutaneous Coronary Intervention (updating the 2005 Guideline and 2007 Focused Update): a report of the American College of Cardiology Foundation/American Heart Association		820
2310	Coronary CT angiography and myocardial perfusion imaging to detect flow-limiting stenoses: a potential gatekeeper for coronary revascularization?. 2009 , 30, 2921-9		58
2309	Appropriate myocardial revascularization: a joint viewpoint from an interventional cardiologist and a cardiac surgeon. 2009 , 30, 2182-5		7
2308	Coronary angiography by 64-row CT. <i>New England Journal of Medicine</i> , 2009 , 360, 2027; author reply 2029-31	59.2	4
2307	Fractional flow reserve for guiding PCI. <i>New England Journal of Medicine</i> , 2009 , 360, 2024; author reply 2026-7	59.2	2
2306	Refining the art and science of coronary stenting. <i>New England Journal of Medicine</i> , 2009 , 360, 292-4	59.2	5
2305	Expanding role of fractional flow reserve in the cardiac catheterization laboratory. 2009 , 7, 447-9		
2304	Use of stress testing prior to percutaneous coronary intervention in patients with stable coronary artery disease. 2009 , 7, 1061-6		1
2303	Long-term secondary prevention programs after cardiac rehabilitation for the reduction of future cardiovascular events: focus on regular physical activity. 2009 , 5, 297-314		7
2302	Assessment of structural disease in the coronary microvasculature. 2009 , 120, 1555-7		5
2301	The SYNTAX trial: a perspective. 2009 , 2, 463-7		15
2300	Response to Letter by Kern Regarding Article "Primary Stenting of an Anomalous Left Main Coronary Artery With an Interarterial Course During Cardiac Arrest: Imaging With CT Angiography" 2009 , 2,		
2299	Acute myocardial infarction and underlying stenosis severity. 2009 , 103, 1204-5		11
2298	Rebuttal: Response to Dr. Morton Kern. 2009 , 74, 814-814		

2297	Use and abuse of IVUS and FFR by Magni V et al. or why you shouldn't believe the saying, "if you want to treat, use IVUS. If you don't, use FFR". 2009 , 74, 811-3; author reply 814	7
2296	Current status of vulnerable plaque detection. 2010 , 75, 135-44	32
2295	2009 focused updates: ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction (updating the 2004 guideline and 2007 focused update) and ACC/AHA/SCAI guidelines on percutaneous coronary intervention (updating the 2005 guideline and 2007 focused update): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2009 , 74, E25-68	46
2294	Highlights from Transcatheter Cardiovascular Therapeutics 2009. 2009 , 98, 811-817	
2293	The AUTAX (Austrian Multivessel TAXUS-Stent) registry: another useful registry on stented angioplasty for multivessel disease?. 2009 , 2, 728-30	1
2292	Advances in percutaneous coronary intervention. 2009 , 11, 245-51	4
2291	Chronic kidney disease, SPECT, and coronary angiography: "head of gold and feet of clay?". 2009 , 16, 345-7	2
2290	Growing evidence that radionuclide imaging identifies management strategies that improve outcome. 2009 , 16, 844-5	1
2289	On the inappropriateness of noninvasive multidetector computed tomography coronary angiography to trigger coronary revascularization: a comparison with invasive angiography. 2009 , 2, 550-7	54
2288	Can coronary computed tomographic angiography trigger coronary revascularization? Questioning the appropriateness of the question. 2009 , 2, 558-60	3
2287	Angiographic restenosis and clinical recurrence after sirolimus- and paclitaxel-eluting stent implantation. 2009 , 2, 776-8	
2286	A half century of selective coronary arteriography. 2009 , 54, 2139-44	23
2285	Taking the last hurdles: magnetic resonance myocardial perfusion imaging. 2009 , 2, 434-6	2
2284	Newer methods for noninvasive assessment of myocardial perfusion: cardiac magnetic resonance or cardiac computed tomography?. 2009 , 2, 656-60	8
2283	Does coronary flow trump coronary anatomy?. 2009 , 2, 1009-23	149
2282	Man must measure: except for cardiologists!. 2009 , 2, 1111-3	0
2281	Chronic coronary artery disease: diagnosis and management. 2009 , 84, 1130-46	150
2280	Is coronary computed tomographic angiography the "gold standard" for coronary artery disease?. 2009 , 3, 334-9	5

2279	2009 focused updates: ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction (updating the 2004 guideline and 2007 focused update) and ACC/AHA/SCAI guidelines on percutaneous coronary intervention (updating the 2005 guideline and 2007 focused update) a report of the American College of Cardiology Foundation/American Heart Association	1029
2278	Relationship between functional exercise capacity and functional stenosis in patients with stable angina and intermediate coronary stenosis. 2009 , 73, 2308-14	5
2277	Measuring FFR improves success of PCI. 2009 , 6, 266-266	
2276	Conference Scene: A congress report. 2009 , 1, 161-164	1
2275	Fractional Flow Reserve versus Angiography for Guiding Percutaneous Coronary Intervention. 2010 , 2010, 340-342	
2274	The Bypass Angioplasty Revascularization in Type 1 and Type 2 Diabetes Study: 5-year follow-up of revascularization with percutaneous coronary intervention versus coronary artery bypass grafting in diabetic patients with multivessel disease. 2010 , 11, 26-33	10
2273	Clinical implications of the BARI 2D and COURAGE trials: the evolving role of percutaneous coronary intervention. 2010 , 21, 397-401	1
2272	Intravascular ultrasound guidance for percutaneous coronary intervention in the current practice era. 2010 , 2, 719-733	1
2271	Discordant creatine kinase and cardiac troponin T in the workup of acute coronary syndrome. 2010 , 12, 64-8	1
2270	Coronary branch steal: experimental validation and clinical implications of interacting stenosis in branching coronary arteries. 2010 , 3, 701-9	27
2269	Invasive or non-invasive? That is (still) the question. 2010 , 74, 1028; author reply 1029	
2268	CONSORT 2010 explanation and elaboration: updated guidelines for reporting parallel group randomised trials. 2010 , 340, c869	3149
2267	Patients with coronary stenosis and a fractional flow reserve of ≤ 0.75 measured in daily practice at the VU University Medical Center. 2010 , 18, 402-7	5
2266	Clinical outcome following conservative vs revascularization therapy in patients with stable coronary artery disease and borderline fractional flow reserve measurements. 2010 , 33, 77-83	26
2265	Efficacy of fractional flow reserve measurements at side branch vessels treated with the crush stenting technique in true coronary bifurcation lesions. 2010 , 33, 490-4	4
2264	A cardiac catheterization laboratory is not just an angiographic suite. 2010 , 33, 594-595	
2263	[Cardiac computed tomography and magnetic resonance imaging in patients with coronary artery disease]. 2010 , 51, 625-38; quiz 639-40	1
2262	Fractional flow reserve and myocardial perfusion imaging in patients with angiographic multivessel coronary artery disease. 2010 , 3, 307-14	177

2261	Outcomes of percutaneous coronary intervention in intermediate coronary artery disease: fractional flow reserve-guided versus intravascular ultrasound-guided. 2010 , 3, 812-7	62
2260	Effective radiation dose, time, and contrast medium to measure fractional flow reserve. 2010 , 3, 821-7	35
2259	Best way to revascularize patients with main stem and three vessel lesions: patients should undergo PCI!. 2010 , 99, 531-9	8
2258	Adenosine and maximum coronary vasodilation in humans: myth and misconceptions in the assessment of coronary reserve. 2010 , 105, 1-5	89
2257	Multimodality cardiac imaging. 2010 , 17, 4-7	4
2256	Coronary flow reserve by CT perfusion. 2010 , 17, 540-3	1
2255	Fractional flow reserve and myocardial viability as assessed by SPECT perfusion scintigraphy in patients with prior myocardial infarction. 2010 , 17, 817-24	5
2254	The clinical utility of assessing myocardial blood flow using positron emission tomography. 2010 , 17, 571-81	30
2253	Fractional Flow Reserve: A Practical Update. 2010 , 3, 215-221	
2252	Clinical Role of Hybrid Imaging. 2010 , 3, 324-335	4
2251	Advances in Contrast-Enhanced Cardiovascular CT for the Evaluation of Myocardial Perfusion. 2010 , 3, 372-381	2
2250	Tc-99m sestamibi single photon emission computed tomography for guiding percutaneous coronary intervention in patients with multivessel disease: a comparison with quantitative coronary angiography and fractional flow reserve. 2010 , 26, 203-13	23
2249	The relationship between myocardial SPECT and fractional flow reserve: is it drifting apart?. 2010 , 26, 215-6	1
2248	Characterization of coronary arterial plaque. 2010 , 26, 385-6	1
2247	Tratamiento de la angina estable: revascularización miocárdica. 2010 , 10, 31B-40B	
2246	Current challenges and future directions in cardiac imaging. 2010 , 22, 121-4	
2245	Percutaneous coronary intervention. 2010 , 38, 438-445	2
2244	Therapeutic advances in myocardial microvascular resistance: unravelling the enigma. 2010 , 127, 131-47	23

2243	New set of intravascular ultrasound-derived anatomic criteria for defining functionally significant stenoses in small coronary arteries (results from Intravascular Ultrasound Diagnostic Evaluation of Atherosclerosis in Singapore [IDEAS] study). 2010 , 105, 1378-84	58
2242	Impact of completeness of revascularization on the five-year outcome in percutaneous coronary intervention and coronary artery bypass graft patients (from the ARTS-II study). 2010 , 106, 1369-75	62
2241	Hemodynamic and intravascular ultrasound assessment of myocardial bridging: fractional flow reserve paradox with dobutamine versus adenosine. 2010 , 75, 229-36	31
2240	Practical tips and tricks for the measurement of fractional flow reserve. 2010 , 76, 978-85	10
2239	Bifurcation lesions: Functional assessment by fractional flow reserve vs. anatomical assessment using conventional and dedicated bifurcation quantitative coronary angiogram. 2010 , 76, 817-23	16
2238	The DESIRE-Late registry: what is left to be desired?. 2010 , 3, 19-21	2
2237	Impact of multiple and long sirolimus-eluting stent implantation on 3-year clinical outcomes in the j-Cypher Registry. 2010 , 3, 180-8	40
2236	Impact of drug-eluting stent length on outcomes less is more...more or less. 2010 , 3, 189-90	1
2235	2009 Focused updates to guidelines in ST-elevation myocardial infarction and percutaneous coronary intervention: application to interventional cardiology. 2010 , 3, 256-8	4
2234	Decision making in multivessel coronary disease: the need for physiological lesion assessment. 2010 , 3, 315-7	26
2233	The clinical impact of routine angiographic follow-up in randomized trials of drug-eluting stents: a critical assessment of "oculostenotic" reintervention in patients with intermediate lesions. 2010 , 3, 403-11	74
2232	Fractional flow reserve for the assessment of nonculprit coronary artery stenoses in patients with acute myocardial infarction. 2010 , 3, 1274-81	222
2231	The acute changes of fractional flow reserve in DK (double kissing), crush, and 1-stent technique for true bifurcation lesions. 2010 , 23, 341-5	10
2230	The prognostic value of combined fractional flow reserve and TIMI frame count measurements in patients with stable angina pectoris and acute coronary syndrome. 2010 , 23, 421-8	9
2229	Elective coronary stenting increases fractional flow reserve in other arteries due to an increase in microvascular resistance: clinical implications for assessment of multivessel disease. 2010 , 23, 520-7	6
2228	PET and CT Imaging. 2010 , 321-333	
2227	. 2010 ,	
2226	The role of CABG in the era of drug-eluting stents: a surgeon's viewpoint. 2010 , 2, 7-10	

2225	Perspectives on the 2009 focused updates on the management of ST-segment elevation myocardial infarction and percutaneous intervention. 2010 , 9, 126-33	1
2224	Atherosclerotic renal artery stenosis, the oculostenotic reflex, and therapeutic nihilism. 2010 , 3, 526-7	3
2223	Cardiac magnetic resonance imaging to guide complex revascularization in stable coronary artery disease. 2010 , 31, 2209-15	32
2222	Incremental value of adenosine-induced stress myocardial perfusion imaging with dual-source CT at cardiac CT angiography. 2010 , 254, 410-9	204
2221	Cardiovascular Disease in Chronic Kidney Disease. 2010 , 935-950	4
2220	Noninvasive transthoracic and transesophageal Doppler echocardiographic measurements of human coronary blood flow velocity: In vitro flow phantom validation. 2010 , 2010, 3784-7	1
2219	Controversies in cardiovascular medicine: Chronic stable coronary artery disease: drugs vs. revascularization. 2010 , 31, 530-41	60
2218	Tips and Tricks in Interventional Therapy of Coronary Bifurcation Lesions. 2010 ,	5
2217	Economic evaluation of fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease. 2010 , 122, 2545-50	278
2216	Coronary artery disease: Percent stenosis in CAD--a flaw in current practice. 2010 , 7, 482-4	9
2215	Coronary blood flow in patients with end-stage renal disease assessed by thrombolysis in myocardial infarction frame count method. 2010 , 25, 926-30	7
2214	Percutaneous coronary intervention in chronic stable angina. 2010 , 339, 568-72	1
2213	Guidelines on myocardial revascularization. 2010 , 38 Suppl, S1-S52	230
2212	Three-vessel coronary disease in diabetics: personalized versus evidence-based revascularization strategy. 2010 , 6, 797-809	2
2211	Revascularization for renal-artery stenosis. <i>New England Journal of Medicine</i> , 2010 , 362, 762; author reply 763-4	59.2 1
2210	Myocardial perfusion imaging with multidetector CT: beyond lumenography. 2010 , 254, 321-3	13
2209	Biomarkers of vulnerable plaque: the missing link with ischemia. 2010 , 4, 375-83	4
2208	Imaging of coronary artery disease: the big picture. 2010 , 7, 392-5	1

2207	Physiologic lesion assessment during percutaneous coronary intervention. 2010 , 28, 31-54	9
2206	Current concepts of integrated coronary physiology in the catheterization laboratory. 2010 , 55, 173-85	217
2205	The present state of coronary computed tomography angiography a process in evolution. 2010 , 55, 957-65	134
2204	Angiographic versus functional severity of coronary artery stenoses in the FAME study fractional flow reserve versus angiography in multivessel evaluation. 2010 , 55, 2816-21	837
2203	Fractional flow reserve-guided stent therapy for multivessel disease: taking a closer look. 2010 , 55, 2822-4	5
2202	The year in interventional cardiology. 2010 , 55, 2272-86	3
2201	Fractional flow reserve versus angiography for guiding percutaneous coronary intervention in patients with multivessel coronary artery disease: 2-year follow-up of the FAME (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation) study. 2010 , 56, 177-84	796
2200	Testing for myocardial ischemia: the end of surrogates?. 2010 , 3, 385-7	7
2199	Fractional flow reserve: concepts, applications and use in France in 2010. 2010 , 103, 615-22	18
2198	Usefulness of the fractional flow reserve derived by intracoronary pressure wire for evaluating angiographically intermediate lesions in acute coronary syndrome. 2010 , 63, 686-94	3
2197	Comparison of zotarolimus-eluting and everolimus-eluting coronary stents. <i>New England Journal of Medicine</i> , 2010 , 363, 136-46	59.2 519
2196	Cardiac positron emission tomography/computed tomography imaging accurately detects anatomically and functionally significant coronary artery disease. 2010 , 122, 603-13	248
2195	Correlation between coronary computed tomographic angiography and fractional flow reserve. 2010 , 144, 200-5	43
2194	Place de la scintigraphie myocardique dans lângor stable. 2010 , 34, 178-183	
2193	CONSORT 2010 Explanation and Elaboration: Updated guidelines for reporting parallel group randomised trials. 2010 , 63, e1-37	1234
2192	PET/CT challenge for the non-invasive diagnosis of coronary artery disease. 2010 , 73, 494-503	18
2191	Management of multivessel coronary disease after ST-elevation myocardial infarction treated by primary coronary angioplasty. 2010 , 160, S28-35	13
2190	Coronary revascularisation in chronic kidney disease. Part 1: stable coronary artery disease. 2010 , 36 Suppl 1, 106-17	5

- 2189 [Update on interventional cardiology]. **2010**, 63 Suppl 1, 86-100 3
- 2188 [From complex multivessel disease to cardiovascular health]. **2010**, 63 Suppl 2, 3-11 2
- 2187 Utilidad de la reserva fraccional de flujo obtenida mediante guñ intracoronaria de presiñ en la valoraciñ de lesiones angiogrñicamente moderadas en el sñdrome coronario agudo. **2010**, 63, 686-694 17
- 2186 Current status of cardiovascular magnetic resonance imaging in the assessment of coronary vasculature. **2010**, 26 Suppl A, 51A-55A 2
- 2185 Guidelines on myocardial revascularization. **2010**, 31, 2501-55 2070
- 2184 Coronary vasospasm: is it a myth?. **2010**, 10 Suppl 1, 19-26 5
- 2183 A new device for intravascular blood-flow measurement: The helical diffraction-grating transducer. **2010**, 2070
- 2182 Reasonable incomplete revascularization. **2011**, 123, 2337-40 47
- 2181 Impact of incomplete revascularization on long-term mortality after coronary stenting. **2011**, 4, 413-21 45
- 2180 Recomendaciñs sobre revascularizaciñ do miocñdio. **2011**, 30, 951-1005
- 2179 Coronary physiology in the cath lab: beyond the basics. **2011**, 29, 237-67 4
- 2178 The physiologic evaluation of stenosis by transthoracic Doppler: a bit of theory, a lot of practice. **2011**, 24, 382-4 1
- 2177 Comparison between non-invasive coronary flow reserve and fractional flow reserve to assess the functional significance of left anterior descending artery stenosis of intermediate severity. **2011**, 24, 374-81 29
- 2176 Les vñhements coronariens aigus aprñ angioplastie coronaire : quels sont les bñfices de lâñngioplastie dans lâñngor stable ?. **2011**, 2011, 27-30
- 2175 Almanac 2011: stable coronary artery disease. The national society journals present selected research that has driven recent advances in clinical cardiology. **2011**, 30, 869-869
- 2174 Importance of different techniques in assessing the significance of coronary stenosis. **2011**, 30, 679-682
- 2173 FAME and coronary stent investigations: is there a kink in the wire?. **2011**, 57, 115-6; author reply 116 2
- 2172 Reply. **2011**, 57, 116

2171	Culprit vessel only versus multivessel and staged percutaneous coronary intervention for multivessel disease in patients presenting with ST-segment elevation myocardial infarction: a pairwise and network meta-analysis. 2011 , 58, 692-703	245
2170	Hospital variability in the rate of finding obstructive coronary artery disease at elective, diagnostic coronary angiography. 2011 , 58, 801-9	71
2169	Bringing it all together: integration of physiology with anatomy during cardiac catheterization. 2011 , 58, 1219-21	33
2168	Quantitative relationship between the extent and morphology of coronary atherosclerotic plaque and downstream myocardial perfusion. 2011 , 58, 1807-16	71
2167	Diagnosis of ischemia-causing coronary stenoses by noninvasive fractional flow reserve computed from coronary computed tomographic angiograms. Results from the prospective multicenter DISCOVER-FLOW (Diagnosis of Ischemia-Causing Stenoses Obtained Via Noninvasive Fractional Flow Reserve) study. 2011 , 58, 1889-97	804
2166	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 58, 2550-2583	99
2165	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 58, e44-122	1703
2164	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: Executive Summary. 2011 , 58, 2584-2614	59
2163	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. 2011 , 58, e123-210	531
2162	Anatomy meets function. Modeling coronary flow reserve on the basis of coronary computed tomography angiography. 2011 , 58, 1998-2000	11
2161	Rationale and design of the DeFACTO (Determination of Fractional Flow Reserve by Anatomic Computed Tomographic AngiOgraphy) study. 2011 , 5, 301-9	95
2160	Normal perfusion of the left ventricular myocardium using 320 MDCT. 2011 , 5, 406-11	14
2159	CT stress myocardial perfusion imaging using multidetector CT--A review. 2011 , 5, 345-56	27
2158	Diagnostic performance of combined noninvasive coronary angiography and myocardial perfusion imaging using 320 row detector computed tomography: design and implementation of the CORE320 multicenter, multinational diagnostic study. 2011 , 5, 370-81	69
2157	Clinical utility of regadenoson for assessing fractional flow reserve. 2011 , 4, 1085-92	51
2156	The crux of maximum hyperemia: the last remaining barrier for routine use of fractional flow reserve. 2011 , 4, 1093-5	44
2155	Fractional flow reserve in unstable angina and non-ST-segment elevation myocardial infarction experience from the FAME (Fractional flow reserve versus Angiography for Multivessel Evaluation) study. 2011 , 4, 1183-9	126
2154	Intravascular ultrasound-derived predictors for fractional flow reserve in intermediate left main disease. 2011 , 4, 1168-74	103

2153	Long-term follow-up after fractional flow reserve-guided treatment strategy in patients with an isolated proximal left anterior descending coronary artery stenosis. 2011 , 4, 1175-82	69
2152	Cardiac PET: a versatile, quantitative measurement tool for heart failure management. 2011 , 4, 292-302	15
2151	Impact of unexpected factors on quantitative myocardial perfusion and coronary flow reserve in young, asymptomatic volunteers. 2011 , 4, 402-12	88
2150	Semiconductor detectors allow low-dose-low-dose 1-day SPECT myocardial perfusion imaging. 2011 , 52, 1204-9	49
2149	Accurate preoperative echocardiography has more impact on prediction of long-term mortality than intra-operatively measured flow in coronary bypass grafts. 2011 , 40, 245-8	4
2148	Comprehensive Cardiovascular Medicine in the Primary Care Setting. 2011 ,	
2147	[Importance of different techniques in assessing the significance of coronary stenosis]. 2011 , 30, 679-82	
2146	Fame comes at a cost: a Canadian analysis of procedural costs in use of pressure wire to guide multivessel percutaneous coronary intervention. 2011 , 27, 262.e1-2	3
2145	Integrated coronary physiology in percutaneous intervention: a new paradigm in interventional cardiology. 2011 , 20, 641-6	3
2144	Intracoronary optical coherence tomography for the assessment of in-stent restenosis. 2011 , 20, 332-5	
2143	Long-term prognosis in stable angina; medical treatment or coronary revascularization in patients younger than 70 years?. 2011 , 148, 43-7	10
2142	Comparison of adenosine magnetic resonance perfusion imaging with invasive coronary flow reserve and fractional flow reserve in patients with suspected coronary artery disease. 2011 , 147, 184-6	12
2141	The small intestine in cardiac cachexia: a forgotten player of the game. 2011 , 147, 186-7	1
2140	Revascularization strategies for stable multivessel and unprotected left main coronary artery disease: from BARI to SYNTAX. 2011 , 153, 126-34	5
2139	[Screening of silent myocardial ischemia in diabetic patients: Practical details and issues]. 2011 , 40, 625-33	2
2138	ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation: The Task Force for the management of acute coronary syndromes (ACS) in patients presenting without persistent ST-segment elevation of the European Society of Cardiology (ESC). 2011 , 32, 2999-3054	2614
2137	Fractional flow reserve-guided âpot stentingâ in intermediate coronary stenosisâ case report. 2011 , 1, 147-150	
2136	Almanac 2011: Stable coronary artery disease. The national society journals present selected research that has driven recent advances in clinical cardiology. 2011 , 30, 869-878	

2135	Ivabradine improves coronary flow reserve in patients with stable coronary artery disease. 2011 , 215, 160-5	44
2134	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. 2011 , 194, 666-669	
2133	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. 2011 , 194, 186-9	10
2132	Fractional flow reserve-guided myocardial revascularization. 2011 , 3, 228-241	1
2131	Myocardial Perfusion. 2011 , 167-202	
2130	CURRENT APPROACHES TO EVALUATION OF THE MULTIVESSEL CORONARY ATHEROSCLEROSIS IN PATIENTS WITH CHRONIC ISCHEMIC HEART DISEASE. 2011 , 7, 744-751	1
2129	Optimizing revascularization strategies in coronary artery disease for optimal benefit to patients. 2011 , 90, 630-3	2
2128	Joint ESC/EACTS guidelines on myocardial revascularization. 2011 , 12, 264-7	10
2127	Invasive imaging technologies: can we reconcile light and sound?. 2011 , 12, 562-70	6
2126	Clinical characteristics and prognostic importance of mild-to-moderate noninfarct-related coronary artery disease in patients with first ST-elevation myocardial infarction. 2011 , 22, 55-8	
2125	From SYNTAX to FAME, a paradigm shift in revascularization strategies: the key role of fractional flow reserve in guiding myocardial revascularization. 2011 , 12, 538-42	17
2124	Fractional Flow Reserve: A Review for Cardiac Catheterization Lab Personnel. 2011 , 1, 79-81	1
2123	Test of a novel miniature blood pressure sensor in the coronary arteries of a swine model. 2011 ,	1
2122	Angiographic Versus Functional Severity of Coronary Artery Stenoses in the FAME Study: Fractional Flow Reserve Versus Angiography in Multivessel Evaluation. 2011 , 2011, 210-212	
2121	Buddy Wire Technique to Facilitate Fractional Flow Reserve of an Ostial Right Coronary Artery Lesion. 2011 , 1, 121-123	
2120	Analytical and experimental characterization of a miniature calorimetric sensor in a pulsatile flow. 2011 , 666, 428-444	5
2119	Diabetic and Nondiabetic Patients With Left Main and/or 3-Vessel Coronary Artery Disease: Comparison of Outcomes With Cardiac Surgery and Paclitaxel-Eluting Stents. 2011 , 2011, 212-214	
2118	From treating complex coronary artery disease to promoting cardiovascular health: therapeutic transitions and challenges, 2010-2020. 2011 , 90, 509-18	17

2117	Angiography is the gold standard and objective evidence of myocardial ischemia is mandatory if lesion severity is questionable. - Indication of PCI for angiographically significant coronary artery stenosis without objective evidence of myocardial ischemia (Pro)-. 2011 , 75, 204-10; discussion 217	12
2116	Left main stenting. 2011 , 75, 749-55	5
2115	A pitfall of fractional flow reserve associated with the presence of collateral circulation. 2011 , 50, 2811-3	7
2114	What can we expect in PCI in patients with chronic coronary artery disease. - Indication of PCI for angiographically significant coronary artery stenosis without objective evidence of myocardial ischemia (Con)-. 2011 , 75, 211-7; discussion 210	7
2113	Ischemic Heart Disease. 2011 , 203-273	
2112	Using computed tomography coronary angiography to evaluate patients with acute chest pain: putting the horse before the cart. 2011 , 41, 647-50	2
2111	Long-term clinical outcomes after deferral of percutaneous coronary intervention of intermediate coronary stenoses based on coronary pressure-derived fractional flow reserve. 2011 , 58, 32-7	11
2110	Assessment of myocardial ischemia with cardiovascular magnetic resonance. 2011 , 54, 191-203	20
2109	Percutaneous coronary intervention for non ST-elevation acute coronary syndromes: which, when and how?. 2011 , 107, 509-15	8
2108	Preintervention angiographic and intravascular ultrasound predictors for side branch compromise after a single-stent crossover technique. 2011 , 107, 1787-93	38
2107	Usefulness of coronary pressure measurement for functional evaluation of drug-eluting stent restenosis. 2011 , 107, 1783-6	26
2106	[Intermediate lesion and multivessels disease: Interest of fractional flow reserve (FFR) to determine the strategy of revascularization]. 2011 , 60, 148-53	1
2105	Are noninvasive tests enough to decide upon a hybrid coronary artery revascularization strategy?. 2011 , 91, 1306; author reply 1306-7	0
2104	The value of using fractional flow reserve measurements in helping to diagnose acute left ventricular failure in the presence of normal left ventricular systolic function. 2011 , 12, 181-183	
2103	Looks can be deceiving: dissociation between angiographic severity and hemodynamic significance of a lesion. The importance of microvascular resistance. 2011 , 12, 258-61	4
2102	Functional SYNTAX score for risk assessment in multivessel coronary artery disease. 2011 , 58, 1211-8	188
2101	Paving the coronaries with stents: okay in acute coronary syndromes?. 2011 , 34, 141-2	
2100	2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2013 , 82, E266-355	81

2099	Very high coronary calcium score unmasks obstructive coronary artery disease in patients with normal SPECT MPI. 2011 , 97, 998-1003	55
2098	Combining cardiac magnetic resonance and computed tomography coronary calcium scoring: added value for the assessment of morphological coronary disease?. 2011 , 27, 969-77	6
2097	Utilization of frequency domain optical coherence tomography and fractional flow reserve to assess intermediate coronary artery stenoses: conciliating anatomic and physiologic information. 2011 , 27, 299-308	27
2096	Performance figures of invasive cardiology in Germany 2006 and 2007 focussing on coronary artery disease. 2011 , 100, 187-90	8
2095	Utility of myocardial fractional flow reserve for prediction of restenosis following sirolimus-eluting stent implantation. 2011 , 26, 572-81	14
2094	Nuclear myocardial perfusion imaging with a novel cadmium-zinc-telluride detector SPECT/CT device: first validation versus invasive coronary angiography. 2011 , 38, 2025-30	69
2093	[Progress in diagnostics is the driving force for developing interventional methods]. 2011 , 36, 383-5	
2092	[Modern angiographic diagnostic techniques in the catheter laboratory]. 2011 , 36, 396-401	
2091	Myocardial fractional flow reserve. Its role in guiding PCI in stable coronary artery disease. 2011 , 36, 410-6	4
2090	Use of coronary physiology in the catheterization laboratory to guide treatment in patients with coronary artery disease. 2011 , 13, 35-45	5
2089	Intravascular imaging tools in the cardiac catheterization laboratory: comprehensive assessment of anatomy and physiology. 2011 , 4, 393-403	18
2088	CT-based myocardial perfusion imaging-practical considerations: acquisition, image analysis, interpretation, and challenges. 2011 , 4, 437-48	8
2087	Sex differences in the diagnostic evaluation of coronary artery disease. 2011 , 18, 144-52	14
2086	Incremental prognostic value of coronary flow reserve assessed with single-photon emission computed tomography. 2011 , 18, 541-3	1
2085	Assessing Risk and Predicting Outcomes in Coronary Artery Disease: Physiology, Anatomy, or Biology?. 2011 , 4, 180-189	1
2084	FFR-Guided Percutaneous Intervention in Multivessel Coronary Artery Disease: A Real Game Changer. 2011 , 4, 263-265	
2083	Importance of measuring the fractional flow reserve in patients receiving hemodialysis. 2011 , 26, 215-21	8
2082	Importance of residual myocardial ischemia after intervention in the genesis of cardiovascular events among patients with chronic coronary artery disease. 2011 , 13, 280-6	1

2081	Utilizing risk scores in determining the optimal revascularization strategy for complex coronary artery disease. 2011 , 13, 415-23	14
2080	Correlation of Fractional Flow Reserve with non-invasive tests for the detection of ischaemia due to intermediate coronary artery stenosis. 2011 , 13,	78
2079	Complete versus culprit only revascularization in acute ST elevation myocardial infarction: a meta-analysis. 2011 , 77, 163-70	28
2078	Thermal anemometric assessment of coronary flow reserve with a pressure-sensing guide wire: an in vitro evaluation. 2011 , 33, 684-91	7
2077	Influence of arterial wall-stenosis compliance on the coronary diagnostic parameters. 2011 , 44, 842-7	38
2076	Validation of minimal luminal area measured by intravascular ultrasound for assessment of functionally significant coronary stenosis comparison with myocardial perfusion imaging. 2011 , 4, 665-71	27
2075	Optimal intravascular ultrasound criteria and their accuracy for defining the functional significance of intermediate coronary stenoses of different locations. 2011 , 4, 803-11	118
2074	Functional versus anatomical stenosis evaluation: fractional flow reserve defeats intravascular ultrasound. 2011 , 4, 812-3	2
2073	Revascularization treatment of stable coronary artery disease. 2011 , 12, 195-212	13
2072	Coronary revascularization: 2011. 2011 , 123, 95-103	1
2071	Non-invasive imaging in coronary artery disease including anatomical and functional evaluation of ischaemia and viability assessment. 2011 , 84 Spec No 3, S280-95	19
2070	Myocardial perfusion imaging versus CT coronary angiography: when to use which?. 2011 , 52, 1079-86	12
2069	Assessment of renal artery stenosis using both resting pressures ratio and fractional flow reserve: relationship to angiography and ultrasonography. 2011 , 20, 211-7	9
2068	euHeart: personalized and integrated cardiac care using patient-specific cardiovascular modelling. 2011 , 1, 349-64	95
2067	Clinical value of absolute quantification of myocardial perfusion with (15)O-water in coronary artery disease. 2011 , 4, 678-84	129
2066	Ischemic burden, treatment allocation, and outcomes in stable coronary artery disease. 2011 , 4, 746-53	12
2065	Detection of hemodynamically significant coronary artery stenosis: incremental diagnostic value of dynamic CT-based myocardial perfusion imaging. 2011 , 260, 689-98	216
2064	Cardiac and coronary CT comprehensive imaging approach in the assessment of coronary heart disease. 2011 , 97, 1198-205	23

2063	Implications of new ESC/EACTS guidelines on myocardial revascularization for patients with multivessel coronary artery disease. 2011 , 12, 663-6	
2062	Improved cardiac risk assessment with noninvasive measures of coronary flow reserve. 2011 , 124, 2215-24	514
2061	Don't judge a book by its cover: don't judge stenosis severity solely by intravascular ultrasound. 2011 , 4, 6-8	1
2060	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2011 , 124, e652-735	487
2059	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 124, 2574-609	389
2058	Cardiac PET/CT for the evaluation of known or suspected coronary artery disease. 2011 , 31, 1239-54	38
2057	Angiographic disease progression and residual risk of cardiovascular events while on optimal medical therapy: observations from the COURAGE Trial. 2011 , 4, 545-52	34
2056	SYNTAX score reproducibility and variability between interventional cardiologists, core laboratory technicians, and quantitative coronary measurements. 2011 , 4, 553-61	101
2055	Validation of intravascular ultrasound-derived parameters with fractional flow reserve for assessment of coronary stenosis severity. 2011 , 4, 65-71	148
2054	Risk stratification by cardiac computed tomographic angiography: key questions?. 2011 , 4, 457-9	2
2053	Statins for secondary prevention of cardiovascular disease: the right dose. 2011 , 87, 63-9	23
2052	Interventional cardiology: Cost-effectiveness of PCI guided by fractional flow reserve. 2011 , 8, 125-6	2
2051	Myocardial function may improve equally in diabetic patients following both multivessel percutaneous coronary intervention and coronary artery bypass grafting: results from a CARDia trial substudy. 2011 , 12, 904-9	1
2050	Aiming at a disorder's concept by 3D QCA vs. FFR: a case of advanced ballistics. 2011 , 32, 261-3	4
2049	Prognostic value of cardiac hybrid imaging integrating single-photon emission computed tomography with coronary computed tomography angiography. 2011 , 32, 1465-71	100
2048	Impact of cardiac hybrid single-photon emission computed tomography/computed tomography imaging on choice of treatment strategy in coronary artery disease. 2011 , 32, 2824-9	52
2047	Is a myocardial infarction more likely to result from a mild coronary lesion or an ischemia-producing one?. 2011 , 4, 539-41	13
2046	Paradigm shift to functional angioplasty: new insights for fractional flow reserve- and intravascular ultrasound-guided percutaneous coronary intervention. 2011 , 124, 951-7	33

2045	Letter by Schuster and Nagel regarding article, "Predicting benefit from revascularization in patients with ischemic heart failure: imaging of myocardial ischemia and viability". 2011 , 124, e296	1
2044	Role of the functional SYNTAX score in evaluating multivessel coronary artery disease. 2011 , 3, 695-704	2
2043	Three-dimensional and two-dimensional quantitative coronary angiography, and their prediction of reduced fractional flow reserve. 2011 , 32, 345-53	100
2042	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 124, e574-651	1039
2041	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2011 , 124, 2610-42	345
2040	Simplified quantification of myocardial flow reserve with flurpiridaz F 18: validation with microspheres in a pig model. 2011 , 52, 617-24	58
2039	Implications of new ESC/EACTS guidelines on myocardial revascularisation for patients with multi-vessel coronary artery disease. 2011 , 39, 619-22	6
2038	Inefficacy interim monitoring procedures in randomized clinical trials: the need to report. 2011 , 11, 2-10	23
2037	CT Evaluation of the Myocardial Blood Supply: Single-Source, Single-Energy CT. 2012 , 65-74	
2036	Quantification of absolute coronary flow reserve and relative fractional flow reserve in a swine animal model using angiographic image data. 2012 , 303, H401-10	9
2035	Effectiveness of myocardial contrast echocardiography quantitative analysis during adenosine stress versus visual analysis before percutaneous therapy in acute coronary pain: a coronary artery TIMI grading comparing study. 2012 , 2012, 806731	1
2034	Impact of the SYNTAX Score on Risk Stratification after Percutaneous Coronary Intervention in Non-Selected Patients. 2012 , 20, 35-40	
2033	Repeat revascularization after contemporary percutaneous coronary intervention: an evaluation of staged, target lesion, and other unplanned revascularization procedures during the first year. 2012 , 5, 772-82	40
2032	Impact of completeness of revascularization on long-term cardiovascular outcomes in patients with type 2 diabetes mellitus: results from the Bypass Angioplasty Revascularization Investigation 2 Diabetes (BARI 2D). 2012 , 5, 166-73	48
2031	Revascularization in multivessel CAD: a functional approach. 2012 , 9, 243-52	5
2030	Letter by Sharma et al regarding article, "impact of the presence and extent of incomplete angiographic revascularization after percutaneous coronary intervention in acute coronary syndromes: the Acute Catheterization and Urgent Intervention Triage Strategy (ACUITY) trial".	
2029	Diagnostic performance of intracoronary gradient-based methods by coronary computed tomography angiography for the evaluation of physiologically significant coronary artery stenoses: a validation study with fractional flow reserve. 2012 , 13, 1001-7	62
2028	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. 2012 , 33, 1787-817	3691

2027	Why we still need randomized trials to compare effectiveness. <i>New England Journal of Medicine</i> , 2012 , 366, 1538-40	59.2	24
2026	Comparison of hyperemic efficacy between central and peripheral venous adenosine infusion for fractional flow reserve measurement. 2012 , 5, 401-5		52
2025	Diagnostic value of 13N-ammonia myocardial perfusion PET: added value of myocardial flow reserve. 2012 , 53, 1230-4		146
2024	A validated predictive model of coronary fractional flow reserve. 2012 , 9, 1325-38		54
2023	Should we be using fractional flow reserve more routinely to select stable coronary patients for percutaneous coronary intervention?. 2012 , 27, 675-81		10
2022	Treatment algorithm in patients with NSTEMI and unstable angina. 2012 , 331-346		
2021	Recurrent angina after coronary angioplasty: mechanisms, diagnostic and therapeutic options. 2012 , 1, 158-69		28
2020	What is an appropriate reference standard in the quantitation of plaque surface area by intravascular coronary ultrasound?. 2012 , 21, 41-6		
2019	Nuclear perfusion imaging for functional evaluation of patients with known or suspected coronary artery disease: the future is now. 2012 , 8, 603-22		3
2018	A novel technique in the use of fractional flow reserve in coronary artery bifurcation lesions. 2012 , 21, 59-62		6
2017	[Consensus recommendations of the German Radiology Society (DRG), the German Cardiac Society (DGK) and the German Society for Pediatric Cardiology (DGPK) on the use of cardiac imaging with computed tomography and magnetic resonance imaging]. 2012 , 184, 345-68		47
2016	Should we screen for coronary artery disease in asymptomatic chronic dialysis patients?. 2012 , 81, 143-51		25
2015	Stabile Angina pectoris: wann Revaskularisation und wann Medikament?. 2012 , 1, 30-37		
2014	Secondary revascularization after CABG surgery. 2012 , 9, 540-9		17
2013	Coronary bypass surgery versus percutaneous coronary intervention: the saga continues. 2012 , 4, 653-660		4
2012	Non-ST-segment elevation acute coronary syndromes: targeted imaging to refine upstream risk stratification. 2012 , 5, 536-46		4
2011	Multivessel disease: from reasonably incomplete to functionally complete revascularization. 2012 , 125, 2557-9		28
2010	Cardiovascular magnetic resonance for diagnosis of coronary artery disease: quo vadis?. 2012 , 9, 219-24		

2009	Computed tomography stress myocardial perfusion imaging in patients considered for revascularization: a comparison with fractional flow reserve. 2012 , 33, 67-77	171
2008	Which is more enduring--FAME or COURAGE?. <i>New England Journal of Medicine</i> , 2012 , 367, 1059-61	59.2 27
2007	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: executive summary: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive	268
2006	Myocardial perfusion reserve assessed by T2-prepared steady-state free precession blood oxygen level-dependent magnetic resonance imaging in comparison to fractional flow reserve. 2012 , 5, 580-6	27
2005	Repeat revascularization after PCI: are we reinventing the wheel or redefining Achilles' heel?. 2012 , 5, 746-7	4
2004	Response to Letter Regarding Article, "Impact of the Presence and Extent of Incomplete Angiographic Revascularization After Percutaneous Coronary Intervention in Acute Coronary Syndromes: The Acute Catheterization and Urgent Intervention Triage Strategy (ACUITY) Trial"	
2003	Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary revascularization in patients with small-vessel disease. 2012 , 5, 62-8	64
2002	When collateral supply is accounted for epicardial stenosis does not increase microvascular resistance. 2012 , 5, 97-102	27
2001	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses	537
2000	Fractional flow reserve evaluation in patients considered for transfemoral transcatheter aortic valve implantation: a case series. 2012 , 123, 234-9	11
1999	Fractional Flow in Cerebrovascular Disorders. 2013 , 1, 87-99	26
1998	Diagnostic accuracy of combined intracoronary pressure and flow velocity information during baseline conditions: adenosine-free assessment of functional coronary lesion severity. 2012 , 5, 508-14	75
1997	Optical coherence tomography: from research to practice. 2012 , 13, 370-84	67
1996	Cardiac hybrid imaging. 2012 , 13, 51-60	35
1995	Pulsatile thoracic mass after transcatheter aortic valve implantation. 2012 , 13, 275	2
1994	Single photon emission computed tomography myocardial perfusion imaging to detect cardiac allograft vasculopathy. 2012 , 13, 271-5	14
1993	Whole-heart dynamic three-dimensional magnetic resonance perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve: determination of volumetric myocardial ischaemic burden and coronary lesion location. 2012 , 33, 2016-24	64
1992	Coronary microvascular dysfunction in the clinical setting: from mystery to reality. 2012 , 33, 2771-2782b	150

1991	CCTA to guide revascularization for high-risk CAD: a 'cliff hanger'. 2012 , 33, 3011-3	5
1990	Myocardial microvascular disease and major adverse cardiovascular events in patients with end-stage renal disease: rationale and design of the MICROCARD study. 2012 , 27, 2886-91	10
1989	Special Articles: 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2012 , 114, 11-45	30
1988	Dépistage de l'ischémie myocardique silencieuse des patients diabétiques: modalités et enjeux. 2012 , 9, 1-8	
1987	Cardiologie nucléaire. 2012 , 7, 1-26	1
1986	Development and validation of the fractional flow reserve (FFR) angiographic scoring tool (FAST) to improve the angiographic grading and selection of intermediate lesions that require FFR assessment. 2012 , 23, 45-50	10
1985	Prediction of long-term ischemic events by noninvasively assessed coronary flow reserve. 2012 , 13, 483-90	2
1984	Changing of SYNTAX score performing fractional flow reserve in multivessel coronary artery disease. 2012 , 13, 368-75	15
1983	Research Highlights: Renal denervation: potential benefits beyond hypertension. 2012 , 4, 617-619	
1982	An introduction to fractional flow reserve. 2012 , 7, 316-321	
1981	Why Are We Interested in Myocardial Perfusion?. 2012 , 45-55	
1980	Dynamic, Time-Resolved CT Imaging of Myocardial Perfusion: Dual-Source CT. 2012 , 111-124	
1979	Factors influencing the outcomes of percutaneous coronary intervention in the stent era. 2012 , 4, 557-568	
1978	Relationship between anatomical and functional assessments of coronary artery stenosis. 2012 , 76, 2092-3	1
1977	Optical coherence tomography-derived anatomical criteria for functionally significant coronary stenosis assessed by fractional flow reserve. 2012 , 76, 2218-25	63
1976	Inverse relationship between body mass index and coronary artery calcification in patients with clinically significant coronary lesions. 2012 , 221, 176-82	41
1975	Optimizing outcomes during left main percutaneous coronary intervention with intravascular ultrasound and fractional flow reserve: the current state of evidence. 2012 , 5, 697-707	53
1974	Obstructive coronary atherosclerosis and ischemic heart disease: an elusive link!. 2012 , 60, 951-6	166

1973	All-cause mortality benefit of coronary revascularization vs. medical therapy in patients without known coronary artery disease undergoing coronary computed tomographic angiography: results from CONFIRM (CORONARY CT ANGIOGRAPHY EVALUATION FOR CLINICAL OUTCOMES: AN INTERNATIONAL MULTICENTER TRIAL). 2012 , 33, 2022-27	55
1972	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the	139
1971	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American	1138
1970	College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Complete versus incomplete revascularization with coronary artery bypass graft or percutaneous intervention in stable coronary artery disease. 2012 , 5, 597-604	62
1969	Hot topics in cardiology: data from IABP-SHOCK II, TRILOGY-ACS, WOEST, ALTITUDE, FAME II and more. 2012 , 101, 861-74	5
1968	Long-term internal thoracic artery bypass graft patency and geometry assessed by multidetector computed tomography. 2012 , 28, 1577-83	4
1967	CONSORT 2010 explanation and elaboration: updated guidelines for reporting parallel group randomised trials. 2012 , 10, 28-55	1007
1966	Measurement of fractional flow reserve in a patient with combined myocardial bridging and coronary fixed stenosis. 2012 , 6, e163-e165	0
1965	Fractional flow reserve for guidance in intervention of multiple sequential lesions. 2012 , 6, e183-e184	
1964	Results of Fractional Flow Reserve Measurement to Evaluate Nonculprit Coronary Artery Stenoses in Patients With Acute Coronary Syndrome. 2012 , 65, 164-170	
1963	Thermal flow sensors on flexible substrates for minimally invasive medical instruments. 2012 ,	11
1962	Coronary computed tomographic angiography as a gatekeeper to invasive diagnostic and surgical procedures: results from the multicenter CONFIRM (CORONARY CT ANGIOGRAPHY EVALUATION FOR CLINICAL OUTCOMES: AN INTERNATIONAL MULTICENTER) registry. 2012 , 60, 2103-14	124
1961	Modalit� de d�tection de l'isch�mie myocardique. 2012 , 73, 323-324	
1960	Appropriate use criteria to reduce underuse and overuse: striking the right balance. 2012 , 60, 1885-7	16
1959	Living Chips and Chips for the living. 2012 ,	3
1958	[Update coronary artery disease: important progresses in acute and chronic therapy]. 2012 , 154, 58-60	
1957	Myocardial perfusion by CT versus hybrid imaging. 2012 , 30, 135-46	1
1956	Fractional flow reserve-guided PCI versus medical therapy in stable coronary disease. <i>New England Journal of Medicine</i> , 2012 , 367, 991-1001	59.2 1655

1955	[Myocardial revascularization]. 2012 , 53, 1063-75; quiz 1076-8	1
1954	ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. 2012 , 14, 803-69	1892
1953	Results of fractional flow reserve measurement to evaluate nonculprit coronary artery stenoses in patients with acute coronary syndrome. 2012 , 65, 164-70	19
1952	Guía de práctica clínica de la ESC para el manejo del síndrome coronario agudo en pacientes sin elevación persistente del segmento ST. 2012 , 65, 173.e1-173.e55	15
1951	Evidence of safety and effectiveness for a drug-eluting stent: how should we respond this time?. 2012 , 125, 1078-80	
1950	Diagnostic accuracy of fractional flow reserve from anatomic CT angiography. 2012 , 308, 1237-45	743
1949	Plaque volume derived from three-dimensional reconstruction of coronary angiography predicts the fractional flow reserve. 2012 , 160, 140-4	8
1948	Angiographic versus functional assessment of coronary artery disease: a "proof of concept" case report. 2012 , 156, e30-2	
1947	Effect of image quality on diagnostic accuracy of noninvasive fractional flow reserve: results from the prospective multicenter international DISCOVER-FLOW study. 2012 , 6, 191-9	70
1946	Fusion of MR coronary angiography and viability imaging: feasibility and clinical value for the assignment of myocardial infarctions. 2012 , 81, 71-6	2
1945	Perfusion cardiovascular magnetic resonance: Comparison of an advanced, high-resolution and a standard sequence. 2012 , 14, 34	18
1944	Cost evaluation of cardiovascular magnetic resonance versus coronary angiography for the diagnostic work-up of coronary artery disease: application of the European Cardiovascular Magnetic Resonance registry data to the German, United Kingdom, Swiss, and United States health systems. 2012 , 14, 27	45
1943	Design and rationale of the MR-INFORM study: stress perfusion cardiovascular magnetic resonance imaging to guide the management of patients with stable coronary artery disease. 2012 , 14, 65	65
1942	Impact of different exercise training modalities on the coronary collateral circulation and plaque composition in patients with significant coronary artery disease (EXCITE trial): study protocol for a randomized controlled trial. 2012 , 13, 167	10
1941	Impact of the presence and extent of incomplete angiographic revascularization after percutaneous coronary intervention in acute coronary syndromes: the Acute Catheterization and Urgent Intervention Triage Strategy (ACUITY) trial. 2012 , 125, 2613-20	99
1940	Early triage of emergency department patients with acute coronary syndrome: contribution of 64-slice computed tomography angiography. 2012 , 105, 338-46	5
1939	Imaging in the management of ischemic cardiomyopathy: special focus on magnetic resonance. 2012 , 59, 359-70	72
1938	Functional measurement of coronary stenosis. 2012 , 59, 1045-57	203

1937	Morphometric assessment of coronary stenosis relevance with optical coherence tomography: a comparison with fractional flow reserve and intravascular ultrasound. 2012 , 59, 1080-9	160
1936	Development and validation of a new adenosine-independent index of stenosis severity from coronary wave-intensity analysis: results of the ADVISE (ADenosine Vasodilator Independent Stenosis Evaluation) study. 2012 , 59, 1392-402	453
1935	An adenosine-independent index of stenosis severity from coronary wave-intensity analysis: a new paradigm in coronary physiology for the cath lab?. 2012 , 59, 1403-5	14
1934	ACCf/SCAI/STS/AATS/AHA/ASNC/HFSA/SCCT 2012 Appropriate use criteria for coronary revascularization focused update: a report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, Society for Cardiovascular Angiography and Interventions, Society of Thoracic Surgeons, American Association for Thoracic Surgery, American Heart Association, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Failure Society of America, Heart Society, and Society for Cardiovascular Magnetic Resonance. 2012 , 59, 857-81	346
1933	The clinical emergence of optical coherence tomography: defining a role in intravascular imaging. 2012 , 59, 1090-2	4
1932	Fractional flow reserve estimation by coronary computed tomography angiography. 2012 , 59, 1410-1; author reply 1411	7
1931	Reply. 2012 , 59, 1411	
1930	Myocardial oxygenation in coronary artery disease: insights from blood oxygen level-dependent magnetic resonance imaging at 3 tesla. 2012 , 59, 1954-64	65
1929	2012 American College of Cardiology Foundation/Society for Cardiovascular Angiography and Interventions expert consensus document on cardiac catheterization laboratory standards update: A report of the American College of Cardiology Foundation Task Force on Expert Consensus documents developed in collaboration with the Society of Thoracic Surgeons and Society for Impact of ischemia-guided revascularization with myocardial perfusion imaging for patients with multivessel coronary disease. 2012 , 60, 181-90	153
1928	Validation of dynamic 3-dimensional whole heart magnetic resonance myocardial perfusion imaging against fractional flow reserve for the detection of significant coronary artery disease. 2012 , 60, 756-65	54
1927	ACCf/SCAI/AATS/AHA/ASE/ASNC/HFSA/HRS/SCCM/SCCT/SCMR/STS 2012 appropriate use criteria for diagnostic catheterization: a report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, Society for Cardiovascular Angiography and Interventions, American Association for Thoracic Surgery, American Heart Association, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Failure Society of America, Heart Society, and Society for Cardiovascular Magnetic Resonance. 2012 , 59, 1995-2027	87
1926	Should ischemia guide revascularization?. 2012 , 60, 191-2	154
1925	Will 3D at 3-T make myocardial stress perfusion magnetic resonance imaging even more competitive?. 2012 , 60, 766-7	2
1924	Functional assessment of jailed side branches in coronary bifurcation lesions using fractional flow reserve. 2012 , 5, 155-61	4
1923	Maximal hyperemia in the assessment of fractional flow reserve: intracoronary adenosine versus intracoronary sodium nitroprusside versus intravenous adenosine: the NASCI (Nitroprussiato versus Adenosina nelle Stenosi Coronariche Intermedie) study. 2012 , 5, 402-8	61
1922	The impact of sex differences on fractional flow reserve-guided percutaneous coronary intervention: a FAME (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation) substudy. 2012 , 5, 1037-42	72
1921	Clinical and physiological outcomes of fractional flow reserve-guided percutaneous coronary intervention in patients with serial stenoses within one coronary artery. 2012 , 5, 1013-8	58
1920		68

1919	Visual-functional mismatch between coronary angiography and fractional flow reserve. 2012 , 5, 1029-36	193
1918	More than addition: the use of fractional flow reserve in serial stenoses. 2012 , 5, 1019-20	4
1917	Is it form or function?. 2012 , 5, 1095-6	
1916	Adverse cardiovascular events arising from atherosclerotic lesions with and without angiographic disease progression. 2012 , 5, S95-S105	20
1915	FFR and coronary flow reserve: friends or foes?. 2012 , 5, 203-6	19
1914	Noninvasive diagnosis of ischemia-causing coronary stenosis using CT angiography: diagnostic value of transluminal attenuation gradient and fractional flow reserve computed from coronary CT angiography compared to invasively measured fractional flow reserve. 2012 , 5, 1088-96	91
1913	Combined CT coronary angiography and stress myocardial perfusion imaging for hemodynamically significant stenoses in patients with suspected coronary artery disease: a comparison with fractional flow reserve. 2012 , 5, 1097-111	109
1912	The one-stop shop offering both coronary anatomy and myocardial perfusion: may well be opening soon, around the corner. 2012 , 5, 1112-4	4
1911	Usefulness of noninvasive fractional flow reserve computed from coronary computed tomographic angiograms for intermediate stenoses confirmed by quantitative coronary angiography. 2012 , 110, 971-6	73
1910	Validation of functional state of coronary tandem lesions using computational flow dynamics. 2012 , 110, 1578-84	37
1909	The concept of functional revascularization. 2012 , 54, e162-e166	
1908	PET: Is myocardial flow quantification a clinical reality?. 2012 , 19, 1044-59	56
1907	Non-invasive quantification of coronary vascular dysfunction for diagnosis and management of coronary artery disease. 2012 , 19, 1060-72; quiz 1075	22
1906	Quantitative coronary arterial stenosis assessment by multidetector CT and invasive coronary angiography for identifying patients with myocardial perfusion abnormalities. 2012 , 19, 922-30	4
1905	Integrating Physiologic and Anatomic Assessment of Coronary Artery Disease by Coronary Computed Tomographic Angiography. 2012 , 5, 301-309	
1904	Coronary magnetic resonance imaging: coming of age. 2012 , 60, 2323-4	1
1903	Guía de práctica clínica de la ESC sobre diagnóstico y tratamiento de la insuficiencia cardiaca aguda y crónica 2012. 2012 , 65, 938.e1-938.e59	27
1902	Complete versus incomplete revascularization for treatment of multivessel coronary artery disease in the drug-eluting stent era. 2012 , 27, 433-42	28

1901	Contemporary patterns of fractional flow reserve and intravascular ultrasound use among patients undergoing percutaneous coronary intervention in the United States: insights from the National Cardiovascular Data Registry. 2012 , 60, 2337-9	134
1900	Identifying and redefining stenosis by CT angiography. 2012 , 30, 57-67	
1899	Impact of coronary tortuosity on coronary pressure: numerical simulation study. 2012 , 7, e42558	23
1898	Fractional flow reserve is not associated with inflammatory markers in patients with stable coronary artery disease. 2012 , 7, e46356	5
1897	Fractional flow reserve in the assessment of coronary artery lesions. 2012 , 73, 677-81	
1896	New Ultrafast Cardiac SPECT Cameras (UCS). 2012 , 1, 69-74	
1895	Fractional flow reserve: the past, present and future. 2012 , 42, 441-6	8
1894	OBSTRUCTIVE CORONARY ATHEROSCLEROSIS AND ISCHEMIC HEART DISEASE: AN ELUSIVE LINK!. 2012 , 8, 721-726	3
1893	Coronary Revascularization in Diabetics: The Background for an Optimal Choice. 2012 ,	
1892	Mortality in coronary artery bypass grafting: what's next?. 2012 , 125, 2409-11	10
1891	Coronary pressure-derived fractional flow reserve measurements: recommendations for standardization, recording, and reporting as a core laboratory technique. Proposals for integration in clinical trials. 2012 , 5, 312-7	40
1890	Pressure-wire based assessment of microvascular resistance using calibrated upstream balloon obstruction: a predictor of myocardial viability. 2012 , 80, 581-9	5
1889	Staging of multivessel percutaneous coronary interventions: an expert consensus statement from the Society for Cardiovascular Angiography and Interventions. 2012 , 79, 1138-52	19
1888	Repeat percutaneous coronary revascularization: indications and outcomes in a "real world" cohort. 2012 , 80, 539-45	4
1887	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2012 , 79, 453-95	121
1886	ACCF/SCAI/AATS/AHA/ASE/ASNC/HFSA/HRS/SCCM/SCCT/SCMR/STS 2012 appropriate use criteria for diagnostic catheterization: American College of Cardiology Foundation Appropriate Use Criteria Task Force Society for Cardiovascular Angiography and Interventions American Association for Thoracic Surgery American Heart Association, American Society of Echocardiography American	10
1885	Morphology of coronary artery lesions assessed by virtual histology intravascular ultrasound tissue characterization and fractional flow reserve. 2012 , 28, 221-80-81	16
1884	Aktueller Stellenwert von CT und MRT in der Koronardiagnostik. 2012 , 6, 163-175	

1883	Konsensusempfehlungen der DRG/DGK/DGPK zum Einsatz der Herzbildgebung mit Computertomographie und Magnetresonanztomographie. 2012 , 6, 105-125	16
1882	Coronary artery calcification and vascular function. 2012 , 19, 227-9	3
1881	PET measurement of adenosine stimulated absolute myocardial blood flow for physiological assessment of the coronary circulation. 2012 , 19, 347-54	16
1880	Stress CT perfusion: coupling coronary anatomy with physiology. 2012 , 19, 588-600	21
1879	Cost-Effectiveness of Cardiac Magnetic Resonance. 2012 , 5, 69-76	
1878	Optical Coherence Tomography: Potential Clinical Applications. 2012 , 5, 206-220	31
1877	Intravascular ultrasound lumen area parameters for assessment of physiological ischemia by fractional flow reserve in intermediate coronary artery stenosis. 2012 , 13, 177-82	38
1876	Prognostic value of stress echocardiogram in patients with angiographically significant coronary artery disease. 2012 , 109, 153-8	10
1875	Usefulness of minimal luminal coronary area determined by intravascular ultrasound to predict functional significance in stable and unstable angina pectoris. 2012 , 109, 947-53	61
1874	Almanac 2011: Stable coronary artery disease. The national society journals present selected research that has driven recent advances in clinical cardiology. 2012 , 64, 59-68	
1873	Evidence for medical management versus revascularization for coronary artery disease: guidance from cardiac magnetic resonance imaging and computed tomography. 2012 , 47, 220-7	
1872	The links between complex coronary disease, cerebrovascular disease, and degenerative brain disease. 2012 , 1254, 99-105	26
1871	2011 ACCF/AHA guideline for coronary artery bypass graft surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2012 , 143, 4-34	187
1870	ACCF/SCAI/STS/AATS/AHA/ASNC/HFSA/SCCT 2012 appropriate use criteria for coronary revascularization focused update: a report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, Society for Cardiovascular Angiography and Interventions,	75
1869	ACCF/SCAI/AATS/AHA/ASE/ASNC/HFSA/HRS/SCCM/SCCT/SCMR/STS 2012 appropriate use criteria for diagnostic catheterization: a report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, Society for Cardiovascular Angiography and Interventions,	37
1868	American Association for Thoracic Surgery, American Heart Association, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Failure Society of America, Heart Rhythm Society, Society of Critical Care Medicine, S. 2012 , 144, 39-71	1
1867	Selecting the best noninvasive imaging test to guide treatment after an inconclusive exercise test. 2012 , 14, 8-23	4
1866	Advancing the paradigm for cardiovascular imaging research. 2012 , 19, 5-8	1

1865	Downstream resource utilization following hybrid cardiac imaging with an integrated cadmium-zinc-telluride/64-slice CT device. 2012 , 39, 430-6	23
1864	Myocardial perfusion imaging to guide percutaneous revascularization of chronic total occlusions: a gate keeper to the final frontier in PCI. 2013 , 20, 504-5	
1863	The adequacy of myocardial revascularization in patients with multivessel coronary artery disease. 2013 , 168, 1748-57	28
1862	ACCF/AHA/SCAI 2013 Update of the Clinical Competence Statement on Coronary Artery Interventional Procedures: a Report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Clinical Competence and Training (Writing Committee to Revise the 2007 Clinical Competence Statement on Cardiac Interventional	22
1861	Cardiac Imaging as a Guide for Revascularization and Medical Management of Chronic Coronary Artery Disease. 2013 , 6, 379-383	
1860	Coronary CT Angiography in the Emergency Department: Current Status. 2013 , 6, 197-202	
1859	Comparison of MR and CT for the Assessment of the Significance of Coronary Artery Disease: a Review. 2013 , 6, 102-116	2
1858	A Critical Review of Different Imaging Methods for the Assessment of Myocardial Ischemia. 2013 , 6, 117-127	3
1857	MEMS tri-axial force sensor with an integrated mechanical stopper for guidewire applications. 2013 , 19, 1005-1015	16
1856	Appropriateness of percutaneous coronary intervention: a review. 2013 , 15, 379	3
1855	Quantitative evaluation improves specificity of myocardial perfusion SPECT in the assessment of functionally significant intermediate coronary artery stenoses: a comparative study with fractional flow reserve measurements. 2013 , 27, 132-9	10
1854	Prospective validation that vulnerable plaque associated with major adverse outcomes have larger plaque volume, less dense calcium, and more non-calcified plaque by quantitative, three-dimensional measurements using intravascular ultrasound with radiofrequency backscatter analysis. 2013 , 6, 712-714	13
1853	Quantitative myocardial perfusion imaging by cardiovascular magnetic resonance and positron emission tomography. 2013 , 20, 860-70; quiz 857-9, 871-3	16
1852	Coronary artery and thoracic aorta calcification is inversely related to coronary flow reserve as measured by ^{82}Rb PET/CT in intermediate risk patients. 2013 , 20, 375-84	9
1851	CT imaging of myocardial perfusion: possibilities and perspectives. 2013 , 20, 289-96	21
1850	Myocardial density analysis utilizing automated myocardial defect analysis software on resting 320-detector MDCT. 2013 , 29, 1121-7	3
1849	Left ventricular end-diastolic pressure affects measurement of fractional flow reserve. 2013 , 14, 218-22	30
1848	VERIFY (VERification of Instantaneous Wave-Free Ratio and Fractional Flow Reserve for the Assessment of Coronary Artery Stenosis Severity in EverydaY Practice): a multicenter study in consecutive patients. 2013 , 61, 1421-7	160

1847	Prediction of coronary risk by SYNTAX and derived scores: synergy between percutaneous coronary intervention with taxus and cardiac surgery. 2013 , 62, 1219-1230	81
1846	Myocardial perfusion distribution and coronary arterial pressure and flow signals: clinical relevance in relation to multiscale modeling, a review. 2013 , 51, 1271-86	8
1845	Long-term clinical outcome after fractional flow reserve- versus angio-guided percutaneous coronary intervention in patients with intermediate stenosis of coronary artery bypass grafts. 2013 , 166, 110-8	41
1844	Automated quantitative coronary computed tomography correlates of myocardial ischaemia on gated myocardial perfusion SPECT. 2013 , 40, 1171-80	5
1843	Diagnostic performance of computed tomography coronary angiography to detect and exclude left main and/or three-vessel coronary artery disease. 2013 , 23, 2934-43	13
1842	CT Dynamics: The Shift from Morphology to Function. 2013 , 1, 64-75	3
1841	Anaortic, off-pump coronary artery surgery: should it be the standard-of-care?. 2013 , 5, 221-230	1
1840	Randomized trial of preventive angioplasty in myocardial infarction. <i>New England Journal of Medicine</i> , 2013 , 369, 1115-23	59.2 657
1839	Impact of right atrial pressure on decision-making using fractional flow reserve (FFR) in elective percutaneous intervention. 2013 , 167, 951-3	17
1838	Fractional flow reserve-guided revascularization: practical implications of a diagnostic gray zone and measurement variability on clinical decisions. 2013 , 6, 222-5	109
1837	Inter-observer agreement and diagnostic accuracy of myocardial perfusion reserve quantification by cardiovascular magnetic resonance at 3 Tesla in comparison to quantitative coronary angiography. 2013 , 15, 25	4
1836	[Myocardial revascularization]. 2013 , 38, 513-26; quiz 527-8	
1835	[Diagnostics and therapy of chronic myocardial ischemia: the when and how of diagnostic work-up and therapy]. 2013 , 38, 327-8	0
1834	Impact of ischemia and scar on therapeutic benefit of myocardial revascularization. 2013 , 38, 344-9	1
1833	Current status of cardiac CT for the detection of myocardial ischemia. 2013 , 38, 359-66	1
1832	[Hybrid imaging in diagnostics and therapy of chronic myocardial ischemia. Clinical value]. 2013 , 38, 367-75	
1831	Recent insights into the treatment of stable CAD : FFR-guided PCI vs. medical therapy. 2013 , 38, 376-81	2
1830	Cardiovascular Hemodynamics. 2013 ,	

1829 Les techniques invasives d'évaluation d'une sténose coronaire. **2013**, 2013, 16-22

1828 Assessment of coronary artery stenosis severity and location: quantitative analysis of transmural perfusion gradients by high-resolution MRI versus FFR. **2013**, 6, 600-9 59

1827 La FFR. **2013**, 2013, 23-25 2

1826 Fractional flow reserve versus angiography in guiding management to optimize outcomes in non-ST-elevation myocardial infarction (FAMOUS-NSTEMI): rationale and design of a randomized controlled clinical trial. **2013**, 166, 662-668.e3 10

1825 Cardiac computed tomography guided treatment strategy in patients with recent acute-onset chest pain: results from the randomised, controlled trial: CARDiac cT in the treatment of acute Chest pain (CATCH). **2013**, 168, 5257-62 49

1824 TAG-is it it?: improving coronary computed tomography angiography with the isothermal transluminal contrast attenuation gradient. **2013**, 61, 1280-2 14

1823 Which is better for predicting ischemic events: Physiology or morphology?. **2013**, 8, e67-e68

1822 Quantitative angiography and optical coherence tomography for the functional assessment of nonobstructive coronary stenoses: comparison with fractional flow reserve. **2013**, 166, 1010-1018.e1 29

1821 Computed tomography angiography and myocardial computed tomography perfusion in patients with coronary stents: prospective intraindividual comparison with conventional coronary angiography. **2013**, 62, 1476-85 83

1820 Diagnostic accuracy of optical coherence tomography parameters in predicting in-stent hemodynamic severe coronary lesions: validation against fractional flow reserve. **2013**, 168, 4209-13 12

1819 Rationale and design of the HeartFlowNXT (HeartFlow analysis of coronary blood flow using CT angiography: NeXt sTeps) study. **2013**, 7, 279-88 47

1818 Circulating cells as predictors of secondary manifestations of cardiovascular disease: design of the CIRCULATING CELLS study. **2013**, 102, 847-56 21

1817 Should ischemia be the main target in selecting a percutaneous coronary intervention strategy?. **2013**, 11, 1051-9 10

1816 Computational fluid dynamics applied to cardiac computed tomography for noninvasive quantification of fractional flow reserve: scientific basis. **2013**, 61, 2233-41 695

1815 FIRST: Fractional Flow Reserve and Intravascular Ultrasound Relationship Study. **2013**, 61, 917-23 164

1814 Direct comparison of cardiac magnetic resonance and multidetector computed tomography stress-rest perfusion imaging for detection of coronary artery disease. **2013**, 61, 1099-107 128

1813 Fractional flow reserve as a surrogate for inducible myocardial ischaemia. **2013**, 10, 439-52 111

1812 Virtual fractional flow reserve from coronary angiography: modeling the significance of coronary lesions: results from the VIRTU-1 (VIRTUal Fractional Flow Reserve From Coronary Angiography) study. **2013**, 6, 149-57 172

1811	Calculation of the index of microcirculatory resistance without coronary wedge pressure measurement in the presence of epicardial stenosis. 2013 , 6, 53-8	91
1810	Three-Dimensional Flexible Thermal Sensor for Intravascular Flow Monitoring. 2013 , 13, 3991-3998	11
1809	ACCF/AHA/SCAI 2013 update of the clinical competence statement on coronary artery interventional procedures: a report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Clinical Competence and Training (Writing Committee to Revise the 2007 Clinical Competence Statement on Cardiac Interventional	78
1808	Fractional flow reserve-guided coronary artery bypass grafting: can intraoperative physiologic imaging guide decision making?. 2013 , 146, 824-835.e1	33
1807	Coronary artery bypass grafting: Part 2--optimizing outcomes and future prospects. 2013 , 34, 2873-86	83
1806	Outcomes after coronary computed tomography angiography in the emergency department: a systematic review and meta-analysis of randomized, controlled trials. 2013 , 61, 880-92	173
1805	Computed fractional flow reserve (FFRCT) derived from coronary CT angiography. 2013 , 6, 708-14	79
1804	The first year of the Venlo percutaneous coronary intervention program: procedural and 6-month clinical outcomes. 2013 , 21, 449-55	5
1803	Lessons learned from MPI and physiologic testing in randomized trials of stable ischemic heart disease: COURAGE, BARI 2D, FAME, and ISCHEMIA. 2013 , 20, 969-75	29
1802	Optical coherence tomography criteria for defining functional severity of intermediate lesions: a comparative study with FFR. 2013 , 29, 1685-91	33
1801	Does flow during rest and relaxation suffice?. 2013 , 61, 1436-9	22
1800	Diagnostic classification of the instantaneous wave-free ratio is equivalent to fractional flow reserve and is not improved with adenosine administration. Results of CLARIFY (Classification Accuracy of Pressure-Only Ratios Against Indices Using Flow Study). 2013 , 61, 1409-20	175
1799	Inducible myocardial ischemia and outcomes in patients with coronary artery disease and left ventricular dysfunction. 2013 , 61, 1860-70	122
1798	Optimal revascularization for complex coronary artery disease. 2013 , 10, 635-47	35
1797	Aggregate plaque volume by coronary computed tomography angiography is superior and incremental to luminal narrowing for diagnosis of ischemic lesions of intermediate stenosis severity. 2013 , 62, 460-7	108
1796	[Interventional cardiology - what's hot and new?]. 2013 , 155, 48-51; quiz 52-3	
1795	Evolution of intravascular assessment of coronary anatomy and physiology: from ultrasound imaging to optical and flow assessment. 2013 , 43, 996-1008	14
1794	Coronary microcirculatory dysfunction is associated with left ventricular dysfunction during follow-up after STEMI. 2013 , 21, 238-44	7

1793	Hybrid myocardial perfusion SPECT/CT coronary angiography and invasive coronary angiography in patients with stable angina pectoris lead to similar treatment decisions. 2013 , 99, 188-94	35
1792	Coronary anatomy to predict physiology: fundamental limits. 2013 , 6, 817-32	63
1791	Should all moderate coronary lesions be grafted during primary coronary bypass surgery? An analysis of progression of native vessel disease during a randomized trial of conduits. 2013 , 145, 140-8; discussion 148-9	30
1790	Discussion. 2013 , 145, 148-149	5
1789	Coronary pressure-derived fractional flow reserve in the assessment of coronary artery stenoses. 2013 , 23, 958-67	18
1788	Computed tomography perfusion to assess physiological significance of coronary stenosis in the post-FAME era (Fractional Flow Reserve versus Angiography for Multivessel Evaluation). 2013 , 62, 1486-7	4
1787	Long-term follow-up of patients with deferred coronary intervention guided by measurement of fractional flow reserve. 2013 , 32, 885-91	2
1786	Guiding coronary artery intervention: one technology to rule them all and in the darkness bind them. 2013 , 29, 1017-20	
1785	Incomplete revascularization is associated with greater risk of long-term mortality after stenting in the era of first generation drug-eluting stents. 2013 , 112, 775-81	15
1784	Myocardial CT perfusion imaging in a large animal model: comparison of dynamic versus single-phase acquisitions. 2013 , 6, 1229-38	37
1783	A combination of thermal methods to assess coronary pressure and flow dynamics with a pressure-sensing guide wire. 2013 , 35, 298-309	3
1782	Risk assessment of atherosclerotic plaques based on global biomechanics. 2013 , 35, 1290-7; discussion 1290	6
1781	Long-term follow-up of patients with deferred coronary intervention guided by measurement of fractional flow reserve. 2013 , 32, 885-891	2
1780	Pressure wire assessment of hemodynamic alterations after chemoembolization of hepatocellular carcinoma. 2013 , 20, 1037-40	3
1779	Prevalence and outcomes of intermediate saphenous vein graft lesions: findings from the stenting of saphenous vein grafts randomized-controlled trial. 2013 , 168, 2468-73	16
1778	Prognostic value of adenosine stress perfusion cardiac MRI with late gadolinium enhancement in an intermediate cardiovascular risk population. 2013 , 167, 2055-60	13
1777	COURAGE or FAME...? Who should have percutaneous coronary intervention in stable coronary artery disease?. 2013 , 99, 442-4	2
1776	L'analyse quantitative en TEP cardiaque. 2013 , 37, 181-186	1

1775	Fractional flow reserve: intracoronary versus intravenous adenosine induced maximal coronary hyperemia. 2013 , 65, 147-51	7
1774	Incremental value of adenosine stress cardiac magnetic resonance in coronary artery disease detection. 2013 , 168, 4160-7	12
1773	Fluid re-distribution rather than accumulation causes most cases of decompensated heart failure. 2013 , 62, 165-166	20
1772	A miniature fiber optic blood pressure sensor and its application in in vivo blood pressure measurements of a swine model. 2013 , 181, 172-178	25
1771	Percutaneous coronary intervention versus coronary bypass surgery in United States veterans with diabetes. 2013 , 61, 808-16	107
1770	Prognostic utility of BCIS myocardial jeopardy score for classification of coronary disease burden and completeness of revascularization. 2013 , 111, 172-7	19
1769	Correlation between intracoronary ultrasound and fractional flow reserve in long coronary lesions. A three-dimensional intracoronary ultrasound study. 2013 , 66, 707-14	4
1768	Variation in quantitative myocardial perfusion due to arterial input selection. 2013 , 6, 559-68	33
1767	More is more. 2013 , 62, 477-9	
1766	Predictors for functionally significant in-stent restenosis: an integrated analysis using coronary angiography, IVUS, and myocardial perfusion imaging. 2013 , 6, 1183-90	30
1765	Current applications of optical coherence tomography for coronary intervention. 2013 , 165, 7-16	42
1764	Recomendações de 2012 da ESC para o diagnóstico e o tratamento da insuficiência cardíaca aguda e crônica. 2013 , 32, 641.e1-641.e61	
1763	Degradable polymer drug-eluting stents: a durable benefit?. 2013 , 381, 607-9	
1762	Use of wave intensity analysis during peripheral revascularisation: Lessons from cases study. 2013 , 7, 93	1
1761	Cardiac PET: metabolic and functional imaging of the myocardium. 2013 , 43, 434-48	25
1760	Clinical validation of the resting pressure parameters in the assessment of functionally significant coronary stenosis; results of an independent, blinded comparison with fractional flow reserve. 2013 , 168, 4070-5	42
1759	SORT OUT V: a new episode in the DES wars. 2013 , 381, 609-11	2
1758	Reply: To PMID 23352786. 2013 , 62, 164-165	

1757	Cardiac magnetic resonance myocardial perfusion imaging for detection of functionally significant obstructive coronary artery disease: a prospective study. 2013 , 168, 765-73	30
1756	Myocardial perfusion models: a means or an end?. 2013 , 20, 20-2	
1755	Validation of the BCIS-1 myocardial jeopardy score using cardiac magnetic resonance perfusion imaging. 2013 , 33, 101-8	6
1754	Cardiac catheterization and intervention in haemophilia patients: prospective evaluation of the 2009 institutional guideline. 2013 , 19, 370-7	20
1753	A Poiseuille-based coronary angiographic index for prediction of fractional flow reserve. 2013 , 167, 862-5	9
1752	Does the instantaneous wave-free ratio approximate the fractional flow reserve?. 2013 , 61, 1428-35	75
1751	Transluminal attenuation gradient in coronary computed tomography angiography is a novel noninvasive approach to the identification of functionally significant coronary artery stenosis: a comparison with fractional flow reserve. 2013 , 61, 1271-9	124
1750	Coronary events in patients undergoing orthotopic liver transplantation: perioperative evaluation and management. 2013 , 27, E207-15	23
1749	Selection and timing for invasive therapy in non-ST-segment-elevation acute coronary syndrome. 2013 , 11, 437-45	1
1748	Intracoronary Hemodynamic Assessment: Coronary Flow Reserve (CFR) and Fractional Flow Reserve (FFR). 2013 , 319-331	
1747	Severe aortic stenosis and coronary artery disease--implications for management in the transcatheter aortic valve replacement era: a comprehensive review. 2013 , 62, 1-10	198
1746	Coronary Blood Flow and Myocardial Ischemia. 2013 , 387-403	1
1745	Stable Angina. 2013 , 419-438	
1744	The world post STICH: is this a "Game Changer?" A surgeon's perspective--revascularization is still the treatment of choice. 2013 , 55, 470-5	4
1743	Changes in plaque lipid content after short-term intensive versus standard statin therapy: the YELLOW trial (reduction in yellow plaque by aggressive lipid-lowering therapy). 2013 , 62, 21-9	151
1742	Association of biomarkers of lipid modification with functional and morphological indices of coronary stenosis severity in stable coronary artery disease. 2013 , 6, 536-44	7
1741	Can anatomy be used as a surrogate for physiology? The IVUS conundrum. 2013 , 168, 631-2	1
1740	Usefulness of fractional flow reserve to improve diagnostic efficiency in patients with non-ST elevation myocardial infarction. 2013 , 111, 45-50	20

1739 La presi3n no miente. **2013**, 20, 363-365

1738 Long-term outcomes of fractional flow reserve-guided vs. angiography-guided percutaneous coronary intervention in contemporary practice. **2013**, 34, 1375-83 121

1737 Angiography and fractional flow reserve in daily practice: why not (finally) use the right tools for decision-making?. **2013**, 34, 1321-2 2

1736 Trends in the outcomes of percutaneous coronary intervention with the routine incorporation of fractional flow reserve in real practice. **2013**, 34, 3353-61 71

1735 View point: what should the future design of clinical imaging studies be?. **2013**, 34, 2432-5 5

1734 Area stenosis associated with non-invasive fractional flow reserve obtained from coronary CT images. **2013**, 2013, 3865-8 2

1733 Caracterizaci3n cl3nica y hemodin3mica de pacientes sometidos a medici3n de la reserva de flujo fraccional en la Fundaci3n Abood Shaio entre 2010-2011. Primera experiencia en Colombia. **2013**, 20, 355-362

1732 An angiographic technique for coronary fractional flow reserve measurement: in vivo validation. **2013**, 29, 535-44 10

1731 Combined functional and anatomical imaging for the detection and guiding the therapy of coronary artery disease. **2013**, 34, 1954-7 3

1730 New frontiers in CT angiography: physiologic assessment of coronary artery disease by multidetector CT. **2013**, 99, 661-8 7

1729 Correlaci3n entre ecograf3a intracoronaria y reserva fraccional de flujo en lesiones coronarias largas. Un estudio de ecograf3a intracoronaria tridimensional. **2013**, 66, 707-714 6

1728 Cardiac motion compensation and resolution modeling in simultaneous PET-MR: a cardiac lesion detection study. **2013**, 58, 2085-102 66

1727 Myocardial perfusion imaging with cardiac computed tomography: state of the art. **2013**, 6, 695-707 7

1726 Noninvasive fractional flow reserve derived from computed tomography angiography for coronary lesions of intermediate stenosis severity: results from the DeFACTO study. **2013**, 6, 881-9 168

1725 2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. **2013**, 34, 2949-3003 3076

1724 Healing responses after bifurcation stenting with the dedicated TRYTON Side-Branch Stent in combination with XIENCE-V3 stents: a clinical, angiography, fractional flow reserve, and optical coherence tomography study: the PYTON (Prospective evaluation of the TRYTON Side-Branch Stent with an additional XIENCE-V3 everolimus-eluting stent in coronary bifurcation lesions) 15

1723 The invasive assessment of coronary atherosclerosis and stents using optical coherence tomography: a clinical update. **2013**, 5, 154-161 6

1722 Improvement in coronary haemodynamics after percutaneous coronary intervention: assessment using instantaneous wave-free ratio. **2013**, 99, 1740-8 25

1721	When does a left anterior descending stenosis alter flow across a left main segment?: Interpreting left main fractional flow reserve with downstream obstruction. 2013 , 6, 128-30	7
1720	Quantification of myocardial blood flow by adenosine-stress CT perfusion imaging in pigs during various degrees of stenosis correlates well with coronary artery blood flow and fractional flow reserve. 2013 , 14, 331-8	56
1719	Incremental diagnostic accuracy of hybrid SPECT/CT coronary angiography in a population with an intermediate to high pre-test likelihood of coronary artery disease. 2013 , 14, 642-9	41
1718	Magnetic resonance myocardial perfusion imaging at 3.0 Tesla for the identification of myocardial ischaemia: comparison with coronary catheter angiography and fractional flow reserve measurements. 2013 , 14, 1174-80	28
1717	Safety and efficacy of a novel hyperaemic agent, intracoronary nicorandil, for invasive physiological assessments in the cardiac catheterization laboratory. 2013 , 34, 2055-62	72
1716	Myocardium: dynamic versus single-shot CT perfusion imaging. 2013 , 269, 378-86	87
1715	Coronary stenosis: Morphologic index characterized by using CT angiography correlates with fractional flow reserve and is associated with hemodynamic status. 2013 , 269, 713-21	17
1714	Diagnostic performance of cardiac stress perfusion MRI in the detection of coronary artery disease using fractional flow reserve as the reference standard: a meta-analysis. 2013 , 201, W245-52	30
1713	Functional assessment of coronary stenoses: can we live without it?. 2013 , 34, 1335-44	66
1712	Sex-related differences in fractional flow reserve-guided treatment. 2013 , 6, 662-70	29
1711	Influence of the amount of myocardium subtended by a stenosis on fractional flow reserve. 2013 , 6, 29-36	71
1710	The bottleneck stent model for chronic myocardial ischemia and heart failure in pigs. 2013 , 305, H1297-308	25
1709	The importance of functional tests in personalized medicine. 2013 , 4, e0014	1
1708	Assessing the implications of implementing the NICE guideline 95 for evaluation of stable chest pain of recent onset: a single centre experience. 2013 , 58, 12-5	1
1707	Coronary angiography: is it time to reassess?. 2013 , 127, 1760-2	14
1706	Relationship between optical coherence tomography derived intraluminal and intramural criteria and haemodynamic relevance as determined by fractional flow reserve in intermediate coronary stenoses of patients with type 2 diabetes. 2013 , 99, 700-7	32
1705	Flow restoration post revascularization predicted by stenosis indexes: sensitivity to hemodynamic variability. 2013 , 305, H145-54	8
1704	Stability of diluted adenosine solutions in polyolefin infusion bags. 2013 , 48, 484-8	1

1703	Flow recirculation zone length and shear rate are differentially affected by stenosis severity in human coronary arteries. 2013 , 304, H559-66	31
1702	The view from the interventionalist. 2013 , 43, 250-1	
1701	In mildly symptomatic patients, should an invasive strategy with catheterization and revascularization be routinely undertaken?: in mildly symptomatic patients, an invasive strategy with catheterization and revascularization should be routinely undertaken. 2013 , 6, 107-13; discussion 113	
1700	Vasodilatory capacity of the coronary microcirculation is preserved in selected patients with non-ST-segment-elevation myocardial infarction. 2013 , 6, 231-6	77
1699	Letter by Coffey et al regarding article, "Estimating deaths from cardiovascular disease: a review of global methodologies of mortality measurement". 2013 , 128, e84	1
1698	Assessing intermediate coronary lesions: more than meets the eye. 2013 , 128, 2551-3	3
1697	Regadenoson: review of its established role in myocardial perfusion imaging and emerging applications. 2013 , 21, 42-8	16
1696	Arterial grafting and complete revascularization: challenge or compromise?. 2013 , 28, 646-53	5
1695	Fractional flow reserve-guided coronary bypass surgery: should surgeons use it?. 2013 , 28, 654-60	9
1694	ACCF/AHA/SCAI 2013 update of the clinical competence statement on coronary artery interventional procedures: a report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Clinical Competence and Training (writing committee to revise the 2007 clinical competence statement on cardiac interventional procedures). 2013 , 128, 136-72	48
1693	Standardized hyperemic stress for fractional flow reserve. 2013 , 6, 602-3	10
1692	Hemodynamic response to intravenous adenosine and its effect on fractional flow reserve assessment: results of the Adenosine for the Functional Evaluation of Coronary Stenosis Severity (AFFECTS) study. 2013 , 6, 654-61	51
1691	Most important outcomes research papers on treatment of stable coronary artery disease. 2013 , 6, e17-25	2
1690	Fractional flow reserve-guided versus angiography-guided coronary artery bypass graft surgery. 2013 , 128, 1405-11	126
1689	Fractional flow-guided coronary artery bypass grafting: a word of caution. 2013 , 128, 1393-5	4
1688	Disturbed coronary hemodynamics in vessels with intermediate stenoses evaluated with fractional flow reserve: a combined analysis of epicardial and microcirculatory involvement in ischemic heart disease. 2013 , 128, 2557-66	110
1687	Additive value of magnetic resonance coronary angiography in a comprehensive cardiac magnetic resonance stress-rest protocol for detection of functionally significant coronary artery disease: a pilot study. 2013 , 6, 730-8	21
1686	Complete revascularization in contemporary practice. 2013 , 6, 5-7	2

1685	Ischemia-driven revascularization: demonstrating and delivering a mature procedure in a mature way. 2013 , 6, 250-2	3
1684	Stable Ischemic Heart Disease/Chronic Stable Angina. 2013 , 131-152	
1683	Advances in Coronary Revascularization. 2013 , 214-239	
1682	Fractional flow reserve as the reference standard for myocardial perfusion studies: fool's gold?. 2013 , 14, 1211-3	22
1681	Integrating anatomical and functional imaging for the assessment of coronary artery disease. 2013 , 11, 1301-10	2
1680	Fractional flow reserve assessment of left main stenosis in the presence of downstream coronary stenoses. 2013 , 6, 161-5	63
1679	Mortality in Medicare patients undergoing elective percutaneous coronary intervention with or without antecedent stress testing. 2013 , 6, 309-14	5
1678	Cost and resource utilization associated with use of computed tomography to evaluate chest pain in the emergency department: the Rule Out Myocardial Infarction using Computer Assisted Tomography (ROMICAT) study. 2013 , 6, 514-24	22
1677	Letter by Kern regarding article, "comparison of clinical interpretation with visual assessment and quantitative coronary angiography in patients undergoing percutaneous coronary intervention in contemporary practice: the assessing angiography (A2) project". 2013 , 128, e461	
1676	Nonculprit lesions--innocent or guilty by association. <i>New England Journal of Medicine</i> , 2013 , 369, 1166-759.2	11
1675	Three dimensional thermal sensor for intravascular flow monitoring. 2013 ,	3
1674	Autoregulation of coronary blood flow in the isolated beating pig heart. 2013 , 37, 724-30	11
1673	Cost-effectiveness of percutaneous coronary intervention in patients with stable coronary artery disease and abnormal fractional flow reserve. 2013 , 128, 1335-40	65
1672	Fractional flow reserve and beyond. 2013 , 99, 1699-705	13
1671	European Perspectives. 2013 , 128,	
1670	Residual ischemia after revascularization in multivessel coronary artery disease: insights from measurement of absolute myocardial blood flow using magnetic resonance imaging compared with angiographic assessment. 2013 , 6, 237-45	10
1669	Impact of overlapping newer generation drug-eluting stents on clinical and angiographic outcomes: pooled analysis of five trials from the international Global RESOLUTE Program. 2013 , 99, 626-33	26
1668	The future of ischemic stroke: flow from prehospital neuroprotection to definitive reperfusion. 2014 , 2, 105-17	13

1667	Revascularization strategies in patients with Type 2 diabetes mellitus. 2013 , 11, 1337-47	2
1666	Noninvasive fractional flow reserve derived from coronary computed tomography angiography: integrated anatomical and functional assessment. 2013 , 9, 243-51	4
1665	Fractional flow reserve to guide coronary revascularization. 2013 , 77, 561-9	70
1664	Combined computed tomography angiography (CTA) and single photon emission computed tomography is not superior to CTA plus high-risk plaque assessment in predicting future cardiac events--is it true?. 2013 , 77, 317-8	
1663	Current and future clinical applications of cardiac positron emission tomography. 2013 , 77, 836-48	23
1662	Ischemia-guided percutaneous coronary intervention for patients with stable coronary artery disease. 2013 , 77, 1967-74	12
1661	Combination of myocardial perfusion imaging and SYNTAX Score. A more rational approach to revascularization. 2013 , 77, 2698-9	1
1660	CT Assessment of the Myocardial Blood Supply: Quantitative Imaging. 2013 , 145-151	
1659	Impact of lesion length on functional significance in intermediate coronary lesions. 2013 , 36, 172-7	46
1658	Ad hoc percutaneous coronary intervention: a consensus statement from the Society for Cardiovascular Angiography and Interventions. 2013 , 81, 748-58	25
1657	Use of Myocardial Fractional Flow Reserve to Identify Predictors of Poor Prognosis after Percutaneous Coronary Interventions. 2013 , 21, 367-372	
1656	What has the RIPCORD trial told us about using fractional flow reserve for diagnostic angiography?. 2013 , 5, 593-596	
1655	Reversal of ischemia of donor artery myocardium after recanalization of a chronic total occlusion. 2013 , 82, E453-8	29
1654	Comparison of efficacy and safety of intracoronary sodium nitroprusside and intravenous adenosine for assessing fractional flow reserve. 2013 , 81, 540-4	21
1653	Myocardial perfusion pressure in patients with hypertension and coronary artery disease: implications for DBP targets in hypertension management. 2013 , 31, 975-82	26
1652	Computed Tomography Angiography in the Stroke Outcomes and Neuroimaging of Intracranial Atherosclerosis (SONIA) Study. 2014 , 2, 153-9	14
1651	ACP Journal Club. SYNTAX score II predicted mortality after PCI or CABG in complex CAD better than SYNTAX score. 2013 , 159, JC5	
1650	Percutaneous coronary intervention in treatment of multivessel coronary artery disease in patients with non-ST-segment elevation acute coronary syndrome. 2013 , 9, 136-45	7

1649	Fractional Flow Reserve - A Review. 2013 , 5, 190-200	2
1648	Fractional Flow Reserve Estimation in Coronary Arteries by Forward Geometrical Modeling. 2013 ,	
1647	Prediction of Fractional Flow Reserve without Hyperemic Induction Based on Resting Baseline Pd/Pa. 2013 , 43, 309-15	14
1646	Indirect Radionuclide Coronary Angiography to Evaluate Gradients of Myocardial Blood Flow and Flow Reserve Through Coronary Stenosis Using N-13 Ammonia PET/CT. 2013 , 49, 69-74	4
1645	Physiologic assessment of coronary artery disease by cardiac computed tomography. 2013 , 43, 435-42	7
1644	Invasive and non-invasive fractional flow reserve index in validation of hemodynamic severity of intracoronary lesions. 2013 , 9, 160-9	4
1643	Improving the Utility of Coronary Angiography: The Use of Adjuvant Imaging and Physiological Assessment. 2013 ,	
1642	Multivessel Disease in the Modern Era of Percutaneous Coronary Intervention. 2013 ,	
1641	99mTc tetrofosmin myocardial perfusion scintigraphy in CAD. Performance with early and standard delayed acquisition and fractional flow reserve. 2014 , 53, 111-6	2
1640	The diagnostic performance of coronary artery angiography with 64-MSCT and post 64-MSCT: systematic review and meta-analysis. 2014 , 9, e84937	10
1639	Mapping intravascular ultrasound controversies in interventional cardiology practice. 2014 , 9, e97215	18
1638	Computational fluid dynamics modeling of symptomatic intracranial atherosclerosis may predict risk of stroke recurrence. 2014 , 9, e97531	41
1637	Numerical investigation of the effect of stenosis geometry on the coronary diagnostic parameters. 2014 , 2014, 354946	15
1636	Translesional pressure ratio predicts technical outcome and patency in angioplasty on outflow stenosis of hemodialysis graft. 2014 , 15, 264-71	1
1635	Computed Tomography Imaging of the Coronary Arteries: State of the Art Applications and Recent Patents. 2014 , 4, 22-30	
1634	2014 Korean guidelines for appropriate utilization of cardiovascular magnetic resonance imaging: a joint report of the Korean Society of Cardiology and the Korean Society of Radiology. 2014 , 15, 659-88	22
1633	2014 korean guidelines for appropriate utilization of cardiovascular magnetic resonance imaging: a joint report of the korean society of cardiology and the korean society of radiology. 2014 , 44, 359-85	12
1632	Nuclear Stress Perfusion Imaging Versus Computed Tomography Coronary Angiography for Identifying Patients with Obstructive Coronary Artery Disease as Defined by Conventional Angiography: Insights from the CorE-64 Multicenter Study. 2014 , 9, HEART.2014.1249	2

1631	Current roles and future applications of cardiac CT: risk stratification of coronary artery disease. 2014 , 15, 4-11	8
1630	Diagnostic value of coronary CT angiography in comparison with invasive coronary angiography and intravascular ultrasound in patients with intermediate coronary artery stenosis: results from the prospective multicentre FIGURE-OUT (Functional Imaging criteria for GUIDing REview of invasive coronary angiOgraphy, intravascular Ultrasound, and coronary computed Tomographic	36
1629	Impact of system and physician factors on the detection of obstructive coronary disease with diagnostic angiography in stable ischemic heart disease. 2014 , 7, 648-55	5
1628	Comparison of cardiovascular magnetic resonance and single-photon emission computed tomography in women with suspected coronary artery disease from the Clinical Evaluation of Magnetic Resonance Imaging in Coronary Heart Disease (CE-MARC) Trial. 2014 , 129, 1129-38	121
1627	Surgical versus percutaneous revascularization in patients with multivessel coronary artery disease. 2014 , 16, 461	1
1626	Quantitative assessment of magnetic resonance derived myocardial perfusion measurements using advanced techniques: microsphere validation in an explanted pig heart system. 2014 , 16, 82	21
1625	Measurement of the blood flow rate and velocity in coronary artery stenosis using intracoronary frequency domain optical coherence tomography: Validation against fractional flow reserve. 2014 , 5, 68-71	16
1624	Anatomical versus functional assessment of coronary artery disease: direct comparison of computed tomography coronary angiography and magnetic resonance myocardial perfusion imaging in patients with intermediate pre-test probability. 2014 , 30, 1589-97	9
1623	Abnormal origins of the coronary arteries from the aortic root. 2014 , 24, 774-91	9
1622	Does routine pressure wire assessment influence management strategy at coronary angiography for diagnosis of chest pain?: the RIPCORDER study. 2014 , 7, 248-55	160
1621	The cost-effectiveness of strategies in coronary artery disease. 2014 , 14, 805-13	3
1620	The role of computed tomography in cardiovascular imaging: from X-ray department to emergency room. 2014 , 12, 57-69	
1619	Do you see what I see? Time for a standardized approach to angiography-based decision making. 2014 , 7, 736-8	
1618	Is myocardial ischemia really bad for you?. 2014 , 12, 131-4	4
1617	Practical Manual of Interventional Cardiology. 2014 ,	2
1616	Relationship of vasodilator-induced changes in myocardial oxygenation with the severity of coronary artery stenosis: a study using oxygenation-sensitive cardiovascular magnetic resonance. 2014 , 15, 1358-67	17
1615	Revascularization decisions in patients with stable angina and intermediate lesions: results of the international survey on interventional strategy. 2014 , 7, 751-9	101
1614	Numerical simulation and clinical implications of stenosis in coronary blood flow. 2014 , 2014, 514729	16

1613	Intracoronary versus intravenous adenosine-induced maximal coronary hyperemia for fractional flow reserve measurements. 2014 , 8, 17-21	8
1612	Low yield of routine preoperative coronary computed tomography angiography in patients evaluated for liver transplantation. 2014 , 130, 1337-9	9
1611	Developing precision stroke imaging. 2014 , 5, 29	13
1610	Current use of fractional flow reserve: a nationwide survey. 2014 , 41, 579-84	22
1609	Baseline instantaneous wave-free ratio as a pressure-only estimation of underlying coronary flow reserve: results of the JUSTIFY-CFR Study (Joined Coronary Pressure and Flow Analysis to Determine Diagnostic Characteristics of Basal and Hyperemic Indices of Functional Lesion Severity-Coronary Flow Reserve). 2014 , 7, 492-502	124
1608	Computed tomography angiography and perfusion to assess coronary artery stenosis causing perfusion defects by single photon emission computed tomography: the CORE320 study. 2014 , 35, 1120-30	310
1607	The continuum of personalized cardiovascular medicine: a position paper of the European Society of Cardiology. 2014 , 35, 3250-7	66
1606	Effects of intravenous caffeine on fractional flow reserve measurements in coronary artery disease. 2014 , 1, e000060	7
1605	Sinogram smoothing techniques for myocardial blood flow estimation from dose-reduced dynamic computed tomography. 2014 , 1, 034004	5
1604	Comparison of frequency domain optical coherence tomography and quantitative coronary angiography for the assessment of coronary lesions. 2014 ,	
1603	Influence of the length of coronary artery lesions on fractional flow reserve across intermediate coronary obstruction. 2014 , 16, B76-B79	2
1602	Fractional flow reserve and appropriate use criteria. 2014 , 6, 159-165	
1601	Effect of cardiac hybrid ¹⁸ F-water PET/CT imaging on downstream referral for invasive coronary angiography and revascularization rate. 2014 , 15, 170-9	23
1600	Diagnostic performance of dual-energy CT stress myocardial perfusion imaging: direct comparison with cardiovascular MRI. 2014 , 203, W605-13	29
1599	Quantification of myocardial blood flow using PET to improve the management of patients with stable ischemic coronary artery disease. 2014 , 10, 611-31	11
1598	Individualized cardiovascular risk assessment by cardiovascular magnetic resonance. 2014 , 10, 273-89	19
1597	Incremental prognostic value of sequential imaging of single-photon emission computed tomography and coronary computed tomography angiography in patients with suspected coronary artery disease. 2014 , 15, 878-85	18
1596	Advances in the field of interventional cardiology: spotlight on transcatheter aortic valve implantation. 2014 , 10, 587-92	

1595	Coronary Circulation. 2014 , 6, 1-189	3
1594	2014 ACC/AHA/AATS/PCNA/SCAI/STS focused update of the guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines, and the American Association of Cardiovascular and Interventional Radiology. 2014 , 130, e117-177	361
1593	Outcome impact of coronary revascularization strategy reclassification with fractional flow reserve at time of diagnostic angiography: insights from a large French multicenter fractional flow reserve registry. 2014 , 129, 173-85	131
1592	Cardiac CT for myocardial ischaemia detection and characterization--comparative analysis. 2014 , 87, 20140159	11
1591	2014 ESC/EACTS Guidelines on myocardial revascularization: the Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). 2014 , 46, 517-92	588
1590	A Study on Packaging of Miniature Fiber Optic Sensors for In-Vivo Blood Pressure Measurements in a Swine Model. 2014 , 14, 629-635	8
1589	Correlations of platelet-derived microparticles with thromboxane B2, platelet-activating factor, endothelin-1, and neutrophil to lymphocyte ratio in patients with coronary intermediate lesions. 2014 , 19, 684-92	7
1588	The challenges of success: maintaining access to high-quality percutaneous coronary intervention in the face of declining procedural volumes. 2014 , 130, 1343-5	
1587	Stress myocardial perfusion: imaging with multidetector CT. 2014 , 270, 25-46	131
1586	Successful treatment of fractional flow reserve wire induced coronary dissection and other coronary de novo lesion with paclitaxel coated balloon only. 2014 , 177, 1127-8	0
1585	The role of fractional flow reserve in pre-operative coronary angiography in redefining functional syntax score and cardiac risk in multivessel coronary artery disease. 2014 , 177, e163-4	
1584	Fractional flow reserve: an updated review. 2014 , 37, 371-80	34
1583	Global quantification of left ventricular myocardial perfusion at dynamic CT: feasibility in a multicenter patient population. 2014 , 203, W174-80	28
1582	Variations of coronary hemodynamic responses to intravenous adenosine infusion: implications for fractional flow reserve measurements. 2014 , 84, 416-25	26
1581	Use of regadenoson for measurement of fractional flow reserve. 2014 , 83, 369-74	22
1580	Change in donor artery fractional flow reserve after recanalization of a chronic total occlusion: not as impressive as some might have us believe. 2014 , 83, 1190-1	4
1579	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 130, e278-333	272
1578	Diagnostic value of peripheral fractional flow reserve in isolated iliac artery stenosis: a comparison with the post-exercise ankle-brachial index. 2014 , 21, 625-32	13

1577	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 130, 2215-45	426
1576	[ESC/EACTS guidelines on myocardial revascularization : Amendments 2014]. 2014 , 39, 913-8	2
1575	Quantification of myocardial blood flow using (201)Tl SPECT and population-based input function. 2014 , 28, 917-25	7
1574	Myocardial blood flow quantification with SPECT and conventional tracers: a critical appraisal. 2014 , 21, 1089-91	13
1573	FREEDOM, SYNTAX, FAME and FUNCTIONALITY: the future of surgical revascularization in stable ischemic heart disease. 2014 , 10, 63-79	2
1572	Coronary flow velocity reserve in three major coronary arteries by transthoracic echocardiography for the functional assessment of coronary artery disease: a comparison with fractional flow reserve. 2014 , 15, 399-408	20
1571	Cardiac magnetic resonance imaging for ischemic heart disease: update on diagnosis and prognosis. 2014 , 23, 21-31	4
1570	The use of coronary CT angiography for the evaluation of chest pain. 2014 , 22, 117-27	3
1569	Real-time use of instantaneous wave-free ratio: results of the ADVISE in-practice: an international, multicenter evaluation of instantaneous wave-free ratio in clinical practice. 2014 , 168, 739-48	60
1568	Advanced 2-dimensional quantitative coronary angiographic analysis for prediction of fractional flow reserve in intermediate coronary stenoses. 2014 , 29, 217-23	1
1567	Functional assessment of multivessel coronary artery disease: ischemia-guided percutaneous coronary intervention. 2014 , 25, 521-8	3
1566	Computed tomography assessment of hemodynamic significance of coronary artery disease: CT perfusion, contrast gradients by coronary CTA, and fractional flow reserve review. 2014 , 29, 163-72	10
1565	Nonangiographic assessment of coronary artery disease: a practical approach to optical coherence tomography and fractional flow reserve. 2014 , 25, 608-18	3
1564	A New Approach in Risk Stratification by Coronary CT Angiography. 2014 , 2014, 278039	2
1563	Endothelial dysfunction and cardiovascular disease. 2014 , 2014, 291-308	152
1562	Patient selection for diagnostic coronary angiography and hospital-level percutaneous coronary intervention appropriateness: insights from the National Cardiovascular Data Registry. 2014 , 174, 1630-9	46
1561	Imaging Coronary Atherosclerosis. 2014 ,	
1560	CMD in Obstructive CAD. 2014 , 145-180	

1559	Impact of hyperaemic microvascular resistance on fractional flow reserve measurements in patients with stable coronary artery disease: insights from combined stenosis and microvascular resistance assessment. 2014 , 100, 951-9	78
1558	Ischemic heart disease and coronary flow. 2014 , 14, 41-47	
1557	Median arcuate ligament syndrome: Use of fractional flow reserve in documentation of chronic mesenteric ischemia. 2014 , 19, 317-321	5
1556	Commentary: endovascular hemodynamic pressure wire assessment in lower extremities: has the time come?. 2014 , 21, 633-4	2
1555	Comparative cost-effectiveness analyses of cardiovascular magnetic resonance and coronary angiography combined with fractional flow reserve for the diagnosis of coronary artery disease. 2014 , 16, 13	21
1554	Quantitative computed tomographic coronary angiography: does it predict functionally significant coronary stenoses?. 2014 , 7, 43-51	48
1553	End-diastolic fractional flow reserve: comparison with conventional full-cardiac cycle fractional flow reserve. 2014 , 7, 28-34	9
1552	ST elevation after intracoronary administration of Papaverine for fractional flow reserve estimation. 2014 , 66, 289-93	3
1551	Evolution in practice patterns and long-term outcomes of coronary revascularization from bare-metal stent era to drug-eluting stent era in Japan. 2014 , 113, 1652-9	7
1550	Impact of accuracy of fractional flow reserve to reduction of microvascular resistance after intracoronary adenosine in patients with angina pectoris or non-ST-segment elevation myocardial infarction. 2014 , 113, 1461-7	12
1549	PROspective Multicenter Imaging Study for Evaluation of chest pain: rationale and design of the PROMISE trial. 2014 , 167, 796-803.e1	76
1548	Cost benefit for assessment of intermediate coronary stenosis with fractional flow reserve in public and private sectors in australia. 2014 , 23, 807-10	9
1547	Improving the quality of percutaneous revascularisation in patients with multivessel disease in Australia: cost-effectiveness, public health implications, and budget impact of FFR-guided PCI. 2014 , 23, 527-33	24
1546	Elección de intervención coronaria percutánea o bypass en la enfermedad coronaria multivaso. 2014 , 67, 428-431	5
1545	Outcomes of coronary stenoses deferred revascularization for borderline versus nonborderline fractional flow reserve values. 2014 , 113, 1788-93	21
1544	Clinical impact of fractional flow reserve in a real-world cohort of patients. 2014 , 172, 251-2	7
1543	Meta-analysis of 14 trials comparing bypass grafting vs drug-eluting stents in diabetic patients with multivessel coronary artery disease. 2014 , 24, 344-54	31
1542	Coronary Microvascular Dysfunction. 2014 ,	16

1541	Pressure gradient measurement in the coronary artery using 4D PC-MRI: towards noninvasive quantification of fractional flow reserve. 2014 , 16,	3
1540	Utility of nicorandil for the measurement of coronary fractional flow reserve. 2014 , 29, 24-30	10
1539	Perspective on CFD studies of coronary artery disease lesions and hemodynamics: a review. 2014 , 30, 659-80	48
1538	Expert consensus statement on the use of fractional flow reserve, intravascular ultrasound, and optical coherence tomography: a consensus statement of the Society of Cardiovascular Angiography and Interventions. 2014 , 83, 509-18	114
1537	Defining the flow-limiting stenosis noninvasively for management of patients with coronary artery disease. 2014 , 7, 79-80	1
1536	Percutaneous revascularization strategies in small-vessel disease. 2014 , 63, 28-31	5
1535	Effect of porous media of the stenosed artery wall to the coronary physiological diagnostic parameter: a computational fluid dynamic analysis. 2014 , 233, 630-635	21
1534	Impact of type 2 diabetes mellitus and glucose control on fractional flow reserve measurements in intermediate grade coronary lesions. 2014 , 103, 191-201	23
1533	Feasibility of dynamic CT-based adenosine stress myocardial perfusion imaging to detect and differentiate ischemic and infarcted myocardium in an large experimental porcine animal model. 2014 , 30, 803-12	15
1532	Cardiac hybrid SPECT/CTA imaging to detect "functionally relevant coronary artery lesion": a potential gatekeeper for coronary revascularization?. 2014 , 28, 88-93	4
1531	320-row CT coronary angiography predicts freedom from revascularisation and acts as a gatekeeper to defer invasive angiography in stable coronary artery disease: a fractional flow reserve-correlated study. 2014 , 24, 738-47	21
1530	Concordance and diagnostic accuracy of vasodilator stress cardiac MRI and 320-detector row coronary CTA. 2014 , 30, 109-19	5
1529	Risk factors for clinical events at 1-year follow-up after drug-eluting stent implantation: results from the prospective multicenter German DES.DE registry. 2014 , 103, 363-72	8
1528	Thinking outside the lumen: fractional flow reserve versus intravascular imaging for major adverse cardiac event prediction. 2014 , 63, 1141-1144	11
1527	Comparison of diagnostic accuracy of combined assessment using adenosine stress computed tomography perfusion+ computed tomography angiography with transluminal attenuation gradient+ computed tomography angiography against invasive fractional flow reserve. 2014 , 63, 1904-12	67
1526	Combined anatomy and physiology on coronary computed tomography angiography: a step or two in the right direction. 2014 , 63, 1913-5	7
1525	A novel noninvasive technology for treatment planning using virtual coronary stenting and computed tomography-derived computed fractional flow reserve. 2014 , 7, 72-8	116
1524	Additional value of transluminal attenuation gradient in CT angiography to predict hemodynamic significance of coronary artery stenosis. 2014 , 7, 374-86	57

1523	Cardiac hybrid imaging. 2014 , 41 Suppl 1, S91-103	23
1522	Myocardial perfusion imaging with a cadmium zinc telluride-based gamma camera versus invasive fractional flow reserve. 2014 , 41, 956-62	29
1521	Fractional flow reserve-guided percutaneous coronary intervention is not a valid concept. 2014 , 129, 1871-8; discussion 1878	18
1520	Percutaneous coronary intervention should be guided by fractional flow reserve measurement. 2014 , 129, 1860-70	25
1519	Routine pressure wire assessment at time of diagnostic angiography: is it ready for prime time?. 2014 , 7, 139-41	4
1518	The assessment of ischaemic burden: thoughts on definition and quantification. 2014 , 15, 610-1	6
1517	Coronary artery bypass grafting vs. percutaneous coronary intervention for patients with three-vessel disease: final five-year follow-up of the SYNTAX trial. 2014 , 35, 2821-30	222
1516	Predicting response to endovascular therapies: dissecting the roles of local lesion complexity, systemic comorbidity, and clinical uncertainty. 2014 , 47, 908-21	23
1515	Adenosine: physiology, pharmacology, and clinical applications. 2014 , 7, 581-91	155
1514	Multicenter core laboratory comparison of the instantaneous wave-free ratio and resting Pd/Pa with fractional flow reserve: the RESOLVE study. 2014 , 63, 1253-1261	229
1513	The myocardium supplied by a chronic total occlusion is a persistently ischemic zone. 2014 , 83, 9-16	89
1512	Preventive angioplasty in myocardial infarction. <i>New England Journal of Medicine</i> , 2014 , 370, 283	59.2 9
1511	Diagnostic accuracy of myocardial magnetic resonance perfusion to diagnose ischemic stenosis with fractional flow reserve as reference: systematic review and meta-analysis. 2014 , 7, 1098-105	58
1510	The dawn of perfusion CMR: taking over from FFR in suspected coronary artery disease?. 2014 , 7, 1106-7	
1509	Adenosine-induced temporary block to improve accuracy of ostial coronary stent implantation: adenosine to improve stent implantation accuracy. 2014 , 83, E61-3	2
1508	The relationship between revascularization extent and the long-term prognosis of patients with stable angina pectoris and three-vessel disease treated by percutaneous coronary intervention in the era of drug-eluting stents. 2014 , 37, 566-75	2
1507	Fractional flow reserve in acute coronary syndromes: A review. 2014 , 5, 20-25	8
1506	Integrating Anatomical and Functional Assessment of Coronary Artery Disease: Can MDCT act as the lone Gatekeeper in the near Future?. 2014 , 7, 1	

1505	Impact of microvascular obstruction on the assessment of coronary flow reserve, index of microcirculatory resistance, and fractional flow reserve after ST-segment elevation myocardial infarction. 2014 , 64, 1894-904	99
1504	MR myocardial perfusion imaging: insights on techniques, analysis, interpretation, and findings. 2014 , 34, 1636-57	15
1503	The impact of age on fractional flow reserve-guided percutaneous coronary intervention: a FAME (Fractional Flow Reserve versus Angiography for Multivessel Evaluation) trial substudy. 2014 , 177, 66-70	38
1502	Fractional flow reserve derived from coronary CT angiography: variation of repeated analyses. 2014 , 8, 307-14	39
1501	Prognostic value of fractional flow reserve: linking physiologic severity to clinical outcomes. 2014 , 64, 1641-54	361
1500	What part of the FFR link don't we understand?. 2014 , 64, 1655-7	2
1499	Physiologic evaluation of ischemia using cardiac CT: current status of CT myocardial perfusion and CT fractional flow reserve. 2014 , 8, 272-81	9
1498	Evaluation of the stable coronary artery disease patient: anatomy trumps physiology. 2014 , 24, 332-40	3
1497	Reconciling poststenotic pressure with hyperemic flow: comparing coronary flow reserve, instantaneous wave-free ratio, and fractional flow reserve. 2014 , 7, 432-4	3
1496	Relationship between fractional flow reserve and residual plaque volume and clinical outcomes after optimal drug-eluting stent implantation: insight from intravascular ultrasound volumetric analysis. 2014 , 176, 399-404	31
1495	Fractional flow reserve from 3-dimensional quantitative coronary angiography: fresh light through an old window. 2014 , 7, 778-80	8
1494	2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery: Executive Summary. 2014 , 64, 2373-2405	64
1493	2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). 2014 , 35, 2541-619	3467
1492	ST elevation myocardial infarction and multi-vessel coronary artery disease: complete or incomplete revascularisation?. 2014 , 56, e291-e296	
1491	Contemporary overview and clinical perspectives of chronic total occlusions. 2014 , 11, 458-69	28
1490	Cost-effectiveness of percutaneous coronary intervention with drug-eluting stents versus bypass surgery for patients with 3-vessel or left main coronary artery disease: final results from the Synergy Between Percutaneous Coronary Intervention With TAXUS and Cardiac Surgery (SYNTAX) trial. 2014 , 122, 1111-57	64
1489	Fractional flow reserve calculation from 3-dimensional quantitative coronary angiography and TIMI frame count: a fast computer model to quantify the functional significance of moderately obstructed coronary arteries. 2014 , 7, 768-77	205
1488	Invasive testing for coronary artery disease: FFR, IVUS, OCT, NIRS. 2014 , 32, 405-17	12

1487	2014 ACC/AHA/AATS/PCNA/SCAI/STS focused update of the guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines, and the American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for	497
1486	Evolving concepts of angiogram: fractional flow reserve discordances in 4000 coronary stenoses. 2014 , 35, 2831-8	183
1485	[Cardiac CT: new applications]. 2014 , 63, 362-8	0
1484	Novel approaches to risk stratification with semi-quantitative scoring systems in nuclear cardiology. 2014 , 21, 819-20	
1483	A score to quantify coronary plaque vulnerability in high-risk patients with type 2 diabetes: an optical coherence tomography study. 2014 , 13, 117	20
1482	Clinical decision making with myocardial perfusion imaging in patients with known or suspected coronary artery disease. 2014 , 44, 320-9	38
1481	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. 2014 , 64, e77-137	855
1480	Fractional flow reserve-guided PCI for stable coronary artery disease. <i>New England Journal of Medicine</i> , 2014 , 371, 1208-17	59.2 672
1479	Exploring unknowns in cardiology. 2014 , 11, 664-70	10
1478	Rate of percutaneous coronary intervention for the management of acute coronary syndromes and stable coronary artery disease in the United States (2007 to 2011). 2014 , 114, 1003-10	35
1477	[Percutaneous coronary intervention versus bypass surgery in patients with diabetes and multivessel coronary disease. Coronary revascularization after FREEDOM]. 2014 , 39, 331-42	1
1476	Contrast agent bolus tracking with a fixed threshold or a manual fast start for coronary CT angiography. 2014 , 24, 1229-38	11
1475	Accuracy and reproducibility of automated, standardized coronary transluminal attenuation gradient measurements. 2014 , 30, 1181-9	13
1474	Magnetic resonance myocardial perfusion imaging in the diagnosis of functionally significant obstructive coronary artery disease: a systematic review protocol. 2014 , 3, 53	2
1473	Moving beyond coronary stenosis: has the time arrived to address important physiological questions not answered by fractional flow reserve alone?. 2014 , 7, 282-4	12
1472	Fractional flow reserve-guided percutaneous coronary intervention: does coronary pressure never lie?. 2014 , 16, 294	6
1471	Nuclear myocardial perfusion imaging with a cadmium-telluride semiconductor detector gamma camera in patients with acute myocardial infarction. 2014 , 28, 646-55	1
1470	Stress positron emission tomography is safe and can guide coronary revascularization in high-risk patients being considered for transcatheter aortic valve replacement. 2014 , 21, 1001-10	11

1469	High Risk Plaque Features on Coronary CT Angiography. 2014 , 7, 1	
1468	Prevalence of visual-functional mismatch regarding coronary artery stenosis in the CVIT-DEFER registry. 2014 , 29, 300-8	42
1467	Fractional flow reserve or optical coherence tomography guidance to revascularize intermediate coronary stenosis using angioplasty (FORZA) trial: study protocol for a randomized controlled trial. 2014 , 15, 140	12
1466	Aortic stenosis and coronary artery disease: what do we know? What don't we know? A comprehensive review of the literature with proposed treatment algorithms. 2014 , 35, 2069-82	71
1465	Physiological basis and long-term clinical outcome of discordance between fractional flow reserve and coronary flow velocity reserve in coronary stenoses of intermediate severity. 2014 , 7, 301-11	260
1464	Top 10 cardiovascular therapies and interventions for the next decade. 2014 , 11, 671-83	29
1463	Diagnostic accuracy of intravascular ultrasound-derived minimal lumen area compared with fractional flow reserve--meta-analysis: pooled accuracy of IVUS luminal area versus FFR. 2014 , 84, 377-85	38
1462	Assessment of coronary blood flow in the cardiac catheterization laboratory. 2014 , 39, 159-84	1
1461	âUnsuitable for PCIâ Multivessel primary PCI. But for whom?. 2014 , 33, 75-77	3
1460	Advanced computed tomographic anatomical and morphometric plaque analysis for prediction of fractional flow reserve in intermediate coronary lesions. 2014 , 83, 135-41	9
1459	Measurement gray zone of fractional flow reserve: what else can we do?. 2014 , 7, 226	
1458	Gestione delle sindromi coronariche acute nelle prime 48 ore. 2014 , 19, 1-13	
1457	The impact of residual coronary lesions on clinical outcomes after percutaneous coronary intervention: Residual SYNTAX score after percutaneous coronary intervention in patients from the Efficacy of Xience/Promus versus Cypher in rEDucing Late Loss after stENTing (EXCELLENT) registry. 2014 , 167, 384-392.e5	30
1456	Manejo de los s�ndromes coronarios agudos en las primeras 48 horas. 2014 , 40, 1-14	
1455	Gu� de Pr�tica Cl�nica de la ESC 2013 sobre diagn�stico y tratamiento de la cardiopat� isqu�mica estable. 2014 , 67, 135.e1-135.e81	9
1454	Prognostic value of myocardial ischemia and necrosis in depressed left ventricular function: a multicenter stress cardiac magnetic resonance registry. 2014 , 67, 693-700	1
1453	["Unsuitable for PCI..." Multivessel primary PCI. But for whom?]. 2014 , 33, 75-7	3
1452	Fractional flow reserve for all coronary lesions with intermediate stenosis, a step towards optimal PCI âSingle centre experience in India. 2014 , 4, 101-104	

1451	Clinical utility of intravascular imaging and physiology in coronary artery disease. 2014 , 64, 207-22	83
1450	Comprehensive dobutamine stress CMR versus echocardiography in LBBB and suspected coronary artery disease. 2014 , 7, 490-8	26
1449	Interventions for coronary artery disease (surgery vs angioplasty) in diabetic patients. 2014 , 43, 59-73	2
1448	Decision making between percutaneous coronary intervention or bypass surgery in multi-vessel coronary disease. 2014 , 67, 428-31	
1447	CT angiography (CTA) and diagnostic performance of noninvasive fractional flow reserve: results from the Determination of Fractional Flow Reserve by Anatomic CTA (DeFACTO) study. 2014 , 202, 989-94	97
1446	Canadian Cardiovascular Society guidelines for the diagnosis and management of stable ischemic heart disease. 2014 , 30, 837-49	97
1445	Valor pronóstico de la isquemia miocárdica y la necrosis en pacientes con la función ventricular izquierda deprimida: un registro multicéntrico con resonancia magnética cardíaca de estrés. 2014 , 67, 693-700	12
1444	Does optical coherence tomography optimize results of stenting? Rationale and study design. 2014 , 168, 175-81.e1-2	16
1443	Rationale and design of J-ACCESS 4: prognostic impact of reducing myocardial ischemia identified using ECG-gated myocardial perfusion SPECT in Japanese patients with coronary artery disease. 2014 , 63, 159-64	11
1442	Evaluation of hemodynamically severe coronary stenosis as determined by fractional flow reserve with frequency domain optical coherence tomography measured anatomical parameters. 2014 , 64, 19-24	30
1441	Long-term outcome after deferral of revascularization in patients with intermediate coronary stenosis and gray-zone fractional flow reserve. 2015 , 79, 91-5	26
1440	Optimal intravascular ultrasound criteria for defining the functional significance of intermediate coronary stenosis: an international multicenter study. 2014 , 127, 256-62	22
1439	Cardiac magnetic resonance performs better in the detection of functionally significant coronary artery stenosis compared to single-photon emission computed tomography and dobutamine stress echocardiography. 2014 , 78, 2468-76	19
1438	Fractional flow reserve with dobutamine challenge and coronary microvascular endothelial dysfunction in symptomatic myocardial bridging. 2014 , 78, 685-92	16
1437	The present and future of fractional flow reserve. 2014 , 78, 1048-54	21
1436	Diagnostic performance of a novel cadmium-zinc-telluride gamma camera system assessed using fractional flow reserve. 2014 , 78, 2727-34	23
1435	Cardiac single-photon emission computed tomography using ultrafast cadmium zinc telluride gamma camera with thallium-201 yields high-diagnostic performance despite lower radiation dose and shorter acquisition time. 2014 , 78, 2635-6	
1434	Evaluating intracranial atherosclerosis rather than intracranial stenosis. 2014 , 45, 645-51	67

1433 Role of fractional flow reserve in guiding intervention for borderline coronary lesions. **2014**, 2, 18-25

1432 Guidance on interventional diagnosis and treatment of coronary artery disease in 2014. **2014**, 6, 353-355

1431 Vectorial total variation denoising for myocardial blood flow estimation in dynamic CT. **2014**,

1430 Anatomical and functional assessment of coronary artery disease: The search for the perfect protocol. **2015**, 34, 233-235

1429 The Impact of Fractional Flow Reserve on Revascularization. **2015**, 4, 191-6

7

1428 Imaging-Guided Lower Extremity Endovascular Interventions: Is Now the Time?. **2015**, 8, 1902-4

3

1427 Welche intrakoronare Diagnostik: funktionell oder morphologisch?. **2015**, 4, 309-314

1426 Usefulness and safety of intracoronary administration of nicorandil for evaluating fractional flow reserve in Japanese patients. **2015**, 38, 20-4

7

1425 Coronary angiographic characteristics that influence fractional flow reserve. **2015**, 79, 802-7

15

1424 Papaverine-induced polymorphic ventricular tachycardia during coronary flow reserve study of patients with moderate coronary artery disease. **2015**, 79, 530-6

18

1423 Advances in coronary physiology. **2015**, 79, 1172-84

22

1422 Role of cardiac multidetector computed tomography beyond coronary angiography. **2015**, 79, 712-20

17

1421 Coronary functional tests in the catheterization laboratory - pathophysiological and clinical relevance. **2015**, 79, 676-84

6

1420 Chronic Ischemia Induced by Woven Coronary Artery Anomaly with Typical Atrial Flutter: Insights from Multiple Imaging Devices. **2015**, 54, 2185-9

6

1419 Noninvasive and Invasive Assessments of the Functional Significance of Intermediate Coronary Artery Stenosis: Is This a Matter of Right or Wrong?. **2014**, 2, 52-6

1

1418 President's Page. **2015**, 9, 604-5

1417 Multimodality imaging in coronary artery disease - "The more the better?". **2015**, 57, e462-e469

2

1416 Risk model for estimating the 1-year risk of deferred lesion intervention following deferred revascularization after fractional flow reserve assessment. **2015**, 36, 509-15

27

1415	Collateral circulation in chronic total occlusion: implications in percutaneous intervention and clinical management. 2015 , 86, 356-7	
1414	Clinical outcome benefit associated with fractional flow reserve guided angioplasty, but is it "one size fits all"? 2015 , 7, 235-237	1
1413	Cost-effectiveness of fractional flow reserve-guided percutaneous coronary intervention. 2015 , 7, 389-394	
1412	The Appropriate Use of Percutaneous Coronary Intervention in Contemporary Clinical Practice. 2015 , 24, 29-34	0
1411	Prognostic significance of endothelial dysfunction in patients undergoing percutaneous coronary intervention in the era of drug-eluting stents. 2015 , 15, 102	8
1410	Fractional flow reserve of non-culprit vessel post-myocardial infarction: is it reliable?. 2015 , 15, 127	1
1409	Fractional flow reserve (FFR) versus angiography in guiding management to optimise outcomes in non-ST segment elevation myocardial infarction (FAMOUS-NSTEMI) developmental trial: cost-effectiveness using a mixed trial- and model-based methods. 2015 , 13, 19	10
1408	Application of fractional flow reserve and optical coherence tomography examinations in a patient presenting with recurrent angina: a case report. 2015 , 9, 182	
1407	Beyond FAMOUS-NSTEMI: the evolving role of fractional flow reserve in patients with acute coronary syndromes. 2015 , 26 Suppl 1, e27-34	2
1406	Effective radiation dose in coronary imaging modalities: Back to Basics. 2015 , 85, 1182-3	1
1405	Measurement and modeling of coronary blood flow. 2015 , 7, 335-56	11
1404	Stop invasive coronary angiography as the gold standard for the diagnosis of stable angina!. 2015 , 7, 415-418	4
1403	Diagnosis and prognosis of ischemic heart disease: the framework of cardiac magnetic resonance. 2015 , 16, 653-62	9
1402	Ischaemic heart disease - a selected review of recent developments. 2015 , 30, 657-62	5
1401	Use of fractional flow reserve in different anatomical subsets. 2015 , 26 Suppl 1, e2-7	2
1400	Computed Tomography-Derived Fractional Flow Reserve in the Detection of Lesion-Specific Ischemia: An Integrated Analysis of 3 Pivotal Trials. 2015 , 94, e1963	9
1399	Noninvasive Detection of Functional Myocardial Ischemia: Multifunction Cardiogram Evaluation in Diagnosis of Functional Coronary Ischemia Study (MED-FIT). 2015 , 20, 446-53	5
1398	Influence of microvascular resistance on fractional flow reserve after successful percutaneous coronary intervention. 2015 , 85, 585-92	13

1397	Coronary artery disease and transcatheter aortic valve replacement: current treatment paradigms. 2015 , 26, 272-8	6
1396	Importance of guiding catheter disengagement during measurement of fractional flow reserve in patients with an isolated proximal left anterior descending artery stenosis. 2015 , 85, 595-601	13
1395	The temporal recovery of fractional flow reserve, coronary flow reserve and index of microcirculatory resistance following myocardial infarction. 2015 , 30, 663-70	4
1394	iFR-FFR comparison in daily practice: a single-center, prospective, online assessment. 2015 , 16, 625-31	11
1393	Physiological assessment of coronary lesion severity: fractional flow reserve versus nonhyperaemic indices. 2015 , 26 Suppl 1, e8-14	2
1392	Current developments and future applications of intracoronary hemodynamics. 2015 , 26, 448-58	1
1391	Developments and controversies in coronary physiology and imaging. 2015 , 26 Suppl 1, e1	
1390	Safety and efficacy of a novel technique in the use of fractional flow reserve in complex coronary artery lesions. 2015 , 128, 822-5	
1389	The Potential Safety of Deferring Percutaneous Coronary Intervention Based on Fractional Flow Reserve in The Ischemia-Induced Intermediate Lesions Defined by Intravascular Ultrasound. 2015 , 03,	
1388	Three dimensional quantitative coronary angiography can detect reliably ischemic coronary lesions based on fractional flow reserve. 2015 , 30, 716-24	12
1387	Fractional flow reserve-guided percutaneous coronary intervention: where to after FAME 2?. 2015 , 11, 613-22	5
1386	The use of modern interventional cardiology tools to verify lesion significance and optimize procedural outcome in a diabetic patient with multivessel disease. 2015 , 11, 233-8	
1385	How to Utilize Coronary Computed Tomography Angiography in the Treatment of Coronary Artery Disease. 2015 , 23, 204-8	7
1384	Non-Invasive Imaging of Coronary Artery Disease – The Expanding Role of Coronary Computed Tomographic Angiography in the Management of Low- to Intermediate-Risk Patients and Dealing with Intermediate Stenosis. 2015 ,	1
1383	Internal Iliac Artery Stenosis: Diagnosis and How to Manage it in 2015. 2015 , 2, 33	21
1382	The Value of Pre- and Post-Stenting Fractional Flow Reserve for Predicting Mid-Term Stent Restenosis Following Percutaneous Coronary Intervention (PCI). 2015 , 8, 240-44	4
1381	Functional relevance of coronary artery disease by cardiac magnetic resonance and cardiac computed tomography: myocardial perfusion and fractional flow reserve. 2015 , 2015, 297696	25
1380	Noninvasive physiologic assessment of coronary stenoses using cardiac CT. 2015 , 2015, 435737	7

1379 Regadenoson – Overview of Applications in Cardiology. **2015**,

1378 Coronary physiology assessment in the catheterization laboratory. **2015**, 7, 525-38 22

1377 Microvascular angina: angina that predominantly affects women. **2015**, 30, 140-7 8

1376 How changes to the Medicare Benefits Schedule could improve the practice of cardiology and save taxpayer money. **2015**, 203, 256-8.e1 4

1375 Clinical Relevance of Coronary Fractional Flow Reserve: Art-of-state. **2015**, 128, 1399-406 7

1374 Coronary CT Angiography and the Napkin-ring Sign Indicates High-Risk Atherosclerotic Lesions. **2015**,

1373 Fractional Flow Reserve Guided Percutaneous Coronary Intervention Improves Clinical Outcome with Reduced Cost in Contemporary Clinical Practice. **2015**, 128, 2000-5 4

1372 Fractional flow reserve-guided management in stable coronary disease and acute myocardial infarction: recent developments. **2015**, 36, 3155-64 45

1371 Value of resting echocardiographic findings and dobutamine stress echocardiography for diagnosing myocardial ischemia in patients with suspected angina pectoris. **2015**, 32, 993-1002 1

1370 Does ischemia burden in stable coronary artery disease effectively identify revascularization candidates? Ischemia burden in stable coronary artery disease effectively identifies revascularization candidates. **2015**, 8, discussion p 8 11

1369 Non-invasive prediction of hemodynamically significant coronary artery stenoses by contrast density difference in coronary CT angiography. **2015**, 84, 1502-1508 28

1368 Diagnostic value of quantitative stenosis predictors with coronary CT angiography compared to invasive fractional flow reserve. **2015**, 84, 1509-1515 54

1367 Coronary Angiography. **2015**, 69-144

1366 Comparison of intracoronary versus intravenous administration of adenosine for measurement of coronary fractional flow reserve. **2015**, 8, 38

1365 Fundamentals in clinical coronary physiology: why coronary flow is more important than coronary pressure. **2015**, 36, 3312-9a 99

1364 Change in coronary blood flow after percutaneous coronary intervention in relation to baseline lesion physiology: results of the JUSTIFY-PCI study. **2015**, 8, e001715 27

1363 Clinical Cardiac Positron Emission Tomography. **2015**, 263-281

1362 Proceedings of the Cardiac PET Summit, 12 May 2014, Baltimore, MD : 3: Quantitation of myocardial blood flow. **2015**, 22, 571-8 9

1361	Comparison of inhospital mortality, length of hospitalization, costs, and vascular complications of percutaneous coronary interventions guided by ultrasound versus angiography. 2015 , 115, 1357-66	28
1360	Beyond stenosis detection: computed tomography approaches for determining the functional relevance of coronary artery disease. 2015 , 53, 317-34	17
1359	Fractional flow reserve modeled from resting coronary CT angiography: state of the science. 2015 , 204, W243-8	9
1358	Cardiac CT Angiography Manual. 2015 ,	2
1357	Specific Applications of Cardiac Computed Tomographic Angiography. 2015 , 191-286	
1356	Adaptive sampling of CT data for myocardial blood flow estimation from dose-reduced dynamic CT. 2015 ,	1
1355	High-Risk Plaque Features on Coronary CT Angiography. 2015 , 8, 1336-9	12
1354	Fractional flow reserve in acute coronary syndromes. 2015 , 36, 75-6	8
1353	Long-Term Clinical Outcomes of Fractional Flow Reserve-Guided Versus Routine Drug-Eluting Stent Implantation in Patients With Intermediate Coronary Stenosis: Five-Year Clinical Outcomes of DEFER-DES Trial. 2015 , 8, e002442	20
1352	On the Possible Interaction Mechanism between Collateral Vessels and Restenosis. 2015 , 66, 412-418	
1351	A "normal" invasive coronary angiogram may not be normal. 2015 , 9, 264-6	4
1350	Functional Evaluation of Coronary Disease by CT Angiography. 2015 , 8, 1322-35	21
1349	Diagnosis of Coronary Disease and Icing on the Cake. 2015 , 8, 1117-1120	2
1348	Trends in percutaneous coronary intervention from 2004 to 2013 according to the Portuguese National Registry of Interventional Cardiology. 2015 , 34, 673-681	13
1347	Noninvasive hemodynamic assessment using coronary computed tomography angiography: the present and future. 2015 , 7, 77-88	1
1346	Fractional flow reserve: conundrums, controversies and challenges. 2015 , 7, 543-552	3
1345	Ventricular Fibrillation Precipitated by Intracoronary Adenosine During Fractional Flow Reserve Assessment - A Cautionary Tale. 2015 , 24, e173-5	5
1344	Instantaneous Wave-Free Ratio versus Fractional Flow Reserve guided intervention (iFR-SWEDEHEART): Rationale and design of a multicenter, prospective, registry-based randomized clinical trial. 2015 , 170, 945-50	26

1343	FFRCT: Solid PLATFORM or Thin Ice?. 2015 , 66, 2324-2328	5
1342	A randomized trial of a dedicated bifurcation stent versus provisional stenting in the treatment of coronary bifurcation lesions. 2015 , 65, 533-43	89
1341	From Physiology of the Coronary Circulation to Myocardial Perfusion Imaging. 2015 , 8, 1	
1340	Diagnostic accuracy and discrimination of ischemia by fractional flow reserve CT using a clinical use rule: results from the Determination of Fractional Flow Reserve by Anatomic Computed Tomographic Angiography study. 2015 , 9, 120-8	17
1339	Fractional flow reserve derived from coronary CT angiography in stable coronary disease: a new standard in non-invasive testing?. 2015 , 25, 2282-90	19
1338	The exercise test is alive and well when coupled with coronary calcium scoring. 2015 , 8, 145-7	2
1337	Guía de práctica clínica de la ESC sobre revascularización miocárdica, 2014. 2015 , 68, 144.e1-144.e95	1
1336	What imaging characteristics determine risk of myocardial infarction and cardiac death?. 2015 , 8, e003081	2
1335	Coronary computed tomography angiography alone versus confirmatory functional testing for guiding treatment strategy for patients with intermediate coronary artery stenosis. 2015 , 115, 602-8	1
1334	Diagnostic coronary angiography is 'getting old!. 2015 , 8, 11-13	4
1333	Non-invasive computed fractional flow reserve from computed tomography (CT) for diagnosing coronary artery disease - Japanese results from NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). 2015 , 79, 406-12	20
1332	The diagnostic performance of CT-derived fractional flow reserve for evaluation of myocardial ischaemia confirmed by invasive fractional flow reserve: a meta-analysis. 2015 , 70, 476-86	27
1331	Comparative efficacy testing - fractional flow reserve by coronary computed tomography for the evaluation of patients with stable chest pain. 2015 , 183, 173-7	13
1330	Severity of morphological lesion complexity affects fractional flow reserve in intermediate coronary stenosis. 2015 , 66, 239-45	14
1329	Trends in coronary revascularization procedures among Medicare beneficiaries between 2008 and 2012. 2015 , 131, 362-70; discussion 370	61
1328	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. Developed in collaboration with the American College of Surgeons, American Society of Anesthesiologists, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society for Cardiovascular Angiography and Intervention. 2015 , 22, 162-215	123
1327	Invasive coronary physiology for assessing intermediate lesions. 2015 , 8, e001942	20
1326	Meta-analysis of deferral versus performance of coronary intervention based on coronary pressure-derived fractional flow reserve. 2015 , 115, 385-91	11

1325	Atherosclerotic plaque characteristics by CT angiography identify coronary lesions that cause ischemia: a direct comparison to fractional flow reserve. 2015 , 8, 1-10	183
1324	Preventive stenting in acute myocardial infarction. 2015 , 8, 131-138	13
1323	The myth of the "vulnerable plaque": transitioning from a focus on individual lesions to atherosclerotic disease burden for coronary artery disease risk assessment. 2015 , 65, 846-855	255
1322	Global coronary flow reserve is associated with adverse cardiovascular events independently of luminal angiographic severity and modifies the effect of early revascularization. 2015 , 131, 19-27	279
1321	Diagnosis of functionally significant coronary stenosis with exercise CT myocardial perfusion imaging. 2015 , 274, 684-92	2
1320	A myocardial perfusion imaging system using a multifocal collimator for detecting coronary artery disease: validation with invasive coronary angiography. 2015 , 29, 366-70	7
1319	Multidetector-row computed tomography for prosthetic heart valve dysfunction: is concomitant non-invasive coronary angiography possible before redo-surgery?. 2015 , 25, 1623-30	9
1318	Accuracy of intravascular ultrasound and optical coherence tomography in identifying functionally significant coronary stenosis according to vessel diameter: A meta-analysis of 2,581 patients and 2,807 lesions. 2015 , 169, 663-73	72
1317	When would the assessment of fractional flow reserve be nonreproducible?. 2015 , 86, 358-9	1
1316	Cost analysis of non-invasive fractional flow reserve derived from coronary computed tomographic angiography in Japan. 2015 , 30, 38-44	33
1315	Revascularization in patients with diabetes: PCI or CABG or none at all. 2015 , 17, 565	6
1314	A novel equation to predict the pressure derived collateral flow index in multiple sequential coronary stenoses. 2015 , 30, 244-50	
1313	Transluminal attenuation gradient in coronary computed tomography angiography for determining stenosis severity of calcified coronary artery: a primary study with dual-source CT. 2015 , 25, 1219-28	14
1312	Cardiac imaging for the assessment of patients being evaluated for kidney or liver transplantation. 2015 , 22, 282-96	23
1311	Fast Computation of Hemodynamic Sensitivity to Lumen Segmentation Uncertainty. 2015 , 34, 2562-71	22
1310	Role of Fractional-Flow Reserve in Guiding Percutaneous Revascularization in Stable Coronary Artery Disease. 2015 , 17, 52	5
1309	The changing scene of preoperative coronary diagnostics. 2015 , 149, 1629-30	
1308	Comparison of instantaneous wave-free ratio (iFR) and fractional flow reserve (FFR)--first real world experience. 2015 , 199, 1-7	33

1307	Proposed Recommendations for Myocardial Revascularisation. 2015 , 24, 635-43	1
1306	The haemodynamic effects of collateral donation to a chronic total occlusion: Implications for patient management. 2015 , 198, 159-66	6
1305	The Transmural Extent and Severity of Myocardial Hypoperfusion Predicts Long-Term Outcome in NSTEMI: An MDCT Study. 2015 , 8, 684-94	15
1304	Predicting Periprocedural Injury: Magnetic Resonance Imaging Stakes a Claim. 2015 , 8, 750-2	
1303	Myocardial perfusion analysis in cardiac computed tomography angiographic images at rest. 2015 , 24, 77-89	33
1302	Complete revascularisation versus treatment of the culprit lesion only in patients with ST-segment elevation myocardial infarction and multivessel disease (DANAMI-3âPRIMULTI): an open-label, randomised controlled trial. 2015 , 386, 665-71	527
1301	The theory and practice of imaging outcomes research. 2015 , 385, 2334-5	1
1300	Successful percutaneous coronary intervention for multivessel stenosis complicated by a huge coronary artery fistula with the combined physiology and intracoronary anatomy techniques. 2015 , 192, 70-1	3
1299	Noninvasive coronary angiography. 2015 , 173-202	
1298	Myocardial ischemia. 2015 , 227-270	
1297	[Management of stable chronic coronary artery disease]. 2015 , 40, 645-54; quiz 655-6	1
1296	Early resting myocardial computed tomography perfusion for the detection of acute coronary syndrome in patients with coronary artery disease. 2015 , 8, e002404	23
1295	Coronary computed tomography angiography for the assessment of chest pain: current status and future directions. 2015 , 31 Suppl 2, 125-43	4
1294	Cardiac CT vs. Stress Testing in Patients with Suspected Coronary Artery Disease: Review and Expert Recommendations. 2015 , 8, 1	15
1293	"Virtual" (Computed) Fractional Flow Reserve: Current Challenges and Limitations. 2015 , 8, 1009-1017	74
1292	Physiology of Coronary Blood Flow. 2015 , 13-27	
1291	Validation of magnetocardiography versus fractional flow reserve for detection of coronary artery disease. 2015 , 59, 267-81	15
1290	Myocardial perfusion imaging using contrast echocardiography. 2015 , 57, 632-43	20

- 1289 Molecular and Multimodality Imaging in Cardiovascular Disease. **2015,**
- 1288 Coronary anatomy and function: a story of Yin and Yang. **2015, 16, 831-3** 3
- 1287 2014 ACC/AHA/AATS/PCNA/SCAI/STS focused update of the guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines, and the American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. **2015, 149, e5-23** 71
- 1286 What is ischemia and how should this be defined based on modern imaging?. **2015, 57, 537-54** 5
- 1285 Revascularization vs. Medical Therapy in Stable Ischemic Heart Disease. **2015, 58, 299-305** 6
- 1284 Repeatability of Fractional Flow Reserve Despite Variations in Systemic and Coronary Hemodynamics. **2015, 8, 1018-1027** 64
- 1283 Automated Quantitative Plaque Burden from Coronary CT Angiography Noninvasively Predicts Hemodynamic Significance by using Fractional Flow Reserve in Intermediate Coronary Lesions. **2015, 276, 408-15** 52
- 1282 Update on percutaneous intervention for left main coronary artery stenosis. **2015, 13, 933-43** 1
- 1281 Incremental value of myocardial perfusion over coronary angiography by spectral computed tomography in patients with intermediate to high likelihood of coronary artery disease. **2015, 84, 637-42** 28
- 1280 Diagnostic accuracy of noninvasive testing: necessary but insufficient. **2015, 8,**
- 1279 Comparison of Five-Year Outcome of Percutaneous Coronary Intervention With Coronary Artery Bypass Grafting in Triple-Vessel Coronary Artery Disease (from the Coronary Revascularization Demonstrating Outcome Study in Kyoto PCI/CABG Registry Cohort-2). **2015, 116, 59-65** 22
- 1278 Interventional Cardiology Imaging. **2015,**
- 1277 Current frontiers in the clinical research of coronary physiology. **2015, 7, 97-108**
- 1276 Pathogenesis of the limb manifestations and exercise limitations in peripheral artery disease. **2015, 116, 1527-39** 86
- 1275 Do clinical trials in ischemic heart disease meet the needs of those with ischemia?. **2015, 65, 1596-8** 3
- 1274 Coronary bifurcation lesions: Present status and future perspectives. **2015, 187, 48-57** 18
- 1273 Fractional flow-guided management in patients with acute coronary syndromes: A systematic review and meta-analysis. **2015, 187, 334-7** 5
- 1272 In vitro assessment of physiological impact of recipient artery intervention on the contralateral donor artery. **2015, 16, 90-100** 5

1271	Fractional flow reserve derived from conventional coronary angiograms and computational fluid dynamics. 2015 , 190, 187-9	2
1270	Correlation between optical coherence tomography-derived intraluminal parameters and fractional flow reserve measurements in intermediate grade coronary lesions: a comparison between diabetic and non-diabetic patients. 2015 , 104, 59-70	23
1269	Multi-modality imaging for the assessment of myocardial perfusion with emphasis on stress perfusion CT and MR imaging. 2015 , 31 Suppl 1, 1-21	4
1268	Rationale and design of the dual-energy computed tomography for ischemia determination compared to "gold standard" non-invasive and invasive techniques (DECIDE-Gold): A multicenter international efficacy diagnostic study of rest-stress dual-energy computed tomography angiography with perfusion. 2015 , 22, 1031-40	19
1267	Multi-modality imaging: Bird's-eye view from the 2014 American Heart Association Scientific Sessions. 2015 , 22, 364-71	5
1266	Comparison of the Diagnostic Accuracy of PET and SPECT for Coronary Artery Disease. 2015 , 8, 1	1
1265	Incremental Value of Hybrid PET/CT in Patients with Coronary Artery Disease. 2015 , 8, 1	1
1264	There is only one big risk you should avoid at all costs, and that is the risk of doing nothing. 2015 , 23, 222-3	
1263	Collateral donor artery physiology and the influence of a chronic total occlusion on fractional flow reserve. 2015 , 8,	27
1262	Fractional flow reserve and coronary bifurcation anatomy: a novel quantitative model to assess and report the stenosis severity of bifurcation lesions. 2015 , 8, 564-74	24
1261	Randomized Comparison of FFR-Guided and Angiography-Guided Provisional Stenting of True Coronary Bifurcation Lesions: The DKCRUSH-VI Trial (Double Kissing Crush Versus Provisional Stenting Technique for Treatment of Coronary Bifurcation Lesions VI). 2015 , 8, 536-46	57
1260	Long-term outcomes following fractional flow reserve-guided treatment of angiographically ambiguous left main coronary artery disease: A meta-analysis of prospective cohort studies. 2015 , 86, 12-8	36
1259	Angiographic characteristics of intermediate stenosis of the left anterior descending artery for determination of lesion significance as identified by fractional flow reserve. 2015 , 115, 1475-80	16
1258	Measurement of myocardial blood flow by cardiovascular magnetic resonance perfusion: comparison of distributed parameter and Fermi models with single and dual bolus. 2015 , 17, 17	18
1257	Functional assessment of sequential coronary artery fistula and coronary artery stenosis with fractional flow reserve and stress adenosine myocardial perfusion imaging. 2015 , 27, 283-5	3
1256	The ASLA Score: A CT Angiographic Index to Predict Functionally Significant Coronary Stenoses in Lesions with Intermediate Severity-Diagnostic Accuracy. 2015 , 276, 91-101	12
1255	Relative flow reserve derived from quantitative perfusion imaging may not outperform stress myocardial blood flow for identification of hemodynamically significant coronary artery disease. 2015 , 8,	50
1254	Comparison of myocardial perfusion evaluation with single versus dual-energy CT and effect of beam-hardening artifacts. 2015 , 22, 591-9	28

1253	One-Dimensional Modelling of the Coronary Circulation. Application to Noninvasive Quantification of Fractional Flow Reserve (FFR). 2015 , 137-155	8
1252	Value of FFR in clinical practice. 2015 , 67, 77-80	3
1251	Role of coronary physiology in the contemporary management of coronary artery disease. 2015 , 3, 148-55	2
1250	A multidisciplinary consensus document on follow-up strategies for patients treated with percutaneous coronary intervention. 2015 , 85, E129-39	5
1249	Invasive measures of myocardial perfusion and ischemia. 2015 , 57, 555-65	8
1248	Diagnostic performance of transluminal attenuation gradient and fractional flow reserve by coronary computed tomographic angiography (FFR(CT)) compared to invasive FFR: a sub-group analysis from the DISCOVER-FLOW and DeFACTO studies. 2015 , 31, 1251-9	21
1247	Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in coronary artery disease: A systematic review and meta-analysis. 2015 , 184, 703-709	18
1246	CT Assessment of Myocardial Perfusion and Fractional Flow Reserve. 2015 , 57, 623-31	11
1245	Coronary fractional flow reserve. 2015 , 204, W261-5	8
1244	A novel coronary angiography index (DILEMMA score) for prediction of functionally significant coronary artery stenoses assessed by fractional flow reserve: A novel coronary angiography index. 2015 , 169, 564-71.e4	16
1243	Comparing stress testing and fractional flow reserve to evaluate presence, location and extent of ischemia in coronary artery disease. 2015 , 67, 50-5	1
1242	Pooled comparison of regadenoson versus adenosine for measuring fractional flow reserve and coronary flow in the catheterization laboratory. 2015 , 16, 266-71	12
1241	Intracoronary Adenosine for Maximal Hyperemia: Less Is MoreâMore or Less?. 2015 , 8, 1431-1432	1
1240	Intracoronary Adenosine: Dose-Response Relationship With Hyperemia. 2015 , 8, 1422-1430	81
1239	Rationale and design of the Prospective Longitudinal Trial of FFRCT: Outcome and Resource IMpacts study. 2015 , 170, 438-46.e44	13
1238	The Concept of Functional Percutaneous Coronary Intervention: Why Physiologic Lesion Assessment Is Integral to Coronary Angiography. 2015 , 4, 411-417	
1237	Landmark Fractional Flow Reserve Trials. 2015 , 4, 435-441	1
1236	Can Resting Indices Obviate the Need for Hyperemia and Promote the Routine Use of Physiologically Guided Revascularization?. 2015 , 4, 459-469	1

1235	Fractional Flow Reserve for the Evaluation of Tandem and Bifurcation Lesions, Left Main, and Acute Coronary Syndromes. 2015 , 4, 471-480	1
1234	Noninvasive Fractional Flow Reserve Derived from Coronary Computed Tomography Angiography for the Diagnosis of Lesion-specific Ischemia. 2015 , 4, 481-489	
1233	Fractional Flow Reserve in Acute Myocardial Infarction: A Guide for Non-Culprit Lesions?. 2015 , 4, 39-46	2
1232	Is There Still a Survival Advantage to Bypass Surgery Over Percutaneous Intervention in the Modern Era?. 2015 , 58, 335-41	3
1231	What is the best second conduit for coronary artery bypass grafting? With no silver bullet study we should not ignore good regular bullets when we get them!. 2015 , 150, 1535-6	2
1230	Measuring the Effectiveness of Percutaneous Coronary Intervention. 2015 , 8, e003024	
1229	Left main disease progression following left branch vessel percutaneous intervention in patients who are referred for coronary artery bypass grafting. 2015 , 30, 35-40	
1228	Preventive versus culprit-only percutaneous coronary intervention in ST-elevation myocardial infarction patients with multivessel disease: a meta-analysis. 2015 , 28, 1-13	9
1227	The impact of downstream coronary stenosis on fractional flow reserve assessment of intermediate left main coronary artery disease: human validation. 2015 , 8, 398-403	61
1226	Stress Myocardial Perfusion CT in Patients Suspected of Having Coronary Artery Disease: Visual and Quantitative Analysis-Validation by Using Fractional Flow Reserve. 2015 , 276, 715-23	52
1225	Comparison of quantitative stenosis characteristics at routine coronary computed tomography angiography with invasive fractional flow reserve for assessing lesion-specific ischemia. 2015 , 9, 546-52	16
1224	Everolimus-Eluting Stents or Bypass Surgery for Coronary Disease. <i>New England Journal of Medicine</i> , 2015 , 373, 581-2	59.2 2
1223	Accuracy of Computed Tomographic Angiography and Single-Photon Emission Computed Tomography-Acquired Myocardial Perfusion Imaging for the Diagnosis of Coronary Artery Disease. 2015 , 8, e003533	32
1222	Learning Patient-Specific Lumped Models for Interactive Coronary Blood Flow Simulations. 2015 , 433-441	11
1221	Intracoronary imaging: see more, better or worse?. 2015 , 36, 3356-8	2
1220	Interventional Management of Unprotected Left Main Coronary Artery Disease: Patient Selection and Technique Optimization. 2015 , 28, 326-38	5
1219	Rationale and design of the Fractional Flow Reserve versus Angiography for Multivessel Evaluation (FAME) 3 Trial: a comparison of fractional flow reserve-guided percutaneous coronary intervention and coronary artery bypass graft surgery in patients with multivessel coronary artery disease. 2015 , 170, 619-626.e2	42
1218	Fractional flow reserve versus angiography for guidance of PCI in patients with multivessel coronary artery disease (FAME): 5-year follow-up of a randomised controlled trial. 2015 , 386, 1853-60	295

1217	Influence of plaque characteristics on fractional flow reserve for coronary lesions with intermediate to obstructive stenosis: insights from integrated-backscatter intravascular ultrasound analysis. 2015 , 31, 1295-301	6
1216	Stable coronary artery disease: revascularisation and invasive strategies. 2015 , 386, 702-13	108
1215	Assessment of Fractional Flow Reserve in Patients With Recent Non-ST-Segment-Elevation Myocardial Infarction: Comparative Study With 3-T Stress Perfusion Cardiac Magnetic Resonance Imaging. 2015 , 8, e002207	17
1214	Influence of Coronary Calcification on the Diagnostic Performance of CT Angiography Derived FFR in Coronary Artery Disease: A Substudy of the NXT Trial. 2015 , 8, 1045-1055	102
1213	Computed Tomography in the Concurrent Assessment of Coronary Morphology and Myocardial Perfusion. 2015 , 175-194	
1212	Clinical outcomes of fractional flow reserve by computed tomographic angiography-guided diagnostic strategies vs. usual care in patients with suspected coronary artery disease: the prospective longitudinal trial of FFR(CT): outcome and resource impacts study. 2015 , 36, 3359-67	340
1211	Controversies in Cardiology. 2015 ,	
1210	Meta-Analysis of Diagnostic Performance of Coronary Computed Tomography Angiography, Computed Tomography Perfusion, and Computed Tomography-Fractional Flow Reserve in Functional Myocardial Ischemia Assessment Versus Invasive Fractional Flow Reserve. 2015 , 116, 1469-78	83
1209	Percutaneous coronary intervention in the UK: recommendations for good practice 2015. 2015 , 101 Suppl 3, 1-13	68
1208	Coronary artery disease in the military patient. 2015 , 161, 211-22	5
1207	Percutaneous coronary intervention: FAME is lasting. 2015 , 386, 1806-7	3
1206	Revascularization for stable ischemic heart disease: are there new parallels between percutaneous coronary intervention and coronary artery bypass grafting?. 2015 , 7, 149-167	4
1205	Hyperoxia Exacerbates Myocardial Ischemia in the Presence of Acute Coronary Artery Stenosis in Swine. 2015 , 8, e002928	22
1204	Fractional flow reserve, an effective preoperative guideline to a patient with a huge coronary artery fistula and tandem stenosis. 2015 , 199, 333-4	2
1203	How much evidence is in a case report? A road trip of scientific evidence, including skeptics, Ockham's razor, Hume's Fork, and Karl R. Popper. 2015 , 9, 267-9	1
1202	Fractional flow reserve for coronary bifurcation lesions: can fractional flow reserve-guided side branch intervention strategy improve clinical outcomes compared with angiography-guided strategy?. 2015 , 8, 547-9	4
1201	Prospective Assessment of the Diagnostic Accuracy of Instantaneous Wave-Free Ratio to Assess Coronary Stenosis Relevance: Results of ADVISE II International, Multicenter Study (ADenosine Vasodilator Independent Stenosis Evaluation II). 2015 , 8, 824-833	132
1200	Fractional flow reserve, maximum hyperemia, adenosine, and regadenoson. 2015 , 16, 263-5	10

1199	Impact of geometric uncertainty on hemodynamic simulations using machine learning. 2015 , 297, 167-190	32
1198	Anatomical and functional assessment of coronary artery disease: The search for the perfect protocol. 2015 , 34, 233-5	
1197	Response to letter regarding article, "revascularization decisions in patients with stable angina and intermediate lesions: results of the international survey on interventional strategy". 2015 , 8, e002296	1
1196	The ischaemic constellation: an alternative to the ischaemic cascade-implications for the validation of new ischaemic tests. 2015 , 2, e000178	8
1195	Trends in percutaneous coronary intervention from 2004 to 2013 according to the Portuguese National Registry of Interventional Cardiology. 2015 , 34, 673-81	17
1194	Effect of PCI on Long-Term Survival in Patients with Stable Ischemic Heart Disease. <i>New England Journal of Medicine</i> , 2015 , 373, 1937-46	59.2 151
1193	FFR(CT): a new technology in search of a clinical application. 2015 , 36, 3368-9	3
1192	Seeing is believing: new updates on coronary microvascular dysfunction. 2015 , 25, 104-6	
1191	Coronary CT angiography-derived fractional flow reserve correlated with invasive fractional flow reserve measurements--initial experience with a novel physician-driven algorithm. 2015 , 25, 1201-7	54
1190	Variability of fractional flow reserve according to the methods of hyperemia induction. 2015 , 85, 970-6	30
1189	Noninvasive fractional flow on MRA predicts stroke risk of intracranial stenosis. 2015 , 25, 87-91	43
1188	Aerobic interval training in patients with heart failure and an implantable cardioverter defibrillator: a controlled study evaluating feasibility and effect. 2015 , 22, 296-303	26
1187	Cardiovascular OCT Imaging. 2015 ,	4
1186	Current and Future Status of PET Myocardial Perfusion Tracers. 2015 , 8, 1	2
1185	The instantaneous wave-free ratio (iFR) for evaluation of non-culprit lesions in patients with acute coronary syndrome and multivessel disease. 2015 , 178, 46-54	33
1184	Fractional flow reserve vs. angiography in guiding management to optimize outcomes in non-ST-segment elevation myocardial infarction: the British Heart Foundation FAMOUS-NSTEMI randomized trial. 2015 , 36, 100-11	174
1183	Modification of treatment strategy after FFR measurement: CVIT-DEFER registry. 2015 , 30, 12-21	16
1182	Temporal analysis of regional strain rate during adenosine triphosphate stress before and after percutaneous coronary interventions. 2015 , 30, 309-17	2

1181	Feasibility and safety of intracoronary nicorandil infusion as a novel hyperemic agent for fractional flow reserve measurements. 2015 , 30, 477-83	19
1180	Magnetic Resonance Imaging of Coronary Arteries: Latest Technical Innovations and Clinical Experiences. 2016 , 2, 85-99	2
1179	Choosing the Appropriate Examination for Diagnosis of Stable Ischemic Heart Disease. 2016 , 2, 167-173	3
1178	Diagnostic performance of non-invasive fractional flow reserve derived from coronary computed tomography angiography: current perspectives. 2016 , 1	
1177	Fractional Flow Reserve Measurement by Coronary Computed Tomography Angiography: A Review with Future Directions. 2016 , 2, 125-135	1
1176	Flow-Based Functional Assessment of Coronary Artery Disease by Myocardial Perfusion Positron Emission Tomography in the Era of Fractional Flow Reserve. 2016 , 2, 99-105	2
1175	Clinical outcomes of combined flow-pressure drop measurements using newly developed diagnostic endpoint: Pressure drop coefficient in patients with coronary artery dysfunction. 2016 , 8, 283-92	3
1174	Physiologic Assessment of Coronary Artery Disease: Focus on Fractional Flow Reserve. 2016 , 17, 307-20	7
1173	Efficacy and safety outcomes of fractional flow reserve in guiding clinical therapy of non-ST-segment elevation myocardial infarction compared with angiography alone in elderly Chinese patients. 2016 , 11, 1751-1754	6
1172	Practicability of Multi-Artery Fractional Flow Reserve (FFR) Method in the Assessment of Some Stenotic Coronary Artery Configurations in Percutaneous Coronary Intervention (PCI) Procedures. 2016 , 02,	
1171	Efficacy of coronary fractional flow reserve using contrast medium compared to adenosine. 2016 , 12, 212-6	4
1170	Novel Approaches for the Use of Cardiac/Coronary Computed Tomography Angiography. 2016 , 2, 111-123	1
1169	Fractional Flow Reserve Assessment of Coronary Artery Stenosis. 2016 , 11, 77-82	4
1168	Understanding the Outcome of Randomized Trials with Drug-Eluting Stents and Coronary Artery Bypass Graft in Patients with Multivessel Disease: A Review of a 25-Year Journey. 2016 , 10, 195-199	10
1167	Fractional Flow Reserve Assessment of a Significant Coronary Stenosis Masked by a Downstream Serial Lesion. 2016 , 2016, 1987238	
1166	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. 2016 , 31, 1929-1936	1
1165	Diagnostic Performance of Intravascular Ultrasound-Derived Minimal Lumen Area to Predict Functionally Significant Non-Left Main Coronary Artery Disease: a Meta-Analysis. 2016 , 46, 622-631	9
1164	Percutaneous Coronary Intervention. 2016 , 179-194	5

1163	Incidental Findings and Their Handling in the Swedish CARDioPulmonary bioImage Study (SCAPIS). 2016 , 91-101	1
1162	Fractional Flow Reserve-guided Percutaneous Coronary Intervention: Standing the Test of Time. 2016 , 1, 225-232	
1161	Early and late diastolic strain rate vs global longitudinal strain at rest and during dobutamine stress for the assessment of significant coronary artery stenosis in patients with a moderate and high probability of coronary artery disease. 2016 , 33, 1512-1522	13
1160	Cardiac Imaging: New, Innovative Techniques in Ischemia Detection. 2016 , 54, 54-70	
1159	Antianginal Agents for the Management of Stable Ischemic Heart Disease: A Review. 2016 , 24, 177-89	1
1158	Narrowing of the Coronary Sinus: A Device-Based Therapy for Persistent Angina Pectoris. 2016 , 24, 238-43	8
1157	Hemodynamic Impact of Systolic Blood Pressure and Hematocrit Calculated by Computational Fluid Dynamics in Patients with Intracranial Atherosclerosis. 2016 , 26, 331-8	12
1156	Comparison between intermediate and severe coronary stenoses and clinical outcomes of an OCT-guided PCI strategy. 2016 , 17, 361-7	2
1155	Incidence and predictors of incomplete revascularization in a contemporary cohort. 2016 , 27, 191-8	4
1154	Italian Chapter of the International Society of Cardiovascular Ultrasound expert consensus document on coronary computed tomography angiography: overview and new insights. 2016 , 33, 1413-8	
1153	Comparison of failure rates of crossing side branch with pressure vs. coronary guidewire: a meta-analysis. 2016 , 46, 448-59	4
1152	Culprit-lesion only versus complete multivessel percutaneous intervention in ST-elevation myocardial infarction: A systematic review and meta-analysis of randomized trials. 2016 , 220, 251-9	19
1151	A machine-learning approach for computation of fractional flow reserve from coronary computed tomography. 2016 , 121, 42-52	192
1150	Severity assessment of intracranial large artery stenosis by pressure gradient measurements: A feasibility study. 2016 , 88, 255-61	17
1149	New Invasive Assessment Measures of Coronary Artery Disease Severity. 2016 , 24, 131-5	
1148	Comparison of standard- and high-dose intracoronary adenosine for the measurement of coronary fractional flow reserve (FFR). 2016 , 105, 1003-1010	12
1147	Interventional cardiology, where real life and science do not necessarily meet. 2016 , 37, 2014-9	7
1146	Effect of Fractional Flow Reserve (≤ 0.90 vs >0.90) on Long-Term Outcome (>10 Years) in Patients With Nonsignificant Coronary Arterial Narrowings. 2016 , 118, 465-72	

1145	Angina and associated healthcare costs following percutaneous coronary intervention: A real-world analysis from a multi-payer database. 2016 , 88, 1017-1024	26
1144	The use of the acute Pd/Pa drop after intracoronary nitroglycerin infusion to rule out significant FFR: CANICA (Can intracoronary nitroglycerin predict fractional flow reserve without adenosine?) multicenter study. 2016 , 87, 262-9	8
1143	Outcomes of anatomical vs. functional testing for coronary artery disease : Lessons from the PROMISE trial. 2016 , 41, 384-90	4
1142	Effect of Varying Hemodynamic and Vascular Conditions on Fractional Flow Reserve: An In Vitro Study. 2016 , 5,	14
1141	Myocardial perfusion 320-row multidetector computed tomography-guided treatment strategy for the clinical management of patients with recent acute-onset chest pain: Design of the CARDiac cT in the treatment of acute CHest pain (CATCH)-2 randomized controlled trial. 2016 , 179, 127-35	4
1140	T1 Mapping in Characterizing Myocardial Disease: A Comprehensive Review. 2016 , 119, 277-99	168
1139	Clinical outcomes in real-world patients with bifurcation lesions receiving Xience V everolimus-eluting stents: Four-year results from the Xience V USA study. 2016 , 88, 62-70	8
1138	REVascularization with paclitaxEL-coated balloon angioplasty versus drug-eluting stenting in acute myocardial infarction-A randomized controlled trial: Rationale and design of the REVELATION trial. 2016 , 87, 1213-21	9
1137	A guide to uncertainty quantification and sensitivity analysis for cardiovascular applications. 2016 , 32, e02755	68
1136	Efficacy of intravenous nicorandil for fractional flow reserve assessment: study protocol for a crossover randomised trial. 2016 , 6, e012737	3
1135	Contemporary assessment of coronary hemodynamics in the catheter laboratory. 2016 , 12, 601-604	
1134	Stable Coronary Artery Disease. 2016 , 138-147	
1133	Interventional Approach in Small Vessel, Diffuse, and Tortuous Coronary Artery Disease. 2016 , 205-212	0
1132	Physiologic Assessment in the Cardiac Catheterization Laboratory. 2016 , 59-70	1
1131	The IMPACT Study (Influence of Sensor-Equipped Microcatheters on Coronary Hemodynamics and the Accuracy of Physiological Indices of Functional Stenosis Severity). 2016 , 9,	14
1130	Computational fluid dynamics analysis of tandem carotid artery stenoses: Investigation of neurological complications after carotid artery stenting. 2016 , 24, 673-9	1
1129	Combined optical coherence tomography morphologic and fractional flow reserve hemodynamic assessment of non- culprit lesions to better predict adverse event outcomes in diabetes mellitus patients: COMBINE (OCT-FFR) prospective study. Rationale and design. 2016 , 15, 144	24
1128	[Ischemic burden vs. coronary artery morphology : What is crucial for the indication of revascularization?]. 2016 , 41, 376-83	

1127	Fractional flow reserve to guide and to assess coronary artery bypass grafting. 2017 , 38, 1959-1968	15
1126	Coronary fractional flow reserve measurements of a stenosed side branch: a computational study investigating the influence of the bifurcation angle. 2016 , 15, 91	15
1125	CABG Beats Vintage PCI: Does Contemporary PCI Stand a Chance to EXCEL?. 2016 , 9, 2508-2510	
1124	Relationship Between Endothelial Wall Shear Stress and High-Risk Atherosclerotic Plaque Characteristics for Identification of Coronary Lesions That Cause Ischemia: A Direct Comparison With Fractional Flow Reserve. 2016 , 5,	27
1123	Predictors of Clinical Outcomes in Patients With Stable Coronary Artery Disease. Response. 2016 , 69, 1233-1234	
1122	Impact of Incomplete Percutaneous Revascularization in Patients With Multivessel Coronary Artery Disease: A Systematic Review and Meta-Analysis. 2016 , 5,	23
1121	Computational fluid dynamics with application of different theoretical flow models for the evaluation of coronary artery stenosis on CT angiography: comparison with invasive fractional flow reserve. 2016 , 2, 065011	2
1120	Clinical and prognostic value of poststenting fractional flow reserve in acute coronary syndromes. 2016 , 102, 1988-1994	23
1119	Fractional flow reserve. 2016 , 288-297	
1118	Atlas of FFR-Guided Percutaneous Coronary Interventions. 2016 ,	1
1117	Predictores de eventos clínicos en pacientes con enfermedad coronaria estable. Respuesta. 2016 , 69, 1233-1234	
1116	Perfusion cardiovascular magnetic resonance and fractional flow reserve in patients with angiographic multi-vessel coronary artery disease. 2016 , 18, 44	14
1115	Agreement between two diagnostic tests when accounting for test-to-test variation: application to FFR versus iFR. 2016 , 43, 1673-1689	
1114	The present day potential role of fractional flow reserve-guided coronary artery bypass graft surgery. 2016 , 151, 926-32	6
1113	Beyond Stenosis With Fractional Flow Reserve Via Computed Tomography and Advanced Plaque Analyses for the Diagnosis of Lesion-Specific Ischemia. 2016 , 32, 1315.e1-1315.e9	3
1112	The Prognostic Value of Residual Coronary Stenoses After Functionally Complete Revascularization. 2016 , 67, 1701-11	58
1111	Does Physiology Trump Anatomy as the "Best Course" to Guide PCI Decision Making and Outcomes?. 2016 , 67, 1712-4	2
1110	FFR and iFR guided percutaneous coronary intervention. 2016 , 31, 183-95	13

1109	Imaging of coronary atherosclerosis - evolution towards new treatment strategies. 2016 , 13, 533-48	32
1108	Can We Just Rely on Contrast?. 2016 , 32, 717-9	
1107	Resting multilayer 2D speckle-tracking transthoracic echocardiography for the detection of clinically stable myocardial ischemic segments confirmed by invasive fractional flow reserve. Part 1: Vessel-by-vessel analysis. 2016 , 218, 324-332	13
1106	Utilizing Post-Intervention Fractional Flow Reserve to Optimize Acute Results and the Relationship to Long-Term Outcomes. 2016 , 9, 1022-31	83
1105	Coronary-Artery Bypass Grafting. <i>New England Journal of Medicine</i> , 2016 , 374, 1954-64	59.2 101
1104	Diagnostic Performance and Clinical Utility of Myocardial Perfusion MRI for Coronary Artery Disease with Fractional Flow Reserve as the Standard Reference: A Meta-analysis. 2016 , 25, 1031-8	6
1103	Efficacy of combined administration of intracoronary papaverine plus intravenous adenosine 5'-triphosphate in assessment of fractional flow reserve. 2016 , 68, 512-516	11
1102	Value Based Imaging for Coronary Artery Disease: Implications for Nuclear Cardiology and Cardiac CT. 2016 , 349-380	
1101	Current Risk Scores for the Establishment of the Best Myocardial Revascularization Methods. 2016 , 101-129	
1100	Multivessel Disease, Risk of Graft Failure. 2016 , 155-160	
1099	CABG Versus PCI in Multilesional Vessel Disease. 2016 , 161-165	
1098	Complete Versus Incomplete Myocardial Revascularization. 2016 , 41-46	
1097	Factors associated with false-negative cardiovascular magnetic resonance perfusion studies: A Clinical evaluation of magnetic resonance imaging in coronary artery disease (CE-MARC) substudy. 2016 , 43, 566-73	19
1096	Coronary CT angiography derived morphological and functional quantitative plaque markers correlated with invasive fractional flow reserve for detecting hemodynamically significant stenosis. 2016 , 10, 199-206	48
1095	Multicentre multi-device hybrid imaging study of coronary artery disease: results from the EValuation of INtegrated Cardiac Imaging for the Detection and Characterization of Ischaemic Heart Disease (EVINCI) hybrid imaging population. 2016 , 17, 951-60	67
1094	The influence of artery wall curvature on the anatomical assessment of stenosis severity derived from fractional flow reserve: a computational fluid dynamics study. 2016 , 19, 1541-9	11
1093	Cardiac CT Imaging. 2016 ,	4
1092	Revascularization for Silent Myocardial Ischemia. 2016 , 111-124	

1091	Coronary Artery Bypass Grafting Following Stent Restenosis. 2016 , 689-701		
1090	Coronary plaque quantification and fractional flow reserve by coronary computed tomography angiography identify ischaemia-causing lesions. 2016 , 37, 1220-7	184	
1089	"Just Puff": The Continued Quest to Simplify Physiological Lesion Assessment. 2016 , 9, 768-770		
1088	Fractional flow reserve based on computed tomography: an overview. 2016 , 18, E49-E56	8	
1087	Transatlantic Editorial: A Comparison Between European and North American Guidelines on Myocardial Revascularization. 2016 , 101, 2031-44	3	
1086	Diagnostic performance of cardiac imaging methods to diagnose ischaemia-causing coronary artery disease when directly compared with fractional flow reserve as a reference standard: a meta-analysis. 2017 , 38, 991-998	134	
1085	The impact of left ventricular ejection fraction on fractional flow reserve: Insights from the FAME (Fractional flow reserve versus Angiography for Multivessel Evaluation) trial. 2016 , 204, 206-10	13	
1084	Transatlantic Editorial: a comparison between European and North American guidelines on myocardial revascularization. 2016 , 49, 1307-17	5	
1083	Visual-Functional Mismatch Between Coronary Angiography, Fractional Flow Reserve, and Quantitative Coronary Angiography. 2016 , 25, 229-234	3	
1082	Transatlantic editorial: A comparison between European and North American guidelines on myocardial revascularization. 2016 , 152, 304-16	8	
1081	Isquemia miocárdica: conceptos básicos, diagnóstico e implicaciones clínicas. Primera parte. 2016 , 23, 403-409	1	
1080	Clinical outcomes of deferred revascularisation using fractional flow reserve in patients with and without diabetes mellitus. 2016 , 15, 100	23	
1079	Fractional Flow Assessment for the Evaluation of Intracranial Atherosclerosis: A Feasibility Study. 2016 , 5, 65-75	18	
1078	[The heart team in planning and performance of revascularization : ESC guidelines versus clinical routine]. 2016 , 41, 562-565	5	
1077	Coronary-Artery Bypass Grafting. <i>New England Journal of Medicine</i> , 2016 , 375, e22	59.2	16
1076	Peri-procedural Myocardial Infarction: If You Don't Take a Temperature, You Can't Find a Fever. 2016 , 69, 725-9		
1075	Infarto de miocardio periintervención: si no se mira la temperatura, no se puede detectar la fiebre. 2016 , 69, 725-729	0	
1074	Comparison of fractional flow reserve measurements using intracoronary adenosine versus intracoronary sodium nitroprusside infusions in moderately stenotic coronary artery lesions. 2016 , 17, 441-443	1	

1073	Determination of best post-systolic shortening parameters on resting TTE for detection of left ventricular ischemic segments quantitatively confirmed by invasive fractional flow reserve. 2016 , 222, 27-30	2
1072	When should fractional flow reserve be performed to assess the significance of borderline coronary artery lesions: Derivation of a simplified scoring system. 2016 , 222, 606-610	4
1071	[Coronary interventions : Current developments for improved long-term results]. 2016 , 57, 832-43	
1070	Coronary Physiology Assessment for the Diagnosis and Treatment of Stable Ischemic Heart Disease. 2016 , 18, 62	2
1069	Diagnostic Accuracy of Fast Computational Approaches to Derive Fractional Flow Reserve From Diagnostic Coronary Angiography: The International Multicenter FAVOR Pilot Study. 2016 , 9, 2024-2035	224
1068	Myocardial Contrast Stress Echo Versus Fractional Flow Reserve: A Fair Fight Among Ischemic Tests?. 2016 , 9,	2
1067	Differentiation of infarcted, ischemic, and non-ischemic LV myocardium using post-systolic strain index assessed by resting two-dimensional speckle tracking transthoracic echocardiography. 2016 , 219, 308-11	3
1066	Novel three dimensional myocardial strain parameter thresholds on resting transthoracic echocardiography for detection of left ventricular ischemic segments determined by invasive fractional flow reserve. 2016 , 220, 871-5	2
1065	[Measurement of fractional flow reserve in patients with severe aortic stenosis: A valid test?]. 2016 , 65, 366-369	
1064	Coronary Computed Tomography Angiography for Screening in Patients with Diabetes: Can Enhanced Detection of Subclinical Coronary Atherosclerosis Improve Outcome?. 2016 , 18, 64	2
1063	The influence of downstream branching arteries on upstream haemodynamics. 2016 , 49, 3090-3096	8
1062	Fractional Flow Reserve and Coronary Computed Tomographic Angiography: A Review and Critical Analysis. 2016 , 119, 300-16	23
1061	Deciphering cardiac involvement in systemic inflammatory diseases: noninvasive tissue characterisation using cardiac magnetic resonance is key to improved patients' care. 2016 , 14, 1283-1295	12
1060	Assessing Computational Fractional Flow Reserve From Optical Coherence Tomography in Patients With Intermediate Coronary Stenosis in the Left Anterior Descending Artery. 2016 , 9,	23
1059	Should Beta-Blockers Continue to Be Used in Post-Percutaneous Coronary Intervention Patients Without Myocardial Infarction?. 2016 , 9, 1649-51	
1058	Diminished Signal Intensities Distal to Intracranial Arterial Stenosis on Time-of-Flight MR Angiography Might Indicate Delayed Cerebral Perfusion. 2016 , 42, 232-9	11
1057	The Risk Continuum of Atherosclerosis and its Implications for Defining CHD by Coronary Angiography. 2016 , 68, 2467-2478	47
1056	Fractional Flow Reserve, Coronary Pressure Wires, and Drift. 2016 , 80, 1704-6	14

1055	A Prospective Natural History Study of Coronary Atherosclerosis Using Fractional Flow Reserve. 2016 , 68, 2247-2255	73
1054	Discordance Between Resting and Hyperemic Indices of Coronary Stenosis Severity: The VERIFY 2 Study (A Comparative Study of Resting Coronary Pressure Gradient, Instantaneous Wave-Free Ratio and Fractional Flow Reserve in an Unselected Population Referred for Invasive Angiography). 2016 ,	47
1053	Culprit Vessel-Only vs. Staged Multivessel Percutaneous Coronary Intervention Strategies in Patients With Multivessel Coronary Artery Disease Undergoing Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. 2016 , 80, 371-8	20
1052	Impact of Pressure Signal Drift on Fractional Flow Reserve-Based Decision-Making for Patients With Intermediate Coronary Artery Stenosis. 2016 , 80, 1812-9	14
1051	Impact of Age on the Functional Significance of Intermediate Epicardial Artery Disease. 2016 , 80, 1583-9	12
1050	Diagnostic Performance of a Cadmium-Zinc-Telluride Single-Photon Emission Computed Tomography System With Low-Dose Technetium-99m as Assessed by Fractional Flow Reserve. 2016 , 80, 1217-24	11
1049	Fractional Flow Reserve-Guided Deferred Versus Complete Revascularization in Patients With Diabetes Mellitus. 2016 , 118, 1293-1299	14
1048	Quantitative assessment of myocardial blood flow in coronary artery disease by cardiovascular magnetic resonance: comparison of Fermi and distributed parameter modeling against invasive methods. 2016 , 18, 57	15
1047	Correlation Between Quantitative Angiography-Derived Translesional Pressure and Fractional Flow Reserve. 2016 , 118, 1158-1163	7
1046	Coronary CT Angiography in the Emergency Department: Current Status. 2016 , 18, 62	1
1045	Relationship of asymmetric dimethylarginine (ADMA) with extent and functional severity of coronary atherosclerosis. 2016 , 220, 629-33	24
1044	Prognostic Determinants of Coronary Atherosclerosis in Stable Ischemic Heart Disease: Anatomy, Physiology, or Morphology?. 2016 , 119, 317-29	24
1043	Integrating FFRCT Into Routine 'Clinical' Practice: A Solid PLATFORM or 'Slippery' Slope?. 2016 , 68, 446-449	1
1042	Fractional flow reserve: A useful tool for interventionists which should be used with caution!. 2016 , 221, 404-5	1
1041	European Society of Cardiology-Recommended Coronary Artery Disease Consortium Pretest Probability Scores More Accurately Predict Obstructive Coronary Disease and Cardiovascular Events Than the Diamond and Forrester Score: The Partners Registry. 2016 , 134, 201-11	61
1040	Controversies in the Use of Fractional Flow Reserve Form Computed Tomography (FFRCT) vs. Coronary Angiography. 2016 , 9, 1	5
1039	The Influence of Lesion Location on the Diagnostic Accuracy of Adenosine-Free Coronary Pressure Wire Measurements. 2016 , 9, 2390-2399	54
1038	Location, Location, Location. 2016 , 9, 2400-2402	1

1037	Long-Term Survival and Freedom From Reintervention After Off-Pump Coronary Artery Bypass Grafting: A Propensity-Matched Study. 2016 , 134, 1209-1220	28
1036	Thinking outside the box: Use of the pressure wire to assess intracranial large artery stenoses. 2016 , 88, 262-3	1
1035	The New Frontier of Cardiac Computed Tomography Angiography: Fractional Flow Reserve and Stress Myocardial Perfusion. 2016 , 18, 74	9
1034	CMR First-Pass Perfusion for Suspected Inducible Myocardial Ischemia. 2016 , 9, 1338-1348	44
1033	Functional Assessment of Coronary Artery Disease in Patients Undergoing Transcatheter Aortic Valve Implantation: Influence of Pressure Overload on the Evaluation of Lesions Severity. 2016 , 9,	63
1032	Noninvasive fractional flow reserve derived from coronary computed tomography angiography for identification of ischemic lesions: a systematic review and meta-analysis. 2016 , 6, 29409	14
1031	The STRATEGY Study (Stress Cardiac Magnetic Resonance Versus Computed Tomography Coronary Angiography for the Management of Symptomatic Revascularized Patients): Resources and Outcomes Impact. 2016 , 9,	27
1030	Diagnostic accuracy of static CT perfusion for the detection of myocardial ischemia. A systematic review and meta-analysis. 2016 , 10, 450-457	32
1029	Staged re-evaluation of non-culprit lesions in ST segment elevation myocardial infarction: a retrospective study. 2016 , 3, e000427	6
1028	(82)Rb PET imaging of myocardial blood flow-have we achieved the 4 "R"s to support routine use?. 2016 , 6, 69	3
1027	Comparisons and contrasts in the practice of nuclear cardiology in the United States and Japan. 2016 , 23, 1493-1498	5
1026	The value of noninvasive computed tomography derived fractional flow reserve in our current approach to the evaluation of coronary artery stenosis. 2016 , 31, 970-976	2
1025	Diagnostic performance of instantaneous wave-free ratio for the evaluation of coronary stenosis severity confirmed by fractional flow reserve: A PRISMA-compliant meta-analysis of randomized studies. 2016 , 95, e4774	8
1024	Clinical significance of noninvasive coronary flow reserve assessment in patients with ischemic heart disease. 2016 , 31, 662-669	24
1023	Angiographic underestimation of disease severity in the left anterior descending artery: a fractional flow reserve analysis. 2016 , 27, 556-60	2
1022	Normal stress-only myocardial single photon emission computed tomography predicts good outcome in patients with coronary artery stenoses between 40 and 70. 2016 , 37, 899-903	2
1021	Fractional flow reserve using computed tomography for assessing coronary artery disease: a meta-analysis. 2016 , 17, 694-700	4
1020	Diagnostic cutoff for pressure drop coefficient in relation to fractional flow reserve and coronary flow reserve: A patient-level analysis. 2016 , 87, 273-82	12

1019	Fractional Flow Reserve Evaluation and Chronic Kidney Disease: Analysis From a Multicenter Italian Registry (the FREAK Study). 2016 , 88, 555-562	32
1018	Fraktionelle Flussreserve in der Diagnostik der koronaren Herzerkrankung. 2016 , 10, 88-105	1
1017	Anatomy and Physiology in a Single Non-invasive Test: CTA-derived FFR. 2016 , 4, 1	
1016	Would an FFR by Any Technique Perform as Sweet?. 2016 , 9, 765-7	1
1015	Fractional Flow Reserve in Serial Coronary Artery Stenoses. 2016 , 1, 359-60	7
1014	Long-term outcome of intravascular ultrasound application in patients with moderate coronary lesions and grey-zone fractional flow reserve. 2016 , 27, 221-6	6
1013	Interventional Cardiology: Current Status and Future Directions in Coronary Disease and Valvular Heart Disease. 2016 , 133, 2697-711	13
1012	Preliminary investigation of an ultrasound method for estimating pressure changes in deep-positioned vessels. 2016 ,	
1011	Resting multilayer 2D speckle-tracking TTE for detection of ischemic segments confirmed by invasive FFR part-2, using post-systolic-strain-index and time from aortic-valve-closure to regional peak longitudinal-strain. 2016 , 217, 149-55	7
1010	Percutaneous Coronary Intervention: Relationship Between Procedural Volume and Outcomes. 2016 , 18, 39	6
1009	Update on Computed Tomography Myocardial Perfusion Imaging. 2016 , 9, 1	1
1008	Technical Aspects of CCTA. 2016 , 4, 1	
1007	Revascularizaci3n coronaria en la enfermedad multivaso: ¿debe guiarse por reserva fraccional de flujo?. 2016 , 51, 58-61	0
1006	Does grafting coronary arteries with only moderate stenosis affect long-term mortality?. 2016 , 151, 806-811.e32	
1005	Mathematically Derived Criteria for Detecting Functionally Significant Stenoses Using Coronary Computed Tomographic Angiography-Based Myocardial Segmentation and Intravascular Ultrasound-Measured Minimal Lumen Area. 2016 , 118, 170-6	15
1004	Implementation and consistency of Heart Team decision-making in complex coronary revascularisation. 2016 , 206, 37-41	25
1003	Integration of Quantitative Positron Emission Tomography Absolute Myocardial Blood Flow Measurements in the Clinical Management of Coronary Artery Disease. 2016 , 133, 2180-96	31
1002	Relation between fractional flow reserve value of coronary lesions with deferred revascularization and cardiovascular outcomes in non-diabetic and diabetic patients. 2016 , 219, 56-62	16

1001	A novel method for left anterior coronary artery flow velocity assessment by transthoracic echocardiography at the peak of a supine bicycle test. 2016 , 57, 1056-65	5
1000	Left ventricular end diastolic pressure for detection of intracoronary ergonovine-induced myocardial ischemia. 2016 , 41, 320-5	
999	Koronare Herzerkrankung bei Diabetes mellitus. 2016 , 12, 109-116	
998	Routine aspiration thrombectomy improves the diagnosis and management of embolic myocardial infarction. 2016 , 87, 642-7	6
997	Clinical usefulness and cost effectiveness of fractional flow reserve among Indian patients (FIND study). 2016 , 88, E139-E144	4
996	Complete and incomplete revascularization: Whose definition is it anyway?. 2016 , 23, 556-9	1
995	Anatomy and physiology in ischaemic heart disease: a second honeymoon?. 2016 , 37, 1228-31	8
994	Significance of Intermediate Values of Fractional Flow Reserve in Patients With Coronary Artery Disease. 2016 , 133, 502-8	87
993	Uncertainty quantification in coronary blood flow simulations: Impact of geometry, boundary conditions and blood viscosity. 2016 , 49, 2540-7	78
992	Developments in surgical revascularization to achieve improved morbidity and mortality. 2016 , 14, 367-79	2
991	Noninvasive Cardiac Imaging in Patients with Known and Suspected Coronary Artery Disease: What is in it for the Interventional Cardiologist?. 2016 , 18, 3	3
990	CT-based myocardial ischemia evaluation: quantitative angiography, transluminal attenuation gradient, myocardial perfusion, and CT-derived fractional flow reserve. 2016 , 32 Suppl 1, 1-19	17
989	Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation: Which Regimen and for How Long?. 2016 , 67, 208-11	
988	A multi-artery Fractional Flow Reserve (FFR) approach for handling coronary stenosis-stenosis interaction in the multi-vessel disease (MVD) arena. 2016 , 203, 807-15	8
987	Should Coronary Artery Bypass Grafting Be Performed in Patients With Moderate Stenosis of the Left Anterior Descending Coronary Artery?. 2016 , 133, 111-3	2
986	Rest and stress transluminal attenuation gradient and contrast opacification difference for detection of hemodynamically significant stenoses in patients with suspected coronary artery disease. 2016 , 32, 1131-41	7
985	U.S. Trends in Inpatient Utilization of Fractional Flow Reserve and Percutaneous Coronary Intervention. 2016 , 67, 732-733	38
984	Reconstruction of coronary arteries from X-ray angiography: A review. 2016 , 32, 46-68	51

983	Clinical Application of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention for Stable Coronary Artery Disease. 2016 , 18, 32	0
982	Static and dynamic assessment of myocardial perfusion by computed tomography. 2016 , 17, 836-44	78
981	Comparison of the American PPCM Registry Data With International Registries. 2016 , 67, 733-734	
980	Scaling laws of coronary circulation in health and disease. 2016 , 49, 2531-9	21
979	Quantitative coronary CT angiography: absolute lumen sizing rather than %stenosis predicts hemodynamically relevant stenosis. 2016 , 26, 3781-3789	11
978	How should CT coronary angiography be integrated into the management of patients with chest pain and how does this affect outcomes?. 2016 , 2, 72-80	10
977	CT Angiography for the Prediction of Hemodynamic Significance in Intermediate and Severe Lesions: Head-to-Head Comparison With Quantitative Coronary Angiography Using Fractional Flow Reserve as the Reference Standard. 2016 , 9, 559-64	40
976	Physiological and clinical relevance of anomalous right coronary artery originating from left sinus of Valsalva in adults. 2016 , 102, 114-9	24
975	Fractional Flow Reserve-Guided Revascularization in Patients With Aortic Stenosis. 2016 , 117, 1511-5	29
974	Improving quality and outcomes of coronary artery bypass grafting procedures. 2016 , 14, 617-31	2
973	Assessment, treatment, and prognostic implications of CAD in patients undergoing TAVI. 2016 , 13, 276-85	28
972	Efficacy of pressure parameters obtained during contrast medium-induced submaximal hyperemia in the functional assessment of intermediate coronary stenosis in comparison with instantaneous wave-free ratio. 2016 , 208, 128-36	8
971	Biomechanical Basis of Myocardium/Vessel Interaction: Implications for Pathophysiology and Therapy. 2016 , 203-224	
970	Functional Versus Anatomic Imaging of CAD: Lessons Learned from Recent Clinical Trials. 2016 , 18, 4	4
969	Structure-Based Mechanics of Tissues and Organs. 2016 ,	8
968	Long-Term Outcome of Incomplete Revascularization After Percutaneous Coronary Intervention in SCAAR (Swedish Coronary Angiography and Angioplasty Registry). 2016 , 9, 207-215	33
967	Comparison of first- and second-generation drug-eluting stent efficacies for treating left main and/or three-vessel disease: a propensity matched study. 2016 , 31, 1930-1942	7
966	Coronary Artery Bypass Surgery Is Not Underutilized!. 2016 , 133, 1027-35	3

965	MRI in the assessment of ischaemic heart disease. 2016 , 102, 239-52	17
964	Coronary Computed Tomography Angiography Derived Fractional Flow Reserve and Plaque Stress. 2016 , 9, 2	25
963	Risk stratification of patients undergoing medical therapy after coronary angiography. 2016 , 37, 3103-3110	6
962	Deconstructing the idol of fractional flow reserve using the IDEAL report. 2016 , 37, 2081-3	1
961	Causes of Death Following PCI Versus CABG in Complex CAD: 5-Year Follow-Up of SYNTAX. 2016 , 67, 42-55	70
960	Software-based on-site estimation of fractional flow reserve using standard coronary CT angiography data. 2016 , 57, 1186-92	34
959	Invasive Testing for Coronary Artery Disease: FFR, IVUS, OCT, NIRS. 2016 , 12, 83-95	10
958	Comparison of Ticagrelor Versus Thienopyridine Loading Effect on Fractional Flow Reserve in Patients With Coronary Artery Disease. 2016 , 117, 22-8	2
957	Medical Therapy With Versus Without Revascularization in Stable Patients With Moderate and Severe Ischemia: The Case for Community Equipoise. 2016 , 67, 81-99	70
956	Interventional cardiology: Treating nonischaemic stable CAD lesions--safe to DEFER?. 2016 , 13, 7-8	
955	The impact of image resolution on computation of fractional flow reserve: coronary computed tomography angiography versus 3-dimensional quantitative coronary angiography. 2016 , 32, 513-23	11
954	Myocardial deformation by strain echocardiography identifies patients with acute coronary syndrome and non-diagnostic ECG presenting in a chest pain unit: a prospective study of diagnostic accuracy. 2016 , 105, 248-56	21
953	Myocardial Fractional Flow Reserve Measurement Using Contrast Media as a First-Line Assessment of Coronary Lesions in Current Practice. 2016 , 32, 739-46	14
952	Efficacy of pressure parameters obtained during contrast medium-induced submaximal hyperemia in the functional assessment of intermediate coronary stenosis. 2016 , 202, 207-13	10
951	Radionuclide Tracers for Myocardial Perfusion Imaging and Blood Flow Quantification. 2016 , 34, 37-46	12
950	Safety of guidewire-based measurement of fractional flow reserve and the index of microvascular resistance using intravenous adenosine in patients with acute or recent myocardial infarction. 2016 , 202, 305-10	17
949	Ranolazine in patients with incomplete revascularisation after percutaneous coronary intervention (RIVER-PCI): a multicentre, randomised, double-blind, placebo-controlled trial. 2016 , 387, 136-45	77
948	Characterization of real-world patients with low fractional flow reserve immediately after drug-eluting stents implantation. 2016 , 31, 29-37	12

947	Novel physiological insight into a lotus root appearance in stable coronary artery diseases; Report of two cases. 2016 , 31, 128-30	8
946	Accuracy and usefulness of noninvasive fractional flow reserve from computed tomographic coronary angiography: comparison with myocardial perfusion imaging, echocardiographic coronary flow reserve, and invasive fractional flow reserve. 2017 , 32, 66-71	1
945	[Computed tomography in patients with chronic stable angina : Fractional flow reserve measurement]. 2017 , 42, 51-57	7
944	Impact of coronary revascularization vs medical therapy on ischemia among stable patients with or suspected coronary artery disease undergoing serial myocardial perfusion scintigraphy. 2017 , 24, 1690-1698	7
943	A multifunctional CT technology: Reality or illusion for patient risk assessment?. 2017 , 24, 1263-1266	1
942	Clinical Use of Coronary CTA-Derived FFR for Decision-Making in Stable CAD. 2017 , 10, 541-550	85
941	Impact of additional intracoronary nicorandil administration during fractional flow reserve measurement with intravenous adenosine 5'-triphosphate infusion. 2017 , 69, 119-124	8
940	[Fractional flow reserve and instantaneous wave-free ratio for the physiological assessment of coronary artery stenosis in the catheterization laboratory: Practical tips]. 2017 , 66, 32-41	1
939	The effect of coronary revascularization on regional myocardial blood flow as assessed by stress positron emission tomography. 2017 , 24, 961-974	8
938	Look Backwards But Live Forwards. 2017 , 10, 551-553	0
937	Diagnostic performance of a semiconductor gamma-camera system as studied by multicenter registry. 2017 , 69, 449-455	7
936	Diagnostic performance of on-site CT-derived fractional flow reserve versus CT perfusion. 2017 , 18, 432-440	65
935	Clinical PET Flow Reserve Imaging: Is There Precision to Treat Patients or Populations?. 2017 , 10, 578-581	2
934	Clinical Outcomes of patients with coronary artery disease who underwent FFR evaluation of intermediate coronary lesionS- COFFRS study. 2017 , 69, 499-504	3
933	Outcome of coronary lesions with deferred revascularization due to negative fractional flow reserve in subjects with acute coronary syndrome. 2017 , 230, 335-338	8
932	Design and rationale of the COMPARE-ACUTE trial: Fractional flow reserve-guided primary multivessel percutaneous coronary intervention to improve guideline indexed actual standard of care for treatment of ST-elevation myocardial infarction in patients with multivessel coronary disease. 2017 , 186, 21-28	9
931	Fractional flow reserve and resting indices for coronary physiologic assessment: Practical guide, tips, and tricks. 2017 , 90, 598-611	3
930	Intracranial atherosclerosis: From anatomy to pathophysiology. 2017 , 12, 236-245	9

929	Diagnostic value of layer-specific global longitudinal strain during adenosine stress in patients suspected of coronary artery disease. 2017 , 33, 473-480	9
928	Rationale and design of the Japan-USA harmonized assessment by randomized, multicenter study of OrbusNEich's combo StEnt (Japan-USA HARMONEE): Assessment of a novel DES platform for percutaneous coronary revascularization in patients with ischemic coronary disease and non-ST-elevation acute coronary syndrome. 2017 , 187, 112-121	2
927	Can We Improve the Outcomes of Multivessel Disease Using Modified SYNTAX and Residual SYNTAX Scores?. 2017 , 19, 20	5
926	Diffuse coronary artery disease among other atherosclerotic plaque characteristics by coronary computed tomography angiography for predicting coronary vessel-specific ischemia by fractional flow reserve. 2017 , 258, 145-151	16
925	Effect of Percutaneous Coronary Intervention on Survival in Patients with Stable Ischemic Heart Disease. 2017 , 19, 17	3
924	Optimal Adenosine Stress for Maximum Stress Perfusion, Coronary Flow Reserve, and Pixel Distribution of Coronary Flow Capacity by Kolmogorov-Smirnov Analysis. 2017 , 10,	7
923	Challenges with Evidence-Based Management of Stable Ischemic Heart Disease. 2017 , 19, 11	5
922	Biomarkers of High-Grade Coronary Stenosis: Searching for Seventies. 2017 , 69, 1157-1159	2
921	Coronary Artery Disease: A Continuum, Not a Threshold. 2017 , 92, 323-326	8
920	Intracoronary Imaging. 2017 , 103, 708-725	5
919	Low-dose dynamic myocardial perfusion CT image reconstruction using pre-contrast normal-dose CT scan induced structure tensor total variation regularization. 2017 , 62, 2612-2635	17
918	Duo Cum Faciunt Idem, Non Est Idem. 2017 , 10, 771-772	
917	Can Functional Testing for Ischemia and Viability Guide Revascularization?. 2017 , 10, 354-364	13
916	Outcomes-Based CV Imaging Research Endpoints and Trial Design: From Pixels to Patient Satisfaction. 2017 , 10, 253-263	2
915	Intracoronary pressure measurement differences between anterior and posterior coronary territories. 2017 , 42, 395-402	9
914	Coronary Artery Disease Testing: Past, Present, and Future. 2017 , 10, 1359-1360	2
913	Noninvasive FFR Derived From Coronary CT Angiography: Management and Outcomes in the PROMISE Trial. 2017 , 10, 1350-1358	112
912	Fractional Flow Reserve-Guided Complete Revascularization Improves the Prognosis in Patients With ST-Segment-Elevation Myocardial Infarction and Severe Nonculprit Disease: A DANAMI 3-PRIMULTI Substudy (Primary PCI in Patients With ST-Elevation Myocardial Infarction and Multivessel Disease: Treatment of Culprit Lesion Only or Complete Revascularization). 2017 , 10,	29

911	Correlation between Angiographic and Physiologic Evaluation of Coronary Artery Narrowings in Patients With Aortic Valve Stenosis. 2017 , 120, 106-110	15
910	Long-term follow-up of first generation versus new-generation drug-eluting stents in three-vessel coronary artery disease. 2017 , 18, 492-496	5
909	Histopathological and Immunological Characteristics of Tachycardia-Induced Cardiomyopathy. 2017 , 69, 2160-2172	56
908	Hemodynamic Measurements for the Selection of Patients With Renal Artery Stenosis: A Systematic Review. 2017 , 10, 973-985	12
907	Discordance Between Fractional Flow Reserve and Coronary Flow Reserve: Insights From Intracoronary Imaging and Physiological Assessment. 2017 , 10, 999-1007	20
906	Targeting the dominant mechanism of coronary microvascular dysfunction with intracoronary physiology tests. 2017 , 33, 1041-1059	24
905	Evolution of Australian Percutaneous Coronary Intervention (from the Melbourne Interventional Group [MIG] Registry). 2017 , 120, 47-54	13
904	Fractional flow reserve in 2017: current data and everyday practice. 2017 , 15, 457-472	3
903	Functional Cardiac CT Angiography. 2017 , 777-803	
902	Impact of coronary revascularization on the clinical and scintigraphic outlook of patients with myocardial ischemia. 2017 , 18, 404-409	8
901	ACR Appropriateness Criteria Chronic Chest Pain-High Probability of Coronary Artery Disease. 2017 , 14, S71-S80	7
900	Complex relationship between plaque characteristics and hemodynamic significance of stenosis: Insights from coronary computed tomography angiography imaging. 2017 , 260, 150-152	3
899	Fractional flow reserve and pressure-bounded coronary flow reserve to predict outcomes in coronary artery disease. 2017 , 38, 1980-1989	16
898	Physiology of Angina and Its Alleviation With Nitroglycerin: Insights From Invasive Catheter Laboratory Measurements During Exercise. 2017 , 136, 24-34	13
897	Der invasive Ischämienachweis â Fraktionelle Flussreserve (FFR) und Instantaneous Wave Free Ratio (iFR). 2017 , 40, 24-29	
896	What imaging techniques should be used in primary versus secondary prevention for further risk stratification?. 2017 , 26, 36-44	4
895	Should Fractional Flow Reserve Be Measured After Stent Deployment? Routinely? Ever?. 2017 , 10, 996-998	2
894	Diagnostic advantage of stress computed tomography myocardial perfusion over single-photon emission computed tomography for the assessment of myocardial ischemia. 2017 , 70, 147-154	5

893	Impact of Routine Fractional Flow Reserve on Management Decision and 1-Year Clinical Outcome of Patients With Acute Coronary Syndromes: PRIME-FFR (Insights From the POST-IT [Portuguese Study on the Evaluation of FFR-Guided Treatment of Coronary Disease] and R3F [French FFR Registry] Integrated Multicenter Registries - Implementation of FFR [Fractional Flow Reserve] in	31
892	Diagnostic Performance of a Novel Method for Fractional Flow Reserve Computed from Noninvasive Computed Tomography Angiography (NOVEL-FLOW Study). 2017 , 120, 362-368	16
891	Variable temporal sampling and tube current modulation for myocardial blood flow estimation from dose-reduced dynamic computed tomography. 2017 , 4, 026002	1
890	Current perspectives on revascularization in multivessel ST elevation myocardial infarction. 2017 , 28, 498-506	2
889	Long-term outcome prediction by functional parameters derived from coronary computed tomography angiography. 2017 , 243, 533-537	11
888	Additive value of nicorandil on ATP for further inducing hyperemia in patients with an intermediate coronary artery stenosis. 2017 , 28, 104-109	5
887	Instantaneous wave-free ratio derived from coronary computed tomography angiography in evaluation of ischemia-causing coronary stenosis: Feasibility and initial clinical research. 2017 , 96, e5979	12
886	Complete versus incomplete revascularization with drug-eluting stents for multi-vessel disease in stable, unstable angina or non-ST-segment elevation myocardial infarction: A meta-analysis. 2017 , 30, 309-317	12
885	Rapid computation of single PET scan rest-stress myocardial blood flow parametric images by table look up. 2017 , 44, 4643-4651	1
884	Fractional flow reserve: a clinical perspective. 2017 , 33, 961-974	12
883	Advances in Clinical Cardiology 2016: A Summary of the Key Clinical Trials. 2017 , 34, 1503-1527	4
882	Competitive flow in coronary bypass surgery: The roles of fractional flow reserve and arterial graft configuration. 2017 , 154, 1570-1575	6
881	Cardiovascular imaging environment: will the future be cloud-based?. 2017 , 14, 521-528	2
880	Assessment of myocardial blood flow and coronary flow reserve with positron emission tomography in ischemic heart disease: current state and future directions. 2017 , 22, 441-453	17
879	A Test in Context: Fractional Flow Reserve: Accuracy, Prognostic Implications, and Limitations. 2017 , 69, 2748-2758	25
878	Non-invasive fractional flow reserve using computed tomographic angiography: where are we now and where are we going?. 2017 , 103, 1216-1222	7
877	Temporal dissociation between the minimal distal-to-aortic pressure ratio and peak hyperemia during intravenous adenosine infusion. 2017 , 312, H992-H1001	4
876	Patient-specific Hemodynamic Computations: Application to Personalized Diagnosis of Cardiovascular Pathologies. 2017 ,	7

875	Relative atherosclerotic plaque volume by CT coronary angiography trumps conventional stenosis assessment for identifying flow-limiting lesions. 2017 , 33, 1847-1855	4
874	Manual of Gynecardiology. 2017 ,	0
873	Conservative versus aggressive treatment strategy with angiographic guidance alone in patients with intermediate coronary lesions: The SMART-CASE randomized, non-inferiority trial. 2017 , 240, 114-119	3
872	Prinzmetals angina presenting with non critical lesion with normal FFR -to stent or not to stent. 2017 , 238, 1-4	1
871	Dense calcium and lesion-specific ischemia: A comparison of CCTA with fractional flow reserve. 2017 , 260, 163-168	5
870	Coronary artery disease in patients undergoing transcatheter aortic valve implantation. A single centre registry on prevalence, management and immediate clinical impact. 2017 , 59, e23-e28	2
869	Utility of adjunctive modalities in Coronary chronic total occlusion intervention. 2017 , 69, 375-381	2
868	Navvus FFR to reduce CONTRAst, Cost and radiaTion (CONTRACT); insights from a single-centre clinical and economical evaluation with the RXi Rapid-Exchange FFR device. 2017 , 233, 80-84	4
867	Coronary artery stenoses more often overestimated in older patients: Angiographic stenosis overestimation in elderly. 2017 , 241, 46-49	5
866	Feasibility of PET for the management of coronary artery disease: Comparison between CFR and FFR. 2017 , 70, 135-140	14
865	Myocardial revascularization with percutaneous coronary intervention: To complete or not to complete?. 2017 , 89, 510-511	
864	The clinical effect of nicorandil on perioperative myocardial protection in patients undergoing elective PCI: A Systematic Review and Meta-Analysis. 2017 , 7, 45117	15
863	Practical Considerations of Fractional Flow Reserve Utilization to Guide Revascularization. 2017 , 19, 13	
862	Diagnostic Performance of Resting and Hyperemic Invasive Physiological Indices to Define Myocardial Ischemia: Validation With N-Ammonia Positron Emission Tomography. 2017 , 10, 751-760	63
861	Resting Versus Hyperemic Coronary Pressure Measurements for Stenosis Evaluation: The New Kids Have Come to Stay. 2017 , 10, 761-763	
860	Fractional Flow Reserve and Cardiac Events in Coronary Artery Disease: Data From a Prospective IRIS-FFR Registry (Interventional Cardiology Research Incooperation Society Fractional Flow Reserve). 2017 , 135, 2241-2251	96
859	Competitive Coronary Flow between the Native Left Anterior Descending Artery and Left Internal Mammmary Artery Graft: Is It a Surrogate Angiographic Marker of Over-or-Unnecessary Revascularization Decision in Daily Practice?. 2017 , 26, 27-31	4
858	Prognostic Value of Combined CT Angiography and Myocardial Perfusion Imaging versus Invasive Coronary Angiography and Nuclear Stress Perfusion Imaging in the Prediction of Major Adverse Cardiovascular Events: The CORE320 Multicenter Study. 2017 , 284, 55-65	52

857	Inverse prognostic value of post-percutaneous coronary intervention fractional flow reserve in patients with non-ST segment elevation myocardial infarction. 2017 , 103, 564		
856	Trends in Coronary Revascularization and Ischemic Heart Disease-Related Mortality in Israel. 2017 , 6,		21
855	Factors associated with deferred lesion failure following fractional flow reserve assessment in patients with diabetes mellitus. 2017 , 90, 1077-1083		5
854	Use of the Instantaneous Wave-free Ratio or Fractional Flow Reserve in PCI. <i>New England Journal of Medicine</i> , 2017 , 376, 1824-1834	59.2	462
853	Fractional Flow Reserve-Guided Multivessel Angioplasty in Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017 , 376, 1234-1244	59.2	371
852	Assessment of Stable Coronary Lesions. <i>New England Journal of Medicine</i> , 2017 , 376, 1879-1881	59.2	19
851	Instantaneous Wave-free Ratio versus Fractional Flow Reserve to Guide PCI. <i>New England Journal of Medicine</i> , 2017 , 376, 1813-1823	59.2	459
850	Initial Simulated FFR Investigation Using Flow Measurements in Patient-specific 3D Printed Coronary Phantoms. 2017 , 10138,		8
849	A systematic review of imaging anatomy in predicting functional significance of coronary stenoses determined by fractional flow reserve. 2017 , 33, 975-990		10
848	Fractional flow reserve derived from coronary computed tomography angiography: diagnostic performance in hypertensive and diabetic patients. 2017 , 18, 1351-1360		10
847	Rationale, design and goals of the HeartFlow assessing diagnostic value of non-invasive FFR in Coronary Care (ADVANCE) registry. 2017 , 11, 62-67		29
846	Noninvasive measurement of pressure gradient across a coronary stenosis using phase contrast (PC)-MRI: A feasibility study. 2017 , 77, 529-537		9
845	The year in cardiology 2016: coronary interventions. 2017 , 38, 1017-1027		0
844	Clinical and angiographic predictors of persistently ischemic fractional flow reserve after percutaneous revascularization. 2017 , 184, 10-16		14
843	In Search of the Optimal Strategy for Multivessel Disease Revascularization. 2017 , 10, 24-26		
842	The assessment of ischaemic burden: validation of a functional jeopardy score against cardiovascular magnetic resonance perfusion imaging. 2017 , 106, 259-270		4
841	Does the evidence really suggest that we should completely revascularise bystander disease in patients with ST elevation myocardial infarction undergoing primary angioplasty? Why we still need more definitive trial data to change routine practice. 2017 , 15, 75-81		
840	Coronary Catheterization and Percutaneous Interventions After Transcatheter Aortic Valve Implantation. 2017 , 120, 625-631		40

- 839 Left main or multivessel coronary revascularization: applying both anatomy and physiology to individualize care. **2017**, 13, 317-322
- 838 Prognostic Impact of Subsequent Acute Coronary Syndrome and Unplanned Revascularization on Long-Term Mortality After an Index Percutaneous Coronary Intervention: A Report From a Japanese Multicenter Registry. **2017**, 6, 6
- 837 Fractional flow reserve derived from coronary computed tomography angiography reclassification rate using value distal to lesion compared to lowest value. **2017**, 11, 462-467 34
- 836 Efficacy and safety of instantaneous wave-free ratio in patients undergoing coronary revascularisation: protocol for a systematic review. **2017**, 7, e017868
- 835 Interpretation of cardiac catheterisation reports: a guide for primary care. **2017**, 67, 481-482
- 834 [FFR-Guided Revascularisation - Pros and Cons]. **2017**, 142, 1595-1603 0
- 833 Functional Information in Coronary Artery Disease: The Case of Computed Tomography Myocardial Perfusion. **2017**, 19, 126
- 832 Diagnostic Accuracy of Angiography-Based Quantitative Flow Ratio Measurements for Online Assessment of Coronary Stenosis. **2017**, 70, 3077-3087 179
- 831 Assessment of coronary artery disease with fractional flow reserve in patients with aortic stenosis undergoing transcatheter aortic valve implantation. **2017**, 7, 139-142
- 830 Coronary CT Angiography Derived Fractional Flow Reserve: The Game Changer in Noninvasive Testing. **2017**, 19, 112 6
- 829 Coronary Computed Tomographic Angiography-Derived Fractional Flow Reserve for Therapeutic Decision Making. **2017**, 120, 2121-2127 27
- 828 FFR as a Clinical Tool and Its Applications in Specific Scenarios. **2017**, 209-221
- 827 Agreement of the Resting Distal to Aortic Coronary Pressure With the Instantaneous Wave-Free Ratio. **2017**, 70, 2105-2113 29
- 826 Influence of Contrast Media Dose and Osmolality on the Diagnostic Performance of Contrast Fractional Flow Reserve. **2017**, 10, 7
- 825 Stenosis Resistance Estimated from Pressure-Flow Relationships. **2017**, 175-183
- 824 Clinical outcomes of state-of-the-art percutaneous coronary revascularization in patients with de novo three vessel disease: 1-year results of the SYNTAX II study. **2017**, 38, 3124-3134 165
- 823 Comparative Physiology and Pathophysiology of the Coronary Circulation. **2017**, 287-294 1
- 822 Diagnostic accuracy of instantaneous wave free-ratio in clinical practice. **2017**, 30, 564-569 3

821	Improved Precision of Initial Chest Pain Evaluation With Fractional Flow Reserve Computed Tomography. 2017 , 6,	
820	Functional assessment of lesion severity without using the pressure wire: coronary imaging and blood flow simulation. 2017 , 15, 863-877	2
819	Fractional Flow Reserve in Angiographically Insignificant Stenoses: Unmasking the Lesion or Creating Disease?. 2017 , 6,	
818	Validation Study of Image-Based Fractional Flow Reserve During Coronary Angiography. 2017 , 10,	52
817	Comparison of Accuracy of One-Use Methods for Calculating Fractional Flow Reserve by Intravascular Optical Coherence Tomography to That Determined by the Pressure-Wire Method. 2017 , 120, 1920-1925	7
816	APpropriAteness of percutaneous Coronary interventions in patients with ischaemic HEart disease in Italy: the APACHE pilot study. 2017 , 7, e016909	11
815	Coronary CT Angiography-derived Fractional Flow Reserve. 2017 , 285, 17-33	95
814	Modes of failure with fractional flow reserve guidewires: Insights from the manufacturer and user facility device experience database. 2021 , 13, 223-229	
813	Percutaneous Coronary Revascularization: JACC Historical Breakthroughs in Perspective. 2021 , 78, 384-407	7
812	A fast algebraic approach for noninvasive prediction of fractional flow reserve in coronary arteries. 2021 , 24, 1761-1793	
811	Transient ischemic dilation or transient RV visualization in patients with normal SPECT stress myocardial perfusion imaging: Correlation with CT coronary artery calcium scoring and coronary angiography. 2021 , 1	1
810	Manual der Arbeitsgruppe Interventionelle Kardiologie (AGIK) der Deutschen Gesellschaft fŕ. Kardiologie âĀHerz- und Kreislaufforschung e. V. (DGK). 2021 , 15, 370-403	1
809	Multivessel PCI Guided by FFR or Angiography for Myocardial Infarction. <i>New England Journal of Medicine</i> , 2021 , 385, 297-308	59.2 41
808	Beyond the Third Dimension: Combined Functional and Anatomical Assessment of Anomalous Origin of Coronary Arteries. 2021 ,	
807	Identification of anatomic risk factors for acute coronary events by optical coherence tomography in patients with myocardial infarction and residual nonflow limiting lesions: rationale and design of the PECTUS-obs study. 2021 , 11, e048994	0
806	Comparison Between 5- and 1-Year Outcomes Using Cutoff Values of Pressure Drop Coefficient and Fractional Flow Reserve for Diagnosing Coronary Artery Diseases. 2021 , 12, 689517	0
805	Fractional flow reserve derived from computed tomography coronary angiography in the assessment and management of stable chest pain: the FORECAST randomized trial. 2021 , 42, 3844-3852	12
804	Instantaneous wave-free ratio-guided revascularization of non-culprit lesion in patients with ST-segment elevation myocardial infarction and multivessel coronary disease: design and rationale of the WAVE Registry. 2021 , 69, 291-298	1

803	The stability of flow velocity and intracoronary resistance in the intracoronary electrocardiogram-triggered pressure ratio. 2021 , 11, 13824	1
802	The diagnostic performance of on-site workstation-based computed tomography-derived fractional flow reserve. Comparison with myocardium perfusion imaging. 2021 , 1	0
801	Understanding the predictive value and methods of risk assessment based on coronary computed tomographic angiography in populations with coronary artery disease: a review. 2021 , 4, 192-203	
800	Management of Multivessel Disease and Physiology Testing in ST Elevation Myocardial Infarction. 2021 , 10, 333-343	
799	FFR pressure wire comparative study: piezoresistive versus optical sensor. 2021 , 1-6	
798	Comparison of the prognostic value of SYNTAX score and clinical SYNTAX score on outcomes of Chinese patients underwent percutaneous coronary intervention. 2021 , 21, 334	
797	Sex Differences in Intracoronary Imaging and Functional Evaluation of Coronary Arteries. 2021 , 14, 1	1
796	Radiomic features of plaques derived from coronary CT angiography to identify hemodynamically significant coronary stenosis, using invasive FFR as the reference standard. 2021 , 140, 109769	2
795	Mismatch between morphological and functional assessment of the length of coronary artery disease. 2021 , 334, 1-9	0
794	Clinical Ambiguity and Conflicts of Interest in Interventional Cardiology Decision Making.	
793	Angiography-based estimation of coronary physiology: A frame is worth a thousand words. 2021 ,	0
792	Thin-cap fibroatheroma predicts clinical events in diabetic patients with normal fractional flow reserve: the COMBINE OCT-FFR trial. 2021 , 42, 4671-4679	18
791	Residual Quantitative Flow Ratio to Estimate Post-Percutaneous Coronary Intervention Fractional Flow Reserve. 2021 , 2021, 4339451	
790	The relationship between coronary stenosis morphology and fractional flow reserve: a computational fluid dynamics modelling study.	0
789	SmartFFR, a New Functional Index of Coronary Stenosis: Comparison With Invasive FFR Data. 2021 , 8, 714471	2
788	Adoption and patterns of use of invasive physiological assessment of coronary artery disease in a large cohort of 40821 real-world procedures over a 12-year period. 2021 ,	1
787	Coronary CT angiography derived FFR in patients with left main disease. 2021 , 37, 3299-3308	0
786	Functional assessment of coronary blood flow as contemporary method for optimizing results of percutaneous coronary interventions in patients with ischemic heart disease. 2021 , 32-36	

785	Is There a Difference in Efficacy of Percutaneous Coronary Intervention for Focal and Diffuse Stable Coronary Artery Disease?. 2021 , 14, e011013	
784	Coronary lesion significance: Back to the angiogram, or beyond?. 2021 ,	
783	Hot topics in interventional cardiology: Proceedings from the society for cardiovascular angiography and interventions (SCAI) 2021 think tank. 2021 , 98, 904-913	0
782	Association of Echocardiographic Diastolic Dysfunction with Discordance of Invasive Intracoronary Pressure Indices. 2021 , 10,	1
781	Functional Assessment of Coronary Artery Disease by Myocardial Flow Reserve Versus Pressure-wire Based Assessment. 2021 , 7, 57-62	
780	A 2-Year Prospective Study on the Differences in Prognostic Factors for Major Adverse Cardiovascular, Cerebrovascular and Renal Events Between Patients with Mild and Severe Chronic Kidney Disease. 2021 , 7, 17-26	
779	Diagnostic accuracy of coronary computed tomography angiography-derived fractional flow reserve. 2021 , 20, 77	2
778	Compared Outcomes of ST-Segment-Elevation Myocardial Infarction Patients With Multivessel Disease Treated With Primary Percutaneous Coronary Intervention and Preserved Fractional Flow Reserve of Nonculprit Lesions Treated Conservatively and of Those With Low Fractional Flow Reserve Managed Invasively: Insights From the FLOWER-MI Trial. 2021 , 14, e011314	8
777	Rise of the Machines: Where Virtual Processing Meets Percutaneous Coronary Intervention. 2021 , 37, 1504-1506	
776	[Coronary revascularization: Interventional therapy or coronary bypass surgery]. 2021 , 146, 1051-1058	
775	A Combined Computational Fluid Dynamics and Arterial Spin Labeling MRI Modeling Strategy to Quantify Patient-Specific Cerebral Hemodynamics in Cerebrovascular Occlusive Disease. 2021 , 9, 722445	0
774	No blossom for fractional flow reserve in FLOWER-MI. 2021 , 42, 2971-2972	
773	Placebo-Controlled Efficacy of Percutaneous Coronary Intervention for Focal and Diffuse Patterns of Stable Coronary Artery Disease. 2021 , 14, e009891	0
772	Three Technologies That Will Guide Revascularization of Chronic Coronary Syndrome Patients into the 21st Century: A Review. 2021 , 30, 212-220	
771	Predictors of 10-Year Stent-Related Adverse Outcomes after Coronary Drug-Eluting Stent Implantation: The Importance of Stent Size. 2021 , 146, 705-712	
770	Prognostic value of resting coronary sinus flow determined by phase-contrast cine cardiovascular magnetic resonance in patients with known or suspected coronary artery disease. 2021 , 23, 97	2
769	Coronary Magnetic Resonance Angiography in Chronic Coronary Syndromes. 2021 , 8, 682924	1
768	We need intracoronary physiology guidance before percutaneous coronary intervention, but do we need it post-stenting?. 2021 , 42, 4669-4670	3

767	Computed Tomography Coronary Angiography and Computational Fluid Dynamics Based Fractional Flow Reserve Before and After Percutaneous Coronary Intervention. 2021 , 9, 739667	2
766	Comparative Effectiveness of Complete Revascularization Strategies in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease: A Bayesian Network Meta-Analysis. 2021 , 8, 724274	1
765	What does complete revascularization mean in 2021? - Definitions, implications, and biases. 2021 , 36, 748-754	
764	Invasive and non-invasive assessment of ischaemia in chronic coronary syndromes: translating pathophysiology to clinical practice. 2021 ,	4
763	Registro Español de Hemodinámica y Cardiología Intervencionista. XXX Informe Oficial de la Asociación de Cardiología Intervencionista de la Sociedad Española de Cardiología (1990-2020) en el año de la pandemia de la COVID-19. 2021 ,	2
762	Instantaneous wave-free ratio compared with fractional flow reserve in PCI: A cost-minimization analysis. 2021 , 344, 54-59	1
761	Physiological assessment after percutaneous coronary intervention: the hard truth. 2021 ,	0
760	Adenosine and fractional flow reserve: no reason to be afraid anymore!. 2021 , 69, 446-448	
759	Coronary physiology in clinical practice in Portugal: A problem of technology or a question of attitude?. 2021 , 40, 783-783	
758	Manual der Arbeitsgruppe Interventionelle Kardiologie (AGIK) der Deutschen Gesellschaft für Kardiologie – Herz- und Kreislaufforschung e.V. (DGK). 1	0
757	Clinical Efficacy of Intracoronary Papaverine After Nicorandil Administration for Safe and Optimal Fractional Flow Reserve Measurement. 2021 , 62, 962-969	1
756	Coronary flow quantification estimated by dynamic 320-detector CT angiography: validation by Nitrogen PET myocardial flow reserve. 2021 , 94, 20201415	0
755	Contrast FFR plus intracoronary injection of nitro-glycerine accurately predicts FFR for coronary stenosis functional assessment. 2021 , 69, 449-457	1
754	Quantifying tissue perfusion after peripheral endovascular procedures: Novel tissue perfusion endpoints to improve outcomes. 2021 , 13, 381-398	0
753	Complete Revascularization and Survival in STEMI. 2021 , 16, 64	0
752	A 1D-3D Hybrid Model of Patient-Specific Coronary Hemodynamics. 2021 , 1	1
751	Automatic extraction and stenosis evaluation of coronary arteries in invasive coronary angiograms. 2021 , 136, 104667	11
750	The role of coronary physiology in contemporary percutaneous coronary interventions. 2021 ,	1

749	[Artificial Intelligence and teleradiology in cardiovascular imaging by CT-Scan and MRI]. 2021 , 70, 339-347	0
748	Patients with Moderate Non-Culprit Coronary Lesions of Recent Acute Coronary Syndrome. 2021 , 62, 952-961	0
747	Relationship Between Immunoinflammation and Coronary Physiology Evaluated by Quantitative Flow Ratio in Patients With Coronary Artery Disease. 2021 , 8, 714276	2
746	Added prognostic value of plaque burden to computed tomography angiography and myocardial perfusion imaging. 2021 , 334, 9-16	0
745	Diagnosis of silent coronary ischemia with selective coronary revascularization might improve 2-year survival of patients with critical limb-threatening ischemia. 2021 , 74, 1261-1271	0
744	An improved reduced-order model for pressure drop across arterial stenoses. 2021 , 16, e0258047	1
743	The Full Revasc (Ffr-guidance for complete non-culprit REVASCularization) Registry-based randomized clinical trial. 2021 , 241, 92-100	1
742	The fragility index can be used for sample size calculations in clinical trials. 2021 , 139, 199-209	5
741	Beyond the ISCHEMIA Trial: Revascularization for Stable Ischemic Heart Disease in Patients With High-Risk Coronary Anatomical Features. 2021 , 10, e019974	1
740	On the Impact of Fluid Structure Interaction in Blood Flow Simulations. 2021 , 49, 169-187	5
739	Functional assessment of intermediate coronary artery stenosis with 4-Fr catheters. 2021 , 36, 638-645	
738	Prognostic value of comprehensive intracoronary physiology assessment early after heart transplantation. 2021 ,	2
737	A combined computational fluid dynamics and MRI Arterial Spin Labeling modeling strategy to quantify patient-specific cerebral hemodynamics in cerebrovascular occlusive disease.	0
736	Cost-effectiveness Analysis of Anatomic vs Functional Index Testing in Patients With Low-Risk Stable Chest Pain. 2020 , 3, e2028312	8
735	Performance of quantitative flow ratio in patients with aortic stenosis undergoing transcatheter aortic valve implantation. 2021 ,	2
734	Cardiac Catheterization, Coronary Arteriography and Intravascular Diagnostics. 2014 , 153-173	1
733	Concomitant Coronary Artery Disease and Aortic Stenosis. 2019 , 115-125	1
732	Percutaneous Coronary Intervention for Stable Ischemic Heart Disease. 2018 , 255-261	1

731	Diagnostic Coronary Angiography. 2015 , 1115-1176	1
730	Perfusion Measurements of the Myocardium. 2015 , 1279-1354	1
729	Stable Ischemic Heart Disease. 2015 , 2109-2172	1
728	Stable Ischemic Heart Disease. 2014 , 1-70	1
727	Myocardial Perfusion and Fractional Flow Reserve. 2014 , 303-326	1
726	Clinical Manifestations of Atherosclerosis. 2012 , 39-58	1
725	Computed tomographic evaluation of myocardial ischemia. 2020 , 38, 411-433	9
724	Nonangiographic Coronary Lesion Assessment. 2013 , 244-289	1
723	Coronary Blood Flow and Myocardial Ischemia. 2012 , 1049-1075	4
722	Bare Metal and Drug-Eluting Coronary Stents. 2012 , 171-196	3
721	Coronary physiology in patients with severe aortic stenosis: Comparison between fractional flow reserve and instantaneous wave-free ratio. 2017 , 243, 40-46	27
720	Survival of Patients With Angina Pectoris Undergoing Percutaneous Coronary Intervention With Intracoronary Pressure Wire Guidance. 2020 , 75, 2785-2799	10
719	Safety of Revascularization Deferral of Left Main Stenosis Based on Instantaneous Wave-Free Ratio Evaluation. 2020 , 13, 1655-1664	10
718	Cost-Effectiveness Analysis of Stress Cardiovascular Magnetic Resonance Imaging for Stable Chest Pain Syndromes. 2020 , 13, 1505-1517	24
717	Fractional flow reserve-guided coronary artery bypass grafting: Less is more?. 2017 , 154, 1576-1577	0
716	Invasive Imaging and Haemodynamics. 2009 , 237-280	2
715	Computed Tomography Coronary Plaque Characteristics Predict Ischemia Detected by Invasive Fractional Flow Reserve. 2021 , 36, 360-366	2
714	Initial evaluation of three-dimensionally printed patient-specific coronary phantoms for CT-FFR software validation. 2019 , 6, 021603	8

713	CT investigation of patient-specific phantoms with coronary artery disease. 2018,	1
712	Diagnostic Performance and Pressure Stability of a Novel Myocardial Ischemic Diagnostic Index - The Intracoronary-Electrocardiogram-Triggered Distal Pressure/Aortic Pressure Ratio. 2020, 2, 665-673	2
711	Fractional flow reserve: Current applications and overview of the available data. 2015, 3, 678-81	5
710	Drug-eluting versus bare-metal stent for treatment of saphenous vein grafts: a meta-analysis. 2010, 5, e11040	41
709	Increase in ultrasonic intensity of blood speckle across moderate coronary artery stenosis is an independent predictor of functional coronary artery stenosis measured by fractional flow reserve: pilot study. 2015, 10, e0116727	5
708	The Prevalence of Clinically Significant Ischemia in Patients Undergoing Percutaneous Coronary Intervention: A Report from the Multicenter Registry. 2015, 10, e0133568	1
707	Percutaneous Coronary Intervention Enhances Accelerative Wave Intensity in Coronary Arteries. 2015, 10, e0142998	3
706	Diagnostic Performance of First-Pass Myocardial Perfusion Imaging without Stress with Computed Tomography (CT) Compared with Coronary CT Angiography Alone, with Fractional Flow Reserve as the Reference Standard. 2016, 11, e0149170	10
705	Simplified Models of Non-Invasive Fractional Flow Reserve Based on CT Images. 2016, 11, e0153070	38
704	The Impact of the Geometric Characteristics on the Hemodynamics in the Stenotic Coronary Artery. 2016, 11, e0157490	17
703	Hemodynamics in Coronary Arterial Tree of Serial Stenoses. 2016, 11, e0163715	14
702	Diagnostic Accuracy of Cardiac Magnetic Resonance Versus Fractional Flow Reserve: A Systematic Review and Meta-Analysis. 2020, 11, 145-154	2
701	Prediction of fractional flow reserve with angiographic DILEMMA score. 2017, 17, 285-292	6
700	Frontal QRS-T angle is related with hemodynamic significance of coronary artery stenosis in patients with single vessel disease. 2019, 22, 194-201	6
699	Myocardial Perfusion Imaging Using Positron Emission Tomography. 2020, 16, 114-121	2
698	Transluminal Attenuation Gradient for the Noninvasive Assessment of Functional Significance in Coronary Artery Stenoses. 2016, 1, 267-270	2
697	The potential value of hybrid positron emission tomography/dual-source computed tomography imaging in coronary bypass surgery. 2011, 14, E283-90	2
696	Contemporary Cardiac MRI in Chronic Coronary Artery Disease. 2020, 15, e50	5

695	Cardiovascular Imaging and Theranostics in Cardiovascular Pharmacotherapy. 2019 , 14, 62-64	3
694	Fractional Flow Reserve Derived from Coronary Imaging and Computational Fluid Dynamics. 2014 , 9, 145-150	7
693	Preventive Percutaneous Coronary Intervention in ST-elevation Myocardial Infarction - The Primacy of Randomised Trials. 2015 , 10, 32-34	2
692	The FAME Trials: Impact on Clinical Decision Making. 2016 , 11, 116-119	5
691	Fractional Flow Reserve Measurement by Computed Tomography: An Alternative to the Stress Test. 2016 , 11, 105-109	5
690	Fractional Flow Reserve: Does a Cut-off Value add Value?. 2016 , 11, 17-26	2
689	ORBITA: What Goes Around, Comes AroundâOr Does It?. 2018 , 13, 135-136	1
688	The Value of Intracoronary Imaging and Coronary Physiology When Treating Calcified Lesions. 2019 , 14, 164-168	7
687	Coronary Physiology Derived from Invasive Angiography: Will it be a Game Changer?. 2020 , 15, e06	3
686	Overview of Quantitative Flow Ratio and Optical Flow Ratio in the Assessment of Intermediate Coronary Lesions. 14,	1
685	2020 Clinical practice guidelines for Chronic heart failure. 2020 , 25, 4083	95
684	Non-invasive fractional flow reserve: a comparison of one-dimensional and three-dimensional mathematical modeling effectiveness. 2020 , 19, 2303	2
683	[Role of measurement of fractional flow reserve in coronary artery atherosclerosis]. 2015 , 87, 106-113	2
682	Trends and Perspectives of Stress Myocardial Perfusion Imaging in Japan. 2017 , 3, 186-189	2
681	Myocardial Perfusion Imaging in East and West. 2017 , 3, 190-191	1
680	Updated Japanese Ministry of Health, Labour and Welfare Reimbursement Policy for Cardiac Positron Emission Tomography and Coronary Intervention. 2018 , 4, 42-45	3
679	Physiologic assessment of moderate coronary lesions: a step towards complete revascularization in coronary artery bypass grafting. 2018 , 6, 300	5
678	Clinical Ambiguity and Conflicts of Interest in Interventional Cardiology Decision-Making.	1

677	Clinical Significance of Cys-C and hs-CRP in Coronary Heart Disease Patients Undergoing Percutaneous Coronary Intervention. 2019 , 34, 17-21	9
676	Assessing Coronary Blood Flow Physiology in the Cardiac Catheterisation Laboratory. 2017 , 13, 232-243	10
675	The vulnerable plaque: the real villain in acute coronary syndromes. 2011 , 5, 123-9	14
674	Outcomes following successful recanalization of chronic total coronary occlusions. 2011 , 3, 391-405	1
673	Fractional flow reserve: a new paradigm for diagnosis and management of coronary artery disease. 2012 , 4, 61-71	2
672	Assessment of Myocardial Ischemia Using Stress Perfusion Cardiovascular Magnetic Resonance. 2018 , 2, 65	2
671	[Myocardial perfusion single-photon emission computer tomography and coronary angiography results in patients with different pretest probability of ischemic heart disease]. 2020 , 92, 30-36	2
670	Percutaneous Coronary Intervention in Stable Coronary Heart Disease -Is Less More?. 2020 , 117, 137-144	7
669	iFR-Messung: Hämodynamische Relevanz von Koronarläsionen.	0
668	Long-Term Outcomes in Patients Undergoing Percutaneous Coronary Intervention with or without Preprocedural Exercise Stress Test. 2020 , 35, e3	1
667	Evaluation of Myocardial Ischemia Using Coronary Computed Tomography Angiography in Patients with Stable Angina. 2020 , 81, 250	1
666	Diagnostic Accuracy of a Novel On-site Virtual Fractional Flow Reserve Parallel Computing System. 2020 , 61, 137-144	1
665	Revaskularizace myokardu. Perkutánní koronární intervence a aortokoronární bypass. 2011 , 53, 3-24	1
664	Coronary Angiography-Derived Index of Microvascular Resistance. 2020 , 11, 605356	7
663	Update of the Brazilian Guideline on Nuclear Cardiology - 2020. 2020 , 114, 325-429	4
662	Clinical applications of fractional flow reserve in bifurcation lesions. 2012 , 9, 278-84	9
661	CONSORT 2010 Explanation and Elaboration: updated guidelines for reporting parallel group randomised trials (Chinese version). 2010 , 701-741	23
660	Physiologic approach for coronary intervention. 2013 , 28, 1-7	4

659	Immediate multivessel revascularization may increase cardiac death and myocardial infarction in patients with ST-elevation myocardial infarction and multivessel coronary artery disease: data analysis from real world practice. 2016 , 31, 488-500	2
658	Percutaneous coronary intervention in patients with multi-vessel coronary artery disease: a focus on physiology. 2018 , 33, 851-859	2
657	Percutaneous coronary intervention in nonagenarians: pros and cons. 2013 , 10, 82-90	8
656	The Current Status of Intervention for Intermediate Coronary Stenosis in the Korean Percutaneous Coronary Intervention (K-PCI) Registry. 2019 , 49, 1022-1032	5
655	Adenosine Stress Perfusion Cardiac MRI: Improving Image Quality Using a 32-Channel Surface Coil. 2011 , 01, 21-25	1
654	Comparison of the prognostic value of non-ischaeamic fractional flow reserve using intracoronary versus intravenous adenosine. 2018 , 13, 1680-1687	2
653	The impact of microvascular resistance on the discordance between anatomical and functional evaluations of intermediate coronary disease. 2017 , 13, e185-e192	4
652	Instantaneous wave-free ratio to guide coronary revascularisation: physiological framework, validation and differences from fractional flow reserve. 2017 , 13, 450-458	7
651	Quantitative myocardial blush grade reserve during pharmacologic hyperaemia: a way to perform a real wireless fractional flow reserve measurement in patients with coronary artery disease and intermediate coronary lesions. 2017 , 12, e2219-e2227	2
650	Reliability of physiological assessment of coronary stenosis severity using intracoronary pressure techniques: a comprehensive analysis from a large cohort of consecutive intermediate coronary lesions. 2017 , 13, e193-e200	4
649	Reactive myocardial hyperaemia for functional assessment of coronary stenosis severity. 2017 , 13, e201-e209	5
648	Clinical and angiographic predictors of haemodynamically significant angiographic lesions: development and validation of a risk score to predict positive fractional flow reserve. 2017 , 12, e2228-e2235	1
647	cFFR as an alternative to FFR: does the contrast still need to be contrasted?. 2017 , 12, e2278-e2279	2
646	Diagnostic performance of a Lattice Boltzmann-based method for CT-based fractional flow reserve. 2018 , 13, 1696-1704	9
645	Physiological assessment of left main coronary artery disease. 2017 , 13, 820-827	17
644	Pressure wire versus microcatheter for FFR measurement: a head-to-head comparison. 2018 , 13, e1850-e1856	14
643	Functional comparison between the BuMA Supreme biodegradable polymer sirolimus-eluting stent and a durable polymer zotarolimus-eluting coronary stent using quantitative flow ratio: PIONEER QFR substudy. 2018 , 14, e570-e579	20
642	State of the art: coronary angiography. 2017 , 13, 634-643	17

641	State of the art: pressure wire and coronary functional assessment. 2017 , 13, 666-679	10
640	Physiologic evaluation of coronary lesions using instantaneous wave-free ratio (iFR) in patients with severe aortic stenosis undergoing transcatheter aortic valve implantation. 2018 , 13, 1512-1519	37
639	Association between fractional flow reserve, instantaneous wave-free ratio and dobutamine stress echocardiography in patients with stable coronary artery disease. 2018 , 13, 1959-1966	4
638	The impact of Objective Mathematical Analysis during Fractional Flow Reserve measurement: results from the OMA-FFR study. 2018 , 14, 935-941	1
637	Coronary lesion progression as assessed by fractional flow reserve (FFR) and angiography. 2018 , 14, 907-914	8
636	Qualitative resting coronary pressure wave form analysis to predict fractional flow reserve. 2019 , 14, e1601-e1608	2
635	Pressure wire compared to microcatheter sensing for coronary fractional flow reserve: the PERFORM study. 2018 , 14, e459-e466	6
634	What are the causes of a suboptimal FFR after coronary stent deployment? Insights from a consecutive series using OCT imaging. 2018 , 14, e1324-e1331	21
633	Validation of a novel non-hyperaemic index of coronary artery stenosis severity: the Resting Full-cycle Ratio (VALIDATE RFR) study. 2018 , 14, 806-814	88
632	The functional assessment of patients with non-obstructive coronary artery disease: expert review from an international microcirculation working group. 2019 , 14, 1694-1702	17
631	Continuous intracoronary versus standard intravenous infusion of adenosine for fractional flow reserve assessment: the HYPEREMIC trial. 2020 , 16, 560-567	2
630	Diagnostic accuracy of intracoronary optical coherence tomography-derived fractional flow reserve for assessment of coronary stenosis severity. 2019 , 15, 189-197	38
629	Validation of a three-dimensional quantitative coronary angiography-based software to calculate fractional flow reserve: the FAST study. 2020 , 16, 591-599	40
628	The SYNTAX score on its way out or towards artificial intelligence: part I. 2020 , 16, 44-59	15
627	Comparison of fractional flow reserve, instantaneous wave-free ratio and a novel technique for assessing coronary arteries with serial lesions. 2020 , 16, 577-583	6
626	Fractional flow reserve and the index of microvascular resistance in patients with acute coronary syndromes. 2014 , 10 Suppl T, T55-63	23
625	Long-term outcome of FFR-guided PCI for stable coronary artery disease in daily clinical practice: a propensity score-matched landmark analysis. 2016 , 11, e1257-66	12
624	STENTYS Self-Apposing sirolimus-eluting stent in ST-segment elevation myocardial infarction: results from the randomised APPOSITION IV trial. 2016 , 11, e1267-74	20

623	Clinical outcome of patients with stable ischaemic heart disease as compared to those with acute coronary syndromes after percutaneous coronary intervention. 2015 , 11, 171-9	9
622	Assessment of coronary fractional flow reserve using a monorail pressure catheter: the first-in-human ACCESS-NZ trial. 2015 , 11, 257-63	23
621	Image-based assessment of fractional flow reserve. 2015 , 11 Suppl V, V50-4	13
620	FFR in daily clinical practice: from "Prêt-à-Porter" to "Haute Couture". 2016 , 12, e1322-e1324	1
619	How should I treat recurrent chest pain and systolic dysfunction after chemotherapy with anthracyclines?. 2017 , 12, 1674-1677	2
618	Rationale and design of the SYNTAX II trial evaluating the short to long-term outcomes of state-of-the-art percutaneous coronary revascularisation in patients with de novo three-vessel disease. 2016 , 12, e224-34	19
617	The Multi-center Evaluation of the Accuracy of the Contrast MEdium INduced Pd/Pa RaTiO in Predicting FFR (MEMENTO-FFR) Study. 2016 , 12, 708-15	33
616	Assessing coronary disease in patients with severe aortic stenosis: the need for a 'valid' gold standard for validation studies?. 2018 , 13, 1499-1502	3
615	Coronary physiological parameters at a crossroads. 2017 , 13, e145-e148	1
614	Determination of haemodynamic significance of intermediate coronary lesions using three-dimensional coronary reconstruction. 2009 , 5, 573-9	14
613	FFR in bifurcation stenting: what have we learned?. 2010 , 6 Suppl J, J94-8	9
612	Correlation between fractional flow reserve and intravascular ultrasound lumen area in intermediate coronary artery stenosis. 2011 , 7, 225-33	59
611	Outcomes in patients undergoing multivessel percutaneous coronary intervention using sirolimus-eluting stents: a report from the e-SELECT registry. 2011 , 7, 962-8	2
610	Clinical outcomes based on completeness of revascularisation in patients undergoing percutaneous coronary intervention: a meta-analysis of multivessel coronary artery disease studies. 2012 , 7, 1095-102	27
609	Hybrid iFR-FFR decision-making strategy: implications for enhancing universal adoption of physiology-guided coronary revascularisation. 2013 , 8, 1157-65	78
608	Volumetric assessment of lesion severity with optical coherence tomography: relationship with fractional flow. 2013 , 8, 1172-81	23
607	Influence of high-dose lipid lowering treatment compared to low-dose lipid lowering treatment on plaque composition assessed by intravascular ultrasound virtual histology in patients with ST-segment elevation acute myocardial infarction: the VIRHISTAMI trial. 2013 , 8, 1182-9	13
606	Hybrid revascularisation in multivessel coronary artery disease: could a combination of CABG and PCI be the best option in selected patients?. 2013 , 8, 1335-41	3

605	Optimising cardiovascular outcomes using optical coherence tomography-guided percutaneous coronary interventions. 2012 , 8, 765-71	6
604	Prospective peer review of regional percutaneous interventional procedures: a tool for quality control and revalidation. 2012 , 8, 939-44	2
603	Classification performance of instantaneous wave-free ratio (iFR) and fractional flow reserve in a clinical population of intermediate coronary stenoses: results of the ADVISE registry. 2013 , 9, 91-101	134
602	Impact of ad hoc percutaneous coronary intervention with drug-eluting stents in angina patients. 2013 , 9, 110-7	9
601	Virtual fractional flow reserve by coronary computed tomography - hope or hype?. 2013 , 9, 277-84	10
600	The impact of gender on fractional flow reserve measurements. 2013 , 9, 360-6	25
599	Clinical outcomes after intravascular ultrasound and fractional flow reserve assessment of intermediate coronary lesions. Propensity score matching of large cohorts from two institutions with a differential approach. 2013 , 9, 824-30	14
598	Fast virtual functional assessment of intermediate coronary lesions using routine angiographic data and blood flow simulation in humans: comparison with pressure wire - fractional flow reserve. 2014 , 10, 574-83	102
597	Head-to-head comparison of basal stenosis resistance index, instantaneous wave-free ratio, and fractional flow reserve: diagnostic accuracy for stenosis-specific myocardial ischaemia. 2015 , 11, 914-25	52
596	2014 ESC/EACTS guidelines on myocardial revascularization. 2015 , 10, 1024-94	195
595	Rapid exchange ultra-thin microcatheter using fibre-optic sensing technology for measurement of intracoronary fractional flow reserve. 2015 , 11, 428-32	16
594	Additive diagnostic value of atherosclerotic plaque characteristics to non-invasive FFR for identification of lesions causing ischaemia: results from a prospective international multicentre trial. 2016 , 12, 473-81	19
593	2018 ESC/EACTS Guidelines on myocardial revascularization. 2019 , 14, 1435-1534	180
592	Clinical use of intracoronary imaging. Part 2: acute coronary syndromes, ambiguous coronary angiography findings, and guiding interventional decision-making: an expert consensus document of the European Association of Percutaneous Cardiovascular Interventions. 2019 , 15, 434-451	15
591	Coronary plaque imaging by coronary computed tomography angiography. 2014 , 6, 148-59	4
590	Intra-procedural arrhythmia during cardiac catheterization: A systematic review of literature. 2020 , 12, 269-284	4
589	Myocardial perfusion imaging and infarct characterization using multidetector cardiac computed tomography. 2010 , 2, 198-204	4
588	Non-invasive detection of vulnerable coronary plaque. 2011 , 3, 219-29	7

587	Myocardial ischemia is a key factor in the management of stable coronary artery disease. 2014 , 6, 130-9	17
586	Case of angina pectoris at rest and during effort due to coronary spasm and myocardial bridging. 2015 , 7, 367-72	7
585	Physiology of arterial revascularization in coronary artery bypass grafting: Preoperative, intraoperative and postoperative factors and influences. 2016 , 8, 623-637	9
584	Delineation of epicardial stenosis in patients with microvascular disease using pressure drop coefficient: A pilot outcome study. 2017 , 9, 813-821	2
583	Assessment of stable coronary artery disease by cardiovascular magnetic resonance imaging: Current and emerging techniques. 2017 , 9, 92-108	13
582	Relationship between reversibility score on corresponding left ventricular segments and fractional flow reserve in coronary artery disease. 2015 , 15, 469-74	2
581	Neutrophil-to-lymphocyte ratio predicts hemodynamic significance of coronary artery stenosis. 2015 , 15, 1002-7	17
580	Vulnerable atherosclerotic plaque - a review of current concepts and advanced imaging. 2018 , 162, 10-17	16
579	Physiological Assessment in Peripheral Artery Disease: Going Beyond Angiography. 2016 , 23, 44-5	2
578	Reproducibility of quantitative flow ratio: An inter-core laboratory variability study. 2020 , 27, 230-237	6
577	Diagnostic accuracy and reproducibility of optical flow ratio for functional evaluation of coronary stenosis in a prospective series. 2020 , 27, 350-361	12
576	Current status and prospects of numerical simulations in cerebrovascular diseases. 2021 , 91, 379-383	
575	Diagnostic performance of AccuFFRangio in the functional assessment of coronary stenosis compared with pressure wire-derived fractional flow reserve.. 2022 , 12, 949-958	1
574	CT-based fractional flow reserve: development and expanded application. 2021 , 2021, e202120	0
573	Stress Cardiac Magnetic Resonance Myocardial Perfusion Imaging: JACC Review Topic of the Week. 2021 , 78, 1655-1668	8
572	Coronary Revascularization in Patients Undergoing Aortic Valve Replacement for Severe Aortic Stenosis. 2021 , 14, 2083-2096	4
571	The evolving role of artificial intelligence in cardiac image analysis. 2021 ,	1
570	Prognostic Value of Computed Tomography-Derived Fractional Flow Reserve Comparison With Myocardial Perfusion Imaging. 2021 , 15, 284-284	2

- 569 Fibre optic intravascular measurements of blood flow: A review. **2021**, 332, 113162 1
- 568 Different treatment options in chronic coronary artery disease: when is it the time for medical treatment, percutaneous coronary intervention or aortocoronary bypass surgery?. **2009**, 106, 253-61 7
- 567 Selecting the optimal therapeutic strategy for patients with multiple vessel disease based on the results of the FAME and SYNTAX trials. **2009**, 51, 22-24
- 566 Vřznamnř recentnř publikace v intervenční kardiologii a přiznřch oborech. **2009**, 51, 11-13 2
- 565 Functional measurement in the catheterization lab-or is coronary angiography always flawless?. **2009**, 51, 26-30 1
- 564 Trendy v řskř intervenční kardiologii. **2009**, 51, 8-9
- 563 Front Matter. **2009**, i-xv
- 562 Percutaneous Coronary and Structural Heart Disease Interventional Techniques. **2010**, 363-393
- 561 Comparative Use of Radionuclide Stress Testing, Coronary Artery Calcium Scanning, and Noninvasive Coronary Angiography for Diagnostic and Prognostic Cardiac Assessment. **2010**, 233-254
- 560 PET/CT and SPECT/CT Hybrid Imaging. **2010**, 379-389
- 559 Physiologic Guidance of Provisional Stenting in Coronary Bifurcation Lesions. **2010**, 67-82
- 558 Coronary Artery Stenting. **2011**, 243-261
- 557 Percutaneous Coronary Intervention in Multivessel Disease. 387-399
- 556 Timing and selection of the type of revascularization procedure in acute coronary syndrome without ST-segment elevation with multivessel coronary artery disease. **2010**, 52, 447-452
- 555 Fractional flow reserve in the diagnosis of focal and diffuse stenosis of coronary artery. **2010**, 52, 639-642
- 554 Intravascular Imaging. **2011**, 133-146
- 553 Scintigraphie et ischřmie myocardique en 2011. **2011**, 175-189
- 552 Coronary Physiology and Atherosclerosis. **2011**, 132-156

551 Positron emission tomography. **2011**, 179-186

550 Almanac 2011: stable coronary artery disease. The national society journals present selected research that has driven recent advances in clinical cardiology. **2011**, 23, 129-38

549 PET Imaging in Cardiovascular Disease. **2011**, 217-222

548 How to Assess Lesions of Intermediate Severity. **2011**, 202-205

547 Scanner multicoupe : relation entre la morphologie des artères coronaires et la fonction myocardique. **2011**, 211-215

546 Multivessel Coronary Artery Disease. **2011**, 189-194

545 Cardiac Catheterization Laboratory. **2011**, 33-73

544 Physiologic Assessment in the Cardiac Catheterization Laboratory. 74-89

543 Stable Angina. 213-231

542 Coronary artery disease and aortic stenosis: small steps to cross the border to full interventional treatment in selected high-risk patients. **2011**, 7, 533, 535

541 Chronic Stable Angina. **2012**, 271-290

540 Stable angina pectoris. **2012**, 31, 38-47

539 Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Stenosis. **2012**, 294-302

538 References. 348-358

537 Evaluation of Cardiovascular Disease in Patients with Diabetes Mellitus Using Myocardial Perfusion SPECT. **2012**, 13, 191

536 Small Vessel and Diffuse Disease. **2012**, 288-293

535 Stable Ischemic Heart Disease. **2012**, 1210-1269

534 Intracoronary Pressure and Flow Measurement. **2012**, 776-792

533 Treatment of Coronary Artery Bifurcation Lesions. **2013**, 555-574

532 Fractional Flow Reserve. **2013**, 349-361

531 Intracoronary Stenting Strategies. **2013**, 497-529

530 Invasive assessment and management of intermediate coronary narrowings. **2012**, 302-311

529 PET-CT: Role in diagnosis and potential to predict the response to revascularization. **2012**, 104-121

528 Treatment algorithm in patients with stable angina. **2012**, 312-330

527 Fractional flow reserve: Role in guiding clinical decision making. **2012**, 140-151

526 Fractional flow reserve. **2012**, 140-151

525 Invasive assessment and management of intermediate coronary narrowings. **2012**, 302-311

524 PET-CT. **2012**, 104-121

523 Treatment algorithm in patients with NSTEMI and unstable angina. **2012**, 331-346

522 Cardiac Imaging. 296-344

521 Guidelines for revascularization: The evidence base matures. **2012**, 2012, 29-35

2

520 Bifurcation Stenosis Percutaneous Coronary Interventions. **2013**, 184-193

519 Medical and Endovascular Treatment of Renal Artery Disease. **2013**, 307-314

518 Stress perfusion cardiovascular magnetic resonance and serial fractional flow reserve assessment of the left anterior descending artery in patients undergoing right coronary artery chronic total occlusion revascularization. **2020**,

0

517 Hybrid Imaging. **2014**, 327-339

516 Coronary Pressure and Flow for the Assessment of Coronary Artery Disease. **2013**, 1-33

- 515 Usefulness of Coronary Fractional Flow Reserve Measurement Using the Diagnostic Catheter. **2013**, 5, 92-98 1
- 514 The role and destination of optimal PCI in the near future: considerations about COURAGE and SYNTAX trials. **2013**, 19, 272-276
- 513 Myocardial infarction imaging. **2013**, 60-79
- 512 Patient Selection for Coronary Intervention. **2014**, 41-51
- 511 Physiologic Evaluation of Patients with Ischemic Heart Disease. **2014**, 193-205
- 510 Multivessel Disease. **2014**, 265-276
- 509 Fractional flow reserve.
- 508 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2014**, 1-43
- 507 Coronary Imaging and Percutaneous Coronary Intervention. **2014**,
- 506 Emerging Role of Computed Tomography Angiography in the Evaluation of Coronary Atherosclerosis. **2014**, 155-176
- 505 Revascularization strategy for coronary artery disease with impaired LV function (PCI vs CABG). **2014**, 20, 62-65
- 504 Diagnostic Coronary Angiography. **2014**, 1-72
- 503 A case who finally underwent coronary artery bypass graft after stent implantation for three vessels. **2014**, 21, 111-114
- 502 Physiological Assessment During Interventional Procedures. **2014**, 27-32
- 501 Perfusion Measurements of the Myocardium: Radionuclide Methods and Related Techniques. **2014**, 1-89
- 500 Ischemia-guided Revascularization for Stable Ischemic Heart Disease. **2014**, 87, 675
- 499 Stable coronary artery disease - opportunities of non-invasive visualization. **2014**, 5, 20-26 1
- 498 Combining CT Coronary Angiography and Myocardial Flow Reserve: Is It the Future?. **2015**, 207-224

497 Three-Dimensional Fusion Display of CT Coronary Angiography and Myocardial Perfusion. **2015**, 195-206

496 Integrating Physiology into the DNA of Coronary Revascularisation - A Historical Perspective, Contemporary Review and Blueprint for the Future of Coronary Physiology. **2015**, 10, 79-84

495 Interpretation of Coronary Artery Disease with Intravascular Ultrasound. **2015**, 1-19

494 Intracoronary Imaging for PCI Planning and Stent Optimization. **2015**, 189-202

493 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2015**, 2071-2107

492 Coronary Revascularization for Patients with Severe Coronary Artery Disease. **2015**, 21, 267-271

491 Ghfalitš. **2015**, 1-49

490 Anatomical and Functional Targets of Stress Testing. **2015**, 19-36

489 Medical Therapy Versus Revascularization in the Management of Stable Angina Pectoris. **2015**, 235-264

488 2014 Korean Guidelines for Appropriate Utilization of Cardiovascular Magnetic Resonance Imaging: A Joint Report of the Korean Society of Cardiology and the Korean Society of Radiology. **2015**, 72, 217

487 Coronary Pressure and Flow for the Assessment of Coronary Artery Disease. **2015**, 1431-1457

486 Technical Aspects of Left Main Stem Percutaneous Coronary Intervention. **2015**, 237-253

485 Ischemia-Guided Percutaneous Revascularization. **2015**, 4,

484 Interpretation of Coronary Artery Disease with Intravascular Ultrasound. **2016**, 1163-1181

483 Comparisons and Contrasts in the Practice of Nuclear Cardiology in the United States and Japan. **2016**, 2, 3-8

482 Setting the Stage: How to Perform Intracoronary Pressure Measurements. **2016**, 3-14

481 Stable Ischemic Heart Disease. **2016**, 1-70

480 Simplifying Angioplasty: From Three-Vessel to One-Vessel Disease. **2016**, 71-76

- 479 Kardiovaskuläre PET/CT in den USA. **2016**, 831-892
- 478 Clinical Performance of the Discovery NM530c in Japanese Patients. **2016**, 2, 125-130 2
- 477 Invasive Diagnostic Assessment of Coronary Artery Disease. **2016**, 159-165
- 476 Noninvasive PET Flow Reserve Imaging to Direct Optimal Therapies for Myocardial Ischemia. **2016**, 153-170
- 475 Cardiovascular CT: Interventional Cardiology Applications. **2016**, 487-505
- 474 Recent clinical role of nuclear cardiology for coronary artery disease. **2016**, 22, 99-105
- 473 Comparative Study between Perfusion Changes and Positive Findings on Coronary Flow Reserve. **2017**, 108, 38-46 0
- 472 Guest Editorial: Controversies in Fractional Flow Reserve. **2016**, 11, 83-84
- 471 Long-Term Repeatability of FFR: Twin Measurements with Two Years In-Between. **2016**, 57-59
- 470 Starting Easy: FFR in a High-Grade Stenosis. **2016**, 17-20
- 469 Noninvasive Cardiac Quantum Spectrum Technology Effectively Detects Myocardial Ischemia. **2016**, 22, 2235-42 1
- 468 Intracoronary Imaging and Intracoronary Functional Tests. **2017**, 23-35
- 467 Invasive FFR – Current Applications and New Developments. **2016**, 1, 231-236 1
- 466 PLATFORM at 90 days: Evaluating the clinical utility of FFRCT. **2016**, 2016, e201622
- 465 Noninvasive Quantification of Blood Flow in Epicardial Coronary Arteries, Coronary Artery Bypass Grafts, and Anastomoses. **2017**, 12, 50-59
- 464 Kardiale Diagnostik. **2017**, 25-81
- 463 The Cardiovascular System and the Coronary Circulation. **2017**, 13-59 1
- 462 Understanding Fractional Flow Reserve. **2017**, 195-208

- 461 Clinical Applications of Coronary Flow Reserve in Patients with Coronary Artery Disease. **2017**, 3, 163-166
- 460 Collateral Circulation. **2017**, 65-77 ○
- 459 The Expanding Role of Computed Tomography Angiography in the Evaluation of Atherosclerotic Coronary Artery Disease. **2017**, 77, 353
- 458 Microcirculatory Dysfunction. **2017**, 39-53
- 457 Application of iFR in Clinical Scenarios. **2017**, 233-248
- 456 Ischemic Heart Disease in Women. **2017**, 33-53
- 455 Measurement of Coronary Flow Reserve in the Catheterization Laboratory. **2017**, 159-171
- 454 Practical Aspects of Intracoronary Pressure and Flow Measurements. **2017**, 137-156
- 453 Stress Dual-Energy Computed Tomography-Myocardial Perfusion Imaging to Identify Coronary Artery Stenoses Causing Ischemia: A Direct Comparison between Invasive Coronary Angiography and Cardiac Magnetic Resonance-Myocardial Perfusion Imaging. **2017**, 1, 99 ○
- 452 Patient-Specific Modeling of the Coronary Circulation. **2017**, 61-88
- 451 Imaging of High-Risk Atherosclerotic Plaques. **2018**, 101-120
- 450 Do the results of the SYNTAX trial apply to my centre?. **2017**, 13, 781-783 1
- 449 Osteocardiology: The Go/No Go Theory for Clinical Trials. **2018**, 89-99 1
- 448 Importance of evaluation for severity of myocardial ischemia: interpreted from clinical trials. **2018**, 24, 79-83
- 447 Acute Coronary Syndrome in Patients with Cancer. **2018**, 81-92
- 446 Extravascular Contrast Agents. **2018**, 91-130
- 445 Evaluation of appropriateness for coronary revascularization. **2018**, 24, 84-88 2
- 444 Prediction of Coronary Plaque Progression Using Data Driven Approach. **2018**, 227-233

- 443 Multivessel Coronary Artery Disease. **2018**, 431-448
- 442 Gender Differences in Outcome After Coronary Revascularization. **2018**, 239-245
- 441 Physiological Lesion Assessment in STEMI and Other Acute Coronary Syndromes. **2018**, 197-210
- 440 Safety and Efficacy of Adenosine 5â€¢Triphosphate as a Hyperemic Agent for the Assessment of Peripheral Fractional Flow Reserve. **2018**, 30, 151-158 0
- 439 Development of noninvasive ischemia evaluation. **2018**, 24, 94-99
- 438 Physiologic Lesion Assessment: Fractional Flow Reserve. **2018**, 211-227
- 437 The utility of high-sensitivity C-reactive protein levels in patients with moderate coronary lesions and gray-zone fractional flow reserve. **2018**, 20, 143-151 2
- 436 Comparison of coronary angiography and intracoronary imaging with fractional flow reserve for coronary artery disease evaluation: An anatomical-functional mismatch. **2018**, 20, 182-189 2
- 435 STEMI - are we there yet?. **2018**, 13, 1869-1873 0
- 434 OUTCOMES OF FFR-GUIDED PCI IN INTERMEDIATE CORONARY ARTERY LESIONS. **2018**, 8, 77-81
- 433 1) Current Status and Future in Percutaneous Coronary Intervention. **2018**, 107, 1724-1730
- 432 Ischaemic Heart Disease. **2019**, 355-363
- 431 Ischemia Testing for Stable Coronary Artery Disease. **2019**, 25, 1-6
- 430 Simplified Bernoulli Formula to Diagnose Ischemia-Causing Stenosis at Coronary CT Angiography: Comparison with SPECT. **2019**, 08, 11-23 1
- 429 Intracoronary Hemodynamics. **2019**, 351-362
- 428 Significant Residual Ischemia on Myocardial Perfusion Imaging after Optimal Medical Therapy with or without Coronary Revascularization Predicts a Worse Prognosis. **2019**, 5, 28-34
- 427 Evidence based decision making between PCI and CABG. **2019**, 112, 524-525
- 426 Comprehensive physiological evaluation of epicardial and microvascular coronary domains using vascular conductance and zero flow pressure. **2019**, 14, e1593-e1600 1

425	Personalised risk stratification of acute coronary syndromes calls for a less broad grouping of MACE. 2019 , 14, 1631-1634	
424	Initial assessment of neuro pressure gradients in carotid stenosis using 3D printed patient-specific phantoms. 2019 ,	
423	Clinical Outcomes Data for Instantaneous Wave-Free Ratio-Guided Percutaneous Coronary Intervention. 2019 , 8, 121-129	1
422	Trials Comparing Percutaneous And Surgical Myocardial Revascularization: A Review. 2019 , 14, 95-105	0
421	Characterisation of lesions undergoing ischaemia-driven revascularisation after complete revascularisation versus culprit lesion only in patients with STEMI and multivessel disease: a DANAMI-3-PRIMULTI substudy. 2019 , 15, 172-179	1
420	A simplified formula to calculate fractional flow reserve in sequential lesions circumventing the measurement of coronary wedge pressure: The APIS-S pilot study. 2019 , 26, 310-321	2
419	Future Development. 2020 , 175-191	0
418	Interventional Cardiology in the Cancer Patient. 2020 , 787-806	
417	Modern strategy of treating patients with coronary artery disease: complementarity principle in therapy and new ideas about its role and components. 2019 , 112-121	0
416	CT in Cardiac Applications. 2020 , 427-458	
415	Fractional Flow Reserve. 2020 , 15-21	
414	An investigation into hemodynamically significant coronary artery lesions predictors assessed by fractional flow reserve: A propensity score matching analysis. 2020 , 7, 35-39	
413	PERCUTANEOUS CORONARY INTERVENTIONS: INTRAVASCULAR IMAGING AND ASSESSMENT OF INTRACORONARY HAEMODYNAMICS. 2020 , 18, 513-522	1
412	Is there a role for ischemia detection after an acute myocardial infarction?. 2020 , 12, 1-6	
411	Chirurgische Therapie der koronaren Herzkrankheit. 2020 , 79-93	
410	Invasive Physiological Assessment: From Binary to Continuous. 2020 , 114, 265-267	1
409	Fractional Flow Reserve to Guide Coronary Artery Bypass Grafting. 2020 , 13, 1097-1099	0
408	Development of a Diagnostic Tool for Prediction of Severity of Coronary Artery Disease. 2021 , 337-343	

- 407 Complete revascularisation in the STEMI patient: is it worth the effort?. **2020**, 16, 195-199
- 406 Current state of nuclear cardiology in Russian Federation. **2020**, 60-63
- 405 2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. **2021**, 144, e368-e454 16
- 404 2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. **2021**, 144, e368-e454 30
- 403 Spanish Cardiac Catheterization and Coronary Intervention Registry. 30th Official Report of the Interventional Cardiology Association of the Spanish Society of Cardiology (1990-2020) in the year of the COVID-19 pandemic. **2021**, 74, 1095-1105 1
- 402 2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. **2021**, 78, e187-e285 28
- 401 2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. **2021**, 78, 2218-2261 2
- 400 Myocardial Blood Flow Quantification with PET/CT: Applications. **2022**, 133-149
- 399 The Enduring Legacy of Failed Revascularization Trials. **2021**, 78, 1886-1889
- 398 Fractional Flow Reserve to Guide Treatment of Patients With Multivessel Coronary Artery Disease. **2021**, 78, 1875-1885 9
- 397 Is There Still a Place for Revascularisation in the Management of Stable Coronary Artery Disease Following the ISCHEMIA Trial?. **2020**, 14, 13
- 396 Klappenchirurgie bei moderater Koronararterienerkrankung – ist eine Revaskularisierung erforderlich?. **2021**, 35, 38-40
- 395 Epidemiology and pathophysiologic insights of coronary atherosclerosis relevant for contemporary non-invasive imaging. **2020**, 10, 1906-1917 2
- 394 Stable ischemic heart disease: re-appraisal of coronary revascularization criteria in the light of contemporary evidence. **2020**, 10, 1992-2004 0
- 393 Status of Nuclear Cardiology Progress in Japan 2020. **2020**, 26, 82-90
- 392 Vasospasm-related Sudden Cardiac Death Has Outcomes Comparable with Coronary Stenosis in Out-of-Hospital Cardiac Arrest. **2020**, 35, e131
- 391 Usefulness of Fractional Flow Reserve Measurement with the Four FRENch Diagnostic Catheter (FFRFFR). **2020**, 113-125
- 390 Gender-Related Differences in the Pathogenesis and Diagnosis of Ischemic Heart Disease. **2020**, 3-23

- 389 Borderline Lesion Evaluation: CT-FFR. **2020**, 39-43
- 388 Paradigm change for stable coronary disease in chronic coronary syndrome: Novelities in the guidelines of the European Society of Cardiologists from 2019. **2020**, 45, 32-67
- 387 Percutaneous interventional cardiac procedures. **2020**, 3655-3666
- 386 Impact of Hospital Volume of Percutaneous Coronary Intervention (PCI) on In-Hospital Outcomes in Patients with Acute Myocardial Infarction: Based on the 2014 Cohort of the Korean Percutaneous Coronary Intervention (K-PCI) Registry. **2020**, 50, 1026-1036 2
- 385 The prognostic significance of coronary flow reserve in the risk stratification of patients with chronic total occlusion of the right coronary artery and the intermediary stenosis of the left coronary artery. **2020**, 71, 21-25
- 384 Contrast medium Pd/Pa ratio in comparison to fractional flow reserve, quantitative flow ratio and instantaneous wave-free ratio for evaluation of intermediate coronary lesions. **2020**, 16, 384-390
- 383 Novel approaches to guide complete revascularisation in patients with STEMI and multivessel coronary artery disease. **2020**, 15, e1558-e1559 1
- 382 Intravascular Ultrasound-guided Versus Angiography-guided Percutaneous Coronary Intervention: Evidence from Observational Studies and Randomized Controlled Trials. 14, 1
- 381 Coronary Stenosis Physiology and Novel Technologies. **2020**, 11,
- 380 Angiographic quantitative flow ratio-guided coronary intervention (FAVOR III China): a multicentre, randomised, sham-controlled trial. **2021**, 16
- 379 Angiography-derived quantitative flow ratio guidance of coronary intervention: measure twice, cut once. **2021**,
- 378 Lesion-Specific Peri-Coronary Fat Attenuation Index Is Associated With Functional Myocardial Ischemia Defined by Abnormal Fractional Flow Reserve. **2021**, 8, 755295 1
- 377 Diagnostic Performance of Dynamic Myocardial Perfusion Imaging Using Dual-Source Computed Tomography. **2021**, 78, 1937-1949 2
- 376 Influence of reconstruction kernels on the accuracy of CT-derived fractional flow reserve. **2021**, 1 1
- 375 Relationship Between the Coronary Artery Calcium (CAC) Score and the Angle Between the Aortic Valve and the Left Ventricular Inflow Long Axis (AV-LV) as Cardiovascular Risk Factors. **2021**, 18,
- 374 Clinical application of results of the ISCHEMIA trial. **2021**, 2
- 373 Fractional Flow Reserve-Guided PCI as Compared with Coronary Bypass Surgery. *New England Journal of Medicine*, **2021**, 59.2 26
- 372 Prediction of post-intervention fractional flow reserve in diffuse or sequential coronary stenosis considering the residual trans-stent pressure gradient: Post-intervention FFR in diffuse/sequential lesions.. **2020**, 6, 34-42

371	OCT in the Clinical Practice and Data from Clinical Studies. 209-219	
370	Angiographic control versus ischaemia-driven management of patients undergoing percutaneous revascularisation of the unprotected left main coronary artery with second-generation drug-eluting stents: rationale and design of the PULSE trial. 2020 , 7,	1
369	High dose escalation of intracoronary adenosine in the assessment of fractional flow reserve: A retrospective cohort study. 2020 , 15, e0240699	0
368	Three-Dimensional Impedance Tomographic Mapping of Metabolically Active Endolumen.	
367	Stable Ischemic Heart Disease. 2021 , 125-154	
366	Cardiac Catheterization and Intervention. 2021 , 191-222	
365	Evaluation of Cardiac Scan in Diagnosing Coronary-artery Disease. 2020 , 16, 1022-1028	0
364	The comparative efficacy of percutaneous and surgical coronary revascularization in 2009: a review. 2009 , 36, 375-86	2
363	Coronary artery disease: to cath or not to cath? When and how best to cath: those are the remaining questions. 2013 , 3, 27-38	1
362	Normal fractional flow reserve with a critical stenosis supplying viable myocardium. 2012 , 17, 142-3	1
361	Non-invasive functional assessment using computed tomography: when will they be ready for clinical use?. 2012 , 2, 106-12	10
360	Treating stable ischemic heart disease with percutaneous coronary intervention - The debate continues. 2012 , 2, 264-7	2
359	Fractional flow reserve guided revascularization in daily practice: clinical judgment does not always meet science. 2013 , 3, 122-4	1
358	Fractional flow reserve application in everyday practice: adherence to clinical recommendations. 2013 , 3, 137-45	6
357	Cardiac CT: atherosclerosis to acute coronary syndrome. 2014 , 4, 430-48	10
356	Computed tomography quantification of coronary plaque volume may provide further perspective on intermediate severity stenoses. 2015 , 5, 71-3	1
355	Association of coronary plaque burden with fractional flow reserve: should we keep attempting to derive physiology from anatomy?. 2015 , 5, 67-70	1
354	Left ventricular dyssynchrony in patients with moderate coronary stenosis and border line fractional flow reserve. 2015 , 77, 155-66	2

- 353 Factors influencing the functional significance in intermediate coronary stenosis. **2015**, 12, 107-12 3
- 352 Evaluating the impact of fractional flow reserve-guided percutaneous coronary intervention in intermediate coronary artery lesions on the mode of treatment and their outcomes: An Iranian experience. **2015**, 11, 153-9 3
- 351 Nuclear stress perfusion imaging versus computed tomography coronary angiography for identifying patients with obstructive coronary artery disease as defined by conventional angiography: insights from the CorE-64 multicenter study. **2014**, 9, 1-6 3
- 350 ANMCO/GICR-IACPR/SICI-GISE Consensus Document: the clinical management of chronic ischaemic cardiomyopathy. **2017**, 19, D163-D189
- 349 The Impact of Fractional Flow Reserve-Guided Coronary Revascularization in Patients with Coronary Stenoses of Intermediate Severity. **2017**, 33, 353-361 3
- 348 Usefulness of coronary flow reserve measured by transthoracic coronary Doppler ultrasound in the elderly. **2017**, 14, 436-441
- 347 Update in the management of coronary artery disease. **2012**, 109, 137-41 1
- 346 Long-term outcomes after fractional flow reserve-guided percutaneous coronary intervention in patients with severe coronary stenosis. **2019**, 16, 329-337 1
- 345 Significance of New, Isolated T-wave Inversion in Multiple Electrocardiogram Leads with Regadenoson Injection in Patients with Normal Myocardial Perfusion Imaging: An Observational Report of 5 Consecutive Cases. **2019**, 12, 80-82 1
- 344 ISCHEMIA trial: The long-awaited evidence to confirm our prejudices. **2020**, 27, 336-341 0
- 343 [Value of maximum area stenosis combined with perivascular fat attenuation index in predicting hemodynamically significant coronary artery disease]. **2021**, 41, 988-994
- 342 Coronary physiology in clinical practice in Portugal: A problem of technology or a question of attitude?. **2021**, 40, 783-784
- 341 Adoption and patterns of use of invasive physiological assessment of coronary artery disease in a large cohort of 40821 real-world procedures over a 12-year period. **2021**, 40, 771-781
- 340 Effect of lesion characteristics on diagnostic performance of CT-derived fractional flow reserve: exploring the indications for application based on CT-FFR CHINA trial (Preprint).
- 339 Coronary angiography in patients with acute heart failure: from the KCHF registry. **2021**, 1
- 338 Enxerto de Bypass de Artéria Coronária Guiado por Angiografia ou Fisiologia: Uma Meta-análise. **2021**, 117, 1115-1123 1
- 337 Diagnostic Performance of Frequency-Domain Optical Coherence Tomography to Predict Functionally Significant Left Main Coronary Artery Stenosis. **2021**, 2021, 7108284 1
- 336 FLOWER-MI and the root of the problem with non-culprit revascularisation. **2021**, 8,

335	Respiration-related variations in Pd/Pa ratio and fractional flow reserve in resting conditions and during intravenous adenosine administration. 2021,	
334	Deep Learning-Based Approach to Automatically Assess Coronary Distensibility Following Kawasaki Disease. 2021, 1	1
333	2021 AHA/ACC/ASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. 2021,	6
332	Ausschluss und Diagnose der KHK: Alternativen zum "katheter"	
331	Fraktionelle Flussreserve: Chancen und Grenzen des Verfahrens.	
330	2021 ACC/AHA/SCAI Guideline for Coronary Artery Revascularization: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. 2021,	42
329	Determinants of functional significance of coronary bifurcation lesions and clinical outcomes after physiology-guided treatment.. 2022, 38, 100929	
328	ISCHEMIA trial: The long-awaited evidence to confirm our prejudices. 2020, 27, 336-341	0
327	Update Koronarchirurgie 2022: Terminologie und Indikation. 2022, 36, 19-31	
326	Agreement between iFR and other non-hyperaemic pressure ratios in severe aortic stenosis.. 2022,	0
325	Clinical Importance of Quantitative Assessment of Myocardial Blood Flow.. 2022,	
324	CABG versus PCI - End of the Debate?. <i>New England Journal of Medicine,</i> 2022, 386, 185-187	59.2 1
323	1-Year Outcomes of Blinded Physiological Assessment of Residual Ischemia After Successful PCI: DEFINE PCI Trial.. 2022, 15, 52-61	6
322	JCS 2018 Guideline on Revascularization of Stable Coronary Artery Disease.. 2022, 86,	3
321	Effect of Coronary Calcification Severity on Measurements and Diagnostic Performance of CT-FFR With Computational Fluid Dynamics: Results From CT-FFR CHINA Trial.. 2021, 8, 810625	0
320	Beyond Coronary CT Angiography: CT Fractional Flow Reserve and Perfusion. 2022, 83, 3	
319	Correlation and Relative Prognostic Value of Fractional Flow Reserve and Pd/Pa of Nonculprit Lesions in ST-Segment-Elevation Myocardial Infarction.. 2022, CIRCINTERVENTIONS121010796	0
318	Functional Angioplasty: Definitions, Historical Overview, and Future Perspectives.. 2022, 52, 34-46	1

317	Myocardial Microvascular Physiology in Acute and Chronic Coronary Syndromes, Aortic Stenosis, and Heart Failure. 2022 , 2022, 1-7	
316	Intracoronary pressures to predict myocardial viability in patients with ischemic left ventricular dysfunction.. 2022 ,	
315	Change in Computed Tomography-Derived Fractional Flow Reserve Across the Lesion Improve the Diagnostic Performance of Functional Coronary Stenosis.. 2021 , 8, 788703	0
314	FAME 3 fails to defame coronary artery bypass grafting: what went wrong in the percutaneous coronary intervention arm?. 2022 ,	1
313	Cost-Minimization Analysis for Cardiac Revascularization in 12 Health Care Systems Based on the EuroCMR/SPINS Registries.. 2022 ,	0
312	Influence of diabetes mellitus on the diagnostic performance of machine learning-based coronary CT angiography-derived fractional flow reserve: a multicenter study.. 2022 , 1	1
311	Non-invasive imaging as the cornerstone of cardiovascular precision medicine.. 2022 ,	1
310	Association between patient age, microcirculation, and coronary stenosis assessment with fractional flow reserve and instantaneous wave-free ratio.. 2022 ,	0
309	2021 ACC/AHA/SCAI Guideline for Coronary Artery Revascularization: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. 2021 , CIR0000000000001038	23
308	Physiologic Guidance for Percutaneous Coronary Intervention: State of the Evidence.. 2022 ,	0
307	Fractional Flow Reserve and Instantaneous Wave-Free Ratio Predict Pathological Wall Shear Stress in Coronary Arteries: Implications for Understanding the Pathophysiological Impact of Functionally Significant Coronary Stenoses.. 2022 , e023502	1
306	L'analyse des sténoses coronaires : au-delà de la coronarographie. 2022 , 206, 250-255	
305	Cardiac CT angiography in current practice: An American society for preventive cardiology clinical practice statement.. 2022 , 9, 100318	4
304	Angiography-derived physiology guidance versus usual care in an All-comers PCI population treated with the Healing-Targeted Supreme stent and Ticagrelor monotherapy: PIONEER IV trial design.. 2022 ,	
303	Computed tomography coronary angiography as the noninvasive in stable coronary artery disease? Long-term outcomes meta-analysis.. 2022 ,	
302	Fractional Flow Reserve-Dichotomous Decisions in Myocardial Ischemia.. 2022 , CIRCINTERVENTIONS122011787	
301	Contemporary Management of Stable Coronary Artery Disease.. 2022 , 1	0
300	New applications of cardiac computed tomography for evaluation of myocardial ischemia.	

299	Fractional Flow Reserve in End-Stage Liver Disease.. 2021 ,	1
298	[Relationship between Left Ventricle Myocardium Volume in Coronary Territories' Analysis and Fractional Flow Reserve].. 2022 ,	
297	Coronary Angiography. 2022 , 73-84	
296	Diagnostic performance of deep learning algorithm for analysis of computed tomography myocardial perfusion.. 2022 , 1	2
295	Peripheral Coronary Artery Circulatory Dysfunction in Remote Stage Kawasaki Disease Patients Detected by Adenosine Stress N-Ammonia Myocardial Perfusion Positron Emission Tomography.. 2022 , 11,	
294	Incomplete functional revascularization is associated with adverse clinical outcomes after transcatheter aortic valve implantation.. 2022 ,	0
293	Outcomes of Quantitative Flow Ratio-Based Percutaneous Coronary Intervention in an All-Comers Study. 2021 ,	1
292	Locomotion of Sensor-Integrated Soft Robotic Devices Inside Sub-Millimeter Arteries with Impaired Flow Conditions. 2100247	3
291	Diagnostic concordance and discordance between angiography-based quantitative flow ratio and fractional flow reserve derived from computed tomography in complex coronary artery disease.. 2022 ,	0
290	Cardiac Functional Imaging.. 2022 , 104119	0
289	Diagnostic Accuracy of Coronary Angiography-Based Vessel Fractional Flow Reserve (vFFR) Virtual Stenting.. 2022 , 11,	
288	Physiologic Lesion Assessment to Optimize Multivessel Disease.. 2022 , 1	
287	Discrepancy between plaque vulnerability and functional severity of angiographically intermediate coronary artery lesions.. 2022 , 1	1
286	Heart Team risk assessment with angiography-derived fractional flow reserve determining the optimal revascularization strategy in patients with multivessel disease: Trial design and rationale for the DECISION QFR randomized trial.. 2022 ,	
285	FFR- Versus Angiography-Guided Revascularization for Nonculprit Stenosis in STEMI and Multivessel Disease: A Network Meta-Analysis.. 2022 , 15, 656-666	1
284	Diagnostic Performance of CT FFR With a New Parameter Optimized Computational Fluid Dynamics Algorithm From the CT-FFR-CHINA Trial: Characteristic Analysis of Gray Zone Lesions and Misdiagnosed Lesions.. 2022 , 9, 819460	0
283	5-Year Outcomes of PCI Guided by Measurement of Instantaneous Wave-Free Ratio Versus Fractional Flow Reserve.. 2022 , 79, 965-974	5
282	[Personalized Therapeutic Concepts in Chronic Coronary Syndromes].. 2022 , 111, 141-147	

- 281 Interoperator reliability of an on-site machine learning-based prototype to estimate CT angiography-derived fractional flow reserve.. **2022**, 9,
- 280 Deceleration Capacity Improves Prognostic Accuracy of Relative Increase and Final Coronary Physiology in Patients With Non-ST-Elevation Acute Coronary Syndrome.. **2022**, 9, 848499 ○
- 279 Nonculprit Lesion PCI in STEMI: How to Decide and When to Perform?. **2022**, 15, 667-669 ○
- 278 Pericoronary fat attenuation index and coronary plaque quantified from coronary computed tomography angiography identify ischemia-causing lesions.. **2022**, 1 ○
- 277 Impact of diabetes on coronary physiology evaluated by quantitative flow ratio in patients who underwent percutaneous coronary intervention.. **2022**,
- 276 Current State and Future Perspectives of Artificial Intelligence for Automated Coronary Angiography Imaging Analysis in Patients with Ischemic Heart Disease.. **2022**, 24, 365 ○
- 275 When Diagnosis Is Made By Playing "shuffled Cards" A Non-Invasive, Real-Time, Adaptive Method to Functionally Evaluate Coronary Artery Based on Coronary Angiography.
- 274 Artificial Intelligence in Cardiovascular Atherosclerosis Imaging.. **2022**, 12, ○
- 273 Prognostic Value of Coronary Angiography-Derived Fractional Flow Reserve Immediately After Stenting.. **2022**, 9, 834553 ○
- 272 Comparison of efficacy and safety of intracoronary nicardipine and adenosine for fractional flow reserve assessment of coronary stenosis.. **2022**, ○
- 271 Impact of coronary plaque morphology on the precision of computational fractional flow reserve derived from optical coherence tomography imaging.. **2022**, 12, 155-165 ○
- 270 Performance of Hybrid Imaging in the Diagnosis of Coronary Artery Disease.. **2022**,
- 269 Impact of machine-learning-based coronary computed tomography angiography-derived fractional flow reserve on decision-making in patients with severe aortic stenosis undergoing transcatheter aortic valve replacement.. **2022**, 1 1
- 268 When coronary imaging and physiology are discordant, how best to manage coronary lesions? An appraisal of the clinical evidence.. **2022**, ○
- 267 Cost-effectiveness in diagnosis of stable angina patients: a decision-analytical modelling approach.. **2022**, 9, ○
- 266 Prognosis of ischemia recurrence in patients with moderate intracranial atherosclerotic disease using quantitative MRA measurements. **2022**,
- 265 Prognostic value of post-percutaneous coronary intervention diastolic pressure ratio.. **2022**, 1 ○
- 264 Angiographic predictors of coronary hemodynamics.. **2022**,

263	Atheroma or ischemia: which is more important for managing patients with stable chest pain?. 2022	
262	Quantitative Flow Ratio or Angiography for the Assessment of Non-culprit Lesions in Acute Coronary Syndromes: Protocol of the Randomized Trial QUOMODO.. 2022 , 9, 815434	0
261	Fractional flow reserve-guided PCI as compared with coronary bypass surgery (FAME III)- another brick in the wall!. 2022 , 38, 336-338	0
260	The relation of RAAS activity and endothelin-1 levels to coronary atherosclerotic burden and microvascular dysfunction in chest pain patients.. 2022 , 347, 47-54	1
259	Quality of Life After Fractional Flow Reserve-Guided PCI Compared with Coronary Bypass Surgery.. 2022 ,	0
258	Role of coronary computed tomography angiography (CTA) post the ISCHEMIA trial: Precision prevention based on coronary CTA-derived coronary atherosclerosis.. 2021 ,	1
257	Effects of left ventricular mass on computed tomography derived fractional flow reserve in significant obstructive coronary artery disease.. 2022 ,	0
256	Fractional Flow Reserve: Patient Selection and Perspectives.. 2021 , 17, 817-831	1
255	Modifiable Risk Factors and Residual Risk Following Coronary Revascularization: Insights From a Regionalized Dedicated Follow-Up Clinic.. 2021 , 5, 1138-1152	1
254	Role of Diabetes Mellitus in Acute Coronary Syndrome Patients with Heart Failure and Midrange Ejection Fraction Who Have Undergone Percutaneous Coronary Intervention: A 3-Year Case-Series Follow-Up Retrospective Study.. 2021 , 14, 4931-4944	0
253	A real-world comparison of outcomes between fractional flow reserve-guided versus angiography-guided percutaneous coronary intervention.. 2021 , 16, e0259662	0
252	Instantaneous wave-free ratio for guiding treatment of nonculprit lesions in patients with acute coronary syndrome: A retrospective study. 2021 ,	2
251	Dynamic contrast-enhanced (DCE) imaging: state of the art and applications in whole-body imaging.. 2021 , 40, 341	2
250	Revascularization or optimal medical therapy for stable ischemic heart disease: A Bayesian meta-analysis of contemporary trials.. 2021 ,	0
249	Three-dimensional Fusion of Myocardial Perfusion SPECT and Invasive Coronary Angiography Guides Coronary Revascularization.. 2022 , 1	1
248	Vessel fractional flow reserve (vFFR) for the assessment of stenosis severity: the FAST II study. 2021 ,	7
247	PCI in Patients With Heart Failure: Current Evidence, Impact of Complete Revascularization, and Contemporary Techniques to Improve Outcomes. 2022 , 1, 100020	1
246	Stress Perfusion Cardiac Magnetic Resonance in Long-Standing Non-Infarcted Chronic Coronary Syndrome with Preserved Systolic Function.. 2022 , 12,	0

- 245 Coronary Artery Bypass Grafting Versus Percutaneous Coronary Intervention for Multivessel Coronary Artery Disease: A One-Stage Meta-Analysis.. **2022**, 9, 822228 1
- 244 Feasibility and Comparison of Resting Full-Cycle Ratio and Computed Tomography Fractional Flow Reserve in Patients with Severe Aortic Valve Stenosis.. **2022**, 9,
- 243 Revascularization strategies for patients with established chronic coronary syndrome.. **2022**, e13787 0
- 242 Are we any WISER yet? Progress and contemporary need for smart trials to include women in coronary artery disease trials.. **2022**, 106762 1
- 241 Angiography-Based Fractional Flow Reserve: State of the Art.. **2022**, 1
- 240 The prognostic value of angiography-based vessel fractional flow reserve after percutaneous coronary intervention: The FAST Outcome study.. **2022**, 0
- 239 Data_Sheet_1.PDF. **2019**,
- 238 Table_1.docx. **2020**,
- 237 The British Cardiovascular Society and clinical studies in ischaemic heart disease: from RITA to ORBITA, and beyond.. **2022**, 108, 800-806
- 236 Coronary Flow Variations Following Percutaneous Coronary Intervention Affect Diastolic Nonhyperemic Pressure Ratios More Than the Whole Cycle Ratios.. **2022**, e023554
- 235 FFR pressure wire comparative study for drift: piezo resistive versus optical sensor.. **2022**, 12, 42-52
- 234 Coronary Artery Complications after Right Ventricular Outflow Tract Reconstruction Surgery. **2022**, 17, 281-295
- 233 The Perivascular Fat Attenuation Index Improves the Diagnostic Performance for Functional Coronary Stenosis. **2022**, 9, 128 0
- 232 Research Progress of Machine Learning and Deep Learning in Intelligent Diagnosis of the Coronary Atherosclerotic Heart Disease.. **2022**, 2022, 3016532 0
- 231 Structure (Epicardial Stenosis) and Function (Microvascular Dysfunction) That Influence Coronary Fractional Flow Reserve Estimation. **2022**, 12, 4281
- 230 FFR-guided PCI vs CABG: Analysis of New Data. **2022**,
- 229 Case Report: Invasive and Non-invasive Hemodynamic Assessment of Coronary Artery Disease: Strengths and Weaknesses.. **2022**, 9, 885249
- 228 Differential Prognostic Value of Revascularization for Coronary Stenosis With Intermediate FFR by Coronary Flow Reserve.. **2022**, 15, 1033-1043 0

- 227 Recent negative FFR trials: possible causes and consequences. **2022**, 21, 101-107
- 226 Physiologic Assessment and Guidance in the Cardiac Catheterization Laboratory. **2022**, 75-92
- 225 Clinical use of physiological lesion assessment using pressure guidewires: an expert consensus document of the Japanese association of cardiovascular intervention and therapeutics-update 2022.. **2022**, 1
- 224 ACR Appropriateness Criteria[®] Chronic Chest Pain-High Probability of Coronary Artery Disease: 2021 Update.. **2022**, 19, S1-S18 0
- 223 Stable Coronary Artery Disease. **2022**, 136-145
- 222 Interventional Approach in Small Vessel, Diffuse, and Tortuous Coronary Artery Disease. **2022**, 228-236
- 221 Clinical impact of FFR-guided PCI compared to angio-guided PCI from the France PCI registry.. **2022**, 0
- 220 Risk Stratification Approach to Multivessel Coronary Artery Disease. **2022**, 195-206
- 219 A Practical Approach to Invasive Testing in Ischemia with No Obstructive Coronary Arteries (INOCA). **2022**,
- 218 Optimization of FFR prediction algorithm for gray zone by hemodynamic features with synthetic model and biometric data.. **2022**, 220, 106827 1
- 217 The Impacts of Changes in PCI Strategy under the Guidance of FFR on Patient Prognosis. **2022**, 12, 3583-3593
- 216 Which therapy for which condition?. **2013**, 463-541
- 215 Fractional flow reserve versus angiography alone in guiding myocardial revascularisation: a systematic review and meta-analysis of randomised trials.. **2022**, 0
- 214 Comparative efficacy and safety of adenosine and regadenoson for assessment of fractional flow reserve: A systematic review and meta-analysis. **2022**, 14, 319-328
- 213 Imaging tests for coronary artery disease risk assessment: Anatomy, physiology, or both?. **2022**,
- 212 A Novel CFD-based Computed Index of Microcirculatory Resistance (IMR) Derived from Coronary Angiography to Assess Coronary Microcirculation. **2022**, 106897 0
- 211 The impact of deep learning reconstruction on image quality and coronary CT angiography-derived fractional flow reserve values.
- 210 Diagnostic performance of quantitative flow ratio versus fractional flow reserve and resting full-cycle ratio in intermediate coronary lesions. **2022**, 0

- 209 When to Achieve Complete Revascularization in Infarct-Related Cardiogenic Shock. **2022**, 11, 3116 ○
- 208 Comparative efficacy and safety of adenosine and regadenoson for assessment of fractional flow reserve: A systematic review and meta-analysis. **2022**, 14, 318-327
- 207 A modified method of noninvasive computed tomography derived fractional flow reserve based on the microvascular growth space. **2022**, 106926 ○
- 206 Coronary Revascularization of Patients with Silent Coronary Ischemia May Reduce the Risk of Myocardial Infarction and Cardiovascular Death Following Carotid Endarterectomy. **2022**, ○
- 205 Angiographic Lesion Morphology Provides Incremental Value to Generalize Quantitative Flow Ratio for Predicting Myocardial Ischemia. **2022**, 9,
- 204 Automatic identification of end-diastolic and end-systolic cardiac frames from invasive coronary angiography videos. **2022**, 1-10
- 203 Fractional flow reserve-guided percutaneous coronary intervention: aligning purpose, threshold and utility. *heartjnl-2022-321138* ○
- 202 Computational Fractional Flow Reserve From Coronary Computed Tomography Angiography and Optical Coherence Tomography Fusion Images in Assessing Functionally Significant Coronary Stenosis. 9, ○
- 201 Functional evaluation of intermediate coronary lesions with integrated computed tomography angiography and invasive angiography in patients with stable coronary artery disease. **2022**,
- 200 Comparison of adenosine-independent pressure indices to fractional flow reserve in stent-jailed bifurcation side branches.
- 199 Physiological Approach for Coronary Artery Bifurcation Disease. **2022**, ○
- 198 Diagnostic accuracy of CCTA-derived versus angiography-derived quantitative flow ratio (CAREER) study: a prospective study protocol. **2022**, 12, e055481
- 197 The Influence of Dynamic Blood Viscosity on Coronary Blood Flow in Stenotic Artery.
- 196 Complete revascularization of multivessel coronary artery disease in patients with ST elevation acute coronary syndrome - for whom and when? A comprehensive review.
- 195 Revascularization in stable coronary artery disease. e067085 ○
- 194 Semi-Quantitative Versus Visual Analysis of Adenosine Perfusion Magnetic Resonance Imaging in Intermediate-Grade Coronary Artery Stenosis Using Fractional Flow Reserve as the Reference: A Pilot Study. **2022**, 106, 59
- 193 Improved Functional Assessment of Ischemic Severity Using 3D Printed Models. 9,
- 192 The De Winter-like electrocardiogram pattern associated with multi-vessel disease.

- 191 Correlation of Morphological and Functional Cardiac Images: Fusion of Myocardial Perfusion SPECT and CT Angiography. **2022**, 31, 89-95
- 190 Comparison of coronary CT angiography-based and invasive coronary angiography-based quantitative flow ratio for functional assessment of coronary stenosis: A multicenter retrospective analysis. **2022**,
- 189 Fractional Flow Reserve Cardio-Oncology Effects on Inpatient Mortality, Length of Stay, and Cost Based on Malignancy Type: Machine Learning Supported Nationally Representative Case-Control Study of 30 Million Hospitalizations. **2022**, 58, 859 ○
- 188 Angiography versus FFR guided complete revascularization versus culprit-only revascularization for patients presenting with STEMI: Network meta-analysis. 1
- 187 2021 top 10 articles in the Arquivos Brasileiros de Cardiologia and the Revista Portuguesa de Cardiologia. **2022**,
- 186 Towards a Deep-Learning Approach for Prediction of Fractional Flow Reserve from Optical Coherence Tomography. **2022**, 12, 6964
- 185 Os Melhores Artigos do Ano 2021 nos Arquivos Brasileiros de Cardiologia e na Revista Portuguesa de Cardiologia. **2022**, 119, 113-123
- 184 Myocardial deformation indices for detection of the functional significance of intermediate left anterior descending coronary artery stenosis: FFR guided study.
- 183 May FFR-guided PCI save lives?. **2022**, 100, 49-50
- 182 Which Patient Should Have a Preoperative Cardiac Evaluation (Stress Test)?. **2023**, 12-22
- 181 Long-term Outcomes of Medical Therapy Versus Coronary Revascularisation in Patients with Intermediate Stenoses Guided by Pressure Wire. **2015**, 44, 157-163
- 180 Three-Dimensional Angiographic Characteristics versus Functional Stenosis Severity in Fractional and Coronary Flow Reserve Discordance: A DEFINE FLOW Sub Study. **2022**, 12, 1770
- 179 Optimal timing for percutaneous coronary intervention in patients undergoing transcatheter aortic valve implantation. **2022**, ○
- 178 Non-invasive assessment of the coronary arteries in the era of the ISCHEMIA trial. **2022**, 4,
- 177 Perspectives in noninvasive imaging for chronic coronary syndromes. **2022**, ○
- 176 Clinical Cases of Hybrid Cardiac Imaging. **2022**, 191-202
- 175 Instantaneous wave-free ratio-guided revascularization of nonculprit lesions in STEMI patients with multivessel coronary disease: The WAVE registry. ○
- 174 Benefits of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention. **2022**,

- 173 Addition of FFRct in the diagnostic pathway of patients with stable chest pain to reduce unnecessary invasive coronary angiography (FUSION). ○
- 172 Cardiovascular imaging techniques for the assessment of coronary artery disease. 1-11
- 171 FFR-Guided PCI Optimization Directed by High-Definition IVUS Versus Standard of Care. **2022**, 15, 1595-1607 ○
- 170 Impact of Coronary Artery Disease on the Myocardium. **2022**, 15, 1423-1426
- 169 Noninvasive computed tomography derived fractional flow reserve simulation based on microvascular tree model reconstruction.
- 168 The mechanisms of arterial signal intensity profile in non-contrast coronary MRA (NC-MRCA): a 3D printed phantom investigation and clinical translations.
- 167 Plasma A2AR Measurement Can Help Physicians Identify Patients Suspected of Coronary Chronic Syndrome: A Pilot Study. **2022**, 10, 1849
- 166 Predictive value of post-percutaneous coronary intervention fractional flow reserve: a systematic review and meta-analysis.
- 165 Coronary functional assessment in non-obstructive coronary artery disease: Present situation and future direction. 9, ○
- 164 Regional myocardial perfusion imaging in predicting vessel-related outcome: interplay between the perfusion results and angiographic findings. ○
- 163 Importance of plaque volume and composition for the prediction of myocardial ischaemia using sequential coronary computed tomography angiography/positron emission tomography imaging. 1
- 162 Hybrid Cardiac Imaging for the Specialist with Expertise in Computed Tomography. **2022**, 75-91 ○
- 161 Factors Associated With Discrepancy of FFR-Based Lesion Classification Between Intracoronary Bolus and Intravenous Infusion of Adenosine. **2022**, 1, 158 ○
- 160 Using Deep Learning on X-ray Orthogonal Coronary Angiograms for Quantitative Coronary Analysis. **2022**, 869-881 1
- 159 Deep Learning Meets Computational Fluid Dynamics to Assess CAD in CCTA. **2022**, 8-17 ○
- 158 Ajustando a RFR por Preditores de Discordância, a RFR Ajustada - Uma Metodologia Alternativa para Melhorar a Capacidade Diagnóstica dos Índices Coronarianos. **2022**, ○
- 157 Quantitative flow ratio to predict long-term coronary artery bypass graft patency in patients with left main coronary artery disease. ○
- 156 Technical Considerations for Dynamic Myocardial Computed Tomography Perfusion as Part of a Comprehensive Evaluation of Coronary Artery Disease Using Computed Tomography. Publish Ahead of Print, ○

155	Machine-learning-derived radiomics signature of pericoronary tissue in coronary CT angiography associates with functional ischemia. 13,	0
154	Discordance between fractional flow reserve and instantaneous wave-free ratio in patients with severe aortic stenosis: A retrospective cohort study. 2022,	0
153	Evolving concepts of the vulnerable atherosclerotic plaque and the vulnerable patient: implications for patient care and future research.	2
152	The guiding value of hybrid resting full-cycle ratio and fractional flow reserve strategy for percutaneous coronary intervention in a Chinese real-world cohort with non-ST elevation acute coronary syndrome. 9,	0
151	Clinical Relevance of Impaired Physiological Assessment After Percutaneous Coronary Intervention: A Meta-analysis. 2022, 100448	0
150	Comparison of diagnostic performance between dynamic versus static adenosine-stress myocardial CT perfusion to detect hemodynamically significant coronary artery stenosis: A prospective multicenter study. 2022, 101, e30477	0
149	Angiographic Quantitative Flow Ratio-Guided Coronary Intervention: Two-Year Outcomes of the FAVOR III China Trial. 2022,	0
148	Incorporating clinical parameters to improve the accuracy of angiography-derived computed fractional flow reserve. 2022, 3, 481-488	0
147	Is the world ready for the STICH 3.0 trial?. 2022, 37, 474-480	1
146	Impact of coronary bifurcation angle on computed tomography derived fractional flow reserve in coronary vessels with no apparent coronary artery disease.	0
145	Anatomical and Functional Discrepancy in Diabetic Patients With Intermediate Coronary Lesions â An Intravascular Ultrasound and Quantitative Flow Ratio Study â2022,	0
144	Meta-Analysis Comparing Clinical Outcomes of Fractional-Flow-Reserve- and Angiography-Guided Multivessel Percutaneous Coronary Intervention. 2022,	0
143	Fractional Flow Reserve or Intravascular Ultrasonography to Guide PCI. 2022, 387, 779-789	3
142	Immediate influence of coronary artery bypass graft surgery on regional myocardial perfusion: Results from the Collaborative Pilot Study to Determine the Correlation Between Intraoperative Observations using Spy Near-Infrared Imaging and Cardiac Catheterization Laboratory Physiological Assessment of Lesion Severity. 2022,	0
141	Morphometric Assessment for Functional Evaluation of Coronary Stenosis with Optical Coherence Tomography and the Optical Flow Ratio in a Vessel with Single Stenosis. 2022, 11, 5198	0
140	The impact of coronary microvascular dysfunction on the discordance between fractional flow reserve and resting full-cycle ratio in patients with chronic coronary syndromes. 9,	0
139	Therapeutic Management of Anomalous Coronary Arteries Originating From the Opposite Sinus of Valsalva: Current Evidence, Proposed Approach, and the Unknowing.	1
138	Quantitative Flow Ratio and Virtual Percutaneous Coronary Intervention for Serial Coronary Stenoses: Attractive Technology, But Still Crawling. 2022, 11,	0

- 137 Deferral of Coronary Revascularization in Patients With Reduced Ejection Fraction Based on Physiological Assessment: Impact on Long-Term Survival. **2022**, 11, ○
- 136 Value of myocardial deformation parameters for detecting significant coronary artery disease. **2022**, 14, 180-190 ○
- 135 Clinical assessment of resting full-cycle ratio and fractional flow reserve for coronary artery disease in a real-world cohort. 9, ○
- 134 Pénétration de l'imagerie endocoronaire en France (données de France PCI) : l'exception française. **2022**, ○
- 133 Long-term outcomes of intermediate coronary stenosis in patients undergoing hemodialysis after deferred revascularization based on fractional flow reserve. ○
- 132 Complete versus incomplete percutaneous coronary intervention mediated revascularization in patients with chronic coronary syndromes. **2022**, ○
- 131 Comparison of Six Different Percutaneous Coronary Intervention Guidance Modalities. **2022**, 9, 343 ○
- 130 Is Coronary Physiology Assessment Valid in Special Circumstances?. **2022**, ○
- 129 Revascularization strategies versus optimal medical therapy in chronic coronary syndrome: A network meta-analysis. **2022**, ○
- 128 Physiologic Assessment After Percutaneous Coronary Interventions and Functionally Optimized Revascularization. **2022**, ○
- 127 Myocardial mass affects diagnostic performance of non-hyperemic pressure-derived indexes in the assessment of coronary stenosis. **2022**, ○
- 126 Impact of intracoronary assessments on revascularization decisions: A contemporary evaluation. ○
- 125 Impact of genetic information on coronary disease risk in Madeira: The GENEMACOR study. **2022**, ○
- 124 Effect of Atorvastatin on Serial Changes in Coronary Physiology and Plaque Parameters. **2022**, ○
- 123 Intracoronary nicorandil induced hyperemia for physiological assessments in the coronary artery lesions. 9, ○
- 122 Prediction of functional results of percutaneous coronary interventions with virtual stenting and quantitative flow ratio. ○
- 121 Clinical utility of coronary artery computed tomography angiography- What we know and What's new?. **2022**, ○
- 120 Atrial Fibrillation Triggered by Adenosine During Fractional Flow Reserve Measurement: Common Arrhythmia in an Uncommon Scenario. 263246362211336 ○

- 119 Fractional Flow Reserve-Guided Coronary Revascularization: Evidence from Randomized and Non-Randomized Studies. **2022**, 12, 2659 0
- 118 Hauptstammintervention – Ist ein Stent doch besser als zwei? 0
- 117 Relation Between Coronary Plaque Composition Assessed by Intravascular Ultrasound Virtual Histology and Myocardial Ischemia Assessed by Quantitative Flow Ratio. **2022**, 0
- 116 Routine revascularization with percutaneous coronary intervention in patients with coronary artery disease undergoing transcatheter aortic valve implantation – the third nordic aortic valve intervention trial – NOTION-3. **2023**, 255, 39-51 0
- 115 Computed Tomography-Derived Physiology Assessment. **2023**, 12, 95-117 0
- 114 What About All the Recent “Negative” FFR Trials?. **2023**, 12, 31-39 0
- 113 Understanding the Basis for Hyperemic and Nonhyperemic Coronary Pressure Assessment. **2023**, 12, 1-12 0
- 112 Nonhyperemic Pressure Ratios – All the Same or Nuanced Differences?. **2023**, 12, 13-19 0
- 111 Impact of Intermediate Lesions on the 10-Years Clinical Outcomes in Patients With Significant Coronary Artery Disease. 2, 0
- 110 Using Physiology Pullback for Percutaneous Coronary Intervention Guidance. **2023**, 12, 41-53 0
- 109 Coronary Physiology as Part of a State-of-the-Art Percutaneous Coronary Intervention Strategy. **2023**, 12, 141-153 0
- 108 Intravascular Imaging-Derived Physiology – Basic Principles and Clinical Application. **2023**, 12, 83-94 0
- 107 Clinical Trials for the Diagnosis and Management of Stable Ischaemic Heart Disease: Context, Status, and Future Implications. 112-121 0
- 106 Anatomical and Functional Approaches in the Assessment of Ischemia in Ischemic Heart Disease: Analysis of Major World Research. **2022**, 62, 66-73 0
- 105 Coronary physiology in the catheterisation laboratory: an A to Z practical guide. **2022**, 8, 86-109 0
- 104 The BEST trial is here – but is anyone listening? 0
- 103 The Trans-Stent FFR Gradient. **2022**, 15, 2203-2205 1
- 102 Current Concepts and Future Applications of Non-Invasive Functional and Anatomical Evaluation of Coronary Artery Disease. **2022**, 12, 1803 2

- 101 Evaluation of intracoronary hemodynamics identifies perturbations in vorticity. 2, ○
- 100 Diagnostic Performance of On-Site Computed Tomography Derived Fractional Flow Reserve on Non-Culprit Coronary Lesions in Patients with Acute Coronary Syndrome. **2022**, 12, 1820 ○
- 99 The Year in Cardiothoracic and Vascular Anesthesia: Selected Highlights from 2022. **2022**, ○
- 98 The Impact of Fractional Flow Reserve on Clinical Outcomes after Coronary Artery Bypass Grafting: A Meta-analysis. **2022**, ○
- 97 Performance and 12-month Outcomes of a Wire-free Fractional Flow Reserve System for Assessment of Coronary Artery Disease. ○
- 96 Impact of Functional Versus Anatomic Complete Revascularization in Coronary Artery Bypass Grafting. **2022**, ○
- 95 Improving Detection of CAD and Prognosis with PET/CT Quantitative Absolute Myocardial Blood Flow Measurements. ○
- 94 Preoperative Functional Assessment of the Left Main and Postoperative Side Branch Evaluation. **2022**, 119-127 ○
- 93 Reply. **2022**, 76, 1757-1758 ○
- 92 Personalized coronary blood flow model based on CT perfusion to non-invasively calculate fractional flow reserve. **2023**, 404, 115789 1
- 91 Impact of coronary disease patterns, anatomical factors, micro-vascular disease and non-coronary cardiac factors on invasive coronary physiology. **2023**, 257, 51-61 ○
- 90 Impact of Pressure Wire on Fractional Flow Reserve and Hemodynamics of the Coronary Arteries: A Computational and Clinical Study. **2022**, 1-9 ○
- 89 Tibio-pedal arterial pressure assessment during endovascular intervention to improve quality-of-life in patients with intermittent claudication. 9, ○
- 88 Fractional Flow Reserve versus AngiographyâGuided Management of Coronary Artery Disease: A MetaâAnalysis of Contemporary Randomised Controlled Trials. **2022**, 11, 7092 1
- 87 Numerical vs analytical comparison with experimental fractional flow reserve values of right coronary artery stenosis. **2022**, 1-14 ○
- 86 Jailed pressure wire technique for coronary bifurcation lesions: structural damage and clinical outcomes. **2022**, ○
- 85 Cost-effectiveness analysis of fractional flow reserve versus angiography among patients with coronary artery disease undergoing borderline coronary lesions treatment in Iran. **2022**, 20, ○
- 84 Analysis identifying minimal governing parameters for clinically accurate in silico fractional flow reserve. 4, ○

- 83 Revascularization of non-culprit lesions: A common dilemma. ○
- 82 Quantitative analysis of parameters of three-dimensional coronary angiography and coronary artery calculation correlation analysis of myocardial fractional blood flow reserve measured by computed tomography. **2022**, ○
- 81 Comparison between the diagnostic performance of vessel fractional flow reserve and nonhyperemic pressure ratio for functionally significant coronary stenosis severity as assessed by fractional flow reserve. ○
- 80 Detecting lesion-specific ischemia in patients with coronary artery disease with computed tomography fractional flow reserve measured at different sites. ○
- 79 Prognostic impact of resting full-cycle ratio and diastolic non-hyperemic pressure ratios in patients with deferred revascularization. ○
- 78 Continuous extraction of coronary artery centerline from cardiac CTA images using a regression-based method. **2023**, 20, 4988-5003 ○
- 77 Guía de presión encarcelada en el tratamiento percutáneo de las bifurcaciones coronarias: daño estructural y resultados clínicos. **2023**, ○
- 76 Anatomy vs. physiology: how should we achieve complete revascularization in acute coronary syndromes?. ○
- 75 Potential value of saline-induced Pd/Pa ratio in patients with coronary artery stenosis. 9, ○
- 74 Impact of policy alterations on elective percutaneous coronary interventions in Japan. heartjnl-2022-321695 ○
- 73 Left and right coronary artery blood flow distribution method based on dominant type. ○
- 72 Prognostic value of myocardial flow reserve derived by quantitative SPECT for patients with intermediate coronary stenoses. ○
- 71 Data simulation to forecast the outcomes of the FAVOR III China trial. ○
- 70 Clinical Implications of Fractional Flow Reserve Measured Immediately after Percutaneous Coronary Intervention. ○
- 69 Contemporary Chest Pain Evaluation: The Australian Case for Cardiac CT. **2023**, ○
- 68 Insufficient adenosine-induced hyperemia is a major determinant of discordance between non-hyperemic pressure ratio and fractional flow reserve. **2023**, 13, ○
- 67 A novel computational fluid dynamic method and validation for assessing distal cerebrovascular microcirculatory resistance. **2023**, 230, 107338 ○
- 66 Beyond CFD: Emerging methodologies for predictive simulation in cardiovascular health and disease. **2023**, 4, 011301 ○

65	ROLE OF STRESS CARDIAC MRI IN THE EVALUATION OF SUSPECTED CORONARY ARTERY DISEASE.. 2022 , 1-4	0
64	Cardiovascular Disease Management in the Context of Global Crisis. 2023 , 20, 689	3
63	Diagnostic performance of angiography-derived fractional flow reserve in patients with NSTEMI.	1
62	The prognostic value of CT-derived fractional flow reserve in coronary artery bypass graft: a retrospective multicenter study.	0
61	Coronary physiology assessment: a routine method in a modern catheterization center. 2022 , 21, 229-239	0
60	Mechanisms for the Superiority of Coronary Artery Bypass Grafting in Complex Coronary Artery Disease. 2022 ,	0
59	Comparative study of fractional flow reserve and diastolic pressure ratio using a guidewire with a sensor for measuring intravascular pressure. 2022 , 101, e32578	0
58	Long-Term Cost-Effectiveness of Fractional Flow Reserve-Based Percutaneous Coronary Intervention in Stable and Unstable Angina. 2022 , 1, 100145	0
57	Sex differences in computed tomography angiography-derived coronary plaque burden in relation to invasive fractional flow reserve. 2023 ,	0
56	Sex Differences in Long-Term Outcomes in Patients With Chronic Coronary Syndrome After Percutaneous Coronary Intervention – Insights From a Japanese Real-World Database Using a Storage System – 2023 ,	0
55	Culprit versus Complete Revascularization during the Initial Intervention in Patients with Acute Coronary Syndrome Using a Virtual Treatment Planning Tool: Results of a Single-Center Pilot Study. 2023 , 59, 270	0
54	Outcomes of deferred revascularisation following negative fractional flow reserve in diabetic and non-diabetic patients: a meta-analysis. 2023 , 22,	0
53	Software-based analysis for computed tomography coronary angiography: current status and future aspects. 2023 , 81-100	0
52	Comparison of vessel fractional flow reserve with invasive resting full-cycle ratio in patients with intermediate coronary lesions. 2023 ,	0
51	Quantifying Myocardial Blood Flow and Resistance Using 4D-Flow Cardiac Magnetic Resonance Imaging. 2023 , 2023, 1-7	0
50	Assessment of hemodynamic indices of conjunctival microvascular function in patients with coronary microvascular dysfunction. 2023 , 147, 104480	0
49	Diagnostic Accuracy of Artificial Intelligence-Based Angiography-Derived Fractional Flow Reserve Using Pressure Wire-Based Fractional Flow Reserve as a Reference. 2023 ,	0
48	A novel method for calculating CFFR based on the flow ratio between stenotic coronary and healthy coronary. 2023 , 233, 107469	0

- 47 Gestione delle sindromi coronariche acute nelle prime 48 ore. **2023**, 28, 1-14 ○
- 46 Fractional flow reserve or 3D-quantitative-coronary-angiography based vessel-FFR guided revascularization. Rationale and study design of the prospective randomized fast III trial. **2023**, 260, 1-8 ○
- 45 Clinical Outcome of Revascularization Deferral With Instantaneous Wave-Free Ratio and Fractional Flow Reserve: A 5-Year Follow-Up Substudy From the iFR-SWEDEHEART Trial. **2023**, 12, ○
- 44 Changes in the treatment strategy following intracoronary pressure wire in a contemporaneous real-life cohort of patients with intermediate coronary stenosis. Results from a nationwide registry. **2023**, ○
- 43 Second-Line Myocardial Perfusion Imaging to Detect Obstructive Stenosis. **2023**, ○
- 42 Sex-Specific Stress Perfusion Cardiac Magnetic Resonance Imaging in Suspected Ischemic Heart Disease. **2023**, ○
- 41 Physiologic Assessment of Coronary Artery Disease: Past, Present and Future. **2023**, 2, 66 ○
- 40 Advances in Diagnosis, Therapy, and Prognosis of Coronary Artery Disease Powered by Deep Learning Algorithms. **2023**, 3, 1-14 1
- 39 Integration of fractional flow reserve derived from CT into clinical practice. **2023**, 81, 577-585 ○
- 38 On the nonlinear relationship between wall shear stress topology and multi-directionality in coronary atherosclerosis. **2023**, 231, 107418 ○
- 37 Short-Term Risk Stratification of Non-Flow-Limiting Coronary Stenosis by Angiographically Derived Radial Wall Strain. **2023**, 81, 756-767 ○
- 36 Clinical Implications of Fractional Flow Reserve Measured Immediately After Percutaneous Coronary Intervention. ○
- 35 Decision making in anomalous aortic origin of a coronary artery. **2023**, 21, 177-191 ○
- 34 Microvascular Resistance Reserve to Assess Microvascular Dysfunction in ANOCA Patients. **2023**, 16, 470-481 ○
- 33 Patient-specific computational simulation of coronary artery bypass grafting. **2023**, 18, e0281423 ○
- 32 AI in Cardiology and Cardiac Surgery. **2023**, 144-153 ○
- 31 Anomalous Aortic Origin of the Right Coronary Artery: Invasive Haemodynamic Assessment in Adult Patients With High-Risk Anatomic Features. **2023**, ○
- 30 Coronary Physiology: Modern Concepts for the Guidance of Percutaneous Coronary Interventions and Medical Therapy. **2023**, 12, 2274 ○

- 29 Real world impact of added FFR-CT to coronary CT angiography on clinical decision-making and patient prognosis âIMPACT FFR study. o
- 28 Comparison of 2D-QCA, 3D-QCA and coronary angiography derived FFR in predicting myocardial ischemia assessed by CZT-SPECT MPI. o
- 27 Pre-stenting angiography-FFR based physiological map provides virtual intervention and predicts physiological and clinical outcomes. o
- 26 Clinical Implications of Non-Hyperemic Pressure Ratios. 2, o
- 25 Management of Coronary Artery Disease in CADASIL Patients: Review of Current Literature. **2023**, 59, 586 o
- 24 Impact of assessment of fractional flow reserve and instantaneous wave-free ratio on clinical outcomes of percutaneous coronary intervention: a systematic review, meta-analysis and meta-regression analysis. **2023**, 28, 5325 o
- 23 Impact of epicardial adipose tissue volume on hemodynamically significant coronary artery disease in Chinese patients with known or suspected coronary artery disease. 10, o
- 22 Evaluating the Arteriotomy Size of a New Sutureless Coronary Anastomosis Using a Finite Volume Approach. o
- 21 Invasive Coronary Physiology in Heart Transplant Recipients: State-of-the-Art Review. **2023**, 100627 o
- 20 Comprehensive assessment of myocardial ischemia mechanisms in the catheterization laboratory: Design and rationale of the advanced invasive diagnosis strategy for patients with stable coronary syndromes undergoing coronary ANGIOgraphy, the AID-ANGIO study. **2023**, o
- 19 Clinical Value of Computational Angiography-derived Fractional Flow Reserve in Stable Coronary Artery Disease. o
- 18 Procedural and Technological Innovations Facilitating Ultra-low Contrast Percutaneous Coronary Interventions. 18, o
- 17 Coronary Drug-Coated Balloons for De Novo and In-Stent Restenosis Indications. **2023**, 100625 o
- 16 Évaluation de lâchmie myocardique durant la coronarographie : quelles techniques rcentes aux cts de la FFR?. **2023**, o
- 15 The reliability and utility of on-site CT-derived fractional flow reserve (FFR) based on fluid structure interactions: comparison with FFRCT based on computational fluid dynamics, invasive FFR, and resting full-cycle ratio. o
- 14 Physiology-guided PCI versus CABG for left main coronary artery disease: insights from the DEFINE-LM registry. o
- 13 Evolving Diagnostic and Management Advances in Coronary Heart Disease. **2023**, 13, 951 o
- 12 Quantification of myocardial blood flow using dynamic myocardial CT perfusion compared with ⁸²Rb PET. **2023**, o

- 11 Revascularization and Medical Therapy for Chronic Coronary Syndromes: Lessons Learnt from Recent Trials, a Literature Review. **2023**, 12, 2833
- 10 Cardiac Catheterization and Coronary Arteriography. **2023**, 237-266
- 9 Anomalous Aortic Origin of a Coronary Artery: Clinical and Surgical Perspective. **2023**, 383-397
- 8 Prognostic impact of fractional flow reserve measurements in patients with acute coronary syndromes: a subanalysis of the FLORIDA study.
- 7 Fractional Flow Reserve to Assess Coronary Artery Disease in Patients with Severe Aortic Stenosis Undergoing Transcatheter Aortic Valve Implantation: Long-Term Outcomes. **2023**, 100179
- 6 Best Practices for Physiologic Assessment of Coronary Stenosis.
- 5 Accuracy of the angiography-based quantitative flow ratio in intermediate left main coronary artery lesions and comparison with visual estimation. **2023**,
- 4 State of the art mathematical methods of the coronary blood flow modelling: background and clinical value. **2023**, 63, 77-84
- 3 Tratamiento de los síndromes coronarios agudos en las primeras 48 horas. **2023**, 49, 1-15
- 2 Defining Hemodynamic Significance of Renal Artery Stenosis: Insights From a Porcine Model of Graded Renal Artery Stenosis. **2023**,
- 1 Current concepts in coronary artery revascularisation. **2023**, 401, 1611-1628