

# CITATION REPORT

List of articles citing

A new equation to estimate glomerular filtration rate

DOI: 10.7326/0003-4819-150-9-200905050-00006  
Annals of Internal Medicine, 2009, 150, 604-12.

**Source:** <https://exaly.com/paper-pdf/46886468/citation-report.pdf>

**Version:** 2024-04-11

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2232	Diagnostic, facteurs de risque et traitement de l'insuffisance rénale chronique de l'adulte. <b>2006</b> , 1, 1-15		
2231	Exploration de la fonction glomérulaire rénale (II). Estimation du débit de filtration glomérulaire. <b>2006</b> , 1, 1-12		
2230	Association of AHSG gene polymorphisms with fetuin-A plasma levels and cardiovascular diseases in the EPIC-Potsdam study. <b>2009</b> , 2, 607-13	71	
2229	Glomerular filtration rate measurement and prediction equations. <b>2009</b> , 47, 1023-32	46	
2228	Estimating glomerular filtration rate. <b>2009</b> , 47, 1017-9	52	
2227	Reply. <b>2009</b> , 24, 2953-2954	1	
2226	The science of Stewardship: due diligence for kidney donors and kidney function in living kidney donation--evaluation, determinants, and implications for outcomes. <b>2009</b> , 4, 1677-84	36	
2225	More evidence that cystatin C predicts mortality better than creatinine. <b>2009</b> , 20, 2088-90	10	
2224	Estimated GFR for drug dosing: a bedside formula. <b>2009</b> , 54, 982-3; author reply 985-6	3	
2223	[Rheumatoid arthritis: subclinical atherosclerosis of the coronary arteries--effect of age, sex and disease activity]. <b>2009</b> , 104, 727-34		
2222	Association of APOE polymorphism with chronic kidney disease in a nationally representative sample: a Third National Health and Nutrition Examination Survey (NHANES III) Genetic Study. <b>2009</b> , 10, 108	21	
2221	CKD classification based on estimated GFR over three years and subsequent cardiac and mortality outcomes: a cohort study. <b>2009</b> , 10, 26	29	
2220	Use of the MDRD study equation to estimate kidney function for drug dosing. <b>2009</b> , 86, 465-7	62	
2219	Drug development perspective on pharmacokinetic studies of new drugs in patients with renal impairment. <b>2009</b> , 86, 557-61	28	
2218	Continuing the use of the Cockcroft-Gault equation for drug dosing in patients with impaired renal function. <b>2009</b> , 86, 468-70	47	
2217	When to conduct a renal impairment study during drug development: US Food and Drug Administration perspective. <b>2009</b> , 86, 475-9	79	
2216	Measured GFR as a confirmatory test for estimated GFR. <b>2009</b> , 20, 2305-13	381	

2215	Nephrotoxicity of Tenofovir true or myth?. <b>2009</b> , 8, 17-20	1
2214	Chronic kidney disease and venous thromboembolism: epidemiology and mechanisms. <b>2009</b> , 15, 408-12	86
2213	Medication errors in chronic kidney disease: one piece in the patient safety puzzle. <b>2009</b> , 76, 1123-5	20
2212	Independent associations of serum concentrations of 25-hydroxyvitamin D and parathyroid hormone with blood pressure among US adults. <b>2010</b> , 28, 1821-8	64
2211	Long-term medical outcomes among Aboriginal living kidney donors. <b>2010</b> , 90, 401-6	27
2210	Chronic kidney disease in kidney transplant recipients-is it different from chronic native kidney disease?. <b>2010</b> , 90, 765-70	3
2209	Prevalence of CKD and Comorbid Illness in Elderly Patients in the United States: Results From the Kidney Early Evaluation Program (KEEP). <b>2010</b> , 2010, 195-197	1
2208	An overview of recent advances in treating chronic kidney disease. <b>2010</b> , 2, 1-6	
2207	Glomerular filtration rate slopes have significantly improved among renal transplants in the United States. <b>2010</b> , 90, 1499-505	19
2206	Microalbuminuria in hypertensive nondiabetic patients with ST elevation myocardial infarction. <b>2010</b> , 11, 748-53	8
2205	Stability of plasma creatinine concentrations in acute complex long-stay admissions to a general medical service. <b>2010</b> , 10, 540-3	5
2204	Diagnosing chronic kidney disease. <b>2010</b> , 19, 123-8	23
2203	Accurate, fast, and convenient measurement of glomerular filtration rate in potential renal transplant donors. <b>2010</b> , 90, 510-7	15
2202	Improvement in renal function after late conversion to sirolimus-based immunosuppression in composite tissue allotransplantation. <b>2010</b> , 90, 691-2	18
2201	Biomarkers of impaired renal function. <b>2010</b> , 5, 524-30	32
2200	Evaluation of acid-base balance in ST-elevation myocardial infarction in the early phase: a prognostic tool?. <b>2010</b> , 21, 266-72	10
2199	Challenges for the present CKD classification system. <b>2010</b> , 19, 308-14	23
2198	Advances in glomerular filtration rate-estimating equations. <b>2010</b> , 19, 298-307	47

2197	Kidney function and the risk of cardiovascular events in HIV-1-infected patients. <b>2010</b> , 24, 387-94	69
2196	Scientific Opinion on Lead in Food. <b>2010</b> , 8, 1570	657
2195	Management of chronic kidney disease in older adults. <b>2010</b> , 6, 41-51	0
2194	Cardiorenal risk factors. <b>2010</b> , 340, 25-9	5
2193	[Questionnaire surveying nephrologists on drug dose adjustment in patients with impaired kidney function]. <b>2010</b> , 122, 479-85	4
2192	Niereninsuffizienz im Alter. <b>2010</b> , 5, 326-330	
2191	Acid-base imbalance in uncomplicated ST-elevation myocardial infarction: the clinical role of tissue acidosis. <b>2010</b> , 5, 61-6	11
2190	Chronic hepatitis C and chronic kidney disease. <b>2010</b> , 55, 1197-9	
2189	The Berlin initiative study: the methodology of exploring kidney function in the elderly by combining a longitudinal and cross-sectional approach. <b>2010</b> , 25, 203-10	37
2188	Hypertension awareness, treatment, and control in adults with CKD: results from the Chronic Renal Insufficiency Cohort (CRIC) Study. <b>2010</b> , 55, 441-51	236
2187	Prevalence of CKD and comorbid illness in elderly patients in the United States: results from the Kidney Early Evaluation Program (KEEP). <b>2010</b> , 55, S23-33	194
2186	Racial differences in kidney function among individuals with obesity and metabolic syndrome: results from the Kidney Early Evaluation Program (KEEP). <b>2010</b> , 55, S4-S14	17
2185	A software upgrade: CKD testing in 2010. <b>2010</b> , 55, 8-10	14
2184	A health policy model of CKD: 2. The cost-effectiveness of microalbuminuria screening. <b>2010</b> , 55, 463-73	86
2183	Comparison of the prevalence and mortality risk of CKD in Australia using the CKD Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) Study GFR estimating equations: the AusDiab (Australian Diabetes, Obesity and Lifestyle) Study. <b>2010</b> , 55, 660-70	187
2182	Risk implications of the new CKD Epidemiology Collaboration (CKD-EPI) equation compared with the MDRD Study equation for estimated GFR: the Atherosclerosis Risk in Communities (ARIC) Study. <b>2010</b> , 55, 648-59	232
2181	Acute kidney injury in elderly persons. <b>2010</b> , 56, 122-31	125
2180	The map is not the territory--mapping out the course and cost of CKD. <b>2010</b> , 55, 419-22	

2179	Association of uric acid with change in kidney function in healthy normotensive individuals. <b>2010</b> , 56, 264-72	174
2178	Estimating GFR using the CKD Epidemiology Collaboration (CKD-EPI) creatinine equation: more accurate GFR estimates, lower CKD prevalence estimates, and better risk predictions. <b>2010</b> , 55, 622-7	551
2177	Management of osteoporosis in CKD Stages 3 to 5. <b>2010</b> , 55, 941-56	34
2176	Modification of the CKD epidemiology collaboration (CKD-EPI) equation for Japanese: accuracy and use for population estimates. <b>2010</b> , 56, 32-8	287
2175	Low medication adherence and hypertension control among adults with CKD: data from the REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. <b>2010</b> , 56, 447-57	66
2174	Performance of the CKD Epidemiology Collaboration (CKD-EPI) and the Modification of Diet in Renal Disease (MDRD) Study equations in healthy South Brazilians. <b>2010</b> , 55, 1162-3	19
2173	Comparative performance of the CKD Epidemiology Collaboration (CKD-EPI) and the Modification of Diet in Renal Disease (MDRD) Study equations for estimating GFR levels above 60 mL/min/1.73 m <sup>2</sup> . <b>2010</b> , 56, 486-95	418
2172	Kidney function, albuminuria, and all-cause mortality in the REGARDS (Reasons for Geographic and Racial Differences in Stroke) study. <b>2010</b> , 56, 861-71	62
2171	Warfarin dosing in patients with impaired kidney function. <b>2010</b> , 56, 823-31	125
2170	Estimation of GFR: a comparison of new and established equations. <b>2010</b> , 56, 802-4	21
2169	Use of kidney function end points in kidney transplant trials: a systematic review. <b>2010</b> , 56, 1140-57	19
2168	Measuring vs estimating glomerular filtration rate in kidney transplantation. <b>2010</b> , 24, 18-27	16
2167	Central blood pressure and pulse wave velocity: relationship to target organ damage and cardiovascular morbidity-mortality in diabetic patients or metabolic syndrome. An observational prospective study. LOD-DIABETES study protocol. <b>2010</b> , 10, 143	26
2166	Low level exposure to cadmium increases the risk of chronic kidney disease: analysis of the NHANES 1999-2006. <b>2010</b> , 10, 304	135
2165	Study Protocol--accurate assessment of kidney function in Indigenous Australians: aims and methods of the eGFR study. <b>2010</b> , 10, 80	29
2164	Increased plasma soluble endoglin levels as an indicator of cardiovascular alterations in hypertensive and diabetic patients. <b>2010</b> , 8, 86	76
2163	Precision versus approximation: the trade off in assessing kidney function and drug dosing. <b>2010</b> , 30, 758-61	4
2162	Validation of estimated renal function measurements compared with the isotopic glomerular filtration rate in an HIV-infected cohort. <b>2010</b> , 88, 347-54	23

2161	Non-contrast renal artery MRA using an inflow inversion recovery steady state free precession technique (Inhance): comparison with 3D contrast-enhanced MRA. <b>2010</b> , 31, 1411-8	71
2160	Gender disparity in liver transplant waiting-list mortality: the importance of kidney function. <b>2010</b> , 16, 1147-57	47
2159	Inaccuracies of creatinine and creatinine-based equations in candidates for liver transplantation with low creatinine: impact on the model for end-stage liver disease score. <b>2010</b> , 16, 1169-77	121
2158	Development and validation of a rapid liquid chromatography isotope dilution tandem mass spectrometry (LC-IDMS/MS) method for serum creatinine. <b>2010</b> , 43, 1158-62	24
2157	Predicting cardiovascular disease morbidity and mortality in chronic kidney disease in Spain. The rationale and design of NEFRONA: a prospective, multicenter, observational cohort study. <b>2010</b> , 11, 14	60
2156	The assessment, serial evaluation, and subsequent sequelae of acute kidney injury (ASSESS-AKI) study: design and methods. <b>2010</b> , 11, 22	107
2155	Abnormal function of the vasopressin-cyclic-AMP-aquaporin2 axis during urine concentrating and diluting in patients with reduced renal function. A case control study. <b>2010</b> , 11, 26	17
2154	MDRD or CKD-EPI study equations for estimating prevalence of stage 3 CKD in epidemiological studies: which difference? Is this difference relevant?. <b>2010</b> , 11, 8	35
2153	Renal protection in diabetes: lessons from ONTARGET. <b>2010</b> , 9, 60	24
2152	Chronic kidney disease stages 1-3 increase the risk of venous thrombosis. <b>2010</b> , 8, 2428-35	31
2151	The epidemic of chronic kidney disease: looking at ageing and cardiovascular disease through kidney-shaped lenses. <b>2010</b> , 268, 449-55	12
2150	Prevalence and correlates of metabolic syndrome based on a harmonious definition among adults in the US. <b>2010</b> , 2, 180-93	303
2149	Limitations of metformin use in patients with kidney disease: are they warranted?. <b>2010</b> , 12, 1079-83	40
2148	Partial nephrectomy for renal cancer: Part I. <b>2010</b> , 105, 1206-20	27
2147	Chronic kidney disease awareness, screening and prevention: rationale for the design of a public education program. <b>2010</b> , 15 Suppl 2, 37-42	29
2146	Drug therapy in patients with chronic renal failure. <b>2010</b> , 107, 647-55; quiz 655-6	50
2145	Use of the CKD-EPI equation for estimation of GFR in an Australian cohort. <b>2010</b> , 42, 487-8	8
2144	Monitoring renal function: measured and estimated glomerular filtration rates - a review. <b>2010</b> , 43, 528-36	50

2143	Serum neutrophil gelatinase-associated lipocalin as a marker of kidney function in pregnancy - useful or doubtful?. <b>2010</b> , 6, 744-7	3
2142	Serum albumin and risk of venous thromboembolism. <b>2010</b> , 104, 100-4	54
2141	Symptomatic hyponatremia during glomerular filtration rate testing. <b>2010</b> , 3, 539-41	0
2140	Acute glucose dysmetabolism in the early phase of ST-elevation myocardial infarction: the age response. <b>2010</b> , 7, 131-7	28
2139	Evaluation of the chronic kidney disease epidemiology collaboration equation for dosing antimicrobials. <b>2010</b> , 44, 439-46	23
2138	The CKD-EPI equation for estimating GFR from serum creatinine: real improvement or more of the same?. <b>2010</b> , 5, 951-3	26
2137	Associations of dietary fat with albuminuria and kidney dysfunction. <b>2010</b> , 92, 897-904	56
2136	Lower HDL-C and apolipoprotein A-I are related to higher glomerular filtration rate in subjects without kidney disease. <b>2010</b> , 51, 1982-90	22
2135	Albuminuria and estimated glomerular filtration rate independently associate with acute kidney injury. <b>2010</b> , 21, 1757-64	119
2134	Prevalence of chronic kidney disease in US adults with undiagnosed diabetes or prediabetes. <b>2010</b> , 5, 673-82	253
2133	Prevalence of CKD in northeastern Italy: results of the INCIPE study and comparison with NHANES. <b>2010</b> , 5, 1946-53	50
2132	Prediction modeling to assess the prognostic significance of a biomarker panel. <b>2010</b> , 21, 2017-9	1
2131	Temporary perioperative decline of renal function is an independent predictor for chronic kidney disease. <b>2010</b> , 5, 1198-204	47
2130	Effect of kidney disease on acute coronary syndrome. <b>2010</b> , 5, 1530-6	34
2129	One-hour postload plasma glucose levels are associated with kidney dysfunction. <b>2010</b> , 5, 1922-7	61
2128	Enzyme replacement therapy and Fabry nephropathy. <b>2010</b> , 5, 371-8	16
2127	Renal function equations before and after living kidney donation: a within-individual comparison of performance at different levels of renal function. <b>2010</b> , 5, 1960-8	61
2126	Race, kidney disease progression, and mortality risk in HIV-infected persons. <b>2010</b> , 5, 2269-75	16

2125	Back-calculating baseline creatinine with MDRD misclassifies acute kidney injury in the intensive care unit. <b>2010</b> , 5, 1165-73	108
2124	No associations between serum concentrations of 25-hydroxyvitamin D and parathyroid hormone and depression among US adults. <b>2010</b> , 104, 1696-702	93
2123	Imprecision of creatinine-based GFR estimates in uninephric kidney donors. <b>2010</b> , 5, 497-502	27
2122	Approaches in the Management of Patients with Chronic Kidney Disease and Cardiovascular Disease. <b>2010</b> , 359-369	
2121	Hypophosphatemic effect of niacin in patients without renal failure: a randomized trial. <b>2010</b> , 5, 582-9	39
2120	Suppression of the nitric oxide pathway in metastatic renal cell carcinoma patients receiving vascular endothelial growth factor-signaling inhibitors. <b>2010</b> , 56, 1131-6	94
2119	Serum alkaline phosphatase and phosphate and risk of mortality and hospitalization. <b>2010</b> , 5, 1064-71	73
2118	A new tool for predicting the probability of chronic kidney disease from a specific value of estimated GFR. <b>2010</b> , 70, 327-33	6
2117	Rapid development of hypertension and proteinuria with cediranib, an oral vascular endothelial growth factor receptor inhibitor. <b>2010</b> , 5, 477-83	71
2116	Heritability and seasonal variability of vitamin D concentrations in male twins. <b>2010</b> , 92, 1393-8	98
2115	Prevalence of chronic kidney disease in persons with undiagnosed or prehypertension in the United States. <b>2010</b> , 55, 1102-9	98
2114	Geriatric nephrology: responding to a growing challenge. <b>2010</b> , 5, 936-42	42
2113	Prevención y tratamiento de la enfermedad renal crónica (ERC). <b>2010</b> , 21, 779-789	0
2112	Septic arthritis in the elderly. <b>2010</b> , 6, 495-500	3
2111	Association of serum cystatin C with pulse wave velocity, but not pressure wave reflection, in subjects with normal renal function or mild chronic kidney disease. <b>2010</b> , 23, 967-73	12
2110	Development and validation of GFR-estimating equations using diabetes, transplant and weight. <b>2010</b> , 25, 449-57	90
2109	Prevalence of early stages of chronic kidney disease in apparently healthy central government employees in India. <b>2010</b> , 25, 3011-7	42
2108	The Kidney Early Evaluation Program (KEEP) of Japan: results from the initial screening period. <b>2010</b> , S17-23	24



2107	Assessment of GFR by four methods in adults in Ashanti, Ghana: the need for an eGFR equation for lean African populations. <b>2010</b> , 25, 2178-87	98
2106	Discrepancies between creatinine- and cystatin C-based equations: implications for identification of chronic kidney disease in the general population. <b>2010</b> , 44, 242-50	10
2105	Prognostic indicators of renal disease progression in adults with Fabry disease: natural history data from the Fabry Registry. <b>2010</b> , 5, 2220-8	94
2104	Influence of age and measure of eGFR on the association between renal function and cardiovascular events. <b>2010</b> , 5, 2053-9	32
2103	Endothelial dysfunction and subsequent decline in glomerular filtration rate in hypertensive patients. <b>2010</b> , 122, 379-84	85
2102	GFR-estimating models in kidney transplant recipients on a steroid-free regimen. <b>2010</b> , 25, 1653-61	32
2101	Estimated glomerular filtration rate, chronic kidney disease and antiretroviral drug use in HIV-positive patients. <b>2010</b> , 24, 1667-78	307
2100	Chronic kidney disease and venous thromboembolism: a prospective study. <b>2010</b> , 25, 3296-301	52
2099	Physical and psychological burden of chronic kidney disease among older adults. <b>2010</b> , 31, 309-17	38
2098	Pre-clinical myocardial metabolic alterations in chronic kidney disease. <b>2010</b> , 116, 160-7	12
2097	Heritability of renal function and inflammatory markers in adult male twins. <b>2010</b> , 32, 317-23	18
2096	Race differences in prevalence of chronic kidney disease among young adults using creatinine-based glomerular filtration rate-estimating equations. <b>2010</b> , 25, 3934-9	36
2095	Common charge-shift mutation Glu65Lys in K <sup>+</sup> channel $\beta$ 1 subunit KCNB1: pleiotropic consequences for glomerular filtration rate and progressive renal disease. <b>2010</b> , 32, 414-24	8
2094	Interrelationship between aortic stiffness and proteinuria in chronic kidney disease. <b>2010</b> , 24, 593-9	5
2093	Recent developments in HIV-related kidney disease. <b>2010</b> , 4, 589-603	14
2092	Chronic kidney disease, diabetes, and hypertension: what's in a name?. <b>2010</b> , 78, 19-22	43
2091	Low agreement between the modified diet and renal disease formula and the Cockcroft-Gault formula for assessing chronic kidney disease in cognitively impaired elderly outpatients. <b>2010</b> , 122, 41-5	3
2090	Long-term clinical consequences of acute kidney injury in the HIV-infected. <b>2010</b> , 78, 478-85	98

2089	Beta-Trace Protein as a Marker of Renal Dysfunction in Patients with Chronic Kidney Disease: Comparison with Other Renal Markers. <b>2010</b> , 29, 66-72	6
2088	Cystatin C is not a better estimator of GFR than plasma creatinine in the general population. <b>2010</b> , 78, 1305-11	90
2087	The evolving challenge of evaluating older renal transplant candidates. <b>2010</b> , 17, 358-67	17
2086	Estimating the glomerular filtration rate in obese adult patients for drug dosing. <b>2010</b> , 17, e53-62	87
2085	Chronic Kidney Disease Epidemiology Collaboration versus Modification of Diet in Renal Disease equations for renal function evaluation in patients undergoing partial nephrectomy. <b>2010</b> , 184, 1867-71	10
2084	Chronic kidney disease and end-stage renal disease in the elderly population: current prevalence, future projections, and clinical significance. <b>2010</b> , 17, 293-301	153
2083	Screening for chronic kidney disease in HIV-infected patients. <b>2010</b> , 17, 26-35	31
2082	Performance of the chronic kidney disease-epidemiology study equations for estimating glomerular filtration rate before and after nephrectomy. <b>2010</b> , 183, 896-901	46
2081	Clinical practice. Stage IV chronic kidney disease. <b>2010</b> , 362, 56-65	99
2080	Riesgo por enfermedad renal crónica: la epidemia revisada. <b>2010</b> , 27, 183-186	0
2079	Plasma anti-Xa monitoring for low-molecular-weight heparins in patients with chronic kidney disease. <b>2010</b> , 49, 773-4	
2078	Estimating glomerular filtration rate in kidney transplantation: is the new chronic kidney disease epidemiology collaboration equation any better?. <b>2010</b> , 56, 474-7	81
2077	Contrast-induced nephropathy after a second contrast exposure. <b>2010</b> , 32, 796-801	39
2076	Comparison of plasma clearance of iodixanol during versus after angiography. <b>2010</b> , 56, 1219-20	1
2075	Telemonitoring in patients with heart failure. <b>2010</b> , 363, 2301-9	829
2074	Chronic kidney disease and risk of major cardiovascular disease and non-vascular mortality: prospective population based cohort study. <b>2010</b> , 341, c4986	180
2073	Performance of the Cockcroft-Gault, MDRD, and new CKD-EPI formulas in relation to GFR, age, and body size. <b>2010</b> , 5, 1003-9	329
2072	Hypertension 2010: what was new for the cardiologist?. <b>2010</b> , 11, 2579-97	6

2071	Chronic Kidney Disease. <b>2010</b> , 3-21	4
2070	Renal impairment in patients with multiple myeloma: a consensus statement on behalf of the International Myeloma Working Group. <b>2010</b> , 28, 4976-84	290
2069	Clinical management of continuous-flow left ventricular assist devices in advanced heart failure. <b>2010</b> , 29, S1-39	704
2068	The evaluation of renal function and disease in patients with cirrhosis. <b>2010</b> , 52, 605-13	178
2067	[Contrast-induced nephropathy]. <b>2010</b> , 39, 807-14	1
2066	Comparison of the MDRD and the CKD-EPI equations to estimate the glomerular filtration rate in the general population. <b>2010</b> , 134, 617-23	11
2065	[Importance of early detection of chronic kidney disease in risk groups]. <b>2010</b> , 134, 257-9	4
2064	The relationship between transient and persistent worsening renal function and mortality in patients with acute decompensated heart failure. <b>2010</b> , 16, 541-7	97
2063	New insights in glomerular filtration rate formulas and chronic kidney disease classification. <b>2010</b> , 411, 1341-7	13
2062	How well does urinary lyso-Gb3 function as a biomarker in Fabry disease?. <b>2010</b> , 411, 1906-14	83
2061	Serum neutrophil gelatinase-associated lipocalin correlates with kidney function in heart allograft recipients. <b>2010</b> , 42, 1797-802	12
2060	Chronic kidney disease-epidemiology formula and model for end-stage liver disease score in the assessment of renal function in candidates for liver transplantation. <b>2010</b> , 42, 1229-32	5
2059	Copeptin in heart transplant recipients depends on kidney function and intraventricular septal thickness. <b>2010</b> , 42, 1808-11	12
2058	A possible role of hepcidin in the pathogenesis of anemia in heart allograft recipients. <b>2010</b> , 42, 1803-7	5
2057	Assessment of Renal Function. <b>2010</b> , 31-38	9
2056	Measurement and Estimation of Kidney Function. <b>2010</b> , 22-38	0
2055	Serum vitamin C concentration and hs-CRP level in middle-aged Japanese men and women. <b>2010</b> , 208, 496-500	22
2054	Prognostic value of chronic kidney disease in patients with coronary heart disease: role of estimating equations. <b>2010</b> , 211, 342-7	20

2053	Early recognition and prevention of chronic kidney disease. <b>2010</b> , 375, 1296-309	368
2052	Association of estimated glomerular filtration rate and albuminuria with all-cause and cardiovascular mortality in general population cohorts: a collaborative meta-analysis. <b>2010</b> , 375, 2073-81	2495
2051	Overall health assessment: a renal perspective. <b>2010</b> , 375, 2053-4	14
2050	Glomerular filtration rate, proteinuria, and the incidence and consequences of acute kidney injury: a cohort study. <b>2010</b> , 376, 2096-103	226
2049	Renal functional outcomes after partial nephrectomy with extended ischemic intervals are better than after radical nephrectomy. <b>2010</b> , 184, 1286-90	83
2048	Renal effects of exposure to natural and depleted uranium: a review of the epidemiologic and experimental data. <b>2010</b> , 13, 527-45	59
2047	Toward a more collaborative federal response to chronic kidney disease. <b>2010</b> , 17, 282-8	6
2046	Sirolimus and kidney growth in autosomal dominant polycystic kidney disease. <b>2010</b> , 363, 820-9	415
2045	Awareness of chronic kidney disease among patients and providers. <b>2010</b> , 17, 225-36	94
2044	The use of targeted biomarkers for chronic kidney disease. <b>2010</b> , 17, 469-79	64
2043	Non-invasive estimation of glomerular filtration rate (GFR). The Lund model: Simultaneous use of cystatin C- and creatinine-based GFR-prediction equations, clinical data and an internal quality check. <b>2010</b> , 70, 65-70	71
2042	Cardiovascular risk factors and prevention of cardiovascular disease in patients with chronic renal disease. <b>2010</b> , 11, 2687-98	19
2041	Non-traumatic subarachnoid hemorrhage is associated with subnormal blood creatinine levels. <b>2010</b> , 70, 438-46	
2040	Performance evaluation of a turbidimetric cystatin C assay on different high-throughput platforms. <b>2010</b> , 70, 347-53	19
2039	Estimating glomerular filtration rate: comparison of the CKD-EPI and MDRD equations in a large UK cohort with particular emphasis on the effect of age. <b>2011</b> , 104, 839-47	60
2038	Which method of GFR estimation has the best prognostic value in patients treated with primary PCI: Cockcroft-Gault formula, MDRD, or CKD-EPI equation?--A 6-year follow-up. <b>2011</b> , 33, 983-9	17
2037	Implication of CKD-EPI equation to estimate glomerular filtration rate in Chinese patients with chronic kidney disease. <b>2011</b> , 33, 859-65	16
2036	The relationship between visit-to-visit variability in systolic blood pressure and all-cause mortality in the general population: findings from NHANES III, 1988 to 1994. <b>2011</b> , 57, 160-6	344

2035	Association of serum uric acid level with aortic stiffness and arterial wave reflections in newly diagnosed, never-treated hypertension. <b>2011</b> , 24, 33-9	47
2034	Impact of chronic kidney disease on activities of daily living in community-dwelling older adults. <b>2011</b> , 66, 689-94	59
2033	Indexing of renal function parameters by body surface area: intelligence or folly?. <b>2011</b> , 119, c289-92	34
2032	Recognition, pathogenesis, and treatment of different stages of nephropathy in patients with type 2 diabetes mellitus. <b>2011</b> , 86, 444-56	84
2031	Limited warm ischemia during elective partial nephrectomy has only a marginal impact on renal functional outcomes. <b>2011</b> , 185, 1598-603	66
2030	Comparison of cold and warm ischemia during partial nephrectomy in 660 solitary kidneys reveals predominant role of nonmodifiable factors in determining ultimate renal function. <b>2011</b> , 185, 421-7	244
2029	Influence of time of day of blood pressure-lowering treatment on cardiovascular risk in hypertensive patients with type 2 diabetes. <b>2011</b> , 34, 1270-6	158
2028	Predictors of mortality in diffuse alveolar haemorrhage associated with systemic lupus erythematosus. <b>2011</b> , 20, 568-74	54
2027	Urologic assessment of decreasing renal function. <b>2011</b> , 95, 161-8	3
2026	Influence of comorbid conditions on one-year outcomes in non-ST-segment elevation acute coronary syndrome. <b>2011</b> , 86, 291-6	47
2025	Comparison of CKD awareness in a screening population using the Modification of Diet in Renal Disease (MDRD) study and CKD Epidemiology Collaboration (CKD-EPI) equations. <b>2011</b> , 57, S17-23	25
2024	Presurgical serum cystatin C and risk of acute kidney injury after cardiac surgery. <b>2011</b> , 58, 366-73	68
2023	A new risk scheme to predict warfarin-associated hemorrhage: The ATRIA (Anticoagulation and Risk Factors in Atrial Fibrillation) Study. <b>2011</b> , 58, 395-401	610
2022	Decreasing sleep-time blood pressure determined by ambulatory monitoring reduces cardiovascular risk. <b>2011</b> , 58, 1165-73	226
2021	Extended-release niacin/laropiprant lowers serum phosphorus concentrations in patients with type 2 diabetes. <b>2011</b> , 5, 281-7	8
2020	Concordancia entre el aclaramiento de creatinina con las fórmulas MDRD y CKD-EPI para estimar el filtrado glomerular en personas de 69 años o más. <b>2011</b> , 32, 13-16	1
2019	Results of the recalibration of creatinine measurement with the modular Beckman Coulter Jaffe creatinine method. <b>2011</b> , 49, 1987-99	7
2018	The definition, classification, and prognosis of chronic kidney disease: a KDIGO Controversies Conference report. <b>2011</b> , 80, 17-28	1305

2017	Drug dosing consideration in patients with acute and chronic kidney disease-a clinical update from Kidney Disease: Improving Global Outcomes (KDIGO). <b>2011</b> , 80, 1122-37	259
2016	Performance of the creatinine-based and the cystatin C-based glomerular filtration rate (GFR) estimating equations in a heterogenous sample of patients referred for nuclear GFR testing. <b>2011</b> , 157, 357-67	14
2015	Intensive diabetes therapy and glomerular filtration rate in type 1 diabetes. <b>2011</b> , 365, 2366-76	390
2014	Association between glomerular filtration rate and adverse drug reactions in elderly hospitalized patients: the role of the estimating equation. <b>2011</b> , 28, 379-90	28
2013	Imatinib treatment duration is related to decreased estimated glomerular filtration rate in chronic myeloid leukemia patients. <b>2011</b> , 22, 2073-2079	49
2012	Les maladies rénales du DT2 : comment assurer le diagnostic ?. <b>2011</b> , 5, S14-S18	
2011	[Measurement of renal function in clinical practice: principles and limitations]. <b>2011</b> , 92, 274-9	3
2010	Chronic kidney disease before and after partial nephrectomy. <b>2011</b> , 185, 43-8	92
2009	Prognostic assessment of estimated glomerular filtration rate by the new Chronic Kidney Disease Epidemiology Collaboration equation in comparison with the Modification of Diet in Renal Disease Study equation. <b>2011</b> , 162, 548-54	126
2008	Estimation of glomerular filtration rate and assessment of risk of stroke in an emergency setting. <b>2011</b> , 29, 831-2	2
2007	Reference intervals for serum creatinine with enzymatic assay and evaluation of four equations to estimate glomerular filtration rate in a healthy Chinese adult population. <b>2011</b> , 412, 1793-7	13
2006	Combined use of urinary neutrophil gelatinase-associated lipocalin (uNGAL) and albumin as markers of early cardiac damage in primary hypertension. <b>2011</b> , 412, 1951-6	9
2005	A multicentric evaluation of IDMS-traceable creatinine enzymatic assays. <b>2011</b> , 412, 2070-5	85
2004	Estimation of renal function in patients with diabetes. <b>2011</b> , 37, 359-66	28
2003	Elevated NT-proBNP levels should be interpreted in elderly patients presenting with dyspnea. <b>2011</b> , 22, 108-11	12
2002	Detection of chronic kidney disease in hospitalized patients: is one estimating glomerular filtration rate equation better than another?. <b>2011</b> , 22, 119-20; author reply 120-1	7
2001	The importance of glomerular filtration rate (GFR) estimating equations in the care of hospitalized patients. <b>2011</b> , 22, 120-121	
2000	Impact of early chronic kidney disease on maternal and fetal outcomes of pregnancy. <b>2011</b> , 24, 1432-6	32

1999	Warfarin-related nephropathy occurs in patients with and without chronic kidney disease and is associated with an increased mortality rate. <b>2011</b> , 80, 181-9	188
1998	Méthodes d'exploration de la fonction rénale : intérêt et limites des formules permettant d'estimer la fonction rénale. <b>2011</b> , 26, 6-12	
1997	The prognostic impact of glycated hemoglobin in diabetic ST-elevation myocardial infarction. <b>2011</b> , 151, 250-2	10
1996	Endovascular chimney technique versus open repair of juxtarenal and suprarenal aneurysms. <b>2011</b> , 53, 895-904; discussion 904-5	160
1995	Cryopreserved arterial homografts vs silver-coated Dacron grafts for abdominal aortic infections with intraoperative evidence of microorganisms. <b>2011</b> , 53, 1274-1281.e4	74
1994	[Validity of the CKD-EPI equation to estimate the creatinine clearance in patients admitted to Intensive Care]. <b>2011</b> , 137, 617-8	1
1993	Effect of HBV polymerase inhibitors on renal function in patients with chronic hepatitis B. <b>2011</b> , 55, 1235-40	74
1992	Différents stades de l'insuffisance rénale chronique : recommandations. <b>2011</b> , 26, 55-59	3
1991	Glomerular filtration rate in patients with atrial fibrillation on warfarin treatment: a subgroup analysis from the AURICULA registry in Sweden. <b>2011</b> , 128, 341-5	17
1990	IGF-1 levels link estimated glomerular filtration rate to insulin resistance in obesity: a study in obese, but metabolically healthy, subjects and obese, insulin-resistant subjects. <b>2011</b> , 21, 933-40	25
1989	[Assessment of renal function, iatrogenic hyperkalemia and acute renal dysfunction in cardiology. Contrast-induced nephropathy]. <b>2011</b> , 64, 1182-92	15
1988	[How does the new CKD-EPI equation help in the estimation of glomerular filtration in the elderly?]. <b>2011</b> , 46, 176-7	0
1987	[Assessment of renal function in elderly after eighty years: Cockcroft and Gault or Modification of diet in renal disease equation?]. <b>2011</b> , 32, 698-702	8
1986	Incidence of restless legs syndrome in two population-based cohort studies in Germany. <b>2011</b> , 12, 815-20	36
1985	Creatinine-based equations predicting chronic kidney disease after kidney donation. <b>2011</b> , 43, 2481-6	6
1984	Simultaneous liver-kidney versus liver transplantation alone in patients with end-stage liver disease and kidney dysfunction not on dialysis. <b>2011</b> , 43, 2669-77	19
1983	The status of BK polyomavirus replication in adult renal transplant recipients in northeastern Poland. <b>2011</b> , 43, 2976-84	5
1982	Arterial hypertension in liver transplant recipients. <b>2011</b> , 43, 3029-34	16

1981	Prevalence of baseline chronic kidney disease in patients presenting with solid renal tumors. <b>2011</b> , 77, 781-5	60
1980	Editorial comment. <b>2011</b> , 77, 786; author reply 786	
1979	Impact of cytoreductive nephrectomy on eligibility for systemic treatment and effects on survival: are surgical complications or disease related factors responsible?. <b>2011</b> , 78, 595-600	19
1978	Robotic-assisted versus traditional laparoscopic partial nephrectomy: comparison of outcomes and evaluation of learning curve. <b>2011</b> , 78, 813-9	146
1977	Warm ischemia less than 30 minutes is not necessarily safe during partial nephrectomy: every minute matters. <b>2011</b> , 29, 826-8	51
1976	Expert consensus on management of diabetic patients with impairment of renal function. <b>2011</b> , 37 Suppl 2, S1-25	15
1975	Evaluation of the Chronic Kidney Disease Epidemiology Collaboration equation for estimating the glomerular filtration rate in multiple ethnicities. <b>2011</b> , 79, 555-62	288
1974	Increasing use of kidney sparing approaches for localized renal tumors in a community based health system: impact on renal functional outcomes. <b>2011</b> , 186, 1229-35	18
1973	Assessment of Renal Function, Iatrogenic Hyperkalemia and Acute Renal Dysfunction in Cardiology. Contrast-Induced Nephropathy. <b>2011</b> , 64, 1182-1192	1
1972	Renal-related biomarkers and long-term mortality in the US subjects with different coronary risks. <b>2011</b> , 216, 226-36	14
1971	The Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation provides a better definition of cardiovascular burden associated with CKD than the Modification of Diet in Renal Disease (MDRD) Study formula in subjects with type 2 diabetes. <b>2011</b> , 218, 194-9	43
1970	Medicina nefrológica. <b>2011</b> , 10, 5339-5347	
1969	Enfermedad renal crónica: clasificación, etiopatogenia y factores pronósticos. <b>2011</b> , 10, 5364-5369	
1968	Clinical features of cardio-renal syndrome in a cohort of consecutive patients admitted to an internal medicine ward. <b>2011</b> , 5, 220-5	18
1967	Chronic kidney disease and estimates of kidney function in HIV infection: a cross-sectional study in the multicenter AIDS cohort study. <b>2011</b> , 57, 380-6	26
1966	Markers of kidney function in the elderly in relation to the new CKD-EPI formula for estimation of glomerular filtration rate. <b>2011</b> , 7, 658-64	25
1965	Cystatin C as a Biomarker in Kidney Disease. <b>2011</b> , 291-312	4
1964	Nephrotoxicity of HAART. <b>2011</b> , 2011, 562790	55



1963	Prevalence of kidney disease in HIV-infected and uninfected Rwandan women. <b>2011</b> , 6, e18352	22
1962	Elevated serum uric acid is associated with high circulating inflammatory cytokines in the population-based ColaUS study. <b>2011</b> , 6, e19901	133
1961	Decreased glomerular filtration rate is associated with mortality and cardiovascular events in patients with hypertension: a prospective study. <b>2011</b> , 6, e27359	12
1960	Aging and the kidney. <b>2011</b> , 20, 312-7	34
1959	Creatinine-based formulae for estimating glomerular filtration rate: is it time to change to chronic kidney disease epidemiology collaboration equation?. <b>2011</b> , 20, 622-30	35
1958	Renal function in gout: long-term treatment effects of febuxostat. <b>2011</b> , 17, 7-13	86
1957	Results of a prospective randomized trial of sirolimus conversion in kidney transplant recipients on early corticosteroid withdrawal. <b>2011</b> , 92, 767-73	26
1956	Clinical significance of nonalbuminuric renal impairment in type 2 diabetes. <b>2011</b> , 29, 1802-9	147
1955	The relationship between renal impairment and left ventricular structure, function, and ventricular-arterial interaction in hypertension. <b>2011</b> , 29, 1829-36	18
1954	Factors associated with decreased kidney function in HIV-infected adults enrolled in the MTCT-Plus Initiative in sub-Saharan Africa. <b>2011</b> , 57, 40-5	22
1953	Risk factor profile for chronic kidney disease is similar to risk factor profile for small artery disease. <b>2011</b> , 29, 1796-801	9
1952	Cystatin C as a marker of glomerular filtration rate: prospects and limitations. <b>2011</b> , 20, 631-9	48
1951	Use of estimated glomerular filtration rate for drug dosing in the chronic kidney disease patient. <b>2011</b> , 20, 482-91	26
1950	A New Equation to Estimate Glomerular Filtration Rate. <b>2011</b> , 2011, 193-194	4
1949	Urinary peptides as a diagnostic tool for renal failure detected by matrix-assisted laser desorption/ionisation mass spectrometry: an evaluation of their clinical significance. <b>2011</b> , 17, 245-53	8
1948	Rebuttal: CON Position. Formal Assessment of Donor Kidney Function Should Be Mandatory. <b>2011</b> , 33, 205-206	
1947	Pre-existing albuminuria predicts AIDS and non-AIDS mortality in women initiating antiretroviral therapy. <b>2011</b> , 16, 591-6	23
1946	Mild Renal Impairment and the Efficacy and Safety of Liraglutide. <b>2011</b> , 17, 345-355	45

1945	Glomerular dysfunction and associated risk factors over 4-5 years following antiretroviral therapy initiation in Africa. <b>2011</b> , 16, 1011-20	30
1944	Serial measurements of mesothelioma serum biomarkers in asbestos-exposed individuals: a prospective longitudinal cohort study. <b>2011</b> , 6, 889-95	30
1943	Laparoscopic renal cryoablation using ultrathin 17-gauge cryoprobes: mid-term oncological and functional results. <b>2011</b> , 108, 577-82	17
1942	Protection Against Nephropathy in Diabetes with Atorvastatin (PANDA): a randomized double-blind placebo-controlled trial of high- vs. low-dose atorvastatin(1). <b>2011</b> , 28, 100-8	27
1941	The Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation is less accurate in patients with Type 2 diabetes when compared with healthy individuals. <b>2011</b> , 28, 90-5	49
1940	Dystopia of using (estimates of) glomerular filtration rate as a trigger for initiating dialysis. <b>2011</b> , 16, 381-2	
1939	Inaccuracies in estimated glomerular filtration rate in one Australian renal centre. <b>2011</b> , 16, 486-94	3
1938	Estimated glomerular filtration rate: which equation is best and how should it be used?. <b>2011</b> , 16, 483-5	1
1937	Uric acid and incident chronic kidney disease in a large health check-up population in Taiwan. <b>2011</b> , 16, 767-76	41
1936	Differential effects of cyclosporine and tacrolimus on arterial function. <b>2011</b> , 24, 708-15	19
1935	Adult age and ex vivo protein binding of lorazepam, oxazepam and temazepam in healthy subjects. <b>2011</b> , 72, 985-9	7
1934	Association between kidney and cardiac diastolic function in Chinese subjects without overt disease: correlation with ageing and inflammatory markers. <b>2011</b> , 41, 1077-86	4
1933	The difficulties of classifying renal disease in HIV-infected patients. <b>2011</b> , 12, 1-3	10
1932	Randomized comparison of metabolic and renal effects of saquinavir/r or atazanavir/r plus tenofovir/emtricitabine in treatment-naïve HIV-1-infected patients. <b>2011</b> , 12, 620-31	29
1931	Long-term adefovir plus lamivudine therapy does not decrease creatinine clearance in HBeAg-negative chronic hepatitis B patients. <b>2011</b> , 31, 1525-32	12
1930	The estimation, measurement, and relevance of the glomerular filtration rate in stage 5 chronic kidney disease. <b>2011</b> , 24, 540-9	16
1929	Kidney function estimating equations in patients with chronic kidney disease. <b>2011</b> , 65, 458-64	19
1928	Glomerular filtration rate estimated from serum cystatin. <b>2011</b> , 65, 1108-9; author reply 1109-10	

1927	Simple cystatin C formula compared to sophisticated CKD-EPI formulas for estimation of glomerular filtration rate in the elderly. <b>2011</b> , 15, 261-8	30
1926	Decreased serum creatinine concentration is associated with short telomeres of adipose tissue cells. <b>2011</b> , 19, 1511-4	4
1925	Iron-deficiency anemia, non-iron-deficiency anemia and HbA1c among adults in the US. <b>2011</b> , 3, 67-73	88
1924	Pathophysiology, prevention and management of chronic kidney disease in the hypertensive patient with diabetes mellitus. <b>2011</b> , 13, 252-7	8
1923	Low medication adherence and the incidence of stroke symptoms among individuals with hypertension: the REGARDS study. <b>2011</b> , 13, 479-86	25
1922	Association of serum uric acid with graft survival after kidney transplantation: a time-varying analysis. <b>2011</b> , 11, 1943-50	28
1921	Renal transplantation in patients with AA amyloidosis nephropathy: results from a French multicenter study. <b>2011</b> , 11, 2423-31	36
1920	Former smoking is a risk factor for chronic kidney disease after lung transplantation. <b>2011</b> , 11, 2490-8	22
1919	Tumor necrosis factor-related apoptosis-inducing ligand is a marker of kidney function and inflammation in heart and kidney transplant recipients. <b>2011</b> , 43, 1877-80	9
1918	Assessment of kidney function in adults. <b>2011</b> , 39, 306-311	4
1917	Once-daily extended-release niacin lowers serum phosphorus concentrations in patients with metabolic syndrome dyslipidemia. <b>2011</b> , 57, 181-2	8
1916	Association of CKD with disability in the United States. <b>2011</b> , 57, 212-27	60
1915	CKD and hospitalization in the elderly: a community-based cohort study in the United Kingdom. <b>2011</b> , 57, 664-72	28
1914	Association of dietary patterns with albuminuria and kidney function decline in older white women: a subgroup analysis from the Nurses' Health Study. <b>2011</b> , 57, 245-54	181
1913	In Reply to "Measured GFR Has Limited Clinical Utility" <b>2011</b> , 57, 180-181	1
1912	Association of plasma aldosterone with cardiovascular mortality in patients with low estimated GFR: the Ludwigshafen Risk and Cardiovascular Health (LURIC) Study. <b>2011</b> , 57, 403-14	37
1911	The relationship between kidney function and long-term graft survival after kidney transplant. <b>2011</b> , 57, 466-75	95
1910	Comparison of the CKD Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) study equations: risk factors for and complications of CKD and mortality in the Kidney Early Evaluation Program (KEEP). <b>2011</b> , 57, S9-16	98

1909	Comparison of the CKD Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) study equations: prevalence of and risk factors for diabetes mellitus in CKD in the Kidney Early Evaluation Program (KEEP). <b>2011</b> , 57, S24-31	21
1908	National Kidney Foundation's Kidney Early Evaluation Program (KEEP) annual data report 2010: executive summary. <b>2011</b> , 57, S1-3	7
1907	Recognition and management of CKD in primary care. <b>2011</b> , 57, 646-7	18
1906	Cystatin C and albuminuria as risk factors for development of CKD stage 3: the Multi-Ethnic Study of Atherosclerosis (MESA). <b>2011</b> , 57, 832-40	23
1905	Bidirectional association of retinal vessel diameters and estimated GFR decline: the Beaver Dam CKD Study. <b>2011</b> , 57, 682-91	40
1904	A timely change in CKD delivery: promoting patient education. <b>2011</b> , 57, 375-7	6
1903	Establishing the Global Kidney Disease Prevention Network (KDPN): a position statement from the National Kidney Foundation. <b>2011</b> , 57, 361-70	34
1902	Association of serum bicarbonate levels with gait speed and quadriceps strength in older adults. <b>2011</b> , 58, 29-38	40
1901	Retinal arteriolar narrowing and subsequent development of CKD Stage 3: the Multi-Ethnic Study of Atherosclerosis (MESA). <b>2011</b> , 58, 39-46	57
1900	Association of waist circumference and body mass index with all-cause mortality in CKD: The REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. <b>2011</b> , 58, 177-85	87
1899	High-normal albuminuria and risk of heart failure in the community. <b>2011</b> , 58, 47-55	76
1898	GFR estimating equations in a multiethnic Asian population. <b>2011</b> , 58, 56-63	176
1897	Sustained hypophosphatemic effect of once-daily niacin/laropiprant in dyslipidemic CKD stage 3 patients. <b>2011</b> , 57, 963-5	22
1896	Racial and ethnic differences in the association of body mass index and survival in maintenance hemodialysis patients. <b>2011</b> , 58, 574-82	59
1895	Socioeconomic status and reduced kidney function in the Whitehall II Study: role of obesity and metabolic syndrome. <b>2011</b> , 58, 389-97	32
1894	Low 25-hydroxyvitamin D levels and mortality in non-dialysis-dependent CKD. <b>2011</b> , 58, 536-43	54
1893	Guidelines for the older adult with CKD. <b>2011</b> , 58, 162-5	22
1892	CKD in Hispanics: Baseline characteristics from the CRIC (Chronic Renal Insufficiency Cohort) and Hispanic-CRIC Studies. <b>2011</b> , 58, 214-27	89

1891	Association of sleep-related problems with CKD in the United States, 2005-2008. <b>2011</b> , 58, 554-64	54
1890	Sex differences in the development of kidney disease in individuals with type 1 diabetes mellitus: a contemporary analysis. <b>2011</b> , 58, 565-73	30
1889	Albuminuria, kidney function, and the incidence of cognitive impairment among adults in the United States. <b>2011</b> , 58, 756-63	67
1888	Venous thromboembolism in patients with reduced estimated GFR: a population-based perspective. <b>2011</b> , 58, 746-55	41
1887	Automated clinical reminders for primary care providers in the care of CKD: a small cluster-randomized controlled trial. <b>2011</b> , 58, 894-902	43
1886	Comparative evaluation of the Cockcroft-Gault Equation and the Modification of Diet in Renal Disease (MDRD) study equation for drug dosing: an opinion of the Nephrology Practice and Research Network of the American College of Clinical Pharmacy. <b>2011</b> , 31, 1130-44	69
1885	Longitudinal assessment of estimated glomerular filtration rate in apparently healthy adults: a post hoc analysis from the JUPITER study (justification for the use of statins in prevention: an intervention trial evaluating rosuvastatin). <b>2011</b> , 33, 717-25	29
1884	Association of the metabolic syndrome with atrial fibrillation among United States adults (from the REasons for Geographic and Racial Differences in Stroke [REGARDS] Study). <b>2011</b> , 108, 227-32	54
1883	Acute kidney injury: a relevant complication after cardiac surgery. <b>2011</b> , 92, 1539-47	604
1882	Renal injury in the elderly: diagnosis, biomarkers and prevention. <b>2011</b> , 25, 401-12	16
1881	Metabolic syndrome, cardiovascular disease, and risk for chronic kidney disease in an Italian cohort: analysis of the INCIPE study. <b>2011</b> , 9, 381-8	13
1880	Biomarkers in chronic kidney disease: a review. <b>2011</b> , 80, 806-21	268
1879	Significant differences when using MDRD for GFR estimation compared to radionuclide measured clearance. <b>2011</b> , 21, 2211-7	5
1878	Contrast induced nephropathy: updated ESUR Contrast Media Safety Committee guidelines. <b>2011</b> , 21, 2527-41	618
1877	Quality of diabetes care in Austrian diabetic patients willing to participate in a DMP - at baseline. <b>2011</b> , 123, 436-43	7
1876	Minimierung kontrastmittelinduzierter Nephropathien. <b>2011</b> , 16, 469-480	6
1875	Effects of fenofibrate on renal function in patients with type 2 diabetes mellitus: the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) Study. <b>2011</b> , 54, 280-90	238
1874	Dynamic evaluation of renal resistive index in normoalbuminuric patients with newly diagnosed hypertension or type 2 diabetes. <b>2011</b> , 54, 2430-9	38

1873	Non-invasive investigation of kidney disease in type 1 diabetes by magnetic resonance imaging. <b>2011</b> , 54, 2421-9	12
1872	Soluble receptor for AGE (RAGE) is a novel independent predictor of all-cause and cardiovascular mortality in type 1 diabetes. <b>2011</b> , 54, 2669-77	60
1871	Glomerular filtration rate estimation in patients with type 2 diabetes: creatinine- or cystatin C-based equations?. <b>2011</b> , 54, 2987-94	45
1870	Prospectives and limitations by a novel algorithm. <b>2011</b> , 67, 1481-1482	
1869	Kidney injury: the case of elderly patients. <b>2011</b> , 7, 170-183	
1868	Évaluation de la fonction rénale du sujet âgé. <b>2011</b> , 6, 7-10	
1867	Decreased serum betaine concentrations in patients after bariatric surgery. <b>2011</b> , 21, 1634-9	4
1866	The prognostic role of gamma-glutamyltransferase activity in non-diabetic ST-elevation myocardial infarction. <b>2011</b> , 6, 213-9	20
1865	Renal issues in HIV infection. <b>2011</b> , 8, 164-71	10
1864	Estimation of glomerular filtration rate: what are the pitfalls?. <b>2011</b> , 13, 116-21	16
1863	The assessment of renal function in relation to the use of drugs in elderly in nursing homes; a cohort study. <b>2011</b> , 11, 1	76
1862	Effect of primary care physicians' use of estimated glomerular filtration rate on the timing of their subspecialty referral decisions. <b>2011</b> , 12, 1	29
1861	Effect of acute kidney injury requiring extended dialysis on 28 day and 1 year survival of patients undergoing interventional lung assist membrane ventilator treatment. <b>2011</b> , 12, 15	10
1860	Kidney function and multiple hemostatic markers: cross sectional associations in the multi-ethnic study of atherosclerosis. <b>2011</b> , 12, 3	54
1859	Protocol of a randomized controlled trial of culturally sensitive interventions to improve African Americans' and non-African Americans' early, shared, and informed consideration of live kidney transplantation: the Talking About Live Kidney Donation (TALK) Study. <b>2011</b> , 12, 34	30
1858	Baseline characteristics of patients with chronic kidney disease stage 3 and stage 4 in Spain: the MERENA observational cohort study. <b>2011</b> , 12, 53	54
1857	Ocular fundus pathology and chronic kidney disease in a Chinese population. <b>2011</b> , 12, 62	20
1856	Waist circumference, abdominal obesity, and depression among overweight and obese U.S. adults: National Health and Nutrition Examination Survey 2005-2006. <b>2011</b> , 11, 130	125

1855	Peripheral and central arterial pressure and its relationship to vascular target organ damage in carotid artery, retina and arterial stiffness. Development and validation of a tool. The Vaso risk study. <b>2011</b> , 11, 266	16
1854	Serum non-high-density lipoprotein cholesterol concentration and risk of death from cardiovascular diseases among U.S. adults with diagnosed diabetes: the Third National Health and Nutrition Examination Survey linked mortality study. <b>2011</b> , 10, 46	24
1853	Yearly evolution of organ damage markers in diabetes or metabolic syndrome: data from the LOD-DIABETES study. <b>2011</b> , 10, 90	13
1852	Pourquoi la clairance de la créatinine doit-elle céder la place aux formules d'estimation du débit de filtration glomérulaire ?. <b>2011</b> , 2011, 28-31	
1851	Blood oxygen level-dependent (BOLD) MRI of diabetic nephropathy: preliminary experience. <b>2011</b> , 33, 655-60	49
1850	Special considerations in the management of chronic kidney disease in the elderly. <b>2011</b> , 40, 241-243	2
1849	A comparison of cystatin C- and creatinine-based prediction equations for the estimation of glomerular filtration rate in black South Africans. <b>2011</b> , 26, 1553-8	45
1848	Kidney function, albuminuria and age-related macular degeneration in NHANES III. <b>2011</b> , 26, 3159-65	30
1847	The role of the primary care physician in managing early stages of chronic kidney disease. <b>2011</b> , 123, 177-85	9
1846	Hyperfiltration affects accuracy of creatinine eGFR measurement. <b>2011</b> , 6, 274-80	48
1845	Homocysteine-lowering and cardiovascular disease outcomes in kidney transplant recipients: primary results from the Folic Acid for Vascular Outcome Reduction in Transplantation trial. <b>2011</b> , 123, 1763-70	140
1844	The Cockcroft-Gault: a better predictor of renal function in an overweight and obese diabetic population. <b>2011</b> , 4, 393-9	17
1843	Screening tests for renal impairment in patients with type 2 diabetes: the what, when, and how. <b>2011</b> , 123, 7-14	
1842	Kidney function and risk triage in adults: threshold values and hierarchical importance. <b>2011</b> , 79, 99-111	15
1841	Chronic kidney disease: the CKD-EPI equation to estimate GFR-better alchemy?. <b>2011</b> , 7, 127-8	6
1840	Association of glucocorticoid use and low 25-hydroxyvitamin D levels: results from the National Health and Nutrition Examination Survey (NHANES): 2001-2006. <b>2011</b> , 96, 3838-45	101
1839	Chronic kidney disease: a large-scale population-based study of the effects of introducing the CKD-EPI formula for eGFR reporting. <b>2011</b> , 1, e000308	49
1838	Smoking is a risk factor in the progression to kidney failure. <b>2011</b> , 80, 516-23	89

1837	The CKD-EPI and MDRD equations to estimate GFR. Validation in the Swedish Lund-Malmö Study cohort. <b>2011</b> , 71, 129-38	39
1836	Comparative analysis of the new chronic kidney disease epidemiology collaboration and the modification of diet in renal disease equations for estimation of glomerular filtration rate in HIV type 1-infected subjects. <b>2011</b> , 27, 809-13	7
1835	Natural history of older adults with impaired kidney function: the InCHIANTI study. <b>2011</b> , 14, 513-23	9
1834	Clarifying the Fog of Natural and Manmade Renal Function Tests. <b>2011</b> , 10, 45-50	2
1833	Impaired fasting glucose is associated with renal hyperfiltration in the general population. <b>2011</b> , 34, 1546-51	89
1832	Renin-angiotensin-aldosterone genotype influences ventricular remodeling in infants with single ventricle. <b>2011</b> , 123, 2353-62	44
1831	Use of recalibrated serum creatinine concentrations for adjustment of drug dosages: determination of values compatible with conventional dosing recommendations. <b>2011</b> , 45, 748-56	4
1830	GFR estimation in children: questions and answers (and questions). <b>2011</b> , 6, 1810-2	9
1829	Serum bicarbonate and mortality in stage 3 and stage 4 chronic kidney disease. <b>2011</b> , 6, 2395-402	97
1828	Detection of chronic kidney disease with creatinine, cystatin C, and urine albumin-to-creatinine ratio and association with progression to end-stage renal disease and mortality. <b>2011</b> , 305, 1545-52	291
1827	Racial and ethnic differences in kidney function decline among persons without chronic kidney disease. <b>2011</b> , 22, 1327-34	77
1826	Estimation of plasma small dense LDL cholesterol from classic lipid measures. <b>2011</b> , 136, 20-9	28
1825	The association between left ventricular diastolic function and a mild-to-moderate decrease in glomerular filtration rate in patients with type 2 diabetes mellitus. <b>2011</b> , 39, 2178-86	8
1824	Glomerular filtration rate estimation: performance of serum cystatin C-based prediction equations. <b>2011</b> , 49, 1761-71	15
1823	Estimated net endogenous acid production and serum bicarbonate in African Americans with chronic kidney disease. <b>2011</b> , 6, 1526-32	58
1822	Metabolic abnormalities, cardiovascular disease risk factors, and GFR decline in children with chronic kidney disease. <b>2011</b> , 6, 2132-40	115
1821	Age, eGFR, and CKD complications. <b>2011</b> , 6, 2729-31	1
1820	Relative performance of the MDRD and CKD-EPI equations for estimating glomerular filtration rate among patients with varied clinical presentations. <b>2011</b> , 6, 1963-72	116



1819	Chronic kidney disease awareness among individuals with clinical markers of kidney dysfunction. <b>2011</b> , 6, 1838-44	88
1818	Age-specific associations of reduced estimated glomerular filtration rate with concurrent chronic kidney disease complications. <b>2011</b> , 6, 2822-8	54
1817	Correlates of acute insulin resistance in the early phase of non-diabetic ST-elevation myocardial infarction. <b>2011</b> , 8, 35-42	28
1816	Warfarin in atrial fibrillation patients with moderate chronic kidney disease. <b>2011</b> , 6, 2599-604	143
1815	Increased urinary neutrophil gelatinase associated lipocalin in urinary tract infections and leukocyturia. <b>2011</b> , 49, 999-1003	52
1814	Nurse-coordinated care in CKD: time for translation into practice?. <b>2011</b> , 6, 1229-31	3
1813	Serum 25-hydroxyvitamin D and change in estimated glomerular filtration rate. <b>2011</b> , 6, 2141-9	80
1812	Estimated GFR associates with cardiovascular risk factors independently of measured GFR. <b>2011</b> , 22, 927-37	86
1811	Age-specific association of reduced estimated glomerular filtration rate and albuminuria with all-cause mortality. <b>2011</b> , 6, 2200-7	56
1810	Albuminuria and racial disparities in the risk for ESRD. <b>2011</b> , 22, 1721-8	52
1809	Vulnerable populations and the association between periodontal and chronic kidney disease. <b>2011</b> , 6, 711-7	49
1808	Equations to estimate creatinine excretion rate: the CKD epidemiology collaboration. <b>2011</b> , 6, 184-91	122
1807	Cystatin C is more than GFR, and this may be a good thing. <b>2011</b> , 22, 795-7	12
1806	Chronic kidney disease is associated with the incidence of atrial fibrillation: the Atherosclerosis Risk in Communities (ARIC) study. <b>2011</b> , 123, 2946-53	338
1805	Pediatric GFR estimating equations applied to adolescents in the general population. <b>2011</b> , 6, 1427-35	79
1804	Serum uric acid is a GFR-independent long-term predictor of acute and chronic renal insufficiency: the Jerusalem Lipid Research Clinic cohort study. <b>2011</b> , 26, 2558-66	51
1803	Focusing on the clinical impact of standardization of creatinine measurements: a report by the EFCC Working Group on Creatinine Standardization. <b>2011</b> , 49, 977-82	33
1802	Assessing glomerular filtration rate in hospitalized patients: a comparison between CKD-EPI and four cystatin C-based equations. <b>2011</b> , 6, 2411-20	37

1801	Relationship between blood pressure and incident chronic kidney disease in hypertensive patients. <b>2011</b> , 6, 2605-11	42
1800	Are the creatinine-based equations accurate to estimate glomerular filtration rate in African American populations?. <b>2011</b> , 6, 906-12	58
1799	Clinical spectrum of renal disorders in patients with cirrhosis of liver. <b>2011</b> , 33, 40-6	21
1798	Acute kidney injury in the elderly: predisposition to chronic kidney disease and vice versa. <b>2011</b> , 119 Suppl 1, c19-24	41
1797	B-type natriuretic peptide predicts long-term prognosis in a cohort of critically ill patients. <b>2011</b> , 6, e18	4
1796	The Practical Implications of Using Estimated GFR as the Presumed Reference Variable to Estimate Transplant Chronic Kidney Disease. <b>2011</b> , 3, 5-12	1
1795	Assessment of the CKD-EPI equation to estimate glomerular filtration rate in adults from a Chinese CKD population. <b>2011</b> , 39, 2273-80	21
1794	The Sask formula to estimate glomerular filtration rate in renal transplant patients. <b>2011</b> , 117, c135-50	1
1793	Albumin:creatinine ratio--a flawed measure? The merits of estimated albuminuria reporting. <b>2011</b> , 118, c324-30	12
1792	Renal Association Clinical Practice Guideline on detection, monitoring and management of patients with CKD. <b>2011</b> , 118 Suppl 1, c71-c100	18
1791	Validity of estimated glomerular filtration rates for assessment of baseline and serial renal function in patients with atherosclerotic renal artery stenosis: implications for clinical trials of renal revascularization. <b>2011</b> , 4, 219-25	20
1790	Donor phosphorus levels and recipient outcomes in living-donor kidney transplantation. <b>2011</b> , 6, 1179-84	3
1789	Genetic examination of SETD7 and SUV39H1/H2 methyltransferases and the risk of diabetes complications in patients with type 1 diabetes. <b>2011</b> , 60, 3073-80	49
1788	Bacterial endotoxin activity in human serum is associated with dyslipidemia, insulin resistance, obesity, and chronic inflammation. <b>2011</b> , 34, 1809-15	271
1787	Morphometric and visual evaluation of fibrosis in renal biopsies. <b>2011</b> , 22, 176-86	151
1786	Serum creatinine concentrations in male and female elite swimmers. Correlation with body mass index and evaluation of estimated glomerular filtration rate. <b>2011</b> , 49, 285-9	7
1785	Temporal trends in the prevalence of diabetic kidney disease in the United States. <b>2011</b> , 305, 2532-9	615
1784	Plasma symmetric dimethylarginine reference limits from the Framingham offspring cohort. <b>2011</b> , 49, 1907-10	23

1783	Diagnostische Pfade bei Nierenerkrankungen <sup>1</sup> ) / Diagnostic pathways for renal diseases. <b>2011</b> , 35, 127-146	
1782	Agreement between equations estimating glomerular filtration rate in elderly nursing home residents and in hospitalised patients: implications for drug dosing. <b>2011</b> , 40, 583-9	17
1781	Treatment of patients with metastatic urothelial cancer "unfit" for Cisplatin-based chemotherapy. <b>2011</b> , 29, 2432-8	349
1780	Estimated GFR, albuminuria, and complications of chronic kidney disease. <b>2011</b> , 22, 2322-31	64
1779	Systematic shifts in cystatin C between 2006 and 2010. <b>2011</b> , 6, 1952-5	33
1778	Development and validation of an electronic health record-based chronic kidney disease registry. <b>2011</b> , 6, 40-9	98
1777	Relationship between stage of kidney disease and incident heart failure in older adults. <b>2011</b> , 34, 135-41	9
1776	Measurement of glomerular filtration rate in obese patients: pitfalls and potential consequences on drug therapy. <b>2011</b> , 4, 238-43	25
1775	A Case for Early Screening for Diabetic Kidney Disease. <b>2011</b> , 1, 235-242	3
1774	A novel model of cardiovascular risk based on kidney function. <b>2011</b> , 34, 505-11	4
1773	Use of diffusion tensor MRI to identify early changes in diabetic nephropathy. <b>2011</b> , 34, 476-82	82
1772	Kidney function decline in the elderly: impact of lipoprotein-associated phospholipase A(2). <b>2011</b> , 34, 512-8	8
1771	Epidemiology and prognostic significance of chronic kidney disease in the elderly--the Three-City prospective cohort study. <b>2011</b> , 26, 3286-95	70
1770	Fasting and post-glucose load measures of insulin resistance and risk of ischemic stroke in older adults. <b>2011</b> , 42, 3347-51	37
1769	Race differences in access to health care and disparities in incident chronic kidney disease in the US. <b>2011</b> , 26, 899-908	53
1768	Cystatin C, mortality risk and clinical triage in US adults: threshold values and hierarchical importance. <b>2011</b> , 26, 1831-7	4
1767	Associations of blood lead with estimated glomerular filtration rate using MDRD, CKD-EPI and serum cystatin C-based equations. <b>2011</b> , 26, 2786-92	29
1766	Correlates of insulin resistance in older individuals with and without kidney disease. <b>2011</b> , 26, 2814-9	35

1765	Nonsteroidal anti-inflammatory drug use among persons with chronic kidney disease in the United States. <b>2011</b> , 9, 423-30	88
1764	Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation pronouncedly underestimates glomerular filtration rate in type 2 diabetes. <b>2011</b> , 34, 2353-5	72
1763	Albuminuria and estimated glomerular filtration rate as predictors of diabetic end-stage renal disease and death. <b>2011</b> , 6, 2444-51	94
1762	Performance of the chronic kidney disease epidemiology collaboration equation to estimate glomerular filtration rate in diabetic patients. <b>2011</b> , 34, 1320-2	70
1761	Simplified estimation of aminoglycoside pharmacokinetics in underweight and obese adult patients. <b>2011</b> , 55, 4006-11	56
1760	GFR decline and mortality risk among patients with chronic kidney disease. <b>2011</b> , 6, 1879-86	86
1759	Race-ethnicity as an effect modifier of the association between HbA1c and mortality in U.S. adults without diagnosed diabetes. <b>2011</b> , 165, 275-81	10
1758	Patients with autosomal dominant polycystic kidney disease have elevated fibroblast growth factor 23 levels and a renal leak of phosphate. <b>2011</b> , 79, 234-40	64
1757	Chronic kidney disease: High eGFR and mortality: high true GFR or a marker of frailty?. <b>2011</b> , 7, 680-2	14
1756	Evaluation of methods to estimate glomerular filtration rate versus actual drug clearance in patients with chronic spinal cord injury. <b>2011</b> , 49, 1158-63	11
1755	Critical care: estimating renal function in the ICU: even more challenging. <b>2011</b> , 7, 549-50	3
1754	Changes in dietary protein intake has no effect on serum cystatin C levels independent of the glomerular filtration rate. <b>2011</b> , 79, 471-7	113
1753	Higher estimated glomerular filtration rates may be associated with increased risk of adverse outcomes, especially with concomitant proteinuria. <b>2011</b> , 80, 1306-14	69
1752	Postoperative biomarkers predict acute kidney injury and poor outcomes after adult cardiac surgery. <b>2011</b> , 22, 1748-57	402
1751	Management of patients with type 2 diabetes. <b>2011</b> , 27, 1931-47	9
1750	The contribution of chronic kidney disease to the global burden of major noncommunicable diseases. <b>2011</b> , 80, 1258-70	784
1749	Cystatin C identifies chronic kidney disease patients at higher risk for complications. <b>2011</b> , 22, 147-55	146
1748	The clinician and estimation of glomerular filtration rate by creatinine-based formulas: current limitations and quo vadis. <b>2011</b> , 6, 937-50	73

1747	Genetic loci that affect aristolochic acid-induced nephrotoxicity in the mouse. <b>2011</b> , 300, F1360-7	4
1746	Chronic kidney disease in octogenarians. <b>2011</b> , 6, 1410-7	29
1745	Comment: Use of recalibrated serum creatinine concentrations for adjustment of drug dosages: determination of values compatible with conventional dosing recommendations. <b>2011</b> , 45, 1592-3	1
1744	Coronary artery calcification predicts long-term mortality in hypertensive adults. <b>2011</b> , 24, 681-6	22
1743	Associations of sugar and artificially sweetened soda with albuminuria and kidney function decline in women. <b>2011</b> , 6, 160-6	53
1742	Treating hyperuricemia of gout: safety and efficacy of febuxostat and allopurinol in older versus younger subjects. <b>2011</b> , 30, 1011-7	5
1741	Renal function and oncologic outcomes after cryoablation or partial nephrectomy for tumors in solitary kidneys. <b>2011</b> , 52, 384-9	9
1740	Implications of the CKD-EPI GFR estimation equation in clinical practice. <b>2011</b> , 6, 497-504	21
1739	Revised equations for estimating glomerular filtration rate based on the Lund-Malmö Study cohort. <b>2011</b> , 71, 232-9	117
1738	Renal function, bisphenol A, and alkylphenols: results from the National Health and Nutrition Examination Survey (NHANES 2003-2006). <b>2011</b> , 119, 527-33	50
1737	Kidney. <b>2011</b> , 769-814	8
1736	Saccharomyces cerevisiae as a model system for kidney disease: what can yeast tell us about renal function?. <b>2011</b> , 301, F1-11	13
1735	Measured GFR as "gold standard"--all that glitters is not gold?. <b>2011</b> , 6, 1813-4	45
1734	Pregnancy outcomes in systemic lupus erythematosus with and without previous nephritis. <b>2011</b> , 38, 1906-13	94
1733	Association of chronic kidney disease with atrial fibrillation among adults in the United States: REasons for Geographic and Racial Differences in Stroke (REGARDS) Study. <b>2011</b> , 4, 26-32	173
1732	Reduced renal plasma clearance does not explain increased plasma asymmetric dimethylarginine in hypertensive subjects with mild to moderate renal insufficiency. <b>2012</b> , 303, F149-56	15
1731	Increased urinary protein excretion in the "normal" range is associated with increased renin-angiotensin system activity. <b>2012</b> , 302, F526-32	11
1730	Plasma bicarbonate and risk of type 2 diabetes mellitus. <b>2012</b> , 184, E719-25	36

1729	Relationship of plasma galectin-3 to renal function in patients with heart failure: effects of clinical status, pathophysiology of heart failure, and presence or absence of heart failure. <b>2012</b> , 1, e000760	94
1728	Hypertension and antihypertensive treatment in HIV-infected individuals. A longitudinal cohort study. <b>2012</b> , 21, 311-9	23
1727	Serum concentration of cystatin C and risk of end-stage renal disease in diabetes. <b>2012</b> , 35, 2311-6	48
1726	Peroxisiredoxin 4, a novel circulating biomarker for oxidative stress and the risk of incident cardiovascular disease and all-cause mortality. <b>2012</b> , 1, e002956	33
1725	Screening for chronic kidney disease: preventing harm or harming the healthy?. <b>2012</b> , 9, e1001345	9
1724	Diverging association of reduced glomerular filtration rate and albuminuria with coronary and noncoronary events in patients with type 2 diabetes: the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study. <b>2012</b> , 35, 143-9	91
1723	Rate and determinants of association between advanced retinopathy and chronic kidney disease in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicenter study. <b>2012</b> , 35, 2317-23	79
1722	Evaluation of creatinine, cystatin C and eGFR by different equations in professional cyclists during the Giro d'Italia 3-weeks stage race. <b>2012</b> , 72, 114-20	15
1721	Plasma adiponectin is related to the progression of kidney disease in type 2 diabetes patients. <b>2012</b> , 72, 333-9	28
1720	Evaluation of serum creatinine- and cystatin C-based equations for the estimation of glomerular filtration rate in a Chinese population. <b>2012</b> , 46, 223-31	12
1719	Asymmetric dimethylarginine plasma levels and endothelial function in newly diagnosed type 2 diabetic patients. <b>2012</b> , 13, 13804-15	24
1718	FGF23, albuminuria, and disease progression in patients with chronic IgA nephropathy. <b>2012</b> , 7, 727-34	57
1717	Validation of the Lund-Malmö Chronic Kidney Disease Epidemiology (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) equations to estimate glomerular filtration rate in a large Swedish clinical population. <b>2012</b> , 46, 212-22	39
1716	Prevalence and predictors of anemia in a population-based study of octogenarians and centenarians in Georgia. <b>2012</b> , 67, 100-6	15
1715	Renal function after reduction in cadmium exposure: an 8-year follow-up of residents in cadmium-polluted areas. <b>2012</b> , 120, 223-8	82
1714	Variation in APOL1 Contributes to Ancestry-Level Differences in HDLc-Kidney Function Association. <b>2012</b> , 2012, 748984	24
1713	Serum triglycerides and risk for death in Stage 3 and Stage 4 chronic kidney disease. <b>2012</b> , 27, 3228-34	10
1712	Omega-3 Status and the Relationship between Plasma Asymmetric Dimethylarginine and Risk of Myocardial Infarction in Patients with Suspected Coronary Artery Disease. <b>2012</b> , 2012, 201742	12

1711	Risk models to predict chronic kidney disease and its progression: a systematic review. <b>2012</b> , 9, e1001344	111
1710	Blood pressure components and end-stage renal disease in persons with chronic kidney disease: the Kidney Early Evaluation Program (KEEP). <b>2012</b> , 172, 41-7	89
1709	Short-term change in kidney function and risk of end-stage renal disease. <b>2012</b> , 27, 3835-43	73
1708	Racial differences in the incidence of chronic kidney disease. <b>2012</b> , 7, 101-7	47
1707	Chronic kidney disease, insulin resistance, and incident diabetes in older adults. <b>2012</b> , 7, 588-94	46
1706	Use of secondary prevention medications among adults with reduced kidney function. <b>2012</b> , 7, 604-11	3
1705	Renal function in a large cohort of metformin treated patients with type 2 diabetes mellitus. <b>2012</b> , 12, 227-231	5
1704	Quality of life and survival in patients with advanced kidney failure managed conservatively or by dialysis. <b>2012</b> , 7, 2002-9	135
1703	Clinical utility of creatinine- and cystatin C-based definition of renal function for risk prediction of primary cardiovascular events in patients with diabetes. <b>2012</b> , 35, 879-86	34
1702	Cytokine elevation and transaminitis after laparoscopic donor nephrectomy. <b>2012</b> , 302, F1104-11	9
1701	Catheter ablation of ventricular tachycardia in nonischemic heart disease. <b>2012</b> , 5, 992-1000	93
1700	Predictors of estimated GFR decline in patients with type 2 diabetes and preserved kidney function. <b>2012</b> , 7, 401-8	138
1699	Long-term follow-up of patients with hypoparathyroidism. <b>2012</b> , 97, 4507-14	232
1698	The impact of renal function on outcomes of bariatric surgery. <b>2012</b> , 23, 885-94	74
1697	Dosing of antibiotics in obesity. <b>2012</b> , 25, 634-49	100
1696	Association of mild to moderate chronic kidney disease with venous thromboembolism: pooled analysis of five prospective general population cohorts. <b>2012</b> , 126, 1964-71	82
1695	Renal function in recipients of pancreas transplant alone. <b>2012</b> , 17, 73-9	12
1694	Renal dysfunction in patients with heart failure with preserved versus reduced ejection fraction: impact of the new Chronic Kidney Disease-Epidemiology Collaboration Group formula. <b>2012</b> , 5, 309-14	112

1693	Subclinical cardiac abnormalities and kidney function decline: the multi-ethnic study of atherosclerosis. <b>2012</b> , 7, 1137-44	23
1692	Chronic renovascular hypertension is associated with elevated levels of neutrophil gelatinase-associated lipocalin. <b>2012</b> , 27, 4153-61	50
1691	CKD, plasma lipids, and common carotid intima-media thickness: results from the multi-ethnic study of atherosclerosis. <b>2012</b> , 7, 1777-85	23
1690	Long-term renal and cardiovascular outcomes in Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT) participants by baseline estimated GFR. <b>2012</b> , 7, 989-1002	64
1689	Association of postoperative proteinuria with AKI after cardiac surgery among patients at high risk. <b>2012</b> , 7, 1749-60	32
1688	Sodium and potassium intakes among US adults: NHANES 2003-2008. <b>2012</b> , 96, 647-57	188
1687	Plasma adrenomedullin and subclinical cardiorenal syndrome in patients with type 2 diabetes mellitus. <b>2012</b> , 40, 1552-9	4
1686	Renal dysfunction and elevated blood pressure in long-term childhood cancer survivors. <b>2012</b> , 7, 1416-27	52
1685	Circulating soluble intercellular adhesion molecule 1 and subclinical atherosclerosis: the Coronary Artery Risk Development in Young Adults Study. <b>2012</b> , 58, 411-20	51
1684	Six-minute walk test as a prognostic tool in stable coronary heart disease: data from the heart and soul study. <b>2012</b> , 172, 1096-102	104
1683	Lower serum bicarbonate and a higher anion gap are associated with lower cardiorespiratory fitness in young adults. <b>2012</b> , 81, 1033-1042	49
1682	Race adjustment for estimating glomerular filtration rate is not always necessary. <b>2012</b> , 2, 293-302	37
1681	The serum 24,25-dihydroxyvitamin D concentration, a marker of vitamin D catabolism, is reduced in chronic kidney disease. <b>2012</b> , 82, 693-700	108
1680	Oral bisphosphonate use in the elderly is not associated with acute kidney injury. <b>2012</b> , 82, 903-8	37
1679	Racial differences in albuminuria, kidney function, and risk of stroke. <b>2012</b> , 79, 1686-92	30
1678	Intensive therapy and GFR in type 1 diabetes. <b>2012</b> , 366, 856; author reply 857-8	4
1677	Chronic kidney disease: Estimating GFR--the right equation for the right population. <b>2012</b> , 8, 379-80	2
1676	Apparent clearance of valproic acid in elderly epileptic patients: estimation of the confounding effect of albumin concentration. <b>2012</b> , 117, 41-6	9



1675	Impact of creatinine production on the agreement between glomerular filtration rate estimates using cystatin C-derived, and 4- and 6-variable Modification of Diet in Renal Disease (MDRD), and Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equations. <b>2012</b> , 117, 402-10	4
1674	Irbesartan delays progression of nephropathy as measured by estimated glomerular filtration rate: post hoc analysis of the Irbesartan Diabetic Nephropathy Trial. <b>2012</b> , 27, 2255-63	30
1673	Comparison of CKD-EPI and MDRD to estimate baseline renal function in HIV-positive patients. <b>2012</b> , 27, 2291-7	57
1672	Reporting of the estimated glomerular filtration rate was associated with increased use of angiotensin-converting enzyme inhibitors and angiotensin-II receptor blockers in CKD. <b>2012</b> , 81, 1248-53	30
1671	Variability in estimated glomerular filtration rate is an independent risk factor for death among patients with stage 3 chronic kidney disease. <b>2012</b> , 82, 1332-8	31
1670	The early decline in renal function in patients with type 1 diabetes and proteinuria predicts the risk of end-stage renal disease. <b>2012</b> , 82, 589-97	88
1669	The association of parathyroid hormone with ESRD and pre-ESRD mortality in the Kidney Early Evaluation Program. <b>2012</b> , 97, 4414-21	7
1668	Renal measurements on CT angiograms: correlation with graft function at living donor renal transplantation. <b>2012</b> , 265, 151-7	36
1667	Protocol for measuring carotid intima-media thickness that best correlates with cardiovascular risk and target organ damage. <b>2012</b> , 25, 955-61	34
1666	Radiofrequency coagulation-assisted laparoscopic partial nephrectomy without hilar clamping: a feasible technique with excellent outcomes in highly selected patients. <b>2012</b> , 26, 58-62	4
1665	Lactate clearance in cardiogenic shock following ST elevation myocardial infarction: a pilot study. <b>2012</b> , 14, 20-6	38
1664	Chronic kidney disease and cardiac remodelling in patients with mild heart failure: results from the RESynchronization reVERses Remodeling in Systolic Left vEntricular Dysfunction (REVERSE) study. <b>2012</b> , 14, 1420-8	29
1663	Beta-2 microglobulin as a predictor of peripheral arterial disease in diabetes: the effect of estimated glomerular filtration. <b>2012</b> , 17, 141-144	2
1662	Estimated glomerular filtration rate from serum cystatin C: significant differences among several equations results. <b>2012</b> , 34, 871-5	3
1661	The old and new methods of assessing kidney function. <b>2012</b> , 52, 63S-71S	15
1660	Addition of the multidimensional prognostic index to the estimated glomerular filtration rate improves prediction of long-term all-cause mortality in older patients with chronic kidney disease. <b>2012</b> , 15, 82-8	32
1659	Bone mineral density and fracture risk in older individuals with CKD. <b>2012</b> , 7, 1130-6	153
1658	The serum anion gap is altered in early kidney disease and associates with mortality. <b>2012</b> , 82, 701-9	57

1657	Overestimation of carboplatin doses is avoided by radionuclide GFR measurement. <b>2012</b> , 107, 1310-6	28
1656	The implications of anatomical and functional changes of the aging kidney: with an emphasis on the glomeruli. <b>2012</b> , 82, 270-7	174
1655	Measuring urinary tubular biomarkers in type 2 diabetes does not add prognostic value beyond established risk factors. <b>2012</b> , 82, 812-8	43
1654	Analysis of baseline parameters in the HALT polycystic kidney disease trials. <b>2012</b> , 81, 577-85	65
1653	The question of primary lipid nephrotoxicity. <b>2012</b> , 27, 2614-5	
1652	Fabry disease in latin america: data from the fabry registry. <b>2013</b> , 8, 91-9	5
1651	Common variants of the UMOD promoter associated with blood pressure in a community-based Chinese cohort. <b>2012</b> , 35, 769-74	18
1650	Chronic kidney disease and life expectancy. <b>2012</b> , 27, 3182-6	70
1649	Estimating glomerular filtration rate in hypertensive subjects: comparison of the chronic kidney disease epidemiology collaboration (CKD-EPI) and modification of diet in renal disease (MDRD) study equations. <b>2012</b> , 44, 487-93	5
1648	Off-clamp robot-assisted partial nephrectomy for complex renal tumors. <b>2012</b> , 26, 1177-82	13
1647	Overweight, obesity and intentional weight loss in chronic kidney disease: NHANES 1999-2006. <b>2012</b> , 36, 1585-90	34
1646	Association of APOL1 variants with mild kidney disease in the first-degree relatives of African American patients with non-diabetic end-stage renal disease. <b>2012</b> , 82, 805-11	58
1645	Clinical observation of patients with Fabry disease after switching from agalsidase beta (Fabrazyme) to agalsidase alfa (Replagal). <b>2012</b> , 14, 779-86	30
1644	Estimating glomerular filtration rates by use of both cystatin C and standardized serum creatinine avoids ethnicity coefficients in Asian patients with chronic kidney disease. <b>2012</b> , 58, 450-7	25
1643	Associations of alternative markers of glycemia with hemoglobin A(1c) and fasting glucose. <b>2012</b> , 58, 1648-55	66
1642	VAP-1, a novel molecule linked to endothelial damage and kidney function in kidney allograft recipients. <b>2012</b> , 36, 242-7	12
1641	Comparison of two creatinine-based estimating equations in predicting all-cause and cardiovascular mortality in patients with type 2 diabetes. <b>2012</b> , 35, 2347-53	20
1640	Vascular biomarkers in the prediction of clinical cardiovascular disease: the Strong Heart Study. <b>2012</b> , 59, 29-35	40

1639	The usefulness of cystatin C and related formulae in pediatrics. <b>2012</b> , 50, 2081-91	37
1638	GFR estimation in adolescents and young adults. <b>2012</b> , 23, 989-96	62
1637	The impact of impaired kidney function and HIV infection on the risk of anemia. <b>2012</b> , 28, 1666-71	3
1636	Autosomal dominant polycystic kidney disease and hypertension are associated with left ventricular mass in a gender-dependent manner. <b>2012</b> , 36, 301-9	6
1635	Association of reduced renal function with hepatitis B virus infection and elevated alanine aminotransferase. <b>2012</b> , 7, 1561-6	12
1634	Comparison of risk prediction using the CKD-EPI equation and the MDRD study equation for estimated glomerular filtration rate. <b>2012</b> , 307, 1941-51	658
1633	The effectiveness of long-term agalsidase alfa therapy in the treatment of Fabry nephropathy. <b>2012</b> , 7, 60-9	55
1632	Serum fibroblast growth factor-23 and risk of incident chronic kidney disease in older community-dwelling women. <b>2012</b> , 7, 85-91	31
1631	Vasopressin, copeptin, and renal concentrating capacity in patients with autosomal dominant polycystic kidney disease without renal impairment. <b>2012</b> , 7, 906-13	68
1630	Skin intrinsic fluorescence is associated with coronary artery disease in individuals with long duration of type 1 diabetes. <b>2012</b> , 35, 2331-6	30
1629	Plasma concentrations of asymmetric dimethylarginine, nitric oxide and homocysteine in patients with slow coronary flow. <b>2012</b> , 72, 495-500	12
1628	Increased time exposure to tenofovir is associated with a greater decrease in estimated glomerular filtration rate in HIV patients with kidney function of less than 60 ml/min/1.73 m <sup>2</sup> . <b>2012</b> , 120, c205-14	11
1627	Age and association of kidney measures with mortality and end-stage renal disease. <b>2012</b> , 308, 2349-60	371
1626	Physical exercise, fasting glucose, and renal hyperfiltration in the general population: the Renal Iohexol Clearance Survey in Tromsø (RENIS-T6). <b>2012</b> , 7, 1801-10	31
1625	Serum uric acid and 1-h postload glucose in essential hypertension. <b>2012</b> , 35, 153-7	33
1624	Reversibility of fenofibrate therapy-induced renal function impairment in ACCORD type 2 diabetic participants. <b>2012</b> , 35, 1008-14	88
1623	Simple cystatin C formula for estimation of glomerular filtration rate in overweight patients with diabetes mellitus type 2 and chronic kidney disease. <b>2012</b> , 2012, 179849	11
1622	Amelioration of glucose control mobilizes circulating pericyte progenitor cells in type 2 diabetic patients with microangiopathy. <b>2012</b> , 2012, 274363	12

1621	Influence of thyroid function on different kidney function tests. <b>2012</b> , 35, 9-17	39
1620	Renal anemia treatment with ESA in hemodialysis patients in relation to early versus late referral in everyday clinical practice in Central and Eastern European countries: baseline data. <b>2012</b> , 35, 58-67	2
1619	Phenotypic and genetic relationships between kidney function and carotid intima-media thickness in Koreans: the Healthy Twin Study. <b>2012</b> , 35, 259-64	6
1618	Glomerular filtration rate estimated by the CKD-EPI formula is a powerful predictor of in-hospital adverse clinical outcomes after an acute coronary syndrome. <b>2012</b> , 63, 119-26	16
1617	Procalcific phenotypic drift of circulating progenitor cells in type 2 diabetes with coronary artery disease. <b>2012</b> , 2012, 921685	34
1616	Blood pressure indexes and end-stage renal disease risk in adults with chronic kidney disease. <b>2012</b> , 25, 789-96	34
1615	Estimating glomerular filtration rate using the chronic kidney disease-epidemiology collaboration creatinine equation: better risk predictions. <b>2012</b> , 5, 303-6	19
1614	Advances in the use of multimarker panels for renal risk stratification. <b>2012</b> , 21, 301-8	7
1613	Cystatin C and estimated glomerular filtration rate as predictors for adverse outcome in patients with ST-elevation and non-ST-elevation acute coronary syndromes: results from the Platelet Inhibition and Patient Outcomes study. <b>2012</b> , 58, 190-9	34
1612	Association of depression and antidepressant use with mortality in a large cohort of patients with nondialysis-dependent CKD. <b>2012</b> , 7, 1793-800	24
1611	Soluble klotho and autosomal dominant polycystic kidney disease. <b>2012</b> , 7, 248-57	55
1610	Lifetime risk of ESRD. <b>2012</b> , 23, 1569-78	59
1609	A 5-item prediction rule to identify severe renal dysfunction in patients with acute stroke. <b>2012</b> , 33, 1449-54	
1608	High normal levels of albuminuria and risk of hypertension in Indo-Asian population. <b>2012</b> , 27 Suppl 3, iii58-64	16
1607	Incipient renal impairment as a predictor of subclinical atherosclerosis in HIV-infected patients. <b>2012</b> , 59, 141-8	13
1606	Comorbid diabetes and the risk of progressive chronic kidney disease in HIV-infected adults: data from the Veterans Aging Cohort Study. <b>2012</b> , 60, 393-9	75
1605	The older adult patient and kidney function. <b>2012</b> , 27, 431-44	12
1604	Relationship between N-terminal pro-B-type natriuretic peptide plasma levels and renal function evaluated with different formulae in older adult subjects admitted because of dyspnea. <b>2012</b> , 58, 50-5	6

1603	Is awareness of chronic kidney disease associated with evidence-based guideline-concordant outcomes?. <b>2012</b> , 35, 191-7	26
1602	Influence of minimal changes in preoperative renal function on outcomes of cardiac surgery. <b>2012</b> , 35, 400-6	7
1601	Pharmacokinetic study of S-1 in patients in whom inulin clearance was measured. <b>2012</b> , 83, 38-44	5
1600	One-year change in kidney function is associated with an increased mortality risk. <b>2012</b> , 36, 41-9	45
1599	Evaluation of an instrument for screening patients at risk for chronic kidney disease: testing SCORED (Screening for Occult Renal Disease) in a Portuguese population. <b>2012</b> , 35, 568-72	5
1598	Simple cystatin C formula compared to serum creatinine-based formulas for estimation of glomerular filtration rate in patients with mildly to moderately impaired kidney function. <b>2012</b> , 35, 649-54	5
1597	Risk factors for renal failure in patients with lupus nephritis: data from the spanish registry of glomerulonephritis. <b>2012</b> , 2, 269-77	14
1596	Coronary Artery Bypass Grafting Surgery Off- or On-pump Revascularisation Study (CORONARY): kidney substudy analytic protocol of an international randomised controlled trial. <b>2012</b> , 2, e001080	8
1595	Incidence of stroke symptoms among adults with chronic kidney disease: results from the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. <b>2012</b> , 27, 166-73	28
1594	Renal outcomes of agalsidase beta treatment for Fabry disease: role of proteinuria and timing of treatment initiation. <b>2012</b> , 27, 1042-9	106
1593	Prevalence and prognosis of unrecognized myocardial infarctions in chronic kidney disease. <b>2012</b> , 27, 3482-8	15
1592	The impact of type II diabetes mellitus in patients with autosomal dominant polycystic kidney disease. <b>2012</b> , 27, 2862-5	15
1591	Cystatin C as risk factor for cardiovascular events and all-cause mortality in the general population. The Tromsø Study. <b>2012</b> , 27, 2780-7	15
1590	Association of apolipoprotein A1 and B with kidney function and chronic kidney disease in two multiethnic population samples. <b>2012</b> , 27, 2839-47	26
1589	Increased urinary excretion of angiotensinogen is associated with risk of chronic kidney disease. <b>2012</b> , 27, 3176-81	49
1588	Comparison of the MDRD Study and the CKD-EPI Study equations in evaluating trends of estimated kidney function at population level: findings from the National FINRISK Study. <b>2012</b> , 27, 3210-7	11
1587	Spatial analysis to locate new clinics for diabetic kidney patients in the underserved communities in Alberta. <b>2012</b> , 27, 4102-9	13
1586	Predicting outcomes after myocardial infarction by using the Chronic Kidney Disease Epidemiology Collaboration equation in comparison with the Modification of Diet in Renal Disease study equation: results from the Korea Acute Myocardial Infarction Registry. <b>2012</b> , 27, 3868-74	10

1585	Screening for chronic kidney disease can be of help to prevent atherosclerotic end-organ damage. <b>2012</b> , 27, 4046-52	12
1584	Serum 25-hydroxyvitamin D and parathyroid hormone in relation to plasma B-type natriuretic peptide: the Hoorn Study. <b>2012</b> , 1, 48-57	7
1583	Risk factors for chronic kidney disease in a large cohort of HIV-1 infected individuals initiating antiretroviral therapy in routine care. <b>2012</b> , 26, 1907-15	93
1582	A randomized, pilot trial to evaluate glomerular filtration rate by creatinine or cystatin C in naive HIV-infected patients after tenofovir/emtricitabine in combination with atazanavir/ritonavir or efavirenz. <b>2012</b> , 59, 18-30	35
1581	Association of race and sex with risk of incident acute coronary heart disease events. <b>2012</b> , 308, 1768-74	217
1580	Risk factor, age and sex differences in chronic kidney disease prevalence in a diabetic cohort: the pathways study. <b>2012</b> , 36, 245-51	40
1579	Comparisons between validated estimated glomerular filtration rate equations and isotopic glomerular filtration rate in HIV patients. <b>2012</b> , 26, 1781-8	30
1578	Anemia after kidney transplantation; its prevalence, risk factors, and independent association with graft and patient survival: a time-varying analysis. <b>2012</b> , 93, 923-8	36
1577	CKD-EPI instead of MDRD for candidates to kidney donation. <b>2012</b> , 94, 637-41	29
1576	The association between glomerular filtration rate and stroke in hypertensive patients in rural areas of China. <b>2012</b> , 30, 901-7	14
1575	Effects of preexistent hypertension on blood pressure and residual renal function after donor nephrectomy. <b>2012</b> , 93, 412-7	39
1574	[How to evaluate renal function in cancer patients]. <b>2012</b> , 99, 277-83	1
1573	Concurrent acute cellular rejection is an independent risk factor for renal allograft failure in patients with C4d-positive antibody-mediated rejection. <b>2012</b> , 94, 603-11	30
1572	Effect of donor kidney volume on recipient outcome: does the "dose" matter?. <b>2012</b> , 94, 1124-30	18
1571	Renal function in patients with HIV starting therapy with tenofovir and either efavirenz, lopinavir or atazanavir. <b>2012</b> , 26, 567-75	63
1570	Left ventricular hypertrophy and renal dysfunction during antihypertensive treatment adversely affect cardiovascular prognosis in hypertensive patients. <b>2012</b> , 30, 411-20	11
1569	A new tool to assess retinal vessel caliber. Reliability and validity of measures and their relationship with cardiovascular risk. <b>2012</b> , 30, 770-7	21
1568	Sex differences in hypertension-related renal and cardiovascular diseases in Italy: the I-DEMAND study. <b>2012</b> , 30, 2378-86	27

1567	Serum 25-hydroxyvitamin D levels and all-cause and cardiovascular disease mortality among US adults with hypertension: the NHANES linked mortality study. <b>2012</b> , 30, 284-9	58
1566	Association between kidney function and telomere length: the heart and soul study. <b>2012</b> , 36, 405-11	25
1565	Adjusting for Urinary Creatinine Overestimates Arsenic Concentrations in Diabetics. <b>2012</b> , 2, 26-32	18
1564	Impact of glomerular filtration estimate on bleeding risk in very old patients treated with vitamin K antagonists. Results of EPICA study on the behalf of FCSA (Italian Federation of Anticoagulation Clinics). <b>2012</b> , 107, 1100-6	25
1563	Renal Dysfunction in the Presence of Normoalbuminuria in Type 2 Diabetes: Results from the DEMAND Study. <b>2012</b> , 2, 1-10	79
1562	[Chronic kidney disease (CKD)--recent progress. Topics: IV. Assessment of renal function]. <b>2012</b> , 101, 1259-65	1
1561	Different antidiabetic regimens and the development of renal dysfunction in US Veterans with type 2 diabetes mellitus. <b>2012</b> , 60, 1009-14	
1560	Connective tissue growth factor gene expression and decline in renal function in lupus nephritis. <b>2012</b> , 3, 713-718	17
1559	The relationship between pulmonary emphysema and kidney function in smokers. <b>2012</b> , 142, 655-662	29
1558	The effect of clinical covariates on the diagnostic and prognostic value of soluble mesothelin and megakaryocyte potentiating factor. <b>2012</b> , 141, 477-484	37
1557	Performance of creatinine and cystatin C GFR estimating equations in an HIV-positive population on antiretrovirals. <b>2012</b> , 61, 302-9	63
1556	Symmetric dimethylarginine is a marker of detrimental outcome in the acute phase after ischaemic stroke: role of renal function. <b>2012</b> , 122, 105-11	42
1555	Serum cystatin C in relation to fat mass loss after bariatric surgery. <b>2012</b> , 84, 202-7	7
1554	Prevalence of chronic kidney disease in China. <b>2012</b> , 380, 213; author reply 214-6	2
1553	Serum metabolite concentrations and decreased GFR in the general population. <b>2012</b> , 60, 197-206	84
1552	Accuracy of a GFR estimating equation over time in people with a wide range of kidney function. <b>2012</b> , 60, 217-24	42
1551	Inflammation and coagulation markers and kidney function decline: the Multi-Ethnic Study of Atherosclerosis (MESA). <b>2012</b> , 60, 225-32	64
1550	Clinical risk implications of the CKD Epidemiology Collaboration (CKD-EPI) equation compared with the Modification of Diet in Renal Disease (MDRD) Study equation for estimated GFR. <b>2012</b> , 60, 241-9	70

1549	Anorexia nervosa and the kidney. <b>2012</b> , 60, 299-307	58
1548	Estimating GFR among participants in the Chronic Renal Insufficiency Cohort (CRIC) Study. <b>2012</b> , 60, 250-61	154
1547	Predictors of suboptimal and crash initiation of dialysis at two tertiary care centers. <b>2012</b> , 16 Suppl 1, S39-46	14
1546	Everolimus with reduced tacrolimus improves renal function in de novo liver transplant recipients: a randomized controlled trial. <b>2012</b> , 12, 3008-20	242
1545	Prevalence and correlates of low medication adherence in apparent treatment-resistant hypertension. <b>2012</b> , 14, 694-700	55
1544	Serum uric acid levels and incident chronic kidney disease in patients with type 2 diabetes and preserved kidney function. <b>2012</b> , 35, 99-104	167
1543	Endothelial cell-selective adhesion molecule in diabetic nephropathy. <b>2012</b> , 42, 1227-34	9
1542	Randomized clinical trial: efficacy and safety of telbivudine and lamivudine in treatment-naïve patients with HBV-related decompensated cirrhosis. <b>2012</b> , 19, 732-43	77
1541	Selecting a prognostic renal surrogate for patients with hepatocellular carcinoma undergoing transarterial chemoembolization. <b>2012</b> , 27, 1581-8	11
1540	Contrast-induced nephropathy: doubts and certainties. <b>2012</b> , 19, 1294-6	6
1539	What do we know about chronic kidney disease in India: first report of the Indian CKD registry. <b>2012</b> , 13, 10	222
1538	Hyponatremia, hypernatremia, and mortality in patients with chronic kidney disease with and without congestive heart failure. <b>2012</b> , 125, 677-84	197
1537	Growth differentiation factor 15 predicts future insulin resistance and impaired glucose control in obese nondiabetic individuals: results from the XENDOS trial. <b>2012</b> , 167, 671-8	100
1536	Assessment of renal function in heart failure. <b>2012</b> , 59, 1716-8	4
1535	Current equations estimating glomerular filtration rate in primary care: comparison and determinants. <b>2012</b> , 46, 448-53	3
1534	Introduction to Clinical Pharmacology. <b>2012</b> , 1-9	1
1533	Risk of coronary events in people with chronic kidney disease compared with those with diabetes: a population-level cohort study. <b>2012</b> , 380, 807-14	447
1532	Chronic kidney disease: a coronary heart disease equivalent?. <b>2012</b> , 380, 783-5	9



1531	Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without hypertension: a meta-analysis. <b>2012</b> , 380, 1649-61	301
1530	Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without diabetes: a meta-analysis. <b>2012</b> , 380, 1662-73	664
1529	Age dependent impact of estimated glomerular filtration rate on long-term survival after ischaemic stroke. <b>2012</b> , 17, 725-32	7
1528	Mitral valve repair for medically refractory functional mitral regurgitation in patients with end-stage renal disease and advanced heart failure. <b>2012</b> , 126, S205-13	14
1527	Floating-Harbor syndrome and polycystic kidneys associated with SRCAP mutation. <b>2012</b> , 158A, 3196-200	20
1526	The prognostic role of in-hospital peak glycemia in stemi patients with and without diabetes. <b>2012</b> , 49, 379-86	13
1525	Glomerular filtration rate is related to severity of obstructive coronary artery disease in patients undergoing coronary angiography. <b>2012</b> , 44, 1161-8	9
1524	Are cystatin C-based equations superior to creatinine-based equations for estimating GFR in Chinese elderly population?. <b>2012</b> , 44, 1877-84	11
1523	Association of single measurement of estimated glomerular filtration rate and non-quantitative dipstick proteinuria with all-cause and cardiovascular mortality in the elderly. Results from the Progetto Veneto Anziani (Pro.V.A.) Study. <b>2012</b> , 220, 201-7	14
1522	How healthy are your vessels?--Check your urine!. <b>2012</b> , 220, 38-41	1
1521	Shift of high-density lipoprotein size distribution toward large particles in patients with proteinuria. <b>2012</b> , 414, 241-5	13
1520	Design and rationale for Home Blood Pressure Telemonitoring and Case Management to Control Hypertension (HyperLink): a cluster randomized trial. <b>2012</b> , 33, 794-803	27
1519	Accuracy of GFR predictive equations in renal transplantation: validation of a new turbidimetric cystatin C assay on Architect c8000. <b>2012</b> , 45, 151-3	13
1518	Limitations of compensated Jaffe creatinine assays in cirrhotic patients. <b>2012</b> , 45, 320-5	17
1517	Estimating glomerular filtration rate (GFR) in diabetes: the performance of MDRD and CKD-EPI equations in patients with various degrees of albuminuria. <b>2012</b> , 45, 1694-6	28
1516	Stroke risk and efficacy of apixaban in atrial fibrillation patients with moderate chronic kidney disease. <b>2012</b> , 21, 429-35	79
1515	[Estimating glomerular filtration rate in 2012: which adding value for the CKD-EPI equation?]. <b>2012</b> , 8, 199-205	6
1514	Prognostic significance of glomerular and tubulointerstitial morphometry in idiopathic membranous nephropathy. <b>2012</b> , 208, 662-7	8

1513	Illicit drug use, hypertension, and chronic kidney disease in the US adult population. <b>2012</b> , 160, 391-8	21
1512	Baseline kidney function as predictor of mortality and kidney disease progression in HIV-positive patients. <b>2012</b> , 60, 539-47	41
1511	Accurate assessment of kidney function in indigenous Australians: the estimated GFR study. <b>2012</b> , 60, 680-2	36
1510	Low income and albuminuria among REGARDS (Reasons for Geographic and Racial Differences in Stroke) study participants. <b>2012</b> , 60, 779-86	44
1509	Albuminuria, estimated GFR, traditional risk factors, and incident cardiovascular disease: the PREVEND (Prevention of Renal and Vascular Endstage Disease) study. <b>2012</b> , 60, 804-11	57
1508	A prospective study of frailty in nephrology-referred patients with CKD. <b>2012</b> , 60, 912-21	178
1507	Prediction of kidney-related outcomes in patients with type 2 diabetes. <b>2012</b> , 60, 770-8	84
1506	Systemic barriers to optimal hemodialysis access. <b>2012</b> , 32, 519-29	20
1505	A decade after the KDOQI CKD guidelines: impact on the National Kidney Foundation. <b>2012</b> , 60, 689-91	5
1504	Estandarizaci3n de los procedimientos de medida de creatinina: estado actual. <b>2012</b> , 5, 87-101	
1503	A decade after the KDOQI CKD guidelines: impact on the United States and global public policy. <b>2012</b> , 60, 697-700	3
1502	Serum cystatin C- versus creatinine-based definitions of acute kidney injury following cardiac surgery: a prospective cohort study. <b>2012</b> , 60, 922-9	82
1501	Estimated GFR and incident cardiovascular disease events in American Indians: the Strong Heart Study. <b>2012</b> , 60, 795-803	22
1500	Sodium and potassium intake present a J-shaped relationship with arterial stiffness and carotid intima-media thickness. <b>2012</b> , 225, 497-503	25
1499	Prevalence and associated comorbidities of moderate to severe chronic renal impairment in Chinese nursing home older adults. <b>2012</b> , 13, 630-3	14
1498	Plant protein intake is associated with fibroblast growth factor 23 and serum bicarbonate levels in patients with chronic kidney disease: the Chronic Renal Insufficiency Cohort study. <b>2012</b> , 22, 379-388.e1	66
1497	A decade after the KDOQI CKD guidelines. <b>2012</b> , 60, 683-5	21
1496	Estudio transversal comparativo de las f3rmulas CKD-EPI y MDRD-4 a partir de la historia cl3nica informatizada de Atenci3n Primaria de Barcelona. <b>2012</b> , 29, 118-129	5

1495	A decade after the KDOQI CKD guidelines: impact on research. <b>2012</b> , 60, 701-4	6
1494	Effects of Mediterranean diets on kidney function: a report from the PREDIMED trial. <b>2012</b> , 60, 380-9	46
1493	Do living kidney donors have CKD?. <b>2012</b> , 19, 229-36	12
1492	Estimating kidney function in a multiethnic Asian population with multiple filtration markers. <b>2012</b> , 60, 500-2	14
1491	Off-clamp robot-assisted partial nephrectomy: initial Washington University experience. <b>2012</b> , 26, 1284-9	14
1490	Association between age-related decline of kidney function and plasma malondialdehyde. <b>2012</b> , 15, 257-64	14
1489	Chronic kidney disease. <b>2012</b> , 379, 165-80	1107
1488	The influence of body size descriptors on the estimation of kidney function in normal weight, overweight, obese, and morbidly obese adults. <b>2012</b> , 46, 317-28	28
1487	Renal resistive index and cardiovascular and renal outcomes in essential hypertension. <b>2012</b> , 60, 770-7	89
1486	Efficacy of apixaban when compared with warfarin in relation to renal function in patients with atrial fibrillation: insights from the ARISTOTLE trial. <b>2012</b> , 33, 2821-30	400
1485	Estimaci3n del filtrado glomerular. <b>2012</b> , 29, 114-117	
1484	Metabolic syndrome, insulin resistance and kidney function in non-diabetic individuals. <b>2012</b> , 27, 1410-5	23
1483	Association between sodium intake and change in uric acid, urine albumin excretion, and the risk of developing hypertension. <b>2012</b> , 125, 3108-16	64
1482	Prevalence and metabolic abnormalities of vitamin D-inadequate patients presenting with urolithiasis to a tertiary stone clinic. <b>2012</b> , 79, 781-5	25
1481	Intraoperative mannitol use does not improve long-term renal function outcomes after minimally invasive partial nephrectomy. <b>2012</b> , 79, 821-5	40
1480	Clinical outcomes of nonoperative management in emphysematous urinary tract infections. <b>2012</b> , 79, 1281-5	26
1479	Serosus-lined unidirectional valve for construction of continent cutaneous urinary reservoir: the test of time. <b>2012</b> , 80, 452-8	5
1478	Laparoscopic cryoablation of renal masses: single-center long-term experience. <b>2012</b> , 80, 307-14	45

1477	Assessing renal function after partial nephrectomy using renal nuclear scintigraphy and estimated glomerular filtration rate. <b>2012</b> , 80, 343-6	27
1476	Renal functional and perioperative outcomes of off-clamp versus clamped robot-assisted partial nephrectomy: matched cohort study. <b>2012</b> , 80, 838-43	32
1475	High-sensitive troponin T and N-terminal pro-B type natriuretic peptide are associated with cardiovascular events despite the cross-sectional association with albuminuria and glomerular filtration rate. <b>2012</b> , 33, 2272-81	66
1474	Detection and management of nephrotoxicity during drug development. <b>2012</b> , 11, 581-96	24
1473	Bleeding during treatment with aspirin versus apixaban in patients with atrial fibrillation unsuitable for warfarin: the apixaban versus acetylsalicylic acid to prevent stroke in atrial fibrillation patients who have failed or are unsuitable for vitamin K antagonist treatment (AVERROES) trial. <b>2012</b> , 43, 3291-7	70
1472	Established and emerging markers of kidney function. <b>2012</b> , 58, 680-9	229
1471	Characteristics and in-hospital outcomes of patients presenting with non-ST-segment elevation myocardial infarction found to have significant coronary artery disease on coronary angiography and managed medically: stratification according to renal function. <b>2012</b> , 164, 52-7.e1	15
1470	A risk score for chronic kidney disease in the general population. <b>2012</b> , 125, 270-7	57
1469	Incident gout in women and association with obesity in the Atherosclerosis Risk in Communities (ARIC) Study. <b>2012</b> , 125, 717.e9-717.e17	28
1468	[Drugs adjustment dosage at hospital discharge for patients with renal failure: study of 326 medical records]. <b>2012</b> , 41, e189-94	3
1467	Chronic kidney disease and diabetes. <b>2012</b> , 71, 94-103	58
1466	Incidence of impaired renal function after lung transplantation. <b>2012</b> , 31, 238-43	13
1465	Predictors for in-hospital peak glycemia in STEMI patients without previously known diabetes. <b>2012</b> , 155, 459-61	6
1464	Nonthyroidal illness syndrome in ST-elevation myocardial infarction treated with mechanical revascularization. <b>2012</b> , 158, 103-4	29
1463	Importance of monitoring renal function in patients with cancer. <b>2012</b> , 38, 235-40	45
1462	Chronic kidney disease in type 2 diabetes patients in France: prevalence, influence of glycaemic control and implications for the pharmacological management of diabetes. <b>2012</b> , 38, 102-12	27
1461	Glycated hemoglobin in ST-elevation myocardial infarction without previously known diabetes: its short and long term prognostic role. <b>2012</b> , 95, e14-6	12
1460	Insights on urinary NGAL obtained in a primary care setting. <b>2012</b> , 413, 733-9	19

1459	Demystifying ethnic/sex differences in kidney function: is the difference in (estimating) glomerular filtration rate or in serum creatinine concentration?. <b>2012</b> , 413, 1612-7	24
1458	Time to change the glomerular filtration rate estimating formula in primary care?. <b>2012</b> , 23, 355-7	8
1457	Office and 24-hour heart rate and target organ damage in hypertensive patients. <b>2012</b> , 12, 19	8
1456	Methylenetetrahydrofolate reductase C677T polymorphism is associated with estimated glomerular filtration rate in hypertensive Chinese males. <b>2012</b> , 13, 74	5
1455	Prevalence of diminished kidney function in a representative sample of middle and older age adults in the Irish population. <b>2012</b> , 13, 144	11
1454	Relationships between serum MCP-1 and subclinical kidney disease: African American-Diabetes Heart Study. <b>2012</b> , 13, 148	14
1453	CKKD: a clinical database of kidney diseases. <b>2012</b> , 13, 23	10
1452	Chronic kidney disease among high school students of Kinshasa. <b>2012</b> , 13, 24	6
1451	Association between microalbuminuria and subclinical atherosclerosis evaluated by carotid artery intima-media in elderly patients with normal renal function. <b>2012</b> , 13, 37	36
1450	Comparing the association of GFR estimated by the CKD-EPI and MDRD study equations and mortality: the third national health and nutrition examination survey (NHANES III). <b>2012</b> , 13, 42	29
1449	Acute and acute-on-chronic kidney injury of patients with decompensated heart failure: impact on outcomes. <b>2012</b> , 13, 51	36
1448	25-Hydroxyvitamin D levels and chronic kidney disease in the AusDiab (Australian Diabetes, Obesity and Lifestyle) study. <b>2012</b> , 13, 55	27
1447	Estimated glomerular filtration rate as an independent predictor of atherosclerotic vascular disease in older women. <b>2012</b> , 13, 58	25
1446	Differences between hospitals in attainment of parathyroid hormone treatment targets in chronic kidney disease do not reflect differences in quality of care. <b>2012</b> , 13, 82	1
1445	Determination of the best method to estimate glomerular filtration rate from serum creatinine in adult patients with sickle cell disease: a prospective observational cohort study. <b>2012</b> , 13, 83	53
1444	Urinary N-acetyl-βD glucosaminidase as a surrogate marker for renal function in autosomal dominant polycystic kidney disease: 1 year prospective cohort study. <b>2012</b> , 13, 93	22
1443	Prevalence and determinants of chronic kidney disease in community-dwelling elderly by various estimating equations. <b>2012</b> , 12, 343	28
1442	Relationship between prehypertension and chronic kidney disease in middle-aged people in Korea: the Korean genome and epidemiology study. <b>2012</b> , 12, 960	20

1441	A novel differential diagnostic model based on multiple biological parameters for immunoglobulin A nephropathy. <b>2012</b> , 12, 58	5
1440	Implementation of automated reporting of estimated glomerular filtration rate among Veterans Affairs laboratories: a retrospective study. <b>2012</b> , 12, 69	10
1439	Effects of proactive population-based nephrologist oversight on progression of chronic kidney disease: a retrospective control analysis. <b>2012</b> , 12, 252	13
1438	Adipocytokine levels mark endothelial function in normotensive individuals. <b>2012</b> , 11, 103	22
1437	Determinants of vascular function in patients with type 2 diabetes. <b>2012</b> , 11, 127	66
1436	Renal dysfunction in the setting of HIV/AIDS. <b>2012</b> , 9, 187-99	20
1435	Does proteinuria-inducing physical activity increase biomarkers of acute kidney injury?. <b>2012</b> , 36, 278-89	13
1434	Estimated glomerular filtration rate: why we need it. <b>2012</b> , 49, 417-8	1
1433	One-hour post-load plasma glucose and IGF-1 in hypertensive patients. <b>2012</b> , 42, 1325-31	9
1432	INPPL1 is associated with the metabolic syndrome in men with Type 1 diabetes, but not with diabetic nephropathy. <b>2012</b> , 29, 1589-95	6
1431	[Diabetic nephropathy]. <b>2012</b> , 53, 1195-206	5
1430	Relationship between longitudinal measures of renal function and onset of dementia in a community cohort of older adults. <b>2012</b> , 60, 2215-22	24
1429	Age- and sex-specific reference limits for creatinine, cystatin C and the estimated glomerular filtration rate. <b>2011</b> , 50, 919-26	11
1428	Changes in serum urate and urate excretion with age. <b>2012</b> , 19, 372-6	29
1427	Biomarkers predict progression of acute kidney injury after cardiac surgery. <b>2012</b> , 23, 905-14	204
1426	Changes in levels of copper, iron, zinc, and selenium in patients at different stages of chronic kidney disease. <b>2012</b> , 4, 128-130	11
1425	Declining kidney function increases the prevalence of sleep apnea and nocturnal hypoxia. <b>2012</b> , 141, 1422-1430	128
1424	Anticoagulants in atrial fibrillation patients with chronic kidney disease. <b>2012</b> , 8, 569-78	62

1423	Renal toxicity associated with antiretroviral therapy. <b>2012</b> , 13, 189-211	40
1422	Increased risk of death and de novo chronic kidney disease following reversible acute kidney injury. <b>2012</b> , 81, 477-85	375
1421	Dietary acid load and metabolic acidosis in renal transplant recipients. <b>2012</b> , 7, 1811-8	74
1420	Metabolic and genetic predictors of circulating adipocyte fatty acid-binding protein. <b>2012</b> , 36, 766-73	15
1419	Outcome and causes of renal deterioration evaluated by serial cystatin C measurements in acute coronary syndrome patients -- results from the PLATelet inhibition and patient Outcomes (PLATO) study. <b>2012</b> , 164, 728-34	8
1418	Cardiovascular risk assessment: addition of CKD and race to the Framingham equation. <b>2012</b> , 164, 925-31.e2	12
1417	Decreased meropenem levels in Intensive Care Unit patients with augmented renal clearance: benefit of therapeutic drug monitoring. <b>2012</b> , 40, 370-2	50
1416	Estimated glomerular filtration rate and prognosis in heart failure: value of the Modification of Diet in Renal Disease Study-4, chronic kidney disease epidemiology collaboration, and cockcroft-gault formulas. <b>2012</b> , 59, 1709-15	102
1415	Fibroblast growth factor-23 and death, heart failure, and cardiovascular events in community-living individuals: CHS (Cardiovascular Health Study). <b>2012</b> , 60, 200-7	244
1414	The population burden of heart failure attributable to modifiable risk factors: the ARIC (Atherosclerosis Risk in Communities) study. <b>2012</b> , 60, 1640-6	77
1413	A comparison of seriously ill patients with or without AIDS requiring prolonged mechanical ventilation. <b>2012</b> , 27, 594-601	4
1412	Usefulness of hyponatremia in the acute phase of ST-elevation myocardial infarction as a marker of severity. <b>2012</b> , 110, 1419-24	16
1411	Usefulness of hemoglobin level to predict long-term mortality in patients with asymptomatic carotid narrowing by ultrasonography. <b>2012</b> , 110, 1699-703	2
1410	The L-Arginine-asymmetric dimethylarginine ratio is an independent predictor of mortality in dilated cardiomyopathy. <b>2012</b> , 18, 904-11	36
1409	Mesothelin levels in urine are affected by glomerular leakage and tubular reabsorption. <b>2012</b> , 13, 470-4	2
1408	CKD epidemiology and risk factors. <b>2012</b> , 1, 249-252	4
1407	Concordance of estimated glomerular filtration rates using Cockcroft-Gault modification of diet in renal disease, and chronic kidney disease epidemiology in renal transplant recipients. <b>2012</b> , 44, 2561-3	3
1406	Is the R.E.N.A.L. nephrometry scoring system predictive of the functional efficacy of nephron sparing surgery in the solitary kidney?. <b>2012</b> , 188, 729-35	26

1405	Long-term impact of laparoscopic cyst decortication on renal function, hypertension and pain control in patients with autosomal dominant polycystic kidney disease. <b>2012</b> , 188, 1239-44	17
1404	Estimation of renal function in lung cancer patients. <b>2012</b> , 76, 397-402	8
1403	Age-related change in kidney function, its influencing factors, and association with asymptomatic carotid atherosclerosis in healthy individuals--a 5-year follow-up study. <b>2012</b> , 73, 230-8	16
1402	[Prognostic factors and long-term survival after initial diagnosis of heart failure]. <b>2012</b> , 138, 602-8	9
1401	Renal dysfunction in heart failure. <b>2012</b> , 96, 955-74	21
1400	Circulating vitamin D metabolites and kidney disease in type 1 diabetes. <b>2012</b> , 97, 4780-8	45
1399	Acute kidney injury and mortality in hospitalized patients. <b>2012</b> , 35, 349-55	286
1398	Management of Long-Term Complications. <b>2012</b> , 403-436	
1397	Predictors and outcomes of acute kidney injury after thoracic aortic endograft repair. <b>2012</b> , 56, 1527-34	39
1396	Influence of creatinine versus glomerular filtration rate on non-steroidal anti-inflammatory drug prescriptions in chronic kidney disease. <b>2012</b> , 36, 19-26	16
1395	Chronic kidney disease identification in a high-risk urban population: does automated eGFR reporting make a difference?. <b>2012</b> , 89, 965-76	6
1394	Bestimmung der glomerulären Filtrationsrate bei chronischer Niereninsuffizienz. <b>2012</b> , 7, 385-394	
1393	Acute hyperglycemia and insulin resistance in acute heart failure syndromes without previously known diabetes. <b>2012</b> , 7, 497-503	9
1392	Hypertonic saline reduces intracranial hypertension in the presence of high serum and cerebrospinal fluid osmolalities. <b>2012</b> , 17, 204-10	18
1391	Chronic kidney disease staging in nursing home and community older adults: does the choice of cockcroft-gault, modification of diet in renal disease study, or the chronic kidney disease epidemiology collaboration initiative equations matter?. <b>2012</b> , 13, 151-5	15
1390	Geriatric conditions and adverse drug reactions in elderly hospitalized patients. <b>2012</b> , 13, 96-9	29
1389	Estimating glomerular filtration rate from serum creatinine and cystatin C. <b>2012</b> , 367, 20-9	2242
1388	Therapeutic Modalities in Diabetic Nephropathy: Future Approaches. <b>2012</b> , 2, 5-18	10



1387	Estimating renal function to reduce the risk of adverse drug reactions. <b>2012</b> , 35 Suppl 1, 47-54	10
1386	[Diabetic nephropathy--update 2012]. <b>2012</b> , 124 Suppl 2, 42-9	1
1385	Relationship between renal function and physical performance in elderly hospitalized patients. <b>2012</b> , 15, 545-52	32
1384	Association of prion protein with cognitive functioning in humans. <b>2012</b> , 47, 919-24	8
1383	Anemia and the onset of gout in a population-based cohort of adults: Atherosclerosis Risk in Communities study. <b>2012</b> , 14, R193	14
1382	Measuring and estimating GFR and treatment effect in ADPKD patients: results and implications of a longitudinal cohort study. <b>2012</b> , 7, e32533	39
1381	Serum resistin and kidney function: a family-based study in non-diabetic, untreated individuals. <b>2012</b> , 7, e38414	23
1380	Serum uric acid and adiposity: deciphering causality using a bidirectional Mendelian randomization approach. <b>2012</b> , 7, e39321	83
1379	Hepatitis B and C co-infection are independent predictors of progressive kidney disease in HIV-positive, antiretroviral-treated adults. <b>2012</b> , 7, e40245	54
1378	Estimated glomerular filtration rate is a poor predictor of the concentration of middle molecular weight uremic solutes in chronic kidney disease. <b>2012</b> , 7, e44201	25
1377	Low-dose oral sirolimus and the risk of menstrual-cycle disturbances and ovarian cysts: analysis of the randomized controlled SUISE ADPKD trial. <b>2012</b> , 7, e45868	28
1376	Relation between mild to moderate chronic kidney disease and coronary artery disease determined with coronary CT angiography. <b>2012</b> , 7, e47267	19
1375	Mortality rates across 25-hydroxyvitamin D (25[OH]D) levels among adults with and without estimated glomerular filtration rate . <b>2012</b> , 7, e47458	13
1374	Reduced glomerular function and prevalence of gout: NHANES 2009-10. <b>2012</b> , 7, e50046	76
1373	Limited value of cystatin-C over estimated glomerular filtration rate for heart failure risk stratification. <b>2012</b> , 7, e51234	13
1372	The renal arterial resistive index and stage of chronic kidney disease in patients with renal allograft. <b>2012</b> , 7, e51772	14
1371	Polymorphisms in the non-muscle myosin heavy chain gene (MYH9) are associated with lower glomerular filtration rate in mixed ancestry diabetic subjects from South Africa. <b>2012</b> , 7, e52529	8
1370	Renal function and long-term mortality in patients with asymptomatic carotid atherosclerosis. <b>2012</b> , 107, 150-7	19

1369	Obesity, anthropometric measures and chronic kidney disease complications. <b>2012</b> , 36, 219-27	3
1368	Creatinine-based estimations of kidney function are unreliable in obese kidney donors. <b>2012</b> , 2012, 872894	15
1367	Chronic kidney disease and automatic reporting of estimated glomerular filtration rate: new developments and revised recommendations. <b>2012</b> , 197, 224-5	95
1366	Measurement of glomerular filtration rate. <b>2012</b> , 26-30	0
1365	Estimated Glomerular Filtration Rate (eGFR): A Serum Creatinine-Based Test for the Detection of Chronic Kidney Disease and its Impact on Clinical Practice. <b>2012</b> , 27, 108-13	43
1364	Death and cardiovascular events after bacteriuria among adult women with chronic kidney disease. <b>2012</b> , 5, 143-50	
1363	Clinical presentation of obstructive sleep apnea in patients with chronic kidney disease. <b>2012</b> , 8, 381-7	38
1362	Anaemia and the heart and kidneys. <b>2012</b> , 7, 276-281	
1361	Contrast Nephropathy. Definition, Risk Factors, Prophylaxis. <b>2012</b> , 24, 24-33	
1360	Clinical Assessment of Follow-Up Cystatin C-Based eGFR in Live Kidney Donors. <b>2012</b> , 53, 721-5	3
1359	Efficacy of percutaneous transluminal renal angioplasty with stent in elderly male patients with atherosclerotic renal artery stenosis. <b>2012</b> , 7, 417-22	3
1358	Clinical significance of subjective foamy urine. <b>2012</b> , 48, 164-8	6
1357	Evaluation of renal function in sickle cell disease patients in Brazil. <b>2012</b> , 45, 652-5	8
1356	Assessing glomerular filtration rate in patients with severe heart failure: comparison between creatinine-based formulas. <b>2012</b> , 130, 289-93	2
1355	Variability of glomerular filtration rate estimation equations in elderly Chinese patients with chronic kidney disease. <b>2012</b> , 7, 409-15	9
1354	The impact of different GFR estimating equations on the prevalence of CKD and risk groups in a Southeast Asian cohort using the new KDIGO guidelines. <b>2012</b> , 13, 1	30
1353	Transfusion burden in non-dialysis chronic kidney disease patients with persistent anemia treated in routine clinical practice: a retrospective observational study. <b>2012</b> , 13, 5	10
1352	Association of renal function with the ambulatory arterial stiffness index and pulse pressure in hypertensive patients. <b>2012</b> , 35, 201-6	13

1351	Sleep-time blood pressure as a therapeutic target for cardiovascular risk reduction in type 2 diabetes. <b>2012</b> , 25, 325-34	67
1350	Sleep-time blood pressure and the prognostic value of isolated-office and masked hypertension. <b>2012</b> , 25, 297-305	67
1349	Greater variability in kidney function is associated with an increased risk of death. <b>2012</b> , 82, 1208-14	53
1348	Corticomedullary differentiation on T1-Weighted MRI: comparison between cirrhotic and noncirrhotic patients. <b>2012</b> , 35, 644-9	6
1347	Study on organochlorine pesticide levels in chronic kidney disease patients: association with estimated glomerular filtration rate and oxidative stress. <b>2012</b> , 26, 241-7	34
1346	Management of <i>Chenopodium polyspermum</i> toxicity with plasma exchange and hemodialysis. <b>2012</b> , 27, 278-81	5
1345	Assessment and diagnosis of renal dysfunction in the ICU. <b>2012</b> , 141, 1584-1594	16
1344	Impact of severity of renal dysfunction on determinants of in-hospital mortality among patients undergoing percutaneous coronary intervention. <b>2012</b> , 80, 352-7	43
1343	Outcomes in patients with renal impairment undergoing percutaneous coronary intervention and implantation of the Endeavor zotarolimus-eluting stent: 1- and 2-year data from the E-Five Registry. <b>2012</b> , 80, 885-92	3
1342	Regulatory perspectives on designing pharmacokinetic studies and optimizing labeling recommendations for patients with chronic kidney disease. <b>2012</b> , 52, 79S-90S	27
1341	Passaggio dalla formula MDRD alla CKD-EPI: impatto sulla riclassificazione in stadi della malattia renale cronica. <b>2012</b> , 8, 45-53	1
1340	Predictable impact of the routine implementation of the CKD-EPI equation for estimating glomerular filtration rate by a simulation study. <b>2012</b> , 8, 107-113	
1339	[Pharmacotherapy in patients suffering from chronic kidney disease]. <b>2012</b> , 53, 802-9	1
1338	Fenofibrate-associated changes in renal function and relationship to clinical outcomes among individuals with type 2 diabetes: the Action to Control Cardiovascular Risk in Diabetes (ACCORD) experience. <b>2012</b> , 55, 1641-50	44
1337	Trends in estimated kidney function: the FINRISK surveys. <b>2012</b> , 27, 305-13	18
1336	The kidney and the elderly: why does the risk increase?. <b>2012</b> , 44, 625-32	16
1335	Time to differentiate 'decreased kidney function' from 'kidney disease': towards improving the definition of chronic kidney disease. <b>2012</b> , 44, 493-7	3
1334	Predictive performance of eGFR equations in South Africans of African and Indian ancestry compared with <sup>99m</sup> Tc-DTPA imaging. <b>2012</b> , 44, 847-55	32

1333	Risk factors for chronic kidney diseases may include periodontal diseases, as estimated by the correlations of plasma pentraxin-3 levels: a case-control study. <b>2012</b> , 44, 829-39	15
1332	Renal function assessment in patients with systemic lupus erythematosus. <b>2012</b> , 32, 2293-9	7
1331	Impact of hypertension on short- and long-term prognoses in patients with ST elevation myocardial infarction and without previously known diabetes. <b>2012</b> , 27, 370-6	15
1330	A simple height-independent equation for estimating glomerular filtration rate in children. <b>2012</b> , 27, 973-9	90
1329	Efficacy of vitamin E and N-acetylcysteine in the prevention of contrast induced kidney injury in patients with chronic kidney disease: a double blind, randomized controlled trial. <b>2012</b> , 124, 312-9	19
1328	How to manage HIV-infected patients with chronic kidney disease in the HAART era. <b>2012</b> , 16, 363-72	26
1327	Impaired renal function in morbid obese patients with nonalcoholic fatty liver disease. <b>2012</b> , 32, 241-8	55
1326	A simple prediction score for kidney disease in the Korean population. <b>2012</b> , 17, 278-84	15
1325	The estimation of glomerular filtration rate in an Australian and New Zealand cohort. <b>2012</b> , 17, 285-93	5
1324	Impact of the CKD-EPI equation for estimating renal function on eligibility for cisplatin-based chemotherapy in patients with urothelial cancer. <b>2012</b> , 10, 15-20	28
1323	Relation of renal function to risk for incident atrial fibrillation in women. <b>2012</b> , 109, 538-42	21
1322	Relation of coronary artery calcium to cardiovascular risk in patients with combined diabetes mellitus and systemic hypertension. <b>2012</b> , 109, 844-50	14
1321	Relations between QRS/T angle, cardiac risk factors, and mortality in the third National Health and Nutrition Examination Survey (NHANES III). <b>2012</b> , 109, 981-7	57
1320	The prevalence and detection of chronic kidney disease (CKD)-related metabolic complications as a function of estimated glomerular filtration rate in the oldest old. <b>2012</b> , 54, e419-25	7
1319	How to Assess Kidney Function: Overview. <b>2012</b> , 34, e4-e5	
1318	Comparison of open and minimally invasive partial nephrectomy for renal tumors 4-7 centimeters. <b>2012</b> , 61, 593-9	61
1317	Robotic versus laparoscopic partial nephrectomy for complex tumors: comparison of perioperative outcomes. <b>2012</b> , 61, 1257-62	97
1316	The risk of infection-related hospitalization with decreased kidney function. <b>2012</b> , 59, 356-63	80

1315	Association of pulse pressure, arterial elasticity, and endothelial function with kidney function decline among adults with estimated GFR >60 mL/min/1.73 m(2): the Multi-Ethnic Study of Atherosclerosis (MESA). <b>2012</b> , 59, 41-9	84
1314	Performance of a genetic risk score for CKD stage 3 in the general population. <b>2012</b> , 59, 19-24	21
1313	The role of cystatin C in improving GFR estimation in the general population. <b>2012</b> , 59, 32-40	19
1312	Association of family history of ESRD, prevalent albuminuria, and reduced GFR with incident ESRD. <b>2012</b> , 59, 25-31	13
1311	Bone and mineral metabolism and fibroblast growth factor 23 levels after kidney donation. <b>2012</b> , 59, 761-9	39
1310	Comparison of concurrent complications of CKD by 2 risk categorization systems. <b>2012</b> , 59, 372-81	10
1309	Associations between access to care and awareness of CKD. <b>2012</b> , 59, S16-23	23
1308	Access to health care among adults evaluated for CKD: findings from the Kidney Early Evaluation Program (KEEP). <b>2012</b> , 59, S5-15	35
1307	Kidney disease in people with diabetes: the expanding epidemic. <b>2012</b> , 59, 340-2	3
1306	Physician utilization, risk-factor control, and CKD progression among participants in the Kidney Early Evaluation Program (KEEP). <b>2012</b> , 59, S24-33	24
1305	Association of physician care with mortality in Kidney Early Evaluation Program (KEEP) participants. <b>2012</b> , 59, S34-9	7
1304	Bisphosphonate therapy, death, and cardiovascular events among female patients with CKD: a retrospective cohort study. <b>2012</b> , 59, 636-44	27
1303	Decreased kidney function among agricultural workers in El Salvador. <b>2012</b> , 59, 531-40	162
1302	Novel markers of kidney function as predictors of ESRD, cardiovascular disease, and mortality in the general population. <b>2012</b> , 59, 653-62	134
1301	Dietary amino acids and blood pressure: a cohort study of patients with cardiovascular disease. <b>2012</b> , 59, 803-9	38
1300	Factors associated with depressive symptoms and use of antidepressant medications among participants in the Chronic Renal Insufficiency Cohort (CRIC) and Hispanic-CRIC Studies. <b>2012</b> , 60, 27-38	35
1299	A varying patient safety profile between black and nonblack adults with decreased estimated GFR. <b>2012</b> , 60, 47-53	11
1298	Glomerular filtration rate and parathyroid hormone are associated with 1,25-dihydroxyvitamin D in men without chronic kidney disease. <b>2012</b> , 271, 573-80	5

1297	Excessively high soluble Klotho in patients with acromegaly. <b>2012</b> , 272, 93-7	38
1296	Socio-economic risk factors for incident restless legs syndrome in the general population. <b>2012</b> , 21, 561-8	16
1295	Serum fibroblast growth factor 21 is associated with renal function and chronic kidney disease in community-dwelling adults. <b>2012</b> , 60, 792-3	29
1294	Family history of exceptional longevity is associated with lower serum uric acid levels in Ashkenazi Jews. <b>2012</b> , 60, 745-50	8
1293	Comparison of chronic kidney disease (CKD) epidemiology formula with other calculated creatinine formulas for the determination of CKD in cognitively intact and impaired elderly outpatients. <b>2012</b> , 60, 1181-3	1
1292	Kidney function and mortality in octogenarians: Cardiovascular Health Study All Stars. <b>2012</b> , 60, 1201-7	36
1291	Kidney function and risk of cardiovascular disease and mortality in kidney transplant recipients: the FAVORIT trial. <b>2012</b> , 12, 2437-45	83
1290	The relationship of leukocyte anisocytosis to holotranscobalamin, a marker of cobalamin deficiency. <b>2012</b> , 34, 192-200	9
1289	Within-visit variability of blood pressure and all-cause and cardiovascular mortality among US adults. <b>2012</b> , 14, 165-71	27
1288	Sodium consumption among hypertensive adults advised to reduce their intake: national health and nutrition examination survey, 1999-2004. <b>2012</b> , 14, 447-54	12
1287	Hypertension and the risk of incident gout in a population-based study: the atherosclerosis risk in communities cohort. <b>2012</b> , 14, 675-9	43
1286	Chronic kidney disease, diabetes mellitus and cardiovascular disease: risks and commonalities. <b>2012</b> , 38 Suppl 1, 4-11	17
1285	The relation between chronic kidney disease and cerebral microbleeds: difference between patients with and without diabetes. <b>2012</b> , 7, 551-7	18
1284	Preoperative proteinuria predicts acute kidney injury in patients undergoing cardiac surgery. <b>2012</b> , 143, 495-502	50
1283	Low serum zinc levels in patients undergoing coronary angiography correlate with immune activation and inflammation. <b>2012</b> , 26, 26-30	14
1282	[Comparison between two equations to estimated glomerular filtration rate]. <b>2012</b> , 212, 75-80	6
1281	Decrease of serum chemerin concentration in patients with end stage renal disease after successful kidney transplantation. <b>2012</b> , 173, 55-9	16
1280	Prevalence and predictors of abnormal arterial function in statin-treated type 2 diabetes mellitus patients. <b>2012</b> , 61, 349-57	4

1279	Osteoprotegerin is associated with cardiovascular risk in hypertension and/or diabetes. <b>2012</b> , 42, 548-56	31
1278	Renal function during treatment with adefovir plus peginterferon alfa-2a vs either drug alone in hepatitis B/D co-infection. <b>2012</b> , 19, 387-95	5
1277	Inadequacy of cardiovascular risk factor management in chronic kidney transplantation - evidence from the FAVORIT study. <b>2012</b> , 26, E438-46	41
1276	The assessment of GFR after orthotopic liver transplantation using cystatin C and creatinine-based equations. <b>2012</b> , 25, 527-36	21
1275	Is the Chronic Kidney Disease Epidemiology Collaboration four-level race equation better than the cystatin C equation?. <b>2012</b> , 17, 407-14	18
1274	Utility, or not, of estimates of glomerular filtration rate in modifying drug dosage, with particular reference to enoxaparin. <b>2012</b> , 42, 463-6	0
1273	Comparison of cystatin C- and creatinine-based estimation of glomerular filtration rate according to glycaemic status in Type 2 diabetes. <b>2012</b> , 29, e121-5	13
1272	Ambulatory arterial stiffness indices and target organ damage in hypertension. <b>2012</b> , 12, 1	35
1271	The MDRD equation underestimates the prevalence of CKD among blacks and overestimates the prevalence of CKD among whites compared to the CKD-EPI equation: a retrospective cohort study. <b>2012</b> , 13, 4	12
1270	Kidney Disease in HIV-Infected Persons. <b>2012</b> , 14, 83-90	1
1269	The prevalence of chronic kidney disease in the general population in Romania: a study on 60,000 persons. <b>2012</b> , 44, 213-20	27
1268	Estimation of glomerular filtration rate by MDRD equation in athletes: role of body surface area. <b>2012</b> , 112, 201-6	9
1267	Determinants of incident chronic kidney disease and progression in a cohort of HIV-infected persons with unrestricted access to health care. <b>2013</b> , 14, 65-76	16
1266	Hypovitaminosis D and osteopenia/osteoporosis in a haemophilia population: a study in HCV/HIV or HCV infected patients. <b>2013</b> , 19, 126-33	20
1265	Preoperative hospital length of stay as a modifiable risk factor for mediastinitis after cardiac surgery. <b>2013</b> , 8, 45	20
1264	Drug dosing in elderly patients with chronic kidney disease. <b>2013</b> , 29, 657-705	14
1263	T/L-type calcium channel blocker reduces the composite ranking of relative risk according to new KDIGO guidelines in patients with chronic kidney disease. <b>2013</b> , 14, 135	6
1262	Circulating activin-A is elevated in postmenopausal women with low bone mass: the three-month effect of zoledronic acid treatment. <b>2013</b> , 24, 2127-32	11

1261	A novel UPLC-MS-MS method for simultaneous determination of seven uremic retention toxins with cardiovascular relevance in chronic kidney disease patients. <b>2013</b> , 405, 1937-47	41
1260	The age related association is more pronounced for cystatin C estimated GFR than for creatinine estimated GFR in primary care patients. <b>2013</b> , 46, 1761-3	6
1259	Optimizing the use of anticoagulants (heparins and oral anticoagulants) in the elderly. <b>2013</b> , 30, 687-99	16
1258	Common genetic variants of the human uromodulin gene regulate transcription and predict plasma uric acid levels. <b>2013</b> , 83, 733-40	26
1257	Lower-extremity arterial stiffness vs. aortic stiffness in the general population. <b>2013</b> , 36, 718-24	32
1256	Serum parathyroid hormone in relation to all-cause and cardiovascular mortality: the Hoorn study. <b>2013</b> , 98, E638-45	48
1255	Strong-ion gap approach in patients with cardiogenic shock following ST-elevation myocardial infarction. <b>2013</b> , 15, 58-62	14
1254	Assessment tools for unrecognized myocardial infarction: a cross-sectional analysis of the REasons for Geographic and Racial Differences in Stroke population. <b>2013</b> , 13, 23	5
1253	Prediction of mortality and functional decline by changes in eGFR in the very elderly: the Leiden 85-plus study. <b>2013</b> , 13, 61	13
1252	Study design of DIACORE (DIAbetes COHoRtE) - a cohort study of patients with diabetes mellitus type 2. <b>2013</b> , 14, 25	19
1251	Association of HbA1c and cardiovascular and renal disease in an adult Mediterranean population. <b>2013</b> , 14, 151	13
1250	Evaluation of cardiovascular disease burden and therapeutic goal attainment in US adults with chronic kidney disease: an analysis of national health and nutritional examination survey data, 2001-2010. <b>2013</b> , 14, 132	50
1249	Chronic kidney disease is associated with adverse outcomes among elderly patients taking clopidogrel after hospitalization for acute coronary syndrome. <b>2013</b> , 14, 107	14
1248	Risk factors and outcomes associated with acute kidney injury following ruptured abdominal aortic aneurysm. <b>2013</b> , 14, 99	25
1247	Ethnic differences in the association between blood pressure components and chronic kidney disease in middle aged and older Asian adults. <b>2013</b> , 14, 86	9
1246	Chronic kidney diseases in mixed ancestry south African populations: prevalence, determinants and concordance between kidney function estimators. <b>2013</b> , 14, 75	40
1245	Renal dysfunction in STEMI-patients undergoing primary angioplasty: higher prevalence but equal prognostic impact in female patients; an observational cohort study from the Belgian STEMI registry. <b>2013</b> , 14, 62	18
1244	Creatinine-or cystatin C-based equations to estimate glomerular filtration in the general population: impact on the epidemiology of chronic kidney disease. <b>2013</b> , 14, 57	23



1243	Reference values for glomerular filtration rate in healthy Brazilian adults. <b>2013</b> , 14, 54		12
1242	High pulse pressure and metabolic syndrome are associated with proteinuria in young adult women. <b>2013</b> , 14, 45		6
1241	Subhealth: definition, criteria for diagnosis and potential prevalence in the central region of China. <b>2013</b> , 13, 446		25
1240	Association of duration of residence in the southeastern United States with chronic kidney disease may differ by race: the REasons for Geographic and Racial Differences in Stroke (REGARDS) cohort study. <b>2013</b> , 12, 17		15
1239	Characteristics and prognosis of Asian patients with type 2 diabetes from a multi-racial Australian community: the Fremantle Diabetes Study. <b>2013</b> , 43, 1125-32		4
1238	Diabetische Nephropathie. <b>2013</b> , 8, 355-366		1
1237	Nierenlebendspende. <b>2013</b> , 8, 208-216		
1236	GDF15 is related to anemia and hepcidin in kidney allograft recipients. <b>2013</b> , 123, 112-7		18
1235	Blood pressure and mortality in U.S. veterans with chronic kidney disease: a cohort study. <i>Annals of Internal Medicine</i> , <b>2013</b> , 159, 233-42	8	146
1234	Awareness, treatment, and control of LDL cholesterol are lower among U.S. adults with undiagnosed diabetes versus diagnosed diabetes. <b>2013</b> , 36, 2734-40		11
1233	Performance of GFR equations in Japanese subjects. <b>2013</b> , 17, 352-8		40
1232	Early renal dysfunction after contrast media administration despite prophylactic hydration. <b>2013</b> , 29, 959-66		4
1231	A prospective controlled study of kidney donors: baseline and 6-month follow-up. <b>2013</b> , 62, 577-86		258
1230	Effectiveness of $\beta$ -blockers in heart failure with left ventricular systolic dysfunction and chronic kidney disease. <b>2013</b> , 19, 176-82		10
1229	Uric acid lowering to prevent kidney function loss in diabetes: the preventing early renal function loss (PERL) allopurinol study. <b>2013</b> , 13, 550-9		120
1228	Split-bolus dual-energy CT urography: protocol optimization and diagnostic performance for the detection of urinary stones. <b>2013</b> , 38, 1136-43		29
1227	Heritability, determinants and reference values of renal length: a family-based population study. <b>2013</b> , 23, 2899-905		41
1226	Robotic partial nephrectomy versus laparoscopic partial nephrectomy: a single laparoscopic trained surgeon's experience in the development of a robotic partial nephrectomy program. <b>2013</b> , 31, 793-8		37

1225	Assessment of glomerular filtration rate in elderly patients with chronic kidney disease. <b>2013</b> , 45, 1475-82	17
1224	Low serum endothelial cell-selective adhesion molecule predicts increase in albuminuria in type 2 diabetes patients. <b>2013</b> , 45, 1319-26	3
1223	CDK-EPI equation may be the most proper formula based on creatinine in determining glomerular filtration rate in Chinese patients with chronic kidney disease. <b>2013</b> , 45, 1057-64	23
1222	Asymmetric and symmetric dimethylarginine and risk of secondary cardiovascular disease events and mortality in patients with stable coronary heart disease: the KAROLA follow-up study. <b>2013</b> , 102, 193-202	56
1221	Allopurinol hypersensitivity: a systematic review of all published cases, 1950-2012. <b>2013</b> , 36, 953-80	116
1220	Cystatin C versus creatinine in determining risk based on kidney function. <b>2013</b> , 369, 932-43	541
1219	CD2AP is associated with end-stage renal disease in patients with type 1 diabetes. <b>2013</b> , 50, 887-97	8
1218	Cystatin C is not a good candidate biomarker for HNF1A-MODY. <b>2013</b> , 50, 815-20	7
1217	Renal function and cardiovascular outcomes after living donor nephrectomy in the UK: quality and safety revisited. <b>2013</b> , 112, E134-42	8
1216	Editorial comment from Dr Tanaka to risk factors for chronic kidney disease after chemotherapy for testicular cancer. <b>2013</b> , 20, 722-3	
1215	Prevalence, predictors and prognostic significance of microalbuminuria in acute cardiac patients: a single center experience. <b>2013</b> , 8, 327-31	2
1214	Cistatina C, ¿algo más que la estimación del filtrado glomerular?. <b>2013</b> , 30, 58-69	
1213	Troponin T, B-type natriuretic peptide, C-reactive protein, and cause-specific mortality. <b>2013</b> , 23, 66-73	59
1212	Decreased total CD19+ B lymphocytes and the occurrence of monoclonal proteins are frequent in ultra-long (30 to 44-year) renal transplant recipients: implications for allograft and patient survival. <b>2013</b> , 45, 1466-8	3
1211	Surgically induced chronic kidney disease may be associated with a lower risk of progression and mortality than medical chronic kidney disease. <b>2013</b> , 189, 1649-55	177
1210	Cystatin C is independently associated with total and cardiovascular mortality in individuals undergoing coronary angiography. The Ludwigshafen Risk and Cardiovascular Health (LURIC) study. <b>2013</b> , 229, 541-8	35
1209	Within-person variability in kidney measures. <b>2013</b> , 61, 716-22	45
1208	Inconsistency in albuminuria predictors in type 2 diabetes: a comparison between neural network and conditional logistic regression. <b>2013</b> , 161, 397-405	12

1207	Albuminuria in the normal range: the lower is not the better. <b>2013</b> , 61, 1634-6	
1206	Hand-assisted laparoscopic versus open donor nephrectomy: a retrospective comparison of perioperative and functional results in a tertiary care center in Mexico. <b>2013</b> , 45, 3220-4	6
1205	The effect of iloprost on renal function in patients with critical limb ischemia. <b>2013</b> , 75, 33-8	2
1204	Tuberous sclerosis complex surveillance and management: recommendations of the 2012 International Tuberous Sclerosis Complex Consensus Conference. <b>2013</b> , 49, 255-65	553
1203	Assessment of kidney function in diabetic patients. Is there a role for new biomarkers NGAL, cystatin C and KIM-1?. <b>2013</b> , 58, 353-61	8
1202	Absence of an independent association between serum uric acid and left ventricular mass in Caucasian hypertensive women and men. <b>2013</b> , 23, 715-22	15
1201	Hemojuvelin and iron metabolism in kidney and heart allograft recipients. <b>2013</b> , 45, 391-3	1
1200	Re: Wenske et al.: Outcomes of distal ureteral reconstruction through reimplantation with psoas hitch, Boari flap, or ureteroneocystostomy for benign or malignant ureteral obstruction or injury (Urology 2013;82:231-236). <b>2013</b> , 82, 976	
1199	Effects of exenatide on kidney function, adverse events, and clinical end points of kidney disease in type 2 diabetes. <b>2013</b> , 62, 396-8	23
1198	Association of kidney disease with prevalent gout in the United States in 1988-1994 and 2007-2010. <b>2013</b> , 42, 551-61	42
1197	The prevalence of meeting A1C, blood pressure, and LDL goals among people with diabetes, 1988-2010. <b>2013</b> , 36, 2271-9	541
1196	Thermal ablation of the small renal mass: case selection using the R.E.N.A.L.-Nephrometry Score. <b>2013</b> , 31, 1292-7	24
1195	Risk for recurrent coronary heart disease and all-cause mortality among individuals with chronic kidney disease compared with diabetes mellitus, metabolic syndrome, and cigarette smokers. <b>2013</b> , 166, 373-380.e2	38
1194	Ambulatory blood pressure monitoring: is it mandatory for blood pressure control in treated hypertensive patients?: prospective observational study. <b>2013</b> , 168, 2255-63	13
1193	Tubular secretion of creatinine in autosomal dominant polycystic kidney disease: consequences for cross-sectional and longitudinal performance of kidney function estimating equations. <b>2013</b> , 62, 531-40	17
1192	Proteinuria predicts 10-year cancer-related mortality in patients with type 2 diabetes. <b>2013</b> , 27, 201-7	11
1191	Effect of population selection on 99th percentile values for a high sensitivity cardiac troponin I and T assays. <b>2013</b> , 46, 1636-43	79
1190	Impaired renal function is associated with mortality and morbidity after endovascular abdominal aortic aneurysm repair. <b>2013</b> , 58, 879-85	38

1189	Renal function assessment in older adults. <b>2013</b> , 76, 616-23		32
1188	[Comparison of methods estimating a quantitative parameter: evaluation of the agreement]. <b>2013</b> , 9, 92-7		2
1187	Implications and importance of skeletal muscle mass in estimating glomerular filtration rate at dialysis initiation. <b>2013</b> , 23, 233-6		11
1186	Urine neutrophil gelatinase-associated lipocalin as a marker of acute kidney injury after kidney surgery. <b>2013</b> , 190, 159-64		21
1185	Renal function and short-term outcome in stable outpatients with coronary, cerebrovascular or peripheral artery disease. <b>2013</b> , 229, 258-62		15
1184	GFR estimation using standardized cystatin C in kidney transplant recipients. <b>2013</b> , 61, 279-84		37
1183	Risk factors for recurrent urinary tract infection in kidney transplant recipients. <b>2013</b> , 45, 1584-9		35
1182	Urinary magnesium excretion and risk of hypertension: the prevention of renal and vascular end-stage disease study. <b>2013</b> , 61, 1161-7		59
1181	Low Protein, Amino Acid and Ketoacid Diets to Slow the Progression of Chronic Kidney Disease and Improve Metabolic Control of Uremia. <b>2013</b> , 209-231		
1180	Evaluation of renal function after successful treatment for unilateral, non-syndromic Wilms tumor. <b>2013</b> , 60, 1929-35		21
1179	Association between exposure to low to moderate arsenic levels and incident cardiovascular disease. A prospective cohort study. <i>Annals of Internal Medicine</i> , <b>2013</b> , 159, 649-59	8	176
1178	L'exploration du rein en 2013. <b>2013</b> , 2013, 39-53		1
1177	Effects of a high-protein diet on regulation of phosphorus homeostasis. <b>2013</b> , 98, 1207-13		13
1176	Combined biomarkers evaluation for diagnosing kidney injury in preeclampsia. <b>2013</b> , 32, 439-49		27
1175	Circulating Klotho levels in CKD and relationship to progression. <b>2013</b> , 61, 899-909		116
1174	Comparison of the glomerular filtration rate in children by the new revised Schwartz formula and a new generalized formula. <b>2013</b> , 83, 524-30		58
1173	Performance of estimated glomerular filtration rates to monitor change in renal function in kidney transplant recipients. <b>2013</b> , 28, 3096-100		5
1172	Cancer and the kidney: individualizing dosage according to renal function. <b>2013</b> , 24, 2713-4		6

1171	Kidney Disease Improving Global Outcomes or creatinine kinetics criteria in acute kidney injury: a proof of concept study. <b>2013</b> , 28, 2779-87	16
1170	Interaction of chronic total occlusion and chronic kidney disease in patients undergoing primary percutaneous coronary intervention for acute ST-elevation myocardial infarction. <b>2013</b> , 112, 194-9	11
1169	Cohort profile: the chronic kidney disease prognosis consortium. <b>2013</b> , 42, 1660-8	52
1168	Association of nocturnal melatonin secretion with insulin resistance in nondiabetic young women. <b>2013</b> , 178, 231-8	61
1167	Arterial stiffness parameters: how do they differ?. <b>2013</b> , 231, 359-64	31
1166	Novel urinary biomarkers in detecting acute kidney injury, persistent renal impairment, and all-cause mortality following decongestive therapy in acute decompensated heart failure. <b>2013</b> , 19, 621-8	57
1165	Validation of a new standardized cystatin C turbidimetric assay: evaluation of the three novel CKD-EPI equations in hypertensive patients. <b>2013</b> , 46, 1542-7	12
1164	Modification of Diet in Renal Disease versus Chronic Kidney Disease Epidemiology Collaboration equation to estimate glomerular filtration rate in obese patients. <b>2013</b> , 28 Suppl 4, iv122-30	24
1163	Stroke prevention in atrial fibrillation patients with chronic kidney disease. <b>2013</b> , 29, S71-8	58
1162	Association between serum ferritin and microalbuminuria in Type 2 diabetes in Taiwan. <b>2013</b> , 30, 1367-73	5
1161	Biomarkers in the assessment of acute and chronic kidney diseases in the dog and cat. <b>2013</b> , 54, 647-55	27
1160	Molecular markers of kidney injury. <b>2013</b> , 31, 682-5	15
1159	Measuring the glomerular filtration rate in different age groups using iohexol, the protocol from the Belgian iohexol study. <b>2013</b> , 46, 31-6	6
1158	Comparison between IDMS-traceable Jaffe and enzymatic creatinine assays for estimation of glomerular filtration rate by the CKD-EPI equation in healthy and diabetic subjects. <b>2013</b> , 46, 1423-9	28
1157	Messenger RNA levels of podocyte-associated proteins in subjects with different degrees of glucose tolerance with or without nephropathy. <b>2013</b> , 14, 214	24
1156	Susceptibility gene search for nephropathy and related traits in Mexican-Americans. <b>2013</b> , 40, 5769-79	7
1155	Patterns of engagement with the health care system and risk of subsequent hospitalization amongst patients with diabetes. <b>2013</b> , 13, 399	8
1154	On-treatment mortality predictors in chronic hepatitis B patients experiencing severe acute exacerbation: a prospective observational study. <b>2013</b> , 6, 349	3

1153	Epidemiology and risk factors of chronic kidney disease in India - results from the SEEK (Screening and Early Evaluation of Kidney Disease) study. <b>2013</b> , 14, 114	143
1152	Estimation of glomerular filtration rate by a radial basis function neural network in patients with type-2 diabetes mellitus. <b>2013</b> , 14, 181	4
1151	The British Columbia Nephrologists' Access Study (BCNAS) - a prospective, health services interventional study to develop waiting time benchmarks and reduce wait times for out-patient nephrology consultations. <b>2013</b> , 14, 182	9
1150	Chronic kidney disease of uncertain aetiology: prevalence and causative factors in a developing country. <b>2013</b> , 14, 180	209
1149	Circulating alpha-klotho levels are not disturbed in patients with type 2 diabetes with and without macrovascular disease in the absence of nephropathy. <b>2013</b> , 12, 116	14
1148	Hyperphosphatemia is associated with anemia in adults without chronic kidney disease: results from the National Health and Nutrition Examination Survey (NHANES): 2005-2010. <b>2013</b> , 14, 178	15
1147	Effects of lifestyle changes including specific dietary intervention and physical activity in the management of patients with chronic hepatitis C--a randomized trial. <b>2013</b> , 12, 119	16
1146	The glucose dysmetabolism in the acute phase of non-diabetic ST-elevation myocardial infarction: from insulin resistance to hyperglycemia. <b>2013</b> , 50, 293-300	6
1145	Urinary excretion of high molecular weight adiponectin is an independent predictor of decline of renal function in type 2 diabetes. <b>2014</b> , 51, 479-89	18
1144	Risk factors for incident hyperuricemia during mid-adulthood in African American and white men and women enrolled in the ARIC cohort study. <b>2013</b> , 14, 347	35
1143	Uric acid is a risk factor for ischemic stroke and all-cause mortality in the general population: a gender specific analysis from The Tromsø Study. <b>2013</b> , 13, 115	80
1142	Prevalence of chronic kidney disease across levels of glycemia among adults in Pudong New Area, Shanghai, China. <b>2013</b> , 14, 253	16
1141	A comparison of CKD-EPI estimated glomerular filtration rate and measured creatinine clearance in recently admitted critically ill patients with normal plasma creatinine concentrations. <b>2013</b> , 14, 250	35
1140	Coronary calcium in patients with and without diabetes: first manifestation of acute or chronic coronary events is characterized by different calcification patterns. <b>2013</b> , 12, 161	26
1139	Clinical implications of antibiotic pharmacokinetic principles in the critically ill. <b>2013</b> , 39, 2070-82	150
1138	Blood pressure variability and multiple organ damage in primary hypertension. <b>2013</b> , 27, 663-70	65
1137	Effectiveness and safety of spironolactone for systolic heart failure. <b>2013</b> , 112, 1427-32	13
1136	Hypertension in pregnancy is a risk factor for microalbuminuria later in life. <b>2013</b> , 15, 617-23	26

1135	Assessment of serum creatinine and kidney function among incident metformin users. <b>2013</b> , 37, 226-230	6
1134	Intravenous colistin in a patient with serious burns and borderline syndrome: the benefits of therapeutic drug monitoring. <b>2013</b> , 42, 357-60	32
1133	Lifetime incidence of CKD stages 3-5 in the United States. <b>2013</b> , 62, 245-52	188
1132	Hypermethylations of RASAL1 and KLOTHO is associated with renal dysfunction in a Chinese population environmentally exposed to cadmium. <b>2013</b> , 271, 78-85	31
1131	Serum levels of the adipokine fibroblast growth factor-21 are increased in preeclampsia. <b>2013</b> , 62, 322-6	30
1130	Soluble transferrin receptor in urine, a new biomarker for IgA nephropathy and Henoch-Schönlein purpura nephritis. <b>2013</b> , 46, 591-7	26
1129	The association of skin intrinsic fluorescence with type 1 diabetes complications in the DCCT/EDIC study. <b>2013</b> , 36, 3146-53	42
1128	The relative effects of fat versus muscle mass on cystatin C and estimates of renal function in healthy young men. <b>2013</b> , 50, 39-46	51
1127	Clinical utility of biomarkers of AKI in cardiac surgery and critical illness. <b>2013</b> , 8, 1034-42	75
1126	Clinical and technical factors associated with skin intrinsic fluorescence in subjects with type 1 diabetes from the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study. <b>2013</b> , 15, 466-74	36
1125	Genetic variation at the delta-sarcoglycan (SGCD) locus elevates heritable sympathetic nerve activity in human twin pairs. <b>2013</b> , 127, 750-61	2
1124	Understanding kidney function assessment: the basics and advances. <b>2013</b> , 25, 334-41	8
1123	Markers of microbial translocation predict hypertension in HIV-infected individuals. <b>2013</b> , 14, 354-61	36
1122	Renal function in heart failure: a disparity between estimating function and predicting mortality risk. <b>2013</b> , 15, 763-70	14
1121	Performance of methods to assess kidney function in a predominantly overweight sample of patients with liver disease. <b>2013</b> , 35, 249-56	3
1120	Cross-sectional evaluation of noninvasively detected skin intrinsic fluorescence and mean hemoglobin a1c in type 1 diabetes. <b>2013</b> , 15, 117-23	19
1119	A urate gene-by-diuretic interaction and gout risk in participants with hypertension: results from the ARIC study. <b>2013</b> , 72, 701-6	41
1118	Vitamin D3 repletion in chronic kidney disease stage 3: effects on blood endotoxin activity, inflammatory cytokines, and intestinal permeability. <b>2013</b> , 35, 497-503	9

1117	The chronic kidney disease Water Intake Trial (WIT): results from the pilot randomised controlled trial. <b>2013</b> , 3, e003666	24
1116	Effect of renal or hepatic impairment on the pharmacokinetics of mirabegron. <b>2013</b> , 33, 11-23	24
1115	Assessment of adult formulas for glomerular filtration rate estimation in children. <b>2013</b> , 28, 105-14	13
1114	Circadian pattern of ambulatory blood pressure in hypertensive patients with and without type 2 diabetes. <b>2013</b> , 30, 99-115	83
1113	Accuracy of the MDRD (Modification of Diet in Renal Disease) study and CKD-EPI (CKD Epidemiology Collaboration) equations for estimation of GFR in the elderly. <b>2013</b> , 61, 57-66	177
1112	Plasma YKL-40 predicts 10-year cardiovascular and all-cause mortality in individuals with type 2 diabetes. <b>2013</b> , 79, 185-91	10
1111	Chronic Kidney Disease: Pathophysiology and the Influence of Dietary Protein. <b>2013</b> , 3021-3072	
1110	Association between tenofovir exposure and reduced kidney function in a cohort of HIV-positive patients: results from 10 years of follow-up. <b>2013</b> , 56, 567-75	71
1109	Approach to the Patient with Nephrotic Syndrome. <b>2013</b> , 33-41	
1108	Assessment of Hypertensive Target Organ Damage. <b>2013</b> , 135-143	
1107	Retinal vascular caliber is associated with renal function in apparently healthy subjects. <b>2013</b> , 91, e283-8	12
1106	10-year oncologic outcomes after laparoscopic and open partial nephrectomy. <b>2013</b> , 190, 44-9	130
1105	Inflammatory and endothelial activation biomarkers and risk of sepsis: a nested case-control study. <b>2013</b> , 28, 549-55	39
1104	Sleep-time blood pressure: prognostic value and relevance as a therapeutic target for cardiovascular risk reduction. <b>2013</b> , 30, 68-86	65
1103	Cardiovascular risk of resistant hypertension: dependence on treatment-time regimen of blood pressure-lowering medications. <b>2013</b> , 30, 340-52	57
1102	Treatment-time regimen of hypertension medications significantly affects ambulatory blood pressure and clinical characteristics of patients with resistant hypertension. <b>2013</b> , 30, 192-206	31
1101	Influence of age and hypertension treatment-time on ambulatory blood pressure in hypertensive patients. <b>2013</b> , 30, 176-91	34
1100	Administration-time-dependent effects of hypertension treatment on ambulatory blood pressure in patients with chronic kidney disease. <b>2013</b> , 30, 159-75	43



1099	Comparison of ambulatory blood pressure parameters of hypertensive patients with and without chronic kidney disease. <b>2013</b> , 30, 145-58	100
1098	Differences between men and women in ambulatory blood pressure thresholds for diagnosis of hypertension based on cardiovascular outcomes. <b>2013</b> , 30, 221-32	37
1097	Ambulatory blood pressure thresholds for diagnosis of hypertension in patients with and without type 2 diabetes based on cardiovascular outcomes. <b>2013</b> , 30, 132-44	11
1096	Prevalence and clinical characteristics of isolated-office and true resistant hypertension determined by ambulatory blood pressure monitoring. <b>2013</b> , 30, 207-20	36
1095	Blunted sleep-time relative blood pressure decline increases cardiovascular risk independent of blood pressure level--the "normotensive non-dipper" paradox. <b>2013</b> , 30, 87-98	113
1094	Effects of time-of-day of hypertension treatment on ambulatory blood pressure and clinical characteristics of patients with type 2 diabetes. <b>2013</b> , 30, 116-31	34
1093	Ambulatory blood pressure monitoring: importance of sampling rate and duration--48 versus 24 hours--on the accurate assessment of cardiovascular risk. <b>2013</b> , 30, 55-67	67
1092	Body mass index, obesity, and prevalent gout in the United States in 1988-1994 and 2007-2010. <b>2013</b> , 65, 127-32	74
1091	Soluble ST2 serum concentration and renal function in heart failure. <b>2013</b> , 19, 768-75	65
1090	Americans' use of dietary supplements that are potentially harmful in CKD. <b>2013</b> , 61, 739-47	22
1089	Association of metabolic syndrome and renal insufficiency with clinical outcome in acute myocardial infarction. <b>2013</b> , 62, 669-76	11
1088	CKD and cardiovascular disease in the Atherosclerosis Risk in Communities (ARIC) study: interactions with age, sex, and race. <b>2013</b> , 62, 691-702	59
1087	Serum levels of growth arrest specific protein 6 are increased in preeclampsia. <b>2013</b> , 182, 7-11	13
1086	Geographic variation in CKD prevalence and ESRD incidence in the United States: results from the reasons for geographic and racial differences in stroke (REGARDS) study. <b>2013</b> , 61, 395-403	26
1085	Normoalbuminuric diabetic kidney disease in the U.S. population. <b>2013</b> , 27, 123-7	47
1084	Urine arsenic and prevalent albuminuria: evidence from a population-based study. <b>2013</b> , 61, 385-94	52
1083	Renal function after percutaneous coronary interventions depending on the type of hydration. <b>2013</b> , 58, 369-75	1
1082	Differences between office and 24-hour blood pressure control in hypertensive patients with CKD: A 5,693-patient cross-sectional analysis from Spain. <b>2013</b> , 62, 285-94	72

1081	Study of renal function in living kidney donors: estimated or measured glomerular filtration. <b>2013</b> , 45, 3612-5	8
1080	Renalase and endothelial dysfunction in heart transplant recipients. <b>2013</b> , 45, 394-6	15
1079	Height-independent estimation of glomerular filtration rate in children: an alternative to the Schwartz equation. <b>2013</b> , 163, 1722-7	31
1078	Early-life overweight trajectory and CKD in the 1946 British birth cohort study. <b>2013</b> , 62, 276-84	33
1077	Uptitration of renin-angiotensin system blocker and beta-blocker therapy in patients hospitalized for heart failure with reduced versus preserved left ventricular ejection fractions. <b>2013</b> , 112, 1913-20	17
1076	Skin autofluorescence is associated with past glycaemic control and complications in type 1 diabetes mellitus. <b>2013</b> , 39, 349-54	38
1075	Chronic kidney disease and dialysis access in women. <b>2013</b> , 57, 49S-53S.e1	15
1074	Sequential changes in renal function and the risk of stroke and death in patients with atrial fibrillation. <b>2013</b> , 168, 4678-84	39
1073	Relation between transient or persistent acute kidney injury and long-term mortality in patients with myocardial infarction. <b>2013</b> , 112, 41-5	24
1072	Cardiovascular risk factors and complications associated with albuminuria and impaired renal function in insulin-treated diabetes. <b>2013</b> , 27, 370-5	7
1071	Proprotein convertase subtilisin-kexin type 9 is elevated in proteinuric subjects: relationship with lipoprotein response to antiproteinuric treatment. <b>2013</b> , 226, 459-65	40
1070	Utilidad de la monitorizaci3n ambulatoria de la presi3n arterial en la evaluaci3n de la rigidez arterial. Correlaciones con la velocidad de onda de pulso y las tensiones arteriales centrales. <b>2013</b> , 30, 4-11	1
1069	The CKD-EPI is more accurate in clinical outcome prediction than MDRD equation in acute heart failure: data from the Korean Heart Failure (KorHF) Registry. <b>2013</b> , 167, 1084-7	18
1068	Comparative effectiveness of coronary artery bypass grafting and percutaneous coronary intervention for multivessel coronary disease in a community-based population with chronic kidney disease. <b>2013</b> , 165, 800-8, 808.e1-2	28
1067	Estimating prevalence of CKD stages 3-5 using health system data. <b>2013</b> , 61, 930-8	24
1066	Characteristics of resistant hypertension in a large, ethnically diverse hypertension population of an integrated health system. <b>2013</b> , 88, 1099-107	122
1065	Concordance of CKD stages in estimation by the CKD-EPI equation and estimation by the MDRD equation in the Japanese general population: the Iwate KENCO Study. <b>2013</b> , 165, 377-9	4
1064	Death, taxes, and now CKD. <b>2013</b> , 62, 220-2	

1063	The synergistic relationship between estimated GFR and microalbuminuria in predicting long-term progression to ESRD or death in patients with diabetes: results from the Kidney Early Evaluation Program (KEEP). <b>2013</b> , 61, S12-23	51
1062	A comparison of the performances of an artificial neural network and a regression model for GFR estimation. <b>2013</b> , 62, 1109-15	17
1061	Progressive chronic kidney disease in primary care: modifiable risk factors and predictive model. <b>2013</b> , 57, 357-62	21
1060	Better reporting and greater homogeneity in outcome measures are seen in randomized trial protocols when guidelines exist. <b>2013</b> , 66, 838-46	9
1059	Impact and interaction of low estimated GFR and B vitamin therapy on prognosis among ischemic stroke patients: the Vitamin Intervention for Stroke Prevention (VISP) trial. <b>2013</b> , 62, 52-7	7
1058	Racial differences in estimated GFR decline, ESRD, and mortality in an integrated health system. <b>2013</b> , 62, 236-44	66
1057	Association of apolipoproteins with incidence of decreased estimated GFR in Korean men. <b>2013</b> , 61, 564-70	0
1056	Inverse association of estimated cystatin C- and creatinine-based glomerular filtration rate with left ventricular mass: Results from the Study of Health in Pomerania. <b>2013</b> , 167, 2786-91	8
1055	Clinical and pathological characterization of Mesoamerican nephropathy: a new kidney disease in Central America. <b>2013</b> , 62, 908-18	126
1054	Associations between concentrations of uric acid with concentrations of vitamin A and beta-carotene among adults in the United States. <b>2013</b> , 33, 995-1002	9
1053	Low preoperative hepcidin concentration as a risk factor for mortality after cardiac surgery: a pilot study. <b>2013</b> , 145, 1380-6	6
1052	Estimation de la fonction rénale chez la personne âgée: comparaison des méthodes et implications cliniques. <b>2013</b> , 13, 166-171	
1051	Elevated markers of inflammation and endothelial activation and increased counts of intermediate monocytes in adult survivors of childhood acute lymphoblastic leukemia. <b>2013</b> , 218, 810-6	26
1050	Out-of-hospital use of proton pump inhibitors and hypomagnesemia at hospital admission: a nested case-control study. <b>2013</b> , 62, 730-7	40
1049	Urinary cystatin C and acute kidney injury after cardiac surgery. <b>2013</b> , 61, 730-8	42
1048	Cross-sectional associations between macronutrient intake and chronic kidney disease in a population at high cardiovascular risk. <b>2013</b> , 32, 606-12	26
1047	Light and shadows of dietary protein restriction in elderly with chronic kidney disease. <b>2013</b> , 29, 1090-3	17
1046	Analytical characterization and clinical evaluation of an enzyme-linked immunosorbent assay for measurement of afamin in human plasma. <b>2013</b> , 425, 236-41	34

1045	Determinants and clinical significance of plasma oxidized LDLs in older individuals. A 9 years follow-up study. <b>2013</b> , 226, 201-7	23
1044	Low rates of automatic reporting of estimated glomerular filtration rate in Southern Brazilian laboratories. <b>2013</b> , 46, 1709-12	1
1043	Fenoldopam and renal function after partial nephrectomy in a solitary kidney: a randomized, blinded trial. <b>2013</b> , 81, 340-5	13
1042	Is 3-compartment bioimpedance spectroscopy useful to assess body composition in renal transplant patients?. <b>2013</b> , 23, 363-6	2
1041	Endotoxin role in cardiogenic shock: a brief report. <b>2013</b> , 167, 3031-2	1
1040	Cardiovascular readmissions and excess costs following percutaneous coronary intervention in patients with chronic kidney disease: data from a large multi-centre Australian registry. <b>2013</b> , 168, 2783-90	10
1039	Measurement of renal function in patients with chronic kidney disease. <b>2013</b> , 76, 504-15	31
1038	Biochemical markers of aging for longitudinal studies in humans. <b>2013</b> , 35, 132-51	39
1037	Risks of diabetic nephropathy with variation in hemoglobin A1c and fasting plasma glucose. <b>2013</b> , 126, 1017.e1-10	45
1036	Limitations of serum values to estimate glomerular filtration rate during exercise. <b>2013</b> , 47, 1166-70	17
1035	Association between n-3 polyunsaturated fatty acid content of red blood cells and inflammatory biomarkers in patients with peripheral artery disease. <b>2013</b> , 58, 1283-90	24
1034	Renovascular hypertension associated with pseudoaneurysm following blunt trauma. <b>2013</b> , 62, 839-43	4
1033	Circulating aldosterone and mortality in female nursing home residents. <b>2013</b> , 48, 313-8	6
1032	Valoración preanestésica en el paciente con enfermedad renal crónica (énfasis en riesgo cardiovascular). <b>2013</b> , 41, 139-145	2
1031	Utility of the U.S. Preventive Services Task Force criteria for diabetes screening. <b>2013</b> , 45, 167-74	29
1030	Acute kidney injury in patients with cirrhosis: perils and promise. <b>2013</b> , 11, 1550-8	46
1029	Validity of current equations to estimate glomerular filtration rate in kidney transplant recipients. <b>2013</b> , 45, 2165-70	3
1028	Association of race and body mass index with ESRD and mortality in CKD stages 3-4: results from the Kidney Early Evaluation Program (KEEP). <b>2013</b> , 61, 404-12	38

1027	Symmetrical dimethylarginine is superior to NT-proBNP for detecting systemic ventricular dysfunction in adults after atrial repair for transposition of the great arteries. <b>2013</b> , 168, 4415-6	5
1026	Influence of kidney function on risk of hemorrhage among patients taking warfarin: a cohort study. <b>2013</b> , 61, 354-7	15
1025	Effects of enalapril in systolic heart failure patients with and without chronic kidney disease: insights from the SOLVD Treatment trial. <b>2013</b> , 167, 151-6	42
1024	Creatinine or cystatin C - which is a better index of renal function in morbid obesity?. <b>2013</b> , 58, 376-81	8
1023	Vascular adhesion protein-1, a novel molecule, in kidney and heart allograft recipients. <b>2013</b> , 45, 2009-12	4
1022	Association Between Hepatitis B Virus Infection and Chronic Kidney Disease in University Students Receiving Physical Check-ups: A Cross-sectional Study. <b>2013</b> , 5, 181-186	4
1021	Comparison of risk prediction with the CKD-EPI and MDRD equations in acute decompensated heart failure. <b>2013</b> , 19, 583-91	36
1020	Cardiovascular risk factor burden, treatment, and control among adults with chronic kidney disease in the United States. <b>2013</b> , 166, 150-6	36
1019	Creatinine and insulin predict cardiac mass in drug-naïve hypertensive patients. <b>2013</b> , 167, 519-24	6
1018	Diabetes and kidney disease. <b>2013</b> , 10, 118-125	1
1017	Survival advantage in black versus white men with CKD: effect of estimated GFR and case mix. <b>2013</b> , 62, 228-35	28
1016	Documento de consenso sobre atención a la enfermedad renal crónica. <b>2013</b> , 30, 107-114	
1015	Comparison of serum cystatin C, serum creatinine, measured GFR, and estimated GFR to assess the risk of kidney failure in American Indians with diabetic nephropathy. <b>2013</b> , 62, 33-41	27
1014	Low ankle-brachial index and the development of rapid estimated GFR decline and CKD. <b>2013</b> , 61, 204-10	17
1013	Renal arterial pulsatility predicts progression of chronic kidney disease in chronic heart failure patients. <b>2013</b> , 167, 3050-1	5
1012	Outcomes associated with microalbuminuria: effect modification by chronic kidney disease. <b>2013</b> , 61, 1626-33	39
1011	Association between lack of health insurance and risk of death and ESRD: results from the Kidney Early Evaluation Program (KEEP). <b>2013</b> , 61, S24-32	39
1010	Cystatin-based estimated GFR versus creatinine-based and creatinine- and cystatin-based estimated GFR for ESRD and mortality risk in diabetes. <b>2013</b> , 62, 184-6	5

1009	Prognostic association of HbA1c and fasting plasma glucose with reduced kidney function in subjects with and without diabetes mellitus. Results from a population-based cohort study from Germany. <b>2013</b> , 57, 596-600	22
1008	Phenotypic characterization of normotolerant hypertensive patients. <b>2013</b> , 165, 322-6	7
1007	Interaction between uric acid and endothelial dysfunction predicts new onset of diabetes in hypertensive patients. <b>2013</b> , 167, 232-6	31
1006	Identifying a high stroke risk subgroup in individuals with heart failure. <b>2013</b> , 22, 620-6	19
1005	Kidney transplant donor glomerular filtration rate by iohexol clearance during computerized tomographic angiography of the kidneys. <b>2013</b> , 45, 3229-33	2
1004	Impact of age on the prognostic value of body mass index in ST-Elevation myocardial infarction. <b>2013</b> , 23, 205-11	17
1003	Novel filtration markers as predictors of all-cause and cardiovascular mortality in US adults. <b>2013</b> , 62, 42-51	55
1002	Serum 25-hydroxyvitamin D deficiency and the 5-year incidence of CKD. <b>2013</b> , 62, 58-66	35
1001	Augmented renal clearance is a common finding with worse clinical outcome in critically ill patients receiving antimicrobial therapy. <b>2013</b> , 28, 695-700	143
1000	The rate of decline of glomerular filtration rate is a predictor of long-term graft outcome after kidney transplantation. <b>2013</b> , 45, 1438-41	6
999	Diabetic kidney disease and the cardiorenal syndrome: old disease, new perspectives. <b>2013</b> , 42, 789-808	25
998	Pre-anesthesia evaluation in patients with chronic renal disease (emphasis on cardiovascular risk). <b>2013</b> , 41, 139-145	
997	Association between estimated GFR, health-related quality of life, and depression among older adults with diabetes: the Diabetes and Aging Study. <b>2013</b> , 62, 541-8	26
996	Comparison of creatinine based and kidney volume based methods of estimating glomerular filtration rates in potential living kidney donors. <b>2013</b> , 190, 1820-6	13
995	Phosphorus and risk of renal failure in subjects with normal renal function. <b>2013</b> , 126, 311-8	54
994	A functional variant of the dimethylarginine dimethylaminohydrolase-2 gene is associated with chronic kidney disease. <b>2013</b> , 231, 141-4	6
993	Lifestyle-related factors, obesity, and incident microalbuminuria: the CARDIA (Coronary Artery Risk Development in Young Adults) study. <b>2013</b> , 62, 267-75	92
992	Creatinine-or cystatin C-based equations to estimate glomerular filtration rate in acute myocardial infarction: a disparity in estimating renal function and in mortality risk prediction. <b>2013</b> , 168, 4300-1	9

991	Thiazide-associated hyponatremia: a population-based study. <b>2013</b> , 62, 67-72	52
990	GFR estimation using standardized serum cystatin C in Japan. <b>2013</b> , 61, 197-203	162
989	The association of relative telomere length with symptomatic peripheral arterial disease: results from the CAVASIC study. <b>2013</b> , 229, 469-74	21
988	Iron metabolism, hepcidin, and anemia in orthotopic heart transplantation recipients treated with mammalian target of rapamycin. <b>2013</b> , 45, 387-90	19
987	Temporal trends in prevalence of CKD: the glass is half full and not half empty. <b>2013</b> , 62, 214-6	5
986	The Coronary Artery Disease and Renal Failure (CAD-REF) registry: trial design, methods, and aims. <b>2013</b> , 166, 449-56	7
985	Risk factors for ESRD in individuals with preserved estimated GFR with and without albuminuria: results from the Kidney Early Evaluation Program (KEEP). <b>2013</b> , 61, S4-11	29
984	Relationships between serum and urine phosphorus with all-cause and cardiovascular mortality: the Osteoporotic Fractures in Men (MrOS) Study. <b>2013</b> , 61, 555-63	34
983	The risk factors of mild decline in estimated glomerular filtration rate in a community-based population. <b>2013</b> , 46, 750-4	16
982	Modification of outcomes with aspirin or apixaban in relation to CHADS(2) and CHA(2)DS(2)-VASc scores in patients with atrial fibrillation: a secondary analysis of the AVERROES study. <b>2013</b> , 6, 31-8	20
981	Chapter 1: Definition and classification of CKD. <b>2013</b> , 3, 19-62	565
980	Low levels of IgM antibodies to oxidized cardiolipin increase and high levels decrease risk of cardiovascular disease among 60-year olds: a prospective study. <b>2013</b> , 13, 1	23
979	Chronic asymptomatic pyuria precedes overt urinary tract infection and deterioration of renal function in autosomal dominant polycystic kidney disease. <b>2013</b> , 14, 1	46
978	Effect of a high-protein diet on kidney function in healthy adults: results from the OmniHeart trial. <b>2013</b> , 61, 547-54	57
977	Medical outcomes in African American live kidney donors: a matched cohort study. <b>2013</b> , 13, 111-8	44
976	Low nadir CD4 cell count predicts sustained hypertension in HIV-infected individuals. <b>2013</b> , 15, 101-6	47
975	Mortality after urinary tract infections in patients with advanced cirrhosis - Relevance of acute kidney injury and comorbidities. <b>2013</b> , 33, 220-30	13
974	Complications of Diabetes Mellitus and their Pathophysiology. <b>2013</b> , 249-281	

973	Metabolic syndrome, ESRD, and death in CKD. <b>2013</b> , 8, 945-52	44
972	An epidemic of chronic kidney disease in Central America: an overview. <b>2013</b> , 89, 123-5	22
971	Change in the estimated glomerular filtration rate over time and risk of all-cause mortality. <b>2013</b> , 83, 684-91	86
970	Renal function is independently associated with red cell distribution width in kidney transplant recipients: a potential new auxiliary parameter for the clinical evaluation of patients with chronic kidney disease. <b>2013</b> , 161, 715-25	30
969	A comparison of the CKD-EPI, MDRD-4, and Cockcroft-Gault equations to assess renal function in predicting all-cause mortality in acute coronary syndrome patients. <b>2013</b> , 167, 2325-6	12
968	The prognostic impact of in-hospital worsening of renal function in patients with acute coronary syndrome. <b>2013</b> , 167, 866-70	19
967	Assessment of Renal Function. <b>2013</b> , 11-16	1
966	References. <b>2013</b> , 3, 136-150	66
965	The GFR and GFR decline cannot be accurately estimated in type 2 diabetics. <b>2013</b> , 84, 164-73	108
964	Glomerular filtration rate equations overestimate creatinine clearance in older individuals enrolled in the Baltimore Longitudinal Study on Aging: impact on renal drug dosing. <b>2013</b> , 33, 912-21	97
963	Copeptin, a surrogate marker for arginine vasopressin, is associated with declining glomerular filtration in patients with diabetes mellitus (ZODIAC-33). <b>2013</b> , 56, 1680-8	58
962	Association of AKI with mortality and complications in hospitalized patients with cirrhosis. <b>2013</b> , 57, 753-62	236
961	Hepcidin-25: Measurement by LC-MS/MS in serum and urine, reference ranges and urinary fractional excretion. <b>2013</b> , 423, 99-104	32
960	Chronic Kidney Disease: Definitions and General Approach. <b>2013</b> , 251-262	
959	Chronic Kidney Disease in the Aging. <b>2013</b> , 315-322	
958	Trends in the prevalence of reduced GFR in the United States: a comparison of creatinine- and cystatin C-based estimates. <b>2013</b> , 62, 253-60	77
957	Lower fracture risk in older men with higher sclerostin concentration: a prospective analysis from the MINOS study. <b>2013</b> , 28, 855-64	49
956	Objectifs pharmacocinétiques, pharmacodynamiques (PK/PD) et adaptation posologique des antibiotiques chez le patient de réanimation : vers une approche pratique. <b>2013</b> , 83-103	



955	Evolving importance of kidney disease: from subspecialty to global health burden. <b>2013</b> , 382, 158-69	624
954	Diagnostic, suivi biologique de l'insuffisance rénale chronique et prise en charge de l'insuffisance rénale chronique terminale. <b>2013</b> , 2013, 59-73	3
953	Creatinine excretion rate and mortality in type 2 diabetes and nephropathy. <b>2013</b> , 36, 1489-94	26
952	Chronic kidney disease: global dimension and perspectives. <b>2013</b> , 382, 260-72	2280
951	Dosing of dabigatran etexilate in relation to renal function and drug interactions at a tertiary hospital. <b>2013</b> , 43, 778-83	11
950	Heat shock protein 70 and albuminuria in patients with type 2 diabetes: a matched case control study. <b>2013</b> , 18, 815-9	18
949	Update on cystatin C: incorporation into clinical practice. <b>2013</b> , 62, 595-603	148
948	Prognostic importance of serum alkaline phosphatase in CKD stages 3-4 in a clinical population. <b>2013</b> , 62, 703-10	41
947	Association of CYP1A1 gene polymorphism with chronic kidney disease: a case control study. <b>2013</b> , 36, 164-70	16
946	Ethnic variation in the impact of metabolic syndrome components and chronic kidney disease. <b>2013</b> , 74, 369-74	4
945	Evaluation of the Patient at Risk for Osteoporosis. <b>2013</b> , 1481-1504	2
944	To RAS or not to RAS? The evidence for and cautions with renin-angiotensin system inhibition in patients with diabetic kidney disease. <b>2013</b> , 33, 496-514	19
943	Ultrasound is superior to computed tomography for assessment of medullary nephrocalcinosis in hypoparathyroidism. <b>2013</b> , 98, 989-94	35
942	2013 ambulatory blood pressure monitoring recommendations for the diagnosis of adult hypertension, assessment of cardiovascular and other hypertension-associated risk, and attainment of therapeutic goals. <b>2013</b> , 30, 355-410	136
941	Assessment of renal function; clearance, the renal microcirculation, renal blood flow, and metabolic balance. <b>2013</b> , 3, 165-200	25
940	Uric acid as a target of therapy in CKD. <b>2013</b> , 61, 134-46	165
939	Association between LDL-C and risk of myocardial infarction in CKD. <b>2013</b> , 24, 979-86	82
938	Pathological concordance and surgical outcomes of sporadic synchronous unilateral multifocal renal masses treated with partial nephrectomy. <b>2013</b> , 189, 43-7	21

937	Carboplatin dose calculation in lung cancer patients with low serum creatinine concentrations using CKD-EPI and Cockcroft-Gault with different weight descriptors. <b>2013</b> , 79, 54-8	20
936	Residual proteinuria and eGFR predict progression of renal impairment within 2 years in type 2 diabetic patients with nephropathy who are receiving optimal treatment with angiotensin receptor blockers. <b>2013</b> , 18, 516-24	12
935	Cystatin C- and creatinine-based estimates of renal function and their value for risk prediction in patients with acute coronary syndrome: results from the PLATelet Inhibition and Patient Outcomes (PLATO) study. <b>2013</b> , 59, 1369-75	17
934	Volume matters: CT-based renal cortex volume measurement in the evaluation of living kidney donors. <b>2013</b> , 26, 1208-16	36
933	Renal safety in patients treated with bisphosphonates for osteoporosis: a review. <b>2013</b> , 28, 2049-59	67
932	Long-term effects of addition of mineralocorticoid receptor antagonist to angiotensin II receptor blocker in patients with diabetic nephropathy: a randomized clinical trial. <b>2013</b> , 28, 2823-33	41
931	Estimation of glomerular filtration rate from serum creatinine and cystatin C in octogenarians and nonagenarians. <b>2013</b> , 14, 265	58
930	Additive value of blood neutrophil gelatinase-associated lipocalin to clinical judgement in acute kidney injury diagnosis and mortality prediction in patients hospitalized from the emergency department. <b>2013</b> , 17, R29	55
929	High-grade renal injury: non-operative management of urinary extravasation and prediction of long-term outcomes. <b>2013</b> , 111, E249-55	34
928	Angiotensin-(1-7)-induced renal vasodilation in hypertensive humans is attenuated by low sodium intake and angiotensin II co-infusion. <b>2013</b> , 62, 789-93	26
927	Vegetarian low-protein diets supplemented with keto analogues: a niche for the few or an option for many?. <b>2013</b> , 28, 2295-305	34
926	Preoperative estimated glomerular filtration rate predicts overall mortality in patients undergoing radical prostatectomy. <b>2013</b> , 31, 1483-8	6
925	The applicability of eGFR equations to different populations. <b>2013</b> , 9, 513-22	96
924	Gender disparity in kidney cancer treatment: women are more likely to undergo radical excision of a localized renal mass. <b>2013</b> , 82, 1065-9	10
923	Urine biochemistry in septic and non-septic acute kidney injury: a prospective observational study. <b>2013</b> , 28, 371-8	58
922	High prevalence of renal dysfunction and association with risk of death amongst HIV-infected Ghanaians. <b>2013</b> , 67, 43-50	25
921	High-sensitivity cardiac troponin T in prediction and diagnosis of myocardial infarction and long-term mortality after noncardiac surgery. <b>2013</b> , 166, 325-332.e1	112
920	Chronic kidney disease and the risk of incident gout among middle-aged men: a seven-year prospective observational study. <b>2013</b> , 65, 3271-8	31

919	A population-based study measuring the prevalence of chronic kidney disease among adults in West Malaysia. <b>2013</b> , 84, 1034-40	55
918	An epidemiologic and genomic investigation into the obesity paradox in renal cell carcinoma. <b>2013</b> , 105, 1862-70	161
917	Hepatitis C viremia and the risk of chronic kidney disease in HIV-infected individuals. <b>2013</b> , 208, 1240-9	39
916	Con: Should we abandon the use of the MDRD equation in favour of the CKD-EPI equation?. <b>2013</b> , 28, 1396-403; discussion 403	42
915	Estimated glomerular filtration rate and albuminuria: true predictors of cardiovascular events in obese patients with type 2 diabetes?. <b>2013</b> , 125, 629-33	4
914	Effects of enzyme replacement therapy for cardiac-type Fabry patients with a Chinese hotspot late-onset Fabry mutation (IVS4+919G>A). <b>2013</b> , 3,	15
913	Derivation and validation of a renal risk score for people with type 2 diabetes. <b>2013</b> , 36, 3113-20	47
912	Pro: Estimating GFR using the chronic kidney disease epidemiology collaboration (CKD-EPI) 2009 creatinine equation: the time for change is now. <b>2013</b> , 28, 1390-6	27
911	The significance of antiretroviral-associated acute kidney injury in a cohort of ambulatory human immunodeficiency virus-infected patients. <b>2013</b> , 28, 2073-81	18
910	Outcomes in ethnic minority renal transplant recipients receiving everolimus versus mycophenolate: comparative risk assessment results from a pooled analysis. <b>2013</b> , 96, 1073-81	3
909	Obesity and kidney disease in type 1 and 2 diabetes: an analysis of the National Diabetes Audit. <b>2013</b> , 106, 933-42	24
908	Urinary excretion of kynurenine and tryptophan, cardiovascular events, and mortality after elective coronary angiography. <b>2013</b> , 34, 2689-96	42
907	Risk of vancomycin-induced nephrotoxicity in the population with chronic kidney disease. <b>2013</b> , 345, 396-9	13
906	Healthy behaviors, risk factor control and awareness of chronic kidney disease. <b>2013</b> , 37, 135-43	26
905	Red blood cell transfusion use in patients with chronic kidney disease. <b>2013</b> , 28, 1504-15	28
904	Decreased glomerular filtration rate and markers of left atrial stasis in patients with nonvalvular atrial fibrillation. <b>2013</b> , 124, 3-10	25
903	The impact of integrating nephrologists into the postoperative cardiac intensive care unit: a cohort study. <b>2013</b> , 3, 79-88	12
902	Impact on cardiovascular risk follow-up from a shift to the CKD-EPI formula for eGFR reporting: a cross-sectional population-based primary care study. <b>2013</b> , 3, e003631	3

901	Risk factors for intracerebral hemorrhage: the REasons for geographic and racial differences in stroke (REGARDS) study. <b>2013</b> , 44, 1282-7	45
900	Association between younger age when first overweight and increased risk for CKD. <b>2013</b> , 24, 813-21	45
899	Urinary albumin excretion at follow-up predicts cardiovascular outcomes in subjects with resistant hypertension. <b>2013</b> , 26, 1148-54	9
898	Inflammatory and injury signals released from the post-stenotic human kidney. <b>2013</b> , 34, 540-548a	76
897	Renal function and survival in 200 patients undergoing ECMO therapy. <b>2013</b> , 28, 86-90	104
896	Comparison of absolute serum creatinine changes versus Kidney Disease: Improving Global Outcomes consensus definitions for characterizing stages of acute kidney injury. <b>2013</b> , 28, 1447-54	37
895	Regression of left ventricular hypertrophy in patients with primary aldosteronism/low-renin hypertension on low-dose spironolactone. <b>2013</b> , 28, 1787-93	39
894	Genome-wide significant locus of beta-trace protein, a novel kidney function biomarker, identified in European and African Americans. <b>2013</b> , 28, 1497-504	21
893	Moderator's view: Estimating glomerular filtration rate--the past, present and future. <b>2013</b> , 28, 1404-6	6
892	Body mass index and body fat distribution as renal risk factors: a focus on the role of renal haemodynamics. <b>2013</b> , 28 Suppl 4, iv42-9	23
891	Preoperative angiotensin-converting enzyme inhibitors and angiotensin receptor blocker use and acute kidney injury in patients undergoing cardiac surgery. <b>2013</b> , 28, 2787-99	77
890	Predictors of early mortality among hospitalized nursing home residents. <b>2013</b> , 106, 51-7	14
889	Recent trends in performance and current state of creatinine assays. <b>2013</b> , 137, 496-502	26
888	Evaluation of the Chronic Kidney Disease Epidemiology Collaboration equation for estimating glomerular filtration rate in the Chinese population. <b>2013</b> , 28, 641-51	119
887	Relationship between bacterial strain type, host biomarkers, and mortality in Clostridium difficile infection. <b>2013</b> , 56, 1589-600	167
886	Urinary neutrophil gelatinase-associated lipocalin may aid prediction of renal decline in patients with non-proteinuric Stages 3 and 4 chronic kidney disease (CKD). <b>2013</b> , 28, 1569-79	55
885	Serum bicarbonate and mortality in adults in NHANES III. <b>2013</b> , 28, 1207-13	60
884	The effect of bariatric surgery on renal function and disease: a focus on outcomes and inflammation. <b>2013</b> , 28 Suppl 4, iv73-82	29

883	SLC22A2 is associated with tubular creatinine secretion and bias of estimated GFR in renal transplantation. <b>2013</b> , 45, 201-9	25
882	Severe renal impairment is associated with symptomatic intracerebral hemorrhage after thrombolysis for ischemic stroke. <b>2013</b> , 44, 3217-9	39
881	Oxidative stress is associated with the number of components of metabolic syndrome: LIPGENE study. <b>2013</b> , 45, e28	63
880	No independent association of serum phosphorus with risk for death or progression to end-stage renal disease in a large screen for chronic kidney disease. <b>2013</b> , 84, 989-97	45
879	Decline in 20-year mortality after myocardial infarction in patients with chronic kidney disease: evolution from the prethrombolysis to the percutaneous coronary intervention era. <b>2013</b> , 84, 353-8	22
878	Low vitamin D status is an independent predictor of increased frailty and all-cause mortality in older men: the Health in Men Study. <b>2013</b> , 98, 3821-8	59
877	Epidemiology of autosomal-dominant polycystic kidney disease: an in-depth clinical study for south-western Germany. <b>2013</b> , 28, 1472-87	60
876	Serum vitamin D and parathyroid hormone in relation to cardiac structure and function: the ICELAND-MI substudy of AGES-Reykjavik. <b>2013</b> , 98, 2544-52	44
875	JC polyoma virus interacts with APOL1 in African Americans with nondiabetic nephropathy. <b>2013</b> , 84, 1207-13	53
874	Analysis of effects of fixation type on renal function after endovascular aneurysm repair. <b>2013</b> , 20, 334-44	13
873	Increased aortic pulse wave velocity is associated with the presence of angiographic coronary artery disease in overweight and obese patients. <b>2013</b> , 26, 265-70	20
872	Improved glomerular filtration rate estimation by an artificial neural network. <b>2013</b> , 8, e58242	8
871	Association of age and CKD with prognosis of myocardial infarction. <b>2013</b> , 8, 939-44	9
870	Association between urinary albumin excretion and coronary heart disease in black vs white adults. <b>2013</b> , 310, 706-14	31
869	Towards prevention of chronic kidney disease in Nigeria: a community-based study in Southeast Nigeria. <b>2013</b> , 3, 195-201	36
868	Decline in renal functioning is associated with longitudinal decline in global cognitive functioning, abstract reasoning and verbal memory. <b>2013</b> , 28, 1810-9	74
867	Emergence of an oseltamivir-resistant influenza A/H3N2 virus in an elderly patient receiving a suboptimal dose of antiviral prophylaxis. <b>2013</b> , 51, 4234-6	7
866	Drug dosing and estimates of kidney function. <b>2013</b> , 50, 520-2	1

865	Urinary and plasma magnesium and risk of ischemic heart disease. <b>2013</b> , 97, 1299-306	78
864	Effectiveness of eplerenone or spironolactone treatment in preserving renal function in primary aldosteronism. <b>2013</b> , 168, 75-81	50
863	ETrace protein: from GFR marker to cardiovascular risk predictor. <b>2013</b> , 8, 873-81	29
862	Estimating mean annual 25-hydroxyvitamin D concentrations from single measurements: the Multi-Ethnic Study of Atherosclerosis. <b>2013</b> , 97, 1243-51	101
861	Comparison of two creatinine-based equations for predicting decline in renal function in type 2 diabetic patients with nephropathy in a Korean population. <b>2013</b> , 2013, 848963	8
860	The performances of the Cockcroft-Gault, modification of diet in renal disease study and chronic kidney disease epidemiology collaboration equations in predicting gentamicin clearance. <b>2013</b> , 50, 546-57	18
859	Predictive value of admission N-terminal pro-B-type natriuretic peptide and renal function in older people hospitalized for dyspnoea. <b>2013</b> , 35, 735-40	2
858	Identification of a multistate continuous-time nonhomogeneous Markov chain model for patients with decreased renal function. <b>2013</b> , 33, 298-306	11
857	The prognostic role of chronic obstructive pulmonary disease in ST-elevation myocardial infarction after primary angioplasty. <b>2013</b> , 20, 392-8	13
856	Five-year decline in estimated glomerular filtration rate associated with a higher risk of renal disease and atherosclerotic vascular disease clinical events in elderly women. <b>2013</b> , 106, 443-50	4
855	Association between the body mass index and chronic kidney disease in men and women. A population-based study from Israel. <b>2013</b> , 28 Suppl 4, iv130-5	11
854	Serum FGF23 and risk of cardiovascular events in relation to mineral metabolism and cardiovascular pathology. <b>2013</b> , 8, 781-6	86
853	Residential proximity to major roadways and renal function. <b>2013</b> , 67, 629-34	65
852	Acute Renal Failure in Patients with Severe Falciparum Malaria: Using the WHO 2006 and RIFLE Criteria. <b>2013</b> , 2013, 841518	21
851	Urinary IgG and $\lambda$ -macroglobulin are powerful predictors of outcome and responsiveness to steroids and cyclophosphamide in idiopathic focal segmental glomerulosclerosis with nephrotic syndrome. <b>2013</b> , 2013, 941831	14
850	Testing the predictive ability of the "spinal cord injury equation" in estimating vancomycin clearance. <b>2013</b> , 70, 669-74	2
849	Prophylactic perioperative sodium bicarbonate to prevent acute kidney injury following open heart surgery: a multicenter double-blinded randomized controlled trial. <b>2013</b> , 10, e1001426	79
848	Metabolic subtypes and risk of mortality in normal weight, overweight, and obese individuals with CKD. <b>2013</b> , 8, 2064-71	19

847	Urinary exosomal Wilms' tumor-1 as a potential biomarker for podocyte injury. <b>2013</b> , 305, F553-9	73
846	Prediction of glomerular filtration rate in cancer patients by an equation for Japanese estimated glomerular filtration rate. <b>2013</b> , 43, 271-7	14
845	Elevated galectin-3 precedes the development of CKD. <b>2013</b> , 24, 1470-7	96
844	Health care costs in people with diabetes and their association with glycemic control and kidney function. <b>2013</b> , 36, 1172-80	52
843	Copeptin, a surrogate marker for arginine vasopressin, is associated with cardiovascular and all-cause mortality in patients with type 2 diabetes (ZODIAC-31). <b>2013</b> , 36, 3201-7	43
842	Beneficial effects of the RESMENA dietary pattern on oxidative stress in patients suffering from metabolic syndrome with hyperglycemia are associated to dietary TAC and fruit consumption. <b>2013</b> , 14, 6903-19	32
841	Serum uric Acid as a marker of coronary calcification in patients with asymptomatic coronary artery disease with preserved left ventricular pump function. <b>2013</b> , 2013, 129369	11
840	Blood pressure lowering and major cardiovascular events in people with and without chronic kidney disease: meta-analysis of randomised controlled trials. <b>2013</b> , 347, f5680	157
839	Factors associated with initiation of chronic renal replacement therapy for patients with kidney failure. <b>2013</b> , 8, 1327-35	10
838	Comparison of risk factors and outcomes in HIV immune complex kidney disease and HIV-associated nephropathy. <b>2013</b> , 8, 1524-32	50
837	Osteoprotegerin is an independent predictor of vascular events in Finnish adults with type 1 diabetes. <b>2013</b> , 36, 1827-33	33
836	Renal outcomes associated with invasive versus conservative management of acute coronary syndrome: propensity matched cohort study. <b>2013</b> , 347, f4151	23
835	Combined association of creatinine, albuminuria, and cystatin C with all-cause mortality and cardiovascular and kidney outcomes. <b>2013</b> , 8, 434-42	32
834	Coronary artery calcification is associated with the development of hypertension. <b>2013</b> , 26, 13-9	14
833	Sundays and mortality in patients with AKI. <b>2013</b> , 8, 1863-9	4
832	Comparison of serum concentrations of E-race protein, $\beta$ -microglobulin, cystatin C, and creatinine in the US population. <b>2013</b> , 8, 584-92	46
831	Comparison of efficiencies of michigan neuropathy screening instrument, neurothesiometer, and electromyography for diagnosis of diabetic neuropathy. <b>2013</b> , 2013, 821745	23
830	Progression of glomerular filtration rate reduction determined in conscious Dahl salt-sensitive hypertensive rats. <b>2013</b> , 62, 85-90	50

829	Proteinuria and rate of change in kidney function in a community-based population. <b>2013</b> , 24, 1661-7	79
828	Glomerular function time trends in long-term survivors of childhood cancer: a longitudinal study. <b>2013</b> , 22, 1736-46	36
827	Association of arterial rigidity with incident kidney disease and kidney function decline: the Health ABC study. <b>2013</b> , 8, 424-33	61
826	Outcome differences in community- versus hospital-acquired hyponatremia in patients with a diagnosis of heart failure. <b>2013</b> , 6, 379-86	31
825	Preservation of renal function during gout treatment with febuxostat: a quantitative study. <b>2013</b> , 125, 106-14	40
824	Frequency of medication errors in primary care patients with polypharmacy. <b>2013</b> , 30, 313-9	68
823	Estimating glomerular filtration rate: is it good enough? And is it time to move on?. <b>2013</b> , 22, 310-5	6
822	Fibroblast growth factor 23 and cardiovascular mortality after kidney transplantation. <b>2013</b> , 8, 1968-78	82
821	Performance of kidney injury molecule-1 and liver fatty acid-binding protein and combined biomarkers of AKI after cardiac surgery. <b>2013</b> , 8, 1079-88	153
820	Kidney disease and increased mortality risk in type 2 diabetes. <b>2013</b> , 24, 302-8	590
819	Associations of estimated glomerular filtration rate and albuminuria with mortality and renal failure by sex: a meta-analysis. <b>2013</b> , 346, f324	224
818	Associations of baseline characteristics with evolution of eGFR in a referred chronic kidney disease cohort. <b>2013</b> , 106, 915-24	12
817	Socioeconomic measures and CKD in the United States and The Netherlands. <b>2013</b> , 8, 1685-93	43
816	Comparison of outcomes for open abdominal aortic aneurysm repair and endovascular repair in patients with chronic renal insufficiency. <b>2013</b> , 258, 394-9	26
815	Outpatient endovascular aortic aneurysm repair: experience in 100 consecutive patients. <b>2013</b> , 258, 754-8; discussion 758-9	43
814	Progression of coronary artery calcification is associated with long-term cardiovascular events in hypertensive adults. <b>2013</b> , 31, 1886-92	6
813	Blood pressure levels and risk of cardiovascular events and mortality in type-2 diabetes: cohort study of 34 009 primary care patients. <b>2013</b> , 31, 1603-10	32
812	Night-time blood pressure is associated with the development of chronic kidney disease in a general population: the Ohasama Study. <b>2013</b> , 31, 2410-7	29



811	The relationship between depressive symptoms and restless legs syndrome in two prospective cohort studies. <b>2013</b> , 75, 359-65	28
810	Chronic kidney disease in general populations and primary care: diagnostic and therapeutic considerations. <b>2013</b> , 22, 593-8	6
809	Evaluation of urinary biomarkers for the prognosis of drug-associated chronic tubulointerstitial nephritis. <b>2013</b> , 346, 283-8	6
808	Associations between metabolomic compounds and incident heart failure among African Americans: the ARIC Study. <b>2013</b> , 178, 534-42	60
807	Hepatic steatosis is associated with aortic valve sclerosis in the general population: the Study of Health in Pomerania (SHIP). <b>2013</b> , 33, 1690-5	42
806	Renal impairment after high-dose flucloxacillin and single-dose gentamicin prophylaxis in patients undergoing elective hip and knee replacement. <b>2013</b> , 28, 612-9	39
805	Retooling the creatinine clearance equation to estimate kinetic GFR when the plasma creatinine is changing acutely. <b>2013</b> , 24, 877-88	123
804	Renal responses to long-term carotid baroreflex activation therapy in patients with drug-resistant hypertension. <b>2013</b> , 61, 1334-9	28
803	Albuminuria and renal function as predictors of cardiovascular events and mortality in a general population of patients with type 2 diabetes: a nationwide observational study from the Swedish National Diabetes Register. <b>2013</b> , 10, 520-9	61
802	Improvement of the metabolic syndrome profile by soluble fibre - guar gum - in patients with type 2 diabetes: a randomised clinical trial. <b>2013</b> , 110, 1601-10	72
801	The association of plasma lactate with incident cardiovascular outcomes: the ARIC Study. <b>2013</b> , 178, 401-9	25
800	Renal clearance and intestinal generation of p-cresyl sulfate and indoxyl sulfate in CKD. <b>2013</b> , 8, 1508-14	76
799	Effectiveness and safety of digoxin among contemporary adults with incident systolic heart failure. <b>2013</b> , 6, 525-33	52
798	A combined epidemiologic and metabolomic approach improves CKD prediction. <b>2013</b> , 24, 1330-8	172
797	Oxidative stress and response in relation to coronary artery disease in type 1 diabetes. <b>2013</b> , 36, 3503-9	9
796	GFR estimating equations: getting closer to the truth?. <b>2013</b> , 8, 1414-20	46
795	Differential effect of glycemia on the incidence of hypertension by sex: the epidemiology of diabetes complications study. <b>2013</b> , 36, 77-83	5
794	Renal function following three distinct weight loss dietary strategies during 2 years of a randomized controlled trial. <b>2013</b> , 36, 2225-32	63

793	Comparison of GFR calculation methods: MDRD and CKD-EPI vs. (99m)Tc-DTPA tracer clearance rates. <b>2013</b> , 73, 334-8	10
792	Fibroblast growth factor-21 serum concentrations are associated with metabolic and hepatic markers in humans. <b>2013</b> , 216, 135-43	48
791	Relationship between uric acid and vascular structure and function in hypertensive patients and sex-related differences. <b>2013</b> , 26, 599-607	33
790	Kidney function in the very elderly with hypertension: data from the hypertension in the very elderly (HYVET) trial. <b>2013</b> , 42, 253-8	16
789	Vascular and renal hemodynamic changes after renal denervation. <b>2013</b> , 8, 1195-201	41
788	Dietary acid, age, and serum bicarbonate levels among adults in the United States. <b>2013</b> , 8, 2034-42	34
787	Predictors of death and dialysis in severe AKI: the UPHS-AKI cohort. <b>2013</b> , 8, 527-37	26
786	Effect of ureterointestinal anastomosis on renal function and morbidity in intestinal urinary diversion. <b>2013</b> , 47, 225-9	
785	Physical performance and all-cause mortality in CKD. <b>2013</b> , 24, 689-90	5
784	Chronic kidney disease and outcomes in heart failure with preserved versus reduced ejection fraction: the Cardiovascular Research Network PRESERVE Study. <b>2013</b> , 6, 333-42	88
783	Managing end-stage renal disease in the elderly: state-of-the-art, challenges and opportunities. <b>2013</b> , 9, 539-552	7
782	Fenofibrate and renal disease: clinical effects in diabetes. <b>2013</b> , 8, 669-680	2
781	Association between circulating vitamin K1 and coronary calcium progression in community-dwelling adults: the Multi-Ethnic Study of Atherosclerosis. <b>2013</b> , 98, 197-208	37
780	Circulating bone morphogenetic protein-7 and transforming growth factor- $\beta$ are better predictors of renal end points in patients with type 2 diabetes mellitus. <b>2013</b> , 83, 278-84	38
779	Cardiovascular risk factors in CKD associate with both ESRD and mortality. <b>2013</b> , 24, 1159-65	52
778	Determinants and burden of chronic kidney disease in the population-based CoLaus study: a cross-sectional analysis. <b>2013</b> , 28, 2329-39	36
777	Factors associated with blood hydroxychloroquine level in lupus patients: renal function could be important. <b>2013</b> , 22, 541-2	23
776	Association between AKI, recovery of renal function, and long-term outcomes after hospital discharge. <b>2013</b> , 8, 194-202	173

775	Estimated GFR and fracture risk: a population-based study. <b>2013</b> , 8, 1367-76	31
774	Differences in progression to ESRD between black and white patients receiving predialysis care in a universal health care system. <b>2013</b> , 8, 1540-7	26
773	Prevalence estimates of chronic kidney disease in Canada: results of a nationally representative survey. <b>2013</b> , 185, E417-23	195
772	The association between uric acid and chronic kidney disease in Korean men: a 4-year follow-up study. <b>2013</b> , 28, 855-60	32
771	Homocysteine, frailty, and all-cause mortality in older men: the health in men study. <b>2013</b> , 68, 590-8	30
770	A retrospective study on the incidence and risk factors of severe hypoglycemia in primary care. <b>2013</b> , 30, 290-3	25
769	Plasma bicarbonate and odds of incident hypertension. <b>2013</b> , 26, 1405-12	23
768	APOL1 variants associate with increased risk of CKD among African Americans. <b>2013</b> , 24, 1484-91	167
767	Staging chronic kidney disease and estimating glomerular filtration rate: an opinion paper about the new international recommendations. <b>2013</b> , 51, 1911-7	13
766	Ideal cardiovascular health and progression of CKD: perhaps not so "simple". <b>2013</b> , 24, 1031-3	0
765	Glomerular filtration rate-estimating equations for patients with advanced chronic kidney disease. <b>2013</b> , 28, 2518-26	42
764	Impact of increasing degrees of renal impairment on outcomes of coronary artery bypass grafting: the off-pump advantage. <b>2013</b> , 44, 732-42	16
763	Perioperative Management of the Patient with Chronic Kidney Disease, Hypertension, or End-Stage Renal Disease. <b>2013</b> , 165-181	
762	Comparison of the MDRD study and CKD-EPI equations for the estimation of the glomerular filtration rate in the Korean general population: the fifth Korea National Health and Nutrition Examination Survey (KNHANES V-1), 2010. <b>2013</b> , 37, 443-50	16
761	Nephrotoxicity of antiretroviral agents: is the list getting longer?. <b>2013</b> , 207, 1349-51	6
760	Agalsidase benefits renal histology in young patients with Fabry disease. <b>2013</b> , 24, 137-48	161
759	Association between physical performance and all-cause mortality in CKD. <b>2013</b> , 24, 822-30	248
758	Adherence to a healthy lifestyle and all-cause mortality in CKD. <b>2013</b> , 8, 602-9	35

757	In HIV/hepatitis C virus co-infected patients, higher 25-hydroxyvitamin D concentrations were not related to hepatitis C virus treatment responses but were associated with ritonavir use. <b>2013</b> , 98, 423-9	6
756	Ratio of transmitral E-wave velocity to early diastole mitral annulus velocity with cardiovascular and renal outcomes in chronic kidney disease. <b>2013</b> , 123, 52-60	15
755	Incidence and predictors of end-stage renal disease in outpatients with systolic heart failure. <b>2013</b> , 6, 1124-31	11
754	Methotrexate plus prednisone in patients with relapsing idiopathic retroperitoneal fibrosis. <b>2013</b> , 72, 1584-6	38
753	Secreted Klotho and FGF23 in chronic kidney disease Stage 1 to 5: a sequence suggested from a cross-sectional study. <b>2013</b> , 28, 352-9	156
752	The IRS1 G972R polymorphism and glomerular filtration rate in patients with type 2 diabetes of European ancestry. <b>2013</b> , 28, 3031-4	2
751	Measuring renal function in critically ill patients: tools and strategies for assessing glomerular filtration rate. <b>2013</b> , 19, 560-6	19
750	Left-ventricular hypertrophy and renal outcome in hypertensive patients in primary-care. <b>2013</b> , 26, 700-7	10
749	Effects of renal denervation with a standard irrigated cardiac ablation catheter on blood pressure and renal function in patients with chronic kidney disease and resistant hypertension. <b>2013</b> , 34, 2114-21	69
748	Chronic kidney disease in older people. <b>2013</b> , 23, 177-188	1
747	Associations of HbA1c and educational level with risk of cardiovascular events in 32,871 drug-treated patients with Type 2 diabetes: a cohort study in primary care. <b>2013</b> , 30, e170-7	25
746	Risk factors for a low linezolid trough plasma concentration in acute infections. <b>2013</b> , 57, 1913-7	45
745	Haptoglobin genotype and the rate of renal function decline in the diabetes control and complications trial/epidemiology of diabetes interventions and complications study. <b>2013</b> , 62, 3218-23	30
744	Approaches to antifungal therapies and their effectiveness among patients with cryptococcosis. <b>2013</b> , 57, 2485-95	29
743	Estimated glomerular filtration rate correlates poorly with four-hour creatinine clearance in critically ill patients with acute kidney injury. <b>2013</b> , 2013, 406075	15
742	Sex disparities in diabetes process of care measures and self-care in high-risk patients. <b>2013</b> , 2013, 575814	33
741	Glomerular hyperfiltration and proteinuria in transfusion-independent patients with $\beta$ -thalassemia intermedia. <b>2012</b> , 121, c136-43	24
740	Estimating the glomerular filtration rate in the general population using different equations: effects on classification and association. <b>2013</b> , 123, 102-11	20

739	Relationship between body composition and glomerular filtration rate estimates in the general population. <b>2013</b> , 123, 22-7	8
738	Predicting residual renal function in peritoneal dialysis patients using an estimated glomerular filtration rate based on serum creatinine levels. <b>2013</b> , 123, 229-37	
737	Diabetes self-care, major depression, and chronic kidney disease in an outpatient diabetic population. <b>2013</b> , 124, 106-12	15
736	Risk stratification by 24-hour ambulatory blood pressure and estimated glomerular filtration rate in 5322 subjects from 11 populations. <b>2013</b> , 61, 18-26	17
735	Resting heart rate is associated with nonproliferative retinopathy in normoalbuminuric type 1 diabetic patients. <b>2013</b> , 15, 579-83	4
734	The purinergic 2X7 receptor participates in renal inflammation and injury induced by high-fat diet: possible role of NLRP3 inflammasome activation. <b>2013</b> , 231, 342-53	86
733	Chronic kidney disease epidemiology collaboration equation accuracy in predicting peritoneal dialysis-delivered creatinine clearance. <b>2013</b> , 35, 88-93	3
732	Association of Blood Heavy Metal Exposure with Atherosclerotic Cardiovascular Disease (ASCVD) Among White Adults: Evidence from NHANES 1999â2018.	1
731	Health Disparities in Kidney Failure Among Patients With Autosomal Dominant Polycystic Kidney Disease: A Cross-Sectional Study. <b>2022</b> , 100577	0
730	SerpinG1: A Novel Biomarker Associated With Poor Coronary Collateral in Patients With Stable Coronary Disease and Chronic Total Occlusion. <b>2022</b> , 11,	0
729	CluSA: Clustering-based Spatial Analysis framework through Graph Neural Network for Chronic Kidney Disease Prediction using Histopathology Images.	0
728	Efficacy and Safety of Dimethyl Fumarate in Patients with Moderate-to-Severe Plaque Psoriasis: Results from a 52-Week Open-Label Phase IV Clinical Trial (DIMESKIN 1).	0
727	Optimizing exercise testing-based risk stratification to predict poor prognosis after acute heart failure.	1
726	Capability of arterial spin labeling and intravoxel incoherent motion diffusion-weighted imaging to detect early kidney injury in chronic kidney disease.	0
725	Assessment of the glomerular filtration rate. <b>2022</b> ,	0
724	Longitudinal Analysis of Urinary Cytokines and Biomarkers in COVID-19 Patients with Subclinical Acute Kidney Injury. <b>2022</b> , 23, 15419	1
723	Association of Serum Uric Acid With All-Cause and Cardiovascular Mortality in Diabetes.	0
722	The association of fatty liver index and BARD score with all-cause and cause-specific mortality in patients with type 2 diabetes mellitus: a nationwide population-based study. <b>2022</b> , 21,	0

- 721 The effect of a body shape index (ABSI) and its interaction with low estimated glomerular filtration rate (eGFR) on osteoporosis in elderly Chinese. **2022**, ○
- 720 Association of caffeine intake with all-cause and cardiovascular mortality in elderly patients with hypertension. 9, ○
- 719 Lipid accumulation product is closely associated with hypertension and prehypertension in prediabetic population in China: results from the REACTION study. ○
- 718 Protective Effect of Foxtail Millet Protein Hydrolysate on Ethanol and Pyloric Ligation-Induced Gastric Ulcers in Mice. **2022**, 11, 2459 ○
- 717 Association between Cardio-Ankle Vascular Index and Masked Uncontrolled Hypertension in Hypertensive Patients: A Cross-Sectional Study. **2022**, 2022, 1-8 ○
- 716 Association of the magnitude of the difference in blood pressure between office and ambulatory measurements with blood pressure variability in untreated individuals. **2022**, 28, ○
- 715 Removal of Ethnicity Adjustment for Creatinine based Estimated Glomerular Filtration Rate Equations. 000456322211496 1
- 714 Elevated serum Meteorin-like levels in patients with hyperthyroidism. **2022**, 22, ○
- 713 The Impact of a Mediterranean-like Diet with Controlled Protein Intake on the Onco-Nephrological Scenario: Time for a New Perspective. **2022**, 14, 5193 ○
- 712 Association of cumulative monocyte to high-density lipoprotein ratio with the risk of type 2 diabetes: a prospective cohort study. **2022**, 21, ○
- 711 Identifying Patients at Risk of Acute Kidney Injury among Patients Receiving Immune Checkpoint Inhibitors: A Machine Learning Approach. **2022**, 12, 3157 ○
- 710 Uric acid and metabolic syndrome: Findings from national health and nutrition examination survey. 9, ○
- 709 Advanced chronic kidney disease; A comparison between nephroureterectomy and nephron-sparing surgery for upper tract urothelial carcinoma. **2022**, ○
- 708 Association of Retinal Age Gap and Risk of Kidney Failure: A UK Biobank Study. **2022**, 1
- 707 Gender differences in the association between insulin resistance and chronic kidney disease in a Chinese population with metabolic syndrome. **2022**, 14, ○
- 706 Association between metabolic scores for visceral fat and chronic kidney disease: A cross-sectional study. 13, ○
- 705 Novel glucose-lowering drugs and the risk of acute kidney injury in routine care; the Stockholm CREAtinine Measurements (SCREAM) project. ○
- 704 Consumption of ultra-processed food and development of chronic kidney disease: The TCLSIH and UK Biobank Cohort Studies. **2022**, ○

- 703 Albuminuria, cognition, and MRI biomarkers of cerebrovascular disease in American Indians of the Zuni Pueblo. **2022**, 29, 100438 o
- 702 Can the implementation of clinical practice guidelines improve clinical competence of physicians and kidney function of patients with type 2 diabetes mellitus?. 9, o
- 701 Risk factors of chronic kidney disease among type 2 diabetic patients with longer duration of diabetes. 13, o
- 700 Development and validation of a new nomogram to screen for MAFLD. **2022**, 21, o
- 699 High neutrophil/lymphocyte ratio and low lymphocyte percentage are independent risk factors for new-onset CKD. **2022**, 2, 165-171 o
- 698 Changes in lung cancer-related serum tumor markers in patients with chronic kidney disease and determination of upper reference limit. 12, o
- 697 Low Circulating Free Triiodothyronine Levels are Associated with the Progression of Diabetic Nephropathy in Patients with Type 2 Diabetes. Volume 15, 8659-8668 o
- 696 The Nephrotoxicity of Drugs Used in Causal Oncological Therapies. **2022**, 29, 9681-9694 1
- 695 Prognostic importance of biomarkers associated with haemostatic, vascular and endothelial disturbances in acute coronary syndrome patients in relation to kidney function. **2022**, o
- 694 Ideal Cardiovascular Health Metrics Are Associated with Reduced Severity of Hepatic Steatosis and Liver Fibrosis Detected by Transient Elastography. **2022**, 14, 5344 o
- 693 Albuminuria post-liver transplant is a predictor of kidney disease progression and mortality. o
- 692 Language barriers and kidney transplantation in children. o
- 691 Metabolic effects of kidney donation: A Bayesian analysis of matched cohorts. o
- 690 Imbalance in Bone Morphogenic Proteins 2 and 7 Is Associated with Renal and Cardiovascular Damage in Chronic Kidney Disease. **2023**, 24, 40 o
- 689 High-density lipoprotein cholesterol modifies the association between blood lead and uric acid: results from NHANES 2005-2016. o
- 688 Three Tesla magnetic resonance imaging detects oxalate osteopathy in patients with primary hyperoxaluria type I. o
- 687 Association between the triglyceride-glucose index and chronic kidney disease in adults. o
- 686 The association of sarcopenia and central obesity with mortality risk in patients with chronic kidney disease - a two-year observational study. **2022**, 100014 o

- 685 C-reactive protein predicts endocortical expansion but not fracture in older men: the prospective STRAMBO study. ○
- 684 Short term effect of sacubitril/valsartan on comprehensive geriatric assessment in chronic heart failure: a real life analysis. ○
- 683 Fibrilaci3n auricular no valvular y obstrucci3n venosa retiniana: la Cohorte Valdecilla. **2022**, ○
- 682 Right Ventricular Septal Versus Apical Pacing: Long-Term Incidence of Heart Failure and Survival. **2022**, 9, 444 ○
- 681 Efficacy and safety of interleukin-1 blockers in kidney transplant recipients with familial Mediterranean fever: a propensity score-matched cohort study. ○
- 680 Urine Galectin-3 binding protein reflects nephritis activity in systemic lupus erythematosus. 096120332211455○
- 679 Protocol for a randomized study assessing the feasibility of home-based albuminuria screening among the general population: The THOMAS study. **2022**, 17, e0279321 ○
- 678 Evaluation of the Pharmacokinetics of Dapagliflozin in Patients With Chronic Kidney Disease With or Without Type 2 Diabetes Mellitus. ○
- 677 Fibroblast Growth Factor-23 and Risk of Cardiovascular Diseases. CJN.05080422 ○
- 676 High physical activity alleviates the adverse effect of higher sedentary time on the incidence of chronic kidney disease. ○
- 675 Safety of Stromal Vascular Fraction Cell Therapy for Chronic Kidney Disease of Unknown Cause (Mesoamerican Nephropathy). ○
- 674 Impact of volume status on sarcopenia in non-dialysis chronic kidney disease patients. **2022**, 12, ○
- 673 Comparison of Race-Based and Non-Race-Based Glomerular Filtration Rate Equations for the Assessment of Renal Functional Risk Before Nephrectomy. **2022**, ○
- 672 Value of Renal Histology in Predicting Cardiorenal Outcomes in Heart Transplant3lsted Patients. **2023**, 9, e1424 ○
- 671 Short-term effect of sacubitril/valsartan on endothelial dysfunction and arterial stiffness in patients with chronic heart failure. 13, 1
- 670 Impact of an Electronic Alert in Combination with a Care Bundle on the Outcomes of Acute Kidney Injury. **2022**, 12, 3121 ○
- 669 Lean or diabetic subtypes predict increased all-cause and disease-specific mortality in metabolic-associated fatty liver disease. **2023**, 21, ○
- 668 Intact Fibroblast Growth Factor 23 (iFGF23) Concentrations in Hypophosphatemic Disorders. **2023**, ○



667	UK prescribing practice of anticoagulants in patients with chronic kidney disease: a nephrology and haematology-based survey. <b>2023</b> , 24,	1
666	Vascular stiffness and healthy arterial aging in older patients with optimal blood pressure.	o
665	Influence of Snoring on the Incidence of Metabolic Syndrome: A Community-Based Prospective Cohort Study in Rural Northeast China. <b>2023</b> , 12, 447	o
664	Prediction of coronary heart disease in gout patients using machine learning models. <b>2022</b> , 20, 4574-4591	o
663	Assessment of atherosclerosis and endothelial dysfunction risk factors in patients with primary glomerulonephritis.	o
662	Cerebrovascular pulsatility index is higher in chronic kidney disease. <b>2023</b> , 11,	o
661	Real-World Analysis of Outcomes and Economic Burden in Patients with Chronic Kidney Disease with and without Secondary Hyperparathyroidism among a Sample of the Italian Population. <b>2023</b> , 15, 336	1
660	Estimated GFR With Cystatin C and Creatinine in Clinical Practice: A Retrospective Cohort Study. <b>2023</b> , 100600	o
659	Natriuresis as a Way to Assess the Effectiveness of Diuretic Therapy for Acute Decompensated Heart Failure: Data from a Pilot Study. <b>2023</b> , 18, 656-661	o
658	Interrelation between the lipid accumulation product index and diabetic kidney disease in patients with type 2 diabetes mellitus.	o
657	Blood-based epigenome-wide analyses on the prevalence and incidence of nineteen common disease states.	o
656	The Association of Proton Pump Inhibitors and QT Interval Prolongation in Critically Ill Patients.	o
655	Eculizumab as a treatment for C3 glomerulopathy: a single-center retrospective study. <b>2023</b> , 24,	o
654	Risk factors for loss to follow-up and outcomes after kidney donation in New Caledonian living donors.	o
653	The Bidirectional Relationship between Chronic Kidney Disease and Hyperuricemia: Evidence from a Population-Based Prospective Cohort Study. <b>2023</b> , 20, 1728	o
652	Predicting kidney outcomes among Latin American patients with lupus nephritis: The prognostic value of interstitial fibrosis and tubular atrophy and tubulointerstitial inflammation. 096120332311515	o
651	Acute Kidney Injury and Hair Straightening Products: A Case Series. <b>2023</b> ,	o
650	Estimating Postoperative Renal Function After Surgery for Nonmetastatic Renal Masses: A Systematic Review of Available Prediction Models. <b>2023</b> ,	o

- 649 Glycated albumin and post-transplant diabetes mellitus in kidney transplant recipients. 000456322311520 ○
- 648 Estimated Glomerular Filtration Rate and the Risk of Inflammatory Bowel Disease in Adults: A Swedish Population-Based Study. ○
- 647 Searching for a prognostic index in lupus nephritis. **2023**, 28, ○
- 646 Associations of prematurity and low birth weight with blood pressure and kidney function in middle-aged participants of the Brazilian Longitudinal Study of Adult Health: ELSA-Brasil. ○
- 645 Evaluation of urinary cysteinyl leukotrienes as biomarkers of severity and putative therapeutic targets in COVID-19 patients. ○
- 644 Lower glomerular filtration rate after mild stroke induces cognitive impairment by causing endothelial dysfunction. ○
- 643 Association of proteinuria and risk of incident atrial fibrillation in the general population: A prospective study of kailuan study participants. ○
- 642 Epigenome-wide association study of diabetic chronic kidney disease progression in the Korean population: the KNOW-CKD study. ○
- 641 High insulinemic potential of diet and lifestyle is associated with increased risk of chronic kidney disease incident in adults. **2023**, 24, ○
- 640 Association of serum osmolality with all-cause and cardiovascular mortality in US adults: a prospective cohort study. **2023**, ○
- 639 Real-World Clinical Practice Among Patients With Bipolar Disorder and Chronic Kidney Disease on Long-term Lithium Therapy. **2023**, 43, 6-11 ○
- 638 Comparing the effectiveness of L-carnitine and paraffin oil in acute aluminum phosphide poisoning using predictive biomarkers and scores: A randomized controlled clinical trial. **2023**, 42, 096032712211496 ○
- 637 Renal impairment and abnormal liver function tests in pre-therapeutic phenotype-based DPD deficiency screening using uracilemia: a comprehensive population-based study in 1138 patients. **2023**, 15, 175883592211485 ○
- 636 Elevated remnant cholesterol, plasma triglycerides, and cardiovascular and non-cardiovascular mortality. 2
- 635 Viral hepatitis elimination challenges in low- and middle-income countries—Uzbekistan Hepatitis Elimination Program (UHEP). ○
- 634 The association between Enhanced Recovery After Cardiac Surgery (ERACS) guided analgesics and postoperative delirium. **2023**, ○
- 633 Effects of the Roux-en-Y gastric bypass on DM and renal function in obese patients. **2023**, 13, 1-5 ○
- 632 Efeitos Agudos do Nitrato Dietético na Pressão Central e Desempenho Cardíaco em Hipertensos: Estudo Cruzado, Randomizado e Placebo-Controlado. **2023**, 120, 1

- 631 Sequential algorithm to stratify liver fibrosis risk in overweight/obese metabolic dysfunction-associated fatty liver disease. 13, ○
- 630 Lower Serum Uric Acid Levels May Lower the Incidence of Diabetic Chronic Complications in U.S. Adults Aged 40 and Over. **2023**, 12, 725 ○
- 629 High dietary and lifestyle inflammatory scores are associated with increased risk of chronic kidney disease in Iranian adults. **2023**, 22, ○
- 628 Clinical Relevance of a Vancomycin 24 h Area under the Concentration×Time Curve Values Using Different Renal Function Equations in Bayesian Dosing Software. **2023**, 13, 120 ○
- 627 Quality of laboratory biomarker monitoring during treatment with lithium in patients with bipolar disorder.. ○
- 626 Assessing Insulin Sensitivity in People with Type 1 Diabetes Without Euglycemic-Hyperinsulinemic Clamps. **2023**, 1-25 ○
- 625 Arterial spin labeling and diffusion-weighted MR imaging: quantitative assessment of renal pathological injury in chronic kidney disease. ○
- 624 Renal dysfunction occurs following ileostomy formation and is independent of readmission. ○
- 623 Renal Transplant Recipients Undergoing Endovascular Abdominal Aortic Aneurysm Repair Have Increased Risk of Perioperative Acute Kidney Injury But No Difference In Late Mortality. **2023**, ○
- 622 Associations of Air Pollutant Concentrations with Longitudinal Renal Function Changes in Patients with Chronic Kidney Disease. ○
- 621 Impact of new eGFR equations on risk assessment in patients undergoing transcatheter aortic valve implantation. **2023**, ○
- 620 Comparison of Transperitoneal and Retroperitoneal Robotic Partial Nephrectomy for Patients with Completely Lower Pole Renal Tumors. **2023**, 12, 722 ○
- 619 Predicting the risk of a clinical event using longitudinal data: the generalized landmark analysis. **2023**, 23, ○
- 618 Comparison of creatinine-based equations for estimating renal function for digoxin dose adjustment in patients with atrial fibrillation and heart failure. **2023**, 11, ○
- 617 A mixed-method evaluation of the relationship between Oxford classification scores and longitudinal changes in proteinuria in patients with immunoglobulin A nephropathy. 13, ○
- 616 Urinary CD80 and Serum suPAR as Biomarkers of Glomerular Disease among Adults in Brazil. **2023**, 13, 203 ○
- 615 Characteristics and risk factors for renal recovery after acute kidney injury in critically ill patients in cohorts of elderly and non-elderly: a multicenter retrospective cohort study. **2023**, 45, ○
- 614 Risk of cardiovascular disease, death, and renal progression in diabetes according to albuminuria and estimated glomerular filtration rate. **2023**, 101420 ○

- 613 Effect of vitamin D supplementation on circulating fibroblast growth factor-23 concentration in adults with prediabetes. ○
- 612 The effect of acute aerobic exercise on arterial stiffness in individuals with different body fat percentages: A cross-sectional study. 9, ○
- 611 Use of Ceftazidime-Avibactam in the Treatment of Clinical Syndromes With Limited Treatment Options: A Retrospective Study. **2023**, ○
- 610 Validation of the EKFC equation for glomerular filtration rate estimation and comparison with the Asian-modified CKD-EPI equation in Chinese chronic kidney disease patients in an external study. **2023**, 45, ○
- 609 Nonvalvular atrial fibrillation and retinal vein occlusion: The Valdecilla Cohort. **2023**, ○
- 608 MicroRNAs Associated with Chronic Kidney Disease in the General Population and High-Risk Subgroups: A Systematic Review. **2023**, 24, 1792 ○
- 607 Rigidez vascular e envelhecimento arterial saudável em pacientes idosos com pressão arterial ideal. ○
- 606 Avaliação dos fatores de risco de aterosclerose e disfunção endotelial em pacientes com glomerulopatias primárias. ○
- 605 Association of serum uric acid to lymphocyte ratio, a novel inflammatory biomarker, with risk of stroke: A prospective cohort study. ○
- 604 Prevalence of chronic kidney disease in women of reproductive age and observed birth rates. ○
- 603 Clinical value of the renal pathologic scoring system in complement-mediated thrombotic microangiopathy. **2023**, 45, ○
- 602 The Relationship between Long-term use of Nonsteroidal Anti-inflammatory Drugs and Kidney Function in Patients with Ankylosing Spondylitis. ○
- 601 Associations between serum 25-hydroxyvitamin D, sun exposure time, dietary vitamin D intake and new-onset acute kidney injury among 413, 169 UK adults. **2023**, ○
- 600 Population-Based Analysis of Nonsteroidal Anti-inflammatory Drug Prescription in Subjects With Chronic Kidney Disease. **2023**, 10, 205435812211496 ○
- 599 Acute effects of lithium augmentation on the kidney in geriatric compared with non-geriatric patients with treatment-resistant depression. ○
- 598 Development of a Predictive Dosing Nomogram to Achieve PK/PD Targets of Amikacin Initial Dose in Critically Ill Patients: A Non-Parametric Approach. **2023**, 12, 123 ○
- 597 Fenofibrate normalizes alkaline phosphatase and improves long-term outcomes in patients with advanced primary biliary cholangitis refractory to ursodeoxycholic acid. **2023**, ○
- 596 Leveraging the South African Diabetes Prevention Programme to screen for chronic kidney disease: an observational study. **2023**, 13, e068672 ○

595	Mixed meal tolerance testing highlights in diabetes altered branched chain ketoacid metabolism and pathways associated with all-cause mortality. <b>2023</b> ,	o
594	Risk factors for acute kidney injury after pancreatoduodenectomy, and association with postoperative complications and death. <b>2023</b> ,	o
593	Age of Onset and Disease Course in Biopsy-Proven Minimal Change Disease: An Analysis From the Cure Glomerulopathy Network. <b>2023</b> ,	o
592	Metabolic Dysfunction-Associated Fatty Liver Disease in Newly Diagnosed, Treatment-Naive Hypertensive Patients and Its Association with Cardiorenal Risk Markers.	1
591	Diagnostic accuracy and predictive value of autoantibody profiles in patients with systemic sclerosis: a single-center study.	o
590	The impact of metabolic syndrome on chronic kidney disease development. Insights from a big prospective study.	o
589	Mortality risk and years of life lost for people with reduced renal function detected from regular health checkup: A matched cohort study. <b>2023</b> , 31, 102107	o
588	Association between metabolic dysfunction-associated fatty liver disease and supraventricular and ventricular tachyarrhythmias in patients with type 2 diabetes. <b>2023</b> , 49, 101416	o
587	Donor and recipient polymorphisms of MAPK signaling pathway genes influence post-transplant liver function in Chinese liver transplant patients taking tacrolimus. <b>2023</b> , 857, 147190	o
586	The inflammatory score and cardiovascular risk in young adults with overweight or obesity: The African-PREDICT study. <b>2023</b> , 163, 156121	o
585	Bone health in autosomal dominant polycystic kidney disease (ADPKD) patients after kidney transplantation. <b>2023</b> , 18, 101655	o
584	Biochemical and molecular genetic markers of kidney damage in hypertension. <b>2023</b> , 28, 614-626	o
583	Association Between Baseline Uric Acid and the Risk of Acute Pancreatitis. <b>2022</b> , 51, 966-971	o
582	Real-world use patterns of angiotensin receptor-neprilysin inhibitor (sacubitril/valsartan) among patients with heart failure within a large integrated health system. <b>2022</b> , 28, 1173-1179	o
581	Visual interstitial fibrosis assessment as continuous variable in protocol renal transplant biopsies.	o
580	Continuous Infusion of High Doses of Cefepime in Intensive Care Unit: Assessment of Steady-State Plasma Level and Incidence on Neurotoxicity. <b>2023</b> , 12, 69	1
579	Relationship between plasma homocysteine and chronic kidney disease in US patients with type 2 diabetes mellitus: a cross-sectional study. <b>2022</b> , 23,	o
578	Association of Urinary Nitrate With Diabetes Complication and Disease-Specific Mortality Among Adults With Hyperglycemia.	o

- 577 Association of low cadmium and mercury exposure with chronic kidney disease among Chinese adults aged ≥80 years: A cross-sectional study. Publish Ahead of Print, 1
- 576 Association of D-dimer with estimated glomerular filtration rate in chronic kidney disease at different stages in Indian population. **2022**, 9, 311-314 0
- 575 High-density lipoprotein subclasses and cardiovascular disease and mortality in type 2 diabetes: analysis from the Hong Kong Diabetes Biobank. **2022**, 21, 0
- 574 High serum immunoglobulin D levels in systemic lupus erythematosus: more to be found?. 0
- 573 Cyst Fraction as a Biomarker in Autosomal Dominant Polycystic Kidney Disease. **2023**, 12, 326 0
- 572 Relationship between high fructose corn syrup sweetened drinks, diet soft drinks, and serum sodium: NHANES 2003–2006. **2022**, 21, 0
- 571 Effect of eplerenone on clinical stability of Japanese patients with acute heart failure. **2022**, 0
- 570 Nephroangiosclerosis not related to hypertension: A matter to resolve in the era of precision medicine. 1
- 569 A Low-Cost Sequencing Platform for Rapid Genotyping in ADPKD and its Impact on Clinical Care. **2022**, 0
- 568 Association of Phenotypic Aging Marker with comorbidities, frailty and inflammatory markers in people living with HIV. **2022**, 22, 0
- 567 Glomerular Galactose-Deficient IgA1(KM55) Positive May Predict Poorer Prognosis in Coexisting Primary Membranous Nephropathy and IgA Nephropathy Patients. **2023**, 12, 116 0
- 566 Advantages of metagenomic next-generation sequencing in the management of ANCA- associated vasculitis patients with pulmonary infections. 0
- 565 The Association of Glucose Control with Circulating Levels of Red Blood Cell-Derived Vesicles in Type 2 Diabetes Mellitus Patients with Atrial Fibrillation. **2023**, 24, 729 0
- 564 Comparative evaluation of clinical outcomes of dapagliflozin and empagliflozin in type-2 diabetes mellitus. 0
- 563 Cluster analysis of Thai patients with newly diagnosed type 2 diabetes mellitus to predict disease progression and treatment outcomes : A prospective cohort study. **2022**, 10, e003145 0
- 562 Prevalence of obstructive sleep apnea in patients with chronic kidney disease: a hospital-based study. 0
- 561 Cardiac dysfunction and high-sensitive C-reactive protein are associated with troponin T elevation in ischemic stroke: insights from the SICFAIL study. **2022**, 22, 0
- 560 Early ultrastructural changes in biopsies from patients with symptomatic CKDu (Sym-CKDu). **2022**, 0

- 559 Emerging evidence on the role of clonal hematopoiesis of indeterminate potential in chronic kidney disease. **2022**, ○
- 558 Association between Use of Spironolactone and Risk of Stroke in Hypertensive Patients: A Cohort Study. **2023**, 16, 57 ○
- 557 ABO blood groups and oncological and functional outcomes in bladder cancer patients treated with radical cystectomy. **2022**, 94, 428-433 ○
- 556 Grundlagen der medikamentösen Tumorthherapie. **2022**, 1-23 ○
- 555 Host factors predisposing to kidney disease in people with HIV. Publish Ahead of Print, ○
- 554 Glycemia is associated with subclinical atherosclerosis through renal function in nondiabetic apparently healthy adults: a mediation analysis. ○
- 553 Chemical Element Mixtures and Kidney Function in Mining and Non-Mining Settings in Northern Colombia. **2023**, 20, 2321 ○
- 552 Gabapentin, Concomitant Prescription of Opioids, and Benzodiazepines among Kidney Transplant Recipients. **2023**, 18, 91-98 ○
- 551 Prevalence of and risk factors for chronic kidney disease in ten metropolitan areas of China: a cross-sectional study using three kidney damage markers. **2023**, 45, ○
- 550 Essential Oil of Lippia alba Protects Against Ischemic-Reperfusion Acute Kidney Injury. 66, ○
- 549 Major cardiovascular events and subsequent risk of kidney failure with replacement therapy: a CKD Prognosis Consortium study. ○
- 548 Association between Decreased Estimated Glomerular Filtration Rates and Long-term Mortality in Korean Patients with Acute Myocardial Infarction. **2023**, 59, 87 ○
- 547 Changes in CT-Based Morphological Features of the Kidney with Declining Glomerular Filtration Rate in Chronic Kidney Disease. **2023**, 13, 402 ○
- 546 The association between liver fibrosis scores and chronic kidney disease. 10, ○
- 545 Evaluation of Variation in the Performance of GFR Slope as a Surrogate End Point for Kidney Failure in Clinical Trials that Differ by Severity of CKD. **2023**, 18, 183-192 ○
- 544 Clinical Factors Associated with Arterial Stiffness in Chronic Kidney Disease. **2023**, 12, 1077 ○
- 543 Serum levels of galactose-deficient IgA are elevated in patients with IgA nephropathy but do not correlate to disease activity or progression. ○
- 542 Laboratory Diagnostic of Acute Kidney Injury and Its Progression: Risk of Underdiagnosis in Female and Elderly Patients. **2023**, 12, 1092 ○

- 541 Implementation of an Electronic Alert to Improve Timeliness of Second Dose Antibiotics for Patients With Suspected Serious Infections in the Emergency Department: A Quasi-Randomized Controlled Trial. **2023**, ○
- 540 Ipsilateral Aorto-Iliac Calcification is Not Directly Associated With eGFR After Kidney Transplantation: A Prospective Cohort Study Analyzed Using a Linear Mixed Model. 36, ○
- 539 Association between visceral adiposity index and heart failure: A cross-sectional study. ○
- 538 Temporal relationship between atherogenic dyslipidemia and inflammation and their joint cumulative effect on type 2 diabetes onset: a longitudinal cohort study. **2023**, 21, ○
- 537 Risk Factors For Death Among Veterans Following Acute Kidney Injury. **2023**, ○
- 536 Novel Genetic Variants Associated with Chronic Kidney Disease Progression. **2023**, Publish Ahead of Print, ○
- 535 The relationship between renal functions and multi-drug resistant organisms in patients with ventilator-associated pneumonia. 52-58 ○
- 534 External validation of a simplified prognostic model for survival in patients with extrinsic malignant ureteral obstruction treated with tandem ureteral stents â retrospective cohort study. 1-7 ○
- 533 MAFLD and NAFLD in the prediction of incident chronic kidney disease. **2023**, 13, ○
- 532 Rationale and Design of the Diet, CKD, and Apolipoprotein L1 Study in Low-Income and Middle-Income Countries. **2023**, ○
- 531 Role of Renal Parenchyma Attenuation and Perirenal Fat Stranding in Chest CT of Hospitalized Patients with COVID-19. **2023**, 12, 929 ○
- 530 Factors associated with COVID-19 vaccine uptake in people with kidney disease: an OpenSAFELY cohort study. **2023**, 13, e066164 ○
- 529 Association of omega 3 polyunsaturated fatty acids with incident chronic kidney disease: pooled analysis of 19 cohorts. e072909 ○
- 528 Serum neurofilament light chain in functionally relevant coronary artery disease and adverse cardiovascular outcomes. 1-22 ○
- 527 Cognitive performance is associated with glomerular filtration rate in patients with chronic kidney disease: results from the CKD-REIN cohort. jnnp-2022-330347 ○
- 526 Renal outcomes following intravenous contrast administration in patients with acute kidney injury: a multi-site retrospective propensity-adjusted analysis. ○
- 525 One-Year Mortality after Hemodialysis Initiation: The Prognostic Role of the CHA2DS2-VASc Score. **2023**, 12, 1011 ○
- 524 Diagnosis, Prevalence and Significance of Obesity in a Cohort of CKD Patients. **2023**, 13, 196 ○



523	Non-Alcoholic Fatty Liver Disease with Sarcopenia and Carotid Plaque Progression Risk in Patients with Type 2 Diabetes Mellitus.	0
522	Systemic inflammation markers and the prevalence of hypertension: A NHANES cross-sectional study.	1
521	24,25-Dihydroxy Vitamin D and Vitamin D Metabolite Ratio as Biomarkers of Vitamin D in Chronic Kidney Disease. <b>2023</b> , 15, 578	1
520	Comparative effectiveness of metformin versus sulfonylureas on kidney function decline or death among patients with reduced kidney function: a retrospective cohort study. <b>2023</b> , 11, E77-E89	0
519	Association between the Oxidative Balance Score and Incident Chronic Kidney Disease in Adults. <b>2023</b> , 12, 335	0
518	Rapid decline in kidney function is associated with rapid deterioration of health-related quality of life in chronic kidney disease. <b>2023</b> , 13,	0
517	The Kidney Failure Risk Equation: Evaluation of Novel Input Variables including eGFR Estimated Using the CKD-EPI 2021 Equation in 59 Cohorts. <b>2023</b> , Publish Ahead of Print,	1
516	Urine biomarker score captures response to induction therapy with lupus nephritis.	0
515	¿Es apropiada la aplicación de la nueva ecuación Chronic Kidney Disease Epidemiology Consortium (CKD-EPI 2021) en la población española?. <b>2023</b> ,	0
514	Machine-learning-based Web system for the prediction of chronic kidney disease progression and mortality. <b>2023</b> , 2, e0000188	0
513	Treatment Recommendations for Harder-to-Cure and Vulnerable Populations. <b>2023</b> , 203-230	0
512	Magnesium supplementation may not be protective against carboplatin-induced nephrotoxicity but may be beneficial for children suffering malignancies: A randomized clinical trial. <b>2023</b> , 12, 11	0
511	Diagnosis, pathophysiology and preventive strategies for cardiac surgery-associated acute kidney injury: a narrative review. <b>2023</b> , 28,	0
510	Proton-pump inhibitor use amongst patients with severe hypomagnesemia. 14,	0
509	Associations between Endothelial Lipase, High-Density Lipoprotein, and Endothelial Function Differ in Healthy Volunteers and Metabolic Syndrome Patients. <b>2023</b> , 24, 2073	0
508	Association Between CKD and Major Hemorrhage in Older Persons: Data From the Aspirin in Reducing Events in the Elderly Randomized Trial. <b>2023</b> ,	0
507	Exploration of chemotherapy-free regimen after multi-line chemotherapy-induced renal impairment in recurrent ovarian cancer: Case report and literature review. 12,	0
506	Serum globulin is a novel predictor of mortality in patients undergoing peritoneal dialysis. <b>2023</b> , 13,	0

- 505 Impact of Pulmonary Hypertension on Renal Functions in Obstructive Sleep Apnea Syndrome. **2023**, 116, 26-32 o
- 504 Development and Validation of a Hypertension Risk Calculator for Living Kidney Donors. Publish Ahead of Print, o
- 503 Association between preoperative serum myoglobin and acute kidney injury after Stanford type A aortic dissection surgery. **2023**, 117232 o
- 502 Pharmacokinetic and dose-finding study of osimertinib in patients with impaired renal function and low body weight. o
- 501 Gender Differences in the Association between Physical Activity and Mortality in Chronic Kidney Disease: Results from the National Health and Nutrition Examination Survey (2011â2018). **2023**, 12, 779 o
- 500 Serum N-terminal pro-B-type natriuretic peptide and cystatin C for acute kidney injury detection in critically ill adults in China: a prospective, observational study. **2023**, 13, e063896 o
- 499 Next-Generation Morphometry for pathomics-data mining in histopathology. **2023**, 14, o
- 498 The Causal Association between Kidney Function and Cardiovascular Events: Evidence from Large-Scale Bidirectional Mendelian Randomization Study. o
- 497 Fabry Nephropathy. **2023**, 325-347 o
- 496 Renin-angiotensin system inhibition and In-hospital mortality in acute coronary syndrome patients with advanced renal dysfunction: Findings from CCC-ACS project and a nationwide electronic health record-based cohort in China. o
- 495 Machine learning in the prediction of cardiac surgery associated acute kidney injury with early postoperative biomarkers. 10, o
- 494 The Metabolic Health Index Identifies Patients That Will Benefit From Metabolic Surgery. **2023**, 285, 211-219 o
- 493 Renal arterial resistive index, monocyte chemotactic protein 1 and neutrophil gelatinase-associated lipocalin, for predicting acute kidney injury in critically ill cancer patients. o
- 492 Early renal impairment affects hormonal regulators of calcium and bone metabolism and Wnt signalling and the response to vitamin D supplementation in healthy older adults. **2023**, 229, 106267 o
- 491 Pharmakodynamik und Pharmakokinetik beim Intensivpatienten, Interaktionen. **2023**, 1-18 o
- 490 The problem of hyperuricemia in the hypertensive population of the Nizhny Novgorod region. **2023**, 29, 14-23 o
- 489 Nuclear Magnetic Resonance-Based Lipidomics in the Assessment of Cardiometabolic Risk in Type 1 Diabetes: An Exploratory Analysis. **2023**, 14, 553-567 o
- 488 Perfil genético e fenotípico da doença de Fabry na população do Vale do Paraíba e Zona Leste de São Paulo. o

- 487 Serum irisin levels and osteoporosis in patients with advanced chronic kidney disease and renal transplant recipients. ○
- 486 Association between NLRP3 rs10754558 and CARD8 rs2043211 Variants and Susceptibility to Chronic Kidney Disease. **2023**, 24, 4184 ○
- 485 Tobacco exposure in adults and children with proteinuric glomerulopathies: a NEPTUNE cohort study. **2023**, 24, ○
- 484 Safety of metformin continuation in diabetic patients undergoing invasive coronary angiography: the NO-STOP single arm trial. **2023**, 22, ○
- 483 The Relationship of Left Ventricular Diastolic Dysfunction and Asymmetrical Dimethylarginine as a Biomarker of Endothelial Dysfunction with Cardiovascular Risk Assessed by Systematic Coronary Risk Evaluation2 Algorithm and Heart FailureâA Cross-Sectional Study. **2023**, 20, 4433 ○
- 482 Dosing of basic pharmacotherapy and its effect on the prognosis of patients hospitalized for heart failure. **2023**, 69, 109-118 ○
- 481 Efficacy of Prolonged-release Tacrolimus After Conversion From Immediate-release Tacrolimus in Kidney Transplantation: A Retrospective Analysis of Long-term Outcomes From the ADMIRAD Study. **2023**, 9, e1465 ○
- 480 Pathological and clinical characteristics of late-onset oligomeganephronia based on a histomorphometric study. **2023**, 24, ○
- 479 Discovery of Fibrinogen E-chain as a potential urinary biomarker for renal interstitial fibrosis in IgA nephropathy. **2023**, 24, 1
- 478 Perioperative renal function change after transcatheter aortic valve replacement: A single-center retrospective study in China. 026765912311587 ○
- 477 Phenotypic correlates of serum neurofilament light chain levels in amyotrophic lateral sclerosis. 15, ○
- 476 Evaluation of management of patients with postoperative permanent hypoparathyroidism. How close are we to the targets?. **2023**, 48, ○
- 475 Longitudinal biomarkers and kidney disease progression after acute kidney injury. ○
- 474 Exploring biopsychosocial correlates of pregnancy risk and pregnancy intention in women with chronic kidney disease. ○
- 473 Masked hypertension in a middle-aged population and its relation to manifestations of vascular disease. Publish Ahead of Print, ○
- 472 Association of Remnant-like Particle Cholesterol with Major Adverse Cardiovascular Events in Subjects with Different Levels of Proprotein Convertase Subtilisin/Kexin 9: A 9.5-year Follow-up Study in a Beijing Community Population. Publish Ahead of Print, ○
- 471 Sex-specific equations to estimate body composition: Derivation and validation of diagnostic prediction models using UK Biobank. **2023**, 42, 511-518 ○
- 470 The Prognostic Value of Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio for Small Renal Cell Carcinomas after Image-Guided Cryoablation or Radio-Frequency Ablation. **2023**, 15, 2187 ○

- 469 Dose adjustment in patients with liver cirrhosis – comparison of two different modeling approaches. ○
- 468 Effects of dapagliflozin on hospitalisations in people with type 2 diabetes: post-hoc analyses of the DECLARE-TIMI 58 trial. **2023**, 11, 233-241 ○
- 467 Diffusion magnetic resonance imaging for kidney cyst volume quantification and non-cystic tissue characterisation in ADPKD. ○
- 466 Joint association of hyperuricemia and chronic kidney disease with mortality in patients with chronic heart failure. 14, ○
- 465 Population plasma and urine pharmacokinetics and the probability of target attainment of fosfomycin in healthy male volunteers. ○
- 464 Presence of retinopathy and incident kidney and cardiovascular events in type 2 diabetes with normoalbuminuria – A post-hoc analysis of the PRIORITY randomized clinical trial. **2023**, 37, 108433 ○
- 463 Relations of residential green and blue spaces with new-onset chronic kidney disease. **2023**, 869, 161788 ○
- 462 Urinary Proteomic Signature of Mineralocorticoid Receptor Antagonism by Spironolactone: Evidence from the Randomized-Controlled HOMAGE and PRIORITY Trials. ○
- 461 Effects of Metabolic Syndrome on Cardiovascular Outcomes of Psoriatic Patients with Coronary Artery Disease: A Single Center Retrospective Cohort Study. Volume 16, 1003-1012 ○
- 460 Renal Function Estimating Equations Performance During Pregnancy and Postpartum. ○
- 459 Plasma phosphorylated tau 181 predicts amyloid status and conversion to dementia stage dependent on renal function. jnnp-2022-330540 ○
- 458 Responsiveness and minimal important change of seven PROMIS computerized adaptive tests (CAT) in patients with advanced chronic kidney disease. **2023**, 7, ○
- 457 Antimicrobial Stewardship and Dose Adjustment of Restricted Antimicrobial Drugs in Hospital Setting. **2023**, 11, 68 ○
- 456 The association between kidney function, cognitive function, and structural brain abnormalities in community-dwelling individuals aged 50 + is mediated by age and biomarkers of cardiovascular disease. ○
- 455 Vascular and metabolic effects of ipragliflozin versus sitagliptin (IVS) in type 2 diabetes treated with sulphonylurea and metformin: IVS study. ○
- 454 Prevalence of Chronic Kidney Disease in China. **2023**, 183, 298 ○
- 453 The relationship between renal function and diabetic retinopathy in patients with type 2 diabetes: A three-year prospective study. **2023**, 9, e14662 ○
- 452 Untargeted plasma <sup>1</sup>H NMR-based metabolomic profiling in different stages of chronic kidney disease. **2023**, 229, 115339 ○

- 451 Association between neutrophil/lymphocyte ratio and kidney impairment in type 2 diabetes mellitus: A role of extracellular water/total body water ratio. **2023**, 199, 110634 ○
- 450 Ischemic and Bleeding Outcomes in Patients Who Underwent Percutaneous Coronary Intervention With Chronic Kidney Disease or Dialysis (from a Japanese Nationwide Registry). **2023**, 195, 37-44 ○
- 449 Low serum albumin is associated with mortality and arterial and venous ischemic events in acutely ill medical patients. Results of a retrospective observational study. **2023**, 225, 1-10 ○
- 448 Association of a low protein diet with depressive symptoms and poor health-related quality of life in CKD. **2023**, 161, 282-288 ○
- 447 Development and validation of a practical prognostic nomogram for evaluating inpatient mortality of cirrhotic patients with acute variceal hemorrhage. **2023**, 28, 101086 ○
- 446 Association of urinary iodine concentration with prediabetes/diabetes in adults: Analysis of the NHANES 2005-2016. **2023**, 77, 127144 ○
- 445 Association of body weight change with all-cause and cause-specific mortality: A nationwide population-based study. **2023**, 199, 110666 ○
- 444 Decreased plasma iron levels in women with hyperglycemia are associated with inflammatory status and involve increased HbA1c, osmotic stability, and volume variability of red blood cells. **2023**, 55, 221-229 ○
- 443 Liver and cardiometabolic markers and conditions in a cross-sectional study of three Australian communities living with environmental per- and polyfluoroalkyl substances contamination. **2023**, 226, 115621 ○
- 442 Identifying treatment heterogeneity in atrial fibrillation using a novel causal machine learning method. **2023**, 260, 124-140 ○
- 441 Dapagliflozin delays renal fibrosis in diabetic kidney disease by inhibiting YAP/TAZ activation. **2023**, 322, 121671 ○
- 440 Comparison of the 2021 and 2009 chronic kidney disease epidemiology collaboration creatinine equation for estimated glomerular filtration rate in a Chinese population. **2023**, 116, 59-64 ○
- 439 Association of the exclusive use of intraoperative phenylephrine for treatment of hypotension with the risk of acute kidney injury after noncardiac surgery. **2023**, 42, 101224 ○
- 438 Comparison of Stroke and Bleeding Risk Profile in Patients With Atrial Fibrillation and Chronic Kidney Disease. **2023**, 196, 31-37 ○
- 437 Intraoperative renal desaturation and postoperative acute kidney injury in older patients undergoing liver resection: A prospective cohort study. **2023**, 87, 111084 ○
- 436 Associations of Renal Function Trajectories and Long-Term Cardiovascular Risks Among a Population Without Chronic Kidney Disease. ○
- 435 Association of Chronic Kidney Disease With Atrial Fibrillation in the General Adult Population: A Nationwide Population-Based Study. ○
- 434 The Relationship Between the Neutrophil Percentage-to-Albumin Ratio and Rates of 28-Day Mortality in Atrial Fibrillation Patients 80 Years of Age or Older. Volume 16, 1629-1638 ○

- 433 Ambient air pollution and incidence, progression to multimorbidity and death of hypertension, diabetes, and chronic kidney disease: A national prospective cohort. **2023**, 881, 163406 ○
- 432 Long-Term Atherosclerotic Cardiovascular Disease Risk in Patients With Cancer: A Population-Based Study. **2023**, 48, 101693 ○
- 431 Exposure to phenols, chlorophenol pesticides, phthalate and PAHs and mortality risk: A prospective study based on 6 rounds of NHANES. **2023**, 329, 138650 ○
- 430 Arabic gum as a natural therapeutic agent for diabetic patients with CKD: A retrospective study. **2023**, 20, e497 ○
- 429 Traditional and disease-related cardiovascular risk factors in ANCA-associated vasculitis: A prospective, two-centre cohort study. **2023**, 90, 105540 ○
- 428 Clinical Characteristics and Medication Analysis of Hospitalized Patients with Gout. **2022**, 12, 11727-11734 ○
- 427 Ticagrelor inhibits platelet aggregation and reduces inflammatory burden more than clopidogrel in patients with stages 4 or 5 chronic kidney disease. **2023**, 148, 107143 ○
- 426 An explorative study of inflammation-related proteins associated with kidney injury in male heat-stressed workers. **2023**, 112, 103433 ○
- 425 Plasma methylmalonic acid predicts risk of acute myocardial infarction and mortality in patients with coronary heart disease: A prospective 2-cohort study. **2023**, 293, 508-519 ○
- 424 Renal Function at Discharge Among Kidney Recipients Experiencing Delayed Graft Function and Its Associations With Long-term Outcomes. **2022**, 8, e1414 ○
- 423 Predictors, Disparities, and Facility-Level Variation: SGLT2 Inhibitor Prescription Among US Veterans With CKD. **2023**, ○
- 422 Accelerometer-derived physical activity and sedentary behaviors in individuals with newly diagnosed type 2 diabetes: A cross-sectional study from the Danish nationwide DD2 cohort. 4, ○
- 421 Cystatin C-Based Equation to Estimate GFR without the Inclusion of Race and Sex. **2023**, 388, 333-343 ○
- 420 Updates on HIV and Kidney Disease. **2023**, 20, 100-110 ○
- 419 Clinical characteristics and prognoses of patients with diabetic ketoacidosis in Finland. **2023**, 10, 100129 ○
- 418 Contribution of voriconazole N-oxide plasma concentration measurements to voriconazole therapeutic drug monitoring in patients with invasive fungal infection. **2023**, 66, 396-404 ○
- 417 Renal function is associated with one-month and one-year mortality in patients with intracerebral hemorrhage. **2023**, 18, e0269096 ○
- 416 Vitamin D status and biomarkers of renal graft function after kidney transplantation: a longitudinal study. **2023**, ○

- 4<sup>15</sup> Sodium bicarbonate for kidney transplant recipients with metabolic acidosis in Switzerland: a multicentre, randomised, single-blind, placebo-controlled, phase 3 trial. **2023**, 401, 557-567 1
- 4<sup>14</sup> A Study Indicates an Essential Link between a Mild Deterioration in Excretory Kidney Function and the Risk of Neutropenia during Cancer Chemotherapy. 0
- 4<sup>13</sup> Use of Race in Kidney Function Estimation: Lessons Learned and the Path Toward Health Justice. **2023**, 74, 385-400 0
- 4<sup>12</sup> Advanced Glycation End Products and Bone Metabolism in Patients with Chronic Kidney Disease. **2023**, 7, 0
- 4<sup>11</sup> Prediction of one-year adverse clinical outcomes by macrophage migration inhibitory factor in stemi patients. **2022**, 19-29 0
- 4<sup>10</sup> Elevated Initial Serum Phosphate Levels Predict Higher Mortality and Impaired Neurological Outcome in Cardiac Arrest Patients with Return of Spontaneous Circulation. **2023**, 13, 479 0
- 4<sup>09</sup> Sex-specific differences in the effect of the atherogenic index of plasma on prediabetes and diabetes in the NHANES 2011-2018 population. **2023**, 22, 0
- 4<sup>08</sup> Increasing Serum Bicarbonate is Associated With Reduced Risk of Adverse Kidney Outcomes in Patients with CKD and Metabolic Acidosis. **2023**, 8, 796-804 0
- 4<sup>07</sup> Reclassification of Pre-Heart Failure Stages Using Cardiac Biomarkers. **2023**, 11, 440-450 0
- 4<sup>06</sup> Metabolic Control, Diabetic Complications and Drug Therapy in a Cohort of Patients with Type 1 and Type 2 Diabetes in Secondary and Tertiary Care between 2004 and 2019. **2023**, 20, 2631 0
- 4<sup>05</sup> Prevalence and clinical characteristics of renovascular hypertension associated with fibromuscular dysplasia in China. **2023**, 41, 638-647 0
- 4<sup>04</sup> Associations of childhood adiposity with adult intima-media thickness and inflammation: a 20-year longitudinal population-based cohort. **2023**, 41, 402-410 0
- 4<sup>03</sup> Clinical determinants of insulin requirements during treatment of prednisolone-induced hyperglycaemia. **2023**, 197, 110557 0
- 4<sup>02</sup> Social Determinants of Health and Their Impact on the Black Race Coefficient in Serum Creatinine-Based Estimation of GFR. **2023**, 18, 446-454 0
- 4<sup>01</sup> Estimation of differential renal function on routine abdominal imaging employing compressed-sensed contrast-enhanced MR: a feasibility study referenced against dynamic renal scintigraphy in patients with deteriorating renal retention parameters. **2023**, 48, 1329-1339 0
- 4<sup>00</sup> Creatinine and cystatin C-based estimated glomerular filtration rate estimates of kidney function in Black people with HIV on antiretroviral therapy. **2023**, 37, 753-758 0
- 399 Metabolic dysfunction-associated fatty liver disease can significantly increase the risk of chronic kidney disease in adults with type 2 diabetes. **2023**, 197, 110563 0
- 398 Renal scintigraphy to predict persistent renal failure after acute kidney injury: an observational study. 0



- 397 The Clinical and Skeletal Effects of Long-Term Therapy of Hypoparathyroidism With rhPTH (1-84). **2023**, 38, 480-492 o
- 396 Interpretation of Estimated Glomerular Filtration Rate. **2023**, 98, 45-51 o
- 395 Hypertension and one-year risk of all-cause mortality among women with treated HIV in the United States. **2023**, 37, 679-688 o
- 394 Role of basal autonomic functions in patients with increased morning blood pressure surge. **2023**, 28, 79-85 o
- 393 Design and rationale of FINE-REAL: A prospective study of finerenone in clinical practice. **2023**, 37, 108411 o
- 392 Plasma proteins related to inflammatory diet predict future cognitive impairment. o
- 391 Intensivtherapie bei akutem Nierenversagen (ANV), extrakorporale Eliminationsverfahren und Plasmaseparation. **2022**, 1-20 o
- 390 Pre-Pregnancy eGFR and the Risk of Adverse Maternal and Fetal Outcomes: A Population-Based Study. **2023**, 34, 656-667 o
- 389 Gallbladder disease is associated with the risk of cardiovascular disease among Uyghurs in Xinjiang: a prospective cohort study. **2023**, 23, o
- 388 Genetic and phenotypic profile of Fabry disease in the population of Vale do Paraiba and Eastern S Paulo. o
- 387 Effectiveness of Mycophenolate Mofetil Among Patients With Progressive IgA Nephropathy. **2023**, 6, e2254054 o
- 386 Opioid use in older orthopedic rehabilitation inpatients: a retrospective study. **2023**, 59, o
- 385 Mortality and associated risk factors between young and elderly maintenance haemodialysis patients: a multicentre retrospective cohort study in China. **2023**, 13, e066675 o
- 384 Risk Factors for Rivaroxaban-Related Bleeding EventsPossible Role of Pharmacogenetics: Case Series. **2023**, 11, 29 o
- 383 The Impact of SGLT2 Inhibitor Dapagliflozin on Adropin Serum Levels in Men and Women with Type 2 Diabetes Mellitus and Chronic Heart Failure. **2023**, 11, 457 3
- 382 Clinical features and risk factors of renal dysfunctions in thalassemic patients. o
- 381 UroAngel: a single-kidney function prediction system based on computed tomography urography using deep learning. o
- 380 Admission eGFR predicts in-hospital mortality independently of admission glycemia and C-peptide in patients with type 2 diabetes mellitus and COVID-19. **2023**, 39, 505-516 o



- 379 Cardiothoracic ratio values and trajectories are associated with risk of requiring dialysis and mortality in chronic kidney disease. **2023**, 3, ○
- 378 Associated factors and hemodynamic characteristics of resistant hypertension in the elderly. **2023**, 25, 259-265 ○
- 377 Evaluating the renal mild tubulointerstitial damage and renal function in IgAN patients: a comparative study based on diffusion kurtosis imaging and diffusion tensor imaging. **2023**, 48, 1350-1362 ○
- 376 Measuring Creatinine Clearance Is the Most Accurate Way for Calculating the Proper Continuous Infusion Meropenem Dose for Empirical Treatment of Severe Gram-Negative Infections among Critically Ill Patients. **2023**, 15, 551 1
- 375 Electrocardiogram abnormalities and renal impairment in patients with type 2 diabetes mellitus: A healthcare facilities-based cross-sectional study in Dang district of Nepal. **2023**, 14, 602-613 ○
- 374 Association of Long-term Change in N-Terminal Pro-B-Type Natriuretic Peptide With Incident Heart Failure and Death. **2023**, 8, 222 1
- 373 A modified renal risk score for Chinese patients with antineutrophil cytoplasmic antibody-associated vasculitis. **2023**, 21, ○
- 372 Body adiposity markers and insulin resistance in patients with type 1 diabetes. **2023**, ○
- 371 New Onset Atrial Fibrillation in STEMI Patients: Main Prognostic Factors and Clinical Outcome. **2023**, 13, 613 ○
- 370 Established the first clinical prediction model regarding the risk of hyperuricemia in adult IgA nephropathy. ○
- 369 Lower Circulating Cell-Free Mitochondrial DNA Is Associated with Heart Failure in Type 2 Diabetes Mellitus Patients. **2023**, 13, 15-30 ○
- 368 Associations of Serum Carotenoids With Risk of All-Cause and Cardiovascular Mortality in Hypertensive Adults. **2023**, 12, ○
- 367 Clinical and Genetic Characteristics of CKD Patients with High-Risk APOL1 Genotypes. **2023**, Publish Ahead of Print, ○
- 366 Serum uric acid variation and the risk of cardiovascular disease: A prospective cohort study. **2023**, ○
- 365 Trends in using of antihypertensive medication among US CKD adults, NHANES 2001-2018. 10, ○
- 364 Subclinical atherosclerosis burden in non-diabetic hypertensives treated in primary care center: the IMTABI study. **2023**, 24, ○
- 363 The association of cell adhesion molecules and selectins (VCAM-1, ICAM-1, E-selectin, L-selectin, and P-selectin) with microvascular complications in patients with type 2 diabetes: A follow-up study. 14, ○
- 362 Carotid Artery Disease in the Era of Biomarkers: A Pilot Study. **2023**, 13, 644 ○

- 361 The impact of preoperative kidney replacement therapy on kidney outcome and survival in patients with left ventricular assist device. **2023**, 45, ○
- 360 Development and validation of a dosing nomogram for continuous infusion cloxacillin in infective endocarditis. **2023**, 78, 965-974 ○
- 359 Optimal threshold of urinary albumin-to-creatinine ratio (UACR) for predicting long-term cardiovascular and noncardiovascular mortality. ○
- 358 Long-term Outcomes Associated With Post-Kidney Donation Pregnancy Complications. Publish Ahead of Print, ○
- 357 Association between sedentary behavior and chronic kidney disease in Korean adults. **2023**, 23, ○
- 356 Hyperuricemia Predicts the Progression of Type 2 Diabetic Kidney Disease in Chinese Patients. **2023**, 14, 581-591 ○
- 355 Frailty index and its association with the onset of postoperative delirium in older adults undergoing elective surgery. **2023**, 23, 1
- 354 Effects of empagliflozin on left ventricular diastolic function in addition to usual care in individuals with type 2 diabetes mellitus—Results from the randomized, double-blind, placebo-controlled EmDia trial. ○
- 353 Association between geriatric nutritional risk index and pathological phenotypes of IgA nephropathy. 11, e14791 ○
- 352 Association between Urinary Creatinine Excretion and Hypothyroidism in Patients with Chronic Kidney Disease. **2023**, 13, 669 ○
- 351 GalNAc-T14 may Contribute to Production of Galactose-Deficient Immunoglobulin A1, the Main Autoantigen in IgA Nephropathy. **2023**, ○
- 350 OVERTURE: A Worldwide, Prospective, Observational Study of Disease Characteristics in Patients With ADPKD. **2023**, ○
- 349 Positive correlation between hypertensive retinopathy and albuminuria in hypertensive adults. **2023**, 23, ○
- 348 The relative and interactive effects of urinary multiple metals exposure on hyperuricemia among urban elderly in China. 11, ○
- 347 The effectiveness of atrial fibrillation special clinic on oral anticoagulant use for high risk atrial fibrillation patients managed in the community. **2023**, 24, ○
- 346 Prognostic significance of albuminuria in elderly of various ages with diabetes'. ○
- 345 Is the use of the new Chronic Kidney Disease Epidemiology Consortium (CKD-EPI 2021) formula appropriate for the Spanish population?. **2023**, 223, 144-153 ○
- 344 Lesões Miocárdica e Prognóstico em Pacientes Hospitalizados com COVID-19 no Brasil: Resultados do Registro Nacional de COVID-19. **2023**, 120, ○

- 343 Glomerular deposition of fibrinogen predicts good prognosis of IgA nephropathy: a single-center cohort study. ○
- 342 The clinical burden of newly diagnosed Heart failure among patients with Reduced, mildly Reduced, and preserved ejection fraction. **2023**, 101182 ○
- 341 Residential greenness and kidney function: A cohort study of Thai employees. **2023**, 80, 102993 ○
- 340 Meropenem Model-Informed Precision Dosing in the Treatment of Critically Ill Patients: Can We Use It?. **2023**, 12, 383 ○
- 339 The impact of diabetic nephropathy and severe diabetic retinopathy on chronic limb threatening ischemia risk in individuals with type 1 diabetes: a nationwide, population study. **2023**, 100594 ○
- 338 Predictors assisting treatment choices between cyclophosphamide and cyclosporine in membranous nephropathy. ○
- 337 Preliminary study on the efficacy of rituximab in the treatment of idiopathic membranous nephropathy: A single-centre experience. 14, ○
- 336 ESKD Risk Prediction Model in a Multicenter Chronic Kidney Disease Cohort in China: A Derivation, Validation, and Comparison Study. **2023**, 12, 1504 1
- 335 Incidence and predisposing factors of infection in patients treated with hypomethylating agents. **2023**, 127, 107043 ○
- 334 A Retrospective Cohort Study That Examined the Impact of Cannabis Consumption on Long-Term Kidney Outcomes. ○
- 333 Characterization of patients with IgA nephropathy with and without associated minimal change disease. 3, ○
- 332 Geriatric syndromes and health-related quality of life in older adults with chronic kidney disease. **2023**, Publish Ahead of Print, ○
- 331 Prevalence and morphological subtype distributions of anaemia in a Chinese rural population: the Henan Rural Cohort study. 1-10 ○
- 330 Glomerular Hyperfiltration Predicts Kidney Function Decline and Mortality in Type 1 and Type 2 Diabetes: A 21-Year Longitudinal Study. **2023**, 46, 845-853 ○
- 329 Efecto de semaglutida sobre los biomarcadores de la enfermedad del hígado graso en pacientes con diabetes y obesidad. **2023**, 223, 134-143 ○
- 328 Validation of automatically measured T1 map cortico-medullary difference (T1) for eGFR and fibrosis assessment in allograft kidneys. **2023**, 18, e0277277 ○
- 327 Nuclear Magnetic Resonance-Based Metabolomics Approach Revealed the Intervention Effect of Using Complementary and Alternative Medicine (CAM) by CKD Patients. **2023**, 8, 7722-7737 ○
- 326 Triglyceride-glucose index and triglyceride to high-density lipoprotein cholesterol ratio as potential cardiovascular disease risk factors: an analysis of UK biobank data. **2023**, 22, ○

- 325 Mobile Phone Use, Genetic Susceptibility and New-Onset Chronic Kidney Diseases. 68, ○
- 324 Differential prognosis of patients that are candidates for standard, short or prolonged dual antiplatelet treatment discharged after an acute coronary syndrome. **2023**, 224, 46-51 ○
- 323 Circulating metabolomic and lipidomic changes in subjects with new-onset type 1 diabetes after optimization of glycemic control. **2023**, 197, 110578 ○
- 322 Impact of chronic kidney disease on illness perceptions, coping, self-efficacy, psychological distress and quality of life. 1-14 ○
- 321 The association between vitamin D deficiency and risk of renal event: Results from the Korean cohort study for outcomes in patients with chronic kidney disease (KNOW-CKD). 10, ○
- 320 Positive association between weight-adjusted-waist index and dementia in the Chinese population with hypertension: A cross-sectional study. ○
- 319 Effects of Semaglutide on Albuminuria and Kidney Function in People With Overweight or Obesity With or Without Type 2 Diabetes: Exploratory Analysis From the STEP 1, 2, and 3 Trials. **2023**, 46, 801-810 ○
- 318 Impaired sensitivity to thyroid hormone correlates to osteoporosis and fractures in euthyroid individuals. ○
- 317 Donation type and the effect of pre-transplant donor specific antibodies âData from the Swiss Transplant Cohort Study. 14, ○
- 316 Prevalence and incidence of hypertension in a heavily treatment-experienced cohort of people living with HIV in Uganda. **2023**, 18, e0282001 ○
- 315 Trends in chronic kidney disease awareness and related clinical and demographic characteristics from 1998 to 2018 in Koreans. ○
- 314 Impact of pre-transplant donor specific antibodies detected by Luminex with negative microlymphocytotoxicity assay and flow crossmatch in live-related renal transplant recipients. ○
- 313 Feasibility of Ultra-Low Volume Contrast-Saline Mixture Injection With Dual-Flow Technique in a Pre-TAVI Computed Tomography Angiography. **2023**, 32, 525-534 ○
- 312 Type 1 diabetes management: Room for improvement. **2023**, 15, 255-263 ○
- 311 Serum Calcium Concentrations and Risk of All-Cause and Cause-Specific Mortality: Results From 2 Prospective Cohorts. ○
- 310 Sodium and Potassium Consumption in Jamaica: National Estimates and Associated Factors from the Jamaica Health and Lifestyle Survey 2016-2017. ○
- 309 The living kidney donor profile index fails to discriminate allograft survival: implications for its use in kidney paired donation programs. **2023**, 23, 232-238 ○
- 308 Hypertensive emergencies and urgencies: a preliminary report of the ongoing Italian multicentric study ERIDANO. ○

- 307 Association of Serum BAFF Levels with Cardiovascular Events in ST-Segment Elevation Myocardial Infarction. **2023**, 12, 1692 o
- 306 EARLY INITIATION OF RENAL REPLACEMENT THERAPY IN INTENSIVE CARE UNIT PATIENTS WITH BOTH ACUTE RESPIRATORY DISTRESS SYNDROME AND SEPSIS WITH OR WITHOUT RENAL FAILURE: A RETROSPECTIVE COHORT STUDY BASED ON PROPENSITY SCORE MATCHING. **2023**, 59, 569-575 o
- 305 Markers of Kidney Tubular Function Deteriorate While Those of Kidney Tubule Health Improve in Primary Aldosteronism After Targeted Treatments. **2023**, 12, o
- 304 Adaptive immune dysfunction in patients with COVID-19 and impaired kidney function during the omicron surge. **2023**, 248, 109271 o
- 303 Cohort profile: the Utrecht Cardiovascular CohortâSecond Manifestations of Arterial Disease (UCC-SMART) StudyâAn ongoing prospective cohort study of patients at high cardiovascular risk in the Netherlands. **2023**, 13, e066952 o
- 302 Atypical Polycystic Kidney Disease as defined by Imaging. **2023**, 13, o
- 301 Multimorbidity prevalence and patterns in chronic kidney disease: findings from an observational multicentre UK cohort study. o
- 300 The association between sex hormones and the change in brain-predicted age difference in older women. **2023**, 98, 692-699 o
- 299 Association of MAFLD with end-stage kidney disease: a prospective study of 337,783 UK Biobank participants. o
- 298 Association between residual islet beta-cell function and achieving the target of time in range in inpatients with type 2 diabetes undergoing antidiabetic treatment: An observation study. o
- 297 The prognostic impact of acute kidney injury recovery patterns in critically ill patients with cirrhosis. **2023**, 29, 246-258 o
- 296 Erythrocyte Indices in Patients With Takotsubo Syndrome. **2023**, 22, 31-39 o
- 295 Racial Differences and Contributory Cardiovascular and Non-cardiovascular Risk Factors Towards Chronic Kidney Disease Progression In Young To Middle-Aged Black And White American Adults. o
- 294 Assessment of pulmonary hypertension in chronic kidney disease patients using doppler echocardiography. **2023**, 24, 24 o
- 293 Low serum dehydroepiandrosterone levels are associated with diabetic retinopathy in patients with type 2 diabetes mellitus. **2023**, 14, 675-685 o
- 292 Interpreting an estimated glomerular filtration rate (eGFR) in people of black ethnicities in the UK. e073353 o
- 291 Safety of Immune Checkpoint Inhibitors in Patients With Advanced Chronic Kidney Disease: A Retrospective Cohort Study. o
- 290 Propensity score-matched analysis of long-term outcomes for living kidney donation in alternative complement pathway diseases: a pilot study. o

- 289 Adjudicated myocarditis and multisystem illness trajectory in healthcare workers post-COVID-19. **2023**, 10, e002192 ○
- 288 Sex-Specific Computed Tomography Abdominal Fat and Skeletal Muscle Characteristics in Type 2 Diabetic Retinopathy Patients With/Without Comorbid Diabetic Kidney Disease. **2023**, ○
- 287 Prevalence of overweight/obesity and its relationship with metabolic syndrome and fatty liver index in adult patients with type 1 diabetes. A Brazilian multicenter study. **2023**, 15, ○
- 286 Population Pharmacokinetics of Ganciclovir in Allogeneic Hematopoietic Stem Cell Transplant Patients. ○
- 285 Examination of alternative eGFR definitions on the performance of deep learning models for detection of chronic kidney disease from fundus photographs. ○
- 284 Effects of continuous positive airway pressure on comprehensive geriatric assessment and cognitive function in elderly patients with obstructive sleep apnea syndrome. **2023**, 18, 769-779 ○
- 283 Renal Insufficiency Increases the Combined Risk of Left Ventricular Hypertrophy and Dysfunction in Patients at High Risk of Cardiovascular Diseases. **2023**, 12, 1818 ○
- 282 Variability of estimated glomerular filtration rate and 99mTc-DTPA glomerular filtration rate: implications for a single time-point sampling regime. **2023**, 44, 351-357 ○
- 281 Association of Pre- and Post-Donation Renal Function with Midterm Estimated Glomerular Filtration Rate in Living Kidney Donors: A Retrospective Study. **2023**, 64, 221 ○
- 280 Risks of misinterpretation of biomarker measurements in spot urine adjusted for creatinine Æ problem especially for studies comparing plant based with omnivorous diets. **2023**, 249, 114142 ○
- 279 Preoperative hydronephrosis is an independent protective factor of renal function decline after nephroureterectomy for upper tract urothelial carcinoma. 13, ○
- 278 Optimal Glomerular Filtration Rate Equations for Various Age Groups, Disease Conditions and Ethnicities in Asia: A Systematic Review. **2023**, 12, 1822 ○
- 277 Aspartate aminotransferase/alanine aminotransferase ratio was associated with type 2 diabetic peripheral neuropathy in a Chinese population: A cross-sectional study. 14, ○
- 276 Association of high-sensitivity C-reactive protein and diabetic nephropathy in patients with type 2 diabetes: a Mendelian randomization study. **2023**, 11, e003197 ○
- 275 Associations of hypomagnesemia in patients seeking a first treatment of alcohol use disorder. **2023**, 245, 109822 ○
- 274 Plasma ÆAlanine is Positively Associated With Risk of Ischemic Stroke: a Nested Case-Control Study. **2023**, 153, 1162-1169 ○
- 273 Secondary calciprotein particle size is associated with patient mortality in peripheral artery disease. **2023**, 370, 12-17 ○
- 272 Effect of polymorphisms in drug metabolism and transportation on plasma concentration of atorvastatin and its metabolites in patients with chronic kidney disease. 14, ○

271	Systolic blood pressure, low-density lipoprotein cholesterol levels, and adverse kidney outcome: results from KNOW-CKD.	0
270	Initial experience of robot-assisted partial nephrectomy with HugoâRAS system: implications for surgical setting.	0
269	Bone Mineral Density and All-Cause Mortality in Patients with Nondialysis Chronic Kidney Disease: Results from KNOW-CKD Study. <b>2023</b> , 12, 1850	0
268	Machine Learning for Predicting Micro- and Macrovascular Complications in Individuals With Prediabetes or Diabetes: Retrospective Cohort Study. 25, e42181	0
267	Effect of remdesivir on adverse kidney outcomes in hospitalized patients with COVID-19 and impaired kidney function. <b>2023</b> , 18, e0279765	0
266	Impact of Low-Level Donor-Specific Anti-HLA Antibody on Posttransplant Clinical Outcomes in Kidney Transplant Recipients. <b>2023</b> , 43, 364-374	1
265	Prevalence by health areas of chronic kidney disease in the diabetic population of Extremadura in 2012, 2013 and 2014. An observational study. <b>2022</b> , 42, 704-713	0
264	COVID-19 Accelerated Cognitive Decline in Elderly Patients with Pre-Existing Dementia Followed up in an Outpatient Memory Care Facility. <b>2023</b> , 12, 1845	0
263	Population Pharmacokinetics and Dosing Simulations of Ampicillin and Sulbactam in Hospitalised Adult Patients. <b>2023</b> , 62, 573-586	0
262	Does anti-inflammatory diet mitigate the deleterious effect of bisphenol A on mortality in US adults? Results from NHANES 2003â2016. <b>2023</b> , 253, 114706	0
261	Detection of sympathetic denervation defects in Fabry disease by hybrid [11C]meta-hydroxyephedrine positron emission tomography and cardiac magnetic resonance.	0
260	The effect of micro-particle curcumin on chronic kidney disease progression: the MPAC-CKD randomized clinical trial.	0
259	Association of high-sensitivity troponin T with outcomes in asymptomatic non-severe aortic stenosis: a post-hoc substudy of the SEAS trial. <b>2023</b> , 58, 101875	0
258	Platelet Reactivity and Cardiovascular Mortality Risk in the LURIC Study. <b>2023</b> , 12, 1913	0
257	The Associations of Dietary Vitamin K Intake and Circulating Vitamin 25(OH)D with Serum Lipoprotein Levels: The Vitamin Deficiency Matters. <b>2023</b> , 55, 196-204	0
256	Sleep Patterns Modify the Association between Vitamin D Status and Coronary Heart Disease: Results from NHANES 2005â2008. <b>2023</b> ,	0
255	The thickness of glomerular basement membrane predicts complete remission in primary membranous nephropathy. <b>2023</b> , 45,	0
254	Data-driven subgroups of prediabetes and the associations with outcomes in Chinese adults. <b>2023</b> , 4, 100958	0



- 253 The Growing Challenge of Chronic Kidney Disease: An Overview of Current Knowledge. **2023**, 2023, 1-8 o
- 252 Acute kidney injury in autologous hematopoietic stem cell transplant for patients with lymphoma â KDIGO classification with creatinine and urinary output criteria: a cohort analysis. **2023**, 45, o
- 251 Longitudinal Patterns of Renal Function in Antineutrophil Cytoplasmic AntibodyâAssociated Vasculitis. o
- 250 Urine Immunoglobulin G Greater Than 2.45 mg/L Has a Correlation with the Onset and Progression of Diabetic Kidney Disease: A Retrospective Cohort Study. **2023**, 13, 452 o
- 249 Optimizing Referral Timing of Patients With Fontan Circulatory Failure for Heart Transplant. **2023**, o
- 248 Allometric body shape indices, type 2 diabetes and kidney function: A two-sample Mendelian randomization study. o
- 247 Estimation of Glomerular Filtration Rate in Obese Patients: Utility of a New Equation. **2023**, 15, 1233 o
- 246 Epigenome-Wide Meta-Analysis Reveals Differential DNA Methylation Associated With Estimated Glomerular Filtration Rate Among African American Men With HIV. **2023**, o
- 245 Comparison of outcomes of chronic kidney disease based on etiology: a prospective cohort study from KNOW-CKD. **2023**, 13, o
- 244 Circulating apo B to A1 ratio reflects the progression of chronic heart failure with different etiologies. o
- 243 Biases in Machine Learning in Healthcare. **2023**, 426-436 o
- 242 Sex-dependent association analysis between serum uric acid and spontaneous hemorrhagic transformation in patients with ischemic stroke. 14, o
- 241 Acute kidney injury after major non-cardiac surgery: Incidence and risk factors. **2023**, 113, 135-140 o
- 240 Serum Urate and Risk of Chronic Kidney Disease. **2023**, 98, 513-521 o
- 239 Elevated checkpoint inhibitor expression and Treg cell number in autosomal dominant polycystic kidney disease and their correlation with disease parameters and hypertension. o
- 238 IgA Nephropathy Patient Baseline Characteristics in the Sparsentan PROTECT Study. **2023**, o
- 237 Validation of a Clinical Risk-based Classification System in a Large Nonalcoholic Fatty Liver Disease Real-world Cohort. **2023**, o
- 236 Splenic Arterial Pulsatility Index to Predict Hepatic Fibrosis in Hemodialysis Patients with Chronic Hepatitis C Virus Infection. **2023**, 12, 2020 o



- 235 Conditioning on parental mating types can reduce necessary assumptions for Mendelian randomization. 14, ○
- 234 Mitochondrial DNA copy number in peripheral blood of IgA nephropathy: a cross-sectional study. **2023**, 45, ○
- 233 Temporal relationship between hyperuricemia and hypertension and its impact on future risk of cardiovascular disease. **2023**, 111, 82-89 ○
- 232 Gut Microbial Genes and Metabolism for Methionine and Branched-Chain Amino Acids in Diabetic Nephropathy. **2023**, 11, ○
- 231 Prediction of cardiovascular death and non-fatal cardiovascular events by the Kidney ageâ€ Chronological age Difference (KCD) score in men and women of different ages in a community-based cohort. **2023**, 13, e068494 ○
- 230 Clinical prediction model for prognosis in kidney transplant recipients (KIDMO): study protocol. **2023**, 7, ○
- 229 Circulating ketone bodies and cardiovascular outcomes: the MESA study. ○
- 228 Longer time to recovery from acute kidney injury is associated with major adverse kidney events in patients with cirrhosis. ○
- 227 Prevalence and Correlates of Elevated NT-proBNP in Pregnant Women in the General U.S. Population. **2023**, 2, 100265 ○
- 226 Ultrasound Doppler Flow Parameters Are Independently Associated with Renal Cortex Contrast-Enhanced Multidetector Computed Tomography Perfusion and Kidney Function. **2023**, 12, 2111 ○
- 225 Associations Between Kidney Histopathologic Lesions and Incident Cardiovascular Disease in Adults With Chronic Kidney Disease. **2023**, 8, 357 ○
- 224 Arterial stiffness and blood pressure in treated hypertension: a longitudinal study. **2023**, 41, 768-774 ○
- 223 Cardiovascular Risk Factor Control in 70- to 95-Year-Old Individuals: Cross-Sectional Results from the Population-Based AugUR Study. **2023**, 12, 2102 ○
- 222 Association and prediction of red blood cell distribution width to albumin ratio in all-cause mortality of acute kidney injury in critically ill patients. 10, ○
- 221 Urine Cell Transcriptomes Implicate Specific Renal Inflammatory Pathways Associated With Difficult-to-Control Hypertension. ○
- 220 Assessing Fatigue in Patients Receiving Kidney Replacement Therapy Using PROMIS Computer Adaptive Testing. **2023**, ○
- 219 Imputation-powered whole-exome analysis identifies genes associated with kidney function and disease in the UK Biobank. **2023**, 14, ○
- 218 All-Cause and Cardiovascular-Related Mortality in CKD Patients With and Without Heart Failure: A Population-Based Cohort Study in Kaiser Permanente Southern California. **2023**, 100624 ○

- 217 Comparing five equations to calculate estimated glomerular filtration rate to predict acute kidney injury following total joint arthroplasty. **2023**, 5, ○
- 216 Building a Human Physiologically Based Pharmacokinetic Model for Aflatoxin B1 to Simulate Interactions with Drugs. **2023**, 15, 894 ○
- 215 Prediction of the risk of developing end-stage renal diseases in newly diagnosed type 2 diabetes mellitus using artificial intelligence algorithms. **2023**, 16, ○
- 214 The association between visceral adiposity index and decreased renal function: A population-based study. 10, ○
- 213 Proteomics of high-density lipoprotein subfractions and subclinical atherosclerosis in type 1 diabetes mellitus: a caseâcontrol study. **2023**, 15, ○
- 212 Association between glomerular mTORC1 activation and crescents formation in lupus nephritis patients. **2023**, 249, 109288 ○
- 211 The relationship between FGF23 and body composition according to albuminuria stage in type 1 diabetes. **2023**, 198, 110620 ○
- 210 Estimated GFR Accuracy When Cystatin Câand Creatinine-Based Estimates Are Discrepant in Older Adults. **2023**, 100628 ○
- 209 Reproducibility of Computed Tomography Volumetry for Predicting Post-Donation Remnant Renal Function: A Retrospective Analysis. **2023**, ○
- 208 Total and cause-specific mortality associated with meat intake in a large cohort study in Korea. 10, ○
- 207 Assessment of the Risk of Venous Thromboembolism in Nonhospitalized Patients With COVID-19. **2023**, 6, e232338 ○
- 206 The association between retinal microvasculature derived from optical coherence tomography angiography and systemic factors in type 2 diabetics. 10, ○
- 205 Rapid Decline of Estimated Glomerular Filtration Rate and its Effect on Mortality Risk of Patients with Hepatocellular Carcinoma. **2023**, 23, ○
- 204 Association between urinary chloride excretion and progression of coronary artery calcification in patients with nondialysis chronic kidney disease: results from the KNOW-CKD study. **2023**, 42, 251-261 ○
- 203 Long-term outcome of Bartter syndrome in 54 patients: A multicenter study in Korea. 10, ○
- 202 Sciatic nerve fractional anisotropy and neurofilament light chain protein are related to sensorimotor deficit of the upper and lower limbs in patients with type 2 diabetes. 14, ○
- 201 Learning a Model with the Most Generality for Small-Sample Problems. **2022**, ○
- 200 Relationship of blood heavy metals and osteoporosis among the middle-aged and elderly adults: A secondary analysis from NHANES 2013 to 2014 and 2017 to 2018. 11, ○

- 199 Nonfood Probiotic, Prebiotic, and Synbiotic Use Reduces All-Cause And Cardiovascular Mortality Risk In Older Adults: A Population-Based Cohort Study. ○
- 198 Dexmedetomidine may reduce the risk of acute kidney injury development in critically ill patients during colistin therapy. **2023**, ○
- 197 Adropin Predicts Chronic Kidney Disease in Type 2 Diabetes Mellitus Patients with Chronic Heart Failure. **2023**, 12, 2231 ○
- 196 Unravelling the link between periodontitis and abdominal aortic calcification in the US adult population: a cross-sectional study based on the NHANES 2013-2014. **2023**, 13, e068931 ○
- 195 Conversion to belatacept after lung transplantation: Report of 10 cases. **2023**, 18, e0281492 ○
- 194 Change in Albuminuria and GFR Slope as Joint Surrogate End Points for Kidney Failure: Implications for Phase 2 Clinical Trials in CKD. **2023**, Publish Ahead of Print, ○
- 193 Threshold of 25(OH)D and consequently adjusted parathyroid hormone reference intervals: data mining for relationship between vitamin D and parathyroid hormone. ○
- 192 The big data era: The usefulness of folksonomy for natural language processing. **2022**, 42, 680-687 ○
- 191 Monitoring renal function in HIV patients without kidney disease using endothelial biomarkers: a prospective pilot study. ○
- 190 Effects of delayed hospitalization on the 3-year clinical outcomes of patients with or without diabetes who had non-ST-segment-elevation myocardial infarction and underwent new-generation drug-eluting stent implantation. ○
- 189 Clinicopathological features and prognosis of idiopathic membranous nephropathy with thyroid dysfunction. 14, ○
- 188 Impact of Nocturnal Polyuria and Sleep Quality in Kidney Transplant Recipients With Nocturia. **2023**, ○
- 187 Growth Differentiation Factor 15 and Risk of Bleeding Events: The Atherosclerosis Risk in Communities Study. ○
- 186 Incident cardiovascular-kidney disease, diabetic ketoacidosis, hypoglycaemia and mortality in adult-onset type 1 diabetes: a population-based retrospective cohort study in Hong Kong. **2023**, 100730 ○
- 185 Prevalence & Factors Associated With Acute Kidney Injury in Patients Undergoing Percutaneous Coronary Intervention at a Tertiary Healthcare Facility in Tanzania. **2023**, ○
- 184 A Cross-Sectional Study on the Prevalence and Risk Stratification of Chronic Kidney Disease in Cardiological Patients in São Paulo, Brazil. **2023**, 13, 1146 ○
- 183 Effects of Sodium-Glucose Co-Transporter-2 Inhibitors on Markers of Vascular Damage. **2023**, 13, 536 ○
- 182 Marker for kidney fibrosis is associated with inflammation and deterioration of kidney function in people with type 2 diabetes and microalbuminuria. **2023**, 18, e0283296 ○

- 181 Time-Varying Risk Factors for Incident Fractures in Kidney Transplant Recipients: A Nationwide Cohort Study in South Korea. **2023**, 12, 2337 ○
- 180 External Validation of the Toulouse-Rangueil Predictive Model to Estimate Donor Renal Function After Living Donor Nephrectomy. 36, ○
- 179 Clinical characteristics and outcomes of Chinese patients with coronary heart disease and resistant hypertension. **2023**, 25, 350-359 ○
- 178 Early stages of diffuse idiopathic skeletal hyperostosis (DISH) and chronic inflammation: the Camargo Cohort Study. ○
- 177 Risks and benefits of partial nephrectomy performed with limited or with zero ischaemia time. ○
- 176 Associations of urinary and blood cadmium concentrations with all-cause mortality in US adults with chronic kidney disease: a prospective cohort study. ○
- 175 Sex-specific risks for cardiovascular disease across the glycaemic spectrum: a population-based cohort study using the UK Biobank. ○
- 174 Association of Incident Cardiovascular Disease With Time Course and Cumulative Exposure to Multiple Risk Factors. **2023**, 81, 1151-1161 ○
- 173 Low agreement between various eGFR formulae in pediatric and young adult ADPKD patients. ○
- 172 Association of obesity with the development of end stage renal disease in IgA nephropathy patients. 14, ○
- 171 Urinary complement profile in IgA nephropathy and its correlation with the clinical and pathological characteristics. 14, ○
- 170 Low estimated glomerular filtration rate is an independent risk factor for higher hydroxychloroquine concentration. ○
- 169 Controlling nutritional status score predicts 2-year outcomes in elderly patients admitted for acute heart failure. ○
- 168 Tremor, Daily Functioning, and Health-Related Quality of Life in Solid Organ Transplant Recipients. 36, ○
- 167 Association of Diabetes Mellitus with All-Cause and Cause-Specific Mortality among Patients with Metabolic-Dysfunction-Associated Fatty Liver Disease: A Longitudinal Cohort Study. **2023**, 13, 554 ○
- 166 Characteristics of cardiac injury complicating with acute kidney injury and mortality risk in coronavirus disease 2019 (COVID-19) patients. **2022**, 9, 111 ○
- 165 Vascular Quality Initiative assessment of compliance with Society for Vascular Surgery clinical practice guidelines on the management of extracranial cerebrovascular disease. **2023**, ○
- 164 Interactive Effects of Dietary Inflammatory Index with BMI for the Risk of Stroke among Adults in the United States: Insight from NHANES 2011-2018. ○

- 163 Associations of non-invasive indices of liver steatosis and fibrosis with progressive kidney impairment in adults with type 2 diabetes. ○
- 162 The Effect of Estimated Glomerular Filtration Rate on Mortality in the Elderly COVID-19 Patients in the Intensive Care Unit. **2023**, 13, 371-376 ○
- 161 Racial difference in the association between non-alcoholic fatty liver disease and incident type 2 diabetes: findings from the CARDIA study. ○
- 160 Low Escitalopram Concentrations in Patients with Depression predict Treatment Failure: A Naturalistic Retrospective Study. **2023**, 56, 73-80 ○
- 159 The relationship between long-term use of nonsteroidal anti-inflammatory drugs and kidney function in patients with ankylosing spondylitis. **2023**, 30, 126-132 ○
- 158 Does Cytokine-Release Syndrome Induced by CAR T-Cell Treatment Have an Impact on the Pharmacokinetics of Meropenem and Piperacillin/Tazobactam in Patients with Hematological Malignancies? Findings from an Observational Case-Control Study. **2023**, 15, 1022 ○
- 157 Plasma soluble tumor necrosis factor receptor I as a biomarker of lupus nephritis and disease activity in systemic lupus erythematosus patients. **2023**, 45, ○
- 156 Prevalence of Statin Use for Primary Prevention of Atherosclerotic Cardiovascular Disease by Race, Ethnicity, and 10-Year Disease Risk in the US. ○
- 155 Early glomerular filtration rate decline is associated with hemoglobin rise following dapagliflozin initiation in heart failure with reduced ejection fraction. **2023**, ○
- 154 Effects of oral semaglutide on cardiovascular outcomes in individuals with type 2 diabetes and established atherosclerotic cardiovascular disease and/or chronic kidney disease: Design and baseline characteristics of SOUL , a randomized trial. ○
- 153 Effect of Intravenous Ferric Carboxymaltose on Exercise Capacity After Kidney Transplantation (EFFECT-KTx): rationale and study protocol for a double-blind, randomised, placebo-controlled trial. **2023**, 13, e065423 ○
- 152 Evaluation of Kidney Donor Risk Index/Kidney Donor Profile Index as Predictor Tools of Deceased-Donor Kidney Transplant Outcomes in a Greek Cohort. **2023**, 12, 2439 ○
- 151 Nirmatrelvir/ritonavir for patients with SARS-CoV-2 infection and impaired kidney function during the Omicron surge. 14, ○
- 150 A Prospective Cross-Sectional Study on the Performance of the 2021 CKD-EPI Equations Without Race in a Multiracial Population of Adults With Solid Tumors in Brazil. **2023**, ○
- 149 Identifying the main predictors of urine output in autosomal-dominant polycystic kidney disease (ADPKD) patients taking tolvaptan. ○
- 148 Plasma Concentrations of Calcium and Risk of Alzheimer Disease—Observational and Genetic Studies. ○
- 147 Polypharmacy, chronic kidney disease, and mortality among older adults: A prospective study of National Health and nutrition examination survey, 1999–2018. 11, ○
- 146 The association between renal hyperfiltration and mortality is not mediated by diabetes mellitus. ○

- 145 Clinical Approach to the Diagnosis of Acute Kidney Injury. **2018**, 300-310.e2 ○
- 144 Race-Modified Equations Estimating Renal Function and the Disparity in Partial Nephrectomy Use in Black Patients. **2023**, 1, ○
- 143 Assessment of Kidney Function in Acute and Chronic Settings. **2018**, 26-32.e1 ○
- 142 Development and Validation of a Novel Prognostic Tool to Predict Recurrence of Paroxysmal Atrial Fibrillation after the First-Time Catheter Ablation: A Retrospective Cohort Study. **2023**, 13, 1207 ○
- 141 Concordance and Discrepancies Among 5 Creatinine-Based Equations for Assessing Estimated Glomerular Filtration Rate in Older Adults. **2023**, 6, e234211 ○
- 140 High levels of serum C-peptide are associated with a decreased risk for incident renal progression in patients with type 2 diabetes: a retrospective cohort study. **2023**, 11, e003201 ○
- 139 Urinary-derived extracellular vesicles reveal a distinct microRNA signature associated with the development and progression of Fabry nephropathy. 10, ○
- 138 Clinical Significance of Urinary Exosomal microRNAs in patients with IgA nephropathy. ○
- 137 Low Plasma Levels of Irisin Predict Acutely Decompensated Heart Failure in Type 2 Diabetes Mellitus Patients with Chronic Heart Failure. **2023**, 10, 136 ○
- 136 Expression of Angiopoietin-Like Protein-4 and Kidney Injury Molecule-1 as Preliminary Diagnostic Markers for Diabetes-Related Kidney Disease: A Single Center-Based Cross-Sectional Study. **2023**, 13, 577 ○
- 135 Prescription appropriateness of anti-diabetes drugs in elderly patients hospitalized in a clinical setting: evidence from the REPOSI Register. ○
- 134 Prevalence rates of chronic kidney disease and its association with cardiometabolic factors and cardiovascular diseases. SIMETAP-CKD study. **2023**, ○
- 133 Prediction of major postoperative events after non-cardiac surgery for people with kidney failure: derivation and internal validation of risk models. **2023**, 24, ○
- 132 Positive association of triglyceride-glucose index with new-onset hypertension among adults: a national cohort study in China. **2023**, 22, ○
- 131 Comparison of the association intensity of creatinine and cystatin C with hyperphosphatemia and hyperparathyroidism in patients with chronic kidney disease. **2023**, 13, ○
- 130 The role of a multicentre data repository in ocular inflammation: The Ocular Autoimmune Systemic Inflammatory Infectious Study (OASIS). ○
- 129 Subclinical thyroid dysfunction and chronic kidney disease: a nationwide population-based study. **2023**, 24, ○
- 128 Prevalence and clinical significance of ANCA positivity in lupus nephritis: a case series of 116 patients and literature review. ○

- 127 Glomerulosclerosis is a prognostic risk factor in patients with membranous nephropathy and non-nephrotic proteinuria. **2023**, 45, ○
- 126 Brachial-ankle pulse wave velocity trajectories in a middle-aged population. 10, ○
- 125 Operative and oncological outcomes of salvage robotic radical and partial nephrectomy: a multicenter experience. ○
- 124 Correlation between nonalcoholic fatty liver disease and left ventricular diastolic dysfunction in non-obese adults: a cross-sectional study. **2023**, 23, ○
- 123 Incidence, predictors and prognosis of acute kidney injury in acute ST-segment elevation myocardial infarction patients undergoing emergent coronary angiography/primary percutaneous coronary intervention. **2023**, 20, 139-149 1
- 122 Comparison between hydroxychloroquine and systemic corticosteroids in IgA nephropathy: A two-year follow-up study. ○
- 121 Impact of days elapsed from the onset of symptoms to hospitalization in COVID-19 in-hospital mortality: time matters. **2023**, ○
- 120 Intrarenal Renin-Angiotensin System Activation Alters Relationship Between Systolic Blood Pressure and Progression of Chronic Kidney Disease. **2023**, 80, 1024-1034 ○
- 119 Association Between High NK-Cell Count and Remission of Primary Membranous Nephropathy: A Retrospective Chart Review and Pilot Study. **2023**, ○
- 118 Body roundness index is related to the low estimated glomerular filtration rate in Chinese population: A cross-sectional study. 14, ○
- 117 Kidney Failure Prediction: Multicenter External Validation of KFRE Model in Patients with CKD Stages 3-4 in Peru. ○
- 116 Different roles of protein biomarkers predicting eGFR trajectories in people with chronic kidney disease and diabetes mellitus: a nationwide retrospective cohort study. **2023**, 22, ○
- 115 Impact of marginal donor to marginal recipient kidney transplant on delayed graft function and outcome. ○
- 114 Association of polygenic scores with chronic kidney disease phenotypes in a longitudinal study of older adults. **2023**, ○
- 113 Frequency and predictors of inappropriate medication dosages for cardiovascular disease prevention in chronic kidney disease patients: A retrospective cross-sectional study in a Malaysian primary care clinic. **2023**, 9, e14998 ○
- 112 Mitigating the Associations of Kidney Dysfunction With Blood Biomarkers of Alzheimer Disease by Using Phosphorylated Tau to Total Tau Ratios. ○
- 111 Novel Biomarkers for Early Detection of Acute Kidney Injury and Prediction of Long-Term Kidney Function Decline after Partial Nephrectomy. **2023**, 11, 1046 ○
- 110 Supra-renal aortic atheroma extent and composition predict acute kidney injury after transcatheter aortic valve replacement: A three-dimensional computed tomography study. **2023**, ○



- 109 Costs Associated With Progression of Mildly Reduced Kidney Function Among Medicare Advantage Enrollees. **2023**, 100636 ○
- 108 Amoxicillin-Induced Neurotoxicity: Contribution of a Healthcare Data Warehouse to the Determination of a Toxic Concentration Threshold. **2023**, 12, 680 ○
- 107 Evolution of estimated glomerular filtration rate in HIV/HCV-coinfected patients who received direct-acting antivirals: A multicenter retrospective study. **2023**, ○
- 106 Association between lower phase angle and chronic kidney disease progression in type 2 diabetes patients. **2023**, 52, 125-134 ○
- 105 Exploring the underlying mechanisms linking adiposity and cardiovascular disease: A prospective cohort study of 404,332 UK Biobank participants.. **2023**, 101715 ○
- 104 Association between the sarcopenia index and the risk of stroke in elderly patients with hypertension: a cohort study. **2023**, 15, 2005-2032 ○
- 103 Sex-specific association of body mass index and fatty liver index with prevalence of renal hyperfiltration: a cross sectional study using Japanese health check-up data. **2023**, 24, ○
- 102 Glomerular Filtration Rate: Comparison of Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) Equations with the Effect of Age in a Tertiary Hospital in Terengganu, Malaysia. **2023**, 16, 509-517 ○
- 101 Prediabetes, Non-Dipping Profile and HypertensionâA Recipe for Increased Arterial Stiffness. **2023**, 11, 1065 ○
- 100 Triglyceride-glucose index is associated with the risk of chronic kidney disease progression in type 2 diabetes. ○
- 99 Kidney function while on immune checkpoint inhibitors: Trends in incidence of acute kidney injury, and its causes and outcomes. 239936932311618 ○
- 98 Albumin-to-fibrinogen ratio is an independent predictor of corticosteroid response and prognosis in patients with IgA nephropathy. **2023**, 28, ○
- 97 Comparison of the applicability of seven calculation equations of glomerular filtration rate among elderly people in China. ○
- 96 The association of homocysteine level with the risk of diabetic nephropathy and diabetic retinopathy in NHANES. ○
- 95 Relationships of beans intake with chronic kidney disease in rural adults: A large-scale cross-sectional study. 10, ○
- 94 Creatinine Clearance in Acute Brain Injury: A Comparison of Methods. ○
- 93 Long-Term Safety and Efficacy of Recombinant Human Parathyroid Hormone (1-84) in Adults With Chronic Hypoparathyroidism. **2023**, 7, ○
- 92 Impact of race-independent equations on estimating glomerular filtration rate for the assessment of kidney dysfunction in liver disease. **2023**, 24, ○



- 91 Dietary lycopene is negatively associated with abdominal aortic calcification in US adults: a cross-sectional study. **2023**, 55, ○
- 90 A signature of pre-operative biomarkers of cellular senescence to predict risk of cardiac and kidney adverse events after cardiac surgery. ○
- 89 A Comparative Study of 18F-FAPI-42 and 18F-FDG PET/CT for Evaluating Acute Kidney Injury in Cancer Patients. ○
- 88 PROSTAT SPESİK ANTİJEN VE BİRİK FONKSİYON TESTLERİ ARASINDAKİ İLİŞKİ NEDENİ YAŞI **2023**, 24, 190-194 ○
- 87 Effect of botanical drugs in improving symptoms of hypertensive nephropathy: Analysis of real-world data, retrospective cohort, network, and experimental assessment. 14, ○
- 86 The importance of forward flow and venous congestion in diuretic response in acute heart failure: Insights from the ESCAPE trial. **2023**, ○
- 85 Vancomycin Clearance in Obese Adults is not Predictive of Clearance in Obese Adolescents. ○
- 84 Development and Validation of a Prediction Model for Future Estimated Glomerular Filtration Rate in People With Type 2 Diabetes and Chronic Kidney Disease. **2023**, 6, e231870 ○
- 83 Ultraprocessed Foods and Kidney Disease Progression, Mortality, and Cardiovascular Disease Risk in the CRIC Study. **2023**, ○
- 82 Study protocol of a phase 2, randomised, placebo-controlled, double-blind, adaptive, parallel group clinical study to evaluate the efficacy and safety of recombinant alpha-1-microglobulin in subjects at high risk for acute kidney injury following open-chest cardiac surgery (AKITA trial). **2023**, 13, e068363 ○
- 81 Diurnal Cortisol Features and Type 2 Diabetes Risk in Patients With Hypertension and Obstructive Sleep Apnea: A Cohort Study. ○
- 80 Podocytes are likely the therapeutic target of IgA nephropathy with isolated hematuria: Evidence from repeat renal biopsy. 14, ○
- 79 Severity of non-alcoholic fatty liver disease is a risk factor for developing hypertension from prehypertension. Publish Ahead of Print, ○
- 78 Unravelling the determinants of human health in French Polynesia: the MATAEA project. ○
- 77 Proton-Pump Inhibitors and Serum Concentrations of Uremic Toxins in Patients with Chronic Kidney Disease. **2023**, 15, 276 ○
- 76 Diagnosis of Chronic Kidney Disease and Assessing Glomerular Filtration Rate. **2023**, ○
- 75 Effects of epigenetic age acceleration on kidney function: a Mendelian randomization study. **2023**, 15, ○
- 74 Association between triglyceride-glucose index and chronic kidney disease: a cohort study and meta-analysis. **2023**, ○

- 73 Prognostic implications of the 4S-AF scheme to characterize new-onset atrial fibrillation after myocardial infarction. **2023**, ○
- 72 Nondipping blood pressure pattern predicts cardiovascular events and mortality in patients with atherosclerotic peripheral vascular disease. 1358863X2311616 ○
- 71 Is Serum Magnesium Level Associated With Serum Lipid Levels in Kidney Transplant Recipients?. **2023**, ○
- 70 Identification of Genetic Markers Linked to The Activity of Indoleamine 2,3-Dioxygenase and Kidney Function. **2023**, 13, 541 ○
- 69 Urinary complement proteins in IgA nephropathy progression from a relative quantitative proteomic analysis. 11, e15125 ○
- 68 Association of a novel nutritional index with stroke in Chinese population with hypertension: Insight from the China H-type hypertension registry study. 10, ○
- 67 Cardiometabolic index is associated with urinary albumin excretion and renal function in aged person over 60: Data from NHANES 2011–2018. **2023**, ○
- 66 Discovery of cellular and genetic signatures of immune tolerance in kidney transplant recipients through single cell RNA sequencing analysis. ○
- 65 Fatty liver mediates the association of hyperuricemia with prediabetes and diabetes: a weighting-based mediation analysis. 14, ○
- 64 Clinical outcomes of a CT protocol for simultaneous examination of the aorta and coronary artery in patients with aortic aneurysm. 10, ○
- 63 Pharmacokinetic Evaluation of Tacrolimus in Chinese Adult Patients during the Early Stages Post-Lung Transplantation. **2023**, 13, 656 ○
- 62 Heat stress and heat strain among outdoor workers in El Salvador and Nicaragua. ○
- 61 Chronic Kidney Disease, Heart Failure, and Adverse Cardiac Remodeling in Older Adults. **2023**, ○
- 60 Insulin Inertia Among Type 2 Diabetes Patients In Qatar- The INERT-Q study. ○
- 59 Spatial proteomics of human diabetic kidney disease, from health to class III. ○
- 58 Circulating Soluble Urokinase Plasminogen Activator Receptor as a Predictive Indicator for COVID-19-Associated Acute Kidney Injury and Mortality: Clinical and Bioinformatics Analysis. **2023**, 24, 7177 ○
- 57 Urinary miR-16-5p can be used as a potential marker of endocapillary hypercellularity in IgA nephropathy. **2023**, 13, ○
- 56 Conversion to mTOR Inhibitor to Reduce the Incidence of Cytomegalovirus Recurrence in Kidney Transplant Recipients Receiving Preemptive Treatment: A Prospective, Randomized Trial. Publish Ahead of Print, ○

- 55 Association of estimated glomerular filtration rate and all-cause mortality in acute pancreatitis: a retrospective analysis. **2023**, 23, ○
- 54 Risk factors associated with the discordance in kidney function decline rate in identical twins. **2023**, 18, e0284154 ○
- 53 Treatment outcomes and prognostic factors in children with hepatoblastoma using a risk-stratified approach. ○
- 52 High Prevalence of Severe Hepatic Fibrosis in Type 2 Diabetic Outpatients Screened for Non-Alcoholic Fatty Liver Disease. **2023**, 12, 2858 ○
- 51 Clinical outcomes in patients with type 2 diabetes mellitus-related kidney disease: A Jordanian population cohort study. **2023**, 37, 108478 ○
- 50 Point of care parenchymal volume analyses to estimate split renal function and predict functional outcomes after radical nephrectomy. **2023**, 13, ○
- 49 Fragilidade e doença renal crônica: associações e implicações. ○
- 48 Frailty and chronic kidney disease: associations and implications. ○
- 47 Evaluation of the effect of long-term use of glucocorticoids on the risk of developing diabetes mellitus in patients with gout. **2023**, 19, 378-386 ○
- 46 UK Reference Intervals for Parathyroid Hormone Using Abbott Methods. 80, ○
- 45 Dietary sodium to potassium ratio is an independent predictor of cardiovascular events: a longitudinal follow-up study. **2023**, 23, ○
- 44 High miR-126-3p levels associated with cardiovascular events in a general population. **2023**, ○
- 43 Presence of tophi and carotid plaque were risk factors of MACE in subclinical atherosclerosis patients with gout: a longitudinal cohort study. 14, ○
- 42 Vitamin D supplementation and muscle power, strength and physical performance in older adults: a randomized controlled trial. **2023**, ○
- 41 Chronic Kidney Disease Management in Developing Countries. **2023**, 1-146 ○
- 40 The kidney failure risk equation predicts kidney failure: Validation in an Australian cohort. ○
- 39 Hypoglycemia risk with inappropriate dosing of glucose-lowering drugs in patients with chronic kidney disease: a retrospective cohort study. **2023**, 13, ○
- 38 Construction of a web-based dynamic nomogram for predicting the prognosis in acute heart failure. ○

- 37 Cardiometabolic disease risk factors in pre- and postmenopausal women from four sub-Saharan African countries: A cross-sectional study. **2023**, ○
- 36 Trends in Diet Quality and Increasing Inadequacies of Micronutrients Vitamin C, Vitamin B12, Iron and Potassium in US Type 2 Diabetic Adults. **2023**, 15, 1980 ○
- 35 Haikun Shenxi Capsule for Improving Renal Function in Patients with Chronic Kidney Diseases: A Systematic Review and Meta-analysis. **2023**, 10, ○
- 34 Structural equation modeling (SEM) of kidney function markers and longitudinal CVD risk assessment. **2023**, 18, e0280600 ○
- 33 Glomerular Filtration Rate Measurement and Chemotherapy Dosing. **2022**, 42, 151340 ○
- 32 Value of NT-proBNP and Galectin-3 as Biomarkers in the Follow-Up of Asymptomatic Elderly Patients with Severe Aortic Stenosis. **2023**, 12, 2987 ○
- 31 OCCUPATIONAL HEAT STRESS AND KIDNEY HEALTH IN SALT PAN WORKERS. **2023**, ○
- 30 Association between triglyceride-glucose index and risk of end-stage renal disease in patients with type 2 diabetes mellitus and chronic kidney disease. 14, ○
- 29 Contrast-Induced Acute Kidney Injury and Endothelial Dysfunction: The Role of Vascular and Biochemical Parameters. **2023**, 13, 701 ○
- 28 Cadmium-Induced Tubular Dysfunction in Type 2 Diabetes: A Population-Based Cross-Sectional Study. **2023**, 11, 390 ○
- 27 Individualized assessment of glomerular filtration rate in clinical routine. ○
- 26 NT-proCNP levels predict higher atherosclerotic cardiovascular risk profile in patients with proliferative diabetic retinopathy. ○
- 25 The Association Between Kidney Donor Profile Index and 1-y Graft Function. **2023**, 9, e1476 ○
- 24 The role of warm ischemia time on functional outcomes after robotic partial nephrectomy: a radionuclide renal scan study from the clock randomized trial. ○
- 23 Noninvasive identification of probable fibrotic nonalcoholic steatohepatitis across the spectrum of glucose tolerance in the United States. **2023**, 110679 ○
- 22 Describing natural history and exploring risk factors for kidney function decline in persons with chronic kidney disease of uncertain etiology (CKDu) in Sri Lanka. **2023**, ○
- 21 Simple and safe digitoxin dosing in heart failure based on data from the DIGIT-HF trial. ○
- 20 Benign Prostatic Hyperplasia Associated with White Matter Hyperintensities in Men. **2023**, 107738 ○

- 19 Impact of cardiac surgery associated acute kidney injury on 1-year major adverse kidney events. 3, ○
- 18 Autonomic neuropathic symptoms in patients with diabetes: practical tools for screening in daily routine. **2023**, 15, ○
- 17 Diagnostic value of neutrophil gelatinase-associated lipocalin (NGAL) as an early biomarker for detection of renal failure in hypertensives: a case-control study in a regional hospital in Ghana. **2023**, 24, ○
- 16 Association of Bone Turnover Markers with Type 2 Diabetes Mellitus and Microvascular Complications: A Matched Case-Control Study. Volume 16, 1177-1192 ○
- 15 Variability in Nonvitamin K Oral Anticoagulant Dose Eligibility and Adjustment According to Renal Formulae and Clinical Outcomes in Patients With Atrial Fibrillation With and Without Chronic Kidney Disease: Insights From ORBIT-AF II. **2023**, 12, ○
- 14 Impact of ABO incompatibility and early antibody-mediated rejection on chronic antibody-mediated rejection in kidney transplant patients. ○
- 13 Association between body fat composition and hyperhomocysteinemia in the analysis of the baseline data of the Northwest China Natural Population Cohort: Ningxia Project (CNC-NX). ○
- 12 Urinary proteomics combined with home blood pressure telemonitoring for health care reform trial—First progress report. ○
- 11 Value of multiparametric magnetic resonance imaging for evaluating chronic kidney disease and renal fibrosis. ○
- 10 Prevalence of Hearing Loss and Factors Association in Chronic Kidney Disease Patients. ○
- 9 The Association of Intravitreal Anti-Vascular Endothelial Growth Factor Injections with Kidney Function in Diabetic Retinopathy. **2023**, 100326 ○
- 8 Renal hyperfiltration revisited—Role of the individual body surface area on mortality. **2023**, ○
- 7 The duration of acute kidney injury is an additional parameter to predict 1-year survival in very elderly patients. **2023**, ○
- 6 Serum Potassium and Risk of Death or Kidney Replacement Therapy in Older People With CKD Stages 4-5: Eight-Year Follow-up. **2023**, ○
- 5 Urinary angiotensinogen is associated with albuminuria in adults with sickle cell anaemia. ○
- 4 Association of intraoperative hypotension and postoperative acute kidney injury after adrenalectomy for pheochromocytoma: a retrospective cohort analysis. **2023**, 12, ○
- 3 Conditional Survival in Lung Transplantation: An Organ Procurement and Transplantation Network Database Analysis. Publish Ahead of Print, ○
- 2 Anemia and periprocedural complications determine contrast-associated acute kidney injury after recanalization of chronic coronary occlusions in chronic kidney disease. ○

- 1 Association and Interaction between Heavy Metals and Hyperuricemia in a Taiwanese Population.  
**2023**, 13, 1741

o