Concentrations of Polycyclic Aromatic Hydrocarbons (F Birds in Britain

Environmental Science & Technology 43, 9010-9015

DOI: 10.1021/es901805e

Citation Report

#	Article	IF	CITATIONS
1	Polycyclic aromatic hydrocarbons in fish and crayfish from the Calumet region of southwestern Lake Michigan. Ecotoxicology, 2011, 20, 1411-1421.	1.1	27
2	Metals and polycyclic aromatic hydrocarbons in colonial waterbird eggs from Lake Athabasca and the Peace–Athabasca Delta, Canada. Environmental Toxicology and Chemistry, 2011, 30, 1178-1183.	2.2	31
3	Sampling of Fish, Benthic Species, and Seabird Eggs in Pollution Assessment. , 2012, , 349-372.		1
4	Long term trends in PBDE concentrations in gannet (Morus bassanus) eggs from two UK colonies. Environmental Pollution, 2012, 161, 93-100.	3.7	43
5	Biota–sediment accumulation factor (BSAF), bioaccumulation factor (BAF), and contaminant levels in prey fish to indicate the extent of PAHs and OCPs contamination in eggs of waterbirds. Environmental Science and Pollution Research, 2013, 20, 8425-8434.	2.7	54
6	Accumulation pattern and distribution of polycyclic aromatic hydrocarbons (PAHs) in liver tissues of seven species of birds from Ahmedabad, India, during 2005–2007. Environmental Science and Pollution Research, 2013, 20, 3414-3422.	2.7	9
7	Polycyclic aromatic hydrocarbons (PAHs) reduce hepatic \hat{l}^2 -oxidation of fatty acids in chick embryos. Environmental Science and Pollution Research, 2013, 20, 1881-1888.	2.7	11
8	Evaluating contamination in the Red-billed Chough Pyrrhocorax pyrrhocorax through non-invasive sampling. Microchemical Journal, 2013, 107, 70-75.	2.3	14
9	How much do PCB toxic equivalents account for PHAH toxicity in predatory birds?. Environmental Pollution, 2014, 193, 240-246.	3.7	5
10	Assessment of the exposure to organochlorine pesticides, PCBs and PAHs in six species of predatory birds of the Canary Islands, Spain. Science of the Total Environment, 2014, 472, 146-153.	3.9	71
11	An oxygenated metabolite of benzo[a]pyrene increases hepatic \hat{l}^2 -oxidation of fatty acids in chick embryos. Environmental Science and Pollution Research, 2014, 21, 6243-6251.	2.7	7
12	Source identification of perylene in surface sediments and waterbird eggs in the Anzali Wetland, Iran. Environmental Pollution, 2015, 205, 23-32.	3.7	5
13	A broad cocktail of environmental pollutants found in eggs of three seabird species from remote colonies in Norway. Environmental Toxicology and Chemistry, 2015, 34, 1296-1308.	2.2	49
14	Exposures of zebrafish through diet to three environmentally relevant mixtures of PAHs produce behavioral disruptions in unexposed F1 and F2 descendant. Environmental Science and Pollution Research, 2015, 22, 16371-16383.	2.7	34
15	Selecting the right bird model in experimental studies on endocrine disrupting chemicals. Frontiers in Environmental Science, 2015, 3, .	1.5	17
17	Tracking pan-continental trends in environmental contaminationÂusing sentinel raptors—what types of samples should we use?. Ecotoxicology, 2016, 25, 777-801.	1.1	149
18	Comparison of organochlorine and PAHs residues in terns eggs from two natural protected areas in the Gulf of Mexico. Marine Pollution Bulletin, 2017, 116, 48-55.	2.3	11
19	Organic contamination in tree swallow (<i>Tachycineta bicolor</i>) nestlings at United States and binational Great Lakes Areas of Concern. Environmental Toxicology and Chemistry, 2017, 36, 735-748.	2.2	28

#	Article	IF	Citations
20	Exposure to environmental level phenanthrene induces a NASH-like phenotype in new born rat. Environmental Pollution, 2018, 239, 261-271.	3.7	17
21	Health Risks Associated with Organic Pollutants in Soils. , 2018, , 575-657.		5
22	Potency of polycyclic aromatic hydrocarbons in chicken and Japanese quail embryos. Environmental Toxicology and Chemistry, 2018, 37, 1556-1564.	2.2	17
23	Effects of in ovo exposure to benzo[k]fluoranthene (BkF) on CYP1A expression and promoter methylation in developing chicken embryos. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2018, 204, 88-96.	1.3	9
24	Accumulation of metals and polycyclic aromatic hydrocarbons in agricultural soil after additions of street sediment in southern Ontario. Journal of Environmental Management, 2019, 232, 545-553.	3.8	2
25	Non-destructive Bioindicator of Little Egret (Egratta Garzetta) to Assess the Pollution of Highly Toxic Organic Pollutants in Poyang Lake Wetland. Wetlands, 2019, 39, 137-150.	0.7	4
26	Biomonitoring of hydrocarbons using seabirds' eggs and bivalves in Nakhiloo Island, Persian Gulf, Iran. International Journal of Environmental Science and Technology, 2020, 17, 1511-1528.	1.8	0
27	Occurrence and tissue distribution of organochlorinated compounds and polycyclic aromatic hydrocarbons in Magellanic penguins (Spheniscus magellanicus) from the southeastern coast of Brazil. Science of the Total Environment, 2020, 749, 141473.	3.9	7
28	Determination of polycyclic aromatic hydrocarbon (PAH) contents in micro-volumes of the whole blood and liver of Red Kite by a simplified GC-MS/MS method. International Journal of Environmental Analytical Chemistry, 2022, 102, 834-843.	1.8	8
29	Toxicities of Polycyclic Aromatic Hydrocarbons for Aquatic Animals. International Journal of Environmental Research and Public Health, 2020, 17, 1363.	1.2	293
30	An investigation of physiological effects of the Deepwater Horizon oil spill on a long-distance migratory seabird, the northern gannet. Marine Pollution Bulletin, 2020, 153, 110953.	2.3	11
31	Effects of petroleum exposure on birds: A review. Science of the Total Environment, 2021, 755, 142834.	3.9	41
32	Bioaccumulation and toxic potencies of polycyclic aromatic hydrocarbons in freshwater biota from the Ogbese River, Nigeria. Environmental Monitoring and Assessment, 2021, 193, 8.	1.3	11
33	Unravelling the molecular mechanism of mutagenic factors impacting human health. Environmental Science and Pollution Research, 2022, 29, 61993-62013.	2.7	7
34	Long-term exposure to environmental level of phenanthrene causes adaptive immune response and fibrosis in mouse kidneys. Environmental Pollution, 2021, 283, 117028.	3.7	10
35	Polycyclic aromatic hydrocarbons (PAHs) in seabird eggs in Ireland. Marine Pollution Bulletin, 2021, 170, 112636.	2.3	5
36	Impact and Issues of Organic Pollutants. , 2021, , 93-126.		5
37	A Rapid Preconcentration Method Using Modified GP-MSE for Sensitive Determination of Trace Semivolatile Organic Pollutants in the Gas Phase of Ambient Air. Bulletin of the Korean Chemical Society, 2014, 35, 2995-3000.	1.0	2

#	Article	IF	CITATIONS
38	Quantitative analysis and contamination profiles of PCBs, OCPs, and PAHs in black-tailed gull eggs in the Republic of Korea. Environmental Monitoring and Assessment, 2022, 194, 268.	1.3	6
39	A Critical Review of Bioaccumulation and Biotransformation of Organic Chemicals in Birds. Reviews of Environmental Contamination and Toxicology, 2022, 260, .	0.7	3
40	Legacy and Emerging Contaminants in Flamingos' Chicks' Blood from the Ebro Delta Natural Park. SSRN Electronic Journal, 0, , .	0.4	0
41	Legacy and emerging contaminants in flamingos' chicks' blood from the Ebro Delta Natural Park. Chemosphere, 2023, 312, 137205.	4.2	6
42	Comparison of polycyclic aromatic hydrocarbon accumulation in crab tissues with the ambient marine particles from shallow hydrothermal vents, northeast Taiwan. Environmental Research, 2023, 217, 114863.	3.7	3