

# Clinical and dosimetric predictors of late rectal toxicity localized prostate cancer: Results of a large multicenter

Radiotherapy and Oncology

93, 197-202

DOI: [10.1016/j.radonc.2009.09.004](https://doi.org/10.1016/j.radonc.2009.09.004)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Dose-volume effects for normal tissues in external radiotherapy: Pelvis. <i>Radiotherapy and Oncology</i> , 2009, 93, 153-167.	0.3	249
2	Gastrointestinal toxicity associated to radiation therapy. <i>Clinical and Translational Oncology</i> , 2010, 12, 554-561.	1.2	30
3	Early clinical experience of radiotherapy of prostate cancer with volumetric modulated arc therapy. <i>Radiation Oncology</i> , 2010, 5, 54.	1.2	35
4	Treating prostate cancer with radiotherapy. <i>Nature Reviews Clinical Oncology</i> , 2010, 7, 583-589.	12.5	17
6	A comparison of dose-volume constraints derived using peak and longitudinal definitions of late rectal toxicity. <i>Radiotherapy and Oncology</i> , 2010, 94, 241-247.	0.3	37
7	Deformable image registration for contour propagation from CT to cone-beam CT scans in radiotherapy of prostate cancer. <i>Acta Oncologica</i> , 2011, 50, 918-925.	0.8	118
8	Faecal incontinence following radiotherapy for prostate cancer: A systematic review. <i>Radiotherapy and Oncology</i> , 2011, 98, 145-153.	0.3	41
9	Does the planning dose-volume histogram represent treatment doses in image-guided prostate radiation therapy? Assessment with cone-beam computerised tomography scans. <i>Radiotherapy and Oncology</i> , 2011, 98, 162-168.	0.3	68
10	Tobacco smoking and long-lasting symptoms from the bowel and the anal-sphincter region after radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2011, 101, 495-501.	0.3	58
11	Inclusion of clinical risk factors into NTCP modelling of late rectal toxicity after high dose radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2011, 100, 124-130.	0.3	65
12	Anatomical and clinical predictors of acute bowel toxicity in whole pelvis irradiation for prostate cancer with Tomotherapy. <i>Radiotherapy and Oncology</i> , 2011, 101, 460-464.	0.3	21
13	The Impact of Clinical Factors on the Development of Late Radiation Toxicity: Results from the Medical Research Council RT01 Trial (ISRCTN47772397). <i>Clinical Oncology</i> , 2011, 23, 613-624.	0.6	88
14	Prostate Image-Guided Radiotherapy by Megavolt Cone-Beam CT. <i>Strahlentherapie Und Onkologie</i> , 2011, 187, 473-478.	1.0	19
15	The evolution of rectal and urinary toxicity and immune response in prostate cancer patients treated with two three-dimensional conformal radiotherapy techniques. <i>Radiation Oncology</i> , 2011, 6, 87.	1.2	6
16	Feasibility of safe ultra-high (EQD <sub>2</sub> >100 Gy) dose escalation on dominant intra-prostatic lesions (DILs) by Helical Tomotherapy. <i>Acta Oncologica</i> , 2011, 50, 25-34.	0.8	42
17	Late rectal bleeding after 3D-CRT for prostate cancer: development of a neural-network-based predictive model. <i>Physics in Medicine and Biology</i> , 2012, 57, 1399-1412.	1.6	44
18	Consolidating Risk Estimates for Radiation-Induced Complications in Individual Patient: Late Rectal Toxicity. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 53-63.	0.4	15
19	Is It Time to Tailor the Prediction of Radio-Induced Toxicity in Prostate Cancer Patients? Building the First Set of Nomograms for Late Rectal Syndrome. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1957-1966.	0.4	41

#	ARTICLE	IF	CITATIONS
20	The Benefits of Including Clinical Factors in Rectal Normal Tissue Complication Probability Modeling After Radiotherapy for Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1233-1242.	0.4	68
21	Late Fecal Incontinence After High-Dose Radiotherapy for Prostate Cancer: Better Prediction Using Longitudinal Definitions. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 38-45.	0.4	38
22	Do Intermediate Radiation Doses Contribute to Late Rectal Toxicity? An Analysis of Data From Radiation Therapy Oncology Group Protocol 94-06. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 390-395.	0.4	26
23	Mean Absorbed Dose to the Anal-Sphincter Region and Fecal Leakage among Irradiated Prostate Cancer Survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e181-e185.	0.4	24
24	Increasing the risk of late rectal bleeding after high-dose radiotherapy for prostate cancer: The case of previous abdominal surgery. Results from a prospective trial. <i>Radiotherapy and Oncology</i> , 2012, 103, 252-255.	0.3	39
26	Management of Intestinal Complications in Patients With Pelvic Radiation Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 1326-1334.e4.	2.4	47
27	Functional Outcomes and Complications Following Radiation Therapy for Prostate Cancer: A Critical Analysis of the Literature. <i>European Urology</i> , 2012, 61, 112-127.	0.9	224
28	Clinical risk factors for late intestinal toxicity after radiotherapy: a systematic review protocol. <i>Systematic Reviews</i> , 2013, 2, 39.	2.5	8
29	Late rectal and bladder toxicity following radiation therapy for prostate cancer: Predictive factors and treatment results. <i>Reports of Practical Oncology and Radiotherapy</i> , 2013, 18, 298-303.	0.3	22
30	Multivariate normal tissue complication probability modeling of gastrointestinal toxicity after external beam radiotherapy for localized prostate cancer. <i>Radiation Oncology</i> , 2013, 8, 221.	1.2	34
31	Role of Early Proctoscopy in Predicting Late Symptomatic Proctitis After External Radiation Therapy for Prostate Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 1031-1037.	0.4	9
32	Quality of care indicators and their related outcomes: A population-based study in prostate cancer patients treated with radiotherapy. <i>Radiotherapy and Oncology</i> , 2013, 107, 358-365.	0.3	10
33	Reducing rectal injury during external beam radiotherapy for prostate cancer. <i>Nature Reviews Urology</i> , 2013, 10, 345-357.	1.9	13
34	Statistical simulations to estimate motion-inclusive dose-volume histograms for prediction of rectal morbidity following radiotherapy. <i>Acta Oncologica</i> , 2013, 52, 666-675.	0.8	18
36	Quantifying daily variation in volume and dose to the prostate, rectum and bladder using cone-beam computerised tomography. <i>Journal of Radiotherapy in Practice</i> , 2014, 13, 79-86.	0.2	11
37	Rectal toxicity after intensity modulated radiotherapy for prostate cancer: Which rectal dose volume constraints should we use?. <i>Radiotherapy and Oncology</i> , 2014, 113, 398-403.	0.3	28
38	Transitioning from conventional radiotherapy to intensity-modulated radiotherapy for localized prostate cancer: changing focus from rectal bleeding to detailed quality of life analysis. <i>Journal of Radiation Research</i> , 2014, 55, 1033-1047.	0.8	26
40	Long term rectal function after high-dose prostatecancer radiotherapy: Results from a prospective cohort study. <i>Radiotherapy and Oncology</i> , 2014, 110, 272-277.	0.3	30

#	ARTICLE	IF	CITATIONS
41	MRI target delineation may reduce long-term toxicity after prostate radiotherapy. <i>Acta Oncologica</i> , 2014, 53, 809-814.	0.8	51
42	The REQUITE Project: Validating Predictive Models and Biomarkers of Radiotherapy Toxicity to Reduce Side-effects and Improve Quality of Life in Cancer Survivors. <i>Clinical Oncology</i> , 2014, 26, 739-742.	0.6	73
43	Recommendations for Prostate Cancer Survivorship Care: An Update to the 2009 Michigan Cancer Consortium Guidelines for the Primary Care Management of Prostate Cancer Post-Treatment Sequelae. <i>Journal of Men's Health</i> , 2014, 11, 95-107.	0.1	7
44	Pathogenesis, Diagnosis, and Management of Ulcerative Proctitis, Chronic Radiation Proctopathy, and Diversion Proctitis. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 703-715.	0.9	49
45	Improved Beam Angle Arrangement in Intensity Modulated Proton Therapy Treatment Planning for Localized Prostate Cancer. <i>Cancers</i> , 2015, 7, 574-584.	1.7	20
46	Systematic Review of the Relationship between Acute and Late Gastrointestinal Toxicity after Radiotherapy for Prostate Cancer. <i>Prostate Cancer</i> , 2015, 2015, 1-11.	0.4	37
47	Prediction of gastrointestinal toxicity after external beam radiotherapy for localized prostate cancer. <i>Radiation Oncology</i> , 2015, 10, 80.	1.2	24
48	Rectal bleeding after radiation therapy for endometrial cancer. <i>Radiotherapy and Oncology</i> , 2015, 115, 240-245.	0.3	7
49	Contrasting analytical and data-driven frameworks for radiogenomic modeling of normal tissue toxicities in prostate cancer. <i>Radiotherapy and Oncology</i> , 2015, 115, 107-113.	0.3	24
50	Predictive Parameters of Symptomatic Hematochezia Following 5-Fraction Gantry-Based SABR in Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 94, 1043-1051.	0.4	33
51	Modelling late stool frequency and rectal pain after radical radiotherapy in prostate cancer patients: Results from a large pooled population. <i>Physica Medica</i> , 2016, 32, 1690-1697.	0.4	12
52	Clinical and dosimetric predictors of late rectal bleeding of prostate cancer after TomoTherapy intensity modulated radiation therapy. <i>Journal of Medical Radiation Sciences</i> , 2017, 64, 172-179.	0.8	6
53	Comparison of different contouring definitions of the rectum as organ at risk (OAR) and dose-volume parameters predicting rectal inflammation in radiotherapy of prostate cancer: which definition to use?. <i>British Journal of Radiology</i> , 2017, 90, 20160370.	1.0	7
54	Linking CHHiP prostate cancer RCT with GP records: A study proposal to investigate the effect of co-morbidities and medications on long-term symptoms and radiotherapy-related toxicity. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2017, 2, 5-12.	0.6	4
55	Daily Rectal Dose-volume Histogram Variation in Prostate Intensity-modulated Radiation Therapy: Is It Clinically Significant in the Era of Image Guidance?. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2017, 48, 346-351.	0.2	2
56	Factors Predicting Late Rectal Disorders after Radiation Therapy for Prostate Cancer. <i>Chinese Medical Journal</i> , 2017, 130, 2441-2446.	0.9	2
57	Development of a Ready-to-Use Graphical Tool Based on Artificial Neural Network Classification: Application for the Prediction of Late Fecal Incontinence After Prostate Cancer Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1533-1542.	0.4	14
58	Texture analysis of 3D dose distributions for predictive modelling of toxicity rates in radiotherapy. <i>Radiotherapy and Oncology</i> , 2018, 129, 548-553.	0.3	89

#	ARTICLE	IF	CITATIONS
59	Predicting Late Fecal Incontinence Risk After Radiation Therapy for Prostate Cancer: New Insights From External Independent Validation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 127-136.	0.4	14
60	Evaluating the predictive value of quantec rectum tolerance dose suggestions on acute rectal toxicity in prostate carcinoma patients treated with IMRT. <i>Reports of Practical Oncology and Radiotherapy</i> , 2020, 25, 50-54.	0.3	4
61	Tools for fecal incontinence assessment: lessons for inflammatory bowel disease trials based on a systematic review. <i>United European Gastroenterology Journal</i> , 2020, 8, 886-922.	1.6	14
62	Radiation Dose to the Rectum With Definitive Radiation Therapy and Hydrogel Spacer Versus Postprostatectomy Radiation Therapy. <i>Advances in Radiation Oncology</i> , 2020, 5, 1225-1231.	0.6	0
63	Late Gastrointestinal Tolerance After Prostate Radiotherapy: Is the Anal Canal the Culprit? A Narrative Critical Review. <i>Frontiers in Oncology</i> , 2021, 11, 666962.	1.3	0
64	Long-term Outcomes of a Doseâ€“reduction Trial to Decrease Late Gastrointestinal Toxicity in Patients with Prostate Cancer Receiving Soft Tissue-matched Image-guided Intensity-modulated Radiotherapy. <i>Anticancer Research</i> , 2018, 38, 385-391.	0.5	9
65	Predictive Factors of Late-onset Rectal Mucosal Changes After Radiotherapy of Prostate Cancer. <i>In Vivo</i> , 2018, 31, 961-966.	0.6	4
66	Dosimetric correlation of acute and late toxicities in high-risk prostate cancer patients treated with three-dimensional conformal radiotherapy followed by intensity modulated radiotherapy boost. <i>Indian Journal of Urology</i> , 2016, 32, 210.	0.2	2
67	Predictive parameters of symptomatic haematochezia following 5-fraction gantry-based SABR in prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 79-79.	0.8	0
68	Interrelatedness of Urological Conditions and Anal Incontinence. <i>Updates in Surgery Series</i> , 2023, , 147-154.	0.0	0
69	Clinical Outcome and Risk Factors of Chronic Radiation Proctitis Following Pelvic Radiation Therapy. <i>Anticancer Research</i> , 2022, 42, 5951-5959.	0.5	2
70	Validation of prediction models for radiation-induced late rectal bleeding: Evidence from a large pooled population of prostate cancer patients. <i>Radiotherapy and Oncology</i> , 2023, 183, 109628.	0.3	1