## Prevalence, treatment, and associated disability of men China during 2001 $\hat{a}$ €"05: an epidemiological survey

Lancet, The 373, 2041-2053 DOI: 10.1016/s0140-6736(09)60660-7

**Citation Report** 

#	Article	IF	CITATIONS
1	The Rampaging Frontier: Manners and Humors of Pioneer Days in the South and the Middle West. The Mississippi Valley Historical Review, 1939, 26, 261.	0.0	0
2	Developing a computer system for health assessment. , 2009, , .		1
3	MORE ALCOHOL DEPENDENCE THAN ABUSE IN RURAL CHINA. Addiction, 2009, 104, 2118-2119.	3.3	5
4	Comparing diagnostic methods for mental disorders in China. Lancet, The, 2009, 373, 2002-2004.	13.7	23
5	Mental illness in China. Lancet, The, 2009, 374, 1063-1064.	13.7	8
6	Mental illness in China. Lancet, The, 2009, 374, 1064.	13.7	2
7	Mental illness in China. Lancet, The, 2009, 374, 1064-1065.	13.7	4
9	Perceived Barriers to Mental Health Treatment in Metropolitan China. Psychiatric Services, 2010, 61, 1260-1262.	2.0	19
10	From depressive symptoms to depressive disorders: the relevance of thresholds. British Journal of Psychiatry, 2010, 196, 365-371.	2.8	247
11	Cohort-specific risk of suicide for different mental disorders in China. British Journal of Psychiatry, 2010, 196, 467-473.	2.8	36
12	Basic study on architectural planning of psychiatric hospital. Science China Technological Sciences, 2010, 53, 1755-1767.	4.0	2
13	Are the elderly more vulnerable to psychological impact of natural disaster? A population-based survey of adult survivors of the 2008 Sichuan earthquake. BMC Public Health, 2010, 10, 172.	2.9	140
14	Suicide with psychiatric diagnosis and without utilization of psychiatric service. BMC Public Health, 2010, 10, 431.	2.9	28
15	Prevalence and rates of recognition of anxiety disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. General Hospital Psychiatry, 2010, 32, 192-200.	2.4	16
16	Prevalence, correlates and recognition of depression among inpatients of general hospitals in Wuhan, China. General Hospital Psychiatry, 2010, 32, 268-275.	2.4	45
17	Culture and the anxiety disorders: recommendations for DSM-V. Depression and Anxiety, 2010, 27, 212-229.	4.1	187
18	MOOD DISORDERS IN COMMUNITYâ€ĐWELLING OLDER ADULTS IN ASIA. Journal of the American Geriatrics Society, 2010, 58, 213-214.	2.6	9
19	Harsh physical punishment as a specific childhood adversity linked to adult drinking consequences: evidence from China. Addiction, 2010, 105, 2097-2105.	3.3	8

#	Article	IF	CITATIONS
20	Association of socio-economic, gender and health factors with common mental disorders in women: a population-based study of 5703 married rural women in India. International Journal of Epidemiology, 2010, 39, 1510-1521.	1.9	123
21	Family-related adverse childhood experiences as risk factors for psychiatric disorders in Nigeria. British Journal of Psychiatry, 2010, 196, 186-191.	2.8	73
22	Frequency of Generalized Anxiety Disorder in Chinese Primary Care. Postgraduate Medicine, 2010, 122, 32-38.	2.0	21
23	Case-control study of the relationship of depressive symptoms to suicide in a community-based sample of individuals with schizophrenia in China. Schizophrenia Research, 2010, 122, 226-231.	2.0	19
24	Coping flexibility in young adults: Comparison between subjects with and without schizotypal personality features. Schizophrenia Research, 2010, 122, 185-192.	2.0	16
25	Alcohol use disorders and acute alcohol use preceding suicide in China. Addictive Behaviors, 2010, 35, 152-156.	3.0	20
26	Basic study on architectural planning of psychiatric hospital. Science China Technological Sciences, 2010, , 1.	4.0	0
27	Diabetes-Related Distress and Physical and Psychological Health in Chinese Type 2 Diabetic Patients. Diabetes Care, 2011, 34, 1094-1096.	8.6	72
28	Mental health system in China: history, recent service reform and future challenges. World Psychiatry, 2011, 10, 210-216.	10.4	232
29	Global mental health: Global strengths and strategies. Asian Journal of Psychiatry, 2011, 4, 165-171.	2.0	36
29 30	Global mental health: Global strengths and strategies. Asian Journal of Psychiatry, 2011, 4, 165-171. Translating genomic research into care for people with schizophrenia in China. Schizophrenia Research, 2011, 131, 31-34.	2.0 2.0	36 2
	Translating genomic research into care for people with schizophrenia in China. Schizophrenia		
30	Translating genomic research into care for people with schizophrenia in China. Schizophrenia Research, 2011, 131, 31-34. From economic development to public health improvement: China faces equity challenges. Public	2.0	2
30 31	<ul> <li>Translating genomic research into care for people with schizophrenia in China. Schizophrenia Research, 2011, 131, 31-34.</li> <li>From economic development to public health improvement: China faces equity challenges. Public Health, 2011, 125, 669-674.</li> <li>A review of neuroimaging studies of anxiety disorders in China. Neuropsychiatric Disease and</li> </ul>	2.0 2.9	2 92
30 31 33	<ul> <li>Translating genomic research into care for people with schizophrenia in China. Schizophrenia Research, 2011, 131, 31-34.</li> <li>From economic development to public health improvement: China faces equity challenges. Public Health, 2011, 125, 669-674.</li> <li>A review of neuroimaging studies of anxiety disorders in China. Neuropsychiatric Disease and Treatment, 2011, 7, 241.</li> <li>Social Isolation-Induced Aggression Potentiates Anxiety and Depressive-Like Behavior in Male Mice</li> </ul>	2.0 2.9 2.2	2 92 9
30 31 33 34	Translating genomic research into care for people with schizophrenia in China. Schizophrenia         Research, 2011, 131, 31-34.         From economic development to public health improvement: China faces equity challenges. Public         Health, 2011, 125, 669-674.         A review of neuroimaging studies of anxiety disorders in China. Neuropsychiatric Disease and Treatment, 2011, 7, 241.         Social Isolation-Induced Aggression Potentiates Anxiety and Depressive-Like Behavior in Male Mice Subjected to Unpredictable Chronic Mild Stress. PLoS ONE, 2011, 6, e20955.         What Do Primary Care Doctors Get Out of a Year-Long Postgraduate Course in Community	2.0 2.9 2.2 2.5	2 92 9 88
<ul> <li>30</li> <li>31</li> <li>33</li> <li>34</li> <li>35</li> </ul>	Translating genomic research into care for people with schizophrenia in China. Schizophrenia         Research, 2011, 131, 31-34.         From economic development to public health improvement: China faces equity challenges. Public         Health, 2011, 125, 669-674.         A review of neuroimaging studies of anxiety disorders in China. Neuropsychiatric Disease and Treatment, 2011, 7, 241.         Social Isolation-Induced Aggression Potentiates Anxiety and Depressive-Like Behavior in Male Mice Subjected to Unpredictable Chronic Mild Stress. PLoS ONE, 2011, 6, e20955.         What Do Primary Care Doctors Get Out of a Year-Long Postgraduate Course in Community Psychological Medicine?. International Journal of Psychiatry in Medicine, 2011, 42, 133-149.         Psychiatric epidemiological surveys in China 1960à€"2010: how real is the increase of mental disorders?.	2.0 2.9 2.2 2.5 1.8	2 92 9 88 12

#	Article	IF	CITATIONS
40	Resting EEG deficits in accused murderers with schizophrenia. Psychiatry Research - Neuroimaging, 2011, 194, 85-94.	1.8	13
41	A systematic review of the global distribution and availability of prevalence data for bipolar disorder. Journal of Affective Disorders, 2011, 134, 1-13.	4.1	83
42	A comparison of the clinical characteristics of Chinese patients with recurrent major depressive disorder with and without dysthymia. Journal of Affective Disorders, 2011, 135, 106-110.	4.1	15
43	The relationship between neuroticism, major depressive disorder and comorbid disorders in Chinese women. Journal of Affective Disorders, 2011, 135, 100-105.	4.1	35
44	Molecular imaging in patients with mood disorders: a review of PET findings. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 1367-1380.	6.4	20
45	Human Behaviors Determine Health: Strategic Thoughts on the Prevention of Chronic Non-communicable Diseases in China. International Journal of Behavioral Medicine, 2011, 18, 295-301.	1.7	26
46	Adaptation and implementation of an evidence-based behavioral medicine program in diverse global settings: The Williams LifeSkills experience. Translational Behavioral Medicine, 2011, 1, 303-312.	2.4	9
47	Psychological treatment of depressive symptoms in Chinese elderly inpatients with significant medical comorbidity: A meta-analysis. BMC Psychiatry, 2011, 11, 92.	2.6	7
48	Loneliness among the rural older people in Anhui, China: prevalence and associated factors. International Journal of Geriatric Psychiatry, 2011, 26, 1162-1168.	2.7	80
49	Internal migration and depressive symptoms among migrant factory workers in Shenzhen, China. Journal of Community Psychology, 2011, 39, 212-230.	1.8	57
50	The Development of Psychoanalytic Psychotherapy in Shanghai Mental Health Center. International Journal of Applied Psychoanalytic Studies, 2011, 8, 196-206.	0.4	2
51	Introducing Psychiatry to Rural Physicians in China: An Innovative Education Project. American Journal of Psychiatry, 2011, 168, 1249-1254.	7.2	4
52	Culture and the Anxiety Disorders: Recommendations for DSM-V. Focus (American Psychiatric) Tj ETQq0 0 0 rgB	Г /Qverloci 0.8	۲ 10 Tf 50 26 20
54	Twenty-year trends in the prevalence of disability in China. Bulletin of the World Health Organization, 2011, 89, 788-797.	3.3	135
55	Emerging themes in the revision of the classification of somatoform disorders. International Review of Psychiatry, 2012, 24, 556-567.	2.8	23
56	Need for Mental Health Services and Service Use Among High School Students in China. Psychiatric Services, 2012, 63, 1026-1031.	2.0	20
57	Introduction to the Special Issue on Marriage and Family Therapy in China. Journal of Family Psychotherapy, 2012, 23, 169-172.	0.5	4
58	Lessons learned in developing community mental health care in East and South East Asia. World Psychiatry, 2012, 11, 186-190.	10.4	57

#	Article	IF	CITATIONS
59	Childhood sexual abuse and the risk for recurrent major depression in Chinese women. Psychological Medicine, 2012, 42, 409-417.	4.5	30
60	Epidemiology of comorbid substance use and psychiatric disorders in Asia. Current Opinion in Psychiatry, 2012, 25, 172-180.	6.3	10
61	A Survey of Anxiety and Depression Symptoms among Primary-Care Physicians in China. International Journal of Psychiatry in Medicine, 2012, 44, 257-270.	1.8	42
62	Treatments for Alcohol-Related Disorders in China: A Developing Story. Alcohol and Alcoholism, 2012, 47, 563-570.	1.6	9
63	Case-Control Study in China of Risk Factors for Suicide in Men With Alcohol Use Disorders. Journal of Studies on Alcohol and Drugs, 2012, 73, 15-20.	1.0	11
64	China's National Mental Health Law: a 26-year work in progress. Lancet, The, 2012, 379, 780-782.	13.7	40
65	Urbanisation and health in China. Lancet, The, 2012, 379, 843-852.	13.7	930
66	Early appraisal of China's huge and complex health-care reforms. Lancet, The, 2012, 379, 833-842.	13.7	977
67	Mental health in China: challenges and progress. Lancet, The, 2012, 380, 1715-1716.	13.7	144
68	Tackling the global diabetes burden: will screening help?. Lancet, The, 2012, 380, 1716-1718.	13.7	15
69	Effects of labeling and interpersonal contact upon attitudes towards schizophrenia: implications for reducing mental illness stigma in urban China. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1459-1473.	3.1	48
70	Disability associated with mental disorders in metropolitan China: An application of the quantile regression approach. Psychiatry Research, 2012, 199, 212-219.	3.3	7
71	Depression symptoms and chronic pain in the community population in Beijing, China. Psychiatry Research, 2012, 200, 313-317.	3.3	31
72	Prevalence and natural course of late-life depression in China primary care: A population based study from an urban community. Journal of Affective Disorders, 2012, 141, 86-93.	4.1	40
73	Chinese forensic psychiatry and its wider implications. Journal of Forensic Psychiatry and Psychology, 2012, 23, 1-6.	1.0	14
74	Marital Therapy in Mainland China: A Qualitative Study of Young Adults' Knowledge, Attitudes, and Beliefs. Journal of Family Psychotherapy, 2012, 23, 238-254.	0.5	6
75	The Patient Health Questionnaire-9 for measuring depressive symptoms among the general population in Hong Kong. Comprehensive Psychiatry, 2012, 53, 95-102.	3.1	263
76	Ethics, patient rights and staff attitudes in Shanghai's psychiatric hospitals. BMC Medical Ethics, 2012, 13, 8.	2.4	7

#	Article	IF	CITATIONS
77	Western mental health training for Traditional Chinese Medicine practitioners. Acta Psychiatrica Scandinavica, 2012, 126, 440-447.	4.5	3
78	PMH5 Does Participation in a Weight Control Program Also Improve Clinical and Functional Outcomes for Chinese Patients with Schizophrenia Treated with Olanzapine?. Value in Health, 2012, 15, A669.	0.3	1
79	Depression in Cultural Context: "Chinese Somatization,―Revisited. Psychiatric Clinics of North America, 2012, 35, 15-36.	1.3	74
80	Depressive symptoms in people with chronic physical conditions: prevalence and risk factors in a Hong Kong community sample. BMC Psychiatry, 2012, 12, 198.	2.6	39
81	The role of basic health insurance on depression: an epidemiological cohort study of a randomized community sample in Northwest China. BMC Psychiatry, 2012, 12, 151.	2.6	30
82	Anxiety symptoms among Chinese nurses and the associated factors: a cross sectional study. BMC Psychiatry, 2012, 12, 141.	2.6	110
83	Stress Status and Related Characteristics among Urban Residents: A Six-Province Capital Cities Study in China. PLoS ONE, 2012, 7, e30521.	2.5	30
84	No Association between Fish Intake and Depression in over 15,000 Older Adults from Seven Low and Middle Income Countries–The 10/66 Study. PLoS ONE, 2012, 7, e38879.	2.5	21
85	Regional Homogeneity within the Default Mode Network in Bipolar Depression: A Resting-State Functional Magnetic Resonance Imaging Study. PLoS ONE, 2012, 7, e48181.	2.5	83
86	Comparative Stress Levels among Residents in Three Chinese Provincial Capitals, 2001 and 2008. PLoS ONE, 2012, 7, e48971.	2.5	25
87	Prevalence and correlates of major depressive disorder in breast cancer survivors in Shanghai, China. Psycho-Oncology, 2012, 21, 1331-1337.	2.3	32
88	A study of the combined effects of the EHD3 and FREM3 genes in patients with major depressive disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 336-342.	1.7	11
89	INSECURE ATTACHMENT AS A PREDICTOR OF DEPRESSIVE AND ANXIOUS SYMPTOMOLOGY. Depression and Anxiety, 2012, 29, 789-796.	4.1	71
90	Cross-sectional comparison of the clinical characteristics of adults with early-onset and late-onset obsessive compulsive disorder. Journal of Affective Disorders, 2012, 136, 498-504.	4.1	31
91	The prevalence and impact of major depressive disorder among Chinese, Malays and Indians in an Asian multi-racial population. Journal of Affective Disorders, 2012, 138, 128-136.	4.1	38
92	Global Functioning and Suicide Among Chinese Rural Population Aged 15–34 Years: A Psychological Autopsy Case ontrol Study*. Journal of Forensic Sciences, 2012, 57, 391-397.	1.6	11
93	The rights of psychiatric patients in China: A survey of medical staff and consumers' attitudes toward patient participation in clinical trials. Social Science and Medicine, 2012, 75, 823-827.	3.8	7
94	Risk factors of mental illness among adult survivors after the Wenchuan earthquake. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 907-915.	3.1	26

#	Article	IF	CITATIONS
95	Illiteracy and schizophrenia in China: a population-based survey. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 455-464.	3.1	22
96	Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 382, 1575-1586.	13.7	4,651
97	The influence of social support, lifestyle and functional disability on psychological distress in rural <scp>C</scp> hina: Structural equation modelling. Australian Journal of Rural Health, 2013, 21, 13-19.	1.5	18
98	Gender differences in demographic and clinical features and prescribing patterns of psychotropic medications in patients with major depressive disorder in China. Comprehensive Psychiatry, 2013, 54, 1198-1202.	3.1	8
99	Prevalence and risk factors of post-traumatic stress disorder among adult survivors six months after the Wenchuan earthquake. Comprehensive Psychiatry, 2013, 54, 493-499.	3.1	61
101	Mental Health and Social Support Among HIV-Positive Injection Drug Users and Their Caregivers in China. AIDS and Behavior, 2013, 17, 1775-1784.	2.7	19
102	Gender differences in abusers of amphetamine-type stimulants and ketamine in southwestern China. Addictive Behaviors, 2013, 38, 1424-1430.	3.0	51
103	Perceived interpersonal pressure and drinking behavior in South China. Drug and Alcohol Dependence, 2013, 130, 122-128.	3.2	6
104	Competence of consent and associated factors among inpatients of schizophrenia in Changsha, China. Schizophrenia Research, 2013, 150, 325-326.	2.0	6
105	Quality of life in outpatients with depression in China. Journal of Affective Disorders, 2013, 150, 513-521.	4.1	18
106	The epidemiological modelling of dysthymia: Application for the Global Burden of Disease Study 2010. Journal of Affective Disorders, 2013, 151, 111-120.	4.1	36
107	High risk for cardiovascular disease in Chinese type 2 diabetic patients with major depression—A 7-year prospective analysis of the Hong Kong DiabetesRegistry. Journal of Affective Disorders, 2013, 149, 129-135.	4.1	32
108	Anxiety and depression in Chinese patients with glaucoma: Sociodemographic, clinical, and self-reported correlates. Journal of Psychosomatic Research, 2013, 75, 75-82.	2.6	65
109	Prevalence, risk factors and recognition rates of depressive disorders among inpatients of tertiary general hospitals in Shanghai, China. Journal of Psychosomatic Research, 2013, 75, 65-71.	2.6	27
110	Can China's new mental health law substantially reduce the burden of illness attributable to mental disorders?. Lancet, The, 2013, 381, 1964-1966.	13.7	42
111	Malnutrition in early life and adult mental health: Evidence from a natural experiment. Social Science and Medicine, 2013, 97, 259-266.	3.8	79
112	Prenatal famine and adult mental illness: Interpreting concordant and discordant results from the Dutch and Chinese Famines. Social Science and Medicine, 2013, 97, 325-330.	3.8	77
113	High sex ratio as a correlate of depression in Chinese men. Journal of Affective Disorders, 2013, 144, 79-86.	4.1	21

#	Article	IF	CITATIONS
114	Social cognition and interaction training for patients with stable schizophrenia in Chinese community settings. Psychiatry Research, 2013, 210, 751-755.	3.3	44
115	Global variation in the prevalence and incidence of major depressive disorder: a systematic review of the epidemiological literature. Psychological Medicine, 2013, 43, 471-481.	4.5	860
116	The rise of traditional Chinese medicine and its materia medica: A comparison of the frequency and safety of materials and species used in Europe and China. Journal of Ethnopharmacology, 2013, 149, 453-462.	4.1	84
117	Global prevalence of anxiety disorders: a systematic review and meta-regression. Psychological Medicine, 2013, 43, 897-910.	4.5	1,002
118	Rapid health transition in China, 1990–2010: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 381, 1987-2015.	13.7	1,627
119	Pathways to psychiatric care in urban north China: a general hospital based study. International Journal of Mental Health Systems, 2013, 7, 22.	2.7	38
120	Community-based mental health counseling for children orphaned by AIDS in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 430-437.	1.2	16
121	Mental Health Service Use Among Chinese Adults With Mental Disabilities: A National Survey. Psychiatric Services, 2013, 64, 638-644.	2.0	36
122	Service Utilization for Mental Problems in a Metropolitan Migrant Population in China. Psychiatric Services, 2013, 64, 645-652.	2.0	15
123	Mental Health Care Reforms in Asia: The Urgency of Now: Building a Recovery-Oriented, Community Mental Health Service in China. Psychiatric Services, 2013, 64, 613-616.	2.0	41
124	Web Use Behaviors for Identifying Mental Health Status. Lecture Notes in Computer Science, 2013, , 348-358.	1.3	6
125	Rising Private Sector and Falling â€~Good Health at Low Cost': Health Challenges in China, Sri Lanka, and Indian State of Kerala. International Journal of Health Services, 2013, 43, 31-48.	2.5	22
126	Mental illness disclosure in Chinese immigrant communities Journal of Counseling Psychology, 2013, 60, 379-391.	2.0	48
127	The Effect of Qigong on Depressive and Anxiety Symptoms: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-13.	1.2	32
128	Alcohol and alcohol-related harm in China: policy changes needed. Bulletin of the World Health Organization, 2013, 91, 270-276.	3.3	123
129	Employment outcome for people with schizophrenia in rural <i>v</i> . urban China: population-based study. British Journal of Psychiatry, 2013, 203, 272-279.	2.8	36
130	Intramuscular Ziprasidone Versus Haloperidol for Managing Agitation in Chinese Patients With Schizophrenia. Journal of Clinical Psychopharmacology, 2013, 33, 178-185.	1.4	24
131	IMPLEMENTING GLOBAL MENTAL HEALTH. Depression and Anxiety, 2013, 30, 503-505.	4.1	10

#	Article	IF	CITATIONS
132	Suicidal and help-seeking behavior in Xiamen, south China. Asia-Pacific Psychiatry, 2013, 5, 168-174.	2.2	7
133	DEPRESSIVE DISORDERS AMONG CHILDREN IN THE TRANSFORMING CHINA: AN EPIDEMIOLOGICAL SURVEY OF PREVALENCE, CORRELATES, AND SERVICE USE. Depression and Anxiety, 2013, 30, 881-892.	4.1	20
134	Validation of the nineâ€item <scp>P</scp> atient <scp>H</scp> ealth <scp>Q</scp> uestionnaire to screen for major depression in a <scp>C</scp> hinese primary care population. Asia-Pacific Psychiatry, 2013, 5, 61-68.	2.2	69
135	Country- and individual-level socioeconomic determinants of depression: multilevel cross-national comparison. British Journal of Psychiatry, 2013, 202, 195-203.	2.8	175
136	Neglected Rural Public Health Issue: The Case of Intestinal Roundworms. China and World Economy, 2013, 21, 25-43.	2.1	3
137	Prevalence and Correlates of Psychological Aggression in Male and Female College Students From Mainland China: An Exploratory Study. Partner Abuse, 2013, 4, 314-331.	0.4	4
138	The â€~physical-mental' treatment of cardiovascular disease co-morbid with mental disorders. Family Medicine and Community Health, 2013, 1, 40-44.	1.6	0
139	Pharmacoeconomic evaluation of venlafaxine compared with citalopram in generalized anxiety disorder. Experimental and Therapeutic Medicine, 2013, 5, 840-844.	1.8	6
140	The personal, societal, and economic burden of schizophrenia in the People's Republic of China: implications for antipsychotic therapy. ClinicoEconomics and Outcomes Research, 2013, 5, 407.	1.9	29
141	Higher prevalence of major depressive symptoms in Brazilians aged 14 and older. Revista Brasileira De Psiquiatria, 2013, 35, 142-149.	1.7	16
142	Increased Use of Antidepressants in Wuhan, China: a Retrospective Study From 2006 to 2012. Medicina (Lithuania), 2013, 49, 83.	2.0	4
143	Clinical efficacy and safety of fluoxetine in generalized anxiety disorder in Chinese patients. Neuropsychiatric Disease and Treatment, 2013, 9, 1661.	2.2	12
144	Clinical utility of orally disintegrating olanzapine in Chinese patients with schizophrenia: a review of effectiveness, patient preference, adherence, and other properties. Neuropsychiatric Disease and Treatment, 2014, 10, 355.	2.2	5
145	Does participation in a weight control program also improve clinical and functional outcomes for Chinese patients with schizophrenia treated with olanzapine?. Neuropsychiatric Disease and Treatment, 2014, 10, 1287.	2.2	1
146	First-Episode Medication-Naive Major Depressive Disorder Is Associated with Altered Resting Brain Function in the Affective Network. PLoS ONE, 2014, 9, e85241.	2.5	75
147	Adjustment Disorders as a Stress-Related Disorder: A Longitudinal Study of the Associations among Stress, Resources, and Mental Health. PLoS ONE, 2014, 9, e97303.	2.5	13
148	Olanzapine in Chinese patients with schizophrenia or bipolar disorder: a systematic literature review. Neuropsychiatric Disease and Treatment, 2014, 10, 841.	2.2	7
149	Authors' reply. British Journal of Psychiatry, 2014, 204, 403-404.	2.8	0

**D** 

ARTICLE IF CITATIONS # The regional distribution of anxiety disorders: implications for the Global Burden of Disease Study, 150 2.1 72 2010. International Journal of Methods in Psychiatric Research, 2014, 23, 422-438. Positive attitudes towards psychiatry among Chinese medical students. International Journal of 3.1 Social Psychiatry, 2014, 60, 21-29. The latent structure of depression among Chinese: A taxometric analysis in a nationwide urban 152 1.1 4 sample. PsyCh Journal, 2014, 3, 234-244. Mental health literacy: Public knowledge and beliefs about mental disorders in mainland China. PsyCh 1.1 Journal, 2014, 3, 144-158. Debt and depression among the <i>Dibao</i> population in northwestern China. International Journal 154 3.1 4 of Social Psychiatry, 2014, 60, 637-645. Prevalence and prognosis of schizophrenia in Jinuo people in China: A prospective 30-year follow-up study. International Journal of Social Psychiatry, 2014, 60, 482-488. 3.1 Pathways to psychiatric care of patients from rural regions: A general-hospital-based study. 156 3.1 17 International Journal of Social Psychiatry, 2014, 60, 280-289. Risky Alcohol Use Among Migrant Women in Entertainment Venues in China. Alcohol and Alcoholism, 1.6 2014, 49, 321-326. 159 ANXIOUS FORMS OF DEPRESSION. Depression and Anxiety, 2014, 31, 344-351. 4.1 24 A critical review of mental health and mental healthâ€related policies in <scp>C</scp>hina: More 1.7 actions required. International Journal of Social Welfare, 2014, 23, 195-204. Association between brain-derived neurotrophic factor genetic polymorphism Val66Met and 161 2.6 20 susceptibility to bipolar disorder: a meta-analysis. BMC Psychiatry, 2014, 14, 366. Alterations in white matter fractional anisotropy in subsyndromal perimenopausal depression. BMC 2.6 Psychiatry, 2014, 14, 367. The Contributions of Diseases to Disability Burden Among the Elderly Population in China. Journal of 163 1.7 24 Aging and Health, 2014, 26, 261-282. Cultural Influence on Shanghai Chinese People's Help-Seeking for Mental Health Problems: Implications for Social Work Practice. British Journal of Social Work, 2014, 44, 868-885. 164 1.4 Predictors of response to second generation antipsychotics in drug naà ve patients with 165 3.3 13 schizophrenia: A'1 year follow-up study in Shanghai. Psychiatry Research, 2014, 215, 20-25. Community building and mental health in mid-life and older life: Evidence from China. Social Science and Medicine, 2014, 107, 209-216. The feasibility of an internet-based intervention for Chinese people with mental illness: A survey of 167 1.35 willingness and attitude. International Journal of Nursing Sciences, 2014, 1, 28-33. A two-stage epidemiologic study on prevalence of eating disorders in female university students in 3.1 Wuhan, China. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 499-505.

#	Article	IF	CITATIONS
169	Genetic and Environmental Influences on Depressive Symptoms in Chinese Adolescents. Behavior Genetics, 2014, 44, 36-44.	2.1	15
170	Adjustment disorders in Asians and Asian Americans. Asian Journal of Psychiatry, 2014, 7, 68-70.	2.0	3
171	The association of 5-HTR2A-1438A/G, COMTVal158Met, MAOA-LPR, DATVNTR and 5-HTTVNTR gene polymorphisms and borderline personality disorder in female heroin-dependent Chinese subjects. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 50, 74-82.	4.8	11
173	Psychiatric epidemiology and global mental health: joining forces. International Journal of Epidemiology, 2014, 43, 287-293.	1.9	22
174	Multivariate pattern analysis of DTI reveals differential white matter in individuals with obsessiveâ€compulsive disorder. Human Brain Mapping, 2014, 35, 2643-2651.	3.6	77
175	The effects of depression and chronic diseases on the work outcomes of employees: a prospective study in Northwest China. Public Health, 2014, 128, 734-742.	2.9	7
176	Pharmacotherapy for acute mania and disconcordance with treatment guidelines: bipolar mania pathway survey (BIPAS) in mainland China. BMC Psychiatry, 2014, 14, 167.	2.6	7
177	Depressive symptoms and alcohol correlates among Brazilians aged 14 years and older: a cross-sectional study. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 29.	2.2	7
178	Relationships of Mental Health Problems with Stress Among Civil Servants in Guangzhou, China. Community Mental Health Journal, 2014, 50, 991-996.	2.0	14
179	Gender differences in prevalence and correlates of antisocial personality disorder among heroin dependent users in compulsory isolation treatment in China. Addictive Behaviors, 2014, 39, 573-579.	3.0	10
180	Can China diminish its burden of non-communicable diseases and injuries by promoting health in its policies, practices, and incentives?. Lancet, The, 2014, 384, 783-792.	13.7	49
181	Use trajectories of amphetamine-type stimulants (ATS) in Shanghai, China. Drug and Alcohol Dependence, 2014, 143, 44-50.	3.2	10
182	Harnessing the privatisation of China's fragmented health-care delivery. Lancet, The, 2014, 384, 805-818.	13.7	307
183	Meta-analysis of Chinese herbal Xiaoyao formula as an adjuvant treatment in relieving depression in Chinese patients. Complementary Therapies in Medicine, 2014, 22, 362-370.	2.7	25
184	Prevalence of schizophrenia disability and associated mortality among Chinese men and women. Psychiatry Research, 2014, 220, 181-187.	3.3	33
185	Association of the 3′ region of the neuregulin 1 gene with bipolar I disorder in the Chinese Han population. Journal of Affective Disorders, 2014, 162, 81-88.	4.1	8
186	A Matrilineal Genetic Legacy from the Last Glacial Maximum Confers Susceptibility to Schizophrenia in Han Chinese. Journal of Genetics and Genomics, 2014, 41, 397-407.	3.9	28
187	Reliability and validity of the Chinese version of the Patient Health Questionnaire (PHQ-9) in the general population. General Hospital Psychiatry, 2014, 36, 539-544.	2.4	711

#	Article	IF	CITATIONS
188	A multi-sensor monitoring system for objective mental health management in resource constrained environments. , 2014, , .		23
189	Village doctor-assisted case management of rural patients with schizophrenia: protocol for a cluster randomized control trial. Implementation Science, 2014, 9, 13.	6.9	11
190	Estradiol decreases rat depressive behavior by estrogen receptor beta but not alpha. NeuroReport, 2014, 25, 100-104.	1.2	27
191	Morita therapy for anxiety disorders in adults. The Cochrane Library, 2015, 2015, CD008619.	2.8	14
192	Sleep Disturbance and Attempted Suicide in Rural China. Journal of Nervous and Mental Disease, 2015, 203, 463-468.	1.0	5
193	A survey of the mental health workforce in Guangdong: implications for policy and workforce planning. Australasian Psychiatry, 2015, 23, 675-678.	0.7	6
194	Prevalence and influence factors of suicidal ideation among females and males in Northwestern urban China: a population-based epidemiological study. BMC Public Health, 2015, 15, 961.	2.9	17
195	Suicidal Behavior in Relatives or Associates Moderates the Strength of Common Risk Factors for Suicide. Suicide and Life-Threatening Behavior, 2015, 45, 505-517.	1.9	4
196	The Trend in Mental Disability in Individuals Aged 60 and Older in China: National Sample Survey on Disability From 1987 to 2006. Journal of the American Geriatrics Society, 2015, 63, 1957-1959.	2.6	2
197	China is Prepared to Fight Against Emerging Mental Health Disorders?. International Journal of Emergency Mental Health, 0, s3, .	0.3	1
198	Health care resource use and direct medical costs for patients with schizophrenia in Tianjin, People's Republic of China. Neuropsychiatric Disease and Treatment, 2015, 11, 983.	2.2	11
199	Paliperidone extended-release tablets in Chinese patients with schizophrenia: meta-analysis of randomized controlled trials. Neuropsychiatric Disease and Treatment, 2015, 11, 1817.	2.2	8
200	Urbanization and Mental Health in China: Linking the 2010 Population Census with a Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2015, 12, 9012-9024.	2.6	49
201	Affects of Anxiety and Depression on Health-Related Quality of Life among Patients with Benign Breast Lumps Diagnosed via Ultrasonography in China. International Journal of Environmental Research and Public Health, 2015, 12, 10587-10601.	2.6	14
202	Depression, Anxiety and Symptoms of Stress among Hong Kong Nurses: A Cross-sectional Study. International Journal of Environmental Research and Public Health, 2015, 12, 11072-11100.	2.6	208
203	Wealth Inequality and Mental Disability Among the Chinese Population: A Population Based Study. International Journal of Environmental Research and Public Health, 2015, 12, 13104-13117.	2.6	7
204	Negative Life Events and Attempted Suicide in Rural China. PLoS ONE, 2015, 10, e0116634.	2.5	30
205	Unlocking Patients with Mental Disorders Who Were in Restraints at Home: A National Follow-Up Study of China's New Public Mental Health Initiatives. PLoS ONE, 2015, 10, e0121425.	2.5	32

#	Article	IF	CITATIONS
206	Is Occupation a Good Predictor of Self-Rated Health in China?. PLoS ONE, 2015, 10, e0125274.	2.5	18
207	Religious Involvement and Mental Disorders in Mainland China. PLoS ONE, 2015, 10, e0128800.	2.5	19
208	Systematic Review of an Emerging Trend in China: Resting-State Functional Connectivity in Major Depressive Disorder. Journal of Neuropsychiatry and Clinical Neurosciences, 2015, 27, 104-111.	1.8	8
209	Socioeconomic inequalities and mental stress in individual and regional level: a twenty one cities study in China. International Journal for Equity in Health, 2015, 14, 25.	3.5	31
210	Health care resource utilization and direct medical costs for patients with schizophrenia initiating treatment with atypical versus typical antipsychotics in Tianjin, China. BMC Health Services Research, 2015, 15, 149.	2.2	3
211	Soft drink consumption is associated with depressive symptoms among adults in China. Journal of Affective Disorders, 2015, 172, 422-427.	4.1	50
212	Profiles of psychiatric disorders among heroin dependent individuals in Changsha, China. Drug and Alcohol Dependence, 2015, 149, 272-279.	3.2	7
213	Atypical features and treatment choices in bipolar disorders: a result of the National Bipolar Mania Pathway Survey in China. Neuroscience Bulletin, 2015, 31, 22-30.	2.9	4
214	Schizophrenia-Related Disability in China: Prevalence, Gender, and Geographic Location. Psychiatric Services, 2015, 66, 249-257.	2.0	27
215	Existing public health surveillance systems for mental health in China. International Journal of Mental Health Systems, 2015, 9, 3.	2.7	14
216	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	3.1	147
217	Prevalence and patterns of multimorbidity in northeastern China: a cross-sectional study. Public Health, 2015, 129, 1539-1546.	2.9	52
218	Course of lateâ€life depression in China is chronic and unremitting. International Journal of Geriatric Psychiatry, 2015, 30, 409-415.	2.7	12
219	Prevalence and correlates of major depressive disorder among rural-to-urban migrant workers in Shenzhen, China. Journal of Affective Disorders, 2015, 183, 1-9.	4.1	69
220	Guidelines concordance of maintenance treatment in euthymic patients with bipolar disorder: Data from the national bipolar mania pathway survey (BIPAS) in mainland China. Journal of Affective Disorders, 2015, 182, 101-105.	4.1	6
221	Prevalence of major depressive disorder and socio-demographic correlates: Results of a representative household epidemiological survey in Beijing, China. Journal of Affective Disorders, 2015, 179, 74-81.	4.1	42
222	Prevalence and functions of mental disability caused by mood disorders in China: A national sample. Journal of Affective Disorders, 2015, 180, 10-13.	4.1	7
223	Reporting on China's Mental Health Surveillance. American Journal of Psychiatry, 2015, 172, 314-315.	7.2	7

#	Article	IF	CITATIONS
224	Interpreting SF-12 mental component score: an investigation of its convergent validity with CESD-10. Quality of Life Research, 2015, 24, 2209-2217.	3.1	25
225	Depression, social support and associated factors among women living in rural China: a cross-sectional study. BMC Women's Health, 2015, 15, 28.	2.0	34
226	First Adaptation of a Family-Based ACT Model in Mainland China: A Pilot Project. Psychiatric Services, 2015, 66, 438-441.	2.0	6
227	The first mental health law of China. Asian Journal of Psychiatry, 2015, 13, 72-74.	2.0	21
228	Marriage outcome and relationship with urban versus rural context for individuals with psychosis in a population-based study in China. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1501-1509.	3.1	9
229	Prevalence of alcohol use disorders in mainland China: a systematic review. Addiction, 2015, 110, 761-774.	3.3	65
230	Major depressive disorder in hemodialysis patients in <scp>C</scp> hina. Asia-Pacific Psychiatry, 2015, 7, 78-84.	2.2	7
231	Differences in subjective response to alcohol in heavy―and lightâ€drinking <scp>C</scp> hinese men versus <scp>C</scp> aucasian <scp>A</scp> merican men. Addiction, 2015, 110, 91-99.	3.3	10
232	Attempted Suicide in Shanghai Districts. Asia-Pacific Journal of Public Health, 2015, 27, NP1858-NP1866.	1.0	1
233	Prevalence and risk factors of posttraumatic stress disorder among survivors five years after the "Wenchuan―earthquake in China. Health and Quality of Life Outcomes, 2015, 13, 75.	2.4	30
234	Preventing mental illness: closing the evidence-practice gap through workforce and services planning. BMC Health Services Research, 2015, 15, 283.	2.2	24
235	The 6-item Kessler psychological distress scale to survey serious mental illness among Chinese undergraduates: Psychometric properties and prevalence estimate. Comprehensive Psychiatry, 2015, 63, 105-112.	3.1	74
236	A community-based study of the relationship between somatic and psychological distress in Hong Kong. Transcultural Psychiatry, 2015, 52, 594-615.	1.6	14
237	Depression in <scp>C</scp> hinese patients with type 2 diabetes: associations with hyperglycemia, hypoglycemia, and poor treatment adherence. Journal of Diabetes, 2015, 7, 800-808.	1.8	81
238	Equity and efficiency preferences of health policy makers in China—a stated preference analysis. Health Policy and Planning, 2015, 30, 1059-1066.	2.7	21
239	Clozapine for treatment-resistant bipolar disorder: a systematic review. Bipolar Disorders, 2015, 17, 235-247.	1.9	105
240	Geographical Variation in Diabetes Prevalence and Detection in China: Multilevel Spatial Analysis of 98,058 Adults. Diabetes Care, 2015, 38, 72-81.	8.6	99
241	A meta-analysis on the efficacy and safety of St John's wort extract in depression therapy in comparison with selective serotonin reuptake inhibitors in adults. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 1715-1723.	2.2	36

			0
#	ARTICLE Critical evaluation of paliperidone in the treatment of schizophrenia in Chinese patients: a systematic	IF	CITATIONS
242	literature review. Neuropsychiatric Disease and Treatment, 2016, 12, 113.	2.2	10
243	Modulation of the Default Mode Network in First-Episode, Drug-NaÃ <sup>-</sup> ve Major Depressive Disorder via Acupuncture at Baihui (GV20) Acupoint. Frontiers in Human Neuroscience, 2016, 10, 230.	2.0	37
244	Cross-Sectional Associations between Body Mass Index and Hyperlipidemia among Adults in Northeastern China. International Journal of Environmental Research and Public Health, 2016, 13, 516.	2.6	48
245	Menopausal Age and Chronic Diseases in Elderly Women: A Cross-Sectional Study in Northeast China. International Journal of Environmental Research and Public Health, 2016, 13, 936.	2.6	21
246	Socioeconomic Inequalities and Multi-Disability among the Population Aged 15–64 Years from 1987 to 2006 in China. International Journal of Environmental Research and Public Health, 2016, 13, 1033.	2.6	3
247	PHQ-9 and PHQ-2 for Screening Depression in Chinese Rural Elderly. PLoS ONE, 2016, 11, e0151042.	2.5	80
248	Duration of Untreated Psychosis in Chinese and Mauritian: Impact of Clinical Characteristics and Patients' and Families' Perspectives on Psychosis. PLoS ONE, 2016, 11, e0157083.	2.5	12
249	The Prevalence of Distress and Depression among Women in Rural Sichuan Province. PLoS ONE, 2016, 11, e0161097.	2.5	13
250	Negative Life Events and Antenatal Depression among Pregnant Women in Rural China: The Role of Negative Automatic Thoughts. PLoS ONE, 2016, 11, e0167597.	2.5	11
251	Depressive Symptoms Were Prevalent Among Left-Behind Women in Ma'anshan, China. Journal of Nervous and Mental Disease, 2016, 204, 226-232.	1.0	9
252	The psychometric properties of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) and the Patient Health Questionnaire-9 (PHQ-9) in depressed inpatients in China. Psychiatry Research, 2016, 243, 92-96.	3.3	36
253	The impact of caregivers on the effectiveness of an early community mental health detection and intervention programme in <scp>H</scp> ong <scp>K</scp> ong. Microbial Biotechnology, 2016, 10, 494-502.	1.7	3
254	Stress across the life course and depression in a rapidly developing population: the Guangzhou Biobank Cohort Study. International Journal of Geriatric Psychiatry, 2016, 31, 629-637.	2.7	13
255	Community care for adults with severe mental disorders in rural <scp>C</scp> hina: A case study. International Journal of Social Welfare, 2016, 25, 273-282.	1.7	5
257	Association of Major Depression With Risk of Ischemic Heart Disease in a Megaâ€Cohort of Chinese Adults: The China Kadoorie Biobank Study. Journal of the American Heart Association, 2016, 5, .	3.7	32
258	The global distribution of mental and substance use disorders: research gains and challenges. Epidemiology and Psychiatric Sciences, 2016, 25, 230-232.	3.9	0
259	Association of the DISC1 and NRG1 genetic polymorphisms with schizophrenia in a Chinese population. Gene, 2016, 590, 293-297.	2.2	18
260	Mental health system development in Asia: Does Australia have a role?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 834-841.	2.3	3

#	ARTICLE Smoking and its associations with sociodemographic and clinical characteristics and quality of life	IF	CITATIONS
261	in patients with schizophrenia treated in primary care in China. General Hospital Psychiatry, 2016, 38, 79-83.	2.4	7
262	The magnitude of and health system responses to the mental health treatment gap in adults in India and China. Lancet, The, 2016, 388, 3074-3084.	13.7	223
263	The burden of mental, neurological, and substance use disorders in China and India: a systematic analysis of community representative epidemiological studies. Lancet, The, 2016, 388, 376-389.	13.7	257
264	Alcoholic Liver Disease in Asia, Europe, and North America. Gastroenterology, 2016, 150, 1786-1797.	1.3	133
265	How many children in Australia are at risk of adult mental illness?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1146-1160.	2.3	16
266	Complement factor H and susceptibility to major depressive disorder in Han Chinese. British Journal of Psychiatry, 2016, 208, 446-452.	2.8	21
267	Evaluations of treatment efficacy of depression from perspective of both patients' symptoms and general sense of mental health and wellbeing: A large scale, multi-centered, longitudinal study in China. Psychiatry Research, 2016, 241, 55-60.	3.3	4
268	Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. Lancet Psychiatry,the, 2016, 3, 832-841.	7.4	82
269	Social correlates of mental, neurological, and substance use disorders in China and India: a review. Lancet Psychiatry,the, 2016, 3, 882-899.	7.4	42
270	Characteristics of suicide completers and attempters in rural Chinese population. Comprehensive Psychiatry, 2016, 70, 134-140.	3.1	13
271	Beliefs about antidepressant medication and associated adherence among older Chinese patients with major depression: A crossâ€sectional survey. International Journal of Mental Health Nursing, 2016, 25, 71-79.	3.8	21
272	Poor mental health status and its associations with demographic characteristics and chronic diseases in Chinese elderly. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1449-1455.	3.1	44
273	Meta-analysis of the prevalence of anxiety disorders in mainland China from 2000 to 2015. Scientific Reports, 2016, 6, 28033.	3.3	104
274	Identification of IL6 as a susceptibility gene for major depressive disorder. Scientific Reports, 2016, 6, 31264.	3.3	35
275	The China Mental Health Survey (CMHS): I. background, aims and measures. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1559-1569.	3.1	40
276	DSM-IV Axis II personality disorders and suicide and attempted suicide in China. British Journal of Psychiatry, 2016, 209, 319-326.	2.8	13
277	China Brain Project: Basic Neuroscience, Brain Diseases, and Brain-Inspired Computing. Neuron, 2016, 92, 591-596.	8.1	207
278	The establishment of the objective diagnostic markers and personalized medical intervention in patients with major depressive disorder: rationale and protocol. BMC Psychiatry, 2016, 16, 240.	2.6	24

## # ARTICLE

280	Inequities and psychiatry disability in transition among the elderly population from 1987 to 2006 in China. Medicine (United States), 2016, 95, e4779.	1.0	2
281	Current Trends of Psychosomatic Medicine in China. Psychotherapy and Psychosomatics, 2016, 85, 388-390.	8.8	10
282	Genetic and environmental influences on the relationship between ADHD symptoms and internalizing problems: A Chinese twin study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 931-937.	1.7	36
283	Internal switching and backward inhibition in depression and rumination. Psychiatry Research, 2016, 243, 342-348.	3.3	17
284	The Current Situation on Major Depressive Disorder in China: Research on Mechanisms and Clinical Practice. Neuroscience Bulletin, 2016, 32, 389-397.	2.9	26
285	Increasing access to Cognitive Behaviour Therapy in Low and Middle Income Countries: A strategic framework. Asian Journal of Psychiatry, 2016, 22, 190-195.	2.0	28
286	Violence risk assessment in psychiatric patients in China: A systematic review. Australian and New Zealand Journal of Psychiatry, 2016, 50, 33-45.	2.3	16
287	Counselors' Current Counseling Practice. Counseling Psychologist, 2016, 44, 306-330.	1.2	9
288	The Effects of Social Reforms on Mental Disability in China. Asia-Pacific Journal of Public Health, 2016, 28, 253-261.	1.0	Ο
289	The economic burden of mental disorders in China, 2005–2013: implications for health policy. BMC Psychiatry, 2016, 16, 137.	2.6	94
290	Prevalence of depression and its associated factors among Chinese elderly people: A comparison study between community-based population and hospitalized population. Psychiatry Research, 2016, 243, 87-91.	3.3	37
291	Applicability of the Chinese version of the 16â€item Prodromal Questionnaire ( <scp>CPQ</scp> â€16) for identifying attenuated psychosis syndrome in a college population. Microbial Biotechnology, 2016, 10, 308-315.	1.7	25
292	Online Information Searches and Help Seeking for Mental Health Problems in Urban China. Administration and Policy in Mental Health and Mental Health Services Research, 2016, 43, 535-545.	2.1	37
293	The China longitudinal ageing study: overview of the demographic, psychosocial and cognitive data of the Shanghai sample. Journal of Mental Health, 2016, 25, 131-136.	1.9	38
294	Narratives About Mental Illnesses in China: The Voices of Generation Y. Health Communication, 2016, 31, 171-181.	3.1	10
295	Prevalence, awareness, and burden of major depressive disorder in urban China. Expert Review of Pharmacoeconomics and Outcomes Research, 2016, 16, 393-407.	1.4	37
296	BDNF polymorphisms are associated with schizophrenia onset and positive symptoms. Schizophrenia Research, 2016, 170, 41-47.	2.0	32

#	Article	IF	CITATIONS
297	Prospective relationship of depressive symptoms, drinking, and tobacco smoking among middle-aged and elderly community-dwelling adults: Results from the China Health and Retirement Longitudinal Study (CHARLS). Journal of Affective Disorders, 2016, 195, 136-143.	4.1	107
298	Religion, Purpose in Life, Social Support, and Psychological Distress in Chinese University Students. Journal of Religion and Health, 2016, 55, 1055-1064.	1.7	35
299	Multivariate pattern analysis of obsessive–compulsive disorder using structural neuroanatomy. European Neuropsychopharmacology, 2016, 26, 246-254.	0.7	46
300	A Selective Review of Cerebral Abnormalities in Patients With First-Episode Schizophrenia Before and After Treatment. American Journal of Psychiatry, 2016, 173, 232-243.	7.2	114
301	Perceptions of the Limitations of Confidentiality Among Chinese Mental Health Practitioners, Adolescents and Their Parents. Ethics and Behavior, 2016, 26, 344-356.	1.8	5
302	Comparison of the Quality of Life, Perceived Stigma and Medication Adherence of Chinese with Schizophrenia: A Follow-Up Study. Archives of Psychiatric Nursing, 2016, 30, 41-46.	1.4	19
303	Psychiatric genetics in China: achievements and challenges. Molecular Psychiatry, 2016, 21, 4-9.	7.9	6
304	Group cognitive remediation therapy for chronic schizophrenia: A randomized controlled trial. Neuroscience Letters, 2016, 626, 106-111.	2.1	20
305	Bipolar risk and mental imagery susceptibility in a representative sample of Chinese adults residing in the community. International Journal of Social Psychiatry, 2016, 62, 94-102.	3.1	17
306	Family functioning, social support, and quality of life for patients with anxiety disorder. International Journal of Social Psychiatry, 2016, 62, 5-11.	3.1	27
307	Cultural considerations for the adaptation of an Internet-based intervention for depression prevention in Mainland China. International Journal of Adolescent Medicine and Health, 2017, 29, .	1.3	10
308	Panel Quantile Regressions and the Subjective Well-Being in Urban China: Evidence from RUMiC Data. Social Indicators Research, 2017, 132, 11-24.	2.7	11
309	Prevalence, correlates and treatment status of alcohol use disorders in psychiatric patients in China. General Hospital Psychiatry, 2017, 45, 70-75.	2.4	5
310	Gender differences in general mental health, smoking, drinking and chronic diseases in older adults in Jilin province, China. Psychiatry Research, 2017, 251, 58-62.	3.3	30
311	Efficacy, acceptability and tolerability of 8 atypical antipsychotics in Chinese patients with acute schizophrenia: A network meta-analysis. Schizophrenia Research, 2017, 185, 73-79.	2.0	26
312	The interventional relationship between frequent fish consumption and depression symptoms in aging adults: a randomized controlled trial. International Journal of Geriatric Psychiatry, 2017, 32, e116-e122.	2.7	9
313	Body mass index moderates the relationship between C-reactive protein and depressive symptoms: evidence from the China Health and Retirement Longitudinal Study. Scientific Reports, 2017, 7, 39940.	3.3	24
314	Help-Seeking Intentions and Behaviors among Mainland Chinese College Students: Integrating the Theory of Planned Behavior and Behavioral Model of Health Services Use. International Journal for the Advancement of Counselling, 2017, 39, 125-148.	1.0	15

#	Article	IF	CITATIONS
315	Prevalence, correlates, comorbidity, and age of onset of alcohol use disorders in adult males from five provinces in China. Drug and Alcohol Dependence, 2017, 173, 170-177.	3.2	22
316	Prevalence and associated factors of anxiety and depression among patients with chronic respiratory diseases in eight general hospitals in Jiangsu Province of China: A cross-sectional study. Psychiatry Research, 2017, 251, 48-53.	3.3	17
317	Psychological distress among re-education through labour camp detainees in Guangxi Autonomous Region, China. Journal of Mental Health, 2017, 26, 57-65.	1.9	0
318	Family history of suicide and high motor impulsivity distinguish suicide attempters from suicide ide ideators among college students. Journal of Psychiatric Research, 2017, 90, 21-25.	3.1	20
319	A three-decade repeated cross-sectional survey on mental health of the Chinese Jino minority. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1134-1141.	2.3	9
320	Randomized controlled trial of repetitive transcranial magnetic stimulation combined with paroxetine for the treatment of patients with first-episode major depressive disorder. Psychiatry Research, 2017, 254, 18-23.	3.3	30
321	China's Public Health System and Infrastructure. , 2017, , 75-116.		2
322	Comparison of demographic characteristics and psychiatric comorbidity among methamphetamine-, heroin- and methamphetamine-heroin co- dependent males in Hunan, China. BMC Psychiatry, 2017, 17, 183.	2.6	15
323	Polymorphism of ERK/PTPRR Genes in Major Depressive Disorder at Resting-State Brain Function. Developmental Neuropsychology, 2017, 42, 231-240.	1.4	10
324	Mental health literacy about schizophrenia and depression: a survey among Chinese caregivers of patients with mental disorder. BMC Psychiatry, 2017, 17, 89.	2.6	14
325	Happiness and Health in China: The Paradox of Progress. World Development, 2017, 96, 231-244.	4.9	68
326	Feasibility of Studying a Brief Intervention to Help Chinese Villagers with Problem Alcohol Use After an Earthquake. Alcohol and Alcoholism, 2017, 52, 472-476.	1.6	11
327	Psychopathology and personality traits associated with driving while intoxicated in Beijing, China: Implications for interventions. American Journal on Addictions, 2017, 26, 374-378.	1.4	2
329	Functional and dysfunctional impulsivity and attempted suicide in rural China: A paired case-control study. Psychiatry Research, 2017, 253, 22-27.	3.3	7
330	The function of NODâ€like receptors in central nervous system diseases. Journal of Neuroscience Research, 2017, 95, 1565-1573.	2.9	25
331	Patterns and correlates of major depression in Chinese adults: a cross-sectional study of 0.5 million men and women. Psychological Medicine, 2017, 47, 958-970.	4.5	65
332	Views of people with schizophrenia and their caregivers towards the needs for psychiatric rehabilitation in urban and rural areas of mainland China. Psychiatry Research, 2017, 258, 72-77.	3.3	14
333	Attitudes of Chinese community members and psychiatrists towards forensic psychiatric assessments. Psychiatry Research, 2017, 258, 283-288.	3.3	3

#	Article	IF	CITATIONS
334	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
335	Prevalence of smoking in patients with bipolar disorder, major depressive disorder and schizophrenia and their relationships with quality of life. Scientific Reports, 2017, 7, 8430.	3.3	30
336	Sleep duration and its association with demographics, lifestyle factors, poor mental health and chronic diseases in older Chinese adults. Psychiatry Research, 2017, 257, 212-218.	3.3	44
338	Low post-traumatic stress disorder rate in Chinese in Beijing, China. Asian Journal of Psychiatry, 2017, 30, 79-83.	2.0	10
339	Combined serum levels of multiple proteins in tPA-BDNF pathway may aid the diagnosis of five mental disorders. Scientific Reports, 2017, 7, 6871.	3.3	27
340	Social Psychological Factors and Suicidal Intent Among Suicide Attempters in Rural China. Journal of Nervous and Mental Disease, 2017, 205, 48-53.	1.0	1
341	Prevalence of Mental Disorders among Older Chinese People in Tianjin City. Canadian Journal of Psychiatry, 2017, 62, 778-786.	1.9	16
342	Psychiatric and Mental Health Nursing in China: Past, Present and Future. Archives of Psychiatric Nursing, 2017, 31, 470-476.	1.4	20
343	Metabolic syndrome and depressive symptoms among rural Northeast general population in China. BMC Public Health, 2017, 17, 43.	2.9	20
344	Changing of China׳s health policy and Doctor–Patient relationship: 1949–2016. Health Policy and Technology, 2017, 6, 358-367.	2.5	40
345	The epidemiology of current depression in Macau, China: towards a plan for mental health action. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1227-1235.	3.1	32
346	Co-occurrence of DSM-IV mental disorders and alcohol use disorder among adult Chinese males. Psychological Medicine, 2017, 47, 2811-2822.	4.5	4
347	The effects of family structure and function on mental health during China's transition: a cross-sectional analysis. BMC Family Practice, 2017, 18, 59.	2.9	45
348	Effect modification of social-context changes on mental disability in China from 1987 to 2006: a multi-level study of 1.9 million people. BMC Public Health, 2017, 17, 186.	2.9	0
349	Perceptions of stigma and its correlates among patients with major depressive disorder: A multicenter survey from China. Asia-Pacific Psychiatry, 2017, 9, e12260.	2.2	9
350	Interaction of estrogen receptor β and negative life events in susceptibility to major depressive disorder in a Chinese Han female population. Journal of Affective Disorders, 2017, 208, 628-633.	4.1	13
351	Gender Differences in Depressive Symptoms Among HIV-Positive Concordant and Discordant Heterosexual Couples in China. Psychology of Women Quarterly, 2017, 41, 89-99.	2.0	5
352	Impact of short-term temperature variability on emergency hospital admissions for schizophrenia stratified by season of birth. International Journal of Biometeorology, 2017, 61, 589-599.	3.0	24

#	Article	IF	CITATIONS
353	Dietary patterns are associated with depressive symptoms among Chinese adults: a case–control study with propensity score matching. European Journal of Nutrition, 2017, 56, 2577-2587.	3.9	52
354	Validation of a Chinese Version of the Geriatric Anxiety Scale Among Community-Dwelling Older Adults in Mainland China. Journal of Cross-Cultural Gerontology, 2017, 32, 57-70.	1.0	18
355	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	16
356	Direct medical costs of hospitalisations for mental disorders in Shanghai, China: a time series study. BMJ Open, 2017, 7, e015652.	1.9	5
357	Neighbourhood characteristics and mental disorders in three Chinese cities: multilevel models from the World Mental Health Surveys. BMJ Open, 2017, 7, e017679.	1.9	8
358	Perspectives of Individuals With Mental Illness on Community Mental Health Services in China: A Qualitative Exploration. Journal of Psychosocial Nursing and Mental Health Services, 2017, 55, 30-37.	0.6	3
359	Risk assessment of aggressive behavior in Chinese patients with schizophrenia by fMRI and <em>COMT</em> gene. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 387-395.	2.2	9
360	The economic burden of dementia in China, 1990–2030: implications for health policy. Bulletin of the World Health Organization, 2017, 95, 18-26.	3.3	138
361	Effects of Refined Xiaoyaosan on Depressive-Like Behaviors in Rats with Chronic Unpredictable Mild Stress through Neurosteroids, Their Synthesis and Metabolic Enzymes. Molecules, 2017, 22, 1386.	3.8	27
362	Cities and Mental Health. Deutsches Ärzteblatt International, 2017, 114, 121-127.	0.9	217
363	Epidemiology of severe mental illness in Hunan province in central China during 2014-2015: A multistage cross-sectional study. PLoS ONE, 2017, 12, e0188312.	2.5	17
364	Psychological and somatic distress in Chinese outpatients at general hospitals: a cross-sectional study. Annals of General Psychiatry, 2017, 16, 35.	2.7	12
365	Relationship of Sleep Duration with Sociodemographic Characteristics, Lifestyle, Mental Health, and Chronic Diseases in a Large Chinese Adult Population. Journal of Clinical Sleep Medicine, 2017, 13, 377-384.	2.6	56
366	Suicide Behaviors in Adult Inpatients with Mental Disorders in Beijing, China. International Journal of Environmental Research and Public Health, 2017, 14, 259.	2.6	6
367	Socioeconomic, religious, spiritual and health factors associated with symptoms of common mental disorders: a cross-sectional secondary analysis of data from Bhutan's Gross National Happiness Study, 2015. BMJ Open, 2018, 8, e018202.	1.9	8
368	Neuroimaging genomic studies in major depressive disorder: A systematic review. CNS Neuroscience and Therapeutics, 2018, 24, 1020-1036.	3.9	13
369	Live like mosquitoes: <i>Hukou</i> , rural–urban disparity, and depression. Chinese Journal of Sociology, 2018, 4, 56-78.	0.9	11
370	Depressive symptoms and their association with social determinants and chronic diseases in middle-aged and elderly Chinese people. Scientific Reports, 2018, 8, 3841.	3.3	46

#	Article	IF	CITATIONS
371	Generalized anxiety disorder in urban China: Prevalence, awareness, and disease burden. Journal of Affective Disorders, 2018, 234, 89-96.	4.1	81
372	Determinants of access to health care for depression in 49 countries: A multilevel analysis. Journal of Affective Disorders, 2018, 234, 80-88.	4.1	42
373	Association between social capital and quality of life among urban residents in less developed cities of western China. Medicine (United States), 2018, 97, e9656.	1.0	19
374	Measuring internalized stigma of mental illness among Chinese outpatients with mood disorders. International Journal of Culture and Mental Health, 2018, 11, 522-535.	0.6	5
375	Suicide after hospital contact for psychiatric assessment in Hong Kong: A long-term cohort study. Psychiatry Research, 2018, 264, 266-269.	3.3	1
376	Long-Term Outcomes of Unlocking Chinese Patients with Severe Mental Illness. Psychiatric Quarterly, 2018, 89, 757-763.	2.1	1
377	Association Analysis of the Brain-Derived Neurotrophic Factor Gene <i>Val66Met</i> Polymorphism and Gender with Efficacy of Antidepressants in the Chinese Han Population with Generalized Anxiety Disorder. Genetic Testing and Molecular Biomarkers, 2018, 22, 199-206.	0.7	4
378	Association between major depressive episode and risk of type 2 diabetes: A large prospective cohort study in Chinese adults. Journal of Affective Disorders, 2018, 234, 59-66.	4.1	17
379	Survey on the use of mental health services and help-seeking behaviors in a community population in Northwestern China. Psychiatry Research, 2018, 262, 135-140.	3.3	36
380	Association between increased serum interleukin-6 levels and sustained attention deficits in patients with major depressive disorder. Psychological Medicine, 2018, 48, 2508-2514.	4.5	29
381	Assessing knowledge and attitudes about mental illness in Ningxia, China. Transcultural Psychiatry, 2018, 55, 94-119.	1.6	9
382	Difference in proinflammatory cytokines produced by monocytes between patients with major depressive disorder and healthy controls. Journal of Affective Disorders, 2018, 234, 305-310.	4.1	27
383	Physical restraints: An ethical dilemma in mental health services in China. International Journal of Nursing Sciences, 2018, 5, 68-71.	1.3	18
384	The age-specific characteristics of medically serious suicide attempters aged 15–45 years in rural China. Psychiatry Research, 2018, 261, 178-185.	3.3	1
385	Prevalence of anxiety and depression symptoms and their associated factors in mild COPD patients from community settings, Shanghai, China: a cross-sectional study. BMC Psychiatry, 2018, 18, 89.	2.6	24
386	Serial multiple mediation of organizational commitment and job burnout in the relationship between psychological capital and anxiety in Chinese female nurses: A cross-sectional questionnaire survey. International Journal of Nursing Studies, 2018, 83, 75-82.	5.6	88
387	Rural–urban disparities in the utilization of mental health inpatient services in China: the role of health insurance. International Journal of Health Economics and Management, 2018, 18, 377-393.	1.1	43
388	Professionalization of Counseling: Perspectives from Different International Regions. International Journal for the Advancement of Counselling, 2018, 40, 343-364.	1.0	3

#	Article	IF	CITATIONS
389	The prevalence of depression and depressive symptoms among adults in China: Estimation based on a National Household Survey. China Economic Review, 2018, 51, 271-282.	4.4	132
390	Clinical neuroimaging markers of response to treatment in mood disorders. Neuroscience Letters, 2018, 669, 43-54.	2.1	6
391	Associations of Differentiation of Self and Adult Attachment in Individuals With Anxiety-Related Disorders. Perspectives in Psychiatric Care, 2018, 54, 54-63.	1.9	23
392	The prevalence, age-of-onset and the correlates of DSM-IV psychiatric disorders in the Tianjin Mental Health Survey (TJMHS). Psychological Medicine, 2018, 48, 473-487.	4.5	26
393	Depression as seen through the eyes of rural Chinese women: Implications for help-seeking and the future of mental health care in China. Journal of Affective Disorders, 2018, 227, 38-47.	4.1	31
394	Depressive symptoms screening in postmenopausal women with symptomatic pelvic organ prolapse. Menopause, 2018, 25, 314-319.	2.0	16
395	Integrated mental health services in China: challenges and planning for the future. Health Policy and Planning, 2018, 33, 107-122.	2.7	178
396	Untamed Jianghu or Emerging Profession: Diagnosing the Psycho-Boom amid China's Mental Health Legislation. Culture, Medicine and Psychiatry, 2018, 42, 371-400.	1.2	13
397	Clinical characteristics of poly-drug abuse among heroin dependents and association with other psychopathology in compulsory isolation treatment settings in China. International Journal of Psychiatry in Clinical Practice, 2018, 22, 129-135.	2.4	12
398	Attitudes towards mental illness among medical students in China: Impact of medical education on stigma. Asia-Pacific Psychiatry, 2018, 10, e12294.	2.2	19
399	Depression hurts, depression costs: The medical spending attributable to depression and depressive symptoms in China. Health Economics (United Kingdom), 2018, 27, 525-544.	1.7	90
400	Can we increase speed and efficacy of antidepressant treatments? Part I: General aspects and monoamine-based strategies. European Neuropsychopharmacology, 2018, 28, 445-456.	0.7	66
401	Mental Health in China: Stigma, Family Obligations, and the Potential of Peer Support. Community Mental Health Journal, 2018, 54, 757-764.	2.0	46
402	Family Exposure to Potentially Traumatic Events and Chinese Children's Psychological Adjustment: A Transgenerational Study. Journal of Child and Family Studies, 2018, 27, 431-442.	1.3	11
403	Treating Obsessive-Compulsive Disorder in the Postpartum Period: Diagnostic and Cultural Considerations. Harvard Review of Psychiatry, 2018, 26, 82-89.	2.1	5
404	Prevalence Rates of Personality Disorder and Its Association With Methamphetamine Dependence in Compulsory Treatment Facilities in China. Frontiers in Psychiatry, 2018, 9, 698.	2.6	14
405	Direct medical costs for patients with schizophrenia: a 4-year cohort study from health insurance claims data in Guangzhou city, Southern China. International Journal of Mental Health Systems, 2018, 12, 72.	2.7	13
406	Ziprasidone, haloperidol and clonazepam intramuscular administration in the treatment of agitation symptoms in Chinese patients with schizophrenia: A network meta-analysis. Annals of General Psychiatry, 2018, 31, e000016.	3.1	5

#	Article	IF	CITATIONS
407	Influence of Xiaoyaosan on depressive-like behaviors in chronic stress-depressed rats through regulating tryptophan metabolism in hippocampus. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 21-31.	2.2	45
408	Reducing distress and promoting resilience: a preliminary trial of a CBT skills intervention among recently HIV-diagnosed MSM in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, S39-S48.	1.2	32
409	National Mental Health Survey of India, 2016 - Rationale, design and methods. PLoS ONE, 2018, 13, e0205096.	2.5	64
410	Effect of Caregiver's Mental Health on Early Childhood Development across Different Rural Communities in China. International Journal of Environmental Research and Public Health, 2018, 15, 2341.	2.6	35
411	Major Depression in Chinese Medicine Outpatients with Stagnation Syndrome: Prevalence and the Impairments in Well-Being. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-9.	1.2	3
412	A community-based peer support service for persons with severe mental illness in China. BMC Psychiatry, 2018, 18, 170.	2.6	35
413	Adaptation and testing of an assessment for mental health and alcohol use problems among conflict-affected adults in Ukraine. Conflict and Health, 2018, 12, 34.	2.7	16
414	Somatic symptoms vary in major depressive disorder in China. Comprehensive Psychiatry, 2018, 87, 32-37.	3.1	37
415	The clinical correlates of comorbid anxiety symptoms and syndromal anxiety in patients with major depressive disorder. Psychiatry Research, 2018, 269, 251-257.	3.3	18
416	Chinese perspectives on primary care for common mental disorders: Barriers and policy implications. International Journal of Social Psychiatry, 2018, 64, 417-426.	3.1	23
417	I-CARE randomized clinical trial integrating depression and acute coronary syndrome care in low-resource hospitals in China: Design and rationale. American Heart Journal, 2018, 202, 109-115.	2.7	3
418	Bidirectional Connections between Depression and Ataxia Severity in Spinocerebellar Ataxia Type 3 Patients. European Neurology, 2018, 79, 266-271.	1.4	13
419	Online Support Groups for Depression in China: Culturally Shaped Interactions and Motivations. Computer Supported Cooperative Work, 2018, 27, 327-354.	2.9	39
420	The Effect of Air Pollution on Mental Health: Evidence from China. SSRN Electronic Journal, 2018, , .	0.4	4
421	Prevalence, awareness, and treatment of depressive symptoms among the middleâ€aged and elderly in China from 2008 to 2015. International Journal of Health Planning and Management, 2018, 33, 1060-1070.	1.7	30
422	Risk behavior in patients with severe mental disorders: a prospective study of 121,830 patients managed in rural households of western China. BMC Psychiatry, 2018, 18, 134.	2.6	8
423	Early-life exposure to severe famine and subsequent risk of depressive symptoms in late adulthood: the China Health and Retirement Longitudinal Study. British Journal of Psychiatry, 2018, 213, 579-586.	2.8	51
424	Compromised dynamic cerebral autoregulation in patients with generalized anxiety disorder: a study using transfer function analysis. BMC Psychiatry, 2018, 18, 164.	2.6	9

#	Article	IF	CITATIONS
425	Prevalence of psychotic disorders and its association with methodological issues. A systematic review and meta-analyses. PLoS ONE, 2018, 13, e0195687.	2.5	313
426	Prevalence of falls in adult and older adult psychiatric patients in China: A systematic review and comprehensive meta-analysis of observational studies. Psychiatry Research, 2018, 266, 18-25.	3.3	7
427	"My bitterness is deeper than the ocean― understanding internalized stigma from the perspectives of persons with schizophrenia and their family caregivers. International Journal of Mental Health Systems, 2018, 12, 14.	2.7	29
428	The relationship between lifestyle factors and clinical symptoms of bipolar disorder patients in a Chinese population. Psychiatry Research, 2018, 266, 97-102.	3.3	10
429	Some People May Need it, But Not Me, Not Now: Seeking Professional Help for Mental Health Problems in Urban China. Transcultural Psychiatry, 2018, 55, 754-774.	1.6	36
430	Psychotic experiences as an independent risk factor for angina pectoris in 48 low―and middleâ€income countries. World Psychiatry, 2018, 17, 232-234.	10.4	6
431	Primary care patient beliefs and help-seeking preferences regarding depression in China. Psychiatry Research, 2018, 269, 1-8.	3.3	12
432	Prevalence of major depressive disorder in older adults in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 241, 297-304.	4.1	45
433	Exploring the association between depression and <i>shenjing shuairuo</i> in a population representative epidemiological study of Chinese adults in Guangzhou, China. Transcultural Psychiatry, 2018, 55, 733-753.	1.6	16
434	Rethinking progress and challenges of mental health care in China. World Psychiatry, 2018, 17, 231-232.	10.4	83
435	Emotional well-being and social support in social housing neighbourhoods in China. Journal of International Medical Research, 2018, 46, 3209-3218.	1.0	5
437	Identify abnormalities in resting-state brain function between first-episode, drug-naive major depressive disorder and remitted individuals. NeuroReport, 2018, 29, 907-916.	1.2	21
438	Correlates of Mental Illness and Health Categories among Older Adults in China: An Empirical Study Based on the Two Continua Model. Clinical Gerontologist, 2019, 42, 80-89.	2.2	7
439	Integrated Behavioral Health and Social Work: a Global Perspective. Global Social Welfare, 2019, 6, 49-56.	1.9	3
440	Effectiveness of an Assertive Community Treatment program for people with severe schizophrenia in mainland China – a 12-month randomized controlled trial. Psychological Medicine, 2019, 49, 969-979.	4.5	17
441	Psychometric Evaluation of the Major Depression Inventory (MDI) as a Depression Severity Scale in Chinese Patients With Coronary Artery Disease. Findings From the MEDEA FAR-EAST Study Frontiers in Psychiatry, 2019, 10, 493.	2.6	5
442	Ambient fine particulate matter is associated with increased emergency ambulance dispatches for psychiatric emergencies. Environmental Research, 2019, 177, 108611.	7.5	14
443	Understanding the Effectiveness of Psychosocial Services for Anxiety and Depression in Chinese Older Adults: A Systematic Review and Meta-analysis of Controlled Trials. Gerontologist, The, 2019, 60, e76-e92.	3.9	5

#	Article	IF	CITATIONS
444	Disparities in mental health care utilization among inpatients in various types of health institutions: a cross-sectional study based on EHR data in Shanghai, China. BMC Public Health, 2019, 19, 1023.	2.9	11
445	The impact of suicidal death of rural older people to their relatives: Results from a national psychological autopsy study in China. Journal of Affective Disorders, 2019, 257, 307-313.	4.1	2
446	Current needs for the improved management of depressive disorder in community healthcare centres, Shenzhen, China: a view from primary care medical leaders. International Journal of Mental Health Systems, 2019, 13, 47.	2.7	16
447	Prevalence and clinical profiles of comorbid anxiety in first episode and drug naÃ⁻ve patients with major depressive disorder. Journal of Affective Disorders, 2019, 257, 200-206.	4.1	41
448	Suicide ideation, suicide attempts, their sociodemographic and clinical associates among the elderly Chinese patients with schizophrenia spectrum disorders. Journal of Affective Disorders, 2019, 256, 611-617.	4.1	20
449	Multivariate classification of drug-naive obsessive-compulsive disorder patients and healthy controls by applying an SVM to resting-state functional MRI data. BMC Psychiatry, 2019, 19, 210.	2.6	24
450	Prevalence of mental disorders in China. Lancet Psychiatry,the, 2019, 6, 467-468.	7.4	7
451	Prevalence of verbal and physical workplace violence against nurses in psychiatric hospitals in China. Archives of Psychiatric Nursing, 2019, 33, 68-72.	1.4	38
452	Bidirectional association between depressive symptoms and type 2 diabetes mellitus: The China Health and Retirement Longitudinal Study. Journal of Diabetes and Its Complications, 2019, 33, 107387.	2.3	9
453	Association of dietary patterns with depressive symptoms in Chinese postmenopausal women. British Journal of Nutrition, 2019, 122, 1168-1174.	2.3	6
454	Multicenter randomized controlled trial of bifrontal, bitemporal, and right unilateral electroconvulsive therapy in major depressive disorder. Psychiatry and Clinical Neurosciences, 2019, 73, 636-641.	1.8	13
455	Survey of Chinese persons managing depressive symptoms: Help-seeking behaviours and their influencing factors. Comprehensive Psychiatry, 2019, 95, 152127.	3.1	16
456	Genome-wide association study of alcohol dependence in male Han Chinese and cross-ethnic polygenic risk score comparison. Translational Psychiatry, 2019, 9, 249.	4.8	21
457	Feelings of Entrapment and Defeat Mediate the Association Between Self-Esteem and Depression Among Transgender Women Sex Workers in China. Frontiers in Psychology, 2019, 10, 2241.	2.1	14
458	Plasma urate concentrations and possible REM sleep behavior disorder. Annals of Clinical and Translational Neurology, 2019, 6, 2368-2376.	3.7	6
459	Population-based surveys and interventions for mental health literacy in China during 1997–2018: a scoping review. BMC Psychiatry, 2019, 19, 316.	2.6	15
460	Patient-doctor concordance of perceived mental health service needs in Chinese hospitalized patients: a cross-sectional study. Annals of Palliative Medicine, 2019, 8, 442-450.	1.2	3
461	Depressive Symptoms in Elderly Chinese Primary Care Patients: Prevalence and Sociodemographic and Clinical Correlates. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 312-318.	2.3	26

#	Article	IF	CITATIONS
462	Treatment Status of Elderly Patients With Severe Mental Disorders in Rural China. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 291-297.	2.3	9
463	Prevalence of mental disorders in China – Author's reply. Lancet Psychiatry,the, 2019, 6, 468.	7.4	16
464	The Economics of Happiness. , 2019, , .		15
465	Public health policies and alcohol-related liver disease. JHEP Reports, 2019, 1, 403-413.	4.9	33
466	Hospitalization Costs and Financial Burden on Families with Children with Depression: A Cross-Section Study in Shandong Province, China. International Journal of Environmental Research and Public Health, 2019, 16, 3526.	2.6	11
467	Effects of ketamine use on psychotic disorders and symptoms in male, methamphetamine-dependent subjects. American Journal of Drug and Alcohol Abuse, 2019, 45, 276-284.	2.1	2
468	Psychometric Properties of the SAS, BAI, and S-AI in Chinese University Students. Frontiers in Psychology, 2019, 10, 93.	2.1	29
469	Influence of Heat Waves on Daily Hospital Visits for Mental Illness in Jinan, China—A Case-Crossover Study. International Journal of Environmental Research and Public Health, 2019, 16, 87.	2.6	27
470	Chinese Perspectives on Cultural Psychiatry. , 2019, , .		3
471	The prevalence and risk of DSM″V axis I disorder in adults with earlyâ€life earthquake stress: A crossâ€sectional study. International Journal of Developmental Neuroscience, 2019, 76, 65-71.	1.6	4
472	Anxiolytic Effect of Essential Oils and Their Constituents: A Review. Journal of Agricultural and Food Chemistry, 2019, 67, 13790-13808.	5.2	74
473	Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. Frontiers in Psychiatry, 2019, 10, 321.	2.6	26
474	Tobacco dependence should be recognised as a lethal non-communicable disease. BMJ: British Medical Journal, 2019, 365, l2204.	2.3	10
475	The Prevalence of Suicide Attempts and Independent Demographic and Clinical Correlates among Chronic Schizophrenia Patients in Agricultural Areas of China. Psychiatric Quarterly, 2019, 90, 683-691.	2.1	6
476	Declines in mental health associated with air pollution and temperature variability in China. Nature Communications, 2019, 10, 2165.	12.8	112
477	Changes in treatment status of patients with severe mental illness in rural China, 1994–2015. BJPsych Open, 2019, 5, e31.	0.7	18
478	A Qualitative Study of Implementation Challenges of Mental Health Clubhouse Rehabilitation Services in China's Hunan Province. Psychiatric Services, 2019, 70, 674-680.	2.0	4
479	Guidelines for the diagnosis and treatment of depressive disorders in China: The second edition. Journal of Affective Disorders, 2019, 253, 352-356.	4.1	16

		CITATION REPORT	
#	Article	IF	CITATIONS
480	Literature review and economic evaluation of oral and intramuscular ziprasidone treatment among patients with schizophrenia in China. Annals of General Psychiatry, 2019, 31, e100016.	3.1	4
481	The Effect of Dopamine Antagonist Treatment on Auditory Verbal Hallucinations in Healthy Individu Is Clearly Influenced by COMT Genotype and Accompanied by Corresponding Brain Structural and Functional Alterations: An Artificially Controlled Pilot Study. Frontiers in Genetics, 2019, 10, 92.	uals 2.3	7
482	Health System in China. Health Services Research, 2019, , 779-807.	0.2	1
483	Development and challenges of mental health in China. Annals of General Psychiatry, 2019, 32, e10	00053. 3.1	53
484	Prevalence of major depressive disorder and its socio-demographic correlates in the general adult population in Hebei province, China. Journal of Affective Disorders, 2019, 252, 92-98.	4.1	19
485	Healthcare, Inequality, and Epidemiologic Transition: Example of China. , 2019, , 449-467.		0
486	Intention to leave and associated factors among psychiatric nurses in China: A nationwide cross-sectional study. International Journal of Nursing Studies, 2019, 94, 159-165.	5.6	50
487	Abnormal Degree Centrality Associated With Cognitive Dysfunctions in Early Bipolar Disorder. Frontiers in Psychiatry, 2019, 10, 140.	2.6	32
488	Prevalence of mental disorders in China: a cross-sectional epidemiological study. Lancet Psychiatry,the, 2019, 6, 211-224.	7.4	1,273
489	Prevalence of mental disorders in China. Lancet Psychiatry,the, 2019, 6, 188-189.	7.4	2
490	Responsibility and Sustainability in Brain Science, Technology, and Neuroethics in China—a Culture-Oriented Perspective. Neuron, 2019, 101, 375-379.	8.1	9
491	Evaluating China's mental health policy on local-level promotion and implementation: a case st Liuyang Municipality. BMC Public Health, 2019, 19, 24.	udy of 2.9	13
492	Cost-effectiveness of olanzapine in the first-line treatment of schizophrenia in China. Journal of Medical Economics, 2019, 22, 439-446.	2.1	12
493	The burden, support and needs of primary family caregivers of people experiencing schizophrenia ir Beijing communities: a qualitative study. BMC Psychiatry, 2019, 19, 75.	n 2.6	76
494	Regionally selective knockdown of astroglial glutamate transporters in infralimbic cortex induces a depressive phenotype in mice. Glia, 2019, 67, 1122-1137.	4.9	36
495	Switching to paliperidone extended release in patients with schizophrenia dissatisfied with previou olanzapine treatment. Medicine (United States), 2019, 98, e13688.	s 1.0	1
496	Subtypes of treatment-resistant depression determined by a latent class analysis in a Chinese clinic population. Journal of Affective Disorders, 2019, 249, 82-89.	cal 4.1	12
497	High rates of depression anxiety and suicidal ideation among inpatients in general hospital in China International Journal of Psychiatry in Clinical Practice, 2019, 23, 99-105.	a. 2.4	16

#	Article	IF	CITATIONS
498	Mental Disorders in Ethnic Community: A Prevalence Study from Thakali Community of Nepal. Indian Journal of Psychological Medicine, 2019, 41, 27-31.	1.5	0
499	What will the development of psychiatry in China be in 10 years?. Annals of General Psychiatry, 2019, 32, e100025.	3.1	6
500	Identifying and measuring the severity of somatic symptom disorder using the Self-reported Somatic Symptom Scale-China (SSS-CN): a research protocol for a diagnostic study. BMJ Open, 2019, 9, e024290.	1.9	7
501	What Drives Patients Affected by Depression to Share in Online Depression Communities? A Social Capital Perspective. Healthcare (Switzerland), 2019, 7, 133.	2.0	9
502	Treatment Rate for Major Depressive Disorder in China: a Meta-Analysis of Epidemiological Studies. Psychiatric Quarterly, 2019, 90, 883-895.	2.1	16
503	A healthy diet and physical activity are important to promote healthy ageing among older Chinese people. Journal of International Medical Research, 2019, 47, 6061-6081.	1.0	16
504	Help-seeking behaviors among Chinese people with mental disorders: a cross-sectional study. BMC Psychiatry, 2019, 19, 373.	2.6	27
505	The association between involuntary subordination and common mental disorders among men who have sex with men (MSM) in Shanghai, China. BMC Psychiatry, 2019, 19, 369.	2.6	4
506	Depressive Disorders: Mechanisms, Measurement and Management. Advances in Experimental Medicine and Biology, 2019, , .	1.6	6
507	Gender-specific prevalence and associated factors of major depressive disorder and generalized anxiety disorder in a Chinese rural population: the Henan rural cohort study. BMC Public Health, 2019, 19, 1744.	2.9	28
508	Why is the recognition rate of psychological distress under-estimated in general hospitals? A cross-sectional observational study in China. Medicine (United States), 2019, 98, e16274.	1.0	9
509	Identification of genes related to mental disorders by text mining. Medicine (United States), 2019, 98, e17504.	1.0	6
510	Prevalence of and factors associated with major depressive disorder among HIV-positive individuals in Guangdong, China. Journal of Affective Disorders, 2019, 246, 474-479.	4.1	2
511	A descriptive epidemiological study of disability prevalence attributed to neurotic disorders in China. Psychiatry Research, 2019, 272, 398-403.	3.3	3
512	Psychological distress in cancer patients in a large Chinese cross-sectional study. Journal of Affective Disorders, 2019, 245, 950-956.	4.1	25
513	Gender differences among homicide offenders with schizophrenia in Hunan Province, China. Psychiatry Research, 2019, 271, 124-130.	3.3	15
514	The Hidden Costs of Mental Depression: Implications on Social Trust and Life Satisfaction. Manchester School, 2019, 87, 259-296.	0.9	7
515	Understanding the public's profile of mental health literacy in China: a nationwide study. BMC Psychiatry, 2019, 19, 20.	2.6	67

#	Article	IF	CITATIONS
516	Factors of Mental Health Service Utilization by Community-Dwelling Adults in Shanghai, China. Community Mental Health Journal, 2019, 55, 161-167.	2.0	19
517	The impact of subchronic low-dose exposure to nonylphenol on depression-like behaviors in high-sucrose and high-fat diet induced rats. Toxicology, 2019, 414, 27-34.	4.2	14
518	Assertive Community Treatment in China – it is time for a made-in-China solution. Psychological Medicine, 2019, 49, 172-174.	4.5	2
519	Housing Determinants of Health in Urban China: A Structural Equation Modeling Analysis. Social Indicators Research, 2019, 143, 1245-1270.	2.7	14
520	The Efficacy and Mechanism of Online Positive Psychological Intervention (PPI) on Improving Well-Being Among Chinese University Students: A Pilot Study of the Best Possible Self (BPS) Intervention. Journal of Happiness Studies, 2019, 20, 2525-2550.	3.2	32
521	The Effect of Patient Education on Chinese Adolescent and Parental Beliefs About Counselors' Breaches of Confidentiality. Journal of Behavioral Health Services and Research, 2019, 46, 340-352.	1.4	4
522	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. Psychological Medicine, 2019, 49, 1990-1998.	4.5	59
523	Mutations of ARX and non-syndromic intellectual disability in Chinese population. Genes and Genomics, 2019, 41, 125-131.	1.4	2
524	Mental health service utilization and its associated social factors among elderly people with a mental disability in China: A national population-based survey. Scandinavian Journal of Public Health, 2019, 47, 215-220.	2.3	7
525	Suicide-related behaviours in schizophrenia in China: a comprehensive meta-analysis. Epidemiology and Psychiatric Sciences, 2019, 28, 290-299.	3.9	22
526	The prevalence and service utilisation associated with mental and substance use disorders in Lao People's Democratic Republic: findings from a cross-sectional survey. Epidemiology and Psychiatric Sciences, 2019, 28, 54-65.	3.9	4
527	Recognition of, and beliefs about, causes of mental disorders: A crossâ€sectional study of US and Chinese undergraduate nursing students. Australian Journal of Cancer Nursing, 2019, 21, 28-36.	1.6	4
528	Lessons and Challenges of Disaster Relief Work in Rural China. Journal of Humanistic Psychology, 2020, 60, 59-76.	2.1	3
529	Posttraumatic stress disorder after a first-ever intracerebral hemorrhage in the Chinese population: A pilot study. Applied Neuropsychology Adult, 2020, 27, 1-8.	1.2	16
530	Symptomatology differences of major depression in psychiatric versus general hospitals: A machine learning approach. Journal of Affective Disorders, 2020, 260, 349-360.	4.1	7
531	Voluntary and Involuntary Admissions for Severe Mental Illness in China: A Systematic Review and Meta-Analysis. Psychiatric Services, 2020, 71, 83-86.	2.0	4
532	Sleep quality among Chinese elderly people: A population-based study. Archives of Gerontology and Geriatrics, 2020, 87, 103968.	3.0	21
534	Social networks and mental health outcomes: Chinese rural–urban migrant experience. Journal of Population Economics, 2020, 33, 155-195.	5.6	23

#	Article	IF	CITATIONS
535	Prevalence and recognition of depressive disorders among Chinese older adults receiving primary care: A multi-center cross-sectional study. Journal of Affective Disorders, 2020, 260, 26-31.	4.1	50
536	Unmedicated patients with schizophrenia in economically underdeveloped areas of China. Asian Journal of Psychiatry, 2020, 47, 101865.	2.0	4
537	Prospective associations between depressive symptoms and cognitive functions in middle-aged and elderly Chinese adults. Journal of Affective Disorders, 2020, 263, 692-697.	4.1	37
538	Effects of biogenetic beliefs for schizophrenia on potential caregivers in China: Exploring the role of affiliate stigma. International Journal of Mental Health Nursing, 2020, 29, 161-170.	3.8	8
539	Family Functioning and Suicide Among the Elderly in Rural China. Journal of Nervous and Mental Disease, 2020, 208, 131-137.	1.0	3
540	Analyzing the genes and pathways related to major depressive disorder via a systems biology approach. Brain and Behavior, 2020, 10, e01502.	2.2	30
541	Hospitalization Pattern, Inpatient Service Utilization and Quality of Care in Patients With Alcohol Use Disorder: A Sequence Analysis of Discharge Medical Records. Alcohol and Alcoholism, 2020, 55, 179-186.	1.6	7
542	Prevalence of DSM-5 somatic symptom disorder in Chinese outpatients from general hospital care. General Hospital Psychiatry, 2020, 62, 63-71.	2.4	25
543	Psychiatric education in Greater China. International Review of Psychiatry, 2020, 32, 167-171.	2.8	2
544	Major depressive disorder in Chinese persons with speech disability: High rates of prevalence and perceived need for mental health care but extremely low rate of use of mental health services. Journal of Affective Disorders, 2020, 263, 25-30.	4.1	3
545	Astrocyte control of glutamatergic activity: Downstream effects on serotonergic function and emotional behavior. Neuropharmacology, 2020, 166, 107914.	4.1	47
546	Prevalence and correlates of bipolar disorder in the adult population of Hebei province, China. Journal of Affective Disorders, 2020, 263, 129-133.	4.1	4
548	Prevalence and socio-demographic correlates of major depressive disorder in older adults in Hebei province, China. Journal of Affective Disorders, 2020, 265, 590-594.	4.1	1
549	Relationship between depression, the family environment, and the coping styles of military recruits. Medicine (United States), 2020, 99, e22027.	1.0	3
550	Cognitive bias modification of interpretation training for Chinese undergraduates with depressive symptoms. Current Psychology, 2020, , 1.	2.8	1
551	Understanding and Addressing the Treatment Cap in Mental Healthcare: Economic Perspectives and Evidence From China. Inquiry (United States), 2020, 57, 004695802095056.	0.9	13
552	Prevalence of anxiety and depression symptoms, and association with epidemic-related factors during the epidemic period of COVID-19 among 123,768 workers in China: A large cross-sectional study. Journal of Affective Disorders, 2020, 277, 495-502.	4.1	28
553	Application of a classroom-based positive psychology education course for Chinese medical students to increase their psychological well-being: a pilot study. BMC Medical Education, 2020, 20, 323.	2.4	11

#	Article	IF	CITATIONS
554	Let Nature Take Its Course: Cultural Adaptation and Pilot Test of Taoist Cognitive Therapy for Chinese American Immigrants With Generalized Anxiety Disorder. Frontiers in Psychology, 2020, 11, 547852.	2.1	6
555	BDNF serum levels and cognitive improvement in drug-naive first episode patients with schizophrenia: A prospective 12-week longitudinal study. Psychoneuroendocrinology, 2020, 122, 104879.	2.7	17
556	Sex-specific association between peripheral superoxide dismutase, BDNF and cognitive impairment in drug-naive first episode patients with schizophrenia. Free Radical Biology and Medicine, 2020, 160, 887-893.	2.9	8
557	Associations of occupational stress with job burn-out, depression and hypertension in coal miners of Xinjiang, China: a cross-sectional study. BMJ Open, 2020, 10, e036087.	1.9	20
558	Brain functional abnormalities in the amygdala subregions is associated with anxious depression. Journal of Affective Disorders, 2020, 276, 653-659.	4.1	20
559	Psychological health, sleep quality, and coping styles to stress facing the COVID-19 in Wuhan, China. Translational Psychiatry, 2020, 10, 225.	4.8	265
560	The psychosis analysis in real-world on a cohort of large-scale patients with schizophrenia. BMC Medical Informatics and Decision Making, 2020, 20, 132.	3.0	4
561	Incidence of neuromyelitis optica spectrum disorder (NMOSD) in China: A national population-based study. The Lancet Regional Health - Western Pacific, 2020, 2, 100021.	2.9	27
562	Mental Health Literacy of Non-mental Health Nurses: A Mental Health Survey in Four General Hospitals in Hunan Province, China. Frontiers in Psychiatry, 2020, 11, 507969.	2.6	7
563	Associations of Residential Greenness with Depression and Anxiety in Rural Chinese Adults. Innovation(China), 2020, 1, 100054.	9.1	18
564	Aberrant amplitude low-frequency fluctuation (ALFF) and regional homogeneity (ReHo) in generalized anxiety disorder (GAD) and their roles in predicting treatment remission. Annals of Translational Medicine, 2020, 8, 1319-1319.	1.7	26
565	Intermittent theta burst stimulation (iTBS) combined with working memory training to improve cognitive function in schizophrenia: study protocol for a randomized controlled trial. Trials, 2020, 21, 683.	1.6	4
566	Efficacy of brief dynamic interpersonal therapy in patients with major depressive disorder: a prospective, multicenter randomized controlled trial protocol. Trials, 2020, 21, 673.	1.6	1
567	A Comparative Study of Online Depression Communities in China. International Journal of Environmental Research and Public Health, 2020, 17, 5023.	2.6	11
568	<p>Factors Influencing the Mental Health of Firefighters in Shantou City, China</p> . Psychology Research and Behavior Management, 2020, Volume 13, 529-536.	2.8	11
569	Is Mental Illness like Any Other Medical Illness? Causal Attributions, Supportive Communication and the Social Withdrawal Inclination of People with Chronic Mental Illnesses in China. Health Communication, 2021, 36, 1949-1960.	3.1	1
570	How does personal relative deprivation affect mental health among the older adults in China? Evidence from panel data analysis. Journal of Affective Disorders, 2020, 277, 612-619.	4.1	23
571	Reduction of hypoglycaemia, lifestyle modifications and psychological distress during lockdown following SARSâ€CoVâ€2 outbreak in type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2021, 37, e3404.	4.0	19

#	Article	IF	CITATIONS
573	Development of Chinese mental health first aid guidelines for psychosis: a Delphi expert consensus study. BMC Psychiatry, 2020, 20, 443.	2.6	8
574	Mental health problems, needs, and service use among people living within and outside Wuhan during the COVID-19 epidemic in China. Annals of Translational Medicine, 2020, 8, 1392-1392.	1.7	25
575	A randomized controlled trial on the comparative effectiveness of mindfulness-based cognitive therapy and health qigong-based cognitive therapy among Chinese people with depression and anxiety disorders. BMC Psychiatry, 2020, 20, 590.	2.6	12
576	Proxy reliability of the 12-item world health organization disability assessment schedule II among adult patients with mental disorders. Quality of Life Research, 2020, 29, 2219-2229.	3.1	7
577	Psychometric Properties of the Chinese Version of Short-Form Community Attitudes Toward Mentally Illness Scale in Medical Students and Primary Healthcare Workers. Frontiers in Psychiatry, 2020, 11, 337.	2.6	9
578	Interrelationships Between BDNF, Superoxide Dismutase, and Cognitive Impairment in Drug-Naive First-Episode Patients With Schizophrenia. Schizophrenia Bulletin, 2020, 46, 1498-1510.	4.3	42
579	Attitude toward and practice of using traditional Chinese medicine in psychiatry: A mixed study of forty-nine leading psychiatrists in China. European Journal of Integrative Medicine, 2020, 37, 101142.	1.7	1
580	What Causes Postpartum Depression and How to Cope with It: A Phenomenological Study of Mothers in China. Health Communication, 2021, 36, 1495-1504.	3.1	15
581	Association of insomnia disorder with sociodemographic factors and poor mental health in COVID-19 inpatients in China. Sleep Medicine, 2020, 75, 282-286.	1.6	44
582	Short-term effect of apparent temperature on daily emergency visits for mental and behavioral disorders in Beijing, China: A time-series study. Science of the Total Environment, 2020, 733, 139040.	8.0	32
583	Higher handgrip strength predicts a lower risk of depressive symptoms in rural Chinese populations. Journal of Affective Disorders, 2020, 269, 12-17.	4.1	14
584	Do neighborhood ties matter for residents' mental health in affordable housing: Evidence from Guangzhou, China. Cities, 2020, 100, 102666.	5.6	28
585	<p>Impact of Cognitive Symptoms on Health-Related Quality of Life and Work Productivity in Chinese Patients with Major Depressive Disorder: Results from the PROACT Study</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 749-759.	2.2	11
586	Care-seeking behavior and disclosure on self-reported mental health among young women in urban Shanghai, China. Health Psychology Open, 2020, 7, 205510291989738.	1.4	5
587	Plasma BDNF and TrkB mRNA in PBMCs Are Correlated With Anti-depressive Effects of 12-Weeks Supervised Exercise During Protracted Methamphetamine Abstinence. Frontiers in Molecular Neuroscience, 2020, 13, 20.	2.9	9
588	Relative economic status and mental health among Chinese adults: Evidence from the China health and retirement longitudinal study. Review of Development Economics, 2020, 24, 1312-1332.	1.9	3
589	Cultural adaptation of the mental health first aid guidelines for depression used in English-speaking countries for China: a Delphi expert consensus study. BMC Psychiatry, 2020, 20, 336.	2.6	15
590	Association Between Glutathione S-Transferase (GST) Polymorphisms and Schizophrenia in a Chinese Han Population. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 479-487.	2.2	13

	Сітат	CITATION REPORT	
#	Article	IF	CITATIONS
591	The History of Psychoanalysis in China. Psychoanalytic Inquiry, 2020, 40, 3-15.	0.1	10
592	Depressive costs: medical expenditures on depression and depressive symptoms among rural elderly in China. Public Health, 2020, 181, 141-150.	2.9	26
593	Association of Depression With All-Cause and Cardiovascular Disease Mortality Among Adults in China. JAMA Network Open, 2020, 3, e1921043.	5.9	143
594	The awareness rate of mental health knowledge Among Chinese adolescent. Medicine (United States), 2020, 99, e19148.	1.0	15
595	Decreased Density of Perineuronal Net in Prelimbic Cortex Is Linked to Depressive-Like Behavior in Young-Aged Rats. Frontiers in Molecular Neuroscience, 2020, 13, 4.	2.9	24
596	Anxiety and Depression Associated with Anal Sexual Practices among HIV-Negative Men Who Have Sex with Men in Western China. International Journal of Environmental Research and Public Health, 2020, 17, 464.	2.6	13
597	Evaluation of childhood traumatic experience as a risk factor for alcohol use disorder in adulthood. BMC Psychiatry, 2020, 20, 15.	2.6	8
598	High Psychiatric Morbidity and Comorbidity Among Female Prisoners in Hunan, China. Frontiers in Psychiatry, 2020, 11, 271.	2.6	3
599	Confirming diagnostic categories within a depression continuum: Testing extra-linearity of risk factors and a latent class analysis. Journal of Affective Disorders, 2021, 279, 183-190.	4.1	5
600	Effect of emerging pollutant fluoxetine on the excess sludge anaerobic digestion. Science of the Total Environment, 2021, 752, 141932.	8.0	94
601	The Emerging Role of Police in Facilitating Psychiatric Evaluation Since the 2013 Implementation of the First Chinese Mental Health Law. Administration and Policy in Mental Health and Mental Health Services Research, 2021, 48, 579-585.	2.1	0
602	The prevalence of depressive symptoms and its determinants among adults in mainland China: Results from a national household survey. Journal of Affective Disorders, 2021, 281, 220-227.	4.1	27
603	Abnormal functional connectivity based on nodes of the default mode network in first-episode drug-naive early-onset schizophrenia. Psychiatry Research, 2021, 295, 113578.	3.3	10
604	Impact of house price growth on mental health: Evidence from China. SSM - Population Health, 2021, 13, 100696.	2.7	9
605	The association between anxiety and esophageal cancer: A nationwide populationâ€based study. Psycho-Oncology, 2021, 30, 321-330.	2.3	4
606	Associations between different types and sources of dietary fibre intake and depressive symptoms in a general population of adults: a cross-sectional study. British Journal of Nutrition, 2021, 125, 1281-1290.	2.3	7
607	Depressive symptoms and health service utilization among Chinese middle-aged and older adults: a national population-based longitudinal survey. International Journal of Mental Health Systems, 2021, 15, 2.	2.7	10
608	Pollution and the Decline in Human Cognition: Evidence from China. SSRN Electronic Journal, 0, , .	0.4	0

	CITATION	CITATION REPORT	
# 609	ARTICLE Implementing Measurement-Based Care for Depression: Practical Solutions for Psychiatrists and Primary Care Physicians. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 79-90.	IF 2.2	CITATIONS 27
610	Global estimates of service coverage for severe mental disorders: findings from the WHO Mental Health Atlas 2017. Global Mental Health (Cambridge, England), 2021, 8, e27.	2.5	24
611	Psychiatry and Mental Health in Post-reform China. International and Cultural Psychology Series, 2021, , 57-68.	0.2	1
612	Effect of fluoxetine on enhanced biological phosphorus removal using a sequencing batch reactor. Bioresource Technology, 2021, 320, 124396.	9.6	57
613	Mental Health Policy, System, and Services in China. , 2021, , 1-14.		0
614	The Combined Impact of Gender and Age on Post-traumatic Stress Symptoms, Depression, and Insomnia During COVID-19 Outbreak in China. Frontiers in Public Health, 2020, 8, 620023.	2.7	33
615	Metacognitive training: a useful complement to community-based rehabilitation for schizophrenia patients in China. BMC Psychiatry, 2021, 21, 38.	2.6	8
616	The Epidemiology of Depressive Disorders and Service Use in China: Findings from the China Mental Health Survey. SSRN Electronic Journal, 0, , .	0.4	0
617	Lasting effects of residential mobility during childhood on psychopathology among Chinese University students. BMC Psychiatry, 2021, 21, 45.	2.6	4
618	The relationship between 2019-nCoV and psychological distress among parents of children with autism spectrum disorder. Globalization and Health, 2021, 17, 23.	4.9	45
619	Depression and Anxiety-Free Life Expectancy by Sex and Urban–Rural Areas in Jiangxi, China in 2013 and 2018. International Journal of Environmental Research and Public Health, 2021, 18, 1991.	2.6	6
621	Resources and Workforce in Top-Tier Psychiatric Hospitals in China: A Nationwide Survey. Frontiers in Psychiatry, 2021, 12, 573333.	2.6	19
622	COVID-19 associated anxiety enhances tinnitus. PLoS ONE, 2021, 16, e0246328.	2.5	11
623	Sex-specific Association of Antipsychotic-induced Weight Gain and Treatment Response for Antipsychotic-Naive First Episode Schizophrenia Patients: A Prospective 8-week Longitudinal Study. Pharmacopsychiatry, 2021, 54, 68-74.	3.3	6
624	Mental health-related stigma and attitudes toward patient care among providers of mental health services in a rural Chinese county. International Journal of Social Psychiatry, 2022, 68, 610-618.	3.1	10
625	How Do Urban Environments Affect Young People's Mental Health? A Novel Conceptual Framework to Bridge Public Health, Planning, and Neurourbanism. Public Health Reports, 2022, 137, 48-61.	2.5	27
626	Mental Health Literacy from the Perspective of Multi-Field Experts in the Context of Chinese Culture. International Journal of Environmental Research and Public Health, 2021, 18, 1387.	2.6	4
627	Disturbances of affective cognition in mood disorders. Science China Life Sciences, 2021, 64, 938-941.	4.9	3

#	Article	IF	CITATIONS
628	Does mandatory air quality information disclosure raise happiness? Evidence from China. Energy Economics, 2021, 94, 105094.	12.1	28
629	Sleep quality as a mediator of the association between coping styles and mental health: a population-based ten-year comparative study in a Chinese population. Journal of Affective Disorders, 2021, 283, 147-155.	4.1	8
630	Psychiatric-mental health education with integrated role-play and real-world contact can reduce the stigma of nursing students towards people with mental illness. Nurse Education in Practice, 2021, 52, 103009.	2.6	7
631	Prevalence of mental disorders in 21st century Shandong Province, China: A ten-year comparative study. Journal of Affective Disorders, 2021, 283, 344-353.	4.1	11
632	Lower Health Literacy of Mania Than Depression Among Older People: A Random Survey of a Community Healthcare Service Center. Frontiers in Psychiatry, 2021, 12, 512689.	2.6	2
633	Association between socioeconomic welfare and depression among older adults: Evidence from the China health and Retirement Longitudinal Study. Social Science and Medicine, 2021, 275, 113814.	3.8	21
634	Knowledge and Attitude of Pharmacy Students toward People with Mental Illnesses and Help-Seeking: A Cross-Sectional Study from Saudi Arabia. Pharmacy (Basel, Switzerland), 2021, 9, 82.	1.6	4
635	The power of informal institutions: The impact of clan culture on the depression of the elderly in rural China. Journal of Integrative Agriculture, 2021, 20, 1107-1118.	3.5	8
636	Using Stakeholder Perceptions to Inform Future Efforts to Implement Mental Health First Aid Training in China: A Qualitative Study. Frontiers in Psychiatry, 2021, 12, 557282.	2.6	4
637	The consumption of wholegrain is related to depressive symptoms among Chinese adults: a cross-sectional study. European Journal of Clinical Nutrition, 2022, 76, 126-133.	2.9	4
638	Excess mortality among patients with severe mental disorders and effects of community-based mental healthcare: a community-based prospective study in Sichuan, China. BJPsych Open, 2021, 7, e84.	0.7	7
639	The Value of Chinese Version GAD-7 and PHQ-9 to Screen Anxiety and Depression in Chinese Outpatients with Atypical Chest Pain. Therapeutics and Clinical Risk Management, 2021, Volume 17, 423-431.	2.0	19
640	Prevalence and influencing factors of anxiety and depression symptoms among the first-line medical staff in Wuhan mobile cabin hospital during the COVID-19 epidemic. Medicine (United States), 2021, 100, e25945.	1.0	14
641	Prevalence of mental disorders in school children and adolescents in China: diagnostic data from detailed clinical assessments of 17,524 individuals. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 34-46.	5.2	131
642	Psychological Burden among Community-dwelling Older Adults with and without a History of a Recent Covid-19 Infection. Clinical Gerontologist, 2022, 45, 120-129.	2.2	7
643	Prevalence and factors associated with depressive and anxiety symptoms in a Chinese population with and without cardiovascular diseases. Journal of Affective Disorders, 2021, 286, 241-247.	4.1	13
644	Interrelationships Between Oxidative Stress, Cytokines, and Psychotic Symptoms and Executive Functions in Patients With Chronic Schizophrenia. Psychosomatic Medicine, 2021, 83, 485-491.	2.0	16
645	Prevalence of Major Depressive Disorder Among Adults in China: A Systematic Review and Meta-Analysis. Frontiers in Psychiatry, 2021, 12, 659470.	2.6	13

#	Article	IF	CITATIONS
646	Possible posttraumatic stress disorder in Chinese frontline healthcare workers who survived COVID-19 6 months after the COVID-19 outbreak: prevalence, correlates, and symptoms. Translational Psychiatry, 2021, 11, 374.	4.8	17
647	Therapeutic Targets and Mechanism of Xingpi Jieyu Decoction in Depression: A Network Pharmacology Study. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-15.	1.2	3
648	Incidence trends of major depressive disorder in China: an age-period-cohort modeling study. Journal of Affective Disorders, 2021, 288, 10-16.	4.1	9
649	The psychological impact on patients with memory disorders and their caregivers during COVID-19. Aging Clinical and Experimental Research, 2021, 33, 2317-2325.	2.9	6
650	Effect of long working hours and insomnia on depressive symptoms among employees of Chinese internet companies. BMC Public Health, 2021, 21, 1408.	2.9	8
651	Does psychological distress influence postoperative satisfaction and outcomes in patients undergoing total knee arthroplasty? A prospective cohort study. BMC Musculoskeletal Disorders, 2021, 22, 647.	1.9	14
652	Psychiatric disorders in China: strengths and challenges of contemporary research and clinical services. Psychological Medicine, 2021, 51, 1978-1991.	4.5	6
653	Crossmodal Audiovisual Emotional Integration in Depression: An Event-Related Potential Study. Frontiers in Psychiatry, 2021, 12, 694665.	2.6	4
654	Public stigma on substance users in China. Journal of Substance Use, 2022, 27, 398-403.	0.7	3
655	Correlates of transitions from alcohol use to disorder diagnosed by DSM-5 in China. BMC Psychiatry, 2021, 21, 427.	2.6	2
656	Sex ratios and mental health: Evidence from China. Economics and Human Biology, 2021, 42, 101014.	1.7	3
657	Assessing the mediating role of impulsivity between methamphetamine-induced psychotic disorders and increased gambling severity in methamphetamine-dependent individuals. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 1109-1117.	3.2	4
658	Patterns of mental health problems before and after easing COVID-19 restrictions: Evidence from a 105248-subject survey in general population in China. PLoS ONE, 2021, 16, e0255251.	2.5	7
659	Using mobile apps in social work behavioral health care service: The case for China. International Social Work, 2021, 64, 689-701.	1.6	1
660	Prevalence of depressive symptoms and its related factors among China's older adults in 2016. Journal of Affective Disorders, 2021, 292, 95-101.	4.1	18
661	The Sichuan Mental Health Survey: Methodology. Frontiers in Psychiatry, 2021, 12, 645355.	2.6	0
662	Clubhouse Model of Psychiatric Rehabilitation in China to Promote Recovery of People With Schizophrenia: A Systematic Review and Meta-Analysis. Frontiers in Psychiatry, 2021, 12, 730552.	2.6	4
663	Prevalence of depressive disorders and treatment in China: a cross-sectional epidemiological study. Lancet Psychiatry,the, 2021, 8, 981-990.	7.4	264

#	Article	IF	CITATIONS
664	The association between BDNF levels and risperidone-induced weight gain is dependent on the BDNF Val66Met polymorphism in antipsychotic-naive first episode schizophrenia patients: a 12-week prospective study. Translational Psychiatry, 2021, 11, 458.	4.8	4
666	Antioxidant Enzymes and Weight Gain in Drug-naive First-episode Schizophrenia Patients Treated with Risperidone for 12 Weeks: A Prospective Longitudinal Study. Current Neuropharmacology, 2022, 20, 1774-1782.	2.9	11
667	Prevalence of schizophrenia and its association with socio-demographic correlates in an agricultural region of China. Asian Journal of Psychiatry, 2021, 64, 102743.	2.0	7
668	Association between the improvement in depressive symptoms and serum BDNF levels in drug-naive first episode patients with schizophrenia: A longitudinal follow-up. Psychoneuroendocrinology, 2021, 133, 105392.	2.7	8
669	Prodromal symptoms of Chinese patients with bipolar disorder. Journal of Affective Disorders, 2021, 294, 908-915.	4.1	2
670	Energy poverty and subjective well-being in China: New evidence from the China Family Panel Studies. Energy Economics, 2021, 103, 105548.	12.1	61
671	Gender disparities and depressive symptoms over the life course and across cohorts in China. Journal of Affective Disorders, 2021, 295, 620-627.	4.1	12
673	An East–West Approach to Mind–Body Health of Chinese Elderly. , 2012, , 169-186.		1
674	Unhappiness as an Engine of Economic Growth. , 2019, , 271-301.		4
675	Global Mental Health and Psychiatry Education. , 2019, , 1-14.		3
676	A Cross-Country Comparison of Sociodemographic Correlates of Depression in the WHO Study of Global Aging and Adult Health (SAGE). , 2013, , 45-60.		4
677	Migration and Urban Mental Health in China. , 2016, , 1-16.		2
678	Urban-Rural Differences in Major Mental Health Conditions. Mental Health and Illness Worldwide, 2016, , 1-106.	0.1	4
679	Urban-Rural Differences in Major Mental Health Conditions. Mental Health and Illness Worldwide, 2017, , 27-132.	0.1	12
680	Advance in Diagnosis of Depressive Disorder. Advances in Experimental Medicine and Biology, 2019, 1180, 179-191.	1.6	4
681	Assessing Suicide Attempts and Depression Among Chinese Speakers Over the Internet. Crisis, 2014, 35, 322-329.	1.2	17
682	Interventions to improve adherence to psychotropic medication in clients of Asian descent: A systematic review Asian American Journal of Psychology, 2014, 5, 22-34.	1.2	9
683	Are expectations for community mental health increasing among older adults in China?. Psychological Services, 2017, 14, 397-402.	1.5	1

#	Article	IF	CITATIONS
684	Individualizing mental health responsibilities on Sina Weibo: a content analysis of depression framing by media organizations and mental health institutions. Journal of Communication in Healthcare, 2021, 14, 163-175.	1.5	7
685	Assessment of Distress, Disorder, Impairment, and Need in the Population. , 2012, , 60-88.		1
686	Psychotherapy for depression in college students. Medicine (United States), 2020, 99, e22344.	1.0	1
688	Treatment of major depressive disorders with generic duloxetine and paroxetine: a multi-centered, double-blind, double-dummy, randomized controlled clinical trial. Shanghai Archives of Psychiatry, 2015, 27, 228-36.	0.7	2
689	Atypical Features and Bipolar Disorder. Shanghai Archives of Psychiatry, 2016, 28, 166-168.	0.7	1
690	A Study of the Characteristics of Alexithymia and Emotion Regulation in Patients with Depression. Shanghai Archives of Psychiatry, 2017, 29, 95-103.	0.7	8
691	Integrating mental health into primary care: the policy maker's perspective and experience in China. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2010, 7, 3-5.	0.1	2
692	Amplitude of Low-Frequency Oscillations in First-Episode, Treatment-Naive Patients with Major Depressive Disorder: A Resting-State Functional MRI Study. PLoS ONE, 2012, 7, e48658.	2.5	157
693	Elevated 12-Month and Lifetime Prevalence and Comorbidity Rates of Mood, Anxiety, and Alcohol Use Disorders in Chinese Men Who Have Sex with Men. PLoS ONE, 2013, 8, e50762.	2.5	29
694	Epidemiology of Major Depressive Disorder in Mainland China: A Systematic Review. PLoS ONE, 2013, 8, e65356.	2.5	141
695	The Epidemiological Modelling of Major Depressive Disorder: Application for the Global Burden of Disease Study 2010. PLoS ONE, 2013, 8, e69637.	2.5	242
696	Waist-to-Hip Ratio, Dyslipidemia, Glycemic Levels, Blood Pressure and Depressive Symptoms among Diabetic and Non-Diabetic Chinese Women: A Cross-Sectional Study. PLoS ONE, 2014, 9, e109765.	2.5	13
697	Association between Serum Ferritin Concentrations and Depressive Symptoms among Chinese Adults: A Population Study from the Tianjin Chronic Low-Grade Systemic Inflammation and Health (TCLSIHealth) Cohort Study. PLoS ONE, 2016, 11, e0162682.	2.5	9
698	Mental health literacy survey of non-mental health professionals in six general hospitals in Hunan Province of China. PLoS ONE, 2017, 12, e0180327.	2.5	35
699	Firefighters, posttraumatic stress disorder, and barriers to treatment: Results from a nationwide total population survey. PLoS ONE, 2018, 13, e0190630.	2.5	48
700	Depression, Anxiety, and Cardiovascular Disease in Chinese: A Review for a Bigger Picture. Cardiovascular Innovations and Applications, 2017, 2, .	0.3	1
701	The Effects of Family, Community, and Public Policy on Depressive Symptoms among Elderly Chinese. Journal of Sociology and Social Work, 2014, 2, .	0.2	9
702	Mental health resources and awareness of anxiety and depressive disorders in general hospitals in China. Revista De Psiquiatria Clinica, 2019, 46, 107-112.	0.6	1

#	Article	IF	CITATIONS
703	Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. , 2016, , 29-40.		16
704	Revisión crÃŧica de las fuentes de variabilidad en la medición de la prevalencia de esquizofrenia. Salud Mental, 2014, 37, 127.	0.3	9
705	The Elderly and the City: Lack of Knowledge on Violence Perception and Consequences on Daily Life. Clinical Practice and Epidemiology in Mental Health, 2018, 14, 46-52.	1.2	3
706	Mobile Mental Health Apps in China: Systematic App Store Search. Journal of Medical Internet Research, 2020, 22, e14915.	4.3	18
707	Barriers to Professional Mental Health Help-Seeking Among Chinese Adults: A Systematic Review. Frontiers in Psychiatry, 2020, 11, 442.	2.6	68
708	Trends in the major causes of death in China, 1982-2010. Chinese Medical Journal, 2014, 127, 777-781.	2.3	2
709	Significance of the 686 Program for China and for global mental health. Shanghai Archives of Psychiatry, 2012, 24, 175-7.	0.7	41
710	Matched case-control study of medically serious attempted suicides in rural China. Shanghai Archives of Psychiatry, 2013, 25, 22-31.	0.7	10
711	Relationship of hypothalamus-pituitary-adrenal (HPA) axis function and suicidal behavior in patients with depression. Shanghai Archives of Psychiatry, 2013, 25, 32-9.	0.7	4
712	Prevalence of eating disorders in the general population: a systematic review. Shanghai Archives of Psychiatry, 2013, 25, 212-23.	0.7	81
713	Mental health literacy among residents in Shanghai. Shanghai Archives of Psychiatry, 2013, 25, 224-35.	0.7	40
714	Number and characteristics of medical professionals working in Chinese mental health facilities. Shanghai Archives of Psychiatry, 2013, 25, 277-85.	0.7	39
715	Comorbidity of depressive and anxiety disorders: challenges in diagnosis and assessment. Shanghai Archives of Psychiatry, 2014, 26, 227-31.	0.7	53
716	Prevalence and Prescription of Antidepressants in Depression with Somatic Comorbidity in Asia. Chinese Medical Journal, 2015, 128, 853-858.	2.3	8
717	A study of anxiety and depression in benign breast disease. Journal of Mid-Life Health, 2020, 11, 200.	0.6	6
718	Long noncoding RNAs: New evidence for overlapped pathogenesis between major depressive disorder and generalized anxiety disorder. Indian Journal of Psychiatry, 2017, 59, 83.	0.7	8
719	Prevalence and correlates of psychological distress among diabetes mellitus adults in the Jilin province in China: a cross-sectional study. PeerJ, 2017, 5, e2869.	2.0	13
720	Exploring the Online Behavior of Users of Online Depression-Focused Communities: Comparing Communities with Different Management Types. Psychology Research and Behavior Management, 2021, Volume 14, 1707-1724.	2.8	2

#	Article	IF	CITATIONS
721	Impact of urban birth and upbringing on expression of psychosis in a Chinese undergraduate population. BMC Psychiatry, 2021, 21, 493.	2.6	5
722	Superoxide Dismutase, BDNF, and Cognitive Improvement in Drug-Naive First-Episode Patients With Schizophrenia: A 12-Week Longitudinal Study. International Journal of Neuropsychopharmacology, 2022, 25, 128-135.	2.1	7
723	Exploring the Relationship Between Anxiety, Depression, and Sleep Disturbance Among HIV Patients in China From a Network Perspective. Frontiers in Psychiatry, 2021, 12, 764246.	2.6	7
725	Lifetime and 1-Month Prevalence of Mental Disorders in Hebei Province, China: A Community-Based Cross-Sectional Study. Frontiers in Public Health, 2021, 9, 759160.	2.7	2
726	Associations between depressive symptoms, anxiety symptoms, their comorbidity and health-related quality of life: a large-scale cross-sectional study. BMC Public Health, 2021, 21, 1911.	2.9	9
727	Genetic polymorphisms of BDNF on cognitive functions in drug-naive first episode patients with schizophrenia. Scientific Reports, 2021, 11, 20057.	3.3	7
728	Comorbidity and Treatment in Older Psychiatric In-patients—A Retrospective Study in a Chinese Psychiatric Hospital. Frontiers in Psychiatry, 2021, 12, 722329.	2.6	1
729	Psychiatry: Mental disorders in China. Nature China, 2009, , .	0.0	0
731	Epidemiology in Community Psychiatry. , 2012, , 21-36.		0
732	Risk Assessment of Mentally III Patients are Urgently Needed in China. Journal of Forensics Research, 2014, 05, .	0.1	0
733	Students' Perceptions of School Counselors: An Investigation of Two High Schools in Beijing, China. The Professional Counselor, 2014, 4, 519-530.	0.7	5
734	Health System in China. Health Services Research, 2015, , 1-29.	0.2	0
735	Deinstitutionalisation in Low and Middle Income Countries. , 2015, , 42-46.		0
736	Urbanization, Population Health, and Policy Reforms. , 2016, , 337-364.		0
737	China's Mental Health Law: Analysis of Core Concepts of Human Rights and Inclusion of Vulnerable Groups. Disability, CBR and Inclusive Development, 2020, 26, 117.	0.3	1
739	Healthcare, Inequality, and Epidemiologic Transition: Example of China. , 2017, , 1-20.		0
740	Migration and Urban Mental Health in China. Mental Health and Illness Worldwide, 2017, , 283-298.	0.1	0
741	Rural-Urban Disparities in the Utilization of Mental Health Inpatient Services in China: The Role of Health Insurance. SSRN Electronic Journal, 0, , .	0.4	1

#	Article	IF	CITATIONS
742	Chinaâ $€$ ™s Role in the Biological Psychiatry Research. , 2019, , 1-18.		0
743	Association Between Depression, Socioeconomic Factors and Dietary Intake in Married Women, Bandar Abbas, Iran. Hormozgan Medical Journal, 2019, In Press, .	0.1	0
744	Advances in the Application of Non-Invasive Brain Stimulation in the Treatment of Depression. Advances in Psychology, 2019, 09, 293-300.	0.1	1
745	Bipolar Disorders in Chinese Culture: From a Perspective of Harmony. , 2019, , 145-165.		0
747	Cultural Psychiatry and the Implementation of Transcultural Psychotherapy in China. , 2020, , 293-303.		0
751	Salivary cortisol concentrations in police officers – a cross-sectional study in Beijing, China. Bioscience Reports, 2020, 40, .	2.4	1
752	Mental Health Policy, System, and Services in China. , 2021, , 331-344.		0
753	Antidepressant use and expenditure in the treatment of patients with depression: Evidence from China urban medical claims data. Journal of Affective Disorders, 2022, 296, 603-608.	4.1	7
755	Medicalization of Depression by the Production-Government-Academia-Media Complex. , 2020, , 139-149.		0
756	Neuropsychopharmacotherapy and the Differential Diagnostic Approaches in China. , 2020, , 1-12.		0
757	Chinaâ $€$ ™s Role in the Biological Psychiatry Research. , 2021, , 1231-1248.		0
758	The Impacts of Depression and Chronic Diseases on the Health of Older Adults in China: Evidence in a System Equations Framework. Chinese Economy, 0, , 1-26.	2.0	1
759	The Patient Health Questionnaire-9 vs. the Hamilton Rating Scale for Depression in Assessing Major Depressive Disorder. Frontiers in Psychiatry, 2021, 12, 747139.	2.6	23
760	Dementia care in rural China. Mental Health in Family Medicine, 2013, 10, 133-41.	0.2	13
761	Efficacy and safety of generic escitalopram versus Lexapro in the treatment of major depression: a multicenter double-blinded randomized controlled trial. Shanghai Archives of Psychiatry, 2013, 25, 107-15.	0.7	3
762	Neuroimaging studies of depressive disorders in China since 2000. Shanghai Archives of Psychiatry, 2014, 26, 113-8.	0.7	0
763	The proposed national mental health law in China: a landmark document for the protection of psychiatric patients' civil rights. Shanghai Archives of Psychiatry, 2012, 24, 48-9.	0.7	3
764	Strategic Mental Health Planning and its Practice in China: Retrospect and Prospect. Shanghai Archives of Psychiatry, 2017, 29, 115-119.	0.7	6

#	Article	IF	CITATIONS
765	Integrating mental health into primary care: the policy maker's perspective and experience in China. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2010, 7, 3-5.	0.1	1
766	Associations between expression of indoleamine 2, 3-dioxygenase enzyme and inflammatory cytokines in patients with first-episode drug-naive Schizophrenia. Translational Psychiatry, 2021, 11, 595.	4.8	10
767	COVID-19 Vaccine Uptake, Acceptance, and Hesitancy Among Persons With Mental Disorders During the Second Stage of China's Nationwide Vaccine Rollout. Frontiers in Medicine, 2021, 8, 761601.	2.6	12
768	The Effectiveness of a Community Psychiatric Rehabilitation Program Led by Laypeople in China: A Randomized Controlled Pilot Study. Frontiers in Psychiatry, 2021, 12, 671217.	2.6	2
769	Burnout and job satisfaction of psychiatrists in China: a nationwide survey. BMC Psychiatry, 2021, 21, 593.	2.6	20
770	Emotional Contagion in the Online Depression Community. Healthcare (Switzerland), 2021, 9, 1609.	2.0	4
771	Anxiety and Depression Status and Influencing Factors of MSM in the Post-COVID-19 Epidemic Period: A Cross-Sectional Study in Western China. American Journal of Men's Health, 2021, 15, 155798832110577.	1.6	6
772	Workplace Violence, Workforce Stability, and Well-being in China's Psychiatric Hospitals. American Journal of Preventive Medicine, 2022, 62, e265-e273.	3.0	14
773	Global Mental Health and Psychiatry Education. , 2021, , 619-632.		0
774	The state of mental health care in China. Asian Journal of Psychiatry, 2022, 69, 102975.	2.0	24
774	The state of mental health care in China. Asian Journal of Psychiatry, 2022, 69, 102975. Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese adults. Science of the Total Environment, 2022, 811, 152256.	2.0 8.0	24 24
	Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese		
775	Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese adults. Science of the Total Environment, 2022, 811, 152256. Prevalence and clinical characteristics of COVID-19 in inpatients with schizophrenia in Wuhan, China.	8.0	24
775 776	Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese adults. Science of the Total Environment, 2022, 811, 152256. Prevalence and clinical characteristics of COVID-19 in inpatients with schizophrenia in Wuhan, China. World Journal of Psychiatry, 2022, 12, 140-150. Serial indirect effects of psychosocial causal beliefs and stigma on help-seeking preferences for	8.0 2.7	24 3
775 776 777	Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese adults. Science of the Total Environment, 2022, 811, 152256. Prevalence and clinical characteristics of COVID-19 in inpatients with schizophrenia in Wuhan, China. World Journal of Psychiatry, 2022, 12, 140-150. Serial indirect effects of psychosocial causal beliefs and stigma on help-seeking preferences for depression. Current Psychology, 0, , 1. Development and initial validation of the mental health literacy questionnaire for chinese adults.	8.0 2.7 2.8	24 3 0
775 776 777 778	Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese adults. Science of the Total Environment, 2022, 811, 152256. Prevalence and clinical characteristics of COVID-19 in inpatients with schizophrenia in Wuhan, China. World Journal of Psychiatry, 2022, 12, 140-150. Serial indirect effects of psychosocial causal beliefs and stigma on help-seeking preferences for depression. Current Psychology, 0, , 1. Development and initial validation of the mental health literacy questionnaire for chinese adults. Current Psychology, 2023, 42, 8425-8440. Analysis of work willingness and its influencing factors of mental illness prevention and control personnel of grassroots institutions in China: a cross-sectional study. Transactions of the Royal	8.0 2.7 2.8 2.8	24 3 0 2
775 776 777 778 779	Association of using biomass fuel for cooking with depression and anxiety symptoms in older Chinese adults. Science of the Total Environment, 2022, 811, 152256.         Prevalence and clinical characteristics of COVID-19 in inpatients with schizophrenia in Wuhan, China. World Journal of Psychiatry, 2022, 12, 140-150.         Serial indirect effects of psychosocial causal beliefs and stigma on help-seeking preferences for depression. Current Psychology, 0, , 1.         Development and initial validation of the mental health literacy questionnaire for chinese adults. Current Psychology, 2023, 42, 8425-8440.         Analysis of work willingness and its influencing factors of mental illness prevention and control personnel of grassroots institutions in China: a cross-sectional study. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2022, 116, 807-813.	8.0 2.7 2.8 2.8 1.8	24 3 0 2 1

#	Article	IF	CITATIONS
784	Attitudes Toward Psychiatry Among Medical Students With a Psychiatric Major at Chongqing Medical University. Frontiers in Psychiatry, 2022, 13, 820060.	2.6	3
785	A brief review of applied psychology in <scp>China</scp> . PsyCh Journal, 2022, 11, 126-131.	1.1	0
786	Determinants of never-treated status in rural versus urban contexts for individuals with schizophrenia in a population-based study in China. BMC Psychiatry, 2022, 22, 128.	2.6	2
787	Cumulative burden of psychiatric disorders and self-harm across 26 adult cancers. Nature Medicine, 2022, 28, 860-870.	30.7	24
788	Adjuvant electroconvulsive therapy with antipsychotics is associated with improvement in auditory mismatch negativity in schizophrenia. Psychiatry Research, 2022, 311, 114484.	3.3	1
789	Web-Based Single Session Intervention for Perceived Control Over Anxiety During COVID-19: Randomized Controlled Trial. JMIR Mental Health, 2022, 9, e33473.	3.3	7
790	Sustainable Solutions in Urban Health: Transdisciplinary Directions in Urban Planning for Global Public Health. World Sustainability Series, 2022, , 223-243.	0.4	4
792	Future Trends in Disability and Its Determinants Among Chinese Community Patients With Anxiety Disorders: Evidence From a 5-Year Follow-Up Study. Frontiers in Psychiatry, 2021, 12, 777236.	2.6	3
794	Alcohol use disorder and its association with quality of life and mortality in Chinese male adults: a population-based cohort study. BMC Public Health, 2022, 22, 789.	2.9	4
795	Prevalence and correlates of depressive and anxiety symptoms among adults in Guangdong Province of China: A population-based study. Journal of Affective Disorders, 2022, 308, 535-544.	4.1	10
796	Depressive and Anxiety Symptoms among Children and Adolescents in Rural China: A Large-Scale Epidemiological Study. International Journal of Environmental Research and Public Health, 2022, 19, 5026.	2.6	9
808	Association of Dietary Inflammatory Index (DII) and depression in the elderly over 55 years in Northern China: analysis of data from a multicentre, cohort study. BMJ Open, 2022, 12, e056019.	1.9	3
810	Disparity Management Outcomes for Patients with Severe Mental Disorders in Sichuan Province: A Preliminary Evaluation from the National Surveillance Dataset. Biomedical and Environmental Sciences, 2019, 32, 710-714.	0.2	0
814	Study on the Influencing Factors of College Students' Depression Based on Structural Equation Model. Advances in Education, 2022, 12, 1388-1397.	0.1	0
815	Following a Family Legacy: A Personal Journey. The American Journal of Psychiatry Residents' Journal, 2022, 17, 2-3.	0.3	0
816	Patients' and family members' experiences of psychiatric inpatient services in China: a comparison based on a dyadic design. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2119-2129.	3.1	3
817	Mental health help-seeking in China. Journal of Mental Health, 2022, , 1-8.	1.9	7
818	Brief Wellness Recovery Action Planning (WRAP <sup>®</sup> ) as a mental health self-management tool for community adults in Hong Kong: A randomized controlled trial. Journal of Mental Health, 2022, , 1-8.	1.9	1

#	Article	IF	CITATIONS
819	Non-rapid eye movement sleep and wake neurophysiology in schizophrenia. ELife, 2022, 11, .	6.0	9
820	Impact of training on primary care physicians' management of depression and anxiety disorders in rural China. International Journal of Social Psychiatry, 2023, 69, 388-395.	3.1	1
821	Screening Depressive Symptoms and Incident Major Depressive Disorder Among Chinese Community Residents Using a Mobile App–Based Integrated Mental Health Care Model: Cohort Study. Journal of Medical Internet Research, 2022, 24, e30907.	4.3	10
822	Prevalence of depressive disorders and associated demographic characteristics in Shandong: An epidemiological investigation. Journal of Affective Disorders, 2022, 311, 198-204.	4.1	6
823	Efficacy of the Integrative Acupuncture and Moxibustion Treatment in Patients With Major Depressive Disorder: The Study Protocol for a Multicenter, Single-Blinded, Randomized Trial in China. Frontiers in Medicine, 2022, 9, .	2.6	0
824	Ionizing Radiation Exposure due to Medical Imaging in Hematopoietic Stem Cell Transplant Recipients. İstanbul Medical Journal:, 2022, 23, 119-124.	0.1	0
825	Childcare burden and psychological distress among elderly people involved in grandparenting: A study on local and migrant grandparents in Hangzhou, China. Health and Social Care in the Community, 2022, 30, .	1.6	1
826	Examining public stigma of schizophrenia in China. China Journal of Social Work, 2023, 16, 189-206.	0.6	2
827	Preference of Virtual Reality Games in Psychological Pressure and Depression Treatment: A Discrete Choice Experiment (Preprint). JMIR Serious Games, 0, , .	3.1	0
828	Combining S100B and Cytokines as Neuro-Inflammatory Biomarkers for Diagnosing Generalized Anxiety Disorder: A Proof-of-Concept Study Based on Machine Learning. Frontiers in Psychiatry, 0, 13, .	2.6	6
829	Prevalence and Unmet Need for Mental Healthcare of Major Depressive Disorder in Community-Dwelling Chinese People Living With Vision Disability. Frontiers in Public Health, 0, 10, .	2.7	6
830	Association Between Depressive Symptoms and Serum Brain-Derived Neurotrophic Factor Levels in Patients With First-Episode and Drug-NaÃ <sup>-</sup> ve Schizophrenia. Frontiers in Psychiatry, 0, 13, .	2.6	0
831	Regional years of life lost, years lived with disability, and disability-adjusted life-years for severe mental disorders in Guangdong Province, China: a real-world longitudinal study. Global Health Research and Policy, 2022, 7, .	3.6	8
832	Would energy poverty affect the wellbeing of senior citizens? Evidence from China. Ecological Economics, 2022, 200, 107515.	5.7	14
833	Evaluating the Risk of Suicide and Violence in Severe Mental Illness: A Feasibility Study of Two Risk Assessment Tools (OxMIS and OxMIV) in General Psychiatric Settings. Frontiers in Psychiatry, 0, 13, .	2.6	2
834	Knowledge of mental health diagnosis among patients and their family members: an inpatient survey in China. Journal of Mental Health, 2023, 32, 234-240.	1.9	2
835	Cybervictimization, Mental Health literacy and depressive symptoms among College students: a cross-cultural investigation. Current Psychology, 2023, 42, 22745-22757.	2.8	3
836	Validation of the Patient Health Questionnaire-9 for Suicide Screening in Transgender Women. Transgender Health, 2023, 8, 450-456.	2.5	1

#	Article	IF	CITATIONS
837	Association between thyroid function and comorbid anxiety in first-episode and drug naÃ⁻ve patients with major depressive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2023, 273, 191-198.	3.2	8
838	Help-Seeking Behaviors and Related Factors in Chinese Patients With Major Depressive Disorder: A Community-Based Cross-Sectional Study. Frontiers in Psychiatry, 0, 13, .	2.6	3
839	Eliciting national and subnational sets of disability weights in mainland China: Findings from the Chinese disability weight measurement study. The Lancet Regional Health - Western Pacific, 2022, 26, 100520.	2.9	8
840	Development and validation of a nomogram for predicting the risk of mental health problems of factory workers and miners. BMJ Open, 2022, 12, e057102.	1.9	1
841	Teaching Child and Adolescent Psychoanalytic Psychotherapy in China. Psychoanalytic Study of the Child, 0, , 1-15.	0.3	0
843	Psychosocial factors associated with mental health and quality of life during the COVID-19 pandemic among low-income urban dwellers in Peninsular Malaysia. PLoS ONE, 2022, 17, e0264886.	2.5	5
844	Relative Safety and Efficacy of Two Doses of Tandospirone Citrate for Generalized Anxiety Disorder: A Multicenter Randomized Controlled Trial. Neuropsychiatric Disease and Treatment, 0, Volume 18, 1653-1664.	2.2	3
845	Associations of greenness surrounding schools and self-reported depressive and anxiety symptoms in Chinese adolescents. Journal of Affective Disorders, 2022, 318, 62-69.	4.1	3
846	Medical service utilisation and direct medical cost of depression: a cross-sectional analysis of urban medical claims data from China. BMJ Open, 2022, 12, e056422.	1.9	2
847	Association analysis of risk genes identified by SCHEMA with schizophrenia in the Chinese Han population. Psychiatric Genetics, 2022, 32, 188-193.	1.1	3
848	Community-Dwelling Older Adults' Intended Use of Different Types of Long-Term Care in China and Its Associated Factors Based on the Andersen Behavioral Model. International Journal of Environmental Research and Public Health, 2022, 19, 11626.	2.6	0
849	A multilevel model of the help-seeking behaviors among adolescents with mental health problems. Frontiers in Integrative Neuroscience, 0, 16, .	2.1	3
850	Trends in the utilization of psychotropic medications in China from 2018 to 2021. Frontiers in Pharmacology, 0, 13, .	3.5	3
851	Development of a Three-Stage Strength-Based Meaning Intervention to Promote Mental Health Among Individuals with Physical Disabilities in Disadvantaged Communities: A Randomized Controlled Trial. Journal of Happiness Studies, 0, , .	3.2	2
852	Depressive disorders in older Chinese adults with essential hypertension: A classification tree analysis. Frontiers in Cardiovascular Medicine, 0, 9, .	2.4	2
853	Anxiety symptoms in older Chinese adults in primary care settings: Prevalence and correlates. Frontiers in Public Health, 0, 10, .	2.7	10
854	Epidemiology in Community Psychiatry. , 2022, , 385-400.		0
855	Cognitive Behavioral Therapy in Mainland China. , 2022, , 143-158.		1

#	Article	IF	CITATIONS
856	Mental health resources and its equity in Central South of China: A case study of Hunan Province. PLoS ONE, 2022, 17, e0272073.	2.5	2
857	Spatial disparity and structural inequality in disability patterns across Tianjin municipality: A multiple deprivation perspective. Habitat International, 2022, 130, 102685.	5.8	6
858	Neuropsychopharmacotherapy and the Differential Diagnostic Approaches in China. , 2022, , 701-712.		0
859	The mental health of China and Pakistan, mental health laws and COVID-19 mental health policies: a comparative review. Annals of General Psychiatry, 2022, 35, e100885.	3.1	8
860	Associations of job satisfaction and burnout with psychological distress among Chinese nurses. Current Psychology, 2023, 42, 29161-29171.	2.8	4
861	Longitudinal health behaviour patterns among adults aged ≥50 years in China and their associations with trajectories of depressive symptoms. Aging and Mental Health, 2023, 27, 1843-1852.	2.8	2
862	Interaction of Depression and Unhealthy Diets on the Risk of Cardiovascular Diseases and All-Cause Mortality in the Chinese Population: A PURE Cohort Substudy. Nutrients, 2022, 14, 5172.	4.1	0
863	Stigma's Influence on Mental Health Treatment in China. , 2022, 4, .		0
864	Urbanicity and rates of untreated psychotic disorders in three diverse settings in the Global South. Psychological Medicine, 2023, 53, 6459-6467.	4.5	3
865	Long-term trends in the incidence of depressive disorders in China, the United States, India and globally: A comparative study from 1990 to 2019. Frontiers in Psychology, 0, 13, .	2.1	2
866	Mental health status of mental health nurses in China: Results from a national survey. Journal of Psychiatric and Mental Health Nursing, 2023, 30, 547-557.	2.1	3
867	A comparison of clinical characteristics of psychiatric inpatients in three hospitals from Western China and America. BMC Psychiatry, 2023, 23, .	2.6	0
868	Effect of the mHealth-supported Healthy Future programme delivered by community health workers on maternal and child health in rural China: study protocol for a cluster randomised controlled trial. BMJ Open, 2023, 13, e065403.	1.9	3
869	Psychological Status of Men Who Have Sex with Men during COVID-19: An Online Cross-Sectional Study in Western China. International Journal of Environmental Research and Public Health, 2023, 20, 1333.	2.6	2
870	The Short- and Long-Run Impacts of Air Pollution on Human Health: New Evidence from China. International Journal of Environmental Research and Public Health, 2023, 20, 2385.	2.6	0
871	Application of mindfulness-based cognitive therapy and health qigong–based cognitive therapy among Chinese people with mood disorders: A case study. , 2023, , 463-466.		0
872	Prevalence and patterns of major depressive disorder and subthreshold depressive symptoms in south China. Journal of Affective Disorders, 2023, 329, 131-140.	4.1	4
873	Application of mindfulness-based cognitive therapy and health qigong-based cognitive therapy among Chinese people with mood disorders. , 2023, , 321-329.		0

#	Article	IF	CITATIONS
874	Risk factors for mortality due to natural causes and suicide among people with severe mental illness in western China. Psychiatry Research, 2023, 322, 115108.	3.3	1
875	Associations between eHealth literacy, mental health-seeking attitude, and mental wellbeing among young electronic media users in China during the COVID-19 pandemic. Frontiers in Public Health, 0, 11, .	2.7	2
876	Training in psychosomatic medicine and psychotherapy for medical doctors in China: A field report. Frontiers in Medicine, 0, 10, .	2.6	0
877	Gender differences among long-stay inpatients with schizophrenia in China: A cross-sectional study. Heliyon, 2023, 9, e15719.	3.2	0
878	A social mechanism for healthcare consulting recommendation. Information Systems, 2023, , 102225.	3.6	1
879	Measuring the impact of a positive psychology course at a Thai university: Addressing student wellâ€being in challenging times. Psychology in the Schools, 0, , .	1.8	0
880	Brain-derived neurotrophic factor blood levels after electroconvulsive therapy in patients with mental disorders: A systematic review and meta-analysis. General Hospital Psychiatry, 2023, 83, 86-92.	2.4	1
881	Trends and burden in mental disorder death in China from 2009 to 2019: a nationwide longitudinal study. Frontiers in Psychiatry, 0, 14, .	2.6	2
883	Post-traumatic stress disorder and traumatic events in China: a nationally representative cross-sectional epidemiological study. Psychiatry Research, 2023, 326, 115282.	3.3	0
884	Depression and fatigue among Egyptian health care workers: cross-sectional survey. Zeitschrift Fur Gesundheitswissenschaften, 0, , .	1.6	0
885	Epidemiology of depressive disorders among youth during Gaokao to college in China: results from Hunan Normal University mental health survey. BMC Psychiatry, 2023, 23, .	2.6	3
886	Mental health penalties of having a child: findings from the China family panel studies. , 2023, 2, .		1
887	Middle-income country perspectives on global mental health. Current Opinion in Psychiatry, 2023, 36, 321-326.	6.3	1
888	Process model of emotion regulation-based digital intervention for emotional problems. Digital Health, 2023, 9, .	1.8	0
889	Urbanicity and depression: A global meta-analysis. Journal of Affective Disorders, 2023, 340, 299-311.	4.1	2
890	Depression Hurts, Depression Costs: The Medical Spending Attributable to Depression and Depressive Symptoms in China. Applied Economics and Policy Studies, 2023, , 45-78.	0.1	0
891	Understanding and Addressing the Treatment Gap in Mental Healthcare: Economic Perspectives and Evidence from China. Applied Economics and Policy Studies, 2023, , 141-165.	0.1	0
892	People with mental illness stigmatize mental illness less: A comparison study between a hospital-based sample of people with mental illness and a non-clinical general population sample in urban India. Transcultural Psychiatry, 0, , .	1.6	0

#	Article	IF	CITATIONS
893	Relative Economic Status and the Mental Health Status Among Chinese Adults: Evidence from the China Health and Retirement Longitudinal Study. Applied Economics and Policy Studies, 2023, , 113-139.	0.1	0
894	The Prevalence of Depression and Depressive Symptoms Among Adults in China: Estimation Based on a National Household Survey. Applied Economics and Policy Studies, 2023, , 19-44.	0.1	0
895	The effects of environmental factors associated with childhood urbanicity on brain structure and cognition. BMC Psychiatry, 2023, 23, .	2.6	1
896	Protocol of a prospective community-based study about the onset and course of depression in a nationally representative cohort of adults in China: the China Depression Cohort Study-I. BMC Public Health, 2023, 23, .	2.9	0
897	Perceived Stress and Mental Health Literacy Among Chinese Preschool Teachers: A Moderated Mediation Model of Anxiety and Career Resilience. Psychology Research and Behavior Management, 0, Volume 16, 3777-3785.	2.8	1
898	PTSD of Chinese nurses in the normalisation of COVID-19 pandemic prevention and control: Prevalence and correlates. Journal of Clobal Health, 0, 13, .	2.7	0
899	Electroconvulsive Therapy Reduces Protein Expression Level of EP300 and Improves Psychiatric Symptoms and Disturbance of Thought in Patients with Schizophrenia. Neuropsychiatric Disease and Treatment, 0, Volume 19, 1763-1770.	2.2	0
900	Early stimulation and responsive care: A mediator of caregivers' depression on the suspected developmental delay of left-behind children in China. Journal of Affective Disorders, 2023, 341, 88-95.	4.1	1
901	Relationships Between Lifestyle, Quality of Life, Organizational Culture and Job Satisfaction Among Nurses Related to Health Promoting Hospital (HPH) Standards. Health Services Insights, 2023, 16, .	1.3	2
902	Formal versus informal pathways to mental health care in China. China Journal of Social Work, 0, , 1-18.	0.6	0
903	Evaluation of attitudes to integration of mental health service in the chinese population of nonpsychiatric health-care providers. Heart and Mind (Mumbai, India), 2017, 1, 36.	0.6	0
904	Culture and Psychopathology. , 2023, , 1-31.		0
905	The Development and Evolution of Community Mental Health Policies in China from 1998 to 2013. , 2023, 5, 900-908.		0
906	Educators' and students' conceptualisation of mental well-being and mental health literacy in china and thailand: A cross-cultural qualitative study. I-manager's Journal on Educational Psychology, 2023, 17, 8.	0.2	0
907	Prevalence and clinical profile of comorbid anxiety in young adult patients with firstâ€episode and drugâ€naive major depressive disorder. Microbial Biotechnology, 0, , .	1.7	0
908	Anxiety as a Risk Factor for Acute Mountain Sickness Among Young Chinese Men After Exposure at 3800 M: A cross‒sectional Study. Neuropsychiatric Disease and Treatment, 0, Volume 19, 2573-2583.	2.2	0
909	Would you choose to be a psychiatrist again? A large-sample nationwide survey of psychiatrists and psychiatry residents in China. International Journal of Mental Health Systems, 2023, 17, .	2.7	0
911	Prevalence of depression in coronary heart disease in China: a systematic review and meta-analysis. Chinese Medical Journal, 2014, 127, 2991-2998.	2.3	2

#	Article	IF	CITATIONS
912	Heart rate variability status at rest in adult depressed patients: a systematic review and meta-analysis. Frontiers in Public Health, 0, 11, .	2.7	0
914	The neutrophil-to-Lymphocyte ratio is associated with clinical symptoms in first-episode medication-na $\tilde{A}$ ve patients with schizophrenia. , 2024, 10, .		0
915	The association between urbanization and adolescent depression in China. PeerJ, 0, 12, e16888.	2.0	0
916	Effects of physical fitness on mental health of Chinese college students: across-sectional study. BMC Public Health, 2024, 24, .	2.9	0
917	Association of neurotransmitter pathway polygenic risk with specific symptom profiles in psychosis. Molecular Psychiatry, 0, , .	7.9	0
918	Association of self-reported arthritis with depression, anxiety, and comorbid depression/anxiety among the older Chinese adults: A cross-sectional study. Journal of Affective Disorders, 2024, 354, 323-330.	4.1	0
919	The longitudinal relationship between leisure activities and depressive symptoms among older Chinese adults: an autoregressive cross-lagged analysis approach. BMC Public Health, 2024, 24, .	2.9	0