

Regulators of PP2C Phosphatase Activity Function as Al

Science

324, 1064-1068

DOI: 10.1126/science.1172408

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Activity of guard cell anion channel SLAC1 is controlled by drought-stress signaling kinase-phosphatase pair. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 21425-21430. | 3.3 | 787 |
| 2 | Phospholipase D \pm 1 and Phosphatidic Acid Regulate NADPH Oxidase Activity and Production of Reactive Oxygen Species in ABA-Mediated Stomatal Closure in <i>Arabidopsis</i> . Plant Cell, 2009, 21, 2357-2377. | 3.1 | 517 |
| 3 | The Nuclear Interactor PYL8/RCAR3 of <i>Fagus sylvatica</i> Is a Positive Regulator of Absciscic Acid Signaling in Seeds and Stress. Plant Physiology, 2009, 152, 133-150. | 2.3 | 99 |
| 4 | How Plant Cells Go to Sleep for a Long, Long Time. Science, 2009, 326, 1356-1357. | 6.0 | 9 |
| 5 | ABA Hypersensitive Germination2-1 Causes the Activation of Both Absciscic Acid and Salicylic Acid Responses in Arabidopsis. Plant and Cell Physiology, 2009, 50, 2112-2122. | 1.5 | 32 |
| 6 | Role of PP2C-mediated ABA signaling in the moss <i>Physcomitrella patens</i> . Plant Signaling and Behavior, 2009, 4, 887-889. | 1.2 | 17 |
| 7 | RACK1 is a negative regulator of ABA responses in Arabidopsis. Journal of Experimental Botany, 2009, 60, 3819-3833. | 2.4 | 100 |
| 8 | The Magnesium-Chelatase H Subunit Binds Absciscic Acid and Functions in Absciscic Acid Signaling: New Evidence in Arabidopsis. Plant Physiology, 2009, 150, 1940-1954. | 2.3 | 143 |
| 9 | Arabidopsis proline-rich extensin-like receptor kinase 4 modulates the early event toward absciscic acid response in root tip growth. Plant Signaling and Behavior, 2009, 4, 1075-1077. | 1.2 | 21 |
| 10 | Protein Phosphatases 2C Regulate the Activation of the Snf1-Related Kinase OST1 by Absciscic Acid in <i>Arabidopsis</i> . Plant Cell, 2009, 21, 3170-3184. | 3.1 | 500 |
| 11 | A protein kinase-phosphatase pair interacts with an ion channel to regulate ABA signaling in plant guard cells. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 21419-21424. | 3.3 | 565 |
| 12 | Advances in the regulation and crosstalks of phytohormones. Science Bulletin, 2009, 54, 4069-4082. | 1.7 | 10 |
| 13 | Modulation of drought resistance by the absciscic acid receptor PYL5 through inhibition of clade A PP2Cs. Plant Journal, 2009, 60, 575-588. | 2.8 | 476 |
| 14 | A protein phosphatase 2C, responsive to the bacterial effector AvrRpm1 but not to the AvrB effector, regulates defense responses in Arabidopsis. Plant Journal, 2010, 61, 249-258. | 2.8 | 47 |
| 15 | TOC1 functions as a molecular switch connecting the circadian clock with plant responses to drought. EMBO Journal, 2009, 28, 3745-3757. | 3.5 | 298 |
| 16 | Structural basis of absciscic acid signalling. Nature, 2009, 462, 609-614. | 13.7 | 490 |
| 17 | The absciscic acid receptor PYR1 in complex with absciscic acid. Nature, 2009, 462, 665-668. | 13.7 | 457 |
| 18 | In vitro reconstitution of an absciscic acid signalling pathway. Nature, 2009, 462, 660-664. | 13.7 | 1,113 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Multilevel regulation and signalling processes associated with adaptation to terminal drought in wild emmer wheat. <i>Functional and Integrative Genomics</i> , 2010, 10, 167-186. | 1.4 | 67 |
| 39 | Structural and functional insights into core ABA signaling. <i>Current Opinion in Plant Biology</i> , 2010, 13, 495-502. | 3.5 | 234 |
| 40 | Modelling dynamic plant cells. <i>Current Opinion in Plant Biology</i> , 2010, 13, 744-749. | 3.5 | 16 |
| 41 | Thirsty plants and beyond: structural mechanisms of abscisic acid perception and signaling. <i>Current Opinion in Structural Biology</i> , 2010, 20, 722-729. | 2.6 | 64 |
| 42 | Biotechnology of water and salinity stress tolerance. <i>Current Opinion in Biotechnology</i> , 2010, 21, 185-196. | 3.3 | 182 |
| 43 | Crystallization of the plant hormone receptors PYL9/RCAR1, PYL5/RCAR8 and PYR1/RCAR11 in the presence of (+)-abscisic acid. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 456-459. | 0.7 | 8 |
| 44 | Phospholipase D and phosphatidic acid signalling in plant response to drought and salinity. <i>Plant, Cell and Environment</i> , 2010, 33, 627-635. | 2.8 | 168 |
| 45 | Control of leaf growth by abscisic acid: hydraulic or non-hydraulic processes?. <i>Plant, Cell and Environment</i> , 2010, 33, 636-647. | 2.8 | 177 |
| 46 | Exploring genetic and expression differences between physiologically extreme ecotypes: comparative genomic hybridization and gene expression studies of Kasâ€ and Tsuâ€ accessions of <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2010, 33, 1268-1284. | 2.8 | 40 |
| 47 | Closely related receptor complexes differ in their ABA selectivity and sensitivity. <i>Plant Journal</i> , 2010, 61, 25-35. | 2.8 | 170 |
| 48 | PYR/PYL/RCAR family members are major <i>in vivo</i> ABI1 protein phosphatase 2C-interacting proteins in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, 61, 290-299. | 2.8 | 451 |
| 49 | AREB1, AREB2, and ABF3 are master transcription factors that cooperatively regulate ABRE-dependent ABA signaling involved in drought stress tolerance and require ABA for full activation. <i>Plant Journal</i> , 2010, 61, 672-685. | 2.8 | 871 |
| 50 | <i>Arabidopsis</i> seed secrets unravelled after a decade of genetic and omics-driven research. <i>Plant Journal</i> , 2010, 61, 971-981. | 2.8 | 161 |
| 51 | The ubiquitin-proteasome system regulates plant hormone signaling. <i>Plant Journal</i> , 2010, 61, 1029-1040. | 2.8 | 340 |
| 52 | Transcriptomes of the desiccation-tolerant resurrection plant <i>Craterostigma plantagineum</i> . <i>Plant Journal</i> , 2010, 63, 212-228. | 2.8 | 149 |
| 53 | ABO3, a WRKY transcription factor, mediates plant responses to abscisic acid and drought tolerance in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, 63, 417-429. | 2.8 | 421 |
| 54 | ABA overly-sensitiveâ€5 (ABO5), encoding a pentatricopeptide repeat protein required for cis-splicing of mitochondrial nad2 intronâ€3, is involved in the abscisic acid response in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010, 63, 749-765. | 2.8 | 179 |
| 55 | AtALMT12 represents an R-type anion channel required for stomatal movement in <i>Arabidopsis</i> guard cells. <i>Plant Journal</i> , 2010, 63, 1054-1062. | 2.8 | 314 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 56 | ABA promotes quiescence of the quiescent centre and suppresses stem cell differentiation in the Arabidopsis primary root meristem. Plant Journal, 2010, 64, 764-774. | 2.8 | 182 |
| 57 | Identification and mechanism of ABA receptor antagonism. Nature Structural and Molecular Biology, 2010, 17, 1102-1108. | 3.6 | 145 |
| 58 | Structural basis for selective activation of ABA receptors. Nature Structural and Molecular Biology, 2010, 17, 1109-1113. | 3.6 | 104 |
| 59 | Homologue structure of the SLAC1 anion channel for closing stomata in leaves. Nature, 2010, 467, 1074-1080. | 13.7 | 118 |
| 60 | Research on plant abiotic stress responses in the post-genome era: past, present and future. Plant Journal, 2010, 61, 1041-1052. | 2.8 | 1,021 |
| 61 | Ca ²⁺ -dependent activation of guard cell anion channels, triggered by hyperpolarization, is promoted by prolonged depolarization. Plant Journal, 2010, 62, 265-276. | 2.8 | 33 |
| 62 | Phospho-site mapping, genetic and in planta activation studies reveal key aspects of the different phosphorylation mechanisms involved in activation of SnRK2s. Plant Journal, 2010, 63, 778-790. | 2.8 | 69 |
| 63 | The role of abscisic acid and auxin in the response of poplar to abiotic stress. Plant Biology, 2010, 12, 242-258. | 1.8 | 141 |
| 64 | Analysis of global changes in gene expression during activity-dormancy cycle in hybrid aspen apex. Plant Biotechnology, 2010, 27, 1-16. | 0.5 | 79 |
| 65 | The Arabidopsis ABA-Activated Kinase OST1 Phosphorylates the bZIP Transcription Factor ABF3 and Creates a 14-3-3 Binding Site Involved in Its Turnover. PLoS ONE, 2010, 5, e13935. | 1.1 | 197 |
| 66 | Nonspecific Phospholipase C NPC4 Promotes Responses to Absciscic Acid and Tolerance to Hyperosmotic Stress in Arabidopsis. Plant Cell, 2010, 22, 2642-2659. | 3.1 | 150 |
| 67 | PDR-type ABC transporter mediates cellular uptake of the phytohormone abscisic acid. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 2355-2360. | 3.3 | 614 |
| 68 | The Mg-Chelatase H Subunit of Arabidopsis Antagonizes a Group of WRKY Transcription Repressors to Relieve ABA-Responsive Genes of Inhibition. Plant Cell, 2010, 22, 1909-1935. | 3.1 | 475 |
| 69 | Understanding Plant Vacuolar Trafficking from a Systems Biology Perspective. Plant Physiology, 2010, 154, 545-550. | 2.3 | 1 |
| 70 | Hope for Humpty Dumpty: Systems Biology of Cellular Signaling. Plant Physiology, 2010, 152, 470-479. | 2.3 | 4 |
| 71 | Single Amino Acid Alteration between Valine and Isoleucine Determines the Distinct Pyrabactin Selectivity by PYL1 and PYL2. Journal of Biological Chemistry, 2010, 285, 28953-28958. | 1.6 | 63 |
| 72 | Two Closely Related Subclass II SnRK2 Protein Kinases Cooperatively Regulate Drought-Inducible Gene Expression. Plant and Cell Physiology, 2010, 51, 842-847. | 1.5 | 123 |
| 73 | Evolutionarily Conserved Regulatory Mechanisms of Absciscic Acid Signaling in Land Plants: Characterization of ABCISIC ACID INSENSITIVE1-Like Type 2C Protein Phosphatase in the Liverwort Marchantia polymorpha. Plant Physiology, 2010, 152, 1529-1543. | 2.3 | 96 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | The Strawberry Fruit Fra a Allergen Functions in Flavonoid Biosynthesis. <i>Molecular Plant</i> , 2010, 3, 113-124. | 3.9 | 94 |
| 75 | Guard cell anion channel SLAC1 is regulated by CDPK protein kinases with distinct Ca ²⁺ affinities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8023-8028. | 3.3 | 500 |
| 76 | <i>In planta</i> changes in protein phosphorylation induced by the plant hormone abscisic acid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15986-15991. | 3.3 | 213 |
| 77 | Overproduction of the Membrane-bound Receptor-like Protein Kinase 1, RPK1, Enhances Abiotic Stress Tolerance in <i>Arabidopsis</i> . <i>Journal of Biological Chemistry</i> , 2010, 285, 9190-9201. | 1.6 | 133 |
| 78 | Enhanced Cytokinin Synthesis in Tobacco Plants Expressing PSARK::IPT Prevents the Degradation of Photosynthetic Protein Complexes During Drought. <i>Plant and Cell Physiology</i> , 2010, 51, 1929-1941. | 1.5 | 155 |
| 79 | Absciscic acid and the control of seed dormancy and germination. <i>Seed Science Research</i> , 2010, 20, 55-67. | 0.8 | 369 |
| 80 | The <i>Arabidopsis</i> Mitogen-Activated Protein Kinase Phosphatase PP2C5 Affects Seed Germination, Stomatal Aperture, and Absciscic Acid-Inducible Gene Expression. <i>Plant Physiology</i> , 2010, 153, 1098-1111. | 2.3 | 172 |
| 81 | RAS1, a quantitative trait locus for salt tolerance and ABA sensitivity in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 5669-5674. | 3.3 | 100 |
| 82 | Functional Mechanism of the Absciscic Acid Agonist Pyrabactin. <i>Journal of Biological Chemistry</i> , 2010, 285, 28946-28952. | 1.6 | 48 |
| 83 | ABA transport factors found in <i>Arabidopsis</i> ABC transporters. <i>Plant Signaling and Behavior</i> , 2010, 5, 1124-1126. | 1.2 | 47 |
| 84 | An L1 box binding protein, GbML1, interacts with GbMYB25 to control cotton fibre development. <i>Journal of Experimental Botany</i> , 2010, 61, 3599-3613. | 2.4 | 93 |
| 85 | 2009: Signaling Breakthroughs of the Year. <i>Science Signaling</i> , 2010, 3, eg1. | 1.6 | 7 |
| 86 | Cytosolic Alkalization and Cytosolic Calcium Oscillation in <i>Arabidopsis</i> Guard Cells Response to ABA and MeJA. <i>Plant and Cell Physiology</i> , 2010, 51, 1721-1730. | 1.5 | 72 |
| 87 | Nitric oxide modulates sensitivity to ABA. <i>Plant Signaling and Behavior</i> , 2010, 5, 314-316. | 1.2 | 25 |
| 88 | The Protein Kinase SnRK2.6 Mediates the Regulation of Sucrose Metabolism and Plant Growth in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2010, 153, 99-113. | 2.3 | 106 |
| 89 | The Sterol Methyltransferases SMT1, SMT2, and SMT3 Influence <i>Arabidopsis</i> Development through Nonbrassinosteroid Products. <i>Plant Physiology</i> , 2010, 153, 741-756. | 2.3 | 141 |
| 90 | Calcium Signals: The Lead Currency of Plant Information Processing. <i>Plant Cell</i> , 2010, 22, 541-563. | 3.1 | 918 |
| 91 | Guard Cell Signal Transduction Network: Advances in Understanding Absciscic Acid, CO ₂ , and Ca ²⁺ Signaling. <i>Annual Review of Plant Biology</i> , 2010, 61, 561-591. | 8.6 | 1,165 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | Abscisic Acid: Emergence of a Core Signaling Network. Annual Review of Plant Biology, 2010, 61, 651-679. | 8.6 | 2,506 |
| 93 | ABC transporter AtABCG25 is involved in abscisic acid transport and responses. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 2361-2366. | 3.3 | 494 |
| 94 | Seed Germination. , 2010, , 383-404. | | 3 |
| 95 | Plant Nuclear Hormone Receptors: A Role for Small Molecules in Protein-Protein Interactions. Annual Review of Cell and Developmental Biology, 2010, 26, 445-469. | 4.0 | 93 |
| 96 | Arabidopsis zinc-finger protein 2 is a negative regulator of ABA signaling during seed germination. Journal of Plant Physiology, 2010, 167, 1418-1421. | 1.6 | 20 |
| 97 | Crystal structure of Hyp-1, a St. John's wort protein implicated in the biosynthesis of hypericin. Journal of Structural Biology, 2010, 169, 161-171. | 1.3 | 49 |
| 98 | Emerging functions for plant MAP kinase phosphatases. Trends in Plant Science, 2010, 15, 322-329. | 4.3 | 101 |
| 99 | ABA perception and signalling. Trends in Plant Science, 2010, 15, 395-401. | 4.3 | 1,106 |
| 100 | Plastidial retrograde signalling – a true ‘‘plastid factor’’ or just metabolite signatures?. Trends in Plant Science, 2010, 15, 427-435. | 4.3 | 150 |
| 101 | Barley Grain Development. International Review of Cell and Molecular Biology, 2010, 281, 49-89. | 1.6 | 75 |
| 102 | ABA receptors: the START of a new paradigm in phytohormone signalling. Journal of Experimental Botany, 2010, 61, 3199-3210. | 2.4 | 248 |
| 103 | Abscisic acid (ABA) receptors: light at the end of the tunnel. F1000 Biology Reports, 2010, 2, . | 4.0 | 9 |
| 104 | Abscisic Acid Receptors: Figure 1.. Plant Physiology, 2010, 154, 479-482. | 2.3 | 46 |
| 105 | Molecular Basis of the Core Regulatory Network in ABA Responses: Sensing, Signaling and Transport. Plant and Cell Physiology, 2010, 51, 1821-1839. | 1.5 | 800 |
| 106 | Early abscisic acid signal transduction mechanisms: newly discovered components and newly emerging questions. Genes and Development, 2010, 24, 1695-1708. | 2.7 | 592 |
| 107 | Jasmonate signaling involves the abscisic acid receptor PYL4 to regulate metabolic reprogramming in Arabidopsis and tobacco. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5891-5896. | 3.3 | 228 |
| 108 | FaPYR1 is involved in strawberry fruit ripening. Journal of Experimental Botany, 2011, 62, 5079-5089. | 2.4 | 227 |
| 110 | Plant ABC Transporters. The Arabidopsis Book, 2011, 9, e0153. | 0.5 | 401 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 111 | New Insights into the Regulation of Stomatal Opening by Blue Light and Plasma Membrane H ⁺ -ATPase. International Review of Cell and Molecular Biology, 2011, 289, 89-115. | 1.6 | 52 |
| 112 | Heterotrimeric G-protein regulation of ROS signalling and calcium currents in Arabidopsis guard cells. Journal of Experimental Botany, 2011, 62, 2371-2379. | 2.4 | 114 |
| 113 | Arabidopsis plants deficient in plastidial glyceraldehyde-3-phosphate dehydrogenase show alterations in abscisic acid (ABA) signal transduction: interaction between ABA and primary metabolism. Journal of Experimental Botany, 2011, 62, 1229-1239. | 2.4 | 35 |
| 115 | Jasmonate-Dependent and COI1-Independent Defense Responses Against Sclerotinia sclerotiorum in Arabidopsis thaliana: Auxin is Part of COI1-Independent Defense Signaling. Plant and Cell Physiology, 2011, 52, 1941-1956. | 1.5 | 56 |
| 116 | Stomatal Closure by Fast Abscisic Acid Signaling Is Mediated by the Guard Cell Anion Channel SLAH3 and the Receptor RCAR1. Science Signaling, 2011, 4, ra32. | 1.6 | 338 |
| 117 | A Brand New START: Abscisic Acid Perception and Transduction in the Guard Cell. Science Signaling, 2011, 4, re4. | 1.6 | 140 |
| 118 | The Molecular Basis of ABA-Independent Inhibition of PP2Cs by a Subclass of PYL Proteins. Molecular Cell, 2011, 42, 662-672. | 4.5 | 241 |
| 119 | K252a-sensitive protein kinases but not okadaic acid-sensitive protein phosphatases regulate methyl jasmonate-induced cytosolic Ca ²⁺ oscillation in guard cells of Arabidopsis thaliana. Journal of Plant Physiology, 2011, 168, 1901-1908. | 1.6 | 7 |
| 120 | Negative regulation of abscisic acid-induced stomatal closure by glutathione in Arabidopsis. Journal of Plant Physiology, 2011, 168, 2048-2055. | 1.6 | 68 |
| 121 | The Structure of Arabidopsis thaliana OST1 Provides Insights into the Kinase Regulation Mechanism in Response to Osmotic Stress. Journal of Molecular Biology, 2011, 414, 135-144. | 2.0 | 40 |
| 122 | Achievements and Challenges in Understanding Plant Abiotic Stress Responses and Tolerance. Plant and Cell Physiology, 2011, 52, 1569-1582. | 1.5 | 451 |
| 123 | Recent Advances in Photosynthesis Under Drought and Salinity. Advances in Botanical Research, 2011, 57, 49-104. | 0.5 | 101 |
| 124 | The Regulatory Networks of Plant Responses to Abscisic Acid. Advances in Botanical Research, 2011, , 201-248. | 0.5 | 6 |
| 125 | Sequence Variation and Expression Analysis of Seed Dormancy- and Germination-Associated ABA- and GA-Related Genes in Rice Cultivars. Frontiers in Plant Science, 2011, 2, 17. | 1.7 | 26 |
| 126 | A Possible CO ₂ Conducting and Concentrating Mechanism in Plant Stomata SLAC1 Channel. PLoS ONE, 2011, 6, e24264. | 1.1 | 12 |
| 127 | A Nucleotide Metabolite Controls Stress-Responsive Gene Expression and Plant Development. PLoS ONE, 2011, 6, e26661. | 1.1 | 45 |
| 128 | æç%©ãf>ãf«ãfçãf3ã®ã•ã®1ã•ã,ã,°ãfŠãf«ã1/4e”ã®æ§«éçãŸç». Kagaku To Seibutsu, 2011, 49, 161-169. | 0.0 | 0 |
| 129 | Title is missing!. Kagaku To Seibutsu, 2011, 49, 74-76. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 130 | Genetic engineering of woody plants: current and future targets in a stressful environment. <i>Physiologia Plantarum</i> , 2011, 142, 105-117. | 2.6 | 57 |
| 131 | Plant U-box armadillo repeat proteins AtPUB18 and AtPUB19 are involved in salt inhibition of germination in <i>Arabidopsis</i> . <i>Plant Biology</i> , 2011, 13, 725-730. | 1.8 | 65 |
| 132 | Identification of the abscisic acid receptor <i>VvPYL1</i> in <i>Vitis vinifera</i> . <i>Plant Biology</i> , 2012, 14, 244-248. | 1.8 | 29 |
| 133 | Quantitative transcriptomic analysis of abscisic acid-induced and reactive oxygen species-dependent expression changes and proteomic profiling in <i>Arabidopsis</i> suspension cells. <i>Plant Journal</i> , 2011, 67, 105-118. | 2.8 | 83 |
| 134 | <i>Arabidopsis</i> mutants of <i>AtABCG22</i> , an ABC transporter gene, increase water transpiration and drought susceptibility. <i>Plant Journal</i> , 2011, 67, 885-894. | 2.8 | 164 |
| 135 | Cytokinin antagonizes ABA suppression to seed germination of <i>Arabidopsis</i> by downregulating ABI5 expression. <i>Plant Journal</i> , 2011, 68, 249-261. | 2.8 | 229 |
| 136 | Barley mildew and its elicitor chitosan promote closed stomata by stimulating guard cell S-type anion channels. <i>Plant Journal</i> , 2011, 68, 670-680. | 2.8 | 61 |
| 137 | NONEXPRESSOR OF PATHOGENESIS-RELATED PROTEINS1 (NPR1) and some NPR1-related proteins are sensitive to salicylic acid. <i>Molecular Plant Pathology</i> , 2011, 12, 73-91. | 2.0 | 88 |
| 138 | cGMP-dependent ABA-induced stomatal closure in the ABA-insensitive <i>Arabidopsis</i> mutant <i>abil1</i> . <i>New Phytologist</i> , 2011, 191, 57-69. | 3.5 | 107 |
| 139 | The <i>Arabidopsis</i> Ca ²⁺ -dependent protein kinase CPK12 negatively regulates abscisic acid signaling in seed germination and post-germination growth. <i>New Phytologist</i> , 2011, 192, 61-73. | 3.5 | 121 |
| 140 | Anion channels in plant cells. <i>FEBS Journal</i> , 2011, 278, 4277-4292. | 2.2 | 57 |
| 141 | Abscisic Acid Receptors: Past, Present and Future ^F . <i>Journal of Integrative Plant Biology</i> , 2011, 53, 469-479. | 4.1 | 82 |
| 142 | Auxin-Oxylipin Crosstalk: Relationship of Antagonists ^F . <i>Journal of Integrative Plant Biology</i> , 2011, 53, 429-445. | 4.1 | 62 |
| 143 | Central functions of bicarbonate in S-type anion channel activation and OST1 protein kinase in CO ₂ signal transduction in guard cell. <i>EMBO Journal</i> , 2011, 30, 1645-1658. | 3.5 | 167 |
| 144 | Evolution of Abscisic Acid Synthesis and Signaling Mechanisms. <i>Current Biology</i> , 2011, 21, R346-R355. | 1.8 | 425 |
| 145 | Regulatory Mechanism Controlling Stomatal Behavior Conserved across 400 Million Years of Land Plant Evolution. <i>Current Biology</i> , 2011, 21, 1025-1029. | 1.8 | 180 |
| 146 | Chemical Genetics Reveals Negative Regulation of Abscisic Acid Signaling by a Plant Immune Response Pathway. <i>Current Biology</i> , 2011, 21, 990-997. | 1.8 | 152 |
| 147 | Occurrence, function and potential medicinal applications of the phytohormone abscisic acid in animals and humans. <i>Biochemical Pharmacology</i> , 2011, 82, 701-712. | 2.0 | 79 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 148 | Arabidopsis Seed Germination Under Abiotic Stress as a Concert of Action of Phytohormones. OMICS A Journal of Integrative Biology, 2011, 15, 763-774. | 1.0 | 68 |
| 149 | Na ⁺ and K ⁺ Transporters in Plant Signaling. Signaling and Communication in Plants, 2011, , 65-98. | 0.5 | 27 |
| 151 | Hormone Crosstalk in Plant Disease and Defense: More Than Just JASMONATE-SALICYLATE Antagonism. Annual Review of Phytopathology, 2011, 49, 317-343. | 3.5 | 1,564 |
| 152 | Identification and characterization of interactions between abscisic acid and mitochondrial adenine nucleotide translocators. Biochemical Journal, 2011, 437, 117-123. | 1.7 | 18 |
| 153 | Cytokinin and abscisic acid control plastid gene transcription during barley seedling de-etiolation. Plant Growth Regulation, 2011, 64, 173-183. | 1.8 | 17 |
| 154 | A novel rice calmodulin-like gene, OsMSR2, enhances drought and salt tolerance and increases ABA sensitivity in Arabidopsis. Planta, 2011, 234, 47-59. | 1.6 | 189 |
| 155 | The Floral Repressor BROTHER OF FT AND TFL1 (BFT) Modulates Flowering Initiation under High Salinity in Arabidopsis. Molecules and Cells, 2011, 32, 295-304. | 1.0 | 72 |
| 156 | Overexpression of AtMYB52 Confers ABA Hypersensitivity and Drought Tolerance. Molecules and Cells, 2011, 31, 447-454. | 1.0 | 97 |
| 157 | The roles of ABA in plant-pathogen interactions. Journal of Plant Research, 2011, 124, 489-499. | 1.2 | 305 |
| 158 | ABA in bryophytes: how a universal growth regulator in life became a plant hormone?. Journal of Plant Research, 2011, 124, 437-453. | 1.2 | 122 |
| 159 | Transport of ABA from the site of biosynthesis to the site of action. Journal of Plant Research, 2011, 124, 501-507. | 1.2 | 120 |
| 160 | Systems biology approaches to abscisic acid signaling. Journal of Plant Research, 2011, 124, 539-548. | 1.2 | 22 |
| 161 | Mg-chelatase H subunit affects ABA signaling in stomatal guard cells, but is not an ABA receptor in Arabidopsis thaliana. Journal of Plant Research, 2011, 124, 527-538. | 1.2 | 73 |
| 162 | ABA signaling in stomatal guard cells: lessons from Commelina and Vicia. Journal of Plant Research, 2011, 124, 477-487. | 1.2 | 15 |
| 163 | Opening a new era of ABA research. Journal of Plant Research, 2011, 124, 431-435. | 1.2 | 13 |
| 164 | A gene encoding an abscisic acid biosynthetic enzyme (LsNCED4) collocates with the high temperature germination locus Htg6.1 in lettuce (Lactuca sp.). Theoretical and Applied Genetics, 2011, 122, 95-108. | 1.8 | 59 |
| 165 | Group 3 late embryogenesis abundant protein in Arabidopsis: structure, regulation, and function. Acta Physiologiae Plantarum, 2011, 33, 1063-1073. | 1.0 | 16 |
| 166 | Effects of abiotic stress on plants: a systems biology perspective. BMC Plant Biology, 2011, 11, 163. | 1.6 | 1,005 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 167 | SnRK2.6/OST1 from <i>Arabidopsis thaliana</i> : cloning, expression, purification, crystallization and preliminary X-ray analysis of K50N and D160A mutants. Acta Crystallographica Section F: Structural Biology Communications, 2011, 67, 364-368. | 0.7 | 8 |
| 168 | Common and unique elements of the ABA-regulated transcriptome of Arabidopsis guard cells. BMC Genomics, 2011, 12, 216. | 1.2 | 189 |
| 169 | Proteomic analysis of heterosis during maize seed germination. Proteomics, 2011, 11, 1462-1472. | 1.3 | 54 |
| 170 | Reboot the system thanks to protein post-translational modifications and proteome diversity: How quiescent seeds restart their metabolism to prepare seedling establishment. Proteomics, 2011, 11, 1606-1618. | 1.3 | 100 |
| 171 | Proteomic analysis of defense response of wildtype <i>Arabidopsis thaliana</i> and plants with impaired NO-homeostasis. Proteomics, 2011, 11, 1664-1683. | 1.3 | 55 |
| 172 | Arabidopsis thaliana lipid phosphate phosphatase 2 is involved in abscisic acid signalling in leaves. Plant Physiology and Biochemistry, 2011, 49, 357-362. | 2.8 | 36 |
| 173 | Crosstalk between blue-light- and aba-signaling pathways in stomatal guard cells. Plant Signaling and Behavior, 2011, 6, 1662-1664. | 1.2 | 14 |
| 174 | Potent and selective activation of abscisic acid receptors in vivo by mutational stabilization of their agonist-bound conformation. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 20838-20843. | 3.3 | 89 |
| 175 | AtPUB19, a U-Box E3 Ubiquitin Ligase, Negatively Regulates Absciscic Acid and Drought Responses in Arabidopsis thaliana. Molecular Plant, 2011, 4, 938-946. | 3.9 | 130 |
| 176 | SnRK2 Protein Kinases—Key Regulators of Plant Response to Abiotic Stresses. OMICS A Journal of Integrative Biology, 2011, 15, 859-872. | 1.0 | 382 |
| 177 | Absciscic Acid Signal off the STARTing Block. Molecular Plant, 2011, 4, 562-580. | 3.9 | 101 |
| 178 | Absciscic Acid Plays an Important Role in the Regulation of Strawberry Fruit Ripening. Plant Physiology, 2011, 157, 188-199. | 2.3 | 590 |
| 179 | The Cytosolic/Nuclear HSC70 and HSP90 Molecular Chaperones Are Important for Stomatal Closure and Modulate Absciscic Acid-Dependent Physiological Responses in Arabidopsis. Plant Physiology, 2011, 156, 1481-1492. | 2.3 | 113 |
| 180 | Age-Dependent Action of an ABA-Inducible Receptor Kinase, RPK1, as a Positive Regulator of Senescence in Arabidopsis Leaves. Plant and Cell Physiology, 2011, 52, 651-662. | 1.5 | 198 |
| 181 | Global gene expression analysis of transgenic, mannitol-producing, and salt-tolerant Arabidopsis thaliana indicates widespread changes in abiotic and biotic stress-related genes. Journal of Experimental Botany, 2011, 62, 4787-4803. | 2.4 | 63 |
| 182 | The Arabidopsis RING Finger E3 Ligase RHA2b Acts Additively with RHA2a in Regulating Absciscic Acid Signaling and Drought Response. Plant Physiology, 2011, 156, 550-563. | 2.3 | 122 |
| 183 | Plant Hormone Perception at the Plasma Membrane. Plant Cell Monographs, 2011, , 401-422. | 0.4 | 0 |
| 184 | Regulatory mechanism of abscisic acid signaling. Biophysics (Nagoya-shi, Japan), 2011, 7, 123-128. | 0.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 185 | The Arabidopsis RING E3 Ubiquitin Ligase AtAIRP2 Plays Combinatory Roles with AtAIRP1 in Absciscic Acid-Mediated Drought Stress Responses. Plant Physiology, 2011, 157, 2240-2257. | 2.3 | 97 |
| 186 | The Arabidopsis Multistress Regulator TSPO Is a Heme Binding Membrane Protein and a Potential Scavenger of Porphyrins via an Autophagy-Dependent Degradation Mechanism. Plant Cell, 2011, 23, 785-805. | 3.1 | 176 |
| 187 | The sucrose non-fermenting-1-related (SnRK) family of protein kinases: potential for manipulation to improve stress tolerance and increase yield. Journal of Experimental Botany, 2011, 62, 883-893. | 2.4 | 161 |
| 188 | Immunohistochemical Detection of Blue Light-Induced Phosphorylation of the Plasma Membrane H ⁺ -ATPase in Stomatal Guard Cells. Plant and Cell Physiology, 2011, 52, 1238-1248. | 1.5 | 110 |
| 189 | Drought, Desiccation, and Oxidative Stress. Ecological Studies, 2011, , 209-231. | 0.4 | 41 |
| 190 | Molecular Mechanisms of Absciscic Acid Action in Plants and Its Potential Applications to Human Health. Advances in Botanical Research, 2011, , 249-292. | 0.5 | 1 |
| 191 | E3 ubiquitin ligases and absciscic acid signaling. Plant Signaling and Behavior, 2011, 6, 344-348. | 1.2 | 38 |
| 192 | A Per-ARNT-Sim-Like Sensor Domain Uniquely Regulates the Activity of the Homeodomain Leucine Zipper Transcription Factor REVOLUTA in Arabidopsis. Plant Cell, 2011, 23, 567-582. | 3.1 | 36 |
| 193 | Control of stomatal aperture. Plant Signaling and Behavior, 2011, 6, 1305-1311. | 1.2 | 92 |
| 194 | A special pair of phytohormones controls excitability, slow closure, and external stomach formation in the Venus flytrap. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 15492-15497. | 3.3 | 108 |
| 195 | Identification of an important site for function of the type 2C protein phosphatase ABI2 in absciscic acid signalling in Arabidopsis. Journal of Experimental Botany, 2011, 62, 5713-5725. | 2.4 | 28 |
| 196 | Arabidopsis decuple mutant reveals the importance of SnRK2 kinases in osmotic stress responses in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1717-1722. | 3.3 | 291 |
| 197 | Action of Natural Absciscic Acid Precursors and Catabolites on Absciscic Acid Receptor Complexes. Plant Physiology, 2011, 157, 2108-2119. | 2.3 | 49 |
| 198 | Structural basis for basal activity and autoactivation of absciscic acid (ABA) signaling SnRK2 kinases. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 21259-21264. | 3.3 | 160 |
| 199 | RSOsPR10 Expression in Response to Environmental Stresses is Regulated Antagonistically by Jasmonate/Ethylene and Salicylic Acid Signaling Pathways in Rice Roots. Plant and Cell Physiology, 2011, 52, 1686-1696. | 1.5 | 95 |
| 200 | The Plant Cuticle Is Required for Osmotic Stress Regulation of Absciscic Acid Biosynthesis and Osmotic Stress Tolerance in Arabidopsis. Plant Cell, 2011, 23, 1971-1984. | 3.1 | 147 |
| 201 | Methyl jasmonate signaling and signal crosstalk between methyl jasmonate and absciscic acid in guard cells. Plant Signaling and Behavior, 2011, 6, 939-941. | 1.2 | 67 |
| 202 | Modulation of Absciscic Acid Signaling in Vivo by an Engineered Receptor-Insensitive Protein Phosphatase Type 2C Allele. Plant Physiology, 2011, 156, 106-116. | 2.3 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 203 | Mechanistic Analysis of AKT1 Regulation by the CBL-CIPK-PP2CA Interactions. <i>Molecular Plant</i> , 2011, 4, 527-536. | 3.9 | 136 |
| 204 | Nitrogen metabolism responses to water deficit act through both abscisic acid (ABA)-dependent and independent pathways in <i>Medicago truncatula</i> during post-germination. <i>Journal of Experimental Botany</i> , 2011, 62, 605-615. | 2.4 | 39 |
| 205 | A thermodynamic switch modulates abscisic acid receptor sensitivity. <i>EMBO Journal</i> , 2011, 30, 4171-4184. | 3.5 | 161 |
| 206 | Transcriptional regulation of SIPYL, SIP2C, and SIP2K2 gene families encoding ABA signal core components during tomato fruit development and drought stress. <i>Journal of Experimental Botany</i> , 2011, 62, 5659-5669. | 2.4 | 151 |
| 207 | Rice ABI5-Like1 Regulates Abscisic Acid and Auxin Responses by Affecting the Expression of ABRE-Containing Genes. <i>Plant Physiology</i> , 2011, 156, 1397-1409. | 2.3 | 119 |
| 208 | Arabidopsis 3-Ketoacyl-CoA Thiolase-2 (KAT2), an Enzyme of Fatty Acid β -Oxidation, is Involved in ABA Signal Transduction. <i>Plant and Cell Physiology</i> , 2011, 52, 528-538. | 1.5 | 65 |
| 209 | Two Arabidopsis guard cell-preferential MAPK genes, <i>MPK9</i> and <i>MPK12</i> , function in biotic stress response. <i>Plant Signaling and Behavior</i> , 2011, 6, 1875-1877. | 1.2 | 54 |
| 210 | Genome-wide responses to drought in forest trees. <i>Forestry</i> , 2011, 84, 273-283. | 1.2 | 105 |
| 211 | The beginnings of crop phosphoproteomics: exploring early warning systems of stress. <i>Frontiers in Plant Science</i> , 2012, 3, 144. | 1.7 | 39 |
| 212 | Molecular Evolution of Slow and Quick Anion Channels (SLACs and QUACs/ALMTs). <i>Frontiers in Plant Science</i> , 2012, 3, 263. | 1.7 | 104 |
| 213 | Isolation of Arabidopsis <i>ahg11</i> , a weak ABA hypersensitive mutant defective in nad4 RNA editing. <i>Journal of Experimental Botany</i> , 2012, 63, 5301-5310. | 2.4 | 61 |
| 214 | Unravelling molecular responses to moderate dehydration in harvested fruit of sweet orange (<i>Citrus</i>). <i>ETQq1</i> 1 0.784314 rgBT /Overdo 2753-2767. | 2.4 | 48 |
| 215 | Constitutive Activation of Transcription Factor OsZIP46 Improves Drought Tolerance in Rice. <i>Plant Physiology</i> , 2012, 158, 1755-1768. | 2.3 | 305 |
| 216 | G Protein-Coupled Receptor-Type G Proteins Are Required for Light-Dependent Seedling Growth and Fertility in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 3649-3668. | 3.1 | 40 |
| 217 | Identification of an abscisic acid transporter by functional screening using the receptor complex as a sensor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9653-9658. | 3.3 | 421 |
| 218 | Light-harvesting chlorophyll a/b-binding proteins are required for stomatal response to abscisic acid in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2012, 63, 1095-1106. | 2.4 | 259 |
| 219 | Sumoylation of transcription factor MYB30 by the small ubiquitin-like modifier E3 ligase SIZ1 mediates abscisic acid response in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12822-12827. | 3.3 | 193 |
| 220 | Reconstitution of abscisic acid activation of SLAC1 anion channel by CPK6 and OST1 kinases and branched ABI1 PP2C phosphatase action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10593-10598. | 3.3 | 393 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 221 | Toward the identification and regulation of the Arabidopsis thaliana ABI3 regulon. Nucleic Acids Research, 2012, 40, 8240-8254. | 6.5 | 145 |
| 222 | Isolation and Characterization of Novel Mutant Loci Suppressing the ABA Hypersensitivity of the Arabidopsis coronatine insensitive 1-16 (coi1-16) Mutant During Germination and Seedling Growth. Plant and Cell Physiology, 2012, 53, 53-63. | 1.5 | 26 |
| 223 | Pyrabactin, an ABA agonist, induced stomatal closure and changes in signalling components of guard cells in abaxial epidermis of Pisum sativum. Journal of Experimental Botany, 2012, 63, 1349-1356. | 2.4 | 35 |
| 224 | <i>Arabidopsis</i> PYR/PYL/RCAR Receptors Play a Major Role in Quantitative Regulation of Stomatal Aperture and Transcriptional Response to Absciscic Acid. Plant Cell, 2012, 24, 2483-2496. | 3.1 | 493 |
| 225 | FIA functions as an early signal component of abscisic acid signal cascade in Vicia faba guard cells. Journal of Experimental Botany, 2012, 63, 1357-1365. | 2.4 | 20 |
| 226 | Suppression of 9<i>-cis</i>-Epoxy-carotenoid Dioxygenase, Which Encodes a Key Enzyme in Absciscic Acid Biosynthesis, Alters Fruit Texture in Transgenic Tomato. Plant Physiology, 2012, 158, 283-298. | 2.3 | 228 |
| 227 | Reactive Oxygen Species Are Involved in Gibberellin/Absciscic Acid Signaling in Barley Aleurone Cells. Plant Physiology, 2012, 158, 1705-1714. | 2.3 | 131 |
| 228 | Catalytic mechanism and kinase interactions of ABA-signaling PP2C phosphatases. Plant Signaling and Behavior, 2012, 7, 581-588. | 1.2 | 17 |
| 229 | A Vacuolar β -Glucosidase Homolog That Possesses Glucose-Conjugated Absciscic Acid Hydrolyzing Activity Plays an Important Role in Osmotic Stress Responses in <i>Arabidopsis</i>. Plant Cell, 2012, 24, 2184-2199. | 3.1 | 251 |
| 230 | A rice orthologue of the ABA receptor, OsPYL/RCAR5, is a positive regulator of the ABA signal transduction pathway in seed germination and early seedling growth. Journal of Experimental Botany, 2012, 63, 1013-1024. | 2.4 | 244 |
| 231 | Unique Drought Resistance Functions of the <i>Highly ABA-Induced</i> Clade A Protein Phosphatase 2Cs. Plant Physiology, 2012, 160, 379-395. | 2.3 | 261 |
| 232 | FERONIA receptor kinase pathway suppresses abscisic acid signaling in <i>Arabidopsis</i> by activating ABI2 phosphatase. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 14693-14698. | 3.3 | 220 |
| 233 | Molecular Mechanism for Inhibition of a Critical Component in the Arabidopsis thaliana Absciscic Acid Signal Transduction Pathways, SnRK2.6, by Protein Phosphatase ABI1. Journal of Biological Chemistry, 2012, 287, 794-802. | 1.6 | 76 |
| 234 | Seasonal Absciscic Acid Signal and a Basic Leucine Zipper Transcription Factor, DkbZIP5, Regulate Proanthocyanidin Biosynthesis in Persimmon Fruit. Plant Physiology, 2012, 158, 1089-1102. | 2.3 | 66 |
| 235 | A Plasma Membrane Receptor Kinase, GHR1, Mediates Absciscic Acid- and Hydrogen Peroxide-Regulated Stomatal Movement in <i>Arabidopsis</i>. Plant Cell, 2012, 24, 2546-2561. | 3.1 | 341 |
| 236 | Tackling Drought Stress: RECEPTOR-LIKE KINASES Present New Approaches. Plant Cell, 2012, 24, 2262-2278. | 3.1 | 155 |
| 237 | Differentially expressed genes and proteins upon drought acclimation in tolerant and sensitive genotypes of Coffea canephora. Journal of Experimental Botany, 2012, 63, 4191-4212. | 2.4 | 72 |
| 238 | The Citrus ABA signalosome: identification and transcriptional regulation during sweet orange fruit ripening and leaf dehydration. Journal of Experimental Botany, 2012, 63, 4931-4945. | 2.4 | 86 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 239 | From Bench to Bountiful Harvests: A Road Map for the Next Decade of Arabidopsis Research. <i>Plant Cell</i> , 2012, 24, 2240-2247. | 3.1 | 19 |
| 240 | Hormonal regulation of leaf senescence in <i>Lilium</i> . <i>Journal of Plant Physiology</i> , 2012, 169, 1542-1550. | 1.6 | 12 |
| 241 | The Snf1-related protein kinases SnRK2.4 and SnRK2.10 are involved in maintenance of root system architecture during salt stress. <i>Plant Journal</i> , 2012, 72, 436-449. | 2.8 | 161 |
| 242 | Disruption of Absciscic Acid Signaling Constitutively Activates Arabidopsis Resistance to the Necrotrophic Fungus <i>Plectosphaerella cucumerina</i> . <i>Plant Physiology</i> , 2012, 160, 2109-2124. | 2.3 | 132 |
| 243 | Hormone symphony during root growth and development. <i>Developmental Dynamics</i> , 2012, 241, 1867-1885. | 0.8 | 76 |
| 244 | Wheat ABA-insensitive mutants result in reduced grain dormancy. <i>Euphytica</i> , 2012, 188, 35-49. | 0.6 | 16 |
| 245 | The homeodomain-leucine zipper (HD-Zip) class I transcription factors ATHB7 and ATHB12 modulate abscisic acid signalling by regulating protein phosphatase 2C and abscisic acid receptor gene activities. <i>Plant Molecular Biology</i> , 2012, 80, 405-418. | 2.0 | 144 |
| 246 | Roles of the different components of magnesium chelatase in abscisic acid signal transduction. <i>Plant Molecular Biology</i> , 2012, 80, 519-537. | 2.0 | 72 |
| 247 | Over-expression of GsZFP1, an ABA-responsive C2H2-type zinc finger protein lacking a QALGGH motif, reduces ABA sensitivity and decreases stomata size. <i>Journal of Plant Physiology</i> , 2012, 169, 1192-1202. | 1.6 | 34 |
| 248 | The expression profiling of the CsPYL, CsPP2C and CsSnRK2 gene families during fruit development and drought stress in cucumber. <i>Journal of Plant Physiology</i> , 2012, 169, 1874-1882. | 1.6 | 59 |
| 249 | Expression profiling of ABA pathway transcripts indicates crosstalk between abiotic and biotic stress responses in Arabidopsis. <i>Genomics</i> , 2012, 100, 110-115. | 1.3 | 139 |
| 250 | Ion Channels in Plants. <i>Physiological Reviews</i> , 2012, 92, 1777-1811. | 13.1 | 398 |
| 251 | Controlled nuclear import of the transcription factor NTL6 reveals a cytoplasmic role of SnRK2.8 in the drought-stress response. <i>Biochemical Journal</i> , 2012, 448, 353-363. | 1.7 | 103 |
| 252 | Structural insights into PYR/PYL/RCAR ABA receptors and PP2Cs. <i>Plant Science</i> , 2012, 182, 3-11. | 1.7 | 102 |
| 253 | ERD15 is an attenuator of plant ABA responses and stomatal aperture. <i>Plant Science</i> , 2012, 182, 19-28. | 1.7 | 34 |
| 254 | N-Acylethanolamines and related compounds: Aspects of metabolism and functions. <i>Plant Science</i> , 2012, 184, 129-140. | 1.7 | 32 |
| 255 | Functional roles of the protein phosphatase 2C, AtAIP1, in abscisic acid signaling and sugar tolerance in Arabidopsis. <i>Plant Science</i> , 2012, 187, 83-88. | 1.7 | 35 |
| 256 | Characterization of the ABA signal transduction pathway in <i>Vitis vinifera</i> . <i>Plant Science</i> , 2012, 187, 89-96. | 1.7 | 92 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 257 | Anion channels: master switches of stress responses. Trends in Plant Science, 2012, 17, 221-229. | 4.3 | 129 |
| 258 | Absciscic Acid Signaling in Plants. , 2012, , 359-368. | | 2 |
| 259 | Molecular Mimicry Regulates ABA Signaling by SnRK2 Kinases and PP2C Phosphatases. Science, 2012, 335, 85-88. | 6.0 | 439 |
| 260 | Phospholipase D1 is involved in nitric oxide-induced stomatal closure. Planta, 2012, 236, 1899-1907. | 1.6 | 72 |
| 261 | ABA signal transduction from ABA receptors to ion channels. Genes and Genomics, 2012, 34, 345-353. | 0.5 | 12 |
| 262 | Crystal structures of the Arabidopsis thaliana abscisic acid receptor PYL10 and its complex with abscisic acid. Biochemical and Biophysical Research Communications, 2012, 418, 122-127. | 1.0 | 28 |
| 263 | The Arabidopsis NPR1 Protein Is a Receptor for the Plant Defense Hormone Salicylic Acid. Cell Reports, 2012, 1, 639-647. | 2.9 | 684 |
| 264 | Identification and expression analysis of the Glycine max CYP707A gene family in response to drought and salt stresses. Annals of Botany, 2012, 110, 743-756. | 1.4 | 46 |
| 265 | Small Molecules Present Large Opportunities in Plant Biology. Annual Review of Plant Biology, 2012, 63, 261-282. | 8.6 | 99 |
| 266 | Genetic and genome-wide transcriptomic analyses identify co-regulation of oxidative response and hormone transcript abundance with vitamin C content in tomato fruit. BMC Genomics, 2012, 13, 187. | 1.2 | 33 |
| 267 | Molecular responses to extreme temperatures. , 2012, , 287-307. | | 10 |
| 268 | Contrapuntal role of ABA: Does it mediate stress tolerance or plant growth retardation under long-term drought stress?. Gene, 2012, 506, 265-273. | 1.0 | 250 |
| 269 | ABA says NO to UV-B: a universal response?. Trends in Plant Science, 2012, 17, 510-517. | 4.3 | 85 |
| 273 | Role of Ion Channels in Plants. Springer Protocols, 2012, , 295-322. | 0.1 | 7 |
| 274 | Identification of Phosphoproteins in Arabidopsis thaliana Leaves Using Polyethylene Glycol Fractionation, Immobilized Metal-ion Affinity Chromatography, Two-Dimensional Gel Electrophoresis and Mass Spectrometry. Journal of Proteome Research, 2012, 11, 425-437. | 1.8 | 50 |
| 275 | Protein phosphatases: a genomic outlook to understand their function in plants. Journal of Plant Biochemistry and Biotechnology, 2012, 21, 100-107. | 0.9 | 24 |
| 276 | Compound stress response in stomatal closure: a mathematical model of ABA and ethylene interaction in guard cells. BMC Systems Biology, 2012, 6, 146. | 3.0 | 36 |
| 277 | Osmotic stress signaling via protein kinases. Cellular and Molecular Life Sciences, 2012, 69, 3165-3173. | 2.4 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 278 | Abscisic Acid Signaling: Thermal Stability Shift Assays as Tool to Analyze Hormone Perception and Signal Transduction. PLoS ONE, 2012, 7, e47857. | 1.1 | 19 |
| 279 | Multiple hormone treatment revealed novel cooperative relationships between abscisic acid and biotic stress hormones in cultured cells. Plant Biotechnology, 2012, 29, 19-34. | 0.5 | 7 |
| 280 | Combinatorial Networks Regulating Seed Development and Seed Filling. , 2012, , . | | 4 |
| 281 | ABA signal in rice under stress conditions. Rice, 2012, 5, 1. | 1.7 | 215 |
| 282 | ROP11 GTPase Negatively Regulates ABA Signaling by Protecting ABI1 Phosphatase Activity from Inhibition by the ABA Receptor RCAR1/PYL9 in <i>Arabidopsis</i> . Journal of Integrative Plant Biology, 2012, 54, 180-188. | 4.1 | 50 |
| 283 | Connections between Sphingosine Kinase and Phospholipase D in the Absciscic Acid Signaling Pathway in Arabidopsis. Journal of Biological Chemistry, 2012, 287, 8286-8296. | 1.6 | 99 |
| 284 | Signal Transduction of Phytohormones Under Abiotic Stresses. , 2012, , 1-48. | | 27 |
| 285 | Ectopic overexpression of a salt stress-induced pathogenesis-related class 10 protein (PR10) gene from peanut (<i>Arachis hypogaea</i> L.) affords broad spectrum abiotic stress tolerance in transgenic tobacco. Plant Cell, Tissue and Organ Culture, 2012, 109, 19-31. | 1.2 | 60 |
| 286 | The stomata frontline of plant interaction with the environment-perspectives from hormone regulation. Frontiers in Biology, 2012, 7, 96-112. | 0.7 | 22 |
| 287 | The ABA signal transduction mechanism in commercial crops: learning from Arabidopsis. Plant Cell Reports, 2012, 31, 1357-1369. | 2.8 | 40 |
| 288 | Circadian clock-dependent gating in ABA signalling networks. Protoplasma, 2012, 249, 445-457. | 1.0 | 67 |
| 289 | A novel role for histone methyltransferase KYP/SUVH4 in the control of <i>Arabidopsis</i> primary seed dormancy. New Phytologist, 2012, 193, 605-616. | 3.5 | 104 |
| 290 | WRKY transcription factors: key components in abscisic acid signalling. Plant Biotechnology Journal, 2012, 10, 2-11. | 4.1 | 485 |
| 291 | ABA signal transduction at the crossroad of biotic and abiotic stress responses. Plant, Cell and Environment, 2012, 35, 53-60. | 2.8 | 584 |
| 292 | <i>SKP1</i> is involved in abscisic acid signalling to regulate seed germination, stomatal opening and root growth in <i>Arabidopsis thaliana</i> . Plant, Cell and Environment, 2012, 35, 952-965. | 2.8 | 50 |
| 293 | ROPGEF1 and ROPGEF4 are functional regulators of ROP11 GTPase in ABA-mediated stomatal closure in <i>Arabidopsis</i> . FEBS Letters, 2012, 586, 1253-1258. | 1.3 | 47 |
| 294 | ROP11 GTPase is a Negative Regulator of Multiple ABA Responses in <i>Arabidopsis</i> . Journal of Integrative Plant Biology, 2012, 54, 169-179. | 4.1 | 46 |
| 295 | Complex Structures of the Absciscic Acid Receptor PYL3/RCAR13 Reveal a Unique Regulatory Mechanism. Structure, 2012, 20, 780-790. | 1.6 | 71 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 296 | Comparison of phytohormone signaling mechanisms. <i>Current Opinion in Plant Biology</i> , 2012, 15, 84-91. | 3.5 | 135 |
| 297 | Electrolytic reduction of abscisic acid methyl ester and its free acid. <i>Phytochemistry</i> , 2012, 80, 89-98. | 1.4 | 5 |
| 298 | Crystallization and preliminary X-ray diffraction studies of the abscisic acid receptor PYL3 and its complex with pyrabactin. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012, 68, 479-482. | 0.7 | 1 |
| 299 | Purification, crystallization and preliminary X-ray analysis of OsAREB8 from rice, a member of the AREB/ABF family of bZIP transcription factors, in complex with its cognate DNA. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012, 68, 491-494. | 0.7 | 6 |
| 300 | Phytochrome B increases drought tolerance by enhancing ABA sensitivity in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2012, 35, 1958-1968. | 2.8 | 95 |
| 301 | Molecular mechanisms of seed dormancy. <i>Plant, Cell and Environment</i> , 2012, 35, 1769-1786. | 2.8 | 449 |
| 302 | Comparison of salt stress resistance genes in transgenic <i>Arabidopsis thaliana</i> indicates that extent of transcriptomic change may not predict secondary phenotypic or fitness effects. <i>Plant Biotechnology Journal</i> , 2012, 10, 284-300. | 4.1 | 34 |
| 303 | The role of the <i>Arabidopsis</i> FUSCA3 transcription factor during inhibition of seed germination at high temperature. <i>BMC Plant Biology</i> , 2012, 12, 15. | 1.6 | 70 |
| 304 | Roles of mitogen-activated protein kinase cascades in ABA signaling. <i>Plant Cell Reports</i> , 2012, 31, 1-12. | 2.8 | 102 |
| 305 | Characterization of potential ABA receptors in <i>Vitis vinifera</i> . <i>Plant Cell Reports</i> , 2012, 31, 311-321. | 2.8 | 93 |
| 306 | Protein Ser/Thr phosphatases – the ugly ducklings of cell signalling. <i>FEBS Journal</i> , 2013, 280, 324-325. | 2.2 | 194 |
| 307 | Type 2C protein phosphatases in plants. <i>FEBS Journal</i> , 2013, 280, 681-693. | 2.2 | 200 |
| 308 | Molecular character of a phosphatase 2C (PP2C) gene relation to stress tolerance in <i>Arabidopsis thaliana</i> . <i>Molecular Biology Reports</i> , 2013, 40, 2633-2644. | 1.0 | 39 |
| 309 | Cochaperonin CPN20 negatively regulates abscisic acid signaling in <i>Arabidopsis</i> . <i>Plant Molecular Biology</i> , 2013, 83, 205-218. | 2.0 | 40 |
| 310 | RNA-seq Analysis Reveals Ethylene-Mediated Reproductive Organ Development and Abscission in Soybean (<i>Glycine max</i> L. Merr.). <i>Plant Molecular Biology Reporter</i> , 2013, 31, 607-619. | 1.0 | 26 |
| 311 | Breeding aflatoxin-resistant maize lines using recent advances in technologies – a review. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 1382-1391. | 1.1 | 36 |
| 312 | A Novel Nuclear Protein Phosphatase 2C Negatively Regulated by ABL1 is Involved in Abiotic Stress and Panicle Development in Rice. <i>Molecular Biotechnology</i> , 2013, 54, 703-710. | 1.3 | 33 |
| 313 | De novo sequencing and transcriptome analysis of the desert shrub, <i>Ammopiptanthus mongolicus</i> , during cold acclimation using Illumina/Solexa. <i>BMC Genomics</i> , 2013, 14, 488. | 1.2 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 314 | Functional analysis of the ABA-responsive protein family in ABA and stress signal transduction in Arabidopsis. Science Bulletin, 2013, 58, 3721-3730. | 1.7 | 22 |
| 315 | Group A PP2Cs evolved in land plants as key regulators of intrinsic desiccation tolerance. Nature Communications, 2013, 4, 2219. | 5.8 | 142 |
| 316 | <scp>BLH</scp>1 and <scp>KNAT</scp>3 modulate <scp>ABA</scp> responses during germination and early seedling development in Arabidopsis. Plant Journal, 2013, 75, 755-766. | 2.8 | 93 |
| 317 | A Spatio-Temporal Understanding of Growth Regulation during the Salt Stress Response in Arabidopsis. Plant Cell, 2013, 25, 2132-2154. | 3.1 | 351 |
| 321 | Comparative transcriptome analysis of tomato (Solanum lycopersicum) in response to exogenous abscisic acid. BMC Genomics, 2013, 14, 841. | 1.2 | 84 |
| 322 | Open Stomata 1 (<scp>OST</scp>1) is limiting in abscisic acid responses of Arabidopsis guard cells. New Phytologist, 2013, 200, 1049-1063. | 3.5 | 171 |
| 323 | Absciscic acid binds to recombinant Arabidopsis thaliana G-protein coupled receptor-type G-protein 1 in Sacaromycese cerevisiae and inÂvitro. Plant Physiology and Biochemistry, 2013, 68, 32-36. | 2.8 | 6 |
| 324 | Molecular basis for the selective and ABA-independent inhibition of PP2CA by PYL13. Cell Research, 2013, 23, 1369-1379. | 5.7 | 80 |
| 325 | Type 2C protein phosphatase ABI1 is a negative regulator of strawberry fruit ripening. Journal of Experimental Botany, 2013, 64, 1677-1687. | 2.4 | 108 |
| 326 | Structure and function of abscisic acid receptors. Trends in Plant Science, 2013, 18, 259-266. | 4.3 | 164 |
| 327 | Overexpression of Arabidopsis acylâ€CoAâ€binding protein ACP2 enhances drought tolerance. Plant, Cell and Environment, 2013, 36, 300-314. | 2.8 | 73 |
| 328 | Biochemical regulation of in vivo function of plant calcium-dependent protein kinases (CDPK). Biochimica Et Biophysica Acta - Molecular Cell Research, 2013, 1833, 1582-1589. | 1.9 | 146 |
| 329 | Arabidopsis suppressor mutant of abh1 shows a new face of the already known players: ABH1 (CBP80) and ABI4â€in response to ABA and abiotic stresses during seed germination. Plant Molecular Biology, 2013, 81, 189-209. | 2.0 | 32 |
| 330 | Ratiometric monitoring of transient apoplastic alkalinizations in the leaf apoplast of living <i><scp>V</scp>icia faba</i> plants: chloride primes and <scp>PM</scp>â€â€H</scp> ⁺â€<scp>ATP</scp>ase shapes <scp>N</scp>a<scp>C</scp>â€induced systemic alkalinizations. New Phytologist, 2013, 197, 1117-1129. | 3.5 | 37 |
| 331 | ATAF1 transcription factor directly regulates abscisic acid biosynthetic gene <i>NCED3</i> in <i>Arabidopsis thaliana</i>. FEBS Open Bio, 2013, 3, 321-327. | 1.0 | 182 |
| 332 | AtHSP17.8 overexpression in transgenic lettuce gives rise to dehydration and salt stress resistance phenotypes through modulation of ABA-mediated signaling. Plant Cell Reports, 2013, 32, 1953-1963. | 2.8 | 35 |
| 333 | Pathogen and Circadian Controlled 1 (PCC1) regulates polar lipid content, ABA-related responses, and pathogen defence in Arabidopsis thaliana. Journal of Experimental Botany, 2013, 64, 3385-3395. | 2.4 | 42 |
| 334 | Absciscic Acid Suppresses the Highly Occurred Somatic Homologous Recombination in Arabidopsis rfc1 Mutant. Journal of Genetics and Genomics, 2013, 40, 465-471. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 335 | Gasotransmitters are emerging as new guard cell signaling molecules and regulators of leaf gas exchange. <i>Plant Science</i> , 2013, 201-202, 66-73. | 1.7 | 127 |
| 336 | Plant hormone signaling during development: insights from computational models. <i>Current Opinion in Plant Biology</i> , 2013, 16, 19-24. | 3.5 | 15 |
| 337 | Differential Expression of MicroRNAs in Response to Drought Stress in Maize. <i>Journal of Integrative Agriculture</i> , 2013, 12, 1414-1422. | 1.7 | 50 |
| 338 | Stress Tolerance in Plants: A Proteomics Approach. , 2013, , 359-386. | | 3 |
| 339 | Mutations in the <i>SLAC1</i> anion channel slow stomatal opening and severely reduce K^{+} uptake channel activity via enhanced cytosolic $[Ca^{2+}]$ and increased Ca^{2+} sensitivity of K^{+} uptake channels. <i>New Phytologist</i> , 2013, 197, 88-98. | 3.5 | 50 |
| 340 | Protein Conformation Ensembles Monitored by HDX Reveal a Structural Rationale for Absciscic Acid Signaling Protein Affinities and Activities. <i>Structure</i> , 2013, 21, 229-235. | 1.6 | 31 |
| 341 | <i>ABA</i> inhibits entry into stomatal lineage development in <i>Arabidopsis</i> leaves. <i>Plant Journal</i> , 2013, 74, 448-457. | 2.8 | 117 |
| 342 | Endodermal ABA Signaling Promotes Lateral Root Quiescence during Salt Stress in <i>Arabidopsis</i> Seedlings. <i>Plant Cell</i> , 2013, 25, 324-341. | 3.1 | 367 |
| 343 | Nitrated Cyclic GMP Modulates Guard Cell Signaling in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 558-571. | 3.1 | 136 |
| 344 | Synthetic molecules: helping to unravel plant signal transduction. <i>Journal of Chemical Biology</i> , 2013, 6, 43-50. | 2.2 | 16 |
| 345 | Gibberellins and absciscic acid signal crosstalk: living and developing under unfavorable conditions. <i>Plant Cell Reports</i> , 2013, 32, 1007-1016. | 2.8 | 106 |
| 346 | A rice stress-responsive NAC gene enhances tolerance of transgenic wheat to drought and salt stresses. <i>Plant Science</i> , 2013, 203-204, 33-40. | 1.7 | 152 |
| 347 | Open stomata 1 (<i>OST1</i>) kinase controls <i>R</i> -type anion channel <i>QUAC1</i> in <i>Arabidopsis</i> guard cells. <i>Plant Journal</i> , 2013, 74, 372-382. | 2.8 | 184 |
| 348 | Nitric oxide as a key component in hormone-regulated processes. <i>Plant Cell Reports</i> , 2013, 32, 853-866. | 2.8 | 112 |
| 349 | Protein Contribution to Plant Salinity Response and Tolerance Acquisition. <i>International Journal of Molecular Sciences</i> , 2013, 14, 6757-6789. | 1.8 | 170 |
| 350 | The phytohormone crosstalk paradigm takes center stage in understanding how plants respond to abiotic stresses. <i>Plant Cell Reports</i> , 2013, 32, 945-957. | 2.8 | 218 |
| 351 | Calcium Imaging of the Cyclic Nucleotide Response. <i>Methods in Molecular Biology</i> , 2013, 1016, 107-119. | 0.4 | 2 |
| 352 | ABA homeostasis and signaling involving multiple subcellular compartments and multiple receptors. <i>Plant Cell Reports</i> , 2013, 32, 807-813. | 2.8 | 89 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 353 | Arabidopsis CBL-interacting protein kinase (CIPK6) is involved in plant response to salt/osmotic stress and ABA. <i>Molecular Biology Reports</i> , 2013, 40, 4759-4767. | 1.0 | 95 |
| 354 | ABA signaling in stress-response and seed development. <i>Plant Cell Reports</i> , 2013, 32, 959-970. | 2.8 | 631 |
| 355 | Quantitative Proteomics-Based Analysis Supports a Significant Role of GTG Proteins in Regulation of ABA Response in <i>Arabidopsis</i> Roots. <i>Journal of Proteome Research</i> , 2013, 12, 1487-1501. | 1.8 | 38 |
| 356 | Functional analysis of TaABF1 during abscisic acid and gibberellin signalling in aleurone cells of cereal grains. <i>Seed Science Research</i> , 2013, 23, 89-98. | 0.8 | 9 |
| 357 | Hydrogen sulfide interacting with abscisic acid in stomatal regulation responses to drought stress in <i>Arabidopsis</i> . <i>Plant Physiology and Biochemistry</i> , 2013, 62, 41-46. | 2.8 | 242 |
| 358 | Differential expression of the <i>Citrus sinensis</i> ABA perception system genes during postharvest fruit dehydration. <i>Postharvest Biology and Technology</i> , 2013, 76, 65-73. | 2.9 | 22 |
| 359 | Interactions between soybean ABA receptors and type 2C protein phosphatases. <i>Plant Molecular Biology</i> , 2013, 83, 651-664. | 2.0 | 77 |
| 360 | Multiple roles of the transcription factor AtMYBR1/AtMYB44 in ABA signaling, stress responses, and leaf senescence. <i>BMC Plant Biology</i> , 2013, 13, 192. | 1.6 | 163 |
| 361 | ABI1 and PP2CA Phosphatases Are Negative Regulators of Snf1-Related Protein Kinase1 Signaling in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 3871-3884. | 3.1 | 266 |
| 362 | The role of abscisic acid in fruit ripening and responses to abiotic stress. <i>Journal of Experimental Botany</i> , 2013, 65, 4577-4588. | 2.4 | 280 |
| 363 | <i>Arabidopsis</i> acyl-CoA-binding protein <sc>ACBP</sc>1 participates in the regulation of seed germination and seedling development. <i>Plant Journal</i> , 2013, 74, 294-309. | 2.8 | 85 |
| 364 | PYR/RCAR Receptors Contribute to Ozone-, Reduced Air Humidity-, Darkness-, and CO ₂ -Induced Stomatal Regulation. <i>Plant Physiology</i> , 2013, 162, 1652-1668. | 2.3 | 190 |
| 365 | Difference in Absciscic Acid Perception Mechanisms between Closure Induction and Opening Inhibition of Stomata. <i>Plant Physiology</i> , 2013, 163, 600-610. | 2.3 | 58 |
| 366 | Overexpression of the Mg-chelatase H subunit in guard cells confers drought tolerance via promotion of stomatal closure in <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2013, 4, 440. | 1.7 | 30 |
| 367 | Regulation of reactive oxygen species-mediated abscisic acid signaling in guard cells and drought tolerance by glutathione. <i>Frontiers in Plant Science</i> , 2013, 4, 472. | 1.7 | 60 |
| 368 | Open or Close the Gate – Stomata Action Under the Control of Phytohormones in Drought Stress Conditions. <i>Frontiers in Plant Science</i> , 2013, 4, 138. | 1.7 | 417 |
| 369 | ABI4 Regulates Primary Seed Dormancy by Regulating the Biogenesis of Absciscic Acid and Gibberellins in <i>Arabidopsis</i> . <i>PLoS Genetics</i> , 2013, 9, e1003577. | 1.5 | 330 |
| 370 | ABA crosstalk with ethylene and nitric oxide in seed dormancy and germination. <i>Frontiers in Plant Science</i> , 2013, 4, 63. | 1.7 | 220 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 371 | Structural Biology of a Major Signaling Network that Regulates Plant Abiotic Stress: The CBL-CIPK Mediated Pathway. <i>International Journal of Molecular Sciences</i> , 2013, 14, 5734-5749. | 1.8 | 79 |
| 372 | Molecular Mechanisms in the Activation of Absciscic Acid Receptor PYR1. <i>PLoS Computational Biology</i> , 2013, 9, e1003114. | 1.5 | 17 |
| 373 | <i>Arabidopsis</i> nanodomain-delimited ABA signaling pathway regulates the anion channel SLAH3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8296-8301. | 3.3 | 210 |
| 374 | Going Green: Phytohormone Mimetics for Drought Rescue. <i>Plant Physiology</i> , 2013, 163, 1087-1088. | 2.3 | 7 |
| 375 | HONSU, a Protein Phosphatase 2C, Regulates Seed Dormancy by Inhibiting ABA Signaling in <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2013, 54, 555-572. | 1.5 | 74 |
| 376 | <i>Arabidopsis</i> CIPK26 interacts with KEG, components of the ABA signalling network and is degraded by the ubiquitin-proteasome system. <i>Journal of Experimental Botany</i> , 2013, 64, 2779-2791. | 2.4 | 136 |
| 377 | Can prolonged exposure to low VPD disturb the ABA signalling in stomatal guard cells?. <i>Journal of Experimental Botany</i> , 2013, 64, 3551-3566. | 2.4 | 74 |
| 378 | ABA Signaling in Guard Cells Entails a Dynamic Protein-Protein Interaction Relay from the PYL-RCAR Family Receptors to Ion Channels. <i>Molecular Plant</i> , 2013, 6, 528-538. | 3.9 | 139 |
| 379 | bHLH Transcription Factors That Facilitate K ⁺ Uptake During Stomatal Opening Are Repressed by Absciscic Acid Through Phosphorylation. <i>Science Signaling</i> , 2013, 6, ra48. | 1.6 | 97 |
| 380 | Calcium-Dependent and -Independent Stomatal Signaling Network and Compensatory Feedback Control of Stomatal Opening via Ca ²⁺ Sensitivity Priming. <i>Plant Physiology</i> , 2013, 163, 504-513. | 2.3 | 47 |
| 381 | Genetics and Phosphoproteomics Reveal a Protein Phosphorylation Network in the Absciscic Acid Signaling Pathway in <i>Arabidopsis thaliana</i> . <i>Science Signaling</i> , 2013, 6, rs8. | 1.6 | 355 |
| 382 | Purification, crystallization and preliminary X-ray analysis of the strawberry allergens Fra a 1E and Fra a 3 in the presence of catechin. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013, 69, 510-514. | 0.7 | 12 |
| 383 | Quantitative phosphoproteomics identifies SnRK2 protein kinase substrates and reveals the effectors of absciscic acid action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11205-11210. | 3.3 | 394 |
| 384 | The role of <i>FaBG3</i> in fruit ripening and <i>B.Âcinerea</i> fungal infection of strawberry. <i>Plant Journal</i> , 2013, 76, 24-35. | 2.8 | 69 |
| 385 | Defense-related transcription factors <i>WRKY70</i> and <i>WRKY54</i> modulate osmotic stress tolerance by regulating stomatal aperture in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2013, 200, 457-472. | 3.5 | 223 |
| 386 | The Strawberry Pathogenesis-related 10 (PR-10) Fra a Proteins Control Flavonoid Biosynthesis by Binding to Metabolic Intermediates. <i>Journal of Biological Chemistry</i> , 2013, 288, 35322-35332. | 1.6 | 77 |
| 387 | The unique mode of action of a divergent member of the ABA-receptor protein family in ABA and stress signaling. <i>Cell Research</i> , 2013, 23, 1380-1395. | 5.7 | 125 |
| 388 | PYRABACTIN RESISTANCE1-LIKE8 Plays an Important Role for the Regulation of Absciscic Acid Signaling in Root. <i>Plant Physiology</i> , 2013, 161, 931-941. | 2.3 | 244 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 389 | Absciscic Acid Synthesis and Response. The Arabidopsis Book, 2013, 11, e0166. | 0.5 | 815 |
| 390 | An ABA-mimicking ligand that reduces water loss and promotes drought resistance in plants. Cell Research, 2013, 23, 1043-1054. | 5.7 | 167 |
| 391 | The PYL4 A194T Mutant Uncovers a Key Role of PYR1-LIKE4/PROTEIN PHOSPHATASE 2CA Interaction for Absciscic Acid Signaling and Plant Drought Resistance. Plant Physiology, 2013, 163, 441-455. | 2.3 | 150 |
| 392 | Crystallization and initial X-ray data of absciscic acid receptor PYL3 in the presence of (â ⁺)-ABA. Acta Crystallographica Section F: Structural Biology Communications, 2013, 69, 540-543. | 0.7 | 0 |
| 393 | Activation of dimeric ABA receptors elicits guard cell closure, ABA-regulated gene expression, and drought tolerance. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 12132-12137. | 3.3 | 262 |
| 394 | The PP6 Phosphatase Regulates ABI5 Phosphorylation and Absciscic Acid Signaling in Arabidopsis. Plant Cell, 2013, 25, 517-534. | 3.1 | 98 |
| 395 | Abiotic Stress in Plants. , 0, , . | | 2 |
| 396 | Molecular Mechanisms Controlling Dormancy and Germination in Barley. , 2013, , . | | 1 |
| 397 | mRNA-seq Analysis of the Gossypium arboreum transcriptome Reveals Tissue Selective Signaling in Response to Water Stress during Seedling Stage. PLoS ONE, 2013, 8, e54762. | 1.1 | 45 |
| 398 | Overexpression of the Artemisia Orthologue of ABA Receptor, AaPYL9, Enhances ABA Sensitivity and Improves Artemisinin Content in Artemisia annua L. PLoS ONE, 2013, 8, e56697. | 1.1 | 61 |
| 399 | Directly Transforming PCR-Amplified DNA Fragments into Plant Cells Is a Versatile System That Facilitates the Transient Expression Assay. PLoS ONE, 2013, 8, e57171. | 1.1 | 35 |
| 400 | Transcriptomic Analysis of a Tertiary Relict Plant, Extreme Xerophyte Reaumuria soongorica to Identify Genes Related to Drought Adaptation. PLoS ONE, 2013, 8, e63993. | 1.1 | 55 |
| 401 | Structural Insights into the Absciscic Acid Stereospecificity by the ABA Receptors PYR/PYL/RCAR. PLoS ONE, 2013, 8, e67477. | 1.1 | 38 |
| 402 | Regulation of Wheat Seed Dormancy by After-Ripening Is Mediated by Specific Transcriptional Switches That Induce Changes in Seed Hormone Metabolism and Signaling. PLoS ONE, 2013, 8, e56570. | 1.1 | 85 |
| 403 | Towards the Identification of New Genes Involved in ABA-Dependent Abiotic Stresses Using Arabidopsis Suppressor Mutants of abh1 Hypersensitivity to ABA during Seed Germination. International Journal of Molecular Sciences, 2013, 14, 13403-13432. | 1.8 | 6 |
| 404 | The Molecular Basis of ABA-Mediated Plant Response to Drought. , 0, , . | | 21 |
| 405 | Cloning and Characterization of TaPP2AbB"1±, a Member of the PP2A Regulatory Subunit in Wheat. PLoS ONE, 2014, 9, e94430. | 1.1 | 17 |
| 406 | Identification and Characterization of ABA Receptors in Oryza sativa. PLoS ONE, 2014, 9, e95246. | 1.1 | 103 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 407 | H2O2 Inhibits ABA-Signaling Protein Phosphatase HAB1. PLoS ONE, 2014, 9, e113643. | 1.1 | 25 |
| 408 | Type 2C Phosphatase 1 of <i>Artemisia annua</i> L. Is a Negative Regulator of ABA Signaling. BioMed Research International, 2014, 2014, 1-9. | 0.9 | 14 |
| 409 | Absciscic acid dynamics in roots detected with genetically encoded FRET sensors. ELife, 2014, 3, e01741. | 2.8 | 203 |
| 410 | The Arabidopsis ZINC FINGER PROTEIN3 Interferes with Absciscic Acid and Light Signaling in Seed Germination and Plant Development. Plant Physiology, 2014, 165, 1203-1220. | 2.3 | 89 |
| 411 | Phosphorylation Networks in the Absciscic Acid Signaling Pathway. The Enzymes, 2014, 35, 27-56. | 0.7 | 12 |
| 412 | Absciscic acid sensor RCAR7/PYL13, specific regulator of protein phosphatase coreceptors. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 5741-5746. | 3.3 | 100 |
| 413 | FRET-based reporters for the direct visualization of absciscic acid concentration changes and distribution in Arabidopsis. ELife, 2014, 3, e01739. | 2.8 | 213 |
| 414 | ABD1 Is an Arabidopsis DCAF Substrate Receptor for CUL4-DDB1-Based E3 Ligases That Acts as a Negative Regulator of Absciscic Acid Signaling. Plant Cell, 2014, 26, 695-711. | 3.1 | 152 |
| 415 | Duplicate and Conquer: Multiple Homologs of PHOSPHORUS-STARVATION TOLERANCE1 Enhance Phosphorus Acquisition and Sorghum Performance on Low-Phosphorus Soils. Plant Physiology, 2014, 166, 659-677. | 2.3 | 117 |
| 416 | The Arabidopsis Abiotic Stress-Induced TSPO-Related Protein Reduces Cell-Surface Expression of the Aquaporin PIP2;7 through Protein-Protein Interactions and Autophagic Degradation. Plant Cell, 2014, 26, 4974-4990. | 3.1 | 128 |
| 417 | Absciscic Acid Suppresses Hypocotyl Elongation by Dephosphorylating Plasma Membrane H ⁺ -ATPase in Arabidopsis thaliana. Plant and Cell Physiology, 2014, 55, 845-853. | 1.5 | 85 |
| 418 | Arabidopsis pentatricopeptide repeat protein SOAR1 plays a critical role in absciscic acid signalling. Journal of Experimental Botany, 2014, 65, 5317-5330. | 2.4 | 37 |
| 419 | Signaling Components of ABA-dependent Transcriptional Regulation. Han'guk Yukchong Hakhoe Chi, 2014, 46, 1-9. | 0.2 | 0 |
| 420 | Extracellular signals and receptor-like kinases regulating ROP GTPases in plants. Frontiers in Plant Science, 2014, 5, 449. | 1.7 | 33 |
| 421 | Arabidopsis ABA Receptor RCAR1/PYL9 Interacts with an R2R3-Type MYB Transcription Factor, AtMYB44. International Journal of Molecular Sciences, 2014, 15, 8473-8490. | 1.8 | 40 |
| 422 | Improvement of Stress Tolerance in Crops by Genetic Manipulation of ABA Metabolism, Signaling, and Regulation. , 2014, , 447-465. | | 0 |
| 423 | The role of ubiquitin and the 26S proteasome in plant abiotic stress signaling. Frontiers in Plant Science, 2014, 5, 135. | 1.7 | 251 |
| 424 | Antagonistic Regulation of Arabidopsis Growth by Brassinosteroids and Abiotic Stresses. Molecules and Cells, 2014, 37, 795-803. | 1.0 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 425 | Target identification strategies in plant chemical biology. <i>Frontiers in Plant Science</i> , 2014, 5, 352. | 1.7 | 26 |
| 426 | Global Analysis of Serine/Threonine and Tyrosine Protein Phosphatase Catalytic Subunit Genes in <i>Neurospora crassa</i> Reveals Interplay Between Phosphatases and the p38 Mitogen-Activated Protein Kinase. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 349-365. | 0.8 | 39 |
| 427 | Regulation of Drought Tolerance by the F-Box Protein MAX2 in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2014, 164, 424-439. | 2.3 | 254 |
| 428 | Mechanism of high-affinity abscisic acid binding to <i>PYL9</i> / <i>RCAR1</i> . <i>Genes To Cells</i> , 2014, 19, 386-404. | 0.5 | 18 |
| 429 | Behind the scenes: the roles of reactive oxygen species in guard cells. <i>New Phytologist</i> , 2014, 201, 1121-1140. | 3.5 | 224 |
| 430 | C2-Domain Absciscic Acid-Related Proteins Mediate the Interaction of <i>PYR/PYL/RCAR</i> Absciscic Acid Receptors with the Plasma Membrane and Regulate Absciscic Acid Sensitivity in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 4802-4820. | 3.1 | 127 |
| 431 | Gate control: guard cell regulation by microbial stress. <i>New Phytologist</i> , 2014, 203, 1049-1063. | 3.5 | 77 |
| 432 | <i>WRKY41</i> controls <i>Arabidopsis</i> seed dormancy via direct regulation of <i>ABI3</i> transcript levels not downstream of ABA. <i>Plant Journal</i> , 2014, 79, 810-823. | 2.8 | 140 |
| 433 | ATP-Binding Cassette and Multidrug and Toxic Compound Extrusion Transporters in Plants. <i>International Review of Cell and Molecular Biology</i> , 2014, 309, 303-346. | 1.6 | 58 |
| 434 | <i>REDUCED DORMANCY5</i> Encodes a Protein Phosphatase 2C That Is Required for Seed Dormancy in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 4362-4375. | 3.1 | 79 |
| 435 | A hub for ABA signaling to the nucleus: Significance of a cytosolic and nuclear dual-localized PPR protein SOAR1 acting downstream of Mg-chelatase H subunit. <i>Plant Signaling and Behavior</i> , 2014, 9, e972899. | 1.2 | 18 |
| 436 | ABA Regulation of Plant Responses to Drought and Salt Stresses. , 2014, , 315-336. | | 7 |
| 437 | Phosphorus Deficiency in Plants: Responses, Adaptive Mechanisms, and Signaling. , 2014, , 133-148. | | 16 |
| 438 | Tolerance to drought and salt stress in plants: Unraveling the signaling networks. <i>Frontiers in Plant Science</i> , 2014, 5, 151. | 1.7 | 897 |
| 439 | Transcriptome of the inflorescence meristems of the biofuel plant <i>Jatropha curcas</i> treated with cytokinin. <i>BMC Genomics</i> , 2014, 15, 974. | 1.2 | 49 |
| 440 | Shared functions of plant and mammalian StAR-related lipid transfer (START) domains in modulating transcription factor activity. <i>BMC Biology</i> , 2014, 12, 70. | 1.7 | 62 |
| 441 | Accumulation of eicosapolyenoic acids enhances sensitivity to abscisic acid and mitigates the effects of drought in transgenic <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2014, 65, 1637-1649. | 2.4 | 16 |
| 442 | Absciscic Acid Implication in Plant Growth and Stress Responses. , 2014, , 37-54. | | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 443 | ABA Metabolism and Signaling in Fleshy Fruits. , 2014, , 271-286. | | 10 |
| 444 | The Remodeling of Seedling Development in Response to Long-Term Magnesium Toxicity and Regulation by ABAâ€“DELLA Signaling in Arabidopsis. Plant and Cell Physiology, 2014, 55, 1713-1726. | 1.5 | 43 |
| 445 | The ABA Receptor PYL8 Promotes Lateral Root Growth by Enhancing MYB77-Dependent Transcription of Auxin-Responsive Genes. Science Signaling, 2014, 7, ra53. | 1.6 | 274 |
| 446 | Multiple Roles of the Plasma Membrane H ⁺ -ATPase and Its Regulation. The Enzymes, 2014, 35, 191-211. | 0.7 | 9 |
| 447 | ABA Regulation of the Cold Stress Response in Plants. , 2014, , 337-363. | | 34 |
| 448 | Absciscic Acid Regulates Early Seed Development in <i>Arabidopsis</i> by ABI5-Mediated Transcription of <i>SHORT HYPOCOTYL UNDER BLUE1</i>. Plant Cell, 2014, 26, 1053-1068. | 3.1 | 172 |
| 449 | Site- and kinase-specific phosphorylation-mediated activation of SLAC1, a guard cell anion channel stimulated by abscisic acid. Science Signaling, 2014, 7, ra86. | 1.6 | 168 |
| 450 | Structurally diverse low molecular weight activators of the mammalian pre-mRNA 3â€² cleavage reaction. Bioorganic and Medicinal Chemistry, 2014, 22, 834-841. | 1.4 | 0 |
| 451 | Mechanism of ABA signal transduction: Agricultural highlights for improving drought tolerance. Journal of Plant Biology, 2014, 57, 1-8. | 0.9 | 50 |
| 452 | Arabidopsis co-chaperonin CPN20 antagonizes Mg-chelatase H subunit to derepress ABA-responsive WRKY40 transcription repressor. Science China Life Sciences, 2014, 57, 11-21. | 2.3 | 31 |
| 453 | Molecular cloning and characterization of CrNCED1, a gene encoding 9-cis-epoxycarotenoid dioxygenase in Citrus reshni, with functions in tolerance to multiple abiotic stresses. Planta, 2014, 239, 61-77. | 1.6 | 68 |
| 454 | NAC transcription factor gene regulatory and proteinâ€“protein interaction networks in plant stress responses and senescence. IUBMB Life, 2014, 66, 156-166. | 1.5 | 77 |
| 455 | Absciscic acid (<sc>ABA</sc>) sensitivity regulates desiccation tolerance in germinated <sc>A</sc>rabidopsis seeds. New Phytologist, 2014, 203, 81-93. | 3.5 | 111 |
| 456 | Gene Family Analysis of the Arabidopsis NF-YA Transcription Factors Reveals Opposing Absciscic Acid Responses During Seed Germination. Plant Molecular Biology Reporter, 2014, 32, 971-986. | 1.0 | 51 |
| 457 | Over-expression of ArathEULS3 confers ABA sensitivity and drought tolerance in Arabidopsis. Plant Cell, Tissue and Organ Culture, 2014, 117, 431-442. | 1.2 | 21 |
| 458 | LeMYC2 acts as a negative regulator of blue light mediated photomorphogenic growth, and promotes the growth of adult tomato plants. BMC Plant Biology, 2014, 14, 38. | 1.6 | 29 |
| 459 | Plant hormones and seed germination. Environmental and Experimental Botany, 2014, 99, 110-121. | 2.0 | 521 |
| 460 | Life and death under salt stress: same players, different timing?. Journal of Experimental Botany, 2014, 65, 2963-2979. | 2.4 | 240 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 461 | Overexpression of <i>PYL5</i> in rice enhances drought tolerance, inhibits growth, and modulates gene expression. <i>Journal of Experimental Botany</i> , 2014, 65, 453-464. | 2.4 | 204 |
| 462 | Role of chromatin in water stress responses in plants. <i>Journal of Experimental Botany</i> , 2014, 65, 2785-2799. | 2.4 | 80 |
| 463 | The role of ABA and MAPK signaling pathways in plant abiotic stress responses. <i>Biotechnology Advances</i> , 2014, 32, 40-52. | 6.0 | 528 |
| 464 | ABA as a Universal Plant Hormone. <i>Progress in Botany Fortschritte Der Botanik</i> , 2014, , 57-96. | 0.1 | 37 |
| 465 | Phosphatidic acid integrates calcium signaling and microtubule dynamics into regulating ABA-induced stomatal closure in <i>Arabidopsis</i> . <i>Planta</i> , 2014, 239, 565-575. | 1.6 | 73 |
| 466 | The single subunit <i>RING</i> type E3 ubiquitin ligase <i>RSL</i> 1 targets <i>PYL</i> 4 and <i>PYR</i> 1 <i>ABA</i> receptors in plasma membrane to modulate abscisic acid signaling. <i>Plant Journal</i> , 2014, 80, 1057-1071. | 2.8 | 177 |
| 467 | The tumor necrosis factor receptor-associated factor (TRAF)-like family protein SEVEN IN ABSENTIA 2 (<i>SINA2</i>) promotes drought tolerance in an <i>ABA</i> -dependent manner in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2014, 202, 174-187. | 3.5 | 64 |
| 468 | Closing gaps: linking elements that control stomatal movement. <i>New Phytologist</i> , 2014, 203, 44-62. | 3.5 | 292 |
| 469 | Abscisic Acid Flux Alterations Result in Differential Abscisic Acid Signaling Responses and Impact Assimilation Efficiency in Barley under Terminal Drought Stress. <i>Plant Physiology</i> , 2014, 164, 1677-1696. | 2.3 | 85 |
| 470 | <i>Arabidopsis</i> <i>RAV</i> 1 transcription factor, phosphorylated by <i>S</i> n <i>RK</i> 2 kinases, regulates the expression of <i>ABI</i> 3, <i>ABI</i> 4, and <i>ABI</i> 5 during seed germination and early seedling development. <i>Plant Journal</i> , 2014, 80, 654-668. | 2.8 | 224 |
| 471 | <i>SINCE</i> 1 and <i>SICYP</i> 707A2: key genes involved in ABA metabolism during tomato fruit ripening. <i>Journal of Experimental Botany</i> , 2014, 65, 5243-5255. | 2.4 | 95 |
| 472 | Hydrogen Sulfide Generated by <i>I</i> -Cysteine Desulhydrase Acts Upstream of Nitric Oxide to Modulate Abscisic Acid-Dependent Stomatal Closure. <i>Plant Physiology</i> , 2014, 166, 2065-2076. | 2.3 | 238 |
| 473 | <i>PLASTID MOVEMENT IMPAIRED</i> 1 mediates ABA sensitivity during germination and implicates ABA in light-mediated Chloroplast movements. <i>Plant Physiology and Biochemistry</i> , 2014, 83, 185-193. | 2.8 | 9 |
| 474 | Tomato <i>PYR</i> / <i>PYL</i> / <i>RCAR</i> abscisic acid receptors show high expression in root, differential sensitivity to the abscisic acid agonist quinabactin, and the capability to enhance plant drought resistance. <i>Journal of Experimental Botany</i> , 2014, 65, 4451-4464. | 2.4 | 173 |
| 475 | Molecular and physiological responses to abiotic stress in forest trees and their relevance to tree improvement. <i>Tree Physiology</i> , 2014, 34, 1181-1198. | 1.4 | 144 |
| 476 | Identification and expression analysis of salt-responsive genes using a comparative microarray approach in <i>Salix matsudana</i> . <i>Molecular Biology Reports</i> , 2014, 41, 6555-6568. | 1.0 | 10 |
| 477 | Interaction between abscisic acid receptor <i>PYL</i> 3 and protein phosphatase type 2C in response to ABA signaling in maize. <i>Gene</i> , 2014, 549, 179-185. | 1.0 | 24 |
| 478 | A Prominent Role for <i>RCAR</i> 3-Mediated ABA Signaling in Response to <i>Pseudomonas syringae</i> pv. tomato DC3000 Infection in <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2014, 55, 1691-1703. | 1.5 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 479 | Phosphoproteome analysis reveals new drought response and defense mechanisms of seedling leaves in bread wheat (<i>Triticum aestivum</i> L.). <i>Journal of Proteomics</i> , 2014, 109, 290-308. | 1.2 | 131 |
| 480 | Identification and validation of reference genes for <i>Populus euphratica</i> gene expression analysis during abiotic stresses by quantitative real-time PCR. <i>Physiologia Plantarum</i> , 2014, 152, 529-545. | 2.6 | 87 |
| 481 | The Cotton WRKY Transcription Factor GhWRKY17 Functions in Drought and Salt Stress in Transgenic <i>Nicotiana benthamiana</i> Through ABA Signaling and the Modulation of Reactive Oxygen Species Production. <i>Plant and Cell Physiology</i> , 2014, 55, 2060-2076. | 1.5 | 301 |
| 482 | Proteomic analysis of <i>Cucumis sativus</i> cotyledons after glucohexaose treatment as a part of ROS accumulation related resistance mechanism. <i>Proteome Science</i> , 2014, 12, 34. | 0.7 | 5 |
| 483 | Overexpression of a novel <i>Arabidopsis</i> PP2C isoform, AtPP2CF1, enhances plant biomass production by increasing inflorescence stem growth. <i>Journal of Experimental Botany</i> , 2014, 65, 5385-5400. | 2.4 | 51 |
| 484 | Copper amine oxidase and phospholipase D act independently in abscisic acid (ABA)-induced stomatal closure in <i>Vicia faba</i> and <i>Arabidopsis</i> . <i>Journal of Plant Research</i> , 2014, 127, 533-544. | 1.2 | 31 |
| 485 | Mg-chelatase I subunit 1 and Mg-protoporphyrin IX methyltransferase affect the stomatal aperture in <i>Arabidopsis thaliana</i> . <i>Journal of Plant Research</i> , 2014, 127, 553-563. | 1.2 | 21 |
| 486 | Protein kinase structure, expression and regulation in maize drought signaling. <i>Molecular Breeding</i> , 2014, 34, 583-602. | 1.0 | 16 |
| 487 | Transcriptional regulation of ABA core signaling component genes in sorghum (<i>Sorghum bicolor</i> L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 1.0 | 25 |
| 488 | Reactive Oxygen Species and Plant Hormones. , 2014, , 65-88. | | 19 |
| 489 | Absciscic acid perception and signaling: structural mechanisms and applications. <i>Acta Pharmacologica Sinica</i> , 2014, 35, 567-584. | 2.8 | 174 |
| 490 | SAUR Inhibition of PP2C-D Phosphatases Activates Plasma Membrane H ⁺ -ATPases to Promote Cell Expansion in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2129-2142. | 3.1 | 392 |
| 492 | Pyocyanin, a Virulence Factor Produced by <i>Pseudomonas aeruginosa</i> , Alters Root Development Through Reactive Oxygen Species and Ethylene Signaling in <i>Arabidopsis</i> . <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 364-378. | 1.4 | 48 |
| 493 | Deep-sequencing transcriptome analysis of low temperature perception in a desert tree, <i>Populus euphratica</i> . <i>BMC Genomics</i> , 2014, 15, 326. | 1.2 | 54 |
| 494 | Absciscic Acid Regulates Root Elongation Through the Activities of Auxin and Ethylene in <i>Arabidopsis thaliana</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 1259-1274. | 0.8 | 96 |
| 496 | Designed abscisic acid analogs as antagonists of PYL-PP2C receptor interactions. <i>Nature Chemical Biology</i> , 2014, 10, 477-482. | 3.9 | 98 |
| 497 | The <i>Arabidopsis</i> LYSIN MOTIF-CONTAINING RECEPTOR-LIKE KINASE3 Regulates the Cross Talk between Immunity and Absciscic Acid Responses. <i>Plant Physiology</i> , 2014, 165, 262-276. | 2.3 | 71 |
| 498 | Absciscic acid and abiotic stress tolerance – Different tiers of regulation. <i>Journal of Plant Physiology</i> , 2014, 171, 486-496. | 1.6 | 164 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 499 | Transcriptional regulation of abscisic acid signal core components during cucumber seed germination and under Cu ²⁺ , Zn ²⁺ , NaCl and simulated acid rain stresses. <i>Plant Physiology and Biochemistry</i> , 2014, 76, 67-76. | 2.8 | 41 |
| 500 | GSK3-like kinases positively modulate abscisic acid signaling through phosphorylating subgroup III SnRK2s in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9651-9656. | 3.3 | 211 |
| 501 | Molecular mechanisms in the selective basal activation of pyrabactin receptor 1: Comparative analysis of mutants. <i>FEBS Open Bio</i> , 2014, 4, 496-509. | 1.0 | 3 |
| 502 | The soluble ABA receptor PYL8 regulates drought resistance by controlling ABA signaling in <i>Arabidopsis</i> . <i>Plant Biotechnology Reports</i> , 2015, 9, 319-330. | 0.9 | 17 |
| 503 | Guard cell <i>SLAC1</i> type anion channels mediate flagellin-induced stomatal closure. <i>New Phytologist</i> , 2015, 208, 162-173. | 3.5 | 138 |
| 504 | The formation mechanism of the abscisic acid transport channel in PYL2 protein: A molecular dynamics study. <i>Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology</i> , 2015, 9, 218-227. | 0.3 | 1 |
| 505 | Dynamic subnuclear relocalisation of WRKY40 in response to Absciscic acid in <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2015, 5, 13369. | 1.6 | 21 |
| 506 | The HAB1 PP2C is inhibited by ABA-dependent PYL10 interaction. <i>Scientific Reports</i> , 2015, 5, 10890. | 1.6 | 23 |
| 507 | The catalytic role of the M2 metal ion in PP2C. <i>Scientific Reports</i> , 2015, 5, 8560. | 1.6 | 17 |
| 508 | Absciscic acid and other plant hormones: Methods to visualize distribution and signaling. <i>BioEssays</i> , 2015, 37, 1338-1349. | 1.2 | 41 |
| 509 | RopGEF2 is involved in ABA-suppression of seed germination and post-germination growth of <i>Arabidopsis</i> . <i>Plant Journal</i> , 2015, 84, 886-899. | 2.8 | 23 |
| 510 | Guard cell hydrogen peroxide and nitric oxide mediate elevated CO ₂ -induced stomatal movement in tomato. <i>New Phytologist</i> , 2015, 208, 342-353. | 3.5 | 95 |
| 511 | Novel Absciscic Acid Antagonists Identified with Chemical Array Screening. <i>ChemBioChem</i> , 2015, 16, 2471-2478. | 1.3 | 14 |
| 512 | Sustained exposure to abscisic acid enhances the colonization potential of the mutualist fungus <i>Piriformospora indica</i> on <i>Arabidopsis thaliana</i> roots. <i>New Phytologist</i> , 2015, 208, 873-886. | 3.5 | 52 |
| 513 | Absciscic acid affects transcription of chloroplast genes via protein phosphatase 2C-dependent activation of nuclear genes: repression by guanosine diphosphate and activation by sigma factor. <i>Plant Journal</i> , 2015, 82, 1030-1041. | 2.5 | 79 |
| 514 | Membrane-associated transcription factor peptidase, site-2 protease, antagonizes ABA signaling in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2015, 208, 188-197. | 3.5 | 46 |
| 515 | Comparative Analysis of the Brassica napus Root and Leaf Transcript Profiling in Response to Drought Stress. <i>International Journal of Molecular Sciences</i> , 2015, 16, 18752-18777. | 1.8 | 48 |
| 516 | Gene Networks Involved in Hormonal Control of Root Development in <i>Arabidopsis thaliana</i> : A Framework for Studying Its Disturbance by Metal Stress. <i>International Journal of Molecular Sciences</i> , 2015, 16, 19195-19224. | 1.8 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 517 | Keeping Control: The Role of Senescence and Development in Plant Pathogenesis and Defense. <i>Plants</i> , 2015, 4, 449-488. | 1.6 | 71 |
| 518 | Absciscic Acid: Hidden Architect of Root System Structure. <i>Plants</i> , 2015, 4, 548-572. | 1.6 | 120 |
| 519 | ABA Inducible Rice Protein Phosphatase 2C Confers ABA Insensitivity and Abiotic Stress Tolerance in Arabidopsis. <i>PLoS ONE</i> , 2015, 10, e0125168. | 1.1 | 150 |
| 520 | GhWRKY68 Reduces Resistance to Salt and Drought in Transgenic <i>Nicotiana benthamiana</i> . <i>PLoS ONE</i> , 2015, 10, e0120646. | 1.1 | 78 |
| 521 | Analyzing the Expression Profile of AREB/ABF and DREB/CBF Genes under Drought and Salinity Stresses in Grape (<i>Vitis vinifera</i> L.). <i>PLoS ONE</i> , 2015, 10, e0134288. | 1.1 | 64 |
| 522 | DCA1 Acts as a Transcriptional Co-activator of DST and Contributes to Drought and Salt Tolerance in Rice. <i>PLoS Genetics</i> , 2015, 11, e1005617. | 1.5 | 92 |
| 523 | A 14-3-3 Family Protein from Wild Soybean (<i>Glycine Soja</i>) Regulates ABA Sensitivity in Arabidopsis. <i>PLoS ONE</i> , 2015, 10, e0146163. | 1.1 | 35 |
| 524 | Considerations for designing chemical screening strategies in plant biology. <i>Frontiers in Plant Science</i> , 2015, 6, 131. | 1.7 | 36 |
| 525 | Chloroplast signaling within, between and beyond cells. <i>Frontiers in Plant Science</i> , 2015, 6, 781. | 1.7 | 163 |
| 526 | De novo transcriptome profiling of cold-stressed siliques during pod filling stages in Indian mustard (<i>Brassica juncea</i> L.). <i>Frontiers in Plant Science</i> , 2015, 6, 932. | 1.7 | 33 |
| 527 | The Arabidopsis a zinc finger domain protein ARS1 is essential for seed germination and ROS homeostasis in response to ABA and oxidative stress. <i>Frontiers in Plant Science</i> , 2015, 6, 963. | 1.7 | 34 |
| 528 | Emerging roles of protein kinase CK2 in abscisic acid signaling. <i>Frontiers in Plant Science</i> , 2015, 6, 966. | 1.7 | 23 |
| 529 | Function of ABA in Stomatal Defense against Biotic and Drought Stresses. <i>International Journal of Molecular Sciences</i> , 2015, 16, 15251-15270. | 1.8 | 376 |
| 530 | Calcium specificity signaling mechanisms in abscisic acid signal transduction in Arabidopsis guard cells. <i>ELife</i> , 2015, 4, . | 2.8 | 172 |
| 531 | Rapid Phosphoproteomic Effects of Absciscic Acid (ABA) on Wild-Type and ABA Receptor-Deficient <i>A. thaliana</i> Mutants*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 1169-1182. | 2.5 | 40 |
| 532 | Genome-wide analysis of SnRK gene family in <i>Brachypodium distachyon</i> and functional characterization of BdSnRK2.9. <i>Plant Science</i> , 2015, 237, 33-45. | 1.7 | 63 |
| 533 | The Arabidopsis RNA-Binding Protein AtRGGA Regulates Tolerance to Salt and Drought Stress Â. <i>Plant Physiology</i> , 2015, 168, 292-306. | 2.3 | 63 |
| 534 | Molecular Approaches in Deciphering Abiotic Stress Signaling Mechanisms in Plants. , 2015, , 41-73. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 535 | Towards Understanding Abiotic Stress Signaling in Plants: Convergence of Genomic, Transcriptomic, Proteomic, and Metabolomic Approaches. , 2015, , 3-40. | | 13 |
| 536 | Precise protein post-translational modifications modulate ABI5 activity. Trends in Plant Science, 2015, 20, 569-575. | 4.3 | 111 |
| 537 | ABA Receptors: Prospects for Enhancing Biotic and Abiotic Stress Tolerance of Crops. , 2015, , 271-298. | | 3 |
| 538 | MicroRNAs play an important role in the regulation of strawberry fruit senescence in low temperature. Postharvest Biology and Technology, 2015, 108, 39-47. | 2.9 | 25 |
| 539 | Molecular and Hormonal Regulation of Thermoinhibition of Seed Germination. , 2015, , 3-33. | | 16 |
| 540 | Absciscic acid induces ectopic outgrowth in epidermal cells through cortical microtubule reorganization in Arabidopsis thaliana. Scientific Reports, 2015, 5, 11364. | 1.6 | 17 |
| 541 | PacCYP707A2 negatively regulates cherry fruit ripening while PacCYP707A1 mediates drought tolerance. Journal of Experimental Botany, 2015, 66, 3765-3774. | 2.4 | 57 |
| 542 | Transcriptional regulation of PaPYLs, PaPP2Cs and PaSnRK2s during sweet cherry fruit development and in response to abscisic acid and auxin at onset of fruit ripening. Plant Growth Regulation, 2015, 75, 455-464. | 1.8 | 39 |
| 543 | Regulation of Carotenoid Metabolism in Tomato. Molecular Plant, 2015, 8, 28-39. | 3.9 | 270 |
| 544 | Nitric oxide negatively regulates abscisic acid signaling in guard cells by S-nitrosylation of OST1. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 613-618. | 3.3 | 318 |
| 545 | Diverse Stomatal Signaling and the Signal Integration Mechanism. Annual Review of Plant Biology, 2015, 66, 369-392. | 8.6 | 321 |
| 546 | OST1 Kinase Modulates Freezing Tolerance by Enhancing ICE1 Stability in Arabidopsis. Developmental Cell, 2015, 32, 278-289. | 3.1 | 491 |
| 547 | Agrochemical control of plant water use using engineered abscisic acid receptors. Nature, 2015, 520, 545-548. | 13.7 | 217 |
| 548 | Two Distinct Families of Protein Kinases Are Required for Plant Growth under High External Mg ²⁺ Concentrations in Arabidopsis. Plant Physiology, 2015, 167, 1039-1057. | 2.3 | 51 |
| 549 | The Response of Plants to Simultaneous Biotic and Abiotic Stress. , 2015, , 181-201. | | 20 |
| 550 | The RING Finger Ubiquitin E3 Ligase SDIR1 Targets SDIR1-INTERACTING PROTEIN1 for Degradation to Modulate the Salt Stress Response and ABA Signaling in Arabidopsis. Plant Cell, 2015, 27, 214-227. | 3.1 | 136 |
| 551 | Physiological and transcriptional memory in guard cells during repetitive dehydration stress. New Phytologist, 2015, 205, 596-607. | 3.5 | 130 |
| 552 | Conformationally restricted 3- α - ² -modified ABA analogs for controlling ABA receptors. Organic and Biomolecular Chemistry, 2015, 13, 4278-4288. | 1.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 553 | Genetic mechanisms of abiotic stress tolerance that translate to crop yield stability. <i>Nature Reviews Genetics</i> , 2015, 16, 237-251. | 7.7 | 796 |
| 554 | Oxidative post-translational modifications of cysteine residues in plant signal transduction. <i>Journal of Experimental Botany</i> , 2015, 66, 2923-2934. | 2.4 | 163 |
| 555 | Proteomic analysis reveals differential accumulation of small heat shock proteins and late embryogenesis abundant proteins between ABA-deficient mutant vp5 seeds and wild-type Vp5 seeds in maize. <i>Frontiers in Plant Science</i> , 2014, 5, 801. | 1.7 | 30 |
| 556 | Redox Strategies for Crop Improvement. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 1186-1205. | 2.5 | 22 |
| 557 | Identification of Open Stomata1-Interacting Proteins Reveals Interactions with Sucrose Non-fermenting1-Related Protein Kinases2 and with Type 2A Protein Phosphatases That Function in Absciscic Acid Responses. <i>Plant Physiology</i> , 2015, 169, 760-779. | 2.3 | 100 |
| 558 | The selectivity of 6-nor-ABA and 7- ϵ -nor-ABA for absciscic acid receptor subtypes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 3507-3510. | 1.0 | 26 |
| 559 | Insights into the Small RNA-Mediated Networks in Response to Abiotic Stress in Plants. , 2015, , 45-91. | | 6 |
| 560 | Absciscic Acid Transport and Homeostasis in the Context of Stomatal Regulation. <i>Molecular Plant</i> , 2015, 8, 1321-1333. | 3.9 | 98 |
| 561 | PtRABF of <i>Poncirus trifoliata</i> functions in dehydration tolerance by reducing stomatal density and maintaining reactive oxygen species homeostasis. <i>Journal of Experimental Botany</i> , 2015, 66, 5911-5927. | 2.4 | 60 |
| 562 | A link between magnesium-chelatase H subunit and sucrose nonfermenting 1 (SNF1)-related protein kinase SnRK2.6/OST1 in <i>Arabidopsis</i> guard cell signalling in response to absciscic acid. <i>Journal of Experimental Botany</i> , 2015, 66, 6355-6369. | 2.4 | 19 |
| 563 | Involvement of genes encoding ABI1 protein phosphatases in the response of <i>Brassica napus</i> L. to drought stress. <i>Plant Molecular Biology</i> , 2015, 88, 445-457. | 2.0 | 29 |
| 564 | Structural basis and functions of absciscic acid receptors PYLs. <i>Frontiers in Plant Science</i> , 2015, 6, 88. | 1.7 | 47 |
| 565 | The ABA-Deficiency Suppressor Locus HAS2 Encodes the PPR Protein LOI1/MEF11 Involved in Mitochondrial RNA Editing. <i>Molecular Plant</i> , 2015, 8, 644-656. | 3.9 | 37 |
| 566 | Identification and characterization of an ABA -activated MAP kinase cascade in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2015, 82, 232-244. | 2.8 | 187 |
| 567 | SUCROSE NONFERMENTING1-RELATED PROTEIN KINASE2.6, an Ortholog of OPEN STOMATA1, Is a Negative Regulator of Strawberry Fruit Development and Ripening. <i>Plant Physiology</i> , 2015, 167, 915-930. | 2.3 | 104 |
| 568 | Unnatural agrochemical ligands for engineered absciscic acid receptors. <i>Trends in Plant Science</i> , 2015, 20, 330-332. | 4.3 | 10 |
| 569 | Pyrabactin regulates root hydraulic properties in maize seedlings by affecting PIP aquaporins in a phosphorylation-dependent manner. <i>Plant Physiology and Biochemistry</i> , 2015, 94, 28-34. | 2.8 | 18 |
| 570 | <i>Arabidopsis</i> absciscic acid receptors play an important role in disease resistance. <i>Plant Molecular Biology</i> , 2015, 88, 313-324. | 2.0 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 571 | Regulation of seed dormancy by abscisic acid and <i>DELAY OF GERMINATION 1</i> . Seed Science Research, 2015, 25, 82-98. | 0.8 | 28 |
| 572 | Tetrapyrrole-based drought stress signalling. Plant Biotechnology Journal, 2015, 13, 447-459. | 4.1 | 71 |
| 573 | The Roles of ROS and ABA in Systemic Acquired Acclimation. Plant Cell, 2015, 27, 64-70. | 3.1 | 450 |
| 574 | Protoplasts in plant signaling analysis: moving forward in the omics era. Botany, 2015, 93, 325-332. | 0.5 | 10 |
| 575 | Pre-maturity α -amylase in wheat: The role of abscisic acid and gibberellins. Journal of Cereal Science, 2015, 63, 95-108. | 1.8 | 18 |
| 576 | The guard cell metabolome: functions in stomatal movement and global food security. Frontiers in Plant Science, 2015, 6, 334. | 1.7 | 71 |
| 577 | The Pepper Lipxygenase CaLOX1 Plays a Role in Osmotic, Drought and High Salinity Stress Response. Plant and Cell Physiology, 2015, 56, 930-942. | 1.5 | 118 |
| 578 | Characterization and Functional Analysis of Pyrabactin Resistance-Like Absciscic Acid Receptor Family in Rice. Rice, 2015, 8, 28. | 1.7 | 130 |
| 579 | Crucial roles of the pentatricopeptide repeat protein SOAR1 in Arabidopsis response to drought, salt and cold stresses. Plant Molecular Biology, 2015, 88, 369-385. | 2.0 | 110 |
| 580 | ABA signalling is fine-tuned by antagonistic HAB1 variants. Nature Communications, 2015, 6, 8138. | 5.8 | 95 |
| 581 | An Arabidopsis PWI and RRM motif-containing protein is critical for pre-mRNA splicing and ABA responses. Nature Communications, 2015, 6, 8139. | 5.8 | 105 |
| 582 | New players in ABA signaling: identification of PUB12/13 involved in degradation of ABA co-receptor ABI1. Science China Life Sciences, 2015, 58, 1173-1174. | 2.3 | 4 |
| 583 | Plant Raf-like kinase integrates abscisic acid and hyperosmotic stress signaling upstream of SNF1-related protein kinase2. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E6388-96. | 3.3 | 137 |
| 584 | Degradation of the ABA co-receptor ABI1 by PUB12/13 U-box E3 ligases. Nature Communications, 2015, 6, 8630. | 5.8 | 256 |
| 585 | Arabidopsis RZFP34/CHYR1, a Ubiquitin E3 Ligase, Regulates Stomatal Movement and Drought Tolerance via SnRK2.6-Mediated Phosphorylation. Plant Cell, 2015, 27, 3228-3244. | 3.1 | 129 |
| 586 | Thylakoid membrane oxidoreductase <i>LTO1</i> <i>At</i> <i>VKOR</i> is involved in ABA-mediated response to osmotic stress in <i>Arabidopsis</i> . Physiologia Plantarum, 2015, 154, 28-38. | 2.6 | 12 |
| 587 | Chloride-inducible transient apoplastic alkalinizations induce stomata closure by controlling abscisic acid distribution between leaf apoplast and guard cells in salt-stressed <i>Vicia faba</i> . New Phytologist, 2015, 208, 803-816. | 3.5 | 77 |
| 588 | Arabidopsis ABA-Activated Kinase MAPKKK18 is Regulated by Protein Phosphatase 2C ABI1 and the Ubiquitin-Proteasome Pathway. Plant and Cell Physiology, 2015, 56, 2351-2367. | 1.5 | 99 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 589 | Elevated CO ₂ -Induced Responses in Stomata Require ABA and ABA Signaling. <i>Current Biology</i> , 2015, 25, 2709-2716. | 1.8 | 201 |
| 590 | An efficient one-pot access to N-(pyridin-2-ylmethyl) substituent biphenyl-4-sulfonamides through water-promoted, palladium-catalyzed, microwave-assisted reactions. <i>RSC Advances</i> , 2015, 5, 75182-75186. | 1.7 | 14 |
| 591 | Inactivation of PYR/PYL/RCAR ABA receptors by tyrosine nitration may enable rapid inhibition of ABA signaling by nitric oxide in plants. <i>Science Signaling</i> , 2015, 8, ra89. | 1.6 | 129 |
| 592 | The SnRK2-APC/CTE regulatory module mediates the antagonistic action of gibberellic acid and abscisic acid pathways. <i>Nature Communications</i> , 2015, 6, 7981. | 5.8 | 96 |
| 593 | Crosstalk between Two bZIP Signaling Pathways Orchestrates Salt-Induced Metabolic Reprogramming in Arabidopsis Roots. <i>Plant Cell</i> , 2015, 27, 2244-2260. | 3.1 | 115 |
| 594 | Acclimation and Tolerance Strategies of Rice under Drought Stress. <i>Rice Science</i> , 2015, 22, 147-161. | 1.7 | 278 |
| 595 | A balanced JA/ABA status may correlate with adaptation to osmotic stress in Vitis cells. <i>Journal of Plant Physiology</i> , 2015, 185, 57-64. | 1.6 | 17 |
| 596 | Stress Tolerance Profiling of a Collection of Extant Salt-Tolerant Rice Varieties and Transgenic Plants Overexpressing Abiotic Stress Tolerance Genes. <i>Plant and Cell Physiology</i> , 2015, 56, 1867-1876. | 1.5 | 32 |
| 597 | The roles of tetrapyrroles in plastid retrograde signaling and tolerance to environmental stresses. <i>Planta</i> , 2015, 242, 1263-1276. | 1.6 | 26 |
| 598 | Overexpression of a phospholipase D α gene from <i>Ammopiptanthus nanus</i> enhances salt tolerance of phospholipase D α 1-deficient Arabidopsis mutant. <i>Planta</i> , 2015, 242, 1495-1509. | 1.6 | 24 |
| 599 | Ectopic expression a tomato KNOX Gene Tkn4 affects the formation and the differentiation of meristems and vasculature. <i>Plant Molecular Biology</i> , 2015, 89, 589-605. | 2.0 | 19 |
| 600 | ABA Regulates Subcellular Redistribution of OsABI-LIKE2, a Negative Regulator in ABA Signaling, to Control Root Architecture and Drought Resistance in <i>Oryza sativa</i> . <i>Plant and Cell Physiology</i> , 2015, 56, 2396-2408. | 1.5 | 58 |
| 601 | Mechanisms of abscisic acid-mediated control of stomatal aperture. <i>Current Opinion in Plant Biology</i> , 2015, 28, 154-162. | 3.5 | 438 |
| 602 | The AtLRK10L1.2, Arabidopsis ortholog of wheat LRK10, is involved in ABA-mediated signaling and drought resistance. <i>Plant Cell Reports</i> , 2015, 34, 447-455. | 2.8 | 80 |
| 603 | The <i>scp>IBO</scp></i> germination quantitative trait locus encodes a phosphatase 2<sc>C</sc>-related variant with a nonsynonymous amino acid change that interferes with abscisic acid signaling. <i>New Phytologist</i> , 2015, 205, 1076-1082. | 3.5 | 32 |
| 604 | Soybean <sc>DREB</sc>1<sc>CBF</sc>-type transcription factors function in heat and drought as well as cold stress-responsive gene expression. <i>Plant Journal</i> , 2015, 81, 505-518. | 2.8 | 255 |
| 605 | Four <sc>A</sc>-<sc>rabidopsis</sc>-...<sc>AREB</sc>/<sc>ABF</sc> transcription factors function predominantly in gene expression downstream of <sc>SnRK2</sc> kinases in abscisic acid signalling in response to osmotic stress. <i>Plant, Cell and Environment</i> , 2015, 38, 35-49. | 2.8 | 491 |
| 606 | Abscisic acid analogs as chemical probes for dissection of abscisic acid responses in Arabidopsis thaliana. <i>Phytochemistry</i> , 2015, 113, 96-107. | 1.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 607 | <scp>AtM</scp>yb7, a subgroup 4 <scp>R</scp>2<scp>R</scp>3 <scp>M</scp>yb, negatively regulates <scp>ABA</scp>-induced inhibition of seed germination by blocking the expression of the <scp>bZIP</scp> transcription factor <scp>ABl</scp>5. Plant, Cell and Environment, 2015, 38, 559-571. | 2.8 | 66 |
| 608 | Traversing organizational scales in plant salt-stress responses. Current Opinion in Plant Biology, 2015, 23, 70-75. | 3.5 | 58 |
| 609 | Arabidopsis Putative MAP Kinase Kinase Kinases Raf10 and Raf11 are Positive Regulators of Seed Dormancy and ABA Response. Plant and Cell Physiology, 2015, 56, 84-97. | 1.5 | 61 |
| 610 | Absciscic Acid Signaling System in Plant Innate Immunity. Signaling and Communication in Plants, 2015, , 245-309. | 0.5 | 2 |
| 611 | Signaling events in plants: Stress factors in combination change the picture. Environmental and Experimental Botany, 2015, 114, 4-14. | 2.0 | 151 |
| 612 | Plant signalling in acute ozone exposure. Plant, Cell and Environment, 2015, 38, 240-252. | 2.8 | 166 |
| 613 | Absciscic Acid Signalling as a Target for Enhancing Drought Tolerance. , 0, , . | | 2 |
| 614 | Wheat Transcription Factor TaAREB3 Participates in Drought and Freezing Tolerances in <i>Arabidopsis</i>. International Journal of Biological Sciences, 2016, 12, 257-269. | 2.6 | 70 |
| 615 | Identification of Mild Freezing Shock Response Pathways in Barley Based on Transcriptome Profiling. Frontiers in Plant Science, 2016, 7, 106. | 1.7 | 22 |
| 616 | Absciscic acid and blue light signaling pathways in chloroplast movements in Arabidopsis mesophyll. Acta Biochimica Polonica, 2016, 63, 449-58. | 0.3 | 6 |
| 617 | Release of GTP Exchange Factor Mediated Down-Regulation of Absciscic Acid Signal Transduction through ABA-Induced Rapid Degradation of RopGEFs. PLoS Biology, 2016, 14, e1002461. | 2.6 | 45 |
| 618 | Arabidopsis WRKY6 Transcription Factor Acts as a Positive Regulator of Absciscic Acid Signaling during Seed Germination and Early Seedling Development. PLoS Genetics, 2016, 12, e1005833. | 1.5 | 101 |
| 619 | The miR165/166 Mediated Regulatory Module Plays Critical Roles in ABA Homeostasis and Response in Arabidopsis thaliana. PLoS Genetics, 2016, 12, e1006416. | 1.5 | 91 |
| 620 | Transcriptome Analysis of Spartina pectinata in Response to Freezing Stress. PLoS ONE, 2016, 11, e0152294. | 1.1 | 19 |
| 621 | MAPK Cascades in Guard Cell Signal Transduction. Frontiers in Plant Science, 2016, 7, 80. | 1.7 | 100 |
| 622 | Transcriptomic Changes Drive Physiological Responses to Progressive Drought Stress and Rehydration in Tomato. Frontiers in Plant Science, 2016, 7, 371. | 1.7 | 93 |
| 623 | Differential Activation of the Wheat SnRK2 Family by Abiotic Stresses. Frontiers in Plant Science, 2016, 7, 420. | 1.7 | 63 |
| 624 | The Dual Role of Nitric Oxide in Guard Cells: Promoting and Attenuating the ABA and Phospholipid-Derived Signals Leading to the Stomatal Closure. Frontiers in Plant Science, 2016, 7, 476. | 1.7 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 625 | Absciscic Acid and Abiotic Stress Tolerance in Crop Plants. <i>Frontiers in Plant Science</i> , 2016, 7, 571. | 1.7 | 929 |
| 626 | Microbe Associated Molecular Pattern Signaling in Guard Cells. <i>Frontiers in Plant Science</i> , 2016, 7, 583. | 1.7 | 27 |
| 627 | New Insights on Drought Stress Response by Global Investigation of Gene Expression Changes in Sheepgrass (<i>Leymus chinensis</i>). <i>Frontiers in Plant Science</i> , 2016, 7, 954. | 1.7 | 38 |
| 628 | Dual Function of NAC072 in ABF3-Mediated ABA-Responsive Gene Regulation in Arabidopsis. <i>Frontiers in Plant Science</i> , 2016, 7, 1075. | 1.7 | 27 |
| 629 | Genome-Wide Analysis of MicroRNA Responses to the Phytohormone Absciscic Acid in <i>Populus euphratica</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 1184. | 1.7 | 28 |
| 630 | Transcriptional Regulation of Tetrapyrrole Biosynthetic Genes Explains Absciscic Acid-Induced Heme Accumulation in the Unicellular Red Alga <i>Cyanidioschyzon merolae</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 1300. | 1.7 | 7 |
| 631 | Insights from the Cold Transcriptome and Metabolome of <i>Dendrobium officinale</i> : Global Reprogramming of Metabolic and Gene Regulation Networks during Cold Acclimation. <i>Frontiers in Plant Science</i> , 2016, 7, 1653. | 1.7 | 75 |
| 632 | Integration of calcium and ABA signaling. <i>Current Opinion in Plant Biology</i> , 2016, 33, 83-91. | 3.5 | 132 |
| 633 | Shaping Small Bioactive Molecules to Untangle Their Biological Function: A Focus on Fluorescent Plant Hormones. <i>Molecular Plant</i> , 2016, 9, 1099-1118. | 3.9 | 34 |
| 634 | ROS signalling in a destabilised world: A molecular understanding of climate change. <i>Journal of Plant Physiology</i> , 2016, 203, 69-83. | 1.6 | 45 |
| 635 | Feedback Regulation of ABA Signaling and Biosynthesis by a bZIP Transcription Factor Targets Drought-Resistance-Related Genes. <i>Plant Physiology</i> , 2016, 171, 2810-2825. | 2.3 | 245 |
| 636 | ABF2, ABF3, and ABF4 Promote ABA-Mediated Chlorophyll Degradation and Leaf Senescence by Transcriptional Activation of Chlorophyll Catabolic Genes and Senescence-Associated Genes in Arabidopsis. <i>Molecular Plant</i> , 2016, 9, 1272-1285. | 3.9 | 275 |
| 637 | Effect of prior drought and pathogen stress on <i>Arabidopsis</i> transcriptome changes to caterpillar herbivory. <i>New Phytologist</i> , 2016, 210, 1344-1356. | 3.5 | 53 |
| 638 | An ABA-increased interaction of the PYL6 ABA receptor with MYC2 Transcription Factor: A putative link of ABA and JA signaling. <i>Scientific Reports</i> , 2016, 6, 28941. | 1.6 | 155 |
| 639 | Protein phosphatase type 2C PP2CA together with ABI1 inhibits SnRK2.4 activity and regulates plant responses to salinity. <i>Plant Signaling and Behavior</i> , 2016, 11, e1253647. | 1.2 | 36 |
| 640 | Differential expression profiles and pathways of genes in sugarcane leaf at elongation stage in response to drought stress. <i>Scientific Reports</i> , 2016, 6, 25698. | 1.6 | 85 |
| 641 | Grafting cucumber onto luffa improves drought tolerance by increasing ABA biosynthesis and sensitivity. <i>Scientific Reports</i> , 2016, 6, 20212. | 1.6 | 57 |
| 642 | Genomics of Drought. , 2016, , 85-135. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 643 | Acyl-CoA-Binding Proteins (ACBPs) in Plant Development. <i>Sub-Cellular Biochemistry</i> , 2016, 86, 363-404. | 1.0 | 15 |
| 644 | 50Âyears of Arabidopsis research: highlights and future directions. <i>New Phytologist</i> , 2016, 209, 921-944. | 3.5 | 186 |
| 645 | Small <scp>RNA</scp> and degradome deep sequencing reveals droughtâ€and tissueâ€specific micrnas and their important roles in droughtâ€sensitive and droughtâ€tolerant tomato genotypes. <i>Plant Biotechnology Journal</i> , 2016, 14, 1727-1746. | 4.1 | 146 |
| 646 | Involvement of OST1 Protein Kinase and PYR/PYL/RCAR Receptors in Methyl Jasmonate-Induced Stomatal Closure in Arabidopsis Guard Cells. <i>Plant and Cell Physiology</i> , 2016, 57, 1779-1790. | 1.5 | 42 |
| 647 | Transcriptome analysis revealed the drought-responsive genes in Tibetan hulless barley. <i>BMC Genomics</i> , 2016, 17, 386. | 1.2 | 81 |
| 648 | Transcriptomic network analyses of leaf dehydration responses identify highly connected ABA and ethylene signaling hubs in three grapevine species differing in drought tolerance. <i>BMC Plant Biology</i> , 2016, 16, 118. | 1.6 | 62 |
| 649 | Wheat WRKY Type Transcription Factor Gene TaWRKY1 is Essential in Mediating Drought Tolerance Associated with an ABA-Dependent Pathway. <i>Plant Molecular Biology Reporter</i> , 2016, 34, 1111-1126. | 1.0 | 40 |
| 650 | ABA and cytokinins: challenge and opportunity for plant stress research. <i>Plant Molecular Biology</i> , 2016, 91, 629-640. | 2.0 | 67 |
| 651 | A new look at stress: abscisic acid patterns andÂdynamics at highâ€resolution. <i>New Phytologist</i> , 2016, 210, 38-44. | 3.5 | 77 |
| 652 | Absciscic Acid Participates in the Control of Cell Cycle Initiation Through Heme Homeostasis in the Unicellular Red Alga<i>Cyanidioschyzon merolae</i>. <i>Plant and Cell Physiology</i> , 2016, 57, 953-960. | 1.5 | 39 |
| 653 | The Arabidopsis Fâ€box E3 ligase RIFP1 plays a negative role in abscisic acid signalling by facilitating ABA receptor RCAR3 degradation. <i>Plant, Cell and Environment</i> , 2016, 39, 571-582. | 2.8 | 73 |
| 654 | Overexpression of the MYB transcription factor MYB28 or MYB99 confers hypersensitivity to abscisic acid in arabidopsis. <i>Journal of Plant Biology</i> , 2016, 59, 152-161. | 0.9 | 8 |
| 655 | The Arabidopsis AtPP2CA Protein Phosphatase Inhibits the GORK K+ Efflux Channel and Exerts a Dominant Suppressive Effect on Phosphomimetic-activating Mutations. <i>Journal of Biological Chemistry</i> , 2016, 291, 6521-6533. | 1.6 | 43 |
| 656 | Increasing abscisic acid levels by immunomodulation in barley grains induces precocious maturation without changing grain composition. <i>Journal of Experimental Botany</i> , 2016, 67, 2675-2687. | 2.4 | 10 |
| 657 | The Role of MAPK Modules and ABA during Abiotic Stress Signaling. <i>Trends in Plant Science</i> , 2016, 21, 677-685. | 4.3 | 326 |
| 658 | Lipid transfer proteins do their thing anchored at membrane contact sitesâ€ but what is their thing?. <i>Biochemical Society Transactions</i> , 2016, 44, 517-527. | 1.6 | 60 |
| 659 | Role of Arabidopsis NHL family in ABA and stress response. <i>Plant Signaling and Behavior</i> , 2016, 11, e1180493. | 1.2 | 12 |
| 660 | ABA-mediated responses to water deficit separate grapevine genotypes by their genetic background. <i>BMC Plant Biology</i> , 2016, 16, 91. | 1.6 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 661 | Loss of nitrate reductases NIA1 and NIA2 impairs stomatal closure by altering genes of core ABA signaling components in Arabidopsis. Plant Signaling and Behavior, 2016, 11, e1183088. | 1.2 | 32 |
| 662 | Arabidopsis COP1-interacting protein 1 is a positive regulator of ABA response. Biochemical and Biophysical Research Communications, 2016, 477, 847-853. | 1.0 | 15 |
| 663 | OsDi19â€4 acts downstream of OsCDPK14 to positively regulate ABA response in rice. Plant, Cell and Environment, 2016, 39, 2740-2753. | 2.8 | 46 |
| 664 | Regulation of Stomatal Responses to Abiotic and Biotic Stresses by Redox State. , 2016, , 331-347. | | 0 |
| 665 | Overexpression of an Arabidopsis cysteine-rich receptor-like protein kinase, CRK5, enhances abscisic acid sensitivity and confers drought tolerance. Journal of Experimental Botany, 2016, 67, 5009-5027. | 2.4 | 77 |
| 666 | The wheat ABA hypersensitive ERA8 mutant is associated with increased preharvest sprouting tolerance and altered hormone accumulation. Euphytica, 2016, 212, 229-245. | 0.6 | 20 |
| 667 | A Dominant Mutation in the HT1 Kinase Uncovers Roles of MAP Kinases and GHR1 in CO ₂ -Induced Stomatal Closure. Plant Cell, 2016, 28, 2493-2509. | 3.1 | 89 |
| 668 | Spatial Regulation of ABCG25, an ABA Exporter, Is an Important Component of the Mechanism Controlling Cellular ABA Levels. Plant Cell, 2016, 28, 2528-2544. | 3.1 | 46 |
| 669 | Abiotic Stress Signaling and Responses in Plants. Cell, 2016, 167, 313-324. | 13.5 | 3,491 |
| 670 | Convergent local adaptation to climate in distantly related conifers. Science, 2016, 353, 1431-1433. | 6.0 | 303 |
| 671 | FaABI4 is involved in strawberry fruit ripening. Scientia Horticulturae, 2016, 210, 34-40. | 1.7 | 17 |
| 673 | FYVE1/FREE1 Interacts with the PYL4 ABA Receptor and Mediates Its Delivery to the Vacuolar Degradation Pathway. Plant Cell, 2016, 28, 2291-2311. | 3.1 | 129 |
| 675 | Co-evolution of Hormone Metabolism and Signaling Networks Expands Plant Adaptive Plasticity. Cell, 2016, 166, 881-893. | 13.5 | 125 |
| 676 | Understanding How Plants Respond to Drought Stress at the Molecular and Whole Plant Levels. , 2016, , 1-37. | | 4 |
| 677 | Genetics of Drought Stress Tolerance in Crop Plants. , 2016, , 39-70. | | 16 |
| 678 | Drought Stress and Chromatin: An Epigenetic Perspective. , 2016, , 571-586. | | 3 |
| 679 | Tolerance to Drought Stress in Plants: Unravelling the Signaling Networks. , 2016, , 71-90. | | 2 |
| 680 | The Role of Absciscic Acid in Drought Stress: How ABA Helps Plants to Cope with Drought Stress. , 2016, , 123-151. | | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 681 | Transcriptomic analysis reveals key early events of narciclasine signaling in Arabidopsis root apex. Plant Cell Reports, 2016, 35, 2381-2401. | 2.8 | 6 |
| 682 | Ubiquitin Ligases RGLG1 and RGLG5 Regulate Absciscic Acid Signaling by Controlling the Turnover of Phosphatase PP2CA. Plant Cell, 2016, 28, 2178-2196. | 3.1 | 100 |
| 683 | Interactions of ABA signaling core components (SlPYLs, SlPP2Cs, and SlSnRK2s) in tomato (Solanum) Tj ETQq0 0 0 rgBT /Over lock 10 T | 1.8 | 43 |
| 684 | Repression of ARF10 by microRNA160 plays an important role in the mediation of leaf water loss. Plant Molecular Biology, 2016, 92, 313-336. | 2.0 | 26 |
| 685 | Wheat bHLH-type transcription factor gene TabHLH1 is crucial in mediating osmotic stresses tolerance through modulating largely the ABA-associated pathway. Plant Cell Reports, 2016, 35, 2309-2323. | 2.8 | 60 |
| 686 | Expression of a grape (Vitis vinifera) bZIP transcription factor, VlbZIP36, in Arabidopsis thaliana confers tolerance of drought stress during seed germination and seedling establishment. Plant Science, 2016, 252, 311-323. | 1.7 | 31 |
| 687 | Absciscic Acid Analogues That Act as Universal or Selective Antagonists of Phytohormone Receptors. Biochemistry, 2016, 55, 5155-5164. | 1.2 | 22 |
| 688 | Guard cell sensory systems: recent insights on stomatal responses to light, absciscic acid, and CO ₂ . Current Opinion in Plant Biology, 2016, 33, 157-167. | 3.5 | 181 |
| 690 | OsREM4.1 Interacts with OsSERK1 to Coordinate the Interlinking between Absciscic Acid and Brassinosteroid Signaling in Rice. Developmental Cell, 2016, 38, 201-213. | 3.1 | 114 |
| 691 | ABA-dependent control of <i>GIGANTEA</i> signalling enables drought escape via up-regulation of <i>FLOWERING LOCUS T</i> in <i>Arabidopsis thaliana</i> . Journal of Experimental Botany, 2016, 67, 6309-6322. | 2.4 | 137 |
| 692 | ESCRT-I Component VPS23A Affects ABA Signaling by Recognizing ABA Receptors for Endosomal Degradation. Molecular Plant, 2016, 9, 1570-1582. | 3.9 | 87 |
| 693 | The ABA receptor PYL9 together with PYL8 plays an important role in regulating lateral root growth. Scientific Reports, 2016, 6, 27177. | 1.6 | 121 |
| 694 | A transcription factor hierarchy defines an environmental stress response network. Science, 2016, 354, . | 6.0 | 394 |
| 695 | Involvement of Phytohormones in Plant Responses to Ozone. , 2016, , 215-245. | | 6 |
| 696 | Leveraging absciscic acid receptors for efficient water use in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 6791-6796. | 3.3 | 106 |
| 697 | S-Type Anion Channels SLAC1 and SLAH3 Function as Essential Negative Regulators of Inward K ⁺ Channels and Stomatal Opening in Arabidopsis. Plant Cell, 2016, 28, 949-965. | 3.1 | 80 |
| 698 | Contrasting transcriptional responses of PYR1/PYL/RCAR ABA receptors to ABA or dehydration stress between maize seedling leaves and roots. BMC Plant Biology, 2016, 16, 99. | 1.6 | 78 |
| 699 | Salinity stress induces the production of 2-(2-phenylethyl)chromones and regulates novel classes of responsive genes involved in signal transduction in <i>Aquilaria sinensis</i> calli. BMC Plant Biology, 2016, 16, 119. | 1.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 700 | Phosphatase ABI1 and okadaic acid-sensitive phosphoprotein phosphatases inhibit salt stress-activated SnRK2.4 kinase. BMC Plant Biology, 2016, 16, 136. | 1.6 | 32 |
| 701 | Ubiquitinâ€specific protease 24 negatively regulates abscisic acid signalling in <i>Arabidopsis thaliana</i> . Plant, Cell and Environment, 2016, 39, 427-440. | 2.8 | 33 |
| 702 | Pepper protein phosphatase type 2C, CaADIP1 and its interacting partner CaRLP1 antagonistically regulate ABA signalling and drought response. Plant, Cell and Environment, 2016, 39, 1559-1575. | 2.8 | 70 |
| 703 | Overexpression of RSOsPR10, a root-specific rice PR10 gene, confers tolerance against drought stress in rice and drought and salt stresses in bentgrass. Plant Cell, Tissue and Organ Culture, 2016, 127, 35-46. | 1.2 | 18 |
| 704 | Mapping transcription factor interactome networks using HaloTag protein arrays. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E4238-47. | 3.3 | 67 |
| 705 | Reactive Oxygen Species in the Regulation of Stomatal Movements. Plant Physiology, 2016, 171, 1569-1580. | 2.3 | 199 |
| 706 | Overexpression of the MYB37 transcription factor enhances abscisic acid sensitivity, and improves both drought tolerance and seed productivity in <i>Arabidopsis thaliana</i> . Plant Molecular Biology, 2016, 90, 267-279. | 2.0 | 49 |
| 707 | S-type Anion Channels SLAC1 and SLAH3 Function as Essential Negative Regulators of Inward K ⁺ Channels and Stomatal Opening in <i>Arabidopsis</i> . Plant Cell, 2016, 28, tpc.01050.2016. | 3.1 | 33 |
| 708 | Molecular and systems approaches towards droughtâ€tolerant canola crops. New Phytologist, 2016, 210, 1169-1189. | 3.5 | 70 |
| 709 | ABA-HYPERSENSITIVE BTB/POZ PROTEIN 1 functions as a negative regulator in ABA-mediated inhibition of germination in <i>Arabidopsis</i> . Plant Molecular Biology, 2016, 90, 303-315. | 2.0 | 29 |
| 710 | Effects of exogenous abscisic acid on the expression of citrus fruit ripening-related genes and fruit ripening. Scientia Horticulturae, 2016, 201, 175-183. | 1.7 | 60 |
| 711 | Regulation of <i>Arabidopsis</i> MAPKKK18 by ABI1 and SnRK2, components of the ABA signaling pathway. Plant Signaling and Behavior, 2016, 11, e1139277. | 1.2 | 34 |
| 712 | Type B Heterotrimeric G Protein γ -Subunit Regulates Auxin and ABA Signaling in Tomato. Plant Physiology, 2016, 170, 1117-1134. | 2.3 | 38 |
| 713 | ABA receptor PYL9 promotes drought resistance and leaf senescence. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1949-1954. | 3.3 | 508 |
| 714 | Identification and functional characterization of the pepper CaDRT1 gene involved in the ABA-mediated drought stress response. Plant Molecular Biology, 2016, 91, 149-160. | 2.0 | 10 |
| 715 | Rice HOX12 Regulates Panicle Exsertion by Directly Modulating the Expression of <i>ELONGATED UPPERMOST INTERNODE1</i> . Plant Cell, 2016, 28, 680-695. | 3.1 | 80 |
| 716 | Environmental Nitrate Stimulates Absciscic Acid Accumulation in <i>Arabidopsis</i> Root Tips by Releasing It from Inactive Stores. Plant Cell, 2016, 28, 729-745. | 3.1 | 98 |
| 717 | A Dual-Function Transcription Factor, AtYY1, Is a Novel Negative Regulator of the <i>Arabidopsis</i> ABA Response Network. Molecular Plant, 2016, 9, 650-661. | 3.9 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 718 | Protein kinase OsSAPK8 functions as an essential activator of S-type anion channel OsSLAC1, which is nitrate-selective in rice. <i>Planta</i> , 2016, 243, 489-500. | 1.6 | 43 |
| 719 | Calcium-dependent oligomerization of CAR proteins at cell membrane modulates ABA signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E396-405. | 3.3 | 72 |
| 720 | Deciphering the roles of acyl-CoA-binding proteins in plant cells. <i>Protoplasma</i> , 2016, 253, 1177-1195. | 1.0 | 37 |
| 721 | The WD40 Domain Protein MSI1 Functions in a Histone Deacetylase Complex to Fine-Tune Absciscic Acid Signaling. <i>Plant Cell</i> , 2016, 28, 42-54. | 3.1 | 116 |
| 722 | Improved drought and salt tolerance of <i>Arabidopsis thaliana</i> by ectopic expression of a cotton (<i>Gossypium hirsutum</i>) CBF gene. <i>Plant Cell, Tissue and Organ Culture</i> , 2016, 124, 583-598. | 1.2 | 30 |
| 723 | Microarray-based gene expression analysis of strong seed dormancy in rice cv. N22 and less dormant mutant derivatives. <i>Plant Physiology and Biochemistry</i> , 2016, 99, 27-38. | 2.8 | 14 |
| 724 | Plant protein phosphatases 2C: from genomic diversity to functional multiplicity and importance in stress management. <i>Critical Reviews in Biotechnology</i> , 2016, 36, 1023-1035. | 5.1 | 87 |
| 725 | Major latex protein-like protein 43 (MLP43) functions as a positive regulator during abscisic acid responses and confers drought tolerance in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2016, 67, 421-434. | 2.4 | 78 |
| 726 | A Direct Link between Absciscic Acid Sensing and the Chromatin-Remodeling ATPase BRAHMA via Core ABA Signaling Pathway Components. <i>Molecular Plant</i> , 2016, 9, 136-147. | 3.9 | 100 |
| 727 | Two Faces of One Seed: Hormonal Regulation of Dormancy and Germination. <i>Molecular Plant</i> , 2016, 9, 34-45. | 3.9 | 709 |
| 728 | Ubiquitin-Proteasome System in ABA Signaling: From Perception to Action. <i>Molecular Plant</i> , 2016, 9, 21-33. | 3.9 | 130 |
| 729 | The <i>Arabidopsis</i> Kelch Repeat F-box E3 Ligase ARKP1 Plays a Positive Role for the Regulation of Absciscic Acid Signaling. <i>Plant Molecular Biology Reporter</i> , 2016, 34, 582-591. | 1.0 | 10 |
| 730 | Absciscic-acid-dependent basic leucine zipper (bZIP) transcription factors in plant abiotic stress. <i>Protoplasma</i> , 2017, 254, 3-16. | 1.0 | 234 |
| 731 | What are the evolutionary origins of stomatal responses to abscisic acid in land plants?. <i>Journal of Integrative Plant Biology</i> , 2017, 59, 240-260. | 4.1 | 66 |
| 732 | ABA-unresponsive SnRK2 protein kinases regulate mRNA decay under osmotic stress in plants. <i>Nature Plants</i> , 2017, 3, 16204. | 4.7 | 97 |
| 733 | Characterization of an ABA-Induced and K ⁺ Channel Gene FaKAT1 that Regulates Strawberry Fruit Ripening. <i>Journal of Plant Growth Regulation</i> , 2017, 36, 312-322. | 2.8 | 19 |
| 734 | Production of ABA responses requires both the nuclear and cytoplasmic functional involvement of PYR1. <i>Biochemical and Biophysical Research Communications</i> , 2017, 484, 34-39. | 1.0 | 7 |
| 735 | MISSA 2.0: an updated synthetic biology toolbox for assembly of orthogonal CRISPR/Cas systems. <i>Scientific Reports</i> , 2017, 7, 41993. | 1.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 736 | Environmental nitrate signals through abscisic acid in the root tip. <i>Plant Signaling and Behavior</i> , 2017, 12, e1273303. | 1.2 | 19 |
| 737 | Evolutionary Conservation of ABA Signaling for Stomatal Closure. <i>Plant Physiology</i> , 2017, 174, 732-747. | 2.3 | 158 |
| 738 | The Pepper RING-Type E3 Ligase CaAIRF1 Regulates ABA and Drought Signaling via CaADIP1 Protein Phosphatase Degradation. <i>Plant Physiology</i> , 2017, 173, 2323-2339. | 2.3 | 56 |
| 739 | A Novel Chemical Inhibitor of ABA Signaling Targets All ABA Receptors. <i>Plant Physiology</i> , 2017, 173, 2356-2369. | 2.3 | 47 |
| 740 | Evolution of the Stomatal Regulation of Plant Water Content. <i>Plant Physiology</i> , 2017, 174, 639-649. | 2.3 | 138 |
| 741 | Rice PcG gene OsEMF2b controls seed dormancy and seedling growth by regulating the expression of OsVP1. <i>Plant Science</i> , 2017, 260, 80-89. | 1.7 | 28 |
| 742 | Endosperm-specific OsPYL8 and OsPYL9 act as positive regulators of the ABA signaling pathway in rice seed germination. <i>Functional Plant Biology</i> , 2017, 44, 635. | 1.1 | 16 |
| 743 | Abscisic acid signaling is involved in regulating the mitogen-activated protein kinase cascade module, AIK1-MKK5-MPK6. <i>Plant Signaling and Behavior</i> , 2017, 12, e1321188. | 1.2 | 14 |
| 744 | Root hydrotropism is controlled via a cortex-specific growth mechanism. <i>Nature Plants</i> , 2017, 3, 17057. | 4.7 | 183 |
| 745 | Genome of Paulownia (<i>Paulownia fortunei</i>) illuminates the related transcripts, miRNA and proteins for salt resistance. <i>Scientific Reports</i> , 2017, 7, 1285. | 1.6 | 13 |
| 746 | Abscicic acid “An enigma in the abiotic stress tolerance of crop plants. <i>Plant Gene</i> , 2017, 11, 90-98. | 1.4 | 24 |
| 747 | Blue Light Regulation of Stomatal Opening and the Plasma Membrane H ⁺ -ATPase. <i>Plant Physiology</i> , 2017, 174, 531-538. | 2.3 | 181 |
| 748 | Structural basis for the regulation of phytohormone receptors. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1261-1273. | 0.6 | 5 |
| 749 | Identification of HDA15-PIF1 as a key repression module directing the transcriptional network of seed germination in the dark. <i>Nucleic Acids Research</i> , 2017, 45, 7137-7150. | 6.5 | 89 |
| 750 | Reconstitution of Absciscic Acid Signaling from the Receptor to DNA via bHLH Transcription Factors. <i>Plant Physiology</i> , 2017, 174, 815-822. | 2.3 | 36 |
| 751 | <i>Arabidopsis thaliana</i> RECEPTOR DEAD KINASE1 Functions as a Positive Regulator in Plant Responses to ABA. <i>Molecular Plant</i> , 2017, 10, 223-243. | 3.9 | 91 |
| 752 | AIK1, A Mitogen-Activated Protein Kinase, Modulates Absciscic Acid Responses through the MKK5-MPK6 Kinase Cascade. <i>Plant Physiology</i> , 2017, 173, 1391-1408. | 2.3 | 117 |
| 753 | Transcriptomic analysis of rice aleurone cells identified a novel abscisic acid response element. <i>Plant, Cell and Environment</i> , 2017, 40, 2004-2016. | 2.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 754 | The Membrane Transport System of the Guard Cell and Its Integration for Stomatal Dynamics. <i>Plant Physiology</i> , 2017, 174, 487-519. | 2.3 | 231 |
| 755 | Integrated mRNA and microRNA transcriptome variations in the multi-tepal mutant provide insights into the floral patterning of the orchid <i>Cymbidium goeringii</i> . <i>BMC Genomics</i> , 2017, 18, 367. | 1.2 | 30 |
| 756 | Characterization and expression of abscisic acid signal transduction genes during mulberry fruit ripening. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1. | 1.0 | 19 |
| 757 | The influences of Cr-tolerant rhizobacteria in phytoremediation and attenuation of Cr (VI) stress in agronomic sunflower (<i>Helianthus annuus</i> L.). <i>Chemosphere</i> , 2017, 179, 112-119. | 4.2 | 31 |
| 758 | The Pepper WPP Domain Protein, CaWDP1, Acts as a Novel Negative Regulator of Drought Stress via ABA Signaling. <i>Plant and Cell Physiology</i> , 2017, 58, 779-788. | 1.5 | 14 |
| 759 | Identification and characterization of the abscisic acid (ABA) receptor gene family and its expression in response to hormones in the rubber tree. <i>Scientific Reports</i> , 2017, 7, 45157. | 1.6 | 32 |
| 760 | The Role of ENHANCED RESPONSES TO ABA1 (ERA1) in Arabidopsis Stomatal Responses Is Beyond ABA Signaling. <i>Plant Physiology</i> , 2017, 174, 665-671. | 2.3 | 23 |
| 767 | Overexpression of cotton PYL genes in Arabidopsis enhances the transgenic plant tolerance to drought stress. <i>Plant Physiology and Biochemistry</i> , 2017, 115, 229-238. | 2.8 | 48 |
| 768 | The First Broad-Spectrum Abscisic Acid Antagonist. <i>Plant Physiology</i> , 2017, 173, 1939-1939. | 2.3 | 1 |
| 769 | Hormonal control of the floral transition: Can one catch them all?. <i>Developmental Biology</i> , 2017, 430, 288-301. | 0.9 | 112 |
| 770 | Ligand Receptor-Mediated Regulation of Growth in Plants. <i>Current Topics in Developmental Biology</i> , 2017, 123, 331-363. | 1.0 | 15 |
| 771 | Reactive oxygen species signaling and stomatal movement: Current updates and future perspectives. <i>Redox Biology</i> , 2017, 11, 213-218. | 3.9 | 126 |
| 772 | Combining chemical and genetic approaches to increase drought resistance in plants. <i>Nature Communications</i> , 2017, 8, 1183. | 5.8 | 108 |
| 773 | WRKY43 regulates polyunsaturated fatty acid content and seed germination under unfavourable growth conditions. <i>Scientific Reports</i> , 2017, 7, 14235. | 1.6 | 21 |
| 774 | Structure determination and activity manipulation of the turfgrass ABA receptor FePYR1. <i>Scientific Reports</i> , 2017, 7, 14022. | 1.6 | 16 |
| 775 | Cell signaling mechanisms and metabolic regulation of germination and dormancy in barley seeds. <i>Crop Journal</i> , 2017, 5, 459-477. | 2.3 | 78 |
| 776 | A Rationally Designed Agonist Defines Subfamily IIIA Abscisic Acid Receptors As Critical Targets for Manipulating Transpiration. <i>ACS Chemical Biology</i> , 2017, 12, 2842-2848. | 1.6 | 57 |
| 777 | Abscisic Acid-Induced Reactive Oxygen Species Are Modulated by Flavonols to Control Stomata Aperture. <i>Plant Physiology</i> , 2017, 175, 1807-1825. | 2.3 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 778 | Differential accumulation of flavonoids and phytohormones resulting from the canopy/rootstock interaction of citrus plants subjected to dehydration/rehydration. <i>Plant Physiology and Biochemistry</i> , 2017, 119, 147-158. | 2.8 | 23 |
| 779 | Absciscic acid (ABA) and key proteins in its perception and signaling pathways are ancient, but their roles have changed through time. <i>Plant Signaling and Behavior</i> , 2017, 12, e1365210. | 1.2 | 23 |
| 780 | A survey of the pyrabactin resistance-like absciscic acid receptor gene family in poplar. <i>Plant Signaling and Behavior</i> , 2017, 12, e1356966. | 1.2 | 5 |
| 781 | A novel family of transcription factors conserved in angiosperms is required for <scp>ABA</scp> signalling. <i>Plant, Cell and Environment</i> , 2017, 40, 2958-2971. | 2.8 | 51 |
| 782 | Non-26S Proteasome Endomembrane Trafficking Pathways in ABA Signaling. <i>Trends in Plant Science</i> , 2017, 22, 976-985. | 4.3 | 32 |
| 783 | Cloning and expression profiling of the PacSnRK2 and PacPP2C gene families during fruit development, ABA treatment, and dehydration stress in sweet cherry. <i>Plant Physiology and Biochemistry</i> , 2017, 119, 275-285. | 2.8 | 33 |
| 784 | Transcription Profiles of Genes Related to Hormonal Regulations Under Salt Stress in Sweet Sorghum. <i>Plant Molecular Biology Reporter</i> , 2017, 35, 586-599. | 1.0 | 73 |
| 785 | A Nucleus-Localized Long Non-Coding RNA Enhances Drought and Salt Stress Tolerance. <i>Plant Physiology</i> , 2017, 175, 1321-1336. | 2.3 | 251 |
| 786 | Nonâ€redundant functions of the dimeric <scp>ABA</scp> receptor Bd<scp>PYL</scp>1 in the grass <i>Brachypodium</i> . <i>Plant Journal</i> , 2017, 92, 774-786. | 2.8 | 32 |
| 787 | RNA-seq analysis of apical meristem reveals integrative regulatory network of ROS and chilling potentially related to flowering in <i>Litchi chinensis</i> . <i>Scientific Reports</i> , 2017, 7, 10183. | 1.6 | 15 |
| 788 | Combinatorial interaction network of absciscic acid receptors and coreceptors from <i>Arabidopsis thaliana</i>. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10280-10285. | 3.3 | 142 |
| 789 | Structure of Ligand-Bound Intermediates of Crop ABA Receptors HighlightsâPP2C as Necessary ABA Co-receptor. <i>Molecular Plant</i> , 2017, 10, 1250-1253. | 3.9 | 49 |
| 790 | Biology of <scp>SLAC</scp>1â€type anion channels â€ from nutrient uptake to stomatal closure. <i>New Phytologist</i> , 2017, 216, 46-61. | 3.5 | 110 |
| 791 | Enzyme That Makes You Cryâ€Crystal Structure of Lachrymatory Factor Synthase from <i>Allium cepa</i>. <i>ACS Chemical Biology</i> , 2017, 12, 2296-2304. | 1.6 | 16 |
| 792 | The desert plant <i>Phoenix dactylifera</i> closes stomata via nitrateâ€regulated <scp>SLAC</scp>1 anion channel. <i>New Phytologist</i> , 2017, 216, 150-162. | 3.5 | 62 |
| 793 | Genome-wide identification, characterization, and expression analysis of SnRK2 family in <i>Hevea brasiliensis</i> . <i>Tree Genetics and Genomes</i> , 2017, 13, 1. | 0.6 | 9 |
| 794 | Cross-talk of Brassinosteroid signaling in controlling growth and stress responses. <i>Biochemical Journal</i> , 2017, 474, 2641-2661. | 1.7 | 183 |
| 795 | Interaction network of <scp>ABA</scp> receptors in grey poplar. <i>Plant Journal</i> , 2017, 92, 199-210. | 2.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 797 | Expression of a monothiol glutaredoxin, AtGRXS17, in tomato (<i>Solanum lycopersicum</i>) enhances drought tolerance. <i>Biochemical and Biophysical Research Communications</i> , 2017, 491, 1034-1039. | 1.0 | 37 |
| 798 | â€˜Bendingâ€™ models of halotropism: incorporating protein phosphatase 2A, ABCB transporters, and auxin metabolism. <i>Journal of Experimental Botany</i> , 2017, 68, 3071-3089. | 2.4 | 25 |
| 799 | The OsABF1 transcription factor improves drought tolerance by activating the transcription of COR413-TM1 in rice. <i>Journal of Experimental Botany</i> , 2017, 68, 4695-4707. | 2.4 | 61 |
| 800 | Absciscic acid. , 2017, , 161-202. | | 26 |
| 801 | Members of the abscisic acid coâ€‘receptor <sc>PP</sc>2C protein family mediate salicylic acidâ€‘abscisic acid crosstalk. <i>Plant Direct</i> , 2017, 1, e00020. | 0.8 | 55 |
| 802 | Silencing of OsGRXS17 in rice improves drought stress tolerance by modulating ROS accumulation and stomatal closure. <i>Scientific Reports</i> , 2017, 7, 15950. | 1.6 | 64 |
| 803 | Signalling regulators of abscisic and gibberellic acid pathways are involved in dormancy breaking of Norway maple (<i>Acer platanoides</i> L.) seeds. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1. | 1.0 | 9 |
| 804 | UBIQUITIN-SPECIFIC PROTEASES function in plant development and stress responses. <i>Plant Molecular Biology</i> , 2017, 94, 565-576. | 2.0 | 55 |
| 805 | DELAY OF GERMINATION1 requires PP2C phosphatases of the ABA signalling pathway to control seed dormancy. <i>Nature Communications</i> , 2017, 8, 72. | 5.8 | 190 |
| 806 | Control of Plant Water Use by ABA Induction of Senescence and Dormancy: An Overlooked Lesson from Evolution. <i>Plant and Cell Physiology</i> , 2017, 58, 1319-1327. | 1.5 | 51 |
| 807 | Postâ€‘translational control of <sc>ABA</sc> signalling: the roles of protein phosphorylation and ubiquitination. <i>Plant Biotechnology Journal</i> , 2017, 15, 4-14. | 4.1 | 131 |
| 808 | Deletion of an Endoplasmic Reticulum Stress Response Element in a ZmPP2C-A Gene Facilitates Drought Tolerance of Maize Seedlings. <i>Molecular Plant</i> , 2017, 10, 456-469. | 3.9 | 107 |
| 809 | ABI4 represses the expression of typeâ€‘A <i>ARRs</i> to inhibit seed germination in Arabidopsis. <i>Plant Journal</i> , 2017, 89, 354-365. | 2.8 | 100 |
| 810 | Brevicoryne brassicae aphids interfere with transcriptome responses of Arabidopsis thaliana to feeding by Plutella xylostella caterpillars in a density-dependent manner. <i>Oecologia</i> , 2017, 183, 107-120. | 0.9 | 14 |
| 811 | Molecular Evolution of Grass Stomata. <i>Trends in Plant Science</i> , 2017, 22, 124-139. | 4.3 | 202 |
| 812 | The spatio-temporal specificity of PYR1/PYL/RCAR ABA receptors in response to developmental and environmental cues. <i>Plant Signaling and Behavior</i> , 2017, 12, e1214793. | 1.2 | 21 |
| 813 | Preâ€‘<sc>mRNA</sc> splicing repression triggers abiotic stress signaling in plants. <i>Plant Journal</i> , 2017, 89, 291-309. | 2.8 | 68 |
| 814 | Variation in carbohydrates and screening of related differential proteins during the seed germination of Magnolia sieboldii K. Koch. <i>Trees - Structure and Function</i> , 2017, 31, 63-75. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 815 | Wheat nuclear factor Y (NF-Y) B subfamily gene TaNF-YB3;l confers critical drought tolerance through modulation of the ABA-associated signaling pathway. <i>Plant Cell, Tissue and Organ Culture</i> , 2017, 128, 97-111. | 1.2 | 38 |
| 816 | Iron deficiency response gene Femu2 plays a positive role in protecting <i>Chlamydomonas reinhardtii</i> against salt stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 3345-3354. | 1.1 | 14 |
| 817 | Differentially expressed gene analysis of <i>Tamarix chinensis</i> provides insights into NaCl-stress response. <i>Trees - Structure and Function</i> , 2017, 31, 645-658. | 0.9 | 13 |
| 818 | The pivotal role of abscisic acid signaling during transition from seed maturation to germination. <i>Plant Cell Reports</i> , 2017, 36, 689-703. | 2.8 | 66 |
| 819 | SnapShot: Absciscic Acid Signaling. <i>Cell</i> , 2017, 171, 1708-1708.e0. | 13.5 | 109 |
| 820 | The core regulatory network of the abscisic acid pathway in banana: genome-wide identification and expression analyses during development, ripening, and abiotic stress. <i>BMC Plant Biology</i> , 2017, 17, 145. | 1.6 | 51 |
| 821 | Overexpression of MpCYS4, A Phytocystatin Gene from <i>Malus prunifolia</i> (Willd.) Borkh., Enhances Stomatal Closure to Confer Drought Tolerance in Transgenic Arabidopsis and Apple. <i>Frontiers in Plant Science</i> , 2017, 8, 33. | 1.7 | 48 |
| 822 | Brachypodium distachyon BdPP2CA6 Interacts with BdPYLs and BdSnRK2 and Positively Regulates Salt Tolerance in Transgenic Arabidopsis. <i>Frontiers in Plant Science</i> , 2017, 8, 264. | 1.7 | 36 |
| 823 | Abscisic Acid as Pathogen Effector and Immune Regulator. <i>Frontiers in Plant Science</i> , 2017, 8, 587. | 1.7 | 145 |
| 824 | Mutation in HvCBP20 (Cap Binding Protein 20) Adapts Barley to Drought Stress at Phenotypic and Transcriptomic Levels. <i>Frontiers in Plant Science</i> , 2017, 8, 942. | 1.7 | 48 |
| 825 | Overexpression of the PeaT1 Elicitor Gene from <i>Alternaria tenuissima</i> Improves Drought Tolerance in Rice Plants via Interaction with a Myo-Inositol Oxygenase. <i>Frontiers in Plant Science</i> , 2017, 8, 970. | 1.7 | 19 |
| 826 | OsSAPK2 Confers Absciscic Acid Sensitivity and Tolerance to Drought Stress in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 993. | 1.7 | 244 |
| 827 | Co-overexpression of the Constitutively Active Form of OsbZIP46 and ABA-Activated Protein Kinase SAPK6 Improves Drought and Temperature Stress Resistance in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 1102. | 1.7 | 68 |
| 828 | Genome-Wide Association Study Reveals Natural Variations Contributing to Drought Resistance in Crops. <i>Frontiers in Plant Science</i> , 2017, 8, 1110. | 1.7 | 72 |
| 829 | Abscisic Acid Regulates Auxin Homeostasis in Rice Root Tips to Promote Root Hair Elongation. <i>Frontiers in Plant Science</i> , 2017, 8, 1121. | 1.7 | 75 |
| 830 | Overexpression of Pyrabactin Resistance-Like Absciscic Acid Receptors Enhances Drought, Osmotic, and Cold Tolerance in Transgenic Poplars. <i>Frontiers in Plant Science</i> , 2017, 8, 1752. | 1.7 | 57 |
| 831 | Genome-Wide Identification and Characterization of the GmSnRK2 Family in Soybean. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1834. | 1.8 | 30 |
| 832 | Arabidopsis E3 Ubiquitin Ligases PUB22 and PUB23 Negatively Regulate Drought Tolerance by Targeting ABA Receptor PYL9 for Degradation. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1841. | 1.8 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 833 | Synthesis and Biological Activity of 2-iso-Aryl-abscisic Acid Analogs. <i>Molecules</i> , 2017, 22, 2229. | 1.7 | 10 |
| 834 | Surviving a Dry Future: Absciscic Acid (ABA)-Mediated Plant Mechanisms for Conserving Water under Low Humidity. <i>Plants</i> , 2017, 6, 54. | 1.6 | 28 |
| 835 | Improving Plant Water Use Efficiency through Molecular Genetics. <i>Horticulturae</i> , 2017, 3, 31. | 1.2 | 73 |
| 836 | A Comprehensive Proteomic Survey of ABA-Induced Protein Phosphorylation in Rice (<i>Oryza sativa</i> L.). <i>International Journal of Molecular Sciences</i> , 2017, 18, 60. | 1.8 | 31 |
| 837 | Screening and identification of key genes regulating fall dormancy in alfalfa leaves. <i>PLoS ONE</i> , 2017, 12, e0188964. | 1.1 | 11 |
| 838 | Genome-wide transcriptome profiling provides overwintering mechanism of <i>Agropyron mongolicum</i> . <i>BMC Plant Biology</i> , 2017, 17, 138. | 1.6 | 5 |
| 839 | Genome-wide identification of ABA receptor PYL family and expression analysis of <i>PYLs</i> in response to ABA and osmotic stress in <i>Gossypium</i> . <i>PeerJ</i> , 2017, 5, e4126. | 0.9 | 47 |
| 840 | OsDSSR1, a novel small peptide, enhances drought tolerance in transgenic rice. <i>Plant Science</i> , 2018, 270, 85-96. | 1.7 | 22 |
| 841 | Characterization of thiol-based redox modifications of Brassica napus SNF1-related protein kinase 2. <i>FEBS Open Bio</i> , 2018, 8, 628-645. | 1.0 | 12 |
| 842 | Hydrotropism: how roots search for water. <i>Journal of Experimental Botany</i> , 2018, 69, 2759-2771. | 2.4 | 76 |
| 843 | Structural and genetic analysis of <i>START</i> superfamily protein <i>MSMEG_0129</i> from <i>Mycobacterium</i> . <i>FEBS Letters</i> , 2018, 592, 1445-1457. | 1.3 | 6 |
| 844 | Glucosylated protein phosphatase 2C regulates cell redox status of cucumber seedling. <i>Journal of Biosciences</i> , 2018, 43, 117-126. | 0.5 | 2 |
| 845 | Regulation of stomatal movement by cortical microtubule organization in response to darkness and ABA signaling in <i>Arabidopsis</i> . <i>Plant Growth Regulation</i> , 2018, 84, 467-479. | 1.8 | 32 |
| 846 | Chemical regulators of plant hormones and their applications in basic research and agriculture*. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1265-1300. | 0.6 | 83 |
| 847 | Absciscic acid-induced degradation of <i>Arabidopsis</i> guanine nucleotide exchange factor requires calcium-dependent protein kinases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E4522-E4531. | 3.3 | 36 |
| 848 | Spatio-temporal aspects of Ca ²⁺ signalling: lessons from guard cells and pollen tubes. <i>Journal of Experimental Botany</i> , 2018, 69, 4195-4214. | 2.4 | 25 |
| 849 | SPINDLY is involved in ABA signaling bypassing the PYR/PYLs/RCARs-mediated pathway and partly through functional ABAR. <i>Environmental and Experimental Botany</i> , 2018, 151, 43-54. | 2.0 | 6 |
| 850 | Reactive oxygen species signaling and stomatal movement in plant responses to drought stress and pathogen attack. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 805-826. | 4.1 | 397 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 851 | The <scp>PP</scp>2Aâ€‘interactor <scp>TIP</scp>41 modulates <scp>ABA</scp> responses in <i>Arabidopsis thaliana</i>. Plant Journal, 2018, 94, 991-1009. | 2.8 | 28 |
| 852 | Phosphoproteomic profiling reveals <scp>ABA</scp>â€‘responsive phosphosignaling pathways in <i>Physcomitrella patens</i>. Plant Journal, 2018, 94, 699-708. | 2.8 | 48 |
| 853 | Insights into the in Vitro and in Vivo SAR of Absciscic Acid â€‘ Exploring Unprecedented Variations of the Side Chain via Crossâ€‘Couplingâ€‘Mediated Syntheses. European Journal of Organic Chemistry, 2018, 2018, 1403-1415. | 1.2 | 16 |
| 854 | A DEADâ€‘box RNA helicase, RH8, is critical for regulation of ABA signalling and the drought stress response via inhibition of PP2CA activity. Plant, Cell and Environment, 2018, 41, 1593-1604. | 2.8 | 45 |
| 855 | Identification and Characterization of Compounds that Affect Stomatal Movements. Plant and Cell Physiology, 2018, 59, 1568-1580. | 1.5 | 34 |
| 856 | The Arabidopsis Mediator Complex Subunit MED19a is Involved in ABI5-mediated ABA Responses. Journal of Plant Biology, 2018, 61, 97-110. | 0.9 | 15 |
| 857 | The functional analysis of SINCED1 in tomato pollen development. Cellular and Molecular Life Sciences, 2018, 75, 3457-3472. | 2.4 | 28 |
| 858 | Glucose triggers stomatal closure mediated by basal signaling through HXK1 and PYR/RCAR receptors in Arabidopsis. Journal of Experimental Botany, 2018, 69, 1471-1484. | 2.4 | 37 |
| 859 | Functional analysis of a type 2C protein phosphatase gene from Ammopiptanthus mongolicus. Gene, 2018, 653, 29-42. | 1.0 | 5 |
| 860 | Thermostability of the PYLâ€‘PP2C Heterodimer Is Dependent on Magnesium: <i>In Silico</i> Insights into the Link between Heat Stress Response and Magnesium Deficiency in Plants. Journal of Chemical Information and Modeling, 2018, 58, 661-672. | 2.5 | 6 |
| 861 | Cold and Water Deficit Regulatory Mechanisms in Rice: Optimizing Stress Tolerance Potential by Pathway Integration and Network Engineering. , 2018, , 317-359. | | 8 |
| 862 | Advances and current challenges in calcium signaling. New Phytologist, 2018, 218, 414-431. | 3.5 | 423 |
| 863 | Interaction network of core ABA signaling components in maize. Plant Molecular Biology, 2018, 96, 245-263. | 2.0 | 51 |
| 864 | The Asparagine-Rich Protein NRP Facilitates theâ€‘Degradation of the PP6-type Phosphatase FyPP3 to Promote ABA Response in Arabidopsis. Molecular Plant, 2018, 11, 257-268. | 3.9 | 7 |
| 865 | Abscisic Acid Signaling Inhibits Brassinosteroid Signaling through Dampening the Dephosphorylation of BIN2 by ABI1 and ABI2. Molecular Plant, 2018, 11, 315-325. | 3.9 | 160 |
| 866 | Reciprocal Regulation of the TOR Kinase and ABA Receptor Balances Plant Growth and Stress Response. Molecular Cell, 2018, 69, 100-112.e6. | 4.5 | 385 |
| 867 | Abscisic acid is involved in aromatic ester biosynthesis related with ethylene in green apples. Journal of Plant Physiology, 2018, 221, 85-93. | 1.6 | 41 |
| 868 | Suppressing Type 2C Protein Phosphatases Alters Fruit Ripening and the Stress Response in Tomato. Plant and Cell Physiology, 2018, 59, 142-154. | 1.5 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 869 | A leu-rich repeat receptor-like protein kinase, FaRIPK1, interacts with the ABA receptor, FaABAR, to regulate fruit ripening in strawberry. <i>Journal of Experimental Botany</i> , 2018, 69, 1569-1582. | 2.4 | 21 |
| 870 | Comparative analysis of root transcriptome profiles between drought-tolerant and susceptible wheat genotypes in response to water stress. <i>Plant Science</i> , 2018, 272, 276-293. | 1.7 | 73 |
| 871 | Expression of <i>RSOsPR10</i> in rice roots is antagonistically regulated by jasmonate/ethylene and salicylic acid via the activator OsERF87 and the repressor OsWRKY76, respectively. <i>Plant Direct</i> , 2018, 2, e00049. | 0.8 | 9 |
| 872 | EL1-like Casein Kinases Suppress ABA Signaling and Responses by Phosphorylating and Destabilizing the ABA Receptors PYR/PYLs in Arabidopsis. <i>Molecular Plant</i> , 2018, 11, 706-719. | 3.9 | 72 |
| 873 | Embryophyte stress signaling evolved in the algal progenitors of land plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E3471-E3480. | 3.3 | 164 |
| 874 | The wheat TabZIP2 transcription factor is activated by the nutrient starvation-responsive SnRK3/CIPK protein kinase. <i>Plant Molecular Biology</i> , 2018, 96, 543-561. | 2.0 | 23 |
| 875 | Expression profiling of genes encoding ABA route components in response to dehydration or various light conditions in poplar buds and leaves. <i>Journal of Plant Physiology</i> , 2018, 223, 84-95. | 1.6 | 3 |
| 876 | BPH1, a novel substrate receptor of CRL3, plays a repressive role in ABA signal transduction. <i>Plant Molecular Biology</i> , 2018, 96, 593-606. | 2.0 | 7 |
| 877 | Soybean TCP transcription factors: Evolution, classification, protein interaction and stress and hormone responsiveness. <i>Plant Physiology and Biochemistry</i> , 2018, 127, 129-142. | 2.8 | 38 |
| 878 | Salt hypersensitive mutant 9, a nucleolar APUM23 protein, is essential for salt sensitivity in association with the ABA signaling pathway in Arabidopsis. <i>BMC Plant Biology</i> , 2018, 18, 40. | 1.6 | 48 |
| 879 | Ectopic Expression of Rice PYL3 Enhances Cold and Drought Tolerance in Arabidopsis thaliana. <i>Molecular Biotechnology</i> , 2018, 60, 350-361. | 1.3 | 58 |
| 880 | Identification of new abscisic acid receptor agonists using a wheat cell-free based drug screening system. <i>Scientific Reports</i> , 2018, 8, 4268. | 1.6 | 23 |
| 881 | <i>AtRAE1</i> is involved in degradation of ABA receptor <i>RCAR1</i> and negatively regulates ABA signalling in Arabidopsis. <i>Plant, Cell and Environment</i> , 2018, 41, 231-244. | 2.8 | 41 |
| 882 | Stomatal VPD Response: There Is More to the Story Than ABA. <i>Plant Physiology</i> , 2018, 176, 851-864. | 2.3 | 144 |
| 883 | Ethylene Receptors Signal via a Noncanonical Pathway to Regulate Absciscic Acid Responses. <i>Plant Physiology</i> , 2018, 176, 910-929. | 2.3 | 45 |
| 884 | Protein degradation mechanisms modulate abscisic acid signaling and responses during abiotic stress. <i>Plant Science</i> , 2018, 267, 48-54. | 1.7 | 18 |
| 885 | The role of <i>Arabidopsis thaliana RASD1</i> gene in ABA-dependent abiotic stress response. <i>Plant Biology</i> , 2018, 20, 307-317. | 1.8 | 5 |
| 886 | An Evolutionarily Conserved Absciscic Acid Signaling Pathway Regulates Dormancy in the Liverwort <i>Marchantia polymorpha</i> . <i>Current Biology</i> , 2018, 28, 3691-3699.e3. | 1.8 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 887 | A Functional Connection between the Circadian Clock and Hormonal Timing in Arabidopsis. <i>Genes</i> , 2018, 9, 567. | 1.0 | 27 |
| 888 | It's Hard to Avoid Avoidance: Uncoupling the Evolutionary Connection between Plant Growth, Productivity and Stress "Tolerance". <i>International Journal of Molecular Sciences</i> , 2018, 19, 3671. | 1.8 | 29 |
| 889 | TIP41 network analysis and mutant phenotypes predict interactions between the TOR and ABA pathways. <i>Plant Signaling and Behavior</i> , 2018, 13, e1537698. | 1.2 | 14 |
| 890 | Molecular Mechanism for the Regulation of ABA Homeostasis During Plant Development and Stress Responses. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3643. | 1.8 | 131 |
| 891 | <i>Arabidopsis thaliana</i> NGATHA1 transcription factor induces ABA biosynthesis by activating NCED3 gene during dehydration stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E11178-E11187. | 3.3 | 106 |
| 892 | Molecular Dynamics Simulations Reveal Differentiated Context-Dependent Conformational Dynamics of Two Proteins of the Same Family. <i>Journal of Physical Chemistry B</i> , 2018, 122, 10686-10699. | 1.2 | 0 |
| 893 | Novel Pathway Regulates ABA Perception: How ESCRTs Regulate Stability of ABA Receptors. <i>Journal of Cell Signaling</i> , 2018, 03, . | 0.3 | 0 |
| 894 | AtMYB44 interacts with TOPLESS-RELATED corepressors to suppress protein phosphatase 2C gene transcription. <i>Biochemical and Biophysical Research Communications</i> , 2018, 507, 437-442. | 1.0 | 19 |
| 895 | Mechanisms Underlying Freezing and Desiccation Tolerance in Bryophytes. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1081, 167-187. | 0.8 | 10 |
| 896 | Mechanism of Stomatal Closure in Plants Exposed to Drought and Cold Stress. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1081, 215-232. | 0.8 | 161 |
| 897 | Genome-wide characterization of protein phosphatase 2C genes in <i>Populus euphratica</i> and their expression profiling under multiple abiotic stresses. <i>Tree Genetics and Genomes</i> , 2018, 14, 1. | 0.6 | 7 |
| 898 | Regulatory Gene Networks in Drought Stress Responses and Resistance in Plants. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1081, 189-214. | 0.8 | 91 |
| 899 | The Transcriptomic Responses of <i>Pinus massoniana</i> to Drought Stress. <i>Forests</i> , 2018, 9, 326. | 0.9 | 45 |
| 900 | Absciscic acid-independent stomatal CO ₂ signal transduction pathway and convergence of CO ₂ and ABA signaling downstream of OST1 kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9971-E9980. | 3.3 | 91 |
| 901 | A seed resource for screening functionally redundant genes and isolation of new mutants impaired in CO ₂ and ABA responses. <i>Journal of Experimental Botany</i> , 2019, 70, 641-651. | 2.4 | 12 |
| 902 | The Receptor-like Pseudokinase GHR1 Is Required for Stomatal Closure. <i>Plant Cell</i> , 2018, 30, 2813-2837. | 3.1 | 95 |
| 903 | Ectopic expression of mutated type 2C protein phosphatase OsABI-LIKE2 decreases abscisic acid sensitivity in <i>Arabidopsis</i> and rice. <i>Scientific Reports</i> , 2018, 8, 12320. | 1.6 | 6 |
| 904 | Mitogen-Activated Protein Kinase Cascades in Plant Hormone Signaling. <i>Frontiers in Plant Science</i> , 2018, 9, 1387. | 1.7 | 232 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 905 | Protein kinase CK2 \pm subunits constitutively activate ABA signaling in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2018, 13, e1525998. | 1.2 | 3 |
| 906 | Circadian control of abscisic acid biosynthesis and signalling pathways revealed by genome-wide analysis of <sc>LHY</sc> binding targets. <i>New Phytologist</i> , 2018, 220, 893-907. | 3.5 | 140 |
| 907 | Overexpression of BoNAC019, a NAC transcription factor from Brassica oleracea, negatively regulates the dehydration response and anthocyanin biosynthesis in Arabidopsis. <i>Scientific Reports</i> , 2018, 8, 13349. | 1.6 | 46 |
| 908 | Comparative proteomics analysis of whitetop (<i>Lepidium draba</i> L.) seedlings in response to exogenous glucose. <i>International Journal of Biological Macromolecules</i> , 2018, 120, 2458-2465. | 3.6 | 9 |
| 909 | The MYB-related transcription factor RADIALIS-LIKE3 (OsRL3) functions in ABA-induced leaf senescence and salt sensitivity in rice. <i>Environmental and Experimental Botany</i> , 2018, 156, 86-95. | 2.0 | 44 |
| 910 | Phytohormone abscisic acid elicits antinociceptive effects in rats through the activation of opioid and peroxisome proliferator-activated receptors β_2/β_1 . <i>European Journal of Pharmacology</i> , 2018, 832, 75-80. | 1.7 | 11 |
| 911 | Casein kinase 2 β and γ subunits inversely modulate ABA signal output in Arabidopsis protoplasts. <i>Planta</i> , 2018, 248, 571-578. | 1.6 | 14 |
| 912 | Comparison of leaf transcriptomes of cassava "Xinxuan 048" diploid and autotetraploid plants. <i>Genes and Genomics</i> , 2018, 40, 927-935. | 0.5 | 8 |
| 913 | Mutations in a subfamily of abscisic acid receptor genes promote rice growth and productivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 6058-6063. | 3.3 | 284 |
| 914 | Potent Analogues of Absciscic Acid " Identifying Cyano-Cyclopropyl Moieties as Promising Replacements for the Cyclohexenone Headgroup. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 1416-1425. | 1.2 | 19 |
| 915 | Identification of genes involved in metabolism and signalling of abscisic acid and gibberellins during <i>Epimedium pseudowushanense</i> B.L.Guo seed morphophysiological dormancy. <i>Plant Cell Reports</i> , 2018, 37, 1061-1075. | 2.8 | 9 |
| 916 | Chemical Control of ABA Receptors to Enable Plant Protection Against Water Stress. <i>Methods in Molecular Biology</i> , 2018, 1795, 127-141. | 0.4 | 8 |
| 917 | Overexpression of AtPYL5 under the control of guard cell specific promoter improves drought stress tolerance in Arabidopsis. <i>Plant Physiology and Biochemistry</i> , 2018, 129, 150-157. | 2.8 | 34 |
| 918 | Apple bZIP transcription factor MdbZIP44 regulates abscisic acid-promoted anthocyanin accumulation. <i>Plant, Cell and Environment</i> , 2018, 41, 2678-2692. | 2.8 | 189 |
| 919 | The Antagonistic Action of Absciscic Acid and Cytokinin Signaling Mediates Drought Stress Response in Arabidopsis. <i>Molecular Plant</i> , 2018, 11, 970-982. | 3.9 | 217 |
| 920 | Roles of β -aminobutyric acid on salinity-responsive genes at transcriptomic level in poplar: involving in abscisic acid and ethylene-signalling pathways. <i>Planta</i> , 2018, 248, 675-690. | 1.6 | 48 |
| 921 | A theoretical study on the cross-talk of stress regulatory pathways in root cells. <i>Biophysical Chemistry</i> , 2018, 240, 82-87. | 1.5 | 1 |
| 922 | Isolation of a novel protein phosphatase2C in rice and its response to gibberellin. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 1987-1992. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 923 | Physiological and Molecular Processes Associated with Long Duration of ABA Treatment. <i>Frontiers in Plant Science</i> , 2018, 9, 176. | 1.7 | 22 |
| 924 | Wheat miRNA TaemiR408 Acts as an Essential Mediator in Plant Tolerance to Pi Deprivation and Salt Stress via Modulating Stress-Associated Physiological Processes. <i>Frontiers in Plant Science</i> , 2018, 9, 499. | 1.7 | 76 |
| 925 | Characterization of the ABA Receptor VIPYL1 That Regulates Anthocyanin Accumulation in Grape Berry Skin. <i>Frontiers in Plant Science</i> , 2018, 9, 592. | 1.7 | 32 |
| 926 | Misregulation of ER-Golgi Vesicle Transport Induces ER Stress and Affects Seed Vigor and Stress Response. <i>Frontiers in Plant Science</i> , 2018, 9, 658. | 1.7 | 15 |
| 927 | The Arabidopsis AtUNC-93 Acts as a Positive Regulator of Abiotic Stress Tolerance and Plant Growth via Modulation of ABA Signaling and K ⁺ Homeostasis. <i>Frontiers in Plant Science</i> , 2018, 9, 718. | 1.7 | 12 |
| 928 | Arabidopsis IQM4, a Novel Calmodulin-Binding Protein, Is Involved With Seed Dormancy and Germination in Arabidopsis. <i>Frontiers in Plant Science</i> , 2018, 9, 721. | 1.7 | 23 |
| 929 | Regulation of Seed Germination and Abiotic Stresses by Gibberellins and Absciscic Acid. <i>Frontiers in Plant Science</i> , 2018, 9, 838. | 1.7 | 197 |
| 930 | Genome-Wide Analysis of the PYL Gene Family and Identification of PYL Genes That Respond to Abiotic Stress in <i>Brassica napus</i> . <i>Genes</i> , 2018, 9, 156. | 1.0 | 55 |
| 931 | Transcription factor HAT1 is a substrate of SnRK2.3 kinase and negatively regulates ABA synthesis and signaling in Arabidopsis responding to drought. <i>PLoS Genetics</i> , 2018, 14, e1007336. | 1.5 | 92 |
| 932 | Absciscic Acid (ABA) Promotes the Induction and Maintenance of Pear (<i>Pyrus pyrifolia</i> White Pear) Tj ETQq1 1 0.784314 rgBT/Overload | 1.8 | 74 |
| 933 | ABA Receptor Subfamily III Enhances Absciscic Acid Sensitivity and Improves the Drought Tolerance of Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1938. | 1.8 | 43 |
| 934 | Transcriptome Analyses in Different Cucumber Cultivars Provide Novel Insights into Drought Stress Responses. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2067. | 1.8 | 30 |
| 935 | The Maize ABA Receptors ZmPYL8, 9, and 12 Facilitate Plant Drought Resistance. <i>Frontiers in Plant Science</i> , 2018, 9, 422. | 1.7 | 69 |
| 936 | Abiotic Stress Signaling in Wheat – An Inclusive Overview of Hormonal Interactions During Abiotic Stress Responses in Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 734. | 1.7 | 158 |
| 937 | Small Molecule Probes of ABA Biosynthesis and Signaling. <i>Plant and Cell Physiology</i> , 2018, 59, 1490-1499. | 1.5 | 70 |
| 938 | The Ubiquitin E3 Ligase RHA2b Promotes Degradation of MYB30 in Absciscic Acid Signaling. <i>Plant Physiology</i> , 2018, 178, 428-440. | 2.3 | 38 |
| 939 | Exploration of ABA Responsive miRNAs Reveals a New Hormone Signaling Crosstalk Pathway Regulating Root Growth of <i>Populus euphratica</i> . <i>International Journal of Molecular Sciences</i> , 2018, 19, 1481. | 1.8 | 22 |
| 940 | A Tandem Amino Acid Residue Motif in Guard Cell SLAC1 Anion Channel of Grasses Allows for the Control of Stomatal Aperture by Nitrate. <i>Current Biology</i> , 2018, 28, 1370-1379.e5. | 1.8 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 941 | Phytochrome and Phytohormones: Working in Tandem for Plant Growth and Development. <i>Frontiers in Plant Science</i> , 2018, 9, 1037. | 1.7 | 75 |
| 942 | Mechanisms for Absciscic Acid Inhibition of Primary Root Growth. <i>Plant Signaling and Behavior</i> , 2018, 13, e1500069. | 1.2 | 61 |
| 943 | Comparative transcriptome analysis of the interaction between <i>Actinidia chinensis</i> var. <i>chinensis</i> and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in absence and presence of acibenzolar-S-methyl. <i>BMC Genomics</i> , 2018, 19, 585. | 1.2 | 33 |
| 944 | Role of <i>LBD14</i> during ABA-mediated control of root system architecture in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2018, 13, 1-3. | 1.2 | 8 |
| 945 | Absciscic Acid Signaling and Biosynthesis: Protein Structures and Molecular Probes. , 2018, , 113-146. | | 1 |
| 946 | Roles of a maize phytochrome-interacting factors protein ZmPIF3 in regulation of drought stress responses by controlling stomatal closure in transgenic rice without yield penalty. <i>Plant Molecular Biology</i> , 2018, 97, 311-323. | 2.0 | 30 |
| 947 | <i>Arabidopsis</i> Duodecuple Mutant of PYL ABA Receptors Reveals PYL Repression of ABA-Independent SnRK2 Activity. <i>Cell Reports</i> , 2018, 23, 3340-3351.e5. | 2.9 | 153 |
| 948 | Involvement of an ABI-like protein and a Ca ²⁺ -ATPase in drought tolerance as revealed by transcript profiling of a sweetpotato somatic hybrid and its parents <i>Ipomoea batatas</i> (L.) Lam. and <i>I. triloba</i> L.. <i>PLoS ONE</i> , 2018, 13, e0193193. | 1.1 | 13 |
| 949 | Control of seed dormancy and germination by DOG1-AHG1 PP2C phosphatase complex via binding to heme. <i>Nature Communications</i> , 2018, 9, 2132. | 5.8 | 138 |
| 950 | Identifying differentially expressed proteins in sorghum cell cultures exposed to osmotic stress. <i>Scientific Reports</i> , 2018, 8, 8671. | 1.6 | 26 |
| 951 | The <i>6xABRE</i> Synthetic Promoter Enables the Spatiotemporal Analysis of ABA-Mediated Transcriptional Regulation. <i>Plant Physiology</i> , 2018, 177, 1650-1665. | 2.3 | 63 |
| 952 | SlPti4 Affects Regulation of Fruit Ripening, Seed Germination and Stress Responses by Modulating ABA Signaling in Tomato. <i>Plant and Cell Physiology</i> , 2018, 59, 1956-1965. | 1.5 | 30 |
| 953 | Absciscic acid negatively modulates plant defence against rice black-streaked dwarf virus infection by suppressing the jasmonate pathway and regulating reactive oxygen species levels in rice. <i>Plant, Cell and Environment</i> , 2018, 41, 2504-2514. | 2.8 | 70 |
| 954 | CARK1 mediates ABA signaling by phosphorylation of ABA receptors. <i>Cell Discovery</i> , 2018, 4, 30. | 3.1 | 50 |
| 955 | Quantitative phosphoproteomics of lectin receptor-like kinase Vt.4 dependent absciscic acid response in <i>Arabidopsis thaliana</i> . <i>Physiologia Plantarum</i> , 2019, 165, 728-745. | 2.6 | 10 |
| 956 | Role of the Ubiquitin Proteasome System in Plant Response to Abiotic Stress. <i>International Review of Cell and Molecular Biology</i> , 2019, 343, 65-110. | 1.6 | 86 |
| 957 | <i>ABRE</i> <i>BINDING FACTORS</i> play a role in the feedback regulation of <i>ABA</i> signaling by mediating rapid <i>ABA</i> induction of <i>ABA</i> co-receptor genes. <i>New Phytologist</i> , 2019, 221, 341-355. | 3.5 | 151 |
| 958 | Abiotic stress modulates root patterning via ABA-regulated <i>microRNA</i> expression in the endodermis initials. <i>Development (Cambridge)</i> , 2019, 146, . | 1.2 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 959 | The Roles of GmERF135 in Improving Salt Tolerance and Decreasing ABA Sensitivity in Soybean. <i>Frontiers in Plant Science</i> , 2019, 10, 940. | 1.7 | 28 |
| 960 | Rebuilding core abscisic acid signaling pathways of <i>Arabidopsis</i> in yeast. <i>EMBO Journal</i> , 2019, 38, e101859. | 3.5 | 25 |
| 961 | Genomic analysis of the core components of ABA signaling reveals their possible role in abiotic stress response in cassava. <i>Environmental and Experimental Botany</i> , 2019, 167, 103855. | 2.0 | 11 |
| 962 | Comparative Phosphoproteomic Analysis Reveals a Decay of ABA Signaling in Barley Embryos during After-Ripening. <i>Plant and Cell Physiology</i> , 2019, 60, 2758-2768. | 1.5 | 14 |
| 963 | The ABA receptor-like gene VyPYL9 from drought-resistance wild grapevine confers drought tolerance and ABA hypersensitivity in <i>Arabidopsis</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 2019, 138, 543-558. | 1.2 | 13 |
| 964 | The flip side of phospho-signalling: Regulation of protein dephosphorylation and the protein phosphatase 2Cs. <i>Plant, Cell and Environment</i> , 2019, 42, 2913-2930. | 2.8 | 42 |
| 965 | Genome-wide identification and characterization of ABA receptor PYL/RCAR gene family reveals evolution and roles in drought stress in <i>Nicotiana tabacum</i> . <i>BMC Genomics</i> , 2019, 20, 575. | 1.2 | 36 |
| 966 | De novo transcriptome sequencing and identification of genes related to salt and PEG stress in <i>Tetraena mongolica</i> Maxim. <i>Trees - Structure and Function</i> , 2019, 33, 1639-1656. | 0.9 | 8 |
| 967 | De novo transcriptome sequencing and gene expression profiling of <i>Magnolia wufengensis</i> in response to cold stress. <i>BMC Plant Biology</i> , 2019, 19, 321. | 1.6 | 42 |
| 970 | Multifaceted involvement of abscisic acid in plant interactions with pathogenic and mutualistic microbes. <i>Advances in Botanical Research</i> , 2019, , 219-253. | 0.5 | 3 |
| 971 | Nitric oxide molecular targets: reprogramming plant development upon stress. <i>Journal of Experimental Botany</i> , 2019, 70, 4441-4460. | 2.4 | 78 |
| 972 | The MATH-BTB BPM3 and BPM5 subunits of Cullin3-RING E3 ubiquitin ligases target PP2CA and other clade A PP2Cs for degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 15725-15734. | 3.3 | 56 |
| 973 | Molecular evolution and lineage-specific expansion of the PP2C family in <i>Zea mays</i> . <i>Planta</i> , 2019, 250, 1521-1538. | 1.6 | 51 |
| 974 | Role of calreticulin in biotic and abiotic stress signalling and tolerance mechanisms in plants. <i>Gene</i> , 2019, 714, 144004. | 1.0 | 33 |
| 975 | GSK3-like kinase BIN2 phosphorylates RD26 to potentiate drought signaling in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2019, 100, 923-937. | 2.8 | 87 |
| 976 | PYR/PYL/RCAR ABA receptors. <i>Advances in Botanical Research</i> , 2019, , 51-82. | 0.5 | 23 |
| 977 | Absciscic acid metabolism and transport. <i>Advances in Botanical Research</i> , 2019, 92, 1-49. | 0.5 | 23 |
| 978 | Genome-Wide Identification and Gene Expression Analysis of ABA Receptor Family Genes in <i>Brassica juncea</i> var. <i>tumida</i> . <i>Genes</i> , 2019, 10, 470. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 979 | The fungal sesquiterpenoid pyrenophoric acid B uses the plant ABA biosynthetic pathway to inhibit seed germination. <i>Journal of Experimental Botany</i> , 2019, 70, 5487-5494. | 2.4 | 7 |
| 980 | Genetics and Genomics of Stomatal Traits for Improvement of Abiotic Stress Tolerance in Cereals. <i>Sustainable Development and Biodiversity</i> , 2019, , 1-20. | 1.4 | 2 |
| 981 | Discovery of Interacting Proteins of ABA Receptor PYL5 via Covalent Chemical Capture. <i>ACS Chemical Biology</i> , 2019, 14, 2557-2563. | 1.6 | 3 |
| 982 | AtPR5K2, a PR5-Like Receptor Kinase, Modulates Plant Responses to Drought Stress by Phosphorylating Protein Phosphatase 2Cs. <i>Frontiers in Plant Science</i> , 2019, 10, 1146. | 1.7 | 31 |
| 983 | The C-Terminal Domains SnRK2 Box and ABA Box Have a Role in Sugarcane SnRK2s Auto-Activation and Activity. <i>Frontiers in Plant Science</i> , 2019, 10, 1105. | 1.7 | 5 |
| 984 | Protein partners of plant ubiquitin-specific proteases (UBPs). <i>Plant Physiology and Biochemistry</i> , 2019, 145, 227-236. | 2.8 | 13 |
| 985 | Rheostatic Control of ABA Signaling through HOS15-Mediated OST1 Degradation. <i>Molecular Plant</i> , 2019, 12, 1447-1462. | 3.9 | 58 |
| 987 | CEPR2 phosphorylates and accelerates the degradation of PYR/PYLs in Arabidopsis. <i>Journal of Experimental Botany</i> , 2019, 70, 5457-5469. | 2.4 | 65 |
| 988 | Abscisic Acid Receptors Modulate Metabolite Levels and Phenotype in Arabidopsis Under Normal Growing Conditions. <i>Metabolites</i> , 2019, 9, 249. | 1.3 | 6 |
| 989 | Toward Development of Fluorescence-Quenching-Based Biosensors for Drought Stress in Plants. <i>Analytical Chemistry</i> , 2019, 91, 15644-15651. | 3.2 | 7 |
| 990 | ABA signaling in guard cells. <i>Advances in Botanical Research</i> , 2019, , 115-170. | 0.5 | 7 |
| 991 | ABA responses during seed development and germination. <i>Advances in Botanical Research</i> , 2019, 92, 171-217. | 0.5 | 17 |
| 992 | Evolution of ABA signaling pathways. <i>Advances in Botanical Research</i> , 2019, 92, 281-313. | 0.5 | 7 |
| 993 | Interactions between abscisic acid and other hormones. <i>Advances in Botanical Research</i> , 2019, 92, 255-280. | 0.5 | 9 |
| 994 | Abscisic acid as a gateway for the crops of tomorrow. <i>Advances in Botanical Research</i> , 2019, 92, 341-370. | 0.5 | 4 |
| 995 | Identifying new lead structures to enhance tolerance towards drought stress via high-throughput screening giving crops a quantum of solace. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 115142. | 1.4 | 11 |
| 996 | Wheat F-box Protein TaFBA1 Positively Regulates Plant Drought Tolerance but Negatively Regulates Stomatal Closure. <i>Frontiers in Plant Science</i> , 2019, 10, 1242. | 1.7 | 41 |
| 997 | Transcriptome analysis in different chieh-qua cultivars provides new insights into drought-stress response. <i>Plant Biotechnology Reports</i> , 2019, 13, 663-675. | 0.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 998 | Plant hydraulics and agrichemical genomics. <i>Science</i> , 2019, 366, 416-417. | 6.0 | 1 |
| 999 | VqbZIP1 isolated from Chinese wild <i>Vitis quinquangularis</i> is involved in the ABA signaling pathway and regulates stilbene synthesis. <i>Plant Science</i> , 2019, 287, 110202. | 1.7 | 16 |
| 1000 | The RING finger E3 ligases PIR1 and PIR2 mediate PP2CA degradation to enhance abscisic acid response in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2019, 100, 473-486. | 2.8 | 29 |
| 1001 | The role of <i>Arabidopsis</i> ABA receptors from the PYR/PYL/RCAR family in stomatal acclimation and closure signal integration. <i>Nature Plants</i> , 2019, 5, 1002-1011. | 4.7 | 115 |
| 1002 | PYL9 is involved in the regulation of ABA signaling during tomato fruit ripening. <i>Journal of Experimental Botany</i> , 2019, 70, 6305-6319. | 2.4 | 53 |
| 1003 | Absciscic Acid Derivatives with Different Alkyl Chain Lengths Activate Distinct Absciscic Acid Receptor Subfamilies. <i>ACS Chemical Biology</i> , 2019, 14, 1964-1971. | 1.6 | 13 |
| 1004 | The expression of alfalfa MsPP2CA1 gene confers ABA sensitivity and abiotic stress tolerance on <i>Arabidopsis thaliana</i> . <i>Plant Physiology and Biochemistry</i> , 2019, 143, 176-182. | 2.8 | 6 |
| 1005 | Responses of PYR/PYL/RCAR ABA Receptors to Contrasting stresses, Heat and Cold in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2019, 14, 1670596. | 1.2 | 28 |
| 1006 | TaZFP1, a C2H2 type-ZFP gene of <i>T. aestivum</i> , mediates salt stress tolerance of plants by modulating diverse stress-defensive physiological processes. <i>Plant Physiology and Biochemistry</i> , 2019, 136, 127-142. | 2.8 | 25 |
| 1007 | Increased water use efficiency and water productivity of <i>arabidopsis</i> by abscisic acid receptors from <i>Populus canescens</i> . <i>Annals of Botany</i> , 2019, 124, 581-589. | 1.4 | 15 |
| 1008 | SnRK2 protein kinases represent an ancient system in plants for adaptation to a terrestrial environment. <i>Communications Biology</i> , 2019, 2, 30. | 2.0 | 76 |
| 1009 | Dewetting Controls Plant Hormone Perception and Initiation of Drought Resistance Signaling. <i>Structure</i> , 2019, 27, 692-702.e3. | 1.6 | 44 |
| 1010 | Impact of Climate Change on Crops Adaptation and Strategies to Tackle Its Outcome: A Review. <i>Plants</i> , 2019, 8, 34. | 1.6 | 901 |
| 1011 | Brassinosteroids, the Sixth Class of Phytohormones: A Molecular View from the Discovery to Hormonal Interactions in Plant Development and Stress Adaptation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 331. | 1.8 | 131 |
| 1012 | Defining and Exploiting Hypersensitivity Hotspots to Facilitate Absciscic Acid Agonist Optimization. <i>ACS Chemical Biology</i> , 2019, 14, 332-336. | 1.6 | 19 |
| 1013 | Comparative Phosphoproteomic Analysis of Barley Embryos with Different Dormancy during Imbibition. <i>International Journal of Molecular Sciences</i> , 2019, 20, 451. | 1.8 | 11 |
| 1014 | Reversible Histone H2B Monoubiquitination Fine-Tunes Absciscic Acid Signaling and Drought Response in Rice. <i>Molecular Plant</i> , 2019, 12, 263-277. | 3.9 | 53 |
| 1015 | A microwave-assisted approach to N-(2-nitrophenyl)benzenesulfonamides that enhanced peroxidase activity in response to excess cadmium. <i>Tetrahedron Letters</i> , 2019, 60, 626-629. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1016 | Transcriptional regulatory activity of the cereal grain bZip protein TaABF1 can be either stimulated or inhibited by phosphorylation. <i>Seed Science Research</i> , 2019, 29, 21-28. | 0.8 | 0 |
| 1017 | Genome-Wide Identification and Characterization of the AREB/ABF/ABI5 Subfamily Members from <i>Solanum tuberosum</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 311. | 1.8 | 23 |
| 1018 | Genome-Wide Identification and Homoeologous Expression Analysis of PP2C Genes in Wheat (<i>Triticum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 | 1.1 | 60 |
| 1019 | Photoaffinity palladium reagents for capture of proteinâ€“protein interactions. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 6369-6373. | 1.5 | 4 |
| 1020 | Calcium signals in guard cells enhance the efficiency by which abscisic acid triggers stomatal closure. <i>New Phytologist</i> , 2019, 224, 177-187. | 3.5 | 62 |
| 1021 | Chemistry and chemical biology of ABA. <i>Advances in Botanical Research</i> , 2019, 92, 315-339. | 0.5 | 4 |
| 1022 | LOWER TEMPERATURE 1 Enhances ABA Responses and Plant Drought Tolerance by Modulating the Stability and Localization of C2-Domain ABA-Related Proteins in Arabidopsis. <i>Molecular Plant</i> , 2019, 12, 1243-1258. | 3.9 | 28 |
| 1023 | Comparative Genomics Analysis Provides New Insight Into Molecular Basis of Stomatal Movement in <i>Kalanchoë fedtschenkoi</i> . <i>Frontiers in Plant Science</i> , 2019, 10, 292. | 1.7 | 8 |
| 1024 | Revisiting the Basal Role of ABA â€“ Roles Outside of Stress. <i>Trends in Plant Science</i> , 2019, 24, 625-635. | 4.3 | 189 |
| 1025 | ABA signaling rather than ABA metabolism is involved in trehalose-induced drought tolerance in tomato plants. <i>Planta</i> , 2019, 250, 643-655. | 1.6 | 49 |
| 1026 | The MdWRKY31 transcription factor binds to the MdRAV1 promoter to mediate ABA sensitivity. <i>Horticulture Research</i> , 2019, 6, 66. | 2.9 | 42 |
| 1027 | Inside and Beyond Color: Comparative Overview of Functional Quality of Tomato and Watermelon Fruits. <i>Frontiers in Plant Science</i> , 2019, 10, 769. | 1.7 | 67 |
| 1028 | Recent Advances in Hormonal Regulation and Cross-Talk during Non-Climacteric Fruit Development and Ripening. <i>Horticulturae</i> , 2019, 5, 45. | 1.2 | 69 |
| 1029 | Chromatin remodeling for the transcription of type 2C protein phosphatase genes in response to salt stress. <i>Plant Physiology and Biochemistry</i> , 2019, 141, 325-331. | 2.8 | 27 |
| 1030 | Phylogenetic, Molecular, and Functional Characterization of PpyCBF Proteins in Asian Pears (<i>Pyrus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 1.8 | 19 |
| 1031 | Abiotic Stress Signaling in Wheat Crop. , 2019, , 261-282. | | 4 |
| 1032 | The Transcription Factor INDUCER OF CBF EXPRESSION1 Interacts with ABSCISIC ACID INSENSITIVE5 and DELLA Proteins to Fine-Tune Abscisic Acid Signaling during Seed Germination in Arabidopsis. <i>Plant Cell</i> , 2019, 31, 1520-1538. | 3.1 | 88 |
| 1033 | Exploring Oxidative Stress in Plants: Proteomic and Genomic Approaches. , 2019, , 155-187. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1034 | Arabidopsis translation initiation factors $eIF4G1/2$ link repression of mRNA cap-binding complex $eIF4F$ assembly with RNA-binding protein $SOAR1$ -mediated ABA signaling. <i>New Phytologist</i> , 2019, 223, 1388-1406. | 3.5 | 19 |
| 1035 | Absciscic acid signalling mediates biomass trade-off and allocation in poplar. <i>New Phytologist</i> , 2019, 223, 1192-1203. | 3.5 | 32 |
| 1036 | OsANN3, a calcium-dependent lipid binding annexin is a positive regulator of ABA-dependent stress tolerance in rice. <i>Plant Science</i> , 2019, 284, 212-220. | 1.7 | 33 |
| 1037 | ABA signaling components in <i>Phelipanche aegyptiaca</i> . <i>Scientific Reports</i> , 2019, 9, 6476. | 1.6 | 3 |
| 1038 | Comparative Transcriptomic Analysis of Biological Process and Key Pathway in Three Cotton (<i>Gossypium</i> spp.) Species Under Drought Stress. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2076. | 1.8 | 18 |
| 1039 | Salinity and ABA Seed Responses in Pepper: Expression and Interaction of ABA Core Signaling Components. <i>Frontiers in Plant Science</i> , 2019, 10, 304. | 1.7 | 20 |
| 1040 | Precise control of ABA signaling through post-translational protein modification. <i>Plant Growth Regulation</i> , 2019, 88, 99-111. | 1.8 | 18 |
| 1041 | Misleading conclusions from exogenous ABA application: a cautionary tale about the evolution of stomatal responses to changes in leaf water status. <i>Plant Signaling and Behavior</i> , 2019, 14, 1610307. | 1.2 | 15 |
| 1042 | Absciscic Acid Receptors and Coreceptors Modulate Plant Water Use Efficiency and Water Productivity. <i>Plant Physiology</i> , 2019, 180, 1066-1080. | 2.3 | 48 |
| 1043 | Role of the Ring Methyl Groups in 2,3-Benzoabscisic Acid Analogues. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 4995-5007. | 2.4 | 6 |
| 1044 | Genome-Wide Analysis of Long Intergenic Noncoding RNAs Responding to Low-Nutrient Conditions in <i>Arabidopsis thaliana</i> : Possible Involvement of Trans-Acting siRNA3 in Response to Low Nitrogen. <i>Plant and Cell Physiology</i> , 2019, 60, 1961-1973. | 1.5 | 31 |
| 1045 | Mechanism of salt-inhibited early seed germination analysed by transcriptomic sequencing. <i>Seed Science Research</i> , 2019, 29, 73-84. | 0.8 | 5 |
| 1046 | Mesophyll Absciscic Acid Restrains Early Growth and Flowering But Does Not Directly Suppress Photosynthesis. <i>Plant Physiology</i> , 2019, 180, 910-925. | 2.3 | 29 |
| 1047 | Thermodynamic insights into an interaction between ACYL-CoA-BINDING PROTEIN2 and LYSOPHOSPHOLIPASE2 in <i>Arabidopsis</i> . <i>Journal of Biological Chemistry</i> , 2019, 294, 6214-6226. | 1.6 | 24 |
| 1048 | Identification and characterization of core abscisic acid (ABA) signaling components and their gene expression profile in response to abiotic stresses in <i>Setaria viridis</i> . <i>Scientific Reports</i> , 2019, 9, 4028. | 1.6 | 30 |
| 1049 | CARK6 is involved in abscisic acid to regulate stress responses in <i>Arabidopsis thaliana</i> . <i>Biochemical and Biophysical Research Communications</i> , 2019, 513, 460-464. | 1.0 | 6 |
| 1050 | Agricultural Applications of Endophytic Microflora. , 2019, , 385-403. | | 2 |
| 1051 | Drought Tolerance in Plants. , 2019, , 105-123. | | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1052 | Engineering Signaling Molecules to Improve Abiotic Stress Tolerance in Crop Plants. , 2019, , 43-62. | | 0 |
| 1053 | Absciscic Acid, a Principal Regulator of Plant Abiotic Stress Responses. , 2019, , 341-353. | | 4 |
| 1054 | Role and Regulation of Osmolytes and ABA Interaction in Salt and Drought Stress Tolerance. , 2019, , 417-436. | | 19 |
| 1055 | Drought and heat stress-related proteins: an update about their functional relevance in imparting stress tolerance in agricultural crops. Theoretical and Applied Genetics, 2019, 132, 1607-1638. | 1.8 | 89 |
| 1056 | Tuning water-use efficiency and drought tolerance in wheat using abscisic acid receptors. Nature Plants, 2019, 5, 153-159. | 4.7 | 203 |
| 1057 | Optimized small molecule pull-downs define <scp>MLBP</scp> 1 as an acyl lipid-binding protein. Plant Journal, 2019, 98, 928-941. | 2.8 | 5 |
| 1058 | <scp>ABA</scp> inhibits myristoylation and induces shuttling of the <scp>RGLG</scp>1 E3 ligase to promote nuclear degradation of <scp>PP</scp>2<scp>CA</scp>. Plant Journal, 2019, 98, 813-825. | 2.8 | 59 |
| 1059 | Transcriptome and metabolome analyses of two contrasting sesame genotypes reveal the crucial biological pathways involved in rapid adaptive response to salt stress. BMC Plant Biology, 2019, 19, 66. | 1.6 | 98 |
| 1060 | The Complex Fine-Tuning of K ⁺ Fluxes in Plants in Relation to Osmotic and Ionic Abiotic Stresses. International Journal of Molecular Sciences, 2019, 20, 715. | 1.8 | 43 |
| 1061 | Acquiring Control: The Evolution of Stomatal Signalling Pathways. Trends in Plant Science, 2019, 24, 342-351. | 4.3 | 56 |
| 1062 | Transcriptome sequencing of Antarctic moss under salt stress emphasizes the important roles of the ROS-scavenging system. Gene, 2019, 696, 122-134. | 1.0 | 50 |
| 1063 | Fluorescence lifetime based distance measurement illustrates conformation changes of PYL10-CL2 upon ABA binding in solution state. Chinese Chemical Letters, 2019, 30, 1067-1070. | 4.8 | 10 |
| 1064 | A ligand-independent origin of abscisic acid perception. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 24892-24899. | 3.3 | 84 |
| 1065 | Overexpression of ABA Receptor PYL10 Gene Confers Drought and Cold Tolerance to Indica Rice. Frontiers in Plant Science, 2019, 10, 1488. | 1.7 | 55 |
| 1066 | An Integrated Analysis of the Rice Transcriptome and Metabolome Reveals Root Growth Regulation Mechanisms in Response to Nitrogen Availability. International Journal of Molecular Sciences, 2019, 20, 5893. | 1.8 | 44 |
| 1067 | Genetic strategies for improving crop yields. Nature, 2019, 575, 109-118. | 13.7 | 799 |
| 1068 | A MYB-related transcription factor from sheepgrass, LcMYB2, promotes seed germination and root growth under drought stress. BMC Plant Biology, 2019, 19, 564. | 1.6 | 33 |
| 1069 | Integration of Absciscic Acid Signaling with Other Signaling Pathways in Plant Stress Responses and Development. Plants, 2019, 8, 592. | 1.6 | 79 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1070 | Genome-Wide Analysis of Absciscic Acid Biosynthesis, Catabolism, and Signaling in Sorghum Bicolor under Saline-Alkali Stress. <i>Biomolecules</i> , 2019, 9, 823. | 1.8 | 13 |
| 1071 | ZmOST1 mediates absciscic acid regulation of guard cell ion channels and drought stress responses. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 478-491. | 4.1 | 43 |
| 1072 | Comparative Transcriptomic and Physiological Analyses of <i>Medicago sativa</i> L. Indicates that Multiple Regulatory Networks Are Activated during Continuous ABA Treatment. <i>International Journal of Molecular Sciences</i> , 2019, 20, 47. | 1.8 | 20 |
| 1073 | Synthesis of All Stereoisomers of RK460 and Evaluation of Their Activity and Selectivity as Absciscic Acid Receptor Antagonists. <i>Chemistry - A European Journal</i> , 2019, 25, 3496-3500. | 1.7 | 4 |
| 1074 | Modulation of ABA responses by the protein kinase WNK8. <i>FEBS Letters</i> , 2019, 593, 339-351. | 1.3 | 10 |
| 1075 | Seed germination and dormancy: The classic story, new puzzles, and evolution. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 541-563. | 4.1 | 109 |
| 1076 | The RCC 1 family protein SAB 1 negatively regulates ABI 5 through multidimensional mechanisms during postgermination in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2019, 222, 907-922. | 3.5 | 26 |
| 1077 | <scp>EGR</scp> 2 phosphatase regulates <scp>OST</scp> 1 kinase activity and freezing tolerance in <i>Arabidopsis</i>. <i>EMBO Journal</i> , 2019, 38, . | 3.5 | 100 |
| 1078 | Insights into ABA-mediated regulation of guard cell primary metabolism revealed by systems biology approaches. <i>Progress in Biophysics and Molecular Biology</i> , 2019, 146, 37-49. | 1.4 | 26 |
| 1079 | Archetypal Roles of an Absciscic Acid Receptor in Drought and Sugar Responses in Liverworts. <i>Plant Physiology</i> , 2019, 179, 317-328. | 2.3 | 46 |
| 1080 | A Moso Bamboo Drought-Induced 19 Protein, PeDi19-4, Enhanced Drought and Salt Tolerance in Plants via the ABA-Dependent Signaling Pathway. <i>Plant and Cell Physiology</i> , 2019, 60, e1-e14. | 1.5 | 7 |
| 1081 | CARK1 phosphorylates subfamily III members of ABA receptors. <i>Journal of Experimental Botany</i> , 2019, 70, 519-528. | 2.4 | 27 |
| 1082 | Abiotic Stresses Intervene with ABA Signaling to Induce Destructive Metabolic Pathways Leading to Death: Premature Leaf Senescence in Plants. <i>International Journal of Molecular Sciences</i> , 2019, 20, 256. | 1.8 | 71 |
| 1083 | Overexpression of MhYTP2 enhances apple water-use efficiency by activating ABA and ethylene signaling. <i>Environmental and Experimental Botany</i> , 2019, 157, 260-268. | 2.0 | 19 |
| 1084 | Crosstalk between nitric oxide (NO) and absciscic acid (ABA) signalling molecules in higher plants. <i>Environmental and Experimental Botany</i> , 2019, 161, 41-49. | 2.0 | 109 |
| 1085 | Absciscic Acid Inhibits Rice Protein Phosphatase PP45 via H₂O₂ and Relieves Repression of the Ca²⁺/CaM-Dependent Protein Kinase DMI3. <i>Plant Cell</i> , 2019, 31, 128-152. | 3.1 | 64 |
| 1086 | Overexpression of the RNA binding protein MhYTP1 in transgenic apple enhances drought tolerance and WUE by improving ABA level under drought condition. <i>Plant Science</i> , 2019, 280, 397-407. | 1.7 | 39 |
| 1087 | ChNAC83 inhibits corm dormancy release by regulating ABA signaling and cytokinin biosynthesis in <i>Gladiolus hybridus</i> . <i>Journal of Experimental Botany</i> , 2019, 70, 1221-1237. | 2.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1089 | Reactive Oxygen Species, Photosynthesis, and Environment in the Regulation of Stomata. Antioxidants and Redox Signaling, 2019, 30, 1220-1237. | 2.5 | 38 |
| 1090 | SnRK2 Protein Kinases and mRNA Decapping Machinery Control Root Development and Response to Salt. Plant Physiology, 2020, 182, 361-377. | 2.3 | 62 |
| 1091 | Arabidopsis thaliana SEED DORMANCY 4-LIKE regulates dormancy and germination by mediating the gibberellin pathway. Journal of Experimental Botany, 2020, 71, 919-933. | 2.4 | 26 |
| 1092 | <sc>ARABIDOPSIS NITRATE REGULATED</sc> 1 acts as a negative modulator of seed germination by activating <i><sc>ABI</sc>3</i> expression. New Phytologist, 2020, 225, 835-847. | 3.5 | 16 |
| 1093 | Form, development and function of grass stomata. Plant Journal, 2020, 101, 780-799. | 2.8 | 143 |
| 1094 | In silico study revealed major conserve architectures and novel features of pyrabactin binding to Oryza sativa ABA receptors compare to the Arabidopsis thaliana. Journal of Biomolecular Structure and Dynamics, 2020, 38, 3211-3224. | 2.0 | 2 |
| 1095 | Overview of Sustainable Plant Growth and Differentiation and the Role of Hormones in Controlling Growth and Development of Plants Under Various Stresses. Recent Patents on Food, Nutrition & Agriculture, 2020, 11, 105-114. | 0.5 | 13 |
| 1096 | Agonist, antagonist and signaling modulators of ABA receptor for agronomic and post-harvest management. Plant Physiology and Biochemistry, 2020, 148, 10-25. | 2.8 | 26 |
| 1097 | MAP3Kinase-dependent SnRK2-kinase activation is required for abscisic acid signal transduction and rapid osmotic stress response. Nature Communications, 2020, 11, 12. | 5.8 | 202 |
| 1098 | Genome-wide analysis of <i>PYL-PP2C-SnRK2s</i> family in <i>Camellia sinensis</i>. Bioengineered, 2020, 11, 103-115. | 1.4 | 22 |
| 1099 | DNA methylation is involved in the regulation of pepper fruit ripening and interacts with phytohormones. Journal of Experimental Botany, 2020, 71, 1928-1942. | 2.4 | 54 |
| 1100 | PROTEIN PHOSPHATASE95 Regulates Phosphate Homeostasis by Affecting Phosphate Transporter Trafficking in Rice. Plant Cell, 2020, 32, 740-757. | 3.1 | 47 |
| 1101 | Absciscic acid dynamics, signaling, and functions in plants. Journal of Integrative Plant Biology, 2020, 62, 25-54. | 4.1 | 771 |
| 1102 | The Sucrose Non-Fermenting 1-Related Protein Kinase 2 (SnRK2) Genes Are Multifaceted Players in Plant Growth, Development and Response to Environmental Stimuli. Plant and Cell Physiology, 2020, 61, 225-242. | 1.5 | 25 |
| 1103 | Root Growth Adaptation is Mediated by PYLs ABA Receptorâ€PP2A Protein Phosphatase Complex. Advanced Science, 2020, 7, 1901455. | 5.6 | 32 |
| 1104 | Transcriptomic Analyses of Chilling Stress Responsiveness in Leaves of Tobacco (Nicotiana tabacum) Seedlings. Plant Molecular Biology Reporter, 2020, 38, 1-13. | 1.0 | 7 |
| 1105 | RBR-Type E3 Ligases and the Ubiquitin-Conjugating Enzyme UBC26 Regulate Absciscic Acid Receptor Levels and Signaling. Plant Physiology, 2020, 182, 1723-1742. | 2.3 | 33 |
| 1106 | The Arabidopsis kinase-associated protein phosphatase KAPP, interacting with protein kinases SnRK2.2/2.3/2.6, negatively regulates abscisic acid signaling. Plant Molecular Biology, 2020, 102, 199-212. | 2.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1107 | Genome-wide phylogenetic and structural analysis reveals the molecular evolution of the ABA receptor gene family. <i>Journal of Experimental Botany</i> , 2020, 71, 1322-1336. | 2.4 | 19 |
| 1108 | Molecular Mechanism Underlying the Synergetic Effect of Jasmonate on Absciscic Acid Signaling during Seed Germination in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2020, 32, 3846-3865. | 3.1 | 78 |
| 1109 | Genome-wide identification and characterization of ABA receptor PYL gene family in rice. <i>BMC Genomics</i> , 2020, 21, 676. | 1.2 | 42 |
| 1110 | Implications of Absciscic Acid in the Drought Stress Tolerance of Plants. <i>Agronomy</i> , 2020, 10, 1323. | 1.3 | 82 |
| 1111 | Interplay between the Ubiquitin Proteasome System and Ubiquitin-Mediated Autophagy in Plants. <i>Cells</i> , 2020, 9, 2219. | 1.8 | 29 |
| 1112 | The UBC27-UBR3 ubiquitination complex modulates ABA signaling by promoting the degradation of ABI1 in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 27694-27702. | 3.3 | 36 |
| 1113 | Halotropism: Phytohormonal Aspects and Potential Applications. <i>Frontiers in Plant Science</i> , 2020, 11, 571025. | 1.7 | 9 |
| 1114 | Tetrahydroquinoliny phosphinamidates and phosphonamidates enhancing tolerance towards drought stress in crops via interaction with ABA receptor proteins. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115725. | 1.4 | 8 |
| 1115 | RNA-seq reveals the salt tolerance of <i>Ipomoea pes-caprae</i> , a wild relative of sweet potato. <i>Journal of Plant Physiology</i> , 2020, 255, 153276. | 1.6 | 17 |
| 1116 | How does nitrate regulate plant senescence?. <i>Plant Physiology and Biochemistry</i> , 2020, 157, 60-69. | 2.8 | 36 |
| 1117 | OsRbohB-mediated ROS production plays a crucial role in drought stress tolerance of rice. <i>Plant Cell Reports</i> , 2020, 39, 1767-1784. | 2.8 | 36 |
| 1118 | A dual function of SnRK2 kinases in the regulation of SnRK1 and plant growth. <i>Nature Plants</i> , 2020, 6, 1345-1353. | 4.7 | 122 |
| 1119 | BONZAI Proteins Control Global Osmotic Stress Responses in Plants. <i>Current Biology</i> , 2020, 30, 4815-4825.e4. | 1.8 | 39 |
| 1120 | Functional polymorphism among members of absciscic acid receptor family (ZmPYL) in maize. <i>Journal of Integrative Agriculture</i> , 2020, 19, 2165-2176. | 1.7 | 4 |
| 1121 | Improved reproductive growth of euhalophyte <i>Suaeda salsa</i> under salinity is correlated with altered phytohormone biosynthesis and signal transduction. <i>Functional Plant Biology</i> , 2020, 47, 170. | 1.1 | 35 |
| 1122 | Phosphatases: The Critical Regulator of Abiotic Stress Tolerance in Plants. , 2020, , 163-201. | | 3 |
| 1123 | Proteomics and phosphoproteomics revealed molecular networks of stomatal immune responses. <i>Planta</i> , 2020, 252, 66. | 1.6 | 17 |
| 1124 | A Guard Cell Absciscic Acid (ABA) Network Model That Captures the Stomatal Resting State. <i>Frontiers in Physiology</i> , 2020, 11, 927. | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1125 | Balancing growth and adaptation to stress: Crosstalk between brassinosteroid and abscisic acid signaling. <i>Plant, Cell and Environment</i> , 2020, 43, 2325-2335. | 2.8 | 43 |
| 1126 | Evolution of Absciscic Acid Signaling for Stress Responses to Toxic Metals and Metalloids. <i>Frontiers in Plant Science</i> , 2020, 11, 909. | 1.7 | 68 |
| 1127 | AIW1 and AIW2, two ABA-induced WD40 repeat-containing transcription repressors function redundantly to regulate ABA and salt responses in Arabidopsis. <i>Journal of Plant Interactions</i> , 2020, 15, 196-206. | 1.0 | 8 |
| 1128 | Genome-Wide Gene Expression Profiles Analysis Reveal Novel Insights into Drought Stress in Foxtail Millet (<i>Setaria italica</i> L.). <i>International Journal of Molecular Sciences</i> , 2020, 21, 8520. | 1.8 | 17 |
| 1129 | The Wild Rice Locus CTS-12 Mediates ABA-Dependent Stomatal Opening Modulation to Limit Water Loss Under Severe Chilling Stress. <i>Frontiers in Plant Science</i> , 2020, 11, 575699. | 1.7 | 7 |
| 1130 | Root Adaptation via Common Genetic Factors Conditioning Tolerance to Multiple Stresses for Crops Cultivated on Acidic Tropical Soils. <i>Frontiers in Plant Science</i> , 2020, 11, 565339. | 1.7 | 19 |
| 1131 | Thriving under Stress: How Plants Balance Growth and the Stress Response. <i>Developmental Cell</i> , 2020, 55, 529-543. | 3.1 | 283 |
| 1132 | Characterization of abscisic acid (ABA) receptors and analysis of genes that regulate rutin biosynthesis in response to ABA in <i>Fagopyrum tataricum</i> . <i>Plant Physiology and Biochemistry</i> , 2020, 157, 432-440. | 2.8 | 8 |
| 1133 | Evolution of environmental stress responses in plants. <i>Plant, Cell and Environment</i> , 2020, 43, 2827-2831. | 2.8 | 11 |
| 1134 | Role of Raf-like kinases in SnRK2 activation and osmotic stress response in plants. <i>Nature Communications</i> , 2020, 11, 6184. | 5.8 | 59 |
| 1135 | Recurrent Drought Conditions Enhance the Induction of Drought Stress Memory Genes in Glycine max L. <i>Frontiers in Genetics</i> , 2020, 11, 576086. | 1.1 | 26 |
| 1136 | Chemical Manipulation of Absciscic Acid Signaling: A New Approach to Abiotic and Biotic Stress Management in Agriculture. <i>Advanced Science</i> , 2020, 7, 2001265. | 5.6 | 67 |
| 1137 | Genome-wide identification of abscisic acid (ABA) receptor pyrabactin resistance 1-like protein (PYL) family members and expression analysis of PYL genes in response to different concentrations of ABA stress in <i>Glycyrrhiza uralensis</i> . <i>Chinese Journal of Natural Medicines</i> , 2020, 18, 606-611. | 0.7 | 7 |
| 1138 | AcoMYB4, an <i>Ananas comosus</i> L. MYB Transcription Factor, Functions in Osmotic Stress through Negative Regulation of ABA Signaling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5727. | 1.8 | 27 |
| 1139 | APA<i>n</i>, a Class of ABA Receptor Agonism/Antagonism Switching Probes. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 8524-8534. | 2.4 | 7 |
| 1140 | Abiotic stress signalling in extremophile land plants. <i>Journal of Experimental Botany</i> , 2020, 71, 5771-5785. | 2.4 | 14 |
| 1141 | The Role of ROS Homeostasis in ABA-Induced Guard Cell Signaling. <i>Frontiers in Plant Science</i> , 2020, 11, 968. | 1.7 | 94 |
| 1142 | Evolution of Absciscic Acid Signaling Module and Its Perception. <i>Frontiers in Plant Science</i> , 2020, 11, 934. | 1.7 | 40 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1143 | SLEAD1, an EAR motif-containing ABA down-regulated novel transcription repressor regulates ABA response in tomato. <i>GM Crops and Food</i> , 2020, 11, 275-289. | 2.0 | 13 |
| 1144 | Crosstalk of phenylpropanoid biosynthesis with hormone signaling in Chinese cabbage is key to counteracting salt stress. <i>Environmental and Experimental Botany</i> , 2020, 179, 104209. | 2.0 | 26 |
| 1145 | Natural variation analysis of perennial ryegrass in response to abiotic stress highlights LpHSFC1b as a positive regulator of heat stress. <i>Environmental and Experimental Botany</i> , 2020, 179, 104192. | 2.0 | 17 |
| 1146 | ABA-Dependent and ABA-Independent Functions of RCAR5/PYL11 in Response to Cold Stress. <i>Frontiers in Plant Science</i> , 2020, 11, 587620. | 1.7 | 14 |
| 1147 | Identification, Evolutionary and Expression Analysis of PYL-PP2C-SnRK2s Gene Families in Soybean. <i>Plants</i> , 2020, 9, 1356. | 1.6 | 22 |
| 1148 | GmNFYA13 Improves Salt and Drought Tolerance in Transgenic Soybean Plants. <i>Frontiers in Plant Science</i> , 2020, 11, 587244. | 1.7 | 16 |
| 1149 | Precise Editing of the OsPYL9 Gene by RNA-Guided Cas9 Nuclease Confers Enhanced Drought Tolerance and Grain Yield in Rice (<i>Oryza sativa</i> L.) by Regulating Circadian Rhythm and Abiotic Stress Responsive Proteins. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7854. | 1.8 | 66 |
| 1150 | GhWRKY21 regulates ABA-mediated drought tolerance by fine-tuning the expression of GhHAB in cotton. <i>Plant Cell Reports</i> , 2021, 40, 2135-2150. | 2.8 | 26 |
| 1151 | The Role of ABA in Plant Immunity is Mediated through the PYR1 Receptor. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5852. | 1.8 | 35 |
| 1152 | Genome-Wide Identification of the ABA Receptors Genes and Their Response to Abiotic Stress in Apple. <i>Plants</i> , 2020, 9, 1028. | 1.6 | 12 |
| 1153 | Decoding ABA and osmotic stress signalling in plants from an evolutionary point of view. <i>Plant, Cell and Environment</i> , 2020, 43, 2894-2911. | 2.8 | 39 |
| 1154 | Close arrangement of CARK3 and PMEIL affects ABA-mediated pollen sterility in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2020, 43, 2699-2711. | 2.8 | 12 |
| 1155 | Fine mapping of qKRN8, a QTL for maize kernel row number, and prediction of the candidate gene. <i>Theoretical and Applied Genetics</i> , 2020, 133, 3139-3150. | 1.8 | 9 |
| 1156 | Drought Stress Responses and Resistance in Plants: From Cellular Responses to Long-Distance Intercellular Communication. <i>Frontiers in Plant Science</i> , 2020, 11, 556972. | 1.7 | 199 |
| 1157 | Abscissic Acid Biosynthesis and Signaling in Plants: Key Targets to Improve Water Use Efficiency and Drought Tolerance. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6322. | 1.3 | 44 |
| 1158 | Genome-wide identification and expression analysis of SnRK2 gene family in mungbean (<i>Vigna radiata</i>) in response to drought stress. <i>Crop and Pasture Science</i> , 2020, 71, 469. | 0.7 | 14 |
| 1159 | Transcriptional Regulation of Protein Phosphatase 2C Genes to Modulate Abscissic Acid Signaling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9517. | 1.8 | 38 |
| 1160 | Promoted ABA Hydroxylation by Capsicum annuum CYP707As Overexpression Suppresses Pollen Maturation in <i>Nicotiana tabacum</i> . <i>Frontiers in Plant Science</i> , 2020, 11, 583767. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1161 | Abscisic Acid and Flowering Regulation: Many Targets, Different Places. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9700. | 1.8 | 28 |
| 1162 | Isolation and characterization of maize ZmPP2C26 gene promoter in drought-response. <i>Physiology and Molecular Biology of Plants</i> , 2020, 26, 2189-2197. | 1.4 | 9 |
| 1163 | Distinct Preflowering Drought Tolerance Strategies of Sorghum bicolor Genotype RTx430 Revealed by Subcellular Protein Profiling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9706. | 1.8 | 10 |
| 1164 | Genome-wide analysis of the AREB/ABF gene lineage in land plants and functional analysis of TaABF3 in Arabidopsis. <i>BMC Plant Biology</i> , 2020, 20, 558. | 1.6 | 11 |
| 1165 | Mediator Complex: A Pivotal Regulator of ABA Signaling Pathway and Abiotic Stress Response in Plants. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7755. | 1.8 | 25 |
| 1166 | Identification and expression analysis of abscisic acid signal transduction genes during peach fruit ripening. <i>Scientia Horticulturae</i> , 2020, 270, 109402. | 1.7 | 7 |
| 1167 | The pepper <sc>RING</sc> type <sc>E3</sc> ligase, <sc>CaATIR1</sc>, positively regulates abscisic acid signalling and drought response by modulating the stability of <sc>CaATBZ1</sc>. <i>Plant, Cell and Environment</i> , 2020, 43, 1911-1924. | 2.8 | 23 |
| 1168 | Roles of the Brassica napus DELLA Protein BnaA6.RGA, in Modulating Drought Tolerance by Interacting With the ABA Signaling Component BnaA10.ABF2. <i>Frontiers in Plant Science</i> , 2020, 11, 577. | 1.7 | 66 |
| 1169 | OsPP2C09, a negative regulatory factor in abscisic acid signalling, plays an essential role in balancing plant growth and drought tolerance in rice. <i>New Phytologist</i> , 2020, 227, 1417-1433. | 3.5 | 38 |
| 1170 | Arabidopsis Lectin EULS3 Is Involved in ABA Signaling in Roots. <i>Frontiers in Plant Science</i> , 2020, 11, 437. | 1.7 | 13 |
| 1171 | Transcriptomic analysis of poco1, a mitochondrial pentatricopeptide repeat protein mutant in Arabidopsis thaliana. <i>BMC Plant Biology</i> , 2020, 20, 209. | 1.6 | 9 |
| 1172 | Concise and Practical Total Synthesis of (+)-Abscisic Acid. <i>ACS Omega</i> , 2020, 5, 13296-13302. | 1.6 | 2 |
| 1173 | Does Molecular and Structural Evolution Shape the Speedy Grass Stomata?. <i>Frontiers in Plant Science</i> , 2020, 11, 333. | 1.7 | 11 |
| 1174 | OsABAR1, a novel GRAM domain-containing protein, confers drought and salt tolerance via an ABA-dependent pathway in rice. <i>Plant Physiology and Biochemistry</i> , 2020, 152, 138-146. | 2.8 | 14 |
| 1175 | Quantitative phosphoproteomics analysis reveals that protein modification and sugar metabolism contribute to sprouting in potato after BR treatment. <i>Food Chemistry</i> , 2020, 325, 126875. | 4.2 | 22 |
| 1176 | ABI5 modulates seed germination via feedback regulation of the expression of the <i>PYR/PYL/RCAR</i> ABA receptor genes. <i>New Phytologist</i> , 2020, 228, 596-608. | 3.5 | 78 |
| 1177 | Mechanisms of Plant Responses and Adaptation to Soil Salinity. <i>Innovation(China)</i> , 2020, 1, 100017. | 5.2 | 387 |
| 1178 | The effect of ABRE BINDING FACTOR 4-mediated FYVE1 on salt stress tolerance in Arabidopsis. <i>Plant Science</i> , 2020, 296, 110489. | 1.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1179 | SHAGGY-like kinase 12 regulates flowering through mediating CONSTANS stability in <i>Arabidopsis</i> . Science Advances, 2020, 6, eaaw0413. | 4.7 | 34 |
| 1180 | Ectopic Expression of OsPYL/RCAR7, an ABA Receptor Having Low Signaling Activity, Improves Drought Tolerance without Growth Defects in Rice. International Journal of Molecular Sciences, 2020, 21, 4163. | 1.8 | 16 |
| 1181 | Links between drought stress and autophagy in plants. Plant Signaling and Behavior, 2020, 15, 1779487. | 1.2 | 8 |
| 1182 | A Clathrin-Related Protein, SCD2/RRP1, Participates in Absciscic Acid Signaling in Arabidopsis. Frontiers in Plant Science, 2020, 11, 892. | 1.7 | 2 |
| 1183 | Design of potent ABA receptor antagonists based on a conformational restriction approach. Organic and Biomolecular Chemistry, 2020, 18, 4988-4996. | 1.5 | 6 |
| 1184 | WRKY Transcription Factor OsWRKY29 Represses Seed Dormancy in Rice by Weakening Absciscic Acid Response. Frontiers in Plant Science, 2020, 11, 691. | 1.7 | 38 |
| 1185 | Auxin: Hormonal Signal Required for Seed Development and Dormancy. Plants, 2020, 9, 705. | 1.6 | 44 |
| 1186 | Molecular Determinants Elucidate the Selectivity in Absciscic Acid Receptor and HAB1 Protein Interactions. Frontiers in Chemistry, 2020, 8, 425. | 1.8 | 11 |
| 1187 | Ectopic expression of an oat SnRK2 gene, AsSnRK2D, enhances dehydration and salinity tolerance in tobacco by modulating the expression of stress-related genes. Revista Brasileira De Botanica, 2020, 43, 429-446. | 0.5 | 3 |
| 1188 | Functional Characterization of the Arabidopsis Absciscic Acid Transporters NPF4.5 and NPF4.6 in Xenopus Oocytes. Frontiers in Plant Science, 2020, 11, 144. | 1.7 | 20 |
| 1189 | Redox-based protein persulfidation in guard cell ABA signaling. Plant Signaling and Behavior, 2020, 15, 1741987. | 1.2 | 16 |
| 1190 | COST1 regulates autophagy to control plant drought tolerance. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 7482-7493. | 3.3 | 71 |
| 1191 | Citrus scion and rootstock combinations show changes in DNA methylation profiles and ABA insensitivity under recurrent drought conditions. Scientia Horticulturae, 2020, 267, 109313. | 1.7 | 13 |
| 1192 | Overexpression of GmNFYA5 confers drought tolerance to transgenic Arabidopsis and soybean plants. BMC Plant Biology, 2020, 20, 123. | 1.6 | 46 |
| 1193 | Absciscic acid suppresses thermomorphogenesis in <i>Arabidopsis thaliana</i> . Plant Signaling and Behavior, 2020, 15, 1746510. | 1.2 | 7 |
| 1194 | Genome-wide transcriptome analysis of roots in two rice varieties in response to alternate wetting and drying irrigation. Crop Journal, 2020, 8, 586-601. | 2.3 | 11 |
| 1195 | Cell wall/vacuolar inhibitor of fructosidase 1 regulates ABA response and salt tolerance in Arabidopsis. Plant Signaling and Behavior, 2020, 15, 1744293. | 1.2 | 18 |
| 1196 | REVERSAL OF RDO5 1, a Homolog of Rice Seed Dormancy4, Interacts with bHLH57 and Controls ABA Biosynthesis and Seed Dormancy in Arabidopsis. Plant Cell, 2020, 32, 1933-1948. | 3.1 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1197 | Plant abiotic stress response and nutrient use efficiency. <i>Science China Life Sciences</i> , 2020, 63, 635-674. | 2.3 | 689 |
| 1198 | Plant Raf-like kinases regulate the mRNA population upstream of ABA-unresponsive SnRK2 kinases under drought stress. <i>Nature Communications</i> , 2020, 11, 1373. | 5.8 | 104 |
| 1199 | OsMFT2 is involved in the regulation of ABA signalingâ€‘mediated seed germination through interacting with OsbZIP23/66/72 in rice. <i>Plant Journal</i> , 2020, 103, 532-546. | 2.8 | 58 |
| 1200 | Expression profiling of the genes encoding ABA route components and the ACC oxidase isozymes in the senescing leaves of <i>Populus tremula</i> . <i>Journal of Plant Physiology</i> , 2020, 248, 153143. | 1.6 | 3 |
| 1201 | Absciscic Acidâ€‘Enemy or Savior in the Response of Cereals to Abiotic and Biotic Stresses?. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4607. | 1.8 | 40 |
| 1202 | A Chloroplast COR413 Protein From <i>Physcomitrella patens</i> Is Required for Growth Regulation Under High Light and ABA Responses. <i>Frontiers in Plant Science</i> , 2020, 11, 845. | 1.7 | 5 |
| 1203 | <i>SISTE1</i> promotes absciscic acidâ€‘dependent salt stressâ€‘responsive pathways via improving ion homeostasis and reactive oxygen species scavenging in tomato. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1942-1966. | 4.1 | 19 |
| 1204 | CDK8 is associated with RAP2.6 and SnRK2.6 and positively modulates absciscic acid signaling and drought response in <i>Arabidopsis</i>. <i>New Phytologist</i> , 2020, 228, 1573-1590. | 3.5 | 50 |
| 1205 | The absciscic acid receptor gene VvPYL4 positively regulates grapevine resistance to <i>Plasmopara viticola</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 2020, 142, 483-492. | 1.2 | 19 |
| 1206 | Pervasive duplication, biased molecular evolution and comprehensive functional analysis of the PP2C family in <i>Glycine max</i> . <i>BMC Genomics</i> , 2020, 21, 465. | 1.2 | 9 |
| 1207 | Counteraction of ABA-Mediated Inhibition of Seed Germination and Seedling Establishment by ABA Signaling Terminator in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2020, 13, 1284-1297. | 3.9 | 63 |
| 1208 | Endophytic microbes in abiotic stress management. , 2020, , 91-123. | | 6 |
| 1209 | Quantitative Imaging Reveals Distinct Contributions of SnRK2 and ABI3 in Plasmodesmatal Permeability in <i>Physcomitrella patens</i> . <i>Plant and Cell Physiology</i> , 2020, 61, 942-956. | 1.5 | 10 |
| 1210 | Enhanced Vitamin C Production Mediated by an ABA-Induced PTP-like Nucleotidase Improves Plant Drought Tolerance in <i>Arabidopsis</i> and Maize. <i>Molecular Plant</i> , 2020, 13, 760-776. | 3.9 | 47 |
| 1211 | <i>Kalanchoë</i> PPC1 Is Essential for Crassulacean Acid Metabolism and the Regulation of Core Circadian Clock and Guard Cell Signaling Genes. <i>Plant Cell</i> , 2020, 32, 1136-1160. | 3.1 | 52 |
| 1212 | Endogenous ABA alleviates rice ammonium toxicity by reducing ROS and free ammonium via regulation of the SAPK9â€‘bZIP20 pathway. <i>Journal of Experimental Botany</i> , 2020, 71, 4562-4577. | 2.4 | 33 |
| 1213 | Phytohormone profiles are strongly altered during induction and symptom development of the physiological ripening disorder berry shrivel in grapevine. <i>Plant Molecular Biology</i> , 2020, 103, 141-157. | 2.0 | 8 |
| 1214 | Comparative transcriptome analysis reveals an ABA-responsive regulation network associated with cell wall organization and oxidation reduction in sugar beet. <i>Plant Growth Regulation</i> , 2020, 91, 127-141. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1215 | Auxin-Abscisic Acid Interactions in Plant Growth and Development. <i>Biomolecules</i> , 2020, 10, 281. | 1.8 | 95 |
| 1216 | Transcriptomics analyses reveal that OsMIOX improves rice drought tolerance by regulating the expression of plant hormone and sugar related genes. <i>Plant Biotechnology Reports</i> , 2020, 14, 339-349. | 0.9 | 9 |
| 1217 | Metabolite/phytohormone gene regulatory networks in soybean organs under dehydration conditions revealed by integration analysis. <i>Plant Journal</i> , 2020, 103, 197-211. | 2.8 | 10 |
| 1218 | Overexpression of CsSnRK2.5 increases tolerance to drought stress in transgenic <i>Arabidopsis</i> . <i>Plant Physiology and Biochemistry</i> , 2020, 150, 162-170. | 2.8 | 16 |
| 1219 | Coupling of Cell Division and Differentiation in <i>Arabidopsis thaliana</i> Cultured Cells with Interaction of Ethylene and ABA Signaling Pathways. <i>Life</i> , 2020, 10, 15. | 1.1 | 4 |
| 1220 | PHYTOCHROME-INTERACTING FACTORS Interact with the ABA Receptors PYL8 and PYL9 to Orchestrate ABA Signaling in Darkness. <i>Molecular Plant</i> , 2020, 13, 414-430. | 3.9 | 69 |
| 1221 | ABAS1 from soybean is a 1R-subtype MYB transcriptional repressor that enhances ABA sensitivity. <i>Journal of Experimental Botany</i> , 2020, 71, 2970-2981. | 2.4 | 9 |
| 1222 | The <i>Arabidopsis</i> Nodulin Homeobox Factor AtNDX Interacts with AtRING1A/B and Negatively Regulates Abscisic Acid Signaling. <i>Plant Cell</i> , 2020, 32, 703-721. | 3.1 | 29 |
| 1223 | A calcium-dependent lipid binding protein, OsANN10, is a negative regulator of osmotic stress tolerance in rice. <i>Plant Science</i> , 2020, 293, 110420. | 1.7 | 20 |
| 1224 | Selection and functional identification of a synthetic partial ABA agonist, S7. <i>Scientific Reports</i> , 2020, 10, 4. | 1.6 | 13 |
| 1225 | Hydrogen Sulfide Positively Regulates Absciscic Acid Signaling through Persulfidation of SnRK2.6 in Guard Cells. <i>Molecular Plant</i> , 2020, 13, 732-744. | 3.9 | 155 |
| 1226 | Overexpression of the persimmon abscisic acid 12-O-glucosidase gene (<i>DkBG1</i>) alters fruit ripening in transgenic tomato. <i>Plant Journal</i> , 2020, 102, 1220-1233. | 2.8 | 24 |
| 1227 | Hormonal regulation of root hair growth and responses to the environment in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2020, 71, 2412-2427. | 2.4 | 112 |
| 1228 | A RAF-SnRK2 kinase cascade mediates early osmotic stress signaling in higher plants. <i>Nature Communications</i> , 2020, 11, 613. | 5.8 | 147 |
| 1229 | Desensitization of ABA-Signaling: The Swing From Activation to Degradation. <i>Frontiers in Plant Science</i> , 2020, 11, 379. | 1.7 | 69 |
| 1230 | Towards identification of molecular mechanism in which the overexpression of wheat cytosolic and plastid glutamine synthetases in tobacco enhanced drought tolerance. <i>Plant Physiology and Biochemistry</i> , 2020, 151, 608-620. | 2.8 | 16 |
| 1231 | Transcriptome profiling identifies transcription factors and key homologs involved in seed dormancy and germination regulation of <i>Chenopodium quinoa</i> . <i>Plant Physiology and Biochemistry</i> , 2020, 151, 443-456. | 2.8 | 22 |
| 1232 | The APC/C ^{TE} E3 Ubiquitin Ligase Complex Mediates the Antagonistic Regulation of Root Growth and Tillering by ABA and GA. <i>Plant Cell</i> , 2020, 32, 1973-1987. | 3.1 | 45 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1233 | Protein Phosphatases Type 2C Group A Interact with and Regulate the Stability of ACC Synthase 7 in Arabidopsis. <i>Cells</i> , 2020, 9, 978. | 1.8 | 31 |
| 1234 | Heat stress response in the closest algal relatives of land plants reveals conserved stress signaling circuits. <i>Plant Journal</i> , 2020, 103, 1025-1048. | 2.8 | 65 |
| 1235 | Arabidopsis Raf-like kinases act as positive regulators of subclass III SnRK2 in osmostress signaling. <i>Plant Journal</i> , 2020, 103, 634-644. | 2.8 | 71 |
| 1236 | Phytochrome-interacting factors regulate seedling growth through ABA signaling. <i>Biochemical and Biophysical Research Communications</i> , 2020, 526, 1100-1105. | 1.0 | 12 |
| 1237 | A novel sucrose transporter gene IbSUT4 involves in plant growth and response to abiotic stress through the ABF-dependent ABA signaling pathway in Sweetpotato. <i>BMC Plant Biology</i> , 2020, 20, 157. | 1.6 | 34 |
| 1238 | Comparative Transcriptome Analysis of Gene Expression and Regulatory Characteristics Associated with Different Vernalization Periods in Brassica rapa. <i>Genes</i> , 2020, 11, 392. | 1.0 | 13 |
| 1239 | Rice OsBT1 regulates seed dormancy through the glycometabolism pathway. <i>Plant Physiology and Biochemistry</i> , 2020, 151, 469-476. | 2.8 | 11 |
| 1240 | Plant protein phosphatases: What do we know about their mechanism of action?. <i>FEBS Journal</i> , 2021, 288, 756-785. | 2.2 | 44 |
| 1241 | The evolving role of abscisic acid in cell function and plant development over geological time. <i>Seminars in Cell and Developmental Biology</i> , 2021, 109, 39-45. | 2.3 | 13 |
| 1242 | A nonspecific lipid transfer protein, StLTP10, mediates resistance to <i>Phytophthora infestans</i> in potato. <i>Molecular Plant Pathology</i> , 2021, 22, 48-63. | 2.0 | 33 |
| 1243 | Interactions between calcium and ABA signaling pathways in the regulation of fruit ripening. <i>Journal of Plant Physiology</i> , 2021, 256, 153309. | 1.6 | 17 |
| 1244 | Signaling mechanisms in abscisic acid-mediated stomatal closure. <i>Plant Journal</i> , 2021, 105, 307-321. | 2.8 | 214 |
| 1245 | Improving drought tolerance in rice: Ensuring food security through multi-dimensional approaches. <i>Physiologia Plantarum</i> , 2021, 172, 645-668. | 2.6 | 48 |
| 1246 | Connecting vacuolar and plasma membrane transport networks. <i>New Phytologist</i> , 2021, 229, 755-762. | 3.5 | 10 |
| 1247 | COP1 promotes ABA-induced stomatal closure by modulating the abundance of ABI/HAB and AHG3 phosphatases. <i>New Phytologist</i> , 2021, 229, 2035-2049. | 3.5 | 32 |
| 1248 | PYL8 ABA receptors of <i>Phoenix dactylifera</i> play a crucial role in response to abiotic stress and are stabilized by ABA. <i>Journal of Experimental Botany</i> , 2021, 72, 757-774. | 2.4 | 10 |
| 1249 | Histone deacetylase HDA710 controls salt tolerance by regulating ABA signaling in rice. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 451-467. | 4.1 | 43 |
| 1250 | The PalWRKY77 transcription factor negatively regulates salt tolerance and abscisic acid signaling in <i>Populus</i> . <i>Plant Journal</i> , 2021, 105, 1258-1273. | 2.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1251 | Identification of ABA Receptor Using a Multiplexed Chemical Screening. <i>Methods in Molecular Biology</i> , 2021, 2213, 99-111. | 0.4 | 1 |
| 1252 | DcABF3, an ABF transcription factor from carrot, alters stomatal density and reduces ABA sensitivity in transgenic <i>Arabidopsis</i> . <i>Plant Science</i> , 2021, 302, 110699. | 1.7 | 23 |
| 1253 | Transcriptional variation analysis of <i>Arabidopsis</i> ecotypes in response to drought and salt stresses dissects commonly regulated networks. <i>Physiologia Plantarum</i> , 2021, 172, 77-90. | 2.6 | 8 |
| 1254 | Absciscic acid receptors maintain absciscic acid homeostasis by modulating UGT71C5 glycosylation activity. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 543-552. | 4.1 | 9 |
| 1255 | Genome-wide identification of PYL gene family in wheat: Evolution, expression and 3D structure analysis. <i>Genomics</i> , 2021, 113, 854-866. | 1.3 | 37 |
| 1256 | Role of ATP-binding cassette transporters in maintaining plant homeostasis under abiotic and biotic stresses. <i>Physiologia Plantarum</i> , 2021, 171, 785-801. | 2.6 | 81 |
| 1257 | Ligand-receptor interactions in plant hormone signaling. <i>Plant Journal</i> , 2021, 105, 290-306. | 2.8 | 27 |
| 1258 | MdABI5 works with its interaction partners to regulate absciscic acid-mediated leaf senescence in apple. <i>Plant Journal</i> , 2021, 105, 1566-1581. | 2.8 | 32 |
| 1259 | Growth and transcriptome analysis of tomato under seawater stress. <i>South African Journal of Botany</i> , 2021, 137, 463-474. | 1.2 | 7 |
| 1260 | Genome-wide characterization of early response genes to absciscic acid coordinating multiple pathways in <i>Aegilops tauschii</i> . <i>Crop Journal</i> , 2021, 9, 934-944. | 2.3 | 1 |
| 1261 | <i>Arabidopsis</i> U-box E3 ubiquitin ligase PUB11 negatively regulates drought tolerance by degrading the receptor-like protein kinases LRR1 and KIN7. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 494-509. | 4.1 | 52 |
| 1262 | Tomato protein phosphatase 2C influences the onset of fruit ripening and fruit glossiness. <i>Journal of Experimental Botany</i> , 2021, 72, 2403-2418. | 2.4 | 25 |
| 1263 | Adaptive roots of mangrove <i>Avicennia marina</i> : Structure and gene expressions analyses of pneumatophores. <i>Science of the Total Environment</i> , 2021, 757, 143994. | 3.9 | 9 |
| 1264 | Two homologous <i>LHY</i> pairs negatively control soybean drought tolerance by repressing the absciscic acid responses. <i>New Phytologist</i> , 2021, 229, 2660-2675. | 3.5 | 61 |
| 1265 | Major latex protein-like encoding genes contribute to <i>Rhizoctonia solani</i> defense responses in sugar beet. <i>Molecular Genetics and Genomics</i> , 2021, 296, 155-164. | 1.0 | 20 |
| 1266 | <i>Brachypodium</i> BdABCG25 is a homolog of <i>Arabidopsis</i> AtABCG25 involved in the transport of absciscic acid. <i>FEBS Letters</i> , 2021, 595, 954-959. | 1.3 | 8 |
| 1267 | Transcriptional Regulation of Drought Response in <i>Arabidopsis</i> and Woody Plants. <i>Frontiers in Plant Science</i> , 2020, 11, 572137. | 1.7 | 43 |
| 1268 | Characterization of the early gene expression profile in <i>Populus ussuriensis</i> under cold stress using PacBio SMRT sequencing integrated with RNA-seq reads. <i>Tree Physiology</i> , 2022, 42, 646-663. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1269 | Mechanisms of the Morphological Plasticity Induced by Phytohormones and the Environment in Plants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 765. | 1.8 | 21 |
| 1270 | Genomics and Epigenetics of Plant Abiotic Stress. , 2021, , 49-56. | | 0 |
| 1271 | Protein kinases in plant responses to drought, salt, and cold stress. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 53-78. | 4.1 | 273 |
| 1272 | Comparative transcriptome analysis of genes involved in the drought stress response of two peanut (<i>Arachis hypogaea</i> L.) varieties. <i>BMC Plant Biology</i> , 2021, 21, 64. | 1.6 | 25 |
| 1273 | AITRL, an evolutionarily conserved plant specific transcription repressor regulates ABA response in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2021, 11, 721. | 1.6 | 5 |
| 1274 | 3- β -(Phenyl alkynyl) analogs of abscisic acid: synthesis and biological activity of potent ABA antagonists. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 2978-2985. | 1.5 | 5 |
| 1275 | ABSCISIC ACID INSENSITIVE5 Interacts With RIBOSOMAL S6 KINASE2 to Mediate ABA Responses During Seedling Growth in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2020, 11, 598654. | 1.7 | 8 |
| 1276 | Bacterial Quorum-Sensing Signaling-Related <i>drp1</i> Mutant Influences Absciscic Acid Responsiveness in <i>Arabidopsis thaliana</i> L.. <i>Journal of Plant Growth Regulation</i> , 0, , 1. | 2.8 | 2 |
| 1278 | Characterization on the physiological traits of plants and yield formation capacity upon water- and N-saving conditions in wheat (<i>T. aestivum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2021, 43, 1. | 1.0 | 2 |
| 1279 | Foes or Friends: ABA and Ethylene Interaction under Abiotic Stress. <i>Plants</i> , 2021, 10, 448. | 1.6 | 57 |
| 1280 | Rice calcium/calmodulin-dependent protein kinase directly phosphorylates a mitogen-activated protein kinase kinase to regulate abscisic acid responses. <i>Plant Cell</i> , 2021, 33, 1790-1812. | 3.1 | 34 |
| 1281 | Model-guided design of mammalian genetic programs. <i>Science Advances</i> , 2021, 7, . | 4.7 | 23 |
| 1282 | Signal Integration in Plant Abiotic Stress Responses via Multistep Phosphorelay Signaling. <i>Frontiers in Plant Science</i> , 2021, 12, 644823. | 1.7 | 32 |
| 1283 | Advances on Post-translational Modifications Involved in Seed Germination. <i>Frontiers in Plant Science</i> , 2021, 12, 642979. | 1.7 | 20 |
| 1285 | Updated role of ABA in seed maturation, dormancy, and germination. <i>Journal of Advanced Research</i> , 2022, 35, 199-214. | 4.4 | 104 |
| 1286 | OsCBE1, a Substrate Receptor of Cullin4-Based E3 Ubiquitin Ligase, Functions as a Regulator of Abiotic Stress Response and Productivity in Rice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2487. | 1.8 | 5 |
| 1288 | Physiological changes and transcriptome profiling in <i>Saccharum spontaneum</i> L. leaf under water stress and re-watering conditions. <i>Scientific Reports</i> , 2021, 11, 5525. | 1.6 | 11 |
| 1289 | Phytohormone and integrated mRNA and miRNA transcriptome analyses and differentiation of male between hermaphroditic floral buds of andromonoecious <i>Diospyros kaki</i> Thunb. <i>BMC Genomics</i> , 2021, 22, 203. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1290 | Stomata: the holy grail of plant evolution. American Journal of Botany, 2021, 108, 366-371. | 0.8 | 20 |
| 1291 | Chemical activation of Arabidopsis SnRK2.6 by pladienolide B. Plant Signaling and Behavior, 2021, 16, 1885165. | 1.2 | 1 |
| 1292 | Low ABA concentration promotes root growth and hydrotropism through relief of ABA INSENSITIVE 1-mediated inhibition of plasma membrane H ⁺ -ATPase 2. Science Advances, 2021, 7, . | 4.7 | 78 |
| 1293 | Maize ZmbZIP33 Is Involved in Drought Resistance and Recovery Ability Through an Absciscic Acid-Dependent Signaling Pathway. Frontiers in Plant Science, 2021, 12, 629903. | 1.7 | 15 |
| 1294 | Initiation and amplification of SnRK2 activation in abscisic acid signaling. Nature Communications, 2021, 12, 2456. | 5.8 | 86 |
| 1295 | Structural dynamics and determinants of abscisic acidâ€“receptor binding preference in different aggregation states. Journal of Experimental Botany, 2021, 72, 5051-5065. | 2.4 | 4 |
| 1296 | Potent ABAâ€“independent activation of engineered PYL3. FEBS Open Bio, 2021, 11, 1428-1439. | 1.0 | 1 |
| 1297 | ABCG transporter proteins with beneficial activity on plants. Phytochemistry, 2021, 184, 112663. | 1.4 | 33 |
| 1298 | Absciscic acid and fruit ripening: Multifaceted analysis of the effect of abscisic acid on fleshy fruit ripening. Scientia Horticulturae, 2021, 281, 109999. | 1.7 | 33 |
| 1299 | Cellular Phosphorylation Signaling and Gene Expression in Drought Stress Responses: ABA-Dependent and ABA-Independent Regulatory Systems. Plants, 2021, 10, 756. | 1.6 | 64 |
| 1301 | Salt tolerance in rice: Physiological responses and molecular mechanisms. Crop Journal, 2022, 10, 13-25. | 2.3 | 94 |
| 1302 | Structure and activity of SLAC1 channels for stomatal signaling in leaves. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 35 |
| 1303 | Review: Biological functions of major latex-like proteins in plants. Plant Science, 2021, 306, 110856. | 1.7 | 34 |
| 1304 | A ras-related small GTP-binding protein, RabE1c, regulates stomatal movements and drought stress responses by mediating the interaction with ABA receptors. Plant Science, 2021, 306, 110858. | 1.7 | 14 |
| 1305 | Photoperiod- and temperature-mediated control of the ethylene response and winter dormancy induction in Prunus mume. Horticultural Plant Journal, 2021, 7, 232-242. | 2.3 | 9 |
| 1306 | CmMLO17 and its partner CmKIC potentially support Alternaria alternata growth in Chrysanthemum morifolium. Horticulture Research, 2021, 8, 101. | 2.9 | 13 |
| 1307 | An Update on Crop ABA Receptors. Plants, 2021, 10, 1087. | 1.6 | 15 |
| 1308 | Gene Expression Characteristics in Response to Absciscic Acid Under Shade. Plant Molecular Biology Reporter, 2022, 40, 43-67. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1309 | OsGATA16, a GATA Transcription Factor, Confers Cold Tolerance by Repressing OsWRKY45 at the Seedling Stage in Rice. <i>Rice</i> , 2021, 14, 42. | 1.7 | 38 |
| 1311 | Synthesis and regulation of auxin and abscisic acid in maize. <i>Plant Signaling and Behavior</i> , 2021, 16, 1891756. | 1.2 | 10 |
| 1312 | Synthesis and Exploration of Absciscic Acid Receptor Agonists Against Drought Stress by Adding Constraint to a Tetrahydroquinoline-Based Lead Structure. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 3442-3457. | 1.2 | 8 |
| 1313 | TMK4 receptor kinase negatively modulates ABA signaling by phosphorylating ABI2 and enhancing its activity. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1161-1178. | 4.1 | 10 |
| 1314 | Under salt stress guard cells rewire ion transport and abscisic acid signaling. <i>New Phytologist</i> , 2021, 231, 1040-1055. | 3.5 | 23 |
| 1315 | The converging path of protein SUMOylation in phytohormone signalling: highlights and new frontiers. <i>Plant Cell Reports</i> , 2021, 40, 2047-2061. | 2.8 | 3 |
| 1316 | Transcriptome Reveals Roles of Lignin-Modifying Enzymes and Absciscic Acid in the Symbiosis of <i>Mycena</i> and <i>Gastrodia elata</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 6557. | 1.8 | 6 |
| 1317 | Engineering of Crassulacean Acid Metabolism. <i>Annual Review of Plant Biology</i> , 2021, 72, 77-103. | 8.6 | 21 |
| 1318 | ABA signalling promotes cell totipotency in the shoot apex of germinating embryos. <i>Journal of Experimental Botany</i> , 2021, 72, 6418-6436. | 2.4 | 18 |
| 1319 | TMK1-based auxin signaling regulates abscisic acid responses via phosphorylating ABI1/2 in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 14 |
| 1320 | ABA-induced stomatal movements in vascular plants during dehydration and rehydration. <i>Environmental and Experimental Botany</i> , 2021, 186, 104436. | 2.0 | 49 |
| 1321 | The <i>Arabidopsis</i> circadian clock protein PRR5 interacts with and stimulates ABI5 to modulate abscisic acid signaling during seed germination. <i>Plant Cell</i> , 2021, 33, 3022-3041. | 3.1 | 45 |
| 1322 | Hydrogen sulfide signaling in plant adaptations to adverse conditions: molecular mechanisms. <i>Journal of Experimental Botany</i> , 2021, 72, 5893-5904. | 2.4 | 55 |
| 1323 | Ozone Induced Stomatal Regulations, MAPK and Phytohormone Signaling in Plants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6304. | 1.8 | 44 |
| 1324 | Molecular mechanisms of stomatal closure in response to rising vapour pressure deficit. <i>New Phytologist</i> , 2021, 232, 468-475. | 3.5 | 26 |
| 1325 | <i>Arabidopsis</i> OSMOTIN 34 Functions in the ABA Signaling Pathway and Is Regulated by Proteolysis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7915. | 1.8 | 11 |
| 1326 | Plant adaptability in karst regions. <i>Journal of Plant Research</i> , 2021, 134, 889-906. | 1.2 | 32 |
| 1328 | Research on the drought tolerance mechanism of <i>Pennisetum glaucum</i> (L.) in the root during the seedling stage. <i>BMC Genomics</i> , 2021, 22, 568. | 1.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1329 | Sorghumâ€™s Whole-Plant Transcriptome and Proteome Responses to Drought Stress: A Review. <i>Life</i> , 2021, 11, 704. | 1.1 | 13 |
| 1331 | Arabidopsis OXS3 family proteins repress ABA signaling through interactions with AFP1 in the regulation of <i>ABI4</i> expression. <i>Journal of Experimental Botany</i> , 2021, 72, 5721-5734. | 2.4 | 13 |
| 1332 | MIR156-Targeted SPL9 Is Phosphorylated by SnRK2s and Interacts With ABI5 to Enhance ABA Responses in Arabidopsis. <i>Frontiers in Plant Science</i> , 2021, 12, 708573. | 1.7 | 20 |
| 1333 | Arabidopsis Hypocotyl Adventitious Root Formation Is Suppressed by ABA Signaling. <i>Genes</i> , 2021, 12, 1141. | 1.0 | 13 |
| 1334 | Synergistic interplay of ABA and BR signal in regulating plant growth and adaptation. <i>Nature Plants</i> , 2021, 7, 1108-1118. | 4.7 | 49 |
| 1335 | Genome-wide identification of ZmSnRK2 genes and functional analysis of ZmSnRK2.10 in ABA signaling pathway in maize (<i>Zea mays</i> L). <i>BMC Plant Biology</i> , 2021, 21, 309. | 1.6 | 8 |
| 1336 | Absciscic acid receptors are involves in the Jasmonate signaling in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2021, 16, 1948243. | 1.2 | 10 |
| 1337 | Growth Promotion or Osmotic Stress Response: How SNF1-Related Protein Kinase 2 (SnRK2) Kinases Are Activated and Manage Intracellular Signaling in Plants. <i>Plants</i> , 2021, 10, 1443. | 1.6 | 16 |
| 1338 | Plant Responses to Abiotic Stresses and Rhizobacterial Biostimulants: Metabolomics and Epigenetics Perspectives. <i>Metabolites</i> , 2021, 11, 457. | 1.3 | 28 |
| 1339 | Persulfidation-induced structural change in SnRK2.6 establishes intramolecular interaction between phosphorylation and persulfidation. <i>Molecular Plant</i> , 2021, 14, 1814-1830. | 3.9 | 42 |
| 1340 | <i>Arabidopsis</i> SSB1, a Mitochondrial Single-Stranded DNA-Binding Protein, is Involved in ABA Response and Mitochondrial RNA Splicing. <i>Plant and Cell Physiology</i> , 2021, 62, 1321-1334. | 1.5 | 7 |
| 1341 | The Multifaceted Regulation of SnRK2 Kinases. <i>Cells</i> , 2021, 10, 2180. | 1.8 | 21 |
| 1342 | Virus-induced gene silencing of SIPYL4 decreases the drought tolerance of tomato. <i>Horticultural Plant Journal</i> , 2022, 8, 361-368. | 2.3 | 10 |
| 1343 | The <i>NF-κB</i> module integrates the absciscic acid signal pathway to regulate plant stress tolerance. <i>Plant Biotechnology Journal</i> , 2021, 19, 2589-2605. | 4.1 | 52 |
| 1344 | Jasmonic acid and salicylic acid play minor roles in stomatal regulation by CO ₂ , absciscic acid, darkness, vapor pressure deficit and ozone. <i>Plant Journal</i> , 2021, 108, 134-150. | 2.8 | 18 |
| 1345 | Thaumatococcus-like genes function in the control of both biotic stress signaling and ABA signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2021, 567, 17-21. | 1.0 | 9 |
| 1346 | Association Analysis Revealed That TaPYL4 Genes Are Linked to Plant Growth Related Traits in Multiple Environment. <i>Frontiers in Plant Science</i> , 2021, 12, 641087. | 1.7 | 4 |
| 1347 | New Absciscic Acid Derivatives Revealed Adequate Regulation of Stomatal, Transcriptional, and Developmental Responses to Conquer Drought. <i>ACS Chemical Biology</i> , 2021, 16, 1566-1575. | 1.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1348 | Characterization of Yields, Osmotic Stress-associated Traits, and Expression Patterns of ABA Receptor Genes in Winter Wheat Under Deficit Irrigation. <i>International Journal of Plant Production</i> , 2021, 15, 419-429. | 1.0 | 1 |
| 1349 | Wheat TaPUB1 protein mediates ABA response and seed development through ubiquitination. <i>Plant Science</i> , 2021, 309, 110913. | 1.7 | 3 |
| 1350 | Priming with Nanoscale Materials for Boosting Abiotic Stress Tolerance in Crop Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 10017-10035. | 2.4 | 29 |
| 1351 | Conditional stomatal closure in a fern shares molecular features with flowering plant active stomatal responses. <i>Current Biology</i> , 2021, 31, 4560-4570.e5. | 1.8 | 12 |
| 1352 | Investigating the Molecular Mechanisms of Pepper Fruit Tolerance to Storage via Transcriptomics and Metabolomics. <i>Horticulturae</i> , 2021, 7, 242. | 1.2 | 2 |
| 1353 | Tomato SIPP2C5 Is Involved in the Regulation of Fruit Development and Ripening. <i>Plant and Cell Physiology</i> , 2021, 62, 1760-1769. | 1.5 | 12 |
| 1354 | Exploitation of Drought Tolerance-Related Genes for Crop Improvement. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10265. | 1.8 | 22 |
| 1355 | The role of PP5 and PP2C in cardiac health and disease. <i>Cellular Signalling</i> , 2021, 85, 110035. | 1.7 | 13 |
| 1356 | Autophagy during drought: function, regulation, and potential application. <i>Plant Journal</i> , 2022, 109, 390-401. | 2.8 | 28 |
| 1357 | Adjustment of K ⁺ Fluxes and Grapevine Defense in the Face of Climate Change. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10398. | 1.8 | 11 |
| 1358 | Functional divergence of Brassica napus BnaABI1 paralogs in the structurally conserved PP2CA gene subfamily of Brassicaceae. <i>Genomics</i> , 2021, 113, 3185-3197. | 1.3 | 3 |
| 1359 | Protease Inhibitor-Dependent Inhibition of Light-Induced Stomatal Opening. <i>Frontiers in Plant Science</i> , 2021, 12, 735328. | 1.7 | 1 |
| 1360 | <scp>OsPSKR15</scp>, a phytosulfokine receptor from rice enhances abscisic acid response and drought stress tolerance. <i>Physiologia Plantarum</i> , 2022, 174, . | 2.6 | 12 |
| 1361 | Populus euphratica Apyrases Increase Drought Tolerance by Modulating Stomatal Aperture in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9892. | 1.8 | 8 |
| 1362 | Genome-wide identification of ABA receptor PYL/RCAR gene family and their response to cold stress in Medicago sativa L. <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 1979-1995. | 1.4 | 19 |
| 1363 | Wood Formation under Severe Drought Invokes Adjustment of the Hormonal and Transcriptional Landscape in Poplar. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9899. | 1.8 | 17 |
| 1364 | Functional Involvement of Highly Abscisic Acid-Induced Clade A Protein Phosphatase 2Cs in Delayed Seed Germination Under Cold Stress. <i>Journal of Plant Biology</i> , 2021, 64, 543-553. | 0.9 | 4 |
| 1365 | Click-to-lead design of a picomolar ABA receptor antagonist with potent activity in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1367 | TaFDL2-1A interacts with TabZIP8-7A protein to cope with drought stress via the abscisic acid signaling pathway. <i>Plant Science</i> , 2021, 311, 111022. | 1.7 | 7 |
| 1368 | A type-2C protein phosphatase (GhDRP1) participates in cotton (<i>Gossypium hirsutum</i>) response to drought stress. <i>Plant Molecular Biology</i> , 2021, 107, 499-517. | 2.0 | 15 |
| 1369 | Hormone mediated cell signaling in plants under changing environmental stress. <i>Plant Gene</i> , 2021, 28, 100335. | 1.4 | 6 |
| 1370 | Exogenous melatonin alleviates NO ₂ damage in tobacco leaves by promoting antioxidant defense, modulating redox homeostasis, and signal transduction. <i>Journal of Hazardous Materials</i> , 2022, 424, 127265. | 6.5 | 18 |
| 1371 | GmbZIP1 negatively regulates ABA-induced inhibition of nodulation by targeting GmENOD40 in soybean. <i>BMC Plant Biology</i> , 2021, 21, 35. | 1.6 | 10 |
| 1372 | Identification, Gene Structure, and Expression of BnMicEmUP: A Gene Upregulated in Embryogenic <i>Brassica napus</i> Microspores. <i>Frontiers in Plant Science</i> , 2020, 11, 576008. | 1.7 | 7 |
| 1373 | Insight into abscisic acid perception and signaling to increase plant tolerance to abiotic stress. <i>Journal of Plant Interactions</i> , 2021, 16, 222-237. | 1.0 | 21 |
| 1375 | Populus Responses to Abiotic Stress. , 2010, , 225-246. | | 17 |
| 1376 | Protein Phosphorylation Network in Absciscic Acid Signaling. , 2013, , 155-164. | | 1 |
| 1377 | Phosphatases in Plants. <i>Methods in Molecular Biology</i> , 2015, 1306, 25-46. | 0.4 | 26 |
| 1378 | Approaches to the Identification of ABAR as an Absciscic Acid Receptor. <i>Methods in Molecular Biology</i> , 2011, 773, 83-97. | 0.4 | 6 |
| 1379 | Response and Recovery of Grapevine to Water Deficit: From Genes to Physiology. <i>Compendium of Plant Genomes</i> , 2019, , 223-245. | 0.3 | 8 |
| 1380 | Calcium Signaling in Plants Under Drought. <i>Signaling and Communication in Plants</i> , 2020, , 259-298. | 0.5 | 7 |
| 1381 | Overview of Signal Transduction in Plants Under Salt and Drought Stresses. <i>Signaling and Communication in Plants</i> , 2020, , 231-258. | 0.5 | 5 |
| 1382 | Plant Protein Phosphatase 2C: Critical Negative Regulator of ABA Signaling. , 2020, , 83-102. | | 4 |
| 1383 | Circadian Rhythms in Stomata: Physiological and Molecular Aspects. , 2015, , 231-255. | | 14 |
| 1384 | Sulfur Metabolism and Drought Stress Tolerance in Plants. , 2016, , 227-249. | | 14 |
| 1385 | Long-Distance Signals Produced by Water-Stressed Roots. <i>Signaling and Communication in Plants</i> , 2013, , 105-124. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1386 | Phospholipases in Nitric Oxide-Mediated Plant Signaling. <i>Signaling and Communication in Plants</i> , 2014, , 135-158. | 0.5 | 3 |
| 1387 | ABA and the Floral Transition. , 2014, , 365-384. | | 14 |
| 1388 | ABA Transmembrane Transport and Transporters. , 2014, , 47-59. | | 4 |
| 1389 | ABA Signal Perception and ABA Receptors. , 2014, , 89-116. | | 6 |
| 1390 | Absciscic acid: biosynthesis, inactivation, homoeostasis and signalling. <i>Essays in Biochemistry</i> , 2015, 58, 29-48. | 2.1 | 183 |
| 1391 | Activation of SnRK2 by Raf-like kinase ARK represents a primary mechanism of ABA and abiotic stress responses. <i>Plant Physiology</i> , 2021, 185, 533-546. | 2.3 | 14 |
| 1395 | Functional analysis of the pepper protein phosphatase, CaAIPP1, and its interacting partner CaAIRF1: Modulation of ABA signalling and the drought stress response. <i>Plant, Cell and Environment</i> , 2017, 40, 2359-2368. | 2.8 | 38 |
| 1396 | SAPK2 contributes to rice yield by modulating nitrogen metabolic processes under reproductive stage drought stress. <i>Rice</i> , 2020, 13, 35. | 1.7 | 14 |
| 1397 | A new discrete dynamic model of ABA-induced stomatal closure predicts key feedback loops. <i>PLoS Biology</i> , 2017, 15, e2003451. | 2.6 | 75 |
| 1398 | Type One Protein Phosphatase 1 and Its Regulatory Protein Inhibitor 2 Negatively Regulate ABA Signaling. <i>PLoS Genetics</i> , 2016, 12, e1005835. | 1.5 | 61 |
| 1399 | SCFAtPP2-B11 modulates ABA signaling by facilitating SnRK2.3 degradation in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , 2017, 13, e1006947. | 1.5 | 90 |
| 1400 | NFX1-LIKE2 (NFXL2) Suppresses Absciscic Acid Accumulation and Stomatal Closure in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2011, 6, e26982. | 1.1 | 13 |
| 1401 | The Maize OST1 Kinase Homolog Phosphorylates and Regulates the Maize SNAC1-Type Transcription Factor. <i>PLoS ONE</i> , 2013, 8, e58105. | 1.1 | 30 |
| 1402 | Cross-Family Translational Genomics of Abiotic Stress-Responsive Genes between <i>Arabidopsis</i> and <i>Medicago truncatula</i> . <i>PLoS ONE</i> , 2014, 9, e91721. | 1.1 | 19 |
| 1403 | Molecular, Physiological and Biochemical Responses of <i>Theobroma cacao</i> L. Genotypes to Soil Water Deficit. <i>PLoS ONE</i> , 2014, 9, e115746. | 1.1 | 44 |
| 1404 | Physiological and Comparative Proteomic Analysis Reveals Different Drought Responses in Roots and Leaves of Drought-Tolerant Wild Wheat (<i>Triticum boeoticum</i>). <i>PLoS ONE</i> , 2015, 10, e0121852. | 1.1 | 82 |
| 1405 | A Putative PP2C-Encoding Gene Negatively Regulates ABA Signaling in <i>Populus euphratica</i> . <i>PLoS ONE</i> , 2015, 10, e0139466. | 1.1 | 33 |
| 1406 | Overexpression of the NDR1/HIN1-Like Gene NHL6 Modifies Seed Germination in Response to Absciscic Acid and Abiotic Stresses in <i>Arabidopsis</i> . <i>PLoS ONE</i> , 2016, 11, e0148572. | 1.1 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1407 | Alleviation of Drought Stress by Hydrogen Sulfide Is Partially Related to the Absciscic Acid Signaling Pathway in Wheat. PLoS ONE, 2016, 11, e0163082. | 1.1 | 106 |
| 1408 | Characterization of Triticum aestivum Absciscic Acid Receptors and a Possible Role for These in Mediating Fusarium Head Blight Susceptibility in Wheat. PLoS ONE, 2016, 11, e0164996. | 1.1 | 49 |
| 1409 | Overexpression of Poplar Pyrabactin Resistance-Like Absciscic Acid Receptors Promotes Absciscic Acid Sensitivity and Drought Resistance in Transgenic Arabidopsis. PLoS ONE, 2016, 11, e0168040. | 1.1 | 43 |
| 1410 | Arabidopsis MAP3K16 and Other Salt-Inducible MAP3Ks Regulate ABA Response Redundantly. Molecules and Cells, 2017, 40, 230-242. | 1.0 | 21 |
| 1411 | Arabidopsis Raf-Like Kinase Raf10 Is a Regulatory Component of Core ABA Signaling. Molecules and Cells, 2019, 42, 646-660. | 1.0 | 28 |
| 1412 | The calcium transporter ANNEXIN1 mediates cold-induced calcium signaling and freezing tolerance in plants. EMBO Journal, 2021, 40, e104559. | 3.5 | 99 |
| 1413 | Phytohormonal regulation of seed germination. Fiziologia Rastenij I Genetika, 2019, 51, 187-206. | 0.1 | 9 |
| 1414 | Overexpression of AtNCED3 gene improved drought tolerance in soybean in greenhouse and field conditions. Genetics and Molecular Biology, 2020, 43, e20190292. | 0.6 | 21 |
| 1415 | Role of ABA in Triggering Ethylene Production in the Gynoecium of Senescing Carnation Flowers: Changes in ABA Content and Expression of Genes for ABA Biosynthesis and Action. Japanese Society for Horticultural Science, 2013, 82, 242-254. | 0.8 | 6 |
| 1416 | Arabidopsis KIN gamma subunit 1 has a potential to regulate activity of sucrose nonfermenting 1-related protein kinase 2s (SnRK2s) in vitro. Biologia Plantarum, 2019, 63, 54-58. | 1.9 | 4 |
| 1417 | The yeast three-hybrid system as an experimental platform to identify proteins interacting with small signaling molecules in plant cells: Potential and limitations. Frontiers in Plant Science, 2011, 2, 101. | 1.7 | 28 |
| 1418 | Cytokinin cross-talking during biotic and abiotic stress responses. Frontiers in Plant Science, 2013, 4, 451. | 1.7 | 251 |
| 1420 | Phytostabilization of Polluted Military Soil Supported by Bioaugmentation with PGP-Trace Element Tolerant Bacteria Isolated from Helianthus petiolaris. Agronomy, 2020, 10, 204. | 1.3 | 20 |
| 1421 | Plant Hormone Signalling: Current Perspectives on Perception and Mechanisms of Action. Ceylon Journal of Science (Biological Sciences), 2013, 42, 1. | 0.2 | 12 |
| 1422 | Arabidopsis PYL8 Plays an Important Role for ABA Signaling and Drought Stress Responses. Plant Pathology Journal, 2013, 29, 471-476. | 0.7 | 52 |
| 1423 | The Shaker Type Potassium Channel, GORK, Regulates Absciscic Acid Signaling in Arabidopsis. Plant Pathology Journal, 2019, 35, 684-691. | 0.7 | 6 |
| 1424 | Abiotic Stress - Plant Responses and Applications in Agriculture. , 2013, , . | | 54 |
| 1425 | Plant biologists FRET over stress. ELife, 2014, 3, e02763. | 2.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1426 | A chloroplast retrograde signal, 3â€™-phosphoadenosine 5â€™-phosphate, acts as a secondary messenger in abscisic acid signaling in stomatal closure and germination. <i>ELife</i> , 2017, 6, . | 2.8 | 132 |
| 1427 | A widespread family of serine/threonine protein phosphatases shares a common regulatory switch with proteasomal proteases. <i>ELife</i> , 2017, 6, . | 2.8 | 28 |
| 1428 | PPM1H phosphatase counteracts LRRK2 signaling by selectively dephosphorylating Rab proteins. <i>ELife</i> , 2019, 8, . | 2.8 | 94 |
| 1429 | Transcriptome analysis of osmotic-responsive genes in ABA-dependent and -independent pathways in wheat (<i>Triticum aestivum</i> L.) roots. <i>PeerJ</i> , 2019, 7, e6519. | 0.9 | 18 |
| 1430 | Genome-wide characterization and expression analysis of <i>PP2CA</i> family members in response to ABA and osmotic stress in <i>Gossypium</i> . <i>PeerJ</i> , 2019, 7, e7105. | 0.9 | 11 |
| 1431 | Abiotic stress responses in plants. <i>Nature Reviews Genetics</i> , 2022, 23, 104-119. | 7.7 | 710 |
| 1432 | A Cold-Shock Protein from the South Pole-Dwelling Soil Bacterium <i>Arthrobacter</i> sp. Confers Cold Tolerance to Rice. <i>Genes</i> , 2021, 12, 1589. | 1.0 | 4 |
| 1433 | Genome-wide association study revealed genetic variations of ABA sensitivity controlled by multiple stress-related genes in rice. <i>Stress Biology</i> , 2021, 1, 1. | 1.5 | 1 |
| 1434 | Plants Saline Environment in Perception with Rhizosphere Bacteria Containing 1-Aminocyclopropane-1-Carboxylate Deaminase. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11461. | 1.8 | 17 |
| 1435 | Salt Stress Promotes Absciscic Acid Accumulation to Affect Cell Proliferation and Expansion of Primary Roots in Rice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10892. | 1.8 | 30 |
| 1437 | Loss of function of <i>ARABIDOPSIS FÂBOX PROTEIN HYPERSENSITIVE TO ABA</i> 1 enhances drought tolerance and delays germination. <i>Physiologia Plantarum</i> , 2021, 173, 2376-2389. | 2.6 | 10 |
| 1438 | ABA and Bud Dormancy in Perennials: Current Knowledge and Future Perspective. <i>Genes</i> , 2021, 12, 1635. | 1.0 | 36 |
| 1439 | Increasing yield on dry fields: molecular pathways with growing potential. <i>Plant Journal</i> , 2022, 109, 323-341. | 2.8 | 13 |
| 1440 | Mechanistic Basis for Plant Responses to Drought Stress: Regulatory Mechanism of Absciscic Acid Signaling. <i>Nihon Kessho Gakkaishi</i> , 2011, 53, 178-185. | 0.0 | 0 |
| 1441 | Recent Progress in Absciscic Acid Receptor Research. <i>Seibutsu Butsuri</i> , 2011, 51, 026-027. | 0.0 | 0 |
| 1442 | Carbon and nitrogen stoichiometry in <i>Brassica napus</i> L. seedlings after supplementation with Ca ²⁺ and K ⁺ under irrigated and drought stress conditions. <i>African Journal of Biotechnology</i> , 2011, 10, . | 0.3 | 1 |
| 1443 | Functional Analysis of a type-2C Protein Phosphatase (<i>AtPP2C52</i>) in <i>Arabidopsis thaliana</i> . <i>Genomics and Applied Biology</i> , 0, , . | 0.0 | 0 |
| 1444 | ABA Transport by ABCG Transporter Proteins. <i>Signaling and Communication in Plants</i> , 2014, , 39-47. | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1446 | Protein Kinases and Phosphatases Involved in ABA Signaling. , 2014, , 137-175. | | 2 |
| 1447 | ABA Regulation of Stomatal Movement. , 2014, , 287-313. | | 2 |
| 1448 | Structural Basis of ABA Perception by PYR/PYL/RCAR Receptors. , 2014, , 117-135. | | 3 |
| 1449 | ABA Regulation of Plant Response to Biotic Stresses. , 2014, , 409-429. | | 4 |
| 1450 | ABA Signal Transduction Pathway in Plants: ABA Transport, Perception, Signaling and Post-Translational Modification. Journal of Life Science, 2014, 24, 196-208. | 0.2 | 1 |
| 1451 | Effects of Salt and Drought Stresses on Seed Germination and Gene Expression Pattern in Tall Fescue. Journal of the Korean Society of Grassland and Forage Science, 2014, 34, 114-119. | 0.1 | 0 |
| 1452 | Protein tweak boosts plants' drought tolerance. Nature, 0, , . | 13.7 | 0 |
| 1456 | Hormonal changes in spring barley after triazine herbicide treatment and its mixtures of regulators of polyamine biosynthesis. Potravinarstvo, 2017, 11, 156-161. | 0.5 | 3 |
| 1457 | Seed Dormancy at Molecular Level. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 3095-3106. | 0.0 | 0 |
| 1462 | Identification of ABSCISIC ACID (ABA) signaling related genes in <i>Panax ginseng</i> . Journal of Plant Biotechnology, 2018, 45, 306-314. | 0.1 | 5 |
| 1469 | Toward a better understanding of signaling networks in plants: yeast has the power!. EMBO Journal, 2019, 38, e102478. | 3.5 | 2 |
| 1470 | On the nature of non-protein receptors from the conceptual point of view. Paradigm for abscisic acid. Faktori Eksperimental Noi Evolucii Organizmiv, 0, 25, 131-136. | 0.0 | 0 |
| 1474 | Overexpression of a sour jujube gene ZjPYR1, encoding a putative abscisic acid receptor, increases sensitivity of the stomata and roots to ABA in Arabidopsis thaliana. Gene Expression Patterns, 2020, 36, 119117. | 0.3 | 1 |
| 1475 | Differential Regulation of Drought Responses in Two Phaseolus vulgaris Genotypes. Plants, 2020, 9, 1815. | 1.6 | 7 |
| 1476 | Metabolome and transcriptome analyses unravel the inhibition of embryo germination by abscisic acid in pear. Scientia Horticulturae, 2022, 292, 110652. | 1.7 | 9 |
| 1477 | 16-OH of ABA and its analogs is a crucial functional group correspondence to seed germination and development of plants. Journal of Molecular Structure, 2022, 1249, 131650. | 1.8 | 2 |
| 1478 | How Can We Interpret the Large Number and Diversity of ABA Transporters?. Progress in Botany Fortschritte Der Botanik, 2020, , 233-257. | 0.1 | 1 |
| 1479 | Phytohormone Signaling in Response to Drought. Signaling and Communication in Plants, 2020, , 315-335. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1480 | Protein Phosphatases in Guard Cells: Key Role in Stomatal Closure and Opening. , 2020, , 125-147. | | 0 |
| 1481 | Type 2C Protein Phosphatases in Plant Signaling Pathways under Abiotic Stress. , 2020, , 67-82. | | 0 |
| 1486 | The ABA receptor gene MdPYL9 confers tolerance to drought stress in transgenic apple (Malus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 66 | 2.0 | 17 |
| 1487 | Plant Dehydrins: Expression, Regulatory Networks, and Protective Roles in Plants Challenged by Abiotic Stress. International Journal of Molecular Sciences, 2021, 22, 12619. | 1.8 | 39 |
| 1488 | Delineating Calcium Signaling Machinery in Plants: Tapping the Potential through Functional Genomics. Current Genomics, 2021, 22, 404-439. | 0.7 | 6 |
| 1489 | Role of Basal ABA in Plant Growth and Development. Genes, 2021, 12, 1936. | 1.0 | 69 |
| 1490 | Sensor histidine kinases mediate ABA and osmostress signaling in the moss Physcomitrium patens. Current Biology, 2022, 32, 164-175.e8. | 1.8 | 11 |
| 1491 | HbSnRK2.6 Functions in ABA-Regulated Cold Stress Response by Promoting HbICE2 Transcriptional Activity in Hevea brasiliensis. International Journal of Molecular Sciences, 2021, 22, 12707. | 1.8 | 4 |
| 1492 | Adaptation of plants to salt stress: the role of the ion transporters. Journal of Plant Biochemistry and Biotechnology, 2021, 30, 668-683. | 0.9 | 13 |
| 1493 | Genetic and molecular mechanisms underlying mangrove adaptations to intertidal environments. IScience, 2022, 25, 103547. | 1.9 | 23 |
| 1494 | Raf-like kinases and receptor-like (pseudo)kinase GHR1 are required for stomatal vapor pressure difference response. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 21 |
| 1495 | Hydrogen sulphide signalling in plant response to abiotic stress. Plant Biology, 2022, 24, 523-531. | 1.8 | 9 |
| 1496 | Genome-Wide Association Studies of Soybean Yield-Related Hyperspectral Reflectance Bands Using Machine Learning-Mediated Data Integration Methods. Frontiers in Plant Science, 2021, 12, 777028. | 1.7 | 26 |
| 1497 | PaPYL9 is involved in the regulation of apricot fruit ripening through ABA signaling pathway. Horticultural Plant Journal, 2022, 8, 461-473. | 2.3 | 5 |
| 1498 | Diverse regulatory mechanisms of StARkin domains in land plants and mammals. Current Opinion in Plant Biology, 2021, 64, 102148. | 3.5 | 3 |
| 1499 | Molecular basis of the activation and dissociation of dimeric PYL2 receptor in abscisic acid signaling. Physical Chemistry Chemical Physics, 2022, 24, 724-734. | 1.3 | 12 |
| 1500 | Genome-wide identification of protein phosphatase 2C family members in <i>Glycyrrhiza uralensis</i> Fisch. and their response to abscisic acid and polyethylene glycol stress. Journal of Taibah University for Science, 2021, 15, 1260-1268. | 1.1 | 2 |
| 1502 | The Rice Abscisic Acid-Responsive RING Finger E3 Ligase OsRF1 Targets OsPP2C09 for Degradation and Confers Drought and Salinity Tolerance in Rice. Frontiers in Plant Science, 2021, 12, 797940. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1503 | Abscisic Acid Machinery Is under Circadian Clock Regulation at Multiple Levels. <i>Stresses</i> , 2022, 2, 65-78. | 1.8 | 5 |
| 1504 | Hydrochemical Approach to Groundwater in the Environment of the Public Discharge of Lake Mbeubeuss (Dakar, Senegal). <i>Journal of Environmental Science and Pollution Research</i> , 2022, 8, 458-465. | 0.2 | 0 |
| 1505 | Genome-wide identification and expression analysis of the cucumber <i>PYL</i> gene family. <i>PeerJ</i> , 2022, 10, e12786. | 0.9 | 8 |
| 1506 | Tripartite hormonal regulation of plasma membrane H ⁺ -ATPase activity. <i>Trends in Plant Science</i> , 2022, 27, 588-600. | 4.3 | 16 |
| 1507 | Photostable Abscisic Acid Agonists with a Geometrically Rigid Cyclized Side Chain. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 869-876. | 2.4 | 5 |
| 1508 | Increased abscisic acid sensitivity and drought tolerance of <i>Arabidopsis</i> by overexpression of poplar abscisic acid receptors. <i>Plant Cell, Tissue and Organ Culture</i> , 2022, 148, 231-245. | 1.2 | 4 |
| 1509 | Physiological, biochemical, and molecular mechanisms of plant steroid hormones brassinosteroids under drought-induced oxidative stress in plants. , 2022, , 99-130. | | 1 |
| 1510 | The PYR&PP2C&CKL2 module regulates ABA&mediated actin reorganization during stomatal closure. <i>New Phytologist</i> , 2022, 233, 2168-2184. | 3.5 | 21 |
| 1511 | Biological Parts for Engineering Abiotic Stress Tolerance in Plants. <i>Biodesign Research</i> , 2022, 2022, . | 0.8 | 21 |
| 1512 | SKIP Regulates ABA Signaling through Alternative Splicing in <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2022, 63, 494-507. | 1.5 | 7 |
| 1513 | Transcription factor BES1 interacts with HSFA1 to promote heat stress resistance of plants. <i>EMBO Journal</i> , 2022, 41, e108664. | 3.5 | 39 |
| 1514 | Physiological and Multi-Omics Approaches for Explaining Drought Stress Tolerance and Supporting Sustainable Production of Rice. <i>Frontiers in Plant Science</i> , 2021, 12, 803603. | 1.7 | 9 |
| 1515 | Induced Systemic Resistance for Improving Plant Immunity by Beneficial Microbes. <i>Plants</i> , 2022, 11, 386. | 1.6 | 115 |
| 1516 | A NAC transcription factor, TaNAC5D-2, acts as a positive regulator of drought tolerance through regulating water loss in wheat (<i>Triticum aestivum</i> L.). <i>Environmental and Experimental Botany</i> , 2022, 196, 104805. | 2.0 | 12 |
| 1517 | Chemical Approaches for Improving Plant Water Use. <i>Methods in Molecular Biology</i> , 2022, 2462, 221-230. | 0.4 | 4 |
| 1518 | Inhibition of Type 2C Protein Phosphatases by ABA Receptors in Abscisic Acid&Mediated Plant Stress Responses. <i>Methods in Molecular Biology</i> , 2022, 2462, 1-16. | 0.4 | 1 |
| 1519 | Inhibition of SnRK2 Kinases by Type 2C Protein Phosphatases. <i>Methods in Molecular Biology</i> , 2022, 2462, 17-30. | 0.4 | 1 |
| 1520 | ABA Transport Assay in Plant Single-Cell System. <i>Methods in Molecular Biology</i> , 2022, 2462, 71-84. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1521 | Reconstitution of the Core in : Transcriptional Activators. Methods in Molecular Biology, 2022, 2462, 31-43. | 0.4 | 1 |
| 1522 | Live Imaging of Absciscic Acid Dynamics Using Genetically Encoded Fluorescence Resonance Energy Transfer (FRET)-Based ABA Biosensors. Methods in Molecular Biology, 2022, 2462, 135-154. | 0.4 | 2 |
| 1523 | Screening of by a Yeast Two-Hybrid System-Based Screening Using the Receptor Complex as a Sensor. Methods in Molecular Biology, 2022, 2462, 85-99. | 0.4 | 0 |
| 1524 | Affinity Purification of Ubiquitinated Proteins Using p62-Agarose to Assess Ubiquitination of Clade A PP2Cs. Methods in Molecular Biology, 2022, 2462, 45-57. | 0.4 | 0 |
| 1525 | Parental and Environmental Control of Seed Dormancy in <i>Arabidopsis thaliana</i> . Annual Review of Plant Biology, 2022, 73, 355-378. | 8.6 | 28 |
| 1526 | Dynamic transcriptome profiling revealed key genes and pathways associated with cold stress in castor (<i>Ricinus communis</i> L.). Industrial Crops and Products, 2022, 178, 114610. | 2.5 | 5 |
| 1527 | Rice functional genomics: decadesâ€™ efforts and roads ahead. Science China Life Sciences, 2022, 65, 33-92. | 2.3 | 107 |
| 1528 | The interface of central metabolism with hormone signaling in plants. Current Biology, 2021, 31, R1535-R1548. | 1.8 | 22 |
| 1529 | Genome-wide association study identifies variants of <i>GhSAD1</i> conferring cold tolerance in cotton. Journal of Experimental Botany, 2022, 73, 2222-2237. | 2.4 | 9 |
| 1530 | Interâ€tissue and interâ€organ signaling in drought stress response and phenotyping of drought tolerance. Plant Journal, 2022, 109, 342-358. | 2.8 | 50 |
| 1531 | Glucohexaose-induced protein phosphatase 2C regulates cell redox status of cucumber seedling. Journal of Biosciences, 2018, 43, 117-126. | 0.5 | 1 |
| 1532 | Salty or sweet? Guard cell signaling and osmotic control under saline conditions. Advances in Botanical Research, 2022, , 61-87. | 0.5 | 0 |
| 1533 | Modulation of abscisic acid signaling for stomatal operation under salt stress conditions. Advances in Botanical Research, 2022, , 89-121. | 0.5 | 2 |
| 1534 | Stomatal regulation and adaptation to salinity in glycophytes and halophytes. Advances in Botanical Research, 2022, , . | 0.5 | 0 |
| 1535 | The Involvement of Absciscic Acid-Insensitive Mutants in Low Phosphate Stress Responses During Rhizosphere Acidification, Anthocyanin Accumulation and Pi Homeostasis in Arabidopsis. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 1536 | Signaling molecules and transcriptional reprogramming for stomata operation under salt stress. Advances in Botanical Research, 2022, , . | 0.5 | 0 |
| 1537 | Chromosome-scale assembly and population diversity analyses provide insights into the evolution of <i>Sapindus mukorossi</i> . Horticulture Research, 2022, 9, . | 2.9 | 4 |
| 1538 | Transcriptome analysis of oil palm pistil during pollination and fertilization to unravel the role of phytohormone biosynthesis and signaling genes. Functional and Integrative Genomics, 2022, 22, 261-278. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1539 | PYL1- and PYL8-like ABA Receptors of <i>Nicotiana benthamiana</i> Play a Key Role in ABA Response in Seed and Vegetative Tissue. <i>Cells</i> , 2022, 11, 795. | 1.8 | 5 |
| 1540 | Protein structure determination as a powerful tool for the sustainable development of agriculture field (and its potential relevance in Indonesia). <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 978, 012021. | 0.2 | 1 |
| 1541 | Comparative Transcriptomic Analysis Provides Insight into the Key Regulatory Pathways and Differentially Expressed Genes in Blueberry Flower Bud Endo- and Ecodormancy Release. <i>Horticulturae</i> , 2022, 8, 176. | 1.2 | 2 |
| 1542 | PpNUDX8, a Peach NUDIX Hydrolase, Plays a Negative Regulator in Response to Drought Stress. <i>Frontiers in Plant Science</i> , 2021, 12, 831883. | 1.7 | 7 |
| 1543 | Integrative analysis of the pharmaceutical active ingredient and transcriptome of the aerial parts of <i>Glycyrrhiza uralensis</i> under salt stress reveals liquiritin accumulation via ABA-mediated signaling. <i>Molecular Genetics and Genomics</i> , 2022, 297, 333-343. | 1.0 | 5 |
| 1544 | COP1 positively regulates ABA signaling during <i>Arabidopsis</i> seedling growth in darkness by mediating ABA-induced ABI5 accumulation. <i>Plant Cell</i> , 2022, 34, 2286-2308. | 3.1 | 17 |
| 1545 | BAK1 plays contrasting roles in regulating abscisic acid-induced stomatal closure and abscisic acid-inhibited primary root growth in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2022, 64, 1264-1280. | 4.1 | 18 |
| 1546 | Genome-Wide Characterization and Expression Analysis of the Absciscic Acid Receptors PYR/PYL/RCAR (PYLs) in Chinese Cabbage during Abiotic Stresses. <i>Russian Journal of Plant Physiology</i> , 2022, 69, 1. | 0.5 | 0 |
| 1547 | Genome-wide identification and comparative analysis of the PYL gene family in eight Rosaceae species and expression analysis of seeds germination in pear. <i>BMC Genomics</i> , 2022, 23, 233. | 1.2 | 8 |
| 1548 | SALT AND ABA RESPONSE ERF1 improves seed germination and salt tolerance by repressing ABA signaling in rice. <i>Plant Physiology</i> , 2022, 189, 1110-1127. | 2.3 | 30 |
| 1549 | <i>OsHIPL1</i> , a hedgehog-interacting protein-like 1 protein, increases seed vigour in rice. <i>Plant Biotechnology Journal</i> , 2022, 20, 1346-1362. | 4.1 | 11 |
| 1550 | Protoplast Dissociation and Transcriptome Analysis Provides Insights to Salt Stress Response in Cotton. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2845. | 1.8 | 13 |
| 1552 | Regulatory Role of Circadian Clocks on ABA Production and Signaling, Stomatal Responses, and Water-Use Efficiency under Water-Deficit Conditions. <i>Cells</i> , 2022, 11, 1154. | 1.8 | 15 |
| 1553 | LINC01087 Promotes the Proliferation, Migration, and Invasion of Thyroid Cancer Cells by Upregulating PPM1E. <i>Journal of Oncology</i> , 2022, 2022, 1-12. | 0.6 | 3 |
| 1554 | FERONIA Receptor Kinase Integrates with Hormone Signaling to Regulate Plant Growth, Development, and Responses to Environmental Stimuli. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3730. | 1.8 | 14 |
| 1555 | The <i>Pseudomonas syringae</i> effector AvrPtoB targets abscisic acid signaling pathway to promote its virulence in <i>Arabidopsis</i> . <i>Phytopathology Research</i> , 2022, 4, . | 0.9 | 6 |
| 1557 | Synthesis and SAR of 2,3-dihydro-1-benzofuran-4-carboxylates: Potent Salicylic Acid-Based Lead Structures against Plant Stress. <i>European Journal of Organic Chemistry</i> , 2022, 2022, . | 1.2 | 2 |
| 1558 | ZmPP2C26 Alternative Splicing Variants Negatively Regulate Drought Tolerance in Maize. <i>Frontiers in Plant Science</i> , 2022, 13, 851531. | 1.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1559 | Integrated transcriptome and proteome analyses provide insight into abiotic stress crosstalks in bermudagrass. <i>Environmental and Experimental Botany</i> , 2022, 199, 104864. | 2.0 | 3 |
| 1560 | Monomerization of abscisic acid receptors through CARKs-mediated phosphorylation. <i>New Phytologist</i> , 2022, 235, 533-549. | 3.5 | 5 |
| 1561 | Transcriptome and DNA methylome provide insights into the molecular regulation of drought stress in sea buckthorn. <i>Genomics</i> , 2022, 114, 110345. | 1.3 | 5 |
| 1562 | Phosphorylation of DUF1639 protein by osmotic stress/ABA-activated protein kinase 10 regulates abscisic acid-induced antioxidant defense in rice. <i>Biochemical and Biophysical Research Communications</i> , 2022, 604, 30-36. | 1.0 | 3 |
| 1563 | Transcriptome and metabolite integrated analysis reveals that exogenous ethylene controls berry ripening processes in grapevine. <i>Food Research International</i> , 2022, 155, 111084. | 2.9 | 14 |
| 1564 | Orphan gene PpARDT positively involved in drought tolerance potentially by enhancing ABA response in <i>Physcomitrium</i> (<i>Physcomitrella</i>) <i>patens</i> . <i>Plant Science</i> , 2022, 319, 111222. | 1.7 | 7 |
| 1565 | The wheat ABA receptor gene <i>TaPYL1</i> contributes to drought tolerance and grain yield by increasing water-use efficiency. <i>Plant Biotechnology Journal</i> , 2022, 20, 846-861. | 4.1 | 55 |
| 1566 | Designed ABA receptor agonists: A new tool to improve crop quality. <i>Reproduction and Breeding</i> , 2021, 1, 210-212. | 0.8 | 2 |
| 1567 | Molecular and Physiological Perspectives of Absciscic Acid Mediated Drought Adjustment Strategies. <i>Plants</i> , 2021, 10, 2769. | 1.6 | 3 |
| 1569 | Molecular Docking and Interaction Studies of Identified Absciscic Acid Receptors in <i>Oryza sativa</i> : An In-Silico Perspective on Comprehending Stress Tolerance Mechanisms. <i>Current Genomics</i> , 2021, 22, 607-619. | 0.7 | 8 |
| 1570 | Structural and Functional Insights into the Role of Guard Cell Ion Channels in Abiotic Stress-Induced Stomatal Closure. <i>Plants</i> , 2021, 10, 2774. | 1.6 | 15 |
| 1571 | Phosphorylation of SWEET sucrose transporters regulates plant root:shoot ratio under drought. <i>Nature Plants</i> , 2022, 8, 68-77. | 4.7 | 91 |
| 1572 | Adaptation Strategies to Improve the Resistance of Oilseed Crops to Heat Stress Under a Changing Climate: An Overview. <i>Frontiers in Plant Science</i> , 2021, 12, 767150. | 1.7 | 30 |
| 1573 | Identification of Absciscic Acid-Dependent Phosphorylated Basic Helix-Loop-Helix Transcription Factors in Guard Cells of <i>Vicia faba</i> by Mass Spectrometry. <i>Frontiers in Plant Science</i> , 2021, 12, 735271. | 1.7 | 3 |
| 1574 | Comparative transcriptome analysis of melon (<i>Cucumis melo</i> L.) reveals candidate genes and pathways involved in powdery mildew resistance. <i>Scientific Reports</i> , 2022, 12, 4936. | 1.6 | 8 |
| 1575 | Absciscic acid negatively regulates the Polycomb-mediated H3K27me3 through the PHD finger protein, VIL1. <i>New Phytologist</i> , 2022, 235, 1057-1069. | 3.5 | 8 |
| 1576 | Phosphorylation of the plasma membrane H ⁺ -ATPase AHA2 by BAK1 is required for ABA-induced stomatal closure in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2022, 34, 2708-2729. | 3.1 | 40 |
| 1577 | PYR/PYL/RCAR Receptors Play a Vital Role in the Absciscic-Acid-Dependent Responses of Plants to External or Internal Stimuli. <i>Cells</i> , 2022, 11, 1352. | 1.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1700 | Etiolated Hypocotyls: A New System to Study the Impact of Abiotic Stress on Cell Expansion. <i>Methods in Molecular Biology</i> , 2022, 2494, 195-205. | 0.4 | 0 |
| 1703 | Brassinosteroid-Insensitive 1-Associated Receptor Kinase 1 Modulates Absciscic Acid Signaling by Inducing PYR1 Monomerization and Association With ABI1 in Arabidopsis. <i>Frontiers in Plant Science</i> , 2022, 13, 849467. | 1.7 | 5 |
| 1704 | PP2C1 fine-tunes melatonin biosynthesis and phyto-melatonin receptor PMTR1 binding to melatonin in cassava. <i>Journal of Pineal Research</i> , 2022, 73, . | 3.4 | 13 |
| 1705 | Trehalose increases tomato drought tolerance, induces defenses, and increases resistance to bacterial wilt disease. <i>PLoS ONE</i> , 2022, 17, e0266254. | 1.1 | 24 |
| 1706 | Physiological and molecular responses of <i>Phalaris arundinacea</i> under salt stress on the Tibet plateau. <i>Journal of Plant Physiology</i> , 2022, , 153715. | 1.6 | 2 |
| 1707 | Roles of Natural Absciscic Acids in Fruits during Fruit Development and under Environmental Stress. <i>Frontiers in Natural Product Chemistry</i> , 2022, , 43-72. | 0.1 | 0 |
| 1708 | Identification of PP2C Genes in Tibetan Hulless Barley (<i>Hordeum vulgare</i> var. <i>nudum</i>) Under Dehydration Stress and Initiatory Expression and Functional Analysis of HvPP2C59. <i>Plant Molecular Biology Reporter</i> , 2022, 40, 611-627. | 1.0 | 3 |
| 1709 | Comparative Transcriptome Analysis Provides Insights into the Resistance in <i>Pueraria</i> [<i>Pueraria lobata</i> (Willd.) Ohwi] in Response to Pseudo-Rust Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5223. | 1.8 | 5 |
| 1710 | Absciscic Acid: Role in Fruit Development and Ripening. <i>Frontiers in Plant Science</i> , 2022, 13, . | 1.7 | 22 |
| 1711 | Local and systemic responses conferring acclimation of <i>Brassica napus</i> roots to low phosphorus conditions. <i>Journal of Experimental Botany</i> , 2022, 73, 4753-4777. | 2.4 | 9 |
| 1712 | Unraveling the importance of EF-hand-mediated calcium signaling in plants. <i>South African Journal of Botany</i> , 2022, 148, 615-633. | 1.2 | 13 |
| 1713 | Genome-wide analysis of MdABF Subfamily and functional identification of MdABF1 in drought tolerance in apple. <i>Environmental and Experimental Botany</i> , 2022, 199, 104904. | 2.0 | 1 |
| 1714 | SISnRK2.3 interacts with SISUI1 to modulate high temperature tolerance via Absciscic acid (ABA) controlling stomatal movement in tomato. <i>Plant Science</i> , 2022, 321, 111305. | 1.7 | 7 |
| 1715 | Overexpression of PpSnRK1 α in Tomato Increased Autophagy Activity under Low Nutrient Stress. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5464. | 1.8 | 1 |
| 1716 | Molecular communication network and its applications in crop sciences. <i>Planta</i> , 2022, 255, 128. | 1.6 | 4 |
| 1718 | GhHAI2, GhAHG3, and GhABI2 Negatively Regulate Osmotic Stress Tolerance via ABA-Dependent Pathway in Cotton (<i>Gossypium hirsutum</i> L.). <i>Frontiers in Plant Science</i> , 2022, 13, . | 1.7 | 5 |
| 1719 | Genome-wide identification, characterization and expression analysis of the ABA receptor PYL gene family in response to ABA, photoperiod, and chilling in vegetative buds of <i>Liriodendron chinense</i> . <i>Scientia Horticulturae</i> , 2022, 303, 111200. | 1.7 | 8 |
| 1720 | Transcriptomic Analysis Reveals That Exogenous Indole-3-Butyric Acid Affects the Rooting Process During Stem Segment Culturing of <i>Cinnamomum camphora</i> Linalool Type. <i>Plant Molecular Biology Reporter</i> , 2022, 40, 661-673. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1721 | Identification and expression analysis of the CqSnRK2 gene family and a functional study of the CqSnRK2.12 gene in quinoa (<i>Chenopodium quinoa</i> Willd.). <i>BMC Genomics</i> , 2022, 23, . | 1.2 | 4 |
| 1722 | The Arabidopsis LARPs are Involved in Regulation of Seed Germination. <i>Journal of Plant Growth Regulation</i> , 2023, 42, 1775-1788. | 2.8 | 1 |
| 1723 | Core Components of Absciscic Acid Signaling and Their Post-translational Modification. <i>Frontiers in Plant Science</i> , 2022, 13, . | 1.7 | 9 |
| 1724 | Genomic and Transcriptomic Dissection of the Large-Effect Loci Controlling Drought-Responsive Agronomic Traits in Wheat. <i>Agronomy</i> , 2022, 12, 1264. | 1.3 | 0 |
| 1725 | Exogenous melatonin improves the resistance to cucumber bacterial angular leaf spot caused by <i>Pseudomonas syringae</i> pv. <i>Lachrymans</i> . <i>Physiologia Plantarum</i> , 2022, 174, . | 2.6 | 5 |
| 1726 | Genome-wide identification and characterization of major latex-like protein genes responsible for crop contamination in <i>Cucurbita pepo</i> . <i>Molecular Biology Reports</i> , 2022, 49, 7773-7782. | 1.0 | 5 |
| 1728 | Importance of Tyrosine Phosphorylation in Hormone-Regulated Plant Growth and Development. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6603. | 1.8 | 4 |
| 1729 | RAF22, ABI1 and OST1 form a dynamic interactive network that optimizes plant growth and responses to drought stress in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2022, 15, 1192-1210. | 3.9 | 22 |
| 1730 | Does Abiotic Host Stress Favour Dothideomycete-Induced Disease Development?. <i>Plants</i> , 2022, 11, 1615. | 1.6 | 1 |
| 1731 | OsMLP423 Is a Positive Regulator of Tolerance to Drought and Salt Stresses in Rice. <i>Plants</i> , 2022, 11, 1653. | 1.6 | 4 |
| 1732 | Rapid biosensor development using plant hormone receptors as reprogrammable scaffolds. <i>Nature Biotechnology</i> , 2022, 40, 1855-1861. | 9.4 | 34 |
| 1733 | Vernalization attenuates dehydration tolerance in winter-annual <i>Arabidopsis</i> . <i>Plant Physiology</i> , 0, . | 2.3 | 3 |
| 1734 | Transcriptome Analysis of Endogenous Hormone Response Mechanism in Roots of <i>Styrax tonkinensis</i> Under Waterlogging. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 7 |
| 1735 | Mitogen-activated protein kinase <i>TaMPK3</i> suppresses <i>ABA</i> response by destabilising <i>TaPYL4</i> receptor in wheat. <i>New Phytologist</i> , 2022, 236, 114-131. | 3.5 | 14 |
| 1736 | Origin of the genome editing systems: application for crop improvement. , 2022, 77, 3353-3383. | | 1 |
| 1737 | Proteomic analysis of <i>Euryale ferox</i> Salisb seeds at different developmental stages. <i>Gene</i> , 2022, 834, 146645. | 1.0 | 3 |
| 1738 | The involvement of abscisic acid-insensitive mutants in low phosphate stress responses during rhizosphere acidification, anthocyanin accumulation and Pi homeostasis in <i>Arabidopsis</i> . <i>Plant Science</i> , 2022, 322, 111358. | 1.7 | 3 |
| 1739 | Construction of <i>Arabidopsis At2g34610</i> Gene Editing and Overexpression Vector. <i>Botanical Research</i> , 2022, 11, 486-493. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1740 | Efficient Ultrasound-Assisted Approach to <i>N</i> -Benzensulfonyl Phenylacetamide via CuSO ₄ /NaAsc Catalysis in Water and Its Inhibition Activity of Seed Germination. Chinese Journal of Organic Chemistry, 2022, 42, 1667. | 0.6 | 1 |
| 1741 | Overexpression of GhABF3 increases cotton(<i>Gossypium hirsutum</i> L.) tolerance to salt and drought. BMC Plant Biology, 2022, 22, . | 1.6 | 9 |
| 1742 | Absciscic acid influences ammonium transport via regulation of kinase CIPK23 and ammonium transporters. Plant Physiology, 0, , . | 2.3 | 7 |
| 1743 | Molecular Mechanisms of Plant Responses to Salt Stress. Frontiers in Plant Science, 0, 13, . | 1.7 | 26 |
| 1744 | Overexpression VaPYL9 improves cold tolerance in tomato by regulating key genes in hormone signaling and antioxidant enzyme. BMC Plant Biology, 2022, 22, . | 1.6 | 12 |
| 1745 | QTL Mapping and Candidate Gene Analysis for Seed Germination Response to Low Temperature in Rice. International Journal of Molecular Sciences, 2022, 23, 7379. | 1.8 | 2 |
| 1746 | Cold stress regulates accumulation of flavonoids and terpenoids in plants by phytohormone, transcription process, functional enzyme, and epigenetics. Critical Reviews in Biotechnology, 2023, 43, 680-697. | 5.1 | 23 |
| 1747 | PtoNF-YC9-SRMT-PtoRD26 module regulates the high saline tolerance of a triploid poplar. Genome Biology, 2022, 23, . | 3.8 | 10 |
| 1748 | The Arabidopsis <i>IDD14</i> transcription factor interacts with <i>bZIP</i> type <i>ABFs</i> / <i>AREBs</i> and cooperatively regulates <i>ABA</i> -mediated drought tolerance. New Phytologist, 2022, 236, 929-942. | 3.5 | 13 |
| 1749 | <i>AtGAP1</i> Promotes the Resistance to <i>Pseudomonas syringae</i> pv. tomato DC3000 by Regulating Cell-Wall Thickness and Stomatal Aperture in Arabidopsis. International Journal of Molecular Sciences, 2022, 23, 7540. | 1.8 | 2 |
| 1750 | A briefly overview of the research progress for the abscisic acid analogues. Frontiers in Chemistry, 0, 10, . | 1.8 | 2 |
| 1751 | Suppression of GhGLU19 encoding Î²-1,3-glucanase promotes seed germination in cotton. BMC Plant Biology, 2022, 22, . | 1.6 | 2 |
| 1752 | Genome-Wide Identification and Expression Analysis of SnRK2 Gene Family in Dormant Vegetative Buds of <i>Liriodendron chinense</i> in Response to Absciscic Acid, Chilling, and Photoperiod. Genes, 2022, 13, 1305. | 1.0 | 4 |
| 1753 | A low concentration of exogenous salicylic acid enhances cold tolerance in Hami melons (<i>Cucumis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock Technology, 2022, 193, 112034. | 2.9 | 4 |
| 1754 | Melatonin Promotes Seed Germination via Regulation of ABA Signaling Under Low Temperature Stress in Cucumber. Journal of Plant Growth Regulation, 2023, 42, 2232-2245. | 2.8 | 10 |
| 1755 | A Modified Yeast Two-Hybrid Platform Enables Dynamic Control of Expression Intensities to Unmask Properties of Protein-Protein Interactions. ACS Synthetic Biology, 2022, 11, 2589-2598. | 1.9 | 0 |
| 1756 | Three strategies of transgenic manipulation for crop improvement. Frontiers in Plant Science, 0, 13, . | 1.7 | 5 |
| 1757 | Differential regulations of abscisic acid-induced desiccation tolerance and vegetative dormancy by group B3 Raf kinases in liverworts. Frontiers in Plant Science, 0, 13, . | 1.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1758 | Dynamic modeling of ABA-dependent expression of the Arabidopsis RD29A gene. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 4 |
| 1759 | Genome-Wide Identification of the PYL Gene Family in <i>Chenopodium quinoa</i> : From Genes to Protein 3D Structure Analysis. <i>Stresses</i> , 2022, 2, 290-307. | 1.8 | 2 |
| 1760 | Combining Physio-Biochemical Characterization and Transcriptome Analysis Reveal the Responses to Varying Degrees of Drought Stress in <i>Brassica napus</i> L.. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8555. | 1.8 | 5 |
| 1761 | DELLAs directed gibberellins responses orchestrate crop development: A brief review. <i>Crop Science</i> , 0, . | 0.8 | 1 |
| 1762 | Comparative transcriptomic profiling in the pulp and peel of pitaya fruit uncovers the gene networks regulating pulp color formation. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 1 |
| 1764 | Directed Evolution of Herbicide Biosensors in a Fluorescence-Activated Cell-Sorting-Compatible Yeast Two-Hybrid Platform. <i>ACS Synthetic Biology</i> , 2022, 11, 2880-2888. | 1.9 | 4 |
| 1765 | Comprehensive functional analysis of the PYL-PP2C-SnRK2s family in <i>Bletilla striata</i> reveals that BsPP2C22 and BsPP2C38 interact with BsPYLs and BsSnRK2s in response to multiple abiotic stresses. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 4 |
| 1766 | NUCLEAR PORE ANCHOR and EARLY IN SHORT DAYS 4 negatively regulate abscisic acid signaling by inhibiting Snf1-related protein kinase2 activity and stability in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2022, 64, 2060-2074. | 4.1 | 8 |
| 1767 | AtEAU1 and AtEAU2, Two EAR Motif-Containing ABA Up-Regulated Novel Transcription Repressors Regulate ABA Response in <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 9053. | 1.8 | 2 |
| 1768 | Metabolomic changes in crown of alfalfa (<i>Medicago sativa</i> L.) during de-acclimation. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 0 |
| 1769 | A novel ABA-insensitive mutant in <i>Arabidopsis</i> reveals molecular network of ABA-induced anthocyanin accumulation and abiotic stress tolerance. <i>Journal of Plant Physiology</i> , 2022, 278, 153810. | 1.6 | 9 |
| 1770 | AtS40-1, a group I DUF584 protein positively regulates ABA response and salt tolerance in <i>Arabidopsis</i> . <i>Gene</i> , 2022, 846, 146846. | 1.0 | 3 |
| 1771 | Receptor-like kinases induced by abscisic acid in plants. , 2023, , 305-328. | | 0 |
| 1772 | The Examination of the Role of Rice Lysophosphatidic Acid Acyltransferase 2 in Response to Salt and Drought Stresses. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9796. | 1.8 | 0 |
| 1773 | The key clock component ZEITLUPE (ZTL) negatively regulates ABA signaling by degradation of CHLH in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 1 |
| 1775 | The cell biology of primary cell walls during salt stress. <i>Plant Cell</i> , 2023, 35, 201-217. | 3.1 | 38 |
| 1776 | Tartary buckwheat <i>FtMYB30</i> transcription factor improves the salt/drought tolerance of transgenic <i>Arabidopsis</i> in an ABA-dependent manner. <i>Physiologia Plantarum</i> , 2022, 174, . | 2.6 | 1 |
| 1777 | Later Growth Cessation and Increased Freezing Tolerance Potentially Result in Later Dormancy in Evergreen Iris Compared with Deciduous Iris. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11123. | 1.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1778 | NUA and ESD4 negatively regulate ABA signaling during seed germination. <i>Stress Biology</i> , 2022, 2, . | 1.5 | 0 |
| 1779 | <scp><i>TaFDL2</i></scp> confers drought stress tolerance by promoting <scp>ABA</scp> biosynthesis, <scp>ABA</scp> responses, and <scp>ROS</scp> scavenging in transgenic wheat. <i>Plant Journal</i> , 2022, 112, 722-737. | 2.8 | 24 |
| 1780 | <i>PePYL4</i> enhances drought tolerance by modulating water-use efficiency and ROS scavenging in <i>Populus</i>. <i>Tree Physiology</i> , 2023, 43, 102-117. | 1.4 | 9 |
| 1781 | Multiple cyclic nucleotide-gated channels function as ABA-activated Ca ²⁺ channels required for ABA-induced stomatal closure in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2023, 35, 239-259. | 3.1 | 20 |
| 1782 | Genome-Wide Identification, Gene Structure, and Expression Analyses of the NtPP2C Gene Family in <i>Nicotiana tabacum</i> in Response to Low Temperature, Salt, and Drought Conditions. <i>Russian Journal of Plant Physiology</i> , 2022, 69, . | 0.5 | 0 |
| 1783 | Drought-responsive WRKY transcription factor genes IgWRKY50 and IgWRKY32 from <i>Iris germanica</i> enhance drought resistance in transgenic <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 6 |
| 1784 | Identification and expression profile analysis of the SnRK2 gene family in cucumber. <i>PeerJ</i> , 0, 10, e13994. | 0.9 | 3 |
| 1785 | How plants conquered land: evolution of terrestrial adaptation. <i>Journal of Evolutionary Biology</i> , 2023, 36, 5-14. | 0.8 | 6 |
| 1786 | CycC1;1 negatively modulates ABA signaling by interacting with and inhibiting ABI5 during seed germination. <i>Plant Physiology</i> , 2022, 190, 2812-2827. | 2.3 | 5 |
| 1787 | A bHLH transcription factor, SlbHLH96, promotes drought tolerance in tomato. <i>Horticulture Research</i> , 2022, 9, . | 2.9 | 24 |
| 1788 | Brassinosteroid signaling positively regulates abscisic acid biosynthesis in response to chilling stress in tomato. <i>Journal of Integrative Plant Biology</i> , 2023, 65, 10-24. | 4.1 | 19 |
| 1789 | Guard cell anion channel PbrSLAC1 regulates stomatal closure through PbrSnRK2.3 protein kinases. <i>Plant Science</i> , 2022, 325, 111487. | 1.7 | 1 |
| 1790 | Is ABA the exogenous vector of interplant drought cuing?. <i>Plant Signaling and Behavior</i> , 2022, 17, . | 1.2 | 2 |
| 1791 | Design, Synthesis and Seed Germination Inhibition Activity of Quinoline-6-sulfonamide Compounds. <i>Chinese Journal of Organic Chemistry</i> , 2022, 42, 2947. | 0.6 | 1 |
| 1792 | Functional genomics in plant abiotic stress responses and tolerance: From gene discovery to complex regulatory networks and their application in breeding. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2022, 98, 470-492. | 1.6 | 10 |
| 1794 | The RNA <i>N</i>⁶-methyladenosine demethylase ALKBH9B modulates ABA responses in <i>Arabidopsis</i>. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 2361-2373. | 4.1 | 13 |
| 1795 | Genome-Wide Identification, Expression and Interaction Analysis of GmSnRK2 and Type A PP2C Genes in Response to Abscisic Acid Treatment and Drought Stress in Soybean Plant. <i>International Journal of Molecular Sciences</i> , 2022, 23, 13166. | 1.8 | 3 |
| 1796 | Stomata at the crossroad of molecular interaction between biotic and abiotic stress responses in plants. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1797 | <scp>SnRK2</scp>.4â€ mediated phosphorylation of <scp>ABF2</scp> regulates <scp><i>ARGININE DECARBOXYLASE</i></scp> expression and putrescine accumulation under drought stress. <i>New Phytologist</i> , 2023, 238, 216-236. | 3.5 | 22 |
| 1798 | Editorial: Roles and regulatory mechanisms of ABA in plant development. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 0 |
| 1799 | CKL2 mediates the crosstalk between abscisic acid and brassinosteroid signaling to promote swift growth recovery after stress in <i>Arabidopsis</i>. <i>Journal of Integrative Plant Biology</i> , 2023, 65, 64-81. | 4.1 | 4 |
| 1801 | Overexpression of CsPP2-A1 in cucumber enhanced salt tolerance by participating ABA-JA signaling pathway and antioxidant system. <i>Environmental and Experimental Botany</i> , 2022, 204, 105095. | 2.0 | 5 |
| 1802 | Geneâ€Environment Interaction During Bioremediation. <i>Environmental Contamination Remediation and Management</i> , 2022, , 391-423. | 0.5 | 1 |
| 1803 | Characterization and expression analysis of key abscisic acid signal transduction genes during kiwifruit development. <i>Scientia Horticulturae</i> , 2023, 309, 111672. | 1.7 | 2 |
| 1804 | Expression of Genes Involved in ABA and Auxin Metabolism and LEA Gene during Embryogenesis in Hemp. <i>Plants</i> , 2022, 11, 2995. | 1.6 | 2 |
| 1805 | Comprehensive Genomic Characterization of the NAC Transcription Factors and Their Response to Drought Stress in <i>Dendrobium catenatum</i> . <i>Agronomy</i> , 2022, 12, 2753. | 1.3 | 6 |
| 1806 | Targeted inÂvivo mutagenesis of a sensor histidine kinase playing an essential role in ABA signaling of the moss <i>Physcomitrium patens</i> . <i>Biochemical and Biophysical Research Communications</i> , 2022, 637, 93-99. | 1.0 | 0 |
| 1807 | Transcriptomic insights into the effects of abscisic acid on the germination of <i>Magnolia sieboldii</i> K. Koch seed. <i>Gene</i> , 2023, 853, 147066. | 1.0 | 0 |
| 1808 | Overexpression of the <i>Zoysia japonica</i> ZjABR1/ERF10 regulates plant growth and salt tolerance in transgenic <i>Oryza sativa</i> . <i>Environmental and Experimental Botany</i> , 2023, 206, 105171. | 2.0 | 3 |
| 1809 | Comparative transcriptome profiling reveals the defense pathways and mechanisms in the leaves and roots of blueberry to drought stress. <i>Fruit Research</i> , 2022, 2, 1-15. | 0.9 | 0 |
| 1810 | MdPP2C24/37, Protein Phosphatase Type 2Cs from Apple, Interact with MdPYL2/12 to Negatively Regulate ABA Signaling in Transgenic <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 14375. | 1.8 | 4 |
| 1811 | Rice OsPUB16 modulates the â€SAPK9-OsMADS23-OsAOCâ€™ pathway to reduce plant water-deficit tolerance by repressing ABA and JA biosynthesis. <i>PLoS Genetics</i> , 2022, 18, e1010520. | 1.5 | 5 |
| 1812 | Wheat TaSnRK2.10 phosphorylates TaERD15 and TaENO1 and confers drought tolerance when overexpressed in rice. <i>Plant Physiology</i> , 2023, 191, 1344-1364. | 2.3 | 8 |
| 1813 | The interaction of ABA and ROS in plant growth and stress resistances. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 17 |
| 1814 | Jasmonate-regulated seed germination and crosstalk with other phytohormones. <i>Journal of Experimental Botany</i> , 2023, 74, 1162-1175. | 2.4 | 9 |
| 1815 | Identification and expression pattern analysis of the OsSnRK2 gene family in rice. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1816 | A regulatory loop establishes the link between the circadian clock and abscisic acid signaling in rice. <i>Plant Physiology</i> , 2023, 191, 1857-1870. | 2.3 | 3 |
| 1817 | Abscisic acid promotes auxin biosynthesis to inhibit primary root elongation in rice. <i>Plant Physiology</i> , 2023, 191, 1953-1967. | 2.3 | 13 |
| 1819 | CRISPR/Cas9-Mediated Multiple Knockouts in Abscisic Acid Receptor Genes Reduced the Sensitivity to ABA during Soybean Seed Germination. <i>International Journal of Molecular Sciences</i> , 2022, 23, 16173. | 1.8 | 4 |
| 1820 | Auxin contributes to jasmonate-mediated regulation of abscisic acid signaling during seed germination in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2023, 35, 1110-1133. | 3.1 | 26 |
| 1821 | Abscisic acid increases hydrogen peroxide in mitochondria to facilitate stomatal closure. <i>Plant Physiology</i> , 2023, 192, 469-487. | 2.3 | 17 |
| 1822 | Abscisic Acid Perception and Signaling in <i>Chenopodium quinoa</i> . <i>Stresses</i> , 2023, 3, 22-32. | 1.8 | 1 |
| 1823 | Transcriptome analysis reveals differential transcription in tomato (<i>Solanum lycopersicum</i>) following inoculation with <i>Ralstonia solanacearum</i> . <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 2 |
| 1824 | Pepper <i>Scp>SnRK2</scp>.6</i> activated <i>Scp>MEKK</scp></i> protein <i>Scp>CaMEKK23</scp></i> is directly and indirectly modulated by clade A <i>Scp>PP2Cs</scp></i> in response to drought stress. <i>New Phytologist</i> , 2023, 238, 237-251. | 3.5 | 4 |
| 1825 | The battle of crops against drought: Genetic dissection and improvement. <i>Journal of Integrative Plant Biology</i> , 2023, 65, 496-525. | 4.1 | 25 |
| 1826 | Root ABA Accumulation Delays Lateral Root Emergence in Osmotically Stressed Barley Plants by Decreasing Root Primordial IAA Accumulation. <i>International Journal of Plant Biology</i> , 2023, 14, 77-90. | 1.1 | 7 |
| 1827 | ROS-hormone interaction in regulating integrative dé—’ense signaling of plant cell. <i>Biocell</i> , 2023, 47, 503-521. | 0.4 | 2 |
| 1828 | Transcriptome Profiling of <i>Gossypium anomalum</i> Seedlings Reveals Key Regulators and Metabolic Pathways in Response to Drought Stress. <i>Plants</i> , 2023, 12, 312. | 1.6 | 1 |
| 1829 | Elucidating the unknown transcriptional responses and PHR1-mediated biotic and abiotic stress tolerance during phosphorus limitation. <i>Journal of Experimental Botany</i> , 2023, 74, 2083-2111. | 2.4 | 2 |
| 1830 | Shared and Related Molecular Targets and Actions of Salicylic Acid in Plants and Humans. <i>Cells</i> , 2023, 12, 219. | 1.8 | 3 |
| 1831 | The C ₂ H ₂ -type zinc finger transcription factor OSIC1 positively regulates stomatal closure under osmotic stress in poplar. <i>Plant Biotechnology Journal</i> , 2023, 21, 943-960. | 4.1 | 3 |
| 1832 | Responsive Transcriptome Analysis of <i>Senecio vulgaris</i> L. Under Different Drought Stresses. <i>Journal of Plant Growth Regulation</i> , 0, , . | 2.8 | 0 |
| 1833 | Functions and interaction of plant lipid signalling under abiotic stresses. <i>Plant Biology</i> , 2023, 25, 361-378. | 1.8 | 8 |
| 1835 | Abscisic acid agonists suitable for optimizing plant water use. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1836 | Role of phytohormones in plant response to drought and salinity stresses. , 2023, , 109-128. | | 0 |
| 1837 | Do Opposites Attract? Auxin-Absciscic Acid Crosstalk: New Perspectives. International Journal of Molecular Sciences, 2023, 24, 3090. | 1.8 | 5 |
| 1839 | ASR1 and ASR2, Two Closely Related ABA-Induced Serine-Rich Transcription Repressors, Function Redundantly to Regulate ABA Responses in Arabidopsis. Plants, 2023, 12, 852. | 1.6 | 1 |
| 1840 | Transcriptional landscape of Brachypodium distachyon roots during interaction with Bacillus velezensis strain B26. Genomics, 2023, 115, 110583. | 1.3 | 1 |
| 1842 | The abscisic acidâ€‘responsive element binding factors MAPKKK18 module regulates abscisic acidâ€‘induced leaf senescence in Arabidopsis. Journal of Biological Chemistry, 2023, 299, 103060. | 1.6 | 8 |
| 1843 | Genome-wide identification of the ABA receptor PYL gene family and expression analysis in Prunus avium L. Scientia Horticulturae, 2023, 313, 111919. | 1.7 | 5 |
| 1844 | Surviving the enemies: Regulatory mechanisms of stomatal function in response to drought and salt stress. Environmental and Experimental Botany, 2023, 209, 105291. | 2.0 | 3 |
| 1845 | Pepper clade A PP2C, CaSIP1, negatively modulates drought resistance by suppressing CaSnRK2.6 kinase activity. Environmental and Experimental Botany, 2023, 209, 105275. | 2.0 | 1 |
| 1846 | Fruit crops combating drought: Physiological responses and regulatory pathways. Plant Physiology, 2023, 192, 1768-1784. | 2.3 | 4 |
| 1848 | A hierarchical model of ABA-mediated signal transduction in tea plant revealed by systematic genome mining analysis and interaction validation. Tree Physiology, 0, , . | 1.4 | 0 |
| 1849 | The roles of abscisic acid and ethylene in cadmium accumulation and tolerance in plants. Plant and Soil, 0, , . | 1.8 | 1 |
| 1850 | U-box E3 ubiquitin ligase PUB8 attenuates abscisic acid responses during early seedling growth. Plant Physiology, 2023, 191, 2519-2533. | 2.3 | 3 |
| 1851 | Exogenous gibberellic acid shortening after-ripening process and promoting seed germination in a medicinal plant Panax notoginseng. BMC Plant Biology, 2023, 23, . | 1.6 | 4 |
| 1852 | Protein phosphatases and their targets: Comprehending the interactions in plant signaling pathways. Advances in Protein Chemistry and Structural Biology, 2023, , 307-370. | 1.0 | 1 |
| 1853 | Tiller Number1 encodes an ankyrin repeat protein that controls tillering in bread wheat. Nature Communications, 2023, 14, . | 5.8 | 12 |
| 1854 | Identification of Pyrabactin resistance 1-like (PYL) genes in Brachypodium distachyon and functional characterization of BdPYL5. Journal of Plant Physiology, 2023, 283, 153949. | 1.6 | 0 |
| 1856 | Role of phytohormones in regulating agronomically important seed traits in crop plants. , 2023, , 65-88. | | 2 |
| 1857 | The main fungal pathogens and defense-related hormonal signaling in crops. , 2023, , 307-331. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1858 | Traces of Introgression from cAus into Tropical Japonica Observed in African Upland Rice Varieties. Rice, 2023, 16, . | 1.7 | 1 |
| 1860 | OsWR2 recruits HDA704 to regulate the deacetylation of H4K8ac in the promoter of <i>OsABI5</i> in response to drought stress. Journal of Integrative Plant Biology, 2023, 65, 1651-1669. | 4.1 | 1 |
| 1861 | Response of ABA and JA to Salt Stress in Plants. Bioprocess, 2023, 13, 33-38. | 0.1 | 0 |
| 1862 | Disruption of the ABA1 encoding zeaxanthin epoxidase caused defective suberin layers in Arabidopsis seed coats. Frontiers in Plant Science, 0, 14, . | 1.7 | 1 |
| 1864 | The bZIP transcription factor SIAREB1 regulates anthocyanin biosynthesis in response to low temperature in tomato. Plant Journal, 2023, 115, 205-219. | 2.8 | 6 |
| 1865 | Advances in the Research on Plant WRKY Transcription Factors Responsive to External Stresses. Current Issues in Molecular Biology, 2023, 45, 2861-2880. | 1.0 | 9 |
| 1866 | Phosphorylation of OsRbohB by the protein kinase OsDMI3 promotes H2O2 production to potentiate ABA responses in rice. Molecular Plant, 2023, 16, 882-902. | 3.9 | 13 |
| 1867 | Structure-guided engineering of a receptor-agonist pair for inducible activation of the ABA adaptive response to drought. Science Advances, 2023, 9, . | 4.7 | 6 |
| 1868 | The evolution and diurnal expression patterns of photosynthetic pathway genes of the invasive alien weed, Mikania micrantha. Journal of Integrative Agriculture, 2024, 23, 590-604. | 1.7 | 0 |
| 1869 | Expression and interaction analysis between BjuLKP2 and BjuPP2C52 in B. juncea. South African Journal of Botany, 2023, 157, 484-489. | 1.2 | 0 |
| 1885 | Inspired by Nature: Isostere Concepts in Plant Hormone Chemistry. Journal of Agricultural and Food Chemistry, 2023, 71, 18141-18168. | 2.4 | 5 |
| 1891 | Plant NADPH Oxidases. , 2023, , 445-465. | | 1 |
| 1892 | Use of plant-defense hormones against pathogen diseases. , 2023, , 305-334. | | 0 |
| 1897 | Insight into the Interaction of Strigolactones, Absciscic Acid, and Reactive Oxygen Species Signals. , 2023, , 179-211. | | 1 |
| 1912 | Physiological Effects of Bicarbonate on Plants. , 2023, , 15-54. | | 0 |
| 1923 | Plant physiological and molecular responses triggered by humic based biostimulants - A way forward to sustainable agriculture. Plant and Soil, 2023, 492, 31-60. | 1.8 | 3 |
| 1974 | Understanding plant responses to saline waterlogging: insights from halophytes and implications for crop tolerance. Planta, 2024, 259, . | 1.6 | 1 |
| 1993 | H2S in guard cell signaling. , 2024, , 211-229. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
|---|---------|----|-----------|