

DNA barcoding reveals overlooked marine fishes

Molecular Ecology Resources

9, 237-242

DOI: [10.1111/j.1755-0998.2009.02649.x](https://doi.org/10.1111/j.1755-0998.2009.02649.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Biological identification of springtails (Hexapoda: Collembola) from the Canadian Arctic, using mitochondrial DNA barcodes. Canadian Journal of Zoology, 2004, 82, 749-754.	1.0	227
2	A botanical macroscope. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 12569-12570.	7.1	18
3	Barcoding Nemo: DNA-Based Identifications for the Ornamental Fish Trade. PLoS ONE, 2009, 4, e6300.	2.5	168
4	Preface. Molecular Ecology Resources, 2009, 9, iv-vi.	4.8	14
5	New insights into molecular evolution: prospects from the Barcode of Life Initiative (BOLI). Theory in Biosciences, 2010, 129, 149-157.	1.4	22
6	Molecular and morphological evidence supports the species status of the Mahachai fighter <i>Betta</i> sp. Mahachai and reveals new species of <i>Betta</i> from Thailand. Journal of Fish Biology, 2010, 77, 414-424.	1.6	37
7	Flatfish at seamount hydrothermal vents show strong genetic divergence between volcanic arcs. Marine Ecology, 2010, 31, 158-167.	1.1	19
8	Identifying Fishes through DNA Barcodes and Microarrays. PLoS ONE, 2010, 5, e12620.	2.5	145
9	Marine fish diversity: history of knowledge and discovery (Pisces). Zootaxa, 2010, 2525, 19.	0.5	144
10	Finding of a new freshwater gammarid (<i>Gammarus gageoensis</i>) from South Korea. Animal Cells and Systems, 2010, 14, 59-71.	2.2	2
11	After 7 years and 1000 citations: Comparative assessment of the DNA barcoding and the DNA taxonomy proposals for taxonomists and non-taxonomists. Mitochondrial DNA, 2010, 21, 206-226.	0.6	53
12	DNA Barcodes for Marine Biodiversity: Moving Fast Forward?. Diversity, 2010, 2, 450-472.	1.7	149
13	Using DNA barcodes to connect adults and early life stages of marine fishes from the Yucatan Peninsula, Mexico: potential in fisheries management. Marine and Freshwater Research, 2010, 61, 655.	1.3	100
14	Molecular characterization of relatedness among colour variants of Asian Arowana (<i>Scleropages</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 18	2.2	18
15	Cryptic speciation and the circumpolarity debate: A case study on endemic Southern Ocean octopuses using the COI barcode of life. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 242-249.	1.4	117
16	The actinopterygian diversity of the CEAMARC cruises: Barcoding and molecular taxonomy as a multi-level tool for new findings. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 250-263.	1.4	63
17	DNA Barcoding of Marine Metazoa. Annual Review of Marine Science, 2011, 3, 471-508.	11.6	430
18	Cytochrome c oxidase subunit 1 barcode data of fish of the Nayband National Park in the Persian Gulf and analysis using meta-data flag several cryptic species. Molecular Ecology Resources, 2011, 11, 461-472.	4.8	55

#	ARTICLE	IF	CITATIONS
19	Phylogeography of the Pacific Blueline Surgeonfish, <i>Acanthurus nigroris</i> , Reveals High Genetic Connectivity and a Cryptic Endemic Species in the Hawaiian Archipelago. <i>Journal of Marine Biology</i> , 2011, 2011, 1-17.	1.0	43
20	Carry on sampling!™- assessing marine fish biodiversity and discovery rates in southern Africa. <i>Diversity and Distributions</i> , 2011, 17, 81-92.	4.1	11
21	DNA barcoding highlights a cryptic species of grenadier <i>Macrourus</i> in the Southern Ocean. <i>Journal of Fish Biology</i> , 2011, 78, 355-365.	1.6	45
22	Biological diversity of fish communities: pattern and process. <i>Journal of Fish Biology</i> , 2011, 79, 1393-1412.	1.6	30
23	Identification of herbal medicinal materials using DNA barcodes. <i>Journal of Systematics and Evolution</i> , 2011, 49, 271-283.	3.1	107
24	Using genetic distances in addition to ITS molecular phylogeny to identify potential species in the <i>Parmotrema reticulatum</i> complex: a case study. <i>Lichenologist</i> , 2011, 43, 569-583.	0.8	25
25	<i>Parmelia sulcata</i> (Ascomycota: Parmeliaceae), a sympatric monophyletic species complex. <i>Lichenologist</i> , 2011, 43, 585-601.	0.8	49
26	Biodiversity of arctic marine fishes: taxonomy and zoogeography. <i>Marine Biodiversity</i> , 2011, 41, 109-140.	1.0	196
27	Goodbye morphology? A paradigm shift in the delimitation of species in lichenized fungi. <i>Fungal Diversity</i> , 2011, 50, 59-72.	12.3	178
28	DNA barcoding analysis of fish species diversity in four north Greek lakes. <i>Mitochondrial DNA</i> , 2011, 22, 37-42.	0.6	39
29	DNA barcoding of morid cods reveals deep divergence in the antitropical <i>Halargyreus johnsoni</i> but little distinction between <i>Antimora rostrata</i> and <i>Antimora microlepis</i> . <i>Mitochondrial DNA</i> , 2011, 22, 21-26.	0.6	11
30	Seven new species within western Atlantic <i>Starksia atlantica</i> , <i>S. lepicoelia</i> , and <i>S. sluiteri</i> (Teleostei). <i>Tj ETQq1 1 0.784314 rgBT /Overl</i>	1.1	61
31	A review of marine phylogeography in southern Africa. <i>South African Journal of Science</i> , 2011, 107, .	0.7	132
32	DNA Barcoding Reveals Cryptic Diversity within Commercially Exploited Indo-Malay Carangidae (Teleostei: Perciformes). <i>PLoS ONE</i> , 2012, 7, e49623.	2.5	74
33	Mitochondrial DNA (COI) analyses reveal that amphipod diversity is associated with environmental heterogeneity in deep-sea habitats. <i>Molecular Ecology</i> , 2012, 21, 4885-4897.	3.9	25
34	A DNA Sequence-Based Approach To the Identification of Shark and Ray Species and Its Implications for Global Elasmobranch Diversity and Parasitology. <i>Bulletin of the American Museum of Natural History</i> , 2012, 367, 1-262.	3.4	352
35	Chelex without boiling, a rapid and easy technique to obtain stable amplifiable DNA from small amounts of ethanol-stored spiders. <i>Molecular Ecology Resources</i> , 2012, 12, 136-141.	4.8	230
36	Systematics of the grey mullets (Teleostei: Mugiliformes: Mugilidae): Molecular phylogenetic evidence challenges two centuries of morphology-based taxonomy. <i>Molecular Phylogenetics and Evolution</i> , 2012, 64, 73-92.	2.7	134

#	ARTICLE	IF	CITATIONS
37	FISH-BOL, A Case Study for DNA Barcodes. <i>Methods in Molecular Biology</i> , 2012, 858, 423-439.	0.9	36
38	DNA Barcodes. <i>Methods in Molecular Biology</i> , 2012, , .	0.9	37
39	Natural Resources, Sustainability and Humanity. , 2012, , .		2
40	DNA Barcoding of Recently Diverged Species: Relative Performance of Matching Methods. <i>PLoS ONE</i> , 2012, 7, e30490.	2.5	144
41	DNA barcodes reveal cryptic genetic diversity within the blackfly subgenus <i>Trichodagmia</i> Enderlein (Diptera: Simuliidae: Simulium) and related taxa in the New World. <i>Zootaxa</i> , 2012, 3514, 43.	0.5	40
42	Discrimination of freshwater fish species by Matrix-Assisted Laser Desorption/Ionization- Time Of Flight Mass Spectrometry (MALDI-TOF MS): a pilot study. <i>Journal of Limnology</i> , 2012, 71, 17.	1.1	49
43	The Contribution of the Barcode of Life Initiative to the Discovery and Monitoring of Biodiversity. , 2012, , 37-68.		8
44	A critical review on the utility of DNA barcoding in biodiversity conservation. <i>Biodiversity and Conservation</i> , 2012, 21, 1901-1919.	2.6	128
45	High genetic diversity within <i>Epimeria georgiana</i> (Amphipoda) from the southern Scotia Arc. <i>Marine Biodiversity</i> , 2012, 42, 137-159.	1.0	9
46	Cryptic diversity in flathead fishes (<i>Scombriformes: Scombridae</i>) across the Indo-West Pacific uncovered by DNA barcoding. <i>Molecular Ecology Resources</i> , 2013, 13, 32-42.	4.8	76
47	Barcoding Atlantic Canada's commonly encountered marine fishes. <i>Molecular Ecology Resources</i> , 2013, 13, 177-188.	4.8	69
48	A new beach-hopper, <i>Platorchestia parapacifica</i> n. sp. (Amphipoda: Talitridae), from South Korea, with molecular phylogeny of the genus <i>Platorchestia</i> . <i>Journal of Crustacean Biology</i> , 2013, 33, 828-842.	0.8	8
49	Molecular comparison of geographically extreme populations of fish species of wide Indo-Pacific distribution. <i>Israel Journal of Ecology and Evolution</i> , 2013, 59, 197-200.	0.6	5
51	<i>Sphyrna gilberti</i> sp. nov., a new hammerhead shark (Carcharhiniformes, Sphyrnidae) from the western Atlantic Ocean. <i>Zootaxa</i> , 2013, 3702, 159.	0.5	31
52	Barcoding of Asian seabass across its geographic range provides evidence for its bifurcation into two distinct species. <i>Frontiers in Marine Science</i> , 2014, 1, .	2.5	21
53	The use of DNA barcode evidence for inferring species of <i>Chlorophthalmus</i> (Aulopiformes.) <i>TJ ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i>	1.3	2
54	Development of DNA microarray for species identification of eels (Anguilliformes and Myxiniformes) in Korean fisheries markets. <i>Biochip Journal</i> , 2014, 8, 310-316.	4.9	3
55	Replicate divergence between and within sounds in a marine fish: the copper rockfish (<i>Scomberomorus caurinus</i>). <i>Molecular Ecology</i> , 2014, 23, 575-590.	3.9	14

#	ARTICLE	IF	CITATIONS
56	Southeast Asian mouth-brooding Betta fighting fish (Teleostei: Perciformes) species and their phylogenetic relationships based on mitochondrial COI and nuclear ITS1 DNA sequences and analyses. <i>Meta Gene</i> , 2014, 2, 862-879.	0.6	16
57	Mitochondrial phylogenetics of a rare Mexican endemic: Nelson's woodrat, <i>Neotoma nelsoni</i> (Rodentia: Cricetidae), with comments on its biogeographic history. <i>Southwestern Naturalist</i> , 2014, 59, 81-90.	0.1	2
58	Intracortical haematogenous osteomyelitis. <i>Annals of the Royal College of Surgeons of England</i> , 2014, 96, e13-e16.	0.6	3
59	A reliable DNA barcode reference library for the identification of the North European shelf fish fauna. <i>Molecular Ecology Resources</i> , 2014, 14, 1060-1071.	4.8	93
60	Identification of gobies (Teleostei: Perciformes: Gobiidae) from the North and Baltic Seas combining morphological analysis and DNA barcoding. <i>Zoological Journal of the Linnean Society</i> , 2014, 172, 831-845.	2.3	20
61	DNA-based identification methods of prey fish from stomach contents of 12 species of eastern North Pacific groundfish. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2014, 85, 110-117.	1.4	28
62	Biodiversity of the <i>Betta smaragdina</i> (Teleostei: Perciformes) in the northeast region of Thailand as determined by mitochondrial COI and nuclear ITS1 gene sequences. <i>Meta Gene</i> , 2014, 2, 83-95.	0.6	15
63	16S rRNA is a better choice than COI for DNA barcoding hydrozoans in the coastal waters of China. <i>Acta Oceanologica Sinica</i> , 2014, 33, 55-76.	1.0	78
64	Local genetic patchiness but no regional differences between Indo-West Pacific populations of the dogtooth tuna <i>Gymnosarda unicolor</i> . <i>Marine Ecology - Progress Series</i> , 2014, 506, 267-277.	1.9	9
65	Implications of Molecular Phylogeny for the Taxonomy of Mugilidae. , 2015, , 32-51.		3
66	Deep-water observation of scalloped hammerhead <i>Sphyrna lewini</i> in the western Indian Ocean off Tanzania. <i>Marine Biodiversity Records</i> , 2015, 8, .	1.2	16
67	Adding nuclear rhodopsin data where mitochondrial COI indicates discrepancies – can this marker help to explain conflicts in cyprinids?. <i>DNA Barcodes</i> , 2015, 3, .	1.2	21
68	Population genetics of four heavily exploited shark species around the Arabian Peninsula. <i>Ecology and Evolution</i> , 2015, 5, 2317-2332.	1.9	28
70	Fiddling with the proof: the Magpie Fiddler Ray is a colour pattern variant of the common Southern Fiddler Ray (Rhinobatidae: Trygonorrhina). <i>Zootaxa</i> , 2015, 3981, 367-84.	0.5	15
71	A Tale of Three Tails: Cryptic Speciation in a Globally Distributed Marine Fish of the Genus <i>Seriola</i> . <i>Copeia</i> , 2015, 103, 357-368.	1.3	55
72	DNA barcoding of <i>Rhododendron</i> (Ericaceae), the largest Chinese plant genus in biodiversity hotspots of the Himalaya – Hengduan Mountains. <i>Molecular Ecology Resources</i> , 2015, 15, 932-944.	4.8	101
73	A new record of <i>Sebastes koreanus</i> from China based on morphological characters and DNA barcoding. <i>Chinese Journal of Oceanology and Limnology</i> , 2015, 33, 590-596.	0.7	3
74	Long forsaken species diversity in the Middle American lizard <i>Holcosus undulatus</i> (Teiidae). <i>Zoological Journal of the Linnean Society</i> , 2015, 175, 189-210.	2.3	14

#	ARTICLE	IF	CITATIONS
75	Genetic assessment of ornamental fish species from North East India. <i>Gene</i> , 2015, 555, 382-392.	2.2	22
76	Molecular diversity of Germany's freshwater fishes and lampreys assessed by DNA barcoding. <i>Molecular Ecology Resources</i> , 2015, 15, 562-572.	4.8	61
77	What barcode sequencing reveals about the shark fishery in Peru. <i>Fisheries Research</i> , 2015, 161, 34-41.	1.7	23
78	The Application of DNA Barcodes in the Authenticity Identification of Marine Fishes. <i>Advance Journal of Food Science and Technology</i> , 2016, 11, 605-610.	0.1	0
79	Exploring Canadian Echinoderm Diversity through DNA Barcodes. <i>PLoS ONE</i> , 2016, 11, e0166118.	2.5	39
80	DNA barcoding of deep-water notacanthiform fishes (Teleostei, Elopomorpha). <i>Zoologica Scripta</i> , 2016, 45, 263-272.	1.7	6
81	DNA Barcoding for the Identification of Botanicals in Herbal Medicine and Dietary Supplements: Strengths and Limitations. <i>Planta Medica</i> , 2016, 82, 1225-1235.	1.3	143
82	Taxonomic assessment of sharks, rays and guitarfishes (Chondrichthyes: Elasmobranchii) from south-eastern Arabia, using the NADH dehydrogenase subunit 2 (NADH2) gene. <i>Zoological Journal of the Linnean Society</i> , 2016, 176, 399-442.	2.3	45
83	Validation of the synonymy of the teleost blennioid fish species <i>Salarias phantasticus</i> Boulenger 1897 and <i>Salarias anomalus</i> Regan 1905 with <i>Ecsenius pulcher</i> (Murray 1887) based on DNA barcoding and morphology. <i>Zootaxa</i> , 2016, 4072, 171-84.	0.5	1
84	DNA Barcoding in Marine Perspectives. , 2016, , .		4
85	DNA Barcoding in the Marine Habitat: An Overview. , 2016, , 3-28.		3
86	DNA Barcoding of Marine Fishes: Prospects and Challenges. , 2016, , 285-299.		5
87	DNA Barcoding: A Tool to Assess and Conserve Marine Biodiversity. , 2016, , 43-61.		1
88	Two new cryptic and sympatric species of the king crab parasite <i>Briarosaccus</i> (Cirripedia: Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.3	11
89	Integrative approach revises the frequently misidentified species of <i>Sardinella</i> (Clupeidae) of the Indo-West Pacific Ocean. <i>Journal of Fish Biology</i> , 2016, 89, 2282-2305.	1.6	17
90	Integrative analyses unveil speciation linked to host plant shift in <i>Scipalia</i> butterflies. <i>Molecular Ecology</i> , 2016, 25, 4267-4284.	3.9	44
91	Assembling and auditing a comprehensive DNA barcode reference library for European marine fishes. <i>Journal of Fish Biology</i> , 2016, 89, 2741-2754.	1.6	30
92	Halosaur fishes (Notacanthiformes: Halosauridae) from Atlantic Spanish waters according to integrative taxonomy. <i>Zootaxa</i> , 2016, 4184, 471.	0.5	6

#	ARTICLE	IF	CITATIONS
93	Morphological and genetic analysis of sympatric dace within the <i>Rhinichthys cataracta</i> species complex: a case of isolation lost. <i>Biological Journal of the Linnean Society</i> , 2016, 117, 547-563.	1.6	6
94	DNA barcoding of commercially important Grouper species (Perciformes, Serranidae) in the Philippines. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 3837-3845.	0.7	22
95	Role of DNA barcoding in marine biodiversity assessment and conservation: An update. <i>Saudi Journal of Biological Sciences</i> , 2016, 23, 161-171.	3.8	89
96	DNA barcoding to fishes: current status and future directions. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 2744-2752.	0.7	43
97	Comparative phylogeography of the western Indian Ocean reef fauna. <i>Acta Oecologica</i> , 2016, 72, 72-86.	1.1	35
98	DNA barcoding reveals mislabeling of imported fish products in Nansha new port of Guangzhou, Guangdong province, China. <i>Food Chemistry</i> , 2016, 202, 116-119.	8.2	10
99	DNA barcoding of coastal ichthyofauna from Bahia, northeastern Brazil, South Atlantic: High efficiency for systematics and identification of cryptic diversity. <i>Biochemical Systematics and Ecology</i> , 2016, 65, 214-224.	1.3	12
100	DNA barcoding of feral tilapias in Philippine lakes. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 4302-4313.	0.7	3
101	Pruning the Pearlsides: Reconciling morphology and molecules in mesopelagic fishes (<i>Maurollicus</i>). <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	1.4	12
102	High intra-ocean, but limited inter-ocean genetic connectivity in populations of the deep-water oblique-banded snapper <i>Pristipomoides zonatus</i> (Pisces: Lutjanidae). <i>Fisheries Research</i> , 2017, 193, 242-249.	1.7	12
103	Mayfly and fish species identification and sex determination in bleak (<i>Alburnus alburnus</i>) by MALDI-TOF mass spectrometry. <i>Science of the Total Environment</i> , 2017, 601-602, 317-325.	8.0	9
104	DNA barcoding of vouchered xylarium wood specimens of nine endangered <i>Dalbergia</i> species. <i>Planta</i> , 2017, 246, 1165-1176.	3.2	44
105	Early developmental stages of the Cockatoo righteye flounder <i>Samaris cristatus</i> gray, 1831 (Pleuronectiformes: Samaridae) from the South China Sea, identified using DNA barcoding. <i>Russian Journal of Marine Biology</i> , 2017, 43, 419-424.	0.6	0
106	<sc>DNA</sc> barcodes of the native ray-finned fishes in Taiwan. <i>Molecular Ecology Resources</i> , 2017, 17, 796-805.	4.8	62
107	Morphological characteristics and DNA barcoding of <i>Pampus echinogaster</i> (Basilewsky, 1855). <i>Acta Oceanologica Sinica</i> , 2017, 36, 18-23.	1.0	10
108	Discriminating European cyprinid specimens by barcode high-resolution melting analysis (Bar-HRM)â€”A cost efficient and faster way for specimen assignment?. <i>Fisheries Research</i> , 2018, 204, 61-73.	1.7	18
109	Cryptic species and parallel genetic structuring in Lethrinid fish: Implications for conservation and management in the southwest Indian Ocean. <i>Ecology and Evolution</i> , 2018, 8, 2182-2195.	1.9	16
110	DNA barcoding of the fishes of the genus <i>Alburnoides</i> (Actinopterygii, Cyprinidae) from Caucasus. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018, 29, 49-55.	0.7	18

#	ARTICLE	IF	CITATIONS
111	DNA barcoding from the hooked squids (Cephalopods: Onychoteuthidae) of the Sargasso Sea. <i>Hydrobiologia</i> , 2018, 808, 107-113.	2.0	2
112	DNA barcoding and phylogenetic analysis of five ascidians (Phlebobranchia) distributed in Gulf of Mannar, India. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018, 29, 581-586.	0.7	3
113	New insights into the systematics of North Atlantic Gaidropsarus (Gadiformes, Gadidae): flagging synonymies and hidden diversity. <i>Marine Biology Research</i> , 2018, 14, 17-29.	0.7	5
114	DNA barcoding post-larvae can improve the knowledge about fish biodiversity: an example from La Reunion, SW Indian Ocean. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018, 29, 905-918.	0.7	21
115	Diagnostic description and geographic distribution of four new cryptic species of the blue-spotted maskray species complex (Myliobatoidei: Dasyatidae; Neotrygon spp.) based on DNA sequences. <i>Journal of Oceanology and Limnology</i> , 2018, 36, 827-841.	1.3	19
116	Species limits in the Morelet's Alligator lizard (Anguillidae: Gerrhonotinae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 120, 16-27.	2.7	10
117	Morphological characters and DNA barcoding of <i>Syngnathus schlegeli</i> in the coastal waters of China. <i>Journal of Oceanology and Limnology</i> , 2018, 36, 537-547.	1.3	3
118	Genetic identification of two mudskipper species (Pisces: Gobiidae) from Bogowonto Lagoon (Yogyakarta, Indonesia) using COI mitochondrial gene as a DNA barcoding marker. <i>AIP Conference Proceedings</i> , 2018, , .	0.4	2
119	High-Throughput Sequencing for the Authentication of Food Products: Problems and Perspectives. <i>Russian Journal of Genetics</i> , 2018, 54, 1003-1012.	0.6	2
120	Rediscovery and elaborate description of <i>Platycephalus cultellatus</i> Richardson, 1846 collected from the coastal waters of South China Sea. <i>Aquatic Living Resources</i> , 2018, 31, 32.	1.2	2
121	Absence of spatial genetic structure in common dentex (<i>Dentex dentex</i> Linnaeus, 1758) in the Mediterranean Sea as evidenced by nuclear and mitochondrial molecular markers. <i>PLoS ONE</i> , 2018, 13, e0203866.	2.5	8
122	Analysis of 16S mitochondrial ribosomal DNA sequence variations and phylogenetic relations among some Serranidae fishes. <i>South African Journal of Animal Sciences</i> , 2019, 49, 80.	0.5	7
123	A new species of <i>Parasesarma</i> (Decapoda: Brachyura: Sesarmidae) from northern Australian mangroves and its distinction from morphologically similar species. <i>Zoologischer Anzeiger</i> , 2019, 279, 116-125.	0.9	9
124	DNA barcoding of <i>Corydalis</i> , the most taxonomically complicated genus of Papaveraceae. <i>Ecology and Evolution</i> , 2019, 9, 1934-1945.	1.9	23
125	Cryptic lineages in the Wolf Cardinalfish living in sympatry on remote coral atolls. <i>Molecular Phylogenetics and Evolution</i> , 2019, 132, 183-193.	2.7	6
126	Molecular identification of <i>Bathymaster</i> spp. (Bathymasteridae) larvae in the Gulf of Alaska and eastern Bering Sea. <i>Marine Biodiversity</i> , 2019, 49, 539-545.	1.0	1
127	Analysis of mtCOI and 18S rRNA Sequence-Based Characterization of Recently Commercialized Marine Edible Pufferfishes. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2020, 90, 391-403.	1.0	1
128	Genetic characterization of striped snakehead (<i>Channa striata</i> Bloch, 1793) from Arut River, Central Kalimantan inferred from COI mitochondrial gene. <i>AIP Conference Proceedings</i> , 2020, , .	0.4	1

#	ARTICLE	IF	CITATIONS
129	Identification of Species in Genus <i>Platycephalus</i> from Seas of China. <i>Journal of Ocean University of China</i> , 2020, 19, 417-427.	1.2	7
130	DNA barcoding flags the existence of sympatric cryptic species in the slender codling <i>Halargyreus johnsonii</i> Günther, 1862 (Gadiformes, Moridae). <i>Marine Biodiversity</i> , 2020, 50, 1.	1.0	5
131	Assessing species diversity of Coral Triangle artisanal fisheries: A DNA barcode reference library for the shore fishes retailed at Ambon harbor (Indonesia). <i>Ecology and Evolution</i> , 2020, 10, 3356-3366.	1.9	21
132	Inconspicuous genetic and morphological patterns challenge the taxonomic status of endemic species <i>Bodianus insularis</i> (Labridae). <i>Zoologischer Anzeiger</i> , 2020, 286, 43-51.	0.9	2
133	Emerging global novelty in phyllobothriidean tapeworms (Cestoda: Phyllobothriidea) from sharks and skates (Elasmobranchii). <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 1336-1363.	2.3	8
134	Spatial Fingerprinting: Horizontal Fusion of Multi-Dimensional Bio-Tracers as Solution to Global Food Provenance Problems. <i>Foods</i> , 2021, 10, 717.	4.3	3
135	Composition and diversity of larval fish in the Indian Ocean using morphological and molecular methods. <i>Marine Biodiversity</i> , 2021, 51, 1.	1.0	6
136	Molecular characterization and phylogenetic analysis of crabs (Crustacea: Decapoda: Brachyura) based on mitochondrial COI and 16S rRNA genes. <i>Conservation Genetics Resources</i> , 2021, 13, 291-301.	0.8	0
137	Phylogenomics of <i>Palythoa</i> (Hexacorallia: Scleractinia): probing species boundaries in a globally distributed genus. <i>Coral Reefs</i> , 0, , 1.	2.2	2
138	An Insight into the Threadfin (Perciformes: Polynemidae) Diversity of Indian Waters using Mitochondrial COI Signatures. <i>Thalassas</i> , 2021, 37, 689-700.	0.5	2
139	Exploring Deep-Sea Biodiversity in the Porcupine Bank (NE Atlantic) through Fish Integrative Taxonomy. <i>Journal of Marine Science and Engineering</i> , 2021, 9, 1075.	2.6	4
140	Molecular evidence of three species in the <i>Pseudocaranx dentex</i> complex (Carangidae) in Australian waters. <i>Marine and Freshwater Research</i> , 2020, 71, 518.	1.3	5
141	Barcoding and Border Biosecurity: Identifying Cyprinid Fishes in the Aquarium Trade. <i>PLoS ONE</i> , 2012, 7, e28381.	2.5	122
142	Identification of Rays through DNA Barcoding: An Application for Ecologists. <i>PLoS ONE</i> , 2012, 7, e36479.	2.5	62
143	DNA Barcoding for Species Assignment: The Case of Mediterranean Marine Fishes. <i>PLoS ONE</i> , 2014, 9, e106135.	2.5	92
144	Barcoding Atlantic Canada's mesopelagic and upper bathypelagic marine fishes. <i>PLoS ONE</i> , 2017, 12, e0185173.	2.5	25
145	First record of <i>Piscicapillaria bursata</i> (Nematoda: Capillariidae), a parasite of hammerhead sharks <i>Sphyrna</i> spp., in the western Atlantic Ocean. <i>Diseases of Aquatic Organisms</i> , 2020, 138, 133-136.	1.0	2
146	How reliably can northeast Atlantic sand lances of the genera <i>Ammodytes</i> and <i>Hyperoplus</i> be distinguished? A comparative application of morphological and molecular methods. <i>ZooKeys</i> , 2016, 617, 139-164.	1.1	12

#	ARTICLE	IF	CITATIONS
147	New identification of the moray eel <i>Gymnothorax minor</i> (Temminck & Schlegel, 1846) in China (Anguilliformes, Muraenidae). <i>ZooKeys</i> , 2018, 752, 149-161.	1.1	4
148	DNA Barcoding of <i>Lates calcarifer</i> (Bloch, 1970). <i>Research Journal of Biological Sciences</i> , 2010, 5, 414-419.	0.1	14
149	First Record of <i>Platorchestia monodi</i> (Crustacea: Amphipoda: Talitridae) from the Pacific Region. <i>Animal Systematics, Evolution and Diversity</i> , 2011, 27, 205-212.	0.2	1
150	Using DNA Barcodes to Aid the Identification of Larval Fishes in Tropical Estuarine Waters (Malacca) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 262 T</i>	0.3	11
151	DNA barcoding of commercially important reef fishes in Weh Island, Aceh, Indonesia. <i>PeerJ</i> , 2020, 8, e9641.	2.0	19
152	The mitochondrial genome of <i>Chaeturichthys stigmatias</i> provides novel insight into the interspecific difference with <i>Amblychaeturichthys hexanema</i> . <i>Acta Oceanologica Sinica</i> , 2021, 40, 74-81.	1.0	1
153	Habitats and benthic biodiversity across a tropical estuarine-marine gradient in the eastern Kimberley region of Australia. <i>Regional Studies in Marine Science</i> , 2021, 49, 102039.	0.7	1
154	Storage of Karyotyped Voucher Specimens and their Molecular Identification. , 2015, , 11-20.		0
155	A Review on DNA Barcoding on Fish Taxonomy in India. , 2018, , 259-280.		1
156	DNA Barcoding of Rays from the South China Sea. , 2018, , 229-244.		0
157	Molecular characterization of nearshore baitfish populations in Bermuda to inform management. <i>PeerJ</i> , 2019, 7, e7244.	2.0	0
158	A Review on DNA Barcoding on Fish Taxonomy in India. , 2020, , 153-175.		2
160	Combined phylogeny and new classification of catsharks (Chondrichthyes: Elasmobranchii): <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 T</i>	2.3	5
162	Delimitation of Tigertooth Croaker Species (Teleostei: Sciaenidae) from the Western Arabian Gulf Using an Integrative Approach, with a Description of sp. nov. <i>Zoological Studies</i> , 2019, 58, e10.	0.3	5
163	DNA Barcode and Phylogenetic Analysis of Serranidae Fish (subfamily: Epinephelinae) From a Tropical Island Ecosystem of the Indian Ocean. <i>Thalassas</i> , 2022, 38, 843-853.	0.5	2
164	Diversity of fishes collected with light traps in the oldest marine protected area in Vietnam revealed by DNA barcoding. <i>Marine Biodiversity</i> , 2022, 52, 1.	1.0	5
165	A comprehensive DNA barcode inventory of Austria's fish species. <i>PLoS ONE</i> , 2022, 17, e0268694.	2.5	2
166	Deeper in the blues: DNA barcoding of fishes from Pakistani coast of the Arabian Sea reveals overlooked genetic diversity. <i>Marine Biodiversity</i> , 2022, 52, .	1.0	3

#	ARTICLE	IF	CITATIONS
167	Fish Diversity along the Mekong River and Delta Inferred by Environmental-DNA in a Period of Dam Building and Downstream Salinization. <i>Diversity</i> , 2022, 14, 634.	1.7	1
168	Palaeoclimatic changes resulted in range expansion and subsequent divergence in brown fur seals, <i>Arctocephalus pusillus</i> . <i>Biology Letters</i> , 2022, 18, .	2.3	0
169	First report of <i>Ernogrammus zhirnenskii</i> Markevich & Kharin, 2011 (Perciformes: Stichaeidae) in Dokdo, Korea. <i>Fisheries and Aquatic Sciences</i> , 2022, 25, 489-497.	0.8	0
170	Species identification and molecular analysis of terubuk fish from Bengkalis strait (Riau, Indonesia) using COI mitochondrial gene as a barcoding marker. <i>Genetika</i> , 2022, 54, 575-587.	0.4	0
171	eDNA barcoding of <i>Scomberomorus</i> (Scombridae, Actinopterygii) reveals cryptic diversity and misidentifications. <i>ZooKeys</i> , 0, 1135, 157-170.	1.1	0
172	DNA barcoding and misidentification of some marine fish species in Nigerian industrial trawl fishery. <i>Scientific African</i> , 2023, 20, e01662.	1.5	1
173	DNA Barcoding of Fish Species Diversity in Guizhou, China. <i>Diversity</i> , 2023, 15, 203.	1.7	1
174	Using eDNA sampling for species-specific fish detection in tropical oceanic samples: limitations and recommendations for future use. <i>PeerJ</i> , 0, 11, e14810.	2.0	1
175	Phylogenetic placement and molecular dating of hammerhead sharks (Sphyrnidae) based on whole mitogenomes. <i>Marine Biology Research</i> , 2023, 19, 1-12.	0.7	1
176	Taxonomic classification on phylogenetic information appears a debatable approach: Lessons from the order Cypriniformes. <i>Journal of Asia-Pacific Biodiversity</i> , 2023, 16, 306-316.	0.4	0
177	Genetic diversity of spotted scat (<i>Scatophagus argus</i>) in Vietnam based on COI genes. <i>Fisheries and Aquatic Sciences</i> , 2022, 25, 637-647.	0.8	1
178	Phylogenetics of the genus <i>Glossogobius</i> in the Mekong Delta based on the mitochondrial cytochrome b (cytb) gene. <i>Heliyon</i> , 2023, 9, e16106.	3.2	0
179	The use of mtCOI gene sequences in identifying <i>Butis</i> species in the Southwest of Vietnam. <i>Heliyon</i> , 2023, 9, e20139.	3.2	0
180	Molecular characterization of juvenile fish from the Amazon estuary using DNA barcoding approach. <i>PLoS ONE</i> , 2023, 18, e0292232.	2.5	0
181	DNA barcoding of marine fish species in the waters surrounding Hainan Island, northern South China Sea. <i>Frontiers in Marine Science</i> , 0, 10, .	2.5	0
182	Phylogenetic and genetic variation of common mudskippers (<i>Periophthalmus kalolo</i> Lesson, 1831) from the southern coast of Java, Indonesia inferred from the COI mitochondrial gene. <i>Journal of Genetic Engineering and Biotechnology</i> , 2024, 22, 100335.	3.3	0
183	A comprehensive DNA barcoding of Indian freshwater fishes of the Indus River system, Beas. <i>Scientific Reports</i> , 2024, 14, .	3.3	0
184	Molecular species identification of Rockskipper (Pisces: Blenniidae) from Porok Beach (Yogyakarta,) TJ ETQq1 1 0.784314 rgBT /Overl	0.4	0

#	ARTICLE	IF	CITATIONS
185	Unveiling taxonomic diversity in the deep-sea fish genus <i>Notacanthus</i> (Notacanthiformes: Notacanthidae) with description of <i>Notacanthus arronte</i> n. sp.. Journal of Fish Biology, 0, , .	1.6	0