

Transvenous Lead Extraction: Heart Rhythm Society Expert Training, Indications, and Patient Management

Heart Rhythm

6, 1085-1104

DOI: [10.1016/j.hrthm.2009.05.020](https://doi.org/10.1016/j.hrthm.2009.05.020)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Ubiquitin-proteasome system. Cellular and Molecular Life Sciences, 2004, 61, 1601-14.	2.4	26
2	Reciprocal Association of Plasma Adiponectin and Serum C-Reactive Protein Concentration in Haemodialysis Patients with End-Stage Kidney Disease – A Follow-Up Study. Nephron Clinical Practice, 2005, 101, c18-c24.	2.3	35
3	<i>ASDIN</i>: Patency Rates for Angioplasty in the Treatment of Pacemaker-Induced Central Venous Stenosis in Hemodialysis Patients: Results of a Multi-Center Study. Seminars in Dialysis, 2009, 22, 671-676.	0.7	69
4	ICD Lead Design and the Management of Patients with Lead Failure. Cardiac Electrophysiology Clinics, 2009, 1, 173-191.	0.7	4
5	Late Perforation by Cardiac Implantable Electronic Device Leads: Clinical Presentation, Diagnostic Clues, and Management. Clinical Cardiology, 2010, 33, 466-475.	0.7	70
6	Pacemaker and Internal Cardioverter Defibrillator Lead Extraction: A Safe and Effective Surgical Approach. Annals of Thoracic Surgery, 2010, 90, 1411-1417.	0.7	25
7	Pacemaker and Defibrillator Lead Extraction: Predictors of Mortality during Follow-Up. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 209-216.	0.5	57
8	A Survey of the Practice of Lead Extraction in the United States. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 721-726.	0.5	38
9	Transvenous Extraction Performance of Expanded Polytetrafluoroethylene Covered ICD Leads in Comparison to Traditional ICD Leads in Humans. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 1376-1381.	0.5	43
10	Safety of Deferring the Reimplantation of Pacing Systems After Their Removal for Infectious Complications in Selected Patients: A 1-Year Follow-Up Study. Journal of Cardiovascular Electrophysiology, 2010, 21, 540-544.	0.8	9
11	Implantable Cardioverter-Defibrillator in Patients With Hypertrophic Cardiomyopathy: Efficacy and Complications of the Therapy in Long-Term Follow-Up. Journal of Cardiovascular Electrophysiology, 2010, 21, 883-889.	0.8	67
12	Extraction of cardiac rhythm devices: indications, techniques and outcomes for the removal of pacemaker and defibrillator leads. International Journal of Clinical Practice, 2010, 64, 1140-1147.	0.8	64
14	Central Vein Stenosis or Occlusion Associated with Cardiac Rhythm Management Device Leads in Hemodialysis Patients with Ipsilateral Arteriovenous Access: A Retrospective Study of Treatment Using Stents or Stent-Grafts. Journal of Vascular Access, 2010, 11, 293-302.	0.5	21
15	Usefulness of the Evolution mechanical dilator sheath for endocardial lead extraction – preliminary results. Postepy W Kardiologii Interwencyjnej, 2010, 2, 59-65.	0.1	3
16	Think Before You Pull – Not Every Lead Has to Come Out. Circulation: Arrhythmia and Electrophysiology, 2010, 3, 409-412.	2.1	20
17	Outcomes in Patients With Cardiovascular Implantable Electronic Devices and Bacteremia Caused by Gram-Positive Cocci Other Than Staphylococcus Aureus. Circulation: Arrhythmia and Electrophysiology, 2010, 3, 639-645.	2.1	51
18	Extraction of Old Pacemaker or Cardioverter-Defibrillator Leads by Laser Sheath Versus Femoral Approach. Circulation: Arrhythmia and Electrophysiology, 2010, 3, 319-323.	2.1	66
19	Treatment of patients with recurrent or persistent infection of cardiac implantable electronic devices. Europace, 2010, 12, 1275-1281.	0.7	23

#	ARTICLE	IF	CITATIONS
20	Lead Extraction Is Preferred for Lead Revisions and System Upgrades: When Less Is More. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010, 3, 413-424.	2.1	105
21	Cardiac Device Infection— or Not. <i>Circulation</i> , 2010, 121, 1686-1687.	1.6	17
22	Delayed cure from CIED infections: losing only time without risk for patient outcome?. <i>Europace</i> , 2010, 12, 1207-1208.	0.7	1
23	Transvenous removal of endocardial leads with coexisting great vegetation (3.5 cm)—case report. <i>Europace</i> , 2010, 12, 445-446.	0.7	2
24	Strategies to reduce the risk of transvenous lead extraction: an example using a hybrid approach in a patient with a haemodialysis fistula. <i>Europace</i> , 2010, 12, 893-894.	0.7	0
25	Lead removal in young patients in view of lifelong pacing. <i>Europace</i> , 2010, 12, 714-718.	0.7	29
26	Late failure of a single-coil transvenous implantable cardioverter-defibrillator lead associated with conductor separation. <i>Europace</i> , 2010, 12, 1191-1192.	0.7	34
27	Gram-positive occult bacteremia in patients with pacemaker and mechanical valve prosthesis: a difficult therapeutic challenge. <i>Europace</i> , 2010, 12, 999-1002.	0.7	4
28	Dislocation of a non-functional transvenous ventricular pacemaker lead in a child 6 years following abandonment. <i>Europace</i> , 2010, 12, 1652-1654.	0.7	0
29	Is the use of an additional pace/sense lead the optimal strategy for the avoidance of lead extraction in defibrillation lead failure? A single-centre experience. <i>Europace</i> , 2010, 12, 522-526.	0.7	8
30	Strategic choices to reduce implantable cardioverter-defibrillator-related morbidity. <i>Nature Reviews Cardiology</i> , 2010, 7, 376-383.	6.1	9
31	The year in arrhythmias—2009 Part II. <i>Heart Rhythm</i> , 2010, 7, 538-548.	0.3	0
32	Effectiveness of implantable cardioverter-defibrillator lead coil treatments in facilitating ease of extraction. <i>Heart Rhythm</i> , 2010, 7, 890-897.	0.3	23
33	Initial experience with the Evolution mechanical dilator sheath for lead extraction: Safety and efficacy. <i>Heart Rhythm</i> , 2010, 7, 870-873.	0.3	67
34	Multicenter Experience With Extraction of the Sprint Fidelis Implantable Cardioverter-Defibrillator Lead. <i>Journal of the American College of Cardiology</i> , 2010, 56, 646-650.	1.2	88
36	Diagnosis of Cardiac Device—Related Infective Endocarditis After Device Removal. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 673-681.	2.3	45
37	Prevalence of tricuspid regurgitation and pericardial effusions following pacemaker and defibrillator lead extraction. <i>International Journal of Cardiology</i> , 2010, 145, 593-594.	0.8	26
38	L'endocardite infectieuse sur sondes de stimulateurs cardiaques. <i>Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique</i> , 2010, 2010, 11-16.	0.0	2

#	ARTICLE	IF	CITATIONS
39	Cardiac pacing in infants and children. <i>Heart</i> , 2010, 96, 1502-1508.	1.2	46
40	Unusual migration of an abandoned fractured lead. <i>Heart Rhythm</i> , 2010, 7, 1004-1005.	0.3	0
41	Deaths and cardiovascular injuries due to device-assisted implantable cardioverter-defibrillator and pacemaker lead extraction. <i>Europace</i> , 2010, 12, 395-401.	0.7	237
42	Extraction of transvenous leads in the operating room versus electrophysiology laboratory: A comparative study. <i>Heart Rhythm</i> , 2011, 8, 1001-1005.	0.3	33
43	Positron emission tomography in patients with suspected pacing system infections may play a critical role in difficult cases. <i>Heart Rhythm</i> , 2011, 8, 1478-1481.	0.3	105
44	Transvenous Lead Removal. <i>Journal of Arrhythmia</i> , 2011, 27, 350-352.	0.5	1
45	ICD Lead Extraction. <i>Cardiac Electrophysiology Clinics</i> , 2011, 3, 359-372.	0.7	1
46	Defining the appropriate venue for lead extraction: A place for everything. <i>Heart Rhythm</i> , 2011, 8, 1006-1007.	0.3	6
47	Should Every Broken Lead Be Extracted?. <i>Cardiac Electrophysiology Clinics</i> , 2011, 3, 663-673.	0.7	0
48	Impact of Implanted Recalled Sprint Fidelis Lead on Patient Mortality. <i>Journal of the American College of Cardiology</i> , 2011, 58, 278-283.	1.2	36
49	Comparison of outcomes in patients with abandoned versus extracted implantable cardioverter defibrillator leads. <i>Archives of Cardiovascular Diseases</i> , 2011, 104, 572-577.	0.7	26
50	The dilemma of transvenous cardiac rhythm devices in hemodialysis patients: time to consider the epicardial approach?. <i>Kidney International</i> , 2011, 79, 1267-1269.	2.6	15
51	Strange echocardiographic finding after transvenous lead extraction in a patient with lead-associated infective endocarditis. <i>Europace</i> , 2011, 13, 1355-1356.	0.7	1
52	Impact of timing of device removal on mortality in patients with cardiovascular implantable electronic device infections. <i>Heart Rhythm</i> , 2011, 8, 1678-1685.	0.3	161
53	Lead Fracture: Incidence, Diagnosis and Preventing Inappropriate ICD Therapy. <i>Cardiac Electrophysiology Clinics</i> , 2011, 3, 409-420.	0.7	0
55	Guidelines for Managing Pacemaker and Implantable Defibrillator Advisories. , 2011, , 1028-1039.		1
56	Cardiac Rhythm Management Device Infections: Imaging Examinations to Direct Replacement Timing. , 0, , ,		0
58	Complex percutaneous extraction of a 15-year-old atrial lead dislodged into the subclavian vein. <i>Archives of Medical Science</i> , 2011, 1, 164-167.	0.4	4

#	ARTICLE	IF	CITATIONS
60	High Midâ€Term Mortality Following Successful Lead Extraction for Infection. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 32-36.	0.5	26
61	Long-Term Outcomes after Pocket or Scar Revision and Reimplantation of Pacemakers with Preerosion. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 150-154.	0.5	12
62	Management of Symptomatic Inadvertently Placed Endocardial Leads in the Left Ventricle. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 1192-1200.	0.5	22
63	Percutaneous Lead and System Extraction in Patients with Cardiac Resynchronization Therapy (CRT) Devices and Coronary Sinus Leads. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 1209-1216.	0.5	30
64	Lead Implant Duration Does Not Always Predict Ease of Extraction: Extraction Sheath May Be Required at < 1 Year. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 1615-1620.	0.5	21
65	Pediatric and Adult Congenital Endocardial Lead Extraction or Abandonment Decision (PACELEAD) Survey of Lead Management. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 1621-1627.	0.5	17
66	Very-late proarrhythmia of a migrant pacemaker lead. Journal of Electrocardiology, 2011, 44, 232-234.	0.4	2
67	Complete removal as a routine treatment for any cardiovascular implantable electronic deviceâ€associated infection. Journal of Thoracic and Cardiovascular Surgery, 2011, 142, 1482-1490.	0.4	52
68	Massive Acute Aortic Regurgitation After Infected Pacemaker Lead Removal: A Word of Caution. Annals of Thoracic Surgery, 2011, 92, e29-e31.	0.7	2
69	Extraction of Implantable Cardiac Electronic Devices. Current Cardiology Reports, 2011, 13, 407-414.	1.3	22
70	Vascular interventions in young patients undergoing transvenous pacemaker revision. Catheterization and Cardiovascular Interventions, 2011, 78, 920-925.	0.7	8
71	Staphylococcus aureus Bacteremia and Endocarditis. Infectious Diseases in Clinical Practice, 2011, 19, 376-381.	0.1	1
72	Letter by Maytin and Epstein et al Regarding Article, â€Complications Associated With Revision of Sprint Fidelis Leads: Report From the Canadian Heart Rhythm Society Device Advisory Committeeâ€; Circulation, 2011, 123, e375.	1.6	0
73	Inadvertent implantable cardioverter defibrillator lead placement in the left ventricle: long-term follow-up at nine years and management by minimally-invasive surgery. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 492-493.	0.5	3
74	Laser Lead Extraction in the Octogenarian Patient. Circulation: Arrhythmia and Electrophysiology, 2011, 4, 719-723.	2.1	25
75	Pacemaker and Defibrillator Lead Extraction. Circulation, 2011, 123, e378-80.	1.6	68
76	Safety of serial MRI in patients with implantable cardioverter defibrillators. Heart, 2011, 97, 1852-1856.	1.2	53
77	The challenges of transvenous lead extraction. Heart, 2011, 97, 425-434.	1.2	50

#	ARTICLE	IF	CITATIONS
78	Percutaneous extraction of cardiac pacemaker and implantable cardioverter defibrillator leads with evolution mechanical dilator sheath: a single-centre experience. <i>Europace</i> , 2011, 13, 543-547.	0.7	38
79	Weapons development programme before the lead war. <i>Europace</i> , 2011, 13, 460-461.	0.7	0
80	Disseminated malignancies masquerading as cardiovascular implantable electronic devices infections. <i>Europace</i> , 2011, 13, 821-824.	0.7	3
81	Acute and long-term feasibility of contralateral transvenous lead placement with subcutaneous, pre-sternal tunnelling in patients with chronically implanted rhythm devices. <i>Europace</i> , 2011, 13, 1004-1008.	0.7	10
82	From lead management to implanted patient management: indications to lead extraction in pacemaker and cardioverter-defibrillator systems. <i>Expert Review of Medical Devices</i> , 2011, 8, 235-255.	1.4	47
83	Internal Mammary Arterial Injury from Lead Extraction: A Clinically Subtle yet Important Complication of Implantable Device Removal. <i>Cardiology Research and Practice</i> , 2011, 2011, 1-5.	0.5	3
84	Implantable cardioverter defibrillators: risks accompany the life-saving benefits. <i>Heart</i> , 2012, 98, 764-772.	1.2	28
85	40-year-old externalized pacemaker lead: To extract or not to extract - That is the risk assessment question. <i>Annals of Cardiac Anaesthesia</i> , 2012, 15, 252.	0.3	0
86	Clinical Predictors of Fidelis Lead Failure. <i>Circulation</i> , 2012, 125, 1217-1225.	1.6	103
87	How much training is required to implant and manage CRT?. <i>Current Opinion in Cardiology</i> , 2012, 27, 29-35.	0.8	1
88	Surviving hypertrophic cardiomyopathy: counting the cost of implantable cardioverter defibrillator therapy to prevent sudden death. <i>Heart</i> , 2012, 98, 97-98.	1.2	2
89	Trans-venous lead removal without the use of extraction sheaths, results of >250 removal procedures. <i>Europace</i> , 2012, 14, 112-116.	0.7	38
91	Radiography of Pacemakers and Implantable Cardioverter Defibrillators. <i>American Journal of Roentgenology</i> , 2012, 199, 1252-1258.	1.0	24
92	Current practice in transvenous lead extraction: a European Heart Rhythm Association EP Network Survey. <i>Europace</i> , 2012, 14, 783-786.	0.7	58
93	Contemporary pacemaker and ICD lead management: techniques for lead extraction. <i>Expert Review of Cardiovascular Therapy</i> , 2012, 10, 875-887.	0.6	15
94	Long-Term Mortality After Transvenous Lead Extraction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 252-257.	2.1	137
95	Cardiac Device Infective Endocarditis and Patient Survival. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 761.	3.8	0
96	Long-term outcomes following infection of cardiac implantable electronic devices: a prospective matched cohort study. <i>Heart</i> , 2012, 98, 724-731.	1.2	119

#	ARTICLE	IF	CITATIONS
97	Pathways for training and accreditation for transvenous lead extraction: a European Heart Rhythm Association position paper. <i>Europace</i> , 2012, 14, 124-134.	0.7	178
98	Differences in encapsulating lead tissue in patients who underwent transvenous lead removal. <i>Europace</i> , 2012, 14, 994-1001.	0.7	35
99	Abrasions of the outer silicone insulation of endocardial leads in their intracardiac part: a new mechanism of lead-dependent endocarditis. <i>Europace</i> , 2012, 14, 903-910.	0.7	33
100	How European centres diagnose, treat, and prevent CIED infections: Results of an European Heart Rhythm Association survey. <i>Europace</i> , 2012, 14, 1666-1669.	0.7	63
101	A hybrid ICD extraction approach using laser and transfemoral extraction technique. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2012, 105, 265-268.	0.2	0
102	Should all dysfunctional high-voltage leads be extracted? Results of a single-centre long-term registry. <i>Europace</i> , 2012, 14, 1764-1770.	0.7	17
103	Inadvertent placement of left ventricular endocardial pacing lead. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 656-659.	0.6	2
104	Safety and Effectiveness of Transvenous Lead Extraction in Octogenarians. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1103-1108.	0.8	25
106	Outcomes and predictors of difficulty with coronary sinus lead removal. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 35, 93-100.	0.6	25
107	Hypoplastic Right Cervical Aortic Arch. <i>Annals of Thoracic Surgery</i> , 2012, 94, 2127-2129.	0.7	2
108	Laser Extraction of Pacemaker Lead Traversing a Patent Foramen Ovale and the Mitral Valve. <i>Annals of Thoracic Surgery</i> , 2012, 94, 2125-2127.	0.7	9
109	Value of Intraprocedural Radiologic Rotational Angiography in Atrial Fibrillation Ablation. Comparison With Other Imaging Techniques. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 574-575.	0.4	2
110	Prolonged Temporary Cardiac Pacing Using an External Permanent Pacing System. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 573-574.	0.4	2
111	Infections of Cardiovascular Implantable Electronic Devices. <i>New England Journal of Medicine</i> , 2012, 367, 842-849.	13.9	122
112	Lead electrical parameters may not predict integrity of the Sprint Fidelis ICD lead. <i>Heart Rhythm</i> , 2012, 9, 1446-1451.	0.3	12
113	To the Editor—Jailing of cardiac leads with endovascular stents in hemodialysis patients. <i>Heart Rhythm</i> , 2012, 9, e16.	0.3	0
114	Reply to the Editor—Feasibility of postmortem device acquisition for potential reuse in underserved nations. <i>Heart Rhythm</i> , 2012, 9, e15-e16.	0.3	0
115	Extraction of Sterile Leads. <i>Cardiac Electrophysiology Clinics</i> , 2012, 4, 199-207.	0.7	0

#	ARTICLE	IF	CITATIONS
116	How Should Implantable Cardioverter-Defibrillator Lead Failures be Managed and What is the Role of Lead Extraction?. <i>Cardiac Electrophysiology Clinics</i> , 2012, 4, 209-220.	0.7	1
117	Central Venous Stenosis Associated with Pacemaker Leads: Short-Term Results of Endovascular Interventions. <i>Journal of Vascular and Interventional Radiology</i> , 2012, 23, 363-367.	0.2	13
118	Cardiac levels of NOS1AP RNA from right ventricular tissue recovered during lead extraction. <i>Heart Rhythm</i> , 2012, 9, 399-404.	0.3	9
119	Cardiac implantable electronic device-related endocarditis: A 12-year single-centre experience. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 922-926.	1.5	6
120	Valor de la angiografía rotacional radiológica intraprocedimiento en la ablación de fibrilación auricular. Comparación con otras técnicas de imagen. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 574-575.	0.6	5
121	Estimulación cardiaca temporal prolongada mediante un sistema externo de estimulación permanente. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 573-574.	0.6	2
122	Transvenous Cardiac Implantable Electronic Devices and Hemodialysis Catheters: Recommendations to Curtail a Potentially Lethal Combination. <i>Seminars in Dialysis</i> , 2012, 25, 582-586.	0.7	24
123	Multicenter Experience with Transvenous Lead Extraction of Active Fixation Coronary Sinus Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 641-647.	0.5	51
124	Fluoroscopic and Electrical Assessment of a Series of Defibrillation Leads: Prevalence of Externalized Conductors. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 1498-1504.	0.5	26
125	A single-centre experience concerning the safety of Sprint Fidelis defibrillator lead extraction at the time of pulse generator replacement or in case of evidence of lead failure. <i>Archives of Cardiovascular Diseases</i> , 2012, 105, 203-210.	0.7	4
126	Usefulness of Fluorine-18 Positron Emission Tomography/Computed Tomography for Identification of Cardiovascular Implantable Electronic Device Infections. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1616-1625.	1.2	263
127	A case of thoracoscopy-guided lead extraction with an excimer laser sheath. <i>Journal of Arrhythmia</i> , 2012, 28, 247-249.	0.5	3
128	A new tool for transvenous pacing lead extraction. <i>Journal of Arrhythmia</i> , 2012, 28, 291-293.	0.5	0
129	Update on Indications, Techniques, and Complications of Cardiac Implantable Device Lead Extraction. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2012, 14, 565-570.	0.4	5
131	Percutaneous extraction of stented device leads. <i>Heart Rhythm</i> , 2012, 9, 723-727.	0.3	11
132	Letter to Editor Response: Percutaneous extraction of stented device leads. <i>Heart Rhythm</i> , 2012, 9, e16.	0.3	0
133	Cardiovascular Implantable Electronic Device Associated Infections. <i>Infectious Disease Clinics of North America</i> , 2012, 26, 57-76.	1.9	33
134	Management of radiation oncology patients with a pacemaker or ICD: A new comprehensive practical guideline in The Netherlands. <i>Radiation Oncology</i> , 2012, 7, 198.	1.2	138

#	ARTICLE	IF	CITATIONS
135	Extraction of a 17-Year-Old Pacing Lead Chronically Dislocated into the Liver Vein. <i>Journal of Vascular Access</i> , 2012, 13, 130-131.	0.5	1
136	Mechanism and Management of Pacing Lead Related Cardiac Perforation. , 2012, , .		1
137	Heart perforation in patients with permanent cardiac pacing – pilot personal observations. <i>Archives of Medical Science</i> , 2012, 1, 70-74.	0.4	35
138	Transvenous Extraction of Pacemaker Leads in Infective Endocarditis With Vegetations ≥20 mm: Our Experience. <i>Clinical Cardiology</i> , 2012, 35, 244-249.	0.7	31
139	Implantation of a completely subcutaneous ICD system: case report of a patient with Brugada syndrome and state of the art. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 34, 105-113.	0.6	16
140	Cardiac implantable electronic devices in end-stage renal disease patients: preservation of central venous circulation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 34, 101-104.	0.6	3
141	Dual- versus single-coil implantable defibrillator leads: review of the literature. <i>Clinical Research in Cardiology</i> , 2012, 101, 239-245.	1.5	27
142	Surgical removal of infected pacemaker leads without cardiopulmonary bypass after failed extraction using the Excimer Laser Sheath Extraction System. <i>Journal of Artificial Organs</i> , 2012, 15, 94-98.	0.4	5
143	Epicardial Cardiac Rhythm Devices for Dialysis Patients: Minimizing the Risk of Infection and Preserving Central Veins. <i>Seminars in Dialysis</i> , 2012, 25, 88-94.	0.7	35
144	Trends, indications and outcomes of cardiac implantable device system extraction: a single UK centre experience over the last decade. <i>International Journal of Clinical Practice</i> , 2012, 66, 218-225.	0.8	33
145	Early Abrasion of Outer Silicone Insulation after Intracardiac Lead Friction in a Patient with Cardiac Device-Related Infective Endocarditis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, e156-e158.	0.5	7
146	Successful Removal of a Jugular Implantable Defibrillator Lead with Mechanical Single-Sheath Technique. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, e258-60.	0.5	21
147	Large, Single-Center Experience in Transvenous Coronary Sinus Lead Extraction: Procedural Outcomes and Predictors for Mechanical Dilatation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 215-222.	0.5	44
148	Use of the Mechanical Dilator Sheath for Removal of Endocardial Leads: A Single Center Experience. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 514-518.	0.5	10
149	Microbiologic Characteristics and <i>In Vitro</i> Susceptibility to Antimicrobials in a Large Population of Patients with Cardiovascular Implantable Electronic Device Infection. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 375-381.	0.8	28
150	Allergic Reaction to Suture Material After an ICD Procedure: Device Infection Mimicry. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 330-332.	0.8	3
151	Microbiologic Characteristics and Antimicrobial Susceptibility of Pacemaker/ICD Infections: A Moving Target!. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 382-383.	0.8	2
152	Effect of Early Diagnosis and Treatment With Percutaneous Lead Extraction on Survival in Patients With Cardiac Device Infections. <i>American Journal of Cardiology</i> , 2012, 109, 1466-1471.	0.7	88

#	ARTICLE	IF	CITATIONS
153	Evolution in Transvenous Extraction of Pacemaker and Implantable Cardioverter Defibrillator Leads Using a Mechanical Dilator Sheath. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 834-840.	0.5	44
154	Percutaneous Extraction of Cardiac Implantable Electronic Devices (CIEDs) in Octogenarians. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 841-849.	0.5	16
155	Extraction of defibrillator leads recalled for cable externalization and failure. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 36, 273-278.	0.6	11
156	Long-term outcome of complete cardiovascular implantable electronic device removal with cardiopulmonary bypass. <i>Journal of Artificial Organs</i> , 2013, 16, 164-169.	0.4	4
157	Current trends in the management of cardiac implantable electronic device (CIED) infections. <i>Internal and Emergency Medicine</i> , 2013, 8, 465-476.	1.0	16
158	Survival of Patients With Biventricular Devices After Device Infection, Extraction, and Reimplantation. <i>JACC: Heart Failure</i> , 2013, 1, 508-513.	1.9	21
159	Usefulness of Intracardiac Echocardiography for the Diagnosis of Cardiovascular Implantable Electronic Device-Related Endocarditis. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1398-1405.	1.2	109
160	Initial experience using Excimer laser for the extraction of chronically implanted pacemaker and implantable cardioverter defibrillator leads in Japanese patients. <i>Journal of Cardiology</i> , 2013, 62, 195-200.	0.8	15
161	Mutual Abrasion of Endocardial Leads: Analysis of Explanted Leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 1503-1511.	0.5	17
162	Bridge to Recovery or Permanent System Implantation: An Eight-Year Single-Center Experience in Transvenous Semipermanent Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 1096-1103.	0.5	33
163	Multicenter Experience with Transvenous Lead Extraction in Arrhythmogenic Right Ventricular Cardiomyopathy (ARVC). <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 1280-1283.	0.5	5
164	Cardiac device-related endocarditis: 31-Years' experience. <i>Journal of Cardiology</i> , 2013, 61, 175-180.	0.8	30
165	Lead extraction using excimer laser sheath™ In full swing even in Japan. <i>Journal of Cardiology</i> , 2013, 62, 201-202.	0.8	0
166	Intracardiac Echocardiogram-Guided Use of a Dormia Basket to Prevent Major Vegetation Embolism During Transvenous Lead Extraction. <i>Canadian Journal of Cardiology</i> , 2013, 29, 1532.e11-1532.e13.	0.8	5
167	Tricuspid Insufficiency after Laser Lead Extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 939-944.	0.5	27
168	Generator Pocket Adhesions of Cardiac Leads: Classification and Correlation with Transvenous Lead Extraction Results. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 1111-1116.	0.5	16
170	Novel approach to epicardial pacemaker implantation in patients with limited venous access. <i>Heart Rhythm</i> , 2013, 10, 1646-1652.	0.3	23
172	Arteriovenous Fistula Formation After Lead Extraction. <i>Canadian Journal of Cardiology</i> , 2013, 29, 1742.e5-1742.e7.	0.8	1

#	ARTICLE	IF	CITATIONS
173	ELECTRa (European Lead Extraction ConTRolled) Registryâ€™ Shedding light on transvenous lead extraction real-world practice in Europe. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2013, 24, 171-175.	0.3	23
174	Transvenous extraction of implantable cardioverter-defibrillator leads under advisoryâ€™ A comparison of Riata, Sprint Fidelis, and non-recalled implantable cardioverter-defibrillator leads. <i>Heart Rhythm</i> , 2013, 10, 1444-1450.	0.3	59
175	Re-evaluation of transvenous lead extraction with modified standard technique: A prospective study in 229 patients. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2013, 33, 650-655.	1.0	1
176	From lead management to implanted patient management: systematic review and meta-analysis of the last 15 years of experience in lead extraction. <i>Expert Review of Medical Devices</i> , 2013, 10, 551-573.	1.4	78
177	Cardiovascular Implantable Electronic Device Leads in CKD and ESRD Patients: Review and Recommendations for Practice. <i>Seminars in Dialysis</i> , 2013, 26, 114-123.	0.7	34
178	Reply. <i>Journal of the American College of Cardiology</i> , 2013, 61, 989-990.	1.2	0
179	Single surgical procedure combining epicardial pacemaker implantation and subsequent extraction of the infected pacing system for pacemaker-dependent patients. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 146, 302-305.	0.4	13
180	Percutaneous removal of transvenous pacemaker leads using an extraction device. <i>Medical Journal Armed Forces India</i> , 2013, 69, 291-293.	0.3	4
181	Port-a-Cath Complicated by Infection or Migration Not Removed by Manual Traction: Usefulness of Cardiac Pacing Leads Extraction Techniques. <i>Annals of Vascular Surgery</i> , 2013, 27, 529-536.	0.4	0
182	Central Vein Stenosis. <i>American Journal of Kidney Diseases</i> , 2013, 61, 1001-1015.	2.1	134
183	Is Prolong Use of Statins Associated With Increase in the Risk of Diabetes?. <i>Journal of the American College of Cardiology</i> , 2013, 61, 989.	1.2	1
184	Management of cardiac device-related infections: A review of protocol-driven care. <i>International Journal of Cardiology</i> , 2013, 166, 55-60.	0.8	40
185	Conservative management of infected pacemaker and implantable defibrillator sites with a closed antimicrobial irrigation system. <i>Europace</i> , 2013, 15, 541-545.	0.7	25
186	Conservative treatment of pacemaker pocket infection: is it a viable option?. <i>Europace</i> , 2013, 15, 474-475.	0.7	7
187	Detection of Transvenous Pacemaker and ICD Lead Vegetations. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1406-1408.	1.2	6
188	Superior Vena Cava Defibrillator Coils Make Transvenous Lead Extraction More Challenging and Riskier. <i>Journal of the American College of Cardiology</i> , 2013, 61, 987-989.	1.2	421
189	Application of Intravascular Dissection Devices for Closed Chest Coronary Sinus Lead Extraction: An Interdisciplinary Approach. <i>Annals of Thoracic Surgery</i> , 2013, 95, 1360-1365.	0.7	12
190	Laser Lead Extraction in Congenital Heart Disease: A Caseâ€™Controlled Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 372-380.	0.5	22

#	ARTICLE	IF	CITATIONS
191	Risk stratification for implantable cardioverter defibrillator therapy: the role of the wearable cardioverter-defibrillator. <i>European Heart Journal</i> , 2013, 34, 2230-2242.	1.0	104
192	Complications of implanted cardiac rhythm devices. <i>Europace</i> , 2013, 15, 471-473.	0.7	1
193	Defibrillation Waveform Duration Adjustment Increases the Proportion of Acceptable Defibrillation Thresholds in Patients Implanted with Single-Coil Defibrillation Leads. <i>Cardiology</i> , 2013, 124, 71-75.	0.6	1
194	Learning while extracting: â€˜pacingâ€™ lessons from the world of lead extraction. <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 1275-1276.	0.6	4
195	Complications of cardiac implants: handling device infections. <i>European Heart Journal</i> , 2013, 34, 229-236.	1.0	50
196	The current practice and perception of cardiac implantable electronic device transvenous lead extraction in the UK. <i>Europace</i> , 2013, 15, 865-870.	0.7	17
197	The Needle's Eye Snare as a primary tool for pacing lead extraction. <i>Europace</i> , 2013, 15, 1007-1012.	0.7	42
198	Transcutaneous lead implantation connected to an externalized pacemaker in patients with implantable cardiac defibrillator/pacemaker infection and pacemaker dependency. <i>Europace</i> , 2013, 15, 1205-1209.	0.7	39
199	Advanced techniques for chronic lead extraction: heading from the laser towards the evolution system. <i>Europace</i> , 2013, 15, 1771-1776.	0.7	38
200	Wearable Cardioverter-Defibrillators. <i>Circulation</i> , 2013, 127, 854-860.	1.6	45
201	Lead vegetations in patients with local and systemic cardiac device infections: prevalence, risk factors, and therapeutic effects. <i>Europace</i> , 2013, 15, 89-100.	0.7	35
202	Management of cardiac device infections according to current data. <i>Anatolian Journal of Cardiology</i> , 2013, 14, 76-81.	0.4	0
203	Pharmacological and non-pharmacological therapy for arrhythmias in the pediatric population: EHRA and AEPC-Arrhythmia Working Group joint consensus statement. <i>Europace</i> , 2013, 15, 1337-1382.	0.7	281
204	Nononcological Applications of Positron Emission Tomography for Evaluation of the Thorax. <i>Journal of Thoracic Imaging</i> , 2013, 28, 25-39.	0.8	17
205	Device Infections. <i>Circulation</i> , 2013, 128, 1031-1038.	1.6	35
206	Predictors of Advanced Lead Extraction Based on a Systematic Stepwise Approach: Results from a High Volume Center. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 837-844.	0.5	33
207	Transvenous Retrieval of Foreign Objects Lost during Cardiac Device Implantation or Revision: A 10â€‘Year Experience. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 892-897.	0.5	32
208	Transvenous lead extractions: comparison of laser vs. mechanical approach. <i>Europace</i> , 2013, 15, 1636-1641.	0.7	46

#	ARTICLE	IF	CITATIONS
209	Comparison of standard and modified transvenous techniques for complex pacemaker lead extractions in the context of cardiac implantable electronic device-related infections: a 10-year experience. <i>Europace</i> , 2013, 15, 1629-1635.	0.7	6
210	Percutaneous Extraction of ePTFE-Coated ICD Leads: A Single Center Comparative Experience. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 444-450.	0.5	12
211	Conductor externalization in a Riata ST Optima [®] lead. <i>Europace</i> , 2013, 15, 1012-1012.	0.7	6
212	Regaining venous access for implantation of a new lead. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 1, 16-21.	0.1	3
213	One step behind to step ahead – femoral approach to stabilize and to extract functional pacing lead to regain venous access. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 3, 310-312.	0.1	2
214	The role of cohabitant unusual bacterial species in infection of cardiovascular implantable electronic devices (CIED). <i>Technology and Health Care</i> , 2013, 21, 87-96.	0.5	6
215	Genetic Identification and Risk Factor Analysis of Asymptomatic Bacterial Colonization on Cardiovascular Implantable Electronic Devices. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	13
216	Forces Applied during Transvenous Implantable Cardioverter Defibrillator Lead Removal. <i>BioMed Research International</i> , 2014, 2014, 1-5.	0.9	4
217	Endocardial Lead Extraction in the Polish Registry – clinical practice versus current Heart Rhythm Society consensus. <i>Archives of Medical Science</i> , 2014, 2, 258-265.	0.4	10
219	Positional convulsant syncope in a pacemaker patient following insulation break of the right ventricular lead. <i>BMJ Case Reports</i> , 2014, 2014, bcr2013202948-bcr2013202948.	0.2	0
220	Permanent pacing in patients without upper limb venous access: a review of current techniques. <i>Heart Asia</i> , 2014, 6, 163-166.	1.1	7
221	Unusual mechanism of post-operative pacemaker lead dislodgement. <i>Europace</i> , 2014, 16, 1355-1355.	0.7	1
222	Percutaneous Extraction of Transvenous Permanent Pacemaker/Defibrillator Leads. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	4
223	Rescue transoesophageal echocardiography for refractory haemodynamic instability during transvenous lead extraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 926-932.	0.5	32
224	Tachycardic ventricular pacing in a patient with permanent pacemaker demonstrates stress-induced ischaemia on myocardial perfusion scan. <i>Europace</i> , 2014, 16, 87-87.	0.7	0
225	Laser lead extraction to facilitate cardiac implantable electronic device upgrade and revision in the presence of central venous obstruction. <i>Europace</i> , 2014, 16, 81-87.	0.7	46
226	Passive-fixation lead failure rates and long-term patient mortality in subjects implanted with Sprint Fidelis electrodes. <i>Europace</i> , 2014, 16, 258-264.	0.7	12
227	A pacing lead repositioned without incising the skin: a simplified approach. <i>Europace</i> , 2014, 16, 305-305.	0.7	1

#	ARTICLE	IF	CITATIONS
228	Management of recalled implantable cardioverter-defibrillator leads at generator replacement: a decision analysis model for Fidelis leads. <i>Europace</i> , 2014, 16, 1210-1217.	0.7	16
229	Cardiac resynchronization in a patient with congenitally corrected transposition of the great arteries. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2014, 33, 387.e1-387.e6.	0.2	0
230	Same-day contralateral implantation of a permanent device after lead extraction for isolated pocket infection. <i>Europace</i> , 2014, 16, 252-257.	0.7	19
231	Impact of a femoral snare approach as a bailout procedure on success rates in lead extractions. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 18, 551-555.	0.5	12
232	Comparative Outcomes of Transvenous Extraction of Sprint Fidelis and Riata Defibrillator Leads: A Single Center Experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 36-42.	0.8	16
233	Protection from Outpatient Sudden Cardiac Death following ICD Removal Using a Wearable Cardioverter Defibrillator. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 562-568.	0.5	34
234	Prospective nationwide fluoroscopic and electrical longitudinal follow-up of recalled Riata defibrillator leads in Denmark. <i>Heart Rhythm</i> , 2014, 11, 2141-2147.	0.3	13
235	Frequency and Sequelae of Retained Implanted Cardiac Device Material Post Heart Transplantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 242-248.	0.5	24
236	Predictors of 30-day and 1-year mortality after transvenous lead extraction: a single-centre experience. <i>Europace</i> , 2014, 16, 1218-1225.	0.7	53
237	Preprocedural ECG-gated Computed Tomography for Prevention of Complications during Lead Extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1297-1305.	0.5	36
238	A Serendipitous Identification of a Lead Extraction Complication. <i>Echocardiography</i> , 2014, 31, E247-9.	0.3	1
239	Outcomes of Lead Revision for Myocardial Perforation After Cardiac Implantable Electronic Device Placement. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1119-1124.	0.8	20
240	The Impact of Transvenous Lead Extraction on Tricuspid Valve Function. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 19-24.	0.5	37
241	Performance of a Radiation Protection Cabin During Extraction of Cardiac Devices. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1602-1606.	0.8	6
242	Initial experience of pacemaker and implantable cardioverter defibrillator lead extraction with the new GlideLight 80 Hz laser sheaths. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 18, 56-60.	0.5	16
243	Late atrial appendage perforation from a pacemaker lead pacemaker complication. <i>Asian Cardiovascular and Thoracic Annals</i> , 2014, 22, 83-85.	0.2	3
244	Predicting the difficulty of a lead extraction procedure. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 668-673.	0.6	40
245	Cardiac Implantable Electronic Device Removal in Patients with Left Ventricular Assist Device Associated Infections. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1199-1205.	0.8	12

#	ARTICLE	IF	CITATIONS
246	Lead Extractions. <i>Cardiology Clinics</i> , 2014, 32, 201-210.	0.9	11
247	Facilitation of transvenous lead extraction using site-specific delivery of electrosurgical energy. <i>International Journal of Cardiology Heart & Vessels</i> , 2014, 3, 75-77.	0.5	1
248	Transvenous extraction of an abandoned endocardial pacemaker lead in a dog. <i>Journal of Veterinary Cardiology</i> , 2014, 16, 51-57.	0.3	3
249	Twenty-year experience of transvenous lead extraction at a single centre. <i>Europace</i> , 2014, 16, 1350-1355.	0.7	35
250	High-Risk Lead Removal by Planned Sequential Transvenous Laser Extraction and Minimally Invasive Right Thoracotomy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 617-621.	0.8	25
252	Outcomes of patients requiring emergent surgical or endovascular intervention for catastrophic complications during transvenous lead extraction. <i>Heart Rhythm</i> , 2014, 11, 419-425.	0.3	137
254	Cardiac imaging in infectious endocarditis. <i>European Heart Journal</i> , 2014, 35, 624-632.	1.0	180
255	Incidence, management, and outcomes of the arteriovenous fistula complicating transvenous lead extraction. <i>Heart Rhythm</i> , 2014, 11, 404-411.	0.3	16
256	Cardiopulmonary Bypass Standby Avoids Fatality due to Vascular Laceration in Laser-Assisted Lead Extraction. <i>Journal of Cardiac Surgery</i> , 2014, 29, 274-278.	0.3	26
257	How Should Symptomatic Central Vein Stenosis be Managed in Hemodialysis Patients?. <i>Seminars in Dialysis</i> , 2014, 27, 278-281.	0.7	20
258	A histological and mechanical analysis of the cardiac lead-tissue interface: implications for lead extraction. <i>Acta Biomaterialia</i> , 2014, 10, 2200-2208.	4.1	28
259	Lead Extraction Experience with High Frequency Excimer Laser. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1120-1128.	0.5	24
260	Clinical predictors of adverse patient outcomes in an experience of more than 5000 chronic endovascular pacemaker and defibrillator lead extractions. <i>Heart Rhythm</i> , 2014, 11, 799-805.	0.3	183
261	Mechanisms of infective endocarditis: pathogen-host interaction and risk states. <i>Nature Reviews Cardiology</i> , 2014, 11, 35-50.	6.1	193
262	Heart Rhythm Society Expert Consensus Statement on Electrophysiology Laboratory Standards: Process, Protocols, Equipment, Personnel, and Safety. <i>Heart Rhythm</i> , 2014, 11, e9-e51.	0.3	73
263	Role of 18F-FDG PET/CT in the diagnosis of infective endocarditis in patients with an implanted cardiac device: a prospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1617-1623.	3.3	79
264	Variability in Clinical Features of Early Versus Late Cardiovascular Implantable Electronic Device Pocket Infections. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 955-962.	0.5	34
265	Breast cancer and pacemakers. <i>Europace</i> , 2014, 16, 303-305.	0.7	6

#	ARTICLE	IF	CITATIONS
266	Outcome and Management of Pacemaker-Induced Superior Vena Cava Syndrome. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 1470-1476.	0.5	33
267	Fat grafting used for the prevention of cardiac implantable electronic devices (CIED) exposure. Preliminary report of a clinical study. European Journal of Plastic Surgery, 2014, 37, 673-678.	0.3	0
268	PACES/HRS Expert Consensus Statement on the Recognition and Management of Arrhythmias in Adult Congenital Heart Disease. Canadian Journal of Cardiology, 2014, 30, e1-e63.	0.8	200
269	Major predictors of fibrous adherences in transvenous implantable cardioverter-defibrillator lead extraction. Heart Rhythm, 2014, 11, 2196-2201.	0.3	82
271	Incidence, Management, and Prevention of Right Ventricular Perforation by Pacemaker and Implantable Cardioverter Defibrillator Leads. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 1602-1609.	0.5	70
272	Safety and efficacy of internal transjugular approach for transvenous extraction of implantable cardioverter defibrillator leads. Europace, 2014, 16, 1356-1362.	0.7	38
273	In a Twist: Reel Syndrome. American Journal of Medicine, 2014, 127, 1070-1071.	0.6	2
274	Surgical management of superior vena cava syndrome following pacemaker lead infection: a case report and review of the literature. Journal of Cardiothoracic Surgery, 2014, 9, 107.	0.4	18
275	Safety of transvenous lead extraction according to centre volume: a systematic review and meta-analysis. Europace, 2014, 16, 1496-1507.	0.7	71
276	Extraction of Chronically Implanted Cardiovascular Electronic Device Leads. Current Treatment Options in Cardiovascular Medicine, 2014, 16, 325.	0.4	1
277	Cardiovascular implantable electronic device infection: delayed vs standard FDG PET-CT imaging. Journal of Nuclear Cardiology, 2014, 21, 622-632.	1.4	65
278	Lead extraction in a young girl with dehiscence of a pacemaker implanted in the subpectoral region. International Journal of Cardiology, 2014, 176, e135-e136.	0.8	16
279	Endocarditis 2014: An update. Heart and Lung: Journal of Acute and Critical Care, 2014, 43, 334-337.	0.8	28
280	PACES/HRS Expert Consensus Statement on the Recognition and Management of Arrhythmias in Adult Congenital Heart Disease. Heart Rhythm, 2014, 11, e102-e165.	0.3	585
281	The Role of the Wearable Cardioverter Defibrillator in Clinical Practice. Cardiology Clinics, 2014, 32, 253-270.	0.9	36
282	Lead Extraction and Registry Experiences in Europe. Cardiac Electrophysiology Clinics, 2014, 6, 335-344.	0.7	2
283	Multicenter experience with extraction of the Riata/Riata ST ICD lead. Heart Rhythm, 2014, 11, 1613-1618.	0.3	45
284	Complications and Errors Made in Lead Extraction. Cardiac Electrophysiology Clinics, 2014, 6, 355-360.	0.7	2

#	ARTICLE	IF	CITATIONS
285	How Should We Use the Wearable Cardioverter-Defibrillator in Japan?. Circulation Journal, 2014, 78, 2851-2853.	0.7	3
286	Extensive Thrombosis Following Lead Extraction: Further Justification for Routine Post-operative Anticoagulation. Indian Pacing and Electrophysiology Journal, 2014, 14, 150-151.	0.3	9
287	Extra-venosa de eletrocateteres de dispositivos eletrônicos cardíacos implantáveis. Revista Portuguesa De Cardiologia, 2015, 34, 739-744.	0.2	2
288	Three-dimensional binding sites volume assessment during cardiac pacing lead extraction. Clinical Trials and Regulatory Science in Cardiology, 2015, 7, 1-6.	1.0	1
289	Use of Transesophageal Echocardiography to Improve the Safety of Transvenous Lead Extraction. JACC: Clinical Electrophysiology, 2015, 1, 442-448.	1.3	15
290	2015 ACC/AHA/HRS Advanced Training Statement on Clinical Cardiac Electrophysiology (A Revision of) Tj ETQq1 1 0.784314 rgBT /Over 2767-2802.	1.2	30
291	Transesophageal Echocardiography Monitoring During Lead Extraction Procedures. JACC: Clinical Electrophysiology, 2015, 1, 449-450.	1.3	4
292	Beeping ICD device: Case report. International Journal of the Cardiovascular Academy, 2015, 1, 72-73.	0.1	0
293	Fistula Formation 6 Years after Removal of Infected Pacemaker Leads. The Thoracic and Cardiovascular Surgeon Reports, 2015, 04, 049-051.	0.1	1
295	Transjugular lead fragment extraction to improve tricuspid regurgitation. HeartRhythm Case Reports, 2015, 1, 95-98.	0.2	3
296	Overcoming a subclavian complete occlusion: Simple single lead extraction by the subclavian vein allowing implantation of two new leads and upgrade to CRT-P with multi-site pacing. Indian Pacing and Electrophysiology Journal, 2015, 15, 118-120.	0.3	5
298	Successful stent implantation for superior vena cava injury during transvenous lead extraction. HeartRhythm Case Reports, 2015, 1, 394-396.	0.2	10
299	Overcoming the challenge of venous occlusion for lead implantation. Indian Pacing and Electrophysiology Journal, 2015, 15, 110-112.	0.3	13
300	Reuse of a 20-year-old lead: An abandoned lead reactivated. HeartRhythm Case Reports, 2015, 1, 461-463.	0.2	0
301	Inadvertent transarterial pacemaker lead placement. Indian Heart Journal, 2015, 67, 452-454.	0.2	3
302	Partial extravascular course of cardiac pacemaker leads. A major risk during device-assisted extraction. HeartRhythm Case Reports, 2015, 1, 506-508.	0.2	0
305	Surgical Management of Major Intrathoracic Hemorrhage Resulting from High-Risk Transvenous Pacemaker/Defibrillator Lead Extraction. Journal of Cardiac Surgery, 2015, 30, 149-153.	0.3	19
306	The analysis of indications and early results of transvenous lead extraction in patients with a pacemaker, ICD and CRT - single-centre experience. Acta Cardiologica, 2015, 70, 685-691.	0.3	7

#	ARTICLE	IF	CITATIONS
307	Removal of Activeâ€œFixation Coronary Sinus Leads Using a Mechanical Rotation Extraction Device. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 302-305.	0.5	12
308	Value of a Joint Cardiac Surgery-Cardiac Electrophysiology Approach to Lead Extraction. Journal of Cardiac Surgery, 2015, 30, 874-876.	0.3	9
309	Outcomes and Complications of Lead Removal: Can We Establish a Risk Stratification Schema for a Collaborative and Effective Approach?. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 1439-1447.	0.5	57
310	Percutaneous extraction of inadvertently placed leftâ€œsided pacemaker leads with complete cerebral embolic protection. Catheterization and Cardiovascular Interventions, 2015, 86, 777-785.	0.7	8
311	Identification of Bacteriology and Risk Factor Analysis of Asymptomatic Bacterial Colonization in Pacemaker Replacement Patients. PLoS ONE, 2015, 10, e0119232.	1.1	7
312	Subacute Right Ventricle Perforation by Pacemaker Lead Presenting with Left Hemothorax and Shock. Case Reports in Cardiology, 2015, 2015, 1-4.	0.1	14
313	Superior Vena Cava Echocardiography as a Screening Tool to Predict Cardiovascular Implantable Electronic Device Lead Fibrosis. Journal of Cardiovascular Imaging, 2015, 23, 27.	0.8	12
314	Proximal end of 15-year-old ventricular electrode penetrating pulmonary tissue â€œ a source of infection and a challenge for transvenous lead extraction. Postepy W Kardiologii Interwencyjnej, 2015, 3, 248-249.	0.1	2
315	Infected cardiac-implantable electronic devices: prevention, diagnosis, and treatment. European Heart Journal, 2015, 36, 2484-2490.	1.0	76
316	Subcutaneous Implantable Cardioverter Defibrillator for Dialysis Patients: A Strategy to Reduce Central Vein Stenoses and Infections. American Journal of Kidney Diseases, 2015, 66, 154-158.	2.1	33
317	Management of antithrombotic therapy in patients undergoing electrophysiological device surgery. Europace, 2015, 17, 840-854.	0.7	28
319	Comparison of delayed transvenous reimplantation and immediate surgical epicardial approach in pacing-dependent patients undergoing extraction of infected permanent pacemakers. Heart Rhythm, 2015, 12, 1209-1215.	0.3	29
320	Outcomes of Sprint Fidelis and Riata lead extraction: Data from 2 high-volume centers. Heart Rhythm, 2015, 12, 1216-1220.	0.3	28
321	Predictors of Long-Term Survival Following Transvenous Extraction of Defibrillator Leads. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 1297-1303.	0.5	25
322	Echocardiography for Electrophysiology Procedures. Current Anesthesiology Reports, 2015, 5, 429-437.	0.9	0
323	Trends in Use and Adverse Outcomes Associated with Transvenous Lead Removal in the United States. Circulation, 2015, 132, 2363-2371.	1.6	84
324	Transvenous removal of cardiac implantable electronic device leadsTransvenous removal of cardiac implantable electronic device leads. Revista Portuguesa De Cardiologia (English Edition), 2015, 34, 739-744.	0.2	0
325	Case 4â€œ2015. Journal of Cardiothoracic and Vascular Anesthesia, 2015, 29, 522-531.	0.6	2

#	ARTICLE	IF	CITATIONS
326	Cardiac Implantable Electronic Device Implantation. AACN Advanced Critical Care, 2015, 26, 312-319.	0.6	8
327	Transvenous Lead Extraction for Cardiac Implantable Electronic Devices. AACN Advanced Critical Care, 2015, 26, 320-328.	0.6	0
328	A complete bicameral pacemaker pocket decubitus. International Journal of Cardiology, 2015, 181, 340-343.	0.8	6
329	The use of 1.5T magnetic resonance imaging for therapeutic decisions in patients with cardiac implantable electronic devices and significant neurological, neurosurgical and neuro-oncology diagnostic indications. Neurologia I Neurochirurgia Polska, 2015, 49, 16-23.	0.6	2
330	Extraction of superfluous device leads: A comparison with removal of infected leads. Heart Rhythm, 2015, 12, 1177-1182.	0.3	17
331	How adequate are the current methods of lead extraction? A review of the efficiency and safety of transvenous lead extraction methods. Europace, 2015, 17, 689-700.	0.7	53
332	Transvenous extraction profile of Riata leads: Procedural outcomes and technical complexity of mechanical removal. Heart Rhythm, 2015, 12, 580-587.	0.3	27
333	Implantable Cardioverter-Defibrillator and Pacemaker Infections. Hospital Medicine Clinics, 2015, 4, 150-162.	0.2	1
334	Inadvertent placement of pacemaker lead into the middle cardiac vein. Herz, 2015, 40, 734-740.	0.4	2
335	Venous Occlusion after Transvenous Pacemaker Implantation—Is There a Role for New Oral Anticoagulants?. Cardiovascular Drugs and Therapy, 2015, 29, 99-100.	1.3	12
336	Implantation of a cardiac resynchronization therapy and defibrillation system using a robotic approach. HeartRhythm Case Reports, 2015, 1, 356-359.	0.2	2
337	Reply to the Editor—Re: Extraction of nonfunctional leads at the time of device upgrade: Still unproven benefit compared to abandoning leads. Heart Rhythm, 2015, 12, e65-e66.	0.3	0
338	Letter to the Editor—Extraction of nonfunctional leads at the time of device upgrade: Still unproven benefit compared to abandoning leads. Heart Rhythm, 2015, 12, e65.	0.3	0
339	To Extract or Retain a Sterile, Nonfunctional Lead. Cardiac Electrophysiology Clinics, 2015, 7, 419-425.	0.7	5
340	Extraction of Sterile Leads Is the Preferred Approach Rather than Implanting a New Lead. Cardiac Electrophysiology Clinics, 2015, 7, 427-431.	0.7	1
341	Preventing cardiac implantable electronic device infections. Heart Rhythm, 2015, 12, 2344-2356.	0.3	30
342	Extracting Versus Abandoning Sterile Pacemaker and Defibrillator Leads. American Journal of Cardiology, 2015, 115, 1107-1110.	0.7	28
343	Transvenous recovery of an intracardiac fractured port-A catheter fragment. International Journal of Cardiology, 2015, 185, 214-217.	0.8	6

#	ARTICLE	IF	CITATIONS
344	Incertitudes sur les sondes intracardiaques de d'À©fibrillation ?. Archives Des Maladies Du Coeur Et Des Vaisseaux - Pratique, 2015, 2015, 17-25.	0.0	0
345	Wearable cardioverter-defibrillator for prevention of sudden cardiac death after infected implantable cardioverter-defibrillator removal: A cost-effectiveness evaluation. Heart Rhythm, 2015, 12, 1565-1573.	0.3	40
346	Pseudo-tamponade during transvenous lead extraction. Heart Rhythm, 2015, 12, 849-850.	0.3	5
347	Transvenous extraction of a left subclavian dialysis catheter: A new challenge in cardiology. International Journal of Cardiology, 2015, 185, 144-147.	0.8	8
348	Managing patients with advisory defibrillator leads: what can we learn from published data?. Netherlands Heart Journal, 2015, 23, 199-204.	0.3	4
349	Case report: Pacemaker lead perforation of a papillary muscle inducing severe tricuspid regurgitation. Journal of Cardiothoracic Surgery, 2015, 10, 39.	0.4	14
350	Troubleshooting during a challenging high-risk pacemaker lead extraction: a case report and review of the literature. BMC Research Notes, 2015, 8, 94.	0.6	2
351	Subcutaneous Implantable Cardiac Defibrillators: Indications and Limitations. Current Heart Failure Reports, 2015, 12, 79-86.	1.3	10
352	Implantable cardioverter defibrillators: even better than we thought?: TableÂ1. European Heart Journal, 2015, 36, 1646-1648.	1.0	6
354	Nomogram for predicting 30-day all-cause mortality after transvenous pacemaker and defibrillator lead extraction. Heart Rhythm, 2015, 12, 2381-2386.	0.3	50
355	2015 ACC/AHA/HRS Advanced Training Statement on Clinical Cardiac Electrophysiology (A Revision of) Tj ETQq0 0 0 rgBT /Overlock 10 T 1522-1551.	2.1	5
356	Optimal Management of Riata Leads with No Known Electrical Abnormalities or Externalization: A Decision Analysis. Journal of Cardiovascular Electrophysiology, 2015, 26, 184-191.	0.8	6
357	Virtual Reality Lead Extraction as a Method for Training New Physicians: A Pilot Study. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 319-325.	0.5	33
358	2015 ESC Guidelines for the management of infective endocarditis. European Heart Journal, 2015, 36, 3075-3128.	1.0	3,902
359	Coronary Sinus Lead Extraction. Cardiac Electrophysiology Clinics, 2015, 7, 661-671.	0.7	6
360	The Role of Endovascular Stents in Dialysis Access Maintenance. Advances in Chronic Kidney Disease, 2015, 22, 453-458.	0.6	25
361	When You Have Nowhere to Look, You Look Where You Can. Circulation, 2015, 132, 2357-2359.	1.6	0
362	Pacing venous occlusion. International Journal of Cardiology, 2015, 181, 42-45.	0.8	9

#	ARTICLE	IF	CITATIONS
363	Transvenous pacemaker lead extraction by femoral approach. <i>International Journal of Cardiology</i> , 2015, 180, 145-148.	0.8	8
364	Clinical utility of routine use of continuous transesophageal echocardiography monitoring during transvenous lead extraction procedure. <i>Heart Rhythm</i> , 2015, 12, 313-320.	0.3	26
365	Cardiac rehabilitation in pacing venous occlusions. <i>International Journal of Cardiology</i> , 2015, 179, 248-251.	0.8	13
366	Multidisciplinary Approach to Transvenous Lead Extraction: A Single Center's Experience. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 265-270.	0.6	22
367	Guidelines for the diagnosis, prevention and management of implantable cardiac electronic device infection. Report of a joint Working Party project on behalf of the British Society for Antimicrobial Chemotherapy (BSAC, host organization), British Heart Rhythm Society (BHRS), British Cardiovascular Society (BCS), British Heart Valve Society (BHVS) and British Society for Echocardiography (BSE). <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 325-359.	1.3	313
368	Transvenous Lead Extraction via the Inferior Approach Using a Gooseneck Snare versus Simple Manual Traction. <i>Korean Circulation Journal</i> , 2016, 46, 186.	0.7	6
369	Cardiac Implantable Electronic Device Infection in Patients at Risk. <i>Arrhythmia and Electrophysiology Review</i> , 2016, 5, 65.	1.3	51
370	Leads dislodged into the pulmonary vascular bed in patients with cardiac implantable electronic devices. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 4, 348-354.	0.1	5
371	Remnant Pacemaker Lead Tips after Lead Extractions in Pacemaker Infections. <i>Korean Circulation Journal</i> , 2016, 46, 569.	0.7	7
372	Reversibility of High-Grade Atrioventricular Block with Revascularization in Coronary Artery Disease without Infarction: A Literature Review. <i>Case Reports in Cardiology</i> , 2016, 2016, 1-6.	0.1	10
373	A Case of Arterial and Venous Tear during Single Lead Extraction. <i>Case Reports in Cardiology</i> , 2016, 2016, 1-3.	0.1	2
374	Management of Cardiac Electronic Device Infections: Challenges and Outcomes. <i>Arrhythmia and Electrophysiology Review</i> , 2016, 5, 183.	1.3	27
375	Rationale and design of the BUDAPEST-CRT Upgrade Study: a prospective, randomized, multicentre clinical trial. <i>Europace</i> , 2017, 19, euw193.	0.7	17
376	Leadless Cardiac Pacemaker Implantation After Lead Extraction in Patients With Severe Device Infection. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 1067-1071.	0.8	59
377	Metal wires should not be abandoned inside implantable cardioverter-defibrillators leads during heart transplantation!. <i>Transplant International</i> , 2016, 29, 1136-1138.	0.8	3
378	Cardiovascular implantable electronic device lead extraction. <i>Current Opinion in Cardiology</i> , 2016, 31, 23-28.	0.8	5
379	Right-Sided Infective Endocarditis and Pulmonary Infiltrates. <i>Cardiology in Review</i> , 2016, 24, 230-237.	0.6	44
380	High recurrence of device-related adverse events following transvenous lead extraction procedure in patients with cardiac resynchronization devices. <i>European Journal of Heart Failure</i> , 2016, 18, 1270-1277.	2.9	11

#	ARTICLE	IF	CITATIONS
381	Lead-related infective endocarditis: factors influencing the formation of large vegetations. <i>Europace</i> , 2017, 19, euw121.	0.7	13
382	Diagnosis and management of iatrogenic cardiac perforation caused by pacemaker and defibrillator leads. <i>Europace</i> , 2017, 19, euw074.	0.7	37
383	Clinical Outcomes of Patients with HIV Undergoing Lead Extraction for Infectious and Noninfectious Indications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 122-127.	0.5	0
384	A Novel Video-Assisted Approach to Excimer Laser-Guided Cardiac Implantable Electronic Devices Lead Extraction. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2016, 11, 210-213.	0.4	3
385	Lead extraction outcomes in patients with congenital heart disease. <i>Europace</i> , 2017, 19, euw049.	0.7	18
386	Retrieval of the Leadless Cardiac Pacemaker. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	46
387	Percutaneous lead extraction and venous recanalisation using spectranetics tight rail: A single centre experience. <i>Indian Pacing and Electrophysiology Journal</i> , 2016, 16, 134-138.	0.3	5
388	Managing infected cardiovascular implantable electronic devices. <i>Continuing Cardiology Education</i> , 2016, 2, 182-191.	0.4	3
389	ED evaluation and management of implantable cardiac defibrillator electrical shocks. <i>American Journal of Emergency Medicine</i> , 2016, 34, 1140-1147.	0.7	5
391	Treating an infected transcatheter pacemaker system via percutaneous extraction. <i>HeartRhythm Case Reports</i> , 2016, 2, 360-362.	0.2	40
392	Lead extractions in patients with cardiac implantable electronic device infections: Single center experience. <i>Journal of Arrhythmia</i> , 2016, 32, 308-312.	0.5	17
393	Editorial: Trapped pacemaker lead extraction: Necessity, challenge, and beyond. <i>Journal of Cardiology Cases</i> , 2016, 13, 85-86.	0.2	0
394	New horizon for infection prevention technology and implantable device. <i>Journal of Arrhythmia</i> , 2016, 32, 297-302.	0.5	19
395	ICD lead abandonment is without risk? A case of "lead on lead crime". <i>HeartRhythm Case Reports</i> , 2016, 2, 157-158.	0.2	1
396	Incidence of cardiac implantable electronic device infections and migrations in Japan: Results from a 129 institute survey. <i>Journal of Arrhythmia</i> , 2016, 32, 303-307.	0.5	13
397	Extraction of chronically implanted coronary sinus leads active fixation vs passive fixation leads. <i>Heart Rhythm</i> , 2016, 13, 1253-1259.	0.3	19
398	Editorial: What makes transvenous extraction more difficult?. <i>Journal of Cardiology Cases</i> , 2016, 13, 31-32.	0.2	0
399	Evaluation of wireless stimulation of the endocardium, WiSE, technology for treatment heart failure. <i>Expert Review of Medical Devices</i> , 2016, 13, 523-531.	1.4	4

#	ARTICLE	IF	CITATIONS
400	Microbiology of Cardiac Implantable Electronic Device Infections. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 498-505.	1.3	79
401	Presence of "ghosts"™ and mortality after transvenous lead extraction. <i>Europace</i> , 2016, 19, euw045.	0.7	39
402	Long-Range Real Migration of Implantable Cardioverter Defibrillator Lead. <i>The Thoracic and Cardiovascular Surgeon Reports</i> , 2016, 05, 62-64.	0.1	0
403	Removal of Caval and Right Atrial Thrombi and Masses Using the AngioVac Device: Initial Operative Experience. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 1584-1591.	0.2	46
404	Percutaneous occlusion balloon as a bridge to surgery in a swine model of superior vena cava perforation. <i>Heart Rhythm</i> , 2016, 13, 2215-2220.	0.3	16
405	Outcomes of lead extraction without subsequent device reimplantation. <i>Europace</i> , 2016, 19, euw184.	0.7	16
406	Outcomes 1 Year After Implantable Cardioverter Defibrillator Lead Abandonment Versus Explantation for Unused or Malfunctioning Leads. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	25
407	Nonfunctional pacemaker leads: To remove or not to remove, that is the multifactorial question. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 152, e89-e90.	0.4	0
408	Acute stroke from paradoxical embolism of dense fibrous tissue following pacemaker lead extraction: salvation by mechanical thrombectomy. <i>Clinical Case Reports (discontinued)</i> , 2016, 4, 158-161.	0.2	3
409	Right Parasternal Lead Placement Increases Eligibility for Subcutaneous Implantable Cardioverter Defibrillator Therapy in Adults With Congenital Heart Disease. <i>Circulation Journal</i> , 2016, 80, 1328-1335.	0.7	32
410	Single-Coil Defibrillator Leads Yield Satisfactory Defibrillation Safety Margin in Hypertrophic Cardiomyopathy. <i>Circulation Journal</i> , 2016, 80, 2199-2203.	0.7	7
411	Classification and Surgical Repair of Injuries Sustained During Transvenous Lead Extraction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	26
412	Where is the future of cardiac lead extraction heading?. <i>Expert Review of Cardiovascular Therapy</i> , 2016, 14, 1197-1203.	0.6	9
413	Outcomes of Transvenous Lead Extraction for Cardiovascular Implantable Electronic Device Infections in Patients With Prosthetic Heart Valves. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	14
414	Ghostbusters should come back to lead extraction arena in order to fight with ghosts. <i>Europace</i> , 2017, 19, euw216.	0.7	1
415	Outcomes and costs associated with two different lead-extraction approaches: a single-centre study. <i>Europace</i> , 2016, 19, euw254.	0.7	3
416	Inside or Outside of the Heart. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2056-2058.	1.2	0
417	Success and complication rates of lead extraction with the first- vs. the second-generation Evolution mechanical sheath. <i>Europace</i> , 2016, 19, euw255.	0.7	18

#	ARTICLE	IF	CITATIONS
418	Wearable Cardioverter Defibrillators. <i>Cardiology in Review</i> , 2016, 24, 282-287.	0.6	1
419	Lead extractions: the Zwolle experience with the Evolution mechanical sheath. <i>Europace</i> , 2016, 18, 762-766.	0.7	23
420	Lead extraction using a laser system: Techniques, efficacy, and limitations. <i>Journal of Arrhythmia</i> , 2016, 32, 279-282.	0.5	11
421	Simultaneous lead extraction and vacuum-assisted vegetation removal. <i>HeartRhythm Case Reports</i> , 2016, 2, 17-19.	0.2	11
422	High traffic congestion in right atrium. <i>Indian Heart Journal</i> , 2016, 68, S190-S193.	0.2	0
423	Extraction of a trapped pacemaker lead in a pacemaker-dependent patient. <i>Journal of Cardiology Cases</i> , 2016, 13, 82-84.	0.2	2
424	Retrieval of a transcatheter pacemaker in sheep after a mid-term implantation time. <i>HeartRhythm Case Reports</i> , 2016, 2, 43-46.	0.2	5
425	Extra-anatomic Course of a Right Ventricular Pacing Lead: Clinical Implications. <i>Canadian Journal of Cardiology</i> , 2016, 32, 830.e5-830.e6.	0.8	0
426	Percutaneous extraction of a 20-year-old Accufix pacemaker lead complicated by intraoperative protrusion of its J retention wire. <i>HeartRhythm Case Reports</i> , 2016, 2, 318-320.	0.2	0
427	Arrhythmia management after device removal. <i>Journal of Arrhythmia</i> , 2016, 32, 287-292.	0.5	6
429	Conservative therapy for the management of cardiac implantable electronic device infection. <i>Journal of Arrhythmia</i> , 2016, 32, 293-296.	0.5	10
430	Transvenous extraction of pacemaker and implantable cardioverter defibrillator leads using Evolution [®] mechanical dilator sheath: a single center confirmatory experience. <i>SpringerPlus</i> , 2016, 5, 356.	1.2	10
431	Leadless Cardiac Devices—Pacemakers and Implantable Cardioverter-Defibrillators. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2016, 18, 49.	0.4	8
432	Long-Term Outcomes Following Transvenous Lead Extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 345-351.	0.5	42
433	Surgical management of infected cardiac implantable electronic devices. <i>International Journal of Cardiology</i> , 2016, 203, 714-721.	0.8	7
434	Clinical performance of a new bidirectional rotational mechanical lead extraction sheath. <i>Europace</i> , 2016, 18, 253-256.	0.7	15
435	Permanent Pacemaker Implantation Early After Cardiac Surgery: A Descriptive Study of Pacemaker Utility After One Year of Follow-Up. <i>Journal of Cardiac Surgery</i> , 2016, 31, 132-138.	0.3	5
436	Contribution of PET Imaging to the Diagnosis of Septic Embolism in Patients With Pacing Lead Endocarditis. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 283-290.	2.3	60

#	ARTICLE	IF	CITATIONS
437	The safety and effectiveness of closure access leading venous advanced gain new ability. International Journal of Cardiology, 2016, 207, 39-43.	0.8	1
438	Pacemaker Malfunction: Myth or Reality?. , 2016, , 163-175.		0
439	Extracción de electrodos transvenosos de dispositivos electrónicos implantables cardiacos: ¿quién, cuándo, cómo y dónde?. Revista Espanola De Cardiologia, 2016, 69, 3-6.	0.6	13
440	Starfix lead extraction: Clinical experience and technical issues. Journal of Cardiology Cases, 2016, 13, 25-30.	0.2	4
441	Considerations for cardiac device lead extraction. Nature Reviews Cardiology, 2016, 13, 221-229.	6.1	47
442	Complications arising from cardiac implantable electrophysiological devices: review of epidemiology, pathogenesis and prevention for the clinician. Postgraduate Medicine, 2016, 128, 223-230.	0.9	17
443	Single-coil and dual-coil defibrillator leads and association with clinical outcomes in a complete Danish nationwide ICD cohort. Heart Rhythm, 2016, 13, 706-712.	0.3	20
444	Transvenous Lead Extraction of Cardiac Implantable Electronic Devices: Who, When, How and Where?. Revista Espanola De Cardiologia (English Ed), 2016, 69, 3-6.	0.4	3
446	Shattered, Suffering, and Silenced: Sharon's Story. Annual Review of Nursing Research, 2016, 34, 15-33.	0.7	0
447	Closure access leading venous advanced gain new ability: A new technique to overcome implantable device venous occlusion. International Journal of Cardiology, 2016, 202, 911-913.	0.8	2
448	Inadvertent implantation of a pacemaker lead in the left ventricle: A new challenge in cardiology. International Journal of Cardiology, 2016, 202, 914-917.	0.8	4
449	2015 ACC/AHA/HRS Advanced Training Statement on Clinical Cardiac Electrophysiology (A Revision of) Tj ETQq1 1 0.784314 rgBT /Over	0.3	31
450	CIED infection with either pocket or systemic infection presentation – complete device removal and long-term antibiotic treatment; long-term outcome. Scandinavian Cardiovascular Journal, 2016, 50, 52-57.	0.4	10
451	Initial experience with the TightRail, Rotating Mechanical Dilator Sheath for transvenous lead extraction. Europace, 2016, 18, 1043-1048.	0.7	40
452	Complete removal of infected devices and simultaneous implantation of new devices for infective endocarditis after pacemaker implantation. General Thoracic and Cardiovascular Surgery, 2017, 65, 122-126.	0.4	0
453	Prevention and Management of Procedural Complications. , 2017, , 902-910.		2
454	Percutaneous Laser Lead Extraction of an Inadvertently Placed Left-Sided Pacemaker Lead. Journal of Cardiothoracic and Vascular Anesthesia, 2017, 31, 663-668.	0.6	4
455	Extraction of a coronary sinus lead. Journal of Cardiovascular Medicine, 2017, 18, 807-810.	0.6	3

#	ARTICLE	IF	CITATIONS
457	Infections in Cardiac Implantable Electronic Devices: Diagnosis and Management in a Referral Center. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 355-362.	0.4	5
458	Infecciones en dispositivos de estimulaci3n cardiaca: diagn3stico y tratamiento en un centro de referencia. <i>Revista Espanola De Cardiologia</i> , 2017, 70, 355-362.	0.6	15
459	Hybrid Minimally Invasive Approach for Transvenous Lead Extraction: A Feasible Technique in High-Risk Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 466-473.	0.8	29
460	Cardiac Implantable Electronic Device-Related Infection and Extraction Trends in the U.S.. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 286-293.	0.5	65
461	Venous Hemodialysis Catheters and Cardiac Implantable Electronic Devices: Avoiding a High-Risk Combination. <i>Seminars in Dialysis</i> , 2017, 30, 187-192.	0.7	8
462	Balloon tamponade of the superior vena cava and the management of catastrophic complications of cardiac lead extraction. <i>Heart Rhythm</i> , 2017, 14, 761-762.	0.3	1
463	Procedural outcomes and long-term survival following trans-venous defibrillator lead extraction in patients with end-stage renal disease. <i>Europace</i> , 2017, 19, 1994-2000.	0.7	6
464	Global health resource utilization associated with pacemaker complications. <i>Journal of Medical Economics</i> , 2017, 20, 732-739.	1.0	3
465	Non-laser percutaneous extraction of pacemaker and defibrillation leads: a decade of progress. <i>Europace</i> , 2017, 19, 1521-1526.	0.7	16
466	Brain magnetic resonance imaging examination in a patient with non-magnetic resonance conditional pacemaker. <i>Journal of Arrhythmia</i> , 2017, 33, 518-520.	0.5	1
467	Predicting the difficulty of a transvenous lead extraction procedure: Validation of the LED index. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 811-818.	0.8	47
468	2017 ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry. <i>Heart Rhythm</i> , 2017, 14, e55-e96.	0.3	204
469	Implantation of CARILLON® Mitral Contour System with transvenous left ventricular lead in place. <i>Clinical Research in Cardiology</i> , 2017, 106, 796-801.	1.5	5
470	2017 ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry. , 2017, 22, e12447.		52
471	Tricuspid Valve Dysfunction Following Pacemaker or Cardioverter-Defibrillator Implantation. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2331-2341.	1.2	161
472	Identification of causative organism in cardiac implantable electronic device infections. <i>Journal of Cardiology</i> , 2017, 70, 411-415.	0.8	18
473	Lead extraction with high frequency laser sheaths: a single-centre experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 51, ezw425.	0.6	11
474	Risk score to assess mortality risk in patients undergoing transvenous lead extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 918-923.	0.5	19

#	ARTICLE	IF	CITATIONS
475	Evaluation of tricuspid valve regurgitation following laser lead extraction. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 51, 1108-1111.	0.6	15
476	Procedural outcomes and long-term survival following lead extraction in octogenarians. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 868-872.	0.5	8
477	Compliant endovascular balloon reduces the lethality of superior vena cava tears during transvenous lead extractions. <i>Heart Rhythm</i> , 2017, 14, 1400-1404.	0.3	42
478	Management of Implantable Cardioverter Defibrillator Recipients: Care Beyond Guidelines. <i>Canadian Journal of Cardiology</i> , 2017, 33, 977-990.	0.8	8
479	Characterization of a previously unrecognized clinical phenomenon: Delayed shock after cardiac implantable electronic device extraction. <i>Heart Rhythm</i> , 2017, 14, 1552-1558.	0.3	9
480	Overcoming the current issues surrounding device leads: reducing the complications during extraction. <i>Expert Review of Medical Devices</i> , 2017, 14, 469-480.	1.4	9
481	Unusual fracture in a Durata lead with shock coil fragmentation and cable externalization. <i>HeartRhythm Case Reports</i> , 2017, 3, 327-331.	0.2	3
482	The European Lead Extraction ConTRolled (ELECTRa) study: a European Heart Rhythm Association (EHRA) Registry of Transvenous Lead Extraction Outcomes. <i>European Heart Journal</i> , 2017, 38, 2995-3005.	1.0	339
483	Outpatient treatment with the wearable cardioverter defibrillator: clinical experience in two Dutch centres. <i>Netherlands Heart Journal</i> , 2017, 25, 312-317.	0.3	12
485	Predictors and outcomes of lead extraction requiring a bailout femoral approach: Data from 2 high-volume centers. <i>Heart Rhythm</i> , 2017, 14, 548-552.	0.3	14
486	Riata lead up to date. <i>Journal of Cardiology Cases</i> , 2017, 15, 70-72.	0.2	0
488	Outcomes of lead extraction in young adults. <i>Heart Rhythm</i> , 2017, 14, 537-540.	0.3	16
489	Reimplantation and Repeat Infection After Cardiac-Implantable Electronic Device Infections. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	2.1	39
490	Laser lead extraction allows for safe and effective removal of single- and dual-coil implantable cardioverter defibrillator leads: A single-centre experience over 12 years. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017, 24, 77-81.	0.5	16
491	Use of a cerebral protection device for the laser extraction of a pacemaker lead traversing a patent foramen ovale. <i>HeartRhythm Case Reports</i> , 2017, 3, 447-449.	0.2	4
492	Venous stenosis and occlusion in the presence of endocardial leads in patients referred for transvenous lead extraction. <i>Acta Cardiologica</i> , 2017, 72, 61-67.	0.3	13
493	Utility of intracardiac echocardiography during transvenous lead extraction. <i>Heart Rhythm</i> , 2017, 14, 1779-1785.	0.3	41
494	Transvenous lead extraction at the time of cardiac implantable electronic device upgrade: Complexity, safety, and outcomes. <i>Heart Rhythm</i> , 2017, 14, 1807-1811.	0.3	26

#	ARTICLE	IF	CITATIONS
495	2017 HRS expert consensus statement on cardiovascular implantable electronic device lead management and extraction. <i>Heart Rhythm</i> , 2017, 14, e503-e551.	0.3	792
496	Impact of ICD lead on the system durability, predictors of long-term survival following ICD system extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1139-1146.	0.5	6
497	A case of symmetrical peripheral gangrene associated with transvenous lead extraction. <i>HeartRhythm Case Reports</i> , 2017, 3, 436-439.	0.2	0
499	Bridge to surgery: Best practice protocol derived from early clinical experience with the Bridge Occlusion Balloon. Federated Agreement from the Eleventh Annual Lead Management Symposium. <i>Heart Rhythm</i> , 2017, 14, 1574-1578.	0.3	41
500	Chronic lead malposition diagnosis and management: discussion of two cases and literature review. <i>Clinical Case Reports (discontinued)</i> , 2017, 5, 270-276.	0.2	6
501	The wearable defibrillator. <i>Current Opinion in Cardiology</i> , 2017, 32, 39-46.	0.8	0
502	Innominate artery injury during routine laser assisted lead extraction. <i>Indian Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 33, 340-342.	0.2	0
503	Long-term outcomes of prophylactic placement of an endovascular balloon in the vena cava for high-risk transvenous lead extractions. <i>Heart Rhythm</i> , 2017, 14, 1833-1838.	0.3	15
504	The Subcutaneous Defibrillator. <i>Cardiac Electrophysiology Clinics</i> , 2017, 9, 775-783.	0.7	6
505	Two-year extractability of novel left ventricular, active fixation leads in the sheep model. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1291-1297.	0.5	10
506	Lead Extraction Considerations for the Referring Cardiologist. <i>Cardiology in Review</i> , 2017, 25, 17-21.	0.6	2
507	Remote monitoring of heart failure: benefits for therapeutic decision making. <i>Expert Review of Cardiovascular Therapy</i> , 2017, 15, 503-515.	0.6	23
508	Neointimal fibrotic lead encapsulation – Clinical challenges and demands for implantable cardiac electronic devices. <i>Journal of Cardiology</i> , 2017, 70, 7-17.	0.8	39
509	The wearable cardioverter-defibrillator: current technology and evolving indications. <i>Europace</i> , 2017, 19, 335-345.	0.7	65
510	Non-Infectious Lead Extractions: Enemy of Good?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 629-630.	0.6	0
511	Device Removal, Replacement, and Upgrades. , 2017, , 911-936.		0
512	Canadian Cardiovascular Society/Canadian Heart Rhythm Society 2016 Implantable Cardioverter-Defibrillator Guidelines. <i>Canadian Journal of Cardiology</i> , 2017, 33, 174-188.	0.8	84
513	Lead-related infective endocarditis: Factors influencing early and long-term survival in patients undergoing transvenous lead extraction. <i>Heart Rhythm</i> , 2017, 14, 43-49.	0.3	30

#	ARTICLE	IF	CITATIONS
514	Lead Removal and Extraction. , 2017, , 937-958.		2
515	Benefit of the Wearable Cardioverter-Defibrillator in Protecting Patients After Implantable-Cardioverter Defibrillator Explant. JACC: Clinical Electrophysiology, 2017, 3, 243-250.	1.3	40
516	Coronary Sinus Lead Extraction. Heart Failure Clinics, 2017, 13, 105-115.	1.0	5
517	Cardiac Implantable Electronic Device Infections. JACC: Clinical Electrophysiology, 2017, 3, 1-9.	1.3	54
520	Anesthetic Management of Laser Lead Extraction for Cardiovascular Implantable Electronic Devices. Seminars in Cardiothoracic and Vascular Anesthesia, 2017, 21, 302-311.	0.4	7
521	End-of-life Management of Leadless Cardiac Pacemaker Therapy. Arrhythmia and Electrophysiology Review, 2017, 6, 129.	1.3	28
522	Lead Extraction of Cardiac Rhythm Devices: A Report of a Single-Center Experience. Frontiers in Cardiovascular Medicine, 2017, 4, 18.	1.1	3
523	Biomarker-based diagnosis of pacemaker and implantable cardioverter defibrillator pocket infections: A prospective, multicentre, case-control evaluation. PLoS ONE, 2017, 12, e0172384.	1.1	14
524	The wearable cardioverter defibrillator as a bridge to reimplantation in patients with ICD or CRT-D-related infections. Journal of Cardiothoracic Surgery, 2017, 12, 99.	0.4	10
525	Defibrillation Therapy. , 2017, , 464-481.		0
526	Pacing and Defibrillation Use in Pediatric Patients. , 2017, , 523-548.		0
527	Managing Advisories of Cardiac Implantable Electronic Devices. , 2017, , 1175-1190.		1
528	Safety and Efficacy of Transvenous Lead Extraction Utilizing the Evolution Mechanical Lead Extraction System. JACC: Clinical Electrophysiology, 2018, 4, 212-220.	1.3	24
529	Transvenous Lead Extraction: A Clinical Commentary for Anesthesiologists. Journal of Cardiothoracic and Vascular Anesthesia, 2018, 32, 1101-1111.	0.6	5
530	New-onset pericardial effusion during transvenous lead extraction: incidence, causative mechanisms, and associated factors. Journal of Interventional Cardiac Electrophysiology, 2018, 51, 253-261.	0.6	9
531	Transvenous Lead Extraction in Adults With Congenital Heart Disease. Circulation: Arrhythmia and Electrophysiology, 2018, 11, e005409.	2.1	23
532	Long-term outcome of transvenous pacemaker implantation in infants: a retrospective cohort study. Europace, 2018, 20, 1227-1227.	0.7	1
533	New onset of phrenic nerve palsy after laser-assisted transvenous lead extraction: a single-centre experience. Europace, 2018, 20, 1827-1832.	0.7	0

#	ARTICLE	IF	CITATIONS
534	Temporary external implantable cardioverter-defibrillator as a bridge to reimplantation after infected device extraction. <i>Journal of Arrhythmia</i> , 2018, 34, 77-80.	0.5	5
535	Leadless pacing in a patient with superior vena cava syndrome undergoing lead extraction and percutaneous angioplasty. <i>Journal of Cardiology Cases</i> , 2018, 17, 212-214.	0.2	3
536	Incidence and Predictors of Perioperative Complications With Transvenous Lead Extractions. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e004768.	2.1	128
537	Lead Management and Lead Extraction. <i>Cardiac Electrophysiology Clinics</i> , 2018, 10, 127-136.	0.7	7
538	When Is It Safe Not to Reimplant an Implantable Cardioverter Defibrillator at the Time of Battery Depletion?. <i>Cardiac Electrophysiology Clinics</i> , 2018, 10, 137-144.	0.7	11
539	Predictors and outcomes of patients requiring repeat transvenous lead extraction of pacemaker and defibrillator leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 155-160.	0.5	5
540	The role of transvenous lead extraction in the management of redundant or malfunctioning pacemaker and defibrillator leads post ELECTRa. <i>Europace</i> , 2018, 20, 1733-1740.	0.7	16
541	Lead-Related Complications. , 2018, , 166-170.		0
542	Unrecognized venous injuries after cardiac implantable electronic device transvenous lead extraction. <i>Heart Rhythm</i> , 2018, 15, 318-325.	0.3	15
543	Impact of Abandoned Leads on Cardiovascular Implantable Electronic Device Infections. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 201-208.	1.3	12
544	Transvenous Lead Extraction in Chronic Kidney Disease and Dialysis Patients With Infected Cardiac Devices. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005706.	2.1	17
545	Pearls of Wisdom for High-Risk Laser Lead Extractions: A Focused Review. <i>Anesthesia and Analgesia</i> , 2018, 126, 406-412.	1.1	6
546	Facial flushing on upper limb exertion: a rare presentation of superior vena cava obstruction. <i>Respirology Case Reports</i> , 2018, 6, e00297.	0.3	0
547	Cardiac implantable electronic device and vascular access: Strategies to overcome problems. <i>Journal of Vascular Access</i> , 2018, 19, 521-527.	0.5	19
548	2018 EHRA expert consensus statement on lead extraction: recommendations on definitions, endpoints, research trial design, and data collection requirements for clinical scientific studies and registries: endorsed by APHRS/HRS/LAHRs. <i>Europace</i> , 2018, 20, 1217-1217.	0.7	243
549	Attempted salvage of infected cardiovascular implantable electronic devices: Are there clinical factors that predict success?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 524-531.	0.5	24
550	Arrhythmias in congenital heart disease: a position paper of the European Heart Rhythm Association (EHRA), Association for European Paediatric and Congenital Cardiology (AEPC), and the European Society of Cardiology (ESC) Working Group on Grown-up Congenital heart disease, endorsed by HRS, PACES, APHRS, and SOLAECE. <i>Europace</i> , 2018, 20, 1719-1753.	0.7	210
551	Dynamic Abandon/Extract Decisions for Failed Cardiac Leads. <i>Management Science</i> , 2018, 64, 633-651.	2.4	7

#	ARTICLE	IF	CITATIONS
552	Comparison of epicardial vs. endocardial reimplantation in pacemaker-dependent patients with device infection. <i>Europace</i> , 2018, 20, e42-e50.	0.7	10
553	Safety and efficacy of the new bidirectional rotational Evolution [®] mechanical lead extraction sheath: results from a multicentre Italian registry. <i>Europace</i> , 2018, 20, 829-834.	0.7	38
555	Internal Jugular Venous Approach to Percutaneous Vacuum-Assisted Debulking of Large Lead Vegetations Prior to Lead Extraction. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 147-148.	1.3	7
556	Risk of Collateral Lead Damage in Percutaneous Cardiac Implantable Electronic Device Extraction. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 193-200.	1.3	0
557	Effectiveness, safety, and long-term outcomes of non-powered mechanical sheaths for transvenous lead extraction. <i>Europace</i> , 2018, 20, 1324-1333.	0.7	31
558	Single-center experience with percutaneous lead extraction of cardiac implantable electric devices. <i>Journal of Cardiology</i> , 2018, 71, 192-196.	0.8	9
559	Lead extraction – Aspects beyond the procedure. <i>International Journal of Cardiology</i> , 2018, 250, 150-151.	0.8	3
560	Predictors of long-term survival free from relapses after extraction of infected CIED. <i>Europace</i> , 2018, 20, 1018-1027.	0.7	43
561	2017 ACC/HRS Lifelong Learning Statement for Clinical Cardiac Electrophysiology Specialists. <i>Journal of the American College of Cardiology</i> , 2018, 71, 231-250.	1.2	4
562	2017 ACC/HRS lifelong learning statement for clinical cardiac electrophysiology specialists. <i>Heart Rhythm</i> , 2018, 15, e17-e34.	0.3	5
563	Feasibility of extravascular pacing with a novel substernal electrode configuration: The Substernal Pacing Acute Clinical Evaluation study. <i>Heart Rhythm</i> , 2018, 15, 536-542.	0.3	28
564	Stent use for hemodialysis access: What a general nephrologist needs to know. <i>Hemodialysis International</i> , 2018, 22, 143-149.	0.4	5
565	Inadvertent trans-arterial pacemaker lead placement causing recurrent transient ischemic attack (TIA) and stroke. <i>IJH Cardiovascular Case Reports (CVCR)</i> , 2018, 2, S109-S113.	0.0	0
566	Recurrent Bacteremia After Heart Transplantation Due to Abandoned Lead Fragment in an Anonymous Vein – A Case Report. <i>Transplantation Proceedings</i> , 2018, 50, 4071-4074.	0.3	2
567	Highly complicated lead extraction procedure in patient with previous early orthotopic heart transplantation: A first case report. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 2319-2321.	0.2	2
568	Transvenous Lead Extractions: Current Approaches and Future Trends. <i>Arrhythmia and Electrophysiology Review</i> , 2018, 7, 210.	1.3	35
569	Contrast-Filled Balloon Guided Needle Puncturing in the Presence of Ipsilateral Subclavian Vein Occlusion. <i>Journal of Cardiovascular Diseases & Diagnosis</i> , 2018, 07, .	0.0	0
572	Device Implantation in Pediatrics and Congenital Heart Disease. , 2018, , 193-206.		0

#	ARTICLE	IF	CITATIONS
573	Navigation of lead extraction“is it possible? Impact of preprocedural electrocardiogram-triggered computed tomography on navigation of lead extraction€. European Journal of Cardio-thoracic Surgery, 2018, 54, 745-751.	0.6	7
574	Surgical and Hybrid Lead Extraction. Cardiac Electrophysiology Clinics, 2018, 10, 659-665.	0.7	8
576	Right Ventricular Septal Pacing Using a Thin Lumenless Pacing Lead and Delivery System with a Deflectable Catheter. International Heart Journal, 2018, 59, 1253-1260.	0.5	3
577	Anesthesia Considerations for Lead Extraction. Cardiac Electrophysiology Clinics, 2018, 10, 615-624.	0.7	2
578	Nomenclature, Definitions, and Metrics of Cardiovascular Implantable Electronic Device Lead Management. Cardiac Electrophysiology Clinics, 2018, 10, 609-613.	0.7	1
579	A Practical Approach to Lead Removal. Cardiac Electrophysiology Clinics, 2018, 10, 637-650.	0.7	3
580	Total laser cycles“a measure of transvenous lead extraction difficulty. Journal of Interventional Cardiac Electrophysiology, 2018, 53, 383-389.	0.6	2
581	Tackling the Concept of Symbiotic Implantable Medical Devices with Nanobiotechnologies. Biotechnology Journal, 2018, 13, 1800102.	1.8	7
582	Outcomes of repeated transvenous lead extraction. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 1321-1328.	0.5	4
583	Simultaneous lead traction from above and below: A novel technique to reduce the risk of superior vena cava injury during transvenous lead extraction. Heart Rhythm, 2018, 15, 1655-1663.	0.3	24
584	A combined epicardial implantation and subsequent extraction strategy in pacemaker device infection in pacemaker“dependent patients. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 906-911.	0.5	1
585	Inappropriate ICD shock due to hot tub-induced external electrical interference. Journal of Electrocardiology, 2018, 51, 852-855.	0.4	4
586	Simultaneous suction debulking of lead vegetation prior to percutaneous lead extraction. Journal of Cardiology Cases, 2018, 18, 17-19.	0.2	9
587	Fifteen years“™ experience of implantable cardioverter defibrillator in children and young adults: Mortality and complications study. Pediatrics International, 2018, 60, 923-930.	0.2	5
588	Safety of Transvenous Lead Removal in Patients “70 Years of Age in the United States from 2005 to 2012. American Journal of Cardiology, 2018, 122, 799-805.	0.7	2
589	Direct visualization of the removal of chronically implanted pacing leads from an unfixed human“cadaver. HeartRhythm Case Reports, 2018, 4, 170-172.	0.2	1
590	Analysis of electrical lead failures in patients referred for transvenous lead extraction procedures. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 1217-1223.	0.5	5
591	Utility of risk scores to predict adverse events in cardiac lead extraction. Expert Review of Cardiovascular Therapy, 2018, 16, 695-705.	0.6	7

#	ARTICLE	IF	CITATIONS
592	Long-term use of the wearable cardioverter defibrillator in patients with explanted ICD. <i>International Journal of Cardiology</i> , 2018, 272, 179-184.	0.8	15
593	Difficulty and potential risks of single-lead atrioventricular synchronous pacing leads in transvenous lead extraction. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 27, 856-862.	0.5	3
594	Salvage of Threatened Cardiovascular Implantable Electronic Devices. <i>Annals of Plastic Surgery</i> , 2018, 81, 340-343.	0.5	5
595	Leadless pacemaker implantation after transcatheter lead extraction in complex anatomy patient. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 1106-1108.	0.2	10
596	Complications of electrotherapy – the dark side of treatment with cardiac implantable electronic devices. <i>Postępy W Kardiologii Interwencyjnej</i> , 2018, 14, 15-25.	0.1	1
597	Prognosis after lead extraction in patients with cardiac implantable electronic devices infection: Comparison of lead-related infective endocarditis with pocket infection in a Japanese single-center experience. <i>Journal of Arrhythmia</i> , 2019, 35, 654-663.	0.5	10
598	Pacemaker pocket infection: Innovative conservative treatment in elderly patients with no signs of systemic infection. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1340-1346.	0.5	2
599	JCS 2017 Guideline on Prevention and Treatment of Infective Endocarditis. <i>Circulation Journal</i> , 2019, 83, 1767-1809.	0.7	105
600	Percutaneous Costoclavicular Bypass for Thoracic Outlet Syndrome and Cephalic Arch Occlusion in Hemodialysis Patients. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 1779-1784.	0.2	9
601	Surgical extraction of a giant intracardiac lead vegetation and epicardial pacemaker reimplantation in a pacemaker-dependent hemodialysis patient. <i>Journal of Cardiac Surgery</i> , 2019, 34, 877-879.	0.3	0
602	Comparison of outcomes in infected cardiovascular implantable electronic devices between complete, partial, and failed lead removal: an ESC-EHRA-EORP ELECTRa (European Lead Extraction ConTrolled) registry. <i>Europace</i> , 2019, 21, 1876-1889.	0.7	10
603	A Strategy of Lead Abandonment in a Large Cohort of Patients With Sprint-Fidelis Leads. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1059-1067.	1.3	4
604	Risk factor analysis of device-related infections: value of re-sampling method on the real-world imbalanced dataset. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 185.	1.5	2
605	Effect of Prior Sternotomy on Outcomes in Transvenous Lead Extraction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007278.	2.1	7
606	A pacemaker lead in the left ventricle: An ‘unexpected’ finding?. <i>Journal of Cardiology Cases</i> , 2019, 20, 228-231.	0.2	4
607	Prolonged lead dwell time and lead burden predict bailout transfemoral lead extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1355-1364.	0.5	13
608	Safety and efficacy of transvenous lead extractions for noninfectious superfluous leads in a Japanese population: A single-center experience. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1517-1523.	0.5	12
609	Transcatheter aspiration of large pacemaker and implantable cardioverter-defibrillator lead vegetations facilitating safe transvenous lead extraction. <i>Europace</i> , 2020, 22, 133-138.	0.7	22

#	ARTICLE	IF	CITATIONS
610	Cardiovascular implantable electronic device infections due to enterococcal species: Clinical features, management, and outcomes. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1331-1339.	0.5	5
611	Misplaced Ventricular Lead via an Atrial Septal Defect—Percutaneous Extraction. <i>The Thoracic and Cardiovascular Surgeon Reports</i> , 2019, 08, e8-e10.	0.1	0
612	The subcutaneous implantable cardioverter-defibrillator in review. <i>American Heart Journal</i> , 2019, 217, 131-139.	1.2	43
613	Reported mortality with rotating sheaths vs. laser sheaths for transvenous lead extraction. <i>Europace</i> , 2019, 21, 1703-1709.	0.7	28
614	Leadless Pacemaker Implantation in Hemodialysis Patients. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 162-170.	1.3	54
615	Explanting Chronic Coronary Sinus Leads. <i>Cardiac Electrophysiology Clinics</i> , 2019, 11, 131-140.	0.7	1
616	Clinical practice and implementation of guidelines for the prevention, diagnosis and management of cardiac implantable electronic device infections: results of a worldwide survey under the auspices of the European Heart Rhythm Association. <i>Europace</i> , 2019, 21, 1270-1279.	0.7	49
617	First-in-man fully leadless transvenous CRT with a transeptal implant of WISE-CRT system and Micra PM. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1489-1492.	0.5	28
618	Cardiac Implantable Electronic Device-Related Infection Due to <i>Granulicatella adiacens</i> . <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz130.	0.4	3
619	Transvenous extraction of very old (over 20-year-old) pacemaker leads using mechanical systems: Effectiveness and safety. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 998-1005.	0.5	7
620	To abandon or not to abandon: Late consequences of pacing and ICD lead abandonment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1006-1017.	0.5	26
621	Unusual conservative treatment of a complicated pacemaker pocket infection: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 49.	0.4	0
622	Implantation of a dual-chamber pacemaker with epicardial leads in adults using a minimally invasive subxyphoid approach. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 537-541.	0.5	3
623	Transvenous Extraction and Removal of Pacing Leads Placed after Cardiac Transplantation. <i>Case Reports in Cardiology</i> , 2019, 2019, 1-4.	0.1	1
624	Lead Extraction With Baffle Stenting in Adults With Transposition of the Great Arteries. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 671-680.	1.3	8
625	Clinical impact of antithrombotic therapy in transvenous lead extraction complications: a sub-analysis from the ESC-EORP EHRA ELECTRa (European Lead Extraction ConTROLled) Registry. <i>Europace</i> , 2019, 21, 1096-1105.	0.7	8
626	Facilitated music listening: Music therapy in an invasive cardiac procedure. <i>British Journal of Music Therapy</i> , 2019, 33, 27-38.	0.7	5
627	Cardiac Implantable Electronic Device Lead-Induced Tricuspid Regurgitation. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 622-636.	2.3	97

#	ARTICLE	IF	CITATIONS
628	Real-world costs of transvenous lead extraction: the challenge for reimbursement. <i>Europace</i> , 2019, 21, 290-297.	0.7	11
629	Efficacy and Safety of Transvenous Lead Extraction in the Device Laboratory and Operating Room Guided by a Novel Risk Stratification Scheme. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 174-182.	1.3	27
630	EHRA White Paper: knowledge gaps in arrhythmia management – status 2019. <i>Europace</i> , 2019, 21, 993-994.	0.7	40
631	Technological Advances in Arrhythmia Management Applied to Adults With Congenital Heart Disease. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1708-1722.	0.8	5
632	15. Komplikationen ICD, CRT, CCM. , 2019, , 239-256.		0
633	18. Operative Revision – Sondenexplantation und Sondenextraktion. , 2019, , 285-293.		0
634	Occult bacteraemia in cardiac implantable electronic device patients. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 271-277.	0.6	5
635	Pacemaker Lead Endocarditis Investigated with Intracardiac Echocardiography: Factors Modulating the Size of Vegetations and Larger Vegetation Embolic Risk during Lead Extraction. <i>Antibiotics</i> , 2019, 8, 228.	1.5	16
636	Effectiveness and safety of transvenous extraction of single- versus dual-coil implantable cardioverter-defibrillator leads at single-center experience. <i>Medicine (United States)</i> , 2019, 98, e16548.	0.4	4
637	Racial and ethnic healthcare disparities in patients undergoing laser lead extraction. <i>International Journal of Cardiology</i> , 2019, 286, 181-185.	0.8	2
638	Contribution of PET imaging to mortality risk stratification in candidates to lead extraction for pacemaker or defibrillator infection: a prospective single center study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 194-205.	3.3	45
639	Cardiac surgeon and electrophysiologist shoulder-to-shoulder approach: Hybrid room, a kingdom for two. A zero mortality transvenous lead extraction single center experience. <i>International Journal of Cardiology</i> , 2019, 279, 35-39.	0.8	11
640	Major cardiac and vascular complications after transvenous lead extraction: acute outcome and predictive factors from the ESC-EHRA ELECTRa (European Lead Extraction Controlled) registry. <i>Europace</i> , 2019, 21, 771-780.	0.7	56
641	Predictors of mortality and outcomes in transvenous lead extraction for systemic and local infection cohorts. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 73-84.	0.5	20
642	Transvenous lead extraction in patients with cardiac resynchronization therapy devices is not associated with increased 30-day mortality. <i>Europace</i> , 2019, 21, 928-936.	0.7	10
643	Percutaneous lead extraction for patients with large vegetations using an unusual technique. <i>HeartRhythm Case Reports</i> , 2019, 5, 40-43.	0.2	1
644	What physicians do in case of a failure of the pace-sense part of a defibrillation lead. <i>Herz</i> , 2020, 45, 362-368.	0.4	0
645	Re-implantation after extraction of a cardiac implantable electronic device. <i>Acta Cardiologica</i> , 2020, 75, 505-513.	0.3	1

#	ARTICLE	IF	CITATIONS
647	Transvenous excimer laser-assisted lead extraction of cardiac implantable electrical devices in the Japanese elderly population. <i>Journal of Cardiology</i> , 2020, 75, 410-414.	0.8	11
648	Outcomes of transvenous lead extraction in patients with lead perforation: A single-center experience. <i>Clinical Cardiology</i> , 2020, 43, 386-393.	0.7	11
649	Cardiovascular implantable electronic device lead removal in a resource-constrained setting: A single-center experience from India. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 8-13.	0.3	0
650	Echocardiographic assessment of residuals after transvenous intracardiac lead extraction. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 423-430.	0.7	8
651	Outcomes of cardiac implantable electronic device transvenous lead extractions performed in centers without onsite cardiac surgery. <i>International Journal of Cardiology</i> , 2020, 300, 154-160.	0.8	1
652	Music therapy as an adjunct in cardiac device lead extraction procedures: A randomized controlled trial. <i>Applied Nursing Research</i> , 2020, 56, 151376.	1.0	5
653	Echocardiographic diagnosis of permanent pacemaker lead malposition in the left ventricle: A case study. <i>Echocardiography</i> , 2020, 37, 2163-2167.	0.3	3
654	The Wearable Cardioverter-Defibrillator. , 0, , .		0
655	Safety of transvenous lead removal in adult congenital heart disease: a national perspective. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 74, 943-952.	0.4	0
656	¹⁸ F-FDG positron emission tomography/computed tomography of cardiac implantable electronic device infections. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2992-3003.	1.4	13
657	Multicentre early experience with totally subcutaneous cardioverter-defibrillators in Poland. <i>Archives of Medical Science</i> , 2020, 16, 764-771.	0.4	3
658	State-of-the-art consensus on non-transvenous implantable cardioverter-defibrillator therapy. <i>Clinical Cardiology</i> , 2020, 43, 1084-1092.	0.7	6
659	Efficacy and safety of transvenous lead extraction using a liberal combined superior and femoral approach. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 62, 239-248.	0.6	6
660	Knowledge gaps, lack of confidence, and system barriers to guideline implementation among European physicians managing patients with CIED lead or infection complications: a European Heart Rhythm Association/European Society of Cardiology educational needs assessment survey. <i>Europace</i> , 2020, 22, 1743-1753.	0.7	16
661	The effect of centre volume and procedure location on major complications and mortality from transvenous lead extraction: an ESC EHRA EORP European Lead Extraction ConTRolled ELECTRa registry subanalysis. <i>Europace</i> , 2020, 22, 1718-1728.	0.7	22
662	Transvenous revision of leads with cardiac perforation following device implantation: Safety, outcome, and complications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1325-1332.	0.5	4
663	Predictors of the need for supportive femoral approach during transvenous extraction of pacemaker and defibrillator leads in Japanese patients. <i>Journal of Arrhythmia</i> , 2020, 36, 746-754.	0.5	3
665	Infective endocarditis in patients with cardiac implantable electronic devices: a nationwide study. <i>Europace</i> , 2020, 22, 1062-1070.	0.7	23

#	ARTICLE	IF	CITATIONS
666	Long-term follow-up of abandoned transvenous defibrillator leads: a nationwide cohort study. <i>Europace</i> , 2020, 22, 1097-1102.	0.7	6
667	Transvenous lead extraction in patients with prior extraction procedures: Procedural profiles and outcomes. <i>Heart Rhythm</i> , 2020, 17, 1904-1908.	0.3	2
668	Proposed treatment algorithm for cardiac device-related subclavian vein stenosis: a case series. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.3	1
669	Analysis of Outcomes in 8304 Patients Undergoing Lead Extraction for Infection. <i>Journal of the American Heart Association</i> , 2020, 9, e011473.	1.6	9
670	Consensus Report on Diagnosis, Treatment and Prevention of Infective Endocarditis by Turkish Society of Cardiovascular Surgery (TSCVS), Turkish Society of Clinical Microbiology and Infectious Diseases (KLIMIK), Turkish Society of Cardiology (TSC), Turkish Society of Nuclear Medicine (TSNM), Turkish Society of Radiology (TSR), Turkish Dental Association (TDA) and Federation of Turkish Pathology Societies (TURKPATH) Cardiovascular System Study Group. <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 28, 2-42.	0.2	5
671	A new approach to the continuous monitoring of transvenous lead extraction using transesophageal echocardiography—Analysis of 936 procedures. <i>Echocardiography</i> , 2020, 37, 601-611.	0.3	16
672	Negative-pressure wound therapy (NPWT) for the treatment of pacemaker pocket infection in patients unable or unwilling to undergo CIED extraction. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 61, 245-251.	0.6	5
673	Use of the new rotating dilator sheath TightRail™ for lead extraction: A bicentric experience. <i>Journal of Arrhythmia</i> , 2020, 36, 343-350.	0.5	21
674	Algorithm for the analysis of pre-extraction computed tomographic images to evaluate implanted lead—lead interactions and lead—vascular attachments. <i>Heart Rhythm</i> , 2020, 17, 1009-1016.	0.3	4
675	Transvenous extraction of pacemaker leads via femoral approach using a Gooseneck snare. <i>Herz</i> , 2021, 46, 82-88.	0.4	2
676	Percutaneous management of superior vena cava syndrome in patients with cardiovascular implantable electronic devices. <i>Heart Rhythm</i> , 2021, 18, 392-398.	0.3	12
677	Safety and efficacy of transvenous lead extraction of very old leads. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2021, 32, 402-407.	0.5	11
678	Feasibility and Safety of Percutaneous Lead Revision for Subacute and Delayed Cardiac Device Lead Perforation. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 26-35.	1.3	7
679	Transvenous extraction of permanent pacemaker and defibrillator leads: Reduced procedural complexity and higher procedural success rates in patients with infective versus noninfective indications. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 491-499.	0.8	5
680	Echocardiographic findings in patients with cardiac implantable electronic devices—analysis of factors predisposing to lead-associated changes. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 25-41.	0.5	14
681	Lead fixation mechanism impacts outcome of transvenous lead extraction: data from the European Lead Extraction ConTROLled Registry. <i>Europace</i> , 2022, 24, 817-827.	0.7	9
682	An Interesting Case of Acute Asymptomatic Lead Perforation of a Permanent Cardiac Pacemaker. <i>Cureus</i> , 2021, 13, e13334.	0.2	1
683	The Use of Transvenous Lead Extraction of Non-Infected Leads to Prevent Long-Term Lead-Related Complications. <i>Sovremennye Tehnologii V Medicine</i> , 2021, 13, 66.	0.4	1

#	ARTICLE	IF	CITATIONS
684	Percutaneous management of lead-related cardiac perforation with limited use of computed tomography and cardiac surgery. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 614-624.	0.5	0
685	Predictors of lead break during transvenous lead extraction. <i>Journal of Arrhythmia</i> , 2021, 37, 645-652.	0.5	13
686	Cardiovascular implantable electronic devices and native arteriovenous fistula in hemodialysis patients: novel perspectives. <i>International Urology and Nephrology</i> , 2021, 53, 2541-2548.	0.6	1
688	Use of vacuum-assisted aspiration for removal of vegetations during transvenous lead extraction. <i>HeartRhythm Case Reports</i> , 2021, 7, 170-173.	0.2	6
689	CRT implantation after TLE in a patient with COVID-19: Endocarditis triggered by SARS-CoV-2 infection? A case report. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, , .	0.5	4
690	Lead-associated Superior Vena Cava Syndrome. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2021, 12, 4459-4465.	0.2	3
691	The prognostic value of transesophageal echocardiography after transvenous lead extraction: landscape after battle. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 394-410.	0.7	10
692	The role of stents in hemodialysis vascular access. <i>Journal of Vascular Access</i> , 2023, 24, 107-116.	0.5	7
693	2020 Clinical practice guidelines for Bradyarrhythmias and conduction disorders. <i>Russian Journal of Cardiology</i> , 2021, 26, 4448.	0.4	7
694	Remoção Percutânea de Eletrodos de Estimulação Cardíaca Artificial em um Único Centro Sul-Americano. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 908-916.	0.3	2
695	Successful upgrade to cardiac resynchronization therapy for cardiac implantation-associated left subclavian vein occlusion: A case report. <i>World Journal of Clinical Cases</i> , 2021, 9, 3157-3162.	0.3	0
696	Remoção de Cabos Eletrodos Transvenosos de Estimulação Cardíaca Artificial. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 917-918.	0.3	0
697	JCS/JHRS 2019 Guideline on Non-Pharmacotherapy of Cardiac Arrhythmias. <i>Circulation Journal</i> , 2021, 85, 1104-1244.	0.7	77
698	State-of-the-art narrative review: multimodality imaging in electrophysiology and cardiac device therapies. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 881-895.	0.7	3
699	A Review of Cardiac Implantable Electronic Device Infections for the Practicing Electrophysiologist. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 811-824.	1.3	5
700	Prognosis of patients with severe left ventricular dysfunction after transvenous lead extraction and the need for additional hemodynamic support in the perioperative period. <i>Heart Rhythm</i> , 2021, 18, 962-969.	0.3	3
701	JCS/JHRS 2019 guideline on non-pharmacotherapy of cardiac arrhythmias. <i>Journal of Arrhythmia</i> , 2021, 37, 709-870.	0.5	91
702	Technical Features and Clinical Outcomes of Coronary Venous Left Ventricular Lead Removal and Reimplantation. <i>Circulation Journal</i> , 2021, 85, 1349-1355.	0.7	1

#	ARTICLE	IF	CITATIONS
703	2021 PACES expert consensus statement on the indications and management of cardiovascular implantable electronic devices in pediatric patients: Executive summary. Indian Pacing and Electrophysiology Journal, 2021, 21, 349-366.	0.3	3
704	The role of transesophageal echocardiography in predicting technical problems and complications of transvenous lead extractions procedures. Clinical Cardiology, 2021, 44, 1233-1242.	0.7	9
705	Influence of the type of pathogen on the clinical course of infectious complications related to cardiac implantable electronic devices. Scientific Reports, 2021, 11, 14864.	1.6	5
706	2021 PACES expert consensus statement on the indications and management of cardiovascular implantable electronic devices in pediatric patients: executive summary. Cardiology in the Young, 2021, 31, 1717-1737.	0.4	4
707	2021 PACES Expert Consensus Statement on the Indications and Management of Cardiovascular Implantable Electronic Devices in Pediatric Patients: Executive Summary. Heart Rhythm, 2021, 18, 1925-1950.	0.3	20
708	Transvenous Lead Extraction without Procedure-Related Deaths in 1000 Consecutive Patients: A Single-Center Experience. Vascular Health and Risk Management, 2021, Volume 17, 445-459.	1.0	11
709	Analysis of Risk Factors for Major Complications of 1500 Transvenous Lead Extraction Procedures with Especial Attention to Tricuspid Valve Damage. International Journal of Environmental Research and Public Health, 2021, 18, 9100.	1.2	13
710	Long-term evaluation of sensing variability of a floating atrial dipole in a single-lead defibrillator: The mechanistic basis of long-term stability of amplified atrial electrogram. International Journal of Cardiology, 2021, 336, 67-72.	0.8	1
711	Long-term outcomes of non-systematic device reimplantation following lead extraction in selected patients. Medicine International, 2021, 1, .	0.2	1
712	Transvenous lead extraction: The influence of age on patient outcomes in the PROMET study cohort. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1540-1548.	0.5	4
713	Transvenous lead extraction in 1000 patients guided by intraprocedural risk stratification without surgical backup. Heart Rhythm, 2021, 18, 1272-1278.	0.3	7
714	Experience of cardiac implantable electronic device lead removal from a South African tertiary referral centre. Cardiovascular Journal of Africa, 2021, 32, 21-25.	0.2	1
715	The clinical role of transesophageal echocardiography during transvenous lead extraction. Echocardiography, 2021, 38, 1552-1557.	0.3	0
716	Temporal and Microbiological Analysis of Cardiac Implantable Electrical Device Infections - A Retrospective Study. Circulation Reports, 2021, 3, 488-496.	0.4	2
717	The Electrophysiology Laboratory: Anesthetic Considerations and Staffing Models. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 2775-2783.	0.6	4
718	Canadian Heart Rhythm Society Task Force Report on Physician Training and Maintenance of Competency for Cardiovascular Implantable Electronic Device Therapies: Executive Summary. Canadian Journal of Cardiology, 2021, 37, 1857-1860.	0.8	3
719	Long-term survival following transvenous lead extraction: Importance of indication and comorbidities. Heart Rhythm, 2021, 18, 1566-1576.	0.3	19
720	A 37-Year-Old Woman with Hypertrophic Cardiomyopathy with a Dual-Chamber Implantable Cardioverter-Defibrillator Requiring Percutaneous Transvenous Lead Extraction and Multidisciplinary Management. American Journal of Case Reports, 2021, 22, e932073.	0.3	1

#	ARTICLE	IF	CITATIONS
721	The Influence of Lead-Related Venous Obstruction on the Complexity and Outcomes of Transvenous Lead Extraction. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9634.	1.2	13
722	Powered sheaths for lead extraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1769-1780.	0.5	1
723	A Rare Entityâ€“Percutaneous Lead Extraction in a Very Late Onset Pacemaker Endocarditis: Case Report and Review of Literature. <i>Diagnostics</i> , 2021, 11, 96.	1.3	4
724	Outcome of stenting in central venous obstruction of benign etiology. <i>Vasa - European Journal of Vascular Medicine</i> , 2021, 50, 45-51.	0.6	1
725	Deep Learning-Based Algorithm for the Detection and Characterization of MRI Safety of Cardiac Implantable Electronic Devices on Chest Radiographs. <i>Korean Journal of Radiology</i> , 2021, 22, 1918.	1.5	9
727	Pacemakers and Implantable Cardioverter-Defibrillators. , 2012, , 745-770.		2
728	Superior vena cava reconstruction and implantation of a leadless pacemaker for management of pacemaker-induced superior vena cava syndrome. <i>HeartRhythm Case Reports</i> , 2019, 5, 539-541.	0.2	2
729	Results of the Patient-Related Outcomes of Mechanical lead Extraction Techniques (PROMET) study: a multicentre retrospective study on advanced mechanical lead extraction techniques. <i>Europace</i> , 2020, 22, 1103-1110.	0.7	57
730	Use of a clot aspiration system during transvenous lead extraction. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 718-722.	0.8	15
731	Successful conservative management of a permanent pacemaker pocket infection: a less invasive approach. <i>BMJ Case Reports</i> , 2017, 2017, bcr-2017-220258.	0.2	1
732	Percutaneous management of atrium and lung perforation: A case report. <i>World Journal of Clinical Cases</i> , 2019, 7, 4327-4333.	0.3	1
733	One-Year Follow-Up of Patients Undergoing Transvenous Extraction of Pacemaker and Defibrillator Leads. <i>PLoS ONE</i> , 2015, 10, e0144915.	1.1	3
734	Coronary Sinus Lead Removal: A Comparison between Active and Passive Fixation Leads. <i>PLoS ONE</i> , 2016, 11, e0153651.	1.1	5
735	Implantable Cardioverter-Defibrillator Shock after Stenting Across the Device Leads. <i>Texas Heart Institute Journal</i> , 2016, 43, 88-90.	0.1	2
736	Creation of the sole regional laser lead extraction program serving Atlantic Canada: initial experience. <i>Canadian Journal of Surgery</i> , 2016, 59, 180-187.	0.5	4
737	Use and Abuse of Internal Cardioverter Defibrillators for Primary Prevention. <i>Arrhythmia and Electrophysiology Review</i> , 2012, 1, 46.	1.3	4
738	Management of Cardiac Implantable Electronic Device Infection. <i>Arrhythmia and Electrophysiology Review</i> , 2014, 3, 184.	1.3	20
739	Management of Cardiovascular Implantable Electronic Devices Infections in High-Risk Patients. <i>Arrhythmia and Electrophysiology Review</i> , 2015, 4, 53.	1.3	8

#	ARTICLE	IF	CITATIONS
740	Pacing and Defibrillators in Complex Congenital Heart Disease. <i>Arrhythmia and Electrophysiology Review</i> , 2016, 5, 57.	1.3	16
741	Key Lessons from the ELECTRa Registry in the Modern Era of Transvenous Lead Extraction. <i>Arrhythmia and Electrophysiology Review</i> , 2017, 6, 111.	1.3	10
742	Accuracy of Positron Emission Tomography as a Diagnostic Tool for Lead Endocarditis: Design of the Prospective Multicentre ENDOTEP Study. <i>European Cardiology Review</i> , 2016, 11, 25.	0.7	4
743	Lead Burden as a Factor for Higher Complication Rate in Patients With Implantable Cardiac Devices. <i>Journal of Patient-centered Research and Reviews</i> , 2015, 2, 17-24.	0.6	2
744	Subclavian Vein Stenosis/Occlusion Following Transvenous Cardiac Pacemaker and Defibrillator Implantation: Incidence, Pathophysiology and Current Management. <i>Journal of Patient-centered Research and Reviews</i> , 2015, 2, 112-117.	0.6	5
745	Strategies for Transvenous Lead Extraction Procedures. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2017, 8, 2702-2716.	0.2	16
746	Minimally Invasive Techniques to Avoid Sternotomy in Complex Lead Extraction Cases. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2019, 10, 3515-3521.	0.2	3
747	Comparison of Leadless Pacing and Temporary Externalized Pacing Following Cardiac Implanted Device Extraction. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2019, 10, 3930-3936.	0.2	9
748	Implantable Cardioverter-Defibrillators in Patients with ESRD: Complications, Management, and Literature Review. <i>Current Cardiology Reviews</i> , 2019, 15, 161-166.	0.6	8
749	The Diagnosis and Treatment of Pacemaker-Associated Infection. <i>Deutsches A&#x0308;rzteblatt International</i> , 2018, 115, 445-452.	0.6	36
750	Surgical management of cardiac implantable electronic device infections. <i>Journal of Thoracic Disease</i> , 2014, 6 Suppl 1, S173-9.	0.6	55
751	Percutaneous Vacuum-Assisted Thrombectomy Device Used for Removal of Large Vegetations on Infected Pacemaker and Defibrillator Leads as an Adjunct to Lead Extraction. <i>Journal of Atrial Fibrillation</i> , 2016, 9, 1455.	0.5	31
752	Cardiac Implantable Electronic Device Implantation. <i>AACN Advanced Critical Care</i> , 2015, 26, 312-319.	0.6	3
753	Very late pacemaker extrusion: A rare complication of permanent pacemaker implantation. <i>World Journal of Cardiovascular Diseases</i> , 2012, 02, 330-332.	0.0	1
754	Difficult dual stage transcutaneous lead extraction complicated by fracture of both leads. <i>Cardiology Journal</i> , 2012, 19, 412-417.	0.5	4
755	Pacemaker lead extraction and recapture of venous access: Technical problems arising from extensive venous obstruction. <i>Cardiology Journal</i> , 2012, 19, 513-517.	0.5	11
756	Difficult dual-stage transcutaneous multiple lead extraction with loss of external silicone tube of broken lead. <i>Cardiology Journal</i> , 2013, 20, 94-9.	0.5	4
757	Broken leads with proximal endings in the cardiovascular system: Serious consequences and extraction difficulties. <i>Cardiology Journal</i> , 2013, 20, 161-9.	0.5	10

#	ARTICLE	IF	CITATIONS
758	Lead dependent tricuspid dysfunction: Analysis of the mechanism and management in patients referred for transvenous lead extraction. <i>Cardiology Journal</i> , 2013, 20, 402-410.	0.5	47
759	Safety and effectiveness of transvenous lead extraction in elderly patients. <i>Cardiology Journal</i> , 2014, 21, 47-52.	0.5	24
760	The effectiveness of transvenous leads extractions implanted more than 10 years before. <i>Cardiology Journal</i> , 2014, 21, 419-424.	0.5	8
761	Complications of permanent cardiac pacing in patients with persistent left superior vena cava. <i>Cardiology Journal</i> , 2014, 21, 128-137.	0.5	20
762	Cardiac implantable electronic device lead extraction in patients with underlying infection using open thoracotomy or percutaneous techniques. <i>Cardiology Journal</i> , 2015, 22, 68-74.	0.5	14
763	Lead extraction: The road to successful cardiac resynchronization therapy. <i>Cardiology Journal</i> , 2015, 22, 188-193.	0.5	2
764	Safety and effectiveness of transvenous extraction of pacemaker and implantable cardioverter-defibrillator leads in patients under or over 80 years of age. <i>Kardiologia Polska</i> , 2013, 71, 130-135.	0.3	8
765	Post heart transplant extraction of the abandoned fragments of pacing and defibrillation leads: proposed management algorithm. <i>Kardiologia Polska</i> , 2013, 71, 159-163.	0.3	14
766	Late complications of electrotherapy – a clinical analysis of indications for transvenous removal of endocardial leads: a single centre experience. <i>Kardiologia Polska</i> , 2013, 71, 366-372.	0.3	5
767	Transvenous extraction of an eight-year-old ventricular lead accidentally implanted into the left ventricle. <i>Kardiologia Polska</i> , 2013, 71, 1317-1321.	0.3	6
768	Long-term temporary pacing with an active fixation lead. <i>Kardiologia Polska</i> , 2015, 73, 1304-1309.	0.3	7
769	Long-Term Consequences of Endocardial Leads Present in Cardiovascular System. , 0, , .		2
770	A Study of Major and Minor Complications of 1500 Transvenous Lead Extraction Procedures Performed with Optimal Safety at Two High-Volume Referral Centers. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10416.	1.2	13
771	Approach to Pulse Generator Changes. , 2011, , 719-740.		0
772	Techniques and Devices for Lead Extraction. , 2011, , 747-770.		0
773	The Implantation of New Leads after Extraction. , 2011, , 137-145.		1
774	Prevention and Treatment of Lead Extraction Complications. , 2011, , 129-136.		0
775	Perioperative Management of Transvenous Lead Extraction. , 2011, , 47-55.		0

#	ARTICLE	IF	CITATIONS
776	Utility of Imaging Techniques. , 2011, , 115-128.		0
777	Tools, Techniques, and Approaches. , 2011, , 57-81.		1
778	From Guidelines: Definitions, Indications, Facilities, and Outcomes of Transvenous Lead Extraction. , 2011, , 33-45.		0
780	Cardiac Perforation Associated with a Pacemaker or ICD Lead. , 0, , .		4
781	Twiddlerâ€™s syndrome in patient with single chamber pacemaker. Medical Journal of Indonesia, 0, , 295.	0.2	0
784	Implantable cardioverter defibrillator lead-related methicillin resistant Staphylococcus aureus endocarditis: Importance of heightened awareness. World Journal of Cardiology, 2012, 4, 231.	0.5	2
785	Extraction of abandoned, potentially dangerous lead with uncovered proximal ending: A case report and method description. Cardiology Journal, 2012, 19, 192-196.	0.5	1
786	Intravascular Lead Extractions: Tips and Tricks. , 0, , .		0
788	A Case of Delayed Cardiac Tamponade: Highlighting the Importance of Transthoracic Echocardiography Training for Anesthesiologists. Journal of Perioperative Echocardiography, 2013, 1, 69-71.	0.2	0
791	Cardiac pacemakers and defibrillators. , 2014, , 298-303.		0
792	How should I treat a patient with an entrapped infected permanent pacemaker lead?. EuroIntervention, 2014, 10, 403-405.	1.4	0
793	Laser for Transvenous Lead Extraction. , 2015, , 245-253.		0
794	Hybrid atrial fibrillation ablations and the increasing importance of the hybrid cardiovascular laboratory operating room. Annals of Cardiac Anaesthesia, 2015, 18, 286.	0.3	0
795	Temporary Pacing with an Active-Fixation Permanent Bipolar Pacing Lead as an Emergency Treatment of Acute AV-Block. Emergency Medicine: Open Access, 2015, 05, .	0.1	0
797	Application of Excimer Laser for Percutaneous Extraction of Pacemaker and Defibrillator Leads: Experience from the Hunter Holmes McGuire Veterans Administration Medical Center and the Virginia Commonwealth University. , 2015, , 255-269.		1
798	Transvenous Lead Extraction for Cardiac Implantable Electronic Devices. AACN Advanced Critical Care, 2015, 26, 320-328.	0.6	0
799	A challenging case of transvenous lead extraction. Turk Kardiyoloji Dernegi Arsivi, 2015, 43, 475-7.	0.6	0
800	KardiovaskulÃ¶re PET/CT in den USA. , 2016, , 831-892.		0

#	ARTICLE	IF	CITATIONS
801	A Novel Video-Assisted Approach to Excimer Laser-Guided Cardiac Implantable Electronic Devices Lead Extraction. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2016, 11, 210-213.	0.4	1
802	Copyright and licensing of E-journals:. <i>Japanese Journal of Electrocardiology</i> , 2017, 37, 73-76.	0.0	0
803	A broken pacemaker lead in a 69-year-old woman. <i>Cleveland Clinic Journal of Medicine</i> , 2017, 84, 346-347.	0.6	1
804	Unexpected challenging case of coronary sinus lead extraction. <i>World Journal of Clinical Cases</i> , 2017, 5, 46.	0.3	1
805	Transvenous lead extraction: Can it be simple yet safe?. <i>Anatolian Journal of Cardiology</i> , 2017, 18, 296-297.	0.5	0
806	Coronary Venous Lead Extraction. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2017, 8, 2758-2764.	0.2	2
808	Removal of Misplaced Left Ventricular Single Lead Pacemaker in a Patient Presenting with Recurrent Transient Ischemic Attacks. <i>Spartan Medical Research Journal</i> , 2017, 2, 6068.	0.3	3
809	Transvenous Lead Extraction. <i>International Journal of Arrhythmia</i> , 2017, 18, 185-194.	0.3	2
810	Prevention, Evaluation, and Management of Cardiac Rhythm Device Infections. , 2018, , 223-236.		0
811	OBSOLETE: Lead-Related Complications. , 2018, , .		0
812	Special Circumstances and Obstacles. , 2018, , 207-213.		0
813	Percutaneous Lead Extraction in Infection of Cardiac Implantable Electronic Devices: a Systematic Review. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2018, 33, 194-202.	0.2	1
814	Lead extraction: Definition standards. <i>Anatolian Journal of Cardiology</i> , 2018, 19, 152.	0.5	0
815	Answer to quiz on page 26 and Case Discussion: The ICD patient with chest pain. <i>Heart Vessels and Transplantation</i> , 0, 2, 29.	0.0	0
816	A Case of Lead Extraction with Excimer Laser Sheath via Cephalic Vein. <i>Japanese Journal of Electrocardiology</i> , 2018, 38, 20-27.	0.0	0
817	Consensus document on management of cardiac implantable electronic deÂvice leads and lead extraction. In <i>A Good Rythm</i> , 2018, 2, 4-9.	0.0	0
818	Interdisciplinary stepwise approach for an effective and safe Mechanical Transvenous Lead Extraction. <i>Journal of Cardiovascular Medicine and Cardiology</i> , 0, , 059-063.	0.1	0
819	Leadless cardiac pacing as the important therapeutic option for the treatment of electrocardiotherapy complications. In <i>A Good Rythm</i> , 2019, 4, 22-24.	0.0	1

#	ARTICLE	IF	CITATIONS
820	Clinically Focused Review of Diagnosis and Treatment of Cardiovascular Implantable Electronic Device Infections. <i>International Journal of Infection</i> , 2019, 6, .	0.4	0
821	Lead Extraction by Bi-Directional Approach using Excimer Laser Sheath and Snare. <i>Japanese Journal of Electrocardiology</i> , 2019, 39, 109-114.	0.0	0
822	Transvenous Lead Extraction of Cardiac Implantable Electronic Devices Indications, Complications and Outcome: An Egyptian Two Years' Experience. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2019, 7, 2447-2451.	0.1	0
823	DIFFICULT DIAGNOSIS OF SEPSIS ASSOCIATED WITH PACEMAKER LEAD INFECTION IN THE ELDERLY: THE ROLE OF POSITRON EMISSION TOMOGRAPHY. <i>Journal of Arrhythmology</i> , 2019, 26, 55-57.	0.1	1
824	What goes in may need to come out: Considerations in the extraction of a lumenless, fixed-screw permanent pacemaker lead. <i>Heart Rhythm O2</i> , 2020, 1, 160-163.	0.6	6
825	Assessing long-term survival and hospitalization following transvenous lead extraction in patients with cardiac resynchronization therapy devices: A propensity score-matched analysis. <i>Heart Rhythm O2</i> , 2021, 2, 597-606.	0.6	1
826	Risk of venous occlusion after lead laser extraction preventing future lead implantation. <i>Journal of Cardiothoracic Surgery</i> , 2021, 16, 321.	0.4	4
827	Narrow Escape: A Novel Approach to the Endovascular Treatment of Superior Vena Cava Syndrome Secondary to Pacemaker Leads with Excellent Long-term Outcomes. <i>Cureus</i> , 2020, 12, e7249.	0.2	0
828	Predictors of perforation during lead extraction: Results of the Canadian Lead ExtrAction Risk (CLEAR) study. <i>Heart Rhythm</i> , 2022, 19, 1097-1103.	0.3	10
829	Lead extraction of an unintentional pacemaker lead implantation in the left ventricle from the left subclavian artery. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, , .	0.5	0
830	Risk Factors for Lead-Related Venous Obstruction: A Study of 2909 Candidates for Lead Extraction. <i>Journal of Clinical Medicine</i> , 2021, 10, 5158.	1.0	5
831	Successful application of closed loop stimulation pacemakers with remote monitoring in 3 miniature donkeys with syncope. <i>Journal of Veterinary Internal Medicine</i> , 2021, 35, 2920-2925.	0.6	7
832	Iatrogenic Microperforation Linked to Hemorrhagic Pericardial Effusion Complicated by Cardiac Tamponade. <i>Cureus</i> , 2020, 12, e9023.	0.2	2
834	Infections associated with cardiac implantable electronic devices are misunderstood. <i>Texas Heart Institute Journal</i> , 2011, 38, 353-4.	0.1	6
835	Extraction Of Transvenous ICD Leads In An Over-ninety Years Old Patient. <i>Indian Pacing and Electrophysiology Journal</i> , 2011, 11, 145-8.	0.3	0
836	Placement Of A Coronary Sinus Pacing Lead From A Sub-occluded Left Subclavian Vein Using A Collateral Vein To The Right Subclavian Vein. <i>Indian Pacing and Electrophysiology Journal</i> , 2011, 11, 176-9.	0.3	3
837	Implantable defibrillator lead extraction with optimized standard extraction techniques. <i>Journal of Geriatric Cardiology</i> , 2013, 10, 3-9.	0.2	20
838	Snare sheath versus evolution sheath in transvenous lead extraction. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 21975-80.	1.3	1

#	ARTICLE	IF	CITATIONS
839	A Questionable Indication For ICD Extraction After Successful VT Ablation. Journal of Atrial Fibrillation, 2015, 7, 1172.	0.5	1
840	Author's Reply. Anatolian Journal of Cardiology, 2018, 19, 152-153.	0.5	1
841	Inadvertent Lead Malposition. JACC: Case Reports, 2021, 3, 1753-1755.	0.3	2
842	Efficacy and mortality of rotating sheaths versus laser sheaths for transvenous lead extraction: a meta-analysis. Journal of Interventional Cardiac Electrophysiology, 2023, 66, 1067-1075.	0.6	9
843	An unusual presentation of delayed lead perforation: It's never too late. HeartRhythm Case Reports, 2022, 8, 106-109.	0.2	2
844	Major cardiovascular injury complicating laser lead extraction: A case report and literature review. Nigerian Journal of Cardiovascular & Thoracic Surgery, 2020, 5, 53.	0.1	0
845	Working on the dirty side—the ipsilateral subclavian access for temporary pacing after lead extraction. Journal of Arrhythmia, 2022, 38, 192-198.	0.5	1
846	Efficacy and safety of the new TightRail, a mechanical sheath for transvenous lead extraction: Results of a French multicenter study. Journal of Cardiovascular Electrophysiology, 2022, 33, 731-737.	0.8	2
847	Recurrent pericardial effusion and tamponade after epicardial pacemaker lead placement: a case report. European Heart Journal - Case Reports, 0, , .	0.3	0
848	Bridge pacemaker with an externalized active fixation lead for pacemaker-dependent patients with device infection. PACE - Pacing and Clinical Electrophysiology, 2022, 45, 761-767.	0.5	2
849	Delayed Improvement of Left Ventricular Function in Newly Diagnosed Heart Failure Depends on Etiology—A PROLONG-II Substudy. Sensors, 2022, 22, 2037.	2.1	3
850	Left hemothorax resulting from delayed right ventricular apical pacing lead perforation without hemopericardium, a case report. International Journal of Surgery Case Reports, 2022, 93, 106924.	0.2	1
851	Evaluation and Interventional Management of Cardiac Dysrhythmias. Surgical Clinics of North America, 2022, 102, 365-391.	0.5	0
852	Patient Related Outcomes of Mechanical lead Extraction Techniques (PROMET) study: A comparison of two professions. PACE - Pacing and Clinical Electrophysiology, 2022, , .	0.5	1
856	Machine learning-derived major adverse event prediction of patients undergoing transvenous lead extraction: Using the ESC EHRA EORP European lead extraction ConTrolled ELECTRa registry. Heart Rhythm, 2022, 19, 885-893.	0.3	5
857	Safety and Effectiveness of Transvenous Lead Extraction in Patients with Infected Cardiac Resynchronization Therapy Devices; Is It More Risky than Extraction of Other Systems?. International Journal of Environmental Research and Public Health, 2022, 19, 5803.	1.2	2
858	Pacing lead extraction in the management of tricuspid regurgitation: a case report. European Heart Journal - Case Reports, 2022, 6, .	0.3	2
861	18F-FDG PET/CT assisted exclusion of cardiac device-related infective endocarditis. Journal of Nuclear Cardiology, 2023, 30, 1702-1705.	1.4	0

#	ARTICLE	IF	CITATIONS
862	Implantation of a Leadless Pacemaker after Incomplete Transvenous Lead Extraction in a 90-Year-Old Pacemaker-Dependent Patient. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6313.	1.2	0
863	Innovative Approaches and Technology Platforms for Pacemaker Lead Extraction. , 2022, , 417-430.		0
864	Disparities in transvenous lead extraction in young adults. <i>Scientific Reports</i> , 2022, 12, .	1.6	9
865	Percutaneous Extraction of a Malpositioned Subclavian Arterial Pacing Lead using the Retained Wire Technique and a Vascular Closure Device: A Case Report. <i>European Heart Journal - Case Reports</i> , 0, , .	0.3	1
866	Case Report: Can Targeted Intraoperative Radiotherapy in Patients With Breast Cancer and Pacemakers be the New Standard of Care?. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	0
867	Outcome of percutaneous cardiac lead extraction in chronically implanted leads with tight rail rotating lead locking device. <i>Journal of Marine Medical Society</i> , 2022, .	0.0	0
868	Treatment and Prevention of Cardiovascular Implantable Electronic Device (CIED) Infections. <i>CJC Open</i> , 2022, 4, 946-958.	0.7	8
869	Step by Step through the Yearsâ€”High vs. Low Energy Lead Extraction Using Advanced Extraction Techniques. <i>Journal of Clinical Medicine</i> , 2022, 11, 4884.	1.0	3
870	Severity and Extent of Lead-Related Venous Obstruction in More Than 3000 Patients Undergoing Transvenous Lead Extraction. <i>Vascular Health and Risk Management</i> , 0, Volume 18, 629-642.	1.0	4
871	Cardiac tamponade as an inherent but potentially nonfatal complication of transvenous lead extraction: Experience with 1126 procedures performed using mechanical tools. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 2625-2639.	0.8	1
872	A Shocking Case of Pacemaker Lead Perforation. <i>JACC: Case Reports</i> , 2022, 4, 1203-1205.	0.3	0
873	Tricuspid Valve Damage Related to Transvenous Lead Extraction. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 12279.	1.2	10
874	Tines made of degradable materials with decreasing removal forces: An option to facilitate passive-fixation leads extraction from the very beginning?. <i>Materials and Design</i> , 2022, 223, 111197.	3.3	0
875	â€œGhostâ€”, a Well-Known but Not Fully Explained Echocardiographic Finding during Transvenous Lead Extraction: Clinical Significance. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 12542.	1.2	2
876	Surgical extraction of cardiac implantable electronic device leads based on a heart team approach. <i>Journal of Cardiology</i> , 2023, 81, 111-116.	0.8	0
877	Outcomes of Transvenous Extraction of Leads Older Than 20 and 30 Yearsâ€”A Large Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 14184.	1.2	0
878	Transvenous Lead Extraction Procedureâ€”Indications, Methods, and Complications. <i>Biomedicines</i> , 2022, 10, 2780.	1.4	3
879	Anesthetic Management and Considerations for Electrophysiology Procedures. <i>Advances in Anesthesia</i> , 2022, 40, 131-147.	0.5	1

#	ARTICLE	IF	CITATIONS
881	Infectious endocarditis and infection of intracardiac devices in adults. Clinical guidelines 2021. Russian Journal of Cardiology, 2022, 27, 5233.	0.4	13
882	Transvenous Lead Extraction in Adult Patient with Leads Implanted in Childhood-Is That the Same Procedure as in Other Adult Patients?. International Journal of Environmental Research and Public Health, 2022, 19, 14594.	1.2	2
883	Efficacy and safety of the extraction of cardiostimulation leads using a mechanical dissection tool. A single center experience. PACE - Pacing and Clinical Electrophysiology, 2023, 46, 217-225.	0.5	0
884	Early, Delayed and Late Cardiac Implantable Electronic Device Infections: Do the Timing of Onset and Pathogens Matter?. Journal of Clinical Medicine, 2022, 11, 3929.	1.0	3
885	Repeat Transvenous Lead Extraction—Predictors, Effectiveness, Complications and Long-Term Prognostic Significance. International Journal of Environmental Research and Public Health, 2022, 19, 15602.	1.2	0
886	Surgical Management of Cardiac Implantable Electronic Device Complications in Patients Unsuitable for Transvenous Lead Extraction. Circulation Journal, 2022, 87, 103-110.	0.7	2
887	Long-Term Outcome of Infective Endocarditis Involving Cardiac Implantable Electronic Devices: Impact of Comorbidities and Lead Extraction. Journal of Clinical Medicine, 2022, 11, 7357.	1.0	2
888	Molecular Imaging of Valvular Diseases and Cardiac Device Infection. Circulation: Cardiovascular Imaging, 2023, 16, .	1.3	1
889	Case report: Left ventricular perforation caused by right ventricular pacemaker lead. Frontiers in Cardiovascular Medicine, 0, 9, .	1.1	0
890	A leadless pacemaker in the real-world setting: Patient profile and performance over time. Journal of Arrhythmia, 2023, 39, 1-9.	0.5	6
891	Efficacy and Safety of Transvenous Lead Extraction at the Time of Upgrade from Pacemakers to Cardioverter-Defibrillators and Cardiac Resynchronization Therapy. International Journal of Environmental Research and Public Health, 2023, 20, 291.	1.2	1
892	Assessment of the impact of organisational model of transvenous lead extraction on the effectiveness and safety of procedure: an observational study. BMJ Open, 2022, 12, e062952.	0.8	0
893	Same-day discharge after transvenous lead extraction: feasibility and outcomes. Europace, 2023, 25, 586-590.	0.7	5
894	AngioVac system guided removal of vegetations from pacemaker lead-related infective endocarditis. BMJ Case Reports, 2023, 16, e251097.	0.2	2
895	A Rare Case of Persistent Bacteremia: Leadless Micra Pacemaker Endocarditis. Case Reports in Cardiology, 2023, 2023, 1-5.	0.1	2
896	Transvenous lead extractions in a single high-volume center over 24 years: High success rate and low complication rate. Heart Rhythm O2, 2023, , .	0.6	0
897	Early Lead Extraction for Infected Implanted Cardiac Electronic Devices. Journal of the American College of Cardiology, 2023, 81, 1283-1295.	1.2	7
898	Long-term outcomes following transvenous lead extraction: Data from a tertiary referral center. International Journal of Cardiology, 2023, 378, 32-38.	0.8	2

#	ARTICLE	IF	CITATIONS
899	Subcutaneous implantable cardioverter-defibrillator noise following left ventricular assist device implantation. <i>Journal of Arrhythmia</i> , 2023, 39, 198-206.	0.5	2
901	Success and Complication Rates of Transvenous Lead Extraction in a Developing High-Volume Extraction Center: The Zurich Experience. <i>Journal of Clinical Medicine</i> , 2023, 12, 2260.	1.0	0
902	Utility of a multipurpose catheter for transvenous extraction of old broken leads: A novel technique for fragile leads. <i>Heart Rhythm</i> , 2023, , .	0.3	1
903	Unexpected Procedure Difficulties Increasing the Complexity of Transvenous Lead Extraction: The Single Centre Experience with 3721 Procedures. <i>Journal of Clinical Medicine</i> , 2023, 12, 2811.	1.0	4
904	Incomplete Lead Removal During the Extraction Procedure: Predisposing Factors and Impact on Long-Term Survival in Infectious and Non-Infectious Cases: Analysis of 3741 Procedures. <i>Journal of Clinical Medicine</i> , 2023, 12, 2837.	1.0	0
905	Use of Taurolidine in a Patient With a Cardiac Implantable Electronic Device Protrusion. <i>JACC: Case Reports</i> , 2023, 14, 101835.	0.3	1
909	Surgical Treatment of Arrhythmias and Conduction Disorders. , 2023, , 1-22.		0