

Fibromyalgia Is Associated With Impaired Balance and

Journal of Clinical Rheumatology

15, 16-21

DOI: [10.1097/rhu.0b013e318190f991](https://doi.org/10.1097/rhu.0b013e318190f991)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Diagnosing and Treating Fibromyalgia. <i>The Consultant Pharmacist</i> , 2009, 24, 572-589.	0.4	1
2	Improvements of muscle strength predicted benefits in HRQOL and postural balance in women with fibromyalgia: an 8-month randomized controlled trial. <i>Rheumatology</i> , 2009, 48, 1147-1151.	0.9	68
3	Relationships between the fibromyalgia impact questionnaire, tender point count, and muscle strength in female patients with fibromyalgia: A cohort study. <i>Arthritis and Rheumatism</i> , 2009, 61, 732-739.	6.7	54
4	Effect of Pilates Training on People With Fibromyalgia Syndrome: A Pilot Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1983-1988.	0.5	103
5	Physical Performance as a Predictor of Attention and Processing Speed in Fibromyalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 2066-2073.	0.5	18
6	Exercise Interventions in Fibromyalgia: Clinical Applications from the Evidence. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 373-391.	0.8	113
7	The Revised Fibromyalgia Impact Questionnaire (FIQR): validation and psychometric properties. <i>Arthritis Research and Therapy</i> , 2009, 11, R120.	1.6	514
8	Clinical Manifestations and Diagnosis of Fibromyalgia. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 215-232.	0.8	108
9	Do fall predictors in middle aged and older adults predict fall status in persons 50+ with fibromyalgia? An exploratory study. <i>Research in Nursing and Health</i> , 2010, 33, 192-206.	0.8	18
10	Rational treatment of fibromyalgia for a solo practitioner. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010, 24, 341-352.	1.4	13
11	Tilt vibratory exercise and the dynamic balance in fibromyalgia: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2010, 62, 1072-1078.	1.5	38
12	Effects of Pilates Exercises on the Social Physical Concern of Patients with Fibromyalgia Syndrome: A Pilot Study. <i>Turkish Journal of Rheumatology</i> , 2010, 25, 201-207.	0.2	7
13	Fibromyalgia Syndrome Patients Optimize the Oxygen Cost of Walking by Preferring a Lower Walking Speed. <i>Journal of Musculoskeletal Pain</i> , 2011, 19, 212-217.	0.3	10
14	Postural control deficits in people with fibromyalgia: a pilot study. <i>Arthritis Research and Therapy</i> , 2011, 13, R127.	1.6	72
15	Handgrip Strength Test as a Complementary Tool in the Assessment of Fibromyalgia Severity in Women. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 83-88.	0.5	52
16	Effects of myofascial release techniques on pain, physical function, and postural stability in patients with fibromyalgia: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2011, 25, 800-813.	1.0	80
17	Reliability and Validity of the Balance Evaluation Systems Test (BESTest). <i>Rigakuryoho Kagaku</i> , 2011, 26, 381-385.	0.0	0
18	Pain and Functional Capacity in Female Fibromyalgia Patients. <i>Pain Medicine</i> , 2011, 12, 1667-1675.	0.9	57

#	ARTICLE	IF	CITATIONS
19	Does a 3-month multidisciplinary intervention improve pain, body composition and physical fitness in women with fibromyalgia?. <i>British Journal of Sports Medicine</i> , 2011, 45, 1189-1195.	3.1	58
20	Is the BESTest at Its Best? A Suggested Brief Version Based on Interrater Reliability, Validity, Internal Consistency, and Theoretical Construct. <i>Physical Therapy</i> , 2012, 92, 1197-1207.	1.1	143
21	Effect of Whole-Body Vibration Exercise on Balance in Women with Fibromyalgia Syndrome: A Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2012, 18, 158-164.	2.1	30
22	A randomized controlled trial of 8-form Tai chi improves symptoms and functional mobility in fibromyalgia patients. <i>Clinical Rheumatology</i> , 2012, 31, 1205-1214.	1.0	104
23	Positive Associations Between Physical and Cognitive Performance Measures in Fibromyalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 62-71.	0.5	34
24	Functional capacity, muscle strength and falls in women with fibromyalgia. <i>Clinical Biomechanics</i> , 2012, 27, 578-583.	0.5	88
25	Land- and water-based exercise intervention in women with fibromyalgia: the al-andalus physical activity randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 18.	0.8	38
26	Balance impairment in people with multiple sclerosis: Preliminary evidence for the Balance Evaluation Systems Test. <i>Gait and Posture</i> , 2012, 36, 414-418.	0.6	49
27	Fitness testing as a discriminative tool for the diagnosis and monitoring of fibromyalgia. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 415-423.	1.3	31
28	Fall experiences of persons with fibromyalgia over 6 months. <i>Journal of Advanced Nursing</i> , 2013, 69, 435-448.	1.5	23
29	Effect of supervised exercise program including balance exercises on the balance status and clinical signs in patients with fibromyalgia. <i>Rheumatology International</i> , 2013, 33, 743-750.	1.5	33
30	Assessment of the relationship between postural stability and sleep quality in patients with fibromyalgia. <i>Clinical Rheumatology</i> , 2013, 32, 325-331.	1.0	38
31	Is There a Balance Problem in Hypermobility Patients with Fibromyalgia?. <i>Turkish Journal of Rheumatology</i> , 2013, 28, 10-15.	0.2	3
32	Cross-cultural adaptation and analysis of the psychometric properties of the Balance Evaluation Systems Test and MiniBESTest in the elderly and individuals with Parkinson's disease: application of the Rasch model. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 195-217.	1.1	70
33	THU0492-HPR...The effectiveness of shiatsu on pain, sleep quality and balance confidence of fibromyalgia patients: A controlled clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 745.1-745.	0.5	0
34	Tilt vibratory exercise improves pain, strength and somatosensory function in patients with fibromyalgia: A randomized controlled trial. <i>Journal of Nursing Education and Practice</i> , 2013, 4, .	0.1	0
35	Fibromyalgia: is there association between balance and pain? a pilot study. <i>Fisioterapia E Pesquisa</i> , 2014, 21, 27-33.	0.3	3
36	Prevalence of falls in fibromyalgia patients. <i>Acta Ortopedica Brasileira</i> , 2014, 22, 163-166.	0.2	25

#	ARTICLE	IF	CITATIONS
37	Increasing the Clinical Utility of the BESTest, Mini-BESTest, and Brief-BESTest: Normative Values in Canadian Adults Who Are Healthy and Aged 50 Years or Older. <i>Physical Therapy</i> , 2014, 94, 334-342.	1.1	67
38	Association of the Weekly Practice of Guided Physical Activity With the Reduction of Falls and Symptoms of Fibromyalgia in Adult Women. <i>Journal of Strength and Conditioning Research</i> , 2014, 28, 3146-3154.	1.0	4
39	Gait characteristics of women with fibromyalgia: a premature aging pattern. <i>Revista Brasileira De Reumatologia</i> , 2014, 54, 335-341.	0.7	0
41	Juvenile fibromyalgia: current status of research and future developments. <i>Nature Reviews Rheumatology</i> , 2014, 10, 89-96.	3.5	67
42	Fear of Falling in Women with Fibromyalgia and Its Relation with Number of Falls and Balance Performance. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	32
43	New Approach in Fibromyalgia Exercise Program: A Preliminary Study Regarding the Effectiveness of Balance Training. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1576-1582.	0.5	27
44	Ankle dorsiflexion may play an important role in falls in women with fibromyalgia. <i>Clinical Biomechanics</i> , 2015, 30, 593-598.	0.5	9
45	Effects of functional training on pain, leg strength, and balance in women with fibromyalgia. <i>Modern Rheumatology</i> , 2015, 25, 943-947.	0.9	23
46	A Critical Examination of the Polysymptomatic Distress Scale Construct as a Symptom Severity Questionnaire. <i>Journal of Rheumatology</i> , 2015, 42, 1364-1367.	1.0	7
47	Preliminary Evidence of Altered Biomechanics in Adolescents With Juvenile Fibromyalgia. <i>Arthritis Care and Research</i> , 2015, 67, 102-111.	1.5	35
48	A cross-sectional survey assessing sources of movement-related fear among people with fibromyalgia syndrome. <i>Clinical Rheumatology</i> , 2015, 34, 1109-1119.	1.0	24
49	Cross-cultural adaptation of the Revised Korean version of the Fibromyalgia Impact Questionnaire: its association with physical function and quality of life. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 459-464.	0.9	6
50	Development of a Theory-Based Intervention to Increase Clinical Measurement of Reactive Balance in Adults at Risk of Falls. <i>Journal of Neurologic Physical Therapy</i> , 2016, 40, 100-106.	0.7	13
51	Effect of low-impact aerobic exercise combined with music therapy on patients with fibromyalgia. A pilot study. <i>Complementary Therapies in Medicine</i> , 2016, 28, 1-7.	1.3	84
52	The Impaired Balance Systems Identified by the BESTest in Older Patients With Knee Osteoarthritis. <i>PM and R</i> , 2016, 8, 869-875.	0.9	14
53	Relationship of physical distress to dizziness in patients with fibromyalgia. <i>Acta Oto-Laryngologica</i> , 2016, 136, 56-61.	0.3	4
54	International Fitness Scale (IFIS): Construct Validity and Reliability in Women With Fibromyalgia: The al-Andalus Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 395-404.	0.5	25
55	Effectiveness of Aquatic Therapy vs Land-based Therapy for Balance and Pain in Women with Fibromyalgia: a study protocol for a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 22.	0.8	15

#	ARTICLE	IF	CITATIONS
56	Balance deficiencies in women with fibromyalgia assessed using computerised dynamic posturography: a cross-sectional study in Spain. <i>BMJ Open</i> , 2017, 7, e016239.	0.8	14
57	The relationship between balance and vitamin 25(OH)D in fibromyalgia patients. <i>Modern Rheumatology</i> , 2017, 27, 868-874.	0.9	21
58	Physical fitness reference standards in fibromyalgia: The al-Ándalus project. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1477-1488.	1.3	26
59	Altered Functional Performance in Patients with Fibromyalgia. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 14.	1.0	54
60	Exteroceptive and Interoceptive Body-Self Awareness in Fibromyalgia Patients. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 117.	1.0	56
61	Fall Risk and Related Factors in Systemic Lupus Erythematosus. <i>Archives of Rheumatology</i> , 2017, 32, 216-220.	0.3	8
62	“Cryptogenic Drop Attacks” revisited: evidence of overlap with functional neurological disorder. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 769-776.	0.9	4
63	Balance deficits in Chronic Fatigue Syndrome with and without fibromyalgia. <i>NeuroRehabilitation</i> , 2018, 42, 235-246.	0.5	7
64	The influence of balance, physical disability, strength, mechanosensitivity and spinal mobility on physical activity at home, work and leisure time in women with fibromyalgia. <i>Clinical Biomechanics</i> , 2018, 60, 157-163.	0.5	13
65	A Concurrent Cognitive Task Does Not Perturb Quiet Standing in Fibromyalgia and Chronic Fatigue Syndrome. <i>Pain Research and Management</i> , 2018, 2018, 1-8.	0.7	3
66	Digging into the construct of fibrofog: Psychometric properties of the Spanish version of the Multidimensional Inventory of Subjective Cognitive Impairment in patients with fibromyalgia. <i>Journal of Applied Biobehavioral Research</i> , 2018, 23, e12134.	2.0	8
67	Embodied pain in fibromyalgia: Disturbed somatrepresentations and increased plasticity of the body schema. <i>PLoS ONE</i> , 2018, 13, e0194534.	1.1	29
68	Characterization of postural control impairment in women with fibromyalgia. <i>PLoS ONE</i> , 2018, 13, e0196575.	1.1	19
69	High Levels of Physical Fitness Are Associated With Better Health-Related Quality of Life in Women With Fibromyalgia: The al-Ándalus Project. <i>Physical Therapy</i> , 2019, 99, 1481-1494.	1.1	9
70	Trunk position sense, postural stability, and spine posture in fibromyalgia. <i>Rheumatology International</i> , 2019, 39, 2087-2094.	1.5	22
71	Associations between pressure pain threshold in the neck and postural control in patients with dizziness or neck pain – a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 528.	0.8	9
72	Physical Condition Factors that Predict a Better Quality of Life in Women with Fibromyalgia. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3173.	1.2	19
73	Fibromyalgia as a Predictor of Increased Postoperative Complications, Readmission Rates, and Hospital Costs in Patients Undergoing Posterior Lumbar Spine Fusion. <i>Spine</i> , 2019, 44, E233-E238.	1.0	28

#	ARTICLE	IF	CITATIONS
74	Complementarity of medical care and posturology in the management of Fibromyalgia Syndrome. <i>Neurophysiologie Clinique</i> , 2019, 49, 261.	1.0	0
75	Functional Status and Body Mass Index in Postmenopausal Women with Fibromyalgia: A Caseâ€“control Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4540.	1.2	8
76	A Distorted Body Schema and Susceptibility to Experiencing Anomalous Somatosensory Sensations in Fibromyalgia Syndrome. <i>Clinical Journal of Pain</i> , 2019, 35, 887-893.	0.8	15
77	Influence of a Cell-Phone Conversation on Balance Performance in Women with Fibromyalgia: A Cross-Sectional Descriptive Study. <i>BioMed Research International</i> , 2019, 2019, 1-6.	0.9	12
78	Strength Assessment Under Dual Task Conditions in Women with Fibromyalgia: A Testâ€“Retest Reliability Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4971.	1.2	6
79	Fibromyalgia: an update on clinical characteristics, aetiopathogenesis and treatment. <i>Nature Reviews Rheumatology</i> , 2020, 16, 645-660.	3.5	279
80	Effectiveness of Active Therapy-Based Training to Improve the Balance in Patients with Fibromyalgia: A Systematic Review with Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 3771.	1.0	7
81	Impact of cognitive tasks on biomechanical and kinematic parameters of gait in women with fibromyalgia: A cross-sectional study. <i>Physiology and Behavior</i> , 2020, 227, 113171.	1.0	8
82	Joint Assessment of Equilibrium and Neuromotor Function: A Validation Study in Patients with Fibromyalgia. <i>Diagnostics</i> , 2020, 10, 1057.	1.3	11
83	Effect of sensory stimulation applied under the great toe on postural ability in patients with fibromyalgia. <i>Somatosensory & Motor Research</i> , 2020, 37, 172-179.	0.4	6
84	Impaired Balance in Patients with Fibromyalgia Syndrome: Predictors of the Impact of This Disorder and Balance Confidence. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3160.	1.2	21
85	Effectiveness of acupuncture vs. core stability training in balance and functional capacity of women with fibromyalgia: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2020, 34, 630-645.	1.0	17
86	Alteration of Postural Balance in Patients with Fibromyalgia Syndromeâ€“A Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2021, 11, 127.	1.3	17
87	A Comparison of the Effect of Two Types of Whole Body Vibration Platforms on Fibromyalgia. A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3007.	1.2	6
88	Cross-cultural adaptation and validation of the Finnish version of the central sensitization inventory and its relationship with dizziness and postural control. <i>BMC Neurology</i> , 2021, 21, 141.	0.8	11
89	Assessment of sleep quality in fibromyalgia syndrome and its effect on postural balance and functional status. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 235-242.	0.4	5
90	The Therapeutic Effects of Whole-Body Vibration in Patients With Fibromyalgia. A Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2021, 12, 658383.	1.1	3
91	Effects of Physiotherapy vs. Acupuncture in Quality of Life, Pain, Stiffness, Difficulty to Work and Depression of Women with Fibromyalgia: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 3765.	1.0	13

#	ARTICLE	IF	CITATIONS
92	Effects of Non-Pharmacological Treatment on Pain, Flexibility, Balance and Quality of Life in Women with Fibromyalgia: A Randomised Clinical Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 3826.	1.0	12
93	Reliability and Fall-Risk Predictability of the Short Form of the Fullerton Advanced Balance Scale in Iranian Older Adults. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-8.	0.5	0
94	Multidisciplinary protocol for the management of fibromyalgia associated with imbalance. Our experience and literature review. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 1265-1274.	0.3	7
95	A Comparison of Central Sensory Reception and Integration Abilities between Older Females with and without Fibromyalgia: A Pilot Study. <i>Advances in Aging Research</i> , 2015, 04, 58-68.	0.3	1
96	Fibromyalji Sendromu Tanı Alan ve Almayan Türk Kadınlarda Propriyosepsiyon ve Denge. <i>FTR - Türkiye Fiziksel Tıp Ve Rehabilitasyon Dergisi</i> , 2013, 59, 128-132.	0.1	12
98	Falls and Drop Attacks. , 2012, , 20-25.		0
99	Distribution of plantar pressure in fibromyalgia patients. <i>Medicine Science</i> , 2017, , 1.	0.0	0
100	Bewegung und rheumatologische Erkrankungen. , 2017, , 307-316.		0
101	Fibromiyalji Sendromu Olan Kadınlarda Denge, Endurans ve Esnekliğin Değerlendirilmesi. <i>Fizyoterapi Rehabilitasyon</i> , 2017, 28, .	0.0	0
103	Caracterización de mujeres colombianas con fibromialgia, comportamiento sedentario y niveles de aptitud física. <i>Revista Colombiana De Medicina Física Y Rehabilitación</i> , 2020, 30, 45-53.	0.0	0
104	Community Participation as Both a Mediator and Moderator for the Relationship Between Functional Disability and Life Satisfaction of Individuals With Fibromyalgia. <i>Journal of Applied Rehabilitation Counseling</i> , 2020, 51, 31-41.	0.0	1
105	Common Objective Measurements for Strength, Balance, and Function in the Arthroplasty Patient. , 2022, , 153-182.		1
106	Bodily Illusions and Motor Imagery in Fibromyalgia. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 798912.	1.0	1
107	Evaluation of balance, fall risk, and related factors in patients with fibromyalgia syndrome. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2021, 67, 409-415.	0.3	5
108	Effect of central sensitization on dizziness-related symptoms of persistent postural-perceptual dizziness. <i>BioPsychoSocial Medicine</i> , 2022, 16, 7.	0.9	2
109	Comparison of core muscle strengthening exercise and stretching exercise in middle-aged women with fibromyalgia. <i>Medicine (United States)</i> , 2021, 100, e27854.	0.4	7
110	Tactile Detection in Fibromyalgia: A Systematic Review and a Meta-Analysis. <i>Frontiers in Pain Research</i> , 2021, 2, 740897.	0.9	1
111	Efficacy of Acupuncture, Intravenous Lidocaine, and Diet in the Management of Patients with Fibromyalgia: A Systematic Review and Network Meta-Analysis. <i>Healthcare (Switzerland)</i> , 2022, 10, 1176.	1.0	9

#	ARTICLE	IF	CITATIONS
112	A Comprehensive Review of Pain Interference on Postural Control: From Experimental to Chronic Pain. <i>Medicina (Lithuania)</i> , 2022, 58, 812.	0.8	7
113	Assessment of balance and functional capacity in fibromyalgia patients with and without migraine. <i>Headache Medicine</i> , 2022, 13, 124-132.	0.1	0
114	Vestibular Disability/Handicap in Fibromyalgia: A Questionnaire Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 4017.	1.0	4
115	Hand size estimates of fibromyalgia patients are associated with clinical and experimental pain. <i>PLoS ONE</i> , 2022, 17, e0270701.	1.1	0
116	Gradual Strength Training Improves Sleep Quality, Physical Function and Pain in Women with Fibromyalgia. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15662.	1.2	1
117	An Investigation of the Association between 3D Spinal Alignment and Fibromyalgia. <i>Journal of Clinical Medicine</i> , 2023, 12, 218.	1.0	4
118	Testâ€“Retest Reliability and Concurrent Validity of the 3 m Backward Walk Test under Single and Dual-Task Conditions in Women with Fibromyalgia. <i>Journal of Clinical Medicine</i> , 2023, 12, 212.	1.0	3
119	The Influence of Emotional and Cognitive Factors on Limb Laterality Discrimination in Women with Fibromyalgia Syndrome: A Cross-Sectional Study Secondary Analysis. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 1894.	1.3	1
120	Mediation Effect of Kinesiophobia on the Relationship between Cervical Joint Position Sense and Limits of Stability in Individuals with Fibromyalgia Syndrome: A Cross-Sectional Study Using Mediation Analysis. <i>Journal of Clinical Medicine</i> , 2023, 12, 2791.	1.0	3