

# CITATION REPORT

List of articles citing

**Dried blood spot methods in therapeutic drug monitoring: methods, assays, and pitfalls**

**DOI: 10.1097/ftd.ob013e31819e91ce**  
**Therapeutic Drug Monitoring, 2009, 31, 327-36.**

**Source:** <https://exaly.com/paper-pdf/47170988/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
426	Analysis of mycophenolic acid in dried blood spots using reversed phase high performance liquid chromatography. <b>2009</b> , 877, 3916-9		24
425	Direct quantitative bioanalysis of drugs in dried blood spot samples using a thin-layer chromatography mass spectrometer interface. <b>2009</b> , 81, 10275-84		106
424	Application of a liquid extraction based sealing surface sampling probe for mass spectrometric analysis of dried blood spots and mouse whole-body thin tissue sections. <b>2009</b> , 81, 9146-52		71
423	Use of dried blood spots in drug development: pharmacokinetic considerations. <b>2010</b> , 12, 290-3		101
422	Use of the dried blood spot sampling process coupled with fast gas chromatography and negative-ion chemical ionization tandem mass spectrometry: application to fluoxetine, norfluoxetine, reboxetine, and paroxetine analysis. <b>2010</b> , 396, 2523-32		43
421	Determination of gamma-hydroxybutyric acid in dried blood spots using a simple GC-MS method with direct "on spot" derivatization. <b>2010</b> , 398, 2173-82		40
420	Development and validation of a dried blood spot-LC-APCI-MS assay for estimation of canrenone in paediatric samples. <b>2010</b> , 878, 769-76		29
419	Dexamethasone quantification in dried blood spot samples using LC-MS: The potential for application to neonatal pharmacokinetic studies. <b>2010</b> , 878, 3277-82		44
418	Dried blood spot sampling in combination with LC-MS/MS for quantitative analysis of small molecules. <b>2010</b> , 24, 49-65		458
417	On-line desorption of dried blood spots coupled to hydrophilic interaction/reversed-phase LC/MS/MS system for the simultaneous analysis of drugs and their polar metabolites. <b>2010</b> , 33, 873-9		73
416	Fully automated liquid extraction-based surface sampling and ionization using a chip-based robotic nanoelectrospray platform. <b>2010</b> , 45, 252-60		271
415	Impact of various factors on radioactivity distribution in different DBS papers. <b>2010</b> , 2, 1469-75		54
414	Exploring the feasibility of using the DBS technique for metabolite radioprofiling. <b>2010</b> , 2, 1365-71		6
413	Utilization of DBS within drug discovery: development of a serial microsampling pharmacokinetic study in mice. <b>2010</b> , 2, 1477-88		56
412	Facilitating pharmacokinetic studies in children: a new use of dried blood spots. <b>2010</b> , 95, 484-7		82
411	Effect of storage conditions on the weight and appearance of dried blood spot samples on various cellulose-based substrates. <b>2010</b> , 2, 1817-22		26
410	Study to assess the effect of age of control human and animal blood on its suitability for use in quantitative bioanalytical DBS methods. <b>2010</b> , 2, 1373-84		15

409	A glowing future for dried blood spot sampling. <b>2010</b> , 2, 1343-4	35
408	Validation of individual quantitative methods for determination of cytochrome P450 probe substrates in human dried blood spots with HPLC-MS/MS. <b>2010</b> , 2, 1849-61	16
407	Validation of a high-sensitivity assay for zatebradine in dried blood spots of human blood at pg/ml concentrations using HILIC-MS/MS. <b>2010</b> , 2, 1863-71	8
406	Use of DBS sample collection to determine circulating drug concentrations in clinical trials: practicalities and considerations. <b>2010</b> , 2, 1515-22	40
405	Assessment of DBS technology for the detection of therapeutic antibodies. <b>2010</b> , 2, 1449-60	17
404	The effect of hematocrit on assay bias when using DBS samples for the quantitative bioanalysis of drugs. <b>2010</b> , 2, 1385-95	228
403	Pharmacokinetic considerations as to when to use dried blood spot sampling. <b>2010</b> , 2, 1791-6	112
402	Human DBS sampling with LC-MS/MS for enantioselective determination of metoprolol and its metabolite O-desmethyl metoprolol. <b>2010</b> , 2, 1437-48	15
401	Connecting strategies on dried blood spots. <b>2010</b> , 2, 1809-16	11
400	The application of dried blood spot sampling in global clinical trials. <b>2010</b> , 2, 1783-6	48
399	Determination of naproxen using DBS: evaluation & pharmacokinetic comparison of human plasma versus human blood DBS. <b>2010</b> , 2, 1501-13	18
398	A database of avian blood spot examinations for exposure of wild birds to environmental toxicants: the DABSE biomonitoring project. <b>2011</b> , 13, 1547-58	22
397	Analytical methods used in conjunction with dried blood spots. <b>2011</b> , 3, 1709	42
396	Method of applying internal standard to dried matrix spot samples for use in quantitative bioanalysis. <b>2011</b> , 83, 8779-86	60
395	Dried blood spot punches for confirmation of suspected $\beta$ -hydroxybutyric acid intoxications: validation of an optimized GC-MS procedure. <b>2011</b> , 3, 2271-81	43
394	Dried blood spots, pharmacokinetic studies and better medicines for children. <b>2011</b> , 3, 779-86	48
393	Novel strategies for sample preparation in forensic toxicology. <b>2011</b> , 3, 2019-46	26
392	Pediatric Clinical Pharmacology. <b>2011</b> ,	8

391	Research highlights. <b>2011</b> , 11, 3937	
390	Molecular Chaperones. <b>2011</b> ,	1
389	A dried blood spots technique based LC-MS/MS method for the analysis of posaconazole in human whole blood samples. <b>2011</b> , 879, 3626-38	30
388	Microassay of drugs and modern measurement techniques. <b>2011</b> , 21, 197-205	12
387	Use of dried clinical samples for storing and detecting influenza RNA. <b>2011</b> , 5, 413-7	5
386	Application of automated serial blood sampling and dried blood spot technique with liquid chromatography-tandem mass spectrometry for pharmacokinetic studies in mice. <b>2011</b> , 56, 604-8	29
385	Development and validation of a dried blood spot LC-MS/MS assay to quantify ranitidine in paediatric samples. <b>2011</b> , 56, 1057-63	18
384	Combination of ELISA and dried blood spot technique for the quantification of large molecules using exenatide as a model. <b>2011</b> , 64, 124-8	19
383	A sensitive assay for the quantification of morphine and its active metabolites in human plasma and dried blood spots using high-performance liquid chromatography-tandem mass spectrometry. <b>2011</b> , 400, 715-28	65
382	Dried blood spot UHPLC-MS/MS analysis of oseltamivir and oseltamivircarboxylate--a validated assay for the clinic. <b>2011</b> , 400, 3473-9	33
381	The role of population PK-PD modelling in paediatric clinical research. <b>2011</b> , 67 Suppl 1, 5-16	144
380	Automated system for on-line desorption of dried blood spots applied to LC/MS/MS pharmacokinetic study of flurbiprofen and its metabolite. <b>2011</b> , 54, 359-67	69
379	Quantitative analysis of therapeutic drugs in dried blood spot samples by paper spray mass spectrometry: an avenue to therapeutic drug monitoring. <b>2011</b> , 22, 1501-7	177
378	Pre-cut dried blood spot (PCDBS): an alternative to dried blood spot (DBS) technique to overcome hematocrit impact. <b>2011</b> , 25, 2951-8	84
377	Validation of a bioanalytical method for the quantification of a therapeutic peptide, ramoplanin, in human dried blood spots using LC-MS/MS. <b>2011</b> , 25, 995-1002	22
376	Application of dried blood spot sampling combined with LC-MS/MS for genotyping and phenotyping of CYP450 enzymes in healthy volunteers. <b>2011</b> , 25, 1112-23	29
375	The current role of liquid chromatography-tandem mass spectrometry in therapeutic drug monitoring of immunosuppressant and antiretroviral drugs. <b>2011</b> , 44, 14-20	53
374	The analysis of dried blood spot samples using liquid chromatography tandem mass spectrometry. <b>2011</b> , 44, 110-8	85

373	Rapid assay of rufinamide in dried blood spots by a new liquid chromatography-tandem mass spectrometric method. <b>2011</b> , 54, 192-7	43
372	Determination of moxifloxacin in dried blood spots using LC-MS/MS and the impact of the hematocrit and blood volume. <b>2011</b> , 879, 1063-70	98
371	Dried matrix spot direct analysis: evaluating the robustness of a direct elution technique for use in quantitative bioanalysis. <b>2011</b> , 3, 2769-81	46
370	Investigations into the environmental conditions experienced during ambient sample transport: impact to dried blood spot sample shipments. <b>2011</b> , 3, 1625-33	27
369	Use of conventional bioanalytical devices to automate DBS extractions in liquid-handling dispensing tips. <b>2011</b> , 3, 2303-10	17
368	Dried blood spots: a new tool for tuberculosis treatment optimization. <b>2011</b> , 17, 2931-9	58
367	Principles of therapeutic drug monitoring. <b>2011</b> , 205, 77-90	19
366	Analysis of 3,4-methylenedioxymetamphetamine: whole blood versus dried blood spots. <b>2011</b> , 35, 269-73	35
365	Evaluation of blood microsampling techniques and sampling sites for the analysis of drugs by HPLC-MS. <b>2011</b> , 3, 145-56	19
364	Determination of oseltamivir (Tamiflu®) and oseltamivir carboxylate in dried blood spots using offline or online extraction. <b>2011</b> , 3, 421-37	31
363	EBF recommendation on the validation of bioanalytical methods for dried blood spots. <b>2011</b> , 3, 1567-75	132
362	Dried blood spot sampling: coupling bioanalytical feasibility, blood-plasma partitioning and transferability to in vivo preclinical studies. <b>2011</b> , 3, 1635-46	26
361	Impact of internal standard addition on dried blood spot analysis in bioanalytical method development. <b>2011</b> , 3, 2357-64	31
360	The effect of hematocrit and punch location on assay bias during quantitative bioanalysis of dried blood spot samples. <b>2011</b> , 3, 2335-47	120
359	Direct analysis of DBS: emerging and desirable technologies. <b>2011</b> , 3, 1675-1678	30
358	The Use of Dried Blood Spots for Concentration Assessment in Pharmacokinetic Evaluations. <b>2011</b> , 91-114	6
357	Clinical evaluation of the determination of plasma concentrations of darunavir, etravirine, raltegravir and ritonavir in dried blood spot samples. <b>2011</b> , 3, 1093-7	21
356	Implementing DBS methodology for the determination of Compound A in monkey blood: GLP method validation and investigation of the impact of blood spreading on performance. <b>2011</b> , 3, 1241-52	16

355	Reply to Alffenaar. <b>2012</b> , 205, 1766-1766	1
354	Dried blood spot analysis of donepezil in support of a GLP 3-month dose-range finding study in rats. <b>2012</b> , 31, 337-47	9
353	Dried blood spot analysis combined with limited sampling models can advance therapeutic drug monitoring of tuberculosis drugs. <b>2012</b> , 205, 1765-6; author reply 1766	12
352	Dried blood spots in toxicology: from the cradle to the grave?. <b>2012</b> , 42, 230-43	117
351	Use of dried blood spots for the determination of plasma concentrations of nevirapine and efavirenz. <b>2012</b> , 67, 1211-6	46
350	Incurred sample reanalysis comparison of dried blood spots and plasma samples on the measurement of lopinavir in clinical samples. <b>2012</b> , 4, 237-40	18
349	Capillary microsampling of 25 $\mu$ l blood for the determination of toxicokinetic parameters in regulatory studies in animals. <b>2012</b> , 4, 661-74	78
348	Dried blood spot analysis for therapeutic drug monitoring of linezolid in patients with multidrug-resistant tuberculosis. <b>2012</b> , 56, 5758-63	57
347	Regulated drug bioanalysis for human pharmacokinetic studies and therapeutic drug management. <b>2012</b> , 4, 1919-31	7
346	Oral flurbiprofen metabolic ratio assessment using a single-point dried blood spot. <b>2012</b> , 91, 489-96	25
345	Therapeutic drug monitoring of antiretroviral drugs at home using dried blood spots: a proof-of-concept study. <b>2013</b> , 18, 821-5	20
344	What is next for dried blood spots?. <b>2012</b> , 4, 2059-65	24
343	Dried blood spot bioanalysis: an evaluation of techniques and opportunities for reduction and refinement in mouse and juvenile rat toxicokinetic studies. <b>2012</b> , 31, 4-13	39
342	An optimized method for elution of enteroviral RNA from a cellulose-based substrate. <b>2012</b> , 186, 62-7	8
341	Reusable solid-phase microextraction coating for direct immersion whole-blood analysis and extracted blood spot sampling coupled with liquid chromatography-tandem mass spectrometry and direct analysis in real time-tandem mass spectrometry. <b>2012</b> , 84, 8301-9	97
340	Direct trace-elemental analysis of urine samples by laser ablation-inductively coupled plasma mass spectrometry after sample deposition on clinical filter papers. <b>2012</b> , 84, 8682-90	30
339	Simultaneous measurement of cyclosporin A and tacrolimus from dried blood spots by ultra high performance liquid chromatography tandem mass spectrometry. <b>2012</b> , 883-884, 102-7	46
338	On-line liquid chromatography/tandem mass spectrometry simultaneous determination of opiates, cocaine and amphetamines in dried blood spots. <b>2012</b> , 885-886, 1-7	57

337	Development and validation of a fully automated online human dried blood spot analysis of bosentan and its metabolites using the Sample Card And Prep DBS System. <b>2012</b> , 885-886, 50-60	43
336	Distribution of 25-hydroxyvitamin D3 in dried blood spots and implications for its quantitation by tandem mass spectrometry. <b>2012</b> , 901, 47-52	36
335	Rapid and sensitive LC-MS/MS method for the analysis of antibiotic linezolid on dried blood spot. <b>2012</b> , 67-68, 86-91	37
334	Metabolite profiling of dasatinib dosed to Wistar Han rats using automated dried blood spot collection. <b>2012</b> , 67-68, 92-7	10
333	Evaluation of factors influencing accuracy in the analysis of succinylacetone in dried blood spots. <b>2012</b> , 413, 1265-9	10
332	Analysis of cyclosporin A, tacrolimus, sirolimus, and everolimus in dried blood spot samples using liquid chromatography tandem mass spectrometry. <b>2012</b> , 404, 1803-11	41
331	An introduction to drug testing: the expanding role of mass spectrometry. <b>2012</b> , 902, 1-13	2
330	N-Glycan profiling of dried blood spots. <b>2012</b> , 84, 396-402	54
329	Alginate and chitosan foam combined with electromembrane extraction for dried blood spot analysis. <b>2012</b> , 84, 8783-9	40
328	How to optimize the evaluation and use of antibiotics in neonates. <b>2012</b> , 59, 1117-28	6
327	Evaluation of dried blood spot (DBS) technology versus plasma analysis for the determination of MK-1775 by HILIC-MS/MS in support of clinical studies. <b>2012</b> , 404, 3037-48	26
326	Dried matrix on paper disks: the next generation DBS microsampling technique for managing the hematocrit effect in DBS analysis. <b>2012</b> , 4, 2027-35	51
325	Dried blood spot (DBS) sample collection for determination of the oxidative stress biomarker 8-epi-PGF <sub>2</sub> in humans using liquid chromatography/tandem mass spectrometry. <b>2012</b> , 26, 645-52	18
324	The use of a membrane filtration device to form dried plasma spots for the quantitative determination of guanfacine in whole blood. <b>2012</b> , 26, 1208-12	65
323	A simplified method for busulfan monitoring using dried blood spot in combination with liquid chromatography/tandem mass spectrometry. <b>2012</b> , 26, 1437-46	36
322	Dried blood spot on-card derivatization: an alternative form of sample handling to overcome the instability of thiorphan in biological matrix. <b>2012</b> , 26, 1617-24	14
321	Development and validation of a mass spectrometric detection method of peginesatide in dried blood spots for sports drug testing. <b>2012</b> , 403, 2715-24	54
320	Evaluation of dry blood spot technique for quantification of an Anti-CD20 monoclonal antibody drug in human blood samples. <b>2012</b> , 65, 44-8	14

319	Direct analysis of dried blood spots coupled with mass spectrometry: concepts and biomedical applications. <b>2012</b> , 402, 2485-98	112
318	Functional proteomics: application of mass spectrometry to the study of enzymology in complex mixtures. <b>2012</b> , 402, 625-45	16
317	Inhibition of bacterial degradation of EtG by collection as dried urine spots (DUS). <b>2012</b> , 402, 2417-24	33
316	Comparison of proteins in whole blood and dried blood spot samples by LC/MS/MS. <b>2013</b> , 24, 1338-45	33
315	Pre-exposure prophylaxis for HIV infection: how antiretroviral pharmacology helps to monitor and improve adherence. <b>2013</b> , 14, 1777-85	10
314	Determination of salmeterol in dried blood spot using an ionic liquid based dispersive liquid-liquid microextraction coupled with HPLC. <b>2013</b> , 85, 283-7	28
313	Electromembrane extraction from aqueous samples containing polar organic solvents. <b>2013</b> , 1308, 37-44	26
312	Direct tandem mass spectrometry for the simultaneous assay of opioids, cocaine and metabolites in dried urine spots. <b>2013</b> , 784, 25-32	30
311	Simultaneous detection of 19 drugs of abuse on dried urine spot by liquid chromatography-tandem mass spectrometry. <b>2013</b> , 46, 1118-1124	25
310	Validation of a ligand binding assay using dried blood spot sampling. <b>2013</b> , 15, 123-31	15
309	Determination of ethyl glucuronide and ethyl sulfate from dried blood spots. <b>2013</b> , 127, 769-75	19
308	Dried blood spots in bioanalysis of antimalarials: relevance and challenges in quantitative assessment of antimalarial drugs. <b>2013</b> , 5, 2171-86	26
307	Second-tier test for quantification of underivatized amino acids in dry blood spot for metabolic diseases in newborn screening. <b>2013</b> , 44, 661-71	9
306	Simultaneous determination of cocaine and opiates in dried blood spots by electrospray ionization tandem mass spectrometry. <b>2013</b> , 117, 235-41	27
305	The stability of amitriptyline N-oxide and clozapine N-oxide on treated and untreated dry blood spot cards. <b>2013</b> , 76, 164-8	13
304	Body fluid and tissue analysis using filter paper sampling support prior to LC-MS/MS: application to fatal overdose with colchicine. <b>2013</b> , 5, 763-72	16
303	State-of-the-art dried blood spot analysis: an overview of recent advances and future trends. <b>2013</b> , 5, 2187-208	94
302	Feasibility of following up gamma-hydroxybutyric acid concentrations in sodium oxybate (Xyrem®)-treated narcoleptic patients using dried blood spot sampling at home: an exploratory study. <b>2013</b> , 27, 233-7	18



301	Dried blood spots: analysis and applications. <b>2013</b> , 85, 779-89		180
300	Clinical evaluation of a dried blood spot method for determination of mycophenolic acid in renal transplant patients. <b>2013</b> , 46, 1905-8		20
299	Development and validation of a new UPLC-PDA method to quantify linezolid in plasma and in dried plasma spots. <b>2013</b> , 936, 42-7		30
298	Anti-epileptogenesis: Electrophysiology, diffusion tensor imaging and behavior in a genetic absence model. <b>2013</b> , 60, 126-38		39
297	Clinical validation and implementation of a multiplexed immunosuppressant assay in dried blood spots by LC-MS/MS. <b>2013</b> , 421, 152-6		39
296	A simple bioanalytical method for the quantification of antiepileptic drugs in dried blood spots. <b>2013</b> , 923-924, 65-73		50
295	Storage of oral fluid as dried spots on alginate and chitosan foam - a new concept for oral fluid collection. <b>2013</b> , 5, 317-25		24
294	A pharmacokinetic study and correlation with clinical response of rufinamide in infants with epileptic encephalopathies. <b>2013</b> , 91, 275-80		6
293	Adapting dried blood spot sampling for an anti-therapeutic antibody immunogenicity assay. <b>2013</b> , 393, 53-60		2
292	Comparison of the quantification of acetaminophen in plasma, cerebrospinal fluid and dried blood spots using high-performance liquid chromatography-tandem mass spectrometry. <b>2013</b> , 83, 1-9		32
291	Fast LC-MS/MS analysis of tacrolimus, sirolimus, everolimus and cyclosporin A in dried blood spots and the influence of the hematocrit and immunosuppressant concentration on recovery. <b>2013</b> , 115, 47-54		86
290	A dried blood spot update: still an important bioanalytical technique?. <b>2013</b> , 5, 879-83		26
289	Prediction of the hematocrit of dried blood spots via potassium measurement on a routine clinical chemistry analyzer. <b>2013</b> , 85, 404-10		114
288	Preclinical bridging studies: understanding dried blood spot and plasma exposure profiles. <b>2013</b> , 5, 159-70		21
287	Measurement of in vivo therapeutic mAb concentrations: comparison of conventional serum/plasma collection and analysis to dried blood spot sampling. <b>2013</b> , 5, 1979-90		8
286	Clinical validation of dried blood spot sampling in therapeutic drug monitoring of ciclosporin A in allogeneic stem cell transplant recipients: direct comparison between capillary and venous sampling. <i>Therapeutic Drug Monitoring</i> , <b>2013</b> , 35, 92-5	3.2	24
285	Therapeutic drug monitoring of antiepileptic drugs by use of saliva. <i>Therapeutic Drug Monitoring</i> , <b>2013</b> , 35, 4-29	3.2	126
284	Determination of efavirenz in human dried blood spots by reversed-phase high-performance liquid chromatography with UV detection. <i>Therapeutic Drug Monitoring</i> , <b>2013</b> , 35, 203-8	3.2	19

283	Dried blood spot analysis suitable for therapeutic drug monitoring of voriconazole, fluconazole, and posaconazole. <b>2013</b> , 57, 4999-5004	43
282	A novel approach to capillary plasma microsampling for quantitative bioanalysis. <b>2013</b> , 5, 1131-5	48
281	Letter: dry blood spots for anti-TNF treatment monitoring in IBD. <b>2013</b> , 37, 1024-5	7
280	Letter: dry blood spots for anti-TNF treatment monitoring in IBD--authors' reply. <b>2013</b> , 37, 1025-6	1
279	Hemato-critical issues in quantitative analysis of dried blood spots: challenges and solutions. <b>2013</b> , 5, 2023-41	170
278	Merck's perspective on the implementation of dried blood spot technology in clinical drug development - why, when and how. <b>2013</b> , 5, 341-50	59
277	Clinical validation and implications of dried blood spot sampling of carbamazepine, valproic acid and phenytoin in patients with epilepsy. <b>2014</b> , 9, e108190	24
276	. <b>2014</b> ,	23
275	Failure Modes in Anticancer Drug Discovery and Development. <b>2014</b> , 567-581	
274	A validated LC-MS/MS method for the quantification of piperacillin/tazobactam on dried blood spot. <b>2014</b> , 6, 2795-802	13
273	The Use of Dried Blood Spots and Stains in Forensic Science. <b>2014</b> , 140-150	2
272	Therapeutic drug monitoring of ciclosporin A and tacrolimus in heart lung transplant patients using dried blood spots. <b>2014</b> , 51, 106-9	27
271	Direct Analysis of Dried Blood Spot Samples. <b>2014</b> , 243-297	2
270	Derivatization Techniques in Dried Blood Spot Analysis. <b>2014</b> , 344-354	
269	Application of Dried Blood Spot Sampling in Clinical Pharmacology Trials and Therapeutic Drug Monitoring. <b>2014</b> , 216-228	2
268	Clinical and Bioanalytical Evaluation of Dried Blood spot Sampling for Genotyping and Phenotyping of Cytochrome p450 Enzymes in Healthy Volunteers. <b>2014</b> , 202-215	
267	Pharmaceutical Perspectives of Use of Dried Blood Spots. <b>2014</b> , 151-159	1
266	Applications of Dried Blood Spots in Environmental Population Studies. <b>2014</b> , 130-139	

265	Understanding pharmacokinetics to improve tuberculosis treatment outcome. <b>2014</b> , 10, 813-23	42
264	Development of a UPLC-MS/MS method for the quantification of sildenafil by DBS, and its use on pediatric pulmonary hypertension. <b>2014</b> , 6, 2815-24	6
263	CYP1A2 phenotyping in dried blood spots and microvolumes of whole blood and plasma. <b>2014</b> , 6, 3011-24	13
262	Rapid DNA extraction from dried blood spots on filter paper: potential applications in biobanking. <b>2014</b> , 5, 351-7	33
261	Evaluation of dried blood spot technique for pharmacokinetic study of hydrochlorothiazide and comparison of human plasma versus dried blood spot. <b>2014</b> , 6, 44-49	
260	Multiplexed extraction and quantitative analysis of pharmaceuticals from DBS samples using digital microfluidics. <b>2014</b> , 6, 307-18	26
259	Determination of tamoxifen and endoxifen in dried blood spots using LC-MS/MS and the effect of coated DBS cards on recovery and matrix effects. <b>2014</b> , 6, 2999-3009	23
258	Estimation and comparison of carbamazepine population pharmacokinetics using dried blood spot and plasma concentrations from people with epilepsy: the clinical implication. <b>2014</b> , 54, 225-33	14
257	3D-printed paper spray ionization cartridge with fast wetting and continuous solvent supply features. <b>2014</b> , 86, 11657-65	62
256	Quantification of valproic acid in dried blood spots. <b>2014</b> , 74, 648-52	12
255	Quantifying vemurafenib in dried blood spots using high-performance LC-MS/MS. <b>2014</b> , 6, 3215-24	12
254	Spot them in the spot: analysis of abused substances using dried blood spots. <b>2014</b> , 6, 2211-27	59
253	Procedures and practices for the validation of bioanalytical methods using dried blood spots: a review. <b>2014</b> , 6, 2481-514	67
252	Rapid and simple LC-MS/MS screening of 64 novel psychoactive substances using dried blood spots. <b>2014</b> , 6, 367-75	54
251	Simple procedure for determination of valproic acid in dried blood spots by gas chromatography-mass spectrometry. <b>2014</b> , 96, 207-12	32
250	Human saliva-based quantitative monitoring of clarithromycin by flow injection chemiluminescence analysis: a pharmacokinetic study. <b>2014</b> , 172, 1320-31	6
249	Issues Affecting Interpretation: Stability and Artefacts. <b>2014</b> , 873-888	
248	Simplifying sample pretreatment: application of dried blood spot (DBS) method to blood samples, including postmortem, for UHPLC-MS/MS analysis of drugs of abuse. <b>2014</b> , 243, 61-7	50

247	Dried blood spots: concepts, present status, and future perspectives in bioanalysis. <b>2014</b> , 6, 399-414	88
246	Therapeutic drug monitoring in the treatment of tuberculosis: an update. <b>2014</b> , 74, 839-54	263
245	Simultaneous determination of rifampicin, clarithromycin and their metabolites in dried blood spots using LC-MS/MS. <b>2014</b> , 121, 9-17	52
244	Therapeutic drug monitoring by dried blood spot: progress to date and future directions. <b>2014</b> , 53, 961-73	212
243	Gas chromatography-electron ionization-mass spectrometry quantitation of valproic acid and gabapentin, using dried plasma spots, for therapeutic drug monitoring in in-home medical care. <b>2014</b> , 28, 1756-62	15
242	Dried blood spot testing: a novel approach for the therapeutic drug monitoring of ziprasidone-treated patients. <b>2014</b> , 6, 1487-95	15
241	Why dried blood spots are an ideal tool for CYP1A2 phenotyping. <b>2014</b> , 53, 763-71	15
240	Determination of venlafaxine and O-desmethylvenlafaxine in dried blood spots for TDM purposes, using LC-MS/MS. <b>2014</b> , 406, 2349-53	30
239	Use of dried blood spots for the determination of serum concentrations of tamoxifen and endoxifen. <b>2014</b> , 146, 137-44	30
238	Development and validation of an UPLC-PDA method to quantify daptomycin in human plasma and in dried plasma spots. <b>2014</b> , 88, 66-70	35
237	Influence of haematocrit level on the kinetics of blood spreading on thin porous medium during dried blood spot sampling. <b>2014</b> , 451, 38-47	30
236	Evaluation of peripheral blood microsampling techniques in combination with liquid chromatography-high resolution mass spectrometry for the determination of drug pharmacokinetics in clinical studies. <b>2014</b> , 6, 568-77	2
235	Methods for pharmacokinetic analysis in young children. <b>2014</b> , 10, 497-509	6
234	Capillary blood collection by the finger prick practice: an alternative blood collection procedure to venipuncture. <b>2015</b> , 22-34	
233	Repeated measures of inflammation, blood pressure, and heart rate variability associated with traffic exposures in healthy adults. <b>2015</b> , 14, 66	33
232	Dried blood spots and their role in bioanalysis. <b>2015</b> , 194-208	
231	Dried Blood Spot Self-Sampling at Home for the Individualization of Tamoxifen Treatment: A Feasibility Study. <i>Therapeutic Drug Monitoring</i> , <b>2015</b> , 37, 833-6	3.2 10
230	Dried blood spot sampling for therapeutic drug monitoring. <b>2015</b> , 66-78	

229	Influence of Hematocrit and Total-Spot Volume on Performance Characteristics of Dried Blood Spots for Newborn Screening. <b>2015</b> , 1, 69-78	50
228	[Sample preparation and bioanalysis in mass spectrometry]. <b>2015</b> , 73, 11-23	1
227	Analysis of dried blood spots in forensic toxicology. <b>2015</b> , 80-92	1
226	What is the right blood hematocrit preparation procedure for standards and quality control samples for dried blood spot analysis?. <b>2015</b> , 7, 345-51	41
225	Feasibility of self-sampled dried blood spot and saliva samples sent by mail in a population-based study. <b>2015</b> , 15, 265	36
224	Analysis of $\gamma$ -hydroxy butyrate by combining capillary electrophoresis-indirect detection and wall dynamic coating: application to dried matrices. <b>2015</b> , 407, 8893-901	8
223	Spreading of blood drops over dry porous substrate: complete wetting case. <b>2015</b> , 446, 218-25	20
222	On the Slow Diffusion of Point-of-Care Systems in Therapeutic Drug Monitoring. <b>2015</b> , 3, 20	21
221	Tacrolimus and sirolimus in capillary dried blood spots allows for remote monitoring. <b>2015</b> , 19, 101-6	22
220	Development and validation of a quantitative method for determination of retigabine and its N-acetyl metabolite; overcoming challenges associated with circulating labile N-glucuronide metabolites. <b>2015</b> , 7, 723-735	7
219	A device for dried blood microsampling in quantitative bioanalysis: overcoming the issues associated blood hematocrit. <b>2015</b> , 7, 653-9	133
218	Dried blood spot analysis of creatinine with LC-MS/MS in addition to immunosuppressants analysis. <b>2015</b> , 407, 1585-94	32
217	Effects and cost-effectiveness of pharmacogenetic screening for CYP2D6 among older adults starting therapy with nortriptyline or venlafaxine: study protocol for a pragmatic randomized controlled trial (CYSCEtrial). <b>2015</b> , 16, 37	12
216	Analysis of metformin, sitagliptin and creatinine in human dried blood spots. <b>2015</b> , 997, 218-28	26
215	Does volumetric absorptive microsampling eliminate the hematocrit bias for caffeine and paraxanthine in dried blood samples? A comparative study. <b>2015</b> , 881, 65-73	96
214	Analysis of benzodiazepines and their metabolites using DBS cards and LC-MS/MS. <b>2015</b> , 255, 137-45	16
213	The performance of five different dried blood spot cards for the analysis of six immunosuppressants. <b>2015</b> , 7, 1225-35	24
212	Direct analysis of dried blood spots by femtosecond-laser ablation-inductively coupled plasma-mass spectrometry. Feasibility of split-flow laser ablation for simultaneous trace element and isotopic analysis. <b>2015</b> , 30, 296-309	35

211	Dried blood spots for monitoring and individualization of antiepileptic drug treatment. <b>2015</b> , 75, 25-39		32
210	Implementing dried blood spot sampling for clinical pharmacokinetic determinations: considerations from the IQ Consortium Microsampling Working Group. <b>2015</b> , 17, 292-300		43
209	Role of therapeutic drug monitoring in pulmonary infections: use and potential for expanded use of dried blood spot samples. <b>2015</b> , 7, 481-95		17
208	Therapeutic drug monitoring of carbamazepine and its metabolite in children from dried blood spots using liquid chromatography and tandem mass spectrometry. <b>2015</b> , 109, 164-70		38
207	A validated method for quantification of efavirenz in dried blood spots using high-performance liquid chromatography-mass spectrometry. <i>Therapeutic Drug Monitoring</i> , <b>2015</b> , 37, 220-8	3.2	21
206	Multiple Reaction Monitoring Enables Precise Quantification of 97 Proteins in Dried Blood Spots. <b>2015</b> , 14, 3094-104		66
205	Mass spectral study of storage conditions and paper substrates on the degradation and analytical sensitivity of therapeutic drugs in dried blood spots. <b>2015</b> , 387, 38-44		8
204	Are capillary DBS applicable for therapeutic drug monitoring of common antipsychotics? A proof of concept. <b>2015</b> , 7, 2119-30		18
203	DBS sampling in imatinib therapeutic drug monitoring: from method development to clinical application. <b>2015</b> , 7, 2105-17		26
202	A disposable sampling device to collect volume-measured DBS directly from a fingerprick onto DBS paper. <b>2015</b> , 7, 2085-94		47
201	A LC-MS/MS method for therapeutic drug monitoring of carbamazepine, lamotrigine and valproic acid in DBS. <b>2015</b> , 7, 2031-9		25
200	The relation of the number of hydrogen-bond acceptors with recoveries of immunosuppressants in DBS analysis. <b>2015</b> , 7, 1717-22		8
199	DBS and beyond. <b>2015</b> , 7, 1961-2		15
198	Current advances in biosampling for therapeutic drug monitoring of psychiatric CNS drugs. <b>2015</b> , 7, 1925-42		14
197	Advances in detection of antipsychotics in biological matrices. <b>2015</b> , 441, 11-22		39
196	Microextraction by packed sorbent (MEPS) to analyze catecholamines in innovative biological samples. <b>2015</b> , 104, 122-9		22
195	A simple dried blood spot method for therapeutic drug monitoring of the tricyclic antidepressants amitriptyline, nortriptyline, imipramine, clomipramine, and their active metabolites using LC-MS/MS. <b>2015</b> , 134, 165-172		52
194	The use of dried blood spots for quantification of 15 antipsychotics and 7 metabolites with ultra-high performance liquid chromatography - tandem mass spectrometry. <b>2015</b> , 7, 502-11		32

193	The use of mass spectrometry to analyze dried blood spots. <b>2016</b> , 35, 361-438		143
192	Sample Handling. <b>2016</b> , 77-94		
191	Alternative Sampling Strategies for Therapeutic Drug Monitoring. <b>2016</b> , 279-336		11
190	Clinical feasibility of dried blood spots: Analytics, validation, and applications. <b>2016</b> , 130, 231-243		79
189	Quantitative analysis of methyl and propyl parabens in neonatal DBS using LC-MS/MS. <b>2016</b> , 8, 1173-82		10
188	The Use of Dried Blood Spots for Pharmacokinetic Monitoring of Vemurafenib Treatment in Melanoma Patients. <b>2016</b> , 56, 1307-12		22
187	Validation and Clinical Evaluation of a Novel Method To Measure Miltefosine in Leishmaniasis Patients Using Dried Blood Spot Sample Collection. <b>2016</b> , 60, 2081-9		14
186	A comprehensive review of the published assays for the quantitation of the immunosuppressant drug mycophenolic acid and its glucuronidated metabolites in biological fluids. <b>2016</b> , 30, 721-48		12
185	Identification and quantification of psychoactive drugs in whole blood using dried blood spot (DBS) by ultra-performance liquid chromatography tandem mass spectrometry. <b>2016</b> , 128, 53-60		22
184	Assuring the Proper Analytical Performance of Measurement Procedures for Immunosuppressive Drug Concentrations in Clinical Practice: Recommendations of the International Association of Therapeutic Drug Monitoring and Clinical Toxicology Immunosuppressive Drug Scientific Committee. <i>Therapeutic Drug Monitoring</i> , <b>2016</b> , 38, 170-89	3.2	65
183	Biomarkers for nutrient intake with focus on alternative sampling techniques. <b>2016</b> , 11, 12		28
182	Dried blood spots analysis with mass spectrometry: Potentials and pitfalls in therapeutic drug monitoring. <b>2016</b> , 49, 1035-46		77
181	Microwave-assisted on-spot derivatization for gas chromatography-mass spectrometry based determination of polar low molecular weight compounds in dried blood spots. <b>2016</b> , 1465, 175-83		9
180	Clinical Application of the Dried Blood Spot Method in the Measurement of Blood Busulfan Concentration. <b>2016</b> , 22, 1968-1973		14
179	Fast method for simultaneous quantification of tamoxifen and metabolites in dried blood spots using an entry level LC-MS/MS system. <b>2016</b> , 49, 1295-1298		13
178	Determination of ultra-trace amounts of prosthesis-related metals in whole blood using volumetric absorptive micro-sampling and tandem ICP - Mass spectrometry. <b>2016</b> , 941, 1-9		25
177	Isolation and Characterization of Drugs of Abuse in Oral Fluid by a Novel Preconcentration Protocol. <b>2016</b> , 49, 2822-2832		7
176	Saliva as an alternative specimen to plasma for drug bioanalysis: A review. <b>2016</b> , 83, 70-79		53

175	Evaluation of water-soluble DBS for small proteins: a conceptual study using insulin as a model analyte. <b>2016</b> , 8, 1051-65	11
174	Blood-borne biomarkers and bioindicators for linking exposure to health effects in environmental health science. <b>2016</b> , 19, 380-409	24
173	Clinical and Public Health Perspectives. <b>2016</b> , 379-399	
172	Dried Blood Spot Methodology in Combination With Liquid Chromatography/Tandem Mass Spectrometry Facilitates the Monitoring of Teriflunomide. <i>Therapeutic Drug Monitoring</i> , <b>2016</b> , 38, 471-82 <sup>3,2</sup>	7
171	A Novel, Nondestructive, Dried Blood Spot-Based Hematocrit Prediction Method Using Noncontact Diffuse Reflectance Spectroscopy. <b>2016</b> , 88, 6538-46	50
170	Development and Application of Zirconia Coated Paper Substrate for High Sensitivity Analysis of Therapeutic Drugs in Dried Blood Spots. <b>2016</b> , 88, 7005-13	42
169	Pharmacotherapy during pediatric extracorporeal membrane oxygenation: a review. <b>2016</b> , 12, 1133-42	16
168	Estimation and Correction of the Blood Volume Variations of Dried Blood Spots Using a Postcolumn Infused-Internal Standard Strategy with LC-Electrospray Ionization-MS. <b>2016</b> , 88, 6457-64	16
167	Evaluation of Amount of Blood in Dry Blood Spots: Ring-Disk Electrode Conductometry. <b>2016</b> , 88, 6531-7	18
166	Application of liquid chromatography combined with mass spectrometry or tandem mass spectrometry for therapeutic drug monitoring of immunosuppressants. <b>2016</b> , 57-81	3
165	Dried Saliva Spot (DSS) as a Convenient and Reliable Sampling for Bioanalysis: An Application for the Diagnosis of Diabetes Mellitus. <b>2016</b> , 88, 635-9	36
164	Current methods of the analysis of immunosuppressive agents in clinical materials: A review. <b>2016</b> , 127, 207-31	52
163	Opening the toolbox of alternative sampling strategies in clinical routine: A key-role for (LC-)MS/MS. <b>2016</b> , 84, 61-73	23
162	LC-MS/MS and volumetric absorptive microsampling for quantitative bioanalysis of cathinone analogues in dried urine, plasma and oral fluid samples. <b>2016</b> , 123, 186-94	74
161	Simultaneous spreading and imbibition of blood droplets over porous substrates in the case of partial wetting. <b>2016</b> , 505, 9-17	14
160	Ambient Ionization Mass Spectrometry for Point-of-Care Diagnostics and Other Clinical Measurements. <b>2016</b> , 62, 99-110	138
159	Alternative Sampling Strategies for Cytochrome P450 Phenotyping. <b>2016</b> , 55, 169-84	8
158	Quantification of multiple elements in dried blood spot samples. <b>2017</b> , 50, 703-709	24



157	Pharmacokinetics of Sulfadoxine and Pyrimethamine for Intermittent Preventive Treatment of Malaria During Pregnancy and After Delivery. <b>2017</b> , 6, 430-438		18
156	Dried haematic microsamples and LC-MS/MS for the analysis of natural and synthetic cannabinoids. <b>2017</b> , 1044-1045, 77-86		38
155	Iron isotopic analysis of finger-prick and venous blood by multi-collector inductively coupled plasma-mass spectrometry after volumetric absorptive microsampling. <b>2017</b> , 32, 314-321		14
154	Beyond dried blood spot: Current microsampling techniques in the context of biomedical applications. <b>2017</b> , 97, 326-332		33
153	An on-spot internal standard addition approach for accurately determining colistin A and colistin B in dried blood spots using ultra high-performance liquid chromatography-tandem mass spectrometry. <b>2017</b> , 145, 783-793		3
152	Comparative study on microsampling techniques in metabolic fingerprinting studies applying gas chromatography-MS analysis. <b>2017</b> , 9, 1329-1340		7
151	Dried Blood Spots Combined With Ultra-High-Performance Liquid Chromatography-Mass Spectrometry for the Quantification of the Antipsychotics Risperidone, Aripiprazole, Pipamperone, and Their Major Metabolites. <i>Therapeutic Drug Monitoring</i> , <b>2017</b> , 39, 429-440	3.2	12
150	Automated high throughput analysis of antiretroviral drugs in dried blood spots. <b>2017</b> , 52, 534-542		17
149	Pharmacokinetic considerations related to therapeutic drug monitoring of tacrolimus in kidney transplant patients. <b>2017</b> , 13, 1225-1236		69
148	Expanding the knowledge on dried blood spots and LC-MS-based protein analysis: two different sampling materials and six protein targets. <b>2017</b> , 409, 3383-3392		4
147	Dried blood spot sampling of nilotinib in patients with chronic myeloid leukaemia: a comparison with venous blood sampling. <b>2017</b> , 69, 1265-1274		20
146	Clinical Validation of Simultaneous Analysis of Tacrolimus, Cyclosporine A, and Creatinine in Dried Blood Spots in Kidney Transplant Patients. <b>2017</b> , 101, 1727-1733		24
145	Dried blood spot analysis of gabapentin as a valid alternative for serum: a bridging study. <b>2017</b> , 132, 72-76		5
144	Clinical Application of Ambient Ionization Mass Spectrometry. <b>2017</b> , 6, S0060		23
143	Iohexol plasma clearance simplified by dried blood spot testing. <b>2018</b> , 33, 1597-1603		18
142	Isoniazid concentrations in hair and plasma area-under-the-curve exposure among children with tuberculosis. <b>2017</b> , 12, e0189101		3
141	A descriptive systematic review of salivary therapeutic drug monitoring in neonates and infants. <b>2018</b> , 84, 1089-1108		24
140	Dried blood spots and parallel artificial liquid membrane extraction-A simple combination of microsampling and microextraction. <b>2018</b> , 1009, 56-64		14

139	LC-MS/MS method for the simultaneous analysis of seven antimalarials and two active metabolites in dried blood spots for applications in field trials: Analytical and clinical validation. <b>2018</b> , 154, 263-277	24
138	Kinetics of spreading wetting of blood over porous substrates. <b>2018</b> , 36, 84-89	4
137	Drug monitoring by volumetric absorptive microsampling: method development considerations to mitigate hematocrit effects. <b>2018</b> , 10, 241-255	14
136	Method for the Determination of Iodide in Dried Blood Spots from Newborns by High Performance Liquid Chromatography Tandem Mass Spectrometry. <b>2018</b> , 90, 3291-3298	15
135	Modalities to monitor the treatment response in tuberculosis. <b>2018</b> , 65, 109-117	5
134	Correction for the Hematocrit Bias in Dried Blood Spot Analysis Using a Nondestructive, Single-Wavelength Reflectance-Based Hematocrit Prediction Method. <b>2018</b> , 90, 1795-1804	32
133	Improved prediction of gestational hypertension by inclusion of placental growth factor and pregnancy associated plasma protein-a in a sample of Ghanaian women. <b>2018</b> , 15, 56	4
132	Development and validation of a method for gefitinib quantification in dried blood spots using liquid chromatography-tandem mass spectrometry: Application to finger-prick clinical blood samples of patients with non-small cell lung cancer. <b>2018</b> , 1087-1088, 1-5	10
131	Determination of warfarin and warfarin alcohols in dried blood spots by ultra-high performance liquid chromatography coupled to electrospray ionization-tandem mass spectrometry (UHPLC-ESI-MS/MS). <b>2018</b> , 136, 247-254	5
130	Effect of temperature on lysosomal enzyme activity during preparation and storage of dried blood spots. <b>2018</b> , 32,	8
129	Development and validation of a sensitive LCMS/MS method to analyze NBOMes in dried blood spots: evaluation of long-term stability. <b>2018</b> , 36, 113-121	9
128	State of the Science in Dried Blood Spots. <b>2018</b> , 64, 656-679	83
127	Quantitation of salbutamol using micro-volume blood sampling - applications to exacerbations of pediatric asthma. <b>2018</b> , 55, 1205-1213	6
126	Dried blood spots in therapeutic drug monitoring and toxicology. <b>2018</b> , 14, 1-3	13
125	Estimation of the Volume of Blood in a Small Disc Punched From a Dried Blood Spot Card. <b>2018</b> , 120, 1700362	13
124	Carbamazepine, lamotrigine, levetiracetam and valproic acid in dried blood spots with liquid chromatography tandem mass spectrometry; method development and validation. <b>2018</b> , 1072, 116-122	19
123	Expanding the Utility of High-Sensitivity Dried Blood Spot Immunoassay Testing with Single Molecule Counting. <b>2018</b> , 2, 674-686	2
122	Therapeutic drug monitoring of tacrolimus and mycophenolic acid in outpatient renal transplant recipients using a volumetric dried blood spot sampling device. <b>2018</b> , 84, 2889-2902	39

121	Therapeutic Drug Monitoring of Antiepileptic Drugs in Epilepsy: A 2018 Update. <i>Therapeutic Drug Monitoring</i> , <b>2018</b> , 40, 526-548	3.2	167
120	Dried Blood Spots for Global Health Diagnostics and Surveillance: Opportunities and Challenges. <b>2018</b> , 99, 256-265		66
119	The Use of Dried Blood Spots for the Quantification of Antihypertensive Drugs. <b>2018</b> , 2018, 3235072		2
118	Dried Blood Spheroids for Dry-State Room Temperature Stabilization of Microliter Blood Samples. <b>2018</b> , 90, 9353-9358		22
117	Using dried blood spots to facilitate therapeutic drug monitoring of antiretroviral drugs in resource-poor regions. <b>2018</b> , 73, 2729-2737		11
116	Performance of a web-based application measuring spot quality in dried blood spot sampling. <b>2019</b> , 57, 1846-1853		4
115	Dried blood spots sampling in case samples deprived of hematocrit level information - Investigation and calculation strategy. <b>2019</b> , 1124, 308-312		9
114	Determination of Antidepressants and Antipsychotics in Dried Blood Spots (DBSs) Collected from Post-Mortem Samples and Evaluation of the Stability over a Three-Month Period. <b>2019</b> , 24,		19
113	Optical Biosensors for Therapeutic Drug Monitoring. <b>2019</b> , 9,		39
112	Fit-for-Purpose Validation of a Ligand Binding Assay for Toxicokinetic Study Using Mouse Serial Sampling. <b>2019</b> , 36, 169		3
111	Evaluation of the Performance and Hematocrit Independence of the HemaPEN as a Volumetric Dried Blood Spot Collection Device. <b>2019</b> , 91, 14467-14475		18
110	Clinical Pharmacokinetic Principles and Therapeutic Drug Monitoring. <b>2019</b> , 8-19		
109	Preanalytical considerations in therapeutic drug monitoring of immunosuppressants with dried blood spots. <b>2019</b> , 6, 57-68		8
108	Development and Validation of a Method Using Dried Oral Fluid Spot to Determine Drugs of Abuse. <b>2019</b> , 64, 1906-1912		8
107	Hematocrit effect on dried blood spots in adults: a computational study and theoretical considerations. <b>2019</b> , 79, 325-333		6
106	Development and clinical applications of the dried blood spot method for therapeutic drug monitoring of anti-epileptic drugs. <b>2019</b> , 125, 215-236		14
105	A volumetric absorptive microsampling LC-MS/MS method for five immunosuppressants and their hematocrit effects. <b>2019</b> , 11, 495-508		18
104	Feasibility of and patients' perspective on nilotinib dried blood spot self-sampling. <b>2019</b> , 75, 825-829		10

103	Kinetics of Spreading over Porous Substrates. <b>2019</b> , 3, 38		5
102	Dried blood samples can support monitoring of infliximab concentrations in patients with inflammatory bowel disease: A clinical validation. <b>2019</b> , 85, 1544-1551		18
101	Pharmacodynamic Monitoring of Biological Therapies in Chronic Inflammatory Diseases. <i>Therapeutic Drug Monitoring</i> , <b>2019</b> , 41, 131-141	3.2	3
100	Quality Assessment of Dried Blood Spots from Patients With Tuberculosis from 4 Countries. <i>Therapeutic Drug Monitoring</i> , <b>2019</b> , 41, 714-718	3.2	7
99	A Dried Blood Spot Analysis for Solithromycin in Adolescents, Children, and Infants: A Short Communication. <i>Therapeutic Drug Monitoring</i> , <b>2019</b> , 41, 761-765	3.2	1
98	Therapeutic Drug Monitoring of Tacrolimus-Personalized Therapy: Second Consensus Report. <i>Therapeutic Drug Monitoring</i> , <b>2019</b> , 41, 261-307	3.2	163
97	Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology Guideline: Development and Validation of Dried Blood Spot-Based Methods for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , <b>2019</b> , 41, 409-430	3.2	91
96	Determination of Antiepileptic Drugs Using Dried Saliva Spots. <b>2019</b> , 43, 61-71		18
95	LC-MS application for therapeutic drug monitoring in alternative matrices. <b>2019</b> , 166, 40-51		47
94	Recruitment and Collection of Dermal Interstitial Fluid Using a Microneedle Patch. <b>2019</b> , 8, e1801262		41
93	LC-MS in Drug Analysis. <b>2019</b> ,		2
92	Determination of Cocaine and Metabolites in Dried Blood Spots by LC-MS/MS. <b>2019</b> , 1872, 261-272		3
91	Volumetric absorptive microsampling as an alternative sampling strategy for the determination of paracetamol in blood and cerebrospinal fluid. <b>2019</b> , 411, 181-191		12
90	Quantification of cocaine and cocaine metabolites in dried blood spots from a controlled administration study using liquid chromatography-tandem mass spectrometry. <b>2019</b> , 11, 709-720		12
89	Review of DBS methods as a quantitative tool for anticancer drugs. <b>2019</b> , 33, e4445		11
88	Is the hematocrit still an issue in quantitative dried blood spot analysis?. <b>2019</b> , 163, 188-196		90
87	Emerging trends in paper spray mass spectrometry: Microsampling, storage, direct analysis, and applications. <b>2020</b> , 39, 336-370		40
86	Using the PCI-IS Method to Simultaneously Estimate Blood Volume and Quantify Nonvitamin K Antagonist Oral Anticoagulant Concentrations in Dried Blood Spots. <b>2020</b> , 92, 2511-2518		5

85	Effect of blood volume on analytical bias in dried blood spots prepared for newborn screening external quality assurance. <b>2020</b> , 12, 99-109		5
84	Clinical Validation of a Dried Blood Spot Assay for 8 Antihypertensive Drugs and 4 Active Metabolites. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 460-467	3.2	8
83	Dried Blood Microsampling-Based Therapeutic Drug Monitoring of Antiepileptic Drugs in Children With Nodding Syndrome and Epilepsy in Uganda and the Democratic Republic of the Congo. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 481-490	3.2	6
82	Therapeutic Drug Monitoring of Targeted Anticancer Protein Kinase Inhibitors in Routine Clinical Use: A Critical Review. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 33-44	3.2	10
81	Tacrolimus Area Under the Concentration Versus Time Curve Monitoring, Using Home-Based Volumetric Absorptive Capillary Microsampling. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 407-414	3.2	9
80	Clinical and Laboratory Associations with Methotrexate Metabolism Gene Polymorphisms in Rheumatoid Arthritis. <b>2020</b> , 10,		2
79	Assessment of a dried blood spot C-reactive protein method to identify disease flares in rheumatoid arthritis patients. <b>2020</b> , 10, 21089		2
78	Analysis of toxic heavy metals in liquid versus dried blood samples. <b>2020</b> , 1-8		1
77	Use of capillary dried blood for quantification of intact IGF-I by LC-HRMS for antidoping analysis. <b>2020</b> , 12, 737-752		9
76	The crosstalk between antiretrovirals pharmacology and HIV drug resistance. <b>2020</b> , 13, 739-760		6
75	Development of a dried blood spot sampling method towards therapeutic monitoring of radotinib in the treatment of chronic myeloid leukaemia. <b>2020</b> , 45, 1006-1013		6
74	Hematocrit, blood volume, and surface area of dried blood spots - a quantitative model. <b>2020</b> , 12, 555-560		9
73	Mass spectrometry for the quantification of drugs in biosamples. <b>2020</b> , 7, 47-79		
72	Development of an LC-MS/MS method for determining 5-MeO-DIPT in dried urine spots and application to forensic cases. <b>2020</b> , 72, 101963		2
71	Membranes made from nonsolvent-thermally induced phase separation (N-TIPS) for decellularization of blood in dry plasma spot (DPS) applications. <b>2021</b> , 229, 116010		4
70	High recovery, point-of-collection plasma separation from blood using electrospun polyacrylonitrile membranes. <b>2021</b> , 67, e17088		0
69	Dried blood spots to characterize mercury speciation and exposure in a Colombian artisanal and small-scale gold mining community. <b>2021</b> , 266, 129001		5
68	Paper-Based Screen-Printed Electrodes: A New Generation of Low-Cost Electroanalytical Platforms. <b>2021</b> , 11,		16

67	The Development of a Liquid Chromatography High-Resolution Mass Spectrometric Method for Apixaban Quantification in Dried Plasma Spots in Parallel Reaction Monitoring Mode. <i>Processes</i> , <b>2021</b> , 9, 450	2.9	0
66	Pharmacokinetic and Pharmacodynamic Considerations in Relation to Calcineurin Usage in Elderly Kidney Transplant Recipients. <b>2021</b> , 12, 635165		2
65	Mind the Quality Gap When Banking on Dry Blood Spots. <b>2021</b> , 19, 136-142		3
64	Comparison of different preparation techniques of dried blood spot quality controls in newborn screening for congenital adrenal hyperplasia. <b>2021</b> , 16, e0252091		0
63	Alternative Sampling Strategies in Therapeutic Drug Monitoring: Microsampling Growing Toward Maturity. <i>Therapeutic Drug Monitoring</i> , <b>2021</b> , 43, 307-309	3.2	4
62	TRough versus AUC Monitoring of cyclosporine: A randomized comparison of adverse drug reactions in adult allogeneic stem cell recipients (TRAM study). <b>2021</b> , 107, 364-369		
61	Chronic limbic epilepsy models for therapy discovery: Protocols to improve efficiency. <b>2021</b> , 62, 2252-2262		
60	Measuring steroids from dried blood spots using tandem mass spectrometry to diagnose congenital adrenal hyperplasia. <b>2021</b> , 520, 202-207		2
59	Patterned Dried Blood Spot Cards for the Improved Sampling of Whole Blood.. <b>2022</b> , 2, 31-38		0
58	A simplified method for bortezomib determination using dried blood spots in combination with liquid chromatography/tandem mass spectrometry. <b>2021</b> , 1181, 122905		1
57	Review of the Preanalytical Errors That Impact Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , <b>2021</b> , 43, 595-608	3.2	1
56	Protective mechanism of dried blood spheroids: stabilization of labile analytes in whole blood, plasma, and serum. <b>2021</b> , 146, 6780-6787		2
55	Development, validation, and application of a quantitative volumetric absorptive microsampling-based method in finger prick blood by means of LC-HRMS/MS applicable for adherence monitoring of antipsychotics. <b>2021</b> , 413, 1729-1737		6
54	Sample collection, biobanking, and analysis. <b>2011</b> , 205, 203-17		4
53	Microsampling Assays for Pharmacokinetic Analysis and Therapeutic Drug Monitoring of Antimicrobial Drugs in Children: A Critical Review. <i>Therapeutic Drug Monitoring</i> , <b>2021</b> , 43, 335-345	3.2	1
52	A longitudinal comparison of spike and nucleocapsid SARS-CoV-2 antibody responses in a tertiary hospital laboratory workers with validation of DBS specimen analysis.		5
51	Fatty acid profile and estimated desaturase activities in whole blood are associated with metabolic health. <b>2020</b> , 19, 102		8
50	Quantifying Isoniazid Levels in Small Hair Samples: A Novel Method for Assessing Adherence during the Treatment of Latent and Active Tuberculosis. <b>2016</b> , 11, e0155887		9

49	Might ART Adherence Estimates Be Improved by Combining Biomarker and Self-Report Data?. <b>2016</b> , 11, e0167852	8
48	Evaluation of a short Food Frequency Questionnaire to assess cardiovascular disease-related diet and lifestyle factors. <b>2018</b> , 62,	4
47	Quantification of the Immunosuppressant Tacrolimus on Dried Blood Spots Using LC-MS/MS. <b>2015</b> , e52424	11
46	Giving patients choices: AstraZeneca's evolving approach to patient-centric sampling. <b>2020</b> , 12, 957-970	3
45	The Use of Dried Blood Spot Samples in Screening Drugs of Abuse. <b>2013</b> , 04, 152-159	10
44	Dried Blood Spot Sampling with LC-MS Analysis for Routine Therapeutic Caffeine Monitoring in Neonates. <b>2012</b> , 2012, 1-7	8
43	Large-scale Extraction of DNA by Using Salting-out Principle for Dried Blood Spots to Screen Multiple Mutations in GCDH Gene. 1	
42	Désorption en ligne de spots de sang sèché une approche intéressante pour l'analyse par LC-MS/MS de microéchantillons de sang. <b>2010</b> , 22, 103-107	
41	Quantitation of heat-shock proteins in clinical samples using mass spectrometry. <b>2011</b> , 787, 165-88	
40	Use of toxicokinetics in developmental and reproductive toxicology. <b>2011</b> , 518-541	
39	Dried blood spots: challenges. <b>2013</b> , 30-46	0
38	Determination of Nicotine and Cotinine in Human Blood by Dried Blood Spot-LC-Orbitrap MS Technique. <b>2016</b> , 3,	
37	Development of an LC-MS/MS method to simultaneously quantify therapeutic mAbs and estimate hematocrit values in dried blood spot samples. <b>2022</b> , 1189, 339231	2
36	Development and validation of an assay for the measurement of gentamicin concentrations in dried blood spots using UHPLC-MS/MS. <b>2022</b> , 208, 114448	0
35	Sample Handling. <b>2022</b> , 169-186	
34	Applications of Pediatric PBPK Modeling: Current Status for Drug Development Processes and Use in Clinical Settings. <b>2020</b> , 51, 267-276	
33	Using dried blood spot sampling to improve data quality and reduce animal use in mouse pharmacokinetic studies. <b>2015</b> , 54, 139-44	13
32	Electrochemical Sensor for the Direct Determination of Warfarin in Blood. <b>2022</b> , 10, 44	0

31	Dried matrix spots: an evolving trend in the toxicological field.. <b>2022</b> , 18, 86		1
30	The use of freeze-dried blood samples affects the results of a dried blood spot analysis.. <b>2022</b> ,		0
29	Therapeutic Drug Monitoring of Tyrosine Kinase Inhibitors Using Dried Blood Microsamples.. <b>2022</b> , 12, 821807		1
28	Exploring Dried Blood Spot Cortisol Concentrations as an Alternative for Monitoring Pediatric Adrenal Insufficiency Patients: A Model-Based Analysis.. <b>2022</b> , 13, 819590		1
27	Development of an Lc-Ms/Ms Method for Determining 425 Drugs in Dried Blood Spots and Application to Forensic Cases.		
26	Population pharmacokinetic model and limited sampling strategy for clozapine using plasma and dried blood spot samples.. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2022</b> , 12, 20451253211065857 4-9		
25	Clinical validation of a liquid chromatography-tandem mass spectrometry method for the quantification of calcineurin and mTOR inhibitors in dried matrix on paper discs. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , <b>2022</b> ,		
24	Parallel Reaction Monitoring Mode for Atenolol Quantification in Dried Plasma Spots by Liquid Chromatography Coupled with High-Resolution Mass Spectrometry. <i>Processes</i> , <b>2022</b> , 10, 1240	2.9	1
23	Comparison of Amino Acid Concentrations in Plasma and Dried Blood Spot Samples Using LC-MS/MS. <i>Iranian Journal of Pediatrics</i> , <b>2022</b> , 32,		1
22	Issues Affecting Interpretation. <b>2022</b> , 1137-1154		
21	The Clinical Validation Of A Dried Blood Spot Method For Simultaneous Measurement Of Cyclosporine A, Tacrolimus, Creatinine, And Hematocrit. <b>2022</b> ,		0
20	Effects of spot size on biomarker levels of field-collected dried blood spots: A new algorithm for exact dried blood spot size measurement.		
19	Hemoglobin normalization outperforms other methods for standardizing dried blood spot metabolomics: A comparative study. <b>2023</b> , 854, 158716		0
18	Cytochrome P450 enzymes in the pediatric population: Connecting knowledge on P450 expression with pediatric pharmacokinetics. <b>2022</b> , 365-391		0
17	Monitoring of Dabrafenib and Trametinib in Serum and Self-Sampled Capillary Blood in Patients with BRAFV600-Mutant Melanoma. <b>2022</b> , 14, 4566		0
16	Determination of Ethyl Glucuronide and Ethyl Sulfate in Dried Blood Spots by UHPLC <sup>MS</sup> -MS: Method Validation and Assessment of Ethanol Exposure in Postmortem Samples from Road Traffic Victims.		0
15	Dried Blood Spots in Therapeutic Drug Monitoring and Toxicology. <b>2022</b> , 43-66		0
14	Rapid Detection of Amitriptyline in Dried Blood and Dried Saliva Samples with Surface-Enhanced Raman Spectroscopy. <b>2022</b> , 22, 8257		1



- 13 Ebe ve Hemürelerin Yenidođandan Elde Edilen Kuru Kan Lekesi Ėheklemesinin Preanalitik Ađmasđdaki Uygulamaların Ėcelenmesi. ○
- 12 ADAPTATION OF DRIED BLOOD DROP METHOD FOR THERAPEUTIC DRUG MONITORING. **2022**, 10, 331-342 ○
- 11 Development of the dried blood spot preparation protocol for comprehensive evaluation of the hematocrit effect. **2023**, 1239, 340650 ○
- 10 Quantification of cyanide metabolite 2-aminothiazoline-4-carboxylic acid in postmortem dried blood spot samples by liquid chromatography tandem mass spectrometry. **2022**, 123580 ○
- 9 DRIED BLOOD MICROSAMPLING-ASSISTED THERAPEUTIC DRUG MONITORING OF IMMUNOSUPPRESSANTS: AN OVERVIEW. **2022**, 463724 ○
- 8 Liquid chromatography with tandem mass spectrometric method for determination of 425 drugs and poisons in dried blood spots and application to forensic cases. ○
- 7 Analytical and clinical validation of an LC-MS/MS method for carbamazepine, lamotrigine and levetiracetam in dried blood spots. ejhpharm-2022-003589 ○
- 6 Ceramides biomarkers determination in quantitative dried blood spots by UHPLC-MS/MS. **2023**, 1255, 341131 ○
- 5 In-vial dried urine spot collection and processing for quantitative analyses. **2023**, 1254, 341071 ○
- 4 Dried Blood Spots for Testing Drugs of Misuse. **2017**, 125-146 ○
- 3 The Impact of Differential Atrioventricular Delays on Arterial Distensibility Measured by Pulse Wave Velocity in Patients with Dual-chamber Pacing. **2023**, 8, 88-93 ○
- 2 Model-Informed Target Morning 17Ė-Hydroxyprogesterone Concentrations in Dried Blood Spots for Pediatric Congenital Adrenal Hyperplasia Patients. **2023**, 16, 464 1
- 1 Measurement Tools and Utility of Hair Analysis for Screening Adherence to Antihypertensive Medication. **2023**, 18, ○