## Sedatives for opiate withdrawal in newborn infants

The Cochrane Library , CD002053 DOI: 10.1002/14651858.cd002053.pub3

**Citation Report** 

#	Article	IF	Citations
1	A randomised controlled trial of morphine versus phenobarbitone for neonatal abstinence syndrome. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2004, 89, F300-F304.	1.4	78
2	Neonatal abstinence syndrome: Identification and management. Current Paediatrics, 2006, 16, 172-175.	0.2	3
3	Pharmacological therapy for analgesia and sedation in the newborn. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2006, 91, F448-F453.	1.4	65
4	Agreement between Cochrane Neonatal reviews and clinical practice guidelines for newborns in Denmark: a cross-sectional study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2008, 93, F225-F229.	1.4	17
5	Management of neonatal abstinence syndrome: a national survey and review of practice. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2009, 94, F249-F252.	1.4	104
6	Formulation of Buprenorphine for Sublingual Use in Neonates. Journal of Pediatric Pharmacology and Therapeutics, 2011, 16, 281-284.	0.3	16
7	Drugs of Dependency: The Pregnant Woman and Her Infant. International Journal of Pediatrics (United) Tj ETQqC	0 0 rgBT / 0.2	Oyerlock 10
8	Neonatal Abstinence Syndrome: The Use of Clonidine as a Treatment Option. NeoReviews, 2011, 12, e575-e584.	0.4	8
9	Pharmacological Treatment of Neonatal Opiate Withdrawal: Between the Devil and the Deep Blue Sea. International Journal of Pediatrics (United Kingdom), 2011, 2011, 1-5.	0.2	18
10	Changing Mechanisms of Opiate Tolerance and Withdrawal during Early Development: Animal Models of the Human Experience. ILAR Journal, 2011, 52, 329-341.	1.8	29
11	Perinatal Substance Abuse. , 2012, , 111-128.		0
12	Neonatal Abstinence Syndrome and Associated Health Care Expenditures. JAMA - Journal of the American Medical Association, 2012, 307, 1934-40.	3.8	785
13	Pharmacologic Management of the Opioid Neonatal Abstinence Syndrome. Pediatric Clinics of North America, 2012, 59, 1147-1165.	0.9	49
14	Neonatal exposure to antiepileptic drugs disrupts striatal synaptic development. Annals of Neurology, 2012, 72, 363-372.	2.8	123
15	Prise en charge du nouveau-né de mÃ <sup></sup> re dépendante aux opiacés. , 2013, , 269-282.		1
16	Oral Clonidine in the Management of Acquired Opioid Dependency. Neonatal Network: NN, 2013, 32, 419-424.	0.1	5
17	Clinical presentation and management of neonatal abstinence syndrome: an update. Research and Reports in Neonatology, 0, , 75.	0.2	4

18	Variation in treatment of neonatal abstinence syndrome in US Children's Hospitals, 2004–2011. Journal of Perinatology, 2014, 34, 867-872.	0.9	107
----	---	-----	-----

CITATION REPORT

#	Article	IF	CITATIONS
19	Current Management of Neonatal Abstinence Syndrome Secondary to Intrauterine Opioid Exposure. Journal of Pediatrics, 2014, 165, 440-446.	0.9	42
20	Phenobarbital versus morphine in the management of neonatal abstinence syndrome, a randomized control trial. BMC Pediatrics, 2015, 15, 57.	0.7	23
21	A core outcome set for neonatal abstinence syndrome: study protocol for a systematic review, parent interviews and a Delphi survey. Trials, 2016, 17, 536.	0.7	24
22	Skin conductance in neonates suffering from abstinence syndrome and unexposed newborns. European Journal of Pediatrics, 2016, 175, 859-868.	1.3	18
23	Neonatal abstinence syndrome: Pharmacologic strategies for the mother and infant. Seminars in Perinatology, 2016, 40, 203-212.	1.1	51
24	The opioid epidemic and neonatal abstinence syndrome in the USA: a review of the continuum of care. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F183-F187.	1.4	39
25	Surgical Use of Analgesic Drugs. , 2017, , 147-170.		0
26	A Practical Approach to Neonatal Opiate Withdrawal Syndrome. American Journal of Perinatology, 2018, 35, 324-330.	0.6	11
27	Non-pharmacological care for opioid withdrawal in newborns. The Cochrane Library, 0, , .	1.5	1
28	Comparative effectiveness of opioid replacement agents for neonatal opioid withdrawal syndrome: a systematic review and meta-analysis. Journal of Perinatology, 2019, 39, 1535-1545.	0.9	7
29	Pharmacological and non-pharmacological treatments for the Neonatal Abstinence Syndrome (NAS). Seminars in Fetal and Neonatal Medicine, 2019, 24, 133-141.	1.1	43
30	The role of mother-infant bond in neonatal abstinence syndrome (NAS) management. Archives of Psychiatric Nursing, 2019, 33, 267-274.	0.7	7
31	Buprenorphine pharmacotherapy for the management of neonatal abstinence syndrome in methadoneâ€exposed neonates. Paediatric and Neonatal Pain, 2019, 1, 33-38.	0.6	4
32	Treatment of opioid withdrawal in neonates with morphine, phenobarbital, or chlorpromazine: a randomized double-blind trial. European Journal of Pediatrics, 2020, 179, 141-149.	1.3	8
33	Nurses' Finnegan Scoring of Newborns with Neonatal Abstinence Syndrome Not Affected by Time or Day of the Week. American Journal of Perinatology, 2020, 37, 224-230.	0.6	7
34	Poverty and Excess Length of Hospital Stay in Neonatal Opioid Withdrawal Syndrome. Journal of Addiction Medicine, 2020, 14, 113-118.	1.4	6
35	Sedatives for opioid withdrawal in newborn infants. The Cochrane Library, 2021, 2021, CD002053.	1.5	5
36	Opioid treatment for opioid withdrawal in newborn infants. The Cochrane Library, 2021, 2021, CD002059.	1.5	13

CITATION REPORT

#	Article	IF	CITATIONS
37	Non-pharmacological care for opioid withdrawal in newborns. The Cochrane Library, 2020, 2020, CD013217.	1.5	7
38	Les opioÃ⁻des. , 2007, , 53-127.		1
39	Development and Implementation of a Pharmacist-Managed, Neonatal and Pediatric, Opioid-Weaning Protocol. Journal of Pediatric Pharmacology and Therapeutics, 2014, 19, 165-173.	0.3	10
40	The baby of a substance-abusing mother. , 2012, , 431-442.		0
41	Substitution therapy of infants for addiction and withdrawal. Possible links to sudden infant death (SID). Literature review and case reports. Romanian Journal of Legal Medicine, 2012, 20, 101-108.	0.3	1
42	Erkrankungen des Nervensystems. , 2017, , 287-328.		1
43	For newborn infants with opiate withdrawal, how do different sedatives compare?. Cochrane Clinical Answers, 0, , .	0.0	0
44	Use of Phenobarbital to Treat Neonatal Abstinence Syndrome From Exposure to Single vs. Multiple Substances. Frontiers in Pediatrics, 2021, 9, 752854.	0.9	1