

Cancer Chemoprevention Mechanisms Mediated Throu

Antioxidants and Redox Signaling

13, 1713-1748

DOI: [10.1089/ars.2010.3221](https://doi.org/10.1089/ars.2010.3221)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Aggressive mammary carcinoma progression in Nrf2 knockout mice treated with 7,12-dimethylbenz[a]anthracene. <i>BMC Cancer</i> , 2010, 10, 540.	1.1	60
2	The Nrf2-Keap1-ARE Signaling Pathway: The Regulation and Dual Function of Nrf2 in Cancer. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 1623-1626.	2.5	154
3	The Nrf2 System as a Potential Target for the Development of Indirect Antioxidants. <i>Molecules</i> , 2010, 15, 7266-7291.	1.7	380
4	Nitroalkene Fatty Acids Mediate Activation of Nrf2/ARE-Dependent and PPAR γ -Dependent Transcription by Distinct Signaling Pathways and with Significantly Different Potencies. <i>Biochemistry</i> , 2011, 50, 7765-7773.	1.2	11
5	The Nrf2 transcription factor is a positive regulator of myeloid differentiation of acute myeloid leukemia cells. <i>Cancer Biology and Therapy</i> , 2011, 11, 317-329.	1.5	56
6	Mechanisms of induction of cytosolic and microsomal glutathione transferase (GST) genes by xenobiotics and pro-inflammatory agents. <i>Drug Metabolism Reviews</i> , 2011, 43, 92-137.	1.5	178
7	A formal MIM specification and tools for the common exchange of MIM diagrams: an XML-Based format, an API, and a validation method. <i>BMC Bioinformatics</i> , 2011, 12, 167.	1.2	20
8	Antioxidants in Foods: State of the Science Important to the Food Industry. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 6837-6846.	2.4	286
9	Oxidative stress and Nrf2 in the pathophysiology of diabetic neuropathy: Old perspective with a new angle. <i>Biochemical and Biophysical Research Communications</i> , 2011, 408, 1-5.	1.0	118
10	Anticancer Activity of Metal Complexes: Involvement of Redox Processes. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 1085-1127.	2.5	420
11	Tissue-Restricted Expression of Nrf2 and Its Target Genes in Zebrafish with Gene-Specific Variations in the Induction Profiles. <i>PLoS ONE</i> , 2011, 6, e26884.	1.1	55
12	Induction of the Keap1/Nrf2/ARE pathway by oxidizable diphenols. <i>Chemico-Biological Interactions</i> , 2011, 192, 101-106.	1.7	63
13	The capâ€™nâ€™collar transcription factor Nrf2 mediates both intrinsic resistance to environmental stressors and an adaptive response elicited by chemopreventive agents that determines susceptibility to electrophilic xenobiotics. <i>Chemico-Biological Interactions</i> , 2011, 192, 37-45.	1.7	42
14	Renal Cyst Formation in Fh1-Deficient Mice Is Independent of the Hif/Phd Pathway: Roles for Fumarate in KEAP1 Succination and Nrf2 Signaling. <i>Cancer Cell</i> , 2011, 20, 524-537.	7.7	494
15	The Spliceosome as an Indicted Conspirator in Myeloid Malignancies. <i>Cancer Cell</i> , 2011, 20, 420-422.	7.7	35
16	Succination of Keap1 and Activation of Nrf2-Dependent Antioxidant Pathways in FH-Deficient Papillary Renal Cell Carcinoma Type 2. <i>Cancer Cell</i> , 2011, 20, 418-420.	7.7	92
17	Inflammatory Macrophages Induce Nrf2 Transcription Factor-dependent Proteasome Activity in Colonic NCM460 Cells and Thereby Confer Anti-apoptotic Protection. <i>Journal of Biological Chemistry</i> , 2011, 286, 40911-40921.	1.6	39
18	Glutathione Peroxidase 2 and Its Role in Cancer. , 2011, , 271-282.		2

#	ARTICLE	IF	CITATIONS
19	High-throughput Screening and Biosensing with Fluorescent <i>C. elegans</i> Strains. <i>Journal of Visualized Experiments</i> , 2011, , .	0.2	35
20	Anti-inflammatory/Anti-oxidative Stress Activities and Differential Regulation of Nrf2-Mediated Genes by Non-Polar Fractions of Tea <i>Chrysanthemum zawadskii</i> and Licorice <i>Glycyrrhiza uralensis</i> . <i>AAPS Journal</i> , 2011, 13, 1-13.	2.2	146
21	The cytoprotective role of the Keap1-Nrf2 pathway. <i>Archives of Toxicology</i> , 2011, 85, 241-272.	1.9	830
22	Pharmacodynamics of dietary phytochemical indoles I3C and DIM: Induction of Nrf2-mediated phase II drug metabolizing and antioxidant genes and synergism with isothiocyanates. <i>Biopharmaceutics and Drug Disposition</i> , 2011, 32, 289-300.	1.1	95
23	Oral Azathioprine Leads to Higher Incorporation of 6-Thioguanine in DNA of Skin than Liver: The Protective Role of the Keap1/Nrf2/ARE Pathway. <i>Cancer Prevention Research</i> , 2011, 4, 1665-1674.	0.7	21
24	Pomegranate-mediated chemoprevention of experimental hepatocarcinogenesis involves Nrf2-regulated antioxidant mechanisms. <i>Carcinogenesis</i> , 2011, 32, 888-896.	1.3	105
25	The novel Nrf2-interacting factor KAP1 regulates susceptibility to oxidative stress by promoting the Nrf2-mediated cytoprotective response. <i>Biochemical Journal</i> , 2011, 436, 387-397.	1.7	24
26	Redox Regulation by Nuclear Factor Erythroid 2-Related Factor 2: Gatekeeping for the Basal and Diabetes-Induced Expression of Thioredoxin-Interacting Protein. <i>Molecular Pharmacology</i> , 2012, 82, 887-897.	1.0	83
27	Chemoprotection Against Cancer by Isothiocyanates: A Focus on the Animal Models and the Protective Mechanisms. <i>Topics in Current Chemistry</i> , 2012, 329, 179-201.	4.0	49
28	Molecular Basis of Electrophilic and Oxidative Defense: Promises and Perils of Nrf2. <i>Pharmacological Reviews</i> , 2012, 64, 1055-1081.	7.1	265
29	A preliminary evaluation of bardoxolone methyl for the treatment of diabetic nephropathy. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012, 8, 1015-1022.	1.5	8
30	The Electrophile Responsive Proteome: Integrating Proteomics and Lipidomics with Cellular Function. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 1580-1589.	2.5	51
31	The Role of Sulfhydryl Reactivity of Small Molecules for the Activation of the KEAP1/NRF2 Pathway and the Heat Shock Response. <i>Scientifica</i> , 2012, 2012, 1-19.	0.6	24
32	Nrf2/ARE Signaling Pathway: Key Mediator in Oxidative Stress and Potential Therapeutic Target in ALS. <i>Neurology Research International</i> , 2012, 2012, 1-7.	0.5	156
33	Highly Potent Activation of Nrf2 by Topical Tricyclic <i>Bis</i> (Cyano Enone): Implications for Protection against UV Radiation during Thiopurine Therapy. <i>Cancer Prevention Research</i> , 2012, 5, 973-981.	0.7	32
34	Nrf2-MafG heterodimers contribute globally to antioxidant and metabolic networks. <i>Nucleic Acids Research</i> , 2012, 40, 10228-10239.	6.5	317
35	Anti-tumor Efficacy of a Recombinant Human Arginase in Human Hepatocellular Carcinoma. <i>Current Cancer Drug Targets</i> , 2012, 12, 1233-1243.	0.8	27
36	Mitochondrial redox signalling at a glance. <i>Journal of Cell Science</i> , 2012, 125, 801-806.	1.2	225

#	ARTICLE	IF	CITATIONS
37	The Mitochondrial Pyruvate Carrier: Has It Been Unearthed at Last?. <i>Cell Metabolism</i> , 2012, 16, 141-143.	7.2	38
38	The Keap1-Nrf2 Cell Defense Pathway – A Promising Therapeutic Target?. <i>Advances in Pharmacology</i> , 2012, 63, 43-79.	1.2	142
39	A Perspective on Dietary Phytochemicals and Cancer Chemoprevention: Oxidative Stress, Nrf2, and Epigenomics. <i>Topics in Current Chemistry</i> , 2012, 329, 133-162.	4.0	113
40	Genetic Evidence of an Evolutionarily Conserved Role for Nrf2 in the Protection against Oxidative Stress. <i>Molecular and Cellular Biology</i> , 2012, 32, 4455-4461.	1.1	77
41	Nrf2: Friend & Foe in Preventing Cigarette Smoking-Dependent Lung Disease. <i>Chemical Research in Toxicology</i> , 2012, 25, 1805-1824.	1.7	66
42	Silver nanoparticles-mediated G2/M cycle arrest of renal epithelial cells is associated with NRF2-GSH signaling. <i>Toxicology Letters</i> , 2012, 211, 334-341.	0.4	52
43	Unique structure and regulation of the nematode detoxification gene regulator, SKN-1: implications to understanding and controlling drug resistance. <i>Drug Metabolism Reviews</i> , 2012, 44, 209-223.	1.5	39
44	Does Nrf2 Contribute to p53-Mediated Control of Cell Survival and Death?. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 1670-1675.	2.5	87
45	Synthetic Oleanane Triterpenoids: Multifunctional Drugs with a Broad Range of Applications for Prevention and Treatment of Chronic Disease. <i>Pharmacological Reviews</i> , 2012, 64, 972-1003.	7.1	344
46	Identification of UV-protective Activators of Nuclear Factor Erythroid-derived 2-Related Factor 2 (Nrf2) by Combining a Chemical Library Screen with Computer-based Virtual Screening. <i>Journal of Biological Chemistry</i> , 2012, 287, 33001-33013.	1.6	25
47	Nuclear factor erythroid-derived 2-like 2 (Nrf2) and DJ1 are prognostic factors in lung cancer. <i>Human Pathology</i> , 2012, 43, 577-584.	1.1	58
48	Cellular stress responses, hormetic phytochemicals and vitagenes in aging and longevity. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 753-783.	1.8	351
49	Fumarate Is Cardioprotective via Activation of the Nrf2 Antioxidant Pathway. <i>Cell Metabolism</i> , 2012, 15, 361-371.	7.2	231
50	Gene regulation by melatonin linked to epigenetic phenomena. <i>Gene</i> , 2012, 503, 1-11.	1.0	103
51	Mitochondrial Thiols in Antioxidant Protection and Redox Signaling: Distinct Roles for Glutathionylation and Other Thiol Modifications. <i>Antioxidants and Redox Signaling</i> , 2012, 16, 476-495.	2.5	295
52	Mechanisms for Countering Oxidative Stress and Damage in Retinal Pigment Epithelium. <i>International Review of Cell and Molecular Biology</i> , 2012, 298, 135-177.	1.6	101
53	Hepatic stem cells and transforming growth factor β^2 in hepatocellular carcinoma. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012, 9, 530-538.	8.2	124
54	Effects of aging and methionine restriction applied at old age on ROS generation and oxidative damage in rat liver mitochondria. <i>Biogerontology</i> , 2012, 13, 399-411.	2.0	62

#	ARTICLE	IF	CITATIONS
55	Mitochondrial redox signalling at a glance. <i>Journal of Cell Science</i> , 2012, 125, 1837-1837.	1.2	16
56	The small MAF transcription factors MAFF, MAFG and MAFK: Current knowledge and perspectives. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1841-1846.	1.9	121
57	Nrf2 Orchestrates Fuel Partitioning for Cell Proliferation. <i>Cell Metabolism</i> , 2012, 16, 139-141.	7.2	49
58	NRF2 and cancer: the good, the bad and the importance of context. <i>Nature Reviews Cancer</i> , 2012, 12, 564-571.	12.8	876
59	Biochemical Basis for Functional Ingredient Design from Fruits. <i>Annual Review of Food Science and Technology</i> , 2012, 3, 79-104.	5.1	42
60	Function and Regulation of the Cyp2a5/CYP2A6 Genes in Response to Toxic Insults in the Liver. <i>Current Drug Metabolism</i> , 2012, 14, 137-150.	0.7	2
61	Reactive Oxygen Species Reduction is a Key Underlying Mechanism of Drug Resistance in Cancer Chemotherapy. <i>Chemotherapy</i> , 2012, 01, .	0.0	4
62	Glutathione S-transferase genotype is associated with sensitivity to psoralen-ultraviolet A photochemotherapy. <i>British Journal of Dermatology</i> , 2012, 166, 380-388.	1.4	20
63	Peptide inhibitors of the Keap1-Nrf2 protein-protein interaction. <i>Free Radical Biology and Medicine</i> , 2012, 52, 444-451.	1.3	126
64	Signaling pathways activated by the phytochemical nordihydroguaiaretic acid contribute to a Keap1-independent regulation of Nrf2 stability: Role of glycogen synthase kinase-3. <i>Free Radical Biology and Medicine</i> , 2012, 52, 473-487.	1.3	177
65	Molecular Mechanisms of Tumor Cell Resistance to Chemotherapy. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2013, , .	0.1	8
66	A novel shogaol analog suppresses cancer cell invasion and inflammation, and displays cytoprotective effects through modulation of NF- κ B and Nrf2-Keap1 signaling pathways. <i>Toxicology and Applied Pharmacology</i> , 2013, 272, 852-862.	1.3	38
68	Nrf2/ARE-mediated antioxidant actions of pro-electrophilic drugs. <i>Free Radical Biology and Medicine</i> , 2013, 65, 645-657.	1.3	222
69	The Nrf2-inducers tanshinone I and dihydrotanshinone protect human skin cells and reconstructed human skin against solar simulated UV. <i>Redox Biology</i> , 2013, 1, 532-541.	3.9	92
70	USP15 Negatively Regulates Nrf2 through Deubiquitination of Keap1. <i>Molecular Cell</i> , 2013, 51, 68-79.	4.5	98
71	Role of Nrf2 in protection against acute kidney injury. <i>Kidney International</i> , 2013, 84, 1090-1095.	2.6	158
72	Modulation of oxidative stress as an anticancer strategy. <i>Nature Reviews Drug Discovery</i> , 2013, 12, 931-947.	21.5	2,735
73	The emerging role of the Nrf2-Keap1 signaling pathway in cancer. <i>Genes and Development</i> , 2013, 27, 2179-2191.	2.7	1,044

#	ARTICLE	IF	CITATIONS
74	4-Methoxychalcone Enhances Cisplatin-Induced Oxidative Stress and Cytotoxicity by Inhibiting the Nrf2/ARE-Mediated Defense Mechanism in A549 Lung Cancer Cells. <i>Molecules and Cells</i> , 2013, 36, 340-346.	1.0	40
75	Renal cell carcinoma: translational aspects of metabolism and therapeutic consequences. <i>Kidney International</i> , 2013, 84, 667-681.	2.6	28
76	Development of a steady-state FRET-based assay to identify inhibitors of the Keap1-Nrf2 protein-protein interaction. <i>Protein Science</i> , 2013, 22, 1812-1819.	3.1	29
77	The Gasotransmitter Hydrogen Sulfide Induces Nrf2-Target Genes by Inactivating the Keap1 Ubiquitin Ligase Substrate Adaptor Through Formation of a Disulfide Bond Between Cys-226 and Cys-613. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 465-481.	2.5	189
78	Nrf2-mediated redox signaling in arsenic carcinogenesis: a review. <i>Archives of Toxicology</i> , 2013, 87, 383-396.	1.9	72
79	S[+] Apomorphine is a CNS penetrating activator of the Nrf2-ARE pathway with activity in mouse and patient fibroblast models of amyotrophic lateral sclerosis. <i>Free Radical Biology and Medicine</i> , 2013, 61, 438-452.	1.3	54
80	Indigofera suffruticosa Mill extracts up-regulate the expression of the ĩ class of glutathione S-transferase and NAD(P)H: quinone oxidoreductase 1 in rat Clone 9 liver cells. <i>Food and Chemical Toxicology</i> , 2013, 59, 610-617.	1.8	6
81	Keap1/Nrf2/ARE redox-sensitive signaling system as a pharmacological target. <i>Biochemistry (Moscow)</i> , 2013, 78, 19-36.	0.7	65
82	Role of Nrf2 in Oxidative Stress and Toxicity. <i>Annual Review of Pharmacology and Toxicology</i> , 2013, 53, 401-426.	4.2	3,261
83	Redox Control of Leukemia: From Molecular Mechanisms to Therapeutic Opportunities. <i>Antioxidants and Redox Signaling</i> , 2013, 18, 1349-1383.	2.5	114
84	Microarray and pathway analysis highlight Nrf2/ARE-mediated expression profiling by polyphenolic myricetin. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 435-446.	1.5	41
85	Tanshinone I Activates the Nrf2-Dependent Antioxidant Response and Protects Against As(III)-Induced Lung Inflammation <i>In Vitro</i> and <i>In Vivo</i> . <i>Antioxidants and Redox Signaling</i> , 2013, 19, 1647-1661.	2.5	89
86	Identification of aldo-keto reductases as NRF2-target marker genes in human cells. <i>Toxicology Letters</i> , 2013, 218, 39-49.	0.4	91
87	Peptide inhibitors of the Keap1-Nrf2 protein-protein interaction with improved binding and cellular activity. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 3553.	1.5	85
88	Emerging roles of TRPA1 in sensation of oxidative stress and its implications in defense and danger. <i>Archives of Pharmacal Research</i> , 2013, 36, 783-791.	2.7	20
89	Epigenetic Modifications of Nrf2 by 3,3-diindolylmethane <i>In Vitro</i> in TRAMP C1 Cell Line and <i>In Vivo</i> TRAMP Prostate Tumors. <i>AAPS Journal</i> , 2013, 15, 864-874.	2.2	72
90	Characterization of thiol-conjugated metabolites of ginger components shogaols in mouse and human urine and modulation of the glutathione levels in cancer cells by [6]-shogaol. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 447-458.	1.5	22
91	PtdIns5P and Pin1 in oxidative stress signaling. <i>Advances in Biological Regulation</i> , 2013, 53, 179-189.	1.4	35

#	ARTICLE	IF	CITATIONS
92	Keap1-Nrf2 signaling pathway: Mechanisms of regulation and role in protection of cells against toxicity caused by xenobiotics and electrophiles. <i>Biochemistry (Moscow)</i> , 2013, 78, 111-126.	0.7	98
93	Oncogenic functions of the transcription factor Nrf2. <i>Free Radical Biology and Medicine</i> , 2013, 65, 750-764.	1.3	176
94	Novel roles of reactive oxygen species in the pathogenesis of acute myeloid leukemia. <i>Journal of Leukocyte Biology</i> , 2013, 94, 423-429.	1.5	77
95	Association of SNPs in genes involved in folate metabolism with the risk of congenital heart disease. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1768-1777.	0.7	37
96	Sulforaphane Accelerates Acetaldehyde Metabolism by Inducing Aldehyde Dehydrogenases: Relevance to Ethanol Intolerance. <i>Alcohol and Alcoholism</i> , 2013, 48, 526-534.	0.9	55
97	Arsenic Inhibits Autophagic Flux, Activating the Nrf2-Keap1 Pathway in a p62-Dependent Manner. <i>Molecular and Cellular Biology</i> , 2013, 33, 2436-2446.	1.1	206
98	Regulatory Nexus of Synthesis and Degradation Deciphers Cellular Nrf2 Expression Levels. <i>Molecular and Cellular Biology</i> , 2013, 33, 2402-2412.	1.1	101
99	The Ras GTPase-activating-like Protein IQGAP1 Mediates Nrf2 Protein Activation via the Mitogen-activated Protein Kinase/Extracellular Signal-regulated Kinase (ERK) Kinase (MEK)-ERK Pathway. <i>Journal of Biological Chemistry</i> , 2013, 288, 22378-22386.	1.6	39
100	A Negative-Feedback Loop between the Detoxification/Antioxidant Response Factor SKN-1 and Its Repressor WDR-23 Matches Organism Needs with Environmental Conditions. <i>Molecular and Cellular Biology</i> , 2013, 33, 3524-3537.	1.1	7
101	Overcoming Drug Resistance Through Elevation of ROS in Cancer. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2013, , 135-149.	0.1	2
102	Trafficking of the Transcription Factor Nrf2 to Promyelocytic Leukemia-Nuclear Bodies. <i>Journal of Biological Chemistry</i> , 2013, 288, 14569-14583.	1.6	66
103	Nrf2 impacts cellular bioenergetics by controlling substrate availability for mitochondrial respiration. <i>Biology Open</i> , 2013, 2, 761-770.	0.6	346
104	Nrf2 is controlled by two distinct \hat{I}^2 -TrCP recognition motifs in its Neh6 domain, one of which can be modulated by GSK-3 activity. <i>Oncogene</i> , 2013, 32, 3765-3781.	2.6	500
105	Identification and Functional Studies of a New Nrf2 Partner IQGAP1: A Critical Role in the Stability and Transactivation of Nrf2. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 89-101.	2.5	36
106	Regulatory flexibility in the Nrf2-mediated stress response is conferred by conformational cycling of the Keap1-Nrf2 protein complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15259-15264.	3.3	301
107	Function and Regulation of the Cyp2a5/CYP2A6 Genes in Response to Toxic Insults in the Liver. <i>Current Drug Metabolism</i> , 2013, 14, 137-150.	0.7	42
108	Anti-oxidative stress response genes: bioinformatic analysis of their expression and relevance in multiple cancers. <i>Oncotarget</i> , 2013, 4, 2577-2590.	0.8	41
109	The Involvement of NRF2 in Lung Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-10.	1.9	41

#	ARTICLE	IF	CITATIONS
110	Phytoagents for Cancer Management: Regulation of Nucleic Acid Oxidation, ROS, and Related Mechanisms. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-22.	1.9	81
111	Dietary Regulation of Keap1/Nrf2/ARE Pathway: Focus on Plant-Derived Compounds and Trace Minerals. <i>Nutrients</i> , 2014, 6, 3777-3801.	1.7	176
112	Targeting Nrf2 Signaling to Combat Chemoresistance. <i>Journal of Cancer Prevention</i> , 2014, 19, 111-117.	0.8	126
113	Nrf2-Inducing Anti-Oxidation Stress Response in the Rat Liver - New Beneficial Effect of Lansoprazole. <i>PLoS ONE</i> , 2014, 9, e97419.	1.1	46
114	Benefits and Risks of the Hormetic Effects of Dietary Isothiocyanates on Cancer Prevention. <i>PLoS ONE</i> , 2014, 9, e114764.	1.1	53
115	Regulation of Human CYP2C9 Expression by Electrophilic Stress Involves Activator Protein 1 Activation and DNA Looping. <i>Molecular Pharmacology</i> , 2014, 86, 125-137.	1.0	11
116	Cytoprotection “gone astray’’: Nrf2 and its role in cancer. <i>OncoTargets and Therapy</i> , 2014, 7, 1497.	1.0	57
117	Susceptibility of Nrf2-Null Mice to Steatohepatitis and Cirrhosis upon Consumption of a High-Fat Diet Is Associated with Oxidative Stress, Perturbation of the Unfolded Protein Response, and Disturbance in the Expression of Metabolic Enzymes but Not with Insulin Resistance. <i>Molecular and Cellular Biology</i> , 2014, 34, 3305-3320.	1.1	187
118	Oncogenic KRAS Confers Chemoresistance by Upregulating NRF2. <i>Cancer Research</i> , 2014, 74, 7430-7441.	0.4	237
120	PM1: A Î”Î”m Independent Pharmacological Regulator of Mitophagy. <i>Chemistry and Biology</i> , 2014, 21, 1585-1596.	6.2	125
121	Rare insights into cancer biology. <i>Oncogene</i> , 2014, 33, 2547-2556.	2.6	74
122	Monitoring Keap1–Nrf2 interactions in single live cells. <i>Biotechnology Advances</i> , 2014, 32, 1133-1144.	6.0	122
123	The Nrf2 regulatory network provides an interface between redox and intermediary metabolism. <i>Trends in Biochemical Sciences</i> , 2014, 39, 199-218.	3.7	1,591
124	Reversible Cysteine Oxidation in Hydrogen Peroxide Sensing and Signal Transduction. <i>Biochemistry</i> , 2014, 53, 2560-2580.	1.2	141
125	Regulation of the human thioredoxin gene promoter and its key substrates: A study of functional and putative regulatory elements. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 303-314.	1.1	88
126	Oleanolic acid and its synthetic derivatives for the prevention and therapy of cancer: Preclinical and clinical evidence. <i>Cancer Letters</i> , 2014, 346, 206-216.	3.2	222
127	Antioxidants as therapies: can we improve on nature?. <i>Free Radical Biology and Medicine</i> , 2014, 66, 20-23.	1.3	120
128	Reprint of: Nrf2/ARE-mediated antioxidant actions of pro-electrophilic drugs. <i>Free Radical Biology and Medicine</i> , 2014, 66, 45-57.	1.3	60

#	ARTICLE	IF	CITATIONS
129	Nrf2 affects the efficiency of mitochondrial fatty acid oxidation. <i>Biochemical Journal</i> , 2014, 457, 415-424.	1.7	192
130	Redox Regulation of Store-Operated Ca ²⁺ Entry. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 915-932.	2.5	56
131	Role of the Nrf2 signaling system in health and disease. <i>Clinical Genetics</i> , 2014, 86, 447-452.	1.0	44
132	Citric Acid Cycle Intermediates in Cardioprotection. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 711-719.	5.1	37
133	Modification of cysteine residues by cyclopentenone prostaglandins: Interplay with redox regulation of protein function. <i>Mass Spectrometry Reviews</i> , 2014, 33, 110-125.	2.8	43
134	Multifunctional pentacyclic triterpenoids as adjuvants in cancer chemotherapy: a review. <i>RSC Advances</i> , 2014, 4, 33370-33382.	1.7	44
135	Sunscreen-Based Skin Protection Against Solar Insult: Molecular Mechanisms and Opportunities. , 2014, , 301-320.		7
136	<i>In Vivo</i> Regulation of Human Glutathione Transferase GSTP by Chemopreventive Agents. <i>Cancer Research</i> , 2014, 74, 4378-4387.	0.4	35
137	Targeting antioxidants for cancer therapy. <i>Biochemical Pharmacology</i> , 2014, 92, 90-101.	2.0	370
138	Ginger Compound [6]-Shogaol and Its Cysteine-Conjugated Metabolite (M2) Activate Nrf2 in Colon Epithelial Cells <i>In Vitro</i> and <i>In Vivo</i> . <i>Chemical Research in Toxicology</i> , 2014, 27, 1575-1585.	1.7	60
139	Modulation of Nuclear Factor E2-related Factor-2 (Nrf2) Activation by the Stress Response Gene Immediate Early Response-3 (IER3) in Colonic Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 1917-1929.	1.6	42
140	Baicalein modulates Nrf2/Keap1 system in both Keap1-dependent and Keap1-independent mechanisms. <i>Archives of Biochemistry and Biophysics</i> , 2014, 559, 53-61.	1.4	40
141	Modulation of NRF2 signaling pathway by nuclear receptors: Implications for cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 1875-1885.	1.9	83
142	Intronic DNA elements regulate Nrf2 chemical responsiveness of the human microsomal epoxide hydrolase gene (EPHX1) through a far upstream alternative promoter. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2014, 1839, 493-505.	0.9	11
143	Nuclear Nrf2 expression is related to a poor survival in pancreatic adenocarcinoma. <i>Pathology Research and Practice</i> , 2014, 210, 35-39.	1.0	56
144	Protective effects of <i>Fumaria parviflora</i> L. on lead-induced testicular toxicity in male rats. <i>Andrologia</i> , 2014, 46, 437-446.	1.0	33
145	Tryptanthrin Protects Hepatocytes against Oxidative Stress & Activation of the Extracellular Signal-Regulated Kinase/NF-E2-Related Factor 2 Pathway. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 1633-1640.	0.6	37
146	Inhibition of NRF2 by PIK-75 augments sensitivity of pancreatic cancer cells to gemcitabine. <i>International Journal of Oncology</i> , 2014, 44, 959-969.	1.4	51

#	ARTICLE	IF	CITATIONS
147	Mangiferin increases Nrf2 protein stability by inhibiting its ubiquitination and degradation in human HL60 myeloid leukemia cells. <i>International Journal of Molecular Medicine</i> , 2014, 33, 1348-1354.	1.8	32
148	Molecular mechanisms of Nrf2 regulation and how these influence chemical modulation for disease intervention. <i>Biochemical Society Transactions</i> , 2015, 43, 680-686.	1.6	137
149	Sustained NRF2 activation in hereditary leiomyomatosis and renal cell cancer (HLRCC) and in hereditary tyrosinemia type 1 (HT1). <i>Biochemical Society Transactions</i> , 2015, 43, 650-656.	1.6	19
150	Dual regulation of transcription factor Nrf2 by Keap1 and by the combined actions of I κ B-TrCP and GSK-3. <i>Biochemical Society Transactions</i> , 2015, 43, 611-620.	1.6	143
151	Peptide and small molecule inhibitors of the Keap1-Nrf2 protein-protein interaction. <i>Biochemical Society Transactions</i> , 2015, 43, 674-679.	1.6	68
152	Value of monitoring Nrf2 activity for the detection of chemical and oxidative stress. <i>Biochemical Society Transactions</i> , 2015, 43, 657-662.	1.6	40
153	Association of Oxidative Stress and Lipids with Risk Factors of Metabolic Syndrome. , 2015, , 384-407.		0
154	The Crosstalk between Nrf2 and TGF- β 1 in the Epithelial-Mesenchymal Transition of Pancreatic Duct Epithelial Cells. <i>PLoS ONE</i> , 2015, 10, e0132978.	1.1	48
155	Sulforaphane Protects the Liver against CdSe Quantum Dot-Induced Cytotoxicity. <i>PLoS ONE</i> , 2015, 10, e0138771.	1.1	22
156	The Activation of Nrf2 and Its Downstream Regulated Genes Mediates the Antioxidative Activities of Xueshuan Xinmaining Tablet in Human Umbilical Vein Endothelial Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-7.	0.5	32
157	BAG2 Is Repressed by NF- κ B Signaling, and Its Overexpression Is Sufficient to Shift A β 1-42 from Neurotrophic to Neurotoxic in Undifferentiated SH-SY5Y Neuroblastoma. <i>Journal of Molecular Neuroscience</i> , 2015, 57, 83-89.	1.1	12
158	Dimethyl fumarate and the oleanane triterpenoids, CDDO-imidazolide and CDDO-methyl ester, both activate the Nrf2 pathway but have opposite effects in the A/J model of lung carcinogenesis. <i>Carcinogenesis</i> , 2015, 36, 769-781.	1.3	59
159	Synaptic NMDA receptor activity is coupled to the transcriptional control of the glutathione system. <i>Nature Communications</i> , 2015, 6, 6761.	5.8	119
160	Engineering a genetically encoded competitive inhibitor of the KEAP1-NRF2 interaction via structure-based design and phage display. <i>Protein Engineering, Design and Selection</i> , 2016, 29, gzv055.	1.0	21
161	Standardized rosemary (<i>Rosmarinus officinalis</i>) extract induces Nrf2/sestrin-2 pathway in colon cancer cells. <i>Journal of Functional Foods</i> , 2015, 13, 137-147.	1.6	33
162	Nrf2-Dependent Suppression of Azoxymethane/Dextran Sulfate Sodium-Induced Colon Carcinogenesis by the Cinnamon-Derived Dietary Factor Cinnamaldehyde. <i>Cancer Prevention Research</i> , 2015, 8, 444-454.	0.7	62
163	Cancer chemoprevention: Evidence of a nonlinear dose response for the protective effects of resveratrol in humans and mice. <i>Science Translational Medicine</i> , 2015, 7, 298ra117.	5.8	137
164	The complexity of the Nrf2 pathway: beyond the antioxidant response. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1401-1413.	1.9	325

#	ARTICLE	IF	CITATIONS
165	Inflammation and Lung Cancer: Prevention. , 2015, , 95-136.		0
166	The variable chemotherapeutic response of Malabaricone-A in leukemic and solid tumor cell lines depends on the degree of redox imbalance. <i>Phytomedicine</i> , 2015, 22, 713-723.	2.3	21
167	Inflammation and Lung Cancer. , 2015, , .		2
168	Antioxidants in Translational Medicine. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 1130-1143.	2.5	201
169	Redox modulation of adipocyte differentiation: hypothesis of "Redox Chain" and novel insights into intervention of adipogenesis and obesity. <i>Free Radical Biology and Medicine</i> , 2015, 89, 99-125.	1.3	50
170	Parkinsonian toxin-induced oxidative stress inhibits basal autophagy in astrocytes via NQO2/quinone oxidoreductase 2: Implications for neuroprotection. <i>Autophagy</i> , 2015, 11, 1063-1080.	4.3	88
171	Targeting lipid peroxidation and mitochondrial imbalance in Friedreich's ataxia. <i>Pharmacological Research</i> , 2015, 99, 344-350.	3.1	64
172	Mechanisms of activation of the transcription factor Nrf2 by redox stressors, nutrient cues, and energy status and the pathways through which it attenuates degenerative disease. <i>Free Radical Biology and Medicine</i> , 2015, 88, 108-146.	1.3	661
173	Nrf2-mediated adaptive response to methyl glyoxal in HepG2 cells involves the induction of AKR7A2. <i>Chemico-Biological Interactions</i> , 2015, 234, 366-371.	1.7	20
174	Flavonoids derived from liquorice suppress murine macrophage activation by up-regulating heme oxygenase-1 independent of Nrf2 activation. <i>International Immunopharmacology</i> , 2015, 28, 917-924.	1.7	48
175	Neuronal development is promoted by weakened intrinsic antioxidant defences due to epigenetic repression of Nrf2. <i>Nature Communications</i> , 2015, 6, 7066.	5.8	144
176	Controlled and Impaired Mitochondrial Quality in Neurons: Molecular Physiology and Prospective Pharmacology. <i>Pharmacological Research</i> , 2015, 99, 410-424.	3.1	20
177	Regulation of the expression of renal drug transporters in KEAP1-knockdown human tubular cells. <i>Toxicology in Vitro</i> , 2015, 29, 884-892.	1.1	29
178	Taurine zinc solid dispersions attenuate doxorubicin-induced hepatotoxicity and cardiotoxicity in rats. <i>Toxicology and Applied Pharmacology</i> , 2015, 289, 1-11.	1.3	33
179	Pharmacology and Clinical Drug Candidates in Redox Medicine. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 1113-1129.	2.5	75
180	Integrated transcriptomic and proteomic analyses uncover regulatory roles of Nrf2 in the kidney. <i>Kidney International</i> , 2015, 88, 1261-1273.	2.6	41
181	Glutathionyl systems and metabolic dysfunction in obesity. <i>Nutrition Reviews</i> , 2015, 73, 858-868.	2.6	37
182	Tumor cell survival pathways activated by photodynamic therapy: a molecular basis for pharmacological inhibition strategies. <i>Cancer and Metastasis Reviews</i> , 2015, 34, 643-690.	2.7	191

#	ARTICLE	IF	CITATIONS
183	Antioncogenic and Oncogenic Properties of Nrf2 in Arsenic-induced Carcinogenesis. <i>Journal of Biological Chemistry</i> , 2015, 290, 27090-27100.	1.6	28
184	Targeting KEAP1/NRF2 pathway to manipulate the expression of oncogenic and oncosuppressive miRNAs in human leukemia. <i>Molecular and Cellular Oncology</i> , 2015, 5, 0-0.	0.3	2
185	Novel Nrf2/ARE Activator, <i>trans</i> -Coniferylaldehyde, Induces a HO-1-Mediated Defense Mechanism through a Dual p38 β /MAPKAPK-2 and PK-N3 Signaling Pathway. <i>Chemical Research in Toxicology</i> , 2015, 28, 1681-1692.	1.7	26
186	Design, Synthesis, and Evaluation of Triazole Derivatives That Induce Nrf2 Dependent Gene Products and Inhibit the Keap1-Nrf2 Protein-Protein Interaction. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 7186-7194.	2.9	109
187	Mangiferin activates the Nrf2-ARE pathway and reduces etoposide-induced DNA damage in human umbilical cord mononuclear blood cells. <i>Pharmaceutical Biology</i> , 2015, 53, 503-511.	1.3	20
188	NAD(P)H:quinone oxidoreductase 1 inducer activity of some novel anilinoquinazoline derivatives. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 2515-2524.	2.0	5
189	Redox Modulating NRF2: A Potential Mediator of Cancer Stem Cell Resistance. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-14.	1.9	103
190	Mitochondrial Dysfunction in Alzheimer's Disease and the Rationale for Bioenergetics Based Therapies. , 2016, 7, 201.		207
191	Health Benefits of Glucosinolates. <i>Advances in Botanical Research</i> , 2016, , 247-279.	0.5	68
192	Skin Redox Balance Maintenance: The Need for an Nrf2-Activator Delivery System. <i>Cosmetics</i> , 2016, 3, 1.	1.5	52
193	The Role of Glucosinolate Hydrolysis Products from Brassica Vegetable Consumption in Inducing Antioxidant Activity and Reducing Cancer Incidence. <i>Diseases (Basel, Switzerland)</i> , 2016, 4, 22.	1.0	37
194	Reduced mRNA expression levels of NFE2L2 are associated with poor outcome in breast cancer patients. <i>BMC Cancer</i> , 2016, 16, 821.	1.1	22
195	The Keap1-Nrf2-ARE Pathway As a Potential Preventive and Therapeutic Target: An Update. <i>Medicinal Research Reviews</i> , 2016, 36, 924-963.	5.0	562
196	Multiple regulations of Keap1/Nrf2 system by dietary phytochemicals. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1731-1755.	1.5	146
197	Repurposing the NRF2 Activator Dimethyl Fumarate as Therapy Against Synucleinopathy in Parkinson's Disease. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 61-77.	2.5	209
198	Molecular and cellular basis for the unique functioning of Nrf1, an indispensable transcription factor for maintaining cell homeostasis and organ integrity. <i>Biochemical Journal</i> , 2016, 473, 961-1000.	1.7	117
199	Genomic and proteomic analysis of the inhibition of synthesis and secretion of aldosterone hormone induced by quinoxaline in NCI-H295R cells. <i>Toxicology</i> , 2016, 350-352, 1-14.	2.0	21
200	Oleanolic acid derivatives for pharmaceutical use: a patent review. <i>Expert Opinion on Therapeutic Patents</i> , 2016, 26, 643-655.	2.4	81

#	ARTICLE	IF	CITATIONS
201	Adaptive regulation of the brain's antioxidant defences by neurons and astrocytes. <i>Free Radical Biology and Medicine</i> , 2016, 100, 147-152.	1.3	169
202	3,3'-diindolylmethane mitigates total body irradiation-induced hematopoietic injury in mice. <i>Free Radical Biology and Medicine</i> , 2016, 99, 463-471.	1.3	27
203	Mitochondria, cholesterol and cancer cell metabolism. <i>Clinical and Translational Medicine</i> , 2016, 5, 22.	1.7	127
204	Targeting Nrf2 with wogonin overcomes cisplatin resistance in head and neck cancer. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016, 21, 1265-1278.	2.2	64
205	Genetic polymorphism of the Nrf2 promoter region is associated with vitiligo risk in Han Chinese populations. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1840-1850.	1.6	28
206	Dietary Phytochemicals and Cancer Chemoprevention: A Perspective on Oxidative Stress, Inflammation, and Epigenetics. <i>Chemical Research in Toxicology</i> , 2016, 29, 2071-2095.	1.7	77
207	An overview of chemical inhibitors of the Nrf2-ARE signaling pathway and their potential applications in cancer therapy. <i>Free Radical Biology and Medicine</i> , 2016, 99, 544-556.	1.3	142
208	Glutathione Peroxidase 2, a Selenoprotein Exhibiting a Dual Personality in Preventing and Promoting Cancer. , 2016, , 451-462.		3
209	TALENs-directed knockout of the full-length transcription factor Nrf1 that represses malignant behaviour of human hepatocellular carcinoma (HepG2) cells. <i>Scientific Reports</i> , 2016, 6, 23775.	1.6	44
210	Aldo-keto reductases are biomarkers of NRF2 activity and are co-ordinately overexpressed in non-small cell lung cancer. <i>British Journal of Cancer</i> , 2016, 115, 1530-1539.	2.9	31
211	VCE-003.2, a novel cannabigerol derivative, enhances neuronal progenitor cell survival and alleviates symptomatology in murine models of Huntington's disease. <i>Scientific Reports</i> , 2016, 6, 29789.	1.6	61
212	Synthesis of Resveratrol Derivatives and In Vitro Screening for Potential Cancer Chemopreventive Activities. <i>Archiv Der Pharmazie</i> , 2016, 349, 414-427.	2.1	22
213	The Dual Roles of NRF2 in Cancer. <i>Trends in Molecular Medicine</i> , 2016, 22, 578-593.	3.5	508
214	Novel insights into redox system and the mechanism of redox regulation. <i>Molecular Biology Reports</i> , 2016, 43, 607-628.	1.0	61
215	Aromatic malononitriles stimulate the resistance of insulin-producing beta-cells to oxidants and inflammatory cytokines. <i>European Journal of Pharmacology</i> , 2016, 784, 69-80.	1.7	10
216	Artemisitene activates the Nrf2-dependent antioxidant response and protects against bleomycin-induced lung injury. <i>FASEB Journal</i> , 2016, 30, 2500-2510.	0.2	36
217	Natural phytochemicals and probiotics as bioactive ingredients for functional foods: Extraction, biochemistry and protected-delivery technologies. <i>Trends in Food Science and Technology</i> , 2016, 50, 144-158.	7.8	165
218	The functional interactome of GSTP: A regulatory biomolecular network at the interface with the Nrf2 adaptation response to oxidative stress. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1019, 29-44.	1.2	49

#	ARTICLE	IF	CITATIONS
219	Mitochondrial Quality Control as a Therapeutic Target. <i>Pharmacological Reviews</i> , 2016, 68, 20-48.	7.1	225
220	Synthesis of newer piperidinyl chalcones and their anticancer activity in human cancer cell lines. <i>Research on Chemical Intermediates</i> , 2016, 42, 3673-3688.	1.3	8
221	Cross Talk in HEK293 Cells Between Nrf2, HIF, and NF- κ B Activities upon Challenges with Redox Therapeutics Characterized with Single-Cell Resolution. <i>Antioxidants and Redox Signaling</i> , 2017, 26, 229-246.	2.5	41
222	Morin activates the Nrf2-ARE pathway and reduces oxidative stress-induced DNA damage in pancreatic beta cells. <i>European Journal of Pharmacology</i> , 2017, 801, 9-18.	1.7	53
223	Protection from Cr(VI)-induced malignant cell transformation and tumorigenesis of Cr(VI)-transformed cells by luteolin through Nrf2 signaling. <i>Toxicology and Applied Pharmacology</i> , 2017, 331, 24-32.	1.3	25
224	Protective effects of phenolics rich extract of ginger against Aflatoxin B 1 -induced oxidative stress and hepatotoxicity. <i>Biomedicine and Pharmacotherapy</i> , 2017, 91, 415-424.	2.5	85
225	The role of Nrf2-Keap1 axis in colorectal cancer, progression, and chemoresistance. <i>Tumor Biology</i> , 2017, 39, 101042831770551.	0.8	47
226	Endoplasmic Reticulum Stress, NRF2 Signalling and Cardiovascular Diseases in a Nutshell. <i>Current Atherosclerosis Reports</i> , 2017, 19, 33.	2.0	27
227	Perspectives of the Nrf-2 signaling pathway in cancer progression and therapy. <i>Toxicology Reports</i> , 2017, 4, 306-318.	1.6	108
229	Contradictory roles of Nrf2/Keap1 signaling pathway in cancer prevention/promotion and chemoresistance. <i>DNA Repair</i> , 2017, 54, 13-21.	1.3	69
230	Sulforaphane protects against sodium valproate-induced acute liver injury. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017, 95, 420-426.	0.7	25
231	The Nrf2-ARE signaling pathway: An update on its regulation and possible role in cancer prevention and treatment. <i>Pharmacological Reports</i> , 2017, 69, 393-402.	1.5	207
232	Lipid-based DNA/siRNA transfection agents disrupt neuronal bioenergetics and mitophagy. <i>Biochemical Journal</i> , 2017, 474, 3887-3902.	1.7	6
233	Redox Signaling and Persistent Pulmonary Hypertension of the Newborn. <i>Advances in Experimental Medicine and Biology</i> , 2017, 967, 277-287.	0.8	1
234	Association of polymorphisms in NFE2L2 gene encoding transcription factor Nrf2 with multifactorial diseases. <i>Russian Journal of Genetics</i> , 2017, 53, 851-864.	0.2	1
235	Reversible Keap1 inhibitors are preferential pharmacological tools to modulate cellular mitophagy. <i>Scientific Reports</i> , 2017, 7, 10303.	1.6	42
236	Crosstalk between NRF2 and HIPK2 shapes cytoprotective responses. <i>Oncogene</i> , 2017, 36, 6204-6212.	2.6	75
237	Betulinic acid, isolated from the leaves of <i>Syzygium cumini</i> (L.) Skeels, ameliorates the proteinuria in experimental membranous nephropathy through regulating Nrf2/NF- κ B pathways. <i>Chemico-Biological Interactions</i> , 2017, 274, 124-137.	1.7	28

#	ARTICLE	IF	CITATIONS
238	The Biofunctions of Phytochemicals and Their Applications in Farm Animals: The Nrf2/Keap1 System as a Target. <i>Engineering</i> , 2017, 3, 738-752.	3.2	19
239	The electrophilic character of quinones is essential for the suppression of Bach1. <i>Toxicology</i> , 2017, 387, 17-26.	2.0	18
240	PGC-1 β attenuates hydrogen peroxide-induced apoptotic cell death by upregulating Nrf-2 via GSK3 β inactivation mediated by activated p38 in HK-2 Cells. <i>Scientific Reports</i> , 2017, 7, 4319.	1.6	70
241	Nrf2 signaling pathway: Pivotal roles in inflammation. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 585-597.	1.8	1,223
242	Small molecules inhibiting Keap1-Nrf2 protein-protein interactions: a novel approach to activate Nrf2 function. <i>MedChemComm</i> , 2017, 8, 286-294.	3.5	55
243	Keap1, the cysteine-based mammalian intracellular sensor for electrophiles and oxidants. <i>Archives of Biochemistry and Biophysics</i> , 2017, 617, 84-93.	1.4	232
244	Ptgr1 expression is regulated by NRF2 in rat hepatocarcinogenesis and promotes cell proliferation and resistance to oxidative stress. <i>Free Radical Biology and Medicine</i> , 2017, 102, 87-99.	1.3	47
245	Mitochondria in the pathophysiology of Alzheimer's and Parkinson's diseases. <i>Frontiers in Bioscience - Landmark</i> , 2017, 22, 854-872.	3.0	89
246	A targeted gene expression platform allows for rapid analysis of chemical-induced antioxidant mRNA expression in zebrafish larvae. <i>PLoS ONE</i> , 2017, 12, e0171025.	1.1	20
247	Isoliquiritigenin suppresses human T Lymphocyte activation via covalently binding cysteine 46 of I κ B kinase. <i>Oncotarget</i> , 2017, 8, 34223-34235.	0.8	10
248	Protective effects of sulforaphane on di-n-butylphthalate-induced testicular oxidative stress injury in male mice offspring via activating Nrf2/ARE pathway. <i>Oncotarget</i> , 2017, 8, 82956-82967.	0.8	17
249	Dual Roles of Oxidative Stress in Metal Carcinogenesis. <i>Journal of Environmental Pathology, Toxicology and Oncology</i> , 2017, 36, 345-376.	0.6	50
250	Arsenite Targets the RING Finger Domain of Rbx1 E3 Ubiquitin Ligase to Inhibit Proteasome-Mediated Degradation of Nrf2. <i>Chemical Research in Toxicology</i> , 2018, 31, 380-387.	1.7	23
251	Impact of Nrf2 on tumour growth and drug sensitivity in oncogenic K-ras-transformed cells in vitro and in vivo. <i>Free Radical Research</i> , 2018, 52, 661-671.	1.5	13
252	Oxidative stress in normal hematopoietic stem cells and leukemia. <i>Apmsis</i> , 2018, 126, 284-294.	0.9	28
253	Aldo-Keto Reductases as Early Biomarkers of Hepatocellular Carcinoma: A Comparison Between Animal Models and Human HCC. <i>Digestive Diseases and Sciences</i> , 2018, 63, 934-944.	1.1	22
254	Inflammation, oxidative stress, and higher expression levels of Nrf2 and NQO1 proteins in the airways of women chronically exposed to biomass fuel smoke. <i>Molecular and Cellular Biochemistry</i> , 2018, 447, 63-76.	1.4	31
255	Modulation of reactive oxygen species via ERK and STAT3 dependent signalling are involved in the response of mesothelioma cells to exemestane. <i>Free Radical Biology and Medicine</i> , 2018, 115, 266-277.	1.3	15

#	ARTICLE	IF	CITATIONS
256	Phytochemical-induced reactive oxygen species and endoplasmic reticulum stress-mediated apoptosis and differentiation in malignant melanoma cells. <i>Phytomedicine</i> , 2018, 39, 100-110.	2.3	45
257	The regulatory G4 motif of the Kirsten ras (KRAS) gene is sensitive to guanine oxidation: implications on transcription. <i>Nucleic Acids Research</i> , 2018, 46, 661-676.	6.5	187
258	Identification of an Unfavorable Immune Signature in Advanced Lung Tumors from Nrf2-Deficient Mice. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 1535-1552.	2.5	31
259	Nuclear factor erythroid-2-related factor regulates LRWD1 expression and cellular adaptation to oxidative stress in human embryonal carcinoma cells. <i>Biochimie</i> , 2018, 148, 99-106.	1.3	4
260	Functional crosstalk among oxidative stress and O-GlcNAc signaling pathways. <i>Glycobiology</i> , 2018, 28, 556-564.	1.3	35
261	Targeting the NF-E2-Related Factor 2 Pathway: a Novel Strategy for Traumatic Brain Injury. <i>Molecular Neurobiology</i> , 2018, 55, 1773-1785.	1.9	53
262	Asiatic Acid Ameliorates Doxorubicin-Induced Cardiac and Hepato-Renal Toxicities with Nrf2 Transcriptional Factor Activation in Rats. <i>Cardiovascular Toxicology</i> , 2018, 18, 131-141.	1.1	38
263	Nuclear factor E2-related factor-2 has a differential impact on MCT1 and MCT4 lactate carrier expression in colonic epithelial cells: a condition favoring metabolic symbiosis between colorectal cancer and stromal cells. <i>Oncogene</i> , 2018, 37, 39-51.	2.6	39
264	Oxidative stress and metabolic reprogramming in Cr(VI) carcinogenesis. <i>Current Opinion in Toxicology</i> , 2018, 8, 20-27.	2.6	35
265	Cancer chemoprevention via activation of proteostatic modules. <i>Cancer Letters</i> , 2018, 413, 110-121.	3.2	29
266	Nrf2 overexpression is associated with P-glycoprotein upregulation in gastric cancer. <i>Biomedicine and Pharmacotherapy</i> , 2018, 97, 286-292.	2.5	53
267	NRF2 Is One of the Players Involved in Bone Marrow Mediated Drug Resistance in Multiple Myeloma. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3503.	1.8	14
268	Dysregulation of Nrf2 in Hepatocellular Carcinoma: Role in Cancer Progression and Chemoresistance. <i>Cancers</i> , 2018, 10, 481.	1.7	135
269	miR-144-3p regulates the resistance of lung cancer to cisplatin by targeting Nrf2. <i>Oncology Reports</i> , 2018, 40, 3479-3488.	1.2	28
270	Importance of the Keap1-Nrf2 pathway in NSCLC: Is it a possible biomarker? (Review). <i>Biomedical Reports</i> , 2018, 9, 375-382.	0.9	26
271	Targeting Crosstalk between Nrf-2, NF- κ B and Androgen Receptor Signaling in Prostate Cancer. <i>Cancers</i> , 2018, 10, 352.	1.7	64
272	Nrf1 is paved as a new strategic avenue to prevent and treat cancer, neurodegenerative and other diseases. <i>Toxicology and Applied Pharmacology</i> , 2018, 360, 273-283.	1.3	46
273	Interactions between the Cyclooxygenase Metabolic Pathway and the Renin-Angiotensin-Aldosterone Systems: Their Effect on Cardiovascular Risk, from Theory to the Clinical Practice. <i>BioMed Research International</i> , 2018, 2018, 1-10.	0.9	7

#	ARTICLE	IF	CITATIONS
274	The Science behind Microgreens as an Exciting New Food for the 21st Century. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 11519-11530.	2.4	121
275	Glutathione Transferases. , 2018, , 326-362.		2
276	Anticancer Activity of Sulforaphane: The Epigenetic Mechanisms and the Nrf2 Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-10.	1.9	99
277	Exercise Prevents Diaphragm Wasting Induced by Cigarette Smoke through Modulation of Antioxidant Genes and Metalloproteinases. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	12
278	Nrf2-Mediated Metabolic Reprogramming in Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-7.	1.9	39
279	Resistance to gefitinib and cross-resistance to irreversible EGFR-TKIs mediated by disruption of the Keap1-Nrf2 pathway in human lung cancer cells. <i>FASEB Journal</i> , 2018, 32, 5862-5873.	0.2	39
280	Molybdenum bupropion combined neurotoxicity in rats. <i>Regulatory Toxicology and Pharmacology</i> , 2018, 98, 224-230.	1.3	9
281	Control of SUMO and Ubiquitin by ROS: Signaling and disease implications. <i>Molecular Aspects of Medicine</i> , 2018, 63, 3-17.	2.7	44
282	Metformin Induces Apoptosis and Alters Cellular Responses to Oxidative Stress in Ht29 Colon Cancer Cells: Preliminary Findings. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1478.	1.8	47
283	Resveratrol induced reactive oxygen species and endoplasmic reticulum stress-mediated apoptosis, and cell cycle arrest in the A375SM malignant melanoma cell line. <i>International Journal of Molecular Medicine</i> , 2018, 42, 1427-1435.	1.8	52
284	The role of Nrf2 transcription factor in viral infection. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 6366-6382.	1.2	75
285	Antioxidant response elements: Discovery, classes, regulation and potential applications. <i>Redox Biology</i> , 2018, 17, 297-314.	3.9	324
286	Nrf2 downregulates zymosan-induced neutrophil activation and modulates migration. <i>PLoS ONE</i> , 2019, 14, e0216465.	1.1	14
287	Keap1/Nrf2 Signaling: A New Player in Thyroid Pathophysiology and Thyroid Cancer. <i>Frontiers in Endocrinology</i> , 2019, 10, 510.	1.5	30
288	Discovery of a Nitric Oxide-Responsive Protein in <i>Arabidopsis thaliana</i> . <i>Molecules</i> , 2019, 24, 2691.	1.7	14
289	BACH1 Stabilization by Antioxidants Stimulates Lung Cancer Metastasis. <i>Cell</i> , 2019, 178, 330-345.e22.	13.5	352
290	Targeting cell signaling in allergic asthma. <i>Signal Transduction and Targeted Therapy</i> , 2019, 4, 45.	7.1	162
291	<p></p>Correlation of NRF2 and progesterone receptor and its effects on ovarian cancer biology</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 7673-7684.	0.9	12

#	ARTICLE	IF	CITATIONS
292	Acute acetaminophen intoxication induces direct neurotoxicity in rats manifested as astrogliosis and decreased dopaminergic markers in brain areas associated with locomotor regulation. <i>Biochemical Pharmacology</i> , 2019, 170, 113662.	2.0	8
293	Î±-Lipoic Acid Inhibits IL-8 Expression by Activating Nrf2 Signaling in Helicobacter pylori-infected Gastric Epithelial Cells. <i>Nutrients</i> , 2019, 11, 2524.	1.7	25
294	A Bibliometric Review of the Keap1/Nrf2 Pathway and its Related Antioxidant Compounds. <i>Antioxidants</i> , 2019, 8, 353.	2.2	72
295	Contribution of Nrf2 Modulation to the Mechanism of Action of Analgesic and Anti-inflammatory Drugs in Pre-clinical and Clinical Stages. <i>Frontiers in Pharmacology</i> , 2018, 9, 1536.	1.6	87
296	Supplementation of p-coumaric acid exhibits chemopreventive effect via induction of Nrf2 in a short-term preclinical model of colon cancer. <i>European Journal of Cancer Prevention</i> , 2019, 28, 472-482.	0.6	25
297	Grape Seed Proanthocyanidin Extract Alleviates AflatoxinB1-Induced Immunotoxicity and Oxidative Stress via Modulation of NF-Î²B and Nrf2 Signaling Pathways in Broilers. <i>Toxins</i> , 2019, 11, 23.	1.5	52
298	Use of Primary Mouse Embryonic Fibroblasts in Developmental Toxicity Assessments. <i>Methods in Molecular Biology</i> , 2019, 1965, 7-17.	0.4	1
299	Mito-Nuclear Communication in Hepatocellular Carcinoma Metabolic Rewiring. <i>Cells</i> , 2019, 8, 417.	1.8	26
300	Genome-Wide CRISPR Screen Reveals Autophagy Disruption as the Convergence Mechanism That Regulates the NRF2 Transcription Factor. <i>Molecular and Cellular Biology</i> , 2019, 39, .	1.1	15
301	Pharmacological Applications of Nrf2 Inhibitors as Potential Antineoplastic Drugs. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2025.	1.8	49
302	Activation of Nrf2 signaling by Icaritin protects against 6-Î²-OHDA-induced neurotoxicity. <i>Biotechnology and Applied Biochemistry</i> , 2019, 66, 465-471.	1.4	16
303	Carnosol as a Nrf2 Activator Improves Endothelial Barrier Function Through Antioxidative Mechanisms. <i>International Journal of Molecular Sciences</i> , 2019, 20, 880.	1.8	23
304	NRF2 Activation in Cancer: From DNA to Protein. <i>Cancer Research</i> , 2019, 79, 889-898.	0.4	140
305	Molecular Mechanisms and Genetics of Oxidative Stress in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 981-1017.	1.2	115
306	Pin1 Plays Essential Roles in NASH Development by Modulating Multiple Target Proteins. <i>Cells</i> , 2019, 8, 1545.	1.8	12
307	Tumour Suppressor Genes with Oncogenic Roles in Lung Cancer. , 0, , .		1
308	Genetic Variations in Nrf2-Keap1 Complex: A Step towards Understanding Cancer Resistance in Blind Mole Rats Cytotypes. <i>Biology Bulletin</i> , 2019, 46, 547-554.	0.1	0
309	Interaction of ERÎ± and NRF2 Impacts Survival in Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2019, 20, 112.	1.8	25

#	ARTICLE	IF	CITATIONS
310	Six-transmembrane epithelial antigen of the prostate 1 protects against increased oxidative stress via a nuclear erythroid 2-related factor pathway in colorectal cancer. <i>Cancer Gene Therapy</i> , 2019, 26, 313-322.	2.2	17
311	Nuclear Factor Erythroid 2-Related Factor 2 (Nrf2) Inhibition: An Emerging Strategy in Cancer Therapy. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 3840-3856.	2.9	32
312	Drug screening assay based on the interaction of intact Keap1 and Nrf2 proteins in cancer cells. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 92-99.	1.4	3
313	Fibroblast growth factor 21 facilitates peripheral nerve regeneration through suppressing oxidative damage and autophagic cell death. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 497-511.	1.6	46
314	Role Phytochemicals Play in the Activation of Antioxidant Response Elements (AREs) and Phase II Enzymes and Their Relation to Cancer Progression and Prevention. <i>Studies in Natural Products Chemistry</i> , 2019, 60, 345-369.	0.8	7
315	Targeting glutathione S-transferase P and its interactome with selenium compounds in cancer therapy. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 130-143.	1.1	35
316	High NF-E2-related factor 2 expression predicts poor prognosis in patients with lung cancer: a meta-analysis of cohort studies. <i>Free Radical Research</i> , 2020, 54, 790-798.	1.5	4
317	17-Oxo-docosahexaenoic acid induces Nrf2-mediated expression of heme oxygenase-1 in mouse skin in vivo and in cultured murine epidermal cells. <i>Archives of Biochemistry and Biophysics</i> , 2020, 679, 108156.	1.4	11
318	PML/RARa Interferes with NRF2 Transcriptional Activity Increasing the Sensitivity to Ascorbate of Acute Promyelocytic Leukemia Cells. <i>Cancers</i> , 2020, 12, 95.	1.7	10
319	Mangiferin exerts neuroprotective activity against lead-induced toxicity and oxidative stress via Nrf2 pathway. <i>Chinese Herbal Medicines</i> , 2020, 12, 36-46.	1.2	13
320	Arsenal of Phytochemicals to Combat Against Arsenic-Induced Mitochondrial Stress and Cancer. <i>Antioxidants and Redox Signaling</i> , 2020, 33, 1230-1256.	2.5	12
321	Cis-element architecture of Nrf2's Maf heterodimer binding sites and its relation to diseases. <i>Archives of Pharmacal Research</i> , 2020, 43, 275-285.	2.7	50
322	Carbamazepine, cadmium chloride and polybrominated diphenyl ether-47, synergistically modulate the expression of antioxidants and cell cycle biomarkers, in the marine fish cell line SAF-1. <i>Marine Environmental Research</i> , 2020, 154, 104844.	1.1	7
323	The Potential of Lactobacillus spp. for Modulating Oxidative Stress in the Gastrointestinal Tract. <i>Antioxidants</i> , 2020, 9, 610.	2.2	57
324	An Overview of Nrf2 Signaling Pathway and Its Role in Inflammation. <i>Molecules</i> , 2020, 25, 5474.	1.7	573
325	Role of the KEAP1-NRF2 Axis in Renal Cell Carcinoma. <i>Cancers</i> , 2020, 12, 3458.	1.7	17
326	Emerging role of NRF2 in ROS-mediated tumor chemoresistance. <i>Biomedicine and Pharmacotherapy</i> , 2020, 131, 110676.	2.5	81
327	Effects of dietary astaxanthin on the growth, innate immunity and antioxidant defence system of <i>Paramisgurnus dabryanus</i> . <i>Aquaculture Nutrition</i> , 2020, 26, 1453-1462.	1.1	10

#	ARTICLE	IF	CITATIONS
328	Glutathione Peroxidase in Health and Diseases. , 0, , .		32
329	Reactive Oxygen Species and Redox Signaling in Chronic Kidney Disease. <i>Cells</i> , 2020, 9, 1342.	1.8	153
330	Consumption of anthocyanin-rich beverages affects Nrf2 and Nrf2-dependent gene transcription in peripheral lymphocytes and DNA integrity of healthy volunteers. <i>BMC Chemistry</i> , 2020, 14, 39.	1.6	10
331	NF- κ B-Related Factor 2 Regulates Interferon Receptor Expression and Alters Macrophage Polarization in Lupus. <i>Arthritis and Rheumatology</i> , 2020, 72, 1707-1720.	2.9	16
332	Neuronal Activity and Its Role in Controlling Antioxidant Genes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1933.	1.8	10
333	Nrf1 Is Endowed with a Dominant Tumor-Repressing Effect onto the Wnt/ β -Catenin-Dependent and Wnt/ β -Catenin-Independent Signaling Networks in the Human Liver Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-28.	1.9	15
334	Exercise, redox homeostasis and the epigenetic landscape. <i>Redox Biology</i> , 2020, 35, 101477.	3.9	40
335	Loss-of-function mutations in KEAP1 drive lung cancer progression via KEAP1/NRF2 pathway activation. <i>Cell Communication and Signaling</i> , 2020, 18, 98.	2.7	38
336	Nrf2 in early vascular ageing: Calcification, senescence and therapy. <i>Clinica Chimica Acta</i> , 2020, 505, 108-118.	0.5	48
337	Potential Applications of NRF2 Modulators in Cancer Therapy. <i>Antioxidants</i> , 2020, 9, 193.	2.2	94
338	Structural and mechanistic insights into the Keap1-Nrf2 system as a route to drug discovery. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2020, 1868, 140405.	1.1	39
339	Small molecular Nrf2 inhibitors as chemosensitizers for cancer therapy. <i>Future Medicinal Chemistry</i> , 2020, 12, 243-267.	1.1	21
340	NRF2/SHH signaling cascade promotes tumor-initiating cell lineage and drug resistance in hepatocellular carcinoma. <i>Cancer Letters</i> , 2020, 476, 48-56.	3.2	37
341	Obtusaquinone: A Cysteine-Modifying Compound That Targets Keap1 for Degradation. <i>ACS Chemical Biology</i> , 2020, 15, 1445-1454.	1.6	18
342	Nrf2 activation through the inhibition of Keap1-Nrf2 protein-protein interaction. <i>Medicinal Chemistry Research</i> , 2020, 29, 846-867.	1.1	60
343	Development of a Homogeneous Time-Resolved Fluorescence Resonance Energy Transfer (TR-FRET) Assay for the Inhibition of Keap1-Nrf2 Protein-Protein Interaction. <i>SLAS Discovery</i> , 2021, 26, 100-112.	1.4	9
344	Small molecules regulating reactive oxygen species homeostasis for cancer therapy. <i>Medicinal Research Reviews</i> , 2021, 41, 342-394.	5.0	107
345	BTB and CNC homology 1 inhibition ameliorates fibrosis and inflammation via blocking ERK pathway in pulmonary fibrosis. <i>Experimental Lung Research</i> , 2021, 47, 67-77.	0.5	14

#	ARTICLE	IF	CITATIONS
346	Polyphenols from <i>Penthorum chinense</i> Pursh. Attenuates high glucose-induced vascular inflammation through directly interacting with Keap1 protein. <i>Journal of Ethnopharmacology</i> , 2021, 268, 113617.	2.0	9
347	Identification of Dominant Transcripts in Oxidative Stress Response by a Full-Length Transcriptome Analysis. <i>Molecular and Cellular Biology</i> , 2021, 41, .	1.1	7
348	Immunomodulation effects of polyphenols from thinned peach treated by different drying methods on RAW264.7 cells through the NF- κ B and Nrf2 pathways. <i>Food Chemistry</i> , 2021, 340, 127931.	4.2	31
349	Role of antioxidants in the treatment of hepatocellular carcinoma: Integrative review. <i>Research, Society and Development</i> , 2021, 10, e46310112028.	0.0	3
350	n-BuOH extract of <i>Bletilla striata</i> exerts chemopreventive effects on lung against SiO ₂ nanoparticles through activation of Nrf2 pathway. <i>Phytomedicine</i> , 2021, 82, 153445.	2.3	11
351	Prognostic value of a novel glycolysis-related gene expression signature for gastrointestinal cancer in the Asian population. <i>Cancer Cell International</i> , 2021, 21, 154.	1.8	13
352	Tolerable upper intake level of iron damages the liver of weaned piglets. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2021, 105, 668-677.	1.0	3
353	The translocator protein (TSPO) is prodromal to mitophagy loss in neurotoxicity. <i>Molecular Psychiatry</i> , 2021, 26, 2721-2739.	4.1	10
354	The Role of NRF2/KEAP1 Signaling Pathway in Cancer Metabolism. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4376.	1.8	58
355	p62 functions as a signal hub in metal carcinogenesis. <i>Seminars in Cancer Biology</i> , 2021, 76, 267-278.	4.3	7
356	Identification of <i>Beilschmiedia tsangii</i> Root Extract as a Liver Cancer Cell- κ Normal Keratinocyte Dual-Selective NRF2 Regulator. <i>Antioxidants</i> , 2021, 10, 544.	2.2	11
357	Design, Synthesis, Characterization, and Crystal Structure Studies of Nrf2 Modulators for Inhibiting Cancer Cell Growth In Vitro and In Vivo. <i>ACS Omega</i> , 2021, 6, 10054-10071.	1.6	6
358	Loss of PHLDA1 has a protective role in OGD/R-injured neurons via regulation of the GSK-3 β /Nrf2 pathway. <i>Human and Experimental Toxicology</i> , 2021, 40, 1909-1920.	1.1	5
359	The intricacies of NRF2 regulation in cancer. <i>Seminars in Cancer Biology</i> , 2021, 76, 110-119.	4.3	50
361	Nrf2 inhibition sensitizes breast cancer stem cells to ionizing radiation via suppressing DNA repair. <i>Free Radical Biology and Medicine</i> , 2021, 169, 238-247.	1.3	31
362	Combinations of Phytochemicals More Efficiently than Single Components Activate Nrf2 and Induce the Expression of Antioxidant Enzymes in Pancreatic Cancer Cells. <i>Nutrition and Cancer</i> , 2021, , 1-16.	0.9	8
363	Nuclear factor erythroid 2-related factor 2 and β -Catenin Coactivation in Hepatocellular Cancer: Biological and Therapeutic Implications. <i>Hepatology</i> , 2021, 74, 741-759.	3.6	32
364	A Novel Nrf2 Pathway Inhibitor Sensitizes Keap1-Mutant Lung Cancer Cells to Chemotherapy. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1692-1701.	1.9	18

#	ARTICLE	IF	CITATIONS
365	Oat polyphenol avenanthramide-2c confers protection from oxidative stress by regulating the Nrf2-ARE signaling pathway in PC12 cells. Archives of Biochemistry and Biophysics, 2021, 706, 108857.	1.4	15
366	Spinal Nrf2 translocation may inhibit neuronal NF- κ B activation and alleviate allodynia in a rat model of bone cancer pain. Journal of Neurochemistry, 2021, 158, 1110-1130.	2.1	14
367	The Nrf2 Pathway in Ischemic Stroke: A Review. Molecules, 2021, 26, 5001.	1.7	52
368	Targeted Inhibition of Anti-Inflammatory Regulator Nrf2 Results in Breast Cancer Retardation In Vitro and In Vivo. Biomedicines, 2021, 9, 1119.	1.4	25
369	Reactive oxygen species produced by altered tumor metabolism impacts cancer stem cell maintenance. Redox Biology, 2021, 44, 101953.	3.9	39
370	Apomorphine Reduces A53T α -Synuclein-Induced Microglial Reactivity Through Activation of NRF2 Signaling Pathway. Cellular and Molecular Neurobiology, 2021, , 1.	1.7	2
371	Nrf2 signaling promotes cancer stemness, migration, and expression of ABC transporter genes in sorafenib-resistant hepatocellular carcinoma cells. PLoS ONE, 2021, 16, e0256755.	1.1	19
372	Apigenin exerts chemopreventive effects on lung injury induced by SiO ₂ nanoparticles through the activation of Nrf2. Journal of Natural Medicines, 2022, 76, 119-131.	1.1	4
373	Maintaining blood retinal barrier homeostasis to attenuate retinal ischemia-reperfusion injury by targeting the KEAP1/NRF2/ARE pathway with lycopene. Cellular Signalling, 2021, 88, 110153.	1.7	5
374	The relevant targets of anti-oxidative stress: a review. Journal of Drug Targeting, 2021, 29, 677-686.	2.1	30
375	The potential roles of Nrf2/Keap1 signaling in anticancer drug interactions. Current Research in Pharmacology and Drug Discovery, 2021, 2, 100028.	1.7	10
376	Sunscreen-Based Skin Protection Against Solar Insult: Molecular Mechanisms and Opportunities. , 2019, , 377-404.		3
377	The Chemopreventive Power of Isothiocyanates. , 2020, , 271-318.		2
378	Sulfhydryl-Reactive Phytochemicals as Dual Activators of Transcription Factors NRF2 and HSF1. , 2013, , 95-119.		2
379	Chemical and Biological Mechanisms of Phytochemical Activation of NRF2 and Importance in Disease Prevention. , 2013, 43, 121-155.		27
380	Modulation of the Nrf2 Signaling Pathway by Chemopreventive Dietary Phytoconstituents. , 2012, , 521-539.		1
381	WDR23 regulates NRF2 independently of KEAP1. PLoS Genetics, 2017, 13, e1006762.	1.5	77
382	L-Cysteine Administration Attenuates Pancreatic Fibrosis Induced by TNBS in Rats by Inhibiting the Activation of Pancreatic Stellate Cell. PLoS ONE, 2012, 7, e31807.	1.1	19

#	ARTICLE	IF	CITATIONS
383	The Sensitivity of Cancer Cells to Pheophorbide a-Based Photodynamic Therapy Is Enhanced by NRF2 Silencing. <i>PLoS ONE</i> , 2014, 9, e107158.	1.1	54
384	NRF2 Signaling Negatively Regulates Phorbol-12-Myristate-13-Acetate (PMA)-Induced Differentiation of Human Monocytic U937 Cells into Pro-Inflammatory Macrophages. <i>PLoS ONE</i> , 2015, 10, e0134235.	1.1	37
385	Genome-wide global identification of NRF2 binding sites in A549 non-small cell lung cancer cells by ChIP-Seq reveals NRF2 regulation of genes involved in focal adhesion pathways. <i>Aging</i> , 2019, 11, 12600-12623.	1.4	23
386	NFE2L2/NRF2 silencing-inducible miR-206 targets c-MET/EGFR and suppresses BCRP/ABCG2 in cancer cells. <i>Oncotarget</i> , 2017, 8, 107188-107205.	0.8	26
387	CRISPR/Cas9 genome-wide screening identifies KEAP1 as a sorafenib, lenvatinib, and regorafenib sensitivity gene in hepatocellular carcinoma. <i>Oncotarget</i> , 2019, 10, 7058-7070.	0.8	50
388	Emerging role of nuclear factor erythroid 2-related factor 2 in the mechanism of action and resistance to anticancer therapies. , 2019, 2, 490-515.		4
389	Mechanisms Underlying Chemopreventive Effects of Flavonoids via Multiple Signaling Nodes within Nrf2-ARE and AhR-XRE Gene Regulatory Networks. <i>Current Chemical Biology</i> , 2013, 7, 151-176.	0.2	29
390	The KEAP1â€NRF2 System as a Molecular Target of Cancer Treatment. <i>Cancers</i> , 2021, 13, 46.	1.7	100
391	The Multifaceted Role of Curcumin in Cancer Prevention and Treatment. <i>Molecules</i> , 2015, 20, 2728-2769.	1.7	369
392	Anticancer and Antiviral Activity of Chlorine Dioxide by Its Induction of the Reactive Oxygen Species. <i>Journal of Applied Biological Chemistry</i> , 2016, 59, 31-36.	0.2	5
393	Targeting ROS for Cancer Therapy. <i>Chemotherapy</i> , 2016, 05, .	0.0	6
394	Protein kinase CK2 activates Nrf2 via autophagic degradation of Keap1 and activation of AMPK in human cancer cells. <i>BMB Reports</i> , 2020, 53, 272-277.	1.1	15
395	Harmal Extract Induces Apoptosis of HCT116 Human Colon Cancer Cells, Mediated by Inhibition of Nuclear Factor-Î²B and Activator Protein-1 Signaling Pathways and Induction of Cytoprotective Genes. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 1947-1959.	0.5	9
396	Differential Yet Integral Contributions of Nrf1 and Nrf2 in the Human HepG2 Cells on Antioxidant Cytoprotective Response against Tert-Butylhydroquinone as a Pro-Oxidative Stressor. <i>Antioxidants</i> , 2021, 10, 1610.	2.2	14
397	Role of Pentacyclic Triterpenoid Acids in the Treatment of Bladder Cancer. <i>Mini-Reviews in Medicinal Chemistry</i> , 2021, 21, .	1.1	2
398	Antioxidants in Skin Cancer. , 2014, , 3753-3769.		0
399	Protocol for a Steady-State FRET Assay in Cancer Chemoprevention. <i>Methods in Molecular Biology</i> , 2016, 1379, 165-179.	0.4	0
401	22. The French paradox revisited: cardioprotection via hormesis, red wine and resveratrol. <i>Human Health Handbooks</i> , 2017, , 467-485.	0.1	1

#	ARTICLE	IF	CITATIONS
402	Quranic Verse No. 8 of Surat Al-Jumu'ah Leads us to Describe Cancer and Determine Its True Cause (Part-III). CellBio, 2018, 07, 35-49.	1.3	1
404	Nrf2/Keap1/ARE signaling: Towards specific regulation. Life Sciences, 2022, 291, 120111.	2.0	147
405	Molecular Mechanisms of Nrf2 in Inflammation: Interactions Between Nrf2 and Inflammatory Mediators. Agents and Actions Supplements, 2020, , 1-21.	0.2	0
406	Nrf2 and Inflammation-Triggered Carcinogenesis. Agents and Actions Supplements, 2020, , 129-152.	0.2	1
408	Cisplatin Chemotherapy and Cochlear Damage: Otoprotective and Chemosensitization Properties of Polyphenols. Antioxidants and Redox Signaling, 2022, 36, 1229-1245.	2.5	9
409	MSM ameliorates HIV-1 Tat induced neuronal oxidative stress via rebalance of the glutathione cycle. American Journal of Translational Research (discontinued), 2015, 7, 328-38.	0.0	22
410	Prognostic and predictive values of Nrf2, Keap1, p16 and E-cadherin expression in ovarian epithelial carcinoma. International Journal of Clinical and Experimental Pathology, 2015, 8, 5642-9.	0.5	28
411	Advances in mechanisms of anti-oxidation. Discovery Medicine, 2014, 17, 121-30.	0.5	17
414	Mechanism of protective effect of carnosol on pig intestinal epithelial cells. International Journal of Clinical and Experimental Pathology, 2020, 13, 447-455.	0.5	2
415	Genetic and epigenetic regulation of the NRF2-KEAP1 pathway in human lung cancer. British Journal of Cancer, 2022, 126, 1244-1252.	2.9	17
416	Ethyl Acetate Fractions of Papaver rhoeas L. and Papaver nudicaule L. Exert Antioxidant and Anti-Inflammatory Activities. Antioxidants, 2021, 10, 1895.	2.2	8
417	Design and synthesis of Osthole-based compounds as potential Nrf2 agonists. Bioorganic and Medicinal Chemistry Letters, 2022, 61, 128547.	1.0	4
418	A Perspective on Nrf2 Signaling Pathway for Neuroinflammation: A Potential Therapeutic Target in Alzheimer's and Parkinson's Diseases. Frontiers in Cellular Neuroscience, 2021, 15, 787258.	1.8	62
419	Dissecting the Crosstalk Between Nrf2 and NF- κ B Response Pathways in Drug-Induced Toxicity. Frontiers in Cell and Developmental Biology, 2021, 9, 809952.	1.8	58
420	Application of Phytochemicals in Immune Disorders: Their Roles Beyond Antioxidants. Integrative Medicine, 2021, 20, 16-21.	0.1	0
421	Targeting ferroptosis for cancer therapy: iron metabolism and anticancer immunity. American Journal of Cancer Research, 2021, 11, 5508-5525.	1.4	2
424	Two Faces of Nrf2 in Cancer. , 0, , .		0
425	Role of Nrf2 in Pancreatic Cancer. Antioxidants, 2022, 11, 98.	2.2	14

#	ARTICLE	IF	CITATIONS
426	A novel NRF2/ARE inhibitor gossypol induces cytotoxicity and sensitizes chemotherapy responses in chemo-refractory cancer cells. <i>Journal of Food and Drug Analysis</i> , 2021, 29, 638-652.	0.9	3
427	Aloperine: A Potent Modulator of Crucial Biological Mechanisms in Multiple Diseases. <i>Biomedicines</i> , 2022, 10, 905.	1.4	6
430	Epigenetic Therapeutics Targeting NRF2/KEAP1 Signaling in Cancer Oxidative Stress. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	11
431	An update of Nrf2 activators and inhibitors in cancer prevention/promotion. <i>Cell Communication and Signaling</i> , 2022, 20, .	2.7	36
432	LncRNA UCA1 promoted cisplatin resistance in lung adenocarcinoma with HO1 targets NRF2/HO1 pathway. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 1295-1311.	1.2	4
433	Nrf2 Knockout Affected the Ferroptosis Signaling Pathway against Cisplatin-Induced Hair Cell-Like HEI-OC1 Cell Death. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-15.	1.9	4
434	Glycyl-L-histidyl-L-lysine-Cu ²⁺ attenuates cigarette smoke-induced pulmonary emphysema and inflammation by reducing oxidative stress pathway. <i>Frontiers in Molecular Biosciences</i> , 0, 9, .	1.6	1
435	Nrf2-mediated anti-inflammatory polarization of macrophages as therapeutic targets for osteoarthritis. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	50
436	Quantitative Proteomics Identifies Reduced NRF2 Activity and Mitochondrial Dysfunction in Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2023, 143, 220-231.e7.	0.3	7
437	Metabolic targeting of NRF2 potentiates the efficacy of the TRAP1 inhibitor G-TPP through reduction of ROS detoxification in colorectal cancer. <i>Cancer Letters</i> , 2022, 549, 215915.	3.2	4
438	Arsenic and cancer: Evidence and mechanisms. <i>Advances in Pharmacology</i> , 2023, , 151-202.	1.2	8
439	In Silico Analysis of Oxidative Stress Gene Expression Profile and Biomarker Detection. , 2022, , 3117-3131.		0
440	Targeting the Transcription Factors of ROS Tumorigenic Pathways as a Therapeutic Strategy in Cancer. , 2022, , 4003-4021.		0
441	3-Bromo-4,5-dihydroxybenzaldehyde Isolated from <i>Polysiphonia morrowii</i> Suppresses TNF- α /IFN- β -Stimulated Inflammation and Deterioration of Skin Barrier in HaCaT Keratinocytes. <i>Marine Drugs</i> , 2022, 20, 563.	2.2	8
442	Antioxidant and neuroprotective actions of resveratrol in cerebrovascular diseases. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	7
443	Understanding the Role of NRF2 Signalling in Cancer. <i>Current Protein and Peptide Science</i> , 2022, 23, 672-683.	0.7	2
444	System analysis based on the cuproptosis-related genes identifies LIPT1 as a novel therapy target for liver hepatocellular carcinoma. <i>Journal of Translational Medicine</i> , 2022, 20, .	1.8	38
445	Nrf2 Modulation in Breast Cancer. <i>Biomedicines</i> , 2022, 10, 2668.	1.4	39

#	ARTICLE	IF	CITATIONS
446	The Association of Polymorphisms in Genes Encoding Antioxidant Enzymes GPX1 (rs1050450), SOD2 (rs4880) and Transcriptional Factor Nrf2 (rs6721961) with the Risk and Development of Prostate Cancer. <i>Medicina (Lithuania)</i> , 2022, 58, 1414.	0.8	7
447	Natural toxicants in plant-based foods, including herbs and spices and herbal food supplements, and accompanying risks. , 2023, , 2-25.		0
448	In Vitro Antioxidant Activity of Areca Nut Polyphenol Extracts on RAW264.7 Cells. <i>Foods</i> , 2022, 11, 3607.	1.9	10
449	Sulforaphane Delays Intervertebral Disc Degeneration by Alleviating Endoplasmic Reticulum Stress in Nucleus Pulposus Cells via Activating Nrf-2/HO-1. <i>Oxidative Medicine and Cellular Longevity</i> , 2023, 2023, 1-20.	1.9	7
450	Targeting PCSK9 in Liver Cancer Cells Triggers Metabolic Exhaustion and Cell Death by Ferroptosis. <i>Cells</i> , 2023, 12, 62.	1.8	8
451	Phytochemical analysis and nephroprotective potential of Ajwa date in doxorubicin-induced nephrotoxicity rats: Biochemical and molecular docking approaches. <i>Food Science and Nutrition</i> , 2023, 11, 1584-1598.	1.5	3
452	The Regulatory Effect of Phytochemicals on Chronic Diseases by Targeting Nrf2-ARE Signaling Pathway. <i>Antioxidants</i> , 2023, 12, 236.	2.2	10
453	Harnessing the ROS for Cancer Treatment. , 2023, , 1-31.		0
454	Camptothecin improves sorafenib sensitivity by inhibiting Nrf2-ARE pathway in hepatocellular carcinoma. <i>Oncology Reports</i> , 2023, 49, .	1.2	2
455	Cross-talk between energy and redox metabolism in astrocyte-neuron functional cooperation. <i>Essays in Biochemistry</i> , 2023, 67, 17-26.	2.1	10
456	Chemoprevention of lotus leaf ethanolic extract through epigenetic activation of the NRF2-mediated pathway in murine skin JB6 P+ cell neoplastic transformation. <i>Journal of Traditional and Complementary Medicine</i> , 2023, 13, 337-344.	1.5	1
457	Iron, ferroptosis, and ischemic stroke. <i>Journal of Neurochemistry</i> , 2023, 165, 487-520.	2.1	21
458	Hydroxy-Selenomethionine Mitigated Chronic Heat Stress-Induced Porcine Splenic Damage via Activation of Nrf2/Keap1 Signal and Suppression of NF- κ B and STAT Signal. <i>International Journal of Molecular Sciences</i> , 2023, 24, 6461.	1.8	2
463	The mechanistic insights of the antioxidant Keap1-Nrf2 pathway in oncogenesis: a deadly scenario. , 2023, 40, .		1
470	ROS, Redox Regulation, and Anticancer Therapy. , 2023, , 311-409.		0
476	Glutathione Transferases. , 2024, , .		0